




# Index of CITES species



**CITES Secretariat**

International Environment House  
15, Chemin des Anémones  
CH 1219 Châtelaine (Geneva)  
Switzerland  
Tel: + 41 (0) 22 917 81 39/40  
Email: info@cites.org  
Website: www.cites.org

**UNEP World Conservation Monitoring Centre**

219 Huntingdon Road  
Cambridge  
CB3 0DL  
United Kingdom  
Tel: +44 (0) 1223 277314  
Email: species@unep-wcmc.org  
Website: www.unep-wcmc.org

Copyright: 2014 CITES Secretariat / United Nations Environment Programme

CITES (the Convention on International Trade in Endangered Species of Wild Fauna and Flora) is an international agreement between governments. Its aim is to ensure that international trade in specimens of wild animals and plants does not threaten their survival. At the time of writing the present introduction (September 2013), 178 countries were party to CITES.

The United Nations Environment Programme World Conservation Monitoring Centre (UNEP-WCMC) is the specialist biodiversity assessment centre of the United Nations Environment Programme (UNEP), the world's foremost intergovernmental environmental organization. The Centre has been in operation for over 30 years, combining scientific research with practical policy advice.

This publication may be reproduced for educational or non-profit purposes without special permission, provided acknowledgement to the source is made. Reuse of any figures is subject to permission from the copyright holders. No use of this publication may be made for resale or any other commercial purpose without permission in writing from the CITES Secretariat. Applications for permission, with a statement of purpose and extent of reproduction, should be sent to the CITES Secretariat, International Environment House, 15, Chemin des Anémones, CH 1219 Châtelaine (Geneva), Switzerland.

The geographical designations employed in this publication do not imply the expression of any opinion whatsoever on the part of the compilers, the CITES Secretariat or the United Nations Environment Programme concerning the legal status of any country, territory or area, or concerning the delimitation of its frontiers or boundaries.

**Citation:**

UNEP-WCMC (Comps.) 2014. *Checklist of CITES species*. CITES Secretariat, Geneva, Switzerland, and UNEP-WCMC, Cambridge, United Kingdom. Accessed on [Date].

**CITES Checklist website:** <http://checklist.cites.org>

**With financial support from:** CITES Secretariat, UNEP-WCMC and the European Commission



*Front cover image copyrights: Green iguana: FikMik; Blue branching hard coral: Tyler Fox; Macaw Plumage: Eduardo Rivero; Frog shadow: Patryk Kosmider; Golden Birdwing butterfly: Jason S; Aloe ferox: Tish1; and Asian elephants: Ekkachai. All cover images used under licence from Shutterstock.com*

UNEP promotes  
environmentally sound practices  
globally and in its own activities.  
Printing on paper from environmentally  
sustainable forests and recycled fibre is  
encouraged. Our distribution policy aims to  
reduce UNEP's carbon footprint.

# FOREWORD AND ACKNOWLEDGEMENTS

The advent of new and innovative information and communication technologies provides CITES Parties with electronic tools and resources that can be used to facilitate the implementation of the Convention. Among these resources is the database-driven 2013 edition of the *Checklist of CITES species*, which offer a number of innovative ways to use nomenclatural information on CITES-listed species.

For example, this new edition allows users to download information on species in different data formats compatible with databases and other datasets. This will make it far easier to ensure consistency between national checklists and the nomenclature adopted by the Conference of the Parties to CITES. In addition, it is now possible to generate customized checklists where information can be collated using different criteria, including countries, Appendices or taxa, or any combination thereof. This possibility to tailor checklists to one's needs will make this resource much more flexible and capable of meeting the needs of a wide range of users. Another bonus is that, because the online *Checklist* will be updated as necessary, Parties will always have access to the most up-to-date information.

Equally exciting is the possibility of partnerships with other organizations developing projects to meet the needs of Parties. In this regard, the CITES Secretariat is working with the UNEP World Conservation Monitoring Centre (UNEP-WCMC) to develop a system where data from the *Checklist of CITES species* will be integrated with those from checklists from other multilateral environmental agreements, with a view to promoting and facilitating harmonization of nomenclature.

A database-driven *Checklist* also makes information more accessible to the public through the provision of easy-to-use search criteria, including by country or Appendix. As a result, the *Checklist* can now serve a dual role, first as the official digest of scientific names contained in the official standard references, as recognized in Resolution Conf. 12.11 (Rev. CoP16) on *Standard nomenclature*, and, second, as an educational resource for students and teachers.

The CITES Secretariat is planning to enhance the *Checklist of CITES species* with a number of new services before the 17th meeting of the Conference of the Parties, scheduled for 2016. Such services will give CITES Management Authorities the possibility to update their own systems with amendments to the CITES Appendices as they are made, which will also reduce the risk of introducing errors in copying species names. Another possibility will be to "pull" the names of species and the Appendices they are included in directly into a CITES electronic permit or certificate. This function will also assist in the reduction of clerical errors, thereby making trade easier to monitor and trace.

This database-driven *Checklist* was developed by UNEP-WCMC using data from the CITES species database, under contract to the CITES Secretariat. I would like to acknowledge the excellent work of UNEP-WCMC, and most particularly the staff responsible for the meticulous work involved. I also recognize the contribution of the specific staff of the CITES Secretariat who not only gave guidance to the UNEP-WCMC production team but also helped to update the text and prepared the output received for final publication.

The *Checklist* was also reviewed by the nomenclature specialists of the CITES Animals and Plants Committees, Ms Ute Grimm and Mr Noel McGough, and the Secretariat is grateful for their work and their comments.

The production and publication of the *Checklist* have been made possible through the generous funding of the European Union. I should therefore like to express my sincere thanks to the European Union, not only for this project but also for their continued general support for CITES activities.

The *Checklist of CITES species* is widely used and appreciated by CITES Management Authorities, Scientific Authorities, Customs officers and others involved in the implementation and enforcement of CITES, as well as by intergovernmental entities, international and national non-governmental organizations, academics, the media and many others. We trust that this new electronic edition will be of value to you, and we very much welcome any feedback and suggestions on ways to improve this resource in the future.

John E. Scanlon  
CITES Secretary-General

# INTRODUCTION

The Conference of the Parties recognizes the *Checklist of CITES species* as an official digest of scientific names contained in the official standard references. The *Checklist of CITES species* is now dynamically linked to Species+, a database of information on MEA-listed species that is managed by UNEP-WCMC, allowing, for the first time, taxonomic and listing changes to be reflected within this document as they are updated. This will include amendments to CITES Appendix III made between meetings of the Conference of the Parties. For this reason, it will be important for users of the *Checklist* to take note of the date of download, as outputs will change over time on the basis of changes adopted by Parties.

The Checklist website also provides the flexibility to create tailored outputs by higher taxonomic group, Appendix and country or region, with additional “Advanced options” for including or excluding elements such as Authors' names, scientific synonyms and common names. If filters have been applied, some of the descriptions below may not be applicable. For instance, if scientific synonyms have been excluded, the synonym records will not appear in the output.

## Structure

The *Checklist of CITES species* comprises two parts: the *Index of CITES species* (the present output) and the *History of CITES listings*. While users can choose to download tailored outputs of the *Index of CITES species*, the complete publication is an alphabetical list of all animal and plant taxa included in the CITES Appendices. The only exceptions to this are Appendix-II orchids. These are only included if they are listed in the *CITES Orchid Checklist*, volumes 1-4, published by the Royal Botanic Gardens, Kew, or in the *Checklist for Bulbophyllum and allied taxa* (Sieder, Rainer & Kiehn, 2007). For the orchid species not found in these references, the *CITES Species Index* contains a record of the genera to which they belong, e.g. *Aa* spp, but not of the individual species in each genus.

Three types of record are included in the *Index of CITES species*:

- 1) scientific names, which are the main records and contain all information;
- 2) common names, which refer to the main record; and
- 3) scientific synonyms, which refer to the main record.


### 1 The scientific name record

This record is the main record that contains all the information available for each taxon.

Taxonomic names that have been officially adopted by the Conference of the Parties [see the list of standard nomenclatural references in [Resolution Conf. 12.11 \(Rev. CoP16\)](#)] appear in boldface in the *Checklist*, e.g. ***Acinonyx jubatus*** (the cheetah). This is the case for most taxa. In some cases, nevertheless, a standard nomenclatural reference for the constituent species of a higher taxon has not yet been adopted. In such instances, a reference identified by UNEP-WCMC has been used. The names of these taxa are not in boldface, e.g. *Tridacna maxima* (or any Tridacnidae species).

Higher taxa are only included when there is an Appendix listing at that level or if the higher taxon has inherited a listing from another higher taxon. For instance, a genus within Scleractinia spp. would be included so that it would be clear to readers that all species within the genus are listed (e.g. *Acropora* spp.). If, alternatively, the inclusion in the Appendices goes no further up than the species level, as in the case of *Dugong dugon*, the genus, family or order would not appear in this case (e.g. *Dugon*, *Dugongidae* and *Sirenia* would not appear).

## Examples of scientific name records and explanation



## Key to abbreviations and annotations

I	listed in Appendix I
II	listed in Appendix II
III	listed in Appendix III
NC	non CITES
spp.	all species of a higher taxon
var.	variety
Superscript annotations 1 to 74.	see the key for <i>Annotations not preceded by "#" at the end of this PDF</i>
#1-#14 (flora only)	see Key to # annotations at the end of the PDF

## 2 The common name record

Where available, English (E), Spanish (S) and French (F) common names are provided. The common name is followed by the corresponding scientific name under which all information is recorded. There is only one entry for each common name, e.g. there is an entry for 'Eagle, Golden' but not for 'Golden Eagle'.

### Examples of common name records and explanation

- 1) Hummingbird, Emerald-chinned (E): *Abeillia abeillei*  
= go to "*Abeillia abeillei*" to see the full record of the "emerald-chinned hummingbird".
- 2) parrots (E): PSITTACIFORMES (Aves)  
= go to "PSITTACIFORMES" to see the full record of "parrots".
- 3) orchids, slipper (E): *Paphiopedilum* spp. / *Phragmipedium* spp.  
= go to "*Paphiopedilum* spp." and "*Phragmipedium* spp." to see the full record of "slipper orchids", because the same common name is used for both genera.

## 3 The synonym record

A synonym is followed by '=' and the scientific name under which all information is recorded.

### Example and explanation

*Loxodonta cyclotis* = *Loxodonta africana*

Explanation: *Loxodonta cyclotis* is a synonym of *Loxodonta africana*. Go to "*Loxodonta africana*" to see the full record.

Note: A same species name may be displayed as both a synonym and an accepted name when it has been given by different authors to different species. Thus, the *Index of CITES species* contains the following consecutive entries:

*Porites solida* = *Porites astreoides*

*Porites solida* II PORITIDAE (Anthozoa)

Selecting "Author's name" in the *Advanced options* will display the authors' names both on screen and in the downloads, thereby clarifying these records as:

*Porites solida* Verrill, 1868 = *Porites astreoides* Lamarck, 1816

*Porites solida* (Forskål, 1775) II PORITIDAE (Anthozoa)

In other words, the Conference of the Parties to CITES has adopted *Porites astreoides*, as named by Lamarck in 1816, and *Porites solida*, as named by Forskål in 1775, as the scientific names of two CITES-listed species. In addition, it is recognized that the species that Verrill named *Porites solida* in 1868 is the same as the one known to CITES as *Porites astreoides*.

# FAUNA

- Aardwolf (E): *Proteles cristata*  
 Abanico anaranjado (S): *Antipathes gracilis*  
 Abanico gris (S): *Antipathes atlantica*  
**Abeillia spp.** Bonaparte, 1850 II TROCHILIDAE (Aves)  
**Abeillia abeillei** (Lesson & DeLattre, 1839) II  
 TROCHILIDAE (Aves) (E) Emerald-chinned  
 Hummingbird (S) Colibrí barbiermeralda (F) Colibri d'Abeillé  
 Abejero colilargo (S): *Henicopernis longicauda*  
 Abejero de Célebes (S): *Pernis celebensis*  
 Abejero europeo (S): *Pernis apivorus*  
 Abejero negro (S): *Henicopernis infuscatus*  
 Abejero oriental (S): *Pernis ptilorhynchus*  
 Abolí (S): *Euoticus elegantulus*  
 Aboma (F): *Epicrates cenchria*  
*Abranchus alleghaniensis* Harlan, 1825 = *Cryptobranchus alleghaniensis* (Daudin, 1803)  
*Abranchus horrida* Gray, 1831 = *Cryptobranchus alleghaniensis* (Daudin, 1803)  
*Aburria jacutinga* (Spix, 1825) = *Pipile jacutinga* (Spix, 1825)  
*Aburria pipile* (Jacquin, 1784) = *Pipile pipile* (Jacquin, 1784)  
**Abyssopathes spp.** Opresko, 2002 II SCHIZOPATHIDAE (Anthozoa)  
**Abyssopathes lyra** (Brook, 1889) II SCHIZOPATHIDAE (Anthozoa) (E) Lyre Coral (S) Coral lira  
**Abyssopathes lyriformis** Opresko, 2002 II SCHIZOPATHIDAE (Anthozoa)  
**Acanthastrea spp.** Milne Edwards & Haime, 1848 II MUSSIDAE (Anthozoa)  
**Acanthastrea amakusensis** Veron, 1990 II MUSSIDAE (Anthozoa)  
**Acanthastrea bowerbanki** Milne Edwards & Haime, 1857 II MUSSIDAE (Anthozoa)  
*Acanthastrea braziliensis* Verrill, 1868 = *Mussismilia brasiliensis* (Verrill, 1868)  
**Acanthastrea brevis** Milne Edwards & Haime, 1850 II MUSSIDAE (Anthozoa)  
**Acanthastrea echinata** (Dana, 1846) II MUSSIDAE (Anthozoa) (E) Starry Cup Coral  
*Acanthastrea erythraea* (Klunzinger, 1879) = *Sympyllia erythraea* (Klunzinger, 1879)  
**Acanthastrea faviaformis** Veron, 2000 II MUSSIDAE (Anthozoa)  
**Acanthastrea hemprichii** (Ehrenberg, 1834) II MUSSIDAE (Anthozoa)  
**Acanthastrea hillae** Wells, 1955 II MUSSIDAE (Anthozoa)  
*Acanthastrea irregularis* Quelch, 1886 = *Acanthastrea echinata* (Dana, 1846)  
**Acanthastrea ishigakiensis** Veron, 1990 II MUSSIDAE (Anthozoa)  
**Acanthastrea lordhowensis** Veron & Pichon, 1982 II MUSSIDAE (Anthozoa)  
**Acanthastrea maxima** Sheppard & Salm, 1988 II MUSSIDAE (Anthozoa) (E) Fleshy Artichoke Coral  
**Acanthastrea minuta** Moll & Best, 1984 II MUSSIDAE (Anthozoa)  
**Acanthastrea regularis** Veron, 2000 II MUSSIDAE (Anthozoa)  
**Acanthastrea rotundoflora** Chevalier, 1975 II MUSSIDAE (Anthozoa)  
*Acanthastrea spinosa* Milne Edwards & Haime, 1848 = *Acanthastrea echinata* (Dana, 1846)  
**Acanthastrea subechinata** Veron, 2000 II MUSSIDAE (Anthozoa)  
*Acanthocyathus dentatus* Moseley, 1876 = *Caryophyllia dentata* (Moseley, 1876)  
*Acanthocyathus grayi* Milne Edwards & Haime, 1848 = *Caryophyllia grayi* (Milne Edwards & Haime, 1848)  
*Acanthocyathus spinicarens* Moseley, 1881 = *Caryophyllia spinicarens* (Moseley, 1881)  
*Acanthocyathus spiniger* Kent, 1871 = *Caryophyllia spinigera* (Kent, 1871)  
**Acanthopathes spp.** Opresko, 2004 II APHANIPATHIDAE (Anthozoa)  
**Acanthopathes hancocki** (Forster Cooper, 1909) II APHANIPATHIDAE (Anthozoa)  
**Acanthopathes humilis** (Pourtalès, 1867) II APHANIPATHIDAE (Anthozoa)  
**Acanthopathes somervillei** (Forster Cooper, 1909) II APHANIPATHIDAE (Anthozoa)  
**Acanthopathes thyoides** (Pourtalès, 1880) II APHANIPATHIDAE (Anthozoa)  
**Acanthopathes undulata** (van Pesch, 1914) II APHANIPATHIDAE (Anthozoa)  
**Acanthophyllia spp.** Wells, 1937 II MUSSIDAE (Anthozoa)  
**Acanthophyllia deshayesiana** (Michelin, 1850) II MUSSIDAE (Anthozoa)  
*Acanthopora horrida* (Dana, 1846) = *Echinopora horrida* Dana, 1846  
*Accipenser attilus* Rafinesque, 1820 = *Acipenser sturio* Linnaeus, 1758  
*Accipenser lagenarius* Rafinesque, 1820 = *Polyodon spathula* (Walbaum in Artedi, 1792)  
*Accipenser lutescens* Rafinesque, 1820 = *Acipenser naccarii* Bonaparte, 1836  
*Accipenser macrostomus* Rafinesque, 1820 = *Acipenser fulvescens* Rafinesque, 1817  
*Accipenser ohiensis* Rafinesque, 1820 = *Acipenser fulvescens* Rafinesque, 1817  
*Accipenser ruthenus major* Schöpf, 1788 = *Acipenser oxyrinchus* Mitchell, 1815  
*Accipenser serotinus* Rafinesque, 1820 = *Acipenser fulvescens* Rafinesque, 1817  
**Accipiter spp.** Brisson, 1760 II 27 ACCIPITRIDAE (Aves)  
**Accipiter albogularis** Gray, 1870 II 27 ACCIPITRIDAE (Aves) (E) Pied Goshawk, Pied Sparrowhawk (S) Gavilán pío (F) Autour pie  
**Accipiter badius** (Gmelin, 1788) II 27 ACCIPITRIDAE (Aves) (E) Little Banded Sparrowhawk, Shikra (S) Gavilán chikra (F) Épervier shikra

- Accipiter bicolor** (Vieillot, 1817) II 27 ACCIPITRIDAE  
 (Aves) (E) Bicolored Hawk, Bicolored Sparrowhawk (S)  
 Azor bicolor, Esparvero bicolor, Gavilán bicolor,  
 Gavilán pantalón (F) Épervier bicolore
- Accipiter brachyurus** (Ramsay, 1879) II 27  
 ACCIPITRIDAE (Aves) (E) New Britain Sparrowhawk,  
 Red-collared Sparrowhawk (S) Gavilancito de Nueva  
 Bretaña (F) Épervier de Nouvelle-Bretagne
- Accipiter brevipes** (Severtsov, 1850) II 27  
 ACCIPITRIDAE (Aves) (E) Levant Sparrowhawk (S)  
 Gavilán griego (F) Épervier à pieds courts
- Accipiter buergersi** (Reichenow, 1914) = *Erythrotriorchis buergersi* (Reichenow, 1914)
- Accipiter butleri** (Gurney, 1898) II 27 ACCIPITRIDAE  
 (Aves) (E) Nicobar Shikra, Nicobar Sparrowhawk (S)  
 Gavilán de Nicobar (F) Épervier des Nicobar
- Accipiter castanilius** Bonaparte, 1853 II 27  
 ACCIPITRIDAE (Aves) (E) Chestnut-bellied  
 Sparrowhawk, Chestnut-flanked Sparrowhawk (S)  
 Gavilán flanquirrojo, Gavilán pechirrojo (F) Autour à  
 flancs roux
- Accipiter chilensis** Philippi & Landbeck, 1864 = *Accipiter bicolor* (Vieillot, 1817)
- Accipiter chionogaster** (Kaup, 1852) = *Accipiter striatus* Vieillot, 1807
- Accipiter cirrhocephalus** (Vieillot, 1817) II 27  
 ACCIPITRIDAE (Aves) (E) Collared Sparrowhawk (S)  
 Gavilán acollarado (F) Épervier à collier roux
- Accipiter cirrocephalus** (Vieillot, 1817) = *Accipiter cooperii* (Bonaparte, 1828)
- Accipiter collaris** Sclater, 1860 II 27 ACCIPITRIDAE  
 (Aves) (E) Semi-collared Hawk, Semi-collared  
 Sparrowhawk (S) Azer semicollarejo, Gavilán  
 acollarado, Gavilancito torcáz (F) Épervier à collier  
 interrompu
- Accipiter cooperii** (Bonaparte, 1828) II 27  
 ACCIPITRIDAE (Aves) (E) Cooper's Hawk (S) Gavilán  
 de Cooper (F) Épervier de Cooper
- Accipiter doriae** (Salvadori & D'Albertis, 1875) =  
*Megatriorchis doriae* Salvadori & D'Albertis, 1875
- Accipiter eichhorni imitator** Hartert, 1926 = *Accipiter imitator* Hartert, 1926
- Accipiter erythrauchen** Gray, 1861 II 27 ACCIPITRIDAE  
 (Aves) (E) Moluccan Sparrowhawk, Rufous-necked  
 Sparrowhawk (S) Gavilancito moluqueño (F) Épervier  
 à gorge grise
- Accipiter erythroneurus** (Kaup, 1850) = *Accipiter striatus* Vieillot, 1807
- Accipiter erythropus** (Hartlaub, 1855) II 27  
 ACCIPITRIDAE (Aves) (E) Red-thighed Sparrowhawk  
 (S) Gavilancito de Hartlaub, Gavilancito muslirrojo (F)  
 Autour minulle, Épervier de Hartlaub
- Accipiter fasciatus** (Vigors & Horsfield) II 27  
 ACCIPITRIDAE (Aves) (E) Australasian Goshawk,  
 Brown Goshawk (S) Azor australiano (F) Autour  
 australien
- Accipiter francesiae** Smith, 1834 = *Accipiter francesii* Smith, 1834
- Accipiter francesii** Smith, 1834 II 27 ACCIPITRIDAE  
 (Aves) (E) Frances's Goshawk, Frances's Sparrowhawk  
 (S) Gavilán de Frances (F) Épervier de Frances
- Accipiter gentilis** (Linnaeus, 1758) II 27 ACCIPITRIDAE  
 (Aves) (E) Goshawk, Northern Goshawk (S) Azor, Azor  
 común, Gavilán azor (F) Autour des palombes
- Accipiter griseiceps** (Schlegel, 1862) II 27  
 ACCIPITRIDAE (Aves) (E) Celebes Crested Goshawk,  
 Sulawesi Goshawk (S) Gavilán de Célebes (F) Autour  
 des Célèbes
- Accipiter griseogularis** (G. R. Gray, 1860) = *Accipiter novaehollandiae* (Gmelin, 1788)
- Accipiter gularis** (Temminck & Schlegel, 1844) II 27  
 ACCIPITRIDAE (Aves) (E) Japanese Lesser  
 Sparrowhawk, Japanese Sparrowhawk (S) Gavilancito  
 japonés (F) Épervier du Japon
- Accipiter gundlachi** Lawrence, 1860 II 27  
 ACCIPITRIDAE (Aves) (E) Gundlach's Hawk,  
 Gundlach's Sparrowhawk (S) Gavilán cubano (F)  
 Épervier de Cuba
- Accipiter haplochrous** Sclater, 1859 II 27  
 ACCIPITRIDAE (Aves) (E) New Caledonia Goshawk,  
 White-bellied Goshawk (S) Gavilán de Nueva  
 Caledonia (F) Autour à ventre blanc
- Accipiter henicogrammus** (Gray, 1860) II 27  
 ACCIPITRIDAE (Aves) (E) Gray's Goshawk, Moluccan  
 Barred Sparrowhawk, Moluccan Goshawk (S) Azor  
 moluqueño (F) Autour des Moluques
- Accipiter henstii** (Schlegel, 1873) II 27 ACCIPITRIDAE  
 (Aves) (E) Henst's Goshawk (S) Azor malgache (F)  
 Autour de Henst
- Accipiter hiogaster** (Müller, 1841) = *Accipiter novaehollandiae* (Gmelin, 1788)
- Accipiter imitator** Hartert, 1926 II 27 ACCIPITRIDAE  
 (Aves) (E) Imitator Sparrowhawk (S) Gavilán imitador  
 (F) Autour imitateur
- Accipiter luteoschistaceus** Rothschild & Hartert, 1926 II  
 27 ACCIPITRIDAE (Aves) (E) Blue-and-grey  
 Sparrowhawk, Slaty-backed Goshawk, Slaty-mantled  
 Sparrowhawk (S) Gavilán de Nueva Bretaña (F) Autour  
 bleu et gris
- Accipiter madagascariensis** Smith, 1834 II 27  
 ACCIPITRIDAE (Aves) (E) Madagascar Sparrowhawk  
 (S) Gavilán malgache (F) Épervier de Madagascar
- Accipiter melanochlamys** (Salvadori, 1875) II 27  
 ACCIPITRIDAE (Aves) (E) Black-mantled Goshawk,  
 Black-mantled Hawk (S) Gavilán rufinegro (F) Autour à  
 manteau noir
- Accipiter melanoleucus** Smith, 1830 II 27  
 ACCIPITRIDAE (Aves) (E) Black Goshawk, Black  
 Sparrowhawk, Great Sparrowhawk (S) Azor  
 blanquinegro (F) Autour noir, Épervier pie
- Accipiter meyerianus** (Sharpe, 1878) II 27  
 ACCIPITRIDAE (Aves) (E) Meyer's Goshawk, Meyer's  
 Hawk, Papuan Goshawk (S) Azor de Meyer (F) Autour  
 de Meyer
- Accipiter minullus** (Daudin, 1800) II 27 ACCIPITRIDAE  
 (Aves) (E) African Little Sparrowhawk, Little

- Sparrowhawk (S) Gavilancito chico (F) Épervier minule
- Accipiter nanus** (Blasius, 1897) II 27 ACCIPITRIDAE  
(Aves) (E) Celebes Sparrowhawk, Small Sparrowhawk  
(S) Gavilancito de Célebes (F) Épervier des Célèbes
- Accipiter nisus** (Linnaeus, 1758) II 27 ACCIPITRIDAE  
(Aves) (E) Eurasian Sparrowhawk, Sparrowhawk (S)  
Gavilán común (F) Épervier d'Europe
- Accipiter novaehollandiae** (Gmelin, 1788) II 27  
ACCIPITRIDAE (Aves) (E) Grey Goshawk,  
Grey-throated Goshawk, Variable Goshawk, White  
Goshawk (S) Azor variable (F) Autour blanc
- Accipiter ovampensis** Gurney, 1875 II 27  
ACCIPITRIDAE (Aves) (E) Ovambo Sparrowhawk,  
Ovampo Sparrowhawk (S) Gavilán de Ovampo (F)  
Épervier de l'Ovampo
- Accipiter poliocephalus** Gray, 1858 II 27 ACCIPITRIDAE  
(Aves) (E) Grey-headed Goshawk, Grey-headed  
Sparrowhawk, New Guinea Grey-headed Goshawk (S)  
Gavilán cabecigrís (F) Autour à tête grise
- Accipiter poliogaster** (Temminck, 1824) II 27  
ACCIPITRIDAE (Aves) (E) Grey-bellied Goshawk,  
Grey-bellied Hawk (S) Azor pechigrís, Azor ventrigrís,  
Esparvero pechigrís, Gavilán vientrigris (F) Autour à  
ventre gris
- Accipiter princeps** Mayr, 1934 II 27 ACCIPITRIDAE  
(Aves) (E) Grey-headed Goshawk, New Britain  
Goshawk (S) Azor de Nueva Bretaña (F) Autour de  
Mayr
- Accipiter radiatus* (Latham, 1801) = *Erythrotriorchis radiatus* (Latham, 1801)
- Accipiter rhodogaster** (Schlegel, 1862) II 27  
ACCIPITRIDAE (Aves) (E) Vinous-breasted  
Sparrowhawk (S) Gavilán pechirrojo (F) Épervier à  
poitrine rousse
- Accipiter rufitorques** (Peale, 1848) II 27 ACCIPITRIDAE  
(Aves) (E) Fiji Goshawk, Fiji Sparrowhawk (S) Gavilán  
de las Fiji (F) Autour des Fidji
- Accipiter rufiventris** Smith, 1830 II 27 ACCIPITRIDAE  
(Aves) (E) Rufous-chested Sparrowhawk (S) Gavilán  
papirrufo (F) Épervier menu
- Accipiter soloensis** (Horsfield, 1821) II 27  
ACCIPITRIDAE (Aves) (E) Chinese Goshawk, Chinese  
Sparrowhawk, Grey Frog Hawk (S) Gavilán ranero (F)  
Épervier de Horsfield
- Accipiter striatus** Vieillot, 1807 II 27 ACCIPITRIDAE  
(Aves) (E) Sharp-shinned Hawk (S) Azor chico,  
Esparvero chico, Gavilán americano, Gavilán  
arrastrador, Gavilán pajarero (F) Épervier brun
- Accipiter superciliosus** (Linnaeus, 1766) II 27  
ACCIPITRIDAE (Aves) (E) Tiny Hawk, Tiny  
Sparrowhawk (S) Azor gris, Esparvero gris, Gavilancito  
americano, Gavilán enano (F) Épervier nain
- Accipiter tachiro** (Daudin, 1800) II 27 ACCIPITRIDAE  
(Aves) (E) African Goshawk (S) Azor tachiro (F) Autour  
tachiro
- Accipiter tachiro* (Daudin, 1800) = *Accipiter toussenelii* (J. Verreaux & E. Verreaux, 1855)
- Accipiter toussenelii* (Daudin, 1800) = *Accipiter toussenelii* (J. Verreaux & E. Verreaux, 1855)
- Accipiter toussenelii** (J. Verreaux & E. Verreaux, 1855) II 27 ACCIPITRIDAE (Aves) (E) Red-chested Goshawk,  
Red-chested Hawk (S) Azor de Toussenel, Gavilán  
pechirroseo (F) Autour de Toussenel
- Accipiter toussenelii* (J. & E. Verreaux, 1855) = *Accipiter tachiro* (Daudin, 1800)
- Accipiter trinotatus** Bonaparte, 1850 II 27  
ACCIPITRIDAE (Aves) (E) Spot-tailed Goshawk,  
Spot-tailed Sparrowhawk (S) Gavilán colipinto (F)  
Épervier à queue tachetée
- Accipiter trivirgatus** (Temminck, 1824) II 27  
ACCIPITRIDAE (Aves) (E) Asian Crested Goshawk,  
Crested Goshawk (S) Azor moñudo (F) Autour huppé
- Accipiter ventralis* Sclater, 1866 = *Accipiter striatus* Vieillot, 1807
- Accipiter virgatus** (Temminck, 1822) II 27  
ACCIPITRIDAE (Aves) (E) Besra, Besra Sparrowhawk  
(S) Gavilán besra (F) Épervier besra
- Accipiter virgatus gularis* (Temminck, 1822) = *Accipiter gularis* (Temminck & Schlegel, 1844)
- ACCIPITRIDAE spp.** I/II 27 (Aves) (E) Hawks, Eagles (S)  
Gavilanes, Águilas (F) Aigles, Milan De Wilson,  
Pygargues
- Acerodon spp.** Wagner, 1839 I/II PTEROPODIDAE  
(Mammalia)
- Acerodon celebensis** (Peters, 1867) II PTEROPODIDAE  
(Mammalia) (E) Signal-winged Acerodon, Sulawesi  
Flying-fox, Sulawesi Fruit Bat (S) Zorro volador de las  
Célebes (F) Renard volant de Suwalesi
- Acerodon humilis** K. Andersen, 1909 II  
PTEROPODIDAE (Mammalia) (E) Talaud Acerodon,  
Talaud Flying-fox, Talaud Fruit Bat (S) Zorro volador de  
Talaud (F) Roussette de Talaud
- Acerodon jubatus** (Eschscholtz, 1831) I  
PTEROPODIDAE (Mammalia) (E) Golden-capped Fruit  
Bat (S) Zorro volador filipino (F) Roussette à couronne  
dorée
- Acerodon leucotis** (Sanborn, 1950) II PTEROPODIDAE  
(Mammalia) (E) Palawan Flying-fox, Palawan Fruit Bat  
(S) Zorro volador de Calamian (F) Roussette de  
Palawan
- Acerodon lucifer* Elliot, 1896 = *Acerodon jubatus* (Eschscholtz, 1831)
- Acerodon mackloti** (Temminck, 1837) II  
PTEROPODIDAE (Mammalia) (E) Lesser Sunda  
Flying-fox, Sunda Flying-fox, Sunda Fruit Bat (S) Zorro  
volador de Macklot (F) Petite roussette de Sunda
- Acerodon, Signal-winged (E): *Acerodon celebensis*  
Acerodon, Talaud (E): *Acerodon humilis*
- Aceros spp.** J. E. Gray, 1844 I/II BUCEROTIDAE (Aves)
- Aceros cassidix** (Temminck, 1823) II BUCEROTIDAE  
(Aves) (E) Buton Hornbill, Celebes Hornbill, Greater  
Sulawesi Hornbill, Knobbed Hornbill, Red-knobbed  
Hornbill, Sulawesi Wrinkled Hornbill (S) Cálao grande  
de Célebes (F) Calao à cimier
- Aceros comatus* (Raffles, 1822) = *Berenicornis comatus* (Raffles, 1822)

- Aceros corrugatus** (Temminck, 1832) II BUCEROTIDAE  
 (Aves) (E) Sunda Wrinkled Hornbill, Wrinkled Hornbill  
 (S) Cáalo arrugado (F) Calao à casque rouge
- Aceros everetti Rothschild, 1897** = *Rhyticeros everetti* (Rothschild, 1897)
- Aceros leucocephalus** (Vieillot, 1816) II BUCEROTIDAE  
 (Aves) (E) Mindanao Wrinkled Hornbill, White-headed Hornbill, Writhed Hornbill (S) Cáalo grande de Mindanao (F) Calao de Vieillot
- Aceros leucocephalus waldeni** (Vieillot, 1816) = *Aceros waldeni* (Sharpe, 1877)
- Aceros narcondami** (Hume, 1873) = *Rhyticeros narcondami* Hume, 1873
- Aceros nipalensis** (Hodgson, 1829) I BUCEROTIDAE  
 (Aves) (E) Rufous-cheeked Hornbill, Rufous-necked Hornbill (S) Cáalo del Nepal (F) Calao à cou roux, Calao de montagne
- Aceros plicatus** (J. R. Forster, 1781) = *Rhyticeros plicatus* (J. R. Forster, 1781)
- Aceros plicatus subruficollis** (Forster, 1781) = *Rhyticeros subruficollis* (Blyth, 1843)
- Aceros subruficollis** (Blyth, 1843) = *Rhyticeros subruficollis* (Blyth, 1843)
- Aceros undulatus** (Shaw, 1811) = *Rhyticeros undulatus* (Shaw, 1811)
- Aceros waldeni** (Sharpe, 1877) II BUCEROTIDAE (Aves)  
 (E) Panay Wrinkled Hornbill, Rufous-headed Hornbill, Visayan Wrinkled Hornbill, Writhed-billed Hornbill (S) Cáalo grande de Panay (F) Calao de Walden
- Acestrura astreans** Bangs, 1899 = *Chaetocercus astreans* (Bangs, 1899)
- Acestrura berlepschi** (Simon, 1889) = *Chaetocercus berlepschi* Simon, 1889
- Acestrura bombus** (Gould, 1871) = *Chaetocercus bombus* Gould, 1871
- Acestrura heliodor** *astreans* (Bourcier, 1840) = *Chaetocercus astreans* (Bangs, 1899)
- Acestrura heliodor** (Bourcier, 1840) = *Chaetocercus heliodor* (Bourcier, 1840)
- Acestrura mulsant** (Bourcier, 1842) = *Chaetocercus mulsanti* (Bourcier, 1842)
- Achatinella spp.** Swainson, 1828 I ACHATINELLIDAE (Gastropoda)
- Achatinella abbreviata** Reeve, 1850 I ACHATINELLIDAE (Gastropoda)
- Achatinella apexfulva** (Dixon, 1789) I ACHATINELLIDAE (Gastropoda)
- Achatinella bellula** Smith, 1873 I ACHATINELLIDAE (Gastropoda)
- Achatinella buddii** Newcomb, 1853 I ACHATINELLIDAE (Gastropoda)
- Achatinella bulimoides** Swainson, 1828 I ACHATINELLIDAE (Gastropoda)
- Achatinella byronii** (Wood, 1828) I ACHATINELLIDAE (Gastropoda)
- Achatinella caesia** Gulick, 1858 I ACHATINELLIDAE (Gastropoda)
- Achatinella casta** Newcomb, 1853 I ACHATINELLIDAE (Gastropoda)
- Achatinella cestus** Newcomb, 1853 I ACHATINELLIDAE (Gastropoda)
- Achatinella concavospira** Pfeiffer, 1859 I ACHATINELLIDAE (Gastropoda)
- Achatinella curta** Newcomb, 1853 I ACHATINELLIDAE (Gastropoda)
- Achatinella decipiens** Newcomb, 1854 I ACHATINELLIDAE (Gastropoda)
- Achatinella decora** (Férussac, 1821) I ACHATINELLIDAE (Gastropoda)
- Achatinella dimorpha** Gulick, 1858 I ACHATINELLIDAE (Gastropoda)
- Achatinella elegans** Newcomb, 1853 I ACHATINELLIDAE (Gastropoda)
- Achatinella fulgens** Newcomb, 1853 I ACHATINELLIDAE (Gastropoda)
- Achatinella fuscobasis** (Smith, 1873) I ACHATINELLIDAE (Gastropoda)
- Achatinella juddii** Baldwin, 1895 I ACHATINELLIDAE (Gastropoda)
- Achatinella juncea** Gulick, 1856 I ACHATINELLIDAE (Gastropoda)
- Achatinella lehuiensis** Smith, 1873 I ACHATINELLIDAE (Gastropoda)
- Achatinella leucorrhapha** Gulick, 1873 I ACHATINELLIDAE (Gastropoda)
- Achatinella lila** Pilsbry, 1914 I ACHATINELLIDAE (Gastropoda)
- Achatinella livida** Swainson, 1828 I ACHATINELLIDAE (Gastropoda)
- Achatinella lorata** (Férussac, 1824) I ACHATINELLIDAE (Gastropoda)
- Achatinella mustelina** Mighels, 1845 I ACHATINELLIDAE (Gastropoda)
- Achatinella papyracea** Gulick, 1856 I ACHATINELLIDAE (Gastropoda)
- Achatinella phaeozona** Gulick, 1856 I ACHATINELLIDAE (Gastropoda)
- Achatinella pulcherrima** Swainson, 1828 I ACHATINELLIDAE (Gastropoda)
- Achatinella pupukaniae** Pilsbry & Cooke, 1914 I ACHATINELLIDAE (Gastropoda)
- Achatinella rosea** Swainson, 1828 = *Achatinella bulimoides* Swainson, 1828
- Achatinella sowerbyana** Pfeiffer, 1855 I ACHATINELLIDAE (Gastropoda)
- Achatinella spaldingi** Pilsbry & Cooke, 1914 I ACHATINELLIDAE (Gastropoda)
- Achatinella stewartii** Green, 1827 I ACHATINELLIDAE (Gastropoda)
- Achatinella swiftii** Newcomb, 1853 I ACHATINELLIDAE (Gastropoda)
- Achatinella taeniolata** Pfeiffer, 1846 I ACHATINELLIDAE (Gastropoda)
- Achatinella thaanumi** Pilsbry & Cooke, 1914 I ACHATINELLIDAE (Gastropoda)
- Achatinella turgida** Newcomb, 1853 I ACHATINELLIDAE (Gastropoda)
- Achatinella valida** Pfeiffer, 1855 I ACHATINELLIDAE (Gastropoda)

- Achatinella viridans* Mighels, 1845 I ACHATINELLIDAE  
(Gastropoda)
- Achatinella vittata* Reeve, 1850 = *Achatinella apexfulva* (Dixon, 1789)
- Achatinella vulpina* (Férussac, 1824) I ACHATINELLIDAE  
(Gastropoda)
- Achoque (E): *Ambystoma dumerilii*
- Acinixys planicauda* Grandidier, 1867 = *Pyxis planicauda* (Grandidier, 1867)
- Acinonyx* spp.** Brookes, 1828 I FELIDAE (Mammalia)
- Acinonyx jubatus*** (Schreber, 1775) I<sup>11</sup> FELIDAE  
(Mammalia) (E) Cheetah, Hunting Leopard (S) Chita, Guepardo (F) Guépard
- Acipenser* spp.** Linnaeus, 1758 I/II ACIPENSERIDAE  
(Actinopterygii)
- Acipenser aculeatus* Fischer in Lovetsky, 1834 = *Acipenser gueldenstaedtii* Brandt & Ratzeberg, 1833
- Acipenser acutirostris* Ayres, 1854 = *Acipenser medirostris* Ayres, 1854
- Acipenser albula* Forster, 1767 = *Huso huso* (Linnaeus, 1758)
- Acipenser aleutensis* Fitzinger & Heckel, 1836 = *Acipenser transmontanus* Richardson, 1836
- Acipenser aleutensis* Fitzinger in Fitzinger & Heckel, 1836 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser attilus* Gray, 1851 = *Acipenser sturio* Linnaeus, 1758
- Acipenser baeri chatys* Dryagin, 1948 = *Acipenser baerii* Brandt, 1869
- Acipenser baerii*** Brandt, 1869 II ACIPENSERIDAE  
(Actinopterygii) (E) Siberian Sturgeon (F) Esturgeon sibérien
- Acipenser beluga* Forster, 1767 = *Huso huso* (Linnaeus, 1758)
- Acipenser brachyrhynchus* Ayres, 1854 = *Acipenser transmontanus* Richardson, 1836
- Acipenser brandtii* Günther, 1870 = *Huso huso* (Linnaeus, 1758)
- Acipenser brevirostris* Heckel in Fitzinger & Heckel, 1836 = *Acipenser gueldenstaedtii* Brandt & Ratzeberg, 1833
- Acipenser brevirostrum*** Le Sueur, 1818 I  
ACIPENSERIDAE (Actinopterygii) (E) Short-nosed Little Sturgeon, Shortnose Sturgeon (S) Esturión chato, Esturión hociquicorto (F) Esturgeon à museau court, Esturgeon à nez court
- Acipenser carbonarius* Agassiz, 1850 = *Acipenser fulvescens* Rafinesque, 1817
- Acipenser cataphractus* Gray, 1834 = *Scaphirhynchus platorynchus* (Rafinesque, 1820)
- Acipenser cataphractus* Gray, 1835 = *Acipenser fulvescens* Rafinesque, 1817
- Acipenser dabryanus*** Duméril, 1869 II ACIPENSERIDAE  
(Actinopterygii) (E) Dabry's Sturgeon, Yangtze Sturgeon (F) Petit esturgeon du Yang Tse
- Acipenser dauricus* Georgi, 1775 = *Huso dauricus* (Georgi, 1775)
- Acipenser dubius* Fitzinger & Heckel, 1836 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser europeus* Brusina, 1902 = *Acipenser sturio* Linnaeus, 1758
- Acipenser fulvescens*** Rafinesque, 1817 II  
ACIPENSERIDAE (Actinopterygii) (E) Lake Sturgeon (S) Esturión lacustre (F) Esturgeon jaune
- Acipenser glaber* Fitzinger & Heckel, 1836 = *Acipenser nudiventris* Lovetsky, 1828
- Acipenser gmelini* Fitzinger & Heckel, 1836 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser grisescens* Brandt, 1853 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser gueldenstaedtii*** Brandt & Ratzeberg, 1833 II  
ACIPENSERIDAE (Actinopterygii) (E) Azov-Black Sea Sturgeon, Danube Sturgeon, Kura Sturgeon, Osetr, Russian Sturgeon (S) Esturión del Danubio (F) Esturgeon du Danube, Esturgeon russe, Ossetre
- Acipenser heckelii* Fitzinger in Brandt & Ratzeberg, 1833 = *Acipenser naccarii* Bonaparte, 1836
- Acipenser helops* Pallas, 1814 = *Acipenser stellatus* Pallas, 1771
- Acipenser hepterus* Rafinesque, 1818 = *Acipenser fulvescens* Rafinesque, 1817
- Acipenser hospitus* Krøyer, 1852 = *Acipenser sturio* Linnaeus, 1758
- Acipenser huso* (Linnaeus, 1758) = *Huso huso* (Linnaeus, 1758)
- Acipenser husoniformis* Lovetsky, 1834 = *Huso huso* (Linnaeus, 1758)
- ACIPENSERIDAE spp. I/II** (Actinopterygii) (E) Sturgeons (S) Esturiones (F) Esturgeons
- ACIPENSERIFORMES spp. I/II** (E) Paddlefishes, Sturgeons (S) Esturiones, Peces Espátulas (F) Polyodonts, Esturgeons
- Acipenser jeniscensis* Herzenstein, 1895 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser kamensis* Lovetsky, 1834 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser kikuchii* Jordan & Snyder, 1901 = *Acipenser sinensis* Gray, 1835
- Acipenser kostera* Fitzinger, 1832 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser ladanus* Chiareghini in Nardo, 1847 = *Acipenser naccarii* Bonaparte, 1836
- Acipenser ladanus* Ninni, 1872 = *Acipenser naccarii* Bonaparte, 1836
- Acipenser laevis* Agassiz, 1850 = *Acipenser fulvescens* Rafinesque, 1817
- Acipenser laevissimus* Duméril, 1870 = *Acipenser sturio* Linnaeus, 1758
- Acipenser latirostris* Parnell, 1831 = *Acipenser sturio* Linnaeus, 1758
- Acipenser legenarius* Rafinesque, 1820 = *Acipenser fulvescens* Rafinesque, 1817
- Acipenser leucotica* Brandt, 1853 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser lichtensteinii* Bloch & Schneider, 1801 = *Acipenser sturio* Linnaeus, 1758
- Acipenser lichtensteinii* Bloch & Schneider, 1801 = *Acipenser oxyrinchus* Mitchell, 1815
- Acipenser liopeltis* Günther, 1870 = *Acipenser fulvescens* Rafinesque, 1817

- Acipenser macrophthalmus* Fitzinger & Heckel, 1836 =  
*Acipenser gueldenstaedtii* Brandt & Ratzeberg, 1833
- Acipenser maculosus* LeSueur, 1818 = *Acipenser fulvescens* Rafinesque, 1817
- Acipenser mantschuricus* Basilewsky, 1855 = *Huso dauricus* (Georgi, 1775)
- Acipenser marsiglii* Brandt in Brandt & Ratzeberg, 1833 =  
*Acipenser ruthenus* Linnaeus, 1758
- Acipenser measius* Lesueur in Vaillant, 1896 = *Acipenser brevirostrum* LeSueur, 1818
- Acipenser medirostris** Ayres, 1854 II ACIPENSERIDAE  
 (Actinopterygii) (E) Barbel Sturgeon, Green Japanese Sturgeon, Green Sturgeon (S) Esturión verde (F) Esturgeon de Sakhaline, Esturgeon vert
- Acipenser medioides* Fitzinger & Heckel, 1836 = *Acipenser gueldenstaedtii* Brandt & Ratzeberg, 1833
- Acipenser mikadoi** Hilgendorf, 1892 II ACIPENSERIDAE  
 (Actinopterygii) (E) Sakhalin Sturgeon
- Acipenser multiscutatus* Tanaka, 1908 = *Acipenser schrenckii* Brandt, 1869
- Acipenser muricatus* Rafinesque, 1820 = *Acipenser fulvescens* Rafinesque, 1817
- Acipenser naccarii** Bonaparte, 1836 II ACIPENSERIDAE  
 (Actinopterygii) (E) Adriatic Sturgeon (S) Esturión del Adriático (F) Esturgeon de l'Adriatique
- Acipenser nardoii* Heckel, 1851 = *Acipenser naccarii* Bonaparte, 1836
- Acipenser nasus* Heckel, 1847 = *Acipenser naccarii* Bonaparte, 1836
- Acipenser nudiventris** Lovetzky, 1828 II  
 ACIPENSERIDAE (Actinopterygii) (E) Barbel Sturgeon, Bastard Sturgeon, Fringebarbel Sturgeon, Ship, Ship Sturgeon, Spiny Sturgeon, Thorn Sturgeon (S) Esturión barba de flecos (F) Esturgeon à barbillons frangés, Esturgeon nu
- Acipenser nudiventris derjavini* Borzenko, 1950 =  
*Acipenser nudiventris* Lovetzky, 1828
- Acipenser obtusirostris* Lovetsky, 1834 = *Acipenser brevirostrum* LeSueur, 1818
- Acipenser obtusirostris* Lovetzky, 1834 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser orientalis* Pallas, 1814 = *Huso dauricus* (Georgi, 1775)
- Acipenser oxyrinchus desotoi* Vladykov, 1955 =  
*Acipenser oxyrinchus* Mitchell, 1815
- Acipenser oxyrinchus** Mitchell, 1815 II ACIPENSERIDAE  
 (Actinopterygii) (E) Atlantic Sturgeon (S) Esturión del Atlántico (F) Esturgeon de l'Atlantique, Esturgeon noir
- Acipenser persicus** Borodin, 1897 II ACIPENSERIDAE  
 (Actinopterygii) (E) Persian Sturgeon
- Acipenser platirhynchus* Rafinesque, 1820 =  
*Scaphirhynchus platirhynchus* (Rafinesque, 1820)
- Acipenser platycephalus* Heckel in Fitzinger & Heckel, 1836 = *Acipenser naccarii* Bonaparte, 1836
- Acipenser primigenius* Chalikov, 1944 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser pygmaeus* Pallas, 1814 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser pygmaeus* Reisinger, 1830 = *Acipenser gueldenstaedtii* Brandt & Ratzeberg, 1833
- Acipenser ratzeburgii* Brandt in Brandt & Ratzeburg, 1833  
 = *Acipenserstellatus* Pallas, 1771
- Acipenser rhynchos* Agassiz, 1850 = *Acipenser fulvescens* Rafinesque, 1817
- Acipenser rostratus* Fischer in Fitzinger & Heckel, 1836 =  
*Acipenser gueldenstaedtii* Brandt & Ratzeberg, 1833
- Acipenser rostratus* Heckel in Fitzinger & Heckel, 1836 =  
*Acipenserstellatus* Pallas, 1771
- Acipenser rubicundus* LeSueur, 1818 = *Acipenser fulvescens* Rafinesque, 1817
- Acipenser rupertianus* Richardson, 1836 = *Acipenser fulvescens* Rafinesque, 1817
- Acipenser ruthenicus* Brusina, 1902 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser ruthenus** Linnaeus, 1758 II ACIPENSERIDAE  
 (Actinopterygii) (E) Sterlet, Sterlet Sturgeon (S) Esterlete, Esturión de Siberia (F) Esturgeon de Sibérie, Sterlet
- Acipenser ruthenus rutzskyi* Johansen, 1946 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser ruzskyi loganzeni*, 1946 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser schrenckii** Brandt, 1869 II ACIPENSERIDAE  
 (Actinopterygii) (E) Amur Sturgeon (F) Esturgeon écusonné, Esturgeon de l'Amour
- Acipenser schypa* Bonnaterre, 1788 = *Acipenser nudiventris* Lovetzky, 1828
- Acipenser schypa* Eichwald, 1831 = *Acipenser nudiventris* Lovetzky, 1828
- Acipenser schypa* Gmelin, 1789 = *Huso huso* (Linnaeus, 1758)
- Acipenser schypa* Güldenstädt, 1772 = *Acipenser nudiventris* Lovetzky, 1828
- Acipenser seuruga* Güldenstädt, 1772 = *Acipenserstellatus* Pallas, 1771
- Acipenser shipa* Lovetzky, 1834 = *Acipenser nudiventris* Lovetzky, 1828
- Acipenser shypa* Eichwald, 1831 = *Acipenser nudiventris* Lovetzky, 1828
- Acipenser shyp* Forster, 1767 = *Acipenser nudiventris* Lovetzky, 1828
- Acipenser shyp* Forster, 1767 = *Huso huso* (Linnaeus, 1758)
- Acipenser sinensis** Gray, 1835 II ACIPENSERIDAE  
 (Actinopterygii) (E) Chinese Sturgeon (F) Esturgeon chinois
- Acipenserstellatus** Pallas, 1771 II ACIPENSERIDAE  
 (Actinopterygii) (E) Sevruga, Starry Sturgeon, Star Sturgeon, Stellate Sturgeon (S) Esturión estrellado (F) Esturgeon étoilé, Sevruga
- Acipenserstellatus danubialis* Brusina, 1902 = *Acipenserstellatus* Pallas, 1771
- Acipenserstellatus donensis* Lovetsky, 1834 = *Acipenserstellatus* Pallas, 1771
- Acipenserstellatus illyricus* Brusina, 1902 = *Acipenserstellatus* Pallas, 1771
- Acipenserstellatus ponticus* Movchan, 1970 = *Acipenserstellatus* Pallas, 1771
- Acipenserstellatus ponticus* Movchan, 1970 = *Huso huso* (Linnaeus, 1758)

- Acipenser stenorhynchus* Nikol'skii, 1896 = *Acipenser baerii* Brandt, 1869
- Acipenser sterleta* Güldenstädt, 1772 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser sterlet* Brusina, 1902 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser sterlet* D'Aubenton, 1758 = *Acipenser ruthenus* Linnaeus, 1758
- Acipenser sturio*** Linnaeus, 1758 I ACIPENSERIDAE  
(Actinopterygii) (E) Atlantic Sturgeon, Baltic Sturgeon, Common Sturgeon, European Sturgeon, Sea Sturgeon, Sturgeon (S) Esturión, Esturión común, Sollo, Sollo real, Sulio (F) Astourion, Créa, Créac, Créach, Estourioun, Esturgeon, Esturgeon atlantique, Esturgeon atlantique d'Europe, Esturgeon commun, Esturgeon de la Baltique, Esturgeon européen, Esturgeon européen occidentale, Étrujeon
- Acipenser sturioides* Malm, 1861 = *Acipenser sturio* Linnaeus, 1758
- Acipenser sturionaster* Brusina, 1902 = *Acipenser naccarii* Bonaparte, 1836
- Acipenser sturionellus* Nardo, 1827 = *Acipenser naccarii* Bonaparte, 1836
- Acipenser thompsoni* Ball in Thompson, 1856 = *Acipenser sturio* Linnaeus, 1758
- Acipenser transmontanus*** Richardson, 1836 II  
ACIPENSERIDAE (Actinopterygii) (E) Columbia Sturgeon, Oregon Sturgeon, Pacific Sturgeon, Sacramento Sturgeon, White Sturgeon (S) Esturión blanco (F) Esturgeon blanc
- Acipenser tuecka* Fitzinger & Heckel, 1836 = *Acipenser gueldenstaedtii* Brandt & Ratzeberg, 1833
- Acipenser turritus* Fitzinger & Heckel, 1836 = *Acipenser nudiventris* Lovetzký, 1828
- Acipenser vallisnerii* Molin, 1851 = *Huso huso* (Linnaeus, 1758)
- Acipenser vallisnerii* Molin, 1853 = *Huso huso* (Linnaeus, 1758)
- Acipenser yarrellii* Duméril, 1867 = *Acipenser sturio* Linnaeus, 1758
- Acoupa De Macdonald (F): *Totoaba macdonaldi*
- Acrantophis*** spp. Jan, 1863 I BOIDAE (Reptilia)  
*Acrantophis dumerili* Jan, 1860 I BOIDAE (Reptilia) (E) Duméril's Boa, Madagascar Ground Boa (S) Boa de Duméril (F) Boa de Duméril, Boa des savanes de Duméril
- Acrantophis madagascariensis* (Duméril & Bibron, 1844) I BOIDAE (Reptilia) (E) Madagascar Boa, Malagasy Ground Boa (S) Boa de Madagascar meridional (F) Boa de Madagascar, Boa des savanes de Madagascar
- Acrantophis madagascariensis dumerili* (Duméril & Bibron, 1844) = *Acrantophis dumerili* Jan, 1860
- Acrhelia*** spp. Milne Edwards & Haime, 1849 II OCULINIDAE (Anthozoa)
- Acrhelia horrescens*** (Dana, 1846) II OCULINIDAE (Anthozoa) (E) Scalpel Coral
- Acrhelia sebae* Milne Edwards & Haime, 1849 = *Acrhelia horrescens* (Dana, 1846)
- Acridophaga eriwanensis* Reuss, 1933 = *Vipera ursinii* (Bonaparte, 1835)
- Acridophaga uralensis* Reuss, 1929 = *Vipera ursinii* (Bonaparte, 1835)
- Acridophaga ursinii* (Bonaparte, 1835) = *Vipera ursinii* (Bonaparte, 1835)
- Acrocephalus rodericanus*** (Newton, 1865) III  
MUSCICAPIDAE (Aves) (E) Rodrigues Brush-Warbler, Rodrigues Warbler (F) Rousserolle de Rodriguez
- Acrocodia indica* (Desmarest, 1819) = *Tapirus indicus* Desmarest, 1819
- Acropora*** spp. Oken, 1815 II ACROPORIDAE (Anthozoa)
- Acropora abrolhosensis*** Veron, 1985 II ACROPORIDAE (Anthozoa)
- Acropora abrotanoides*** (Lamarck, 1816) II ACROPORIDAE (Anthozoa)
- Acropora aculeus*** (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Acropora acuminata*** (Verrill, 1864) II ACROPORIDAE (Anthozoa)
- Acropora affinis* (Brook, 1893) = *Acropora florida* (Dana, 1846)
- Acropora akajimensis*** Veron, 1990 II ACROPORIDAE (Anthozoa)
- Acropora angulata* (Quelch, 1886) = *Acropora horrida* (Dana, 1846)
- Acropora anthocercis*** (Brook, 1893) II ACROPORIDAE (Anthozoa)
- Acropora arabensis*** Hodgson & Carpenter, 1995 II ACROPORIDAE (Anthozoa)
- Acropora arcuata* (Brook, 1892) = *Acropora cytherea* (Dana, 1846)
- Acropora armata* (Brook, 1892) = *Acropora cytherea* (Dana, 1846)
- Acropora aspera*** (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Acropora austera*** (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Acropora awi*** Wallace & Wolstenholme, 1998 II ACROPORIDAE (Anthozoa)
- Acropora azurea*** Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)
- Acropora baeodactyla* (Brook, 1892) = *Acropora digitifera* (Dana, 1846)
- Acropora batunai*** Wallace, 1997 II ACROPORIDAE (Anthozoa)
- Acropora bifurcata*** Nemenzo, 1971 II ACROPORIDAE (Anthozoa)
- Acropora brachiata* (Dana, 1846) = *Acropora nobilis* (Dana, 1846)
- Acropora branchi*** Riegl, 1995 II ACROPORIDAE (Anthozoa)
- Acropora brevicollis* (Brook, 1892) = *Acropora digitifera* (Dana, 1846)
- Acropora brueggemannii*** (Brook, 1891) II ACROPORIDAE (Anthozoa)
- Acropora bushyensis*** Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)
- Acropora canaliculata* (Klunzinger, 1879) = *Acropora humilis* (Dana, 1846)
- Acropora canalis* (Quelch, 1886) = *Acropora nobilis* (Dana, 1846)

- Acropora cardenae*** Wells, 1985 II ACROPORIDAE  
(Anthozoa)
- Acropora carduus*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora caroliniana*** Nemenzo, 1976 II ACROPORIDAE  
(Anthozoa)
- Acropora cerealis*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora cervicornis*** (Lamarck, 1816) II  
ACROPORIDAE (Anthozoa) (E) Staghorn Coral (S)  
Coral cuerno de ciervo (F) Corail cornes de cerf
- Acropora chesterfieldensis*** Veron & Wallace, 1984 II  
ACROPORIDAE (Anthozoa)
- Acropora clathrata*** (Brook, 1891) II ACROPORIDAE  
(Anthozoa) (E) Table Coral
- Acropora concinna* (Brook, 1891) = *Acropora secale*  
(Studer, 1878)
- Acropora conferta* (Quelch, 1886) = *Acropora hyacinthus*  
(Dana, 1846)
- Acropora conigera* (Dana, 1846) = *Acropora robusta*  
(Dana, 1846)
- Acropora convexa*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora cophodactyla*** (Brook, 1892) II  
ACROPORIDAE (Anthozoa)
- Acropora copiosa*** Nemenzo, 1967 II ACROPORIDAE  
(Anthozoa)
- Acropora crateriformis*** (Gardiner, 1898) II  
ACROPORIDAE (Anthozoa)
- Acropora cribripora* (Dana, 1846) = *Acropora aspera*  
(Dana, 1846)
- Acropora cuneata*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora cuspidata* (Dana, 1846) = *Acropora robusta*  
(Dana, 1846)
- Acropora cyclopea* (Dana, 1846) = *Acropora robusta*  
(Dana, 1846)
- Acropora cylindrica*** Veron & Fenner, 2000 II  
ACROPORIDAE (Anthozoa)
- Acropora cymbocyathus* (Brook, 1893) = *Acropora cerealis*  
(Dana, 1846)
- Acropora cytherea*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa) (E) Table Coral
- Acropora cytherella* Verrill, 1902 = *Acropora cytherea*  
(Dana, 1846)
- Acropora danai*** (Milne Edwards & Haime, 1860) II  
ACROPORIDAE (Anthozoa)
- Acropora decipiens* (Brook, 1892) = *Acropora robusta*  
(Dana, 1846)
- Acropora deformis* (Dana, 1846) = *Acropora danai* (Milne  
Edwards & Haime, 1860)
- Acropora delicatula* (Brook, 1893) = *Acropora selago*  
(Studer, 1878)
- Acropora dendrum*** (Bassett-Smith, 1890) II  
ACROPORIDAE (Anthozoa)
- Acropora derawanensis*** Wallace, 1997 II  
ACROPORIDAE (Anthozoa)
- Acropora desalwii*** Wallace, 1994 II ACROPORIDAE  
(Anthozoa)
- Acropora diffusa* (Verrill, 1864) = *Acropora acuminata*  
(Verrill, 1864)
- Acropora digitifera*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora diomedae* Vaughan, 1906 = *Acropora nasuta*  
(Dana, 1846)
- Acropora dispar* Nemenzo, 1967 = *Acropora grandis*  
(Brook, 1892)
- Acropora dissimilis* Verrill, 1902 = *Acropora valida* (Dana,  
1846)
- Acropora divaricata*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora diversa* (Brook, 1891) = *Acropora secale*  
(Studer, 1878)
- Acropora donei*** Veron & Wallace, 1984 II  
ACROPORIDAE (Anthozoa)
- Acropora downingi*** Wallace, 1999 II ACROPORIDAE  
(Anthozoa)
- Acropora echinata*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora efflorescens*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora effusa* (Dana, 1846) = *Acropora digitifera* (Dana,  
1846)
- Acropora eibli* Pillai & Scheer, 1976 = *Acropora tenella*  
(Brook, 1892)
- Acropora elegans*** (Milne Edwards & Haime, 1860) II  
ACROPORIDAE (Anthozoa)
- Acropora elegantula*** (Ortmann, 1889) II ACROPORIDAE  
(Anthozoa)
- Acropora elizabethensis*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Acropora elseyi*** (Brook, 1892) II ACROPORIDAE  
(Anthozoa) (E) Christmas Coral
- Acropora eminens von Marenzeller, 1906* = *Acropora  
intermedia* (Brook, 1891)
- Acropora eurystoma*** (Klunzinger, 1879) II  
ACROPORIDAE (Anthozoa)
- Acropora exilis* (Brook, 1892) = *Acropora elseyi* (Brook,  
1892)
- Acropora exquisita*** Nemenzo, 1971 II ACROPORIDAE  
(Anthozoa)
- Acropora fasciculare* Latypov, 1992 = *Acropora  
bushyensis* Veron & Wallace, 1984
- Acropora fastigiata*** Nemenzo, 1967 II ACROPORIDAE  
(Anthozoa)
- Acropora fenneri*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Acropora filiformis*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Acropora florida*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora formosa*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora forskalii*** (Hemprich & Ehrenberg, 1834) II  
ACROPORIDAE (Anthozoa)
- Acropora fruticosa* (Brook, 1892) = *Acropora humilis*  
(Dana, 1846)
- Acropora gemmifera*** (Brook, 1892) II ACROPORIDAE  
(Anthozoa)

- Acropora glauca*** (Brook, 1893) II ACROPORIDAE  
(Anthozoa)
- Acropora globiceps*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora gomezi*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Acropora gracilis* (Dana, 1846) = *Acropora formosa* (Dana, 1846)
- Acropora grandis*** (Brook, 1892) II ACROPORIDAE  
(Anthozoa)
- Acropora granulosa*** (Milne Edwards & Haime, 1860) II ACROPORIDAE (Anthozoa)
- Acropora gravida* (Dana, 1846) = *Acropora florida* (Dana, 1846)
- Acropora haimei*** (Milne Edwards & Haime, 1860) II ACROPORIDAE (Anthozoa)
- Acropora halmaherae*** Wallace & Wolstenholme, 1998 II ACROPORIDAE (Anthozoa)
- Acropora hebes* (Dana, 1846) = *Acropora aspera* (Dana, 1846)
- Acropora hemprichii*** (Ehrenberg, 1834) II ACROPORIDAE (Anthozoa)
- Acropora hispida* (Brook, 1891) = *Acropora cuneata* (Dana, 1846)
- Acropora hoeksemai*** Wallace, 1997 II ACROPORIDAE (Anthozoa)
- Acropora horrida*** (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Acropora humilis*** (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Acropora hyacinthus*** (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Acropora hystrix* (Dana, 1846) = *Acropora cerealis* (Dana, 1846)
- Acropora imperfecta* Nemenzo = *Acropora latistella* (Brook, 1892)
- Acropora indiana*** Wallace, 1994 II ACROPORIDAE (Anthozoa)
- Acropora indonesia*** Wallace, 1997 II ACROPORIDAE (Anthozoa)
- Acropora inermis*** (Brook, 1891) II ACROPORIDAE (Anthozoa)
- Acropora insignis*** Nemenzo, 1967 II ACROPORIDAE (Anthozoa)
- Acropora intermedia*** (Brook, 1891) II ACROPORIDAE (Anthozoa)
- Acropora irregularis*** (Brook, 1892) II ACROPORIDAE (Anthozoa)
- Acropora jacquelineae*** Wallace, 1994 II ACROPORIDAE (Anthozoa)
- Acropora japonica*** Veron, 2000 II ACROPORIDAE (Anthozoa)
- Acropora josephi*** George & Sukumaran, 2007 II ACROPORIDAE (Anthozoa)
- Acropora kenti* (Brook, 1892) = *Acropora tenuis* (Dana, 1846)
- Acropora kimbeensis*** Wallace, 1999 II ACROPORIDAE (Anthozoa)
- Acropora kirstyae*** Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)
- Acropora kosurini*** Wallace, 1994 II ACROPORIDAE (Anthozoa)
- Acropora labrosa* (Dana, 1848) = *Acropora palifera* (Lamarck, 1816)
- Acropora laevis* Crossland, 1952 = *Acropora formosa* (Dana, 1846)
- Acropora lamarcki*** Veron, 2000 II ACROPORIDAE (Anthozoa)
- Acropora latistella*** (Brook, 1892) II ACROPORIDAE (Anthozoa)
- Acropora leptocyathus* (Brook, 1891) = *Acropora digitifera* (Dana, 1846)
- Acropora lianae*** Nemenzo, 1967 II ACROPORIDAE (Anthozoa)
- Acropora librata* Nemenzo, 1967 = *Acropora millepora* (Ehrenberg, 1834)
- Acropora listeri*** (Brook, 1893) II ACROPORIDAE (Anthozoa)
- Acropora loisetteae*** Wallace, 1994 II ACROPORIDAE (Anthozoa)
- Acropora lokani*** Wallace, 1994 II ACROPORIDAE (Anthozoa)
- Acropora longicyathus*** (Milne Edwards & Haime, 1860) II ACROPORIDAE (Anthozoa)
- Acropora loricata* Nemenzo, 1967 = *Acropora latistella* (Brook, 1892)
- Acropora loripes*** (Brook, 1892) II ACROPORIDAE (Anthozoa) (E) Bluetip Coral
- Acropora lovelli*** Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)
- Acropora lutkeni*** Crossland, 1952 II ACROPORIDAE (Anthozoa)
- Acropora macrostoma*** (Brook, 1891) II ACROPORIDAE (Anthozoa)
- Acropora magnifica*** Nemenzo, 1971 II ACROPORIDAE (Anthozoa)
- Acropora mangarevensis* Vaughan, 1906 = *Acropora abrotanoides* (Lamarck, 1816)
- Acropora mannarensis*** George & Sukumaran, 2007 II ACROPORIDAE (Anthozoa)
- Acropora manni* (Quelch, 1886) = *Acropora aspera* (Dana, 1846)
- Acropora maryae*** Veron, 2000 II ACROPORIDAE (Anthozoa)
- Acropora massawensis*** von Marenzeller, 1907 II ACROPORIDAE (Anthozoa)
- Acropora meridiana*** Nemenzo, 1971 II ACROPORIDAE (Anthozoa)
- Acropora microclados*** (Ehrenberg, 1834) II ACROPORIDAE (Anthozoa)
- Acropora microphtalma*** (Verrill, 1869) II ACROPORIDAE (Anthozoa)
- Acropora millepora*** (Ehrenberg, 1834) II ACROPORIDAE (Anthozoa)
- Acropora minuta*** Veron, 2000 II ACROPORIDAE (Anthozoa)
- Acropora mirabilis*** (Quelch, 1886) II ACROPORIDAE (Anthozoa)
- Acropora monticulosa*** (Brüggemann, 1879) II ACROPORIDAE (Anthozoa)

- Acropora mossambica*** Riegl, 1995 II ACROPORIDAE  
(Anthozoa)
- Acropora multiacuta*** Nemenzo, 1967 II ACROPORIDAE  
(Anthozoa)
- Acropora multiramosa* Nemenzo, 1967 = *Acropora florida* (Dana, 1846)
- Acropora muricata* (Linnaeus, 1758) = *Acropora formosa* (Dana, 1846)
- Acropora murrayensis* Vaughan, 1918 = *Acropora loripes* (Brook, 1892)
- Acropora nana*** (Studer, 1878) II ACROPORIDAE  
(Anthozoa)
- Acropora nasuta*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora natalensis*** Riegl, 1995 II ACROPORIDAE  
(Anthozoa)
- Acropora navini*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Acropora nobilis*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora obscura* (Brook, 1893) = *Acropora humilis* (Dana, 1846)
- Acropora ocellata*** (Klunzinger, 1879) II ACROPORIDAE  
(Anthozoa)
- Acropora orbicularis*** (Brook, 1892) II ACROPORIDAE  
(Anthozoa)
- Acropora otteri* Crossland, 1952 = *Acropora secale* (Studer, 1878)
- Acropora palifera*** (Lamarck, 1816) II ACROPORIDAE  
(Anthozoa)
- Acropora palmata*** (Lamarck, 1816) II ACROPORIDAE  
(Anthozoa) (E) Elkhorn Coral (S) Coral cuerno de alce (F) Corail cornes d'élan
- Acropora palmerae*** Wells, 1954 II ACROPORIDAE  
(Anthozoa)
- Acropora paniculata*** Verrill, 1902 II ACROPORIDAE  
(Anthozoa)
- Acropora papillare*** Latypov, 1992 II ACROPORIDAE  
(Anthozoa)
- Acropora parahemprichii*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Acropora parapharaonis*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Acropora parilis*** (Quelch, 1886) II ACROPORIDAE  
(Anthozoa)
- Acropora patula* (Brook, 1892) = *Acropora latistella* (Brook, 1892)
- Acropora paxilligera* (Dana, 1846) = *Acropora robusta* (Dana, 1846)
- Acropora pectinata* (Brook, 1892) = *Acropora hyacinthus* (Dana, 1846)
- Acropora pharaonis*** (Milne Edwards & Haime, 1860) II ACROPORIDAE  
(Anthozoa)
- Acropora pichoni*** Wallace, 1999 II ACROPORIDAE  
(Anthozoa)
- Acropora pinguis*** Wells, 1950 II ACROPORIDAE  
(Anthozoa)
- Acropora plana*** Nemenzo, 1967 II ACROPORIDAE  
(Anthozoa)
- Acropora plantaginea*** (Lamarck, 1816) II ACROPORIDAE  
(Anthozoa)
- Acropora plumosa*** Wallace & Wolstenholme, 1998 II ACROPORIDAE  
(Anthozoa)
- Acropora pocilloporina*** Wallace, 1994 II ACROPORIDAE  
(Anthozoa)
- Acropora polymorpha* (Brook, 1891) = *Acropora florida* (Dana, 1846)
- Acropora polystoma*** (Brook, 1891) II ACROPORIDAE  
(Anthozoa)
- Acropora ponderosa* Nemenzo, 1967 = *Acropora robusta* (Dana, 1846)
- Acropora procumbens* (Brook, 1891) = *Acropora echinata* (Dana, 1846)
- Acropora profusa* Nemenzo, 1967 = *Acropora elseyi* (Brook, 1892)
- Acropora prolifera*** (Lamarck, 1816) II ACROPORIDAE  
(Anthozoa) (E) Fused Staghorn Coral (S) Coral cónico fundido
- Acropora prolixa* (Verrill, 1866) = *Acropora carduus* (Dana, 1846)
- Acropora prominens* Nemenzo, 1967 = *Acropora palifera* (Lamarck, 1816)
- Acropora prostrata*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora proximalis*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Acropora pruinosa*** (Brook, 1893) II ACROPORIDAE  
(Anthozoa)
- Acropora pulchra*** (Brook, 1891) II ACROPORIDAE  
(Anthozoa)
- Acropora pustulosa* (Milne Edwards & Haime, 1860) = *Acropora pharaonis* (Milne Edwards & Haime, 1860)
- Acropora pyramidalis* (Klunzinger, 1879) = *Acropora digitifera* (Dana, 1846)
- Acropora quelchi* (Brook, 1893) = *Acropora secale* (Studer, 1878)
- Acropora rambleri*** (Bassett-Smith, 1890) II ACROPORIDAE  
(Anthozoa)
- Acropora rayneri* (Brook, 1892) = *Acropora speciosa* (Quelch, 1886)
- Acropora reclinata* Nemenzo, 1967 = *Acropora cuneata* (Dana, 1846)
- Acropora recumbens* (Brook, 1892) = *Acropora hyacinthus* (Dana, 1846)
- Acropora reticulata* (Brook, 1892) = *Acropora cytherea* (Dana, 1846)
- Acropora retusa*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora ridzwani*** Ditlev, 2003 II ACROPORIDAE  
(Anthozoa)
- Acropora robusta*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora rongelapensis*** Richards & Wallace, 2004 II ACROPORIDAE  
(Anthozoa)
- Acropora rosaria*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Acropora roseni*** Wallace, 1999 II ACROPORIDAE  
(Anthozoa)

- Acropora rotumana* (Gardiner, 1898) = *Acropora danai* (Milne Edwards & Haime, 1860)
- Acropora rufa* (Rehberg, 1892) II ACROPORIDAE (Anthozoa)
- Acropora rufus* Veron, 2000 II ACROPORIDAE (Anthozoa)
- Acropora russelli* Wallace, 1994 II ACROPORIDAE (Anthozoa)
- Acropora samoensis* (Brook, 1891) II ACROPORIDAE (Anthozoa)
- Acropora sarmentosa* (Brook, 1892) II ACROPORIDAE (Anthozoa)
- Acropora scandens* (Klunzinger, 1879) = *Acropora pharaonis* (Milne Edwards & Haime, 1860)
- Acropora scherzeriana* (Brüggemann, 1878) II ACROPORIDAE (Anthozoa)
- Acropora schmitti* Wells, 1950 II ACROPORIDAE (Anthozoa)
- Acropora secale* (Studer, 1878) II ACROPORIDAE (Anthozoa)
- Acropora secunda* (Dana, 1846) = *Acropora nobilis* (Dana, 1846)
- Acropora securis* (Dana, 1846) = *Acropora cuneata* (Dana, 1846)
- Acropora sekiseiensis* Veron, 1990 II ACROPORIDAE (Anthozoa)
- Acropora selago* (Studer, 1878) II ACROPORIDAE (Anthozoa)
- Acropora seriata* (Ehrenberg, 1834) II ACROPORIDAE (Anthozoa)
- Acropora simplex* Wallace & Wolstenholme, 1998 II ACROPORIDAE (Anthozoa)
- Acropora singularis* Nemenzo, 1967 = *Acropora millepora* (Ehrenberg, 1834)
- Acropora smithi* (Brook, 1893) = *Acropora robusta* (Dana, 1846)
- Acropora solitaryensis* Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)
- Acropora sordiensis* Riegl, 1995 II ACROPORIDAE (Anthozoa)
- Acropora spathulata* (Brook, 1891) II ACROPORIDAE (Anthozoa)
- Acropora speciosa* (Quelch, 1886) II ACROPORIDAE (Anthozoa)
- Acropora spectabilis* (Brook, 1892) = *Acropora humilis* (Dana, 1846)
- Acropora spicifera* (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Acropora spicifera abbreviata* (Dana, 1846) = *Acropora spicifera* (Dana, 1846)
- Acropora spiniformis* Eguchi & Shirai, 1977 = *Acropora subglabra* (Brook, 1891)
- Acropora splendida* Nemenzo, 1967 = *Acropora valenciennesi* (Milne Edwards & Haime, 1860)
- Acropora squamosa* (Brook, 1892) = *Acropora millepora* (Ehrenberg, 1834)
- Acropora squarrosa* (Hemprich & Ehrenberg, 1834) II ACROPORIDAE (Anthozoa)
- Acropora stoddarti* Pillai & Scheer, 1976 II ACROPORIDAE (Anthozoa)
- Acropora striata* (Verrill, 1866) II ACROPORIDAE (Anthozoa)
- Acropora subglabra* (Brook, 1891) II ACROPORIDAE (Anthozoa)
- Acropora subulata* (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Acropora suharsonoi* Wallace, 1994 II ACROPORIDAE (Anthozoa)
- Acropora sukarnoi* Wallace, 1997 II ACROPORIDAE (Anthozoa)
- Acropora surculosa* (Dana, 1846) = *Acropora hyacinthus* (Dana, 1846)
- Acropora symmetrica* (Brook, 1891) = *Acropora cytherea* (Dana, 1846)
- Acropora syringodes* (Brook, 1892) = *Acropora longicyathus* (Milne Edwards & Haime, 1860)
- Acropora tanegashimensis* Veron, 1990 II ACROPORIDAE (Anthozoa)
- Acropora tenella* (Brook, 1892) II ACROPORIDAE (Anthozoa)
- Acropora tenuis* (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Acropora teres* (Verrill, 1866) II ACROPORIDAE (Anthozoa)
- Acropora teres distans* (Verrill, 1866) = *Acropora teres* (Verrill, 1866)
- Acropora thomasi* George & Sukumaran, 2007 II ACROPORIDAE (Anthozoa)
- Acropora tizardi* (Brook, 1892) II ACROPORIDAE (Anthozoa)
- Acropora togianensis* Wallace, 1997 II ACROPORIDAE (Anthozoa)
- Acropora torihalimeda* Wallace, 1994 II ACROPORIDAE (Anthozoa)
- Acropora torresiana* Veron, 2000 II ACROPORIDAE (Anthozoa)
- Acropora tortuosa* (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Acropora tumida* (Verrill, 1866) II ACROPORIDAE (Anthozoa)
- Acropora turaki* Wallace, 1994 II ACROPORIDAE (Anthozoa)
- Acropora turbinata* (Dana, 1846) = *Acropora hyacinthus* (Dana, 1846)
- Acropora tutuilensis* Hoffmeister, 1925 II ACROPORIDAE (Anthozoa)
- Acropora valenciennesi* (Milne Edwards & Haime, 1860) II ACROPORIDAE (Anthozoa) (E) Table Coral
- Acropora valida* (Dana, 1846) II ACROPORIDAE (Anthozoa) (E) Bush Coral
- Acropora valimunensis* George & Sukumaran, 2007 II ACROPORIDAE (Anthozoa)
- Acropora vanderhorsti* Hoffmeister, 1925 = *Acropora intermedia* (Brook, 1891)
- Acropora variabilis* (Klunzinger, 1879) II ACROPORIDAE (Anthozoa)
- Acropora varia* Nemenzo, 1967 = *Acropora formosa* (Dana, 1846)
- Acropora variolosa* (Klunzinger, 1879) II ACROPORIDAE (Anthozoa)

- Acropora vasiformis* (Brook, 1893) = *Acropora clathrata* (Brook, 1891)
- Acropora vaughani*** Wells, 1954 II ACROPORIDAE (Anthozoa)
- Acropora vermiculata*** Nemenzo, 1967 II ACROPORIDAE (Anthozoa)
- Acropora verweyi*** Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)
- Acropora virgata* (Dana, 1846) = *Acropora formosa* (Dana, 1846)
- Acropora walindii*** Wallace, 1999 II ACROPORIDAE (Anthozoa)
- Acropora wallaceae*** Veron, 1990 II ACROPORIDAE (Anthozoa)
- Acropora wardii* Verrill, 1902 = *Acropora digitifera* (Dana, 1846)
- Acropora willisae*** Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)
- Acropora yaeyamaensis* Eguchi & Shirai, 1977 = *Acropora aspera* (Dana, 1846)
- Acropora yongei*** Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)
- ACROPORIDAE spp.** Verrill 1902 II (Anthozoa)
- Acuá (S): *Herpetotheres cachinnans*
- Addax (E): *Addax nasomaculatus*
- Addax (F): *Addax nasomaculatus*
- Addax (S): *Addax nasomaculatus*
- Addax à nez tacheté (F): *Addax nasomaculatus*
- Addax nasomaculatus*** (de Blainville, 1816) I BOVIDAE (Mammalia) (E) Addax (S) Addax (F) Addax, Addax à nez tacheté, Antilope blanche
- Adder, Field (E): *Vipera ursinii*
- Adelochelys crassa* Baur, 1896 = *Orlitia borneensis* Gray, 1873
- Adelomyia*** spp. Bonaparte, 1854 II TROCHILIDAE (Aves)
- Adelomyia melanogenys*** (Fraser, 1840) II TROCHILIDAE (Aves) (E) Speckled Hummingbird (S) Colibrí jaspeado, Colibrí serrano gargantiazul, Picaflor gargantiazul (F) Colibri moucheté
- Adelopora*** spp. Cairns, 1982 II STYLASTERIDAE (Hydrozoa)
- Adelopora crassilabrum*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Adelopora fragilis*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Adelopora moseleyi*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Adelopora pseudothyron*** Cairns, 1982 II STYLASTERIDAE (Hydrozoa)
- Adelphobates*** spp. II DENDROBATIDAE (Amphibia)
- Adelphobates captivus* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Excidobates captivus* (Myers, 1982)
- Adelphobates captivus* (Myers, 1982) = *Excidobates captivus* (Myers, 1982)
- Adelphobates castaneoticus*** (Caldwell & Myers, 1990) II DENDROBATIDAE (Amphibia) (E) Brazil-nut Poison Frog (F) Dendrobate du Xingu
- Adelphobates castaneoticus* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Adelphobates castaneoticus* (Caldwell & Myers, 1990)
- Adelphobates galactonotus*** (Steindachner, 1864) II DENDROBATIDAE (Amphibia) (E) Splash-backed Poison Frog (F) Dendrobate du Tapajos
- Adelphobates galactonotus* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Adelphobates galactonotus* (Steindachner, 1864)
- Adelphobates quinquevittatus*** (Steindachner, 1864) II DENDROBATIDAE (Amphibia) (E) Amazonian Poison-Arrow Frog, Rio Madeira Poison Frog (S) Rana de punta de flecha pentaestriada (F) Dendrobate à cinq bandes
- Adelphobates quinquevittatus* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Adelphobates quinquevittatus* (Steindachner, 1864)
- Aegolius*** spp. Kaup, 1829 II 30 STRIGIDAE (Aves)
- Aegolius acadicus*** (Gmelin, 1788) II 30 STRIGIDAE (Aves) (E) Northern Saw-whet Owl, Saw-whet Owl (S) Mochuelo cabezón, Tecolote-abetero norteño (F) Petite nyctale
- Aegolius funereus*** (Linnaeus, 1758) II 30 STRIGIDAE (Aves) (E) Boreal Owl, Tengmalm's Owl (S) Lechuza de Tengmalm, Mochuelo boreal (F) Chouette de Tengmalm, Engoulevent d'Europe, Nyctale de Tengmalm
- Aegolius harrisii*** (Cassin, 1849) II 30 STRIGIDAE (Aves) (E) Buff-fronted Owl (S) Carburé acanelado, Curucú barriga amarilla, Lechucita acanelada, Mochuelo canela (F) Chouette de Harris, Nyctale de Harris
- Aegolius ridgwayi*** (Alfaro, 1905) II 30 STRIGIDAE (Aves) (E) Unspotted Saw-whet Owl (S) Mochuelo moreno (F) Nyctale immaculée
- Aegypius*** spp. Savigny, 1809 II 27 ACCIPITRIDAE (Aves)
- Aegypius calvus* (Scopoli, 1786) = *Sarcogyps calvus* (Scopoli, 1786)
- Aegypius monachus*** (Linnaeus, 1766) II 27 ACCIPITRIDAE (Aves) (E) Black Vulture, Cinereous Vulture (S) Buitre negro (F) Vautour moine
- Aegypius occipitalis* (Burchell, 1824) = *Trigonoceps occipitalis* (Burchell, 1824)
- Aegypius tracheliotus* (Forster, 1791) = *Torgos tracheliotus* (Forster, 1791)
- Aetheoptera alexandrae* Rothschild, 1907 = *Ornithoptera alexandrae* (Rothschild, 1907)
- Aetheoptera victoriae* (Gray, 1856) = *Ornithoptera victoriae* Gray, 1856
- Afrotis*** spp. Bonaparte, 1854 II OTIDIDAE (Aves)
- Afrotis afra*** (Linnaeus, 1766) II OTIDIDAE (Aves) (E) Black Bustard, Black Korhaan (S) Sisón negro, Sisón negro aliascuro (F) Outarde korhaan, Outarde noire
- Afrotis afraoides*** (A. Smith, 1831) II OTIDIDAE (Aves) (E) White-quilled Bustard (S) Sisón negro aliclaro (F) Outarde à miroir blanc

- Afrotis atra afraoides* (Linnaeus, 1766) = *Afrotis afraoides* (A. Smith, 1831)
- Agalychnis* spp.** Cope, 1864 II HYLIDAE (Amphibia)
- Agalychnis annae*** (Duellman, 1963) II HYLIDAE (Amphibia) (E) Blue-sided Leaf Frog (S) rana azul (F) Rainette arboricole à côtes bleues
- Agalychnis annae* Duellman, 1968 = *Agalychnis annae* (Duellman, 1963)
- Agalychnis callidryas*** (Cope, 1862) II HYLIDAE (Amphibia) (E) Red-eyed Leaf Frog (S) Rana arbórea de ojos rojos, Rana calzonuda (F) Grenouille aux yeux rouges, Rainette aux yeux rouges
- Agalychnis callidryas callidryas* Funkhouser, 1957 = *Agalychnis callidryas* (Cope, 1862)
- Agalychnis callidryas* Cope, 1864 = *Agalychnis callidryas* (Cope, 1862)
- Agalychnis callidryas* Duellman, 1968 = *Agalychnis callidryas* (Cope, 1862)
- Agalychnis callidryas taylori* Funkhouser, 1957 = *Agalychnis callidryas* (Cope, 1862)
- Agalychnis holochlora* Cope, 1865 = *Agalychnis moreletii* (Duméril, 1853)
- Agalychnis litodryas* Duellman, 1968 = *Agalychnis spurrelli* Boulenger, 1913
- Agalychnis litodryas* (Duellman & Trueb, 1967) = *Agalychnis spurrelli* Boulenger, 1913
- Agalychnis moreletii*** (Duméril, 1853) II HYLIDAE (Amphibia) (E) Black-eyed leaf frog, Morelet's Leaf Frog (S) Rana de Ojos Negros, Rana Maki, Rana Morelet (F) Rainette arboricole de Morelet
- Agalychnis moreletii* Cope, 1865 = *Agalychnis moreletii* (Duméril, 1853)
- Agalychnis moreletti* Liner & Casas-Andreu, 2008 = *Agalychnis moreletii* (Duméril, 1853)
- Agalychnis saltator*** Taylor, 1955 II HYLIDAE (Amphibia) (E) Misfit Leaf Frog (S) Rana saltadora
- Agalychnis spurrelli*** Boulenger, 1913 II HYLIDAE (Amphibia) (E) Gliding Leaf Frog (S) Rana deslizadora (F) Grenouille d'arbre de spurrelli
- Agapeta gularis* (Gould, 1860) = *Heliodoxa gularis* (Gould, 1860)
- Agapornis* spp.** Selby, 1836 II/NC 29 PSITTACIDAE (Aves)
- Agapornis canus*** (Gmelin, 1788) II 29 PSITTACIDAE (Aves) (E) Grey-headed Lovebird, Madagascar Lovebird (S) Inseparable malgache (F) Inséparable à tête grise
- Agapornis coelestis* Lesson, 1847 = *Forpus coelestis* (Lesson, 1847)
- Agapornis fischeri*** Reichenow, 1887 II 29 PSITTACIDAE (Aves) (E) Fischer's Lovebird (S) Inseparable de Fischer (F) Inséparable de Fischer, Perruche de Fischer
- Agapornis lilianae*** Shelley, 1894 II 29 PSITTACIDAE (Aves) (E) Lilian's Lovebird, Nyasa Lovebird (S) Inseparable del-Nyasa (F) Inséparable de Lilian, Perruche de Lilian
- Agapornis lilianae nigrigenis* Shelley, 1894 = *Agapornis nigrigenis* W. L. Sclater, 1906
- Agapornis nigrigenis*** W. L. Sclater, 1906 II 29 PSITTACIDAE (Aves) (E) Black-cheeked Lovebird (S) Inseparable cachetón (F) Inséparable à joues noires, Perruche à joue noire
- Agapornis personatus*** Reichenow, 1887 II 29 PSITTACIDAE (Aves) (E) Black-masked Lovebird, Masked Lovebird, Yellow-collared Lovebird (S) Inseparable cabecinegro (F) Inséparable masqué, Perruche masquée
- Agapornis pullarius*** (Linnaeus, 1758) II 29 PSITTACIDAE (Aves) (E) Red-faced Lovebird, Red-headed Lovebird (S) Inseparable carirrojo (F) Inséparable à tête rouge, Perruche à tête rouge
- Agapornis roseicollis*** (Vieillot, 1818) NC PSITTACIDAE (Aves) (E) Peach-faced Lovebird, Rosy-faced Lovebird (S) Inseparable de Namibia (F) Inséparable à face rose, Inséparable rose-gorge, Perruche à face rose
- Agapornis swindernianus*** (Kuhl, 1820) II 29 PSITTACIDAE (Aves) (E) Black-collared Lovebird (S) Inseparable acollarado, Inseparable de collera (F) Inséparable à collier noir, Inséparable de Swindern, Perruche de Swindern
- Agapornis taranta*** (Stanley, 1814) II 29 PSITTACIDAE (Aves) (E) Abyssinian Lovebird, Black-winged Lovebird (S) Inseparable abisinio (F) Inséparable d'Abyssinie
- Agarice à spires (F): *Agaricia undata*
- Agarice de Graham (F): *Agaricia grahamae*
- Agarice de Lamarck (F): *Agaricia lamarcki*
- Agarice fragile (F): *Agaricia fragilis*
- Agarice laitue (F): *Agaricia agaricites*
- Agarice laitue fine (F): *Agaricia tenuifolia*
- Agarice plate (F): *Agaricia humilis*
- Agaricia* spp.** Lamarck, 1801 II AGARICIIDAE (Anthozoa)
- Agaricia agaricites*** (Linnaeus, 1758) II AGARICIIDAE (Anthozoa) (E) Leaf Coral, Lettuce Coral (S) Coral de lechuga (F) Agarice laitue
- Agaricia cailleti* (Duchassaing & Michelotti, 1864) = *Leptoseris cailleti* (Duchassaing & Michelotti, 1864)
- Agaricia crassa* Verrill, 1901 = *Agaricia agaricites* (Linnaeus, 1758)
- Agaricia crispa* Ehrenberg, 1834 = *Leptoseris papyracea* (Dana, 1846)
- Agaricia explanulata* Lamarck, 1816 = *Pavona explanulata* (Lamarck, 1816)
- Agaricia flabellina* Lamouroux, 1821 = *Merulina ampliata* (Ellis & Solander, 1786)
- Agaricia fragilis*** (Dana, 1846) II AGARICIIDAE (Anthozoa) (E) Fragile Saucer Coral (S) Coral frágil (F) Agarice fragile
- Agaricia grahamae*** Wells, 1973 II AGARICIIDAE (Anthozoa) (E) Graham's Sheet Coral (S) Coral laminar de Graham (F) Agarice de Graham
- Agaricia humilis*** Verrill, 1901 II AGARICIIDAE (Anthozoa) (E) Lowrelief Lettuce Coral (S) Coral bajorrelieve (F) Agarice plate
- Agaricia lamarcki*** Milne Edwards & Haime, 1851 II AGARICIIDAE (Anthozoa) (E) Lamarck's Sheet Coral (S) Coral laminar (F) Agarice de Lamarck

- Agaricia levicollis* Dana, 1846 = *Pachyseris speciosa* (Dana, 1846)
- Agaricia planulata* Dana, 1846 = *Gardineroseris planulata* (Dana, 1846)
- Agaricia ponderosa* Gardiner, 1905 = *Gardineroseris planulata* (Dana, 1846)
- Agaricia purpurea* LeSueur, 1820 = *Agaricia agaricites* (Linnaeus, 1758)
- Agaricia rugosa* Lamarck, 1816 = *Pachyseris rugosa* (Lamarck, 1801)
- Agaricia speciosa* Dana, 1846 = *Pachyseris speciosa* (Dana, 1846)
- Agaricia tenuifolia** Dana, 1846 II AGARICIIDAE (Anthozoa) (E) Ribbon Coral, Thin-leaf Lettuce Coral (S) Coral de cinta (F) Agarice laitue fine
- Agaricia undata** (Ellis & Solander, 1786) II AGARICIIDAE (Anthozoa) (E) Scroll Coral (S) Coral enrollado (F) Agarice à spires
- Agariciella minikoiensis* (Gardiner, 1905) = *Leptoseris mycetoseroidea* Wells, 1954
- Agariciella ponderosa* (Gardiner, 1905) = *Gardineroseris planulata* (Dana, 1846)
- AGARICIIDAE** spp. Gray 1847 II (Anthozoa)
- Agelaius flavus* (Gmelin, 1788) = *Xanthopsar flavus* (Gmelin, 1788)
- Aglaeactis** spp. Gould, 1848 II TROCHILIDAE (Aves)
- Aglaeactis aliciae** Salvin, 1896 II TROCHILIDAE (Aves) (E) Purple-backed Sunbeam (S) Colibrí de Alicia (F) Colibri d'Alice
- Aglaeactis castelnauii** (Bourcier & Mulsant, 1848) II TROCHILIDAE (Aves) (E) White-tufted Sunbeam (S) Colibrí condecorado (F) Colibri de Castelneau
- Aglaeactis cupripennis** (Bourcier, 1843) II TROCHILIDAE (Aves) (E) Shining Sunbeam (S) Colibrí cobrizo, Rayito brillante (F) Colibri étincelant
- Aglaeactis pamela** (d'Orbigny, 1838) II TROCHILIDAE (Aves) (E) Black-hooded Sunbeam (S) Colibrí negrito (F) Colibri paméla
- Aglaiocercus** spp. Zimmer, 1930 II TROCHILIDAE (Aves)
- Aglaiocercus berlepschi* (Hartert, 1898) = *Aglaiocercus kingi* (Lesson, 1832)
- Aglaiocercus coelestis** (Gould, 1861) II TROCHILIDAE (Aves) (E) Violet-tailed Sylph (S) Silfo celeste, Silfo colivioleta (F) Colibri céleste, Sylphe à queue violette
- Aglaiocercus emmae* (Berlepsch, 1892) = *Aglaiocercus kingi* (Lesson, 1832)
- Aglaiocercus kingi** (Lesson, 1832) II TROCHILIDAE (Aves) (E) Long-tailed Sylph (S) Colibrí coludo azul, Silfo colilargo, Silfo de King (F) Sylphe à queue d'azur
- Aglaiocercus kingii* (Lesson, 1832) = *Aglaiocercus kingi* (Lesson, 1832)
- Agouti (E): *Dasyprocta punctata*
- Agouti (E): *Cuniculus paca*
- Agouti (F): *Dasyprocta punctata*
- Agouti (S): *Cuniculus paca*
- Agouti (S): *Dasyprocta punctata*
- Agouti (F): *Cuniculus paca*
- Agouti, Central American (E): *Dasyprocta punctata*
- Agouti paca* (Linnaeus, 1766) = *Cuniculus paca* (Linnaeus, 1766)
- Agouti ponctué (F): *Dasyprocta punctata*
- Agouti rojizo (S): *Dasyprocta punctata*
- Agrias amydon* (Hewitson, 1854) III/NC NYMPHALIDAE (Insecta)
- Agrias amydon boliviensis* III NYMPHALIDAE (Insecta)
- Agriocharis ocellata* (Cuvier, 1820) = *Meleagris ocellata* Cuvier, 1820
- Agrionemys horsfieldii* (Gray, 1844) = *Testudo horsfieldii* Gray, 1844
- Águila arpía (S): *Harpia harpyja*
- Águila audaz (S): *Aquila audax*
- Águila-azor africana (S): *Hieraetus spilogaster*
- Águila-azor blanca (S): *Spizaetus ornatus*
- Águila-azor blanquinegra (S): *Spizastur melanoleucus*
- Águila-azor chica (S): *Spizastur melanoleucus*
- Águila-azor congoleña (S): *Spizaetus africanus*
- Águila-azor de Ayres (S): *Hieraetus ayresii*
- Águila-azor de Célebes (S): *Spizaetus lanceolatus*
- Águila-azor de Java (S): *Spizaetus bartelsi*
- Águila-azor de Wallace (S): *Spizaetus nanus*
- Águila-azor filipina (S): *Spizaetus philippensis*
- Águila-azor galana (S): *Spizaetus ornatus*
- Águila-azor indonesia (S): *Spizaetus alboniger*
- Águila-azor montañesa (S): *Spizaetus nipalensis*
- Águila-azor negra (S): *Spizaetus tyrannus*
- Águila-azor perdicera (S): *Hieraetus fasciatus*
- Águila-azor variable (S): *Spizaetus cirrhatus*
- Águila-azor ventrirroja (S): *Hieraetus kienerii*
- Águila blanquinegra (S): *Spizastur melanoleucus*
- Águila cabeciblanca (S): *Haliaeetus leucocephalus*
- Águila cabeza blanca (S): *Haliaeetus leucocephalus*
- Águila cafre (S): *Aquila verreauxii*
- Águila calzada (S): *Hieraetus pennatus*
- Águila castaña (S): *Oroaetus isidori*
- Águila colorada (S): *Busarellus nigricollis*
- Águila comemonos (S): *Pithecopaga jefferyi*
- Águila copetuda africana (S): *Lophaetus occipitalis*
- Águila coronada (S): *Harpyhaliaetus coronatus*
- Águila coronada (S): *Stephanoaetus coronatus*
- Águila coronada rabuda (S): *Stephanoaetus coronatus*
- Águila crestada (S): *Morphnus guianensis*
- Águila crestilarga (S): *Lophaetus occipitalis*
- Águila culebrera (S): *Circaetus gallicus*
- Águila culebrera coliblanca (S): *Circaetus cinerascens*
- Águila culebrera colilarga (S): *Dryotriorchis spectabilis*
- Águila culebrera de Brown (S): *Circaetus cinereus*
- Águila de Azara (S): *Harpyhaliaetus coronatus*
- Águila de Bonelli (S): *Hieraetus fasciatus*
- Águila de copete (S): *Oroaetus isidori*
- Águila de penacho (S): *Spizaetus ornatus*
- Águila de Wahlberg (S): *Hieraetus wahlbergi*
- Águila elegante (S): *Spizaetus ornatus*
- Águila escudada (S): *Geranoaetus melanoleucus*
- Águila Esteparia (S): *Aquila rapax*
- Águila esteparia (S): *Aquila nipalensis*
- Águila harpía (S): *Harpia harpyja*
- Águila imperial (S): *Aquila heliaca*
- Águila imperial ibérica (S): *Aquila adalberti*

- Águila imperial oriental (S): *Aquila heliaca*  
 Águila marcial (S): *Polemaetus bellicosus*  
 Águila milana (S): *Ictinaetus malayensis*  
 Águila moluqueña (S): *Aquila gurneyi*  
 Águila monera (S): *Pithecopaga jefferyi*  
 Águila monera (S): *Morphnus guianensis*  
 Águila mora (S): *Geranoaetus melanoleucus*  
 Águila moteada (S): *Aquila clanga*  
 Águila negra (S): *Buteogallus urubitinga*  
 Águila perdicera (S): *Hieraetus fasciatus*  
 Águila perdicera africana (S): *Hieraetus spilogaster*  
 Águila pescadora (S): *Pandion haliaetus*  
 Águila Pescadora, Águila Sangual, Gavilán Pescador, Guincho (S): *Pandionidae*  
 Águila poma (S): *Oroaetus isidori*  
 Águila pomerana (S): *Aquila pomarina*  
 Águila rapáz (S): *Aquila rapax*  
 Águila real (S): *Aquila chrysaetos*  
 Águila sangual (S): *Pandion haliaetus*  
 Águilas, Halcones, Gavilanes, Buitres (S): *Falconiformes*  
 Águila solitaria (S): *Harpyhaliaetus solitarius*  
 Águila tirana (S): *Spizaetus tyrannus*  
 Águila volatinera (S): *Terathopius ecaudatus*  
 Aguililla aluda (S): *Buteo platypterus*  
 Aguililla ártica (S): *Buteo lagopus*  
 Aguililla aura (S): *Buteo albonotatus*  
 Aguililla australiana (S): *Hieraetus morphnoides*  
 Aguililla calzada (S): *Hieraetus pennatus*  
 Aguililla caminera (S): *Buteo magnirostris*  
 Aguililla coliblanca (S): *Buteo albicaudatus*  
 Aguililla colicorta (S): *Buteo brachyurus*  
 Aguililla colirroja (S): *Buteo jamaicensis*  
 Aguililla de Harris (S): *Parabuteo unicinctus*  
 Aguililla de Swainson (S): *Buteo swainsoni*  
 Aguililla langostera (S): *Butastur rufipennis*  
 Aguililla negra mayor (S): *Buteogallus urubitinga*  
 Aguililla negra menor (S): *Buteogallus anthracinus*  
 Aguililla pechirroja (S): *Buteo lineatus*  
 Aguililla real (S): *Buteo regalis*  
 Aguilucho cabecinegro (S): *Buteo albicaudatus*  
 Aguilucho-caricalvo común (S): *Polyboroides typus*  
 Aguilucho-caricalvo malgache (S): *Polyboroides radiatus*  
 Aguilucho cenizo (S): *Circus pygargus*  
 Aguilucho chico (S): *Buteo albigula*  
 Aguilucho cola colorada (S): *Buteo ventralis*  
 Aguilucho cola corta (S): *Buteo brachyurus*  
 Aguilucho colorada (S): *Buteogallus meridionalis*  
 Aguilucho común (S): *Buteo polyosoma*  
 Aguilucho de azara (S): *Circus buffoni*  
 Aguilucho de ciénaga (S): *Circus buffoni*  
 Aguilucho gris (S): *Asturina nitida*  
 Aguilucho lagunero (S): *Circus aeruginosus*  
 Aguilucho lagunero del pacífico (S): *Circus approximans*  
 Aguilucho lagunero etiópico (S): *Circus ranivorus*  
 Aguilucho lagunero malgache (S): *Circus maillardi*  
 Aguilucho lagunero Occidental (S): *Circus aeruginosus*  
 Aguilucho lagunero oriental (S): *Circus spilonotus*  
 Aguilucho langostero (S): *Buteo swainsoni*  
 Aguilucho moteado (S): *Circus assimilis*  
 Aguilucho negro (S): *Circus maurus*
- Aguilucho pálido (S): *Circus cyaneus*  
 Aguilucho papialbo (S): *Circus macrourus*  
 Aguilucho pío (S): *Circus melanoleucus*  
 Aguilucho puna (S): *Buteo poecilochrous*  
 Aguilucho sabanero (S): *Buteogallus meridionalis*  
 Aguilucho vari (S): *Circus cinereus*  
 Aguilucho variado (S): *Buteo polyosoma*  
 Agutí de América Central (S): *Dasyprocta punctata*  
*Agyrtria brevirostris* (Lesson, 1829) = *Amazilia brevirostris* (Lesson, 1829)  
*Agyrtria candida* (Bourcier & Mulsant, 1846) = *Amazilia candida* (Bourcier & Mulsant, 1846)  
*Agyrtria cyanocephala* (Lesson, 1829) = *Amazilia cyanocephala* (Lesson, 1829)  
*Agyrtria franciae* (Bourcier & Mulsant, 1846) = *Amazilia franciae* (Bourcier & Mulsant, 1846)  
*Agyrtria hollandi* Todd, 1913 = *Amazilia versicolor* (Vieillot, 1818)  
*Agyrtria leucogaster* (Gmelin, 1788) = *Amazilia leucogaster* (Gmelin, 1788)  
*Agyrtria rondoniae* (Ruschi, 1982) = *Amazilia rondoniae* Ruschi, 1982  
*Agyrtria versicolor* (Vieillot, 1818) = *Amazilia versicolor* (Vieillot, 1818)  
*Agyrtria violiceps* (Gould, 1859) = *Amazilia violiceps* (Gould, 1859)  
*Agyrtria viridifrons* (Elliot, 1871) = *Amazilia viridifrons* (Elliot, 1871)  
 Aï de Bolivie (F): *Bradypus variegatus*  
 Aigle à épaules blanches (F): *Aquila adalberti*  
 Aigle à tête blanche (F): *Haliaeetus leucocephalus*  
 Aigle-autour fascié (F): *Hieraetus spilogaster*  
 Aigle à ventre roux (F): *Hieraetus kienerii*  
 Aigle blanchard (F): *Stephanoaetus coronatus*  
 Aigle botté (F): *Hieraetus pennatus*  
 Aigle couronné (F): *Stephanoaetus coronatus*  
 Aigle criard (F): *Aquila clanga*  
 Aigle d'Australie (F): *Aquila audax*  
 Aigle d'Ayres (F): *Hieraetus ayresii*  
 Aigle de Blyth (F): *Spizaetus alboniger*  
 Aigle de Bonelli (F): *Hieraetus fasciatus*  
 Aigle de Cassin (F): *Spizaetus africanus*  
 Aigle de Gurney (F): *Aquila gurneyi*  
 Aigle de Java (F): *Spizaetus bartelsi*  
 Aigle de Nouvelle-Guinée (F): *Harpyopsis novaeguineae*  
 Aigle des Célèbes (F): *Spizaetus lanceolatus*  
 Aigle des Philippines (F): *Spizaetus philippensis*  
 Aigle des Philippines (F): *Pithecopaga jefferyi*  
 Aigle des singes (F): *Pithecopaga jefferyi*  
 Aigle des steppes (F): *Aquila nipalensis*  
 Aigle de Verreaux (F): *Aquila verreauxii*  
 Aigle de Wahlberg (F): *Hieraetus wahlbergi*  
 Aigle de Wallace (F): *Spizaetus nanus*  
 Aigle d'Isidore (F): *Oroaetus isidori*  
 Aigle doré (F): *Aquila chrysaetos*  
 Aigle fascié (F): *Hieraetus spilogaster*  
 Aigle harpie (F): *Harpia harpyja*  
 Aigle huppard (F): *Lophaetus occipitalis*  
 Aigle huppé (F): *Spizaetus cirrhatus*  
 Aigle ibérique (F): *Aquila adalberti*

- Aigle impérial (F): *Aquila heliaca*  
Aigle impérial espagnol (F): *Aquila adalberti*  
Aigle mangeur de singes (F): *Pithecophaga jefferyi*  
Aigle martial (F): *Polemaetus bellicosus*  
Aigle montagnard (F): *Spizaetus nipalensis*  
Aigle nain (F): *Hieraetaetus morphnoides*  
Aigle noir (F): *Ictinaetus malayensis*  
Aigle noir et blanc (F): *Spizastur melanoleucus*  
Aigle orné (F): *Spizaetus ornatus*  
Aigle pêcheur (F): *Pandion haliaetus*  
Aigle pêcheur africain (F): *Haliaeetus vocifer*  
Aigle Pêcheur, Balbugard Fluviaatile, Balbuzard Pêcheur (F): *Pandionidae*  
Aigle pomarin (F): *Aquila pomarina*  
Aigle ravisieur (F): *Aquila rapax*  
Aigle royal (F): *Aquila chrysaetos*  
Aigle serpentaire (F): *Dryotriorchis spectabilis*  
Aigle serpentaire (F): *Eutriorchis astur*  
Aigles, Faucons, Éperviers, Vautours (F): *Falconiformes*  
Aigles, Milan De Wilson, Pygargues (F): *Accipitridae*  
Aigle tyran (F): *Spizaetus tyrannus*  
***Ailuropoda* spp.** Milne-Edwards, 1870 I URSIDAE (Mammalia)  
***Ailuropoda melanoleuca*** (David, 1869) I URSIDAE (Mammalia) (E) Giant Panda (S) Panda gigante (F) Panda, Panda géant  
***Ailurus fulgens*** F. G. Cuvier, 1825 I AILURIDAE (Mammalia) (E) Lesser Panda, Red Cat-bear, Red Panda (S) Panda chico, Panda rojo, Pequeño panda (F) Panda éclatant, Petit panda  
*Ailurus ochraceus* Hodgson, 1847 = *Ailurus fulgens* F. G. Cuvier, 1825  
*Ailurus fulgens* Milne-Edwards, 1874 = *Ailurus fulgens* F. G. Cuvier, 1825  
*Aithurus scitulus* Brewster & Bangs, 1901 = *Trochilus scitulus* Brewster & Bangs, 1901  
Ajolote de lago Pátzcuaro (S): *Ambystoma dumerilii*  
Ajolote mexicano (S): *Ambystoma mexicanum*  
Ala de sable anteado (S): *Campylopterus duidae*  
Ala de sable gris (S): *Campylopterus largipennis*  
Ala de sable pechivioleta (S): *Campylopterus falcatus*  
Ala de sable rufo (S): *Campylopterus hyperythrus*  
Ala de sable verde (S): *Campylopterus ensipennis*  
Alasable azulino (S): *Campylopterus falciatus*  
Alasable del Napo (S): *Campylopterus largipennis*  
***Alatotrochus* spp.** Cairns, 1994 II TURBINOLIIDAE (Anthozoa)  
***Alatotrochus rubescens*** (Moseley, 1876) II TURBINOLIIDAE (Anthozoa)  
Alazafiro grande (S): *Pterophanes cyanopterus*  
Albatros (S): *Phoebastria albatrus*  
Albatros à pieds noirs (F): *Phoebastria albatrus*  
Albatros à queue courte (F): *Phoebastria albatrus*  
Albatros colicorto (S): *Phoebastria albatrus*  
Albatros de Steller (F): *Phoebastria albatrus*  
Albatros patinegro (S): *Phoebastria albatrus*  
Albatros rabón (S): *Phoebastria albatrus*  
Albatross, Black-footed (E): *Phoebastria albatrus*  
Albatross, Short-tailed (E): *Phoebastria albatrus*  
Albatross, Steller's (E): *Phoebastria albatrus*  
Alcachofa de mar (S): *Scolymia cubensis*  
Alcaraván americano (S): *Burhinus bistriatus*  
Alcaraván venezolano (S): *Burhinus bistriatus*  
Alcatraz de Abbott (S): *Papasula abbotti*  
Alcotán (S): *Falco subbuteo*  
Alcotán africano (S): *Falco cuvierii*  
Alcotán australiano (S): *Falco longipennis*  
Alcotán cuellirrojo (S): *Falco chicquera*  
Alcotán europeo (S): *Falco subbuteo*  
Alcotán filipino (S): *Falco severus*  
Alcotán turumti (S): *Falco chicquera*  
***Aldabrachelys* spp. II** 46 TESTUDINIDAE (Reptilia)  
*Aldabrachelys elephantina* (Duméril & Bibron, 1835) = *Aldabrachelys gigantea* (Schweigger, 1812)  
***Aldabrachelys gigantea*** (Schweigger, 1812) II 46 TESTUDINIDAE (Reptilia) (E) Aldabra Giant Tortoise (S) Tortuga gigante de Aldabra (F) Tortue géante, Tortue géante d'Aldabra  
Aligator de China (S): *Alligator sinensis*  
Aligator del Mississippi (S): *Alligator mississippiensis*  
Aligatores, Caimanes (S): *Alligatoridae*  
Aligatores, Caimanes, Cocodrilos (S): *Crocodylia*  
Alimoche (S): *Neophron percnopterus*  
Alimoche común (S): *Neophron percnopterus*  
Alimoche sombrío (S): *Necrosyrtes monachus*  
Alipiopsitta xanthops (von Spix, 1824) = *Amazona xanthops* (Spix, 1824)  
***Alisterus* spp.** Mathews, 1911 II 29 PSITTACIDAE (Aves)  
***Alisterus amboinensis*** (Linnaeus, 1766) II 29 PSITTACIDAE (Aves) (E) Ambon King-Parrot, Moluccan King-Parrot (S) Papagayo moluqueño (F) Perruche tricolore  
***Alisterus chloropterus*** (Ramsay, 1879) II 29 PSITTACIDAE (Aves) (E) Green-winged King-Parrot, Papuan King-Parrot (S) Papagayo papú (F) Perruche à ailes vertes  
***Alisterus scapularis*** (Lichtenstein, 1818) II 29 PSITTACIDAE (Aves) (E) Australian King-Parrot (S) Papagayo australiano (F) Perruche royale  
***Allenopithecus* spp.** Lang, 1923 II CERCOPITHECIDAE (Mammalia)  
***Allenopithecus nigroviridis*** (Pocock, 1907) II CERCOPITHECIDAE (Mammalia) (E) Allen's Swamp Monkey (F) Cercopithèque d'Allen  
***Alligator* spp.** Rafinesque, 1815 I/II ALLIGATORIDAE (Reptilia)  
Aligator américain (F): *Alligator mississippiensis*  
Aligator, American (E): *Alligator mississippiensis*  
Aligator, China (E): *Alligator sinensis*  
Aligator, Chinese (E): *Alligator sinensis*  
*Alligator cowieii* A. Smith, 1937 = *Crocodylus niloticus* Laurenti, 1768  
*Alligator cynocephalus* Duméril & Bibron, 1836 = *Caiman latirostris* (Daudin, 1802)  
Aligator de Chine (F): *Alligator sinensis*  
Aligator du Mississippi (F): *Alligator mississippiensis*  
*Alligator heloisi* Cope, 1865 = *Alligator mississippiensis* (Daudin, 1801)

- ALLIGATORIDAE spp. I/II** (Reptilia) (E) Alligators, Caimans (S) Aligatores, Caimanes (F) Alligators, Caimans  
*Alligator lacordairei* Preudhomme de Borre, 1869 = *Crocodylus acutus* (Cuvier, 1807)  
*Alligator mississippiensis* (Daudin, 1802) = *Alligator mississippiensis* (Daudin, 1801)  
***Alligator mississippiensis*** (Daudin, 1801) II  
 ALLIGATORIDAE (Reptilia) (E) American Alligator (S) Aligator del Mississippi (F) Aligator américain, Alligator du Mississippi  
 Alligators, Caimans (F): *Alligatoridae*  
***Alligator sinensis*** Fauvel, 1879 I ALLIGATORIDAE (Reptilia) (E) China Alligator, Chinese Alligator (S) Aligator de China (F) Aligator de Chine  
***Allobates femoralis*** (Boulenger, 1884) II  
 AROMOBATIDAE (Amphibia) (E) Brilliant-thighed Poison Frog (F) Epipedobate fémorale, Epipedobate simisimi, Simisimi  
*Allobates femoralis* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Allobates femoralis* (Boulenger, 1884)  
*Allobates femoralis* Zimmermann & Zimmermann, 1988 = *Allobates femoralis* (Boulenger, 1884)  
***Allobates hodi*** Simões, Lima & Farias, 2010 II  
 AROMOBATIDAE (Amphibia)  
***Allobates myersi*** (Pyburn, 1981) II AROMOBATIDAE (Amphibia) (E) Myers's Poison Frog (S) Rana de punta de flecha de Myers (F) Epipedobate de Myers  
***Allobates rufulus*** (Gorzula, 1990) II AROMOBATIDAE (Amphibia) (E) Chimantá Poison Frog, Gorzula's Poison Frog, Tepui Poison Frog (F) Dendrobate rougeâtre  
*Allobates rufulus* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Allobates rufulus* (Gorzula, 1990)  
***Allobates zaparo*** (Silverstone, 1976) II AROMOBATIDAE (Amphibia) (E) Sanguine Poison Frog, Zaparo's Poison Frog (F) Epipedobate zaparo  
*Allobates zaparo* Vences, Kosuch, Boistel, Haddad, La Marca & Lötters, 2003 = *Allobates zaparo* (Silverstone, 1976)  
 Allocèbe (F): *Allocebus trichotis*  
***Allocebus* spp. I CHEIROGALEIDAE (Mammalia)**  
***Allocebus trichotis*** (Günther, 1875) I  
 CHEIROGALEIDAE (Mammalia) (E) Hairy-eared Dwarf Lemur (S) Lémur orejipeludo (F) Allocèbe, Chirogale aux oreilles poilues  
***Allopatus* spp.** Opresco & Cairns 1994 II  
 ANTIPATHIDAE (Anthozoa)  
***Allopatus denhartogi*** Opresco, 2003 II ANTIPATHIDAE (Anthozoa)  
***Allopatus desbonni*** (Duchassaing & Michelotti, 1864) II ANTIPATHIDAE (Anthozoa)  
***Allopatus robillardi*** (Bell, 1891) II ANTIPATHIDAE (Anthozoa)  
*Allopora bithalamus* (Broch, 1936) = *Stylaster bithalamus* Broch, 1936  
*Allopora blattea* Boschma, 1961 = *Stylaster blatteus* (Boschma, 1961)  
*Allopora bocki* (Broch, 1936) = *Stylaster bocki* Broch, 1936  
*Allopora boreopacifica* (Broch, 1932) = *Stylaster boreopacificus* Broch, 1932  
*Allopora brochi* Fisher, 1938 = *Stylaster brochi* (Fisher, 1938)  
*Allopora californica* Pourtalès, 1868 = *Stylaster venustus* (Verrill, 1870)  
*Allopora californica* Verrill, 1866 = *Stylaster californicus* (Verrill, 1866)  
*Allopora campyleca* Fisher, 1938 = *Stylaster campyleucus* (Fisher, 1938)  
*Allopora carinata* (Broch, 1936) = *Stylaster carinatus* Broch, 1936  
*Allopora divergens* (Marenzeller, 1904) = *Stylaster divergens* Marenzeller, 1904  
*Allopora eguchii* Boschma, 1966 = *Stylaster eguchii* (Boschma, 1966)  
*Allopora explanata* Kent, 1871 = *Stylaster nobilis* (Kent, 1871)  
*Allopora granulosa* (Milne Edwards & Haime, 1850) = *Stylaster granulosus* Milne Edwards & Haime, 1850  
*Allopora incompleta* Tenison-Woods, 1883 = *Stylaster incompletus* (Tenison-Woods, 1883)  
*Allopora maderensis* Johnson, 1862 = *Stenohelia maderensis* (Johnson, 1862)  
*Allopora miniata* Pourtalès, 1868 = *Stylaster miniatus* (Pourtalès, 1868)  
*Allopora moseleyana* Fisher, 1938 = *Stylaster moseleyanus* (Fisher, 1938)  
*Allopora moseleyi* Dall, 1884 = *Stylaster verrillii* (Dall, 1884)  
*Allopora nobilis* Kent, 1871 = *Stylaster nobilis* (Kent, 1871)  
*Allopora norvegica* (Gunnerus, 1768) = *Stylaster norvegicus* (Gunnerus, 1768)  
*Allopora ochracea* Quelch, 1884 = *Stylaster nobilis* (Kent, 1871)  
*Allopora papillosa* Dall, 1884 = *Stylantheca papillosa* (Dall, 1884)  
*Allopora petrograpta* Fisher, 1938 = *Stylantheca petrograpta* (Fisher, 1938)  
*Allopora polymorpha* (Broch, 1936) = *Stylaster polymorphus* Broch, 1936  
*Allopora polyorchis* Fisher, 1938 = *Stylaster polyorchis* (Fisher, 1938)  
*Allopora porphyra* (Fisher, 1931) = *Stylantheca porphyra* Fisher, 1931  
*Allopora profunda* Moseley, 1879 = *Stylaster profundus* (Moseley, 1879)  
*Allopora rosacea* Greeff, 1886 = *Stylaster rosaceus* (Greeff, 1886)  
*Allopora scabiosa* (Broch, 1935) = *Stylaster scabiosus* Broch, 1935  
*Allopora solida* (Broch, 1935) = *Stylaster solidus* Broch, 1935  
*Allopora stejnegeri* Fisher, 1938 = *Stylaster stejnegeri* (Fisher, 1938)  
*Allopora stellulata* (Stewart, 1878) = *Stylaster stellulatus* Stewart, 1878  
*Allopora subviolacea* Kent, 1871 = *Stylaster subviolaceus* (Kent, 1871)

- Allopora venusta* Verrill, 1870 = *Stylaster venustus* (Verrill, 1870)  
*Allopora verrillii* Dall, 1884 = *Stylaster verrillii* (Dall, 1884)  
 Almejas Gigantes (S): *Tridacnidae*  
 Alouate à mains rouges (F): *Alouatta belzebul*  
 Alouate brun (F): *Alouatta guariba*  
 Alouate de Panama (F): *Alouatta palliata*  
 Alouate noir (F): *Alouatta caraya*  
 Alouate rouge (F): *Alouatta seniculus*  
***Alouatta* spp.** Lacepède, 1799 I/II ATELIDAE (Mammalia)  
*Alouatta arctoidea* Cabrera, 1940 = *Alouatta seniculus* (Linnaeus, 1766)  
***Alouatta belzebul*** (Linnaeus, 1766) II ATELIDAE  
 (Mammalia) (E) Black-and-red Howling Monkey, Red-handed Howler, Red-handed Howling Monkey (F) Alouate à mains rouges, Hurleur à mains rousses  
*Alouatta beniensis* Lönnberg, 1941 = *Alouatta guariba* (Humboldt, 1812)  
***Alouatta caraya*** (Humboldt, 1812) II ATELIDAE  
 (Mammalia) (E) Black Howler, Black Howling Monkey (F) Alouate noir, Hurleur noir  
***Alouatta coibensis*** Thomas, 1902 I ATELIDAE  
 (Mammalia) (E) Coiba Island Howling Monkey  
*Alouatta fusca* (É. Geoffroy, 1812) = *Alouatta guariba* (Humboldt, 1812)  
***Alouatta guariba*** (Humboldt, 1812) II ATELIDAE  
 (Mammalia) (E) Brown Howler, Brown Howling Monkey (F) Alouate brun, Hurleur brun  
*Alouatta hybridus* (I. Geoffroy, 1829) = *Ateles hybridus* I. Geoffroy, 1829  
***Alouatta macconnelli*** (Linnaeus, 1766) II ATELIDAE  
 (Mammalia) (E) Guyanan Red Howler Monkey  
***Alouatta nigerrima*** Lönnberg, 1941 II ATELIDAE  
 (Mammalia) (E) Amazon Black Howler Monkey  
***Alouatta palliata*** (Gray, 1849) I ATELIDAE (Mammalia)  
 (E) Mantled Howler, Mantled Howling Monkey (S) Aullado, Guariba peludo, Mono aullador de Guatemala, Mono congo, Mono negro, Mono saraguato, Zarague (F) Alouate de Panama, Hurleur du Guatemala  
*Alouatta palliata coibensis* (Gray, 1849) = *Alouatta coibensis* Thomas, 1902  
***Alouatta pigra*** Lawrence, 1933 I ATELIDAE (Mammalia)  
 (E) Guatemalan Howler, Guatemalan Howling Monkey (S) Araguato de Guatemala (F) Hurleur du Guatemala  
***Alouatta sara*** Elliot, 1910 II ATELIDAE (Mammalia) (E) Bolivian Red Howling Monkey  
***Alouatta seniculus*** (Linnaeus, 1766) II ATELIDAE  
 (Mammalia) (E) Red Howler, Red Howling Monkey (F) Alouate rouge, Hurleur roux  
*Alouatta seniculus sara* (Linnaeus, 1766) = *Alouatta sara* Elliot, 1910  
*Alouatta villosa* (Gray, 1845) = *Alouatta pigra* Lawrence, 1933  
***Altiphrynoïdes* spp.** Dubois, 1987 I BUFONIDAE (Amphibia)  
*Altiphrynoïdes malcolmi* Grandison, 1978 I BUFONIDAE (Amphibia) (E) Malcolm's Ethiopian Toad (S) Sapo vivíparo de Malcolm (F) Nectophrynoïde de Malcolm  
***Altiphrynoïdes osgoodi*** (Loveridge, 1932) I BUFONIDAE (Amphibia) (E) Osgood's Ethiopian Toad (S) Sapo vivíparo de Osgood (F) Nectophrynoïde d'Ethiopie, Nectophrynoïde d'Osgood  
*Altiphrynoïdes osgoodi* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Raxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Altiphrynoïdes osgoodi* (Loveridge, 1932)  
***Alveopora* spp.** Blainville, 1830 II PORITIDAE (Anthozoa)  
***Alveopora allangi*** Hoffmeister, 1925 II PORITIDAE (Anthozoa)  
***Alveopora catalai*** Wells, 1968 II PORITIDAE (Anthozoa)  
***Alveopora daedalea*** (Forskål, 1775) II PORITIDAE (Anthozoa)  
***Alveopora excelsa*** Verrill, 1864 II PORITIDAE (Anthozoa)  
***Alveopora fenestrata*** (Lamarck, 1816) II PORITIDAE (Anthozoa)  
*Alveopora fijiensis* Hoffmeister, 1932 = *Alveopora spongiosa* Dana, 1846  
***Alveopora gigas*** Veron, 1985 II PORITIDAE (Anthozoa)  
*Alveopora irregularis* Crossland, 1952 = *Goniopora stokesi* Milne Edwards & Haime, 1851  
***Alveopora japonica*** Eguchi, 1968 II PORITIDAE (Anthozoa)  
*Alveopora japonica magna* Eguchi, 1968 = *Alveopora japonica* Eguchi, 1968  
***Alveopora marionensis*** Veron & Pichon, 1982 II PORITIDAE (Anthozoa)  
***Alveopora minuta*** Veron, 2000 II PORITIDAE (Anthozoa)  
*Alveopora mortenseni* Crossland, 1952 = *Alveopora allangi* Hoffmeister, 1925  
*Alveopora naomiae* Nemenzo, 1980 = *Alveopora verrilliana* Dana, 1872  
***Alveopora ocellata*** Wells, 1954 II PORITIDAE (Anthozoa)  
*Alveopora polyformis* Zou, 1980 = *Goniopora fruticosa* Kent, 1891  
*Alveopora regularis* Thiel, 1932 = *Alveopora spongiosa* Dana, 1846  
*Alveopora retusa* Verrill, 1864 = *Alveopora fenestrata* (Lamarck, 1816)  
***Alveopora spongiosa*** Dana, 1846 II PORITIDAE (Anthozoa)  
***Alveopora tizardi*** Bassett-Smith, 1890 II PORITIDAE (Anthozoa)  
*Alveopora trihedralis* Nemenzo, 1980 = *Alveopora verrilliana* Dana, 1872  
***Alveopora verrilliana*** Dana, 1872 II PORITIDAE (Anthozoa)  
***Alveopora viridis*** Quoy & Gaimard, 1833 II PORITIDAE (Anthozoa)  
***Amandava formosa*** (Latham, 1790) II ESTRILDIDAE (Aves) (E) Green Avadavat (S) Estrilda verde (F) Bengali vert  
 Amapola (S): *Amazona viridigenalis*  
***Amazilia* spp.** Lesson, 1843 II TROCHILIDAE (Aves)  
*Amazilia alfaroana* Underwood, 1896 = *Amazilia cyanifrons* (Bourcier, 1843)  
***Amazilia alticola*** Gould, 1860 II TROCHILIDAE (Aves) (E) Loja Hummingbird

- Amazilia alticola* Gould, 1860 = *Amazilia amazilia* (Lesson, 1828) **II TROCHILIDAE** (Aves)
- Amazilia amabilis* (Gould, 1853) **II TROCHILIDAE** (Aves)
- (E) Blue-chested Hummingbird (S) Amazilia amable, Amazilia pechiazul (F) Ariane aimable
- Amazilia amabilis decora* (Gould, 1853) = *Amazilia amabilis* (Gould, 1853)
- Amazilia amable (S): *Amazilia amabilis*
- Amazilia amazilia** (Lesson, 1828) **II TROCHILIDAE**
- (Aves) (E) Amazilia Hummingbird (S) Amazilia costeña, Amazilia ventrirrufa (F) Ariane de Lesson
- Amazilia amazilia* (Lesson & Garnot, 1827) = *Amazilia alticola* Gould, 1860
- Amazilia andina (S): *Amazilia franciae*
- Amazilia berilina (S): *Amazilia beryllina*
- Amazilia beryllina** (Lichtenstein, 1830) **II TROCHILIDAE**
- (Aves) (E) Berylline Hummingbird (S) Amazilia berilina, Colibrí de Berilo (F) Ariane béryl
- Amazilia boucardi** (Mulsant, 1877) **II TROCHILIDAE**
- (Aves) (E) Mangrove Hummingbird (S) Amazilia de manglar (F) Ariane de Boucard
- Amazilia brevirostris** (Lesson, 1829) **II TROCHILIDAE**
- (Aves) (E) White-chested Emerald (S) Amazilia pechiblanca, Diamante colidorado (F) Ariane à poitrine blanche
- Amazilia bronzeada coliazul (S): *Amazilia tobaci*
- Amazilia candida** (Bourcier & Mulsant, 1846) **II TROCHILIDAE** (Aves) (E) White-bellied Emerald (S) Amazilia cándida, Esmeralda viente-blanco (F) Ariane candide
- Amazilia cándida (S): *Amazilia candida*
- Amazilia canela (S): *Amazilia rutila*
- Amazilia capiazul (S): *Amazilia cyanifrons*
- Amazilia castaneiventris** (Gould, 1856) **II TROCHILIDAE**
- (Aves) (E) Chestnut-bellied Hummingbird (S) Amazilia ventricastaña (F) Ariane à ventre roux
- Amazilia chionogaster** (Tschudi, 1846) **II TROCHILIDAE**
- (Aves) (E) White-bellied Hummingbird (S) Colibrí ventriníveo, Picaflor ventriblanco (F) Ariane à ventre blanc
- Amazilia chionopectus* (Gould, 1859) = *Amazilia brevirostris* (Lesson, 1829)
- Amazilia coliazul (S): *Amazilia cyanura*
- Amazilia colimorada (S): *Amazilia viridigaster*
- Amazilia colirrufa (S): *Amazilia tzacatl*
- Amazilia coroniazul (S): *Amazilia cyanocephala*
- Amazilia coronivioleta (S): *Amazilia violiceps*
- Amazilia costeña (S): *Amazilia amazilia*
- Amazilia cupreicauda** Salvin & Godman, 1884 **II TROCHILIDAE** (Aves) (E) Copper-tailed Hummingbird
- Amazilia cupreicauda* Salvin & Godman, 1884 = *Amazilia viridigaster* (Bourcier, 1843)
- Amazilia cyanifrons** (Bourcier, 1843) **II TROCHILIDAE**
- (Aves) (E) Indigo-capped Hummingbird (S) Amazilia capiazul (F) Ariane à front bleu
- Amazilia cyanocephala** (Lesson, 1829) **II TROCHILIDAE**
- (Aves) (E) Azure-crowned Hummingbird, Pied-billed Azurecrown (S) Amazilia coroniazul, Colibrí coroniazul (F) Ariane à couronne azur
- Amazilia cyanura** Gould, 1859 **II TROCHILIDAE** (Aves)
- (E) Blue-tailed Hummingbird (S) Amazilia coliazul, Colibrí coliazul (F) Ariane à queue bleue
- Amazilia decora* (Salvin, 1891) = *Amazilia amabilis* (Gould, 1853)
- Amazilia de Edward (S): *Amazilia edward*
- Amazilia de manglar (S): *Amazilia boucardi*
- Amazilia de Rosenberg (S): *Amazilia rosenbergi*
- Amazilia de Tobago (S): *Amazilia tobaci*
- Amazilia edward** (DeLattre & Bourcier, 1846) **II TROCHILIDAE** (Aves) (E) Snowy-breasted Hummingbird (S) Amazilia de Edward (F) Ariane d'Edward
- Amazilia fimbriata** (Gmelin, 1788) **II TROCHILIDAE**
- (Aves) (E) Glittering-throated Emerald (S) Amazilia gorjibrillante, Amazilia listada, Diamante gargantiverde (F) Ariane de Linné
- Amazilia franciae** (Bourcier & Mulsant, 1846) **II TROCHILIDAE** (Aves) (E) Andean Emerald (S) Amazilia andina (F) Ariane de Francia
- Amazilia frentiverde (S): *Amazilia viridifrons*
- Amazilia gorjibrillante (S): *Amazilia fimbriata*
- Amazilia handleyi* Wetmore, 1963 = *Amazilia tzacatl* (de la Llave, 1833)
- Amazilia hollandi* (Todd, 1913) = *Amazilia versicolor* (Vieillot, 1818)
- Amazilia hondureña (S): *Amazilia luciae*
- Amazilia lactea** (Lesson, 1829) **II TROCHILIDAE** (Aves)
- (E) Sapphire-spangled Emerald (S) Amazilia zafrina, Diamante pechizafiro (F) Ariane saphirine
- Amazilia leucogaster** (Gmelin, 1788) **II TROCHILIDAE**
- (Aves) (E) Plain-bellied Emerald (S) Amazilia ventriblanca, Diamante ventriblanco (F) Ariane vert-doré
- Amazilia listada (S): *Amazilia fimbriata*
- Amazilia luciae** (Lawrence, 1867) **II TROCHILIDAE**
- (Aves) (E) Honduran Emerald (S) Amazilia hondureña, Esmeralda hondurena (F) Ariane de Lucy
- Amazilia microrhyncha* Elliot, 1876 = *Amazilia cyanocephala* (Lesson, 1829)
- Amazilia pechiazul (S): *Amazilia amabilis*
- Amazilia pechiblanca (S): *Amazilia brevirostris*
- Amazilia pechimorada (S): *Amazilia rosenbergi*
- Amazilia rondoniae** Ruschi, 1982 **II TROCHILIDAE**
- (Aves) (E) Rondônia Emerald
- Amazilia rosenbergi** (Boucard, 1895) **II TROCHILIDAE**
- (Aves) (E) Purple-chested Hummingbird (S) Amazilia de Rosenberg, Amazilia pechimorada (F) Ariane de Rosenberg
- Amazilia rutila** (DeLattre, 1842) **II TROCHILIDAE** (Aves)
- (E) Cinnamon Hummingbird (S) Amazilia canela, Colibrí canelo (F) Ariane cannelle
- Amazilia saucerrottei** (DeLattre & Bourcier, 1846) **II TROCHILIDAE** (Aves) (E) Blue-vented Hummingbird, Steely-vented Hummingbird (S) Amazilia verdiazul (F) Ariane de Sophie
- Amazilia tobaci** (Gmelin, 1788) **II TROCHILIDAE** (Aves)
- (E) Copper-rumped Hummingbird (S) Amazilia bronceada coliazul, Amazilia de Tobago (F) Ariane de Félicie

- Amazilia tzacatl (S): *Amazilia tzacatl*
- Amazilia tzacatl** (de la Llave, 1833) II TROCHILIDAE  
(Aves) (E) Rufous-tailed Hummingbird (S) Amazilia colirrufa, Amazilia tzacatl, Colibrí colirrufo (F) Ariane à ventre gris
- Amazilia ventriblanca (S): *Amazilia leucogaster*
- Amazilia ventricastaña (S): *Amazilia castaneiventris*
- Amazilia ventrirrufa (S): *Amazilia amazilia*
- Amazilia verdiazul (S): *Amazilia saucerottei*
- Amazilia versicolor (S): *Amazilia versicolor*
- Amazilia versicolor** (Vieillot, 1818) II TROCHILIDAE  
(Aves) (E) Versicolored Emerald (S) Amazilia versicolor, Diamante multicolor, Picaflor pequeño verde (F) Ariane versicolore
- Amazilia versicolor* (Vieillot, 1818) = *Amazilia rondoniae* Ruschi, 1982
- Amazilia violiceps** (Gould, 1859) II TROCHILIDAE  
(Aves) (E) Violet-crowned Hummingbird (S) Amazilia coronivioleta, Colibrí corona-violeta (F) Ariane à couronne violette
- Amazilia viridicauda** (Berlepsch, 1883) II TROCHILIDAE  
(Aves) (E) Green-and-white Hummingbird (S) Colibrí blanquiverde (F) Ariane du Pérou
- Amazilia viridifrons** (Elliot, 1871) II TROCHILIDAE  
(Aves) (E) Green-fronted Hummingbird (S) Amazilia frentiverde, Colibrí corona-verde (F) Ariane à front vert
- Amazilia viridigaster** (Bourcier, 1843) II TROCHILIDAE  
(Aves) (E) Green-bellied Hummingbird (S) Amazilia colimorada (F) Ariane à ventre vert
- Amazilia viridigaster* (Bourcier, 1843) = *Amazilia cupreicauda* Salvin & Godman, 1884
- Amazilia wagneri* Philips, 1965 = *Amazilia viridifrons* (Elliot, 1871)
- Amazilia xantusii* Lawrence, 1860 = *Basilinna xantusii* (Lawrence, 1860)
- Amazilia yucatanensis** (Cabot, 1845) II TROCHILIDAE  
(Aves) (E) Buff-bellied Hummingbird, Fawn-breasted Hummingbird (S) Amazilia yucateca, Colibrí vientre-canelo (F) Ariane du Yucatan
- Amazilia yucateca (S): *Amazilia yucatanensis*
- Amazilia zafirina (S): *Amazilia lactea*
- Amazilia castaneiventris* Gould, 1856 = *Amazilia castaneiventris* (Gould, 1856)
- Amazona spp.** Lesson, 1830 I/II 29 PSITTACIDAE (Aves)
- Amazona aestiva** (Linnaeus, 1758) II 29 PSITTACIDAE  
(Aves) (E) Blue-fronted Amazon, Blue-fronted Parrot, Turquoise-fronted Parrot (S) Amazona frentiazul, Loro hablador (F) Amazone à front bleu
- Amazona agilis** (Linnaeus, 1758) II 29 PSITTACIDAE  
(Aves) (E) Black-billed Amazon, Black-billed Parrot (S) Amazona jamaicana piquioscura, Amazónico activo, Amazónico jamaica, Amazónico todo verde (F) Amazone agile, Amazone verte
- Amazona albifrons** (Sparrman, 1788) II 29  
PSITTACIDAE (Aves) (E) White-fronted Amazon, White-fronted Parrot (S) Amazona frentialba, Loro frente blanca, Perico manglero (F) Amazone à front blanc
- Amazona alinaranja (S): *Amazona amazonica*
- Amazona amazonica** (Linnaeus, 1766) II 29  
PSITTACIDAE (Aves) (E) Orange-winged Amazon, Orange-winged Parrot (S) Amazona alinaranja, Loro guaro (F) Amazone à ailes oranges, Amazone à ailes vertes, Amazone aourou
- Amazona arausiaca** (Müller, 1776) I PSITTACIDAE  
(Aves) (E) Jacquot, Red-necked Amazon, Red-necked Parrot (S) Amazona cabenazul, Amazona cabeza azul, Amazona gorgirroja (F) Amazone à cou rouge, Amazone de Bouquet, Jacquot
- Amazona auropalliata** (Lesson, 1842) I PSITTACIDAE  
(Aves) (E) Yellow-naped Amazon, Yellow-naped Parrot (S) Loro nuquiamarillo (F) Amazone à nuque d'or
- Amazona autumnalis** (Linnaeus, 1758) II 29  
PSITTACIDAE (Aves) (E) Red-lored Amazon, Red-lored Parrot (S) Amazona frentirroja, Cotorra cucha, Loro frente roja, Loro frentirrojo (F) Amazone à joues jaunes, Amazone diadème
- Amazona barbadensis** (Gmelin, 1788) I PSITTACIDAE  
(Aves) (E) Yellow-shouldered Amazon, Yellow-shouldered Parrot (S) Amazona de espalda amarilla, Amazona hombrogualda, Cotorra cabeciamarilla, Loro de Barbados (F) Amazone à épaulettes jaunes, Amazone de la Barbade
- Amazona brasiliensis** (Linnaeus, 1758) I PSITTACIDAE  
(Aves) (E) Red-tailed Amazon, Red-tailed Parrot (S) Amazona colirroja, Loro brasileño, Loro cariazul, Papagayo de cara roja (F) Amazone à joues bleues, Amazone à queue rouge, Amazone du Brésil
- Amazona cabecirroja (S): *Amazona pretrei*
- Amazona cabenazul (S): *Amazona arausiaca*
- Amazona cabeza azul (S): *Amazona arausiaca*
- Amazona cariazul (S): *Amazona dufresniana*
- Amazona charao (S): *Amazona pretrei*
- Amazona colirroja (S): *Amazona brasiliensis*
- Amazona collaria** (Linnaeus, 1758) II 29 PSITTACIDAE  
(Aves) (E) Yellow-billed Amazon, Yellow-billed Parrot (S) Amazona jamaicana piquiclarla, Loro de Jamaica (F) Amazone de la Jamaïque, Amazone sasabé
- Amazona coronirroja (S): *Amazona rhodocorytha*
- Amazona crestirroja (S): *Amazona rhodocorytha*
- Amazona cubana (S): *Amazona leucocephala*
- Amazona de cara amarilla (S): *Amazona xanthops*
- Amazona de Cuba (S): *Amazona leucocephala*
- Amazona de espalda amarilla (S): *Amazona barbadensis*
- Amazona de Kawall (S): *Amazona kawalli*
- Amazona de la Española (S): *Amazona ventralis*
- Amazona del cerrado (S): *Amazona xanthops*
- Amazona de Puerto Rico (S): *Amazona vittata*
- Amazona de Santa Lucía (S): *Amazona versicolor*
- Amazona de San Vicente (S): *Amazona guildingii*
- Amazona dufresniana** (Shaw, 1812) II 29 PSITTACIDAE  
(Aves) (E) Blue-cheeked Amazon, Blue-cheeked Parrot (S) Amazona cariazul, Loro cariazul (F) Amazone à joues bleues, Amazone de Dufresne
- Amazona dufresniana rhodocorytha* (Shaw, 1812) = *Amazona rhodocorytha* (Salvadori, 1890)
- Amazona farinosa** (Boddaert, 1783) II 29 PSITTACIDAE  
(Aves) (E) Mealy Amazon, Mealy Parrot (S) Amazona

- harinosa, Loro burrón, Loro cabeza azul, Loro verde (F) Amazone farineuse, Amazone poudrée
- Amazona festiva** (Linnaeus, 1758) II<sup>29</sup> PSITTACIDAE (Aves) (E) Festive Amazon, Festive Parrot (S) Amazona festiva, Loro lomirrojo (F) Amazone festive, Amazone tavoua
- Amazona festiva (S): *Amazona festiva*
- Amazona finschi** (Sclater, 1864) I PSITTACIDAE (Aves) (E) Lilac-crowned Amazon, Lilac-crowned Parrot (S) Amazona guayabera, Cotorra frente roja, Loro corona-violeta (F) Amazone à couronne lilas, Amazone de Finsch
- Amazona frentialba (S): *Amazona albifrons*
- Amazona frentiazul (S): *Amazona aestiva*
- Amazona frentirroja (S): *Amazona autumnalis*
- Amazona gorgirroja (S): *Amazona arausiaca*
- Amazona guayabera (S): *Amazona finschi*
- Amazona guildingii** (Vigors, 1837) I PSITTACIDAE (Aves) (E) Saint Vincent Amazon, Saint Vincent Parrot (S) Amazone de San Vicente, Loro de San Vicente (F) Amazone de Guilding, Amazone de Saint-Vincent
- Amazona harinosa (S): *Amazona farinosa*
- Amazona hombrogualda (S): *Amazona barbadensis*
- Amazona imperial (S): *Amazona imperialis*
- Amazona imperialis** Richmond, 1899 I PSITTACIDAE (Aves) (E) Imperial Amazon, Imperial Parrot (S) Amazona imperial, Loro imperial (F) Amazone impériale
- Amazona jamaicana piquiclara (S): *Amazona collaria*
- Amazona jamaicana piquioscura (S): *Amazona agilis*
- Amazona kawalli** Grantsau & Camargo, 1989 II<sup>29</sup> PSITTACIDAE (Aves) (E) Kawall's Amazon, Kawall's Parrot, White-faced Amazon (S) Amazone de Kawall (F) Amazone de Kawall
- Amazona leucocephala** (Linnaeus, 1758) I PSITTACIDAE (Aves) (E) Bahamas Parrot, Caribbean Amazon, Cuban Amazon, Cuban Parrot (S) Amazona cubana, Amazona de Cuba, Loro de cabeza blanca (F) Amazone à tête blanche, Amazone de Cuba
- Amazona mercenaria (S): *Amazona mercenaria*
- Amazona mercenaria** (Tschudi, 1844) II<sup>29</sup> PSITTACIDAE (Aves) (E) Scaly-naped Amazon, Scaly-naped Parrot (S) Amazona mercenaria, Loro verde (F) Amazone mercenaire
- Amazona mercenarius (Tschudi, 1844) = *Amazona mercenaria* (Tschudi, 1844)
- Amazona ochrocephala** (Gmelin, 1788) II PSITTACIDAE (Aves) (E) Yellow-crowned Amazon, Yellow-crowned Parrot, Yellow-fronted Amazon (S) Amazona real, Loro cabeza amarilla, Loro mona amarilla, Loro nuca amarilla, Loro real (F) Amazone à front jaune
- Amazona ochrocephala europalliata (Gmelin, 1788) = *Amazona europalliata* (Lesson, 1842)
- Amazona ochrocephala magna (J. F. Gmelin, 1788) = *Amazona oratrix* Ridgway, 1887
- Amazona ochrocephala oratrix (J. F. Gmelin, 1788) = *Amazona oratrix* Ridgway, 1887
- Amazona oratrix** Ridgway, 1887 I PSITTACIDAE (Aves) (E) Yellow-headed Amazon, Yellow-headed Parrot (S) Loro cabeciamarillo (F) Amazone à tête jaune
- Amazona oratrix magna* Ridgway, 1887 = *Amazona oratrix* Ridgway, 1887
- Amazona pechinosa (S): *Amazona vinacea*
- Amazona portorriqueña (S): *Amazona vittata*
- Amazona pretrei** (Temminck, 1830) I PSITTACIDAE (Aves) (E) Red-spectacled Amazon, Red-spectacled Parrot (S) Amazona cabecirroja, Amazona charao, Lora de cara roja, Loro cabecirrojo, Loro de cabeza roja (F) Amazone de Prêtre
- Amazona pretrei tucumana* (Temminck, 1830) = *Amazona tucumana* (Cabani, 1885)
- Amazona real (S): *Amazona ochrocephala*
- Amazona rhodocorytha** (Salvadori, 1890) I PSITTACIDAE (Aves) (E) Red-browed Amazon, Red-browed Parrot, Red-topped Amazon, Red-topped Parrot (S) Amazona coronirroja, Amazona crestirroja, Loro de mejillas azules (F) Amazone à couronne rouge, Amazone à sourcils rouges
- Amazonas, Cotorras, Guacamayos, Periquitos, Loros (S): *Psittacidae*
- Amazona tamaulipeco (S): *Amazona viridigenalis*
- Amazona tucumana** (Cabani, 1885) I PSITTACIDAE (Aves) (E) Alder Parrot, Tucuman Amazon, Tucuman Parrot (S) Amazone tucumana, Loro alisero (F) Amazone de Tucuman
- Amazona tucumana (S): *Amazona tucumana*
- Amazona ventralis** (Müller, 1776) II<sup>29</sup> PSITTACIDAE (Aves) (E) Hispaniolan Amazon, Hispaniolan Parrot (S) Amazona de la Española, Cotorra, Loro de la Española (F) Amazone à ventre pourpre, Amazone d'Hispaniola
- Amazona versicolor** (P. L. S. Müller, 1776) I PSITTACIDAE (Aves) (E) Saint Lucia Amazon, Saint Lucia Parrot (S) Amazona de Santa Lucía, Loro multicolor (F) Amazone de Sainte-Lucie, Amazone versicolore
- Amazona vinacea** (Kuhl, 1820) I PSITTACIDAE (Aves) (E) Vinaceous Amazon, Vinaceous Parrot (S) Amazona pechinosa, Amazona vinosa, Loro malva, Loro pechinoso, Loro pecho vinoso (F) Amazone bourgogne, Amazone vineuse
- Amazona vinosa (S): *Amazona vinacea*
- Amazona viridigenalis** (Cassin, 1853) I PSITTACIDAE (Aves) (E) Green-cheeked Amazon, Green-cheeked Parrot, Red-crowned Amazon, Red-crowned Parrot (S) Amapola, Amazona tamaulipeco, Loro cabeza roja, Loro famaulepeco (F) Amazone à joues vertes
- Amazona vittata** (Boddaert, 1783) I PSITTACIDAE (Aves) (E) Puerto Rican Amazon, Puerto Rican Parrot, Red-fronted Amazon (S) Amazona de Puerto Rico, Amazona portorriqueña, Loro de banda roja (F) Amazone à bandeau rouge, Amazone de Porto Rico
- Amazona xantholora** (G. R. Gray, 1859) II<sup>29</sup> PSITTACIDAE (Aves) (E) Yellow-lored Amazon, Yellow-lored Parrot, Yucatan Parrot (S) Amazona yucateca, Loro yucateco (F) Amazone à lores jaunes, Amazone du Yucatan
- Amazona xanthops** (Spix, 1824) II<sup>29</sup> PSITTACIDAE (Aves) (E) Yellow-faced Amazon, Yellow-faced Parrot (S) Amazona de cara amarilla, Amazona del cerrado (F) Amazone à face jaune

- Amazona yucateca (S): *Amazona xantholora*  
 Amazon, Black-billed (E): *Amazona agilis*  
 Amazon, Blue-cheeked (E): *Amazona dufresniana*  
 Amazon, Blue-fronted (E): *Amazona aestiva*  
 Amazon, Caribbean (E): *Amazona leucocephala*  
 Amazon, Cuban (E): *Amazona leucocephala*  
 Amazone à ailes oranges (F): *Amazona amazonica*  
 Amazone à ailes vertes (F): *Amazona amazonica*  
 Amazone à bandeau rouge (F): *Amazona vittata*  
 Amazone à couronne lilas (F): *Amazona finschi*  
 Amazone à couronne rouge (F): *Amazona rhodocorytha*  
 Amazone à cou rouge (F): *Amazona arausiaca*  
 Amazone à épaulettes jaunes (F): *Amazona barbadensis*  
 Amazone à face jaune (F): *Amazona xanthops*  
 Amazone à front blanc (F): *Amazona albifrons*  
 Amazone à front bleu (F): *Amazona aestiva*  
 Amazone à front jaune (F): *Amazona ochrocephala*  
 Amazone agile (F): *Amazona agilis*  
 Amazone à joues bleues (F): *Amazona brasiliensis*  
 Amazone à joues bleues (F): *Amazona dufresniana*  
 Amazone à joues jaunes (F): *Amazona autumnalis*  
 Amazone à joues vertes (F): *Amazona viridigenalis*  
 Amazone à lores jaunes (F): *Amazona xantholora*  
 Amazone à nuque d'or (F): *Amazona auropalliata*  
 Amazone aourou (F): *Amazona amazonica*  
 Amazone à queue rouge (F): *Amazona brasiliensis*  
 Amazone à sourcils rouges (F): *Amazona rhodocorytha*  
 Amazone à tête blanche (F): *Amazona leucocephala*  
 Amazone à tête jaune (F): *Amazona oratrix*  
 Amazone à ventre pourpre (F): *Amazona ventralis*  
 Amazone bourgogne (F): *Amazona vinacea*  
 Amazone de Bouquet (F): *Amazona arausiaca*  
 Amazone de Cuba (F): *Amazona leucocephala*  
 Amazone de Dufresne (F): *Amazona dufresniana*  
 Amazone de Finsch (F): *Amazona finschi*  
 Amazone de Guilding (F): *Amazona guildingii*  
 Amazone de Kawall (F): *Amazona kawalli*  
 Amazone de la Barbade (F): *Amazona barbadensis*  
 Amazone de la Jamaïque (F): *Amazona collaria*  
 Amazone de Porto Rico (F): *Amazona vittata*  
 Amazone de Prêtre (F): *Amazona pretrei*  
 Amazone de Sainte-Lucie (F): *Amazona versicolor*  
 Amazone de Saint-Vincent (F): *Amazona guildingii*  
 Amazone de Tucuman (F): *Amazona tucumana*  
 Amazone d'Hispaniola (F): *Amazona ventralis*  
 Amazone diadème (F): *Amazona autumnalis*  
 Amazone du Brésil (F): *Amazona brasiliensis*  
 Amazone du Yucatan (F): *Amazona xantholora*  
 Amazone farineuse (F): *Amazona farinosa*  
 Amazone festive (F): *Amazona festiva*  
 Amazone impériale (F): *Amazona imperialis*  
 Amazone mercenaire (F): *Amazona mercenaria*  
 Amazone poudrée (F): *Amazona farinosa*  
 Amazones, Aras, Perruches, Perroquets (F): *Psittacidae*  
 Amazone sasabé (F): *Amazona collaria*  
 Amazone tavoua (F): *Amazona festiva*  
 Amazone versicolore (F): *Amazona versicolor*  
 Amazone verte (F): *Amazona agilis*  
 Amazone vineuse (F): *Amazona vinacea*  
 Amazon, Festive (E): *Amazona festiva*  
 Amazon, Green-cheeked (E): *Amazona viridigenalis*  
 Amazon, Hispaniolan (E): *Amazona ventralis*  
 Amazónico activo (S): *Amazona agilis*  
 Amazónico jamaica (S): *Amazona agilis*  
 Amazónico todo verde (S): *Amazona agilis*  
 Amazon, Imperial (E): *Amazona imperialis*  
 Amazon, Kawall's (E): *Amazona kawalli*  
 Amazon, Lilac-crowned (E): *Amazona finschi*  
 Amazon, Mealy (E): *Amazona farinosa*  
 Amazon, Orange-winged (E): *Amazona amazonica*  
 Amazon, Puerto Rican (E): *Amazona vittata*  
 Amazon, Red-browed (E): *Amazona rhodocorytha*  
 Amazon, Red-crowned (E): *Amazona viridigenalis*  
 Amazon, Red-fronted (E): *Amazona vittata*  
 Amazon, Red-lored (E): *Amazona autumnalis*  
 Amazon, Red-necked (E): *Amazona arausiaca*  
 Amazon, Red-spectacled (E): *Amazona pretrei*  
 Amazon, Red-tailed (E): *Amazona brasiliensis*  
 Amazon, Red-topped (E): *Amazona rhodocorytha*  
 Amazon, Saint Lucia (E): *Amazona versicolor*  
 Amazon, Saint Vincent (E): *Amazona guildingii*  
 Amazon, Scaly-naped (E): *Amazona mercenaria*  
 Amazon, Tucuman (E): *Amazona tucumana*  
 Amazon, Vinaceous (E): *Amazona vinacea*  
 Amazon, White-faced (E): *Amazona kawalli*  
 Amazon, White-fronted (E): *Amazona albifrons*  
 Amazon, Yellow-billed (E): *Amazona collaria*  
 Amazon, Yellow-crowned (E): *Amazona ochrocephala*  
 Amazon, Yellow-faced (E): *Amazona xanthops*  
 Amazon, Yellow-fronted (E): *Amazona ochrocephala*  
 Amazon, Yellow-headed (E): *Amazona oratrix*  
 Amazon, Yellow-lored (E): *Amazona xantholora*  
 Amazon, Yellow-naped (E): *Amazona auropalliata*  
 Amazon, Yellow-shouldered (E): *Amazona barbadensis*  
*Amblyonyx cinereus* (Illiger, 1815) = *Aonyx cinerea* (Illiger, 1815)  
***Amblyrhynchus cristatus*** Bell, 1825 II IGUANIDAE  
 (Reptilia) (E) Galapagos Marine Iguana, Marine Iguana, Sea Iguana (S) Iguana marina (F)  
 Amblyrhynque à crête, Iguane marin  
 Amblyrhynque à crête (F): *Amblyrhynchus cristatus*  
*Ambystoma dumerili* Cope, 1889 = *Ambystoma dumerili* (Dugès, 1870)  
*Ambystoma weismanni* Wiedersheim, 1879 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)  
*Ambystoma (ambystoma) mexicanum* Tihen, 1958 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)  
*Ambystoma (bathysiredon) dumerili* Tihen, 1958 = *Ambystoma dumerili* (Dugès, 1870)  
***Ambystoma dumerili*** (Dugès, 1870) II  
 AMBYSTOMATIDAE (Amphibia) (E) Achoque, Lake Patzcuaro Salamander (S) Ajolote de lago Patzcuaro, Salamandra del lago Patzcuaro (F) Salamandre du lac Patzcuaro  
*Ambystoma dumerili* Lafrentz, 1930 = *Ambystoma dumerili* (Dugès, 1870)  
*Ambystoma edule* (Dugès, 1888) = *Ambystoma mexicanum* (Shaw & Nodder, 1798)  
*Ambystoma edule* Dugès, 1888 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)

- Ambystoma mexicanum** (Shaw & Nodder, 1798) II  
 AMBYSTOMATIDAE (Amphibia) (E) Axolotl (S) Ajolote mexicano, Salamandra mexicana (F) Ambystome du Mexique, Axolotl, Salamandre du Mexique  
*Ambystoma mexicanum Garman, 1884* = *Ambystoma mexicanum* (Shaw & Nodder, 1798)  
*Ambystoma mexicanum Lafrentz, 1930* = *Ambystoma mexicanum* (Shaw & Nodder, 1798)  
*Ambystoma queretarensse Smith and Smith, 1976* = *Ambystoma dumerilii* (Dugès, 1870)  
*Ambystoma weismanni Wiedersheim, 1879* = *Ambystoma mexicanum* (Shaw & Nodder, 1798)  
 Ambystome du Mexique (F): *Ambystoma mexicanum*  
**Ameerega spp.** Bauer, 1986 II DENDROBATIDAE (Amphibia)  
**Ameerega altamazonica** Twomey & Brown, 2008 II  
 DENDROBATIDAE (Amphibia)  
**Ameerega andina** (Myers & Burrowes, 1987) II  
 DENDROBATIDAE (Amphibia) (E) La Planada Poison Frog (S) Rana de punta de flecha andino (F) Epipedobate andin  
*Ameerega andina Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* = *Ameerega andina* (Myers & Burrowes, 1987)  
*Ameerega anthonyi Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* = *Epipedobates anthonyi* (Noble, 1921)  
**Ameerega bassleri** (Melin, 1941) II DENDROBATIDAE (Amphibia) (E) Pleasing Poison Frog (S) Rana de punta de flecha de Bassler (F) Dendrobate de Bassler, Phobobate de Bassler  
*Ameerega bassleri Bauer, 1986* = *Ameerega bassleri* (Melin, 1941)  
*Ameerega bassleri Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* = *Ameerega bassleri* (Melin, 1941)  
**Ameerega bilinguis** (Jungfer, 1989) II DENDROBATIDAE (Amphibia) (E) Ecuadorean Poison Frog, Ecuador Poison Frog  
*Ameerega bilinguis Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* = *Ameerega bilinguis* (Jungfer, 1989)  
**Ameerega boehmei** Lötters, Schmitz, Reichle, Rödder & Quennet, 2009 II DENDROBATIDAE (Amphibia)  
**Ameerega boliviiana** (Boulenger, 1902) II  
 DENDROBATIDAE (Amphibia) (E) Bolivian Poison Frog (S) Rana de punta de flecha boliviiana (F) Epipedobate bolivien, Epipedobate de Bolivie  
*Ameerega boliviiana Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* =  
**Ameerega boliviiana** (Boulenger, 1902) II  
 DENDROBATIDAE (Amphibia) (E) Bolivian Poison Frog (S) Rana de punta de flecha boliviiana (F) Epipedobate bolivien, Epipedobate de Bolivie  
*Ameerega boliviiana Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* =  
**Ameerega boliviiana** (Boulenger, 1902) II  
 DENDROBATIDAE (Amphibia) (E) Bolivian Poison Frog (S) Rana de punta de flecha boliviiana (F) Epipedobate bolivien, Epipedobate de Bolivie  
*Ameerega boliviiana Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* =  
**Ameerega braccata** (Steindachner, 1864) II  
 DENDROBATIDAE (Amphibia)  
*Ameerega braccata Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* = *Epipedobates boulengeri* (Barbour, 1909)  
**Ameerega cainarachi** (Schulte, 1989) II  
 DENDROBATIDAE (Amphibia)  
*Ameerega cainarachi Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* = *Ameerega braccata* (Steindachner, 1864)  
**Ameerega erythromos** (Vigle & Miyata, 1980) II  
 DENDROBATIDAE (Amphibia) (E) Palenque Poison Frog (F) Epipedobate du Rio Palenque  
*Ameerega erythromos Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* = *Ameerega erythromos* (Vigle & Miyata, 1980)  
**Ameerega espinosai** Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Epipedobates espinosai* (Funkhouser, 1956)  
**Ameerega flavopicta** (A. Lutz, 1925) II  
 DENDROBATIDAE (Amphibia)  
*Ameerega flavopicta Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* = *Ameerega flavopicta* (A. Lutz, 1925)  
**Ameerega hahneli** (Boulenger, 1884) II  
 DENDROBATIDAE (Amphibia)  
*Ameerega hahneli Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* = *Ameerega hahneli* (Boulenger, 1884)  
*Ameerega hahneli rubriventris* (Boulenger, 1884) = *Ameerega rubriventris* (Lötters, Debold, Henle, Glaw & Kneller, 1997)  
**Ameerega ignipedis** Brown & Twomey, 2009 II  
 DENDROBATIDAE (Amphibia)  
**Ameerega ingeri** (Cochran & Goin, 1970) II  
 DENDROBATIDAE (Amphibia) (E) Niceforo's Poison Frog (S) Rana de punta de flecha de Inger (F) Epipedobate d'Inger  
*Ameerega ingeri Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* =

- Ameerega ingeri* (Cochran & Goin, 1970)
- Ameerega labialis*** (Cope, 1874) II DENDROBATIDAE (Amphibia) (F) Dendrobate labié
- Ameerega labialis* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Ameerega labialis* (Cope, 1874)
- Ameerega macero*** Rodríguez & Myers, 1993 II DENDROBATIDAE (Amphibia) (E) Manu Poison Frog
- Ameerega macero* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Ameerega macero* Rodríguez & Myers, 1993
- Ameerega maculata*** (W. Peters, 1873) II DENDROBATIDAE (Amphibia) (E) Confusing Poison Frog (S) Rana de punta de flecha maculada (F) Epipedobate tacheté
- Ameerega maculata* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ameerega maculata* (W. Peters, 1873)
- Ameerega myersi* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Allobates myersi* (Pyburn, 1981)
- Ameerega parvula*** (Boulenger, 1882) II DENDROBATIDAE (Amphibia) (E) Ruby Poison Frog (F) Epipedobate minime
- Ameerega parvula* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Ameerega parvula* (Boulenger, 1882)
- Ameerega pepperi*** Brown & Twomey, 2009 II DENDROBATIDAE (Amphibia)
- Ameerega peruviridis*** Bauer, 1986 II DENDROBATIDAE (Amphibia)
- Ameerega petersi*** (Silverstone, 1976) II DENDROBATIDAE (Amphibia) (E) Peruvian Poison Frog (S) Rana de punta de flecha de Peters (F) Epipedobate de Peters
- Ameerega petersi* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Ameerega petersi* (Silverstone, 1976)
- Ameerega picta*** (Tschudi, 1838) II DENDROBATIDAE (Amphibia) (E) Spot-legged Poison Frog (S) Rana de punta de flecha picta (F) Epipedobate peint
- Ameerega picta* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Ameerega picta* (Tschudi, 1838)
- Ameerega planipaleae*** (Morales & Velazco, 1998) II DENDROBATIDAE (Amphibia)
- Ameerega planipaleae* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson,
- Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006* = *Ameerega planipaleae* (Morales & Velazco, 1998)
- Ameerega pongoensis*** (Schulte, 1999) II DENDROBATIDAE (Amphibia)
- Ameerega pongoensis* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Ameerega pongoensis* (Schulte, 1999)
- Ameerega pulchripecta*** (Silverstone, 1976) II DENDROBATIDAE (Amphibia) (E) Beautiful-breasted Poison Frog, Blue-breasted Poison Frog, Silverstone's Poison Frog (F) Epipedobate calisterne
- Ameerega pulchripecta* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Ameerega pulchripecta* (Silverstone, 1976)
- Ameerega rubriventris*** (Lötters, Debold, Henle, Glaw & Kneller, 1997) II DENDROBATIDAE (Amphibia)
- Ameerega rubriventris* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Ameerega rubriventris* (Lötters, Debold, Henle, Glaw & Kneller, 1997)
- Ameerega silverstonei*** (Myers & Daly, 1979) II DENDROBATIDAE (Amphibia) (E) Silverstone's Poison Frog (S) Rana de punta de flecha de Silverstone (F) Dendrobate de Silverstone, Phobobate de Silverstone
- Ameerega silverstonei* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Ameerega silverstonei* (Myers & Daly, 1979)
- Ameerega simulans*** (Myers, Rodriguez & Icochea, 1998) II DENDROBATIDAE (Amphibia)
- Ameerega simulans* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Ameerega simulans* (Myers, Rodriguez & Icochea, 1998)
- Ameerega smaragdina*** (Silverstone, 1976) II DENDROBATIDAE (Amphibia) (E) Emerald Poison Frog (S) Rana de punta de flecha esmeralda (F) Epipedobate émeraude
- Ameerega smaragdina* Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Ameerega smaragdina* (Silverstone, 1976)
- Ameerega tricolor*** Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Paxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = *Epipedobates tricolor* (Boulenger, 1899)
- Ameerega trivittata*** (Spix, 1824) II DENDROBATIDAE (Amphibia) (E) Three-striped Poison Frog (F)

- Dendrobate à trois bandes, Phobobate à trois bandes  
*Ameerega trivittata* Bauer, 1986 = *Ameerega trivittata*  
(Spix, 1824)
- Ameerega trivittata* Frost, Grant, Faivovich, Bain, Haas,  
Haddad, de Sá, Channing, Wilkinson, Donnellan,  
Raxworthy, Campbell, Blotto, Moler, Drewes,  
Nussbaum, Lynch, Green & Wheeler, 2006 =  
*Ameerega trivittata* (Spix, 1824)
- Ameerega yoshina*** Brown & Twomey, 2009 II  
DENDROBATIDAE (Amphibia)
- Ameerega yungicola*** (Lötters, Schmitz & Reichle, 2006)  
II DENDROBATIDAE (Amphibia)
- Ameerega yungicola* Frost, 2006 = *Ameerega yungicola*  
(Lötters, Schmitz & Reichle, 2006)
- Amietophrynyus superciliaris*** (Boulenger, 1888) I  
BUFONIDAE (Amphibia) (E) Cameroon Toad, Zaire  
Toad (S) Sapo del Camerún (F) Crapaud du Cameroun
- Amietophrynyus superciliaris* Frost, Grant, Faivovich, Bain,  
Haas, Haddad, de Sá, Channing, Wilkinson,  
Donnellan, Raxworthy, Campbell, Blotto, Moler,  
Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 =  
*Amietophrynyus superciliaris* (Boulenger, 1888)
- Ammotragus lervia*** (Pallas, 1777) II BOVIDAE  
(Mammalia) (E) Aoudad, Barbary Sheep, Uaddan (S)  
Arruí, Muflón del Atlas (F) Aoudad, Mouflon à  
manchettes
- Amoropsittaca aymara* (d'Orbigny, 1839) = *Psilopsiagon*  
aymara (d'Orbigny, 1839)
- Ampalagua (E): *Boa constrictor*
- Amphelia galapagensis* (Vaughan, 1906) = *Madrepora*  
*oculata* Linnaeus, 1758
- Amphelia oculata* (Linnaeus, 1758) = *Madrepora oculata*  
Linnaeus, 1758
- Amphihelia adminicularis* Rehberg, 1892 =  
*Enallopsammia rostrata* (Pourtales, 1878)
- Amphihelia infundibulifera* Kent, 1871 = *Madrepora*  
*minutiseptum* Cairns & Zibrowius, 1997
- Amphihelia moresbyi* Alcock, 1898 = *Madrepora oculata*  
Linnaeus, 1758
- Amphihelia oculata* (Linnaeus, 1758) = *Madrepora oculata*  
Linnaeus, 1758
- Amphihelia rostrata* Pourtales, 1878 = *Enallopsammia*  
*rostrata* (Pourtales, 1878)
- Amphiuma (menopoma) gigantea* Van der Hoeven, 1833 =  
*Cryptobranchus alleganiensis* (Daudin, 1803)
- Amyda cartilaginea*** (Boddaert, 1770) II TRIONYCHIDAE  
(Reptilia) (E) Asiatic Softshell Turtle
- Anaconda (F): *Eunectes murinus*
- Anaconda (S): *Eunectes murinus*
- Anaconda (E): *Eunectes murinus*
- Anaconda amarilla (S): *Eunectes notaeus*
- Anaconda à taches sombres (F): *Eunectes*  
*deschauenseei*
- Anaconda commun (F): *Eunectes murinus*
- Anaconda, Dark-spotted (E): *Eunectes deschauenseei*
- Anaconda de Meyer de Schauensee (F): *Eunectes*  
*deschauenseei*
- Anaconda du Paraguay (F): *Eunectes notaeus*
- Anaconda, Green (E): *Eunectes murinus*
- Anaconda jaune (F): *Eunectes notaeus*
- Anaconda, Meyer de Schauensee's (E): *Eunectes*  
*deschauenseei*
- Anaconda vert (F): *Eunectes murinus*
- Anaconda, Yellow (E): *Eunectes notaeus*
- Anacropora* spp.** Ridley, 1884 II ACROPORIDAE  
(Anthozoa)
- Anacropora firma* Nemenzo & Ferraris, 1982 =  
*Anacropora forbesi* Ridley, 1884
- Anacropora forbesi*** Ridley, 1884 II ACROPORIDAE  
(Anthozoa)
- Anacropora gracilis* Quelch, 1886 = *Anacropora forbesi*  
Ridley, 1884
- Anacropora matthai*** Pillai, 1973 II ACROPORIDAE  
(Anthozoa)
- Anacropora pillai*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Anacropora puertogalerae*** Nemenzo, 1964 II  
ACROPORIDAE (Anthozoa)
- Anacropora reptans* Bernard, 1897 = *Anacropora forbesi*  
Ridley, 1884
- Anacropora reticulata*** Veron & Wallace, 1984 II  
ACROPORIDAE (Anthozoa)
- Anacropora spinosa*** Rehberg, 1892 II ACROPORIDAE  
(Anthozoa)
- Anacropora spumosa*** Veron, Turak & DeVantier, 2000 II  
ACROPORIDAE (Anthozoa)
- Anas (S): *Conepatus humboldtii*
- Anas arborea* Linnaeus, 1758 = *Dendrocygna arborea*  
(Linnaeus, 1758)
- Anas aucklandica*** (G. R. Gray, 1844) I ANATIDAE (Aves)  
(E) Auckland Islands Flightless Teal, Brown Teal,  
Flightless Teal (S) Cerceta alicorta de Auckland,  
Cerceta maorí (F) Sarcelle aptère, Sarcelle brune,  
Sarcelle de Nouvelle-Zélande, Sarcelle terrestre des  
îles Auckland
- Anas aucklandica chlorotis* (G. R. Gray, 1844) = *Anas*  
*chlorotis* G. R. Gray, 1845
- Anas aucklandica* (G. R. Gray, 1844) = *Anas chlorotis* G.  
R. Gray, 1845
- Anas aucklandica* (G. R. Gray, 1844) = *Anas nesiotis* (J. H.  
Fleming, 1935)
- Anas aucklandica nesiotis* (G. R. Gray, 1844) = *Anas*  
*nesiotis* (J. H. Fleming, 1935)
- Anas autumnalis* Linnaeus, 1758 = *Dendrocygna*  
*autumnalis* (Linnaeus, 1758)
- Anas bernieri*** (Hartlaub, 1860) II ANATIDAE (Aves) (E)  
Bernier's Teal, Madagascar Teal (S) Cerceta de  
Madagascar, Cerceta malgache, Cerceta malgache de  
Bernier, Pato de Bernier (F) Canard de Bernier,  
Sarcelle de Bernier, Sarcelle de Madagascar, Sarcelle  
malgache de Bernier
- Anas bicolor* Vieillot, 1816 = *Dendrocygna bicolor* (Vieillot,  
1816)
- Anas caryophyllacea* Latham, 1790 = *Rhodonessa*  
*caryophyllacea* (Latham, 1790)
- Anas chlorotis*** G. R. Gray, 1845 I ANATIDAE (Aves) (E)  
New Zealand Brown Duck, New Zealand Brown Teal  
(S) Cerceta alicorta neozelandesa (F) Sarcelle de la  
Nouvelle-Zélande

- Anas chlorotis* G. R. Gray, 1845 = *Anas aucklandica* (G. R. Gray, 1844)
- Anas coscoroba* Molina, 1782 = *Coscoroba coscoroba* (Molina, 1782)
- Anas formosa*** Georgi, 1775 II ANATIDAE (Aves) (E)  
Baikal Teal (S) Cerceta del Baikal (F) Sarcelle élégante, Sarcelle formose
- Anas laysanensis*** Rothschild, 1892 I ANATIDAE (Aves)  
(E) Laysan Duck, Laysan Teal (S) Pato de Laysan, Pato real de Laysan (F) Canard de Laysan, Sarcelle de Laysan
- Anas leucocephala* Scopoli, 1769 = *Oxyura leucocephala* (Scopoli, 1769)
- Anas melanocorypha* Molina, 1782 = *Cygnus melancoryphus* (Molina, 1782)
- Anas moschata* Linnaeus, 1758 = *Cairina moschata* (Linnaeus, 1758)
- Anas nesiota*** (J. H. Fleming, 1935) I ANATIDAE (Aves)  
(E) Campbell Island Flightless Teal, Campbell Island Teal (S) Cerceta alicorta de Campbell (F) Sarcelle de Campbell
- Anas nesiota* (J. H. Fleming, 1935) = *Anas aucklandica* (G. R. Gray, 1844)
- Anas platyrhynchos laysanensis* Linnaeus, 1758 = *Anas laysanensis* Rothschild, 1892
- Anas scutulata* S. Müller, 1842 = *Asarcornis scutulata* (S. Müller, 1842)
- Anathana* spp.** Lyon, 1913 II TUPAIIDAE (Mammalia)
- Anathana ellioti*** (Waterhouse, 1850) II TUPAIIDAE (Mammalia) (E) Indian Treeshrew, Madras Treeshrew (S) Musaraña arborícola de la India (F) Toupaïe d'Elliot Anca de llanura (S): *Bubalus depressicornis*
- Andigena bailloni* Vieillot, 1819 = *Baillonius bailloni* (Vieillot, 1819)
- Andinobates* spp.** II DENDROBATIDAE (Amphibia)
- Andinobates abditus*** (Myers & Daly, 1976) II DENDROBATIDAE (Amphibia) (E) Collins's Poison Frog (F) Minyobate secret
- Andinobates abditus* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Andinobates abditus* (Myers & Daly, 1976)
- Andinobates altobueyensis*** (Silverstone, 1975) II DENDROBATIDAE (Amphibia) (E) Alto de Buey Poison Frog, Golden Poison Frog (F) Minyobate d'Alto del Buey
- Andinobates altobueyensis* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Andinobates altobueyensis* (Silverstone, 1975)
- Andinobates bombetes*** (Myers & Daly, 1980) II DENDROBATIDAE (Amphibia) (E) Cauca Poison Frog (F) Minyobate bourdonnant
- Andinobates bombetes* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Andinobates bombetes* (Myers & Daly, 1980)
- Andinobates claudiae*** (Jungfer, Lötters & Jörgens, 2000) II DENDROBATIDAE (Amphibia)
- Andinobates claudiae* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Andinobates claudiae* (Jungfer, Lötters & Jörgens, 2000)
- Andinobates daleswansoni*** (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006) II DENDROBATIDAE (Amphibia)
- Andinobates daleswansoni* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Andinobates daleswansoni* (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006)
- Andinobates dorisswansonae*** (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006) II DENDROBATIDAE (Amphibia)
- Andinobates dorisswansonae* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Andinobates dorisswansonae* (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006)
- Andinobates fulguritus*** (Silverstone, 1975) II DENDROBATIDAE (Amphibia) (E) Yellow-bellied Poison Frog (F) Minyobate étincelant
- Andinobates fulguritus* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Andinobates fulguritus* (Silverstone, 1975)
- Andinobates minutus*** (Shreve, 1935) II DENDROBATIDAE (Amphibia) (E) Blue-bellied Poison Frog (F) Minyobate menu
- Andinobates minutus* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Andinobates minutus* (Shreve, 1935)
- Andinobates minutus ventrimaculatus* Shreve, 1935 = *Ranitomeya ventrimaculata* (Shreve, 1935)
- Andinobates opisthomelas*** (Boulenger, 1899) II DENDROBATIDAE (Amphibia) (E) Andean Poison Frog (F) Minyobate opisthomèle
- Andinobates opisthomelas* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Andinobates opisthomelas* (Boulenger, 1899)
- Andinobates tolimensis*** Bernal-Bautista, Luna-Mora, Gallego & Quevedo-Gil, 2007 II DENDROBATIDAE (Amphibia)
- Andinobates tolimensis* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Andinobates tolimensis* Bernal-Bautista, Luna-Mora, Gallego & Quevedo-Gil, 2007

<b><i>Andinobates viridis</i></b> (Myers & Daly, 1976) II	<i>Anguilla acutirostris</i> Risso, 1827 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
DENDROBATIDAE (Amphibia) (E) Green Poison Frog (S) Rana de punta de flecha verde (F) Minyobate vert	<i>Anguilla aegyptiaca</i> Kaup, 1856 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<i>Andinobates viridis</i> Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = <i>Andinobates viridis</i> (Myers & Daly, 1976)	<i>Anguilla altirostris</i> Kaup, 1856 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<b><i>Andinobates virolensis</i></b> (Ruiz-Carranza and Ramírez-Pinilla, 1992) II DENDROBATIDAE (Amphibia) (E) Santander Poison Frog	<i>Anguilla ancicda</i> Kaup, 1856 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<i>Andinobates virolensis</i> Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = <i>Andinobates virolensis</i> (Ruiz-Carranza and Ramírez-Pinilla, 1992)	<b><i>Anguilla anguilla</i></b> (Linnaeus, 1758) II ANGUILLIDAE (Actinopterygii) (E) Common eel, Eel, European eel, River eel, Silver eel, Sing eel, Weed eel, Yellow eel (S) Anguila, Anguilla europea, Anguilla, Anguilla catarrojina, Anguilla fartona, Anguilla maresa, Anguilla martina, Anguilla pastorensa, Anguilla pugaron (F) Angèle, Anguielo, Anguille, Anguille argentée, Anguille d'Europe, Anguille jaune, Bomarinque, Bouiron, Civelle, Coureuse, De la riviere, Margignou, Pibale, Pimperneau, Pougau, Pounchurote, Pounchuroto, Resso, Sili, Thaoundella, Thaudelo, Verniau
<b><i>Andrias spp.</i></b> Tschudi, 1837 I CRYPTOBRANCHIDAE (Amphibia)	<i>Anguilla bibroni</i> Kaup, 1856 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<b><i>Andrias davidianus</i></b> (Blanchard, 1871) I	<i>Anguilla brevirostris</i> Cisternas, 1877 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
CRYPTOBRANCHIDAE (Amphibia) (E) Chinese Giant Salamander (S) Salamandra gigante de China (F) Salamandre du père David, Salamandre géante de Chine	<i>Anguilla callensis</i> Guichenot, 1850 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<i>Andrias davidianus</i> Brame, 1967 = <i>Andrias davidianus</i> (Blanchard, 1871)	<i>Anguilla canariensis</i> Valenciennes, 1843 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<b><i>Andrias japonicus</i></b> (Temminck, 1836) I	<i>Anguilla capitone</i> Kaup, 1856 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
CRYPTOBRANCHIDAE (Amphibia) (E) Japanese Giant Salamander (S) Salamandra gigante de Japón (F) Salamandre géante du Japon	<i>Anguilla catarrojina</i> (S): <i>Anguilla anguilla</i>
<i>Andrias japonicus</i> Lapparent, 1900 = <i>Andrias japonicus</i> (Temminck, 1836)	<i>Anguilla cloacina</i> Bonaparte, 1846 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<i>Andrias scheuchzeri davidiana</i> Westphal, 1958 = <i>Andrias davidianus</i> (Blanchard, 1871)	<i>Anguilla cuvieri</i> Kaup, 1856 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<i>Andrias scheuchzeri japonicus</i> Westphal, 1958 = <i>Andrias japonicus</i> (Temminck, 1836)	<i>Anguilla eurystoma</i> Heckel & Kner, 1858 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<b><i>Androdon spp.</i></b> Gould, 1863 II TROCHILIDAE (Aves)	<i>Anguilla fartona</i> (S): <i>Anguilla anguilla</i>
<b><i>Androdon aequatorialis</i></b> Gould, 1863 II TROCHILIDAE (Aves) (E) Tooth-billed Hummingbird (S) Colibrí piqidentado (F) Colibri d'Equateur	<i>Anguilla fluviatilis</i> Anslijn, 1828 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
Ane sauvage d'Afrique (F): <i>Equus africanus</i>	<i>Anguilla fluviatilis</i> Gistel, 1848 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
Ane sauvage d'Asie (F): <i>Equus hemionus</i>	<i>Anguilla hibernica</i> Couch, 1865 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
Ane sauvage de l'Inde (F): <i>Equus hemionus khur</i>	<i>Anguilla kieneri</i> Kaup, 1856 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
Ane sauvage de Mongolie (F): <i>Equus hemionus hemionus</i>	<i>Anguilla latirostris</i> Risso, 1827 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
Ane sauvage du Tibet (F): <i>Equus kiang</i>	<i>Anguilla linnei</i> Malm, 1877 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
Angel de sol amatista (S): <i>Heliangelus amethysticollis</i>	<i>Anguilla maresa</i> (S): <i>Anguilla anguilla</i>
Angel de sol cuelliocre (S): <i>Heliangelus mavora</i>	<i>Anguilla marginata</i> Kaup, 1846 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
Angèle (F): <i>Anguilla anguilla</i>	<i>Anguilla martina</i> (S): <i>Anguilla anguilla</i>
<i>Angia excavata</i> Milne Edwards & Haime, 1850 = <i>Culicia excavata</i> (Milne Edwards & Haime, 1850)	<i>Anguilla mediorostris</i> Risso, 1827 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<i>Angia rubeola</i> (Quoy & Gaimard, 1833) = <i>Culicia rubeola</i> (Quoy & Gaimard, 1833)	<i>Anguilla melanochir</i> Kaup, 1856 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<i>Angia smithii</i> Milne Edwards & Haime, 1850 = <i>Culicia smithii</i> (Milne Edwards & Haime, 1850)	<i>Anguilla microptera</i> Kaup, 1856 = <i>Anguilla anguilla</i> (Linnaeus, 1758)
<i>Angia verreauxii</i> Milne Edwards & Haime, 1850 = <i>Culicia verreauxi</i> (Milne Edwards & Haime, 1850)	
Angonoka (E): <i>Astrochelys yniphora</i>	
Anguielo (F): <i>Anguilla anguilla</i>	
Anguila (S): <i>Anguilla anguilla</i>	
Anguila europea (S): <i>Anguilla anguilla</i>	
Anguilla (S): <i>Anguilla anguilla</i>	

- Anguilla migratoria* Krøyer, 1846 = *Anguilla anguilla* (Linnaeus, 1758)
- Anguilla morena* Kaup, 1856 = *Anguilla anguilla* (Linnaeus, 1758)
- Anguilla nilotica* Heckel, 1847 = *Anguilla anguilla* (Linnaeus, 1758)
- Anguilla oblongirostris* Blanchard, 1866 = *Anguilla anguilla* (Linnaeus, 1758)
- Anguilla pastorensa* (S): *Anguilla anguilla*
- Anguilla platycephala* Kaup, 1856 = *Anguilla anguilla* (Linnaeus, 1758)
- Anguilla platyrhynchus* Costa, 1850 = *Anguilla anguilla* (Linnaeus, 1758)
- Anguilla pugaron* (S): *Anguilla anguilla*
- Anguilla savignyi* Kaup, 1856 = *Anguilla anguilla* (Linnaeus, 1758)
- Anguilla septembrina* Bonaparte, 1846 = *Anguilla anguilla* (Linnaeus, 1758)
- Anguilla vulgaris* Rafinesque, 1810 = *Anguilla anguilla* (Linnaeus, 1758)
- Anguilla vulgaris* Shaw, 1803 = *Anguilla anguilla* (Linnaeus, 1758)
- Anguille (F): *Anguilla anguilla*
- Anguille argentée (F): *Anguilla anguilla*
- Anguille d'Europe (F): *Anguilla anguilla*
- Anguille jaune (F): *Anguilla anguilla*
- Anguis cerastes* Linnaeus, 1758 = *Eryx jaculus* (Linnaeus, 1758)
- Anguis colubrina* (Linnaeus, 1758) = *Gongylophis colubrinus* (Linnaeus, 1758)
- Anguis helluo* Pallas, 1814 = *Eryx miliaris* (Pallas, 1773)
- Anguis jaculus* Linnaeus, 1758 = *Eryx jaculus* (Linnaeus, 1758)
- Anguis miliaris* Pallas, 1773 = *Eryx miliaris* (Pallas, 1773)
- Angwantibo (F): *Arctocebus calabarensis*
- Angwantibo (E): *Arctocebus calabarensis*
- Anisopsammia ampheliooides* (Alcock, 1902) = *Enallopssammia rostrata* (Pourtalès, 1878)
- Anisopsammia rostrata* (Pourtalès, 1878) = *Enallopssammia rostrata* (Pourtalès, 1878)
- Annamemys annamensis* (Siebenrock, 1903) = *Mauremys annamensis* (Siebenrock, 1903)
- Annamemys grochovskiae* Dao, 1957 = *Mauremys mutica* (Cantor, 1842)
- Annamemys groschovskiae* Tien, 1957 = *Mauremys annamensis* (Siebenrock, 1903)
- Annamemys merkleni* Bourret, 1939 = *Mauremys annamensis* (Siebenrock, 1903)
- Anoa (E): *Bubalus depressicornis*
- Anoa de llanura (S): *Bubalus depressicornis*
- Anoa de montaña (S): *Bubalus quarlesi*
- Anoa depressicornis* (C. H. Smith, 1827) = *Bubalus depressicornis* (C. H. Smith, 1827)
- Anoa de Quarle (F): *Bubalus quarlesi*
- Anoa des montagnes (F): *Bubalus quarlesi*
- Anoa des plaines (F): *Bubalus depressicornis*
- Anoa, Lowland (E): *Bubalus depressicornis*
- Anoa mindorensis* (Heude, 1888) = *Bubalus mindorensis* (Heude, 1888)
- Anoa, Mountain (E): *Bubalus quarlesi*
- Anoa quarlesi* Ouwens, 1910 = *Bubalus quarlesi* (Ouwens, 1910)
- Anodorhynchus* spp. Spix, 1824 I/NC PSITTACIDAE (Aves)
- Anodorhynchus glaucus* (Vieillot, 1816) I PSITTACIDAE (Aves) (E) Glauco Macaw (S) Ara azul, Guacamayo glauco, Guacamayo violáceo (F) Ara glauque
- Anodorhynchus hyacinthinus* (Latham, 1790) I/NC PSITTACIDAE (Aves) (E) Hyacinth Macaw (S) Guacamayo azul, Guacamayo jacinto (F) Ara bleu, Ara hyacinthe, Ara jacinthe
- Anodorhynchus leari* Bonaparte, 1856 I PSITTACIDAE (Aves) (E) Indigo Macaw, Lear's Macaw (S) Guacamayo cobalto, Guacamayo de Lear (F) Ara cobalt, Ara de Lear
- Anomastraea* spp. Marenzeller, 1901 II SIDERASTREIDAE (Anthozoa)
- Anomastraea irregularis* Marenzeller, 1901 II SIDERASTREIDAE (Anthozoa) (E) Crisp Pillow Coral
- Anomocora* spp. Studer, 1878 II CARYOPHYLLIIDAE (Anthozoa)
- Anomocora carinata* Cairns, 1991 II CARYOPHYLLIIDAE (Anthozoa)
- Anomocora fecunda* (Pourtalès, 1871) II CARYOPHYLLIIDAE (Anthozoa) (E) Prolific Coral (S) Coral prolífico
- Anomocora gigas* (van der Horst, 1931) II CARYOPHYLLIIDAE (Anthozoa)
- Anomocora marchadi* (Chevalier, 1966) II CARYOPHYLLIIDAE (Anthozoa)
- Anomocora prolifera* (Pourtalès, 1871) II CARYOPHYLLIIDAE (Anthozoa)
- Anopetia* spp. Simon, 1918 II TROCHILIDAE (Aves)
- Anopetia gounellei* (Boucard, 1891) II TROCHILIDAE (Aves) (E) Broad-tipped Hermit (S) Ermitaño coliancho (F) Ermite de Gounelle
- Anorrhinus* spp. Reichenbach, 1849 II BUCEROTIDAE (Aves)
- Anorrhinus austeni* Jerdon, 1872 = *Anorrhinus tickelli* (Blyth, 1855)
- Anorrhinus galeritus* (Temminck, 1831) II BUCEROTIDAE (Aves) (E) Bushy-crested Hornbill (S) Cálao crestado (F) Calao à crête hérissée
- Anorrhinus tickelli* (Blyth, 1855) II BUCEROTIDAE (Aves) (E) Assam Brown-backed Hornbill, Brown Hornbill, Tickell's Brown Hornbill (S) Cálao pardo de Tickell (F) Calao brun
- Anoxypristes* spp. I PRISTIDAE (Elasmobranchii)
- Anoxypristes cuspidata* (Latham, 1794) I PRISTIDAE (Elasmobranchii) (E) Knifetooth Sawfish, Narrow sawfish, Pointed sawfish, Saw shark (S) Pez espada
- Anser melanotos* Pennant, 1769 = *Sarkidiornis melanotos* (Pennant, 1769)
- Anser ruficollis* Pallas, 1769 = *Branta ruficollis* (Pallas, 1769)
- Anser sandvicensis* Vigors, 1833 = *Branta sandvicensis* (Vigors, 1833)
- Anta (S): *Tapirus terrestris*
- Anta brasileña (S): *Tapirus terrestris*

<i>Antaceus ayresii</i> Duméril, 1867 = <i>Acipenser transmontanus</i> Richardson, 1836	<i>Anthophyllum clavus</i> Dana, 1846 = <i>Galaxea astreata</i> (Lamarck, 1816)
<i>Antaceus buffalo</i> Duméril, 1870 = <i>Acipenser fulvescens</i> Rafinesque, 1817	<i>Anthophyllum cyathus</i> (Ellis & Solander, 1786) = <i>Caryophyllia cyathus</i> (Ellis & Solander, 1786)
<i>Antaceus caryi</i> Duméril, 1867 = <i>Acipenser transmontanus</i> Richardson, 1836	<i>Anthophyllum distortum</i> Michelin, 1843 = <i>Fungia distorta</i> Michelin, 1842
<i>Antaceus cincinnati</i> Duméril, 1867 = <i>Acipenser fulvescens</i> Rafinesque, 1817	<i>Anthophyllum hystrix</i> Dana, 1846 = <i>Galaxea fascicularis</i> (Linnaeus, 1758)
<i>Antaceus putnami</i> Duméril, 1867 = <i>Acipenser transmontanus</i> Richardson, 1836	<b>Anthracoceros spp.</b> Reichenbach, 1849 II BUCEROTIDAE (Aves)
<b>Antaresia spp.</b> Wells & Wellington, 1984 II PYTHONIDAE (Reptilia)	<b>Anthracoceros albirostris</b> (Shaw & Nodder, 1807) II BUCEROTIDAE (Aves) (E) Indian Pied Hornbill, Malaysian Pied-Hornbill, Northern Pied-Hornbill, Oriental Pied-Hornbill, Sunda Pied Hornbill (S) Cálao cariblanco (F) Calao pie
<b>Antaresia childreni</b> (Gray, 1842) II PYTHONIDAE (Reptilia) (E) Children's (Rock) Python (S) Pitón enana (F) Python de Children	<i>Anthracoceros convexus</i> Temminck, 1831 = <i>Anthracoceros albirostris</i> (Shaw & Nodder, 1807)
<b>Antaresia maculosa</b> (Peters, 1873) II PYTHONIDAE (Reptilia) (E) Spotted Python (F) Python tacheté	<b>Anthracoceros coronatus</b> (Boddaert, 1783) II BUCEROTIDAE (Aves) (E) Malabar Pied-Hornbill, Pied Hornbill (F) Calao de Malabar
<b>Antaresia perthensis</b> (Stull, 1932) II PYTHONIDAE (Reptilia) (E) Perth Pygmy Python, Pygmy Python (F) Python pygmée de Perth	<i>Anthracoceros malabaricus</i> (Gmelin, 1788) = <i>Anthracoceros coronatus</i> (Boddaert, 1783)
<i>Antaresia saxacola</i> Wells & Wellington, 1985 = <i>Antaresia stimsoni</i> (L. A. Smith, 1985)	<b>Anthracoceros malayanus</b> (Raffles, 1822) II BUCEROTIDAE (Aves) (E) Asian Black Hornbill, Black Hornbill, Malaysian Black Hornbill (S) Cálao malayo (F) Calao charbonnier
<b>Antaresia stimsoni</b> (L. A. Smith, 1985) II PYTHONIDAE (Reptilia) (E) Large-blotched Python, Stimson's Python (F) Python à large tache, Python de Stimson	<b>Anthracoceros marchei</b> Oustalet, 1885 II BUCEROTIDAE (Aves) (E) Palawan Hornbill (S) Cálao de Palawan (F) Calao de Palawan
Anteater, Giant (E): <i>Myrmecophaga tridactyla</i>	<b>Anthracoceros montani</b> (Oustalet, 1880) II BUCEROTIDAE (Aves) (E) Sulu Hornbill (S) Cálao de las Sulu (F) Calao des Sulu
Anteater, Long-nosed Spiny (E): <i>Zaglossus bruijni</i>	<b>Anthracothorax spp.</b> Boie, 1831 II TROCHILIDAE (Aves)
Anteater, Scaly (E): <i>Manis temminckii</i>	<b>Anthracothorax dominicus</b> (Linnaeus, 1766) II TROCHILIDAE (Aves) (E) Antillean Mango, Dominican Mango (S) Mango antillano, Zumbador grande (F) Mango doré
Anteburro (S): <i>Tapirus bairdii</i>	<b>Anthracothorax mango</b> (Linnaeus, 1758) II TROCHILIDAE (Aves) (E) Jamaican Mango (S) Mango jamaicano (F) Mango de la Jamaïque
<i>Antechinomys longicaudata</i> (Spencer, 1909) = <i>Sminthopsis longicaudata</i> Spencer, 1909	<b>Anthracothorax nigricollis</b> (Vieillot, 1817) II TROCHILIDAE (Aves) (E) Black-throated Mango (S) Mango, Mango gorginegro, Mango pechinegro, Picaflor ventrinegro (F) Mango à cravate noire
Antelope, Four-horned (E): <i>Tetracerus quadricornis</i>	<b>Anthracothorax prevostii</b> (Lesson, 1832) II TROCHILIDAE (Aves) (E) Green-breasted Mango (S) Mango pechiverde (F) Mango de Prévost
Antelope, Giant Sable (E): <i>Hippotragus niger variani</i>	<b>Anthracothorax recurvirostris</b> (Swainson, 1822) II TROCHILIDAE (Aves) (E) Fiery-tailed Awlbill (S) Colibrí pico lezna, Mango picolezna (F) Colibri avocette
Antelope, Sable (E): <i>Hippotragus niger</i>	<b>Anthracothorax veraguensis</b> Reichenbach, 1855 II TROCHILIDAE (Aves) (E) Veraguian Mango (S) Mango de Veragua (F) Mango de Veragua
Antelope, Saiga (E): <i>Saiga tatarica</i>	<b>Anthracothorax viridigula</b> (Boddaert, 1783) II TROCHILIDAE (Aves) (E) Green-throated Mango (S) Mango gargantiverde, Mango gorgiverde (F) Mango à cravate verte
Antelope, Tibetan (E): <i>Pantholops hodgsonii</i>	<b>Anthracothorax viridis</b> (Audebert & Vieillot, 1801) II TROCHILIDAE (Aves) (E) Green Mango (S) Mango portorriqueño (F) Mango vert
Antelope, Zebra (E): <i>Cephalophus zebra</i>	
<b>Anthemiphyllia spp.</b> Pourtalès, 1878 II ANTHEMIPHYLLIIDAE (Anthozoa)	
<b>Anthemiphyllia dentata</b> (Alcock, 1902) II ANTHEMIPHYLLIIDAE (Anthozoa)	
<b>Anthemiphyllia frustum</b> Cairns, 1994 II ANTHEMIPHYLLIIDAE (Anthozoa)	
<b>Anthemiphyllia macrolobata</b> Cairns, 1999 II ANTHEMIPHYLLIIDAE (Anthozoa)	
<b>Anthemiphyllia multidentata</b> Cairns, 1999 II ANTHEMIPHYLLIIDAE (Anthozoa)	
<b>Anthemiphyllia pacifica</b> Vaughan, 1907 II ANTHEMIPHYLLIIDAE (Anthozoa)	
<b>Anthemiphyllia patera</b> Pourtalès, 1878 II ANTHEMIPHYLLIIDAE (Anthozoa)	
<b>Anthemiphyllia spinifera</b> Cairns, 1999 II ANTHEMIPHYLLIIDAE (Anthozoa)	
<b>ANTHEMIPHYLLIIDAE spp.</b> Vaughan 1907 II (Anthozoa)	
<b>Anthocephala spp.</b> Cabanis & Heine, 1860 II TROCHILIDAE (Aves)	
<b>Anthocephala floriceps</b> (Gould, 1854) II TROCHILIDAE (Aves) (E) Blossomcrown (S) Colibrí florido (F) Colibri à tête rose	

- Anthropoides spp.** Vieillot, 1816 II GRUIDAE (Aves)
- Anthropoides paradiseus** (Lichtenstein, 1793) II  
GRUIDAE (Aves) (E) Blue Crane, Stanley Crane (S)  
Grulla azul, Grulla de paraíso (F) Grue bleue, Grue de paradis
- Anthropoides regulorum* E. T. Bennett, 1834 = *Balearica regulorum* (E. T. Bennett, 1834)
- Anthropoides virgo** (Linnaeus, 1758) II GRUIDAE (Aves)  
(E) Demoiselle Crane (S) Grulla damisela, Grulla moruna (F) Demoiselle de Numidie, Grue demoiselle
- Antigone antigone* (Linnaeus, 1758) = *Grus antigone* (Linnaeus, 1758)
- Antigone canadensis* (Linnaeus, 1758) = *Grus canadensis* (Linnaeus, 1758)
- Antigone rubicunda* (Perry, 1810) = *Grus rubicunda* (Perry, 1810)
- Antigone vipio* (Pallas, 1811) = *Grus vipio* Pallas, 1811
- Antillia duncani* Yabe & Sugiyama, 1931 = *Trachyphyllia geoffroyi* (Audouin, 1826)
- Antillia flabelliformis* Yabe & Sugiyama, 1931 = *Trachyphyllia geoffroyi* (Audouin, 1826)
- Antillia grandiflora* Gerth, 1921 = *Cynarina lacrymalis* (Milne Edwards & Haime, 1848)
- Antillia infundibuliformis* Gerth, 1921 = *Trachyphyllia geoffroyi* (Audouin, 1826)
- Antillia japonica* Yabe & Sugiyama, 1931 = *Cynarina lacrymalis* (Milne Edwards & Haime, 1848)
- Antillia lonsdaleia* Duncan, 1863 = *Trachyphyllia geoffroyi* (Audouin, 1826)
- Antillia nomaensis* Yabe & Sugiyama, 1931 = *Cynarina lacrymalis* (Milne Edwards & Haime, 1848)
- Antillia orientalis* Gerth, 1921 = *Trachyphyllia geoffroyi* (Audouin, 1826)
- Antillia sinuata* Gardiner, 1899 = *Trachyphyllia geoffroyi* (Audouin, 1826)
- Antilophyllia lonsdaleia* (Duncan, 1863) = *Trachyphyllia geoffroyi* (Audouin, 1826)
- Antilocapra americana** (Ord, 1815) I/NC<sup>1</sup>  
ANTILOCAPRIDAE (Mammalia) (E) Mexican Pronghorn, Pronghorn (S) Berrendo (F) Antilocapre, Antilocapre de Californie, Antilope américaine, Pronghorn
- Antilocapre (F): *Antilocapra americana*
- Antilocapre de Californie (F): *Antilocapra americana*
- Antilope américaine (F): *Antilocapra americana*
- Antilope blanche (F): *Addax nasomaculatus*
- Antilope cervicapra** (Linnaeus, 1758) III BOVIDAE  
(Mammalia) (E) Blackbuck, Sasin (S) Antílope negro indio, Cervicapra (F) Antilope cervicapre, Cervicapre
- Antilope cervicapre (F): *Antilope cervicapra*
- Antílope de cuatrocuerdos (S): *Tetracerus quadricornis*
- Antílope del Tibet (S): *Pantholops hodgsonii*
- Antilope du Tibet (F): *Pantholops hodgsonii*
- Antílope negro gigante (S): *Hippotragus niger variani*
- Antílope negro indio (S): *Antilope cervicapra*
- Antílope sable negro (S): *Hippotragus niger variani*
- Antílope saiga (S): *Saiga tatarica*
- Antílope tibetano (S): *Pantholops hodgsonii*
- Antilope *tragocamelus* Pallas, 1766 = *Boselaphus tragocamelus* (Pallas, 1766)
- ANTIPATHARIA spp.** II (E) Black Corals (S) Corales Negros (F) Coraux Noirs
- Antipathella spp.** Brook, 1889 II MYRIOPATHIDAE (Anthozoa)
- Antipathella aperta** (Totton, 1923) II MYRIOPATHIDAE (Anthozoa)
- Antipathella assimilis* Brook, 1889 = *Antipathes assimilis* (Brook, 1889)
- Antipathella atlantica* (Gray, 1858) = *Antipathes atlantica* Gray, 1858
- Antipathella boscii* (Lamouroux, 1821) = *Antipathes boscii* Lamouroux, 1821
- Antipathella brookii* Whitelegge, 1899 = *Antipathes brookii* (Whitelegge, 1899)
- Antipathella brooki* Johnson, 1900 = *Antipathes atlantica* Gray, 1858
- Antipathella ceylonensis* Thomson & Simpson, 1905 = *Antipathes ceylonensis* (Thomson & Simpson, 1905)
- Antipathella contorta* Brook, 1889 = *Tylopathes contorta* (Brook, 1889)
- Antipathella fiordensis** (Grange, 1990) II MYRIOPATHIDAE (Anthozoa)
- Antipathella gracilis* (Gray, 1860) = *Antipathes gracilis* Gray, 1860
- Antipathella intermedia* Brook, 1889 = *Antipathes intermedia* (Brook, 1889)
- Antipathella irregularis* Thomson & Simpson, 1905 = *Antipathes irregularis* (Thomson & Simpson, 1905)
- Antipathella minor* Brook, 1889 = *Antipathes minor* (Brook, 1889)
- Antipathella paniculata* (Duchassaing & Michelotti, 1864) = *Antipathes atlantica* Gray, 1858
- Antipathella reticulata* (Esper, 1795) = *Rhipidopathes reticulata* (Esper, 1795)
- Antipathella rugosa* Thomson & Simpson, 1905 = *Myriopathes rugosa* (Thomson & Simpson, 1905)
- Antipathella speciosa* (Brook, 1889) = *Antipathes speciosa* (Brook, 1889)
- Antipathella strigosa** Brook, 1889 II MYRIOPATHIDAE (Anthozoa)
- Antipathella subpinnata** (Ellis & Solander, 1786) II MYRIOPATHIDAE (Anthozoa)
- Antipathella tristis* (Duchassaing, 1870) = *Antipathes tristis* (Duchassaing, 1870)
- Antipathella wollastonii** (Gray, 1858) II MYRIOPATHIDAE (Anthozoa)
- Antipathes spp.** Pallas, 1766 II ANTIPATHIDAE (Anthozoa)
- Antipathes abies* (Linnaeus, 1758) = *Cupressopathes abies* (Linnaeus, 1758)
- Antipathes abies paniculata* (Linnaeus, 1758) = *Cupressopathes paniculata* (Esper, 1796)
- Antipathes abietina* Pourtalès, 1874 = *Elatopathes abietina* (Pourtalès, 1874)
- Antipathes aculeata* (Brook, 1889) = *Arachnopathes aculeata* Brook, 1889
- Antipathes aenea* (Linnaeus, 1758) = *Cupressopathes abies* (Linnaeus, 1758)

- Antipathes aenea* von Koch, 1889 = *Antipathes dichotoma* Pallas, 1766 *Antipathes cylindrica* Brook, 1889 II ANTIPATHIDAE (Anthozoa)
- Antipathes alata* (Brook, 1889) = *Tetrapathes alata* (Brook, 1889) *Antipathes delicatula* Schultze, 1896 II ANTIPATHIDAE (Anthozoa)
- Antipathes alopecuroides** Ellis & Solander, 1786 II ANTIPATHIDAE (Anthozoa)
- Antipathes americana* Duchassaing & Michelotti, 1861 = *Stylopathes americana* (Duchassaing & Michelotti, 1860) *Antipathes dendrochristos* Opresko, 2005 II ANTIPATHIDAE (Anthozoa)
- Antipathes anguina* Dana, 1846 = *Cirrhipathes anguina* (Dana, 1846) *Antipathes densa* Silberfeld, 1909 II ANTIPATHIDAE (Anthozoa)
- Antipathes antrocrada* Opresko, 1999 = *Myriopathes antrocrada* (Opresko, 1999) *Antipathes desbonni* (Duchassaing & Michelotti, 1864) = *Allopathes desbonni* (Duchassaing & Michelotti, 1864)
- Antipathes aperta* Totton, 1923 = *Antipathella aperta* (Totton, 1923) *Antipathes dichotoma* Pallas, 1766 II ANTIPATHIDAE (Anthozoa)
- Antipathes arborea** Dana, 1846 II ANTIPATHIDAE (Anthozoa)
- Antipathes arctica* Lütken, 1871 = *Stauropathes arctica* (Lütken, 1871) *Antipathes dichotoma malayensis* Pallas, 1766 = *Antipathes dichotoma* Pallas, 1766
- Antipathes assimilis** (Brook, 1889) II ANTIPATHIDAE (Anthozoa)
- Antipathes atlantica** Gray, 1858 II ANTIPATHIDAE (Anthozoa) (E) Grey Sea-fan Black Coral (S) Abanico gris (F) Corail noir éventail gris
- Antipathes barbadensis* (Brook, 1889) = *Tanacetipathes barbadensis* (Brook, 1889)
- Antipathes bifaria* Brook, 1889 = *Myriopathes bifaria* (Brook, 1889)
- Antipathes boscii** Lamouroux, 1821 II ANTIPATHIDAE (Anthozoa) (E) Bosc's Bottle-brush Black Coral (S) Cepillo de botella de Bosc
- Antipathes brookii** (Whitelegge, 1899) II ANTIPATHIDAE (Anthozoa)
- Antipathes brooki* (Johnson, 1900) = *Antipathes gracilis* Gray, 1860
- Antipathes cancellata* (Brook, 1889) = *Phanopathes cancellata* (Brook, 1889)
- Antipathes caribbeana** Opresko, 1996 II ANTIPATHIDAE (Anthozoa) (E) King's Black Coral (S) Cepillo de botella de King (F) Corail noir des Caraïbes
- Antipathes catharinae** (Pax, 1932) II ANTIPATHIDAE (Anthozoa)
- Antipathes ceylonensis** (Thomson & Simpson, 1905) II ANTIPATHIDAE (Anthozoa)
- Antipathes chamaemorus** Pax & Tischbierek, 1932 II ANTIPATHIDAE (Anthozoa)
- Antipathes chota** Forster Cooper, 1904 II ANTIPATHIDAE (Anthozoa)
- Antipathes clathrata* Pallas, 1766 = *Arachnopathes clathrata* (Pallas, 1766)
- Antipathes columnaris* (Duchassaing, 1870) = *Stylopathes columnaris* (Duchassaing, 1870)
- Antipathes contorta* (Brook, 1889) = *Tylopathes contorta* (Brook, 1889)
- Antipathes crispa* (Brook, 1889) = *Tylopathes crispa* Brook, 1889
- Antipathes cupressina* Pallas, 1766 = *Cupressopathes abies* (Linnaeus, 1758)
- Antipathes curvata** van Pesch, 1914 II ANTIPATHIDAE (Anthozoa)
- Antipathes furcata* Gray, 1858 II ANTIPATHIDAE (Anthozoa) (E) Branched Bottle-brush Black Coral (S) Cepillo de botella ramificado
- Antipathes galapagensis** Deichmann, 1941 II ANTIPATHIDAE (Anthozoa)
- Antipathes gallensis** Thomson & Simpson, 1905 II ANTIPATHIDAE (Anthozoa)
- Antipathes glaberrima* Esper, 1792 = *Leiopathes glaberrima* (Esper, 1792)

- Antipathes glutinata** Totton, 1923 II ANTIPATHIDAE  
(Anthozoa)
- Antipathes gracilis** Gray, 1860 II ANTIPATHIDAE  
(Anthozoa) (E) Orange sea-fan Black Coral (S)  
Abanico anaranjado (F) Corail noir éventail
- Antipathes gracilis** Gray, 1858 = *Stichopathes gracilis* (Gray, 1858)
- Antipathes gracilis** Thomson & Simpson, 1905 =  
*Cupressopathes gracilis* (Thomson & Simpson, 1905)
- Antipathes gracilis** von Koch, 1889 = *Antipathes fragilis* Gravier, 1918
- Antipathes grandiflora** Silberfeld, 1909 II  
ANTIPATHIDAE (Anthozoa)
- Antipathes grandis** Verrill, 1928 II ANTIPATHIDAE  
(Anthozoa)
- Antipathes grayi** (Roule, 1902) II ANTIPATHIDAE  
(Anthozoa)
- Antipathes griggi** Opresko, 2009 II ANTIPATHIDAE  
(Anthozoa)
- Antipathes herdmani** Forster Cooper, 1909 II  
ANTIPATHIDAE (Anthozoa)
- Antipathes heterorhodzos** Forster Cooper, 1909 =  
*Heliopathes heterorhodzos* (Forster Cooper, 1909)
- Antipathes hirta** Gray, 1858 = *Tanacetipathes hirta* (Gray, 1858)
- Antipathes humilis** Pourtalès, 1867 = *Acanthopathes humilis* (Pourtalès, 1867)
- Antipathes hypnoides** (Brook, 1889) II ANTIPATHIDAE  
(Anthozoa)
- Antipathes indistincta** van Pesch, 1914 II  
ANTIPATHIDAE (Anthozoa)
- Antipathes intermedia** (Brook, 1889) II ANTIPATHIDAE  
(Anthozoa)
- Antipathes irregularis** (Thomson & Simpson, 1905) II  
ANTIPATHIDAE (Anthozoa)
- Antipathes japonica** Brook, 1889 = *Myriopathes japonica* (Brook, 1889)
- Antipathes larix** Esper, 1790 = *Parantipathes larix* (Esper, 1790)
- Antipathes lata** Silberfeld, 1909 = *Myriopathes lata* (Silberfeld, 1909)
- Antipathes lenta** Pourtalès, 1871 II ANTIPATHIDAE  
(Anthozoa) (E) Hairnet Black Coral (S) Coral redecilla  
(F) Corail noir à résille
- Antipathes lentipinna** Brook, 1889 II ANTIPATHIDAE  
(Anthozoa)
- Antipathes lilliei** Totton, 1923 = *Lillipathes lilliei* (Totton, 1923)
- Antipathes longibrachiata** van Pesch, 1914 II  
ANTIPATHIDAE (Anthozoa)
- Antipathes malayensis** Pax, 1932 = *Antipathes dichotoma* Pallas, 1766
- Antipathes mediterranea** Brook, 1889 II ANTIPATHIDAE  
(Anthozoa)
- Antipathes melancholica** Duchassaing, 1870 =  
*Distichopathes filix* (Pourtalès, 1867)
- Antipathes mimosella** Lamarck, 1815 = *Myriopathes ulex* (Ellis & Solander, 1786)
- Antipathes minor** (Brook, 1889) II ANTIPATHIDAE  
(Anthozoa)
- Antipathes myriophylla** Pallas, 1766 = *Myriopathes myriophylla* (Pallas, 1766)
- Antipathes nilanduensis** Forster Cooper, 1904 II  
ANTIPATHIDAE (Anthozoa)
- Antipathes panamensis** Verrill, 1869 = *Myriopathes panamensis* (Verrill, 1870)
- Antipathes paniculata** Esper, 1796 = *Cupressopathes paniculata* (Esper, 1796)
- Antipathes pauroclema** Pax & Tischbierek, 1932 II  
ANTIPATHIDAE (Anthozoa)
- Antipathes pectinata** Lamarck, 1815 II ANTIPATHIDAE  
(Anthozoa)
- Antipathes pedata** Gray, 1858 = *Aphanipathes pedata* (Gray, 1858)
- Antipathes pennacea** Pallas, 1766 = *Plumapathes pennacea* (Pallas, 1766)
- Antipathes picea** Pourtalès, 1880 = *Tanacetipathes hirta* (Gray, 1858)
- Antipathes pinnatifida** Lamouroux, 1821 = *Myriopathes myriophylla* (Pallas, 1766)
- Antipathes plana** Forster Cooper, 1909 II  
ANTIPATHIDAE (Anthozoa)
- Antipathes plantagenista** (Forster Cooper, 1904) II  
ANTIPATHIDAE (Anthozoa)
- Antipathes pluma** Gray, 1858 = *Plumapathes pennacea* (Pallas, 1766)
- Antipathes pseudodichotoma** Silberfeld, 1909 II  
ANTIPATHIDAE (Anthozoa)
- Antipathes pumila** Brook, 1889 = *Cupressopathes pumila* (Brook, 1889)
- Antipathes punctata** Roule, 1905 = *Stauropathes punctata* (Roule, 1905)
- Antipathes regularis** Forster Cooper, 1904 II  
ANTIPATHIDAE (Anthozoa)
- Antipathes reticulata** Esper, 1795 = *Rhipidipathes reticulata* (Esper, 1795)
- Antipathes rhipidion** Pax, 1916 II ANTIPATHIDAE  
(Anthozoa) (E) Rigidium Black Coral (S) Coral ripidio
- Antipathes rigida** Pourtalès, 1880 = *Phanopathes rigida* (Pourtalès, 1880)
- Antipathes robilliardi** Bell, 1891 = *Allopathes robilliardi* (Bell, 1891)
- Antipathes rubra** Forster Cooper, 1904 II ANTIPATHIDAE  
(Anthozoa)
- Antipathes rubiformis** Warner & Opresko, 2004 II  
ANTIPATHIDAE (Anthozoa)
- Antipathes rugosa** (Thomson & Simpson, 1905) =  
*Myriopathes rugosa* (Thomson & Simpson, 1905)
- Antipathes salicoides** Summers, 1910 II ANTIPATHIDAE  
(Anthozoa)
- Antipathes salix** Pourtalès, 1880 = *Aphanipathes salix* (Pourtalès, 1880)
- Antipathes sarothamnoides** (Brook, 1889) = *Aphanipathes sarothamnoides* Brook, 1889
- Antipathes sarothrum** Pax, 1932 II ANTIPATHIDAE  
(Anthozoa)
- Antipathes scoparia** Lamarck, 1815 = *Antipathes virgata* Esper, 1798
- Antipathes sealarki** Forster Cooper, 1909 II  
ANTIPATHIDAE (Anthozoa)

- Antipathes setacea** Gray, 1860 = *Stichopathes setacea* (Gray, 1860)
- Antipathes sibogae** van Pesch, 1914 II ANTIPATHIDAE (Anthozoa)
- Antipathes simplex** (Schultze, 1896) II ANTIPATHIDAE (Anthozoa)
- Antipathes simpsoni** (Summers, 1910) II ANTIPATHIDAE (Anthozoa)
- Antipathes speciosa** (Brook, 1889) II ANTIPATHIDAE (Anthozoa)
- Antipathes spinescens** Gray, 1858 = *Tanacetipathes spinescens* (Gray, 1858)
- Antipathes spinosa** (Carter, 1880) = *Myriopathes spinosa* (Carter, 1880)
- Antipathes spinulosa** (Schultze, 1896) II ANTIPATHIDAE (Anthozoa)
- Antipathes spiralis** (Linnaeus, 1758) = *Cirrhipathes spiralis* (Linnaeus, 1758)
- Antipathes spiralis** Pourtalès, 1880 = *Stichopathes gracilis* (Gray, 1858)
- Antipathes squamosa** W. Koch, 1886 = *Tanacetipathes squamosa* (W. Koch, 1886)
- Antipathes stechowi** (Pax, 1932) = *Myriopathes stechowi* (Pax, 1932)
- Antipathes strigosa** (Brook, 1889) = *Antipathella strigosa* Brook, 1889
- Antipathes subpinnata** Ellis & Solander, 1786 = *Antipathella subpinnata* (Ellis & Solander, 1786)
- Antipathes subpinnata** Gray, 1858 = *Antipathella wollastonii* (Gray, 1858)
- Antipathes tanacetum** Pourtalès, 1880 = *Tanacetipathes tanacetum* (Pourtalès, 1880)
- Antipathes tenuispina** (Silberfeld, 1909) = *Stylopathes tenuispina* (Silberfeld, 1909)
- Antipathes ternatensis** Schultze, 1896 II ANTIPATHIDAE (Anthozoa)
- Antipathes tetrasticha** Pourtalès, 1868 = *Parantipathes tetrasticha* (Pourtalès, 1868)
- Antipathes thamnea** Warner, 1981 = *Tanacetipathes thamnea* (Warner, 1981)
- Antipathes thamnoidea** Schultze, 1896 II ANTIPATHIDAE (Anthozoa)
- Antipathes thyoides** Pourtalès, 1880 = *Acanthopathes thyoides* (Pourtalès, 1880)
- Antipathes triadocrada** (Opresco, 1999) = *Triadopathes triadocrada* (Opresco, 1999)
- Antipathes tristis** (Duchassaing, 1870) II ANTIPATHIDAE (Anthozoa) (E) Lacklustre Black Coral (S) Cepillo de botella opaco
- Antipathes ulex** Ellis & Solander, 1786 = *Myriopathes ulex* (Ellis & Solander, 1786)
- Antipathes umbratica** Opresco, 1996 II ANTIPATHIDAE (Anthozoa)
- Antipathes undulata** van Pesch, 1914 = *Acanthopathes undulata* (van Pesch, 1914)
- Antipathes valdiviae** Pax, 1915 II ANTIPATHIDAE (Anthozoa)
- Antipathes verticillata** (Brook, 1889) = *Aphanipathes verticillata* Brook, 1889
- Antipathes viminalis** Roule, 1902 II ANTIPATHIDAE (Anthozoa)
- Antipathes virgata** Esper, 1798 II ANTIPATHIDAE (Anthozoa)
- Antipathes wollastonii** Gray, 1858 = *Antipathella wollastonii* (Gray, 1858)
- Antipathes zoothallus** Pax, 1932 II ANTIPATHIDAE (Anthozoa)
- ANTIPATHIDAE spp. II** (Anthozoa)
- Aonyx spp.** Lesson, 1827 I/II MUSTELIDAE (Mammalia)
- Aonyx capensis** (Schinz, 1821) I/III MUSTELIDAE (Mammalia) (E) African Clawless Otter, Cape Clawless Otter (S) Nutria africana, Nutria de cuello blanco (F) Loutre à joues blanches
- Aonyx capensis microdon** I 16 MUSTELIDAE (Mammalia) (E) Cameroon Clawless Otter, Small-toothed Clawless Otter, Swamp Otter (S) Nutria inerme de Camerún (F) Loutre à joues blanches du Cameroun, Paraonyx tacheté
- Aonyx cinerea** (Illiger, 1815) II MUSTELIDAE (Mammalia) (E) Oriental Small-clawed Otter, Small-clawed Otter (S) Nutria cenicienta, Nutria inerme asiatica (F) Loutre cendrée
- Aonyx cinereus** (Illiger, 1815) = *Aonyx cinerea* (Illiger, 1815)
- Aonyx congica** Lönnberg, 1910 = *Aonyx capensis* (Schinz, 1821)
- Aonyx microdon** Pohle, 1920 = *Aonyx capensis microdon*
- Aonyx philippi** Hinton, 1921 = *Aonyx capensis* (Schinz, 1821)
- AOTIDAE spp.** Elliot, 1913 II (Mammalia)
- Aotus spp.** Humboldt, 1811 II AOTIDAE (Mammalia)
- Aotus azarae** (Humboldt, 1811) II AOTIDAE (Mammalia) (E) Azara's Night Monkey (F) Singe de nuit d'Azara
- Aotus azarai** (Humboldt, 1811) = *Aotus azarae* (Humboldt, 1811)
- Aotus bipunctatus** Bole, 1937 = *Aotus lemurinus* (I. Geoffroy, 1843)
- Aotus herskovi** Ramírez-Cerquera, 1983 II AOTIDAE (Mammalia) (E) Herskovitz's Night Monkey
- Aotus jorgehernandezi** Defler & Bueno, 2007 II AOTIDAE (Mammalia)
- Aotus lemurinus** (I. Geoffroy, 1843) II AOTIDAE (Mammalia) (E) Lemurine Night Monkey
- Aotus lemurinus** I. Geoffroy, 1846 = *Aotus herskovi* Ramírez-Cerquera, 1983
- Aotus miconax** Thomas, 1927 II AOTIDAE (Mammalia) (E) Andean Night Monkey (F) Singe de nuit de Thomas
- Aotus nancymaae** Herskovitz, 1983 II AOTIDAE (Mammalia) (E) Ma's Night Monkey
- Aotus nigriceps** Dollman, 1909 II AOTIDAE (Mammalia) (E) Black-headed Night Monkey, Peruvian Night Monkey (F) Singe de nuit à tête noire
- Aotus trivirgatus** (Humboldt, 1811) II AOTIDAE (Mammalia) (E) Douroucouli, Night Monkey, Owl Monkey (F) Douroucouli, Singe de nuit
- Aotus trivirgatus azarae** (Humboldt, 1811) = *Aotus azarae* (Humboldt, 1811)
- Aotus trivirgatus herskovi** (Humboldt, 1811) = *Aotus herskovi* Ramírez-Cerquera, 1983

- Aotus trivirgatus lemurinus* (Humboldt, 1811) = *Aotus lemurinus* (I. Geoffroy, 1843)
- Aotus trivirgatus miconax* (Humboldt, 1811) = *Aotus miconax* Thomas, 1927
- Aotus trivirgatus nancymaae* (Humboldt, 1811) = *Aotus nancymaae* Hershkovitz, 1983
- Aotus trivirgatus nigriceps* (Humboldt, 1811) = *Aotus nigriceps* Dollman, 1909
- Aotus trivirgatus vociferans* (Humboldt, 1811) = *Aotus vociferans* (Spix, 1823)
- Aotus vociferans*** (Spix, 1823) II AOTIDAE (Mammalia)
- Aoudad (F): *Ammotragus lervia*
- Aoudad (E): *Ammotragus lervia*
- Apalone atra* (Webb & Legler, 1960) = *Apalone spinifera atra*
- Apalone spinifera*** (LeSueur, 1827) I/NC  
TRIONYCHIDAE (Reptilia) (E) Spiny Softshell Turtle
- Apalone spinifera atra*** I TRIONYCHIDAE (Reptilia) (E)  
Black Spiny Softshell Turtle, Cuatro Cienegas Softshell  
(S) Tortuga negra (F) Tortue molle noire
- Ape, Barbary (E): *Macaca sylvanus*
- Aphanipathes*** spp. Brook, 1889 II APHANIPATHIDAE (Anthozoa)
- Aphanipathes abietina* (Pourtales, 1874) = *Elatopathes abietina* (Pourtales, 1874)
- Aphanipathes alata* Brook, 1889 = *Tetrapathes alata* (Brook, 1889)
- Aphanipathes barbadensis* Brook, 1889 = *Tanacetipathes barbadensis* (Brook, 1889)
- Aphanipathes cancellata* Brook, 1889 = *Phanopathes cancellata* (Brook, 1889)
- Aphanipathes catharinae* Pax, 1932 = *Antipathes catharinae* (Pax, 1932)
- Aphanipathes colombiana* (Opresco & Sánchez, 1997) = *Rhipidipathes colombiana* (Opresco & Sánchez, 1997)
- Aphanipathes erinaceus* Roule, 1905 = *Antipathes erinaceus* (Roule, 1905)
- Aphanipathes eupteridea* (Lamouroux, Bory de Saint Vincent & Deslongchamps, 1824) = *Distichopathes filix* (Pourtales, 1867)
- Aphanipathes filix* (Pourtales, 1867) = *Distichopathes filix* (Pourtales, 1867)
- Aphanipathes fruticosa* (Gray, 1858) = *Antipathes fruticosa* Gray, 1858
- Aphanipathes hancocki* Forster Cooper, 1909 = *Acanthopathes hancocki* (Forster Cooper, 1909)
- Aphanipathes humilis* (Pourtales, 1867) = *Acanthopathes humilis* (Pourtales, 1867)
- Aphanipathes indistincta* (van Pesch, 1914) = *Antipathes indistincta* van Pesch, 1914
- Aphanipathes pedata*** (Gray, 1858) II APHANIPATHIDAE (Anthozoa)
- Aphanipathes pennacea* (Pallas, 1766) = *Plumapathes pennacea* (Pallas, 1766)
- Aphanipathes plantagenista* Forster Cooper, 1904 = *Antipathes plantagenista* (Forster Cooper, 1904)
- Aphanipathes reticulata* (Esper, 1795) = *Rhipidipathes reticulata* (Esper, 1795)
- Aphanipathes reticulata* van Pesch, 1914 = *Rhipidipathes reticulata* (Esper, 1795)
- Aphanipathes rigida* (Pourtales, 1880) = *Phanopathes rigida* (Pourtales, 1880)
- Aphanipathes salix*** (Pourtales, 1880) II  
APHANIPATHIDAE (Anthozoa) (E) Bushy Black Coral  
(S) Matojo negro de mar
- Aphanipathes salix rigida* (Pourtales, 1880) = *Phanopathes rigida* (Pourtales, 1880)
- Aphanipathes sarothamnoides*** Brook, 1889 II  
APHANIPATHIDAE (Anthozoa)
- Aphanipathes sibogae* (van Pesch, 1914) = *Antipathes sibogae* van Pesch, 1914
- Aphanipathes somervillei* Forster Cooper, 1909 = *Acanthopathes somervillei* (Forster Cooper, 1909)
- Aphanipathes spinulosa* Schultze, 1896 = *Antipathes spinulosa* (Schultze, 1896)
- Aphanipathes stechowi* Pax, 1932 = *Myriopathes stechowi* (Pax, 1932)
- Aphanipathes thamnoides* (Schultze, 1896) = *Antipathes thamnoides* Schultze, 1896
- Aphanipathes thyoides* (Pourtales, 1880) = *Acanthopathes thyoides* (Pourtales, 1880)
- Aphanipathes undulata* (van Pesch, 1914) = *Acanthopathes undulata* (van Pesch, 1914)
- Aphanipathes verticillata*** Brook, 1889 II  
APHANIPATHIDAE (Anthozoa)
- Aphanipathes wollastoni* (Gray, 1858) = *Antipathella wollastonii* (Gray, 1858)
- APHANIPATHIDAE** spp. Opresco, 2004 II (Anthozoa)
- Aphantochroa*** spp. Gould, 1853 II TROCHILIDAE (Aves)
- Aphantochroa cirrochloris*** (Vieillot, 1818) II  
TROCHILIDAE (Aves) (E) Sombre Hummingbird (S)  
Colibrí apagado (F) Colibri vert et gris
- Aphantochroa gularis* Gould, 1860 = *Heliodoxa gularis* (Gould, 1860)
- Aphantochroa hyposticta* Gould, 1862 = *Taphrospilus hypostictus* (Gould, 1862)
- Aphonopelma albiceps*** (Pocock, 1903) II  
THERAPHOSIDAE (Arachnida)
- Aphonopelma pallidum*** (Pickard-Cambridge, 1897) II  
THERAPHOSIDAE (Arachnida) (E) Chihuahua  
Rose-grey Tarantula, Mexican Grey Tarantula (S)  
Tarantula mexicana gris (F) Tarantule grise du Mexique
- Aphrastrea deformis* (Lamarck, 1816) = *Favites pentagona* (Esper, 1790)
- Apodora*** spp. Kluge, 1993 II PYTHONIDAE (Reptilia)
- Apodora papuana*** (Peters & Doria, 1878) II  
PYTHONIDAE (Reptilia) (E) Papuan Python (S) Pitón acuática de Papua (F) Python de Papouasie
- Apollo (E): *Parnassius apollo*
- Apollo, Mountain (E): *Parnassius apollo*
- Apolo (S): *Parnassius apollo*
- Aporoscelis bentii* Anderson, 1894 = *Uromastyx bentii* (Anderson, 1894)
- Aporoscelis bentii* Schmidt, 1939 = *Uromastyx bentii* (Anderson, 1894)
- Aporoscelis princeps* Boulenger, 1885 = *Uromastyx princeps* O'Shaughnessy, 1880
- Aprosmictus*** spp. Gould, 1842 II<sup>29</sup> PSITTACIDAE (Aves)

- Aprosmictus chloropterus* Ramsay, 1879 = *Alisterus chloropterus* (Ramsay, 1879)
- Aprosmictus erythropterus*** (Gmelin, 1788) II 29  
PSITTACIDAE (Aves) (E) Red-winged Parrot (S)  
Papagayo alirrojo (F) Perruche érythroptère
- Aprosmictus jonquillaceus*** (Vieillot, 1818) II 29  
PSITTACIDAE (Aves) (E) Olive-shouldered Parrot,  
Timor Red-winged Parrot (S) Papagayo de Timor (F)  
Perruche jonquille
- Aquila spp.*** Brisson, 1760 I/II 27 ACCIPITRIDAE (Aves)
- Aquila adalberti*** Brehm, 1861 I ACCIPITRIDAE (Aves)  
(E) Adalbert's Eagle, Spanish Imperial Eagle,  
White-shouldered Eagle (S) Águila imperial ibérica (F)  
Aigle à épaules blanches, Aigle ibérique, Aigle impérial espagnol, Aquila imperiale iberica
- Aquila africana* (Cassin, 1865) = *Spizaetus africanus* (Cassin, 1865)
- Aquila audax*** (Latham, 1801) II 27 ACCIPITRIDAE (Aves) (E) Wedge-tailed Eagle (S) Águila audaz (F) Aigle d'Australie
- Aquila chrysaetos*** (Linnaeus, 1758) II 27 ACCIPITRIDAE (Aves) (E) Golden Eagle (S) Águila real (F) Aigle doré, Aigle royal
- Aquila clanga*** Pallas, 1811 II 27 ACCIPITRIDAE (Aves) (E) Greater Spotted Eagle, Spotted Eagle (S) Águila moteada (F) Aigle criard
- Aquila fasciata* (Vieillot, 1822) = *Hieraetus fasciatus* (Vieillot, 1822)
- Aquila fasciata* Vieillot, 1822 = *Hieraetus fasciatus* (Vieillot, 1822)
- Aquila gurneyi*** Gray, 1860 II 27 ACCIPITRIDAE (Aves) (E) Gurney's Eagle (S) Águila moluqueña (F) Aigle de Gurney
- Aquila hastata*** (Lesson, 1834) II 27 ACCIPITRIDAE (Aves) (E) Indian Spotted Eagle
- Aquila heliaca*** Savigny, 1809 I ACCIPITRIDAE (Aves) (E) Eastern Imperial Eagle, Imperial Eagle (S) Águila imperial, Águila imperial oriental (F) Aigle impérial
- Aquila heliaca adalberti* Savigny, 1809 = *Aquila adalberti* Brehm, 1861
- Aquila imperiale iberica (F): *Aquila adalberti*
- Aquila leucorypha* Pallas, 1771 = *Haliaeetus leucoryphus* (Pallas, 1771)
- Aquila megaloptera* Meyen, 1834 = *Phalcoboenus megalopterus* (Meyen, 1834)
- Aquila morphnoides* Gould, 1841 = *Hieraetus morphnoides* (Gould, 1841)
- Aquila nipalensis*** Hodgson, 1833 II 27 ACCIPITRIDAE (Aves) (E) Steppe Eagle (S) Águila esteparia (F) Aigle des steppes
- Aquila orientalis* Cabanis, 1854 = *Aquila nipalensis* Hodgson, 1833
- Aquila pelagica* Pallas, 1811 = *Haliaeetus pelagicus* (Pallas, 1811)
- Aquila pomarina*** Brehm, 1831 II 27 ACCIPITRIDAE (Aves) (E) Lesser Spotted Eagle (S) Águila pomerana (F) Aigle pomarin
- Aquila pomarina hastata* Brehm, 1831 = *Aquila hastata* (Lesson, 1834)
- Aquila rapax*** (Temminck, 1828) II 27 ACCIPITRIDAE (Aves) (E) Tawny Eagle (S) Aguila Esteparia, Águila rapáz (F) Aigle ravisseur
- Aquila rapax nipalensis* (Temminck, 1828) = *Aquila nipalensis* Hodgson, 1833
- Aquila rapax orientalis* (Temminck, 1828) = *Aquila nipalensis* Hodgson, 1833
- Aquila spilogaster* (Bonaparte, 1850) = *Hieraetus spilogaster* (Bonaparte, 1850)
- Aquila verreauxii*** Lesson, 1830 II 27 ACCIPITRIDAE (Aves) (E) African Black Eagle, Black Eagle, Verreaux's Eagle (S) Águila cafre (F) Aigle de Verreaux
- Aquila vindhiana* Franklin, 1831 = *Aquila rapax* (Temminck, 1828)
- Aquila wahlbergi* Sundevall, 1850 = *Hieraetus wahlbergi* (Sundevall, 1850)
- Ara spp.*** Lacepède, 1799 I/II 29 PSITTACIDAE (Aves)
- Ara à collier jaune (F): *Primolius auricollis*
- Ara à face grise (F): *Cyanopsitta spixii*
- Ara à gorge bleue (F): *Ara glaucogularis*
- Ara ambiguus* (Bechstein, 1811) = *Ara ambiguus* (Bechstein, 1811)
- Ara ambiguus*** (Bechstein, 1811) I PSITTACIDAE (Aves) (E) Buffon's Macaw, Great Green Macaw (S) Guacamayo ambiguo, Guacamayo verde mayor (F) Ara de Buffon
- Ara à nuque d'or (F): *Primolius auricollis*
- Ara ararauna*** (Linnaeus, 1758) II 29 PSITTACIDAE (Aves) (E) Blue-and-gold Macaw, Blue-and-yellow Macaw (S) Guacamayo azulamarillo, Guacamayo azul y amarillo (F) Ara bleu et jaune
- Ara auricollis* Cassin, 1853 = *Primolius auricollis* (Cassin, 1853)
- Ara azul (S): *Anodorhynchus glaucus*
- Ara bleu (F): *Anodorhynchus hyacinthinus*
- Ara bleu et jaune (F): *Ara ararauna*
- Ara canindé (F): *Ara glaucogularis*
- Ara caninde* Wagler, 1832 = *Ara ararauna* (Linnaeus, 1758)
- Araçari à cou noir (F): *Pteroglossus aracari*
- Araçari à oreillons roux (F): *Pteroglossus castanotis*
- Aracari, Black-necked (E): *Pteroglossus aracari*
- Aracari, Chestnut-eared (E): *Pteroglossus castanotis*
- Aracari, Green (E): *Pteroglossus viridis*
- Araçari grigri (F): *Pteroglossus aracari*
- Araçari vert (F): *Pteroglossus viridis*
- Ara chloroptera* Gray, 1859 = *Ara chloropterus* G. R. Gray, 1859
- Ara chloroptère (F): *Ara chloropterus*
- Ara chloropterus*** G. R. Gray, 1859 II 29 PSITTACIDAE (Aves) (E) Green-winged Macaw, Red-and-green Macaw (S) Guacamayo aliverde, Guacamayo rojo (F) Ara chloroptère
- Arachnopathes spp.*** Milne Edwards & Haime, 1857 II ANTIPATHIDAE (Anthozoa)
- Arachnopathes aculeata*** Brook, 1889 II ANTIPATHIDAE (Anthozoa)
- Arachnopathes clathrata*** (Pallas, 1766) II ANTIPATHIDAE (Anthozoa)

- Arachnopathes columnaris* Duchassaing, 1870 =  
*Stylopathes columnaris* (Duchassaing, 1870)
- Arachnopathes ericooides** (Pallas, 1766) II  
ANTIPATHIDAE (Anthozoa)
- Arachnopathes paniculata* Duchassaing & Michelotti, 1864  
= *Antipathes atlantica* Gray, 1858
- Ara cobalt (F): *Anodorhynchus leari*
- Ara couloni* P. L. Sclater, 1876 = *Primolius couloni* (P. L. Sclater, 1876)
- Ara de Buffon (F): *Ara ambiguus*
- Ara de Coulon (F): *Primolius couloni*
- Ara de Fresnaye (F): *Ara rubrogenys*
- Ara de Lafresnaye (F): *Ara rubrogenys*
- Ara de Lear (F): *Anodorhynchus leari*
- Ara de Spix (F): *Cyanopsitta spixii*
- Ara d'Illiger (F): *Primolius maracana*
- Ara glaucogularis** Dabbene, 1921 I PSITTACIDAE (Aves)  
(E) Blue-throated Macaw (S) Guacamayo amarillo, Guacamayo barbazul, Guacamayo caninde (F) Ara à gorge bleue, Ara canindé
- Ara glauque (F): *Anodorhynchus glaucus*
- Araguato de Guatemala (S): *Alouatta pigra*
- Ara hyacinthe (F): *Anodorhynchus hyacinthinus*
- Ara jacinthe (F): *Anodorhynchus hyacinthinus*
- Ara macao** (Linnaeus, 1758) I PSITTACIDAE (Aves) (E)  
Scarlet Macaw (S) Guacamayo bandera, Guacamayo macao, Lapa azul (F) Ara macao, Ara rouge
- Ara macao (F): *Ara macao*
- Ara macavouanne (F): *Orthopsittaca manilata*
- Ara manilata* (Boddaert, 1783) = *Orthopsittaca manilata* (Boddaert, 1783)
- Ara maracana* (Vieillot, 1816) = *Primolius maracana* (Vieillot, 1816)
- Ara militaire (F): *Ara militaris*
- Ara militaris** (Linnaeus, 1766) I PSITTACIDAE (Aves) (E)  
Military Macaw (S) Guacamayo militar, Guacamayo verde (F) Ara militaire
- Ara miracana (F): *Primolius maracana*
- Ara nobilis* (Linnaeus, 1758) = *Diopsittaca nobilis* (Linnaeus, 1758)
- Ara noble (F): *Diopsittaca nobilis*
- Arapaima (S): *Arapaima gigas*
- Arapaima (E): *Arapaima gigas*
- Arapaíma (F): *Arapaima gigas*
- Arapaima, Giant (E): *Arapaima gigas*
- Arapaima gigas** (Cuvier, 1829) II ARAPAIMIDAE  
(Actinopterygii) (E) Arapaima, Giant Arapaima, Pirarucu (S) Arapaima, Paiche (F) Arapaíma, Paiche, Pirarucu
- Arara aymara* d'Orbigny, 1839 = *Psilopsiagon aymara* (d'Orbigny, 1839)
- Ara rouge (F): *Ara macao*
- Ara rubrogenys** Lafresnaye, 1847 I PSITTACIDAE (Aves)  
(E) Red-fronted Macaw (S) Guacamayo de Cochabamba, Guacamayo frentirroja (F) Ara de Fresnaye, Ara de Lafresnaye
- Arasarí banana (S): *Baillonius bailloni*
- Arasarí caripardo (S): *Pteroglossus castanotis*
- Arasarí cuellinegro (S): *Pteroglossus aracari*
- Arasarí orejicastano (S): *Pteroglossus castanotis*
- Arasarí verde (S): *Pteroglossus viridis*
- Ara severa* (Linnaeus, 1758) = *Ara severus* (Linnaeus, 1758)
- Ara sévère (F): *Ara severus*
- Ara severus** (Linnaeus, 1758) II 29 PSITTACIDAE (Aves)  
(E) Chestnut-fronted Macaw, Severe Macaw (S) Guacamayo severo (F) Ara sévère, Ara vert
- Ara spixii* (Wagler, 1832) = *Cyanopsitta spixii* (Wagler, 1832)
- Aratinga** spp. Spix, 1824 II 29 PSITTACIDAE (Aves)
- Aratinga acuticaudata** (Vieillot, 1818) II 29  
PSITTACIDAE (Aves) (E) Blue-crowned Conure, Blue-crowned Parakeet (S) Aratinga cabeciazul, Carapaico, Cotorra de los Palos (F) Conure à tête bleue
- Aratinga alticola* Chapman, 1921 = *Aratinga mitrata* (Tschudi, 1844)
- Aratinga aurea** (Gmelin, 1788) II 29 PSITTACIDAE (Aves) (E) Golden-crowned Conure, Peach-fronted Conure, Peach-fronted Parakeet (S) Aratinga frentidorada, Cotorra frentidorada (F) Conure couronnée, Perruche à front doré
- Aratinga auricapilla* (Kuhl, 1820) = *Aratinga auricapillus* (Kuhl, 1820)
- Aratinga auricapillus** (Kuhl, 1820) II 29 PSITTACIDAE (Aves) (E) Golden-capped Conure, Golden-capped Parakeet (S) Aratinga testadorada (F) Conure à tête d'or
- Aratinga brevipes* (Lawrence, 1871) = *Aratinga holochlora* (Sclater, 1859)
- Aratinga cabeciazul (S): *Aratinga acuticaudata*
- Aratinga cabecifusca (S): *Aratinga weddellii*
- Aratinga cactácea (S): *Aratinga cactorum*
- Aratinga cactorum** (Kuhl, 1820) II 29 PSITTACIDAE (Aves) (E) Caatinga Parakeet, Cactus Conure, Cactus Parakeet (S) Aratinga cactácea (F) Conure des cactus
- Aratinga canicularis** (Linnaeus, 1758) II 29  
PSITTACIDAE (Aves) (E) Orange-fronted Conure, Orange-fronted Parakeet (S) Aratinga frentinaranja, Perico frentinaranja (F) Conure à front rouge
- Aratinga chloroptera** (Souancé, 1856) II 29  
PSITTACIDAE (Aves) (E) Hispaniolan Conure, Hispaniolan Parakeet (S) Aratinga de la Española, Perico (F) Conure maîtresse
- Aratinga cubana (S): *Aratinga euops*
- Aratinga de Finsch (S): *Aratinga finschi*
- Aratinga de Guayaquil (S): *Aratinga erythrogenys*
- Aratinga de la Española (S): *Aratinga chloroptera*
- Aratinga de pinceles (S): *Leptosittaca branickii*
- Aratinga de Wagler (S): *Aratinga wagleri*
- Aratinga erythrogenys** (Lesson, 1844) II 29  
PSITTACIDAE (Aves) (E) Red-masked Conure, Red-masked Parakeet (S) Aratinga de Guayaquil, Perico caretirrojo (F) Conure à tête rouge
- Aratinga euops** (Wagler, 1832) II 29 PSITTACIDAE (Aves) (E) Cuban Conure, Cuban Parakeet (S) Aratinga cubana (F) Conure de Cuba
- Aratinga finschi** (Salvin, 1871) II 29 PSITTACIDAE (Aves) (E) Crimson-fronted Conure, Crimson-fronted

- Parakeet, Finsch's Conure (S) Aratinga de Finsch (F)  
Conure de Finsch
- Aratinga frentidorada (S): *Aratinga aurea*
- Aratinga frentinaranja (S): *Aratinga canicularis*
- Aratinga guarouba* (Gmelin, 1788) = *Guarouba guarouba* (Gmelin, 1788)
- Aratinga guarouba (S): *Guarouba guarouba*
- Aratinga holochlora** (Sclater, 1859) II 29 PSITTACIDAE  
(Aves) (E) Green Conure, Green Parakeet (S) Aratinga verde, Perico verde (F) Conure verte
- Aratinga jandaya** (Gmelin, 1788) II 29 PSITTACIDAE  
(Aves) (E) Jandaya Conure, Jandaya Parakeet, Yellow-headed Parakeet (S) Aratinga jandaya (F) Conure jandaya, Perruche de Jenday
- Aratinga jandaya (S): *Aratinga jandaya*
- Aratinga leucophthalma** (P. L. S. Müller, 1776) II 29 PSITTACIDAE (Aves) (E) White-eyed Conure, White-eyed Parakeet (S) Aratinga ojiblanca, Cotorra verde, Perico ojo blanco (F) Conure pavouane
- Aratinga leucophthalmus* (Müller, 1776) = *Aratinga leucophthalma* (P. L. S. Müller, 1776)
- Aratinga maculata** (Statius Müller, 1776) II 29 PSITTACIDAE (Aves) (E) Sulphur-breasted Parakeet
- Aratinga maculata* (Statius Müller, 1776) = *Aratinga solstitialis* (Linnaeus, 1758)
- Aratinga melanurus* Spix, 1824 = *Pyrrhura melanura* (Spix, 1824)
- Aratinga mitrada (S): *Aratinga mitrata*
- Aratinga mitrata** (Tschudi, 1844) II 29 PSITTACIDAE (Aves) (E) Mitred Conure, Mitred Parakeet (S) Aratinga mitrada, Cotorra carirroja (F) Conure mitrée
- Aratinga nana** (Vigors, 1830) II 29 PSITTACIDAE (Aves) (E) Aztec Parakeet, Olive-throated Conure, Olive-throated Parakeet (S) Aratinga pechisucia, Perico pechisucio (F) Conure aztèque
- Aratinga ñanday (S): *Nandayus nenday*
- Aratinga nenday* (Vieillot, 1823) = *Nandayus nenday* (Vieillot, 1823)
- Aratinga ojiblanca (S): *Aratinga leucophthalma*
- Aratinga orejigualda (S): *Ognorhynchus icterotis*
- Aratinga pechisucia (S): *Aratinga nana*
- Aratinga perlatus* Spix, 1824 = *Pyrrhura perlata* (Spix, 1824)
- Aratinga pertinax** (Linnaeus, 1758) II 29 PSITTACIDAE (Aves) (E) Brown-throated Conure, Brown-throated Parakeet (S) Aratinga pertinaz, Perico cara sucia (F) Conure cuivrée
- Aratinga pertinaz (S): *Aratinga pertinax*
- Aratinga pintoi* Silveira, Lima & Höfling, 2005 = *Aratinga maculata* (Statius Müller, 1776)
- Aratinga rubritorquis* (Sclater, 1887) = *Aratinga holochlora* (Sclater, 1859)
- Aratinga sol (S): *Aratinga solstitialis*
- Aratinga solstitialis** (Linnaeus, 1758) II 29 PSITTACIDAE (Aves) (E) Sun Conure, Sun Parakeet (S) Aratinga sol, Perico dorado (F) Conure soleil, Perruche du soleil
- Aratinga solstitialis* (Linnaeus, 1758) = *Aratinga maculata* (Statius Müller, 1776)
- Aratinga strenua** (Ridgway, 1915) II 29 PSITTACIDAE (Aves) (E) Pacific Parakeet (S) Perico verde centroamericano (F) Conure de Ridgway
- Aratinga testadorada (S): *Aratinga auricapillus*
- Aratinga verde (S): *Aratinga holochlora*
- Aratinga wagleri** (G. R. Gray, 1845) II 29 PSITTACIDAE (Aves) (E) Red-fronted Conure, Scarlet-fronted Parakeet (S) Aratinga de Wagler, Chacaraco (F) Conure de Wagler
- Aratinga weddelli** (Deville, 1851) II 29 PSITTACIDAE (Aves) (E) Dusky-headed Conure, Dusky-headed Parakeet (S) Aratinga cabecifusca, Perico cabecioscuro (F) Conure de Weddell
- Ara vert (F): *Ara severus*
- Archaius** spp. II CHAMAELEONIDAE (Reptilia)
- Archaius tigris** (Kuhl, 1820) II CHAMAELEONIDAE (Reptilia) (E) Tiger Chameleon (F) Caméléon tigre
- Archibebe manchado (S): *Tringa guttifer*
- Archibebe moteado (S): *Tringa guttifer*
- Archibuteo regalis* G. R. Gray, 1844 = *Buteo regalis* (Gray, 1844)
- Archilochus** spp. Reichenbach, 1854 II TROCHILIDAE (Aves)
- Archilochus alexandri** (Bourcier & Mulsant, 1846) II TROCHILIDAE (Aves) (E) Black-chinned Hummingbird (S) Colibrí barbinegro, Colibrí gorgirrubí (F) Colibri à gorge noire
- Archilochus anna* (Lesson, 1829) = *Calypte anna* (Lesson, 1829)
- Archilochus calliope* (Gould, 1847) = *Stellula calliope* (Gould, 1847)
- Archilochus colubris** (Linnaeus, 1758) II TROCHILIDAE (Aves) (E) Ruby-throated Hummingbird (S) Colibrí gorjirrubí (F) Colibri à gorge rubis
- Archohelia rediviva* Wells & Alderslade, 1979 = *Petrophyllia rediviva* (Wells & Alderslade, 1979)
- Arctictis binturong** (Raffles, 1821) III VIVERRIDAE (Mammalia) (E) Bearcat, Binturong (S) Binturong (F) Binturong
- Arctocèbe (F): *Arctocebus calabarensis*
- Arctocebus** spp. Gray, 1863 II LORISIDAE (Mammalia)
- Arctocebus aureus** de Winton, 1902 II LORISIDAE (Mammalia) (E) Golden Potto
- Arctocebus calabarensis** (J. A. Smith, 1860) II LORISIDAE (Mammalia) (E) Angwantibo (S) Poto dorado (F) Angwantibo, Arctocèbe, Potto de Calabar
- Arctocebus calabarensis aureus* (J. A. Smith, 1860) = *Arctocebus aureus* de Winton, 1902
- Arctocéphale d'Afrique du Sud (F): *Arctocephalus pusillus*
- Arctocéphale d'Australie (F): *Arctocephalus tropicalis*
- Arctocéphale de Guadalupe (F): *Arctocephalus townsendi*
- Arctocéphale de Juan Fernandez (F): *Arctocephalus philippii*
- Arctocéphale de Kerguelen (F): *Arctocephalus gazella*
- Arctocéphale des Galapagos (F): *Arctocephalus galapagoensis*
- Arctocephalus** spp. Cuvier, 1826 I/II OTARIIDAE (Mammalia)
- Arctocephalus australis** (Zimmermann, 1783) II OTARIIDAE (Mammalia) (E) South American Fur Seal,

- Southern Fur Seal (S) Lobo fino sudamericano, Oso marino austral (F) Otarie à fourrure australe  
*Arctocephalus australis forsteri* (Zimmermann, 1783) =  
*Arctocephalus forsteri* (Lesson, 1828)  
*Arctocephalus australis galapagoensis* (Zimmermann, 1783) = *Arctocephalus galapagoensis* Heller, 1904  
***Arctocephalus forsteri*** (Lesson, 1828) II OTARIIDAE  
(Mammalia) (E) New Zealand Fur Seal (S) Oso marino de Nueva Zelanda (F) Otarie à fourrure de Nouvelle-Zélande  
***Arctocephalus galapagoensis*** Heller, 1904 II  
OTARIIDAE (Mammalia) (E) Galapagos Fur Seal, Galapagos Islands Fur Seal (S) Oso marino de las Galápagos (F) Arctocéphale des Galapagos  
***Arctocephalus gazella*** (Peters, 1875) II OTARIIDAE  
(Mammalia) (E) Antarctic Fur Seal, Kerguelen Fur Seal (F) Arctocéphale de Kerguelen  
***Arctocephalus philippii*** (Peters, 1866) II OTARIIDAE  
(Mammalia) (E) Juan Fernández Fur Seal (S) Oso marino de Chile (F) Arctocéphale de Juan Fernandez  
***Arctocephalus pusillus*** (Schreber, 1775) II OTARIIDAE  
(Mammalia) (E) Afro-Australian Fur Seal, Cape Fur Seal, South African Fur Seal (F) Arctocéphale d'Afrique du Sud  
*Arctocephalus tasmanicus* Scott & Lord, 1926 =  
*Arctocephalus pusillus* (Schreber, 1775)  
***Arctocephalus townsendi*** Merriam, 1897 I OTARIIDAE  
(Mammalia) (E) Guadalupe Fur Seal, Lower Californian Fur Seal (S) Oso marino de Guadalupe, Otaria americana (F) Arctocéphale de Guadalupe, Otarie à fourrure d'Amérique  
***Arctocephalus tropicalis*** (J. E. Gray, 1872) II OTARIIDAE  
(Mammalia) (E) Amsterdam Island Fur Seal, Subantarctic Fur Seal (F) Arctocéphale d'Australie  
*Arctophoca philippii* (Peters, 1866) = *Arctocephalus philippii* (Peters, 1866)  
*Ardea americana* Linnaeus, 1758 = *Grus americana* (Linnaeus, 1758)  
*Ardea antigone* Linnaeus, 1758 = *Grus antigone* (Linnaeus, 1758)  
*Ardea canadensis* Linnaeus, 1758 = *Grus canadensis* (Linnaeus, 1758)  
*Ardea carunculata* Gmelin, 1789 = *Bugeranus carunculatus* (Gmelin, 1789)  
*Ardea grus* Linnaeus, 1758 = *Grus grus* (Linnaeus, 1758)  
*Ardea japonensis* P. L. S. Müller, 1776 = *Grus japonensis* (Müller, 1776)  
*Ardea nigra* Linnaeus, 1758 = *Ciconia nigra* (Linnaeus, 1758)  
*Ardea paradisea* Lichtenstein, 1793 = *Anthropoides paradiseus* (Lichtenstein, 1793)  
*Ardea pavonina* Linnaeus, 1758 = *Balearica pavonina* (Linnaeus, 1758)  
*Ardea rubicunda* Perry, 1810 = *Grus rubicunda* (Perry, 1810)  
*Ardea virgo* Linnaeus, 1758 = *Anthropoides virgo* (Linnaeus, 1758)  
***Ardeotis spp.*** Le Maout, 1853 I/II OTIDIDAE (Aves)  
***Ardeotis arabs*** (Linnaeus, 1758) II OTIDIDAE (Aves) (E)  
Arabian Bustard (S) Avutarda árabe (F) Grande outarde arabe, Outarde arabe  
***Ardeotis australis*** (J. E. Gray, 1829) II OTIDIDAE (Aves) (E) Australian Bustard (S) Avutarda australiana (F) Outarde australienne, Outarde d'Australie  
***Ardeotis denhami*** (Children & Vigors, 1826) = *Neotis denhami* (Children, 1826)  
***Ardeotis heuglinii*** (Hartlaub, 1859) = *Neotis heuglinii* (Hartlaub, 1859)  
***Ardeotis kori*** (Burchell, 1822) II OTIDIDAE (Aves) (E) Kori Bustard (S) Avutarda kori (F) Outarde kori  
***Ardeotis ludwigii*** (Rüppell, 1837) = *Neotis ludwigii* (Rüppell, 1837)  
***Ardeotis nigriceps*** (Vigors, 1831) I OTIDIDAE (Aves) (E) Great Indian Bustard, Indian Bustard (S) Avutarda de la India, Avutarda india, Avutarda índica (F) Outarde à tête noire, Outarde de l'Inde  
***Ardeotis nuba*** (Cretzschmar, 1826) = *Neotis nuba* (Cretzschmar, 1826)  
Ardilla costarricense (S): *Sciurus deppei*  
Ardilla de Deppe (S): *Sciurus deppei*  
Ardilla de los pinos (S): *Sciurus deppei*  
*Arena boucardi* Mulsant, 1877 = *Amazilia boucardi* (Mulsant, 1877)  
Argali (F): *Ovis ammon*  
Argali (E): *Ovis ammon*  
Argalí (S): *Ovis ammon*  
Argalí del Himalaya (S): *Ovis ammon hodgsonii*  
Argali, Kara Tau (E): *Ovis ammon nigrimontana*  
Argali, Tibetan (E): *Ovis ammon hodgsonii*  
Argos gigante (S): *Argusianus argus*  
Argos real (S): *Argusianus argus*  
Argus, Crested (E): *Rheinardia ocellata*  
Argus géant (F): *Argusianus argus*  
Argus, Great (E): *Argusianus argus*  
***Argusianus argus*** (Linnaeus, 1766) II PHASIANIDAE (Aves) (E) Argus Pheasant, Great Argus (S) Argos gigante, Argos real, Faisán argos (F) Argus géant  
*Argus ocellatus* Elliot, 1871 = *Rheinardia ocellata* (Elliot, 1871)  
Argus ocellé (F): *Rheinardia ocellata*  
Ariane à couronne azur (F): *Amazilia cyanocephala*  
Ariane à couronne violette (F): *Amazilia violiceps*  
Ariane à front bleu (F): *Amazilia cyanifrons*  
Ariane à front vert (F): *Amazilia viridifrons*  
Ariane aimable (F): *Amazilia amabilis*  
Ariane à poitrine blanche (F): *Amazilia brevirostris*  
Ariane à queue bleue (F): *Amazilia cyanura*  
Ariane à ventre blanc (F): *Amazilia chionogaster*  
Ariane à ventre gris (F): *Amazilia tzacatl*  
Ariane à ventre roux (F): *Amazilia castaneiventris*  
Ariane à ventre vert (F): *Amazilia viridigaster*  
Ariane beryl (F): *Amazilia beryllina*  
Ariane candide (F): *Amazilia candida*  
Ariane cannelle (F): *Amazilia rutila*  
Ariane de Boucard (F): *Amazilia boucardi*  
Ariane d'Edward (F): *Amazilia edward*  
Ariane de Félicie (F): *Amazilia tobaci*  
Ariane de Francia (F): *Amazilia franciae*  
Ariane de Lesson (F): *Amazilia amazilia*  
Ariane de Linné (F): *Amazilia fimbriata*

- Ariane de Lucy (F): *Amazilia luciae*  
 Ariane de Rosenberg (F): *Amazilia rosenbergi*  
 Ariane de Sophie (F): *Amazilia saucerrottei*  
 Ariane du Pérou (F): *Amazilia viridicauda*  
 Ariane du Yucatan (F): *Amazilia yucatanensis*  
 Ariane saphirine (F): *Amazilia lactea*  
 Ariane versicolore (F): *Amazilia versicolor*  
 Ariane vert-doré (F): *Amazilia leucogaster*  
 Arirai (S): *Pteronura brasiliensis*  
 Armadillo, Andean Hairy (E): *Chaetophractus nationi*  
 Armadillo, Bolivian Hairy (E): *Chaetophractus nationi*  
 Armadillo, Giant (E): *Priodontes maximus*  
 Armadillo gigante (S): *Priodontes maximus*  
 Armadillo, Greater Naked-tailed (E): *Cabassous tatouay*  
 Armadillo, Hairy (E): *Chaetophractus nationi*  
 Armadillo, Northern Naked-tailed (E): *Cabassous centralis*  
 Armadillo peludo andino (S): *Chaetophractus nationi*  
 Armado de zapilots (S): *Cabassous centralis*  
*Armandia lidderdalii* (Atkinson, 1873) = *Bhutanitis lidderdalii* Atkinson, 1873  
*Armandia mansfieldi* Riley, 1939 = *Bhutanitis mansfieldi* (Riley, 1939)  
*Armandia thaidina* Blanchard, 1871 = *Bhutanitis thaidina* (Blanchard, 1871)  
 Armiño (S): *Mustela erminea*  
 Arni (F): *Bubalus arnee*  
 Arowana (E): *Scleropages formosus*  
 Arowana, Asian (E): *Scleropages formosus*  
 Arowana, Golden (E): *Scleropages formosus*  
 Arpía (S): *Harpia harpyja*  
 Arpía mayor (S): *Harpia harpyja*  
 Arpía menor (S): *Morphnus guianensis*  
 Arpía papúa (S): *Harpyopsis novaeguineae*  
 Arrau (E): *Podocnemis expansa*  
 Arruí (S): *Ammotragus lervia*  
**Asarcornis scutulata** (S. Müller, 1842) I ANATIDAE  
 (Aves) (E) White-winged Duck, White-winged Wood Duck (S) Pato aliblanco, Pato almizclero aliblanco, Pato de jungla (F) Canard à ailes blanches, Canard musqué à ailes blanches  
 Ascagne (F): *Cercopithecus ascanius*  
**Asio spp.** Brisson, 1760 II 30 STRIGIDAE (Aves)  
**Asio abyssinicus** (Guérin-Méneville, 1843) II 30  
 STRIGIDAE (Aves) (E) Abyssinian Long-eared Owl, Abyssinian Owl (S) Búho abisinio (F) Hibou d'Abyssinie  
*Asio butleri* Hume, 1878 = *Strix butleri* (Hume, 1878)  
**Asio capensis** (Smith, 1834) II 30 STRIGIDAE (Aves) (E)  
 African Marsh Owl, Marsh Owl (S) Búho moro, Lechuza mora (F) Hibou du Cap  
*Asio clamator* (Vieillot, 1808) = *Pseudoscops clamator* (Vieillot, 1808)  
**Asio flammeus** (Pontoppidan, 1763) II 30 STRIGIDAE  
 (Aves) (E) Short-eared Owl (S) Búho campestre, Búho orejicorto, Lechuza campestre, Lechuza orejicorta, Lechuzón campestre (F) Hibou brachyote, Hibou des marais  
**Asio madagascariensis** (Smith, 1834) II 30 STRIGIDAE  
 (Aves) (E) Madagascar Owl (S) Búho malgache, Lechuza orejita de Madagascar (F) Hibou de Madagascar, Hibou malgache  
**Asio otus** (Linnaeus, 1758) II 30 STRIGIDAE (Aves) (E)  
 Long-eared Owl (S) Búho Chico, Búho-cornudo caricafe (F) Hibou moyen-duc  
*Asio otus abyssinicus* (Linnaeus, 1758) = *Asio abyssinicus* (Guérin-Méneville, 1843)  
**Asio stygius** (Wagler, 1832) II 30 STRIGIDAE (Aves) (E)  
 Stygian Owl (S) Búho-cornudo oscuro, Búho negruzco, Lechuza estigia, Lechuzón negruzco (F) Hibou maître-bois  
 Asno salvaje de África (S): *Equus africanus*  
*Aspideretes gangeticus* (Cuvier, 1825) = *Nilssonia gangetica* (Cuvier, 1825)  
*Aspideretes hurum* (Gray, 1831) = *Nilssonia hurum* (Gray, 1831)  
*Aspideretes leithii* (Gray, 1872) = *Nilssonia leithii* (Gray, 1872)  
*Aspideretes nigricans* (Anderson, 1875) = *Nilssonia nigricans* (Anderson, 1875)  
**Aspidites spp.** Peters, 1877 II PYTHONIDAE (Reptilia)  
*Aspidites collaris* Longman, 1913 = *Aspidites ramsayi* (Macleay, 1882)  
**Aspidites melanocephalus** (Krefft, 1864) II  
 PYTHONIDAE (Reptilia) (E) Black-headed Python, Woma (S) Pitón de cabeza negra (F) Python à tête noire d'Australie, Woma  
*Aspidites melanocephalus ramsayi* (Krefft, 1864) = *Aspidites ramsayi* (Macleay, 1882)  
**Aspidites ramsayi** (Macleay, 1882) II PYTHONIDAE (Reptilia) (E) Ramsay's Python, Woma (S) Pitón de Ramsay (F) Python de Ramsay, Woma  
*Aspidoboa curtus* (Schlegel, 1872) = *Python curtus* Schlegel, 1872  
*Aspidonectes californiana* rivers 1889 Rivers, 1889 = *Palea steindachneri* (Siebenrock, 1906)  
*Aspidopython jakati* Meyer, 1874 = *Morelia amethistina* (Schneider, 1801)  
*Aspidus gatagholt* Gray, 1872 = *Nilssonia gangetica* (Cuvier, 1825)  
*Aspidus punctulatus* Gray, 1864 = *Amyda cartilaginea* (Boddaert, 1770)  
 Ass, African (E): *Equus africanus*  
 ass, African wild (E): *Equus africanus*  
 Ass, Asian Wild (E): *Equus hemionus*  
 Ass, Asiatic Wild (E): *Equus hemionus*  
 Ass, Indian Wild (E): *Equus hemionus khur*  
 Ass, Mongolian Wild (E): *Equus hemionus hemionus*  
**Asteriopathes spp.** Opresko, 2004 II APHANIPATHIDAE (Anthozoa)  
**Asteriopathes arachniformis** Opresko, 2004 II  
 APHANIPATHIDAE (Anthozoa)  
**Asteriopathes colini** Opresko, 2004 II  
 APHANIPATHIDAE (Anthozoa)  
*Asterosericis planulata* (Dana, 1846) = *Gardineroseris planulata* (Dana, 1846)  
*Asterosmilia gigas* (van der Horst, 1931) = *Anomocora gigas* (van der Horst, 1931)  
*Asterosmilia marchadi* (Chevalier, 1966) = *Anomocora marchadi* (Chevalier, 1966)  
*Asterosmilia prolifera* (Pourtalès, 1871) = *Anomocora prolifera* (Pourtalès, 1871)

- Astourion (F): *Acipenser sturio*
- Astraeosmilia* spp.** Ortmann, 1892 II FAVIIDAE  
(Anthozoa)
- Astraeosmilia connata*** Ortmann, 1892 II FAVIIDAE  
(Anthozoa)
- Astrange solitaire (F): *Astrangia solitaria*
- Astrangia* spp.** Milne Edwards & Haime, 1848 II  
RHIZANGIIDAE (Anthozoa)
- Astrangia astreiformis* Milne Edwards & Haime, 1850 =  
*Astrangia poculata* (Ellis & Solander, 1786)
- Astrangia atrata*** (Dennant, 1906) II RHIZANGIIDAE  
(Anthozoa)
- Astrangia braziliensis* Vaughan, 1906 = *Astrangia solitaria*  
(LeSueur, 1817)
- Astrangia browni*** Palmer, 1928 II RHIZANGIIDAE  
(Anthozoa)
- Astrangia caboensis* Durham, 1947 = *Astrangia haimei*  
Verrill, 1866
- Astrangia californica*** Durham & Barnard, 1952 II  
RHIZANGIIDAE (Anthozoa)
- Astrangia concepcionensis* Durham, 1947 = *Astrangia haimei*  
Verrill, 1866
- Astrangia concinna* Verrill, 1866 = *Astrangia haimei* Verrill,  
1866
- Astrangia conferta*** Verrill, 1870 II RHIZANGIIDAE  
(Anthozoa)
- Astrangia coronadosensis* Durham, 1947 = *Astrangia haimei*  
Verrill, 1866
- Astrangia cortezi* Durham & Barnard, 1952 = *Astrangia haimei*  
Verrill, 1866
- Astrangia costata*** Verrill, 1866 II RHIZANGIIDAE  
(Anthozoa)
- Astrangia danae* Milne Edwards & Haime, 1850 =  
*Astrangia poculata* (Ellis & Solander, 1786)
- Astrangia dentata*** Verrill, 1866 II RHIZANGIIDAE  
(Anthozoa)
- Astrangia edwardsii* Verrill, 1866 = *Astrangia poculata*  
(Ellis & Solander, 1786)
- Astrangia epithecata* Duncan, 1876 = *Astrangia solitaria*  
(LeSueur, 1817)
- Astrangia equatorialis*** Durham & Barnard, 1952 II  
RHIZANGIIDAE (Anthozoa)
- Astrangia gardnerensis* Durham & Barnard, 1952 =  
*Astrangia equatorialis* Durham & Barnard, 1952
- Astrangia granulata* Duchassaing & Michelotti, 1860 =  
*Astrangia solitaria* (LeSueur, 1817)
- Astrangia haimei*** Verrill, 1866 II RHIZANGIIDAE  
(Anthozoa)
- Astrangia hancocki* Durham & Barnard, 1952 = *Astrangia haimei*  
Verrill, 1866
- Astrangia hayamaensis* Eguchi, 1968 = *Phyllangia*  
*hayamaensis* (Eguchi, 1968)
- Astrangia hondaensis* Durham & Barnard, 1952 =  
*Polycyathus hondaensis* (Durham & Barnard, 1952)
- Astrangia howardi*** Durham & Barnard, 1952 II  
RHIZANGIIDAE (Anthozoa)
- Astrangia insignifica* Ricketts & Calvin, 1939 = *Astrangia*  
*haimei* Verrill, 1866
- Astrangia lajollaensis* Duncan, 1947 = *Astrangia haimei*  
Verrill, 1866
- Astrangia macrodentata*** Thiel, 1940 II RHIZANGIIDAE  
(Anthozoa)
- Astrangia mercatoris*** Thiel, 1941 II RHIZANGIIDAE  
(Anthozoa)
- Astrangia michelinii* Milne Edwards & Haime, 1848 =  
*Astrangia poculata* (Ellis & Solander, 1786)
- Astrangia minuta* Duncan, 1876 = *Astrangia solitaria*  
(LeSueur, 1817)
- Astrangia neglecta* Duchassaing & Michelotti, 1860 =  
*Astrangia solitaria* (LeSueur, 1817)
- Astrangia oaxacensis* Palmer, 1928 = *Astrangia haimei*  
Verrill, 1866
- Astrangia pedersenii* Verrill, 1870 = *Astrangia haimei*  
Verrill, 1866
- Astrangia poculata*** (Ellis & Solander, 1786) II  
RHIZANGIIDAE (Anthozoa) (E) Northern Star Coral (S)  
Coral tacita estrella
- Astrangia pulchella* Verrill, 1866 = *Astrangia haimei* Verrill,  
1866
- Astrangia rathbuni*** Vaughan, 1906 II RHIZANGIIDAE  
(Anthozoa) (E) Rathbun's Dwarf Cup Coral (S) Coral  
tacita de Rathbun
- Astrangia sanfelipensis* Durham & Barnard, 1952 =  
*Astrangia haimei* Verrill, 1866
- Astrangia solitaria*** (LeSueur, 1817) II RHIZANGIIDAE  
(Anthozoa) (E) Dwarf Cup Coral (S) Coral tacita  
solitario (F) Astrange solitaire
- Astrangia solitaria portoricensis* (LeSueur, 1817) =  
*Astrangia solitaria* (LeSueur, 1817)
- Astrangia tangolaensis* Durham, 1947 = *Astrangia*  
*californica* Durham & Barnard, 1952
- Astrangia woodsi*** Wells, 1955 II RHIZANGIIDAE  
(Anthozoa)
- Astrapia* spp.** Vieillot, 1816 II PARADISAEIDAE (Aves)
- Astrapia, Arfak (E): *Astrapia nigra*
- Astrapia, Huon (E): *Astrapia rothschildi*
- Astrapia mayeri*** Stonor, 1939 II PARADISAEIDAE (Aves)  
(E) Ribbon-tailed Astrapia, Ribbon-tailed  
Bird-of-paradise (F) Paradisier à rubans
- Astrapia nigra*** (Gmelin, 1788) II PARADISAEIDAE (Aves)  
(E) Arfak Astrapia (F) Housse-col doré, Paradisier à  
gorge noire
- Astrapia, Ribbon-tailed (E): *Astrapia mayeri*
- Astrapia rothschildi*** Förster, 1906 II PARADISAEIDAE  
(Aves) (E) Huon Astrapia (F) Housse-col de  
Rothschild, Paradisier de Rothschild
- Astrapia, Splendid (E): *Astrapia splendidissima*
- Astrapia splendidissima*** Rothschild, 1895 II  
PARADISAEIDAE (Aves) (E) Splendid Astrapia (F)  
Housse-col splendide, Paradisier splendide
- Astrapia stephaniae*** (Finsch, 1885) II PARADISAEIDAE  
(Aves) (E) Princess Stephanie's Bird-of-paradise,  
Stephanie's Astrapia (F) Housse-col à queue rubanée,  
Paradisier de la princesse Stéphanie, Paradisier de  
Stéphanie
- Astrapia, Stephanie's (E): *Astrapia stephaniae*
- Astrea affinis* (Milne Edwards & Haime, 1850) = *Favia*  
*favus* (Forskål, 1775)
- Astrea ananas* Quoy & Gaimard, 1833 = *Barabattoia*  
*amicorum* (Milne Edwards & Haime, 1848)

- Astrea annularis* (Ellis & Solander, 1786) = *Montastrea annularis* (Ellis & Solander, 1786)
- Astrea annuligera* Milne Edwards & Haime, 1850 = *Montastrea annuligera* (Milne Edwards & Haime, 1850)
- Astrea argus* Lamarck, 1816 = *Montastrea cavernosa* (Linnaeus, 1767)
- Astrea cellulosa* Verrill, 1869 = *Favia pallida* (Dana, 1846)
- Astrea cellulosa* Verrill, 1872 = *Favia pallida* (Dana, 1846)
- Astrea cerium* Dana, 1846 = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)
- Astrea conferta* Milne Edwards & Haime, 1850 = *Montastrea cavernosa* (Linnaeus, 1767)
- Astrea coronata* Dana, 1846 = *Montastrea curta* (Dana, 1846)
- Astrea crispata* Lamarck, 1816 = *Oulastrea crispata* (Lamarck, 1816)
- Astrea curta* Dana, 1846 = *Montastrea curta* (Dana, 1846)
- Astrea decactis* Lyman, 1859 = *Madracis decactis* (Lyman, 1859)
- Astrea deformis* Lamarck, 1816 = *Favites pentagona* (Esper, 1790)
- Astrea denticulata* Dana, 1846 = *Favia pallida* (Dana, 1846)
- Astrea denticulata* (Ellis & Solander, 1786) = *Favia favus* (Forskål, 1775)
- Astrea diffluens* Lamarck, 1816 = *Pavona diffluens* (Lamarck, 1816)
- Astrea dipsacea* Lamarck, 1816 = *Mussismilia hispida* (Verrill, 1901)
- Astrea echinata* Dana, 1846 = *Acanthastrea echinata* (Dana, 1846)
- Astrea eximia* Dana, 1846 = *Goniastrea retiformis* (Lamarck, 1816)
- Astrea faviatella* Dana, 1846 = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)
- Astrea favulus* Dana, 1846 = *Goniastrea favulus* (Dana, 1846)
- Astrea filicosa* Dana, 1846 = *Favites abdita* (Ellis & Solander, 1786)
- Astrea flexuosa* Dana, 1846 = *Favites flexuosa* (Dana, 1846)
- Astrea forskaliana* Milne Edwards & Haime, 1850 = *Echinopora forskaliana* (Milne Edwards & Haime, 1849)
- Astrea fragilis* Dana, 1846 = *Favia speciosa* (Dana, 1846)
- Astrea fuscoviridis* Quoy & Gaimard, 1833 = *Favites abdita* (Ellis & Solander, 1786)
- Astrea glaucopsis* Dana, 1846 = *Diploastrea heliopora* (Lamarck, 1816)
- Astrea halicora* Hemprich & Ehrenberg, 1834 = *Favites halicora* (Hemprich & Ehrenberg, 1834)
- Astrea heliopora* Lamarck, 1816 = *Diploastrea heliopora* (Lamarck, 1816)
- Astrea hemprichii* Ehrenberg, 1834 = *Favites abdita* (Ellis & Solander, 1786)
- Astrea hyades* Dana, 1846 = *Solenastrea hyades* (Dana, 1846)
- Astrea intersepta* Dana, 1846 = *Favia stelligera* (Dana, 1846)
- Astrea intersepta* (Esper, 1795) = *Stephanocoenia intersepta* (Esper, 1795)
- Astrea laperousiana* Milne Edwards & Haime, 1850 = *Montastrea curta* (Dana, 1846)
- Astrea magnifica* Dana, 1846 = *Goniastrea aspera* Verrill, 1866
- Astrea microphthalmalma* Lamarck, 1816 = *Cyphastrea microphthalmalma* (Lamarck, 1816)
- Astrea myriophthalma* Lamarck, 1816 = *Astreopora myriophthalma* (Lamarck, 1816)
- Astrea ocellina* Dana, 1846 = *Cyphastrea ocellina* (Dana, 1846)
- Astrea okeni* (Milne Edwards & Haime, 1857) = *Favia speciosa* (Dana, 1846)
- Astrea ordinata* Verrill, 1866 = *Favia pallida* (Dana, 1846)
- Astrea palifera* Lamarck, 1816 = *Acropora palifera* (Lamarck, 1816)
- Astrea pallida* Dana, 1846 = *Favia pallida* (Dana, 1846)
- Astrea pandanus* Dana, 1846 = *Favia speciosa* (Dana, 1846)
- Astrea parvistella* Dana, 1846 = *Goniastrea retiformis* (Lamarck, 1816)
- Astrea patula* Dana, 1846 = *Diploastrea heliopora* (Lamarck, 1816)
- Astrea pectinata* Hemprich & Ehrenberg, 1834 = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)
- Astrea planulata* Hemprich & Ehrenberg, 1834 = *Goniopora planulata* (Hemprich & Ehrenberg, 1834)
- Astrea pulchra* Dana, 1846 = *Leptastrea purpurea* (Dana, 1846)
- Astrea pulvinaria* Lamarck, 1816 = *Astreopora myriophthalma* (Lamarck, 1816)
- Astrea punctifera* Lamarck, 1816 = *Astreopora listeri* Bernard, 1896
- Astrea purpurea* Dana, 1846 = *Leptastrea purpurea* (Dana, 1846)
- Astrea puteolina* Dana, 1846 = *Favia speciosa* (Dana, 1846)
- Astrea quadrangularis* Milne Edwards & Haime, 1850 = *Montastrea curta* (Dana, 1846)
- Astrea radiata* (Ellis & Solander, 1786) = *Montastrea cavernosa* (Linnaeus, 1767)
- Astrea retiformis* Lamarck, 1816 = *Goniastrea retiformis* (Lamarck, 1816)
- Astrea rigida* Dana, 1846 = *Isophyllastrea rigida* (Dana, 1846)
- Astrea robusta* Dana, 1846 = *Favites abdita* (Ellis & Solander, 1786)
- Astrea rotumana* Gardiner, 1899 = *Favia rotumana* (Gardiner, 1899)
- Astrea rudis* Verrill, 1866 = *Favia speciosa* (Dana, 1846)
- Astrea sinuosa* Dana, 1846 = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)
- Astrea solidior* Milne Edwards & Haime, 1850 = *Montastrea curta* (Dana, 1846)
- Astrea speciosa* Dana, 1846 = *Favia speciosa* (Dana, 1846)
- Astrea spongia* Hemprich & Ehrenberg, 1834 = *Goniastrea retiformis* (Lamarck, 1816)
- Astrea stelligera* Dana, 1846 = *Favia stelligera* (Dana, 1846)

- Astrea stellulata* Lamarck, 1816 = *Turbinaria stellulata* (Lamarck, 1816)
- Astrea versipora* Lamarck, 1816 = *Plesiastrea versipora* (Lamarck, 1816)
- Astrea virens* Dana, 1846 = *Favites abdita* (Ellis & Solander, 1786)
- Astrea viridis* Quoy & Gaimard, 1833 = *Alveopora viridis* Quoy & Gaimard, 1833
- Astreopora* spp.** Blainville, 1830 II ACROPORIDAE (Anthozoa)
- Astreopora arenaria* Bernard, 1896 = *Astreopora myriophthalma* (Lamarck, 1816)
- Astreopora cucullata*** Lamberts, 1980 II ACROPORIDAE (Anthozoa)
- Astreopora ehrenbergii* Bernard, 1896 = *Astreopora myriophthalma* (Lamarck, 1816)
- Astreopora elliptica* Yabe & Sugiyama, 1941 = *Astreopora myriophthalma* (Lamarck, 1816)
- Astreopora expansa*** Brüggemann, 1877 II ACROPORIDAE (Anthozoa)
- Astreopora explanata*** Veron, 1985 II ACROPORIDAE (Anthozoa)
- Astreopora gracilis*** Bernard, 1896 II ACROPORIDAE (Anthozoa)
- Astreopora hirsuta* Bernard, 1896 = *Astreopora ocellata* Bernard, 1896
- Astreopora horizontalis* Bernard, 1896 = *Astreopora listeri* Bernard, 1896
- Astreopora incrustans*** Bernard, 1896 II ACROPORIDAE (Anthozoa)
- Astreopora kenti* Bernard, 1896 = *Astreopora myriophthalma* (Lamarck, 1816)
- Astreopora lamberti*** Moll & Best, 1984 II ACROPORIDAE (Anthozoa)
- Astreopora listeri*** Bernard, 1896 II ACROPORIDAE (Anthozoa)
- Astreopora macrostoma*** Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)
- Astreopora moretonensis*** Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)
- Astreopora myriophthalma*** (Lamarck, 1816) II ACROPORIDAE (Anthozoa) (E) Porous Star Coral
- Astreopora ocellata*** Bernard, 1896 II ACROPORIDAE (Anthozoa)
- Astreopora ovalis* Bernard, 1896 = *Astreopora myriophthalma* (Lamarck, 1816)
- Astreopora profunda* Verrill, 1872 = *Astreopora myriophthalma* (Lamarck, 1816)
- Astreopora punctifera* (Lamarck, 1816) = *Astreopora listeri* Bernard, 1896
- Astreopora randalli*** Lamberts, 1980 II ACROPORIDAE (Anthozoa)
- Astreopora scabra*** Lamberts, 1982 II ACROPORIDAE (Anthozoa)
- Astreopora stellae* Nemenzo, 1964 = *Astreopora gracilis* Bernard, 1896
- Astreopora stellulata* (Lamarck, 1816) = *Turbinaria stellulata* (Lamarck, 1816)
- Astreopora suggesta*** Wells, 1954 II ACROPORIDAE (Anthozoa)
- Astreopora tabulata* Gardiner, 1898 = *Astreopora myriophthalma* (Lamarck, 1816)
- Astreopora tabulata* Wells, 1954 = *Astreopora suggesta* Wells, 1954
- Astreopora tayamai* Yabe & Sugiyama, 1941 = *Astreopora myriophthalma* (Lamarck, 1816)
- Astrochelys* spp.** Gray, 1873 I<sup>46</sup> TESTUDINIDAE (Reptilia)
- Astrochelys radiata*** (Shaw, 1802) I TESTUDINIDAE (Reptilia) (E) Radiated Tortoise (S) Tortuga estrellada de Madagascar, Tortuga rayada (F) Tortue radiée de Madagascar, Tortue rayonnée
- Astrochelys yniphora*** (Vaillant, 1885) I TESTUDINIDAE (Reptilia) (E) Angonoka, Madagascar Angulated Tortoise, Madagascar Tortoise (S) Tortuga de espolones, Tortuga de Madagascar, Tortuga globulosa malagache (F) Tortue à éperon, Tortue à plastron éperonné, Tortue à soc, Tortue à soc de Madagascar, Tortue de Madagascar
- Astrocoenia hanzawai* (Yabe & Sugiyama, 1933) = *Stylocoeniella armata* (Hemprich & Ehrenberg, 1834)
- Astrocoenia pharensis* Heller, 1868 = *Madracis pharensis* (Heller, 1868)
- ASTROCOENIIDAE** spp. Koby 1890 II (Anthozoa)
- Astroides* spp.** Quoy & Gaimard, 1827 II DENDROPHYLLOIDAE (Anthozoa)
- Astroides calicularis*** (Pallas, 1766) II DENDROPHYLLOIDAE (Anthozoa)
- Astropsammia pedersenii* Verrill, 1869 = *Tubastraea coccinea* Lesson, 1829
- Astroria astreiformis* Milne Edwards & Haime, 1849 = *Platygyra daedalea* (Ellis & Solander, 1786)
- Astroria daedalea* (Ellis & Solander, 1786) = *Platygyra daedalea* (Ellis & Solander, 1786)
- Astroria esperi* Milne Edwards & Haime, 1849 = *Platygyra daedalea* (Ellis & Solander, 1786)
- Astroria sinensis* Milne Edwards & Haime, 1849 = *Platygyra sinensis* (Milne Edwards & Haime, 1849)
- Astroria stricta* Milne Edwards & Haime, 1849 = *Platygyra sinensis* (Milne Edwards & Haime, 1849)
- Astur brachyurus* Ramsay, 1879 = *Accipiter brachyurus* (Ramsay, 1879)
- Astur brevipes* Severtsov, 1850 = *Accipiter brevipes* (Severtsov, 1850)
- Astur buergersi* Reichenow, 1914 = *Erythrotiorchis buergersi* (Reichenow, 1914)
- Astur butleri* Gurney, 1898 = *Accipiter butleri* (Gurney, 1898)
- Astur fasciatus* Vigors & Horsfield, 1827 = *Accipiter fasciatus* (Vigors & Horsfield)
- Astur griseiceps* Schlegel, 1862 = *Accipiter griseiceps* (Schlegel, 1862)
- Astur gularis* Temminck & Schlegel, 1844 = *Accipiter gularis* (Temminck & Schlegel, 1844)
- Astur henicogrammus* G. R. Gray, 1860 = *Accipiter henicogrammus* (Gray, 1860)
- Astur henstii* Schlegel, 1873 = *Accipiter henstii* (Schlegel, 1873)
- Asturina* spp.** Vieillot, 1816 II<sup>27</sup> ACCIPITRIDAE (Aves)

- Asturina nitida** (Latham, 1790) II<sup>27</sup> ACCIPITRIDAE  
 (Aves) (E) Grey-lined Hawk (S) Aguilucho gris,  
 Busardo gris, Gavilán gris (F) Buse cendrée  
**Asturina plagiata** Schlegel, 1862 = *Asturina nitida*  
 (Latham, 1790)
- Asturina schistacea** Sundevall, 1851 = *Leucopternis schistaceus* (Sundevall, 1851)
- Astur kienerii** Geoffroy Saint-Hilaire, 1835 = *Hieraetus kienerii* (Geoffroy Saint-Hilaire, 1835)
- Astur macrourus** Hartlaub, 1855 = *Urotriorchis macrourus* (Hartlaub, 1855)
- Astur meyerianus** Sharpe, 1878 = *Accipiter meyerianus* (Sharpe, 1878)
- Astur mirandollei** Schlegel, 1862 = *Micrastur mirandollei* (Schlegel, 1862)
- Astur rufitorques** Peale, 1848 = *Accipiter rufitorques* (Peale, 1848)
- Astur spectabilis** Schlegel, 1863 = *Dryotriorchis spectabilis* (Schlegel, 1863)
- Astyia spp.** Stechow, 1921 II STYLASTERIDAE  
 (Hydrozoa)
- Astyia aspidopora** Cairns, 1991 II STYLASTERIDAE  
 (Hydrozoa)
- Astyia subviridis** (Moseley, 1879) II STYLASTERIDAE  
 (Hydrozoa)
- Astylus subviridis** Moseley, 1879 = *Astyia subviridis* (Moseley, 1879)
- Atèle à face encadrée (F): *Ateles marginatus*  
 Atèle arachnoïde (F): *Brachyteles arachnoides*  
 Atèle à tête brune (F): *Ateles fusciceps*  
 Atèle à tête noire (F): *Ateles chamek*  
 Atèle belzébuth (F): *Ateles belzebuth*  
 Atèle de Geoffroy (F): *Ateles geoffroyi*  
 Atèle de Geoffroy du Panama (F): *Ateles geoffroyi panamensis*  
 Atèle du Costa Rica (F): *Ateles geoffroyi frontatus*  
 Atèle du Panama (F): *Ateles geoffroyi panamensis*  
 Atèle noir (F): *Ateles paniscus*  
 Atèle noir (F): *Ateles chamek*
- Ateles spp.** Geoffroy, 1806 I/II ATELIDAE (Mammalia)
- Ateles belzebuth** É. Geoffroy, 1806 II ATELIDAE  
 (Mammalia) (E) Long-haired Spider Monkey,  
 White-bellied Spider Monkey (F) Atèle belzébuth
- Ateles belzebuth hybridus** É. Geoffroy, 1806 = *Ateles hybridus* I. Geoffroy, 1829
- Ateles belzebuth marginatus** É. Geoffroy, 1806 = *Ateles marginatus* É. Geoffroy, 1809
- Ateles chamek** (Humboldt, 1812) II ATELIDAE  
 (Mammalia) (E) Black-faced Black Spider Monkey (F)  
 Atèle à tête noire, Atèle noir, Singe-araignée noir
- Ateles de Geoffroy (S): *Ateles geoffroyi*
- Ateles de Panamá (S): *Ateles geoffroyi panamensis*
- Ateles fusciceps** Gray, 1866 II ATELIDAE (Mammalia) (E)  
 Brown-headed Spider Monkey (F) Atèle à tête brune
- Ateles geoffroyi** Kuhl, 1820 I/II ATELIDAE (Mammalia)  
 (E) Black-handed Spider Monkey, Geoffroy's Spider Monkey (S) Ateles de Geoffroy (F) Atèle de Geoffroy
- Ateles geoffroyi frontatus** Gray, 1842 I ATELIDAE  
 (Mammalia) (E) Black-browed Spider Monkey,  
 Red-bellied Spider Monkey (S) Mono araña maninegro
- (F) Atèle du Costa Rica, Singe-araignée aux mains noires, Singe araignée du Panama
- Ateles geoffroyi fusciceps** Kuhl, 1820 = *Ateles fusciceps* Gray, 1866
- Ateles geoffroyi panamensis** Kellogg & Goldman, 1944 I ATELIDAE (Mammalia) (E) Panama Spider Monkey, Red Spider Monkey (S) Ateles de Panamá, Mono araña de Panamá (F) Atèle de Geoffroy du Panama, Atèle du Panama
- Ateles geoffroyi rufiventris** Kuhl, 1820 = *Ateles fusciceps* Gray, 1866
- Ateles hybridus** I. Geoffroy, 1829 II ATELIDAE (Mammalia) (E) Hybrid Spider Monkey
- Ateles marginatus** É. Geoffroy, 1809 II ATELIDAE (Mammalia) (E) White-whiskered Spider Monkey (F) Atèle à face encadrée
- Ateles paniscus** (Linnaeus, 1758) II ATELIDAE (Mammalia) (E) Red-faced Black Spider Monkey (F) Atèle noir
- Ateles paniscus chamek** (Linnaeus, 1758) = *Ateles chamek* (Humboldt, 1812)
- ATELIDAE spp.** Gray, 1825 I/II (Mammalia) (E) Howler And Prehensile-Tailed Monkeys (S) Monos Aulladores Y Arañas (F) Singe Hurleur, Atèle
- Atelope variable du Panama (F): *Atelopus zeteki*
- Atelopus varius zeteki* Dunn, 1933 = *Atelopus zeteki* Dunn, 1933
- Atelopus varius zeteki* (Lichtenstein & Martens, 1856) = *Atelopus zeteki* Dunn, 1933
- Atelopus zeteki** Dunn, 1933 I BUFONIDAE (Amphibia)  
 (E) Cerro Campana Stubfoot Toad, Golden Arrow Poison Frog, Golden Frog, Zetek's Golden Frog (S) Rana dorada, Rana dorada de Panamá, Rana venenosa de Zetek (F) Atelope variable du Panama, Crapaud orange, Grenouille de Zetek, Grenouille dorée du Panama
- Atelopus zeteki* Kim, Brown, Mosher & Fuhrman, 1975 = *Atelopus zeteki* Dunn, 1933
- Athene spp.** Boie, 1822 II<sup>30</sup> STRIGIDAE (Aves)
- Athene albifacies* G. R. Gray, 1844 = *Sceloglaux albifacies* (G. R. Gray, 1844)
- Athene blewitti* (Hume, 1873) = *Heteroglaux blewitti* Hume, 1873
- Athene brama** (Temminck, 1821) II<sup>30</sup> STRIGIDAE (Aves)  
 (E) Spotted Little Owl, Spotted Owlet (S) Mochuelo brahmán (F) Chevêche brame
- Athene castanonota* Blyth, 1852 = *Glaucidium castanopterum* (Blyth, 1852)
- Athene cunicularia** (Molina, 1782) II<sup>30</sup> STRIGIDAE (Aves)  
 (Aves) (E) Burrowing Owl (S) Búho llanero, Cucú, Lechucita común, Lechucita de las viscacheras, Mochuelo de Hoyo, Mochuelo de madriguera (F) Chevêche des terriers, Chouette de terrier
- Athene dimorpha* Salvadori, 1874 = *Uroglaux dimorpha* (Salvadori, 1874)
- Athene jacquinoti* Bonaparte, 1850 = *Ninox jacquinoti* (Bonaparte, 1850)
- Athene noctua** (Scopoli, 1769) II<sup>30</sup> STRIGIDAE (Aves)  
 (E) Little Owl, Northern Little Owl, Tibet Owlet (S)

- Mochuelo común, Mochuelo europeo (F) Chevêche d'Athéna, Chouette chevêche
- Athene rufa* Gould, 1846 = *Ninox rufa* (Gould, 1846)
- Athene squamipila* Bonaparte, 1850 = *Ninox squamipila* (Bonaparte, 1850)
- Athene strenua* Gould, 1838 = *Ninox strenua* (Gould, 1838)
- Athene superciliaris* (Vieillot, 1817) = *Ninox superciliaris* (Vieillot, 1817)
- Athene whitneyi* Cooper, 1861 = *Micrathene whitneyi* (Cooper, 1861)
- Atretium schistosum* (Daudin, 1803) III COLUBRIDAE (Reptilia) (E) Olivaceous Keelback, Olive Keelback, Split Keelback (F) Serpent à caréné olive, Serpent ardoisé
- Atrichorne bruyant (F): *Atrichornis clamosus*
- Atrichornis clamosus*** (Gould, 1844) I  
ATRICHORNITHIDAE (Aves) (E) Noisy Scrub-bird, Western Scrub-bird (S) Corredor Chillón, Pájaro de los matorrales (F) Atrichorne bruyant, Oiseau bruyant des buissons
- Atrophaneura jophon* (Gray, 1853) II PAPILIONIDAE (Insecta) (E) Sri Lankan Rose
- Atrophaneura pandiyana* (Moore, 1881) II PAPILIONIDAE (Insecta) (E) Malabar Rose
- Atthis* spp.** Reichenbach, 1854 II TROCHILIDAE (Aves)
- Atthis ellioti*** Ridgway, 1878 II TROCHILIDAE (Aves) (E) Wine-throated Hummingbird (S) Colibrí de Elliot, Zimbador centroamericano (F) Colibri d'Elliot
- Atthis heloisa*** (Lesson & DeLattre, 1839) II  
TROCHILIDAE (Aves) (E) Bumblebee Hummingbird (S) Colibrí de Eloísa, Zimbador mexicano (F) Colibri héroïse
- Atthis heloisa ellioti* (Lesson & DeLattre, 1839) = *Atthis ellioti* Ridgway, 1878
- Augastes* spp.** Gould, 1849 II TROCHILIDAE (Aves)
- Augastes geoffroyi* (Bourcier, 1843) = *Schistes geoffroyi* (Bourcier, 1843)
- Augastes lumachella*** (Lesson, 1838) II TROCHILIDAE (Aves) (E) Hooded Visorbearer (S) Colibrí lumaquela (F) Colibri lumachelle
- Augastes scutatus*** (Temminck, 1822) II TROCHILIDAE (Aves) (E) Hyacinth Visorbearer (S) Colibrí colaceste (F) Colibri superbe
- Aullado (S): *Alouatta palliata*
- Aulocyathus* spp.** Marenzeller, 1904 II  
CARYOPHYLLIIDAE (Anthozoa)
- Aulocyathus atlanticus*** Zibrowius, 1980 II  
CARYOPHYLLIIDAE (Anthozoa)
- Aulocyathus conotrochoides* (Yabe & Eguchi, 1932) = *Aulocyathus matridicus* (Kent, 1871)
- Aulocyathus juvenescens*** Marenzeller, 1904 II  
CARYOPHYLLIIDAE (Anthozoa)
- Aulocyathus matridicus*** (Kent, 1871) II  
CARYOPHYLLIIDAE (Anthozoa)
- Aulocyathus recidivus*** (Dennant, 1906) II  
CARYOPHYLLIIDAE (Anthozoa)
- Australiasis amethystinus* (Schneider, 1801) = *Morelia amethystina* (Schneider, 1801)
- Australiasis clarki* (Barbour, 1914) = *Morelia amethystina* (Schneider, 1801)
- Australiasis clastolepis* (Harvey, Barker, Ammerman & Chippindale, 2000) = *Morelia clastolepis* Harvey, Barker, Ammerman & Chippindale, 2000
- Australiasis duceboraensis* (Günther, 1879) = *Morelia amethystina* (Schneider, 1801)
- Australiasis kinghorni* (Stull, 1933) = *Morelia amethystina* (Schneider, 1801)
- Australiasis nauta* (Harvey, Barker, Ammerman & Chippindale, 2000) = *Morelia nauta* Harvey, Barker, Ammerman & Chippindale, 2000
- Australiasis oenpelliensis* (Gow, 1977) = *Morelia oenpelliensis* (Gow, 1977)
- Australiasis timoriensis* (Peters, 1876) = *Python timoriensis* (Peters, 1876)
- Australiasis tracyae* (Harvey, Barker, Ammerman & Chippindale, 2000) = *Morelia tracyae* Harvey, Barker, Ammerman & Chippindale, 2000
- Australocyathus* spp.** Cairns & Parker, 1992 II  
TURBINOLIIDAE (Anthozoa)
- Australocyathus vincentinus*** (Dennant, 1904) II  
TURBINOLIIDAE (Anthozoa)
- Australogyra* spp.** Veron & Pichon, 1982 II FAVIIDAE (Anthozoa)
- Australogyra zelli*** (Veron, Pichon & Wijsman-Best, 1977) II FAVIIDAE (Anthozoa)
- Australomussa* spp.** Veron, 1985 II MUSSIDAE (Anthozoa)
- Australomussa rowleyensis*** Veron, 1985 II MUSSIDAE (Anthozoa)
- Australophocaena dioptrica* (Lahille, 1912) = *Phocoena dioptrica* Lahille, 1912
- Autillo (S): *Otus scops*
- Autillo africano (S): *Otus senegalensis*
- Autillo barbudo (S): *Otus barbarus*
- Autillo bigotudo (S): *Otus trichopsis*
- Autillo californiano (S): *Otus kennicottii*
- Autillo capirogado (S): *Otus atricapilla*
- Autillo cariblanco (S): *Ptilopsis leucotis*
- Autillo chino (S): *Otus bakkamoena*
- Autillo chóliba (S): *Otus choliba*
- Autillo Colombiano (S): *Otus colombianus*
- Autillo cubano (S): *Gymnoglaux lawrencii*
- Autillo de Andamán (S): *Otus balli*
- Autillo de Anjouan (S): *Otus capnodes*
- Autillo de Célebes (S): *Otus manadensis*
- Autillo de Flores (S): *Otus alfredi*
- Autillo de Guernsey (S): *Mimizuku gurneyi*
- Autillo de Java (S): *Otus angelinae*
- Autillo de Koepcke (S): *Otus koepckeae*
- Autillo de la Mantanani (S): *Otus mantananensis*
- Autillo del Amazonas (S): *Otus watsonii*
- Autillo de la Sangihe (S): *Otus collari*
- Autillo de las Comores (S): *Otus pauliani*
- Autillo de la Simeulue (S): *Otus umbra*
- Autillo de las Mentawai (S): *Otus mentawi*
- Autillo de la Sonda (S): *Otus bakkamoena*

Autillo de las Palau (S): *Pyrroglaux podargina*  
Autillo del Balsas (S): *Otus seductus*  
Autillo de Luzón (S): *Otus longicornis*  
Autillo de Manglar (S): *Otus cooperi*  
Autillo de Marshall (S): *Otus marshalli*  
Autillo de Mindanao (S): *Otus mirus*  
Autillo de Mindoro (S): *Otus mindorensis*  
Autillo de Moheli (S): *Otus moheliensis*  
Autillo de Nicobar (S): *Otus alienus*  
Autillo de Palawan (S): *Otus fuliginosus*  
Autillo de Pemba (S): *Otus pemaensis*  
Autillo de Peterson (S): *Otus petersoni*  
Autillo de Santa Catalina (S): *Otus sanctaecatarinae*  
Autillo de Santo Tomé (S): *Otus hartlaubi*  
Autillo de Seychelles (S): *Otus insularis*  
Autillo de Sokoke (S): *Otus ireneae*  
Autillo de Wallace (S): *Otus silvicola*  
Autillo elegante (S): *Otus elegans*  
Autillo europeo (S): *Otus scops*  
Autillo filipino (S): *Otus megalotis*  
Autillo flamulado (S): *Otus flammeolus*  
Autillo frentiblanco (S): *Otus sagittatus*  
Autillo fresco (S): *Otus hoyi*  
Autillo gorgiblanco (S): *Otus albogularis*  
Autillo Guatimalteco (S): *Otus guatemalae*  
Autillo indio (S): *Otus bakkamoena*  
Autillo malgache (S): *Otus rutilus*  
Autillo moluqueño (S): *Otus magicus*  
Autillo montano (S): *Otus spilocephalus*  
Autillo oriental (S): *Otus sunia*  
Autillo pálido (S): *Otus ingens*  
Autillo persa (S): *Otus brucei*  
Autillo peruano (S): *Otus roboratus*  
Autillo piquigualdo (S): *Otus icterorhynchus*  
Autillo portorriqueño (S): *Otus nudipes*  
Autillo rajá (S): *Otus brookii*  
Autillo roborado (S): *Otus roboratus*  
Autillo rojizo (S): *Otus rufescens*  
Autillo serrano (S): *Otus clarkii*  
Autillo vermiculado (S): *Otus vermiculatus*  
Autillo yanqui (S): *Otus asio*  
Autour à ailes grises (F): *Melierax poliopterus*  
Autour à flancs roux (F): *Accipiter castanilius*  
Autour à longue queue (F): *Erythrocercus macrourus*  
Autour à manteau noir (F): *Accipiter melanochlamys*  
Autour à tête grise (F): *Accipiter poliocephalus*  
Autour australien (F): *Accipiter fasciatus*  
Autour à ventre blanc (F): *Accipiter haplochrous*  
Autour à ventre gris (F): *Accipiter poliogaster*  
Autour blanc (F): *Accipiter novaehollandiae*  
Autour bleu et gris (F): *Accipiter luteoschistaceus*  
Autour chanteur (F): *Melierax canorus*  
Autour de Bürger (F): *Erythrocercus buergersi*  
Autour de Doria (F): *Megatriorchis doriae*  
Autour de Henst (F): *Accipiter henstii*  
Autour de Mayr (F): *Accipiter princeps*  
Autour de Meyer (F): *Accipiter meyerianus*  
Autour des Célèbes (F): *Accipiter griseiceps*  
Autour des Fidji (F): *Accipiter rufitorques*  
Autour des Moluques (F): *Accipiter henicogrammus*

Autour des palombes (F): *Accipiter gentilis*  
Autour de Toussenel (F): *Accipiter toussenelii*  
Autour gabar (F): *Micronisus gabar*  
Autour huppé (F): *Accipiter trivirgatus*  
Autour imitateur (F): *Accipiter imitator*  
Autour minulle (F): *Accipiter erythropus*  
Autour noir (F): *Accipiter melanoleucus*  
Autour pie (F): *Accipiter albogularis*  
Autour rouge (F): *Erythrocercus radiatus*  
Autour sombre (F): *Melierax metabates*  
Autour tachiro (F): *Accipiter tachiro*  
Autour unibande (F): *Kaupifalco monogrammicus*  
Autres Coraux (F): *Stylersteridae*  
Autruche d'Afrique (F): *Struthio camelus*  
Avadavat, Green (E): *Amandava formosa*  
Avahi (F): *Avahi laniger*  
**Avahi spp.** Jourdan, 1834 I INDRIIDAE (Mammalia)  
Avahi (E): *Avahi laniger*  
Avahi, Eastern (E): *Avahi laniger*  
Avahi laineux (F): *Avahi laniger*  
Avahi laineux unicolore (F): *Avahi unicolor*  
**Avahi laniger** (Gmelin, 1788) I INDRIIDAE (Mammalia)  
(E) Avahi, Eastern Avahi, Eastern Woolly Lemur,  
Woolly Indris, Woolly Lemur (S) Indri lanudo (F) Avahi,  
Avahi laineux, Maki à boure  
**Avahi occidentalis** von Lorenz-Liburnau, 1898 I  
INDRIIDAE (Mammalia) (E) Western Avahi, Western  
Woolly Lemur  
Avahis Laineux, Indris, Sifakas (F): *Indriidae*  
**Avahi unicolor** Thalmann & Geissmann, 2000 I  
INDRIIDAE (Mammalia) (E) Unicoloured Avahi (F)  
Avahi laineux unicolore  
Avahi, Unicoloured (E): *Avahi unicolor*  
Avahi, Western (E): *Avahi occidentalis*  
Ave de anteojos de pecho blanco (S): *Zosterops  
albogularis*  
Aves Del Paraíso (S): *Paradisaeidae*  
Avestruz (S): *Struthio camelus*  
Avestruz (S): *Rhea americana*  
Avestruz de Magallanes (S): *Pterocnemia pennata*  
**Aviceda spp.** Swainson, 1836 II 27 ACCIPITRIDAE  
(Aves)  
**Aviceda cuculoides** Swainson, 1837 II 27  
ACCIPITRIDAE (Aves) (E) African Baza, African  
Cuckoo-Falcon, African Cuckoo-Hawk (S) Baza  
africano (F) Baza coucou, Faucon-coucou  
**Aviceda jerdoni** (Blyth, 1842) II 27 ACCIPITRIDAE  
(Aves) (E) Asian Baza, Jerdon's Baza (S) Baza oriental  
(F) Baza de Jerdon  
**Aviceda leuphotes** (Dumont, 1820) II 27 ACCIPITRIDAE  
(Aves) (E) Black Baza (S) Baza negro (F) Baza  
huppard  
**Aviceda madagascariensis** (Smith, 1834) II 27  
ACCIPITRIDAE (Aves) (E) Madagascar Baza,  
Madagascar Cuckoo-Falcon, Madagascar  
Cuckoo-Hawk (S) Baza malgache (F) Baza malgache  
**Aviceda subcristata** (Gould, 1838) II 27 ACCIPITRIDAE  
(Aves) (E) Crested Baza, Pacific Baza (S) Baza  
australiano (F) Baza huppé  
Avocetbill, Mountain (E): *Opisthoproraeuryptera*

<i>Avocettula recurvirostris</i> (Swainson, 1822) =	<i>Axolotl pisciformis</i> (Shaw, 1802) = <i>Ambystoma mexicanum</i>
<i>Anthracothorax recurvirostris</i> (Swainson, 1822)	(Shaw & Nodder, 1798)
Avutarda (S): <i>Otis tarda</i>	<i>Axolotl pisciformis</i> Cuvier, 1831 = <i>Ambystoma mexicanum</i> (Shaw & Nodder, 1798)
Avutarda árabe (S): <i>Ardeotis arabs</i>	<i>Axolotl pisciformis</i> (Shaw, 1802) = <i>Ambystoma mexicanum</i> (Shaw & Nodder, 1798)
Avutarda australiana (S): <i>Ardeotis australis</i>	
Avutarda bengalí (S): <i>Houbaropsis bengalensis</i>	
Avutarda cafre (S): <i>Neotis denhami</i>	Aye-aye (E): <i>Daubentonias madagascariensis</i>
Avutarda común (S): <i>Otis tarda</i>	Aye-aye (S): <i>Daubentonias madagascariensis</i>
Avutarda de Bengala (S): <i>Houbaropsis bengalensis</i>	Aye-aye (E): <i>Daubentoniidae</i>
Avutarda de Burchell (S): <i>Neotis denhami</i>	Aye-aye (S): <i>Daubentoniidae</i>
Avutarda de Denham (S): <i>Neotis denhami</i>	Aye-Aye (F): <i>Daubentonias madagascariensis</i>
Avutarda de Heuglin (S): <i>Neotis heuglinii</i>	Aye-Aye (F): <i>Daubentoniidae</i>
Avutarda de la India (S): <i>Ardeotis nigriceps</i>	Azer semicollarejo (S): <i>Accipiter collaris</i>
Avutarda de Ludwig (S): <i>Neotis ludwigii</i>	Azor (S): <i>Accipiter gentilis</i>
Avutarda de Namibia (S): <i>Neotis ludwigii</i>	Azor australiano (S): <i>Accipiter fasciatus</i>
Avutarda de Savile (S): <i>Lophotis savilei</i>	Azor bicolor (S): <i>Accipiter bicolor</i>
Avutarda euroasiática (S): <i>Otis tarda</i>	Azor blanquinegro (S): <i>Accipiter melanoleucus</i>
Avutarda hubara (S): <i>Chlamydotis undulata</i>	Azor chico (S): <i>Accipiter striatus</i>
Avutarda india (S): <i>Ardeotis nigriceps</i>	Azor común (S): <i>Accipiter gentilis</i>
Avutarda índica (S): <i>Ardeotis nigriceps</i>	Azor culebrero (S): <i>Polyboroides radiatus</i>
Avutarda kori (S): <i>Ardeotis kori</i>	Azor de Bürgers (S): <i>Erythrorhynchus buergersi</i>
Avutarda núbica (S): <i>Neotis nuba</i>	Azor de Doria (S): <i>Megatriorchis doriae</i>
Avutardas (S): <i>Otididae</i>	Azor de Meyer (S): <i>Accipiter meyerianus</i>
Avutarda somalí (S): <i>Neotis heuglinii</i>	Azor de Nueva Bretaña (S): <i>Accipiter princeps</i>
Awlbill, Fiery-tailed (E): <i>Anthracothorax recurvirostris</i>	Azor de Toussenel (S): <i>Accipiter toussenelii</i>
Axhelia mirabilis (Duchassaing & Michelotti, 1860) =	Azor gris (S): <i>Accipiter superciliosus</i>
<i>Madracis myriaster</i> (Milne Edwards & Haime, 1849)	Azor-lagartijero claro (S): <i>Melierax canorus</i>
Axhelia myriaster Milne Edwards & Haime, 1849 =	Azor lagartijero oscuro (S): <i>Melierax metabates</i>
<i>Madracis myriaster</i> (Milne Edwards & Haime, 1849)	Azor-lagartijero somalí (S): <i>Melierax poliopterus</i>
<b>Axis calamianensis</b> (Heude, 1888)   CERVIDAE	Azor malgache (S): <i>Accipiter henstii</i>
(Mammalia) (E) Calamian Deer, Calamian Hog Deer	Azor moluqueño (S): <i>Accipiter henicogrammus</i>
(S) Ciervo de los Calamianes, Ciervo porquerizo de los	Azor moñudo (S): <i>Accipiter trivirgatus</i>
Calamianes (F) Cerf-cochon calamien	Azor pechigrís (S): <i>Accipiter poliogaster</i>
<b>Axis kuhlii</b> (Temminck, 1836)   CERVIDAE (Mammalia)	Azor rabilargo (S): <i>Urotriorchis macrourus</i>
(E) Bawean Deer, Kuhl's Hog Deer (S) Cervo de Kuhl,	Azor rojo (S): <i>Erythrorhynchus radiatus</i>
Ciervo de Kuhl, Ciervo de Marjal, Ciervo porquerizo de	Azor tachiro (S): <i>Accipiter tachiro</i>
Kuhl (F) Cerf-cochon de Bawean, Cerf-cochon de Kuhl	Azor variable (S): <i>Accipiter novaehollandiae</i>
<b>Axis porcinus</b> (Zimmermann, 1780) I/III CERVIDAE	Azor ventrigrís (S): <i>Accipiter poliogaster</i>
(Mammalia) (E) Hog Deer	Azor zancón (S): <i>Geranospiza caerulescens</i>
<b>Axis porcinus annamiticus</b> (Heude, 1888)   CERVIDAE	Azurecrown, Pied-billed (E): <i>Amazilia cyanocephala</i>
(Mammalia) (E) Ganges Hog Deer, Indochinese Hog	Babilla (S): <i>Caiman crocodilus</i>
Deer, Thai Hog Deer (S) Cervo tailandés, Ciervo	Babiroussa (F): <i>Babyrousa babyrussa</i>
porquerizo de Indochina (F) Cerf-cochon de Tailandia,	Babiroussa (E): <i>Babyrousa babyrussa</i>
Cerf-cochon d'Indochine	Babirusa (S): <i>Babyrousa babyrussa</i>
Axohelia dumetosa (Duchassaing, 1870) = <i>Madracis myriaster</i> (Milne Edwards & Haime, 1849)	Babirusa (E): <i>Babyrousa babyrussa</i>
Axohelia mirabilis (Duchassaing & Michelotti, 1860) =	Babirusa, Bola Batu (E): <i>Babyrousa bolabatuensis</i>
<i>Madracis myriaster</i> (Milne Edwards & Haime, 1849)	Babirusa, Malenge (E): <i>Babyrousa togeanensis</i>
Axohelia myriaster (Milne Edwards & Haime, 1849) =	Babirusa, North Sulawesi (E): <i>Babyrousa celebensis</i>
<i>Madracis myriaster</i> (Milne Edwards & Haime, 1849)	Babisuri (S): <i>Bassariscus sumichrasti</i>
Axohelia schrammii Pourtalès, 1874 = <i>Madracis myriaster</i> (Milne Edwards & Haime, 1849)	Baboon, Anubis (E): <i>Papio anubis</i>
Axoloteles guttatus Wood, 1863 = <i>Ambystoma mexicanum</i> (Shaw & Nodder, 1798)	Baboon, Chacma (E): <i>Papio ursinus</i>
Axolotes guttata Owen, 1844 = <i>Ambystoma mexicanum</i> (Shaw & Nodder, 1798)	Baboon, Gelada (E): <i>Theropithecus gelada</i>
Axolotl (F): <i>Ambystoma mexicanum</i>	Baboon, Guinea (E): <i>Papio papio</i>
Axolotl (E): <i>Ambystoma mexicanum</i>	Baboon, Hamadryas (E): <i>Papio hamadryas</i>
Axolotl pisciformis Guérin-Méneville, 1838 = <i>Ambystoma mexicanum</i> (Shaw & Nodder, 1798)	Baboon, Olive (E): <i>Papio anubis</i>
	Baboon, Western (E): <i>Papio papio</i>
	Baboon, Yellow (E): <i>Papio cynocephalus</i>
	Babouin anubis (F): <i>Papio anubis</i>
	Babouin chacma (F): <i>Papio ursinus</i>
	Babouin de Guinée (F): <i>Papio papio</i>

- Babouin jaune (F): *Papio cynocephalus*
- Babyrousa babyrussa*** (Linnaeus, 1758) I SUIDAE  
 (Mammalia) (E) Babiroussa, Babirusa, Deer Hog (S)  
 Babirusa (F) Babiroussa
- Babyrousa bolabatuensis*** Hoojer, 1950 I SUIDAE  
 (Mammalia) (E) Bola Batu Babirusa
- Babyrousa celebensis*** (Deninger, 1909) I SUIDAE  
 (Mammalia) (E) North Sulawesi Babirusa
- Babyrousa celebensis* (Deninger, 1909) = *Babyrousa bolabatuensis* Hoojer, 1950
- Babyrousa merkusi* De Beaufort, 1964 = *Babyrousa bolabatuensis* Hoojer, 1950
- Babyrousa togeanensis*** (Sody, 1949) I SUIDAE  
 (Mammalia) (E) Malenge Babirusa
- Badger, Honey (E): *Mellivora capensis*
- Baiji (S): *Lipotes vexillifer*
- Baiji (F): *Lipotes vexillifer*
- Baiji (E): *Lipotes vexillifer*
- Baillonius bailloni*** (Vieillot, 1819) III RAMPHASTIDAE  
 (Aves) (E) Saffron Toucanet (S) Arasarí banana (F)  
 Toucan de Baillon
- Balaena* spp.** Linnaeus, 1758 I/II<sup>18</sup> BALAENIDAE  
 (Mammalia)
- Balaena glacialis australis* (P. L. S. Müller, 1776) = *Eubalaena australis* (Desmoulins, 1822)
- Balaena glacialis* (P. L. S. Müller, 1776) = *Eubalaena glacialis* (P. L. S. Müller, 1776)
- Balaena mysticetus*** Linnaeus, 1758 I BALAENIDAE  
 (Mammalia) (E) Bowhead Whale, Greenland Right Whale (S) Ballena boreal (F) Baleine de grande baie, Baleine du Groenland
- Balaeniceps rex*** Gould, 1850 II BALAENICIPITIDAE  
 (Aves) (E) Shoebill, Whale-headed Stork (S)  
 Picozapato (F) Baléniceps roi, Bec-En-Sabot, Bec-en-sabot du Nil
- BALAEINIDAE** spp. Gray, 1821 I/II<sup>18</sup> (Mammalia) (S)  
 Ballenas Verdaderas O Misticetos (F) Baleine Du Groenland, Baleines Franches
- Balaenoptera* spp.** Lacepède, 1804 I/II<sup>18</sup>  
 BALAENOPTERIDAE (Mammalia)
- Balaenoptera acutorostrata*** Lacépède, 1804 I/II<sup>19</sup>  
 BALAENOPTERIDAE (Mammalia) (E) Lesser Rorqual, Little Piked Whale, Minke Whale, Northern Minke Whale (S) Ballena minke, Rorqual menor (F)  
 Baleinoptère à museau pointu, Petit rorqual
- Balaenoptera bonaerensis*** Burmeister, 1867 I  
 BALAENOPTERIDAE (Mammalia) (E) Antarctic Minke Whale, Southern Minke Whale (S) Rorqual enano del antarctica (F) Petit rorqual de l'Antarctique
- Balaenoptera borealis*** Lesson, 1828 I  
 BALAENOPTERIDAE (Mammalia) (E) Coalfish Whale, Pollack Whale, Rudophi's Rorqual, Sei Whale (S)  
 Ballena boba, Ballena sei, Rorqual boreal, Rorqual de Rudolphi, Rorqual norteno (F) Baleinoptère de Rudolphi, Rorqual boréal, Rorqual de Rudolphi, Rorqual sei
- Balaenoptera brydei* Olsen, 1912 = *Balaenoptera edeni* Anderson, 1879
- Balaenoptera edeni*** Anderson, 1879 I  
 BALAENOPTERIDAE (Mammalia) (E) Bryde's Whale, Tropical Whale (S) Ballena de Bryde (F) Baleinoptère de Bryde, Rorqual de Bryde, Rorqual d'Eden, Rorqual tropical
- Balaenoptera musculus*** (Linnaeus, 1758) I  
 BALAENOPTERIDAE (Mammalia) (E) Blue Whale, Sibbald's Rorqual, Sulphur-bottom Whale (S) Ballena azul, Rorqual azul (F) Baleine bleue, Baleine d'Ostende, Baleinoptère bleue, Rorqual à ventre cannelé, Rorqual bleu, Rorqual de Sibbold
- Balaenoptera omurai*** Wada, Oishi & Yamada, 2003 I  
 BALAENOPTERIDAE (Mammalia) (E) Omura's whale
- Balaenoptera physalus*** (Linnaeus, 1758) I  
 BALAENOPTERIDAE (Mammalia) (E) Common Rorqual, Finback, Fin-backed Whale, Finner, Fin Whale, Herring Whale, Razorback (S) Ballena aleta, Ballena boba, Rorqual común (F) Baleine à nageoires, Baleine fin, Baleinoptère commun, Rorqual commun
- BALAEINOPTERIDAE** spp. Gray, 1864 I/II<sup>18</sup> (Mammalia)  
 (E) Humpback Whale, Rorquals (S) Rorcuales (F)  
 Baleinoptères, Rorquals
- Balanophyllia* spp.** S. V. Wood, 1844 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia affinis* (Semper, 1872) = *Balanophyllia stimpsonii* (Verrill, 1865)
- Balanophyllia annae van der Horst*, 1933 = *Rhizopsammia annae* (van der Horst, 1933)
- Balanophyllia bairdiana*** Milne Edwards & Haime, 1848 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia bayeri*** Cairns, 1979 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia bonaespei*** van der Horst, 1938 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia brevis* Duncan, 1882 = *Balanophyllia regia* Gosse, 1853
- Balanophyllia buccina*** Tenison-Woods, 1878 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia capensis*** Verrill, 1865 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia caribbeana*** Cairns, 1977 II  
 DENDROPHYLLIIDAE (Anthozoa) (E) Caribbean Cup Coral (S) Coral pocillo caribeño
- Balanophyllia carinata*** (Semper, 1872) II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia cedrosensis*** Durham, 1947 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia cellulosa*** Duncan, 1873 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia chnous*** Squires, 1962 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia corniculans*** (Alcock, 1902) II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia cornu*** Moseley, 1881 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia crassiseptum*** Cairns & Zibrowius, 1997 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia crassitheca*** Cairns, 1995 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia cumingii*** Milne Edwards & Haime, 1848 II  
 DENDROPHYLLIIDAE (Anthozoa)

- Balanophyllia cyathoides** (Pourtalès, 1871) II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia dentata** Tenison-Woods, 1879 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia desmophylloides** Vaughan, 1907 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia diademata** van der Horst, 1927 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia diffusa** Harrison & Poole, 1910 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia dilatata** Dennant, 1904 = *Balanophyllia dentata* Tenison-Woods, 1879
- Balanophyllia dineta** Cairns, 1977 II  
DENDROPHYLLIIDAE (Anthozoa) (E) Chaotic Cup Coral (S) Coral pocillo caótico
- Balanophyllia diomedae** Vaughan, 1907 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia diomedae maulensis** Vaughan, 1907 = *Balanophyllia diomedae* Vaughan, 1907
- Balanophyllia dubia** (Semper, 1872) II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia eguchii** Wells, 1982 = *Cladopsammia eguchii* (Wells, 1982)
- Balanophyllia elegans** Verrill, 1864 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia elliptica** (Tenison-Woods, 1878) II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia elongata** (Moseley, 1881) II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia europaea** (Risso, 1826) II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia fistula** Alcock, 1902 = *Eguchipsammia fistula* (Alcock, 1902)
- Balanophyllia floridana** Pourtalès, 1868 II  
DENDROPHYLLIIDAE (Anthozoa) (E) Porous Cup Coral (S) Coral pocillo poroso (F) Dent de cochon poreuse
- Balanophyllia formosa** Gravier, 1915 = *Leptopsammia formosa* (Gravier, 1915)
- Balanophyllia gaditana** Duncan, 1873 = *Eguchipsammia gaditana* (Duncan, 1873)
- Balanophyllia galapagensis** Vaughan, 1906 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia gemma** (Moseley, 1881) II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia gemmifera** Klunzinger, 1879 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia generatrix** Cairns & Zibrowius, 1997 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia gigas** Moseley, 1881 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia grandis** Cairns, 1977 = *Balanophyllia pittieri* Vaughan, 1919
- Balanophyllia hadros** Cairns, 1979 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia hawaiiensis** Vaughan, 1907 = *Balanophyllia gigas* Moseley, 1881
- Balanophyllia hawaiiensis** Vaughan, 1907 = *Balanophyllia cornu* Moseley, 1881
- Balanophyllia imperialis** Kent, 1871 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia iwayamaensis** Abe, 1938 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia laysanensis** Vaughan, 1907 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia malouinensis** Squires, 1961 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia nouhuysi** van der Horst, 1922 = *Dendrophyllia arbuscula* van der Horst, 1922
- Balanophyllia osburni** Durham & Barnard, 1952 = *Balanophyllia galapagensis* Vaughan, 1906
- Balanophyllia palifera** Pourtalès, 1878 II  
DENDROPHYLLIIDAE (Anthozoa) (E) Chaff Cup Coral (S) Coral pocillo de la broza
- Balanophyllia parallela** (Semper, 1872) II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia parvula** Moseley, 1881 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia pittieri** Vaughan, 1919 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia ponderosa** van der Horst, 1926 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia praecipua** Gardiner & Waugh, 1939 = *Eguchipsammia gaditana* (Duncan, 1873)
- Balanophyllia profundicella** Gardiner, 1899 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia rediviva** Moseley, 1881 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia regalis** (Alcock, 1893) II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia regia** Gosse, 1853 II  
DENDROPHYLLIIDAE (Anthozoa) (E) Scarlet-and-gold Star Coral
- Balanophyllia regularis** (Gardiner, 1899) = *Endopsammia philippensis* Milne Edwards & Haime, 1848
- Balanophyllia scabra** Alcock, 1893 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia scheeri** Durham, 1962 = *Rhizopsammia verrilli* van der Horst, 1922
- Balanophyllia serrata** Cairns & Zibrowius, 1997 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia socialis britannica** (Semper, 1872) = *Leptopsammia britannica* (Duncan, 1870)
- Balanophyllia socialis** (Semper, 1872) = *Balanophyllia stimpsonii* (Verrill, 1865)
- Balanophyllia spongiosa** Cairns, 2004 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia stimpsonii** (Verrill, 1865) II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia stokesiana** (Milne Edwards & Haime, 1848) = *Leptopsammia stokesiana* Milne Edwards & Haime, 1848
- Balanophyllia taprobanae** Bourne, 1905 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia tenuis** van der Horst, 1922 II  
DENDROPHYLLIIDAE (Anthozoa)
- Balanophyllia teres** Cairns, 1994 II  
DENDROPHYLLIIDAE (Anthozoa)

<b><i>Balanophyllia thalassae</i></b> Zibrowius, 1980 II	Ballena de Bryde (S): <i>Balaenoptera edeni</i>
DENDROPHYLLOIDAE (Anthozoa)	Ballena de Cuvier (S): <i>Ziphius cavirostris</i>
<i>Balanophyllia tiburomensis</i> Durham, 1947 = <i>Balanophyllia cedrosensis</i> Durham, 1947	Ballena de pico de Andrew (S): <i>Mesoplodon bowdoini</i>
<i>Balanophyllia togata</i> van der Horst, 1927 = <i>Trochopsammia togata</i> (van der Horst, 1927)	Ballena de pico de Arnoux (S): <i>Berardius arnuxii</i>
<i>Balanophyllia verrucaria</i> (Pallas, 1766) = <i>Balanophyllia europaea</i> (Risso, 1826)	Ballena de pico de Baird (S): <i>Berardius bairdii</i>
<b><i>Balanophyllia wellsi</i></b> Cairns, 1977 II	Ballena de pico de Blainville (S): <i>Mesoplodon densirostris</i>
DENDROPHYLLOIDAE (Anthozoa)	Ballena de pico de Gervais (S): <i>Mesoplodon europaeus</i>
<b><i>Balanophyllia yongei</i></b> Crossland, 1952 II	Ballena de pico de Gray (S): <i>Mesoplodon grayi</i>
DENDROPHYLLOIDAE (Anthozoa)	Ballena de pico de Héctor (S): <i>Mesoplodon hectori</i>
Balbugard fluviaatile (F): <i>Pandion haliaetus</i>	Ballena de pico de Hubbs (S): <i>Mesoplodon carlhubbsi</i>
Balbuzard pêcheur (F): <i>Pandion haliaetus</i>	Ballena de pico de Layard (S): <i>Mesoplodon layardi</i>
<b><i>Balearica</i> spp.</b> Brisson, 1760 II GRUIDAE (Aves)	Ballena de pico de Longman (S): <i>Indopacetus pacificus</i>
<b><i>Balearica pavonina</i></b> (Linnaeus, 1758) II GRUIDAE (Aves)	Ballena de pico de Sowerby (S): <i>Mesoplodon bidens</i>
(E) Black Crowned-Crane, West African Crowned Crane (S) Grulla coronada, Grulla coronada cuellinegra, Grulla coronada del África occidental (F)	Ballena de pico de Stejneger (S): <i>Mesoplodon stejnegeri</i>
Grue couronnée, Grue couronnée de l'Afrique de l'ouest et du Soudan	Ballena de pico de True (S): <i>Mesoplodon mirus</i>
<b><i>Balearica regulorum</i></b> (E. T. Bennett, 1834) II GRUIDAE (Aves)	Ballena de Shepherd (S): <i>Tasmacetus shepherdii</i>
(E) Grey Crowned-Crane, South African Crowned Crane (S) Grulla coronada cuelligris, Grulla coronada sudafricana (F) Grue couronnée de Cap, Grue couronnée de l'Afrique du sud et de l'est, Grue royale	Ballena esperma (S): <i>Physeter macrocephalus</i>
Baleine à bosse (F): <i>Megaptera novaeangliae</i>	Ballena franca (S): <i>Eubalaena australis</i>
Baleine à nageoires (F): <i>Balaenoptera physalus</i>	Ballena franca del Norte (S): <i>Eubalaena glacialis</i>
Baleine à six bosses (F): <i>Eschrichtius robustus</i>	Ballena franca pigmea (S): <i>Caperea marginata</i>
Baleine à taquet (F): <i>Megaptera novaeangliae</i>	Ballena Franca Prigmea (S): <i>Neobalaenidae</i>
Baleine australe (F): <i>Eubalaena australis</i>	Ballena gris (S): <i>Eschrichtius robustus</i>
Baleine bleue (F): <i>Balaenoptera musculus</i>	Ballena gris (S): <i>Eschrichtiidae</i>
Baleine de Biscaye (F): <i>Eubalaena glacialis</i>	Ballena hocico de botella del norte (S): <i>Hyperoodon ampullatus</i>
Baleine de grande baie (F): <i>Balaena mysticetus</i>	Ballena hocico de botella del sur (S): <i>Hyperoodon planifrons</i>
Baleine des Basques (F): <i>Eubalaena glacialis</i>	Ballena jorobada (S): <i>Megaptera novaeangliae</i>
Baleine d'Ostende (F): <i>Balaenoptera musculus</i>	Ballena minke (S): <i>Balaenoptera acutorostrata</i>
Baleine du Groenland (F): <i>Balaena mysticetus</i>	Ballena sei (S): <i>Balaenoptera borealis</i>
Baleine Du Groenland, Baleines Franches (F): <i>Balaenidae</i>	Ballenas Hocico De Botella (S): <i>Ziphiidae</i>
Baleine fin (F): <i>Balaenoptera physalus</i>	Ballenas Verdaderas O Misticetos (S): <i>Balaenidae</i>
Baleine franche (F): <i>Eubalaena glacialis</i>	Ballenga (S): <i>Eubalaena glacialis</i>
Baleine Gris (F): <i>Eschrichtiidae</i>	Banderón caballo (S): <i>Myrmecophaga tridactyla</i>
Baleine grise (F): <i>Eschrichtius robustus</i>	Bandicoot, Barred (E): <i>Perameles bougainville</i>
Baleine Pygmée (F): <i>Neobalaenidae</i>	Bandicoot de Bougainville (F): <i>Perameles bougainville</i>
Baleine Pygmée (F): <i>Caperea marginata</i>	Bandicoot, Greater Rabbit-eared (E): <i>Macrotis lagotis</i>
Baleinoptère à museau pointu (F): <i>Balaenoptera acutorostrata</i>	Bandicoot-lapin (F): <i>Macrotis lagotis</i>
Baleinoptère bleue (F): <i>Balaenoptera musculus</i>	Bandicoot, Long-nosed (E): <i>Perameles bougainville</i>
Baleinoptère commun (F): <i>Balaenoptera physalus</i>	Bandicoot, Western Barred (E): <i>Perameles bougainville</i>
Baleinoptère de Bryde (F): <i>Balaenoptera edeni</i>	Bandicot conejo (S): <i>Macrotis lagotis</i>
Baleinoptère de Rudolphi (F): <i>Balaenoptera borealis</i>	Bandicot de Bouganville (S): <i>Perameles bougainville</i>
Baleinoptères, Rorquals (F): <i>Balaenopteridae</i>	<i>Banksianus fulgidus</i> Lesson, 1830 = <i>Psittrichas fulgidus</i> (Lesson, 1830)
Baléniceps roi (F): <i>Balaeniceps rex</i>	<i>Bantamia merleti</i> Wells, 1961 = <i>Blastomussa merleti</i> (Wells, 1961)
Ballena (S): <i>Eubalaena glacialis</i>	<b><i>Barabattoia</i> spp.</b> Yabe & Sugiyama, 1941 II FAVIIDAE (Anthozoa)
Ballena aleta (S): <i>Balaenoptera physalus</i>	<b><i>Barabattoia amicorum</i></b> (Milne Edwards & Haime, 1848) II FAVIIDAE (Anthozoa)
Ballena azul (S): <i>Balaenoptera musculus</i>	<i>Barabattoia goroensis</i> Yabe & Sugiyama, 1941 = <i>Barabattoia amicorum</i> (Milne Edwards & Haime, 1848)
Ballena blanca (S): <i>Delphinapterus leucas</i>	<b><i>Barabattoia laddi</i></b> (Wells, 1954) II FAVIIDAE (Anthozoa)
Ballena boba (S): <i>Balaenoptera physalus</i>	<b><i>Barabattoia mirabilis</i></b> Yabe & Sugiyama, 1941 II FAVIIDAE (Anthozoa)
Ballena boba (S): <i>Balaenoptera borealis</i>	<i>Barabattoia modesta</i> Nemenzo = <i>Barabattoia amicorum</i> (Milne Edwards & Haime, 1848)
Ballena boreal (S): <i>Balaena mysticetus</i>	Barasingha (S): <i>Rucervus duvaucelii</i>
	Barasingha (F): <i>Rucervus duvaucelii</i>
	Barasingha (F): <i>Rucervus duvaucelii</i>

- Barasingha (E): *Rucervus duvaucelii*  
 Barb, Congo Blind (E): *Caecobarbus geertsii*  
 Barbeau de Jullien (F): *Probarbus jullieni*  
 Barbet, Toucan (E): *Semnornis ramphastinus*  
 Barb, Isok (E): *Probarbus jullieni*  
 Barbita colibandeada (S): *Threnetes ruckeri*  
 Barbita colipalida (S): *Threnetes niger*  
 Barb, Seven-line (E): *Probarbus jullieni*  
 Barb, Seven-striped (E): *Probarbus jullieni*  
 Barbthroat, Band-tailed (E): *Threnetes ruckeri*  
 Barbthroat, Bronze-tailed (E): *Threnetes niger*  
 Barbthroat, Pale-tailed (E): *Threnetes niger*  
 Barbthroat, Sparkling-tailed (E): *Tilmatura dupontii*  
 Barbu aveugle (F): *Caecobarbus geertsii*  
*Barbus pahangensis* Duncker, 1904 = *Probarbus jullieni*  
 Sauvage, 1880  
 Baribal (F): *Ursus americanus*  
 Barizo dorsirrojo (S): *Saimiri oerstedii*  
 Barnacla cuellirroja (S): *Branta ruficollis*  
 Barnacla de las Aleutianas (S): *Branta canadensis leucopareia*  
 Barnacla hawaiana (S): *Branta sandvicensis*  
 Barnacla nene (S): *Branta sandvicensis*  
**Barnardius spp.** Bonaparte, 1854 II<sup>29</sup> PSITTACIDAE  
 (Aves)  
*Barnardius barnardi* (Vigors & Horsfield, 1827) =  
*Barnardius zonarius* (Shaw, 1805)  
**Barnardius zonarius** (Shaw, 1805) II<sup>29</sup> PSITTACIDAE  
 (Aves) (E) Australian Ringneck, Port Lincoln Ringneck,  
 Twenty-eight Parakeet (S) Perico de Port Lincoln (F)  
 Perruche à collier jaune  
 Barn-Owl, Common (E): *Tyto alba*  
 Barn-Owl, Minahassa (E): *Tyto inexspectata*  
 Barn-Owl, Sula (E): *Tyto nigrobrunnea*  
*Bartlettia pitipi* Gray, 1870 = *Podocnemis sextuberculata*  
 Cornalia, 1849  
*Baryastrea solida* Milne Edwards & Haime, 1850 =  
*Leptastrea bottae* (Milne Edwards & Haime, 1849)  
 Basáride (S): *Bassariscus sumichrasti*  
**Basilinna spp.** Boie, 1831 II TROCHILIDAE (Aves)  
**Basilinna leucotis** (Vieillot, 1818) II TROCHILIDAE  
 (Aves) (E) White-eared Hummingbird (S) Colibrí orejiblanco (F) Saphir à oreilles blanches  
**Basilinna xantusii** (Lawrence, 1860) II TROCHILIDAE  
 (Aves) (E) Black-fronted Hummingbird, Xantus's  
 Hummingbird (S) Colibrí de Xantus (F) Saphir de  
 Xantus  
 Bassarai rusé (F): *Bassariscus sumichrasti*  
**Bassaricyon gabbii** J. A. Allen, 1876 III PROCYONIDAE  
 (Mammalia) (E) Bushy-tailed Olingo, Olingo (S)  
 Chosna pericote, Cuataquil, Cuchumbi, Lingo, Olingo  
 (F) Cataquil, Olingo  
**Bassariscus sumichrasti** (Saussure, 1860) III  
 PROCYONIDAE (Mammalia) (E) Cacomistle, Central  
 American Cacomistle (S) Babisuri, Basáride,  
 Cacomistle, Mico de noche, Mico rayado (F) Bassarai  
 rusé, Bassaris d'Amérique centrale  
 Bassaris d'Amérique centrale (F): *Bassariscus sumichrasti*  
 Batagur (E): *Batagur baska*
- Batagur affinis** (Cantor, 1847) I GEOEMYDIDAE  
 (Reptilia) (E) Southern River Terrapin  
**Batagur baska** (Gray, 1831) I GEOEMYDIDAE (Reptilia)  
 (E) Batagur, Common Batagur, Four-toed Terrapin,  
 River Terrapin (S) Galápago Batagur, Galápago indio  
 (F) Batagur malais, Émyde fluviale indienne  
**Batagur borneoensis** (Schlegel & S. Müller, 1844) II<sup>39</sup>  
 GEOEMYDIDAE (Reptilia) (E) Painted Batagur,  
 Painted Terrapin, Saw-jawed Turtle, Three-striped  
 Batagur (S) Galápago pintado (F) Émyde peinte de  
 Bornéo  
 Batagur, Common (E): *Batagur baska*  
**Batagur dhongoka** (Gray, 1835) II GEOEMYDIDAE  
 (Reptilia) (E) Dhongoka Roofed Turtle, Three-striped  
 Roofed Turtle (F) Kachuga à cou rayé  
*Batagur ellioti* Gray, 1862 = *Batagur kachuga* (Gray, 1831)  
**Batagur kachuga** (Gray, 1831) II GEOEMYDIDAE  
 (Reptilia) (E) Bengal Roof Turtle, Red-crowned Roofed  
 Turtle, Sail Terrapin (F) Kachuga à front rouge  
 Batagur malais (F): *Batagur baska*  
 Batagur, Painted (E): *Batagur borneoensis*  
*Batagur petersi* Anderson, 1879 = *Morenia petersi*  
 (Anderson, 1879)  
*Batagur picta* Gray, 1862 = *Batagur borneoensis* (Schlegel & S. Müller, 1844)  
*Batagur smithii* Gray, 1863 = *Pangshura smithii* (Gray, 1863)  
 Batagur, Three-striped (E): *Batagur borneoensis*  
**Batagur trivittata** (Duméril & Bibron, 1835) II<sup>40</sup>  
 GEOEMYDIDAE (Reptilia) (E) Burmese Roofed Turtle  
 Bat, Bonin Fruit (E): *Pteropus pselaphon*  
 Bateleur (F): *Terathopius ecaudatus*  
 Bateleur (E): *Terathopius ecaudatus*  
 Bateleur des savanes (F): *Terathopius ecaudatus*  
 Bat, Golden-capped Fruit (E): *Acerodon jubatus*  
 Bat, Guam Fruit (E): *Pteropus tokudae*  
**Bathelia spp.** Moseley, 1881 II OCULINIDAE (Anthozoa)  
**Bathelia candida** Moseley, 1881 II OCULINIDAE  
 (Anthozoa)  
*Bathyactis kikaiensis* Yabe & Eguchi, 1942 =  
*Fungiacyathus paliferus* (Alcock, 1902)  
*Bathyactis marenzelleri* Vaughan, 1906 = *Fungiacyathus marenzelleri* (Vaughan, 1906)  
*Bathyactis palifera* Alcock, 1902 = *Fungiacyathus paliferus* (Alcock, 1902)  
*Bathyactis sibogae* Alcock, 1902 = *Fungiacyathus sibogae* (Alcock, 1902)  
*Bathyactis stabilis* Gardiner & Waugh, 1939 =  
*Fungiacyathus sibogae* (Alcock, 1902)  
*Bathyactis stephanus* Alcock, 1893 = *Fungiacyathus stephanus* (Alcock, 1893)  
*Bathyactis symmetrica* (Pourtalès, 1871) = *Fungiacyathus symmetricus* (Pourtalès, 1871)  
**Bathyctathus spp.** Milne Edwards & Haime, 1848 II  
 CARYOPHYLLIIDAE (Anthozoa)  
*Bathyctathus atlanticus* Duncan, 1873 = *Caryophyllia atlantica* (Duncan, 1873)  
**Bathyctathus chilensis** Milne Edwards & Haime, 1848 II  
 CARYOPHYLLIIDAE (Anthozoa)

- Bathycyathus consagensis* Durham & Barnard, 1952 =  
*Phyllangia consagensis* (Durham & Barnard, 1952)
- Bathycyathus elegans* Studer, 1878 = *Dasmosmilia variegata* (Pourtales, 1871)
- Bathycyathus indicus* Milne, Edwards & Haime, 1848 =  
*Bathycyathus chilensis* Milne Edwards & Haime, 1848
- Bathycyathus maculatus* Pourtales, 1874 = *Rhizosmilia maculata* (Pourtales, 1874)
- Bathypathes* spp.** Brook, 1889 II SCHIZOPATHIDAE  
(Anthozoa)
- Bathypathes affinis* (Brook, 1889) = *Schizopathes affinis* Brook, 1889
- Bathypathes alternata*** Brook, 1889 II SCHIZOPATHIDAE  
(Anthozoa)
- Bathypathes arctica* (Lütken, 1871) = *Stauropathes arctica* (Lütken, 1871)
- Bathypathes bayeri*** Opresko, 2001 II SCHIZOPATHIDAE  
(Anthozoa)
- Bathypathes bifida*** Thomson, 1905 II SCHIZOPATHIDAE  
(Anthozoa)
- Bathypathes erotema*** Schultze, 1903 II  
SCHIZOPATHIDAE (Anthozoa)
- Bathypathes euantha* Pasternak, 1958 = *Parantipathes euantha* (Pasternak, 1958)
- Bathypathes galatheae*** Pasternak, 1977 II  
SCHIZOPATHIDAE (Anthozoa)
- Bathypathes heterorhodzos* (Forster Cooper, 1909) =  
*Heliopathes heterorhodzos* (Forster Cooper, 1909)
- Bathypathes lyra* Brook, 1889 = *Abyssopathes lyra* (Brook, 1889)
- Bathypathes patula*** Brook, 1889 II SCHIZOPATHIDAE  
(Anthozoa) (E) Extended Black Coral (S) Coral  
despatarrado
- Bathypathes patula plenispina* Brook, 1889 = *Bathypathes patula* Brook, 1889
- Bathypathes platycaulus*** Totton, 1923 II  
SCHIZOPATHIDAE (Anthozoa)
- Bathypathes quadribrachiata* van Pesch, 1914 =  
*Lillipathes quadribrachiata* (van Pesch, 1914)
- Bathypathes scoparia* Totton, 1923 = *Saropathes scoparia* (Totton, 1923)
- Bathypathes seculata*** Opresko, 2005 II  
SCHIZOPATHIDAE (Anthozoa)
- Bathypathes tenuis*** Brook, 1889 II SCHIZOPATHIDAE  
(Anthozoa)
- Bathypammia* spp.** Marenzeller, 1907 II  
DENDROPHYLLIIDAE (Anthozoa)
- Bathypammia fallosocialis*** Squires, 1959 II  
DENDROPHYLLIIDAE (Anthozoa)
- Bathypammia tintinnabulum*** (Pourtales, 1868) II  
DENDROPHYLLIIDAE (Anthozoa)
- Bathysiredon dumerilii* (Dugès, 1839) = *Ambystoma dumerilii* (Dugès, 1870)
- Bathysiredon dumerilii dumerilii* Maldonado-Koerdell, 1948  
= *Ambystoma dumerilii* (Dugès, 1870)
- Bathysiredon dumerilii queretarensis* Maldonado-Koerdell,  
1948 = *Ambystoma dumerilii* (Dugès, 1870)
- Bathysiredon dumerilii* Smith and Necker, 1943 =  
*Ambystoma dumerilii* (Dugès, 1870)
- Bathytrochus hexagonalis* Gravier, 1915 = *Fungiacyathus marenzelleri* (Vaughan, 1906)
- Bat, Least Fruit (E): *Pteropus woodfordi*
- Bat, Madagascar Fruit (E): *Pteropus rufus*
- Bat, Masked Fruit (E): *Pteropus personatus*
- Batotrochus corbicula* (Pourtales, 1878) = *Trematotrochus corbicula* (Pourtales, 1878)
- Bat, Palau Fruit (E): *Pteropus pilosus*
- Bat, Palawan Fruit (E): *Acerodon leucotis*
- Bat, Rodrigues Fruit (E): *Pteropus rodricensis*
- Bat, Seram Fruit (E): *Pteropus ocellaris*
- Bat, Sulawesi Fruit (E): *Acerodon celebensis*
- Bat, Sunda Fruit (E): *Acerodon mackloti*
- Bat, Talaud Fruit (E): *Acerodon humilis*
- Bat, White-lined (E): *Platyrhinus lineatus*
- Bat, White-lined Broad-nosed (E): *Platyrhinus lineatus*
- Bay-Owl, Common (E): *Phodilus badius*
- Bay-Owl, Congo (E): *Phodilus prigoginei*
- Bay-Owl, Oriental (E): *Phodilus badius*
- Baza, African (E): *Aviceda cuculoides*
- Baza africano (S): *Aviceda cuculoides*
- Baza, Asian (E): *Aviceda jerdoni*
- Baza australiano (S): *Aviceda subcristata*
- Baza, Black (E): *Aviceda leuphotes*
- Baza coucou (F): *Aviceda cuculoides*
- Baza, Crested (E): *Aviceda subcristata*
- Baza de Jerdon (F): *Aviceda jerdoni*
- Baza huppard (F): *Aviceda leuphotes*
- Baza huppé (F): *Aviceda subcristata*
- Baza, Jerdon's (E): *Aviceda jerdoni*
- Baza, Madagascar (E): *Aviceda madagascariensis*
- Baza malgache (S): *Aviceda madagascariensis*
- Baza malgache (F): *Aviceda madagascariensis*
- Baza negro (S): *Aviceda leuphotes*
- Baza oriental (S): *Aviceda jerdoni*
- Baza, Pacific (E): *Aviceda subcristata*
- Beak-head (E): *Sphenodon punctatus*
- Bean, Cumberland (E): *Villosa trabelsis*
- Bear, American Black (E): *Ursus americanus*
- Bear, Andean (E): *Tremarctos ornatus*
- Bear, Asian Black (E): *Ursus thibetanus*
- Bear, Brown (E): *Ursus arctos*
- Bearcat (E): *Arctictis binturong*
- Bear, Grizzly (E): *Ursus arctos*
- Bear, Himalayan Black (E): *Ursus thibetanus*
- Bear, Himalayan Brown (E): *Ursus arctos isabellinus*
- Bear, Malayan Sun (E): *Helarctos malayanus*
- Bear, Polar (E): *Ursus maritimus*
- Bear, Red (E): *Ursus arctos isabellinus*
- Bear, Sloth (E): *Melursus ursinus*
- Bear, Spectacled (E): *Tremarctos ornatus*
- Bear, Sun (E): *Helarctos malayanus*
- Bear, Tien-Shan Brown (E): *Ursus arctos isabellinus*
- Bebrornis rodericanus* (Newton, 1865) = *Acrocephalus rodericanus* (Newton, 1865)
- Bec-en-faucille aigle (F): *Eutoxeres aquila*
- Bec-en-faucille de la Condamine (F): *Eutoxeres condamini*
- Bec-En-Sabot (F): *Balaeniceps rex*
- Bec-en-sabot du Nil (F): *Balaeniceps rex*
- beetle, Satanás (E): *Dynastes satanas*

Belette alpine (F): <i>Mustela altaica</i>	<b>Bettongia penicillata</b> Gray, 1837 I POTOROIDAE (Mammalia) (E) Brush-tailed Bettong, Brush-tailed Rat
Belette à ventre jaune (F): <i>Mustela kathiah</i>	Kangaroo, Woylie (S) Canguro-rata colipeludo (F)
Belette des Alpes (F): <i>Mustela altaica</i>	Bettongie à queue touffue, Kangourou-rat à queue touffue
Belette de Sibérie (F): <i>Mustela sibirica</i>	
<i>Bellia borneensis</i> (Gray, 1873) = <i>Orlitia borneensis</i> Gray, 1873	<b>Bettongia tropica</b> Wakefield, 1967 I POTOROIDAE (Mammalia) (E) Northern Bettong
<i>Bellia crassicollis</i> (Gray, 1831) = <i>Siebenrockiella crassicollis</i> (Gray, 1831)	Bettongie à queue touffue (F): <i>Bettongia penicillata</i>
Bélouga (F): <i>Delphinapterus leucas</i>	Bettongie de Lesueur (F): <i>Bettongia lesueur</i>
Beluga (E): <i>Huso huso</i>	Bettong, Northern (E): <i>Bettongia tropica</i>
Beluga (F): <i>Huso huso</i>	Bettong, Tasmanian (E): <i>Bettongia gaimardi</i>
Beluga (S): <i>Delphinapterus leucas</i>	Bharal (E): <i>Pseudois nayaur</i>
Beluga (S): <i>Huso huso</i>	<i>Bhutanitis</i> spp. Atkinson, 1873 II PAPILIONIDAE (Insecta)
Beluga (F): <i>Delphinapterus leucas</i>	<i>Bhutanitis lidderdalii</i> Atkinson, 1873 II PAPILIONIDAE (Insecta) (E) Bhutan Glory
Beluga (E): <i>Delphinapterus leucas</i>	<i>Bhutanitis ludlowi</i> Gabriel, 1942 II PAPILIONIDAE (Insecta) (E) Ludlow's Bhutan Swallowtail
Bengali vert (F): <i>Amandava formosa</i>	<i>Bhutanitis mansfieldi</i> (Riley, 1939) II PAPILIONIDAE (Insecta) (E) Mansfield's Three-tailed Swallowtail
Bénitier de Rosewater (F): <i>Tridacna rosewateri</i>	<i>Bhutanitis nigrilima</i> Chou, 1992 = <i>Bhutanitis thaidina</i> (Blanchard, 1871)
Bénitier de Tevoro (F): <i>Tridacna tevoroa</i>	<i>Bhutanitis ocellatomaculata</i> Igarashi, 1979 = <i>Bhutanitis lidderdalii</i> Atkinson, 1873
Bénitier géant (F): <i>Tridacna gigas</i>	<i>Bhutanitis ochracea</i> (Tytler, 1839) = <i>Bhutanitis lidderdalii</i> Atkinson, 1873
Bénitiers (F): <i>Tridacnidae</i>	<i>Bhutanitis spinosa</i> Stichel, 1907 = <i>Bhutanitis lidderdalii</i> Atkinson, 1873
Bérardien d'Arnoux (F): <i>Berardius arnuxii</i>	<i>Bhutanitis thaidina</i> (Blanchard, 1871) II PAPILIONIDAE (Insecta) (E) Chinese Three-tailed Swallowtail
Bérardien de Baird (F): <i>Berardius bairdii</i>	<i>Bhutanitis yulongensis</i> Chou, 1992 = <i>Bhutanitis thaidina</i> (Blanchard, 1871)
<b>Berardius</b> spp. Duvernoy, 1851 I ZIPHIIDAE (Mammalia)	Bichichi (S): <i>Saguinus oedipus</i>
<b>Berardius arnuxii</b> Duvernoy, 1851 I ZIPHIIDAE (Mammalia) (E) Arnoux's Beaked Whale, Southern Four-toothed Whale (S) Ballena de pico de Arnoux (F)	<i>Biflabellum anthophyllum</i> (Ehrenberg, 1834) = <i>Monomyces pygmaea</i> (Risso, 1826)
Bérardien d'Arnoux	Bighorn (F): <i>Ovis canadensis</i>
<b>Berardius bairdii</b> Stejneger, 1883 I ZIPHIIDAE (Mammalia) (E) Baird's Beaked Whale, Giant Bottle-nosed Whale, Northern Four-toothed Whale (S)	<i>Bikiniastrea laddi</i> Wells, 1954 = <i>Barabattoia laddi</i> (Wells, 1954)
Ballena de pico de Baird (F) Bérardien de Baird	Bilby (E): <i>Macrotis lagotis</i>
<b>Berenicornis</b> spp. Bonaparte, 1850 II BUCEROTIDAE (Aves)	Bilby, Greater (E): <i>Macrotis lagotis</i>
<b>Berenicornis comatus</b> (Raffles, 1822) II BUCEROTIDAE (Aves) (E) Asian White-crested Hornbill, Long-crested Hornbill, White-crested Hornbill, White-crowned Hornbill (S) Cálar crestiblanco (F) Calao coiffé	Binturong (S): <i>Arctictis binturong</i>
Bernache à cou roux (F): <i>Branta ruficollis</i>	Binturong (E): <i>Arctictis binturong</i>
Bernache des Aléoutiennes (F): <i>Branta canadensis leucopareia</i>	Binturong (F): <i>Arctictis binturong</i>
Bernache des îles Sandwich (F): <i>Branta sandvicensis</i>	Bird-of-paradise, Blue (E): <i>Paradisaea rudolphi</i>
Bernache d'Hawaï (F): <i>Branta sandvicensis</i>	Bird-of-paradise, Count Raggi's (E): <i>Paradisaea raggiana</i>
Bernache du Canada aléoute (F): <i>Branta canadensis leucopareia</i>	Bird-of-paradise, Crested (E): <i>Cnemophilus macgregorii</i>
Bernache néné (F): <i>Branta sandvicensis</i>	Bird-of-paradise, Emperor (E): <i>Paradisaea guilielmi</i>
Berrendo (S): <i>Antilocapra americana</i>	Bird-of-paradise, Emperor of Germany's (E): <i>Paradisaea guilielmi</i>
Besra (E): <i>Accipiter virgatus</i>	Bird-of-paradise, Goldie's (E): <i>Paradisaea decora</i>
Bettong, Brush-tailed (E): <i>Bettongia penicillata</i>	Bird-of-paradise, Greater (E): <i>Paradisaea apoda</i>
Bettong, Burrowing (E): <i>Bettongia lesueur</i>	Bird-of-paradise, King (E): <i>Cicinnurus regius</i>
Bettong, Eastern (E): <i>Bettongia gaimardi</i>	Bird-of-paradise, King-of-Saxony (E): <i>Pteridophora alberti</i>
<b>Bettongia</b> spp. Gray, 1837 I POTOROIDAE (Mammalia)	Bird-of-paradise, Lesser (E): <i>Paradisaea minor</i>
<b>Bettongia gaimardi</b> (Desmarest, 1822) I POTOROIDAE (Mammalia) (E) Eastern Bettong, Tasmanian Bettong, Tasmanian Rat Kangaroo (S) Canguro-rata de Tasmania (F) Kangourou-rat de Tasmania	Bird-of-paradise, Loria's (E): <i>Cnemophilus loriae</i>
<b>Bettongia lesueur</b> (Quoy & Gaimard, 1824) I POTOROIDAE (Mammalia) (E) Boodie, Burrowing Bettong, Lesueur's Rat Kangaroo (S) Canguro-rata de Lesueur (F) Bettongie de Lesueur, Kangourou-rat de Lesueur	Bird-of-paradise, Macgregor's (E): <i>Macgregoria pulchra</i>
	Bird-of-paradise, Magnificent (E): <i>Diphyllodes magnificus</i>
	Bird-of-paradise, Princess Stephanie's (E): <i>Astrapia stephaniae</i>
	Bird-of-paradise, Raggiana (E): <i>Paradisaea raggiana</i>
	Bird-of-paradise, Red (E): <i>Paradisaea rubra</i>

Bird-of-paradise, Ribbon-tailed (E): <i>Astrapia mayeri</i>	Black-Cockatoo, Yellow-tailed (E): <i>Calyptorhynchus funereus</i>
Bird-of-paradise, Standard-wing (E): <i>Semioptera wallacii</i>	Blackfish, Slender (E): <i>Feresa attenuata</i>
Bird-of-paradise, Superb (E): <i>Lophorina superba</i>	Black-Hawk, Common (E): <i>Buteogallus anthracinus</i>
Bird-of-paradise, Twelve-wired (E): <i>Seleucidis melanoleucus</i>	Black-Hawk, Great (E): <i>Buteogallus urubitinga</i>
Bird-of-paradise, Wattle-billed (E): <i>Loboparadisea sericea</i>	Black-Hawk, Lesser (E): <i>Buteogallus anthracinus</i>
Bird-of-paradise, Wilson's (E): <i>Diphyllodes respublica</i>	Black-Hawk, Mangrove (E): <i>Buteogallus subtilis</i>
Bird-of-paradise, Yellow-breasted (E): <i>Loboparadisea sericea</i>	Blanc-nez (F): <i>Cercopithecus nictitans</i>
Birdwing, Black-and-gold (E): <i>Troides helena</i>	<b><i>Blastocerus dichotomus</i></b> (Illiger, 1815) I CERVIDAE
Birdwing, Buru Opalescent (E): <i>Troides prattorum</i>	(Mammalia) (E) Marsh Deer (S) Ciervo de los pantanos, Ciervo marismeño (F) Cerf des marais
Birdwing, Chimaera (E): <i>Ornithoptera chimaera</i>	<b><i>Blastomussa spp.</i></b> Wells, 1968 II MUSSIDAE (Anthozoa)
Birdwing, Common (E): <i>Troides helena</i>	<i>Blastomussa lawtoni</i> Nemenzo, 1988 = <i>Phyllangia papuensis</i> Studer, 1878
Birdwing, Common (E): <i>Ornithoptera priamus</i>	<b><i>Blastomussa merleti</i></b> (Wells, 1961) II MUSSIDAE
Birdwing, Common Green (E): <i>Ornithoptera priamus</i>	(Anthozoa) (E) Branched Cup Coral
Birdwing, Golden (E): <i>Troides cuneifera</i>	<i>Blastomussa pourtalesi</i> Duncan, 1878 = <i>Pourtalosmilia anthophyllites</i> (Ellis & Solander, 1786)
Birdwing, Golden (E): <i>Troides aeacus</i>	<b><i>Blastomussa wellsi</i></b> Wijsman-Best, 1973 II MUSSIDAE
Birdwing, Golden (E): <i>Troides amphrysus</i>	(Anthozoa)
Birdwing, Goliath (E): <i>Ornithoptera goliath</i>	<i>Blastosmilia fecunda</i> (Pourtalès, 1871) = <i>Anomocora fecunda</i> (Pourtalès, 1871)
Birdwing, Malay (E): <i>Troides amphrysus</i>	<b><i>Blastotrochus spp.</i></b> Milne Edwards & Haime, 1848 II
Birdwing, New Guinea (E): <i>Ornithoptera priamus</i>	FLABELLIDAE (Anthozoa)
Birdwing, Obi (E): <i>Ornithoptera aesacus</i>	<b><i>Blastotrochus nutrix</i></b> Milne Edwards & Haime, 1848 II
Birdwing, Paradise (E): <i>Ornithoptera paradisea</i>	FLABELLIDAE (Anthozoa)
Birdwing, Priam's (E): <i>Ornithoptera priamus</i>	Bleeding-heart, Luzon (E): <i>Gallicolumba luzonica</i>
Birdwing, Queen Alexandra's (E): <i>Ornithoptera alexandri</i>	Blesbok (E): <i>Damaliscus pygargus</i>
Birdwing, Queen Victoria's (E): <i>Ornithoptera victoriae</i>	Blossomcrown (E): <i>Anthocephala floriceps</i>
Birdwing, Rajah Brooke's (E): <i>Trogonoptera brookiana</i>	Blossom, Green (E): <i>Epioblasma torulosa gubernaculum</i>
Birdwing, Rothschild's (E): <i>Ornithoptera rothschildi</i>	Blossom, Tuberclad (E): <i>Epioblasma torulosa torulosa</i>
Birdwing, Small (E): <i>Troides aeacus</i>	Blossom, Tuberclad (E): <i>Epioblasma torulosa</i>
Birdwing, Southern Tailed (E): <i>Ornithoptera meridionalis</i>	Blossom, Turgid (E): <i>Epioblasma turgidula</i>
Birdwing, Tailed (E): <i>Ornithoptera paradisea</i>	Blossom, Yellow (E): <i>Epioblasma florentina</i>
Birdwing, Talaud Black (E): <i>Troides dohertyi</i>	Bluebonnet (E): <i>Northiella haematogaster</i>
Birdwing, Tithonus (E): <i>Ornithoptera tithonus</i>	Blue-Flycatcher, Rueck's (E): <i>Cyornis ruckii</i>
birdwing, Wallace's golden (E): <i>Ornithoptera croesus</i>	<b><i>Boa spp.</i></b> Linnaeus, 1758 I/II BOIDAE (Reptilia)
Bison, American (E): <i>Bison bison</i>	Boa, Abaco Island (E): <i>Epicrates exsul</i>
<b><i>Bison bison</i></b> (Linnaeus, 1758) II/NC BOVIDAE	<i>Boa aboma</i> Daudin, 1803 = <i>Epicrates cenchria</i> (Linnaeus, 1758)
(Mammalia) (E) American Bison, Buffalo	<i>Boa albicans</i> Schneider, 1801 = <i>Python molurus</i> (Linnaeus, 1758)
<b><i>Bison bison athabascae</i></b> Rhoads, 1898 II BOVIDAE	Boa, Amazon Tree (E): <i>Corallus hortulanus</i>
(Mammalia) (E) Wood Bison (S) Bisonte americano de bosque, Bisonte selvático de Athabasca (F) Bison des forêts	Boa, Ambergris Cay Dwarf (E): <i>Tropidophis greenwayi</i>
Bison des forêts (F): <i>Bison bison athabascae</i>	<i>Boa ambleocephala</i> Donndorff, 1798 = <i>Corallus hortulanus</i> (Linnaeus, 1758)
Bison, Indian (E): <i>Bos gaurus</i>	<i>Boa amethystina</i> Schneider, 1801 = <i>Morelia amethystina</i> (Schneider, 1801)
Bisonte americano de bosque (S): <i>Bison bison athabascae</i>	<i>Boa anacondoides</i> Daudin, 1803 = <i>Eunectes murinus</i> (Linnaeus, 1758)
Bisonte selvático de Athabasca (S): <i>Bison bison athabascae</i>	<i>Boa anguiformis</i> Schneider, 1801 = <i>Eryx johnii</i> (Russell, 1801)
Bison, Wood (E): <i>Bison bison athabascae</i>	Boa annelé (F): <i>Corallus annulatus</i>
Blackbird, Saffron-cowled (E): <i>Xanthopsar flavus</i>	<i>Boa annulata</i> (Cope, 1875) = <i>Corallus annulatus</i> (Cope, 1875)
Blackbuck (E): <i>Antilope cervicapra</i>	Boa, Annulated Tree (E): <i>Corallus annulatus</i>
Black-cockatoo, Glossy (E): <i>Calyptorhynchus lathami</i>	<i>Boa annulifer</i> Daudin, 1803 = <i>Epicrates cenchria</i> (Linnaeus, 1758)
Black-Cockatoo, Long-billed (E): <i>Calyptorhynchus baudinii</i>	<i>Boa aquatica</i> Wied-Neuwied, 1824 = <i>Eunectes murinus</i> (Linnaeus, 1758)
Black-Cockatoo, Red-tailed (E): <i>Calyptorhynchus banksii</i>	
Black-Cockatoo, Short-billed (E): <i>Calyptorhynchus latirostris</i>	
Black-Cockatoo, Slender-billed (E): <i>Calyptorhynchus latirostris</i>	
Black-Cockatoo, White-tailed (E): <i>Calyptorhynchus baudinii</i>	

- Boa, Arabian Sand (E): *Eryx jayakari*  
 Boa arboricola anillada (S): *Corallus annulatus*  
 Boa arboricola de jardín (S): *Corallus hortulanus*  
 Boa arboricola de Madagascar (S): *Sanzinia madagascariensis*  
 Boa arboricole annelé (F): *Corallus annulatus*  
 Boa arboricole d'Amazonie (F): *Corallus hortulanus*  
 Boa arboricole gracie (F): *Epicrates gracilis*  
 Boa arc-en-ciel (F): *Epicrates cenchria*  
 Boa à trois bandes (F): *Lichanura trivirgata*  
*Boa aurantiaca Laurenti, 1768 = Corallus caninus (Linnaeus, 1758)*  
*Boa australis Montrouzier, 1860 = Candoia bibroni (Duméril & Bibron, 1844)*  
 Boa aux écailles rugueuses (F): *Gongylophis colubrinus*  
 Boa, Bahamas Islands (E): *Epicrates chrysogaster*  
 Boa, Banana (E): *Ungaliophis continentalis*  
 Boa, Banded Dwarf (E): *Tropidophis semicinctus*  
 Boa, Battersby's Dwarf (E): *Tropidophis battersbyi*  
 Boa, Bevel-nosed (E): *Candoia carinata*  
 Boa, Black-bellied Dwarf (E): *Tropidophis nigriventris*  
 Boa, Blunt-tailed Sand (E): *Eryx johnii*  
 Boa, Bogert's (E): *Exiliboa placata*  
 Boa, Brazilian Dwarf (E): *Tropidophis paucisquamis*  
 Boa, Brown Sand (E): *Eryx johnii*  
 Boa canin (F): *Corallus caninus*  
*Boa canina Amaral, 1925 = Corallus batesii (Gray, 1860)*  
*Boa canina Linnaeus, 1758 = Corallus caninus (Linnaeus, 1758)*  
 Boa caoutchouc (F): *Charina bottae*  
*Boa carinata Schneider, 1801 = Candoia carinata (Schneider, 1801)*  
*Boa castanea Schneider, 1801 = Python molurus (Linnaeus, 1758)*  
 Boa, Caucasian Sand (E): *Eryx jaculus*  
 Boa, Cayman Islands Dwarf (E): *Tropidophis caymanensis*  
 Boa, Cayman Islands Ground (E): *Tropidophis caymanensis*  
*Boa cenchria Linnaeus, 1758 = Epicrates cenchria (Linnaeus, 1758)*  
*Boa cenchris Gmelin, 1788 = Epicrates cenchria (Linnaeus, 1758)*  
 Boa, Central American Dwarf (E): *Ungaliophis panamensis*  
 Boa, Central Asian Sand (E): *Eryx elegans*  
 Boa, Chiapan (E): *Ungaliophis continentalis*  
*Boa cinerea Schneider, 1801 = Python molurus (Linnaeus, 1758)*  
*Boa conica Schneider, 1801 = Gongylophis conicus (Schneider, 1801)*  
 Boa constrictor (S): *Boa constrictor*  
 Boa constrictor (F): *Boa constrictor*  
**Boa constrictor** Linnaeus, 1758 I/II BOIDAE (Reptilia) (E)  
     Ampalagua, Boa Constrictor, Giboya, Masacuate (S)  
     Boa constrictor (F) Boa constrictor  
*Boa constrictor isthmica Linnaeus, 1758 = Boa constrictor Linnaeus, 1758*  
*Boa constrictor longicauda Linnaeus, 1758 = Boa constrictor Linnaeus, 1758*  
*Boa constrictor melanogaster Linnaeus, 1758 = Boa constrictor Linnaeus, 1758*  
*Boa constrictor nebulosa Linnaeus, 1758 = Boa constrictor Linnaeus, 1758*  
 Boa constrictor occidental (F): *Boa constrictor occidentalis*  
**Boa constrictor occidentalis** Philippi, 1873 I BOIDAE  
     (Reptilia) (E) Argentine Boa Constrictor (F) Boa constrictor occidental  
*Boa cookii (Gray, 1842) = Corallus cookii Gray, 1842*  
 Boa, Cook's Tree (E): *Corallus cookii*  
*Boa costera de Brasil (S): Corallus cropanii*  
 Boa, Cropan's (E): *Corallus cropanii*  
 Boa, Cuban (E): *Epicrates angulifer*  
 Boa, Cuban Black-tailed Dwarf (E): *Tropidophis melanurus*  
 Boa, Cuban Tree (E): *Epicrates angulifer*  
*Boa de arena de Egipto (S): Gongylophis colubrinus*  
*Boa de arena de la India (S): Eryx johnii*  
*Boa de arena de Müller (S): Gongylophis muelleri*  
*Boa de arena de Sri Lanka (S): Gongylophis conicus*  
*Boa de arena de Whitaker (S): Eryx whitakeri*  
*Boa de arena somalí (S): Eryx somalicus*  
*Boa de bosque (S): Tropidophis melanurus*  
*Boa de Cook (F): Corallus cookii*  
*Boa de Cropan (F): Corallus cropanii*  
*Boa de Cuba (S): Epicrates angulifer*  
*Boa de Cuba (F): Epicrates angulifer*  
*Boa de Duméril (S): Acrantophis dumerili*  
*Boa de Duméril (F): Acrantophis dumerili*  
*Boa de Fiji (S): Candoia bibroni*  
*Boa de Ford (F): Epicrates fordii*  
*Boa de Gomme (S): Charina bottae*  
*Boa de Jamaica (S): Epicrates subflavus*  
*Boa de la Jamaïque (F): Epicrates subflavus*  
*Boa de l'île Abaco (F): Epicrates exsul*  
*Boa de l'île Mona (F): Epicrates monensis*  
*Boa de l'île Ronde de Dussumier (F): Bolyeria multocarinata*  
*Boa de l'île Ronde de Dussumier (F): Casarea dussumieri*  
*Boa de l'île Turques (F): Epicrates chrysogaster*  
*Boa del Pacífico (S): Candoia carinata*  
*Boa de Madagascar (F): Acrantophis madagascariensis*  
*Boa de Madagascar meridional (S): Acrantophis madagascariensis*  
*Boa de Mauricio (S): Bolyeria multocarinata*  
*Boa de Mona (F): Epicrates monensis*  
*Boa de Nueva Guinea (S): Candoia aspera*  
*Boa de Porto Rico (F): Epicrates inornatus*  
*Boa de Puerto Rico (S): Epicrates inornatus*  
*Boa de Round Island (S): Casarea dussumieri*  
*Boa des arbres d'Amérique centrale (F): Corallus ruschenbergerii*  
*Boa des arbres de la Grenade (F): Corallus grenadensis*  
*Boa, Desert Sand (E): Eryx miliaris*  
*Boa des forêts de Madagascar (F): Sanzinia madagascariensis*  
*Boa des jardins (F): Corallus hortulanus*  
*Boa des sables à écailles rugueuses (F): Gongylophis conicus*  
*Boa des sables brun (F): Eryx johnii*  
*Boa des sables couleuvrin (F): Gongylophis colubrinus*

- Boa des sables d'Arabie (F): *Eryx jayakari*  
 Boa des sables d'Asie centrale (F): *Eryx elegans*  
 Boa des sables d'Egypte (F): *Gongylophis colubrinus*  
 Boa des sables de Müller (F): *Gongylophis muelleri*  
 Boa des sables des Indes (F): *Gongylophis conicus*  
 Boa des sables de Somalie (F): *Eryx somalicus*  
 Boa des sables de Tatarie (F): *Eryx tataricus*  
 Boa des sables de Whitaker (F): *Eryx whitakeri*  
 Boa des sables du Kenya (F): *Gongylophis colubrinus*  
 Boa des sables élégant (F): *Eryx elegans*  
 Boa des sables miliaire (F): *Eryx miliaris*  
 Boa des sables nain (F): *Eryx miliaris*  
 Boa des sables occidental (F): *Eryx jaculus*  
 Boa des savanes de Duméril (F): *Acrantophis dumerili*  
 Boa des savanes de Madagascar (F): *Acrantophis madagascariensis*  
 Boa d'Haïti (F): *Epicrates striatus*  
 Boa d'Hispaniola (F): *Epicrates gracilis*  
*Boa diviniloqua* (Laurenti, 1768) = *Boa constrictor* Linnaeus, 1758  
*Boa diviniloqua mexicana* Jan, 1864 = *Boa constrictor* Linnaeus, 1758  
*Boa dumerili* (Jan, 1860) = *Acrantophis dumerili* Jan, 1860  
 Boa, Duméril's (E): *Acrantophis dumerili*  
*Boa dussumieri* Schlegel, 1837 = *Casarea dussumieri* (Schlegel, 1837)  
 Boa, Dwarf Sand (E): *Eryx miliaris*  
 Boa, East African Sand (E): *Gongylophis colubrinus*  
 Boa, Ecuadorian Dwarf (E): *Tropidophis battersbyi*  
 Boa, Ecuadorian Eyelash (E): *Trachyboa gularis*  
 Boa, Egyptian Sand (E): *Gongylophis colubrinus*  
*Boa elegans* Daudin, 1803 = *Corallus hortulanus* (Linnaeus, 1758)  
 Boa, Elegant Sand (E): *Eryx elegans*  
 Boa, Emerald Tree (E): *Corallus caninus*  
 Boa émeraude (F): *Corallus caninus*  
 Boa enana de las Bahamas (S): *Tropidophis canus*  
 Boa enana de las islas Caimán (S): *Tropidophis caymanensis*  
 Boa enana del norte de centroamérica (S): *Ungaliophis continentalis*  
 Boa enana mexicana (S): *Exiliboa placata*  
*Boa enydris cookii* Linnaeus, 1758 = *Corallus cookii* Gray, 1842  
*Boa enydris* Linnaeus, 1758 = *Corallus hortulanus* (Linnaeus, 1758)  
*Boa eques* Eydoux & Souleyet, 1842 = *Boa constrictor* Linnaeus, 1758  
 Boa esmeralda (S): *Corallus caninus*  
 Boa excavadora de Round Island (S): *Bolyeria multocarinata*  
*Boa exigua* Laurenti, 1768 = *Corallus caninus* (Linnaeus, 1758)  
 Boa, Feick's Dwarf (E): *Tropidophis feicki*  
 Boa, Fischer's Tree (E): *Epicrates striatus*  
 Boa, Ford's (E): *Epicrates fordii*  
 Boa forestier annelé (F): *Tropidophis semicinctus*  
 Boa forestier à queue noire de l'île Navassa (F): *Tropidophis melanurus*  
 Boa forestier à ventre noir (F): *Tropidophis nigrovittatus*  
 Boa forestier brun (F): *Tropidophis fuscus*  
 Boa forestier d'Ambergris Cay (F): *Tropidophis greenwayi*  
 Boa forestier de Battersby (F): *Tropidophis battersbyi*  
 Boa forestier de Feick (F): *Tropidophis feicki*  
 Boa forestier de l'île du Grand Inagua (F): *Tropidophis canus*  
 Boa forestier de Pilsbry (F): *Tropidophis pilosbryi*  
 Boa forestier des îles Cayman (F): *Tropidophis caymanensis*  
 Boa forestier de Taczanowsky (F): *Tropidophis taczanowskyi*  
 Boa forestier de Wright (F): *Tropidophis wrighti*  
 Boa forestier d'Haïti (F): *Tropidophis haetianus*  
 Boa forestier du Brésil (F): *Tropidophis paucisquamis*  
 Boa forestier léopard (F): *Tropidophis pardalis*  
 Boa forestier tacheté (F): *Tropidophis maculatus*  
 Boa fouisseur de l'île Maurice (F): *Bolyeria multocarinata*  
 Boa fouisseur de l'Île Ronde (F): *Bolyeria multocarinata*  
 Boa, Garden Tree (E): *Corallus hortulanus*  
*Boa gigas* Latreille, 1801 = *Eunectes murinus* (Linnaeus, 1758)  
 Boa, Great Inagua Island Dwarf (E): *Tropidophis canus*  
*Boa grenadensis* Barbour, 1914 = *Corallus grenadensis* (Barbour, 1914)  
 Boa, Haitian (E): *Epicrates striatus*  
 Boa, Haitian Dwarf (E): *Tropidophis haetianus*  
 Boa, Haitian Ground (E): *Tropidophis haetianus*  
 Boa, Haitian Vine (E): *Epicrates gracilis*  
*Boa hieroglyphica* Schneider, 1801 = *Python sebae* (Gmelin, 1789)  
*Boa hipnale* Linnaeus, 1758 = *Corallus caninus* (Linnaeus, 1758)  
 Boa, Hispaniolan (E): *Epicrates gracilis*  
*Boa hortulana* (Linnaeus, 1754) = *Corallus hortulanus* (Linnaeus, 1758)  
*Boa imperator* Daudin, 1803 = *Boa constrictor* Linnaeus, 1758  
 Boa, Indian Sand (E): *Eryx johnii*  
 Boa, Indian Sand (E): *Gongylophis conicus*  
*Boa inornata* Reinhardt, 1843 = *Epicrates inornatus* (Reinhardt, 1843)  
 Boa irisada (S): *Epicrates cenchria*  
 Boa, Isthmian Dwarf (E): *Ungaliophis continentalis*  
 Boa jabalina (S): *Eryx jaculus*  
 Boa, Jamaican (E): *Epicrates subflavus*  
 Boa, Javelin Sand (E): *Eryx jaculus*  
 Boa-javelot (F): *Eryx jaculus*  
 Boa, Jayakar's Sand (E): *Eryx jayakari*  
*Boa johnii* Russell, 1801 = *Eryx johnii* (Russell, 1801)  
 Boa, Kenyan Sand (E): *Gongylophis colubrinus*  
 Boa, Leopard Dwarf (E): *Tropidophis pardalis*  
*Boa liberiensis* (Hallowell, 1845) = *Python sebae* (Gmelin, 1789)  
 Boa, Madagascar (E): *Acrantophis madagascariensis*  
 Boa, Madagascar Ground (E): *Acrantophis dumerili*  
*Boa madagascariensis* (Duméril & Bibron, 1844) = *Acrantophis madagascariensis* (Duméril & Bibron, 1844)  
 Boa, Madagascar Tree (E): *Sanzinia madagascariensis*

- Boa, Malagasy Ground (E): *Acrantophis madagascariensis*  
*Boa manditra Kluge, 1991 = Sanzinia madagascariensis* (Duméril & Bibron, 1844)  
*Boa melanura Schlegel, 1837 = Tropidophis melanurus* (Schlegel, 1837)  
*Boa merremi Schneider, 1801 = Corallus hortulanus* (Linnaeus, 1758)  
*Boa mexicana Jan, 1864 = Boa constrictor Linnaeus, 1758*  
*Boa mexicana rosada* (S): *Lichanura trivirgata*  
*Boa, Mexican Dwarf* (E): *Loxocemidae*  
*Boa modesta Reuss, 1834 = Corallus hortulanus* (Linnaeus, 1758)  
*Boa, Mona Island* (E): *Epicrates monensis*  
*Boa, Müller's Sand* (E): *Gongylophis muelleri*  
*Boa murina Linnaeus, 1758 = Eunectes murinus* (Linnaeus, 1758)  
*Boa nain à carènes* (F): *Candoia carinata*  
*Boa nain annelé* (F): *Tropidophis semicinctus*  
*Boa nain à queue noire de l'île Navassa* (F): *Tropidophis melanurus*  
*Boa nain à ventre noir* (F): *Tropidophis nigriventris*  
*Boa nain brun* (F): *Tropidophis fuscus*  
*Boa nain d'Ambergris Cay* (F): *Tropidophis greenwayi*  
*Boa nain d'Amérique centrale* (F): *Ungaliophis continentalis*  
*Boa nain de Battersby* (F): *Tropidophis battersbyi*  
*Boa nain de Bibron* (F): *Candoia bibroni*  
*Boa nain de Boulenger* (F): *Trachyboa boulengeri*  
*Boa nain de Feick* (F): *Tropidophis feicki*  
*Boa nain de l'Equateur* (F): *Trachyboa gularis*  
*Boa nain de l'île du Grand Inagua* (F): *Tropidophis canus*  
*Boa nain de Pilsbry* (F): *Tropidophis pilsbryi*  
*Boa nain des îles Caïmanes* (F): *Tropidophis caymanensis*  
*Boa nain des îles du Pacifique* (F): *Candoia bibroni*  
*Boa nain des Salomon* (F): *Candoia carinata*  
*Boa nain de Taczanowsky* (F): *Tropidophis taczanowskyi*  
*Boa nain de Wright* (F): *Tropidophis wrighti*  
*Boa nain d'Haïti* (F): *Tropidophis haetianus*  
*Boa nain d'Oaxaca* (F): *Exiliboa placata*  
*Boa nain du Brésil* (F): *Tropidophis paucisquamis*  
*Boa nain du Panama* (F): *Ungaliophis panamensis*  
*Boa nain léopard* (F): *Tropidophis pardalis*  
*Boa nain tacheté* (F): *Tropidophis maculatus*  
*Boa, Navassa Island Black-tailed Dwarf* (E): *Tropidophis melanurus*  
*Boa, New Guinea Bevel-nosed* (E): *Candoia carinata*  
*Boa, New Guinea Viper* (E): *Candoia aspera*  
*Boa, Northern Eyelash* (E): *Trachyboa boulengeri*  
*Boa, Oaxacan* (E): *Exiliboa placata*  
*Boa, Oaxacan Dwarf* (E): *Exiliboa placata*  
*Boa obtusiceps Bechstein, 1802 = Corallus hortulanus* (Linnaeus, 1758)  
*Boa occidentalis Philippi, 1873 = Boa constrictor occidentalis* Philippi, 1873  
*Boa orbiculata Schneider, 1801 = Python molurus* (Linnaeus, 1758)  
*Boa ordinata Schneider, 1801 = Python molurus* (Linnaeus, 1758)
- Boa ornata Daudin, 1803 = Gongylophis conicus* (Schneider, 1801)  
*Boa ophias Linnaeus, 1758 = Boa constrictor Linnaeus, 1758*  
*Boa ortonii Cope, 1878 = Boa constrictor Linnaeus, 1758*  
*Boa, Pacific* (E): *Candoia bibroni*  
*Boa, Palau Bevel-nosed* (E): *Candoia superciliosa*  
*Boa, Panamanian Dwarf* (E): *Ungaliophis panamensis*  
*Boa, Papuan Ground* (E): *Candoia aspera*  
*Boa pardalis Gundlach, 1840 = Tropidophis pardalis* (Gundlach, 1840)  
*Boa, Paulson's Bevel-nosed* (E): *Candoia paulsoni*  
*Boa phrygia Shaw, 1802 = Python reticulatus* (Schneider, 1801)  
*Boa, Pilsbry's Dwarf* (E): *Tropidophis pilsbryi*  
*Boa, Puerto Rican* (E): *Epicrates inornatus*  
*Boa, Rainbow* (E): *Epicrates cenchria*  
*Boa regia Shaw, 1802 = Python regius* (Shaw, 1802)  
*Boa reticulata Schneider, 1801 = Python reticulatus* (Schneider, 1801)  
*Boa rhombeata Schneider, 1801 = Python reticulatus* (Schneider, 1801)  
*Boa rose* (F): *Lichanura trivirgata*  
*Boa, Rosy* (E): *Lichanura trivirgata*  
*Boa, Rough-scaled* (E): *Trachyboa boulengeri*  
*Boa, Rough-scaled Sand* (E): *Gongylophis conicus*  
*Boa, Round Island Burrowing* (E): *Bolyeria multocarinata*  
*Boa, Round Island Keel-scaled* (E): *Casarea dussumieri*  
*Boa, Rubber* (E): *Charina bottae*  
*Boa rugosa* (S): *Trachyboa boulengeri*  
*Boa rugosa de Ecuador* (S): *Trachyboa gularis*  
*Boa rugueux de Boulenger* (F): *Trachyboa boulengeri*  
*Boa rugueux de l'Equateur* (F): *Trachyboa gularis*  
*Boa, Russell's Sand* (E): *Gongylophis conicus*  
*Boas* (F): *Tropidophiidae*  
*Boas* (S): *Boidae*  
*Boas* (F): *Boidae*  
*Boas* (S): *Tropidophiidae*  
*Boa salmonidæ Briceño-Rossi, 1934 = Corallus ruschenbergerii* (Cope, 1876)  
*Boas Arborícolas* (S): *Tropidophiidae*  
*Boas De L'Île Ronde* (F): *Bolyeriidae*  
*Boas De Round Island* (S): *Bolyeriidae*  
*Boa sobre* (F): *Epicrates inornatus*  
*Boa, Solomon Ground* (E): *Candoia carinata*  
*Boa, Somali Sand* (E): *Eryx somalicus*  
*Boa, Southern Eyelash* (E): *Trachyboa gularis*  
*Boa, Spiny* (E): *Trachyboa gularis*  
*Boa, Spotted Dwarf* (E): *Tropidophis maculatus*  
*Boa, Spotted Sand* (E): *Eryx jaculus*  
*Boas, Round Island* (E): *Bolyeriidae*  
*Boas, Wood* (E): *Tropidophiidae*  
*Boa, Taczanowsky's Dwarf* (E): *Tropidophis taczanowskyi*  
*Boa, Tartary Sand* (E): *Eryx tataricus*  
*Boa tatarica Lichtenstein, 1823 = Eryx tataricus* (Lichtenstein, 1823)  
*Boa ternatea Daudin, 1803 = Epicrates cenchria* (Linnaeus, 1758)  
*Boa thalassina Laurenti, 1768 = Corallus caninus* (Linnaeus, 1758)

Boa, Theban Sand (E): <i>Gongylophis colubrinus</i>	<b>Bolborhynchus orbygnesius</b> (Souancé, 1856) II 29
Boa, Tree (E): <i>Candoia carinata</i>	PSITTACIDAE (Aves) (E) Andean Parakeet (S) Catita andina (F) Toui d'Orbigny
<i>Boa turcica</i> Oliver, 1801 = <i>Eryx jaculus</i> (Linnaeus, 1758)	<b>Bolyeria</b> spp. Gray, 1842 I/II BOLYERIIDAE (Reptilia)
Boa, Turks Islands (E): <i>Epicrates chrysogaster</i>	<b>Bolyeria multocarinata</b> (Boie, 1827) I BOLYERIIDAE
Boa-vipère de Nouvelle-Guinée (F): <i>Candoia aspera</i>	(Reptilia) (E) Round Island Burrowing Boa (S) Boa de Mauricio, Boa excavadora de Round Island (F) Boa de l'Île Ronde de Dussumier, Boa fousisseur de l'île Maurice, Boa fousisseur de l'Île Ronde, Bolyeride
<i>Boa viperina</i> Shaw, 1802 = <i>Gongylophis conicus</i> (Schneider, 1801)	<i>Bolyeria pseudoeryx</i> (Schlegel, 1837) = <i>Bolyeria multocarinata</i> (Boie, 1827)
Boa, Virgin Islands Tree (E): <i>Epicrates monensis</i>	Bolyeride (F): <i>Bolyeria multocarinata</i>
Boa, Water (E): <i>Eunectes murinus</i>	<b>BOLYERIIDAE</b> spp. Hoffstetter, 1946 I/II (Reptilia) (E)
Boa, West African Sand (E): <i>Gongylophis muelleri</i>	Round Island Boas (S) Boas De Round Island (F) Boas De L'Île Ronde
Boa, Whitaker's (E): <i>Eryx whitakeri</i>	Bomarinde (F): <i>Anguilla anguilla</i>
Boa, Wright's Dwarf (E): <i>Tropidophis wrighti</i>	Bondrée à longue queue (F): <i>Henicopernis longicauda</i>
Boa, Yellow Tree (E): <i>Epicrates inornatus</i>	Bondrée apivore (F): <i>Pernis apivorus</i>
Bobcat (E): <i>Lynx rufus</i>	Bondrée des Célèbes (F): <i>Pernis celebensis</i>
Bobwhite, Masked (E): <i>Colinus virginianus ridgwayi</i>	Bondrée noire (F): <i>Henicopernis infuscatus</i>
Bobwhite, Northern (E): <i>Colinus virginianus</i>	Bondrée orientale (F): <i>Pernis ptilorhynchus</i>
Bockadam (E): <i>Cerberus rynchops</i>	<b>Boninastrea</b> spp. Yabe & Sugiyama, 1935 II
<i>Boella tenella</i> Smith & Chiszar, 1992 = <i>Epicrates inornatus</i> (Reinhardt, 1843)	MERULINIDAE (Anthozoa)
<b>BOIDAE</b> spp. Gray, 1825 I/II (Reptilia) (S) Boas (F) Boas	<b>Boninastrea boninensis</b> Yabe & Sugiyama, 1935 II
<i>Boiruna maculata</i> (Boulenger, 1896) = <i>Clelia clelia</i> (Daudin, 1803)	MERULINIDAE (Anthozoa)
<b>Boissonneaua</b> spp. Reichenbach, 1854 II	Bonobo (F): <i>Pan paniscus</i>
TROCHILIDAE (Aves)	Bonobo (E): <i>Pan paniscus</i>
<b>Boissonneaua flavescens</b> (Loddiges, 1832) II	Bontebok (E): <i>Damaliscus pygargus pygargus</i>
TROCHILIDAE (Aves) (E) Buff-tailed Coronet (S)	Bontebok (F): <i>Damaliscus pygargus</i>
Colibrí cabecidorado, Colibrí colihabano, Coronita colihabana (F) Colibri flavescent	Bontebok (F): <i>Damaliscus pygargus pygargus</i>
<b>Boissonneaua jardini</b> (Bourcier, 1851) II TROCHILIDAE	Bontebok (S): <i>Damaliscus pygargus</i>
(Aves) (E) Velvet-purple Coronet (S) Colibrí sietecolores, Coronita aterciopelada (F) Colibri de Jardine	Bontebok (S): <i>Damaliscus pygargus pygargus</i>
<b>Boissonneaua matthewsii</b> (Bourcier, 1847) II	Bontebok (E): <i>Damaliscus pygargus</i>
TROCHILIDAE (Aves) (E) Chestnut-breasted Coronet (S) Colibrí pechirrojo, Coronita pechicastaña (F) Colibri de Matthews	Bonytongue, Asian (E): <i>Scleropages formosus</i>
<b>Bolbopsittacus</b> spp. Salvadori, 1891 II 29 PSITTACIDAE	Bonytongue, Malayan (E): <i>Scleropages formosus</i>
(Aves)	Boobook, Andaman (E): <i>Ninox affinis</i>
<b>Bolbopsittacus lunulatus</b> (Scopoli, 1786) II 29	Boobook, Bismarck (E): <i>Ninox variegata</i>
PSITTACIDAE (Aves) (E) Guaiabero (S) Lorito guayabero (F) Perruche lunulée	Boobook, Brown (E): <i>Ninox scutulata</i>
<b>Bolborhynchus</b> spp. Bonaparte, 1857 II 29	Boobook, Jungle (E): <i>Ninox theomacha</i>
PSITTACIDAE (Aves)	Boobook, Manus (E): <i>Ninox meeki</i>
<i>Bolborhynchus andicolus</i> (Finsch, 1874) = <i>Bolborhynchus orbygnesius</i> (Souancé, 1856)	Boobook, Moluccan (E): <i>Ninox squamipila</i>
<i>Bolborhynchus aurifrons</i> (Lesson, 1830) = <i>Psilopsiagon aurifrons</i> (Lesson, 1830)	Boobook, Norfolk (E): <i>Ninox novaeseelandiae undulata</i>
<i>Bolborhynchus aymara</i> (d'Orbigny, 1839) = <i>Psilopsiagon aymara</i> (d'Orbigny, 1839)	Boobook, Ochre-bellied (E): <i>Ninox ochracea</i>
<i>Bolborhynchus ferrugineifrons</i> (Lawrence, 1880) II 29	Boobook, Papuan (E): <i>Uroglau dimorpha</i>
PSITTACIDAE (Aves) (E) Rufous-fronted Parakeet (S) Catita frentirrufa (F) Toui à front roux	Boobook, Philippine (E): <i>Ninox philippensis</i>
<i>Bolborhynchus lineola</i> (Cassin, 1853) II 29	Boobook, Russet (E): <i>Ninox odiosa</i>
PSITTACIDAE (Aves) (E) Barred Parakeet (S) Catita barrada, Perico barreteado, Periquito barrado (F) Toui catherine	Boobook, Solomon Islands (E): <i>Ninox jacquinoti</i>
<i>Bolborhynchus luchsi</i> Finsch, 1868 = <i>Myiopsitta monachus</i> (Boddaert, 1783)	Boobook, Southern (E): <i>Ninox boobook</i>
	Boobook, Speckled (E): <i>Ninox punctulata</i>
	Boobook, Sumba (E): <i>Ninox rudolfi</i>
	Boobook, White-browed (E): <i>Ninox superciliaris</i>
	Booby, Abbott's (E): <i>Papasula abbotti</i>
	Boodie (E): <i>Bettongia lesueur</i>
	Borrego cimarrón (S): <i>Ovis canadensis</i>
	<i>Bos bison</i> Linnaeus, 1758 = <i>Bison bison</i> (Linnaeus, 1758)
	<i>Boselaphus albipes</i> (Erxleben, 1777) = <i>Boselaphus tragocamelus</i> (Pallas, 1766)
	<i>Boselaphus hippelaphus</i> (Ogilby, 1837) = <i>Boselaphus tragocamelus</i> (Pallas, 1766)

- Boselaphus picta* (Pallas, 1777) = *Boselaphus tragocamelus* (Pallas, 1766)  
*Boselaphus risia* (C.H. Smith, 1827) = *Boselaphus tragocamelus* (Pallas, 1766)  
*Boselaphus tragelaphus* (Sundevall, 1846) = *Boselaphus tragocamelus* (Pallas, 1766)  
***Boselaphus tragocamelus*** (Pallas, 1766) III BOVIDAE (Mammalia) (E) Nilgai  
*Bos frontalis* Lambert, 1804 = *Bos gaurus* C. H. Smith, 1827  
*Bos gaurus* C. H. Smith, 1827 I<sup>2</sup> BOVIDAE (Mammalia) (E) Gaur, Indian Bison, Indian Wild Ox, Saladang (S) Gaur, Gauru (F) Gaur  
*Bos grunniens* Linnaeus, 1766 = *Bos mutus* Przewalski, 1883  
*Bos mutus* Przewalski, 1883 I<sup>3</sup> BOVIDAE (Mammalia) (E) Wild Yak (S) Yak, Yak salvaje (F) Yack sauvage  
***Bos sauveli*** Urbain, 1937 I BOVIDAE (Mammalia) (E) Kouprey (S) Kouprey, Toro cuprey (F) Kouprey  
 Bothrochile (F): *Bothrochilus boa*  
***Bothrochilus spp.*** Fitzinger, 1843 II PYTHONIDAE (Reptilia)  
*Bothrochilus albertisii* Cogger, Cameron & Cogger, 1983 = *Leiopython albertisii* (Peters & Doria, 1878)  
*Bothrochilus albertisii* (Peters & Doria, 1878) = *Leiopython albertisii* (Peters & Doria, 1878)  
*Bothrochilus bennettorum* (Hoser, 2000) = *Leiopython bennettorum* Hoser, 2000  
*Bothrochilus biakensis* (Schleip, 2008) = *Leiopython biakensis* Schleip, 2008  
***Bothrochilus boa*** (Schlegel, 1837) II PYTHONIDAE (Reptilia) (E) Barred Python, Bismarck Ringed Python, Ringed Python (S) Pitón anillada de Bismarck (F) Bothrochile  
*Bothrochilus childreni* (Gray, 1842) = *Antaresia childreni* (Gray, 1842)  
*Bothrochilus fredparkeri* (Schleip, 2008) = *Leiopython fredparkeri* Schleip, 2008  
*Bothrochilus fuscus* (Peters, 1873) = *Liasis fuscus* Peters, 1873  
*Bothrochilus hoserae* (Hoser, 2000) = *Leiopython hoserae* Hoser, 2000  
*Bothrochilus huonensis* (Schleip, 2008) = *Leiopython huonensis* Schleip, 2008  
*Bothrochilus olivaceus* (Gray, 1842) = *Liasis olivaceus* Gray, 1842  
*Bothrochilus perthensis* (Stull, 1932) = *Antaresia perthensis* (Stull, 1932)  
 Boto (E): *Inia geoffrensis*  
*Botryphyllia yaeyamaensis* Shirai, 1980 = *Euphyllia yaeyamaensis* (Shirai, 1980)  
 Bottlehead (E): *Hyperoodon ampullatus*  
 Bouiron (F): *Anguilla anguilla*  
 Bouquetin du Népal (F): *Naemorhedus goral*  
*Bourcieria inca* Gould, 1852 = *Coeligena torquata* (Boissonneau, 1840)  
***Bourneotrochus spp.*** Wells, 1984 II CARYOPHYLLIIDAE (Anthozoa)  
***Bourneotrochus stellulatus*** (Cairns, 1984) II CARYOPHYLLIIDAE (Anthozoa)
- Bourneotrochus veroni* Wells, 1984 = *Bourneotrochus stellulatus* (Cairns, 1984)  
 Boutu (E): *Inia geoffrensis*  
***Brachylophus spp.*** Wagler, 1830 I IGUANIDAE (Reptilia)  
*Brachylophus brevicephalus* Avery & Tanner, 1970 = *Brachylophus fasciatus* (Brongniart, 1800)  
***Brachylophus bulabula*** Fisher, Harlow, Edwards & Keogh 2008 I IGUANIDAE (Reptilia)  
***Brachylophus fasciatus*** (Brongniart, 1800) I IGUANIDAE (Reptilia) (E) Fiji Banded Iguana, South Pacific Banded Iguana (F) Iguane à bandes des Fidji  
***Brachylophus vitiensis*** Gibbons, 1981 I IGUANIDAE (Reptilia) (E) Fiji Crested Iguana (S) Iguana crestada de Fiji (F) Iguane à crête des Fidji  
***Brachypelma spp.*** Simon, 1892 II THERAPHOSIDAE (Arachnida)  
*Brachypelma albiceps* Pocock, 1903 = *Aphonopelma albiceps* (Pocock, 1903)  
***Brachypelma albopilosum*** Valerio, 1980 II THERAPHOSIDAE (Arachnida) (E) Curly-hair Tarantula (S) Tarantula de pelo crespo (F) Tarantule frisée  
***Brachypelma andrewi*** Schmidt, 1992 II THERAPHOSIDAE (Arachnida)  
***Brachypelma angustum*** Valerio, 1980 II THERAPHOSIDAE (Arachnida) (E) Costa Rican Red Tarantula (S) Tarantula roja de Costa Rica (F) Tarantule rouge du Costa Rica  
***Brachypelma annitha*** Tesmoingst, Cleton & Verdez, 1997 II THERAPHOSIDAE (Arachnida)  
***Brachypelma auratum*** Schmidt, 1992 II THERAPHOSIDAE (Arachnida) (E) Mexican Flamernee Tarantula (S) Tarantula mexicana rodilla de llama (F) Tarantule à genoux de feu du Mexique  
***Brachypelma aureoceps*** (Chamberlin, 1917) II THERAPHOSIDAE (Arachnida) (E) Florida Golden Chestnut Tarantula  
***Brachypelma baumgarteni*** Smith, 1993 II THERAPHOSIDAE (Arachnida) (E) Mexican Orangebeauty Tarantula, Michoacan Orange Tarantula (S) Tarantula mexicana naranja (F) Tarantule orange du Mexique  
***Brachypelma boehmei*** Schmidt & Klaas, 1993 II THERAPHOSIDAE (Arachnida) (E) Guerrero Orange Legs Tarantula, Mexican Fireleg Tarantula (S) Tarantula mexicana pierna naranja oscuro (F) Tarantule du Mexique à pattes rouille  
***Brachypelma embrithes*** (Chamberlin & Ivie, 1936) II THERAPHOSIDAE (Arachnida)  
***Brachypelma emilia*** (White, 1856) II THERAPHOSIDAE (Arachnida) (E) Mexican Blackcap Tarantula, Mexican Redleg Tarantula, Orange-knee Tarantula, True Red Leg Tarantula (S) Tarantula mexicana pierna roja (F) Tarantule du Mexique à pattes rouges  
***Brachypelma epicureanum*** (Chamberlin, 1925) II THERAPHOSIDAE (Arachnida) (E) Yucatan Rusty-rumped Tarantula  
***Brachypelma fossorium*** Valerio, 1980 II THERAPHOSIDAE (Arachnida) (E) Filadelfia Rusty Brown Tarantula

- Brachypelma hamorii*** Tesmoingst, Cleton & Verdez, 1997 II THERAPHOSIDAE (Arachnida)
- Brachypelma kahlenbergi*** Rudloff, 2009 II THERAPHOSIDAE (Arachnida)
- Brachypelma klaasi*** (Schmidt & Krause, 1994) II THERAPHOSIDAE (Arachnida) (E) Acapulco Lesser Orange Tarantula, Mexican Pink Tarantula
- Brachypelma pallidum*** F. O. P. Cambridge, 1897 = *Aphonopelma pallidum* (Pickard-Cambridge, 1897)
- Brachypelma ruhnaui*** (Schmidt, 1997) II THERAPHOSIDAE (Arachnida)
- Brachypelma sabulosum*** (F. O. Pickard-Cambridge, 1897) II THERAPHOSIDAE (Arachnida) (E) Guatemalan Red-rumped Tarantula
- Brachypelma schroederi*** Rudloff, 2003 II THERAPHOSIDAE (Arachnida)
- Brachypelma smithi*** (F. O. Pickard-Cambridge, 1897) II THERAPHOSIDAE (Arachnida) (E) Mexican Redknee Tarantula (S) Tarantula mexicana pierna roja (F) Tarantule à genoux rouges du Mexique
- Brachypelma vagans*** (Ausserer, 1875) II THERAPHOSIDAE (Arachnida) (E) Mexican Redrump Tarantula (S) Tarantula mexicana cadera roja (F) Tarantule à croupion rouge du Mexique
- Brachypelma verdezi*** Schmidt, 2003 II THERAPHOSIDAE (Arachnida)
- Brachypelma klahasi Schmidt & Krause, 1994* = *Brachypelma klahasi* (Schmidt & Krause, 1994)
- Brachypelma ruhnaui Schmidt, 1997* = *Brachypelma ruhnaui* (Schmidt, 1997)
- Brachyteles*** spp. Spix & Martius, 1823 I ATELIDAE (Mammalia)
- Brachyteles arachnoides*** (É. Geoffroy, 1806) I ATELIDAE (Mammalia) (E) Muriqui, Southern Muriqui, Woolly Spider Monkey (S) Mono araña, Mono grande, Muriki (F) Atèle arachnoïde, Eroïde, Singe-araignée laineux
- Brachyteles hypoxanthus*** (Kuhl, 1820) I ATELIDAE (Mammalia) (E) Northern Muriqui
- Bradype (F): *Bradypus variegatus*
- Bradypodion*** spp. Fitzinger, 1843 II CHAMELEONIDAE (Reptilia)
- Bradypodion adolfifriedericii Sternfeld, 1912* = *Kinyongia adolfifriedericii* (Sternfeld, 1912)
- Bradypodion atromontanum*** Branch, Tolley & Tilbury, 2006 II CHAMELEONIDAE (Reptilia)
- Bradypodion caeruleogula*** Raw & Brothers, 2008 II CHAMELEONIDAE (Reptilia) (E) Eshowe Dwarf Chameleon
- Bradypodion caffer* (Boettger) = *Bradypodion caffrum* (Boettger, 1889)
- Bradypodion caffrum*** (Boettger, 1889) II CHAMELEONIDAE (Reptilia) (E) Transkei Dwarf Chameleon (F) Caméléon nain du Transkei
- Bradypodion carpenteri* Boulenger, 1901 = *Kinyongia carpenteri* (Boulenger, 1901)
- Bradypodion damaranum*** (Boulenger, 1887) II CHAMELEONIDAE (Reptilia) (E) Knysna Dwarf Chameleon (F) Caméléon nain du Kenya
- Bradypodion dracomontanum*** Raw, 1976 II CHAMELEONIDAE (Reptilia) (E) Drakensberg Dwarf Chameleon (F) Caméléon nain du Drakensberg
- Bradypodion excubitor* (Barbour, 1911) = *Kinyongia excubitor* (Barbour, 1911)
- Bradypodion fischeri* *excubitor* Reichenow, 1887 = *Kinyongia excubitor* (Barbour, 1911)
- Bradypodion fischeri multituberculatum* Reichenow, 1887 = *Kinyongia multituberculata* (Nieden, 1913)
- Bradypodion fischeri* Reichenow, 1887 = *Kinyongia fischeri* (Reichenow, 1887)
- Bradypodion fischeri uluguruense* Reichenow, 1887 = *Kinyongia uluguruensis* (Loveridge, 1957)
- Bradypodion gutturale*** (Smith, 1849) II CHAMELEONIDAE (Reptilia) (E) Robertson's Dwarf Chameleon (F) Caméléon nain de Karro
- Bradypodion kentanicum*** Hewitt, 1935 II CHAMELEONIDAE (Reptilia)
- Bradypodion melanocephalum*** (Gray, 1865) II CHAMELEONIDAE (Reptilia) (E) Black-headed Dwarf Chameleon, KwaZulu Dwarf Chameleon
- Bradypodion mlanjensis* (Broadley, 1965) = *Nadzikambia mlanjensis* (Broadley, 1965)
- Bradypodion nemorale*** Raw, 1978 II CHAMELEONIDAE (Reptilia) (E) Zululand Dwarf Chameleon (F) Caméléon nain à nez rouge
- Bradypodion ngomeense*** Tilbury & Tolley, 2009 II CHAMELEONIDAE (Reptilia) (E) Ngome Dwarf Chameleon
- Bradypodion nkandiae* Raw and Brothers, 2008 = *Bradypodion nemorale* Raw, 1978
- Bradypodion occidentale*** (Hewitt, 1935) II CHAMELEONIDAE (Reptilia)
- Bradypodion oxyrhinum* (Klaver & Böhme, 1988) = *Kinyongia oxyrhina* Klaver & Böhme, 1988
- Bradypodion pumilum*** (Gmelin, 1789) II CHAMELEONIDAE (Reptilia) (E) Cape Dwarf Chameleon, Variegated Dwarf Chameleon (F) Caméléon nain de Setaro
- Bradypodion pumilum caffer* (Gmelin, 1789) = *Bradypodion caffrum* (Boettger, 1889)
- Bradypodion pumilum damaranum* (Gmelin, 1789) = *Bradypodion damaranum* (Boulenger, 1887)
- Bradypodion pumilum gutturale* (Gmelin, 1789) = *Bradypodion gutturale* (Smith, 1849)
- Bradypodion pumilum transvaalense* (Gmelin, 1789) = *Bradypodion transvaalense* (FitzSimons, 1930)
- Bradypodion pumilum ventrale* (Gmelin, 1789) = *Bradypodion ventrale* (Gray, 1845)
- Bradypodion setaro*** Raw, 1976 II CHAMELEONIDAE (Reptilia) (E) Setaro's Dwarf Chameleon (F) Caméléon nain épineux
- Bradypodion spinosum*** (Matschie, 1892) II CHAMELEONIDAE (Reptilia) (E) Prickly Chameleon, Rosette-nosed Chameleon, Spiny Chameleon (F) Caméléon nain de Smith
- Bradypodion taeniabronchum*** Smith, 1831 II CHAMELEONIDAE (Reptilia)
- Bradypodion tavetanum* (Steindachner, 1891) = *Kinyongia tavetana* (Steindachner, 1891)

<i>Bradypodion tenuie</i> (Matschie, 1892) = <i>Kinyongia tenuis</i> (Matschie, 1892)	Brillant à gorge rose (F): <i>Heliodoxa gularis</i>
<b><i>Bradypodion thamnobates</i></b> Raw, 1976 II	Brillant de Branicki (F): <i>Heliodoxa branickii</i>
CHAMAELEONIDAE (Reptilia) (E) Natal Midlands Dwarf Chameleon (F) Caméléon nain du Transvaal	Brillante alicanelia (S): <i>Heliodoxa branickii</i>
<b><i>Bradypodion transvaalense</i></b> (FitzSimons, 1930) II	Brillante coroniverde (S): <i>Heliodoxa jacula</i>
CHAMAELEONIDAE (Reptilia) (E) Transvaal Dwarf Chameleon (F) Caméléon nain de Muller	Brillante de Tepui (S): <i>Heliodoxa xanthogonyx</i>
<i>Bradypodion uthmoelleri</i> (Müller, 1938) = <i>Kinyongia uthmoelleri</i> (Müller, 1938)	Brillante emperador (S): <i>Heliodoxa imperatrix</i>
<b><i>Bradypodion ventrale</i></b> (Gray, 1845) II	Brillante frentivioleta (S): <i>Heliodoxa leadbeateri</i>
CHAMAELEONIDAE (Reptilia) (E) Southern Dwarf Chameleon (F) Caméléon nain des Monts Ruwenzori	Brillante gorgirrosado (S): <i>Heliodoxa gularis</i>
<i>Bradypodion xenorhinum</i> (Boulenger, 1901) = <i>Kinyongia xenorhina</i> (Boulenger, 1901)	Brillante gorjinegro (S): <i>Heliodoxa schreibersii</i>
<i>Bradypus boliviensis</i> (Gray, 1871) = <i>Bradypus variegatus</i> Schinz, 1825	Brillante pechianteado (S): <i>Heliodoxa rubinoides</i>
<i>Bradypus boliviensis</i> Gray, 1871 = <i>Bradypus pygmaeus</i> Anderson and Handley, 2001	Brillante pechicastaño (S): <i>Heliodoxa aurescens</i>
<i>Bradypus griseus</i> Gray, 1871 = <i>Bradypus variegatus</i> Schinz, 1825	Brillante pechigamuza (S): <i>Heliodoxa rubinoides</i>
<i>Bradypus infuscatus</i> Wagler, 1831 = <i>Bradypus variegatus</i> Schinz, 1825	Brillante ventinegro (S): <i>Heliodoxa schreibersii</i>
<b><i>Bradypus pygmaeus</i></b> Anderson and Handley, 2001 II	Brillant fer-de-lance (F): <i>Heliodoxa jacula</i>
BRADYPODIDAE (Mammalia) (E) Pygmy Tree-toes Sloth	Brillant impératrice (F): <i>Heliodoxa imperatrix</i>
<b><i>Bradypus variegatus</i></b> Schinz, 1825 II BRADYPODIDAE (Mammalia) (E) Bolivian Three-toed Sloth, Brown-throated Sloth, Brown-throated Three-toed Sloth (S) Perezoso grisaceo, Perezoso o tridáctilo de Bolivia, Perezoso tridáctilo, Perico ligero (F) Aï de Bolivie, Bradype, Paresseux tridactyle, Paresseux tridactyle de Bolivie	Brillant rubinoïde (F): <i>Heliodoxa rubinoides</i>
<i>Bradypus variegatus</i> Schinz, 1825 = <i>Bradypus pygmaeus</i> Anderson and Handley, 2001	Brilliant, Black-throated (E): <i>Heliodoxa schreibersii</i>
<b><i>Branta canadensis leucopareia</i></b> (Brandt, 1836) I	Brilliant, Empress (E): <i>Heliodoxa imperatrix</i>
ANATIDAE (Aves) (E) Aleutian Canada Goose, Aleutian Goose (S) Barnacla de las Aleutianas, Ganso canadiense aleutiana (F) Bernache des Aléoutiennes, Bernache du Canada aléoute	Brilliant, Fawn-breasted (E): <i>Heliodoxa rubinoides</i>
<i>Branta hutchinsii leucopareia</i> (von Brandt, 1836) = <i>Branta canadensis leucopareia</i> (Brandt, 1836)	Brilliant, Green-crowned (E): <i>Heliodoxa jacula</i>
<b><i>Branta ruficollis</i></b> (Pallas, 1769) II ANATIDAE (Aves) (E) Red-breasted Goose (S) Barnacla cuellirroja (F) Bernache à cou roux	Brilliant, Pink-throated (E): <i>Heliodoxa gularis</i>
<b><i>Branta sandvicensis</i></b> (Vigors, 1833) I ANATIDAE (Aves) (E) Hawaiian Goose, Nene (S) Barnacla hawaiana, Barnacla nene, Ganso nene (F) Bernache des Iles Sandwich, Bernache d'Hawaï, Bernache néné, Oie néné	Brilliant, Rufous-webbed (E): <i>Heliodoxa branickii</i>
Brève à queue bleue (F): <i>Pitta guajana</i>	Brilliant, Velvet-browed (E): <i>Heliodoxa xanthogonyx</i>
Brève azurine (F): <i>Pitta guajana</i>	Brilliant, Velvet-crowned (E): <i>Heliodoxa xanthogonyx</i>
Brève de Gurney (F): <i>Pitta gurneyi</i>	Brilliant, Violet-fronted (E): <i>Heliodoxa leadbeateri</i>
Brève de Koch (F): <i>Pitta kochi</i>	Bristlebird, Lesser Rufous (E): <i>Dasyornis broadbenti litoralis</i>
Brève du Japon (F): <i>Pitta nymph</i>	Bristlebird, Long-billed (E): <i>Dasyornis longirostris</i>
Brève migratrice (F): <i>Pitta nymph</i>	Bristlebird, Rufous (E): <i>Dasyornis broadbenti</i>
Brillant à bandeau bleu (F): <i>Heliodoxa aurescens</i>	Bristlebird, Rufous-headed (E): <i>Dasyornis broadbenti litoralis</i>
Brillant à couronne verte (F): <i>Heliodoxa xanthogonyx</i>	Bristlebird, Western (E): <i>Dasyornis longirostris</i>
Brillant à front violet (F): <i>Heliodoxa leadbeateri</i>	Bristlebird, Western Rufous (E): <i>Dasyornis broadbenti litoralis</i>
Brillant à gorge noire (F): <i>Heliodoxa schreibersii</i>	Brocket, Central American Red (E): <i>Mazama temama</i>
	Brocket, Guatemalan Red (E): <i>Mazama temama cerasina</i>
	Brocket, Middle American Red (E): <i>Mazama temama cerasina</i>
	<i>Broghammerus reticulatus</i> (Schneider, 1801) = <i>Python reticulatus</i> (Schneider, 1801)
	<i>Broghammerus timoriensis</i> (Peters, 1876) = <i>Python timoriensis</i> (Peters, 1876)
	Brolga (E): <i>Grus rubicunda</i>
	<b><i>Brookesia spp.</i></b> Gray, 1865 I/II CHAMAELEONIDAE (Reptilia)
	<b><i>Brookesia ambreensis</i></b> Raxworthy & Nussbaum, 1995 II CHAMAELEONIDAE (Reptilia)
	<b><i>Brookesia antakarana</i></b> Raxworthy & Nussbaum, 1995 II CHAMAELEONIDAE (Reptilia)
	<i>Brookesia antoetrae Brygoo &amp; Domergue, 1971</i> = <i>Brookesia thieli</i> Brygoo & Domergue, 1969
	<b><i>Brookesia bekolosy</i></b> Raxworthy & Nussbaum, 1995 II CHAMAELEONIDAE (Reptilia)
	<b><i>Brookesia betschi</i></b> Brygoo, Blanc & Domergue, 1974 II CHAMAELEONIDAE (Reptilia) (E) Blanc's Leaf Chameleon
	<i>Brookesia betsileana</i> Ahl, 1927 = <i>Brookesia nasus</i> Boulenger, 1887
	<b><i>Brookesia bonisi</i></b> Ramanantsoa, 1980 II CHAMAELEONIDAE (Reptilia)

- Brookesia brygooi*** Raxworthy & Nussbaum, 1995 II  
CHAMAELEONIDAE (Reptilia)
- Brookesia decaryi*** Angel, 1939 II CHAMAELEONIDAE (Reptilia) (E) Spiny Leaf Chameleon (F) Brookésie épineuse
- Brookesia dentata*** Mocquard, 1900 II  
CHAMAELEONIDAE (Reptilia) (E) Toothed Leaf Chameleon
- Brookesia ebenaui*** (Boettger, 1880) II  
CHAMAELEONIDAE (Reptilia) (E) Northern Leaf Chameleon (F) Brookésie d'Ebenaui
- Brookesia exarmata*** Schimmenti & Jesu, 1996 II  
CHAMAELEONIDAE (Reptilia)
- Brookesia griveaudi*** Brygoo, Blanc & Domergue, 1974 II  
CHAMAELEONIDAE (Reptilia) (E) Marojejy Leaf Chameleon
- Brookesia karchei*** Brygoo, Blanc & Domergue, 1970 II  
CHAMAELEONIDAE (Reptilia) (E) Naturelle Leaf Chameleon
- Brookesia lambertoni*** Brygoo & Domergue, 1970 II  
CHAMAELEONIDAE (Reptilia) (E) Fito Leaf Chameleon
- Brookesia legendrei Ramanantsoa, 1980 = Brookesia ebenaui* (Boettger, 1880)
- Brookesia lineata*** Raxworthy & Nussbaum, 1995 II  
CHAMAELEONIDAE (Reptilia)
- Brookesia lolontany*** Raxworthy & Nussbaum, 1995 II  
CHAMAELEONIDAE (Reptilia)
- Brookesia minima*** Boettger, 1893 II CHAMAELEONIDAE (Reptilia) (E) Minute Leaf Chameleon (F) Brookésie naine
- Brookesia nasus*** Boulenger, 1887 II  
CHAMAELEONIDAE (Reptilia) (E) Elongate Leaf Chameleon
- Brookesia perarmata*** (Angel, 1933) I  
CHAMAELEONIDAE (Reptilia) (E) Antsingy Leaf Chameleon, Armoured Leaf Chameleon (F) Brookésie d'Antsingy
- Brookesia peyrierasi*** Brygoo & Domergue, 1975 II  
CHAMAELEONIDAE (Reptilia) (E) Antongil Leaf Chameleon
- Brookesia ramanantsoai*** Brygoo & Domergue, 1975 II  
CHAMAELEONIDAE (Reptilia) (E) Ramanantsoa's Leaf Chameleon
- Brookesia stumpffi*** Boettger, 1894 II  
CHAMAELEONIDAE (Reptilia) (E) Plated Leaf Chameleon (F) Brookésie de Stumpff
- Brookesia superciliaris*** (Kuhl, 1820) II  
CHAMAELEONIDAE (Reptilia) (E) Brown Leaf Chameleon (F) Brookésie commune
- Brookesia therezieni*** Brygoo & Domergue, 1970 II  
CHAMAELEONIDAE (Reptilia) (E) Perinet Leaf Chameleon
- Brookesia thieli*** Brygoo & Domergue, 1969 II  
CHAMAELEONIDAE (Reptilia) (E) Domergue's Leaf Chameleon (F) Brookésie de Domergue
- Brookesia tuberculata*** Mocquard, 1894 II  
CHAMAELEONIDAE (Reptilia) (E) Mount d'Ambre Leaf Chameleon
- Brookesia vadoni*** Brygoo & Domergue, 1968 II  
CHAMAELEONIDAE (Reptilia) (E) laraka River Leaf Chameleon, Mossy Leaf Chameleon
- Brookesia valerieae*** Raxworthy, 1991 II  
CHAMAELEONIDAE (Reptilia) (E) Raxworthy's Leaf Chameleon
- Brookésie commune (F): *Brookesia superciliaris*  
Brookésie d'Antsingy (F): *Brookesia perarmata*  
Brookésie d'Ebenaui (F): *Brookesia ebenaui*  
Brookésie de Domergue (F): *Brookesia thieli*  
Brookésie de Stumpff (F): *Brookesia stumpffi*  
Brookésie épineuse (F): *Brookesia decaryi*  
Brookésie naine (F): *Brookesia minima*
- Brotogeris spp.*** Vigors, 1825 II 29 PSITTACIDAE (Aves)
- Brotogeris chiriri*** (Vieillot, 1818) II 29 PSITTACIDAE (Aves) (E) Yellow-chevroned Parakeet (S) Catita chiriri (F) Toui à ailes jaunes
- Brotogeris chrysoptera*** (Linnaeus, 1766) II 29 PSITTACIDAE (Aves) (E) Golden-winged Parakeet (S) Catita alidorada, Periquito ala dorada (F) Toui para
- Brotogeris chrysopterus* (Linnaeus, 1766) = *Brotogeris chrysoptera* (Linnaeus, 1766)
- Brotogeris cyanoptera*** (Pelzeln, 1870) II 29 PSITTACIDAE (Aves) (E) Cobalt-winged Parakeet (S) Catita aliazul, Periquito azul (F) Toui de Deville
- Brotogeris ferrugineifrons*** Lawrence, 1880 = *Bolborhynchus ferrugineifrons* (Lawrence, 1880)
- Brotogeris gustavi*** Berlepsch, 1889 = *Brotogeris cyanoptera* (Pelzeln, 1870)
- Brotogeris jugularis*** (P. L. S. Müller, 1776) II 29 PSITTACIDAE (Aves) (E) Orange-chinned Parakeet (S) Catita churica, Churica, Periquito barbinaranja (F) Perruche tovi, Toui à menton d'or
- Brotogeris panychlorus*** Salvin & Godman, 1883 = *Nannopsittaca panychlora* (Salvin & Godman, 1883)
- Brotogeris pyrrhoptera*** (Latham, 1801) II 29 PSITTACIDAE (Aves) (E) Grey-cheeked Parakeet (S) Catita macareña, Perico cachetigris, Perico macareño (F) Perruche orangé, Toui flamboyant
- Brotogeris pyrrhopterus* (Latham, 1801) = *Brotogeris pyrrhoptera* (Latham, 1801)
- Brotogeris sanctithomae*** (P. L. S. Müller, 1776) II 29 PSITTACIDAE (Aves) (E) Tui Parakeet (S) Catita frentiguadla, Perico tui (F) Toui à front d'or
- Brotogeris tirica*** (Gmelin, 1788) II 29 PSITTACIDAE (Aves) (E) Plain Parakeet (S) Catita tirica (F) Toui tirica
- Brotogeris versicolorus*** (P. L. S. Müller, 1776) II 29 PSITTACIDAE (Aves) (E) Canary-winged Parakeet (S) Catita aliamarilla, Catita versicolor (F) Toui à ailes variées
- Brotogeris versicolorus chiriri* (P. L. S. Müller, 1776) = *Brotogeris chiriri* (Vieillot, 1818)
- Brush-turkey, Gray's (E): *Macrocephalon maleo*  
Brush-Warbler, Rodrigues (E): *Acrocephalus rodericanus*
- Bubalus arnee* (Kerr, 1792) III 4 BOVIDAE (Mammalia) (E)  
Wild Asiatic Buffalo, Wild Water Buffalo (S) Búfalo acuático, Búfalo arni, Caraboa (F) Arni, Buffle d'eau, Buffle de l'Inde

<b>Bubalus depressicornis</b> (C. H. Smith, 1827) I BOVIDAE (Mammalia) (E) Anoa, Lowland Anoa (S) Anca de Ilanura, Anoa de Ilanura (F) Anoa des plaines	népalí (F) Grand-duc du Népal
<b>Bubalus mindorensis</b> (Heude, 1888) I BOVIDAE (Mammalia) (E) Tamaraw, Tamarou (S) Búfalo de Mindoro, Tamarao, Tamarau (F) Tamarau	<b>Bubo philippensis</b> (Kaup, 1851) II 30 STRIGIDAE (Aves) (E) Philippine Eagle-Owl (S) Búho filipino (F) Grand-duc des Philippines
<b>Bubalus quarlesi</b> (Ouwens, 1910) I BOVIDAE (Mammalia) (E) Mountain Anoa (S) Anoa de montaña (F) Anoa de Quarle, Anoa des montagnes	<b>Bubo poensis</b> Fraser, 1853 II 30 STRIGIDAE (Aves) Fraser's Eagle-Owl (S) Búho de Guinea (F) Grand-duc à aigrettes
<b>Bubo spp.</b> Duméril, 1806 II 30 STRIGIDAE (Aves)	<b>Bubo poensis</b> Fraser, 1854 = <i>Bubo vosseleri</i> Reichenow, 1908
<b>Bubo africanus</b> (Temminck, 1821) II 30 STRIGIDAE (Aves) (E) African Eagle-Owl, Spotted Eagle-Owl (S) Búho africano, Búho africano chico (F) Grand-duc africain	<b>Bubo poensis</b> Fraser, 1853 = <i>Bubo vosseleri</i> Reichenow, 1908
<i>Bubo africanus</i> = <i>Bubo cinerascens</i> Guérin-Méneville, 1843	<b>Bubo scandiaca</b> (Linnaeus, 1758) = <i>Nyctea scandiaca</i> (Linnaeus, 1758)
<b>Bubo ascalaphus</b> Savigny, 1809 II 30 STRIGIDAE (Aves) (E) Pharaoh Eagle-Owl (S) Búho désertico (F) Grand-duc ascalaphe, Grand-duc du désert	<b>Bubo scandiacus</b> (Linnaeus, 1758) = <i>Nyctea scandiaca</i> (Linnaeus, 1758)
<i>Bubo bengalensis</i> (Franklin, 1831) = <i>Bubo bubo</i> (Linnaeus, 1758)	<b>Bubo shelleyi</b> (Sharpe & Ussher, 1872) II 30 STRIGIDAE (Aves) (E) Banded Eagle-Owl, Shelley's Eagle-Owl (S) Búho barrado (F) Grand-duc de Shelley
<b>Bubo blakistoni</b> Seeböhm, 1884 II 30 STRIGIDAE (Aves) (E) Blakiston's Fish-owl (S) Búho manchú (F) Grand-duc de Blakiston, Kétoupa de Blakiston	<b>Bubo sumatranus</b> (Raffles, 1822) II 30 STRIGIDAE (Aves) (E) Barred Eagle-Owl (S) Búho malayo (F) Grand-duc bruyant
<b>Bubo bubo</b> (Linnaeus, 1758) II 30 STRIGIDAE (Aves) (E) Eagle Owl, Eurasian Eagle-Owl (S) Búho real (F) Grand-duc d'Europe, Hibou grand-duc	<b>Bubo virginianus</b> (Gmelin, 1788) II 30 STRIGIDAE (Aves) (E) Great Horned Owl (S) Búho, Búho americano, Búho cornudo, Lechuzón orejudo, Nacurutú (F) Grand-duc d'Amérique
<i>Bubo bubo ascalaphus</i> (Linnaeus, 1758) = <i>Bubo ascalaphus</i> Savigny, 1809	<b>Bubo vosseleri</b> Reichenow, 1908 II 30 STRIGIDAE (Aves) (E) Usambara Eagle-owl (S) Búho de Usambara (F) Grand-duc des Usambara
<i>Bubo bubo desertorum</i> (Linnaeus, 1758) = <i>Bubo ascalaphus</i> Savigny, 1809	<i>Bubo vosseleri</i> Reichenow, 1908 = <i>Bubo poensis</i> Fraser, 1853
<b>Bubo capensis</b> A. Smith, 1834 II 30 STRIGIDAE (Aves) (E) Cape Eagle-Owl, Mackinder's Eagle-Owl, Mountain Eagle-Owl (S) Búho de El Cabo (F) Grand-duc du Cap	<i>Bubo zeylonensis</i> (Gmelin, 1788) = <i>Ketupa zeylonensis</i> (Gmelin, 1788)
<b>Bubo cinerascens</b> Guérin-Méneville, 1843 II 30 STRIGIDAE (Aves) (E) Greyish Eagle-Owl	<b>Buceros spp.</b> Linnaeus, 1758 I/II BUCEROTIDAE (Aves)
<i>Bubo cinerascens</i> Guérin-Méneville, 1843 = <i>Bubo africanus</i> (Temminck, 1821)	<b>Buceros bicornis</b> Linnaeus, 1758 I BUCEROTIDAE (Aves) (E) Concave-casqued Hornbill, Great Hornbill, Great Indian Hornbill, Great Pied Hornbill, Indian Concave-casqued Hornbill, Indian Hornbill (S) Cálao bicone, Cálao grande (F) Calao bicone
<i>Bubo clamator</i> Vieillot, 1808 = <i>Pseudoscops clamator</i> (Vieillot, 1808)	<i>Buceros cassidix</i> Temminck, 1823 = <i>Aceros cassidix</i> (Temminck, 1823)
<b>Bubo coromandus</b> (Latham, 1790) II 30 STRIGIDAE (Aves) (E) Dusky Eagle-Owl (S) Búho de Coromandel (F) Grand-duc de Coromandel	<i>Buceros comatus</i> Raffles, 1822 = <i>Berenicornis comatus</i> (Raffles, 1822)
<i>Bubo flavipes</i> (Hodgson, 1836) = <i>Ketupa flavipes</i> (Hodgson, 1836)	<i>Buceros coronatus</i> Boddaert, 1783 = <i>Anthracoceros coronatus</i> (Boddaert, 1783)
<i>Bubo ketupu</i> (Horsfield, 1821) = <i>Ketupa ketupu</i> (Horsfield, 1821)	<i>Buceros corrugatus</i> Temminck, 1832 = <i>Aceros corrugatus</i> (Temminck, 1832)
<b>Bubo lacteus</b> (Temminck, 1820) II 30 STRIGIDAE (Aves) (E) Giant Eagle-Owl, Milky Eagle-Owl, Verreaux's Eagle-Owl (S) Búho lechoso, Gran búho etiópico (F) Grand-duc de Verreaux	<i>Buceros exarhatus</i> Temminck, 1823 = <i>Penelopides exarhatus</i> (Temminck, 1823)
<i>Bubo lettii</i> Büttikofer, 1889 = <i>Jubula lettii</i> (Büttikofer, 1889)	<i>Buceros galeritus</i> Temminck, 1831 = <i>Anorrhinus galeritus</i> (Temminck, 1831)
<b>Bubo leucostictus</b> Hartlaub, 1855 II 30 STRIGIDAE (Aves) (E) Akun Eagle-Owl, Sooty Eagle-Owl (S) Búho de Akún (F) Grand-duc tacheté	<b>Buceros hydrocorax</b> Linnaeus, 1766 II BUCEROTIDAE (Aves) (E) Rufous Hornbill (S) Cálao filipino grande, Cálao rojipardo (F) Calao à casque plat, Calao des Philippines
<i>Bubo magellanicus</i> Gmelin, 1789 = <i>Bubo virginianus</i> (Gmelin, 1788)	<i>Buceros leucocephalus</i> Vieillot, 1816 = <i>Aceros leucocephalus</i> (Vieillot, 1816)
<b>Bubo nipalensis</b> Hodgson, 1836 II 30 STRIGIDAE (Aves) (E) Forest Eagle-Owl, Spot-bellied Eagle-Owl (S) Búho	<i>Buceros malabaricus</i> Gmelin, 1788 = <i>Anthracoceros albirostris</i> (Shaw & Nodder, 1807)
	<i>Buceros malayanus</i> Raffles, 1822 = <i>Anthracoceros malayanus</i> (Raffles, 1822)

<i>Buceros montani</i> Oustalet, 1880 = <i>Anthracoceros montani</i> (Oustalet, 1880)	Búho abisinio (S): <i>Asio abyssinicus</i>
<i>Buceros nipalensis</i> Hodgson, 1829 = <i>Aceros nipalensis</i> (Hodgson, 1829)	Búho africano (S): <i>Bubo africanus</i>
<i>Buceros panini</i> Boddaert, 1783 = <i>Penelopides panini</i> (Boddaert, 1783)	Búho africano chico (S): <i>Bubo africanus</i>
<i>Buceros plicatus</i> J. R. Forster, 1781 = <i>Rhyticeros plicatus</i> (J. R. Forster, 1781)	Búho americano (S): <i>Bubo virginianus</i>
<b><i>Buceros rhinoceros</i></b> Linnaeus, 1758 II BUCEROTIDAE (Aves) (E) Rhinoceros Hornbill (S) Cálar rinoceronte (F) Calao rinocerós	Búho barrado (S): <i>Strix varia</i> Búho barrado (S): <i>Bubo shelleyi</i>
<i>Buceros subruficollis</i> Blyth, 1843 = <i>Rhyticeros subruficollis</i> (Blyth, 1843)	Búho blanquinegro (S): <i>Ciccaba nigrolineata</i>
<i>Buceros tickelli</i> Blyth, 1855 = <i>Anorrhinus tickelli</i> (Blyth, 1855)	Búho café (S): <i>Strix virgata</i>
<i>Buceros undulatus</i> Shaw, 1811 = <i>Rhyticeros undulatus</i> (Shaw, 1811)	Búho campestre (S): <i>Asio flammeus</i>
<i>Buceros vigil</i> J. R. Forster, 1781 = <i>Rhinoplax vigil</i> (J. R. Forster, 1781)	Búho Chico (S): <i>Asio otus</i>
Budeng (F): <i>Trachypithecus villosum</i>	Búho corniblanco (S): <i>Lophostrix cristata</i>
Budgerigar (E): <i>Melopsittacus undulatus</i>	Búho cornudo (S): <i>Lophostrix cristata</i>
<i>Budorcas bedfordi</i> Thomas, 1911 = <i>Budorcas taxicolor</i> Hodgson, 1850	Búho cornudo (S): <i>Bubo virginianus</i>
<b><i>Budorcas taxicolor</i></b> Hodgson, 1850 II BOVIDAE (Mammalia) (E) Takin (S) Takin (F) Takin	Búho-cornudo cariblanco (S): <i>Pseudoscops clamator</i>
<i>Budorcas tibetana</i> Milne-Edwards, 1874 = <i>Budorcas taxicolor</i> Hodgson, 1850	Búho-cornudo caricafe (S): <i>Asio otus</i>
<i>Budorcas whitei</i> Lydekker, 1907 = <i>Budorcas taxicolor</i> Hodgson, 1850	Búho-cornudo oscuro (S): <i>Asio stygius</i>
Búfalo acuático (S): <i>Bubalus arnee</i>	Búho de Akún (S): <i>Bubo leucostictus</i>
Búfalo arni (S): <i>Bubalus arnee</i>	Búho de anteojos (S): <i>Pulsatrix perspicillata</i>
Búfalo de Mindoro (S): <i>Bubalus mindorensis</i>	Búho de Coromandel (S): <i>Bubo coromandus</i>
Bufeo (S): <i>Inia geoffrensis</i>	Búho de Crin (S): <i>Jubula lettii</i>
Bufeo africano (S): <i>Sousa teuszii</i>	Búho de El Cabo (S): <i>Bubo capensis</i>
Bufeo asiático (S): <i>Sousa chinensis</i>	Búho de Guinea (S): <i>Jubula lettii</i>
Bufeo negro (S): <i>Sotalia fluviatilis</i>	Búho de Guinea (S): <i>Bubo poensis</i>
Buffalo (E): <i>Bison bison</i>	Búho de Jamaica (S): <i>Pseudoscops grammicus</i>
Buffalo, Wild Asiatic (E): <i>Bubalus arnee</i>	Búho de las Salomón (S): <i>Nesasio solomonensis</i>
Buffalo, Wild Water (E): <i>Bubalus arnee</i>	Búho de Mindanao (S): <i>Mimizuku gurneyi</i>
Buffle d'eau (F): <i>Bubalus arnee</i>	Búho desértico (S): <i>Bubo ascalaphus</i>
Buffle de l'Inde (F): <i>Bubalus arnee</i>	Búho de Usambara (S): <i>Bubo vosseleri</i>
<i>Bufo chevalieri</i> Mocquard, 1908 = <i>Amietophrynu superciliaris</i> (Boulenger, 1888)	Búho filipino (S): <i>Bubo philippensis</i>
<i>Bufo laevissimus</i> Werner, 1897 = <i>Amietophrynu superciliaris</i> (Boulenger, 1888)	Búho fulvo (S): <i>Strix fulvescens</i>
<i>Bufo osgoodi</i> Loveridge, 1932 = <i>Altiphrynoides osgoodi</i> (Loveridge, 1932)	Búho gavilán (S): <i>Surnia ulula</i>
<i>Bufo periglenes</i> Savage, 1967 "1966" = <i>Inciilius periglenes</i> (Savage, 1967)	Búho gritón (S): <i>Pseudoscops clamator</i>
<i>Bufo superciliaris</i> Boulenger, 1888 "1887" = <i>Amietophrynu superciliaris</i> (Boulenger, 1888)	Búho jamaicano (S): <i>Pseudoscops grammicus</i>
<i>Bufo superciliosus</i> Werner, 1897 = <i>Amietophrynu superciliaris</i> (Boulenger, 1888)	Búho lechoso (S): <i>Bubo lacteus</i>
<b><i>Bugeranus</i> spp.</b> Gloger, 1842 II GRUIDAE (Aves)	Búho llanero (S): <i>Athene cunicularia</i>
<b><i>Bugeranus carunculatus</i></b> (Gmelin, 1789) II GRUIDAE (Aves) (E) Wattled Crane (S) Grulla carunculada, Grulla zarzo (F) Grue caronculée	Búho malayo (S): <i>Bubo sumatranaus</i>
Buhito en Pernetas (S): <i>Otus clarkii</i>	Búho malgache (S): <i>Asio madagascariensis</i>
Buho (S): <i>Strigiformes</i>	Búho manchado (S): <i>Strix occidentalis</i>
Búho (S): <i>Bubo virginianus</i>	Búho manchú (S): <i>Bubo blakistoni</i>
	Búho moro (S): <i>Asio capensis</i>
	Búho negruzco (S): <i>Asio stygius</i>
	Búho nepalí (S): <i>Bubo nipalensis</i>
	Búho nival (S): <i>Nyctea scandiaca</i>
	Búho orejicorto (S): <i>Asio flammeus</i>
	Búho pequeño de bigotes alargados (S): <i>Xenoglaux loweryi</i>
	Búho pescador (S): <i>Ketupa flavipes</i>
	Búho pescador de Ceilán (S): <i>Ketupa zeylonensis</i>
	Búho pescador leonado (S): <i>Ketupa flavipes</i>
	Búho pescador malayo (S): <i>Ketupa ketupu</i>
	Búho pescador rojizo (S): <i>Scotopelia ussheri</i>
	Búho real (S): <i>Bubo bubo</i>
	Buhos (S): <i>Strigidae</i>
	Buitre cabeciblanco (S): <i>Trigonoceps occipitalis</i>
	Buitre cabecirrojo (S): <i>Sarcogyps calvus</i>
	Buitre común (S): <i>Gyps fulvus</i>
	Buitre del Himalaya (S): <i>Gyps himalayensis</i>
	Buitre dorsiblanco africano (S): <i>Gyps africanus</i>
	Buitre dorsiblanco bengalí (S): <i>Gyps bengalensis</i>
	Buitre el cabo (S): <i>Gyps coprotheres</i>

- Buitre Leonado (S): *Gyps fulvus*  
 Buitre leonado bengalés (S): *Gyps bengalensis*  
 Buitre leonado común (S): *Gyps fulvus*  
 Buitre moteado (S): *Gyps rueppellii*  
 Buitre negro (S): *Aegypius monachus*  
 Buitre orejudo (S): *Torgos tracheliotus*  
 Buitre palmero (S): *Gypohierax angolensis*  
 Buitre picofino (S): *Gyps indicus*  
 Buitre piquirrojo (S): *Trigonoceps occipitalis*  
 Buitres Del Nuevo Mundo (S): *Cathartidae*  
 Bulbul à tête jaune (F): *Pycnonotus zeylanicus*  
 Bulbul bigotudo (S): *Pycnonotus zeylanicus*  
 Bulbul, Straw-crowned (E): *Pycnonotus zeylanicus*  
 Bulbul, Straw-headed (E): *Pycnonotus zeylanicus*  
 Bullfrog, Indian (E): *Hoplobatrachus tigerinus*  
 Bullfrog, Indian (E): *Euphlyctis hexadactylus*  
 Bunch (E): *Megaptera novaeangliae*  
 Bungarra (E): *Varanus gouldii*
- Bunopithecus* spp.** Matthew & Granger, 1925 I  
 HYLOBATIDAE (Mammalia)
- Bunopithecus hoolock*** (Harlan, 1834) I HYLOBATIDAE  
 (Mammalia) (E) Hoolock Gibbon (S) Gibón hulock (F)  
 Hoolock
- Burhinus bistriatus*** (Wagler, 1829) III BURHINIDAE  
 (Aves) (E) Double-striped Thick-knee (S) Alcaraván americano, Alcaraván venozolano, Dara (F)  
 Oedicnème américain, Oedicnème Bistrié
- Busard bariolé (F): *Circus cinereus*  
 Busard cendré (F): *Circus pygargus*  
 Busard de Buffon (F): *Circus buffoni*  
 Busard de Gould (F): *Circus approximans*  
 Busard de Maillard (F): *Circus maillardi*  
 Busard de montagne (F): *Circus pygargus*  
 Busard des roseaux (F): *Circus aeruginosus*  
 Busard de Wilson (F): *Chondrohierax uncinatus wilsonii*  
 Busard d'Orient (F): *Circus spilonotus*  
 Busard grenouillard (F): *Circus ranivorus*  
 Busard maure (F): *Circus maurus*  
 Busardo aliencho (S): *Buteo platypterus*  
 Busardo alirrufo (S): *Butastur liventer*  
 Busardo augur meridional (S): *Buteo rufofuscus*  
 Busardo augur oriental (S): *Buteo augur*  
 Busardo aura (S): *Buteo albonotatus*  
 Busardo azoreño (S): *Leucopternis princeps*  
 Busardo blanco (S): *Leucopternis albicollis*  
 Busardo blanquinegro (S): *Leucopternis polionotus*  
 Busardo calzado (S): *Buteo lagopus*  
 Busardo caminero (S): *Buteo magnirostris*  
 Busardo carigrís (S): *Butastur indicus*  
 Busardo carinegro (S): *Leucopternis melanops*  
 Busardo cejiblanco (S): *Leucopternis kuhli*  
 Busardo chapulinero (S): *Buteo swainsoni*  
 Busardo coliblanco (S): *Buteo albicaudatus*  
 Busardo colicorto (S): *Buteo brachyurus*  
 Busardo colirrojo (S): *Buteo jamaicensis*  
 Busardo colorado (S): *Busarellus nigricollis*  
 Busardo cuelliblanco (S): *Leucopternis lacernulatus*  
 Busardo cuellirrojo (S): *Buteo auguralis*  
 Busardo culiblanco (S): *Buteo leucorrhous*  
 Busardo de Galápagos (S): *Buteo galapagoensis*
- Busardo de la Española (S): *Buteo ridgwayi*  
 Busardo de Wilson (S): *Chondrohierax uncinatus wilsonii*  
 Busardo dorsi (S): *Leucopternis occidentalis*  
 Busardo dorsigrís (S): *Leucopternis occidentalis*  
 Busardo dorsirrojo (S): *Buteo polyosoma*  
 Busardo gavilán (S): *Kaupifalco monogrammicus*  
 Busardo gorgiblanco (S): *Buteo albogularis*  
 Busardo gris (S): *Asturina nitida*  
 Busardo hawaiano (S): *Buteo solitarius*  
 Busardo herrumbroso (S): *Buteo regalis*  
 Busardo hombrorrojo (S): *Buteo lineatus*  
 Busardo langostero (S): *Butastur rufipennis*  
 Busardo malgache (S): *Buteo brachypterus*  
 Busardo mixto (S): *Parabuteo unicinctus*  
 Busardo mongol (S): *Buteo hemilasius*  
 Busardo montañés (S): *Buteo oreophilus*  
 Busardo moro (S): *Buteo rufinus*  
 Busardo-negro del atlántico (S): *Buteogallus aequinoctialis*  
 Busardo-negro del pacífico (S): *Buteogallus subtilis*  
 Busardo-negro norteño (S): *Buteogallus anthracinus*  
 Busardo-negro urubitinga (S): *Buteogallus urubitinga*  
 Busardo patagón (S): *Buteo ventralis*  
 Busardo pizarroso (S): *Leucopternis schistaceus*  
 Busardo plomizo (S): *Leucopternis plumbeus*  
 Busardo puneño (S): *Buteo poecilochrous*  
 Busardo ratonero (S): *Buteo buteo*  
 Busardo sabanero (S): *Buteogallus meridionalis*  
 Busardo semiplomizo (S): *Leucopternis semiplumbeus*  
 Busardo tisa (S): *Butastur teesa*  
 Busard pâle (F): *Circus macrourus*  
 Busard Saint-Martin (F): *Circus cyaneus*  
 Busard tacheté (F): *Circus assimilis*  
 Busard tchoug (F): *Circus melanoleucus*
- Busarellus* spp.** de la Fresnaye, 1839 II 27  
 ACCIPITRIDAE (Aves)
- Busarellus nigricollis*** (Latham, 1790) II 27  
 ACCIPITRIDAE (Aves) (E) Black-collared Hawk, Collared Fishing Hawk (S) Águila colorada, Busardo colorado, Gavilán colorado (F) Buse à tête blanche
- Busautour à joues grises (F): *Butastur indicus*  
 Busautour aux yeux blancs (F): *Butastur teesa*  
 Busautour des sauterelles (F): *Butastur rufipennis*  
 Busautour pâle (F): *Butastur liventer*  
 Buse à dos gris (F): *Leucopternis occidentalis*  
 Buse à épaulettes (F): *Buteo lineatus*  
 Buse à face noire (F): *Leucopternis melanops*  
 Buse à gorge blanche (F): *Buteo albogularis*  
 Buse à gros bec (F): *Buteo magnirostris*  
 Buse aguia (F): *Geranoaetus melanoleucus*  
 Buse à queue barrée (F): *Buteo albonotatus*  
 Buse à queue blanche (F): *Buteo albicaudatus*  
 Buse à queue courte (F): *Buteo brachyurus*  
 Buse à queue rousse (F): *Buteo jamaicensis*  
 Buse à queue rousse (F): *Buteo auguralis*  
 Buse ardoisée (F): *Leucopternis schistaceus*  
 Buse à sourcils blancs (F): *Leucopternis kuhli*  
 Buse à tête blanche (F): *Busarellus nigricollis*  
 Buse augure (F): *Buteo augur*  
 Buse barrée (F): *Leucopternis princeps*

- Buse blanche (F): *Leucopternis albicollis*  
 Buse buson (F): *Buteogallus aequinoctialis*  
 Buse cendrée (F): *Asturina nitida*  
 Buse couronnée (F): *Harpyhaliaetus coronatus*  
 Buse cul-blanc (F): *Buteo leucorrhous*  
 Buse d'Afrique (F): *Buteo auguralis*  
 Buse de Chine (F): *Buteo hemilasius*  
 Buse de Harris (F): *Parabuteo unicinctus*  
 Buse de Madagascar (F): *Buteo brachypterus*  
 Buse de Patagonie (F): *Buteo ventralis*  
 Buse de Ridgway (F): *Buteo ridgwayi*  
 Buse des Galapagos (F): *Buteo galapagoensis*  
 Buse des îles Galapagos (F): *Buteo galapagoensis*  
 Buse des mangroves (F): *Buteogallus subtilis*  
 Buse de Swainson (F): *Buteo swainsoni*  
 Buse d'Hawaï (F): *Buteo solitarius*  
 Buse du puna (F): *Buteo poecilochrous*  
 Buse échasse (F): *Geranospiza caerulescens*  
 Buse féroce (F): *Buteo rufinus*  
 Buse lacernulée (F): *Leucopternis lacernulatus*  
 Buse mantelée (F): *Leucopternis polionotus*  
 Buse montagnarde (F): *Buteo oreophilus*  
 Buse noire (F): *Buteogallus anthracinus*  
 Buse pattue (F): *Buteo lagopus*  
 Buse plombée (F): *Leucopternis plumbeus*  
 Buse rouilleuse (F): *Buteo regalis*  
 Buse rounoir (F): *Buteo rufofuscus*  
 Buse roussâtre (F): *Buteogallus meridionalis*  
 Buse semiplombée (F): *Leucopternis semiplumbeus*  
 Buse solitaire (F): *Harpyhaliaetus solitarius*  
 Buse tricolore (F): *Buteo polyosoma*  
 Buse urubu (F): *Buteogallus urubitinga*  
 Buse variable (F): *Buteo buteo*  
 Bushbaby, Allen's (E): *Galago allenii*  
 Bushbaby, Bioko Allen's (E): *Galago allenii*  
 Bushbaby, Cross River (E): *Galago cameronensis*  
 Bushbaby, Dusky (E): *Galago matschiei*  
 Bushbaby, Dwarf (E): *Galago demidoff*  
 Bushbaby, Eastern Needle-clawed (E): *Galago matschiei*  
 Bushbaby, Gabon (E): *Galago gabonensis*  
 Bushbaby, Greater (E): *Otolemur crassicaudatus*  
 Bushbaby, Lesser (E): *Galago senegalensis*  
 Bushbaby, Lesser (E): *Galago moholi*  
 Bushbaby, Malawi (E): *Galago nyasae*  
 Bushbaby, Moholi (E): *Galago moholi*  
 Bushbaby, Northern Needle-clawed (E): *Euoticus pallidus*  
 Bushbaby, Senegal (E): *Galago senegalensis*  
 Bushbaby, Somali (E): *Galago gallarum*  
 Bushbaby, Thick-tailed (E): *Otolemur crassicaudatus*  
 Bushbaby, Uluguru (E): *Galago orinus*  
 Bushbaby, Western Needle-clawed (E): *Euoticus elegantulus*  
 Bushbaby, Zanzibar (E): *Galago zanzibaricus*  
 Bustard, Arabian (E): *Ardeotis arabs*  
 Bustard, Asian Houbara (E): *Chlamydotis macqueenii*  
 Bustard, Australian (E): *Ardeotis australis*  
 Bustard, Bengal (E): *Houbaropsis bengalensis*  
 Bustard, Black (E): *Afrotis afra*  
 Bustard, Black-bellied (E): *Lissotis melanogaster*  
 Bustard, Blue (E): *Eupodotis caerulescens*  
 Bustard, Buff-crested (E): *Lophotis gindiana*  
 Bustard, Denham's (E): *Neotis denhami*  
 Bustard, Great (E): *Otis tarda*  
 Bustard, Great Indian (E): *Ardeotis nigriceps*  
 Bustard, Hartlaub's (E): *Lissotis hartlaubii*  
 Bustard, Heuglin's (E): *Neotis heuglinii*  
 Bustard, Houbara (E): *Chlamydotis undulata*  
 Bustard, Indian (E): *Ardeotis nigriceps*  
 Bustard, Karoo (E): *Eupodotis vigorsii*  
 Bustard, Kori (E): *Ardeotis kori*  
 Bustard, Little (E): *Tetrax tetrax*  
 Bustard, Little Brown (E): *Eupodotis humilis*  
 Bustard, Ludwig's (E): *Neotis ludwigii*  
 Bustard, MacQueen's (E): *Chlamydotis macqueenii*  
 Bustard, Nubian (E): *Neotis nuba*  
 Bustard, Red-crested (E): *Lophotis ruficrista*  
 Bustard, Rüppell's (E): *Eupodotis rueppellii*  
 Bustards (E): *Otididae*  
 Bustard, Savile's (E): *Lophotis savilei*  
 Bustard, Senegal (E): *Eupodotis senegalensis*  
 Bustard, Stanley (E): *Neotis denhami*  
 Bustard, Vigors's (E): *Eupodotis vigorsii*  
 Bustard, White-bellied (E): *Eupodotis senegalensis*  
 Bustard, White-quilled (E): *Afrotis afraoides*  
**Butastur spp.** Hodgson, 1843 II 27 ACCIPITRIDAE  
 (Aves)  
**Butastur indicus** (Gmelin, 1788) II 27 ACCIPITRIDAE  
 (Aves) (E) Grey-faced Buzzard, Grey-faced  
 Buzzard-Eagle (S) Busardo carigrís (F) Busautour à  
 joues grises  
**Butastur liventer** (Temminck, 1827) II 27 ACCIPITRIDAE  
 (Aves) (E) Rufous-winged Buzzard, Rufous-winged  
 Buzzard-Eagle (S) Busardo alirrufo (F) Busautour pâle  
**Butastur rufipennis** (Sundevall, 1851) II 27  
 ACCIPITRIDAE (Aves) (E) Grasshopper Buzzard,  
 Grasshopper Buzzard-Eagle (S) Aguililla langostera,  
 Busardo langostero (F) Busautour des sauterelles  
**Butastur teesa** (Franklin, 1831) II 27 ACCIPITRIDAE  
 (Aves) (E) White-eyed Buzzard (S) Busardo tisa (F)  
 Busautour aux yeux blancs  
**Buteo spp.** Moehring, 1758 II 27 ACCIPITRIDAE (Aves)  
**Buteo albicaudatus** Vieillot, 1816 II 27 ACCIPITRIDAE  
 (Aves) (E) White-tailed Hawk (S) Aguililla coliblanca,  
 Aguilicho cabecinegro, Busardo coliblanco, Gavilán  
 tejé (F) Buse à queue blanche  
**Buteo albigula** Philippi, 1899 II 27 ACCIPITRIDAE (Aves)  
 (E) White-throated Hawk (S) Aguilucho chico, Busardo  
 gorgiblanco, Gavilán gargantiblanco (F) Buse à gorge  
 blanche  
**Buteo albonotatus** Kaup, 1847 II 27 ACCIPITRIDAE  
 (Aves) (E) Zone-tailed Hawk (S) Aguililla aura, Busardo  
 aura, Gavilán albonotatus, Gavilán colifajeado (F) Buse  
 à queue barrée  
**Buteo archeri** W. L. Sclater, 1918 = *Buteo augur* (Rüppell,  
 1836)  
**Buteo augur** (Rüppell, 1836) II 27 ACCIPITRIDAE (Aves)  
 (E) Augur Buzzard (S) Busardo augur oriental (F) Buse  
 augure

- Buteo auguralis** Salvadori, 1865 II 27 ACCIPITRIDAE  
 (Aves) (E) African Red-tailed Buzzard, Red-necked Buzzard, Red-tailed Buzzard (S) Busardo cuellirrojo, Ratonero cuellirrojo (F) Buse à queue rousse, Buse d'Afrique
- Buteo bannermani** Swann, 1919 = *Buteo buteo* (Linnaeus, 1758)
- Buteo brachypterus** Hartlaub, 1860 II 27 ACCIPITRIDAE  
 (Aves) (E) Madagascar Buzzard (S) Busardo malgache (F) Buse de Madagascar
- Buteo brachyurus** Vieillot, 1816 II 27 ACCIPITRIDAE  
 (Aves) (E) Short-tailed Hawk (S) Aguililla colicorta, Aguilucho cola corta, Busardo colicorto, Gavilán cola corta (F) Buse à queue courte
- Buteo brachyurus albogula** Vieillot, 1816 = *Buteo albogula* Philippi, 1899
- Buteo buteo** (Linnaeus, 1758) II 27 ACCIPITRIDAE  
 (Aves) (E) Buzzard, Common Buzzard, Eurasian Buzzard (S) Busardo ratonero, Ratonero común (F) Buse variable
- Buteo galapagoensis** (Gould, 1837) II 27  
 ACCIPITRIDAE (Aves) (E) Galapagos Hawk (S) Busardo de Galápagos, Gavilán de Galapagos (F) Buse des Galapagos, Buse des îles Galapagos
- Buteogallus spp.** Lesson, 1830 II 27 ACCIPITRIDAE  
 (Aves)
- Buteogallus aequinoctialis** (Gmelin, 1788) II 27  
 ACCIPITRIDAE (Aves) (E) Rufous Crab-Hawk (S) Busardo-negro del atlántico, Gavilán de Manglares (F) Buse buson
- Buteogallus aequinoctialis subtilis* (Gmelin, 1788) = *Buteogallus subtilis* (Thayer & Bangs, 1905)
- Buteogallus anthracinus** (Deppe, 1830) II 27  
 ACCIPITRIDAE (Aves) (E) Common Black-Hawk, Cuban Black Hawk, Lesser Black-Hawk (S) Aguililla negra menor, Busardo-negro norteño, Gavilán cangrejero (F) Buse noire
- Buteogallus anthracinus* (Deppe, 1830) = *Buteogallus subtilis* (Thayer & Bangs, 1905)
- Buteogallus coronatus** (Vieillot, 1817) = *Harpyhaliaetus coronatus* (Vieillot, 1817)
- Buteogallus gundlachii** (Cabanis, 1855) = *Buteogallus anthracinus* (Deppe, 1830)
- Buteogallus lacernulatus** (Temminck, 1827) = *Leucopternis lacernulatus* (Temminck, 1827)
- Buteogallus meridionalis** (Latham, 1790) II 27  
 ACCIPITRIDAE (Aves) (E) Savanna Hawk (S) Aguilucho colorada, Aguilucho sabanero, Busardo sabanero, Gavilán pita venado, Gavilán sabanero (F) Buse roussâtre
- Buteogallus schistaceus* (Sundevall, 1850) = *Leucopternis schistaceus* (Sundevall, 1851)
- Buteogallus solitarius** (Tschudi, 1844) = *Harpyhaliaetus solitarius* (Tschudi, 1844)
- Buteogallus subtilis** (Thayer & Bangs, 1905) II 27  
 ACCIPITRIDAE (Aves) (E) Mangrove Black-Hawk, Pacific Black Hawk (S) Busardo-negro del pacífico, Gavilán negro común (F) Buse des mangroves
- Buteogallus subtilis** (Thayer & Bangs, 1905) = *Buteogallus anthracinus* (Deppe, 1830)
- Buteogallus urubitinga** (Gmelin, 1788) II 27  
 ACCIPITRIDAE (Aves) (E) Great Black-Hawk (S) Águila negra, Aguililla negra mayor, Busardo-negro urubitinga, Gavilán negro grande (F) Buse urubu
- Buteo hemilasius** Temminck & Schlegel, 1844 II 27  
 ACCIPITRIDAE (Aves) (E) Upland Buzzard (S) Busardo mongol (F) Buse de Chine
- Buteo jakal archeri** (Daudin, 1800) = *Buteo augur* (Rüppell, 1836)
- Buteo jamaicensis** (Gmelin, 1788) II 27 ACCIPITRIDAE  
 (Aves) (E) Red-tailed Hawk (S) Aguililla colirroja, Busardo colirrojo, Guaraguao (F) Buse à queue rousse
- Buteo japonicus** Temminck & Schlegel, 1844 = *Buteo buteo* (Linnaeus, 1758)
- Buteo lagopus** (Pontoppidan, 1763) II 27 ACCIPITRIDAE  
 (Aves) (E) Rough-legged Buzzard, Rough-legged Hawk (S) Aguililla ártica, Busardo calzado, Ratonero calzado (F) Buse pattue
- Buteo leucorrhous** (Quoy & Gaimard, 1824) II 27  
 ACCIPITRIDAE (Aves) (E) Rufous-thighed Hawk, White-rumped Hawk (S) Busardo culiblanco, Gavilán negro, Gavilán rabadilla blanca (F) Buse cul-blanc
- Buteo lineatus** (Gmelin, 1788) II 27 ACCIPITRIDAE  
 (Aves) (E) Red-shouldered Hawk (S) Aguililla pechirroja, Busardo hombrorrojo (F) Buse à épaulettes
- Buteo magnirostris** (Gmelin, 1788) II 27 ACCIPITRIDAE  
 (Aves) (E) Roadside Hawk (S) Aguililla caminera, Busardo caminero, Gavilán alirrojizo, Gavilán común, Gavilán habado (F) Buse à gros bec
- Buteo melanoleucus** Vieillot, 1816 = *Spizastur melanoleucus* (Vieillot, 1816)
- Buteo melanosternon** Gould, 1841 = *Hamirostra melanosternon* (Gould, 1841)
- Buteo nitidus** (Latham, 1790) = *Asturina nitida* (Latham, 1790)
- Buteo oreophilus** Hartert & Neumann, 1914 II 27  
 ACCIPITRIDAE (Aves) (E) Forest Buzzard, Mountain Buzzard (S) Busardo montañés (F) Buse montagnarde
- Buteo plagiatus** (Schlegel, 1862) = *Asturina nitida* (Latham, 1790)
- Buteo platypterus** (Vieillot, 1823) II 27 ACCIPITRIDAE  
 (Aves) (E) Broad-winged Hawk (S) Aguililla aluda, Busardo aliencho, Gavilán bebehumo (F) Petite buse
- Buteo poecilochrous** Gurney, 1879 II 27 ACCIPITRIDAE  
 (Aves) (E) Gurney's Hawk, Puna Hawk, Variable Hawk (S) Aguilucho puna, Busardo puneño, Gavilán puneño (F) Buse du puna
- Buteo polionotus** Kaup, 1847 = *Leucopternis polionotus* (Kaup, 1847)
- Buteo polyosoma** (Quoy & Gaimard, 1824) II 27  
 ACCIPITRIDAE (Aves) (E) Red-backed Hawk (S) Aguilucho común, Aguilucho variado, Busardo dorsirrojo (F) Buse tricolore
- Buteo refectus** Portenko, 1935 = *Buteo buteo* (Linnaeus, 1758)
- Buteo regalis** (Gray, 1844) II 27 ACCIPITRIDAE (Aves)  
 (E) Ferruginous Hawk (S) Aguililla real, Busardo

herrumbroso (F) Buse rouilleuse	Buzzard, White-eyed (E): <i>Butastur teesa</i>
<b><i>Buteo ridgwayi</i></b> (Cory, 1883) II 27 ACCIPITRIDAE (Aves) (E) Hispaniolan Hawk, Ridgway's Hawk (S) Busardo de la Española (F) Buse de Ridgway	Caballito de mar del Pacífico (S): <i>Hippocampus ingens</i>
<b><i>Buteo rufinus</i></b> (Cretzschmar, 1827) II 27 ACCIPITRIDAE (Aves) (E) Long-legged Buzzard (S) Busardo moro, Ratonero moro (F) Buse féroce	Caballito erecto (S): <i>Hippocampus erectus</i>
<b><i>Buteo rufinus</i></b> (Cretzschmar, 1829) = <i>Buteo socotraensis</i> Porter & Kirwan, 2010	Caballito oliváceo (S): <i>Hippocampus zosterae</i>
<b><i>Buteo rufofuscus</i></b> (Forster, 1798) II 27 ACCIPITRIDAE (Aves) (E) Jackal Buzzard (S) Busardo augur meridional (F) Buse rounoir	Caballito punteado (S): <i>Hippocampus erectus</i>
<b><i>Buteo rufofuscus augur</i></b> (Forster, 1798) = <i>Buteo augur</i> (Rüppell, 1836)	Caballo de Przewalski (S): <i>Equus przewalskii</i>
<b><i>Buteo socotraensis</i></b> Porter & Kirwan, 2010 II 27 ACCIPITRIDAE (Aves) (E) Socotra Buzzard	Caballo marino (S): <i>Hippocampus hippocampus</i>
<b><i>Buteo socotraensis</i></b> Porter & Kirwan, 2010 = <i>Buteo rufinus</i> (Cretzschmar, 1827)	Caballo salvaje (S): <i>Equus przewalskii</i>
<b><i>Buteo solitarius</i></b> Peale, 1848 II 27 ACCIPITRIDAE (Aves) (E) Hawaiian Hawk (S) Busardo hawaiano (F) Buse d'Hawai'	Cabalo de mar (S): <i>Hippocampus hippocampus</i>
<b><i>Buteo swainsoni</i></b> Bonaparte, 1838 II 27 ACCIPITRIDAE (Aves) (E) Swainson's Hawk (S) Aguililla de Swainson, Aguilucho langostero, Busardo chapulinero, Gavilán langostero (F) Buse de Swainson	<b><i>Cabassous centralis</i></b> (Miller, 1899) III DASYPODIDAE (Mammalia) (E) Northern Naked-tailed Armadillo (S) Armado de zapilots, Tatú de América central (F) Tatou, Tatou d'Amérique centrale
<b><i>Buteo tachardus</i></b> Daudin, 1800 = <i>Buteo oreophilus</i> Harttert & Neumann, 1914	<b><i>Cabassous gymnurus</i></b> (Olfers, 1818) = <i>Cabassous tatouay</i> (Desmarest, 1804)
<b><i>Buteo ventralis</i></b> Gould, 1837 II 27 ACCIPITRIDAE (Aves) (E) Red-tailed Hawk, Rufous-tailed Hawk (S) Aguilucho cola colorada, Busardo patagón (F) Buse de Patagonie	<b><i>Cabassous tatouay</i></b> (Desmarest, 1804) III DASYPODIDAE (Mammalia) (E) Greater Naked-tailed Armadillo (S) Cabasu de orejas largas, Tatú cabasú, Tatú de rabo mol, Tatú de rabo molle (F) Tatou à queue nue, Tatou gumnure
Butterfly, Apollo (E): <i>Parnassius apollo</i>	Cabasu de orejas largas (S): <i>Cabassous tatouay</i>
Buzzard (E): <i>Buteo buteo</i>	Cabeza de viejo (S): <i>Eira barbara</i>
Buzzard, African Red-tailed (E): <i>Buteo auguralis</i>	Cabezón (S): <i>Peltcephalus dumerilianus</i>
Buzzard, Augur (E): <i>Buteo augur</i>	Cabézon toucan (F): <i>Semnornis ramphastinus</i>
Buzzard, Black-breasted (E): <i>Hamirostra melanosternon</i>	Cabezón tucán (S): <i>Semnornis ramphastinus</i>
Buzzard, Common (E): <i>Buteo buteo</i>	Caburé (S): <i>Micrastur ruficollis</i>
Buzzard-Eagle, Black-chested (E): <i>Geranoaetus melanoleucus</i>	Caburé (S): <i>Glaucidium brasiliandum</i>
Buzzard-Eagle, Grasshopper (E): <i>Butastur rufipennis</i>	Caburé patagónico (S): <i>Glaucidium nana</i>
Buzzard-Eagle, Grey (E): <i>Geranoaetus melanoleucus</i>	Cacajao (S): <i>Cacajao calvus</i>
Buzzard-Eagle, Grey-faced (E): <i>Butastur indicus</i>	<b><i>Cacajao spp.</i></b> Lesson, 1840 I PITHECIIDAE (Mammalia)
Buzzard-Eagle, Rufous-winged (E): <i>Butastur liventer</i>	<b><i>Cacajao ayresi</i></b> Boubli, da Silva, Amado Hrbek, Pontual & Farias, 2008 I PITHECIIDAE (Mammalia)
Buzzard, Eurasian (E): <i>Buteo buteo</i>	<b><i>Cacajao calvus</i></b> (I. Geoffroy, 1847) I PITHECIIDAE (Mammalia) (E) Bald-headed Uacari, Red-and-white Uacari (S) Cacajao, Cacayo, Huapo colorado, Huapo rojo, Uacari blanco (F) Ouakari chauve
Buzzard, Forest (E): <i>Buteo oreophilus</i>	<b><i>Cacajao hosomi</i></b> Boubli, da Silva, Amado, Hrbek, Pontual & Farias, 2008 I PITHECIIDAE (Mammalia)
Buzzard, Grasshopper (E): <i>Butastur rufipennis</i>	<b><i>Cacajao melanocephalus</i></b> (Humboldt, 1812) I PITHECIIDAE (Mammalia) (E) Black-headed Uacari, Black Uacari (F) Ouakari à tête noire
Buzzard, Grey-faced (E): <i>Butastur indicus</i>	Cacatoès (F): <i>Cacatuidae</i>
Buzzard, Honey (E): <i>Pernis apivorus</i>	Cacatoès à bec gracile (F): <i>Cacatua tenuirostris</i>
Buzzard, Jackal (E): <i>Buteo rufofuscus</i>	Cacatoès à huppe blanche (F): <i>Cacatua alba</i>
Buzzard-Kite, Black-breasted (E): <i>Hamirostra melanosternon</i>	Cacatoès à huppe jaune (F): <i>Cacatua galerita</i>
Buzzard, Lizard (E): <i>Kaupifalco monogrammicus</i>	Cacatoès à huppe rouge (F): <i>Cacatua moluccensis</i>
Buzzard, Long-legged (E): <i>Buteo rufinus</i>	Cacatoès à lores rouges (F): <i>Cacatua pastinator</i>
Buzzard, Madagascar (E): <i>Buteo brachypterus</i>	Cacatoès à oeil bleu (F): <i>Cacatua ophthalmica</i>
Buzzard, Mountain (E): <i>Buteo oreophilus</i>	Cacatoès à oreilles blanches (F): <i>Calyptorhynchus funereus</i>
Buzzard, Red-necked (E): <i>Buteo auguralis</i>	Cacatoès à oreilles jaunes (F): <i>Calyptorhynchus funereus</i>
Buzzard, Red-tailed (E): <i>Buteo auguralis</i>	Cacatoès à rectrices blanches (F): <i>Calyptorhynchus latirostris</i>
Buzzard, Rough-legged (E): <i>Buteo lagopus</i>	Cacatoès à tête brune (F): <i>Calyptorhynchus lathami</i>
Buzzard, Rufous-winged (E): <i>Butastur liventer</i>	Cacatoès à tête rouge (F): <i>Callocephalon fimbriatum</i>
Buzzard, Socotra (E): <i>Buteo socotraensis</i>	Cacatoès aux yeux bleus (F): <i>Cacatua ophthalmica</i>
Buzzard, Upland (E): <i>Buteo hemilasius</i>	Cacatoès aux yeux nus (F): <i>Cacatua pastinator</i>
	Cacatoès à ventre rouge (F): <i>Cacatua haematuropygia</i>
	Cacatoès banksien (F): <i>Calyptorhynchus banksii</i>
	Cacatoès blanc (F): <i>Cacatua alba</i>

- Cacatoès casqué (F): *Callocephalon fimbriatum*  
 Cacatoès corella (F): *Cacatua sanguinea*  
 Cacatoès de Banks (F): *Calyptorhynchus banksii*  
 Cacatoès de Baudin (F): *Calyptorhynchus baudinii*  
 Cacatoès de Ducorps (F): *Cacatua ducorpii*  
 Cacatoès de Goffin (F): *Cacatua goffiniana*  
 Cacatoès de Latham (F): *Calyptorhynchus lathami*  
 Cacatoès de Leadbeater (F): *Cacatua leadbeateri*  
 Cacatoès des Moluques (F): *Cacatua moluccensis*  
 Cacatoès des Philippines (F): *Cacatua haematuropygia*  
 Cacatoès funèbre (F): *Calyptorhynchus funereus*  
 Cacatoès laboureur (F): *Cacatua pastinator*  
 Cacatoès nasique (F): *Cacatua tenuirostris*  
 Cacatoès noir (F): *Probosciger aterrimus*  
 Cacatoès rosalbin (F): *Eolophus roseicapilla*  
 Cacatoès soufré (F): *Cacatua sulphurea*  
***Cacatua spp.*** Vieillot, 1817 I/II 29 CACATUIDAE (Aves)  
***Cacatua alba*** (P. L. S. Müller, 1776) II 29 CACATUIDAE  
 (Aves) (E) Umbrella Cockatoo, White Cockatoo (S)  
 Cacatúa alba, Cacatúa blanca (F) Cacatoès à huppe blanche, Cacatoès blanc  
 Cacatúa alba (S): *Cacatua alba*  
 Cacatúa blanca (S): *Cacatua alba*  
 Cacatúa de alas doradas (S): *Psephotus chrysoterygius*  
 Cacatúa de cabeza roja (S): *Callocephalon fimbriatum*  
 Cacatúa de cola roja (S): *Calyptorhynchus banksii*  
 Cacatúa de cola sangrante (S): *Cacatua haematuropygia*  
 Cacatúa de cresta amarilla grande (S): *Cacatua galerita*  
 Cacatúa de Ducorps (S): *Cacatua ducorpii*  
 Cacatúa de Forbes (S): *Cyanoramphus forbesi*  
 Cacatúa de Goffin (S): *Cacatua goffiniana*  
 Cacatúa de las Molucas (S): *Cacatua moluccensis*  
 Cacatúa del collar de Mauricio (S): *Psittacula echo*  
 Cacatúa de Leadbeater (S): *Cacatua leadbeateri*  
 Cacatúa del paraíso (S): *Psephotus pulcherrimus*  
 Cacatúa de pico afilado (S): *Cacatua pastinator*  
 Cacatúa de pico afilado anaranjada (S): *Cacatua tenuirostris*  
 Cacatúa de vientre naranja (S): *Neophema chrysogaster*  
 Cacatúa dorada (S): *Guarouba guarouba*  
***Cacatua ducorpii*** Pucheran, 1853 II 29 CACATUIDAE  
 (Aves) (E) Ducorps's Cockatoo (S) Cacatúa de Ducorps (F) Cacatoès de Ducorps  
 Cacatúa enlutada (S): *Probosciger aterrimus*  
***Cacatua galerita*** (Latham, 1790) II 29 CACATUIDAE  
 (Aves) (E) Greater Sulphur-crested Cockatoo, Sulphur-crested Cockatoo (S) Cacatúa de cresta amarilla grande (F) Cacatoès à huppe jaune, Grand cacatoès à huppe jaune  
***Cacatua goffiniana*** (Finsch, 1863) I CACATUIDAE (Aves)  
 (E) Goffin's Cockatoo, Tanimbar Cockatoo, Tanimbar Corella (S) Cacatúa de Goffin (F) Cacatoès de Goffin  
***Cacatua goffini*** (Finsch, 1863) = *Cacatua goffiniana* (Finsch, 1863)  
***Cacatua haematuropygia*** (Müller, 1776) I CACATUIDAE  
 (Aves) (E) Philippine Cockatoo, Red-vented Cockatoo (S) Cacatúa de cola sangrante (F) Cacatoès à ventre rouge, Cacatoès des Philippines  
 Cacatúa inca (S): *Cacatua leadbeateri*  
***Cacatua leadbeateri*** (Vigors, 1831) II 29 CACATUIDAE  
 (Aves) (E) Leadbeater's Cockatoo, Major Mitchell's Cockatoo, Pink Cockatoo (S) Cacatúa de Leadbeater, Cacatúa inca (F) Cacatoès de Leadbeater  
***Cacatua moluccensis*** (Gmelin, 1788) I CACATUIDAE  
 (Aves) (E) Moluccan Cockatoo, Salmon-crested Cockatoo (S) Cacatúa de las Molucas (F) Cacatoès à huppe rouge, Cacatoès des Moluques  
 Cacatúa negra de cola amarilla (S): *Calyptorhynchus funereus*  
 Cacatúa negra de cola roja (S): *Calyptorhynchus banksii*  
 Cacatúa negra de Latham (S): *Calyptorhynchus lathami*  
 Cacatúa nocturna (S): *Pezoporus occidentalis*  
 Cacatúa oftálmica (S): *Cacatua ophthalmica*  
***Cacatua ophthalmica*** Sclater, 1864 II 29 CACATUIDAE  
 (Aves) (E) Blue-eyed Cockatoo (S) Cacatúa oftálmica (F) Cacatoès à oeil bleu, Cacatoès aux yeux bleus  
***Cacatua pastinator*** (Gould, 1841) II 29 CACATUIDAE  
 (Aves) (E) Western Corella (S) Cacatúa de pico afilado (F) Cacatoès à lores rojas, Cacatoès aux yeux nus, Cacatoès laboureur  
 Cacatúa rosada (S): *Eolophus roseicapilla*  
***Cacatua roseicapilla*** Vieillot, 1817 = *Eolophus roseicapilla* (Vieillot, 1817)  
 Cacatúas (S): *Cacatuidae*  
***Cacatua sanguinea*** Gould, 1843 II 29 CACATUIDAE  
 (Aves) (E) Bare-eyed Cockatoo, Little Cockatoo, Little Corella (F) Cacatoès corella  
***Cacatua sulphurea*** (Gmelin, 1788) I CACATUIDAE  
 (Aves) (E) Lesser Sulphur-crested Cockatoo, Yellow-crested Cockatoo (F) Cacatoès soufré, Petit cacatoès à huppe jaune  
***Cacatua tenuirostris*** (Kuhl, 1820) II 29 CACATUIDAE  
 (Aves) (E) Long-billed Corella (S) Cacatúa de pico afilado anaranjada (F) Cacatoès à bec gracile, Cacatoès nasique  
***Cacatua tenuirostris pastinator*** (Kuhl, 1820) = *Cacatua pastinator* (Gould, 1841)  
 Cacatúa terrera (S): *Pezoporus wallicus*  
***CACATUIDAE spp.*** I/II 29 (Aves) (E) Cockatoos (S) Cacatúas (F) Cacatoès  
 Cacayo (S): *Cacajao calvus*  
 Cachalot (E): *Physeter macrocephalus*  
 Cachalot (F): *Physeteridae*  
 Cachalot (F): *Physeter macrocephalus*  
 Cachalot (E): *Physeteridae*  
 Cachalote (S): *Physeter macrocephalus*  
 Cachalote cabeza chica (S): *Kogia breviceps*  
 Cachalote enano (S): *Kogia sima*  
 Cachalote pigmeo (S): *Kogia breviceps*  
 Cachalotes (S): *Physeteridae*  
 Cachalot nain (F): *Kogia sima*  
 Cachalot pygmée (F): *Kogia breviceps*  
 Cachelot (E): *Physeter macrocephalus*  
 Cachona (S): *Sphyrna lewini*  
 Cachorro de mato vinagre (S): *Speothos venaticus*  
 Cachorro vinagre (S): *Speothos venaticus*  
 Cacomistle (S): *Bassariscus sumichrasti*  
 Cacomistle (E): *Bassariscus sumichrasti*

Cacomistle, Central American (E): <i>Bassariscus sumichrasti</i>	Caiman, Rio Apaporis (Spectacled) (E): <i>Caiman crocodilus apaporiensis</i>
Caébézon toucan (F): <i>Semnornis ramphastinus</i>	Caimans, Alligators, (E): <i>Alligatoridae</i>
<b>Caecobarbus geertsii</b> Boulenger, 1921 II CYPRINIDAE (Actinopterygii) (E) African Blind Barb Fish, Congo	Caiman, Schneider's Smooth-fronted (E): <i>Paleosuchus trigonatus</i>
Blind Barb (F) Barbu aveugle, Poisson cavernicole d'Afrique	<i>Caiman sclerops apaporiensis</i> (Schneider, 1801) = <i>Caiman crocodilus apaporiensis</i> Medem, 1955
Cailón (S): <i>Lamna nasus</i>	<i>Caiman sclerops</i> (Schneider, 1801) = <i>Caiman crocodilus</i> (Linnaeus, 1758)
Cailón marrajo (S): <i>Lamna nasus</i>	Caiman, Spectacled (E): <i>Caiman crocodilus</i>
<b>Caiman</b> spp. Spix, 1825 I/II ALLIGATORIDAE (Reptilia)	<i>Caiman trigonatus</i> (Schneider, 1801) = <i>Paleosuchus trigonatus</i> (Schneider, 1801)
Caimán (S): <i>Caiman crocodilus</i>	<i>Caiman yacare</i> Daudin, 1802 = <i>Caiman crocodilus</i> (Linnaeus, 1758)
Caïman à lunettes (F): <i>Caiman crocodilus</i>	Caïque à ailes noires (F): <i>Hapalopsittaca melanotos</i>
Caimán americano (S): <i>Crocodylus acutus</i>	Caïque à capuchon (F): <i>Pionopsitta haematotis</i>
Caïman à museau large (F): <i>Caiman latirostris</i>	Caïque à face rouge (F): <i>Hapalopsittaca amazonina</i>
Caiman, Apaporis River (E): <i>Caiman crocodilus apaporiensis</i>	Caïque à joues roses (F): <i>Pionopsitta pulchra</i>
Caïman à paupières osseuses (F): <i>Paleosuchus palpebrosus</i>	Caïque à queue courte (F): <i>Graydidascalus brachyurus</i>
Caiman, Black (E): <i>Melanosuchus niger</i>	Caïque à tête noire (F): <i>Pionopsitta caica</i>
Caiman, Broad-nosed (E): <i>Caiman latirostris</i>	Caïque à ventre blanc (F): <i>Pionites leucogaster</i>
Caiman, Broad-snouted (E): <i>Caiman latirostris</i>	Caique, Black-headed (E): <i>Pionites melanocephalus</i>
Caiman, Brown (E): <i>Caiman crocodilus</i>	Caïque de Barraband (F): <i>Pionopsitta barrabandi</i>
Caiman, Common (E): <i>Caiman crocodilus</i>	Caïque de Bonaparte (F): <i>Pionopsitta pyrrhura</i>
<b>Caiman crocodilus</b> (Linnaeus, 1758) III	Caïque de Fuertes (F): <i>Hapalopsittaca fuertesi</i>
ALLIGATORIDAE (Reptilia) (E) Brown Caiman, Common Caiman, Spectacled Caiman (S) Babilla, Caimán (F) Caïman à lunettes	Caïque de Salvin (F): <i>Hapalopsittaca pyrrhops</i>
<b>Caiman crocodilus apaporiensis</b> Medem, 1955 I	Caïque maïpourri (F): <i>Pionites melanocephalus</i>
ALLIGATORIDAE (Reptilia) (E) Apaporis River	Caïque mitré (F): <i>Pionopsitta pileata</i>
Caiman, Rio Apaporis (Spectacled) Caiman (S)	Caïque vautourin (F): <i>Pionopsitta vulturina</i>
Caimán del Río Apaporis (F) Caïman du Rio Apaporis	Caique, White-bellied (E): <i>Pionites leucogaster</i>
Caiman, Cuvier's Smooth-fronted (E): <i>Paleosuchus palpebrosus</i>	<b>Cairina moschata</b> (Linnaeus, 1758) III ANATIDAE (Aves)
Caimán de Cuba (S): <i>Crocodylus rhombifer</i>	(E) Muscovy Duck (S) Pato criollo, Pato real (F) Canard de Barbarie, Canard musqué
Caïmán de hocico ancho (S): <i>Caiman latirostris</i>	<i>Cairina scutulata</i> (S. Müller, 1842) = <i>Asarcornis scutulata</i> (S. Müller, 1842)
Caimán del Orinoco (S): <i>Crocodylus intermedius</i>	Calabare de Reinhardt (F): <i>Calabaria reinhardtii</i>
Caimán del Río Apaporis (S): <i>Caiman crocodilus apaporiensis</i>	<i>Calabaria</i> spp. Gray, 1858 II BOIDAE (Reptilia)
Caimán de Morelet (S): <i>Crocodylus moreletii</i>	Calabaria de Reinhardt (F): <i>Calabaria reinhardtii</i>
Caïman du Rio Apaporis (F): <i>Caiman crocodilus apaporiensis</i>	<i>Calabaria fusca</i> Gray, 1858 = <i>Calabaria reinhardtii</i> (Schlegel, 1848)
Caiman, Dwarf (E): <i>Paleosuchus palpebrosus</i>	<i>Calabaria reinhardtii</i> (Schlegel, 1848) II BOIDAE (Reptilia)
Caimán enano (S): <i>Paleosuchus palpebrosus</i>	(E) African Burrowing Python, Calabar Ground Python
Caiman <i>fissipes</i> Spix, 1825 = <i>Caiman latirostris</i> (Daudin, 1802)	(S) Pitón de Calabar (F) Calabare de Reinhardt, Calabaria de Reinhardt
Caiman, Four-foot (E): <i>Dracaena guianensis</i>	<b>Calamita tinctorius</b> Merrem, 1820 = <i>Dendrobates tinctorius</i> (Cuvier, 1797)
Caimán frentiplano (S): <i>Paleosuchus trigonatus</i>	<i>Calamita tinctorius</i> Schneider, 1799 = <i>Dendrobates tinctorius</i> (Cuvier, 1797)
Caïman hérissé (F): <i>Paleosuchus trigonatus</i>	Calao à casque (F): <i>Rhinoplax vigil</i>
Caimán hociquiancho (S): <i>Caiman latirostris</i>	Calao à casque plat (F): <i>Buceros hydrocorax</i>
<b>Caiman latirostris</b> (Daudin, 1802) I/II 32	Calao à casque rond (F): <i>Rhinoplax vigil</i>
ALLIGATORIDAE (Reptilia) (E) Broad-nosed Caiman, Broad-snouted Caiman (S) Caïman de hocico ancho, Caimán hociquiancho, Yacaré de hocico ancho, Yacaré overo (F) Caïman à museau large	Calao à casque rouge (F): <i>Aceros corrugatus</i>
Caimán negro (S): <i>Melanosuchus niger</i>	Calao à cimier (F): <i>Aceros cassidix</i>
Caiman <i>niger</i> Spix, 1825 = <i>Melanosuchus niger</i> (Spix, 1825)	Calao à cou roux (F): <i>Aceros nipalensis</i>
Caïman noir (F): <i>Melanosuchus niger</i>	Calao à crête hérissée (F): <i>Anorrhinus galeritus</i>
Caiman <i>palpebrosus</i> (Cuvier, 1807) = <i>Paleosuchus palpebrosus</i> (Cuvier, 1807)	Calao à gorge claire (F): <i>Rhyticeros subruficollis</i>
	Calao à poche unie (F): <i>Rhyticeros subruficollis</i>
	Cálaos arrugado (S): <i>Aceros corrugatus</i>
	Calao bicorné (F): <i>Buceros bicornis</i>
	Cálaos bicorné (S): <i>Buceros bicornis</i>

- Calao brun (F): *Anorrhinus tickelli*  
 Cálar cariblanco (S): *Anthracoceros albirostris*  
 Calao charbonnier (F): *Anthracoceros malayanus*  
 Cálar chico de Célebes (S): *Penelopides exarhatus*  
 Cálar chico de Panay (S): *Penelopides panini*  
 Calao coiffé (F): *Berenicornis comatus*  
 Cálar crestado (S): *Anorrhinus galeritus*  
 Cálar crestiblanco (S): *Berenicornis comatus*  
 Cálar de casco (S): *Rhinoplax vigil*  
 Cálar de la Narcondam (S): *Rhyticeros narcondami*  
 Cálar de las Sulu (S): *Anthracoceros montani*  
 Cálar de la Sumba (S): *Rhyticeros everetti*  
 Cálar del Nepal (S): *Aceros nipalensis*  
 Calao de Malabar (F): *Anthracoceros coronatus*  
 Calao de montagne (F): *Aceros nipalensis*  
 Calao de Narcondam (F): *Rhyticeros narcondami*  
 Calao de Palawan (F): *Anthracoceros marchei*  
 Cálar de Palawan (S): *Anthracoceros marchei*  
 Calao des Célèbes (F): *Penelopides exarhatus*  
 Calao des Philippines (F): *Buceros hydrocorax*  
 Calao des Sulu (F): *Anthracoceros montani*  
 Calao de Sumba (F): *Rhyticeros everetti*  
 Calao de Vieillot (F): *Aceros leucocephalus*  
 Calao de Walden (F): *Aceros waldeni*  
 Cálar de Yelmo (S): *Rhinoplax vigil*  
 Calao festonné (F): *Rhyticeros undulatus*  
 Cálar filipino grande (S): *Buceros hydrocorax*  
 Cálar gorgiclaro (S): *Rhyticeros subruficollis*  
 Cálar gorginegro (S): *Rhyticeros undulatus*  
 Cálar grande (S): *Buceros bicornis*  
 Cálar grande de Célebes (S): *Aceros cassidix*  
 Cálar grande de Mindanao (S): *Aceros leucocephalus*  
 Cálar grande de Panay (S): *Aceros waldeni*  
 Cálar malayo (S): *Anthracoceros malayanus*  
 Calao papou (F): *Rhyticeros plicatus*  
 Cálar pardo de Tickell (S): *Anorrhinus tickelli*  
 Calao pie (F): *Anthracoceros albirostris*  
 Calao rhinocéros (F): *Buceros rhinoceros*  
 Cálar rinoceronte (S): *Buceros rhinoceros*  
 Cálar rojipardo (S): *Buceros hydrocorax*  
 Calaos à canelure des Célèbes (F): *Penelopides exarhatus*  
 Calao tarictic (F): *Penelopides panini*  
 Caldrón negro (S): *Globicephala melas*  
 Caldrón negro (S): *Globicephala macrorhynchus*  
*Callagur borneoensis* (Schlegel & S. Müller, 1844) =  
*Batagur borneoensis* (Schlegel & S. Müller, 1844)  
*Callagur picta* (Gray, 1862) = *Batagur borneoensis*  
(Schlegel & S. Müller, 1844)  
*Callibella humilis* (M. van Roosmalen, T. van Roosmalen,  
R.A. Mittermeier & de Fonseca, 1998) = *Callithrix humilis* van Roosmalen, van Roosmalen, Mittermeier &  
Fonseca, 1998  
Calicèbe cuivré (F): *Callicebus cupreus*  
Calicèbe roux (F): *Callicebus cupreus*  
**Callicebus spp.** Thomas, 1903 II PITHECIIDAE  
(Mammalia)  
**Callicebus aureipalatii** Wallace, Gómez, A. Felton & A.  
M. Felton, 2006 II PITHECIIDAE (Mammalia) (E)  
GoldenPalace.com Monkey, Madidi titi monkey
- Callicebus baptista** Lönnberg, 1939 II PITHECIIDAE  
(Mammalia) (E) Baptista Lake Titi  
**Callicebus barbarabrownae** Hershkovitz, 1990 II  
PITHECIIDAE (Mammalia) (E) Barbara Brown's Titi,  
Northern Bahian Blond Titi  
**Callicebus bernhardi** van Roosmalen, van Roosmalen &  
Mittermeier, 2002 II PITHECIIDAE (Mammalia) (E)  
Prince Bernhard's Titi (F) Titi du Prince Bernhard  
**Callicebus brunneus** (Wagner, 1842) II PITHECIIDAE  
(Mammalia) (E) Brown Titi (F) Titi brun  
**Callicebus caligatus** (Wagner, 1842) II PITHECIIDAE  
(Mammalia) (E) Booted Titi, Chestnut-bellied Titi (F)  
Titi botté  
**Callicebus caquetensis** Defler, Bueno & García, 2010 II  
PITHECIIDAE (Mammalia)  
**Callicebus cinerascens** (Spix, 1823) II PITHECIIDAE  
(Mammalia) (E) Ashy-black Titi (F) Titi gris cendré  
**Callicebus coimbrai** Kobayashi & Langguth, 1999 II  
PITHECIIDAE (Mammalia) (E) Coimbra-Filho's Titi (F)  
Titi de Coimbra  
**Callicebus cupreus** (Spix, 1823) II PITHECIIDAE  
(Mammalia) (E) Coppery Titi (F) Callicèbe cuivré,  
Callicèbe roux, Titi roux  
*Callicebus cupreus ornatus* (Spix, 1823) = *Callicebus ornatus* (Gray, 1866)  
**Callicebus discolor** (I. Geoffroy & Deville, 1848) II  
PITHECIIDAE (Mammalia) (E) Double-browed Titi,  
White-tailed Titi  
**Callicebus donacophilus** (d'Orbigny, 1836) II  
PITHECIIDAE (Mammalia) (E) White-eared Titi (F) Titi d'Orbigny  
**Callicebus dubius** Hershkovitz, 1988 II PITHECIIDAE  
(Mammalia) (E) Dubious Titi, Hershkovitz's Titi (F) Titi d'Hershkovitz  
**Callicebus hoffmannsi** Thomas, 1908 II PITHECIIDAE  
(Mammalia) (E) Hoffmann's Titi (F) Titi d'Hoffman  
**Callicebus lucifer** Thomas, 1914 II PITHECIIDAE  
(Mammalia) (E) Lucifer Titi, Widow Monkey  
**Callicebus lugens** (Humboldt, 1811) II PITHECIIDAE  
(Mammalia) (E) Black Titi, Mourning Titi  
**Callicebus medemi** Hershkovitz, 1963 II PITHECIIDAE  
(Mammalia) (E) Colombian Black-handed Titi  
**Callicebus melanochir** (Wied-Neuwied, 1820) II  
PITHECIIDAE (Mammalia) (E) Coastal Black-handed  
Titi, Southern Bahian Masked Titi  
**Callicebus modestus** Lönnberg, 1939 II PITHECIIDAE  
(Mammalia) (E) Rio Beni Titi  
**Callicebus moloch** (Hoffmannsegg, 1807) II  
PITHECIIDAE (Mammalia) (E) Dusky Titi, Red-bellied  
Titi (F) Titi gris, Titi molock  
*Callicebus moloch brunneus* (Hoffmannsegg, 1807) =  
*Callicebus cupreus* (Wagner, 1842)  
*Callicebus moloch caligatus* (Hoffmannsegg, 1807) =  
*Callicebus caligatus* (Wagner, 1842)  
*Callicebus moloch cinerascens* (Hoffmannsegg, 1807) =  
*Callicebus cinerascens* (Spix, 1823)  
*Callicebus moloch cupreus* (Hoffmannsegg, 1807) =  
*Callicebus cupreus* (Spix, 1823)  
*Callicebus moloch donacophilus* (Hoffmannsegg, 1807) =  
*Callicebus donacophilus* (d'Orbigny, 1836)

- Callicebus moloch dubius* (Hoffmannsegg, 1807) =  
*Callicebus dubius* Hershkovitz, 1988
- Callicebus moloch Hoffmannsegg, 1807* = *Callicebus caquetensis* Defler, Bueno & García, 2010
- Callicebus moloch hoffmannsi* (Hoffmannsegg, 1807) =  
*Callicebus hoffmannsi* Thomas, 1908
- Callicebus moloch modestus* (Hoffmannsegg, 1807) =  
*Callicebus modestus* Lönnberg, 1939
- Callicebus moloch oenanthe* (Hoffmannsegg, 1807) =  
*Callicebus oenanthe* Thomas, 1924
- Callicebus moloch olallae* (Hoffmannsegg, 1807) =  
*Callicebus olallae* Lönnberg, 1939
- Callicebus nigrifrons*** (Spix, 1823) II PITHECIIDAE  
(Mammalia) (E) Black-fronted Titi
- Callicebus oenanthe*** Thomas, 1924 II PITHECIIDAE  
(Mammalia) (E) Andean Titi, Rio Mayo Titi (F) Titi des montagnes du Pérou
- Callicebus olallae*** Lönnberg, 1939 II PITHECIIDAE  
(Mammalia) (E) Beni Titi, Olalla Brothers' Titi (F) Titi d'Olalla
- Callicebus ornatus*** (Gray, 1866) II PITHECIIDAE  
(Mammalia) (E) Ornate Titi
- Callicebus pallescens*** Thomas, 1907 II PITHECIIDAE  
(Mammalia) (E) Pallid Titi, White-coated Titi
- Callicebus personatus*** (É. Geoffroy, 1812) II  
PITHECIIDAE (Mammalia) (E) Atlantic Titi, Masked Titi  
(F) Titi à masque
- Callicebus personatus barbarabrowniae* (É.  
Geoffroy, 1812) = *Callicebus barbarabrowniae*  
Hershkovitz, 1990
- Callicebus personatus melanochir* (É. Geoffroy, 1812) =  
*Callicebus melanochir* (Wied-Neuwied, 1820)
- Callicebus personatus nigrifrons* (É. Geoffroy, 1812) =  
*Callicebus nigrifrons* (Spix, 1823)
- Callicebus purinus*** Thomas, 1927 II PITHECIIDAE  
(Mammalia) (E) Red-crowned Titi, Rio Purus Titi
- Callicebus regulus*** Thomas, 1927 II PITHECIIDAE  
(Mammalia) (E) Kinglet Titi, Red-headed Titi
- Callicebus stephennashi*** van Roosmalen, van  
Roosmalen & Mittermeier, 2002 II PITHECIIDAE  
(Mammalia) (E) Stephen Nash's Titi
- Callicebus torquatus*** (Hoffmannsegg, 1807) II  
PITHECIIDAE (Mammalia) (E) Collared Titi, Widow Titi  
(F) Titi à collier, Titi à fraise
- Callicebus torquatus lucifer* (Hoffmannsegg, 1807) =  
*Callicebus lucifer* Thomas, 1914
- Callicebus torquatus medemi* (Hoffmannsegg, 1807) =  
*Callicebus medemi* Hershkovitz, 1963
- Callimico* spp.** Ribeiro, 1912 I CEBIDAE (Mammalia)
- Callimico goeldii*** (Thomas, 1904) I CEBIDAE  
(Mammalia) (E) Goeldi's Marmoset, Goeldi's Monkey,  
Goeldi's Tamarin (S) Pichico negro, Tamarín de Goeldi,  
Tití de Goeldi (F) Tamarin de Goeldi, Tamarin sauteur
- Calliphlox* spp.** Boie, 1831 II TROCHILIDAE (Aves)
- Calliphlox amethystina*** (Boddaert, 1783) II  
TROCHILIDAE (Aves) (E) Amethyst Woodstar (S)  
Colibrí amatista, Estrellita amatista, Picaflor amatista,  
Tucusito amatista (F) Colibri améthyste
- Calliphlox bryantae*** (Lawrence, 1867) II TROCHILIDAE  
(Aves) (E) Magenta-throated Woodstar (S) Colibrí
- magenta (F) Colibri magenta
- Calliphlox evelynae*** (Bourcier, 1847) II TROCHILIDAE  
(Aves) (E) Bahama Woodstar (S) Colibrí de las Bahamas  
(F) Colibri des Bahamas
- Calliphlox mitchellii*** (Bourcier, 1847) II TROCHILIDAE  
(Aves) (E) Purple-throated Woodstar (S) Colibrí de Mitchell, Estrellita gorjipúrpura (F) Colibri de Mitchell
- Calliptilus stepheni* North, 1908 = *Vini stepheni* (North, 1908)
- Calliste superbe (F): *Tangara fastuosa*
- Callithrix* spp.** Erxleben, 1777 I/II CEBIDAE (Mammalia)
- Callithrix acariensis*** van Roosmalen, van Roosmalen, Mittermeier & Rylands, 2000 II CEBIDAE (Mammalia) (E) Rio Acari Marmoset
- Callithrix argentata*** (Linnaeus, 1771) II CEBIDAE  
(Mammalia) (E) Silvery Marmoset (F) Ouistiti argenté
- Callithrix argentata leucippe* (Linnaeus, 1771) = *Callithrix leucippe* (Thomas, 1922)
- Callithrix aurita*** (E. Geoffroy in Humboldt, 1812) I CEBIDAE (Mammalia) (E) Buffy-tufted-ear Marmoset, White-eared Marmoset (S) Callitrix de orejas blancas (F) Marmouset à oreilles blanches, Oustiti à oreilles blanches, Oustiti oreillard
- Callithrix chrysoleuca*** (Wagner, 1842) II CEBIDAE  
(Mammalia) (E) Gold-and-white Marmoset, Golden-white Tassel-ear Marmoset
- Callithrix emiliae*** (Thomas, 1920) II CEBIDAE  
(Mammalia) (E) Emilia's Marmoset
- Callithrix flaviceps*** (Thomas, 1903) I CEBIDAE  
(Mammalia) (E) Buffy-headed Marmoset (S) Callitrix de cabeza amarilla (F) Ouistiti à tête jaune
- Callithrix geoffroyi*** (E. Geoffroy in Humboldt, 1812) II CEBIDAE (Mammalia) (E) Geoffroy's Tufted-ear Marmoset, White-fronted Marmoset (S) Tití de caba blanca (F) Ouistiti de Geoffroy
- Callithrix humeralifera*** (E. Geoffroy in Humboldt, 1812) II CEBIDAE (Mammalia) (E) Black-and-white Tassel-ear Marmoset, Tassel-eared Marmoset (F) Ouistiti à camail
- Callithrix humilis*** van Roosmalen, van Roosmalen, Mittermeier & Fonseca, 1998 II CEBIDAE (Mammalia) (E) Black-crowned Dwarf Marmoset, Roosmalen's Dwarf Marmoset (F) Ouistiti nain
- Callithrix intermedia*** Hershkovitz, 1977 II CEBIDAE  
(Mammalia) (E) Aripuana Marmoset, Hershkovitz's Marmoset
- Callithrix jacchus*** (Linnaeus, 1758) II CEBIDAE  
(Mammalia) (E) Common Marmoset, White-tufted-ear Marmoset (F) Ouistiti à pinceaux blancs, Ouistiti à toupet blanc, Ouistiti commun
- Callithrix jacchus aurita* (Linnaeus, 1758) = *Callithrix aurita* (E. Geoffroy in Humboldt, 1812)
- Callithrix jacchus flaviceps* (Linnaeus, 1758) = *Callithrix flaviceps* (Thomas, 1903)
- Callithrix jacchus geoffroyi* (Linnaeus, 1758) = *Callithrix geoffroyi* (E. Geoffroy in Humboldt, 1812)
- Callithrix jacchus kuhlii* (Linnaeus, 1758) = *Callithrix kuhlii* (Coimbra-Filho, 1985)
- Callithrix jacchus penicillata* (Linnaeus, 1758) = *Callithrix penicillata* (E. Geoffroy, 1812)

- Callithrix kuhlii*** (Coimbra-Filho, 1985) II CEBIDAE  
 (Mammalia) (E) Wied's Black-tufted-ear Marmoset,  
 Wied's Marmoset (F) Ouistiti à pinceaux noirs, Ouistiti  
 de Kuhl
- Callithrix leucippe*** (Thomas, 1922) II CEBIDAE  
 (Mammalia) (E) White Marmoset
- Callithrix manicorensis*** van Roosmalen, van  
 Roosmalen, Mittermeier & Rylands, 2000 II CEBIDAE  
 (Mammalia) (E) Rio Manicoré Marmoset (F) Ouistiti de  
 Manicore
- Callithrix marcai*** Alperin, 1993 II CEBIDAE (Mammalia)  
 (E) Marca's Marmoset (F) Ouistiti de Marca
- Callithrix maeusi*** Mittermeier, Schwarz & Ayres, 1992 II  
 CEBIDAE (Mammalia) (E) Rio Maués Marmoset
- Callithrix melanura*** (E. Geoffroy in Humboldt, 1812) II  
 CEBIDAE (Mammalia) (E) Black-tailed Marmoset
- Callithrix nigriceps*** Ferrari & Lopes, 1992 II CEBIDAE  
 (Mammalia) (E) Black-headed Marmoset (F) Ouistiti à  
 tête noire
- Callithrix penicillata*** (E. Geoffroy, 1812) II CEBIDAE  
 (Mammalia) (E) Black-pencilled Marmoset,  
 Black-tufted-ear Marmoset (F) Ouistiti à pinceaux noirs
- Callithrix pygmaea*** (Spix, 1823) II CEBIDAE (Mammalia)  
 (E) Pygmy Marmoset (F) Ouistiti mignon
- Callithrix saterei*** Silva, Jr & Noronha, 1998 II CEBIDAE  
 (Mammalia) (E) Sateré Marmoset (F) Ouistiti à oreilles  
 argentées
- Callitrix de cabeza amarilla (S): *Callithrix flaviceps*  
 Callitrix de orejas blancas (S): *Callithrix aurita*
- Callocephalon spp.*** Lesson, 1837 II 29 CACATUIDAE  
 (Aves)
- Callocephalon fimbriatum*** (J. Grant, 1803) II 29  
 CACATUIDAE (Aves) (E) Gang-gang Cockatoo (S)  
 Cacatúa de cabeza roja, Gan-Gan (F) Cacatoès à tête  
 rouge, Cacatoès casqué
- Callogryra formosa*** Verrill, 1901 = *Trachyphyllia geoffroyi*  
 (Audouin, 1826)
- Caloenas nicobarica*** (Linnaeus, 1758) I COLUMBIDAE  
 (Aves) (E) Nicobar Dove, Nicobar Pigeon (S) Paloma  
 calva, Paloma de Nicobar (F) Nicobar à camail, Pigeon  
 à camail, Pigeon à collierette, Pigeon de Nicobar
- Calophasia humiae*** Hume, 1881 = *Syrmaticus humiae*  
 (Hume, 1881)
- Calophasia mikado*** Ogilvie-Grant, 1906 = *Syrmaticus*  
*mikado* (Ogilvie-Grant, 1906)
- Calopsitte élégante (F): *Nymphicus hollandicus*
- Calothorax spp.*** Gray, 1840 II TROCHILIDAE (Aves)  
*Calothorax eliza* (Lesson & DeLattre, 1839) = *Doricha*  
*eliza* (Lesson & DeLattre, 1839)
- Calothorax enicura*** (Vieillot, 1818) = *Doricha enicura*  
 (Vieillot, 1818)
- Calothorax lucifer*** (Swainson, 1827) II TROCHILIDAE  
 (Aves) (E) Lucifer Hummingbird (S) Colibrí lucifer,  
 Tijereta nortena (F) Colibri lucifer
- Calothorax micrurus*** Gould, 1854 = *Myrmia micrura*  
 (Gould, 1854)
- Calothorax pulcher*** Gould, 1859 II TROCHILIDAE (Aves)  
 (E) Beautiful Hummingbird (S) Colibrí bonito, Tijereta  
 oaxaqueña (F) Colibri charmant
- Calumma spp.*** Gray, 1865 II CHAMELEONIDAE  
 (Reptilia)
- Calumma amber*** Raxworthy & Nussbaum, 2006 II  
 CHAMELEONIDAE (Reptilia)
- Calumma ambreense*** (Ramanantsoa, 1974) II  
 CHAMELEONIDAE (Reptilia)
- Calumma andringitraense*** (Brygoo, Blanc & Domergue,  
 1972) II CHAMELEONIDAE (Reptilia)
- Calumma boettgeri*** (Boulenger, 1888) II  
 CHAMELEONIDAE (Reptilia) (E) Boettger's  
 Chameleon (S) Camaleón de Boettger (F) Caméléon  
 de Boettger
- Calumma brevicorne*** (Günther, 1879) II  
 CHAMELEONIDAE (Reptilia) (E) Short-horned  
 Chameleon (F) Caméléon à cornes courtes
- Calumma brevicornis hilleniusi*** (Günther, 1879) =  
*Calumma hilleniusi* (Brygoo, Blanc & Domergue, 1973)
- Calumma capuronii*** (Brygoo, Blanc & Domergue, 1972) II  
 CHAMELEONIDAE (Reptilia) (E) Madagascar  
 Chameleon (F) Caméléon de Madagascar
- Calumma crypticum*** Raxworthy & Nussbaum, 2006 II  
 CHAMELEONIDAE (Reptilia) (E) Cryptic Chameleon
- Calumma cucullata*** (Gray, 1831) = *Calumma cucullatum*  
 (Gray, 1831)
- Calumma cucullatum*** (Gray, 1831) II  
 CHAMELEONIDAE (Reptilia) (E) Hooded Chameleon  
 (F) Caméléon à capuchon
- Calumma fallax*** (Mocquard, 1900) II  
 CHAMELEONIDAE (Reptilia) (E) Deceptive  
 Chameleon (F) Caméléon de Mocquard
- Calumma furcifer*** (Vaillant & Grandidier, 1880) II  
 CHAMELEONIDAE (Reptilia) (E) Forked Chameleon,  
 Fork-nosed Chameleon (F) Caméléon à nez fourchu
- Calumma furciferum*** (Vaillant & Grandidier, 1880) =  
*Calumma furcifer* (Vaillant & Grandidier, 1880)
- Calumma gallus*** (Günther, 1877) II CHAMELEONIDAE  
 (Reptilia) (E) Blade Chameleon (F) Caméléon épée
- Calumma gastrotaenia*** (Boulenger, 1888) II  
 CHAMELEONIDAE (Reptilia) (E) Perinet Chameleon  
 (F) Caméléon de Péritet
- Calumma gastrotaenia andringitraensis*** (Boulenger, 1888)  
 = *Calumma andringitraense* (Brygoo, Blanc &  
 Domergue, 1972)
- Calumma gastrotaenia guillaumeti*** (Boulenger, 1888) =  
*Calumma guillaumeti* (Brygoo, Blanc & Domergue,  
 1974)
- Calumma gastrotaenia marojezensis*** (Boulenger, 1888) =  
*Calumma marojezense* (Brygoo, Blanc & Domergue,  
 1970)
- Calumma glawi*** Böhme, 1997 II CHAMELEONIDAE  
 (Reptilia)
- Calumma globifer*** (Günther, 1879) II  
 CHAMELEONIDAE (Reptilia) (E) Flat-casqued  
 Chameleon (F) Caméléon à casque plat
- Calumma globiferum*** (Günther, 1879) = *Calumma globifer*  
 (Günther, 1879)
- Calumma guibei*** (Hillenius, 1959) II CHAMELEONIDAE  
 (Reptilia) (E) Guibe's Chameleon, North-western  
 Chameleon (F) Caméléon de Guibé

- Calumma guillaumeti* (Brygoo, Blanc & Domergue, 1974) II CHAMELEONIDAE (Reptilia)
- Calumma hafahafa* Raxworthy & Nussbaum, 2006 II CHAMELEONIDAE (Reptilia) (E) Bizarre-nosed Chameleon
- Calumma hilleniusi* (Brygoo, Blanc & Domergue, 1973) II CHAMELEONIDAE (Reptilia)
- Calumma jeiy* Raxworthy & Nussbaum, 2006 II CHAMELEONIDAE (Reptilia) (E) Marojejy Peak Chameleon
- Calumma linota* (Müller, 1924) II CHAMELEONIDAE (Reptilia) (E) Maroantsetra Chameleon (F) Caméléon de Maroantsetra
- Calumma linotum* (Müller, 1924) = *Calumma linota* (Müller, 1924)
- Calumma malthe* (Günther, 1879) II CHAMELEONIDAE (Reptilia) (E) Yellow-green Chameleon (F) Caméléon vert-et-jaune
- Calumma marojezense* (Brygoo, Blanc & Domergue, 1970) II CHAMELEONIDAE (Reptilia)
- Calumma nasuta* (Duméril & Bibron, 1836) = *Calumma nasutum* (Duméril & Bibron, 1836)
- Calumma nasutum* (Duméril & Bibron, 1836) II CHAMELEONIDAE (Reptilia) (E) Big-nosed Chameleon (F) Caméléon nasique
- Calumma oshaughnessyi* (Günther, 1881) II CHAMELEONIDAE (Reptilia) (E) O'Shaughnessy's Chameleon (F) Caméléon d'O'Shaughnessy
- Calumma oshaughnessyi ambreensis* (Günther, 1881) = *Calumma ambreense* (Ramanantsoa, 1974)
- Calumma parsonii* (Cuvier, 1824) II CHAMELEONIDAE (Reptilia) (E) Parson's Giant Chameleon (S) Camaleón de Parson (F) Caméléon de Parson
- Calumma peltierorum* Raxworthy & Nussbaum, 2006 II CHAMELEONIDAE (Reptilia) (E) Peltiers' Chameleon
- Calumma peyrierasi* (Brygoo, Blanc & Domergue, 1974) II CHAMELEONIDAE (Reptilia) (E) Bryggo's Chameleon (F) Caméléon de Peyrieras
- Calumma tarzan* Gehring, Pabijan, Ratsoavina, Köhler, Vences & Glaw, 2010 II CHAMELEONIDAE (Reptilia)
- Calumma tigris* (Kuhl, 1820) = *Archaius tigris* (Kuhl, 1820)
- Calumma tsaratananense* (Brygoo & Domergue, 1968) II CHAMELEONIDAE (Reptilia) (E) Tsaratanan Chameleon (F) Caméléon de Tsaratana
- Calumma tsycorne* Raxworthy & Nussbaum, 2006 II CHAMELEONIDAE (Reptilia) (E) Blunt-nosed Chameleon
- Calumma vatosoa* Andreone, Mattioli, Jesu & Randrianirina, 2001 II CHAMELEONIDAE (Reptilia)
- Calumma vencesi* Andreone, Mattioli, Jesu & Randrianirina, 2001 II CHAMELEONIDAE (Reptilia)
- Calumma vohibola* Gehring, Ratsoavina, Vences & Glaw, 2011 II CHAMELEONIDAE (Reptilia)
- Calypte* spp. Gould, 1861 II TROCHILIDAE (Aves)
- Calypte anna* (Lesson, 1829) II TROCHILIDAE (Aves) (E) Anna's Hummingbird (S) Colibrí de Anna (F) Colibri d'Anna
- Calypte costae* (Bourcier, 1839) II TROCHILIDAE (Aves) (E) Costa's Hummingbird (S) Colibrí de Costa (F) Colibri de Costa
- Calypte helena* (Lembeye, 1850) = *Mellisuga helena* (Lembeye, 1850)
- Calyptocephalella gayi* (Duméril & Bibron, 1841) III CALYPTOCEPHALELLIDAE (Amphibia) (E) Chilean toad, Gay's frog, Helmeted water toad
- Calyptopora* spp. Boschma, 1968 II STYLASTERIDAE (Hydrozoa)
- Calyptopora complanata* (Pourtalès, 1867) = *Stylaster complanatus* Pourtalès, 1867
- Calyptopora pachypoma* (Hickson & England, 1905) = *Pseudocryptothelia pachypoma* (Hickson & England, 1905)
- Calyptopora reticulata* Boschma, 1968 II STYLASTERIDAE (Hydrozoa)
- Calyptopora sinuosa* Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Calyptoprymnus verecundus* De Vis, 1905 = *Cordylus niger* Cuvier, 1829
- Calyptorhynchus* spp. Desmarest, 1826 II 29 CACATUIDAE (Aves)
- Calyptorhynchus banksii* (Latham, 1790) II 29 CACATUIDAE (Aves) (E) Red-tailed Black-Cockatoo (S) Cacatúa de cola roja, Cacatúa negra de cola roja (F) Cacatoès banksien, Cacatoès de Banks
- Calyptorhynchus baudinii* Lear, 1832 II 29 CACATUIDAE (Aves) (E) Long-billed Black-Cockatoo, White-tailed Black-Cockatoo (F) Cacatoès de Baudin
- Calyptorhynchus funereus* (Shaw, 1794) II 29 CACATUIDAE (Aves) (E) Yellow-tailed Black-Cockatoo (S) Cacatúa negra de cola amarilla (F) Cacatoès à oreilles blanches, Cacatoès à oreilles jaunes, Cacatoès funèbre
- Calyptorhynchus funereus baudinii* (Shaw, 1794) = *Calyptorhynchus baudinii* Lear, 1832
- Calyptorhynchus lathami* (Temminck, 1807) II 29 CACATUIDAE (Aves) (E) Glossy Black-cockatoo (S) Cacatúa negra de Latham (F) Cacatoès à tête brune, Cacatoès de Latham
- Calyptorhynchus latirostris* Carnaby, 1948 II 29 CACATUIDAE (Aves) (E) Short-billed Black-Cockatoo, Slender-billed Black-Cockatoo (F) Cacatoès à rectrices blanches
- Calyptorhynchus magnificus* Shaw, 1790 = *Calyptorhynchus banksii* (Latham, 1790)
- Calzadito admirable (S): *Eriocnemis mirabilis*
- Calzadito canoso (S): *Haplophaedia lugens*
- Calzadito cobrizo (S): *Eriocnemis cupreoventris*
- Calzadito colilargo norteño (S): *Eriocnemis luciani*
- Calzadito de Mosquera (S): *Eriocnemis mosquera*
- Calzadito frentiazul (S): *Eriocnemis glaucomoides*
- Calzadito patinegro (S): *Eriocnemis derbyi*
- Calzadito pechiblanco (S): *Eriocnemis alinae*
- Calzadito pechinegro (S): *Eriocnemis nigrivestis*
- Calzadito reluciente (S): *Eriocnemis vestita*
- Calzadito turquesa (S): *Eriocnemis godini*
- Calzadito verdoso norteño (S): *Haplophaedia aureliae*
- Calzonario colibronceado (S): *Chalybura buffonii*
- Camaleon nasutus* Duméril & Bibron, 1836 = *Calumma nasutum* (Duméril & Bibron, 1836)
- Camaleón africano (S): *Chamaeleo africanus*

- Camaleón común (S): *Chamaeleo chamaeleon*  
 Camaleón crestado (S): *Trioceros cristatus*  
 Camaleón cuadricorne (S): *Trioceros quadricornis*  
 Camaleón de Boettger (S): *Calumma boettgeri*  
 Camaleón de casco (S): *Trioceros hoehnelii*  
 Camaleón de dos bandas (S): *Trioceros bitaeniatus*  
 Camaleón de Elliot (S): *Trioceros ellioti*  
 Camaleón de Fuelleborn (S): *Trioceros fuelleborni*  
 Camaleón de Jackson (S): *Trioceros jacksonii*  
 Camaleón de Johnston (S): *Trioceros johnstoni*  
 Camaleón del Senegal (S): *Chamaeleo senegalensis*  
 Camaleón de Meller (S): *Trioceros melleri*  
 Camaleón de montaña (S): *Trioceros montium*  
 Camaleón de Oustalet (S): *Furcifer oustaleti*  
 Camaleón de Owen (S): *Trioceros oweni*  
 Camaleón de Parson (S): *Calumma parsonii*  
 Camaleón de Petter (S): *Furcifer petteri*  
 Camaleón de Pfeffer (S): *Trioceros pfefferi*  
 Camaleón de Schouteden (S): *Trioceros schoutedeni*  
 Camaleón de Schubotz (S): *Trioceros schubotzi*  
 Camaleón de Sri Lanka (S): *Chamaeleo zeylanicus*  
 Camaleón de Werner (S): *Trioceros werneri*  
 Camaleón de Wiedersheim (S): *Trioceros wiedersheimi*  
 Camaleón grácil (S): *Chamaeleo gracilis*  
 Camaleón lobulado (S): *Chamaeleo dilepis*  
 Camaleón rinoceronte (S): *Furcifer rhinoceratus*  
 Camaleón verrugoso (S): *Furcifer verrucosus*  
 Caméléon à bandes latérales (F): *Furcifer lateralis*  
 Caméléon à capuchon (F): *Calumma cucullatum*  
 Caméléon à casque élevé (F): *Trioceros hoehnelii*  
 Caméléon à casque plat (F): *Calumma globifer*  
 Caméléon à cornes courtes (F): *Calumma brevicorne*  
 Caméléon à crête (F): *Trioceros cristatus*  
 Caméléon à deux bandes (F): *Trioceros bitaeniatus*  
 Caméléon à deux cornes (F): *Furcifer bifidus*  
 Caméléon à écailles doubles (F): *Chamaeleo anchietae*  
 Caméléon africain (F): *Chamaeleo africanus*  
 Caméléon à lignes blanches (F): *Furcifer antimena*  
 Caméléon à nez fourchu (F): *Furcifer bifidus*  
 Caméléon à nez fourchu (F): *Calumma furcifer*  
 Caméléon à quatre cornes (F): *Trioceros quadricornis*  
 Caméléon à une corne (F): *Furcifer monoceros*  
 Caméléon à voile du Cameroun (F): *Trioceros montium*  
 Caméléon bilobé (F): *Chamaeleo dilepis*  
 Caméléon casqué (F): *Chamaeleo calyptatus*  
 Caméléon commun (F): *Chamaeleo chamaeleon*  
 Caméléon d'Andrenalamivola (F): *Furcifer tuzetae*  
 Caméléon d'Angel (F): *Furcifer angeli*  
 Caméléon d'Angola (F): *Chamaeleo anchietae*  
 Caméléon d'Arabie (F): *Chamaeleo arabicus*  
 Caméléon de Belalanda (F): *Furcifer belalandaensis*  
 Caméléon de Bocage (F): *Chamaeleo quilenensis*  
 Caméléon de Boettger (F): *Calumma boettgeri*  
 Caméléon de Ceylan (F): *Chamaeleo zeylanicus*  
 Caméléon de Chapin (F): *Trioceros chapini*  
 Caméléon de Fea (F): *Trioceros feae*  
 Caméléon de Goetze (F): *Trioceros goetzei*  
 Caméléon de Guibé (F): *Calumma guibei*  
 Caméléon de Günther (F): *Furcifer minor*  
 Caméléon d'Eisentraut (F): *Trioceros eisentrauti*
- Caméléon de Jackson (F): *Trioceros jacksonii*  
 Caméléon de Johnston (F): *Trioceros johnstoni*  
 Caméléon de Laborde (F): *Furcifer labordi*  
 Caméléon de la canopée (F): *Furcifer willsii*  
 Caméléon de Leach (F): *Chamaeleo dilepis*  
 Caméléon d'Elliot (F): *Trioceros ellioti*  
 Caméléon de Madagascar (F): *Calumma capuroni*  
 Caméléon de Maroantsetra (F): *Calumma linota*  
 Caméléon de Mayotte (F): *Furcifer polleni*  
 Caméléon de Meller (F): *Trioceros melleri*  
 Caméléon de Mocquard (F): *Calumma fallax*  
 Caméléon de Parson (F): *Calumma parsonii*  
 Caméléon de Périer (F): *Calumma gastrotaenia*  
 Caméléon de Petter (F): *Furcifer petteri*  
 Caméléon de Peyrieras (F): *Calumma peyrierasi*  
 Caméléon de Pfeffer (F): *Trioceros pfefferi*  
 Caméléon de Rüpell (F): *Kinyongia xenorhina*  
 Caméléon de Schouteden (F): *Trioceros schoutedeni*  
 Caméléon de Schubotz (F): *Trioceros schubotzi*  
 Caméléon des Comores (F): *Furcifer cephalolepis*  
 Caméléon des montagnes de Tanzanie (F): *Trioceros tempeli*  
 Caméléon des monts Uzungwe (F): *Trioceros laterispinis*  
 Caméléon de Tilbury (F): *Trioceros marsabitensis*  
 Caméléon de Tsaratanana (F): *Calumma tsaratananense*  
 Caméléon de Werner (F): *Trioceros werneri*  
 Caméléon de Wills (F): *Furcifer willsii*  
 Caméléon d'Iollo (F): *Trioceros goetzei*  
 Caméléon d'O'Shaughnessy (F): *Calumma oshaughnessyi*  
 Caméléon d'Oustalet (F): *Furcifer oustaleti*  
 Caméléon d'Owen (F): *Trioceros oweni*  
 Caméléon du Cameroun (F): *Trioceros camerunensis*  
 Caméléon du mont Lefo (F): *Trioceros wiedersheimi*  
 Caméléon du mont Poroto (F): *Trioceros incornutus*  
 Caméléon du Namaqua (F): *Chamaeleo namaquensis*  
 Caméléon du Sénégal (F): *Chamaeleo senegalensis*  
 Caméléon du volcan Ngosi (F): *Trioceros fuelleborni*  
 Caméléon du Yémen (F): *Chamaeleo calcaricarens*  
 Caméléon épée (F): *Calumma gallus*  
 Caméléon forestier (F): *Furcifer balteatus*  
 Caméléon forestier de Madagascar (F): *Furcifer campani*  
 Caméléon gracile (F): *Chamaeleo gracilis*  
 Caméléon gris (F): *Trioceros chapini*  
 Caméléon-joyau (F): *Furcifer lateralis*  
 Caméléon-moine (F): *Chamaeleo monachus*  
 Caméléon nain à nez rouge (F): *Bradypodion nemorale*  
 Caméléon nain de Carpenter (F): *Kinyongia carpenteri*  
 Caméléon nain de Fischer (F): *Kinyongia fischeri*  
 Caméléon nain de Karro (F): *Bradypodion gutturale*  
 Caméléon nain de Matschie (F): *Kinyongia tavetana*  
 Caméléon nain de Muller (F): *Bradypodion transvaalense*  
 Caméléon nain de Setaro (F): *Bradypodion pumilum*  
 Caméléon nain de Smith (F): *Bradypodion spinosum*  
 Caméléon nain des Monts Ruwenzori (F): *Bradypodion ventrale*  
 Caméléon nain d'Ituri (F): *Kinyongia adolfifriederici*  
 Caméléon nain du Cap (F): *Kinyongia oxyrhina*  
 Caméléon nain du Drakensberg (F): *Bradypodion dracomontanum*

- Caméléon nain du Kenya (F): *Bradypodion damaranum*  
 Caméléon nain du sud et du Namaqua (F): *Kinyongia uthmoelleri*  
 Caméléon nain du Transkei (F): *Bradypodion cafrum*  
 Caméléon nain du Transvaal (F): *Bradypodion thamnobates*  
 Caméléon nain du Zululand (F): *Nadzikambia mlanjensis*  
 Caméléon nain épineux (F): *Bradypodion setaroi*  
 Caméléon nasique (F): *Calumma nasutum*  
 Caméléon ondulé (F): *Trioceros deremensis*  
 Caméléon panthère (F): *Furcifer pardalis*  
 Caméléon rhinocéros (F): *Furcifer rhinoceratus*  
 Caméléon rude (F): *Trioceros rudis*  
 Caméléon tigre (F): *Archaius tigris*  
 Caméléon verruqueux (F): *Furcifer verrucosus*  
 Caméléon vert-et-jaune (F): *Calumma malthe*  
 Caméléon vulgaire (F): *Chamaeleo chamaeleon*  
 Campyloptère à queue blanche (F): *Campylopterus ensipennis*  
 Campyloptère à ventre gris (F): *Campylopterus largipennis*  
 Campyloptère des Santa Marta (F): *Campylopterus phainopeplus*  
 Campyloptère du Napo (F): *Campylopterus villaviscensio*  
 Campyloptère lazulite (F): *Campylopterus falcatus*  
 Campyloptère montagnard (F): *Campylopterus duidae*  
 Campyloptère pampa (F): *Campylopterus curvipennis*  
 Campyloptère rougeâtre (F): *Campylopterus hyperythrus*  
 Campyloptère roux (F): *Campylopterus rufus*  
 Campyloptère violet (F): *Campylopterus hemileucurus*  
***Campylopterus* spp.** Swainson, 1827 II TROCHILIDAE (Aves)  
*Campylopterus cirrochloris* (Vieillot, 1818) = *Aphantochroa cirrochloris* (Vieillot, 1818)  
***Campylopterus curvipennis*** (Deppe, 1830) II TROCHILIDAE (Aves) (E) Wedge-tailed Sabrewing (S) Colibrí ruiseñor, Fandangero colicuna (F) Campyloptère pampa  
***Campylopterus cuvierii*** (DeLattre & Bourcier, 1846) II TROCHILIDAE (Aves) (E) Scaly-breasted Hummingbird (S) Colibrí de Cuvier, Fandangero pechiescamosa (F) Colibri de Cuvier  
***Campylopterus duidae*** Chapman, 1929 II TROCHILIDAE (Aves) (E) Buff-breasted Sabrewing (S) Ala de sable anteado, Colibrí del Duida (F) Campyloptère montagnard  
***Campylopterus ensipennis*** (Swainson, 1822) II TROCHILIDAE (Aves) (E) White-tailed Sabrewing (S) Ala de sable verde, Colibrí coliblanco (F) Campyloptère à queue blanche  
*Campylopterus excellens* (Wetmore, 1941) = *Campylopterus curvipennis* (Deppe, 1830)  
***Campylopterus falcatus*** (Swainson, 1821) II TROCHILIDAE (Aves) (E) Lazuline Sabrewing (S) Ala de sable pechivioleta, Alasable azulino, Colibrí lazulita (F) Campyloptère lazulite  
***Campylopterus hemileucurus*** (Deppe, 1830) II TROCHILIDAE (Aves) (E) Violet Sabrewing (S) Colibrí morado, Fandangero morado (F) Campyloptère violet  
***Campylopterus hyperythrus*** Cabanis, 1848 II TROCHILIDAE (Aves) (E) Rufous-breasted Sabrewing (S) Ala de sable rufo, Colibrí rojizo venezolano (F) Campyloptère rougeâtre  
***Campylopterus largipennis*** (Boddaert, 1783) II TROCHILIDAE (Aves) (E) Grey-breasted Sabrewing (S) Ala de sable gris, Alasable del Napo, Colibrí pechigrís (F) Campyloptère à ventre gris  
*Campylopterus macrourus* (Gmelin, 1788) = *Eupetomena macroura* (Gmelin, 1788)  
***Campylopterus phainopeplus*** Salvin & Godman, 1879 II TROCHILIDAE (Aves) (E) Santa Marta Sabrewing (S) Colibrí de Santa Marta (F) Campyloptère des Santa Marta  
***Campylopterus rufus*** Lesson, 1840 II TROCHILIDAE (Aves) (E) Rufous Sabrewing (S) Colibrí rojizo mexicano, Fandangero rufo (F) Campyloptère roux  
***Campylopterus villaviscensio*** (Bourcier, 1851) II TROCHILIDAE (Aves) (E) Napo Sabrewing (S) Colibrí del Napo (F) Campyloptère du Napo  
 Canal (S): *Dermochelys coriacea*  
 Canard à ailes blanches (F): *Asarcornis scutulata*  
 Canard à bosse (F): *Sarkidiornis melanotos*  
 Canard à bosse bronzé (F): *Sarkidiornis melanotos*  
 Canard à tête rose (F): *Rhodonessa caryophyllacea*  
 Canard coronculé (F): *Sarkidiornis melanotos*  
 Canard de Barbarie (F): *Cairina moschata*  
 Canard de Bernier (F): *Anas bernieri*  
 Canard de Laysan (F): *Anas laysanensis*  
 Canard musqué (F): *Cairina moschata*  
 Canard musqué à ailes blanches (F): *Asarcornis scutulata*  
***Candoia* spp.** Gray, 1842 II BOIDAE (Reptilia)  
***Candoia aspera*** (Günther, 1877) II BOIDAE (Reptilia) (E) New Guinea Viper Boa, Papuan Ground Boa (S) Boa de Nueva Guinea (F) Boa-vipère de Nouvelle-Guinée  
***Candoia bibroni*** (Duméril & Bibron, 1844) II BOIDAE (Reptilia) (E) Pacific Boa (S) Boa de Fiji (F) Boa nain de Bibron, Boa nain des îles du Pacifique  
***Candoia carinata*** (Schneider, 1801) II BOIDAE (Reptilia) (E) Bevel-nosed Boa, New Guinea Bevel-nosed Boa, Solomon Ground Boa, Tree Boa (S) Boa del Pacífico (F) Boa nain à carènes, Boa nain des Salomon  
*Candoia carinata* Gray, 1842 = *Candoia carinata* (Schneider, 1801)  
*Candoia carinata paulsoni* Stimson, 1969 = *Candoia paulsoni* (Stull, 1956)  
***Candoia paulsoni*** (Stull, 1956) II BOIDAE (Reptilia) (E) Paulson's Bevel-nosed Boa  
***Candoia superciliosa*** (Günther, 1863) II BOIDAE (Reptilia) (E) Palau Bevel-nosed Boa  
 Cangurito narigudo grande (S): *Macrotis lagotis*  
 Canguro arbóreo gris (S): *Dendrolagus inustus*  
 Canguro arbóreo negro (S): *Dendrolagus ursinus*  
 Canguro arborícola gris (S): *Dendrolagus inustus*  
 Canguro arborícola negro (S): *Dendrolagus ursinus*  
 Canguro-liebre peludo (S): *Lagorchestes hirsutus*  
 Canguro-liebre rayado (S): *Lagostrophus fasciatus*  
 Canguro rabipelado oriental (S): *Onychogalea fraenata*  
 Canguro-rata colipeludo (S): *Bettongia penicillata*  
 Canguro-rata de Lesueur (S): *Bettongia lesueur*  
 Canguro-rata de Tasmania (S): *Bettongia gaimardi*

- Canis aureus*** Linnaeus, 1758 III CANIDAE (Mammalia)  
 (E) Common Jackal, Golden Jackal (S) Chacal (F)  
 Chacal commun, Chacal doré
- Canis familiaris* Linnaeus, 1758 = *Canis lupus* Linnaeus, 1758
- Canis himalayensis* Aggarwal, Kivisild, Ramadevi & Singh, 2007 = *Canis lupus* Linnaeus, 1758
- Canis indica* Aggarwal, Kivisild, Ramadevi & Singh, 2007 = *Canis lupus* Linnaeus, 1758
- Canis lupus*** Linnaeus, 1758 I/II<sup>9</sup> CANIDAE (Mammalia)  
 (E) Common Wolf, Grey Wolf, Timber Wolf, Wolf (S)  
 Lobo, Lobo común (F) Loup, Loup gris, Loup vulgaire
- Canis lupus dingo* Linnaeus, 1758 = *Canis lupus* Linnaeus, 1758
- Cantharellus* spp.** Hoeksema, 1989 II FUNGIIDAE  
 (Anthozoa)
- Cantharellus doederleini*** (Marenzeller, 1907) II FUNGIIDAE (Anthozoa)
- Cantharellus jebbi*** Hoeksema, 1993 II FUNGIIDAE (Anthozoa)
- Cantharellus noumeae*** Hoeksema & Best, 1984 II FUNGIIDAE (Anthozoa)
- Cantil coral (S): *Micrurus diastema*
- Caouana elongata* Gray, 1844 = *Caretta caretta* (Linnaeus, 1758)
- Caouana ruppellii* Gray, 1844 = *Lepidochelys olivacea* (Eschscholtz, 1829)
- Caouanne (F): *Caretta caretta*
- Caperea* spp.** Gray, 1864 I<sup>18</sup> NEOBALAENIDAE (Mammalia)
- Caperea marginata*** (Gray, 1846) I NEOBALAENIDAE (Mammalia) (E) Pygmy Right Whale (S) Ballena franca pigmea (F) Baleine Pygmée
- Capra alaiana* Noack 1902 = *Capra sibirica*
- Capra almasyi* Lorenz, 1906 = *Capra sibirica*
- Capra altaica* Noack, 1902 = *Capra sibirica*
- Capra dauvergnii* Sterndale, 1886 = *Capra sibirica*
- Capra dementievi* Tzalkin, 1949 = *Capra sibirica*
- Capra falconeri*** (Wagner, 1839) I BOVIDAE (Mammalia)  
 (E) Markhor (S) Markhor (F) Markhor
- Capra fasciata* Noack, 1902 = *Capra sibirica*
- Capra filippii* Camerano, 1911 = *Capra sibirica*
- Capra formosovi* Tzalkin, 1949 = *Capra sibirica*
- Capra hagenbecki* Noack, 1903 = *Capra sibirica*
- Capra hemalayana* Hodgson, 1841 = *Capra sibirica*
- Capra hircus*** Linnaeus, 1758 III/NC BOVIDAE (Mammalia)  
 Wild Goat
- Capra lorenzi* Satunin, 1905 = *Capra sibirica*
- Capra lydekkeri* W.Rothschild, 1900 = *Capra sibirica*
- Capra merzbacheri* (Leisewitz, 1906) = *Capra sibirica*
- Capra pallasii* Schinz, 1838 = *Capra sibirica*
- Capra pedri* Lorenz, 1906 = *Capra sibirica*
- Capra sachin* Lydekker, 1898 = *Capra sibirica*
- Capra sakin* (Hodgson, 1847) = *Capra sibirica*
- Capra sibirica*** III BOVIDAE (Mammalia) (E) Siberian Ibex
- Capra skyn* (Wagner, 1844) = *Capra sibirica*
- Capra transalaiana* Lorenz, 1906 = *Capra sibirica*
- Capra typica* Lorenz, 1906 = *Capra sibirica*
- Capra wardi* Lydekker, 1900 = *Capra sibirica*
- Capricorne de Sumatra (F): *Capricornis sumatraensis*
- Capricornis maritimus* Heude, 1888 = *Capricornis milneedwardsii* David, 1869
- Capricornis milneedwardsii*** David, 1869 I BOVIDAE (Mammalia) Chinese Serow
- Capricornis rubidus*** Blyth, 1863 I BOVIDAE (Mammalia)  
 Red Serow
- Capricornis sumatraensis*** (Bechstein, 1799) I BOVIDAE (Mammalia) Mainland Serow, Serow, Southern Serow, Sumatran Serow (S) Serau, Serow de Sumatra (F) Capricorne de Sumatra
- Capricornis sumatraensis milneedwardsii* (Bechstein, 1799) = *Capricornis milneedwardsii* David, 1869
- Capricornis sumatraensis rubidus* (Bechstein, 1799) = *Capricornis rubidus* Blyth, 1863
- Capricornis sumatraensis thar* (Bechstein, 1799) = *Capricornis thar* (Hodgson, 1831)
- Capricornis thar*** (Hodgson, 1831) I BOVIDAE (Mammalia) Himalayan Serow ***Caprolagus hispidus*** (Pearson, 1839) I LEPORIDAE (Mammalia) Assam Rabbit, Hispid Hare, Hispid Rabbit (S) Conejo de Assam (F) Lapin de l'Assam
- Capuchin, Black-capped (E): *Cebus apella*
- Capuchin, Black-striped Tufted (E): *Cebus libidinosus*
- Capuchin, Black Tufted (E): *Cebus nigritus*
- Capuchin, Brown Pale-fronted (E): *Cebus albifrons*
- Capuchin, Golden-bellied Tufted (E): *Cebus xanthosternos*
- Capuchin, Kaapori (E): *Cebus kaapori*
- Capuchin, Tufted (E): *Cebus apella*
- Capuchin, Weeper (E): *Cebus olivaceus*
- Capuchin, White-faced (E): *Cebus capucinus*
- Capuchin, White-fronted (E): *Cebus albifrons*
- Capuchin, White-throated (E): *Cebus capucinus*
- Capuchin, Yellow-breasted (E): *Cebus xanthosternos*
- Cárabo (S): *Strix aluco*
- Caraboa (S): *Bubalus arnee*
- Cárabo africano (S): *Strix woodfordii*
- Cárabo árabe (S): *Strix butleri*
- Cárabo bataraz (S): *Strix rufipes*
- Cárabo blanquinegro (S): *Ciccaba nigrolineata*
- Cárabo brasileño (S): *Strix hylophila*
- Cárabo café (S): *Strix virgata*
- Cárabo californiano (S): *Strix occidentalis*
- Cárabo común (S): *Strix aluco*
- Cárabo de Hume (S): *Strix butleri*
- Cárabo de las pagodas (S): *Strix seloputo*
- Cárabo de sudamérica (S): *Ciccaba nigrolineata*
- Cárabo gavilán (S): *Surnia ulula*
- Cárabo guatemalteco (S): *Strix fulvescens*
- Cárabo lapón (S): *Strix nebulosa*
- Cárabo negro (S): *Ciccaba huhula*
- Cárabo norteamericano (S): *Strix varia*
- Cárabo ocelado (S): *Strix ocellata*

- Cárabo oriental (S): *Strix leptogrammica*  
Cárabo patiblanco (S): *Strix albifacies*  
Cárabo pescador común (S): *Scotopelia peli*  
Cárabo pescador rojizo (S): *Scotopelia ussheri*  
Cárabo pescador vermiculado (S): *Scotopelia bouvieri*  
Cárabo uralense (S): *Strix uralensis*  
**Caracal spp.** Gray, 1842 I/II<sup>10</sup> FELIDAE (Mammalia)
- Caracal (S): *Caracal caracal*  
Caracal (F): *Caracal caracal*  
Caracal (E): *Caracal caracal*  
Caracal, African (E): *Caracal caracal*  
Caracal, Asian (E): *Caracal caracal*  
*Caracal aurata* (Temminck, 1827) = *Profelis aurata*  
(Temminck, 1827)
- Caracal caracal** (Schreber, 1776) I/II<sup>12</sup> FELIDAE  
(Mammalia) (E) African Caracal, Asian Caracal,  
Caracal, Desert Lynx (S) Caracal, Lince africano, Lince  
caracal (F) Caracal, Lynx du désert
- Caracara spp.** Merrem, 1826 II/NC<sup>27</sup> FALCONIDAE  
(Aves)
- Caracara à gorge blanche (F): *Phalcoboenus albogularis*  
Caracara à gorge rouge (F): *Ibycter americanus*  
Caracara andino (S): *Phalcoboenus megalopterus*  
Caracara araucano (S): *Phalcoboenus albogularis*  
Caracara à tête jaune (F): *Milvago chimachima*  
Caracara austral (F): *Phalcoboenus australis*  
Caracara austral (S): *Phalcoboenus australis*  
Caracara à ventre rouge (F): *Ibycter americanus*  
Caracara, Black (E): *Daptrius ater*  
Caracara carancho (S): *Caracara plancus*  
Caracara caronculé (F): *Phalcoboenus carunculatus*  
Caracara carunculado (S): *Phalcoboenus carunculatus*  
Caracara, Carunculated (E): *Phalcoboenus carunculatus*
- Caracara cheriway** (Jacquin, 1784) II<sup>27</sup> FALCONIDAE  
(Aves)
- Caracara chimachima (S): *Milvago chimachima*  
Caracara chimachima (F): *Milvago chimachima*  
Caracara chimango (S): *Milvago chimango*  
Caracara chimango (F): *Milvago chimango*  
Caracara, Chimango (E): *Milvago chimango*  
Caracara comecacao (S): *Ibycter americanus*  
Caracara, Common (E): *Caracara plancus*  
Caracara commun (F): *Caracara plancus*  
Caracara común (S): *Caracara plancus*  
Caracara, Crested (E): *Caracara plancus*  
Caracara de Guadalupe (F): *Caracara lutescens*  
Caracara, Forster's (E): *Phalcoboenus australis*  
Caracara funèbre (F): *Phalcoboenus australis*  
Caracara gorgirrojo (S): *Ibycter americanus*  
Caracara, Guadalupe (E): *Caracara lutescens*  
Caracara huppé (F): *Caracara plancus*
- Caracara lutescens** (Ridgway, 1876) NC FALCONIDAE  
(Aves) (E) Guadalupe Caracara (S) Carancho de  
Guadalupe (F) Caracara de Guadalupe
- Caracara lutescens* (Ridgway, 1876) = *Caracara lutescens*  
(Ridgway, 1876)
- Caracara montagnard (F): *Phalcoboenus megalopterus*  
Caracara, Mountain (E): *Phalcoboenus megalopterus*  
Caracara negro (S): *Daptrius ater*  
Caracara noir (F): *Daptrius ater*
- Caracara plancus** (J. F. Miller, 1777) II<sup>27</sup> FALCONIDAE  
(Aves) (E) Common Caracara, Crested Caracara,  
Southern Caracara (S) Caracara carancho, Caracara  
común, Carancho, Caricare encrestado, Traro (F)  
Caracara commun, Caracara huppé
- Caracara plancus lutescens* = *Caracara lutescens* (Ridgway,  
1876)
- Caracara, Red-throated (E): *Ibycter americanus*  
Caracara, Southern (E): *Caracara plancus*  
Caracara, Striated (E): *Phalcoboenus australis*  
Caracara, White-throated (E): *Phalcoboenus albogularis*  
Caracara, Yellow-headed (E): *Milvago chimachima*  
Caracara, Yellow-throated (E): *Daptrius ater*  
Carachupa Manan (S): *Priodontes maximus*  
Caracolero (S): *Rostrhamus hamatus*  
Caracolero plomizo (S): *Rostrhamus hamatus*  
Carancho (S): *Caracara plancus*  
Carancho andino (S): *Phalcoboenus megalopterus*  
Carancho de Guadalupe (S): *Caracara lutescens*  
Carancho negro (S): *Daptrius ater*  
Carancho ventri-blancos (S): *Ibycter americanus*  
Carapaico (S): *Aratinga acuticaudata*  
Carburé acanelado (S): *Aegolius harrisii*  
**Carcharhinus longimanus** (Poey 1861) II  
CARCHARHINIDAE (Elasmobranchii) (E) Oceanic  
whitetip shark
- Carcharias atwoodi** Storer, 1848 = *Carcharodon*  
*carcharias* (Linnaeus, 1758)
- Carcharias lamia** Rafinesque, 1810 = *Carcharodon*  
*carcharias* (Linnaeus, 1758)
- Carcharias maso** Morris, 1898 = *Carcharodon carcharias*  
(Linnaeus, 1758)
- Carcharias rondeletti** Bory de Saint-Vincent, 1829 =  
*Carcharodon carcharias* (Linnaeus, 1758)
- Carcharias verus** Cloquet, 1817 = *Carcharodon carcharias*  
(Linnaeus, 1758)
- Carcharias vulgaris** (Richardson, 1836) = *Carcharodon*  
*carcharias* (Linnaeus, 1758)
- Carcharius insularum** (Zindler, 1904) = *Carcharhinus*  
*longimanus* (Poey 1861)
- Carcharius obtusus** (Garman, 1881) = *Carcharhinus*  
*longimanus* (Poey 1861)
- Carcharodon albimors** Whitley, 1939 = *Carcharodon*  
*carcharias* (Linnaeus, 1758)
- Carcharodon capensis** Smith, 1839 = *Carcharodon*  
*carcharias* (Linnaeus, 1758)
- Carcharodon carcharias** (Linnaeus, 1758) II LAMNIDAE  
(Elasmobranchii) (E) Great White Shark, Man-eater  
Shark, Mango-taniwha, Mango-ururoa, White-death,  
White Pointer, White Shark (S) Devorador de hombres,  
Jaquetón, Jaquetón blanco, Jaquetón de ley, Marrajo,  
Tiburón antropófago, Tiburón blanco (F) Grand requin  
blanc, Lamie, Mangeur d'hommes, Requin blanc
- Carcharodon rondeletii** Müller & Henle, 1839 =  
*Carcharodon carcharias* (Linnaeus, 1758)
- Carcharodon smithi** Bonaparte, 1838 = *Carcharodon*  
*carcharias* (Linnaeus, 1758)
- Carcharodon smithii** Agassiz, 1838 = *Carcharodon*  
*carcharias* (Linnaeus, 1758)
- Carcoramphus roi (F): *Sarcoramphus papa*

- Cardenal amarillo (S): *Gubernatrix cristata*  
 Cardenal cabecirrojo (S): *Paroaria capitata*  
 Cardenal copetón (S): *Paroaria coronata*  
 Cardenalito (S): *Carduelis cucullata*  
 Cardinal gris (F): *Paroaria coronata*  
 Cardinal, Red-crested (E): *Paroaria coronata*  
 Cardinal vert (F): *Gubernatrix cristata*  
 Cardinal, Yellow (E): *Gubernatrix cristata*  
 Cardinal, Yellow-billed (E): *Paroaria capitata*  
**Carduelis cucullata** Swainson, 1820 I FRINGILLIDAE  
 (Aves) (E) Red Siskin (S) Cardenalito, Jilguero rojo, Lúgano cardenalito, Lúgano encapuchado (F)  
 Chardonneret rouge, Tarin rouge du Venezuela, Tatin rouge du Venezuela  
**Carduelis yarrellii** (Audubon, 1839) II FRINGILLIDAE  
 (Aves) (E) Yellow-faced Siskin (S) Jilguero cara amarilla, Jilguero de Yarrell, Lúgano de Yarrell (F)  
 Chardonneret de Yarrell, Tarin de Yarell, Tatin de Yarrell  
**Caret** (F): *Eretmochelys imbricata*  
**Caretta** spp. Rafinesque, 1814 I CHELONIIDAE (Reptilia)  
*Caretta atra Merrem, 1820* = *Caretta caretta* (Linnaeus, 1758)  
*Caretta bissa Rüppell, 1835* = *Eretmochelys imbricata* (Linnaeus, 1766)  
**Caretta caretta** (Linnaeus, 1758) I CHELONIIDAE  
 (Reptilia) (E) Loggerhead (S) Cayuma, Tortuga boba (F) Caouanne, Cayunne, Coffre, Tortue à bahut, Tortue caouanne, Tortue caret  
*Caretta caretta olivacea* (Linnaeus, 1758) = *Lepidochelys olivacea* (Eschscholtz, 1829)  
*Caretta cepedii Merrem, 1820* = *Chelonia mydas* (Linnaeus, 1758)  
*Caretta esculenta Merrem, 1820* = *Chelonia mydas* (Linnaeus, 1758)  
*Caretta gigas Deraniyagala, 1933* = *Caretta caretta* (Linnaeus, 1758)  
*Caretta nasuta Rafinesque, 1814* = *Caretta caretta* (Linnaeus, 1758)  
*Caretta remivaga Hay, 1908* = *Lepidochelys olivacea* (Eschscholtz, 1829)  
*Caretta rostrata Girard, 1858* = *Eretmochelys imbricata* (Linnaeus, 1766)  
*Caretta squamosa Girard, 1858* = *Eretmochelys imbricata* (Linnaeus, 1766)  
*Caretta thunbergii Merrem, 1820* = *Chelonia mydas* (Linnaeus, 1758)  
**Carettochelys insculpta** Ramsay, 1887 II  
 CARETTOCHELYIDAE (Reptilia) (E) Fly River Turtle, New Guinea Plateless Turtle, Pig-nosed Turtle, Pitted-shell Turtle (F) Tortue à nez de cochon  
 Carib, Green-throated (E): *Eulampis holosericeus*  
 Carib, Purple-throated (E): *Eulampis jugularis*  
 Caricare encrestado (S): *Caracara plancus*  
 Caricare sabanero (S): *Milvago chimachima*  
 Carnero del Canadá (S): *Ovis canadensis*  
 Carnero salvaje (S): *Ovis canadensis*  
 Carnifex à ailes tachetées (F): *Spizapteryx circumcincta*  
 Carnifex à collier (F): *Micrastur semitorquatus*  
 Carnifex à cou roux (F): *Micrastur ruficollis*  
 Carnifex à gorge cendrée (F): *Micrastur gilvicollis*  
 Carnifex ardoisé (F): *Micrastur mirandollei*  
 Carnifex barré (F): *Micrastur ruficollis*  
 Carnifex de Buckley (F): *Micrastur buckleyi*  
 Carnifex de Traylor (F): *Micrastur buckleyi*  
 Carnifex plombé (F): *Micrastur plumbeus*  
 Carocolero común (S): *Rosthamus sociabilis*  
 Carouge safran (F): *Xanthopsar flavus*  
 Carp, Giant River (E): *Probarbus jullieni*  
 Carpilla ikan temoleh (S): *Probarbus jullieni*  
 Carp, Jullien's Golden (E): *Probarbus jullieni*  
*Carpophaga mindorensis* Whitehead, 1896 = *Ducula mindorensis* (Whitehead, 1896)  
 Carpophage de Mindoro (F): *Ducula mindorensis*  
*Carunculina cylindrellus* (I. Lea, 1868) = *Toxolasma cylindrella* (I. Lea, 1868)  
 Caryophille bicolore (F): *Phacelocyathus flos*  
**Caryophyllia** spp. Lamarck, 1801 II CARYOPHYLLIIDAE (Anthozoa)  
**Caryophyllia abrupta** Cairns, 1999 II  
 CARYOPHYLLIIDAE (Anthozoa)  
**Caryophyllia abyssorum** Duncan, 1873 II  
 CARYOPHYLLIIDAE (Anthozoa)  
**Caryophyllia alaskensis** Vaughan, 1941 II  
 CARYOPHYLLIIDAE (Anthozoa)  
**Caryophyllia alberti** Zibrowius, 1980 II  
 CARYOPHYLLIIDAE (Anthozoa)  
*Caryophyllia alcocki* Vaughan, 1907 = *Caryophyllia atlantica* (Duncan, 1873)  
**Caryophyllia ambrosia** Alcock, 1898 II  
 CARYOPHYLLIIDAE (Anthozoa)  
**Caryophyllia antarctica** Marenzeller, 1904 II  
 CARYOPHYLLIIDAE (Anthozoa)  
**Caryophyllia antillarum** Pourtales, 1874 II  
 CARYOPHYLLIIDAE (Anthozoa) (E) Antillean Horn Coral (S) Coral cuernito antillano  
*Caryophyllia arborea* Blainville, 1817 = *Dendrophyllia ramea* (Linnaeus, 1758)  
*Caryophyllia arbuscula* Le Sueur, 1820 = *Cladocora arbuscula* (Le Sueur, 1821)  
**Caryophyllia arnoldi** Vaughan, 1900 II  
 CARYOPHYLLIIDAE (Anthozoa)  
**Caryophyllia aspera** Kitahara, Cairns & Miller, 2010 II  
 CARYOPHYLLIIDAE (Anthozoa)  
*Caryophyllia astreata* Lamarck, 1816 = *Galaxea astreata* (Lamarck, 1816)  
**Caryophyllia atlantica** (Duncan, 1873) II  
 CARYOPHYLLIIDAE (Anthozoa)  
*Caryophyllia aurantiaca* Milne Edwards, 1836 = *Tubastraea coccinea* Lesson, 1829  
*Caryophyllia australis* Milne Edwards & Haime, 1848 = *Scolymia australis* (Milne Edwards & Haime, 1848)  
**Caryophyllia balaenacea** Zibrowius & Gili, 1990 II  
 CARYOPHYLLIIDAE (Anthozoa)  
**Caryophyllia barbadensis** Cairns, 1979 II  
 CARYOPHYLLIIDAE (Anthozoa)  
**Caryophyllia berteriana** Duchassaing, 1850 II  
 CARYOPHYLLIIDAE (Anthozoa) (E) Beautiful Horn Coral (S) Coral cuernito hermoso  
*Caryophyllia borealis* (Fleming, 1828) = *Caryophyllia smithii* Stokes & Broderip, 1828

- Caryophyllia burchae* (Cairns, 1984) = *Trochocyathus burchae* (Cairns, 1984)
- Caryophyllia calveri*** Duncan, 1873 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia capensis*** Gardiner, 1904 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia carduus* Audouin, 1826 = *Cynarina lacrymalis* (Milne Edwards & Haime, 1848)
- Caryophyllia carduus* (Ellis & Solander, 1786) = *Mussa angulosa* (Pallas, 1766)
- Caryophyllia carpenteri* Duncan, 1878 = *Stenocyathus vermiciformis* (Pourtalès, 1868)
- Caryophyllia cincticulatus*** (Alcock, 1898) II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia clavus* Scacchi, 1835 = *Caryophyllia smithii* Stokes & Broderip, 1828
- Caryophyllia clavus transversalis* Scacchi, 1835 = *Caryophyllia transversalis* Moseley, 1881
- Caryophyllia communis* Wood-Mason & Alcock, 1891 = *Caryophyllia ambrosia* Alcock, 1898
- Caryophyllia compressa* Gardiner & Waugh, 1938 = *Caryophyllia zanzibarensis* Zou, 1984
- Caryophyllia compressa* Yabe & Eguchi, 1942 = *Premocyathus dentiformis* (Alcock, 1902)
- Caryophyllia concreta*** Kitahara, Cairns & Miller, 2010 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia cornigera* Lamarck, 1816 = *Dendrophyllia cornigera* (Lamarck, 1816)
- Caryophyllia cornuformis* Pourtalès, 1868 = *Premocyathus cornuformis* (Pourtalès, 1868)
- Caryophyllia cornulum*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia corrugata*** Cairns, 1979 II  
CARYOPHYLLIIDAE (Anthozoa) (E) Corrugated Coral (S) Coral corrugado
- Caryophyllia corymbosa* (Forskål, 1775) = *Lobophyllia corymbosa* (Forskål, 1775)
- Caryophyllia crosnieri*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia crypta*** Cairns, 2000 II CARYOPHYLLIIDAE (Anthozoa) (E) Cryptic Coral (S) Coral camuflado
- Caryophyllia cubensis* Milne Edwards & Haime, 1849 = *Scolymia cubensis* (Milne Edwards & Haime, 1849)
- Caryophyllia cultrifera* Alcock, 1902 = *Caryophyllia scobinosa* Alcock, 1902
- Caryophyllia cyathus*** (Ellis & Solander, 1786) II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia decamera*** Cairns, 1998 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia decapali* Grygier, 1983 = *Caryophyllia quadragenaria* Alcock, 1902
- Caryophyllia dentata*** (Moseley, 1876) II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia dentiformis* (Alcock, 1902) = *Premocyathus dentiformis* (Alcock, 1902)
- Caryophyllia deshayesiana* Michelin, 1850 = *Acanthophyllia deshayesiana* (Michelin, 1850)
- Caryophyllia dianthus* (Esper, 1794) = *Desmophyllum dianthus* (Esper, 1794)
- Caryophyllia diomedae*** Marenzeller, 1904 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia elongata* Cairns, 1993 = *Caryophyllia crosnieri* Cairns & Zibrowius, 1997
- Caryophyllia eltaninae*** Cairns, 1982 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia ephyala*** Alcock, 1891 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia epithecata* Duncan, 1873 = *Caryophyllia smithii* Stokes & Broderip, 1828
- Caryophyllia fastigiata* (Pallas, 1766) = *Eusmilia fastigiata* (Pallas, 1766)
- Caryophyllia foresti*** Zibrowius, 1980 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia formosa* Pourtalès, 1867 = *Caryophyllia berteriana* Duchassaing, 1850
- Caryophyllia glabrescens* Chamisso & Eysenhardt, 1821 = *Euphyllia glabrescens* (Chamisso & Eysenhardt, 1821)
- Caryophyllia grandis*** Gardiner & Waugh, 1938 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia grayi*** (Milne Edwards & Haime, 1848) II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia hawaiiensis*** Vaughan, 1907 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia horologium*** Cairns, 1977 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia huinayensis*** Cairns, Häussermann & Försterra, 2005 II CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia inornata*** (Duncan, 1878) II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia inskipi* Duncan, 1873 = *Caryophyllia abyssorum* Duncan, 1873
- Caryophyllia japonica*** Marenzeller, 1888 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia jogashimaensis*** Eguchi, 1968 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia karubarica*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia lacera* (Pallas, 1766) = *Scolymia lacera* (Pallas, 1766)
- Caryophyllia lacrymalis* Milne Edwards & Haime, 1848 = *Cynarina lacrymalis* (Milne Edwards & Haime, 1848)
- Caryophyllia laevicostata* Moseley, 1881 = *Caryophyllia atlantica* (Duncan, 1873)
- Caryophyllia laevigata*** Kitahara, Cairns & Miller, 2010 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia lamellifera*** Moseley, 1881 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia mabahithi*** Gardiner & Waugh, 1938 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia maculata* (Pourtalès, 1874) = *Rhizosmilia maculata* (Pourtalès, 1874)
- Caryophyllia marmorea*** Cairns, 1984 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia oblonga*** Kitahara, Cairns & Miller, 2010 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia octonaria*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia octopali*** Vaughan, 1907 II  
CARYOPHYLLIIDAE (Anthozoa)

- Caryophyllia octopali incerta* Vaughan, 1907 =  
*Caryophyllia octopali* Vaughan, 1907
- Caryophyllia pacifica* Keller, 1981 = *Caryophyllia atlantica* (Duncan, 1873)
- Caryophyllia pacifica* (Yabe & Eguchi, 1932) =  
*Dasmosmilia lymani* (Pourtales, 1871)
- Caryophyllia panda* Alcock, 1902 = *Caryophyllia atlantica* (Duncan, 1873)
- Caryophyllia paradoxus*** Alcock, 1898 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia paraoctopali* Yabe & Eguchi, 1942 =  
*Caryophyllia rugosa* Moseley, 1881
- Caryophyllia parvula* Cairns, 1979 = *Coenocyathus parvulus* (Cairns, 1979)
- Caryophyllia paucipalata*** Moseley, 1881 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia pauciseptata*** Yabe & Eguchi, 1932 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia perculta*** Cairns, 1991 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia planilamellata*** Dennant, 1906 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia polygona*** Pourtales, 1878 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia pourtalesi* Duncan, 1873 = *Caryophyllia smithii* Stokes & Broderip, 1828
- Caryophyllia profunda*** Moseley, 1881 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia pygmaea* Risso, 1826 = *Monomyces pygmaea* (Risso, 1826)
- Caryophyllia quadragenaria*** Alcock, 1902 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia quangdongensis*** Zou, 1984 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia ralphae*** Cairns, 1995 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia ramea* (Linnaeus, 1758) = *Dendrophyllia ramea* (Linnaeus, 1758)
- Caryophyllia rugosa*** Moseley, 1881 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia sarsiae*** Zibrowius, 1974 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia scillaemorpha*** Alcock, 1894 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia scobinosa*** Alcock, 1902 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia secta*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia seguenzae*** Duncan, 1873 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia simplex* Duncan, 1878 = *Stenocyathus vermiciformis* (Pourtales, 1868)
- Caryophyllia smithii*** Stokes & Broderip, 1828 II  
CARYOPHYLLIIDAE (Anthozoa) (E) Devonshire Cup Coral
- Caryophyllia solida*** Cairns, 1991 II CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia solitaria* LeSueur, 1817 = *Astrangia solitaria* (LeSueur, 1817)
- Caryophyllia spinicarens*** (Moseley, 1881) II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia spinigera*** (Kent, 1871) II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia squiresi*** Cairns, 1982 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia stellula*** Cairns, 1998 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia tangaroae*** Kitahara, Cairns & Miller, 2010 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia transversalis*** Moseley, 1881 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia turbinata* Philippi, 1836 = *Caryophyllia smithii* Stokes & Broderip, 1828
- Caryophyllia unicristata*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia valdiviae*** Zibrowius & Gili, 1990 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia variabilis* Duncan, 1873 = *Caryophyllia abyssorum* Duncan, 1873
- Caryophyllia versicolorata*** Kitahara, Cairns & Miller, 2010 II CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia zanzibarensis*** Zou, 1984 II  
CARYOPHYLLIIDAE (Anthozoa)
- Caryophyllia zopyros*** Cairns, 1979 II  
CARYOPHYLLIIDAE (Anthozoa)
- CARYOPHYLLIIDAE spp.** Gray 1847 II (Anthozoa)
- Casarea* spp.** Gray, 1842 I BOLYERIIDAE (Reptilia)
- Casarea dussumieri*** (Schlegel, 1837) I BOLYERIIDAE (Reptilia) (E) Round Island Keel-scaled Boa (S) Boa de Round Island (F) Boa de l'Île Ronde de Dussumier
- Cascabel (F): *Crotalus durissus*
- Cascabel (E): *Crotalus durissus*
- Cascavelle (S): *Crotalus durissus*
- Cascavelle (F): *Crotalus durissus*
- Cat, African Golden (E): *Profelis aurata*
- Catagonus* spp.** Ameghino, 1904 I<sup>8</sup> TAYASSUIDAE (Mammalia)
- Catagonus wagneri*** (Rusconi, 1930) I TAYASSUIDAE (Mammalia) (E) Chacoan Peccary, Tagua (S) Chaco argentino, Quimilero (F) Pécari du Chaco
- Catalaphyllia* spp.** Wells, 1972 II CARYOPHYLLIIDAE (Anthozoa)
- Catalaphyllia jardinei*** (Kent, 1893) II  
CARYOPHYLLIIDAE (Anthozoa) (E) Elegant Coral
- Catalaphyllia plicata*** (Milne Edwards & Haime, 1848) II  
CARYOPHYLLIIDAE (Anthozoa)
- Cat, Andean (E): *Leopardus jacobitus*
- Catanuda (S): *Pristis perotteti*
- Catanuda (S): *Pristis microdon*
- Cataquil (F): *Bassaricyon gabbii*
- Cat, Asian Golden (E): *Catopuma temminckii*
- Cat, Bay (E): *Catopuma badia*
- Cat-bear, Red (E): *Ailurus fulgens*
- Cat, Bengal Leopard (E): *Prionailurus bengalensis bengalensis*
- Cat, Black-footed (E): *Felis nigripes*
- Cat, Bornean Marbled (E): *Catopuma badia*
- Cat, Chilean (E): *Leopardus guigna*
- Cat, Chilean Pampa (E): *Leopardus colocolo*

- Cat, Chinese Desert (E): *Felis bieti*  
 Cat, Domestic (E): *Felis catus*  
 Cat, Duckbill (E): *Polyodon spathula*  
 Cat, Eyra (E): *Puma yagouaroundi*  
 Catfish, Giant (E): *Pangasianodon gigas*  
 Cat, Fishing (E): *Prionailurus viverrinus*  
 Catfish, Spoonbill (E): *Polyodon spathula*  
 Cat, Flat-headed (E): *Prionailurus planiceps*  
 Cat, Geoffroy's (E): *Leopardus geoffroyi*  
 Cat, Golden (E): *Profelis aurata*  
 Cat, Golden (E): *Catopuma temminckii*  
**Cathartes spp.** Illiger, 1811 NC CATHARTIDAE (Aves)  
*Cathartes monachus* Temminck, 1823 = *Necrosyrtes monachus* (Temminck, 1823)  
**CATHARTIDAE spp. I/III/NC** (Aves) (E) New World  
 Vultures (S) Buitres Del Nuevo Mundo (F) Vautours Du Nouveau Monde  
 Cat, Iriomote (E): *Prionailurus iriomotensis*  
 Catita aimará (S): *Psilopsiagon aymara*  
 Catita aliamarilla (S): *Brotogeris versicolurus*  
 Catita aliazul (S): *Brotogeris cyanoptera*  
 Catita alidorada (S): *Brotogeris chrysoptera*  
 Catita andina (S): *Bolborhynchus orbygnesius*  
 Catita barrada (S): *Bolborhynchus lineola*  
 Catita chiriri (S): *Brotogeris chiriri*  
 Catita churica (S): *Brotogeris jugularis*  
 Catita común (S): *Myiopsitta monachus*  
 Catita enana (S): *Forpus xanthopterygius*  
 Catita frentidorada (S): *Psilopsiagon aurifrons*  
 Catita frentiguada (S): *Brotogeris sanctithomae*  
 Catita frentirrufa (S): *Bolborhynchus ferrugineifrons*  
 Catita macareña (S): *Brotogeris pyrrhoptera*  
 Catita serrana común (S): *Psilopsiagon aymara*  
 Catita serrana verde (S): *Psilopsiagon aurifrons*  
 Catita tirica (S): *Brotogeris tirica*  
 Catita versicolor (S): *Brotogeris versicolurus*  
 Cat, Jungle (E): *Felis chaus*  
 Cat, Leopard (E): *Prionailurus bengalensis*  
 Cat, Little Spotted (E): *Leopardus tigrinus*  
 Cat, Marbled (E): *Pardofelis marmorata*  
 Cat, Mountain (E): *Leopardus jacobitus*  
**Catopuma spp.** Severtzov, 1858 I/II<sup>10</sup> FELIDAE (Mammalia)  
**Catopuma badia** (Gray, 1874) II<sup>10</sup> FELIDAE (Mammalia) (E) Bay Cat, Bornean Marbled Cat (F) Chat bai  
**Catopuma temminckii** (Vigors & Horsfield, 1827) I FELIDAE (Mammalia) (E) Asian Golden Cat, Golden Cat, Temminck's Cat (S) Gato dorado asiático (F) Chat de Temminck, Chat doré d'Asie  
 Cat, Pallas's (E): *Felis manul*  
 Cat, Pampas (E): *Leopardus pajeros*  
 Cat, Pampas (E): *Leopardus colocolo*  
 Cat, Pantanal (E): *Leopardus braccatus*  
 Cat, Reed (E): *Felis chaus*  
*Catreus wallichii* (Hardwicke, 1827) = *Catreus wallichii* (Hardwicke, 1827)  
**Catreus wallichii** (Hardwicke, 1827) I PHASIANIDAE (Aves) (E) Cheer Pheasant, Chir Pheasant, Wallich's Pheasant (S) Faisán chir, Faisán de Wallich (F) Faisan de l'Himalaya, Faisan de Wallich  
 Cat, Rusty-spotted (E): *Prionailurus rubiginosus*  
 Cats (E): *Felidae*  
 Cat, Sand (E): *Felis margarita*  
 Cat, Sand Dune (E): *Felis margarita*  
 Cat, Sea (E): *Lontra felina*  
 Cat, Small-spotted (E): *Felis nigripes*  
 Catspaw, White (E): *Epioblasma sulcata perobliqua*  
 Cat, Spoonbill (E): *Polyodon spathula*  
 Cat, Swamp (E): *Felis chaus*  
 Cat, Temminck's (E): *Catopuma temminckii*  
 Cat, Tiger (E): *Leopardus tigrinus*  
 Cat, Wild (E): *Felis silvestris*  
 Caucel (S): *Leopardus tigrinus*  
 Caucel (S): *Leopardus wiedii*  
*Caudisona durissa* (Linnaeus, 1758) = *Crotalus durissus* Linnaeus, 1758  
*Caudisona gronovii* Laurenti, 1768 = *Crotalus durissus* Linnaeus, 1758  
*Caudisona orientalis* Laurenti, 1768 = *Crotalus durissus* Linnaeus, 1758  
*Caudisona terrifica* Laurenti, 1768 = *Crotalus durissus* Linnaeus, 1758  
**Caulastraea spp.** Dana, 1846 II FAVIIDAE (Anthozoa)  
*Caulastraea aiharai* Yabe & Sugiyama, 1936 = *Caulastraea echinulata* (Milne Edwards & Haime, 1848)  
*Caulastraea connata* (Ortmann, 1892) = *Astraeosmilia connata* Ortmann, 1892  
**Caulastraea curvata** Wijsman-Best, 1972 II FAVIIDAE (Anthozoa)  
*Caulastraea distorta* Dana, 1846 = *Caulastraea furcata* Dana, 1846  
**Caulastraea echinulata** (Milne Edwards & Haime, 1848) II FAVIIDAE (Anthozoa)  
**Caulastraea furcata** Dana, 1846 II FAVIIDAE (Anthozoa)  
*Caulastraea plana* Hodgson & Ross, 1982 = *Caulastraea tumida* Matthai, 1928  
**Caulastraea tumida** Matthai, 1928 II FAVIIDAE (Anthozoa)  
 Cayuma (S): *Caretta caretta*  
 Cayunne (F): *Caretta caretta*  
 Cayunne (F): *Natator depressus*  
**CEBIDAE spp.** Bonaparte, 1831 I/II (Mammalia) (E) New World Monkeys (S) Monos Del Nuevo Mundo (F) Singes Du Nouveau Monde  
 Cebara de Grévy (S): *Equus grevyi*  
 Cebara de Hartmann (S): *Equus zebra hartmannae*  
 Cebara de montaña del Cabo (S): *Equus zebra zebra*  
 Cebara montanesa del Cabo (S): *Equus zebra zebra*  
*Cebuella pygmaea* (Spix, 1823) = *Callithrix pygmaea* (Spix, 1823)  
**Cebus spp.** Erxleben, 1777 II CEBIDAE (Mammalia)  
**Cebus albifrons** (Humboldt, 1812) II CEBIDAE (Mammalia) (E) Brown Pale-fronted Capuchin, White-fronted Capuchin (F) Sajou à front blanc  
*Cebus albifrons hypoleucus* (Humboldt, 1812) = *Cebus capucinus* (Linnaeus, 1758)  
**Cebus apella** (Linnaeus, 1758) II CEBIDAE (Mammalia) (E) Black-capped Capuchin, Tufted Capuchin (F) Sajou apelle

- Cebus apella xanthosternos* (Linnaeus, 1758) = *Cebus xanthosternos* Wied-Neuwied, 1826
- Cebus capucinus*** (Linnaeus, 1758) II CEBIDAE  
 (Mammalia) (E) White-faced Capuchin, White-throated Capuchin (S) Mono capuchino (F) Sajou à gorge blanche
- Cebus flavius*** Schreber, 1774 II CEBIDAE (Mammalia)  
*Cebus griseus* F. Cuvier, 1819 = *Cebus apella* (Linnaeus, 1758)
- Cebus kaapori*** Queiroz, 1992 II CEBIDAE (Mammalia)  
 (E) Kaapori Capuchin
- Cebus libidinosus*** Spix, 1823 II CEBIDAE (Mammalia)  
 (E) Black-striped Tufted Capuchin
- Cebus nigritus*** (Goldfuss, 1809) II CEBIDAE (Mammalia)  
 (E) Black Tufted Capuchin
- Cebus nigrovittatus* Wagner, 1848 = *Cebus olivaceus* Schomburgk, 1848
- Cebus olivaceus*** Schomburgk, 1848 II CEBIDAE  
 (Mammalia) (E) Weeper Capuchin (F) Sajou brun
- Cebus olivaceus kaapori* Schomburgk, 1848 = *Cebus kaapori* Queiroz, 1992
- Cebus xanthosternos*** Wied-Neuwied, 1826 II CEBIDAE  
 (Mammalia) (E) Golden-bellied Tufted Capuchin, Yellow-breasted Capuchin
- Cefalofo azul (S): *Philantomba monticola*  
 Cefalofo silvicultor (S): *Cephalophus silvicultor*  
 Celecanto (S): *Latimeria chalumnae*  
*Cenchrus regia* (Shaw, 1802) = *Python regius* (Shaw, 1802)
- Centrocercus griseus* Fitzinger, 1843 = *Saara hardwickii* (Gray, 1827)
- Centrochelys sulcata* (Miller, 1779) = *Geochelone sulcata* (Miller, 1779)
- Centrotrachelis loricatus* Haas & Werner, 1969 = *Saara loricata* (Blanford, 1874)
- Centrotrachelus asmussi* Murray, 1884 = *Saara loricata* (Blanford, 1874)
- Centrotrachelus asmussi* Strauch, 1863 = *Saara asmussi* (Strauch, 1863)
- Centrotrachelus loricatus* Blanford, 1874 = *Saara loricata* (Blanford, 1874)
- Cephalochelys oceanica* Gray, 1864 = *Lepidochelys olivacea* (Eschscholtz, 1829)
- Céphalophe à bande dorsale noire (F): *Cephalophus dorsalis*  
 Céphalophe à dos jaune (F): *Cephalophus silvicultor*  
 Céphalophe bai (F): *Cephalophus dorsalis*  
 Céphalophe bleu (F): *Philantomba monticola*  
 Céphalophe de Jentink (F): *Cephalophus jentinki*  
 Céphalophe d'Ogilby (F): *Cephalophus ogilbyi*  
 Céphalophe géant (F): *Cephalophus silvicultor*  
 Céphalophe rayé (F): *Cephalophus zebra*  
 Céphalophe zèbre (F): *Cephalophus zebra*
- Cephalophus brookei*** Thomas, 1903 II BOVIDAE  
 (Mammalia) (E) Brooke's duiker
- Cephalophus castaneus* Thomas, 1892 = *Cephalophus dorsalis* Gray, 1846
- Cephalophus crusalbum* Grubb, 1978 = *Cephalophus ogilbyi* (Waterhouse, 1838)
- Cephalophus curticeps* Grubb & Groves, 2002 = *Cephalophus silvicultor* (Afzelius, 1815)
- Cephalophus dorsalis*** Gray, 1846 II BOVIDAE  
 (Mammalia) (E) Bay Duiker (S) Duiquero bayo (F) Céphalophe à bande dorsale noire, Céphalophe bai
- Cephalophus jentinki*** Thomas, 1892 I BOVIDAE  
 (Mammalia) (E) Jentink's Duiker (S) Duiquero de Jentink (F) Céphalophe de Jentink
- Cephalophus monticola* (Thunberg, 1789) = *Philantomba monticola* (Thunberg, 1789)
- Cephalophus ogilbyi*** (Waterhouse, 1838) II BOVIDAE  
 (Mammalia) (E) Ogilby's Duiker (S) Duiquero de Ogilby (F) Céphalophe d'Ogilby
- Cephalophus ogilbyi brookei* Thomas, 1903 = *Cephalophus brookei* Thomas, 1903
- Cephalophus ogilbyi* (Waterhouse, 1838) = *Cephalophus brookei* Thomas, 1903
- Cephalophus silvicultor*** (Afzelius, 1815) II BOVIDAE  
 (Mammalia) (E) Yellow-backed Duiker (S) Cefalofo silvicultor, Duiquero de lomo amarillo (F) Céphalophe à dos jaune, Céphalophe géant
- Cephalophus sylvicultor* (Afzelius, 1815) = *Cephalophus silvicultor* (Afzelius, 1815)
- Cephalophus zebra*** Gray, 1838 II BOVIDAE (Mammalia)  
 (E) Banded Duiker, Zebra Antelope, Zebra Duiker (S) Duiquero cebrado (F) Céphalophe rayé, Céphalophe zèbre
- Cephalopterus ornatus*** Geoffroy Saint-Hilaire, 1809 III COTINGIDAE (Aves) (E) Amazonian Umbrellabird, Ornate Umbrellabird (S) Pájaro-paraguas amazónico, Pájaros paraguas (F) Coracine ornée
- Cephalopterus penduliger*** Sclater, 1859 III COTINGIDAE (Aves) (E) Long-wattled Umbrellabird (S) Pájaro paraguas bigotudo, Pájaro-paraguas longuipendulo (F) Coracine casquée
- Cephalorhynchus spp.*** Gray, 1846 II 18 DELPHINIDAE (Mammalia)
- Cephalorhynchus commersonii*** (Lacépède, 1804) II 18 DELPHINIDAE (Mammalia) (E) Commerson's Dolphin, Piebald Dolphin (S) Jacobita, Tunina overa (F) Dauphin de Commerson
- Cephalorhynchus eutropia*** Gray, 1846 II 18 DELPHINIDAE (Mammalia) (E) Black Dolphin, Chilean Dolphin, White-bellied Dolphin (S) Delfín negro, Tunina de vientre blanco (F) Dauphin noir du Chili
- Cephalorhynchus heavisidii*** (Gray, 1828) II 18 DELPHINIDAE (Mammalia) (E) Benguela Dolphin, Heaviside's Dolphin (S) Tunina de Heaviside (F) Dauphin de Heaviside
- Cephalorhynchus hectori*** (van Beneden, 1881) II 18 DELPHINIDAE (Mammalia) (E) Hector's Dolphin, New Zealand Dolphin, White-headed Dolphin (S) Delfín de Héctor, Tunina de Héctor (F) Dauphin d'Hector
- Cepillo de botella (S): *Tanacetipathes tanacetum*  
 Cepillo de botella áspero (S): *Tanacetipathes barbadensis*  
 Cepillo de botella columnar (S): *Stylopatus columnaris*  
 Cepillo de botella cortado (S): *Antipathes dissecta*  
 Cepillo de botella de Bosc (S): *Antipathes boscii*  
 Cepillo de botella de King (S): *Antipathes caribbeana*  
 Cepillo de botella occidental (S): *Stylopatus americana*

Cepillo de botella opaco (S): <i>Antipathes tristis</i>	<i>Ceratotrochus venustus</i> Alcock, 1902 = <i>Pleotrochus venustus</i> (Alcock, 1902)
Cepillo de botella plumoso (S): <i>Tanacetipathes thamnea</i>	
Cepillo de botella ramificado (S): <i>Antipathes furcata</i>	
<i>Ceratocyathus prolifer</i> Pourtales, 1871 = <i>Anomocora prolifera</i> (Pourtales, 1871)	<i>Cerberus rynchops</i> (Schneider, 1799) III COLUMBRIDAE (Reptilia) (E) Bockadam, Dog-faced Water Snake (F) Serpent d'eau à museau de chien, Serpent d'eau à ventre blanc
Cératode (F): <i>Neoceratodus forsteri</i>	
Ceratodus (E): <i>Neoceratodus forsteri</i>	<i>Cerceta alicorta</i> de Auckland (S): <i>Anas aucklandica</i>
<i>Ceratodus forsteri</i> Krefft, 1870 = <i>Neoceratodus forsteri</i> (Krefft, 1870)	<i>Cerceta alicorta</i> de Campbell (S): <i>Anas nesiotis</i>
<i>Ceratodus mioletpis</i> Günther, 1871 = <i>Neoceratodus forsteri</i> (Krefft, 1870)	<i>Cerceta alicorta</i> neozelandesa (S): <i>Anas chlorotis</i>
<b><i>Ceratotherium</i> spp.</b> Gray, 1868 I/II RHINOCEROTIDAE (Mammalia)	<i>Cerceta del Baikal</i> (S): <i>Anas formosa</i>
<b><i>Ceratotherium simum</i></b> (Burchell, 1817) I/II	<i>Cerceta de Madagascar</i> (S): <i>Anas bernieri</i>
RHINOCEROTIDAE (Mammalia) (E) Grass Rhinoceros, Square-lipped Rhinoceros, White Rhinoceros (S) Rinoceronte blanco (F) Rhinocéros blanc	<i>Cerceta malgache</i> (S): <i>Anas bernieri</i>
<b><i>Ceratotherium simum simum</i></b> (Burchell, 1817) I/II 23	<i>Cerceta malgache de Bernier</i> (S): <i>Anas bernieri</i>
RHINOCEROTIDAE (Mammalia) (E) Southern Square-lipped Rhinoceros, Southern White Rhinoceros (F) Rhinocéros blanc du sud	<i>Cerceta maorí</i> (S): <i>Anas aucklandica</i>
<b><i>Ceratotrochus</i> spp.</b> Milne Edwards & Haime, 1848 II	<i>Cerchneis aarea</i> Oberholser, 1917 = <i>Falco aeraeus</i> (Oberholser, 1917)
CARYOPHYLLIIDAE (Anthozoa)	<i>Cercocèbe agile</i> (F): <i>Cercocebus agilis</i>
<i>Ceratotrochus brunneus</i> (Moseley, 1881) = <i>Conotrochus brunneus</i> (Moseley, 1881)	<i>Cercocèbe noir</i> (F): <i>Lophocebus aterrimus</i>
<i>Ceratotrochus delicatus</i> Marenzeller, 1904 = <i>Labyrinthocyathus delicatus</i> (Marenzeller, 1904)	<b><i>Cercocebus</i> spp.</b> Geoffroy, 1812 I/II
<i>Ceratotrochus diadema</i> Moseley, 1876 = <i>Stephanocyathus diadema</i> (Moseley, 1876)	CERCOPITHECIDAE (Mammalia)
<i>Ceratotrochus discoides</i> Moseley, 1876 = <i>Stephanocyathus diadema</i> (Moseley, 1876)	<b><i>Cercocebus agilis</i></b> Milne-Edwards, 1886 II
<b><i>Ceratotrochus franciscana</i></b> Durham & Barnard, 1952 II	CERCOPITHECIDAE (Mammalia) (E) Agile Mangabey (F) Cercocèbe agile, Mangabey agile
CARYOPHYLLIIDAE (Anthozoa)	<i>Cercocebus agilis chrysogaster</i> Milne-Edwards, 1886 = <i>Cercocebus chrysogaster</i> Lydekker, 1900
<i>Ceratotrochus funicolumna</i> Alcock, 1902 = <i>Conotrochus funicolumna</i> (Alcock, 1902)	<i>Cercocebus albigena</i> (Gray, 1850) = <i>Lophocebus albigena</i> (Gray, 1850)
<i>Ceratotrochus hispidus</i> Pourtales, 1878 = <i>Pourtalocyathus hispidus</i> (Pourtales, 1878)	<b><i>Cercocebus atys</i></b> (Audebert, 1797) II
<i>Ceratotrochus hiugaensis</i> Yabe & Eguchi, 1942 = <i>Conotrochus funicolumna</i> (Alcock, 1902)	CERCOPITHECIDAE (Mammalia) (E) Sooty Mangabey (F) Mangabey enfumé
<i>Ceratotrochus hospes</i> (Alcock, 1902) = <i>Conotrochus brunneus</i> (Moseley, 1881)	<b><i>Cercocebus chrysogaster</i></b> Lydekker, 1900 II
<i>Ceratotrochus japonicus</i> Eguchi, 1968 = <i>Trochocyathus japonicus</i> Eguchi, 1968	CERCOPITHECIDAE (Mammalia) (E) Golden-bellied Mangabey
<i>Ceratotrochus jogashimaensis</i> Eguchi, 1968 = <i>Trochocyathus japonicus</i> Eguchi, 1968	<b><i>Cercocebus galeritus</i></b> Peters, 1879 I
<i>Ceratotrochus johnsoni</i> Duncan, 1882 = <i>Anomocora marchadi</i> (Chevalier, 1966)	CERCOPITHECIDAE (Mammalia) (E) Tana River Mangabey (S) Mangabey crestado ventriblanco (F) Mangabey à crête, Mangabey de la Tana
<i>Ceratotrochus limatulus</i> Squires, 1964 = <i>Labyrinthocyathus limatulus</i> (Squires, 1964)	<i>Cercocebus galeritus agilis</i> Peters, 1879 = <i>Cercocebus agilis</i> Milne-Edwards, 1886
<b><i>Ceratotrochus magnaghii</i></b> Cecchini, 1914 II	<i>Cercocebus galeritus chrysogaster</i> Peters, 1879 = <i>Cercocebus chrysogaster</i> Lydekker, 1900
CARYOPHYLLIIDAE (Anthozoa)	<i>Cercocebus galeritus galerus</i> Peters, 1879 = <i>Cercocebus galerus</i> Peters, 1879
<i>Ceratotrochus nobilis</i> Moseley, 1876 = <i>Stephanocyathus nobilis</i> (Moseley, 1873)	<b><i>Cercocebus sanjei</i></b> Mittermeier, 1986 II
<i>Ceratotrochus parahispidus</i> Yabe & Eguchi, 1942 = <i>Conotrochus funicolumna</i> (Alcock, 1902)	CERCOPITHECIDAE (Mammalia)
<i>Ceratotrochus platypus</i> Moseley, 1876 = <i>Stephanocyathus platypus</i> (Moseley, 1876)	<b><i>Cercocebus torquatus</i></b> (Kerr, 1792) II
<i>Ceratotrochus recidivus</i> Dennant, 1906 = <i>Aulocyathus recidivus</i> (Dennant, 1906)	CERCOPITHECIDAE (Mammalia) (E) Collared Mangabey, Red-capped Mangabey, White-collared Mangabey (S) Mangabey de collar blanco (F) Mangabey couronné
	<i>Cercocebus torquatus atys</i> (Kerr, 1792) = <i>Cercocebus atys</i> (Audebert, 1797)
	Cercopiteco de Diana (S): <i>Cercopithecus diana</i>
	<b><i>CERCOPITHECIDAE</i> spp.</b> Gray, 1821 I/II/NC (Mammalia) (S) Monos Del Viejo Mundo (F) Singes Du L'Ancien Monde
	<b><i>Cercopithecus</i> spp.</b> Gronovius, 1763 I/II
	CERCOPITHECIDAE (Mammalia)
	<i>Cercopithecus aethiops djamdamensis</i> (Linnaeus, 1758) = <i>Chlorocebus djamdamensis</i> (Neumann, 1902)

- Cercopithecus aethiops* (Linnaeus, 1758) = *Chlorocebus aethiops* (Linnaeus, 1758)
- Cercopithecus albogularis* (Sykes, 1831) II  
CERCOPITHECIDAE (Mammalia) (E) Sykes's Monkey, White-throated Monkey
- Cercopithecus ascanius* (Audebert, 1799) II  
CERCOPITHECIDAE (Mammalia) (E) Black-cheeked White-nosed Monkey, Red-tailed Monkey, Redtail Monkey, Schmidt's Guenon (F) Ascagne
- Cercopithecus campbelli* Waterhouse, 1838 II  
CERCOPITHECIDAE (Mammalia) (E) Campbell's Guenon, Campbell's Monkey (F) Cercopithèque de Campbell
- Cercopithecus campbelli lowei* Thomas, 1923 = *Cercopithecus lowei* Thomas, 1923
- Cercopithecus cephus* (Linnaeus, 1758) II  
CERCOPITHECIDAE (Mammalia) (E) Moustached Monkey (F) Moustac, Moustac bleu, Moustac de Buffon
- Cercopithecus denti* Thomas, 1907 II  
CERCOPITHECIDAE (Mammalia) (E) Dent's Monkey
- Cercopithecus diana* (Linnaeus, 1758) I/II  
CERCOPITHECIDAE (Mammalia) (E) Diana Guenon, Diana Monkey (S) Cercopiteco de Diana, Diana (F) Cercopithèque diane
- Cercopithecus diana roloway* (Linnaeus, 1758) = *Cercopithecus roloway* (Schreber, 1774)
- Cercopithecus djamdjamensis* Neumann, 1902 = *Chlorocebus djamdjamensis* (Neumann, 1902)
- Cercopithecus doggetti* Pocock, 1907 II  
CERCOPITHECIDAE (Mammalia) (E) Silver Monkey
- Cercopithecus dryas* Schwartz, 1932 II  
CERCOPITHECIDAE (Mammalia) (E) Dryas Guenon, Dryas Monkey (S) Mono dryas (F) Cercopithèque dryas
- Cercopithecus erythrogaster* Gray, 1866 II  
CERCOPITHECIDAE (Mammalia) (E) Red-bellied Guenon, Red-bellied Monkey, White-throated Guenon, White-throated Monkey (F) Cercopithèque à ventre roux
- Cercopithecus erythrotis* Waterhouse, 1838 II  
CERCOPITHECIDAE (Mammalia) (E) Red-eared Guenon, Red-eared Monkey, Russet-eared Guenon (S) Mono de orejas rojas (F) Hocheur à nez rouge, Moustac à oreilles rouges
- Cercopithecus erythrotis sclateri* Waterhouse, 1838 = *Cercopithecus sclateri* Pocock, 1904
- Cercopithecus hamlyni* Pocock, 1907 II  
CERCOPITHECIDAE (Mammalia) (E) Owl-faced Guenon, Owl-faced Monkey (F) Cercopithèque à tête de hibou, Cercopithèque d'Hamlyn
- Cercopithecus kandti* Matschie, 1905 II  
CERCOPITHECIDAE (Mammalia) (E) Golden Monkey
- Cercopithecus lhoesti* P. Sclater, 1899 II  
CERCOPITHECIDAE (Mammalia) (E) L'Hoest's Monkey, Mountain Monkey (F) Cercopithèque à barbe en collier, Cercopithèque de l'Hoest
- Cercopithecus lhoesti preussi* P. Sclater, 1899 = *Cercopithecus preussi* Matschie, 1898
- Cercopithecus lowei* Thomas, 1923 II  
CERCOPITHECIDAE (Mammalia) (E) Lowe's Monkey
- Cercopithecus mitis* Wolf, 1822 II CERCOPITHECIDAE (Mammalia) (E) Blue Monkey, Diademed Monkey, Gentle Monkey (F) Cercopithèque à diadème
- Cercopithecus mitis albogularis* Wolf, 1822 = *Cercopithecus albogularis* (Sykes, 1831)
- Cercopithecus mitis doggetti* Pocock, 1907 = *Cercopithecus doggetti* Pocock, 1907
- Cercopithecus mitis kandi* Wolf, 1822 = *Cercopithecus kandi* Matschie, 1905
- Cercopithecus mona* (Schreber, 1774) II  
CERCOPITHECIDAE (Mammalia) (E) Mona Monkey (F) Cercopithèque mone
- Cercopithecus neglectus* Schlegel, 1876 II  
CERCOPITHECIDAE (Mammalia) (E) De Brazza's Monkey (F) Cercopithèque de Brazza
- Cercopithecus nictitans* (Linnaeus, 1766) II  
CERCOPITHECIDAE (Mammalia) (E) Greater White-nosed Monkey, Putty-nosed Monkey, Spot-nosed Guenon, White-nosed Guenon (F) Blanc-nez, Cercopithèque à nez blanc proéminent, Hocheur
- Cercopithecus nigroviridis* (Pocock, 1907) = *Allenopithecus nigroviridis* (Pocock, 1907)
- Cercopithecus patas* (Schreber, 1775) = *Erythrocebus patas* (Schreber, 1775)
- Cercopithecus petaurista* (Schreber, 1774) II  
CERCOPITHECIDAE (Mammalia) (E) Lesser Spot-nosed Guenon, Lesser White-nosed Guenon, Lesser White-nosed Monkey, Spot-nosed Monkey (F) Hocheur blanc-nez du Bénin, Hocheur du Ghana
- Cercopithecus pogonias* Bennett, 1833 II  
CERCOPITHECIDAE (Mammalia) (E) Crowned Guenon, Crowned Monkey, Golden-bellied Guenon, Golden-bellied Monkey (S) Mono coronado (F) Guenon couronnée, Mone
- Cercopithecus pogonias denti* Thomas, 1907 = *Cercopithecus denti* Thomas, 1907
- Cercopithecus pogonias wolffii* Bennett, 1833 = *Cercopithecus wolffii* A. Meyer, 1891
- Cercopithecus preussi* Matschie, 1898 II  
CERCOPITHECIDAE (Mammalia) (E) Preuss's Guenon, Preuss's Monkey (S) Mono de Preuss (F) Cercopithèque de Preuss
- Cercopithecus pygerythrus* (Cuvier, 1821) = *Chlorocebus pygerythrus* (F. Cuvier, 1821)
- Cercopithecus roloway* (Schreber, 1774) I  
CERCOPITHECIDAE (Mammalia) (E) Roloway Monkey
- Cercopithecus sabaeus* (Linnaeus, 1766) = *Chlorocebus sabaeus* (Linnaeus, 1766)
- Cercopithecus salongo* Thys van Audenaerde, 1977 = *Cercopithecus dryas* Schwartz, 1932
- Cercopithecus sclateri* Pocock, 1904 II  
CERCOPITHECIDAE (Mammalia) (E) Sclater's Guenon, White-throated Guenon (S) Mono de Sclater (F) Cercopithèque de Sclater
- Cercopithecus solatus* M. J. S. Harrison, 1988 II  
CERCOPITHECIDAE (Mammalia) (E) Sun-tailed Guenon, Sun-tailed Monkey (S) Mono del Gabón (F) Cercopithèque à queue de soleil, Cercopithèque à queue dorée

<i>Cercopithecus talapoin</i> (Schreber, 1774) = <i>Miopithecus talapoin</i> (Schreber, 1774)	<i>Ceriornis blythii</i> Jerdon, 1870 = <i>Tragopan blythii</i> (Jerdon, 1870)
<i>Cercopithecus tantalus</i> (Ogilby, 1841) = <i>Chlorocebus tantalus</i> (Ogilby, 1841)	<i>Ceriornis caboti</i> Gould, 1857 = <i>Tragopan caboti</i> (Gould, 1857)
<i>Cercopithecus thomasi</i> Matschie, 1905 = <i>Cercopithecus lhoesti</i> P. Sclater, 1899	Cernícalo (S): <i>Gampsonyx swainsonii</i> Cernícalo americano (S): <i>Falco sparverius</i>
<b><i>Cercopithecus wolffii</i> A. Meyer, 1891 II</b>	Cernícalo australiano (S): <i>Falco cenchroides</i>
CERCOPITHECIDAE (Mammalia) (E) Wolf's Monkey (S) Mono de Wolf (F) Cercopithèque de Wolf, Mone de Wolf	Cernícalo común (S): <i>Falco tinnunculus</i>
Cercopithèque à barbe en collier (F): <i>Cercopithecus lhoesti</i>	Cernícalo de Aldabra (S): <i>Falco newtoni</i>
Cercopithèque à diadème (F): <i>Cercopithecus mitis</i>	Cernícalo de Dickinson (S): <i>Falco dickinsoni</i>
Cercopithèque à nez blanc proéminent (F): <i>Cercopithecus nictitans</i>	Cernícalo de la isla Aldabra (S): <i>Falco newtoni</i>
Cercopithèque à queue de soleil (F): <i>Cercopithecus solatus</i>	Cernícalo de la Mauricio (S): <i>Falco punctatus</i>
Cercopithèque à queue dorée (F): <i>Cercopithecus solatus</i>	Cernícalo del Amur (S): <i>Falco amurensis</i>
Cercopithèque à tête de hibou (F): <i>Cercopithecus hamlyni</i>	Cernícalo de las Molucas (S): <i>Falco moluccensis</i>
Cercopithèque à ventre roux (F): <i>Cercopithecus erythrogaster</i>	Cernícalo de las Seychelles (S): <i>Falco araeus</i>
Cercopithèque d'Allen (F): <i>Allenopithecus nigroviridis</i>	Cernícalo de Madagascar (S): <i>Falco newtoni</i>
Cercopithèque de Brazza (F): <i>Cercopithecus neglectus</i>	Cernícalo de Mauricio (S): <i>Falco punctatus</i>
Cercopithèque de Campbell (F): <i>Cercopithecus campbelli</i>	Cernícalo dorsinegro (S): <i>Falco dickinsoni</i>
Cercopithèque de l'Hoest (F): <i>Cercopithecus lhoesti</i>	Cernícalo gris (S): <i>Falco ardosiaceus</i>
Cercopithèque de Preuss (F): <i>Cercopithecus preussi</i>	Cernícalo malgache (S): <i>Falco zoniventris</i>
Cercopithèque de Sclater (F): <i>Cercopithecus sclateri</i>	Cernícalo moluqueño (S): <i>Falco moluccensis</i>
Cercopithèque de Wolf (F): <i>Cercopithecus wolffii</i>	Cernícalo ojiblanco (S): <i>Falco rupicoloides</i>
Cercopithèque d'Hamlyn (F): <i>Cercopithecus hamlyni</i>	Cernícalo ojiblanco de Africa (S): <i>Falco rupicoloides</i>
Cercopithèque diane (F): <i>Cercopithecus diana</i>	Cernícalo Patirrojo (S): <i>Falco vespertinus</i>
Cercopithèque dryas (F): <i>Cercopithecus dryas</i>	Cernícalo pizarroso (S): <i>Falco ardosiaceus</i>
Cercopithèque mone (F): <i>Cercopithecus mona</i>	Cernícalo primilla (S): <i>Falco naumanni</i>
<b><i>Cerdocyon thous</i> (Linnaeus, 1766) II CANIDAE</b>	Cernícalo primito (S): <i>Falco sparverius</i>
(Mammalia) (E) Common Zorro, Crab-eating Zorro, Forest Fox (S) Zorro cangrejero, Zorro de monte (F) Renard crabier	Cernícalo Vulgar (S): <i>Falco tinnunculus</i>
Cerdo de Kuhl (S): <i>Axis kuhlii</i>	Cernícalo zorruno (S): <i>Falco alopec</i>
Cerdo tailandés (S): <i>Axis porcinus annamiticus</i>	Cerveau de neptune (F): <i>Diploria labyrinthiformis</i>
Cerf-cochon calamien (F): <i>Axis calamianensis</i>	Cervicapra (S): <i>Antilope cervicapra</i>
Cerf-cochon de Bawean (F): <i>Axis kuhlii</i>	Cervicapre (F): <i>Antilope cervicapra</i>
Cerf-cochon de Kuhl (F): <i>Axis kuhlii</i>	<i>Cervus canadensis</i> Erxleben, 1777 = <i>Cervus elaphus</i> Linnaeus, 1758
Cerf-cochon de Thaïlande (F): <i>Axis porcinus annamiticus</i>	<i>Cervus dama</i> Linnaeus, 1758 = <i>Dama dama</i> (Linnaeus, 1758)
Cerf-cochon d'Indochine (F): <i>Axis porcinus annamiticus</i>	<i>Cervus dama mesopotamicus</i> Linnaeus, 1758 = <i>Dama dama mesopotamica</i>
Cerf de Bactriane (F): <i>Cervus elaphus bactrianus</i>	<i>Cervus duvaucelii</i> G. Cuvier, 1823 = <i>Rucervus duvaucelii</i> (G. Cuvier, 1823)
Cerf de Barbarie (F): <i>Cervus elaphus barbarus</i>	<b><i>Cervus elaphus</i></b> Linnaeus, 1758 I/II/III/NC CERVIDAE
Cerf de Duvaucel (F): <i>Rucervus duvaucelii</i>	(Mammalia) (E) Elk, Red Deer, Wapiti (S) Ciervo rojo (F) Cerf élaphe
Cerf d'Eld (F): <i>Rucervus eldii</i>	<b><i>Cervus elaphus bactrianus</i></b> Lydekker, 1900 II
Cerf des Andes méridionales (F): <i>Hippocamelus bisulcus</i>	CERVIDAE (Mammalia) (E) Bactrian Deer, Bactrian Red Deer, Bactrian Wapiti, Bokharan Deer, Bukhara Deer (S) Ciervo bactriano, Ciervo del Turquestán (F) Cerf de Bactriane, Cerf du Turkestan, Cerf élaphe du Turkestan, Cerf rouge du Turkestan
Cerf des Andes septentrionales (F): <i>Hippocamelus antisensis</i>	<b><i>Cervus elaphus barbarus</i></b> Bennett, 1833 III CERVIDAE
Cerf des marais (F): <i>Blastocerus dichotomus</i>	(Mammalia) (E) Atlas Deer, Barbary Deer, Barbary Red Deer, Barbary Stag (S) Ciervo de la Berberia (F) Cerf de Barbarie
Cerf des pampas (F): <i>Ozotoceros bezoarticus</i>	<b><i>Cervus elaphus hanglu</i></b> Wagner, 1844 I CERVIDAE
cerf de Virginie (F): <i>Odocoileus virginianus</i>	(Mammalia) (E) Hangul, Kashmir Deer, Kashmir Red Deer, Kashmir Stag (S) Ciervo de Cachemira (F) Cerf élaphe du Cachemire, Hangul
Cerf du Turkestan (F): <i>Cervus elaphus bactrianus</i>	<i>Cervus elaphus eldii</i> McClelland, 1842 = <i>Rucervus eldii</i> (McClelland, 1842)
Cerf élaphe (F): <i>Cervus elaphus</i>	
Cerf élaphe du Cachemire (F): <i>Cervus elaphus hanglu</i>	
Cerf élaphe du Turkestan (F): <i>Cervus elaphus bactrianus</i>	
Cerf porte-musc (F): <i>Moschus moschiferus</i>	
Cerf rouge du Turkestan (F): <i>Cervus elaphus bactrianus</i>	

- Cervus hanglu* Wagner, 1844 = *Cervus elaphus hanglu* Wagner, 1844
- Cervus porcinus annamiticus* Zimmermann, 1777 = *Axis porcinus annamiticus* (Heude, 1888)
- Cervus porcinus calamianensis* Zimmermann, 1777 = *Axis calamianensis* (Heude, 1888)
- Cervus porcinus kuhlii* Zimmermann, 1777 = *Axis kuhlii* (Temminck, 1836)
- Cervus porcinus* Zimmermann, 1777 = *Axis porcinus* (Zimmermann, 1780)
- Cestracion leeuwenii* (Day 1865) = *Sphyraena lewini* (Griffith & Smith, 1834)
- Cestracion oceanica* (Garman 1913) = *Sphyraena lewini* (Griffith & Smith, 1834)
- CETACEA spp. I/II** <sup>18</sup> (E) Dolphins, Porpoises, Whales (S) Delfines, Marsopas, Ballenas (F) Dauphins, Marsouins, Baleines
- Cetorhinus blainvilliei* Brito Capello, 1870 = *Cetorhinus maximus* (Gunnerus, 1765)
- Cetorhinus maccoyi* Barrett, 1933 = *Cetorhinus maximus* (Gunnerus, 1765)
- Cetorhinus maximus*** (Gunnerus, 1765) **II**
- CETORHINIDAE (Elasmobranchii) (E) Basking Shark, Bone Shark, Elephant Shark, Hoe-mother, Sun-fish (S) Colayo, Marajo ballenato, Marajo gigante, Peje vaca, Peregrino, Pez elefante, Tiburón canasta, Tiburón peregrino (F) Pèlerin, Poisson à voiles, Requin Pèlerin, Squale géant, Squale-pèlerin
- Cetorhinus maximus infanuncula forma van Deinse & Adriani, 1953* = *Cetorhinus maximus* (Gunnerus, 1765)
- Cetorhinus normani* Siccardi, 1961 = *Cetorhinus maximus* (Gunnerus, 1765)
- Chacal (S): *Canis aureus*
- Chacal commun (F): *Canis aureus*
- Chacal doré (F): *Canis aureus*
- Chacaraco (S): *Aratinga wagleri*
- Chachalaca (E): *Ornithodoris vetula*
- Chachalaca, Black (E): *Penelopina nigra*
- Chachalaca, Common (E): *Ornithodoris vetula*
- Chachalaca cornuda (S): *Oreophasis derbianus*
- Chachalaca de la Trinidad (S): *Pipile pipile*
- Chachalaca de los Llenos (S): *Ornithodoris vetula*
- Chachalaca de remiges blancas (S): *Penelope albipennis*
- Chachalaca manchada (S): *Pipile jacutinga*
- Chachalaca, Mexican (E): *Ornithodoris vetula*
- Chachalaca negra (S): *Penelopina nigra*
- Chachalaca norteña (S): *Ornithodoris vetula*
- Chachalaca, Plain (E): *Ornithodoris vetula*
- Chaco argentino (S): *Catagonus wagneri*
- Chaetocercus* spp.** Gray, 1855 **II** TROCHILIDAE (Aves)
- Chaetocercus astreans*** (Bangs, 1899) **II** TROCHILIDAE (Aves) (E) Santa Marta Woodstar (S) Colibrí astral (F) Colibri de Santa Marta
- Chaetocercus berlepschi*** Simon, 1889 **II** TROCHILIDAE (Aves) (E) Esmeraldas Woodstar (S) Colibrí de Esmeraldas, Estrellita esmeraldeña (F) Colibri de Berlepsch
- Chaetocercus bombus*** Gould, 1871 **II** TROCHILIDAE (Aves) (E) Little Woodstar (S) Colibrí abejorro, Estrellita chica (F) Colibri bourdon
- Chaetocercus burmeisteri* P. L. Sclater, 1888 = *Microstilbon burmeisteri* (P. L. Sclater, 1888)
- Chaetocercus heliodor*** (Bourcier, 1840) **II**
- TROCHILIDAE (Aves) (E) Gorgeted Woodstar (S) Colibrí heliodoro, Estrella cuellirroja, Estrellita de gorguera (F) Colibri héliodore
- Chaetocercus jourdanii*** (Bourcier, 1839) **II**
- TROCHILIDAE (Aves) (E) Rufous-shafted Woodstar (S) Colibrí de Jourdan, Tucusito garganta rosa (F) Colibri de Jourdan
- Chaetocercus mulsant* (Bourcier, 1843) = *Chaetocercus mulsanti* (Bourcier, 1842)
- Chaetocercus mulsanti*** (Bourcier, 1842) **II**
- TROCHILIDAE (Aves) (E) White-bellied Woodstar (S) Colibrí de Mulsant, Estrellita ventriblanca (F) Colibri de Mulsant
- Chaetophractus nationi*** (Thomas, 1894) **II** <sup>21</sup>
- DASYPODIDAE (Mammalia) (E) Andean Hairy Armadillo, Bolivian Hairy Armadillo, Hairy Armadillo (S) Armadillo peludo andino, Quirquincho andino (F) Tatou à neuf bandes
- Chagrin (F): *Rhincodon typus*
- Chalcopsitta* spp.** Bonaparte, 1850 **II** <sup>29</sup> LORIIDAE (Aves)
- Chalcopsitta atra*** (Scopoli, 1786) **II** <sup>29</sup> LORIIDAE (Aves) (E) Black Lory (S) Lori negro (F) Lori noir
- Chalcopsitta cardinalis*** (G. R. Gray, 1849) **II** <sup>29</sup>
- LORIIDAE (Aves) (E) Cardinal Lory (S) Lori cardenal (F) Lori cardinal
- Chalcopsittacus duivenbodei* Dubois, 1884 = *Chalcopsitta duivenbodei* (Dubois, 1884)
- Chalcopsitta duivenbodei*** (Dubois, 1884) **II** <sup>29</sup>
- LORIIDAE (Aves) (E) Brown Lory, Duyvenbode's Lory (S) Lori pardo (F) Lori de Duyvenbode
- Chalcopsitta rubiginosa* Bonaparte, 1850 = *Trichoglossus rubiginosus* (Bonaparte, 1850)
- Chalcopsitta sintillata*** (Temminck, 1835) **II** <sup>29</sup> LORIIDAE (Aves) (E) Greater Streaked Lory, Yellow-streaked Lory (S) Lori chispeado (F) Lori flamméché
- Chalcostigma* spp.** Reichenbach, 1853 **II** TROCHILIDAE (Aves)
- Chalcostigma herrani*** (DeLattre & Bourcier, 1846) **II**
- TROCHILIDAE (Aves) (E) Rainbow-bearded Thornbill (S) Colibrí de Herrán, Picoespina arcoiris (F) Métallure arc-en-ciel
- Chalcostigma heteropogon*** (Boissonneau, 1839) **II**
- TROCHILIDAE (Aves) (E) Bronze-tailed Thornbill (S) Colibrí picoespina, Pico espina bronzeado (F) Métallure à queue bronzée
- Chalcostigma olivaceum*** (Lawrence, 1864) **II**
- TROCHILIDAE (Aves) (E) Olivaceous Thornbill (S) Colibrí oliváceo (F) Métallure olivâtre
- Chalcostigma ruficeps*** (Gould, 1846) **II** TROCHILIDAE (Aves) (E) Rufous-capped Thornbill (S) Colibrí capirrufo, Picoespina gorirrufa (F) Métallure à tête rousse
- Chalcostigma stanleyi*** (Bourcier, 1851) **II** TROCHILIDAE (Aves) (E) Blue-mantled Thornbill (S) Colibrí de Stanley, Picoespina dorsiazul (F) Métallure de Stanley

- Chalybura* spp.** Reichenbach, 1854 II TROCHILIDAE  
(Aves)
- Chalybura buffonii*** (Lesson, 1832) II TROCHILIDAE  
(Aves) (E) White-vented Plumeleteer (S) Calzonario colibronceado, Colibrí de Buffon, Colibrí grande colinegro (F) Colibri de Buffon
- Chalybura urochrysa*** (Gould, 1861) II TROCHILIDAE  
(Aves) (E) Bronze-tailed Plumeleteer (S) Colibrí patirrojo (F) Colibri à queue bronzée
- Chamaeleo* spp.** Laurenti, 1768 II CHAMELEONIDAE (Reptilia)
- Chamaeleo abbotti Stejneger, 1891* = *Kinyongia tavetana* (Steindachner, 1891)
- Chamaeleo adolfifrigerici* (Sternfeld, 1912) = *Kinyongia adolfifrigerici* (Sternfeld, 1912)
- Chamaeleo aegiptius Bonnaterre, 1789* = *Chamaeleo africanus* Laurenti, 1768
- Chamaeleo affinis Rüppell, 1845* = *Trioceros affinis* (Rüppell, 1845)
- Chamaeleo africanus*** Laurenti, 1768 II  
CHAMELEONIDAE (Reptilia) (E) African Chameleon, Sahel Chameleon (S) Camaleón africano (F) Caméléon africain
- Chamaeleo anchietae*** Bocage, 1872 II  
CHAMELEONIDAE (Reptilia) (E) Anchiesta's Chameleon, Angola Chameleon, Double-scaled Chameleon (F) Caméléon à écailles doubles, Caméléon d'Angola
- Chamaeleo angeli Brygoo & Domergue, 1968* = *Furcifer angeli* (Brygoo & Domergue, 1968)
- Chamaeleo angusticoronatus Barbour, 1903* = *Chamaeleo dilepis* (Leach, 1819)
- Chamaeleo antimena Grandidier, 1872* = *Furcifer antimena* (Grandidier, 1872)
- Chamaeleo arabicus*** (Matschie, 1893) II  
CHAMELEONIDAE (Reptilia) (E) Arabian Chameleon (F) Caméléon d'Arabie
- Chamaeleo ater Lesson, 1832* = *Furcifer pardalis* (Cuvier, 1829)
- Chamaeleo balebicornutus Tilbury, 1998* = *Trioceros balebicornutus* (Tilbury, 1998)
- Chamaeleo balteatus Duméril & Bibron, 1851* = *Furcifer balteatus* (Duméril & Bibron, 1851)
- Chamaeleo barbouri Hechenbleikner, 1942* = *Furcifer labordi* (Grandidier, 1872)
- Chamaeleo basiliscus Cope, 1868* = *Chamaeleo africanus* Laurenti, 1768
- Chamaeleo belalandaensis Brygoo & Domergue, 1970* = *Furcifer belalandaensis* (Brygoo & Domergue, 1970)
- Chamaeleo bequaerti De Witte, 1922* = *Trioceros ellioti* (Günther, 1895)
- Chamaeleo bifidus balteatus Brongniart, 1800* = *Furcifer balteatus* (Duméril & Bibron, 1851)
- Chamaeleo bifidus Brongniart, 1800* = *Furcifer bifidus* (Brongniart, 1800)
- Chamaeleo bilobus Kuhl, 1820* = *Chamaeleo dilepis* (Leach, 1819)
- Chamaeleo bitaeniatus Fischer, 1884* = *Trioceros bitaeniatus* (Fischer, 1884)
- Chamaeleo boettgeri* (Boulenger, 1888) = *Calumma boettgeri* (Boulenger, 1888)
- Chamaeleo brevicornis* (Günther, 1879) = *Calumma brevicorne* (Günther, 1879)
- Chamaeleo brevicornis hilleniusi* (Günther, 1879) = *Calumma hilleniusi* (Brygoo, Blanc & Domergue, 1973)
- Chamaeleo brookesiana* Gray, 1827 = *Brookesia superciliaris* (Kuhl, 1820)
- Chamaeleo burchelli Hallowell, 1857* = *Chamaeleo gracilis* Hallowell, 1842
- Chamaeleo calcaratus Merrem, 1820* = *Chamaeleo africanus* Laurenti, 1768
- Chamaeleo calcaratus Peters, 1869* = *Chamaeleo calyptratus* Duméril, 1851
- Chamaeleo calcaricarens*** Böhme, 1985 II  
CHAMELEONIDAE (Reptilia) (E) Awash Chameleon (F) Caméléon du Yémen
- Chamaeleo calyptratus*** Duméril, 1851 II  
CHAMELEONIDAE (Reptilia) (E) Veiled Chameleon (F) Caméléon casqué
- Chamaeleo cameronensis* (Müller, 1909) = *Trioceros cameronensis* (Müller, 1909)
- Chamaeleo campani* (Grandidier, 1872) = *Furcifer campani* (Grandidier, 1872)
- Chamaeleo candidus Laurenti, 1768* = *Chamaeleo africanus* Laurenti, 1768
- Chamaeleo capellii Bocage, 1866* = *Chamaeleo dilepis* (Leach, 1819)
- Chamaeleo capensis Bonnaterre, 1789* = *Chamaeleo namaquensis* Smith, 1831
- Chamaeleo capuroni Brygoo, Blanc & Domergue, 1972* = *Calumma capuroni* (Brygoo, Blanc & Domergue, 1972)
- Chamaeleo carpenteri Parker, 1929* = *Kinyongia carpenteri* (Boulenger, 1901)
- Chamaeleo cephalolepis* (Günther, 1880) = *Furcifer cephalolepis* (Günther, 1880)
- Chamaeleo chamaeleon*** Linnaeus, 1758 II  
CHAMELEONIDAE (Reptilia) (E) Common Chameleon, European Chameleon, Mediterranean Chameleon (S) Camaleón común (F) Caméléon commun, Caméléon vulgaire
- Chamaeleo chamaeleon arabicus Linnaeus, 1758* = *Chamaeleo arabicus* (Matschie, 1893)
- Chamaeleo chamaeleon calcarifer Linnaeus, 1758* = *Chamaeleo calyptratus* Duméril, 1851
- Chamaeleo chamaeleon zeylanicus Linnaeus, 1758* = *Chamaeleo zeylanicus* Laurenti, 1768
- Chamaeleo chamaeleo sternfeldi Rand, 1963* = *Trioceros sternfeldi* (Rand, 1963)
- Chamaeleo chamaeleo sternfeldi Rand, 1963* = *Trioceros rudis* (Boulenger, 1906)
- Chamaeleo chamaeleo thermophilus Gravenhorst, 1807* = *Bradyopodium kentanicum* Hewitt, 1935
- Chamaeleo chamaeleo thermophilus Gravenhorst, 1807* = *Bradyopodium melanocephalum* (Gray, 1865)
- Chamaeleo chamaeleo thermophilus Gravenhorst, 1807* = *Bradyopodium pumilum* (Gmelin, 1789)
- Chamaeleo chapini De Witte, 1964* = *Trioceros chapini* (Witte, 1964)

- Chamaeleo cinereus* Strauch, 1862 = *Chamaeleo chamaeleon* Linnaeus, 1758
- Chamaeleo conirostratus* Tilbury, 1998 = *Trioceros conirostratus* (Tilbury, 1998)
- Chamaeleo cristatus* (Stutchbury, 1837) = *Trioceros cristatus* (Stutchbury, 1837)
- Chamaeleo cucullatus* (Gray, 1831) = *Calumma cucullatum* (Gray, 1831)
- Chamaeleo deremensis* (Matschie, 1892) = *Trioceros deremensis* (Matschie, 1892)
- Chamaeleo dilepis*** (Leach, 1819) II CHAMELEONIDAE  
(*Reptilia*) (E) Flap-necked Chameleon (S) Camaleón lobulado (F) Caméléon bilobé, Caméléon de Leach
- Chamaeleo dilepis quilensis* (Leach, 1819) = *Chamaeleo quilensis* Bocage, 1866
- Chamaeleo ebenaui* Boettger, 1880 = *Brookesia ebenaui* (Boettger, 1880)
- Chamaeleo eisentrauti* Mertens, 1968 = *Trioceros eisentrauti* (Mertens, 1968)
- Chamaeleo ellioti* (Günther, 1895) = *Trioceros ellioti* (Günther, 1895)
- Chamaeleo fallax* (Mocquard, 1900) = *Calumma fallax* (Mocquard, 1900)
- Chamaeleo feae* (Boulenger, 1906) = *Trioceros feae* (Boulenger, 1906)
- Chamaeleo fischeri* (Reichenow, 1887) = *Kinyongia fischeri* (Reichenow, 1887)
- Chamaeleo fischeri tavetanus* (Reichenow, 1887) = *Kinyongia tavetana* (Steindachner, 1891)
- Chamaeleo fischeri uthmoelleri* (Reichenow, 1887) = *Kinyongia uthmoelleri* (Müller, 1938)
- Chamaeleo fuelleborni* (Tornier, 1900) = *Trioceros fuelleborni* (Tornier, 1900)
- Chamaeleo furcifer* Vaillant & Grandidier, 1880 = *Calumma furcifer* (Vaillant & Grandidier, 1880)
- Chamaeleo gallus* (Günther, 1877) = *Calumma gallus* (Günther, 1877)
- Chamaeleo gastrotaenia andringitraensis* (Boulenger, 1888) = *Calumma andringitraense* (Brygoo, Blanc & Domergue, 1972)
- Chamaeleo gastrotaenia* (Boulenger, 1888) = *Calumma gastrotaenia* (Boulenger, 1888)
- Chamaeleo globifer* (Günther, 1879) = *Calumma globifer* (Günther, 1879)
- Chamaeleo goetzei* (Tornier, 1899) = *Trioceros goetzei* (Tornier, 1899)
- Chamaeleo gracilis*** Hallowell, 1842 II  
CHAMELEONIDAE (*Reptilia*) (E) Graceful Chameleon, Gracile Chameleon, Slender Chameleon, Spur-heeled Chameleon (S) Camaleón grácil (F) Caméléon gracile
- Chamaeleo granulosus* Hallowell, 1857 = *Chamaeleo gracilis* Hallowell, 1842
- Chamaeleo guentheri* Boulenger, 1888 = *Furcifer pardalis* (Cuvier, 1829)
- Chamaeleo guibei* Hillenius, 1959 = *Calumma guibei* (Hillenius, 1959)
- Chamaeleo gutturalis* Smith, 1849 = *Bradypodion gutturale* (Smith, 1849)
- Chamaeleo harennae* Largen, 1995 = *Trioceros harennae* (Largen, 1995)
- Chamaeleo hilleniusi* Brygoo, Blanc & Domergue, 1973 = *Calumma hilleniusi* (Brygoo, Blanc & Domergue, 1973)
- Chamaeleo hoehnelii* (Steindachner, 1891) = *Trioceros hoehnelii* (Steindachner, 1891)
- Chamaeleo incornutus* (Loveridge, 1932) = *Trioceros incornutus* (Loveridge, 1932)
- Chamaeleo ituriensis* Schmidt, 1919 = *Trioceros ituriensis* (Schmidt, 1919)
- Chamaeleo jacksonii* (Boulenger, 1896) = *Trioceros jacksonii* (Boulenger, 1896)
- Chamaeleo johnstoni* (Boulenger, 1901) = *Trioceros johnstoni* (Boulenger, 1901)
- Chamaeleo kinetensis* Schmidt, 1943 = *Trioceros kinetensis* (Schmidt, 1943)
- Chamaeleo labordi* Grandidier, 1872 = *Furcifer labordi* (Grandidier, 1872)
- Chamaeleo laevigatus*** Gray, 1863 II  
CHAMELEONIDAE (*Reptilia*) (E) Smooth Chameleon
- Chamaeleo lambertoni* Angel, 1921 = *Furcifer lateralis* (Gray, 1831)
- Chamaeleo lateralis* Gray, 1831 = *Furcifer lateralis* (Gray, 1831)
- Chamaeleo laterispinis* (Loveridge, 1932) = *Trioceros laterispinis* (Loveridge, 1932)
- Chamaeleo linotus* Müller, 1924 = *Calumma linota* (Müller, 1924)
- Chamaeleo macrorhinus* Barbour, 1903 = *Calumma boettgeri* (Boulenger, 1888)
- Chamaeleo madecasseus* Lesson, 1832 = *Calumma parsonii* (Cuvier, 1824)
- Chamaeleo malthe* (Günther, 1879) = *Calumma malthe* (Günther, 1879)
- Chamaeleo marsabitensis* Tilbury, 1991 = *Trioceros marsabitensis* (Tilbury, 1991)
- Chamaeleo melleri* (Gray, 1865) = *Trioceros melleri* (Gray, 1865)
- Chamaeleo mexicanus* Laurenti, 1768 = *Chamaeleo africanus* Laurenti, 1768
- Chamaeleo michelli* Müller, 1913 = *Trioceros oweni* (Gray, 1831)
- Chamaeleo minor* (Günther, 1879) = *Furcifer minor* (Günther, 1879)
- Chamaeleo mlanjensis* Broadley, 1965 = *Nadzikambia mlanjensis* (Broadley, 1965)
- Chamaeleo monachus*** (Gray, 1865) II  
CHAMELEONIDAE (*Reptilia*) (E) Monarch Chameleon, Socotra Chameleon (F) Caméléon-moine
- Chamaeleo monoceras* (Boettger, 1913) = *Furcifer monoceras* (Boettger, 1913)
- Chamaeleo montium* Buchholz, 1874 = *Trioceros montium* (Buchholz, 1874)
- Chamaeleon adolfifridericci* Sternfeld, 1912 = *Kinyongia adolfifridericci* (Sternfeld, 1912)
- Chamaeleo namaquensis*** Smith, 1831 II  
CHAMELEONIDAE (*Reptilia*) (E) Desert Chameleon, Namaqua Chameleon (F) Caméléon du Namaqua
- Chamaeleon arabicum* Matschie, 1893 = *Chamaeleo arabicus* (Matschie, 1893)

- Chamaeleo narraioca* Necas, Modrý & Slapeta, 2003 =  
*Trioceros narraioca* (Necas, Modry & Slapeta, 2003)
- Chamaeleo nasutus* (Duméril & Bibron, 1836) = *Calumma nasutum* (Duméril & Bibron, 1836)
- Chamaeleon auratus* Gray, 1865 = *Chamaeleo chamaeleon* Linnaeus, 1758
- Chamaeleon axillaris* Werner, 1899 = *Furcifer pardalis* (Cuvier, 1829)
- Chamaeleon bibroni* Martin, 1838 = *Trioceros oweni* (Gray, 1831)
- Chamaeleon bitaeniatus altaeelgonis* (Fischer, 1884) = *Trioceros hoehnelii* (Steindachner, 1891)
- Chamaeleon bitaeniatus graueri* (Fischer, 1884) = *Trioceros rudis* (Boulenger, 1906)
- Chamaeleon bitaeniatus sternfeldi* Sternfeld, 1912 = *Trioceros sternfeldi* (Rand, 1963)
- Chamaeleon bitaeniatus hoehnelii* (Fischer, 1884) = *Trioceros hoehnelii* (Steindachner, 1891)
- Chamaeleon bitaeniatus leikipiensis* (Fischer, 1884) = *Trioceros hoehnelii* (Steindachner, 1891)
- Chamaeleon bitaeniatus rudis* Boulenger, 1906 = *Trioceros sternfeldi* (Rand, 1963)
- Chamaeleon bitaeniatus rudis* (Fischer, 1884) = *Trioceros rudis* (Boulenger, 1906)
- Chamaeleon bitaeniatus schubotzi* (Fischer, 1884) = *Trioceros schubotzi* (Sternfeld, 1912)
- Chamaeleon bitaeniatus tornieri* (Fischer, 1884) = *Trioceros rudis* (Boulenger, 1906)
- Chamaeleon bitaeniatus tornieri* Sternfeld, 1912 = *Trioceros sternfeldi* (Rand, 1963)
- Chamaeleon boettgeri* Boulenger, 1888 = *Calumma boettgeri* (Boulenger, 1888)
- Chamaeleon brevicornis* Günther, 1879 = *Calumma brevicorne* (Günther, 1879)
- Chamaeleon burgeoni* De Witte, 1933 = *Trioceros sternfeldi* (Rand, 1963)
- Chamaeleon burgeoni* De Witte, 1933 = *Trioceros rudis* (Boulenger, 1906)
- Chamaeleon caffer* Boettger, 1889 = *Bradypodion caffrum* (Boettger, 1889)
- Chamaeleon camerunensis* Müller, 1909 = *Trioceros camerunensis* (Müller, 1909)
- Chamaeleon campani* Grandidier, 1872 = *Furcifer campani* (Grandidier, 1872)
- Chamaeleon cephalolepis* Günther, 1880 = *Furcifer cephalolepis* (Günther, 1880)
- Chamaeleon chauvini* Methuen & Hewitt, 1913 = *Calumma furcifer* (Vaillant & Grandidier, 1880)
- Chamaeleon coromandelicus* Fitzinger, 1843 = *Chamaeleo zeylanicus* Laurenti, 1768
- Chamaeleon cristatus* Stutchbury, 1837 = *Trioceros cristatus* (Stutchbury, 1837)
- Chamaeleon cucullatus* Gray, 1831 = *Calumma cucullatum* (Gray, 1831)
- Chamaeleon damaranus* Boulenger, 1887 = *Bradypodion damaranum* (Boulenger, 1887)
- Chamaeleon deremensis* Matschie, 1892 = *Trioceros deremensis* (Matschie, 1892)
- Chamaeleon dilepis* Leach, 1819 = *Chamaeleo dilepis* (Leach, 1819)
- Chamaeleo necasi*** Ullenbruch, Krause & Böhme, 2007 II  
 CHAMAELEONIDAE (Reptilia)
- Chamaeleon ellioti* Günther, 1895 = *Trioceros ellioti* (Günther, 1895)
- Chamaeleon fallax* Mocquard, 1900 = *Calumma fallax* (Mocquard, 1900)
- Chamaeleon fasciatus* Smith, 1866 = *Chamaeleo chamaeleon* Linnaeus, 1758
- Chamaeleon feae* Boulenger, 1906 = *Trioceros feae* (Boulenger, 1906)
- Chamaeleon fischeri* Reichenow, 1887 = *Kinyongia fischeri* (Reichenow, 1887)
- Chamaeleon fuelleborni* Tornier, 1900 = *Trioceros fuelleborni* (Tornier, 1900)
- Chamaeleon gallus* Günther, 1877 = *Calumma gallus* (Günther, 1877)
- Chamaeleon gastrotaenia* Boulenger, 1888 = *Calumma gastrotaenia* (Boulenger, 1888)
- Chamaeleon globifer* Günther, 1879 = *Calumma globifer* (Günther, 1879)
- Chamaeleon goetzei* Tornier, 1899 = *Trioceros goetzei* (Tornier, 1899)
- Chamaeleon grandidieri* Mocquard, 1900 = *Calumma gastrotaenia* (Boulenger, 1888)
- Chamaeleon graueri* Steindachner, 1911 = *Trioceros johnstoni* (Boulenger, 1901)
- Chamaeleon gularis* Günther, 1879 = *Calumma brevicorne* (Günther, 1879)
- Chamaeleon hoehnelii* Steindachner, 1891 = *Trioceros hoehnelii* (Steindachner, 1891)
- Chamaeleon incornutus* Loveridge, 1932 = *Trioceros incornutus* (Loveridge, 1932)
- Chamaeleon jacksonii* Boulenger, 1896 = *Trioceros jacksonii* (Boulenger, 1896)
- Chamaeleon johnstoni affinis* Boulenger, 1901 = *Trioceros ituriensis* (Schmidt, 1919)
- Chamaeleon johnstoni* Boulenger, 1901 = *Trioceros johnstoni* (Boulenger, 1901)
- Chamaeleon krempfi* Chabanaud, 1923 = *Furcifer pardalis* (Cuvier, 1829)
- Chamaeleon, KwaZulu Dwarf (E): *Bradypodion melanocephalum*
- Chamaeleon laevigularis* Müller, 1926 = *Trioceros johnstoni* (Boulenger, 1901)
- Chamaeleon laterispinis* Loveridge, 1932 = *Trioceros laterispinis* (Loveridge, 1932)
- Chamaeleon leikipiensis* Steindachner, 1891 = *Trioceros hoehnelii* (Steindachner, 1891)
- Chamaeleon linotus* Müller, 1924 = *Calumma linota* (Müller, 1924)
- Chamaeleon longicauda* Günther, 1891 = *Furcifer pardalis* (Cuvier, 1829)
- Chamaeleon malthe* Günther, 1879 = *Calumma malthe* (Günther, 1879)
- Chamaeleon margaritaceus* Merrem, 1820 = *Bradypodion kentanicum* Hewitt, 1935
- Chamaeleon margaritaceus* Merrem, 1820 = *Bradypodion melanocephalum* (Gray, 1865)
- Chamaeleon margaritaceus* Merrem, 1820 = *Bradypodion pumilum* (Gmelin, 1789)

- chamaeleon, Matschie's two-horned (E): *Kinyongia matschiei*  
*Chamaeleon minor* Günther, 1879 = *Furcifer minor* (Günther, 1879)  
*Chamaeleon monachus* Gray, 1865 = *Chamaeleo monachus* (Gray, 1865)  
*Chamaeleon monoceras* Boettger, 1913 = *Furcifer monoceras* (Boettger, 1913)  
*Chamaeleon oustaleti* Mocquard, 1894 = *Furcifer oustaleti* (Mocquard, 1894)  
*Chamaeleon petersii kirkii* Gray, 1865 = *Chamaeleo dilepis* (Leach, 1819)  
*Chamaeleon pfefferi* Tornier, 1900 = *Trioceros pfefferi* (Tornier, 1900)  
*Chamaeleon rhinoceratus lineatus* (Gray, 1845) = *Furcifer antimena* (Grandidier, 1872)  
*Chamaeleon rufus* Boulenger, 1906 = *Trioceros sternfeldi* (Rand, 1963)  
*Chamaeleon rufus* Boulenger, 1906 = *Trioceros rufus* (Boulenger, 1906)  
*Chamaeleon serratus* Mertens, 1922 = *Trioceros wiedersheimi* (Nieden, 1910)  
*Chamaeleon serratus* Mertens, 1922 = *Trioceros serratus* Mertens, 1922  
*Chamaeleon sphaeropholis* Reichenow, 1887 = *Chamaeleo laevigatus* Gray, 1863  
*Chamaeleon spinosus* Matschie, 1892 = *Bradypodion spinosum* (Matschie, 1892)  
*Chamaeleon subcroceus* Merrem, 1820 = *Chamaeleo senegalensis* Daudin, 1802  
*Chamaeleon tavetanus* Steindachner, 1891 = *Kinyongia tavetana* (Steindachner, 1891)  
*Chamaeleon tempeli* Tornier, 1899 = *Trioceros tempeli* (Tornier, 1899)  
*Chamaeleon tenuis* Matschie, 1892 = *Kinyongia tenuis* (Matschie, 1892)  
*Chamaeleon transvaalensis* FitzSimons, 1930 = *Bradypodion transvaalense* (FitzSimons, 1930)  
*Chamaeleo ntunze* Necas, Modrý & Slapeta, 2005 = *Trioceros ntunze* (Necas, Modry & Slapeta, 2005)  
chamaeleon, Uluguru two-horned (E): *Kinyongia uluguruensis*  
*Chamaeleon unicornis* Mocquard, 1906 = *Trioceros oweni* (Gray, 1831)  
*Chamaeleon voeltzkowi* Boettger, 1893 = *Furcifer rhinoceratus* (Gray, 1845)  
*Chamaeleon vulgaris marmoratus* (Daudin, 1802) = *Chamaeleo zeylanicus* Laurenti, 1768  
*Chamaeleon wernerii* Tornier, 1899 = *Trioceros wernerii* (Tornier, 1899)  
chamaeleon, West Usambara two-horned (E): *Kinyongia multituberculata*  
*Chamaeleon wiedersheimi* Nieden, 1910 = *Trioceros wiedersheimi* (Nieden, 1910)  
*Chamaeleon willsii* Günther, 1890 = *Furcifer willsii* (Günther, 1890)  
*Chamaeleon xenorhinus* Boulenger, 1901 = *Kinyongia xenorhina* (Boulenger, 1901)  
*Chamaeleon zebra* Bory de St Vincent, 1823 = *Chamaeleo zeylanicus* Laurenti, 1768  
*Chamaeleo octotaeniatus* Boettger, 1881 = *Furcifer campani* (Grandidier, 1872)  
*Chamaeleo oshaughnessyi* (Günther, 1881) = *Calumma oshaughnessyi* (Günther, 1881)  
*Chamaeleo oustaleti* (Mocquard, 1894) = *Furcifer oustaleti* (Mocquard, 1894)  
*Chamaeleo oweni* Gray, 1831 = *Trioceros oweni* (Gray, 1831)  
*Chamaeleo oxyrhinus* (Klaver & Böhme, 1988) = *Kinyongia oxyrhina* Klaver & Böhme, 1988  
*Chamaeleo pardalis* Cuvier, 1829 = *Furcifer pardalis* (Cuvier, 1829)  
*Chamaeleo parisiensium* Laurenti, 1768 = *Chamaeleo chamaeleon* Linnaeus, 1758  
*Chamaeleo parsonii* Cuvier, 1824 = *Calumma parsonii* (Cuvier, 1824)  
*Chamaeleo parvirostris* Boulenger, 1887 = *Chamaeleo quilensis* Bocage, 1866  
*Chamaeleo petteri* Brygoo & Domergue, 1966 = *Furcifer petteri* (Brygoo & Domergue, 1966)  
*Chamaeleo peyrierasi* Brygoo, Blanc & Domergue, 1974 = *Calumma peyrierasi* (Brygoo, Blanc & Domergue, 1974)  
*Chamaeleo pfefferi* (Tornier, 1900) = *Trioceros pfefferi* (Tornier, 1900)  
*Chamaeleo planiceps* Merrem, 1820 = *Chamaeleo dilepis* (Leach, 1819)  
*Chamaeleo polleni* Peters, 1874 = *Furcifer polleni* (Peters, 1874)  
*Chamaeleo pumilus* (Gmelin, 1789) = *Bradypodion pumilum* (Gmelin, 1789)  
*Chamaeleo pumilus* Gmelin, 1789 = *Bradypodion melanocephalum* (Gray, 1865)  
*Chamaeleo pumilus* Gmelin, 1789 = *Bradypodion kentanicum* Hewitt, 1935  
*Chamaeleo pumilus setaroi* (Gmelin, 1789) = *Bradypodion setaroi* Raw, 1976  
*Chamaeleo pumilus thamnobates* (Gmelin, 1789) = *Bradypodion thamnobates* Raw, 1976  
*Chamaeleo quadricornis* Tornier, 1899 = *Trioceros quadricornis* (Tornier, 1899)  
**Chamaeleo quilensis** Bocage, 1866 II  
CHAMAELEONIDAE (Reptilia) (E) Bocage's Chameleon (F) Caméléon de Bocage  
*Chamaeleo radamanus* Mertens, 1933 = *Calumma nasutum* (Duméril & Bibron, 1836)  
*Chamaeleo rhinoceratus* Gray, 1845 = *Furcifer rhinoceratus* (Gray, 1845)  
*Chamaeleo rhinoceratus labordi* Gray, 1845 = *Furcifer labordi* (Grandidier, 1872)  
*Chamaeleo rudis* (Boulenger, 1906) = *Trioceros rudis* (Boulenger, 1906)  
*Chamaeleo ruspolii* Lanza, 1983 = *Chamaeleo dilepis* (Leach, 1819)  
*Chamaeleo saharicus* Müller, 1887 = *Chamaeleo chamaeleon* Linnaeus, 1758  
*Chamaeleo schoutedeni* Laurent, 1952 = *Trioceros schoutedeni* (Laurent, 1952)  
*Chamaeleo schubotzi* (Sternfeld, 1912) = *Trioceros schubotzi* (Sternfeld, 1912)

- Chamaeleo senegalensis** Daudin, 1802 II  
 CHAMAELEONIDAE (Reptilia) (E) Senegal  
 Chameleon (S) Camaleón del Senegal (F) Caméléon du Sénégal
- Chamaeleo senegalensis anchietae* Daudin, 1802 =  
*Chamaeleo anchietae* Bocage, 1872
- Chamaeleo senegalensis laevigatus* Daudin, 1802 =  
*Chamaeleo laevigatus* Gray, 1863
- Chamaeleo senegalensis tibatiensis* Daudin, 1802 =  
*Chamaeleo laevigatus* Gray, 1863
- Chamaeleo seychellensis* Kuhl, 1820 = *Archaius tigris* (Kuhl, 1820)
- Chamaeleo simoni* Boettger, 1885 = *Chamaeleo gracilis* Hallowell, 1842
- Chamaeleo spinosus* (Matschie, 1892) = *Bradypodion spinosum* (Matschie, 1892)
- Chamaeleo superciliaris* Kuhl, 1820 = *Brookesia superciliaris* (Kuhl, 1820)
- Chamaeleo tavetanus* (Steindachner, 1891) = *Kinyongia tavetana* (Steindachner, 1891)
- Chamaeleo tempeli* (Tornier, 1900) = *Trioceros tempeli* (Tornier, 1899)
- Chamaeleo tenuis* (Matschie, 1892) = *Kinyongia tenuis* (Matschie, 1892)
- Chamaeleo tigris* Kuhl, 1820 = *Archaius tigris* (Kuhl, 1820)
- Chamaeleo tremperi** Necas, 1994 II  
 CHAMAELEONIDAE (Reptilia) (E) Eldama Ravine Chameleon
- Chamaeleo tricornis* Duméril & Bibron, 1836 = *Trioceros oweni* (Gray, 1831)
- Chamaeleo tsaratananensis* Brygoo & Domergue, 1968 = *Calumma tsaratananense* (Brygoo & Domergue, 1968)
- Chamaeleo tuberculiferus* Gray, 1845 = *Chamaeleo namaquensis* Smith, 1831
- Chamaeleo tuzetae* Brygoo, Bourgat & Domergue, 1972 = *Furcifer tuzetae* (Brygoo, Bourgat & Domergue, 1972)
- Chamaeleo uthmoelleri* Müller, 1938 = *Kinyongia uthmoelleri* (Müller, 1938)
- Chamaeleo ventralis* Gray, 1845 = *Bradypodion ventrale* (Gray, 1845)
- Chamaeleo verrucosus* Cuvier, 1829 = *Furcifer verrucosus* (Cuvier, 1829)
- Chamaeleo vinckeii* Laurent, 1950 = *Chamaeleo anchietae* Bocage, 1872
- Chamaeleo vulgaris musae* (Daudin, 1802) = *Chamaeleo chamaeleon* Linnaeus, 1758
- Chamaeleo vulgaris recticrista* (Daudin, 1802) = *Chamaeleo chamaeleon* Linnaeus, 1758
- Chamaeleo werneri* (Tornier, 1899) = *Trioceros werneri* (Tornier, 1899)
- Chamaeleo wiedersheimi* (Nieden, 1910) = *Trioceros wiedersheimi* (Nieden, 1910)
- Chamaeleo wiedersheimi perreti* Klaver & Böhme, 1992 = *Trioceros perreti* (Klaver & Böhme, 1992)
- Chamaeleo willsii* (Günther, 1890) = *Furcifer willsii* (Günther, 1890)
- Chamaeleo willsii petteri* (Günther, 1890) = *Furcifer petteri* (Brygoo & Domergue, 1966)
- Chamaeleo xenorhinus* (Boulenger, 1901) = *Kinyongia xenorhina* (Boulenger, 1901)
- Chamaeleo zeylanicus** Laurenti, 1768 II  
 CHAMAELEONIDAE (Reptilia) (E) Indian Chameleon (S) Camaleón de Sri Lanka (F) Caméléon de Ceylan
- Chameleon, African (E): *Chamaeleo africanus*
- Chameleon, Ambiky (E): *Furcifer tuzetae*
- Chameleon, Ancheta's (E): *Chamaeleo anchietae*
- Chameleon, Angel's (E): *Furcifer angeli*
- Chameleon, Angola (E): *Chamaeleo anchietae*
- Chameleon, Antongil Leaf (E): *Brookesia peyrierasi*
- Chameleon, Antsingy Leaf (E): *Brookesia perarmata*
- Chameleon, Arabian (E): *Chamaeleo arabicus*
- Chameleon, Armoured Leaf (E): *Brookesia perarmata*
- Chameleon, Awash (E): *Chamaeleo calcaricarens*
- Chameleon, Bale Mountains Heather (E): *Trioceros harennae*
- Chameleon, Bale Mountains Two-horned (E): *Trioceros balebicornutus*
- Chameleon, Belalanda (E): *Furcifer belalandaensis*
- Chameleon, Big-nosed (E): *Calumma nasutum*
- Chameleon, Bizarre-nosed (E): *Calumma hafahafa*
- Chameleon, Black-headed Dwarf (E): *Bradypodion melanocephalum*
- Chameleon, Blade (E): *Calumma gallus*
- Chameleon, Blanc's Leaf (E): *Brookesia betschi*
- Chameleon, Blunt-nosed (E): *Calumma tsycorne*
- Chameleon, Bocage's (E): *Chamaeleo quilensis*
- Chameleon, Boettger's (E): *Calumma boettgeri*
- Chameleon, Böhme's Two-horned (E): *Kinyongia boehmei*
- Chameleon, Brown Leaf (E): *Brookesia superciliaris*
- Chameleon, Brygoo's (E): *Calumma peyrierasi*
- Chameleon, Cameroon Sailfin (E): *Trioceros montium*
- Chameleon, Canopy (E): *Furcifer willsii*
- Chameleon, Cape Dwarf (E): *Bradypodion pumilum*
- Chameleon, Carpenter's (E): *Kinyongia carpenteri*
- Chameleon, Carpet (E): *Furcifer lateralis*
- Chameleon, Coarse (E): *Trioceros rudis*
- Chameleon, Common (E): *Chamaeleo chamaeleon*
- Chameleon, Comoro Islands (E): *Furcifer cephalolepis*
- Chameleon, Crested (E): *Trioceros cristatus*
- Chameleon, Cryptic (E): *Calumma crypticum*
- Chameleon, Deceptive (E): *Calumma fallax*
- Chameleon, Desert (E): *Chamaeleo namaquensis*
- Chameleon, Domergue's Leaf (E): *Brookesia thieli*
- Chameleon, Double-scaled (E): *Chamaeleo anchietae*
- Chameleon, Drakensberg Dwarf (E): *Bradypodion dracomontanum*
- Chameleon, Eldama Ravine (E): *Chamaeleo tremperi*
- Chameleon, Elongate Leaf (E): *Brookesia nasus*
- Chameleon, Eshowe Dwarf (E): *Bradypodion caeruleogula*
- Chameleon, Ethiopian Highland (E): *Trioceros affinis*
- Chameleon, European (E): *Chamaeleo chamaeleon*
- Chameleon, Fischer's (E): *Kinyongia fischeri*
- Chameleon, Fischer's two-horned (E): *Kinyongia fischeri*
- Chameleon, Fito Leaf (E): *Brookesia lambertoni*
- Chameleon, Flap-necked (E): *Chamaeleo dilepis*
- Chameleon, Flat-casqued (E): *Calumma globifer*
- Chameleon, Forked (E): *Calumma furcifer*
- Chameleon, Fork-nosed (E): *Calumma furcifer*
- Chameleon, Four-horned (E): *Trioceros quadricornis*
- Chameleon, Giant One-horned (E): *Trioceros melleri*

- Chameleon, Goetze's (E): *Trioceros goetzei*  
 Chameleon, Graceful (E): *Chamaeleo gracilis*  
 Chameleon, Gracile (E): *Chamaeleo gracilis*  
 Chameleon, Grey (E): *Trioceros chapini*  
 Chameleon, Guibe's (E): *Calumma guibei*  
 Chameleon, Hanang Hornless (E): *Kinyongia uthmoelleri*  
 Chameleon, Harenna (E): *Trioceros harennae*  
 Chameleon, Helmeted (E): *Trioceros hoehnelii*  
 Chameleon, High-casqued (E): *Trioceros hoehnelii*  
 Chameleon, Hooded (E): *Calumma cucullatum*  
 Chameleon, Iaraka River Leaf (E): *Brookesia vadoni*  
 Chameleon, Ilolo (E): *Trioceros goetzei*  
 Chameleon, Indian (E): *Chamaeleo zeylanicus*  
 Chameleon, Ituri (E): *Kinyongia adolfifridericci*  
 Chameleon, Ituri Forest (E): *Trioceros ituriensis*  
 Chameleon, Ituri Forest (E): *Kinyongia adolfifridericci*  
 Chameleon, Jackson's Three-horned (E): *Trioceros jacksonii*  
 Chameleon, Jewelled (E): *Furcifer lateralis*  
 Chameleon, Johnston's (E): *Trioceros johnstoni*  
 Chameleon, Knysna Dwarf (E): *Bradypodion damaranum*  
 Chameleon, Labord's (E): *Furcifer labordi*  
 Chameleon, Madagascar (E): *Calumma capuronii*  
 Chameleon, Madagascar Forest (E): *Furcifer campani*  
 Chameleon, Madagascar Giant (E): *Furcifer verrucosus*  
 Chameleon, Madagascar Giant Spiny (E): *Furcifer verrucosus*  
 Chameleon, Malagasy Giant (E): *Furcifer oustaleti*  
 Chameleon, Maroantsetra (E): *Calumma linota*  
 Chameleon, Marojejy Leaf (E): *Brookesia griveaudi*  
 Chameleon, Marojejy Peak (E): *Calumma jeju*  
 Chameleon, Matschie's Dwarf (E): *Kinyongia tenuis*  
 Chameleon, Mayotte (E): *Furcifer polleni*  
 Chameleon, Mediterranean (E): *Chamaeleo chamaeleon*  
 Chameleon, Meller's (E): *Trioceros melleri*  
 Chameleon, Minute Leaf (E): *Brookesia minima*  
 Chameleon, Mlanje Mountain (E): *Nadzikambia mlanjensis*  
 Chameleon, Monarch (E): *Chamaeleo monachus*  
 Chameleon, Montane (E): *Trioceros bitaeniatus*  
 Chameleon, Montane Side-striped (E): *Trioceros ellioti*  
 Chameleon, Mossy Leaf (E): *Brookesia vadoni*  
 Chameleon, Mountain (E): *Trioceros montium*  
 Chameleon, Mountain Dwarf (E): *Trioceros ellioti*  
 Chameleon, Mount d'Ambre Leaf (E): *Brookesia tuberculata*  
 Chameleon, Mount Kenya Side-striped (E): *Trioceros schubotzi*  
 Chameleon, Mount Kilimanjaro Two-horned (E): *Kinyongia tavetana*  
 Chameleon, Mount Kulal (E): *Trioceros narraioca*  
 Chameleon, Mount Lefo (E): *Trioceros wiedersheimi*  
 Chameleon, Mount Marsabit (E): *Trioceros marsabitensis*  
 Chameleon, Mt Nyiru (E): *Trioceros ntunte*  
 Chameleon, Müller's Leaf (E): *Kinyongia uthmoelleri*  
 Chameleon, Namaqua (E): *Chamaeleo namaquensis*  
 Chameleon, Natal Midlands Dwarf (E): *Bradypodion thamnobates*  
 Chameleon, Naturelle Leaf (E): *Brookesia karchei*  
 Chameleon, Ngome Dwarf (E): *Bradypodion ngomeense*  
 Chameleon, Ngosi Volcano (E): *Trioceros fuelleborni*  
 Chameleon, Northern Leaf (E): *Brookesia ebenaui*  
 Chameleon, North-western (E): *Calumma guibei*  
 Chameleon, One-horned (E): *Furcifer monoceras*  
 Chameleon, O'Shaughnessy's (E): *Calumma oshaughnessyi*  
 Chameleon, Oustalet's Giant (E): *Furcifer oustaleti*  
 Chameleon, Owen's Three-horned (E): *Trioceros oweni*  
 Chameleon, Panther (E): *Furcifer pardalis*  
 Chameleon, Parson's Giant (E): *Calumma parsonii*  
 Chameleon, Peltiers' (E): *Calumma peltierorum*  
 Chameleon, Perinet (E): *Calumma gastrotaenia*  
 Chameleon, Perinet Leaf (E): *Brookesia therezieni*  
 Chameleon, Petter's (E): *Furcifer petteri*  
 Chameleon, Pfeffer's (E): *Trioceros pfefferi*  
 Chameleon, Plated Leaf (E): *Brookesia stumpffi*  
 Chameleon, Poroto Mountain (E): *Trioceros incornutus*  
 Chameleon, Poroto Three-horned (E): *Trioceros fuelleborni*  
 Chameleon, Prickly (E): *Bradypodion spinosum*  
 Chameleon, Rainforest (E): *Furcifer balteatus*  
 Chameleon, Ramanantsoa's Leaf (E): *Brookesia ramanantsoai*  
 Chameleon, Raxworthy's Leaf (E): *Brookesia valerieae*  
 Chameleon, Red-nosed Dwarf (E): *Kinyongia oxyrhina*  
 Chameleon, Rhinoceros (E): *Furcifer rhinoceratus*  
 Chameleon, Robertson's Dwarf (E): *Bradypodion gutturale*  
 Chameleon, Rosette-nosed (E): *Bradypodion spinosum*  
 Chameleon, Rüpell's Desert (E): *Trioceros affinis*  
 Chameleon, Ruwenzori Mountain (E): *Kinyongia carpenteri*  
 Chameleon, Ruwenzori Side-striped (E): *Trioceros rudis*  
 Chameleon, Ruwenzori Three-horned (E): *Trioceros johnstoni*  
 Chameleon, Sahel (E): *Chamaeleo africanus*  
 Chameleon, Schouteden's (E): *Trioceros schoutedeni*  
 Chameleon, Schubotz's (E): *Trioceros schubotzi*  
 Chameleon, Senegal (E): *Chamaeleo senegalensis*  
 Chameleon, Setaro's Dwarf (E): *Bradypodion setaro*  
 Chameleon, Short-horned (E): *Calumma brevicorne*  
 Chameleon, Side-striped (E): *Trioceros bitaeniatus*  
 Chameleon, Single Soft-nosed (E): *Kinyongia tenuis*  
 Chameleon, Single Welded-horn (E): *Kinyongia xenorhina*  
 Chameleon, Slender (E): *Chamaeleo gracilis*  
 Chameleon, Slender (E): *Kinyongia tenuis*  
 Chameleon, Smooth (E): *Chamaeleo laevigatus*  
 Chameleon, Socotra (E): *Chamaeleo monachus*  
 Chameleon, South-central (E): *Furcifer minor*  
 Chameleon, Southern Dwarf (E): *Bradypodion ventrale*  
 Chameleon, Spine-sided (E): *Trioceros laterispinis*  
 Chameleon, Spiny (E): *Bradypodion spinosum*  
 Chameleon, Spiny-flanked (E): *Trioceros laterispinis*  
 Chameleon, Spiny Leaf (E): *Brookesia decaryi*  
 Chameleon, Spur-heeled (E): *Chamaeleo gracilis*  
 Chameleon, Strange-horned (E): *Kinyongia xenorhina*  
 Chameleon, Strange-nosed (E): *Kinyongia xenorhina*  
 Chameleon, Tanganyika (E): *Trioceros goetzei*  
 Chameleon, Tanzania Mountain (E): *Trioceros tempeli*  
 Chameleon, Tiger (E): *Archaius tigris*  
 Chameleon, Tilbury's (E): *Trioceros marsabitensis*

- Chameleon, Toothed Leaf (E): *Brookesia dentata*  
 Chameleon, Transkei Dwarf (E): *Bradypodion caffrum*  
 Chameleon, Transvaal Dwarf (E): *Bradypodion transvaalense*  
 Chameleon, Tsaratanan (E): *Calumma tsaratananense*  
 Chameleon, Tubercl-nosed (E): *Trioceros tempeli*  
 Chameleon, Two-banded (E): *Furcifer balteatus*  
 Chameleon, Two-horned (E): *Furcifer bifidus*  
 Chameleon, Two-lined (E): *Trioceros bitaeniatus*  
 Chameleon, Ukinga Hornless (E): *Trioceros incornutus*  
 Chameleon, Uluguru (E): *Kinyongia uluguruensis*  
 Chameleon, Uluguru One-horned (E): *Kinyongia oxyrhina*  
 Chameleon, Usambara Soft-horned (E): *Kinyongia tenuis*  
 Chameleon, Usambara Three-horned (E): *Trioceros deremensis*  
 Chameleon, Uzungwe Mountain (E): *Trioceros laterispinis*  
 Chameleon, Uzungwe Three-horned (E): *Trioceros werneri*  
 Chameleon, Variegated Dwarf (E): *Bradypodion pumilum*  
 Chameleon, Veiled (E): *Chamaeleo calyptratus*  
 Chameleon, von Höhnel's (E): *Trioceros hoehnelii*  
 Chameleon, Vosseler's Two-horned (E): *Kinyongia vosseleri*  
 Chameleon, Warty (E): *Furcifer verrucosus*  
 Chameleon, Wavy (E): *Trioceros deremensis*  
 Chameleon, Werner's (E): *Trioceros werneri*  
 Chameleon, Werner's Three-horned (E): *Trioceros werneri*  
 Chameleon, White-lined (E): *Furcifer antimena*  
 Chameleon, Yellow-green (E): *Calumma malthe*  
 Chameleon, Zululand Dwarf (E): *Bradypodion nemorale*  
 Chamois, Abruzzo (E): *Rupicapra pyrenaica ornata*  
 Chamois, Apennine (E): *Rupicapra pyrenaica ornata*  
 Chamois des Abruzzes (F): *Rupicapra pyrenaica ornata*  
 Chamois, Pyrenean (E): *Rupicapra pyrenaica*  
 Chamois, Southern (E): *Rupicapra pyrenaica*  
*Champsa gibbiceps* Natterer, 1840 = *Paleosuchus palpebrosus* (Cuvier, 1807)  
 Chanting-Goshawk, Dark (E): *Melierax metabates*  
 Chanting-Goshawk, Eastern (E): *Melierax poliopterus*  
 Chanting-Goshawk, Pale (E): *Melierax canorus*  
*Charadrius bistriatus* Wagler, 1829 = *Burhinus bistriatus* (Wagler, 1829)  
 Chardonneret de Yarrell (F): *Carduelis yarrellii*  
 Chardonneret rouge (F): *Carduelis cucullata*  
**Charina spp.** Gray, 1849 II BOIDAE (Reptilia)  
**Charina bottae** (Blainville, 1835) II BOIDAE (Reptilia) (E)  
     Rubber Boa (S) Boa de Gomme (F) Boa caoutchouc, Serpent gomme  
*Charina brachyops* Cope, 1888 = *Charina bottae* (Blainville, 1835)  
*Charina plumbea* (Baird & Girard, 1852) = *Charina bottae* (Blainville, 1835)  
*Charina reinhardtii* (Schlegel, 1848) = *Calabaria reinhardtii* (Schlegel, 1848)  
*Charina trivirgata* (Cope, 1861) = *Lichanura trivirgata* (Cope, 1861)  
*Charina umbratrica* Klauber, 1943 = *Charina bottae* (Blainville, 1835)  
**Charmosyna spp.** Wagler, 1832 II 29 LORIIDAE (Aves)
- Charmosyna amabilis* (E. P. Ramsay, 1875) =  
     *Charmosyna aureicincta* (E. L. Layard, 1875)  
**Charmosyna aureicincta** (E. L. Layard, 1875) II 29  
     LORIIDAE (Aves) (E) Red-throated Lorikeet (S) Lori gorgirrojo (F) Lori à gorge rouge  
**Charmosyna diadema** (Verreaux & Des Murs, 1860) II 29  
     LORIIDAE (Aves) (E) New Caledonian Lorikeet (S) Lori diadema (F) Lori à diadème, Lori de Nouvelle-Calédonie  
**Charmosyna josefinae** (Finsch, 1873) II 29 LORIIDAE (Aves) (E) Josephine's Lorikeet, Josephine's Lory (S) Lori de Josefina (F) Lori de Joséphine  
**Charmosyna margarethae** Tristram, 1879 II 29  
     LORIIDAE (Aves) (E) Duchess Lorikeet (S) Lori de Margarita (F) Lori de Margaret, Lori de Marguerite  
**Charmosyna meeki** (Rothschild & Hartert, 1901) II 29  
     LORIIDAE (Aves) (E) Meek's Lorikeet (S) Lori de Meek (F) Lori de Meek  
**Charmosyna multistriata** (Rothschild, 1911) II 29  
     LORIIDAE (Aves) (E) Streaked Lorikeet, Striated Lorikeet (S) Lori estriado (F) Lori strié  
**Charmosyna palmarum** (Gmelin, 1788) II 29 LORIIDAE (Aves) (E) Palm Lorikeet (S) Lori palmero (F) Lori des palmiers  
**Charmosyna papou** (Scopoli, 1786) II 29 LORIIDAE (Aves) (E) Papuan Lorikeet (S) Lori rabilargo (F) Lori de Papouasie, Lori papou  
**Charmosyna placenta** (Temminck, 1834) II 29  
     LORIIDAE (Aves) (E) Red-flanked Lorikeet (S) Lori flanquirrojo (F) Lori coquet, Lori splendide  
**Charmosyna pulchella** Gray, 1859 II 29 LORIIDAE (Aves) (E) Fairy Lorikeet, Little Red Lorikeet (S) Lori lindo (F) Lori féérique  
**Charmosyna rubrigularis** (Sclater, 1881) II 29 LORIIDAE (Aves) (E) Red-chinned Lorikeet (S) Lori barbirrojo (F) Lori à menton rouge  
**Charmosyna rubronotata** (Wallace, 1862) II 29  
     LORIIDAE (Aves) (E) Red-fronted Lorikeet, Red-spotted Lorikeet (S) Lori frentirrojo (F) Lori à front rouge  
**Charmosyna toxopei** (Siebers, 1930) II 29 LORIIDAE (Aves) (E) Blue-fronted Lorikeet (S) Lori de Buru (F) Lori de Buru, Lori de l'île Buru  
**Charmosyna wilhelminae** (A. B. Meyer, 1874) II 29  
     LORIIDAE (Aves) (E) Pygmy Lorikeet, Wilhelmina's Lorikeet (S) Lori pigmeo (F) Lori de Wilhelmina  
*Charmosynopsis multistriata* Rothschild, 1911 =  
     *Charmosyna multistriata* (Rothschild, 1911)  
**Chasmistes cujus** Cope, 1883 I CATOSTOMIDAE (Actinopterygii) (E) Cui-ui (S) Cui, Cui ui, Cui-Ui (F) Cuiui, Cui-Ui  
     Chat à pieds noirs (F): *Felis nigripes*  
     Chat à tête plate (F): *Prionailurus planiceps*  
     Chat bai (F): *Catopuma badia*  
     Chat de Biet (F): *Felis bieti*  
     Chat de Chine (F): *Prionailurus bengalensis*  
     Chat de Geoffroy (F): *Leopardus geoffroyi*  
     Chat de jungle (F): *Felis chaus*  
     Chat des Andes (F): *Leopardus jacobitus*

- Chat des marais (F): *Felis chaus*  
 Chat des pampas (F): *Leopardus colocolo*  
 Chat des sables (F): *Felis margarita*  
 Chat de Temminck (F): *Catopuma temminckii*  
 Chat doré (F): *Profelis aurata*  
 Chat doré d'Asie (F): *Catopuma temminckii*  
 Chat-léopard de Chine (F): *Prionailurus bengalensis*  
 Chat-léopard de l'Inde (F): *Prionailurus rubiginosus*  
 Chat-léopard du Bengale (F): *Prionailurus bengalensis*  
 Chat manul (F): *Felis manul*  
 Chat marbré (F): *Pardofelis marmorata*  
 Chat orné (F): *Felis silvestris*  
 Chat pêcheur (F): *Prionailurus viverrinus*  
 Chat rougeâtre (F): *Prionailurus rubiginosus*  
 Chat rubigineux (F): *Prionailurus rubiginosus*  
 Chat sauvage (F): *Lynx rufus*  
 Chat sauvage (F): *Felis silvestris*  
 Chat-tacheté (F): *Leopardus tigrinus*  
 Chat-tigre (F): *Leptailurus serval*  
 Chat-tigre (F): *Leopardus tigrinus*  
 Chat-tigre du Bengale (F): *Prionailurus bengalensis bengalensis*  
 Cheetah (E): *Acinonyx jubatus*  
*Cheilinus mertensi Valenciennes in Cuvier & Valenciennes, 1840 = Cheilinus undulatus Rüppell, 1835*  
*Cheilinus rostratus Cartier, 1874 = Cheilinus undulatus Rüppell, 1835*  
**Cheilinus undulatus** Rüppell, 1835 II LABRIDAE  
 (Actinopterygii) (E) Giant Humphead Wrasse, Giant Maori Wrasse, Humphead, Humphead Maori Wrasse, Humphead wrasse, Maori Wrasse, Napoleonfish, Napoleon Wrasse (S) Napoleón (F) Kakatoi vareur, Napoléon  
**Cheiroporidion** spp. Cairns, 1983 II STYLASTERIDAE (Hydrozoa)  
**Cheiroporidion pulvinatum** Cairns, 1983 II STYLASTERIDAE (Hydrozoa)  
**CHEIROGALEIDAE** spp. Gray, 1873 I (Mammalia) (S) Lémures Enanos (F) Chirogales  
 Cheirogale moyen (F): *Cheirogaleus medius*  
**Cheirogaleus** spp. Geoffroy, 1812 I CHEIROGALEIDAE (Mammalia)  
**Cheirogaleus adipicaudatus** Grandidier, 1868 I CHEIROGALEIDAE (Mammalia) (E) Spiny Desert Dwarf Lemur  
**Cheirogaleus crossleyi** A. Grandidier, 1870 I CHEIROGALEIDAE (Mammalia) (E) Furry-eared Dwarf Lemur  
**Cheirogaleus major** É. Geoffroy, 1812 I CHEIROGALEIDAE (Mammalia) (E) Greater Dwarf Lemur (S) Gran Lémur ardilla, Lémur enano mayor, Maki coligordo (F) Grand cheirogale  
**Cheirogaleus medius** É. Geoffroy, 1812 I CHEIROGALEIDAE (Mammalia) (E) Fat-tailed Dwarf Lemur (S) Lémur ardilla coligrueso, Lémur enano coligrueso, Maki coligordo (F) Cheirogale moyen  
**Cheirogaleus minusculus** Groves, 2000 I CHEIROGALEIDAE (Mammalia) (E) Lesser Iron-grey Dwarf Lemur  
**Cheirogaleus ravus** Groves, 2000 I CHEIROGALEIDAE (Mammalia) (E) Greater Iron-grey Dwarf Lemur, Large Iron-grey Dwarf Lemur  
**Cheirogaleus sibreei** Forsyth Major, 1896 I CHEIROGALEIDAE (Mammalia) (E) Sibree's Dwarf Lemur  
*Cheirogaleus trichotis* (Günther, 1875) = *Allocebus trichotis* (Günther, 1875)  
**Chelictinia** spp. Lesson, 1843 II 27 ACCIPITRIDAE (Aves)  
**Chelictinia riocourii** (Vieillot, 1822) II 27 ACCIPITRIDAE (Aves) (E) African Swallow-tailed Kite, Scissor-tailed Kite (S) Elanio golondrina (F) Élanion naucler  
**Chelodina mccordi** Rhodin, 1994 II 38 CHELIDAE (Reptilia) (E) Roti Snake-necked Turtle (F) Chélodine de McCord, Tortue à cou de serpent de Roti  
*Chelodina mccordi timorlestensis* Kuchlin, Rhodin, Ibarronndo, and Trainor 2007 = *Chelodina mccordi* Rhodin, 1994  
*Chelodina novaeguineae* Boulenger 1888 = *Chelodina mccordi* Rhodin, 1994  
*Chelodina rottiensis* Brongersma in Rhodin, 1994 = *Chelodina mccordi* Rhodin, 1994  
*Chelodina timorensis* McCord, Joseph-Ouni, and Hagen 2007 = *Chelodina mccordi* Rhodin, 1994  
 Chélodine de McCord (F): *Chelodina mccordi*  
 Chelonée à dos plat (F): *Natator depressus*  
*Chelone imbricata* (Linnaeus, 1766) = *Eretmochelys imbricata* (Linnaeus, 1766)  
**Chelonia** spp. Brongniart, 1800 I CHELONIIDAE (Reptilia)  
*Chelonia agassizii* Bocourt, 1868 = *Chelonia mydas* (Linnaeus, 1758)  
*Chelonia bicarinata* Lesson, 1834 = *Chelonia mydas* (Linnaeus, 1758)  
*Chelonia depressa* Garman, 1880 = *Natator depressus* (Garman, 1880)  
*Chelonia dubia* Bleeker in Gray, 1864 = *Lepidochelys olivacea* (Eschscholtz, 1829)  
*Chelonia dussumieri* Duméril & Bibron, 1835 = *Lepidochelys olivacea* (Eschscholtz, 1829)  
*Chelonia formosa* Girard, 1858 = *Chelonia mydas* (Linnaeus, 1758)  
*Chelonia grisea* Eschscholtz, 1829 = *Eretmochelys imbricata* (Linnaeus, 1766)  
*Chelonia lachrymata* Cuvier, 1829 = *Chelonia mydas* (Linnaeus, 1758)  
*Chelonia lata* Philippi, 1887 = *Chelonia mydas* (Linnaeus, 1758)  
*Chelonia maculosa* Cuvier, 1829 = *Chelonia mydas* (Linnaeus, 1758)  
*Chelonia marmorata* Duméril & Bibron, 1835 = *Chelonia mydas* (Linnaeus, 1758)  
*Chelonia multiscutata* Kuhl, 1820 = *Lepidochelys olivacea* (Eschscholtz, 1829)  
**Chelonia mydas** (Linnaeus, 1758) I CHELONIIDAE (Reptilia) (E) Green Turtle (S) Tortuga blanca, Tortuga verde (F) Tortue comestible, Tortue franche, Tortue verte

- Chelonia olivacea* Eschscholtz, 1829 = *Lepidochelys olivacea* (Eschscholtz, 1829)
- Chelonia pelasgorum* Bory, 1833 = *Caretta caretta* (Linnaeus, 1758)
- Chelonia polyaspis* Bleeker, 1857 = *Lepidochelys olivacea* (Eschscholtz, 1829)
- Chelonia pseudocaretta* Lesson, 1834 = *Eretmochelys imbricata* (Linnaeus, 1766)
- Chelonia pseudomydas* Lesson, 1834 = *Eretmochelys imbricata* (Linnaeus, 1766)
- Chelonia radiata* Cuvier, 1829 = *Eretmochelys imbricata* (Linnaeus, 1766)
- Chelonias lutaria* Rafinesque, 1814 = *Dermochelys coriacea* (Vandelli, 1761)
- Chelonia subcarinata* Rüppell in Gray, 1844 = *Lepidochelys olivacea* (Eschscholtz, 1829)
- Chelonia tenuis* Girard, 1858 = *Chelonia mydas* (Linnaeus, 1758)
- Chelonia virgata* Schweigger, 1812 = *Chelonia mydas* (Linnaeus, 1758)
- CHELONIIDAE spp. I** (Reptilia) (E) Marine Turtles, Sea turtles (S) Tortugas Marinas (F) Tortues Marines
- Chelonoidis spp.** Fitzinger, 1835 I/II 46 TESTUDINIDAE (Reptilia)
- Chelonoidis abingdonii* (Günther, 1877) = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Chelonoidis becki* (Rothschild, 1901) = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Chelonoidis carbonaria** (Spix, 1824) II 46 TESTUDINIDAE (Reptilia) Red-footed Tortoise, Wood Tortoise (S) Jabuti, Karumbé, Tortuga de patas rojas (F) Tortue charbonnière
- Chelonoidis chathamensis* (Van Denburgh, 1907) = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Chelonoidis chilensis** (Gray, 1870) II 46 TESTUDINIDAE (Reptilia) Argentine Tortoise, Chaco Tortoise, Southern Wood Tortoise (S) Tortuga terrestre argentina (F) Tortue de la pampa
- Chelonoidis darwini* (Van Denburgh, 1907) = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Chelonoidis denticulata** (Linnaeus, 1766) II 46 TESTUDINIDAE (Reptilia) Brazilian Giant Tortoise, Forest Tortoise, South American Tortoise, South American Yellow-footed Tortoise, Yellow-footed Tortoise (S) Motelo, Tortuga de patas amarillas (F) Tortue de l'Amérique du sud, Tortue dentelée, Tortue denticulée
- Chelonoidis duncanensis* (Garman in Pritchard, 1966) = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Chelonoidis elegans* (Schoepff, 1795) = *Geochelone elegans* (Schoepff, 1794)
- Chelonoidis gigantea* (Schweigger, 1812) = *Aldabrachelys gigantea* (Schweigger, 1812)
- Chelonoidis hoodensis* (Van Denburgh, 1907) = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Chelonoidis nigra** (Quoy & Gaimard, 1824) I TESTUDINIDAE (Reptilia) Galapagos Giant Tortoise (S) Tortuga de las Galápagos, Tortuga gigante de las Galápagos (F) Tortue éléphantine, Tortue géante des Galapagos
- Chelonoidis petersi* (Freiberg, 1973) = *Chelonoidis chilensis* (Gray, 1870)
- Chelonoidis phantastica* (Van Denburgh, 1907) = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Chelonoidis porteri* (Rothschild, 1903) = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Chelonoidis vicina* (Günther, 1875) = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Chelonura temminckii* Harlan, 1835 = *Macrochelys temminckii* (Troost, 1835)
- Chelys lata* Bell in Gray, 1830 = *Podocnemis unifilis* Troschel, 1848
- Chelys lata* Gray, 1831 = *Peltoccephalus dumerilianus* (Schweigger, 1812)
- Chersina spp.** Gray, 1831 II 46 TESTUDINIDAE (Reptilia)
- Chersina angulata** (Schweigger, 1812) II 46 TESTUDINIDAE (Reptilia) (E) Angulated Tortoise, Bowsprit Tortoise, South African Bowsprit Tortoise (S) Tortuga ariete, Tortuga de pechera (F) Tortue à soc d'Afrique du Sud
- Chersinella fiski* (Boulenger, 1886) = *Psammobates tentorius* (Bell, 1828)
- Chersinella schonlandi* Hewitt, 1934 = *Psammobates tentorius* (Bell, 1828)
- Chersinella tentoria* (Bell, 1828) = *Psammobates tentorius* (Bell, 1828)
- Chersinella verroxii* (A. Smith, 1839) = *Psammobates tentorius* (Bell, 1828)
- Chersine tetradactyla* Merrem, 1820 = *Homopus areolatus* (Thunberg, 1787)
- Cheval de mer (F): *Hippocampus hippocampus*
- Cheval de Przewalski (F): *Equus przewalskii*
- Chevalier à gouttelette (F): *Tringa guttifer*
- Chevalier tacheté (F): *Tringa guttifer*
- Cheval marin (F): *Hippocampus kuda*
- Cheval marin (F): *Hippocampus guttulatus*
- Chevêche brame (F): *Athene brama*
- Chevêche d'Athéna (F): *Athene noctua*
- Chevêche des terriers (F): *Athene cunicularia*
- Chevêche forestière (F): *Heteroglaux blewitti*
- Chevêchette à collier (F): *Glaucidium brodiei*
- Chevêchette à dos marron (F): *Glaucidium castanopterum*
- Chevêchette à pieds jaunes (F): *Glaucidium tephronotum*
- Chevêchette à queue barrée (F): *Glaucidium sjostedti*
- Chevêchette australie (F): *Glaucidium nana*
- Chevêchette brune (F): *Glaucidium brasiliianum*
- Chevêchette cabouré (F): *Glaucidium minutissimum*
- Chevêchette cuculoidé (F): *Glaucidium cuculoides*
- Chevêchette d'Amazonie (F): *Glaucidium hardyi*
- Chevêchette de Cuba (F): *Glaucidium siju*
- Chevêchette de jungle (F): *Glaucidium radiatum*
- Chevêchette de Parker (F): *Glaucidium parkeri*
- Chevêchette des Andes (F): *Glaucidium jardinii*
- Chevêchette des saguaros (F): *Micrathene whitneyi*
- Chevêchette des yungas (F): *Glaucidium boliviyanum*
- Chevêchette d'Europe (F): *Glaucidium passerinum*
- Chevêchette du Cap (F): *Glaucidium capense*
- Chevêchette du Colima (F): *Glaucidium palmarum*
- Chevêchette du Pérou (F): *Glaucidium peruanum*
- Chevêchette du Tamaulipas (F): *Glaucidium sanchezi*

- Chevêchette-elfe (F): *Micrathene whitneyi*  
 Chevêchette naine (F): *Glaucidium gnoma*  
 Chevêchette nimbée (F): *Xenoglaux loweryi*  
 Chevêchette perlée (F): *Glaucidium perlatum*  
 Chevêchette spadicée (F): *Glaucidium castanopterum*  
 Chevrotain porte-musc (F): *Moschus moschiferus*  
 Chichimen (S): *Lontra felina*  
 Chien de prairie du Mexique (F): *Cynomys mexicanus*  
 Chien des buissons (F): *Speothos venaticus*  
 Chien sauvage d'Asie (F): *Cuon alpinus*  
*Chilabothrus angulifer* (Bibron, 1843) = *Epicrates angulifer* Bibron, 1840  
*Chilabothrus chrysogaster* (Cope, 1871) = *Epicrates chrysogaster* (Cope, 1871)  
*Chilabothrus exsul* (Netting & Goin, 1944) = *Epicrates exsul* Netting & Goin, 1944  
*Chilabothrus fordii* (Günther, 1861) = *Epicrates fordii* (Günther, 1861)  
*Chilabothrus gracilis* Fischer, 1888 = *Epicrates gracilis* (Fischer, 1888)  
*Chilabothrus inornatus* (Reinhardt, 1843) = *Epicrates inornatus* (Reinhardt, 1843)  
*Chilabothrus maculatus* Fischer, 1888 = *Epicrates fordii* (Günther, 1861)  
*Chilabothrus monensis* (Zenneck, 1898) = *Epicrates monensis* Zenneck, 1898  
*Chilabothrus striatus* (Fischer, 1856) = *Epicrates striatus* (Fischer, 1856)  
*Chilabothrus strigilatus* (Cope, 1862) = *Epicrates striatus* (Fischer, 1856)  
*Chilabothrus subflavus* (Stejneger, 1901) = *Epicrates subflavus* Stejneger, 1901  
*Chilinus godeffroyi* Günther, 1872 = *Cheilinus undulatus* Rüppell, 1835  
*Chilla* (S): *Lycalopex griseus*  
*Chimachima* (S): *Milvago chimachima*  
*Chimango* (S): *Milvago chimango*  
*Chimère* (F): *Ornithoptera chimaera*  
*Chimpancé* (S): *Pan troglodytes*  
*Chimpancé pigmeo* (S): *Pan paniscus*  
*Chimpancés, Gorila, Orangutane* (S): *Hominidae*  
*Chimpanzé* (F): *Pan troglodytes*  
*Chimpanzee* (E): *Pan troglodytes*  
*Chimpanzee, Dwarf* (E): *Pan paniscus*  
*Chimpanzee, Pygmy* (E): *Pan paniscus*  
*Chimpanzé nain* (F): *Pan paniscus*  
*Chimpanzé pygmée* (F): *Pan paniscus*  
*Chimpanzés, Gorille, Orang-Outan* (F): *Hominidae*  
*Chimpire* (S): *Podocnemis erythrocephala*  
*Chinalinda* (S): *Phalcoboenus albogularis*  
*Chinchay* (S): *Leopardus jacobitus*  
***Chinchilla* spp.** Bennett, 1829 I<sup>26</sup> CHINCHILLIDAE (Mammalia)  
 Chinchilla à longue queue (F): *Chinchilla lanigera*  
 Chinchilla à queue courte (F): *Chinchilla chinchilla*  
*Chinchilla brevicaudata* Waterhouse, 1848 = *Chinchilla chinchilla* (Lichtenstein, 1829)  
***Chinchilla chinchilla*** (Lichtenstein, 1829) I<sup>26</sup> CHINCHILLIDAE (Mammalia) (E) Short-tailed  
 Chinchilla (S) Chinchilla de cola corta (F) Chinchilla à queue courte  
 Chinchilla costina (S): *Chinchilla lanigera*  
 Chinchilla de cola corta (S): *Chinchilla chinchilla*  
 Chinchilla de cola larga (S): *Chinchilla lanigera*  
***Chinchilla lanigera*** (Molina, 1782) I<sup>26</sup> CHINCHILLIDAE (Mammalia) (E) Long-tailed Chinchilla (S) Chinchilla costina, Chinchilla de cola larga (F) Chinchilla à longue queue  
 Chinchilla, Long-tailed (E): *Chinchilla lanigera*  
 Chinchilla, Short-tailed (E): *Chinchilla chinchilla*  
 Chichimen (S): *Lontra felina*  
 Chinémyde de Reeves (F): *Mauremys reevesii*  
 Chinémyde noirâtre (F): *Mauremys nigricans*  
*Chinemys kwangtungensis* (Pope, 1934) = *Mauremys nigricans* (Gray, 1834)  
*Chinemys megalcephala* Fang, 1934 = *Mauremys megalcephala* (Fang, 1934)  
*Chinemys nigricans* (Gray, 1834) = *Mauremys nigricans* (Gray, 1834)  
*Chinemys reevesii* (Gray, 1831) = *Mauremys reevesii* (Gray, 1831)  
 Chingue de la Patagonia (S): *Conepatus humboldtii*  
 Chingungo (E): *Lontra felina*  
*Chirica* (S): *Nannopsittaca panychlora*  
*Chiripepé común* (S): *Pyrrhura frontalis*  
*Chiripepé salteño* (S): *Pyrrhura molinae*  
*Chiriría caribeña* (S): *Dendrocyna arborea*  
*Chiropale aux oreilles poilues* (F): *Allocebus trichotis*  
*Chiropales* (F): *Cheirogaleidae*  
***Chiropotes* spp.** Lesson, 1840 I/II PITHECIIDAE (Mammalia)  
***Chiropotes albinasus*** (I. Geoffroy & Deville, 1848) I PITHECIIDAE (Mammalia) (E) Red-nosed Saki, White-nosed Bearded Saki, White-nosed Saki (S) Saki de nariz blanca, Saki nariblanco (F) Saki à nez blanc  
***Chiropotes chiropotes*** (Humboldt, 1811) II PITHECIIDAE (Mammalia)  
***Chiropotes israelita*** (Spix, 1823) II PITHECIIDAE (Mammalia)  
***Chiropotes satanas*** (Hoffmannsegg, 1807) II PITHECIIDAE (Mammalia) (E) Bearded Saki, Black Saki (F) Saki noir  
*Chiropotes satanas utahickae* (Hoffmannsegg, 1807) = *Chiropotes utahickae* Hershkovitz, 1985  
***Chiropotes utahickae*** Hershkovitz, 1985 II PITHECIIDAE (Mammalia) (E) Uta Hick's Bearded Saki  
*Chiru* (E): *Pantholops hodgsonii*  
*Chita* (S): *Acinonyx jubatus*  
*Chita* (S): *Panthera pardus*  
***Chitra* spp.** Gray, 1844 I/II TRIONYCHIDAE (Reptilia)  
*Chitra burmanica* Jaruthanin, 2002 = *Chitra vandijkii* McCord & Pritchard, 2003  
***Chitra chitra*** Wirot Nutaphand, 1986 I TRIONYCHIDAE (Reptilia) (E) Southeast Asian Narrow-headed Softshell Turtle, Striped Giant Soft-shelled Turtle, Striped Narrow-headed Softshell Turtle  
***Chitra indica*** (Gray, 1831) II TRIONYCHIDAE (Reptilia) (E) Indian Narrow-headed Softshell Turtle

- Chitra vandjiki*** McCord & Pritchard, 2003 I  
 TRIONYCHIDAE (Reptilia) (E) Burmese  
 Narrow-headed Softshell Turtle
- Chivito de los páramos (S): *Oxypogon guerinii*
- Chlamydotis* spp.** Lesson, 1839 I OTIDIDAE (Aves)
- Chlamydotis macqueenii*** (J. E. Gray, 1832) I OTIDIDAE (Aves) (E) Asian Houbara, Asian Houbara Bustard, MacQueen's Bustard
- Chlamydotis undulata*** (Jacquin, 1784) I OTIDIDAE (Aves) (E) Houbara, Houbara Bustard (S) Avutarda hubara, Hubara (F) Houbara ondulé, Outarde houbara
- Chlamydotis undulata macqueenii* (Jacquin, 1784) = *Chlamydotis macqueenii* (J. E. Gray, 1832)
- Chlorestes euchloris*** Reichenbach, 1854 = *Chlorostilbon poortmani* (Bourcier, 1843)
- Chlorestes notatus*** (G. C. Reich, 1793) = *Chlorostilbon notatus* (G. C. Reich, 1795)
- Chlorestes notatus*** (G. C. Reich, 1795) = *Chlorostilbon notatus* (G. C. Reich, 1795)
- Chlorocebus* spp.** Gray, 1870 II CERCOPITHECIDAE (Mammalia)
- Chlorocebus aethiops*** (Linnaeus, 1758) II  
 CERCOPITHECIDAE (Mammalia) (E) Grivet Monkey, Savanna Monkey
- Chlorocebus cynosuros*** (Scopoli, 1786) II  
 CERCOPITHECIDAE (Mammalia) (E) Malbrouck Monkey
- Chlorocebus djamdamensis*** (Neumann, 1902) II  
 CERCOPITHECIDAE (Mammalia) (E) Bale Monkey, Bale Mountains Vervet
- Chlorocebus pygerythrus*** (F. Cuvier, 1821) II  
 CERCOPITHECIDAE (Mammalia) (E) Vervet Monkey
- Chlorocebus sabaeus*** (Linnaeus, 1766) II  
 CERCOPITHECIDAE (Mammalia) (E) Green Monkey (S) Mono verde (F) Singe vert
- Chlorocebus tantalus*** (Ogilby, 1841) II  
 CERCOPITHECIDAE (Mammalia) (E) Tantalus Monkey
- Chlorostilbon* spp.** Gould, 1861 II TROCHILIDAE (Aves)
- Chlorostilbon alice*** (Bourcier & Mulsant, 1848) II  
 TROCHILIDAE (Aves) (E) Green-tailed Emerald (S) Esmeralda coliverde (F) Émeraude alice
- Chlorostilbon assimilis*** Lawrence, 1861 II  
 TROCHILIDAE (Aves) (E) Garden Emerald (F) Émeraude du Panama
- Chlorostilbon auratus Cabanis & Heine, 1860* = *Chlorostilbon poortmani* (Bourcier, 1843)
- Chlorostilbon aureoventris* (d'Orbigny & Lafresnaye, 1838) = *Chlorostilbon lucidus* (d'Orbigny & Lafresnaye, 1838)
- Chlorostilbon auriceps*** (Gould, 1852) II TROCHILIDAE (Aves) (E) Golden-crowned Emerald
- Chlorostilbon canivetii*** (Lesson, 1832) II TROCHILIDAE (Aves) (E) Fork-tailed Emerald (S) Esmeralda de Canivet (F) Émeraude de Canivet
- Chlorostilbon canivetii assimilis* (Lesson, 1832) = *Chlorostilbon assimilis* Lawrence, 1861
- Chlorostilbon euchloris* (Reichenbach, 1854) = *Chlorostilbon poortmani* (Bourcier, 1843)
- Chlorostilbon forficatus*** Ridgway, 1885 II TROCHILIDAE (Aves) Cozumel Emerald
- Chlorostilbon gibsoni* (Fraser, 1840) = *Chlorostilbon mellisugus* (Linnaeus, 1758)
- Chlorostilbon inexpectatus* (Berlepsch, 1879) = *Chlorostilbon poortmani* (Bourcier, 1843)
- Chlorostilbon lucidus*** (d'Orbigny & Lafresnaye, 1838) II  
 TROCHILIDAE (Aves) (E) Glittering-bellied Emerald (S) Esmeralda ventridorada, Picaflor común (F) Émeraude splendide
- Chlorostilbon maugaeus*** (Audebert & Vieillot, 1801) II  
 TROCHILIDAE (Aves) (E) Puerto Rican Emerald (S) Esmeralda portorriqueña (F) Émeraude de Porto Rico
- Chlorostilbon melanorhynchus* Gould, 1860 = *Chlorostilbon mellisugus* (Linnaeus, 1758)
- Chlorostilbon mellisugus*** (Linnaeus, 1758) II  
 TROCHILIDAE (Aves) (E) Blue-tailed Emerald (S) Esmeralda coliazul (F) Émeraude orvert
- Chlorostilbon notatus*** (G. C. Reich, 1795) II  
 TROCHILIDAE (Aves) (E) Blue-chinned Sapphire (S) Colibrí verdecito, Esmeralda gorgiazul, Zafiro barbazul (F) Colibri à menton bleu
- Chlorostilbon olivaresi*** Stiles, 1996 II TROCHILIDAE (Aves) (E) Chiribiquete Emerald (S) Esmeralda del Chiribiquete (F) Émeraude d'Olivares
- Chlorostilbon poortmani*** (Bourcier, 1843) II  
 TROCHILIDAE (Aves) (E) Short-tailed Emerald (S) Esmeralda colicorta (F) Émeraude à queue courte
- Chlorostilbon prasinus* (Lesson, 1830) = *Chlorostilbon mellisugus* (Linnaeus, 1758)
- Chlorostilbon ricordii*** (Gervais, 1835) II TROCHILIDAE (Aves) (E) Cuban Emerald (S) Esmeralda zunzún (F) Émeraude de Ricord
- Chlorostilbon russatus*** (Salvin & Godman, 1881) II  
 TROCHILIDAE (Aves) (E) Coppery Emerald (S) Esmeralda bronzeada (F) Émeraude cuivrée
- Chlorostilbon salvini Cabanis & Heine, 1860* = *Chlorostilbon mellisugus* (Linnaeus, 1758)
- Chlorostilbon stenurus*** (Cabanis & Heine, 1860) II  
 TROCHILIDAE (Aves) (E) Narrow-tailed Emerald (S) Esmeralda cola de alambre, Esmeralda colifina (F) Émeraude à queue étroite
- Chlorostilbon swainsonii*** (Lesson, 1829) II  
 TROCHILIDAE (Aves) (E) Hispaniolan Emerald (S) Esmeralda de la Española, Zumbador (F) Émeraude d'Hispaniola
- Chlorostilbon vitticeps* (Simon, 1910) = *Chlorostilbon mellisugus* (Linnaeus, 1758)
- Choeropsis liberiensis* Morton, 1844 = *Hexaprotodon liberiensis* (Morton, 1849)
- Choloepus hoffmanni*** Peters, 1858 III  
 MEGALONYCHIDAE (Mammalia) (E) Hoffmann's Two-toed Sloth (S) Perezoso, Unaú, Unaú o perezoso de Hoffman (F) Paresseux d'Hoffmann, Unaú d'Hoffmann
- Chondrohierax* spp.** Lesson, 1843 I/II 27  
 ACCIPITRIDAE (Aves)
- Chondrohierax uncinatus*** (Temminck, 1822) I/II 27  
 ACCIPITRIDAE (Aves) (E) Hook-billed Kite (S) Gavilán pico ganchudo, Milano picogarfio (F) Milan bec-en-croc
- Chondrohierax uncinatus wilsonii*** (Cassin, 1847) I  
 ACCIPITRIDAE (Aves) (E) Cuban Hook-billed Kite (S)

Busardo de Wilson (F) Busard de Wilson, Milan de Cuba, Milan de Wilson	Chouette leptogramme (F): <i>Strix leptogrammica</i>
<i>Chondrohierax wilsonii</i> (Cassin, 1847) = <i>Chondrohierax uncinatus wilsonii</i> (Cassin, 1847)	Chouette masquée (F): <i>Strix rufipes</i>
<i>Chondropython azureus</i> Meyer, 1874 = <i>Morelia viridis</i> (Schlegel, 1872)	Chouette mouchetée (F): <i>Strix virgata</i>
<i>Chondropython pulcher</i> Sauvage, 1878 = <i>Morelia viridis</i> (Schlegel, 1872)	Chouette noire et blanche (F): <i>Ciccaba nigrolineata</i>
<i>Chondropython viridis</i> Schlegel, 1872 = <i>Morelia viridis</i> (Schlegel, 1872)	Chouette ocellée (F): <i>Strix ocellata</i>
<i>Choriotis arabs</i> (Linnaeus, 1758) = <i>Ardeotis arabs</i> (Linnaeus, 1758)	Chouette pêcheuse (F): <i>Scotopelia peli</i>
<i>Choriotis australis</i> (J. E. Gray, 1829) = <i>Ardeotis australis</i> (J. E. Gray, 1829)	Chouette-pêcheuse de Bouvier (F): <i>Scotopelia bouvieri</i>
<i>Choriotis kori</i> (Burchell, 1822) = <i>Ardeotis kori</i> (Burchell, 1822)	Chouette-pêcheuse de Pel (F): <i>Scotopelia peli</i>
<i>Choriotis nigriceps</i> (Vigors, 1831) = <i>Ardeotis nigriceps</i> (Vigors, 1831)	Chouette-pêcheuse rousse (F): <i>Scotopelia ussheri</i>
Chorlito esquimal (S): <i>Numenius borealis</i>	Chouette rayée (F): <i>Strix varia</i>
Chorlo polar (S): <i>Numenius borealis</i>	Chouettes, Petit-Duc Géant (F): <i>Strigidae</i>
Chosna (S): <i>Potos flavus</i>	Chouette tachetée (F): <i>Strix occidentalis</i>
Chosna pericote (S): <i>Bassaricyon gabbii</i>	Chousingha (E): <i>Tetracerus quadricornis</i>
Chouette à collier (F): <i>Pulsatrix melanota</i>	<i>Chrysenis batesii</i> Gray, 1860 = <i>Corallus caninus</i> (Linnaeus, 1758)
Chouette africaine (F): <i>Strix woodfordii</i>	<i>Chrysensis batesii</i> Gray, 1860 = <i>Corallus batesii</i> (Gray, 1860)
Chouette à joues blanches (F): <i>Sceloglaux albifacies</i>	<b><i>Chrysocyon brachyurus</i></b> (Illiger, 1815) II CANIDAE
Chouette à lignes noires (F): <i>Ciccaba nigrolineata</i>	(Mammalia) (E) Maned Wolf (S) Lobo de crin (F) Loup à crinière
Chouette à lunettes (F): <i>Pulsatrix perspicillata</i>	<b><i>Chrysolampis spp.</i></b> Boie, 1831 II TROCHILIDAE (Aves)
Chouette à sourcils jaunes (F): <i>Pulsatrix koeniswaldiana</i>	<b><i>Chrysolampis mosquitus</i></b> (Linnaeus, 1758) II
Chouette baie (F): <i>Phodilus badius</i>	TROCHILIDAE (Aves) (E) Ruby-topaz Hummingbird
Chouette boobok (F): <i>Ninox novaeseelandiae</i>	(S) Colibrí rubí, Tucusito rubí (F) Colibri rubis-topaze
Chouette boobok de l'île Norfolk (F): <i>Ninox novaeseelandiae undulata</i>	<b><i>Chrysopathes spp.</i></b> Opresco, 2003 II CLADOPATHIDAE (Anthozoa)
Chouette chevêche (F): <i>Athene noctua</i>	<b><i>Chrysopathes formosa</i></b> Opresco, 2003 II
Chouette chevêchette (F): <i>Glaucidium passerinum</i>	CLADOPATHIDAE (Anthozoa)
Chouette coucou (F): <i>Ninox novaeseelandiae</i>	<b><i>Chrysopathes gracilis</i></b> Opresco, 2005 II
Chouette de Butler (F): <i>Strix butleri</i>	CLADOPATHIDAE (Anthozoa)
Chouette de Cuba (F): <i>Gymnoglaux lawrencii</i>	<b><i>Chrysopathes micracantha</i></b> Opresco & Loiola, 2008 II
Chouette de Harris (F): <i>Aegolius harrisii</i>	CLADOPATHIDAE (Anthozoa)
Chouette de Koeniswald (F): <i>Pulsatrix koeniswaldiana</i>	<b><i>Chrysopathes oligocrada</i></b> Opresco & Loiola, 2008 II
Chouette de l'Oural (F): <i>Strix uralensis</i>	CLADOPATHIDAE (Anthozoa)
Chouette de Nouvelle-Guinée (F): <i>Uroglaux dimorpha</i>	<b><i>Chrysopathes speciosa</i></b> Opresco, 2003 II
Chouette des forêts (F): <i>Heteroglaux blewitti</i>	CLADOPATHIDAE (Anthozoa)
Chouette des îles Salomons (F): <i>Nesasio solomonensis</i>	<b><i>Chrysotis finschi</i></b> Sclater, 1864 = <i>Amazona finschi</i> (Sclater, 1864)
Chouette des Moluques (F): <i>Ninox squamipila</i>	<i>Chrysotis rhodocorytha</i> Salvadori, 1890 = <i>Amazona rhodocorytha</i> (Salvadori, 1890)
Chouette des pagodes (F): <i>Strix seloputo</i>	<b><i>Chrysotis tucumana</i></b> Cabanis, 1885 = <i>Amazona tucumana</i> (Cabanis, 1885)
Chouette de Tengmalm (F): <i>Aegolius funereus</i>	<i>Chrysotis viridigenalis</i> Cassin, 1853 = <i>Amazona viridigenalis</i> (Cassin, 1853)
Chouette de terrier (F): <i>Athene cunicularia</i>	<i>Chrysotis xantholora</i> G. R. Gray, 1859 = <i>Amazona xantholora</i> (G. R. Gray, 1859)
Chouette dryade (F): <i>Strix hylophila</i>	<b><i>Chrysuronia spp.</i></b> Bonaparte, 1850 II TROCHILIDAE (Aves)
Chouette d'Ussher (F): <i>Scotopelia ussheri</i>	<b><i>Chrysuronia oenone</i></b> (Lesson, 1832) II TROCHILIDAE
Chouette effraie (F): <i>Tyto alba</i>	(Aves) (E) Golden-tailed Sapphire (S) Colibrí cola de oro, Zafiro colidorado (F) Saphir oenome
Chouette épervière (F): <i>Ninox squamipila</i>	Chuckwalla de San Esteban (F): <i>Sauromalus varius</i>
Chouette épervière (F): <i>Surnia ulula</i>	Chuckwalla, Piebald (E): <i>Sauromalus varius</i>
Chouette épervière de l'île Christmas (F): <i>Ninox natalis</i>	Chuckwalla, San Esteban Island (E): <i>Sauromalus varius</i>
Chouette fasciée (F): <i>Strix albitarsis</i>	Chungungo (E): <i>Lontra felina</i>
Chouette fauve (F): <i>Strix fulvescens</i>	Chungungo (S): <i>Lontra felina</i>
Chouette harfang (F): <i>Nyctea scandiaca</i>	Chungungo (F): <i>Lontra felina</i>
Chouette huhul (F): <i>Ciccaba huhula</i>	Chupacacao negro (S): <i>Daptrius ater</i>
Chouette hulotte (F): <i>Strix aluco</i>	Chupacacao ventriblanco (S): <i>Ibycter americanus</i>
Chouette hulotte de Hume (F): <i>Strix butleri</i>	Churica (S): <i>Brotogeris jugularis</i>
Chouette lapone (F): <i>Strix nebulosa</i>	

Churiquita (S): <i>Touit dilectissimus</i>	Ciervo pampero (S): <i>Ozotoceros bezoarticus</i>
Cibeta africana (S): <i>Civettictis civetta</i>	Ciervo porquerizo de Indochina (S): <i>Axis porcinus annamiticus</i>
Cibeta atigrada (S): <i>Prionodon linsang</i>	Ciervo porquerizo de Kuhl (S): <i>Axis kuhlii</i>
Cibeta de Madagascar (S): <i>Fossa fossana</i>	Ciervo porquerizo de los Calamianes (S): <i>Axis calamianensis</i>
Cibeta moteada (S): <i>Prionodon pardicolor</i>	Ciervo rojo (S): <i>Cervus elaphus</i>
Cibeta nutria (S): <i>Cynogale bennettii</i>	Cigogne à bec noir (F): <i>Ciconia boyciana</i>
Cibeta palmirayada (S): <i>Hemigalus derbyanus</i>	Cigogne blanche de Corée (F): <i>Ciconia boyciana</i>
<b>Ciccaba spp.</b> Wagler, 1832 II 30 STRIGIDAE (Aves)	Cigogne blanche du Japon (F): <i>Ciconia boyciana</i>
<i>Ciccaba albifrons</i> (Bonaparte, 1850) = <i>Strix albifrons</i> (Bonaparte, 1850)	Cigogne blanche orientale (F): <i>Ciconia boyciana</i>
<i>Ciccaba albifrons</i> (Bonaparte, 1850) = <i>Strix albifrons</i> (Bonaparte, 1850)	Cigogne noire (F): <i>Ciconia nigra</i>
<b>Ciccaba huhula</b> (Daudin, 1800) II 30 STRIGIDAE (Aves)	Cigogne orientale (F): <i>Ciconia boyciana</i>
(E) Black-banded Owl (S) Cárobo negro, Lechuza negra (F) Chouette huhul	Cigüeña blanca coreana (S): <i>Ciconia boyciana</i>
<i>Ciccaba minima</i> Carriker, 1935 = <i>Otus ingens</i> (Salvin, 1897)	Cigüeña del Japón (S): <i>Ciconia boyciana</i>
<b>Ciccaba nigrolineata</b> (Sclater, 1859) II 30 STRIGIDAE (Aves)	Cigüeña negra (S): <i>Ciconia nigra</i>
(E) Black-and-white Owl (S) Búho blanquinegro, Cárobo blanquinegro, Cárobo de sudamérica, Lechuza blanquinegra (F) Chouette à lignes noires, Chouette noire et blanche	Cigüeña oriental (S): <i>Ciconia boyciana</i>
<i>Ciccaba virgata</i> (Cassin, 1850) = <i>Strix virgata</i> (Cassin, 1850)	<i>Cinixys belliana</i> (Gray, 1831) = <i>Kinixys belliana</i> (Gray, 1831)
<i>Ciccaba woodfordii</i> (A. Smith, 1834) = <i>Strix woodfordii</i> (A. Smith, 1834)	<i>Cinixys dorri</i> Lataste, 1888 = <i>Kinixys belliana</i> (Gray, 1831)
<b>Cicinnurus spp.</b> Vieillot, 1816 II PARADISAEIDAE (Aves)	<i>Cinixys erosa</i> (Schweigger, 1812) = <i>Kinixys erosa</i> (Schweigger, 1812)
<i>Cicinnurus magnificus</i> (Pennant, 1781) = <i>Diphyllodes magnificus</i> (Pennant, 1781)	<i>Cinixys homeana</i> (Bell, 1827) = <i>Kinixys homeana</i> Bell, 1827
<b>Cicinnurus regius</b> (Linnaeus, 1758) II PARADISAEIDAE (Aves)	<i>Cinixys lobatsiana</i> Power, 1927 = <i>Kinixys lobatsiana</i> (Power, 1927)
(E) King Bird-of-paradise (F) Paradisier royal	Circaète à poitrine noire (F): <i>Circaetus pectoralis</i>
<i>Cicinnurus respublica</i> (Bonaparte, 1850) = <i>Diphyllodes respublica</i> (Bonaparte, 1850)	Circaète barré (F): <i>Circaetus fasciolatus</i>
<b>Ciconia boyciana</b> Swinhoe, 1873 I CICONIIDAE (Aves)	Circaète brun (F): <i>Circaetus cinereus</i>
(E) Japanese White Stork, Oriental Stork, Oriental White Stork (S) Cigüeña blanca coreana, Cigüeña del Japón, Cigüeña oriental (F) Cigogne à bec noir, Cigogne blanche de Corée, Cigogne blanche du Japon, Cigogne blanche orientale, Cigogne orientale	Circaète cendré (F): <i>Circaetus cinerascens</i>
<i>Ciconia mycteria</i> Lichtenstein, 1819 = <i>Jabiru mycteria</i> (Lichtenstein, 1819)	Circaète de Beaudouin (F): <i>Circaetus beaudouini</i>
<b>Ciconia nigra</b> (Linnaeus, 1758) II CICONIIDAE (Aves)	Circaète Jean-le-Blanc (F): <i>Circaetus gallicus</i>
(E) Black Stork (S) Cigüeña negra (F) Cigogne noire	<b>Circaetus spp.</b> Vieillot, 1816 II 27 ACCIPITRIDAE (Aves)
Cicupa (S): <i>Pulsatrix melanota</i>	<b>Circaetus beaudouini</b> Verreaux & Des Murs, 1862 II 27 ACCIPITRIDAE (Aves) (E) Beaudouin's Snake-Eagle (S) Culebrera Sudanesa (F) Circaète de Beaudouin
Ciervo Almizclero (S): <i>Moschus moschiferus</i>	<b>Circaetus cinereus</b> J. W. von Müller, 1851 II 27 ACCIPITRIDAE (Aves) (E) Banded Snake-Eagle, Smaller Banded Snake-Eagle (S) Águila culebrera coliblanca, Culebrera coliblanca (F) Circaète cendré
Ciervo andino meridional (S): <i>Hippocamelus bisulcus</i>	<b>Circaetus cinereus</b> Vieillot, 1818 II 27 ACCIPITRIDAE (Aves) (E) Brown Harrier-Eagle, Brown Snake-Eagle (S) Águila culebrera de Brown, Culebrera sombría (F) Circaète brun
Ciervo andino septentrional (S): <i>Hippocamelus antisensis</i>	<b>Circaetus fasciolatus</b> Kaup, 1847 II 27 ACCIPITRIDAE (Aves) (E) Fasciated Snake-Eagle, Southern Banded Snake-Eagle (S) Culebrera barreada (F) Circaète barré
Ciervo bactriano (S): <i>Cervus elaphus bactrianus</i>	<b>Circaetus gallicus</b> (Gmelin, 1788) II 27 ACCIPITRIDAE (Aves) (E) Short-toed Eagle, Short-toed Snake-Eagle (S) Águila culebrera, Culebrera barreada, Culebrera europea (F) Circaète Jean-le-Blanc
Ciervo de Cachemira (S): <i>Cervus elaphus hanglu</i>	<i>Circaetus gallicus heptneri</i> (Gmelin, 1788) = <i>Circaetus gallicus</i> (Gmelin, 1788)
Ciervo de Duvauzel (S): <i>Rucervus duvaucelii</i>	<i>Circaetus gallicus pectoralis</i> (Gmelin, 1788) = <i>Circaetus pectoralis</i> A. Smith, 1829
Ciervo de Eld (S): <i>Rucervus eldii</i>	<b>Circaetus pectoralis</b> A. Smith, 1829 II 27 ACCIPITRIDAE (Aves) (E) Black-breasted Harrier-Eagle, Black-breasted Snake-Eagle, Black-chested Snake-Eagle (S) Culebrera pechinegra (F) Circaète à poitrine noire
Ciervo de Kuhl (S): <i>Axis kuhlii</i>	
Ciervo de la Berberia (S): <i>Cervus elaphus barbarus</i>	
Ciervo de las Pampas (S): <i>Ozotoceros bezoarticus</i>	
Ciervo de los Calamianes (S): <i>Axis calamianensis</i>	
Ciervo de los pantanos (S): <i>Blastocerus dichotomus</i>	
Ciervo del Turquestán (S): <i>Cervus elaphus bactrianus</i>	
Ciervo de Marjal (S): <i>Axis kuhlii</i>	
Ciervo enano (S): <i>Pudu puda</i>	
Ciervo marismeño (S): <i>Blastocerus dichotomus</i>	

- Circaetus solitarius* Tschudi, 1844 = *Harpyhaliaetus solitarius* (Tschudi, 1844)
- Circus* spp.** Lacepède, 1799 II<sup>27</sup> ACCIPITRIDAE (Aves)
- Circus aeruginosus*** (Linnaeus, 1758) II<sup>27</sup>
- ACCIPITRIDAE (Aves) (E) Eurasian Marsh-Harrier, Marsh Harrier, Western Marsh-Harrier (S) Aguilucho lagunero, Aguilucho lagunero Occidental (F) Busard des roseaux
- Circus aeruginosus approximans* (Linnaeus, 1758) = *Circus approximans* Peale, 1848
- Circus aeruginosus maillardi* (Linnaeus, 1758) = *Circus maillardi* Verreaux, 1862
- Circus aeruginosus spilonotus* (Linnaeus, 1758) = *Circus spilonotus* Kaup, 1847
- Circus approximans*** Peale, 1848 II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Australasian Harrier, Pacific Marsh-Harrier, Swamp Harrier (S) Aguilucho lagunero del pacifico (F) Busard de Gould
- Circus assimilis*** Jardine & Selby, 1828 II<sup>27</sup>
- ACCIPITRIDAE (Aves) (E) Spotted Harrier (S) Aguilucho moteado (F) Busard tacheté
- Circus buffoni*** (Gmelin, 1788) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Long-winged Harrier (S) Aguilucho de azara, Aguilucho de ciénaga, Gavilán grande (F) Busard de Buffon
- Circus cinereus*** Vieillot, 1816 II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Cinereous Harrier (S) Aguilucho vari, Gavilán ceniciente (F) Busard bariolé
- Circus cyaneus*** (Linnaeus, 1766) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Hen Harrier, Marsh Hawk, Northern Harrier (S) Aguilucho pálido, Gavilán rastreiro (F) Busard Saint-Martin
- Circus macrosceles* Newton, 1863 = *Circus maillardi* Verreaux, 1862
- Circus macrourus*** (S. G. Gmelin, 1770) II<sup>27</sup>
- ACCIPITRIDAE (Aves) (E) Pale Harrier, Pallid Harrier (S) Aguilucho papialbo (F) Busard pâle
- Circus maillardi*** Verreaux, 1862 II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Madagascar Harrier, Madagascar Marsh-Harrier, Malagasy Marsh-Harrier, Réunion Harrier, Réunion Marsh-Harrier (S) Aguilucho lagunero malgache (F) Busard de Maillard
- Circus maillardi* J. Verreaux, 1862 = *Circus maillardi* Verreaux, 1862
- Circus maurus*** (Temminck, 1828) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Black Harrier (S) Aguilucho negro (F) Busard maure
- Circus melanoleucus*** (Pennant, 1769) II<sup>27</sup>
- ACCIPITRIDAE (Aves) (E) Pied Harrier (S) Aguilucho pío (F) Busard tchoug
- Circus pygargus*** (Linnaeus, 1758) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Montagu's Harrier (S) Aguilucho cenizo (F) Busard cendré, Busard de montagne
- Circus ranivorus*** (Daudin, 1800) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) African Marsh-Harrier (S) Aguilucho lagunero etiópico (F) Busard grenouillard
- Circus spilonotus*** Kaup, 1847 II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Eastern Marsh-Harrier, Papuan Harrier,
- Spotted-backed Harrier, Spotted Marsh-Harrier (S) Aguilucho lagunero oriental (F) Busard d'Orient
- Circus teesa* Franklin, 1831 = *Butastur teesa* (Franklin, 1831)
- Cirrhipathes* spp.** Blainville, 1834 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes aggregata* van Pesch, 1914 = *Stichopathes aggregata* (van Pesch, 1914)
- Cirrhipathes anguina*** (Dana, 1846) II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes contorta*** van Pesch, 1910 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes densiflora*** Silberfeld, 1909 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes desbonni* Duchassaing & Michelotti, 1864 = *Allopathes desbonni* (Duchassaing & Michelotti, 1864)
- Cirrhipathes diversa*** Brook, 1889 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes filiformis* Gray, 1868 = *Stichopathes filiformis* (Gray, 1868)
- Cirrhipathes flagellum*** Brook, 1889 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes gardineri*** Forster Cooper, 1904 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes hainanensis*** Zou & Zhou, 1982 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes indica*** Summers, 1910 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes lutkeni* (Brook, 1889) = *Stichopathes lutkeni* Brook, 1889
- Cirrhipathes musculosa*** van Pesch, 1910 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes nana*** van Pesch, 1910 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes paucispina* Brook, 1889 = *Stichopathes paucispina* (Brook, 1889)
- Cirrhipathes propinqua*** Brook, 1889 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes ramosa* van Pesch, 1910 = *Hillopathes ramosa* (van Pesch, 1910)
- Cirrhipathes rumphii*** van Pesch, 1910 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes saccula* van Pesch, 1914 = *Stichopathes saccula* (van Pesch, 1914)
- Cirrhipathes seccini*** Echeverria, 2002 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes semiglabra* van Pesch, 1914 = *Stichopathes semiglabra* (van Pesch, 1914)
- Cirrhipathes setacea* (Gray, 1860) = *Stichopathes setacea* (Gray, 1860)
- Cirrhipathes setacea occidentalis* (Gray, 1860) = *Stichopathes occidentalis* (Gray, 1860)
- Cirrhipathes sieboldii*** Blainville, 1834 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes sinensis*** Zou & Zhou, 1984 II ANTIPATHIDAE (Anthozoa)
- Cirrhipathes solorensis* van Pesch, 1914 = *Stichopathes solorensis* (van Pesch, 1914)
- Cirrhipathes spiralis*** (Linnaeus, 1758) II ANTIPATHIDAE (Anthozoa)

<b><i>Cirrhipathes translucens</i></b> van Pesch, 1910 II ANTIPATHIDAE (Anthozoa)	Civet, Malabar (E): <i>Viverra civettina</i>
<b><i>Cirrhipathes variabilis</i></b> van Pesch, 1914 = <i>Stichopathes variabilis</i> (van Pesch, 1914)	Civet, Malabar Large-spotted (E): <i>Viverra civettina</i>
Cisne coscoroba (S): <i>Coscoroba coscoroba</i>	Civet, Malagasy (E): <i>Fossa fossana</i>
Cisne cuellinegro (S): <i>Cygnus melancoryphus</i>	Civet, Masked Palm (E): <i>Paguma larvata</i>
<i>Cistoclemmys flavomarginata</i> Gray, 1863 = <i>Cuora flavomarginata</i> (Gray, 1863)	Civet, Small Indian (E): <i>Viverricula indica</i>
<i>Cistoclemmys galbinifrons</i> (Bourret, 1939) = <i>Cuora galbinifrons</i> Bourret, 1939	Civet, Striped (E): <i>Fossa fossana</i>
<i>Cistoclemmys hainanensis</i> (Li, 1958) = <i>Cuora galbinifrons</i> Bourret, 1939	Civette (F): <i>Civettictis civetta</i>
<i>Cistoclemmys serrata</i> (Iverson & McCord, 1992) = <i>Cuora galbinifrons</i> Bourret, 1939	Civette à bandes (F): <i>Prionodon linsang</i>
<i>Cistuda bealei</i> Gray, 1831 = <i>Sacalia bealei</i> (Gray, 1831)	Civette africaine (F): <i>Civettictis civetta</i>
<i>Cistudo bankanensis</i> Bleeker in Gray, 1864 = <i>Notochelys platynota</i> (Gray, 1834)	Civette à grandes taches (F): <i>Viverra civettina</i>
<i>Cistudo blandingii</i> Holbrook 1838 = <i>Emydoidea blandingii</i> (Holbrook, 1838)	Civette d'Afrique (F): <i>Civettictis civetta</i>
<i>Cistudo borneensis</i> Bleeker, 1857 = <i>Orlitia borneensis</i> Gray, 1873	Civette fossane (F): <i>Fossa fossana</i>
<i>Cistudo carolina</i> (Linnaeus, 1758) = <i>Terrapene carolina</i> (Linnaeus, 1758)	Civette-loutre de Sumatra (F): <i>Cynogale bennettii</i>
<i>Cistudo diardii</i> Duméril and Bibron, 1835 = <i>Cyclemys dentata</i> (Gray, 1831)	Civette malgache (F): <i>Fossa fossana</i>
<i>Cistudo gibbosa</i> Bleeker, 1857 = <i>Malayemys subtrijuga</i> (Schlegel & S. Müller, 1844)	Civette palmiste à bandes de Derby (F): <i>Hemigalus derbyanus</i>
<i>Cistudo major</i> Agassiz, 1857 = <i>Terrapene carolina</i> (Linnaeus, 1758)	Civette palmiste à masque (F): <i>Paguma larvata</i>
<i>Cistudo mexicana</i> Gray, 1849 = <i>Terrapene carolina</i> (Linnaeus, 1758)	Civette palmiste de Jerdon (F): <i>Paradoxurus jerdoni</i>
<i>Cistudo ornata</i> Agassiz, 1857 = <i>Terrapene ornata</i> (Agassiz, 1857)	Civette palmiste hermaphrodite (F): <i>Paradoxurus hermaphroditus</i>
<i>Cistudo triunguis</i> Agassiz, 1857 = <i>Terrapene carolina</i> (Linnaeus, 1758)	Civette palmiste rayée (F): <i>Hemigalus derbyanus</i>
<i>Cistudo virginea</i> Agassiz, 1857 = <i>Terrapene carolina</i> (Linnaeus, 1758)	<b><i>Civettictis civetta</i></b> (Schreber, 1776) III VIVERRIDAE (Mammalia) (E) African Civet (S) Cibeta africana, Civeta (F) Civette, Civette africaine, Civette d'Afrique
<i>Cistudo yucatana</i> Boulenger, 1895 = <i>Terrapene carolina</i> (Linnaeus, 1758)	Civet, Tiger (E): <i>Prionodon pardicolor</i>
<i>Citharocyathus conicus</i> Alcock, 1902 = <i>Notocyathus conicus</i> (Alcock, 1902)	<b><i>Cladangia spp.</i></b> Milne Edwards & Haime, 1851 II RHIZANGIIDAE (Anthozoa)
<i>Citharocyathus venustus</i> Alcock, 1902 = <i>Notocyathus venustus</i> (Alcock, 1902)	<b><i>Cladangia exusta</i></b> Lütken, 1873 II RHIZANGIIDAE (Anthozoa)
Civelle (F): <i>Anguilla anguilla</i>	<b><i>Cladangia gemmans</i></b> Chevalier, 1966 II RHIZANGIIDAE (Anthozoa)
Civeta (S): <i>Civettictis civetta</i>	<b><i>Cladocora spp.</i></b> Hemprich & Ehrenberg, 1834 II CARYOPHYLLIIDAE (Anthozoa)
Civeta (S): <i>Fossa fossana</i>	<b><i>Cladocora arbuscula</i></b> (LeSueur, 1821) II CARYOPHYLLIIDAE (Anthozoa) Ivory Tube Coral (S) Coral de tubo (F) Corail arbuscule
Civeta de Derby (S): <i>Hemigalus derbyanus</i>	<b><i>Cladocora caespitosa</i></b> (Linnaeus, 1767) II CARYOPHYLLIIDAE (Anthozoa)
Civeta de palmera común (S): <i>Paradoxurus hermaphroditus</i>	<b><i>Cladocora conferta</i></b> Moseley, 1881 = <i>Colangia moseleyi</i> (Faustino, 1927)
Civeta de palmera de Jerdon (S): <i>Paradoxurus jerdoni</i>	<b><i>Cladocora debilis</i></b> Milne Edwards & Haime, 1849 II CARYOPHYLLIIDAE (Anthozoa) Thin Tube Coral (S) Coral fino de tubo (F) Corail arbuscule mince
Civeta de palmera enmascarada (S): <i>Paguma larvata</i>	<b><i>Cladocora moseleyi</i></b> Faustino, 1927 = <i>Colangia moseleyi</i> (Faustino, 1927)
Civeta de Sumatra (S): <i>Cynogale bennettii</i>	<b><i>Cladocora pacifica</i></b> Cairns, 1991 II CARYOPHYLLIIDAE (Anthozoa)
Civeta franjeada (S): <i>Prionodon linsang</i>	<b><i>Cladocora patriarcha</i></b> Pourtales, 1874 = <i>Cladocora debilis</i> Milne Edwards & Haime, 1849
Civet, African (E): <i>Civettictis civetta</i>	<b><i>Cladopatthes spp.</i></b> Brook, 1889 II CLADOPATHIDAE (Anthozoa)
Civet, Asian Palm (E): <i>Paradoxurus hermaphroditus</i>	<i>Cladopatthes heterosticha</i> (Kinoshita, 1910) = <i>Hexapathes heterosticha</i> Kinoshita, 1910
Civet, Banded Palm (E): <i>Hemigalus derbyanus</i>	<b><i>Cladopatthes plumosa</i></b> Brook, 1889 II CLADOPATHIDAE (Anthozoa)
Civet, Common Palm (E): <i>Paradoxurus hermaphroditus</i>	<b><i>CLADOPATHIDAE spp.</i></b> Kinoshita, 1910 II (Anthozoa)
Civet, Hardwick's (E): <i>Hemigalus derbyanus</i>	<b><i>Cladopsammia spp.</i></b> Lacaze-Duthiers, 1897 II DENDROPHYLLIIDAE (Anthozoa)
Civet, Jerdon's Palm (E): <i>Paradoxurus jerdoni</i>	<b><i>Cladopsammia echinata</i></b> Cairns, 1984 II DENDROPHYLLIIDAE (Anthozoa)
Civet, Large Indian (E): <i>Viverra zibetha</i>	

- Cladopsammia eguchi*** (Wells, 1982) II  
DENDROPHYLLIIDAE (Anthozoa)
- Cladopsammia gracilis*** (Milne Edwards & Haime, 1848)  
II DENDROPHYLLIIDAE (Anthozoa)
- Cladopsammia manuelensis*** (Chevalier, 1966) II  
DENDROPHYLLIIDAE (Anthozoa)
- Cladopsammia rolandi*** Lacaze-Duthiers, 1897 II  
DENDROPHYLLIIDAE (Anthozoa)
- Cladopsammia willeyi*** (Gardiner, 1899) II  
DENDROPHYLLIIDAE (Anthozoa)
- Clam, Bear Paw (E): *Hippopus hippopus*  
Clam, Boring (E): *Tridacna crocea*  
Clam, China (E): *Hippopus porcellanus*  
Clam, Crocea (E): *Tridacna crocea*  
Clam, Crocus (E): *Tridacna crocea*  
Clam, Derasa (E): *Tridacna derasa*  
Clam, Fluted (E): *Tridacna squamosa*  
Clam, Fluted Giant (E): *Tridacna squamosa*  
Clam, Giant (E): *Tridacna gigas*  
Clam, Gigas (E): *Tridacna gigas*  
Clam, Horse's Hoof (E): *Hippopus hippopus*  
Clam, Maxima (E): *Tridacna maxima*  
Clam, Saffron-coloured (E): *Tridacna crocea*  
Clam, Scaly (E): *Tridacna squamosa*  
Clams, Giant (E): *Tridacnidae*  
Clam, Small Giant (E): *Tridacna maxima*  
Clam, Southern Giant (E): *Tridacna derasa*  
Clam, Strawberry (E): *Hippopus hippopus*  
Clam, Tevoro (E): *Tridacna tevoroa*  
*Clanga clanga* (Pallas, 1811) = *Aquila clanga* Pallas, 1811  
*Clanga hastata* (Lesson, 1831) = *Aquila pomarina* Brehm, 1831  
*Clanga hastata* (Lesson, 1831) = *Aquila hastata* (Lesson, 1834)  
*Clanga pomarina* (C. L. Brehm, 1831) = *Aquila pomarina* Brehm, 1831  
*Clavarina scabricula* (Dana, 1846) = *Merulina scabricula* Dana, 1846  
*Clavarina triangularis* Veron, Pichon & Wijsman-Best, 1977 = *Paraclavarina triangularis* (Veron, Pichon & Wijsman-Best, 1977)  
*Clelia clelia* (Daudin, 1803) II COLUBRIDAE (Reptilia) (E)  
Mussurana (S) Masurana, Mussurana (F) Mussurana, Mussurana d'Amérique du sud  
*Clelia occipitalutea* (Duméril, Bibron & Duméril, 1854) =  
*Clelia clelia* (Daudin, 1803)  
*Clelia plumbea* (Wied, 1820) = *Clelia clelia* (Daudin, 1803)  
Clemmyde de Muhlenberg (F): *Glyptemys muhlenbergii*  
Clemmyde sculptée (F): *Glyptemys insculpta*  
*Clemmys bealei* (Gray, 1831) = *Sacalia bealei* (Gray, 1831)  
*Clemmys bealii quadriocellata* (Siebenrock, 1903) =  
*Sacalia quadriocellata* (Siebenrock, 1903)  
*Clemmys gibbera* Peters, 1874 = *Orlitia borneensis* Gray, 1873  
*Clemmys guangxiensis* Qin, 1992 = *Mauremys mutica* (Cantor, 1842)  
*Clemmys guangxiensis* Qin, 1992 = *Mauremys annamensis* (Siebenrock, 1903)
- Clemmys guttata*** (Schneider, 1792) II EMYDIDAE  
(Reptilia) (E) Spotted Turtle
- Clemmys guttata* Conant & Collins 1991 = *Clemmys guttata* (Schneider, 1792)
- Clemmys guttata* Crother 2000 = *Clemmys guttata* (Schneider, 1792)
- Clemmys guttata* Feldman & Parham 2002 = *Clemmys guttata* (Schneider, 1792)
- Clemmys guttata* Strauch 1862 = *Clemmys guttata* (Schneider, 1792)
- Clemmys insculpta* (LeConte, 1829) = *Glyptemys insculpta* (LeConte, 1829)
- Clemmys muhlenbergii* (Schoepff, 1801) = *Glyptemys muhlenbergii* (Schoepff, 1801)
- Clemmys mutica* (Cantor, 1842) = *Mauremys mutica* (Cantor, 1842)
- Clemmys nigricans* (Gray, 1834) = *Mauremys nigricans* (Gray, 1834)
- Clemmys nuchalis* Dunn, 1917 = *Glyptemys muhlenbergii* (Schoepff, 1801)
- Clemmys schmackeri* Boettger, 1894 = *Mauremys mutica* (Cantor, 1842)
- Clemmys schmackeri* Boettger, 1894 = *Mauremys nigricans* (Gray, 1834)
- Clemmys thurgii* Fitzinger, 1835 = *Hardella thurjii* (Gray, 1831)
- Cliftia fusca* Gray, 1849 = *Epicrates maurus* Gray, 1849
- Cliftia fusca* Gray, 1849 = *Epicrates cenchria* (Linnaeus, 1758)
- Clothonia anguiformis* (Schneider, 1801) = *Eryx johnii* (Russell, 1801)
- Clothonia johnii* (Russell, 1801) = *Eryx johnii* (Russell, 1801)
- Clubshell (E): *Pleurobema clava*
- Clytolaema* spp.** Gould, 1853 II TROCHILIDAE (Aves)
- Clytolaema rubricauda*** (Boddaert, 1783) II  
TROCHILIDAE (Aves) (E) Brazilian Ruby (S) Colibrí colirrojo (F) Colibri rubis-émeraude
- Cnemophilus* spp.** De Vis, 1890 II PARADISAEIDAE (Aves)
- Cnemophilus loriae*** (Salvadori, 1894) II  
PARADISAEIDAE (Aves) (E) Loria's Bird-of-paradise (F) Paradisier de Loria, Paradisier loria
- Cnemophilus macgregorii*** De Vis, 1890 II  
PARADISAEIDAE (Aves) (E) Crested Bird-of-paradise (F) Paradisier huppé
- Coati (S): *Nasua narica*  
Coati (F): *Nasua narica*  
Coati à museau blanc (F): *Nasua narica*  
Coati brun (F): *Nasua narica*  
Coati, Northern (E): *Nasua narica*  
Coati roux (F): *Nasua nasua solitaria*  
Coati, South American (E): *Nasua nasua*  
Coati, South Brazilian (E): *Nasua nasua solitaria*  
Coati, Southern (E): *Nasua nasua*  
Coati, White-nosed (E): *Nasua narica*  
Cobe lechwe (F): *Kobus leche*  
Cobo de Lechwe (S): *Kobus leche*  
Cobra à lunettes (F): *Naja naja*  
Cobra, Andaman (E): *Naja sagittifera*

- Cobra, Brazilian Water (E): *Cyclagras gigas*  
 Cobra, Central Asian (E): *Naja oxiana*  
 Cobra, Chinese (E): *Naja atra*  
 Cobra, Chinese Spitting (E): *Naja atra*  
 Cobra de anteojos (S): *Naja naja*  
 Cobra des Indes (F): *Naja naja*  
 Cobra, Equatorial Spitting (E): *Naja sumatrana*  
 Cobra, False (E): *Cyclagras gigas*  
 Cobra, False Water (E): *Cyclagras gigas*  
 Cobra, Golden Spitting (E): *Naja sumatrana*  
 Cobra, Indian (E): *Naja naja*  
 Cobra, Indian Spectacled (E): *Naja naja*  
 Cobra indien (F): *Naja naja*  
 Cobra, IndoChinese Spitting (E): *Naja siamensis*  
 Cobra, Indonesian (E): *Naja sputatrix*  
 Cobra, King (E): *Ophiophagus hannah*  
 Cobra, Monocellate (E): *Naja kaouthia*  
 Cobra, Monocled (E): *Naja kaouthia*  
 Cobra, North Philippine Spitting (E): *Naja philippinensis*  
 Cobra, Oxus (E): *Naja oxiana*  
 Cobra, Peters's (E): *Naja samarensis*  
 Cobra, Philippine (E): *Naja philippinensis*  
 Cobra real (S): *Ophiophagus hannah*  
 Cobra royal (F): *Ophiophagus hannah*  
 Cobra, South-east Philippine Spitting (E): *Naja samarensis*  
 Cobra, South Indonesian Spitting (E): *Naja sputatrix*  
 Cochito (F): *Phocoena sinus*  
 Cochito (S): *Phocoena sinus*  
 Cochito (E): *Phocoena sinus*  
 Cockatiel (S): *Nymphicus hollandicus*  
 Cockatiel (E): *Nymphicus hollandicus*  
 Cockatoo, Bare-eyed (E): *Cacatua sanguinea*  
 Cockatoo, Blue-eyed (E): *Cacatua ophthalmica*  
 Cockatoo, Ducorps's (E): *Cacatua ducorpii*  
 Cockatoo, Gang-gang (E): *Callocephalon fimbriatum*  
 Cockatoo, Goffin's (E): *Cacatua goffiniana*  
 Cockatoo, Greater Sulphur-crested (E): *Cacatua galerita*  
 Cockatoo, Leadbeater's (E): *Cacatua leadbeateri*  
 Cockatoo, Lesser Sulphur-crested (E): *Cacatua sulphurea*  
 Cockatoo, Little (E): *Cacatua sanguinea*  
 Cockatoo, Major Mitchell's (E): *Cacatua leadbeateri*  
 Cockatoo, Moluccan (E): *Cacatua moluccensis*  
 Cockatoo, Palm (E): *Probosciger aterrimus*  
 Cockatoo, Philippine (E): *Cacatua haematuropygia*  
 Cockatoo, Pink (E): *Cacatua leadbeateri*  
 Cockatoo, Red-vented (E): *Cacatua haematuropygia*  
 Cockatoo, Roseate (E): *Eolophus roseicapilla*  
 Cockatoos (E): *Cacatuidae*  
 Cockatoo, Salmon-crested (E): *Cacatua moluccensis*  
 Cockatoo, Sulphur-crested (E): *Cacatua galerita*  
 Cockatoo, Tanimbar (E): *Cacatua goffiniana*  
 Cockatoo, Umbrella (E): *Cacatua alba*  
 Cockatoo, White (E): *Cacatua alba*  
 Cockatoo, Yellow-crested (E): *Cacatua sulphurea*  
 Cock-of-the-rock, Andean (E): *Rupicola peruvianus*  
 Cock-of-the-Rock, Common (E): *Rupicola rupicola*  
 Cock-of-the-rock, Guianan (E): *Rupicola rupicola*  
 Cock-of-the-rock, Orange (E): *Rupicola rupicola*  
 Cock-of-the-rock, Peruvian (E): *Rupicola peruvianus*  
 Cock-of-the-rock, Red (E): *Rupicola peruvianus*  
 Cock-of-the-rock, Scarlet (E): *Rupicola peruvianus*  
 Cock-of-the-rock, Smaller (E): *Rupicola rupicola*  
 Cocodrilo americano (S): *Crocodylus acutus*  
 Cocodrilo australiano (S): *Crocodylus johnstoni*  
 Cocodrilo chico africano (S): *Osteolaemus tetraspis*  
 Cocodrilo de Cuba (S): *Crocodylus rhombifer*  
 Cocodrilo de hocico corto (S): *Osteolaemus tetraspis*  
 Cocodrilo del Marjal (S): *Crocodylus palustris*  
 Cocodrilo del Nilo (S): *Crocodylus niloticus*  
 Cocodrilo del Orinoco (S): *Crocodylus intermedius*  
 Cocodrilo de Mindoro (S): *Crocodylus mindorensis*  
 Cocodrilo de Morelet (S): *Crocodylus moreletii*  
 Cocodrilo de Nueva Guinea (S): *Crocodylus novaeguineae*  
 Cocodrilo de Siam (S): *Crocodylus siamensis*  
 Cocodrilo hociquifino africano (S): *Crocodylus cataphractus*  
 Cocodrilo marismeño (S): *Crocodylus palustris*  
 Cocodrilo poroso (S): *Crocodylus porosus*  
 Cocodrilos (S): *Crocodylidae*  
 Codorniz (S): *Colinus virginianus*  
 Coelacanth (E): *Latimeria chalumnae*  
 Coelacanthe (F): *Latimeria chalumnae*  
 Coelacanth, Menado (E): *Latimeria menadoensis*  
***Coeligena* spp.** Lesson, 1833 II TROCHILIDAE (Aves)  
***Coeligena bonapartei*** (Boissonneau, 1840) II  
 TROCHILIDAE (Aves) (E) Golden-bellied Starfrontlet  
 (S) Colibrí inca dorado, Inca ventridorado (F) Inca de Bonaparte  
***Coeligena coeligena*** (Lesson, 1833) II TROCHILIDAE  
 (Aves) (E) Bronzy Inca (S) Colibrí inca bronceado, Inca bronceado (F) Inca céleste  
***Coeligena eos*** (Gould, 1848) = *Coeligena bonapartei* (Boissonneau, 1840)  
***Coeligena helianthea*** (Lesson, 1838) II TROCHILIDAE  
 (Aves) (E) Blue-throated Starfrontlet (S) Colibrí inca ventrivoleta, Inca ventrivoleta (F) Inca porphyre  
***Coeligena inca*** Gould, 1852 = *Coeligena torquata* (Boissonneau, 1840)  
***Coeligena iris*** (Gould, 1854) II TROCHILIDAE (Aves) (E)  
 Rainbow Starfrontlet (S) Frentiestrella arcoiris, Inca arcoiris (F) Inca iris  
***Coeligena lutetiae*** (DeLattre & Bourcier, 1846) II  
 TROCHILIDAE (Aves) (E) Buff-winged Starfrontlet (S) Frentiestrella alihabano, Inca alihabano (F) Inca à gemme bleue  
***Coeligena orina*** Wetmore, 1953 = *Coeligena bonapartei* (Boissonneau, 1840)  
***Coeligena phalerata*** (Bangs, 1898) II TROCHILIDAE  
 (Aves) (E) White-tailed Starfrontlet (S) Inca coliblanco (F) Inca à queue blanche  
***Coeligena prunellei*** (Bourcier, 1843) II TROCHILIDAE  
 (Aves) (E) Black Inca (S) Inca negro (F) Inca noir  
***Coeligena torquata*** (Boissonneau, 1840) II  
 TROCHILIDAE (Aves) (E) Collared Inca (S) Colibrí inca acollarado, Inca acollarado (F) Inca à collier  
***Coeligena violifer*** (Gould, 1846) II TROCHILIDAE (Aves)  
 (E) Violet-throated Starfrontlet (S) Inca gorgimorado (F) Inca violifère

- Coeligena wilsoni*** (DeLattre & Bourcier, 1846) II  
TROCHILIDAE (Aves) (E) Brown Inca (S) Inca café,  
Inca pardo (F) Inca brun
- Coelocyathus typicus*** Sars, 1857 = *Monomyces pygmaea*  
(Risso, 1826)
- Coelogyra laevis*** Nemenzo, 1959 = *Oulophyllia crispa*  
(Lamarck, 1816)
- Coeloria arabica*** Klunzinger, 1879 = *Platygyra lamellina*  
(Hemprich & Ehrenberg, 1834)
- Coeloria astreiformis*** (Milne Edwards & Haime, 1849) =  
*Platygyra daedalea* (Ellis & Solander, 1786)
- Coeloria bottae*** Milne Edwards & Haime, 1849 = *Platygyra lamellina*  
(Hemprich & Ehrenberg, 1834)
- Coeloria cooperi*** Gardiner, 1904 = *Oulophyllia crispa*  
(Lamarck, 1816)
- Coeloria crosslandi*** Matthai, 1928 = *Platygyra crosslandi*  
(Matthai, 1928)
- Coeloria daedalea*** (Ellis & Solander, 1786) = *Platygyra daedalea* (Ellis & Solander, 1786)
- Coeloria edwardsi*** Gardiner, 1899 = *Platygyra daedalea*  
(Ellis & Solander, 1786)
- Coeloria esperi*** (Milne Edwards & Haime, 1849) =  
*Platygyra daedalea* (Ellis & Solander, 1786)
- Coeloria forskalana*** Milne Edwards & Haime, 1851 =  
*Platygyra lamellina* (Hemprich & Ehrenberg, 1834)
- Coeloria laticollis*** Milne Edwards & Haime, 1849 =  
*Platygyra lamellina* (Hemprich & Ehrenberg, 1834)
- Coeloria leptoticha*** Klunzinger, 1879 = *Platygyra lamellina*  
(Hemprich & Ehrenberg, 1834)
- Coeloria rustica*** (Dana, 1846) = *Platygyra daedalea* (Ellis & Solander, 1786)
- Coeloria sinensis*** (Milne Edwards & Haime, 1849) =  
*Platygyra sinensis* (Milne Edwards & Haime, 1849)
- Coeloria subdentata*** Milne Edwards & Haime, 1849 =  
*Platygyra lamellina* (Hemprich & Ehrenberg, 1834)
- Coeloseris spp.*** Vaughan, 1918 II AGARICIIDAE  
(Anthozoa)
- Coeloseris mayeri*** Vaughan, 1918 II AGARICIIDAE  
(Anthozoa)
- Coelosmilia fecunda*** Pourtalès, 1871 = *Anomocora fecunda* (Pourtalès, 1871)
- Coenangia conferta*** (Verrill, 1869) = *Astrangia conferta* Verrill, 1870
- Coendou épineux (F): *Sphiggurus spinosus*
- Coendou mexicanus*** (Kerr, 1792) = *Sphiggurus mexicanus* (Kerr, 1792)
- Coendou paraguayensis*** Oken, 1816 = *Sphiggurus spinosus* (F. Cuvier, 1823)
- Coendou spinosus*** (F. Cuvier, 1823) = *Sphiggurus spinosus* (F. Cuvier, 1823)
- Coendu espinoso (S): *Sphiggurus spinosus*
- Coenocyathus spp.*** Milne Edwards & Haime, 1848 II  
CARYOPHYLLIIDAE (Anthozoa)
- Coenocyathus anthophyllites*** Milne Edwards & Haime, 1848 II CARYOPHYLLIIDAE (Anthozoa)
- Coenocyathus bartschi*** Wells, 1947 = *Rhizosmilia maculata* (Pourtalès, 1874)
- Coenocyathus bowersi*** Vaughan, 1906 II  
CARYOPHYLLIIDAE (Anthozoa)
- Coenocyathus brooki*** Cairns, 1995 II  
CARYOPHYLLIIDAE (Anthozoa)
- Coenocyathus caribbeana*** Cairns, 2000 II  
CARYOPHYLLIIDAE (Anthozoa)
- Coenocyathus corsicus*** Milne Edwards & Haime, 1848 =  
*Pourtalosmilia anthophyllites* (Ellis & Solander, 1786)
- Coenocyathus cylindricus*** Milne Edwards & Haime, 1848 II CARYOPHYLLIIDAE (Anthozoa) (E) Cylindrical Coral (S) Coral cilíndrico
- Coenocyathus dohri*** Döderlein, 1913 = *Caryophyllia inornata* (Duncan, 1878)
- Coenocyathus giesbrechti*** Döderlein, 1913 = *Caryophyllia inornata* (Duncan, 1878)
- Coenocyathus goreau*** Wells, 1972 II  
CARYOPHYLLIIDAE (Anthozoa) (E) Goreau's Coral (S) Coral de Goreau
- Coenocyathus humanni*** Cairns, 2000 II  
CARYOPHYLLIIDAE (Anthozoa)
- Coenocyathus lobatus*** Chevalier, 1966 = *Coenocyathus cylindricus* Milne Edwards & Haime, 1848
- Coenocyathus parvulus*** (Cairns, 1979) II  
CARYOPHYLLIIDAE (Anthozoa) (E) Small Coral (S) Coral párvulo
- Coenocyathus sagamiensis*** Eguchi, 1968 = *Rhizosmilia sagamiensis* (Eguchi, 1968)
- Coenocyathus vermiformis*** Pourtalès, 1868 =  
*Stenocyathus vermiformis* (Pourtalès, 1868)
- Coenopsammia aequiserialis*** Milne Edwards & Haime, 1848 = *Tubastraea micranthus* (Ehrenberg, 1834)
- Coenopsammia affinis*** Duncan, 1889 = *Tubastraea coccinea* Lesson, 1829
- Coenopsammia aurea*** (Quoy & Gaimard, 1833) =  
*Tubastraea coccinea* Lesson, 1829
- Coenopsammia coccinea*** (Lesson, 1834) = *Tubastraea coccinea* Lesson, 1829
- Coenopsammia ehrenbergiana*** Milne Edwards & Haime, 1848 = *Tubastraea coccinea* Lesson, 1829
- Coenopsammia manni*** Verrill, 1866 = *Tubastraea coccinea* Lesson, 1829
- Coenopsammia radiata*** Verrill, 1864 = *Tubastraea coccinea* Lesson, 1829
- Coenopsammia ramiculosa*** Rehberg, 1892 = *Tubastraea micranthus* (Ehrenberg, 1834)
- Coenopsammia tenuilamellosa*** Milne Edwards & Haime, 1848 = *Tubastraea coccinea* Lesson, 1829
- Coenopsammia urvillii*** Milne Edwards & Haime, 1848 =  
*Tubastraea coccinea* Lesson, 1829
- Coenopsammia viridis*** Milne Edwards & Haime, 1848 =  
*Tubastraea micranthus* (Ehrenberg, 1834)
- Coenopsammia willeyi*** Gardiner, 1899 = *Tubastraea coccinea* Lesson, 1829
- Coenosmilia spp.*** Pourtalès, 1874 II  
CARYOPHYLLIIDAE (Anthozoa)
- Coenosmilia arbuscula*** Pourtalès, 1874 II  
CARYOPHYLLIIDAE (Anthozoa) (E) Dwarf Tree Coral (S) Coral arbólito
- Coenosmilia inordinata*** Cairns, 1984 II  
CARYOPHYLLIIDAE (Anthozoa)
- Coenosmilia repens*** Chevalier, 1966 = *Pourtalosmilia anthophyllites* (Ellis & Solander, 1786)

Coffre (F): <i>Natator depressus</i>	Colibri à queue en ciseaux (F): <i>Hylonympha macrocerca</i>
Coffre (F): <i>Caretta caretta</i>	Colibri à queue large (F): <i>Selasphorus platycercus</i>
Colacerda crestuda (S): <i>Discosura popelairii</i>	Colibri à queue mi-blanche (F): <i>Phlogophilus hemileucurus</i>
Colacerda ventrinegra (S): <i>Discosura langsdorffi</i>	Colibri à queue singulière (F): <i>Doricha enicura</i>
Colacerda verte (S): <i>Discosura conversii</i>	Colibri à queue verte (F): <i>Leucippus chlorocercus</i>
Colacinta colinegra (S): <i>Lesbia victoriae</i>	Colibri ardent (F): <i>Selasphorus ardens</i>
Colacinta coliverde (S): <i>Lesbia nuna</i>	Colibrí ardiente (S): <i>Selasphorus ardens</i>
Cola de pescado (S): <i>Huso huso</i>	Colibrí astral (S): <i>Chaetocercus astreans</i>
Colaespatula zamarrito (S): <i>Ocreatus underwoodii</i>	Colibrí aterciopelado (S): <i>Lafresnaya lafresnayi</i>
<b>Colangia spp.</b> Pourtalès, 1871 II CARYOPHYLLIIDAE (Anthozoa)	Colibrí à tête bleue (F): <i>Cyanophaya bicolor</i>
<b>Colangia immersa</b> Pourtalès, 1871 II	Colibrí à tête cuivrée (F): <i>Elvira cupreiceps</i>
CARYOPHYLLIIDAE (Anthozoa) (E) Lesser Speckled	Colibrí à tête noire (F): <i>Trochilus polytmus</i>
Cup Coral (S) Coral tazón manchado (F) Corail calice	Colibrí à tête rose (F): <i>Anthocephala floriceps</i>
mouchetée	Colibrí à tête violette (F): <i>Klais guimeti</i>
<b>Colangia jamaicaensis</b> Cairns, 2000 II	Colibrí austral (S): <i>Sephanoides sephanoides</i>
CARYOPHYLLIIDAE (Anthozoa)	Colibrí aux huppés d'or (F): <i>Heliactin bilophus</i>
<b>Colangia moseleyi</b> (Faustino, 1927) II	Colibrí à ventre blanc (F): <i>Colibri serrirostris</i>
CARYOPHYLLIIDAE (Anthozoa)	Colibrí à ventre châtain (F): <i>Lampornis castaneoventris</i>
<b>Colangia multipalifera</b> Cairns, 2000 II	Colibrí à ventre noir (F): <i>Eupherusa nigriventris</i>
CARYOPHYLLIIDAE (Anthozoa)	Colibrí avocette (F): <i>Anthracothorax recurvirostris</i>
<i>Colangia simplex</i> Pourtalès, 1878 = <i>Gardineria simplex</i>	Colibrí avocettin (F): <i>Opisthoprora euryptera</i>
(Pourtalès, 1878)	Colibrí barbiesmeralda (S): <i>Abeillia abeillei</i>
Colapinto ecuatoriano (S): <i>Phlogophilus hemileucurus</i>	Colibrí barbinegro (S): <i>Archilochus alexandri</i>
Colasisi (E): <i>Loriculus philippensis</i>	Colibrí bicolor (S): <i>Cyanophaya bicolor</i>
Colayo (S): <i>Cetorhinus maximus</i>	Colibrí blancoliva (S): <i>Leucippus chlorocercus</i>
<b>Colibri spp.</b> Müller, 1773 II TROCHILIDAE (Aves)	Colibrí blanquiverde (S): <i>Amazilia viridicauda</i>
Colibri à ailes saphir (F): <i>Pterophanes cyanopterus</i>	Colibrí bonito (S): <i>Calothorax pulcher</i>
Colibri à bec incurvé (F): <i>Glaucis dohrnii</i>	Colibrí bourdon (F): <i>Chaetocercus bombus</i>
Colibri à bec noir (F): <i>Trochilus scitulus</i>	Colibrí cabeciazul (S): <i>Klais guimeti</i>
Colibrí abejorro (S): <i>Chaetocercus bombus</i>	Colibrí cabecidorado (S): <i>Boissonneaua flavaescens</i>
Colibri à calotte violette (F): <i>Goldmania violiceps</i>	Colibrí cabecivioleta (S): <i>Klais guimeti</i>
Colibri à coiffe blanche (F): <i>Microchera albocoronata</i>	Colibrí calíope (S): <i>Stellula calliope</i>
Colibri adèle (F): <i>Oreotrochilus adela</i>	Colibrí calliope (F): <i>Stellula calliope</i>
Colibrí admirable (S): <i>Loddigesia mirabilis</i>	Colibrí canelo (S): <i>Amazilia rutila</i>
Colibri à dos noir (F): <i>Ramphomicron dorsale</i>	Colibrí capirrufo (S): <i>Chalcostigma ruficeps</i>
Colibri à épaulettes (F): <i>Eupherusa eximia</i>	Colibrí caribeño gorgimorado (S): <i>Eulampis jugularis</i>
Colibri à flancs blancs (F): <i>Oreotrochilus leucopleurus</i>	Colibrí caribeño gorgiverde (S): <i>Eulampis holosericeus</i>
Colibri à gorge améthyste (F): <i>Lampornis amethystinus</i>	Colibrí casqué (F): <i>Oxypogon guerinii</i>
Colibri à gorge blanche (F): <i>Leucochloris albicollis</i>	Colibrí céleste (F): <i>Aglaeactis coelestis</i>
Colibri à gorge bleue (F): <i>Lampornis clemenciae</i>	Colibrí centelleante (S): <i>Selasphorus scintilla</i>
Colibri à gorge grenat (F): <i>Lamproulaima rhami</i>	Colibrí charmant (F): <i>Calothorax pulcher</i>
Colibri à gorge lilas (F): <i>Lampornis hemileucus</i>	Colibrí chivito (S): <i>Oxypogon guerinii</i>
Colibri à gorge noire (F): <i>Archilochus alexandri</i>	Colibrí circé (F): <i>Cynanthus latirostris</i>
Colibri à gorge rubis (F): <i>Archilochus colubris</i>	Colibrí cobrizo (S): <i>Aglaeactis cupripennis</i>
Colibrí aliazul (S): <i>Pterophanes cyanopterus</i>	Colibrí colaceste (S): <i>Augastes scutatus</i>
Colibrí alicastaño (S): <i>Lamproulaima rhami</i>	Colibrí cola de hoja (S): <i>Ocreatus underwoodii</i>
Colibrí amatista (S): <i>Calliphlox amethystina</i>	Colibrí cola de oro (S): <i>Chrysuronia oenone</i>
Colibrí amatistino (S): <i>Lampornis amethystinus</i>	Colibrí coliancho (S): <i>Selasphorus platycercus</i>
Colibri à menton bleu (F): <i>Chlorostilbon notatus</i>	Colibrí coliazul (S): <i>Amazilia cyanura</i>
Colibri améthyste (F): <i>Calliphlox amethystina</i>	Colibrí coliblanco (S): <i>Campylopterus ensipennis</i>
Colibri anaïs (F): <i>Colibri coruscans</i>	Colibrí colibronce (S): <i>Polyonymus caroli</i>
Colibrí ante (S): <i>Leucippus fallax</i>	Colibrí colicorto (S): <i>Myrmia micrura</i>
Colibrí anteado (S): <i>Leucippus fallax</i>	Colibrí colihabano (S): <i>Boissonneaua flavaescens</i>
Colibrí apagado (S): <i>Aphantochroa cirrochloris</i>	Colibrí collargo mayor (S): <i>Lesbia victoriae</i>
Colibri à petit bec (F): <i>Ramphomicron microrhynchum</i>	Colibrí colilargo menor (S): <i>Lesbia nuna</i>
Colibri à plastron noir (F): <i>Oreotrochilus melanogaster</i>	Colibrí colipinto ecuatoriano (S): <i>Phlogophilus hemileucurus</i>
Colibri à poitrine violette (F): <i>Sternoclyta cyanopectus</i>	Colibrí colipinto peruano (S): <i>Phlogophilus harterti</i>
Colibri à queue bronzée (F): <i>Chalybura urochrysia</i>	Colibrí colirraro (S): <i>Doricha enicura</i>
Colibri à queue courte (F): <i>Myrmia micrura</i>	

- Colibrí colirrayado (S): *Eupherusa eximia*  
 Colibrí colirrojo (S): *Clytolaema rubricauda*  
 Colibrí colirrufo (S): *Amazilia tzacatl*  
 Colibrí colpinto (S): *Tilmatura dupontii*  
 Colibrí coludo azul (S): *Aglaeactis kingi*  
 Colibrí coludo verde (S): *Lesbia nuna*  
 Colibrí cometa (S): *Sappho sparganura*  
 Colibri comète (F): *Taphrolesbia griseiventris*  
 Colibrí condecorado (S): *Aglaeactis castelnauddii*  
 Colibrí copetón (S): *Stephanoxis lalandi*  
 Colibri cora (F): *Thaumastura cora*  
 Colibrí cora (S): *Thaumastura cora*  
 Colibrí cordillerano (S): *Oreotrochilus leucopleurus*  
 Colibri corinne (F): *Heliomaster longirostris*  
 Colibrí cornudito (S): *Heliactin bilophus*  
 Colibrí corona-verde (S): *Amazilia viridifrons*  
 Colibrí corona-violeta (S): *Amazilia violiceps*  
 Colibrí coroniazul (S): *Amazilia cyanocephala*  
 Colibrí coroniblanco (S): *Microchera albocoronata*  
**Colibri coruscans** (Gould, 1846) II TROCHILIDAE (Aves)  
 (E) Sparkling Violet-ear (S) Colibrí orejivioleta grande,  
 Colibrí rutilante, Picaflor ventriazul (F) Colibri anaïs  
 Colibrí crestado (S): *Orthorhynchus cristatus*  
 Colibrí cuellicastaño (S): *Heliodoxa aurescens*  
 Colibri d'Abeillé (F): *Abeillia abeillei*  
 Colibri d' Alice (F): *Aglaeactis aliciae*  
 Colibri d' Allen (F): *Selasphorus sasin*  
 Colibri d' Angèle (F): *Heliomaster furcifer*  
 Colibri d' Anna (F): *Calypte anna*  
 Colibri d' Arica (F): *Eulidia yarrellii*  
 Colibrí de Alicia (S): *Aglaeactis aliciae*  
 Colibrí de Allen (S): *Selasphorus sasin*  
 Colibrí de Anna (S): *Calypte anna*  
 Colibrí de Arica (S): *Eulidia yarrellii*  
 Colibrí de Barbijo (S): *Heliomaster furcifer*  
 Colibri de Benjamin (F): *Urosticte benjamini*  
 Colibrí de Berilo (S): *Amazilia beryllina*  
 Colibri de Berlepsch (F): *Chaetocercus berlepschi*  
 Colibri de Bouguer (F): *Urochroa bougueri*  
 Colibrí de Bouguer (S): *Urochroa bougueri*  
 Colibri de Bourcier (F): *Polyonymus caroli*  
 Colibri de Buffon (F): *Chalybura buffonii*  
 Colibrí de Buffon (S): *Chalybura buffonii*  
 Colibri de Burmeister (F): *Microstilbon burmeisteri*  
 Colibrí de Burmeister (S): *Microstilbon burmeisteri*  
 Colibri de Castelneau (F): *Aglaeactis castelnauddii*  
 Colibrí de Cochabamba (S): *Oreotrochilus adela*  
 Colibri de Constant (F): *Heliomaster constantii*  
 Colibri de Costa (F): *Calypte costae*  
 Colibrí de Costa (S): *Calypte costae*  
 Colibri de Cuvier (F): *Campylopterus cuvierii*  
 Colibrí de Cuvier (S): *Campylopterus cuvierii*  
 Colibri de Delalande (F): *Stephanoxis lalandi*  
 Colibri de Delphine (F): *Colibri delphinae*  
 Colibri de Dohrn (F): *Glaucis dohrnii*  
 Colibrí de Dupont (S): *Tilmatura dupontii*  
 Colibrí de Elisa (S): *Doricha eliza*  
 Colibrí de Elliot (S): *Atthis ellioti*  
 Colibrí de Eloísa (S): *Atthis heloisa*  
 Colibrí de Esmeraldas (S): *Chaetocercus berlepschi*  
 Colibrí de Geoffroy (F): *Schistes geoffroyi*  
 Colibrí de Goldman (S): *Goldmania violiceps*  
 Colibri de Goudot (F): *Lepidopyga goudoti*  
 Colibrí de Goudot (S): *Lepidopyga goudoti*  
 Colibrí de Guerrero (S): *Eupherusa poliocerca*  
 Colibri de Hartert (F): *Phlogophilus harterti*  
 Colibrí de Herrán (S): *Chalcostigma herrani*  
 Colibri de Jardine (F): *Boissonneaua jardini*  
 Colibri de Jourdan (F): *Chaetocercus jourdanii*  
 Colibrí de Jourdan (S): *Chaetocercus jourdanii*  
 Colibrí de Juan Fernández (S): *Sephanoïdes fernandensis*  
 Colibrí de Julia (S): *Damophila julie*  
 Colibri de Lafresnaye (F): *Lafresnaya lafresnayi*  
 Colibrí de las Bahamas (S): *Calliphlox evelynae*  
 Colibrí del Atacama (S): *Rhodopis vesper*  
 Colibrí del Chimborazo (S): *Oreotrochilus chimborazo*  
 Colibrí del Duida (S): *Campylopterus duidae*  
 Colibri de Lillian (F): *Lepidopyga lilliae*  
 Colibri d'Elliot (F): *Atthis ellioti*  
 Colibrí del Napo (S): *Campylopterus villaviscensio*  
**Colibri delphinae** (Lesson, 1839) II TROCHILIDAE  
 (Aves) (E) Brown Violet-ear (S) Colibrí pardo,  
 Orejivioleta café, Orejivioleta marrón (F) Colibri de  
 Delphine  
 Colibrí del Pirre (S): *Goethalsia bella*  
 Colibrí de Marte (S): *Heliangelus mavora*  
 Colibri de Matthews (F): *Boissonneaua matthewsii*  
 Colibri demi-deuil (F): *Florisuga fusca*  
 Colibri de Mitchell (F): *Calliphlox mitchellii*  
 Colibrí de Mitchell (S): *Calliphlox mitchellii*  
 Colibri de Mulsant (F): *Chaetocercus mulsanti*  
 Colibrí de Mulsant (S): *Chaetocercus mulsanti*  
 Colibrí de Perijá (S): *Metallura iracunda*  
 Colibrí de pico recurvado (S): *Glaucis dohrnii*  
 Colibri d'Equateur (F): *Androdon aequatorialis*  
 Colibrí de raquetas (S): *Ocreatus underwoodii*  
 Colibri de Rivoli (F): *Eugenes fulgens*  
 Colibri de Santa Marta (F): *Chaetocercus astreans*  
 Colibrí de Santa Marta (S): *Campylopterus phainopeplus*  
 Colibri des Bahamas (F): *Calliphlox evelynae*  
 Colibrí de Sibila (S): *Lampornis sybillae*  
 Colibrí de Stanley (S): *Chalcostigma stanleyi*  
 Colibri des tépuis (F): *Polytmus milleri*  
 Colibri de Sybil (F): *Lampornis sybillae*  
 Colibri de Taczanowski (F): *Leucippus taczanowskii*  
 Colibrí de Taczanowski (S): *Leucippus taczanowskii*  
 Colibrí de tepui (S): *Polytmus milleri*  
 Colibrí de Teresa (S): *Polytmus theresiae*  
 Colibri de Tumbes (F): *Leucippus baeri*  
 Colibrí de Tumbes (S): *Leucippus baeri*  
 Colibrí de Xantus (S): *Basilinna xantusii*  
 Colibri d'Helen (F): *Mellisuga helenae*  
 Colibri d'Oaxaca (F): *Eupherusa cyanophrys*  
 Colibri du Chili (F): *Sephanoïdes sephanoïdes*  
 Colibri du Chimborazo (F): *Oreotrochilus chimborazo*  
 Colibri du Guerrero (F): *Eupherusa poliocerca*  
 Colibri du Pirré (F): *Goethalsia bella*  
 Colibri élise (F): *Doricha eliza*  
 Colibri elvire (F): *Elvira chionura*  
 Colibríes (S): *Trochilidae*

- Colibrí escamoso (S): *Heliomaster squamosus*  
 Colibrí estelle (F): *Oreotrochilus estella*  
 Colibrí estrella picolargo (S): *Heliomaster longirostris*  
 Colibrí étincelant (F): *Aglaeactis cupripennis*  
 Colibrí falle-vert (F): *Eulampis holosericeus*  
 Colibrí fanny (F): *Myrtis fanny*  
 Colibrí faux-saphir (F): *Lepidopyga coeruleogularis*  
 Colibrí féérique (F): *Heliothryx barroti*  
 Colibrí flamboyant (F): *Topaza pyra*  
 Colibrí flammule (F): *Selasphorus flammula*  
 Colibrí flavescent (F): *Boissonneaua flavescens*  
 Colibrí florido (S): *Anthocephala floriceps*  
 Colibrí frentiverde (S): *Heliodoxa xanthogonys*  
 Colibrí gargantidorado (S): *Polytmus guainumbi*  
 Colibrí gargantilla (S): *Leucochloris albicollis*  
 Colibrí géant (F): *Patagona gigas*  
 Colibrí gigante (S): *Patagona gigas*  
 Colibrí golondrina (S): *Eupetomena macroura*  
 Colibrí gorgiamatista (S): *Heliangelus amethysticollis*  
 Colibrí gorgiazul (S): *Lampornis clemenciae*  
 Colibrí gorgiescamoso (S): *Lampornis viridipallens*  
 Colibrí gorgirrubí (S): *Archilochus alexandri*  
 Colibrí gorgivioleta (S): *Lampornis hemileucus*  
 Colibrí gorgizafiro (S): *Lepidopyga coeruleogularis*  
 Colibrí gorjirrubí (S): *Archilochus colubris*  
 Colibrí grande colinegro (S): *Chalybura buffonii*  
 Colibrí grivelé (F): *Taphrospilus hypostictus*  
 Colibrí guaïnumbi (F): *Polytmus guainumbi*  
 Colibrí guainumbí (S): *Polytmus guainumbi*  
 Colibrí guerrerense (S): *Eupherusa poliocerca*  
 Colibrí hada occidental (S): *Heliothryx barroti*  
 Colibrí hada orejazul (S): *Heliothryx auritus*  
 Colibrí hada oriental (S): *Heliothryx auritus*  
 Colibrí héliodore (F): *Chaetocercus heliodor*  
 Colibrí heliodoro (S): *Chaetocercus heliodor*  
 Colibrí hélöise (F): *Atthis heloisa*  
 Colibrí hirondelle (F): *Eupetomena macroura*  
 Colibrí huppé (F): *Orthorhyncus cristatus*  
 Colibrí inca acollarado (S): *Coeligena torquata*  
 Colibrí inca bronceado (S): *Coeligena coeligena*  
 Colibrí inca dorado (S): *Coeligena bonapartei*  
 Colibrí inca ventrivioleta (S): *Coeligena helianthea*  
 Colibrí insigne (F): *Panterpe insignis*  
 Colibrí insigne (S): *Panterpe insignis*  
 Colibrí jacobin (F): *Florisuga mellivora*  
 Colibrí jaspeado (S): *Adelomyia melanogenys*  
 Colibrí julie (F): *Damophila julie*  
 Colibrí lacero (S): *Heliangelus micraster*  
 Colibrí lazulita (S): *Campylopterus falcatus*  
 Colibrí lucifer (F): *Calothorax lucifer*  
 Colibrí lucifer (S): *Calothorax lucifer*  
 Colibrí lumachelle (F): *Augastes lumachella*  
 Colibrí lumaquela (S): *Augastes lumachella*  
 Colibrí madère (F): *Eulampis jugularis*  
 Colibrí magenta (F): *Calliphlox bryantae*  
 Colibrí magenta (S): *Calliphlox bryantae*  
 Colibrí magnífico (S): *Eugenes fulgens*  
 Colibrí médiastin (F): *Heliomaster squamosus*  
 Colibrí morado (S): *Campylopterus hemileucurus*  
 Colibrí moteado (S): *Taphrospilus hypostictus*  
 Colibrí moucheté (F): *Adelomyia melanogenys*  
 Colibrí multipunteado (S): *Taphrospilus hypostictus*  
 Colibrí myrtis (S): *Myrtis fanny*  
 Colibrí nain (F): *Mellisuga minima*  
 Colibrí negrito (S): *Aglaeactis pamela*  
 Colibrí negro (S): *Florisuga fusca*  
 Colibrí noble (F): *Oreonympha nobilis*  
 Colibrí noble (S): *Oreonympha nobilis*  
 Colibrí nuquiblanco (S): *Florisuga mellivora*  
 Colibrí oaxaqueño (S): *Eupherusa cyanophrys*  
 Colibrí oliváceo (S): *Chalcostigma olivaceum*  
 Colibrí olivipunteado (S): *Leucippus chlorocercus*  
 Colibrí oreillard (F): *Heliothryx auritus*  
 Colibrí orejiblanco (S): *Basilinna leucotis*  
 Colibrí orejimorado (S): *Colibri serirostris*  
 Colibrí orejivioleta grande (S): *Colibri coruscans*  
 Colibrí orejivioleta verde (S): *Colibri thalassinus*  
 Colibrí pamela (F): *Aglaeactis pamela*  
 Colibrí pantalón cobrizo (S): *Eriocnemis cupreoventris*  
 Colibrí pantalón verde (S): *Eriocnemis vestita*  
 Colibrí pardo (S): *Colibri delphinae*  
 Colibrí patirrojo (S): *Chalybura urochrysia*  
 Colibrí pechiazul (S): *Sternoclyta cyanopectus*  
 Colibrí pechigrís (S): *Campylopterus largipennis*  
 Colibrí pechinegro (S): *Oreotrochilus melanogaster*  
 Colibrí pechirrojo (S): *Boissonneaua matthewsii*  
 Colibrí pecho canela (S): *Glaucis hirsutus*  
 Colibrí pectoral (S): *Heliangelus strophianus*  
 Colibrí picocuña (S): *Schistes geoffroyi*  
 Colibrí pico de cuña (S): *Schistes geoffroyi*  
 Colibrí picoespada (S): *Ensifera ensifera*  
 Colibrí picoespina (S): *Chalcostigma heteropogon*  
 Colibrí pico espina (S): *Ramphomicron microrhynchum*  
 Colibrí picolanza mayor (S): *Doryfera ludovicae*  
 Colibrí picolanza menor (S): *Doryfera johannae*  
 Colibrí picolezna (S): *Opisthoprorra euryptera*  
 Colibrí pico lezna (S): *Anthracothorax recurvirostris*  
 Colibrí picosierra chico (S): *Glaucis dohrnii*  
 Colibrí piquiancho (S): *Cynanthus latirostris*  
 Colibrí piquiavoceta (S): *Opisthoprorra euryptera*  
 Colibrí piquicorto común (S): *Ramphomicron microrhynchum*  
 Colibrí piquicorto dorsinegro (S): *Ramphomicron dorsale*  
 Colibrí piquicunna (S): *Schistes geoffroyi*  
 Colibrí piquidentado (S): *Androdon aequatorialis*  
 Colibrí piquilargo (S): *Heliomaster longirostris*  
 Colibrí pochotero (S): *Heliomaster constantii*  
 Colibrí portacintas (S): *Trochilus polytmus*  
 Colibrí portacintas piquinegro (S): *Trochilus scitulus*  
 Colibrí porte-épée (F): *Ensifera ensifera*  
 Colibrí prieto (S): *Cynanthus sordidus*  
 Colibrí puneño (S): *Oreotrochilus estella*  
 Colibrí puntablanca occidental (S): *Urosticte benjamini*  
 Colibrí real (S): *Heliangelus regalis*  
 Colibrí robinson (F): *Sephanoides fernandensis*  
 Colibrí rojizo mexicano (S): *Campylopterus rufus*  
 Colibrí rojizo venezolano (S): *Campylopterus hyperythrus*  
 Colibrí roux (F): *Selasphorus rufus*  
 Colibrí rubí (S): *Chrysolampis mosquitus*  
 Colibrí rubis-éméraude (F): *Clytolaema rubricauda*

Colibri rubis-topaze (F): <i>Chrysolampis mosquitus</i>	virginiano de Ridgway (F) Colin de Ridgway, Colin de Virginie masqué
Colibrí rufo (S): <i>Selasphorus rufus</i>	Colín virginiano de Ridgway (S): <i>Colinus virginianus ridgwayi</i>
Colibrí ruiseñor (S): <i>Campylopterus curvipennis</i>	Colobe (F): <i>Colobus angolensis</i>
Colibrí rutilante (S): <i>Colibri coruscans</i>	Colobe à camail (F): <i>Colobus polykomos</i>
Colibris (F): <i>Trochilidae</i>	Colobe à épaules blanches (F): <i>Colobus guereza</i>
Colibri sapho (F): <i>Sappho sparganura</i>	Colobe à longs poils (F): <i>Colobus polykomos</i>
Colibri scintillant (F): <i>Selasphorus scintilla</i>	Colobe bai (F): <i>Piliocolobus pennantii</i>
Colibrí serrano gargantiazul (S): <i>Adelomyia melanogenys</i>	Colobe bai (F): <i>Piliocolobus badius</i>
Colibrí-serrano gorjiamatisto (S): <i>Lampornis amethystinus</i>	Colobe bai d'Afrique occidentale (F): <i>Piliocolobus badius</i>
Colibrí-serrano gorjiazul (S): <i>Lampornis clemenciae</i>	Colobe bai de la Tana (F): <i>Piliocolobus rufomitratus</i>
Colibrí-serrano gorjiverde (S): <i>Lampornis viridipallens</i>	Colobe bai de Zanzibar (F): <i>Piliocolobus kirkii</i>
Colibrí-serrano pechiverde (S): <i>Lampornis sybillae</i>	Colobe bai du Cameroun (F): <i>Piliocolobus preussi</i>
<b>Colibri serrirostris</b> (Vieillot, 1816) II TROCHILIDAE	Colobe blanc et noir d'Afrique occidentale (F): <i>Colobus polykomos</i>
(Aves) (E) White-vented Violet-ear (S) Colibrí orejimorado, Picaflor ventriverde (F) Colibri à ventre blanc	Colobe de l'Abyssinie (F): <i>Colobus guereza</i>
Colibrí sietecolores (S): <i>Boissonneaua jardini</i>	Colobe de Van Beneden (F): <i>Procolobus verus</i>
Colibri sombre (F): <i>Cynanthus sordidus</i>	Colobe ferrugineux (F): <i>Piliocolobus badius</i>
Colibri superbe (F): <i>Augastes scutatus</i>	Colobe guéréza (F): <i>Colobus guereza</i>
Colibri tacheté (F): <i>Ramphodon naevius</i>	Colobe huppé (F): <i>Procolobus verus</i>
Colibrí terciopelo (S): <i>Lafresnaya lafresnayi</i>	Colobe magistrat (F): <i>Colobus polykomos</i>
Colibri thalassin (F): <i>Colibri thalassinus</i>	Colobe noir (F): <i>Colobus satanas</i>
<b>Colibri thalassinus</b> (Swainson, 1827) II TROCHILIDAE	Colobe roux de la Tana (F): <i>Piliocolobus rufomitratus</i>
(Aves) (E) Green Violet-ear (S) Colibrí orejivioleta verde, Colibrí verdemar, Picaflor orejiazul (F) Colibri thalassín	Colobe vert (F): <i>Procolobus verus</i>
Colibrí tijereta (S): <i>Hylonympha macrocerca</i>	Colobe vrai (F): <i>Procolobus verus</i>
Colibrí topacio (S): <i>Topaza pella</i>	Colobo blanco y negro de África occidental (S): <i>Colobus polykomos</i>
Colibri topaze (F): <i>Topaza pella</i>	Colobo de Tana (S): <i>Piliocolobus rufomitratus</i>
Colibri tout-vert (F): <i>Polytmus theresiae</i>	Colobo herrumbroso occidental (S): <i>Piliocolobus badius</i>
Colibri trompeur (F): <i>Leucippus fallax</i>	Colobo negro (S): <i>Colobus satanas</i>
Colibrí turmalina (S): <i>Heliangelus exortis</i>	Colobo rojo (S): <i>Piliocolobus pennantii</i>
Colibrí variable (S): <i>Lampornis castaneoventris</i>	Colobo rojo de Camerún (S): <i>Piliocolobus preussi</i>
Colibrí ventigrís (S): <i>Taphrolesbia griseiventris</i>	Colobo rojo de Zanzíbar (S): <i>Piliocolobus kirkii</i>
Colibrí ventrínegro (S): <i>Eupherusa nigriventris</i>	Colobo rojo guéréza (S): <i>Colobus guereza</i>
Colibrí ventriníveo (S): <i>Amazilia chionogaster</i>	Colobo rojo mitrado (S): <i>Piliocolobus rufomitratus</i>
Colibrí ventrivioleta (S): <i>Damophila julie</i>	Colobo verde (S): <i>Procolobus verus</i>
Colibrí ventrizafiro (S): <i>Lepidopyga lilliae</i>	<b>Colobus spp.</b> Illiger, 1811 II CERCOPITHECIDAE
Colibrí verdecito (S): <i>Chlorostilbon notatus</i>	(Mammalia)
Colibrí verde colirrojo (S): <i>Metallura tyrianthina</i>	<i>Colobus abyssinicus</i> Oken, 1816 = <i>Colobus guereza</i>
Colibrí verdemar (S): <i>Colibri thalassinus</i>	Rüppell, 1835
Colibri vert-d'eau (F): <i>Lampornis viridipallens</i>	Colobus, Angolan (E): <i>Colobus angolensis</i>
Colibri vert et gris (F): <i>Aphantochroa cirrochloris</i>	Colobus, Angolan Black-and-white (E): <i>Colobus angolensis</i>
Colibri vesper (F): <i>Rhodopis vesper</i>	Colobus, Angola Pied (E): <i>Colobus angolensis</i>
Colibrí vientre-canelo (S): <i>Amazilia yucatanensis</i>	<b>Colobus angolensis</b> P. Sclater, 1860 II
Colibrí violeta (S): <i>Heliangelus viola</i>	CERCOPITHECIDAE (Mammalia) (E) Angolan Black-and-white Colobus, Angolan Colobus, Angola Pied Colobus (F) Colobe
Colibrí volcanero (S): <i>Selasphorus flammula</i>	<i>Colobus badius gordonorum</i> (Kerr, 1792) = <i>Piliocolobus gordonorum</i> Matschie, 1900
Colibri zémès (F): <i>Tilmatura dupontii</i>	<i>Colobus badius</i> (Kerr, 1792) = <i>Piliocolobus badius</i> (Kerr, 1792)
Colibrí zumbadorcito (S): <i>Mellisuga minima</i>	<i>Colobus badius kirkii</i> (Kerr, 1792) = <i>Piliocolobus kirkii</i> (Gray, 1868)
Colibrí zunzuncito (S): <i>Mellisuga helenae</i>	<i>Colobus badius preussi</i> (Kerr, 1792) = <i>Piliocolobus preussi</i> (Matschie, 1900)
Colin de Ridgway (F): <i>Colinus virginianus ridgwayi</i>	<i>Colobus badius rufomitratus</i> Peters, 1879 = <i>Piliocolobus rufomitratus</i> (Peters, 1879)
Colín de Virginia (S): <i>Colinus virginianus</i>	Colobus, Black (E): <i>Colobus satanas</i>
Colin de Virginie (F): <i>Colinus virginianus</i>	
Colin de Virginie masqué (F): <i>Colinus virginianus ridgwayi</i>	
<b>Colinus virginianus</b> (Linnaeus, 1758) I/NC	
PHASIANIDAE (Aves) (E) Bobwhite Quail, Northern Bobwhite (S) Codorniz, Colín de Virginia (F) Colin de Virginie	
<b>Colinus virginianus ridgwayi</b> Brewster, 1885 I	
PHASIANIDAE (Aves) (E) Masked Bobwhite (S) Colín	

- Colobus, Central African Red (E): *Piliocolobus foai*  
 Colobus, Eastern Black-and-white (E): *Colobus guereza*  
 Colobus, Eastern Red (E): *Piliocolobus pennantii*  
 Colobus, Geoffroy's Pied (E): *Colobus vellerosus*  
**Colobus guereza** Rüppell, 1835 II CERCOPITHECIDAE  
 (Mammalia) (E) Eastern Black-and-white Colobus,  
 Guereza, Magistrate Colobus (S) Colobo rojo guereza  
 (F) Colobe à épaules blanches, Colobe de l'Abyssinie,  
 Colobe guéréza  
 Colobus, King (E): *Colobus polykomos*  
 Colobus, Kirk's (E): *Piliocolobus kirkii*  
 Colobus, Kirk's Red (E): *Piliocolobus kirkii*  
 Colobus, Magistrate (E): *Colobus guereza*  
 Colobus, Olive (E): *Procolobus verus*  
*Colobus pennantii* Waterhouse, 1838 = *Piliocolobus pennantii* (Waterhouse, 1838)  
 Colobus, Pennant's Red (E): *Piliocolobus pennantii*  
**Colobus polykomos** (Zimmermann, 1780) II  
 CERCOPITHECIDAE (Mammalia) (E) King Colobus,  
 Western Black-and-white Colobus, Western Pied  
 Colobus (S) Colobo blanco y negro de África occidental  
 (F) Colobe à camail, Colobe à longs poils, Colobe  
 blanc et noir d'Afrique occidentale, Colobe magistrat  
*Colobus preussi* (Matschie, 1900) = *Piliocolobus preussi*  
 (Matschie, 1900)  
 Colobus, Preuss's (E): *Piliocolobus preussi*  
 Colobus, Preuss's Red (E): *Piliocolobus preussi*  
 Colobus, Red (E): *Piliocolobus badius*  
*Colobus rufomitratus* Peters, 1879 = *Piliocolobus rufomitratus* (Peters, 1879)  
**Colobus satanas** Waterhouse, 1838 II  
 CERCOPITHECIDAE (Mammalia) (E) Black Colobus  
 (S) Colobo negro (F) Colobe noir, Guéréza noir  
 Colobus, Tana River Red (E): *Piliocolobus rufomitratus*  
 Colobus, Thollon's Red (E): *Piliocolobus tholloni*  
 Colobus, Ugandan Red (E): *Piliocolobus tephrosceles*  
 Colobus, Uzungwa Red (E): *Piliocolobus gordonorum*  
 Colobus, Van Beneden's (E): *Procolobus verus*  
**Colobus vellerosus** (I. Geoffroy, 1834) II  
 CERCOPITHECIDAE (Mammalia) (E) Geoffroy's Pied  
 Colobus, White-thighed Black-and-white Colobus  
*Colobus verus* (Van Beneden, 1838) = *Procolobus verus*  
 (Van Beneden, 1838)  
 Colobus, Western Black-and-white (E): *Colobus polykomos*  
 Colobus, Western Pied (E): *Colobus polykomos*  
 Colobus, Western Red (E): *Piliocolobus badius*  
 Colobus, White-thighed Black-and-white (E): *Colobus vellerosus*  
 Colobus, Zanzibar Red (E): *Piliocolobus kirkii*  
 Colombe poignardée (F): *Gallicolumba luzonica*  
*Colophon* spp. Gray, 1832 III LUCANIDAE (Insecta)  
*Colophon barnardi* Endrödy-Younga, 1988 III LUCANIDAE  
 (Insecta)  
*Colophon berrisfordi* Barnard, 1932 III LUCANIDAE  
 (Insecta)  
*Colophon cameroni* Barnard, 1929 III LUCANIDAE  
 (Insecta)  
*Colophon cassoni* Barnard, 1932 III LUCANIDAE (Insecta)  
*Colophon eastmani* Barnard, 1932 III LUCANIDAE  
 (Insecta)  
**Colophon endroedyi** Bartolozzi, 2005 III LUCANIDAE  
 (Insecta)  
*Colophon haughtoni* Barnard, 1929 III LUCANIDAE  
 (Insecta)  
*Colophon izardi* Barnard, 1929 III LUCANIDAE (Insecta)  
*Colophon kawaii* Mizukami, 1996 III LUCANIDAE (Insecta)  
*Colophon montisatriss* Endrödy-Younga, 1988 III  
 LUCANIDAE (Insecta)  
*Colophon neli* Barnard, 1932 III LUCANIDAE (Insecta)  
*Colophon oweni* Bartolozzi, 1995 III LUCANIDAE (Insecta)  
*Colophon primosi* Barnard, 1929 III LUCANIDAE (Insecta)  
*Colophon stokoei* Barnard, 1929 III LUCANIDAE (Insecta)  
*Colophon thunbergi* Westwood, 1855 III LUCANIDAE  
 (Insecta)  
*Colophon westwoodi* Gray, 1832 III LUCANIDAE (Insecta)  
*Colophon whitei* Barnard, 1932 III LUCANIDAE (Insecta)  
*Colostethus anthonyi* Edwards, 1971 = *Epipedobates anthonyi* (Noble, 1921)  
*Colostethus anthonyi* (Noble, 1921) = *Epipedobates anthonyi* (Noble, 1921)  
*Colostethus bolivianus* (Boulenger, 1902) = *Ameerega boliviana* (Boulenger, 1902)  
*Colostethus bolivianus* Edwards, 1971 = *Ameerega boliviana* (Boulenger, 1902)  
*Colostethus boulengeri* (Barbour, 1909) = *Epipedobates boulengeri* (Barbour, 1909)  
*Colostethus boulengeri* Savage, 1968 = *Epipedobates boulengeri* (Barbour, 1909)  
*Colostethus festae* Edwards, 1971 = *Ameerega parvula* (Boulenger, 1882)  
*Colostethus festae* (Peracca, 1904) = *Ameerega parvula* (Boulenger, 1882)  
*Colostethus machalilla* Coloma, 1995 = *Epipedobates machalilla* (Coloma, 1995)  
*Colostethus paradoxus* Rivero, 1991 = *Epipedobates tricolor* (Boulenger, 1899)  
**Colpophyllia** spp. Milne Edwards & Haime, 1848 II  
 FAVIIDAE (Anthozoa)  
**Colpophyllia amaranthus** (O. F. Müller, 1775) II  
 FAVIIDAE (Anthozoa) (E) Amaranth Coral (S) Coral de amaranto  
**Colpophyllia breviserialis** Milne Edwards & Haime, 1849  
 II FAVIIDAE (Anthozoa) (E) In-row Coral (S) Coral en serie  
**Colpophyllia natans** (Houttuyn, 1772) II FAVIIDAE  
 (Anthozoa) (E) Boulder Brain Coral (S) Coral cerebro macizo (F) Corail cerveau natan  
*Coluber argus* Linnaeus, 1766 = *Morelia spilota*  
 (Lacépède, 1804)  
*Coluber bitis* (Laurenti, 1768) = *Corallus hortulanus*  
 (Linnaeus, 1758)  
*Coluber boaeformis* Shaw, 1802 = *Python molurus*  
 (Linnaeus, 1758)  
*Coluber daboie* Latreille, 1801 = *Daboia russelii* (Shaw & Nodder, 1797)  
*Coluber javanicus* Shaw, 1802 = *Python reticulatus*  
 (Schneider, 1801)

- Coluber molurus* Linnaeus, 1758 = *Python molurus* (Linnaeus, 1758)  
*Coluber mucosus* Linnaeus, 1758 = *Ptyas mucosus* (Linnaeus, 1758)  
*Coluber russelii* Shaw & Nodder, 1797 = *Daboia russelii* (Shaw & Nodder, 1797)  
*Coluber sebae* Gmelin, 1788 = *Python sebae* (Gmelin, 1789)  
*Coluber speciosus* Bonnaterre, 1790 = *Python sebae* (Gmelin, 1789)  
*Coluber spilotus* Lacépède, 1804 = *Morelia spilota* (Lacépède, 1804)  
*Coluber tamachia* Scopoli, 1788 = *Epicrates cenchria* (Linnaeus, 1758)  
*Coluber trinoculus* Schneider, 1802 = *Daboia russelii* (Shaw & Nodder, 1797)  
*Coluber triseriatus* Hermann, 1804 = *Daboia russelii* (Shaw & Nodder, 1797)  
*Columba cristata* Pallas, 1764 = *Goura cristata* (Pallas, 1764)  
*Columba luzonica* Scopoli, 1786 = *Gallicolumba luzonica* (Scopoli, 1786)  
*Columba mayeri* Prévost, 1843 = *Nesoenas mayeri* (Prévost, 1843)  
*Columba nicobarica* Linnaeus, 1758 = *Caloenas nicobarica* (Linnaeus, 1758)  
Comadreja de montaña (S): *Mustela altaica*  
Comadreja de Siberia (S): *Mustela sibirica*  
Comadreja de vientre amarillo (S): *Mustela kathiah*  
Comet, Bronze-tailed (E): *Polyonymus caroli*  
Comet, Grey-bellied (E): *Taphrolesbia griseiventris*  
Comet, Red-tailed (E): *Sappho sparganura*  
Commandeur huppé (F): *Gubernatrix cristata*  
***Concentrotheca* spp.** Cairns, 1979 II  
CARYOPHYLLIIDAE (Anthozoa)  
***Concentrotheca laevigata*** (Pourtales, 1871) II  
CARYOPHYLLIIDAE (Anthozoa)  
***Concentrotheca vaughani*** Cairns, 1991 II  
CARYOPHYLLIIDAE (Anthozoa)  
Concha reina del Caribe (S): *Strombus gigas*  
*Conchodus dromas* (I. Lea, 1834) = *Dromus dromas* (I. Lea, 1834)  
Conch, Pink (E): *Strombus gigas*  
Conch, Queen (E): *Strombus gigas*  
Cónedor (S): *Vultur gryphus*  
Condor, Andean (E): *Vultur gryphus*  
Cónedor andino (S): *Vultur gryphus*  
Condor, California (E): *Gymnogyps californianus*  
Cónedor californiano (S): *Gymnogyps californianus*  
Cónedor de California (S): *Gymnogyps californianus*  
Condor de Californie (F): *Gymnogyps californianus*  
Cónedor de los Andes (S): *Vultur gryphus*  
Condor des Andes (F): *Vultur gryphus*  
Conejo de Assam (S): *Caprolagus hispidus*  
Conejo de Díaz (S): *Romerolagus diazi*  
Conejo de los volcanes (S): *Romerolagus diazi*  
*Conepatus castaneus* (d'Orbigny & Gervais, 1847) = *Conepatus humboldtii* Gray, 1837  
***Conepatus humboldtii*** Gray, 1837 II MEPHITIDAE (Mammalia) (E) Humboldt's Hog-nosed Skunk,  
Patagonian Hog-nosed Skunk (S) Anas, Chingue de la Patagonia, Mofeta de Patagonia, Zorrillo, Zorrino de la Patagonia (F) Moufette à nez de cochon, Moufette De Patagonie  
***Confluphyllia* spp.** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)  
***Confluphyllia juncta*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)  
***Conocyathus* spp.** d'Orbigny, 1849 II TURBINOLIIDAE (Anthozoa)  
*Conocyathus compressus* Tenison-Woods, 1878 = *Platytrochus compressus* (Tenison-Woods, 1878)  
***Conocyathus formosus*** Cairns, 2004 II TURBINOLIIDAE (Anthozoa)  
***Conocyathus gracilis*** Cairns, 1998 II TURBINOLIIDAE (Anthozoa)  
***Conocyathus zelandiae*** Duncan, 1876 II  
TURBINOLIIDAE (Anthozoa)  
***Conolophus* spp.** Fitzinger, 1843 II IGUANIDAE (Reptilia)  
***Conolophus marthae*** Gentile & Snell, 2009 II  
IGUANIDAE (Reptilia)  
***Conolophus pallidus*** Heller, 1903 II IGUANIDAE (Reptilia) (E) Barrington Land Iguana, Santa Fe Land Iguana (S) Iguana terrestre de Barrington (F) Iguane terrestre de l'île Santa Fe  
***Conolophus subcristatus*** (Gray, 1831) II IGUANIDAE (Reptilia) (E) Galapagos Land Iguana (S) Iguana terrestre de las Galápagos (F) Iguane terrestre des Galapagos  
***Conopora* spp.** Moseley, 1879 II STYLASTERIDAE (Hydrozoa)  
***Conopora adeta*** Cairns, 1987 II STYLASTERIDAE (Hydrozoa)  
***Conopora anthohelia*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)  
***Conopora candelabrum*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)  
***Conopora dura*** Hickson & England, 1909 II STYLASTERIDAE (Hydrozoa)  
***Conopora gigantea*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)  
***Conopora laevis*** (Studer, 1878) II STYLASTERIDAE (Hydrozoa)  
*Conopora major* Hickson & England, 1905 = *Conopora verrucosa* (Studer, 1878)  
*Conopora obliqua* (Studer, 1878) = *Conopora laevis* (Studer, 1878)  
*Conopora pauciseptata* Broch, 1951 = *Conopora verrucosa* (Studer, 1878)  
*Conopora tenuis* Moseley, 1879 = *Conopora laevis* (Studer, 1878)  
***Conopora tetrastichopora*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)  
***Conopora unifacialis*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)  
***Conopora verrucosa*** (Studer, 1878) II STYLASTERIDAE (Hydrozoa)  
***Conotrochus* spp.** Seguenza, 1864 II  
CARYOPHYLLIIDAE (Anthozoa)

<b>Conotrochus asymmetros</b> Cairns, 1999 II	Conure de Deville (F): <i>Pyrrhura devillei</i>
CARYOPHYLLIIDAE (Anthozoa)	
<b>Conotrochus brunneus</b> (Moseley, 1881) II	Conure de Finsch (F): <i>Aratinga finschi</i>
CARYOPHYLLIIDAE (Anthozoa)	Conure de Hoffmann (F): <i>Pyrrhura hoffmanni</i>
<b>Conotrochus funicolumna</b> (Alcock, 1902) II	Conure de la Reine de Bavière (F): <i>Guarouba guarouba</i>
CARYOPHYLLIIDAE (Anthozoa)	Conure de Molina (F): <i>Pyrrhura molinae</i>
<i>Conotrochus magnaghii</i> (Cecchini, 1914) = <i>Ceratotrochus magnaghii</i> Cecchini, 1914	Conure de Patagonie (F): <i>Cyanoliseus patagonus</i>
<i>Conradilla caelata</i> (Conrad, 1834) I UNIONIDAE (Bivalvia)	Conure de Ridgway (F): <i>Aratinga strenua</i>
(E) Birdwing Pearly Mussel, Rimose Naiad	Conure des cactus (F): <i>Aratinga cactorum</i>
<i>Constrictor amethystina</i> (Schneider, 1801) = <i>Morelia amethystina</i> (Schneider, 1801)	Conure de Souancé (F): <i>Pyrrhura melanura</i>
Constrictor, Argentine Boa (E): <i>Boa constrictor occidentalis</i>	Conure des Santa Marta (F): <i>Pyrrhura viridicata</i>
<i>Constrictor auspex</i> Laurenti, 1768 = <i>Boa constrictor Linnaeus</i> , 1758	Conure de Vieillot (F): <i>Pyrrhura frontalis</i>
Constrictor, Boa (E): <i>Boa constrictor</i>	Conure de Wagler (F): <i>Aratinga wagleri</i>
<i>Constrictor constrictor</i> (Linnaeus, 1758) = <i>Boa constrictor Linnaeus</i> , 1758	Conure de Weddell (F): <i>Aratinga weddellii</i>
<i>Constrictor constrictor occidentalis</i> (Linnaeus, 1758) = <i>Boa constrictor occidentalis</i> Philippi, 1873	Conure d'Orcès (F): <i>Pyrrhura orcesi</i>
<i>Constrictor diviniloquus</i> Laurenti, 1768 = <i>Boa constrictor Linnaeus</i> , 1758	Conure dorée (F): <i>Guarouba guarouba</i>
<i>Constrictor formosissimus</i> Laurenti, 1768 = <i>Boa constrictor Linnaeus</i> , 1758	Conure, Dusky-headed (E): <i>Aratinga weddellii</i>
<i>Constrictor orophias</i> (Linnaeus, 1758) = <i>Boa constrictor Linnaeus</i> , 1758	Conure, El Oro (E): <i>Pyrrhura orcesi</i>
<i>Constrictor rexserpentum</i> Laurenti, 1768 = <i>Boa constrictor Linnaeus</i> , 1758	Conure emma (F): <i>Pyrrhura leucotis</i>
Conure à cape noire (F): <i>Pyrrhura rupicola</i>	Conure, Fiery-shouldered (E): <i>Pyrrhura egregia</i>
Conure à col blanc (F): <i>Pyrrhura albiventer</i>	Conure, Finsch's (E): <i>Aratinga finschi</i>
Conure à front brun (F): <i>Rhynchopsitta terrisi</i>	Conure, Flame-winged (E): <i>Pyrrhura calliptera</i>
Conure à front rouge (F): <i>Aratinga canicularis</i>	Conure, Golden (E): <i>Guarouba guarouba</i>
Conure à gorge bleue (F): <i>Pyrrhura cruentata</i>	Conure, Golden-capped (E): <i>Aratinga auricapillus</i>
Conure à gros bec (F): <i>Rhynchopsitta pachyrhyncha</i>	Conure, Golden-crowned (E): <i>Aratinga aurea</i>
Conure aile-de-feu (F): <i>Pyrrhura egregia</i>	Conure, Golden-plumed (E): <i>Leptosittaca branickii</i>
Conure à joues d'or (F): <i>Ognorhynchus icterotis</i>	Conure, Green (E): <i>Aratinga holochlora</i>
Conure à long bec (F): <i>Enicognathus leptorhynchus</i>	Conure, Green-cheeked (E): <i>Pyrrhura molinae</i>
Conure à oreilles jaunes (F): <i>Ognorhynchus icterotis</i>	Conure, Grey-breasted (E): <i>Pyrrhura griseipectus</i>
Conure à oreillons (F): <i>Pyrrhura hoematotis</i>	Conure, Hispaniolan (E): <i>Aratinga chloroptera</i>
Conure à pinceaux d'or (F): <i>Leptosittaca branickii</i>	Conure, Hoffmann's (E): <i>Pyrrhura hoffmanni</i>
Conure à poitrine brune (F): <i>Pyrrhura calliptera</i>	Conure jandaya (F): <i>Aratinga jandaya</i>
Conure à tête bleue (F): <i>Aratinga acuticaudata</i>	Conure, Jandaya (E): <i>Aratinga jandaya</i>
Conure à tête d'or (F): <i>Aratinga auricapillus</i>	Conure magellanique (F): <i>Enicognathus ferrugineus</i>
Conure à tête rouge (F): <i>Aratinga erythrogenys</i>	Conure maîtresse (F): <i>Aratinga chloroptera</i>
Conure, Austral (E): <i>Enicognathus ferrugineus</i>	Conure, Maroon-tailed (E): <i>Pyrrhura melanura</i>
Conure à ventre rouge (F): <i>Pyrrhura perlata</i>	Conure, Mitred (E): <i>Aratinga mitrata</i>
Conure aztèque (F): <i>Aratinga nana</i>	Conure mitrée (F): <i>Aratinga mitrata</i>
Conure, Black-capped (E): <i>Pyrrhura rupicola</i>	Conure nanday (F): <i>Nandayus nenday</i>
Conure, Black-headed (E): <i>Nandayus nenday</i>	Conure, Nanday (E): <i>Nandayus nenday</i>
Conure, Blaze-winged (E): <i>Pyrrhura devillei</i>	Conure, Olive-throated (E): <i>Aratinga nana</i>
Conure, Blue-crowned (E): <i>Aratinga acuticaudata</i>	Conure, Orange-fronted (E): <i>Aratinga canicularis</i>
Conure, Brown-throated (E): <i>Aratinga pertinax</i>	Conure, Painted (E): <i>Pyrrhura picta</i>
Conure, Cactus (E): <i>Aratinga cactorum</i>	Conure, Patagonian (E): <i>Cyanoliseus patagonus</i>
Conure couronnée (F): <i>Aratinga aurea</i>	Conure pavouane (F): <i>Aratinga leucophthalma</i>
Conure, Crimson-bellied (E): <i>Pyrrhura perlata</i>	Conure, Peach-fronted (E): <i>Aratinga aurea</i>
Conure, Crimson-fronted (E): <i>Aratinga finschi</i>	Conure, Pearly (E): <i>Pyrrhura lepida</i>
Conure, Cuban (E): <i>Aratinga euops</i>	Conure perlée (F): <i>Pyrrhura lepida</i>
Conure cuivrée (F): <i>Aratinga pertinax</i>	Conure, Primer's (E): <i>Pyrrhura pfrimeri</i>
Conure de Cuba (F): <i>Aratinga euops</i>	Conure, Queen of Bavaria's (E): <i>Guarouba guarouba</i>

- Conure tête-de-feu (F): *Pyrrhura rhodocephala*  
 Conure tiriba (F): *Pyrrhura cruentata*  
 Conure versicolore (F): *Pyrrhura picta*  
 Conure verte (F): *Aratinga holochlora*  
 Conure veuve (F): *Myiopsitta monachus*  
 Conure, White-eared (E): *Pyrrhura leucotis*  
 Conure, White-eyed (E): *Aratinga leucophthalma*  
 Conure, White-necked (E): *Pyrrhura albipectus*  
 Conure, Yellow-eared (E): *Ognorhynchus icterotis*  
**Conuropsis spp.** Salvadori, 1891 II 29 PSITTACIDAE  
 (Aves)  
*Conurus callipterus* Massena & Souancé, 1854 = *Pyrrhura calliptera* (Massena & Souancé, 1854)  
*Conurus devillei* Massena & Souancé, 1854 = *Pyrrhura devillei* (Massena & Souancé, 1854)  
*Conurus egregius* Sclater, 1881 = *Pyrrhura egregia* (Sclater, 1881)  
*Conurus finschi* Salvin, 1871 = *Aratinga finschi* (Salvin, 1871)  
*Conurus hoffmanni* Cabanis, 1861 = *Pyrrhura hoffmanni* (Cabanis, 1861)  
*Conurus holochlorus* Sclater, 1859 = *Aratinga holochlora* (Sclater, 1859)  
*Conurus icterotis* Massena & Souancé, 1854 = *Ognorhynchus icterotis* (Massena & Souancé, 1854)  
*Conurus mitratus* Tschudi, 1844 = *Aratinga mitrata* (Tschudi, 1844)  
*Conurus molinae* Massena & Souancé, 1854 = *Pyrrhura molinae* (Massena & Souancé, 1854)  
*Conurus rhodocephalus* Sclater & Salvin, 1871 = *Pyrrhura rhodocephala* (Sclater & Salvin, 1871)  
*Conurus rhodogaster* Sclater, 1864 = *Pyrrhura lepida* (Wagler, 1832)  
*Conurus rubritorquis* Sclater, 1887 = *Aratinga holochlora* (Sclater, 1859)  
*Conurus rupicola* Tschudi, 1844 = *Pyrrhura rupicola* (Tschudi, 1844)  
*Conurus wagleri* G. R. Gray, 1845 = *Aratinga wagleri* (G. R. Gray, 1845)  
*Conurus weddellii* Deville, 1851 = *Aratinga weddellii* (Deville, 1851)  
 Coq de Bois (F): *Terpsiphone bourbonnensis*  
 Coq-de-roche de Guyane (F): *Rupicola rupicola*  
 Coq-de-roche orange (F): *Rupicola rupicola*  
 Coq-de-roche péruvien (F): *Rupicola peruvianus*  
 Coq de Sonnerat (F): *Gallus sonneratii*  
 Coqueta abanico canela (S): *Lophornis ornatus*  
 Coqueta abanico pavo real (S): *Lophornis pavoninus*  
 Coqueta abanico puntiblanco (S): *Lophornis chalybeus*  
 Coqueta adorable (S): *Lophornis adorabilis*  
 Coqueta adornada (S): *Lophornis ornatus*  
 Coqueta cola de Lira (S): *Discosura langsdorffi*  
 Coqueta cola raqueta (S): *Discosura longicaudus*  
 Coqueta coronada (S): *Lophornis stictolophus*  
 Coqueta cresticorta (S): *Lophornis brachylophus*  
 Coqueta crestinegra (S): *Lophornis helenae*  
 Coqueta crestirrufa (S): *Lophornis delattrei*  
 Coqueta de Guerrero (S): *Lophornis brachylophus*  
 Coqueta festiva (S): *Lophornis chalybeus*  
 Coqueta lentejuelada (S): *Lophornis stictolophus*  
 Coqueta magnifica (S): *Lophornis magnificus*  
 Coqueta moteada (S): *Lophornis gouldii*  
 Coqueta pavonina (S): *Lophornis pavoninus*  
 Coqueta verde (S): *Lophornis chalybeus*  
 Coquette adorable (F): *Lophornis adorabilis*  
 Coquette, Adorable (E): *Lophornis adorabilis*  
 Coquette à queue fine (F): *Discosura conversii*  
 Coquette à raquettes (F): *Discosura longicaudus*  
 Coquette, Black-crested (E): *Lophornis helenae*  
 Coquette chalybée (F): *Lophornis chalybeus*  
 Coquette de Delattre (F): *Lophornis delattrei*  
 Coquette de Gould (F): *Lophornis gouldii*  
 Coquette de Langsdorff (F): *Discosura langsdorffi*  
 Coquette de Létitia (F): *Discosura letitiae*  
 Coquette de Popelaire (F): *Discosura popelairii*  
 Coquette d'Hélène (F): *Lophornis helenae*  
 Coquette, Dot-eared (E): *Lophornis gouldii*  
 Coquette du Guerrero (F): *Lophornis brachylophus*  
 Coquette, Festive (E): *Lophornis chalybeus*  
 Coquette, Frilled (E): *Lophornis magnificus*  
 Coquette huppe-col (F): *Lophornis ornatus*  
 Coquette magnifique (F): *Lophornis magnificus*  
 Coquette pailletée (F): *Lophornis stictolophus*  
 Coquette paon (F): *Lophornis pavoninus*  
 Coquette, Peacock (E): *Lophornis pavoninus*  
 Coquette, Racket-tailed (E): *Discosura longicaudus*  
 Coquette, Rufous-crested (E): *Lophornis delattrei*  
 Coquette, Short-crested (E): *Lophornis brachylophus*  
 Coquette, Spangled (E): *Lophornis stictolophus*  
 Coquette, Tufted (E): *Lophornis ornatus*  
 Coquette, White-crested (E): *Lophornis adorabilis*  
 Coracine casquée (F): *Cephalopterus penduliger*  
 Coracine ornée (F): *Cephalopterus ornatus*  
**Coracopsis spp.** Wagler, 1832 II 29 PSITTACIDAE  
 (Aves)  
*Coracopsis barklyi* Newton, 1867 = *Coracopsis nigra* (Linnaeus, 1758)  
**Coracopsis nigra** (Linnaeus, 1758) II 29 PSITTACIDAE  
 (Aves) (E) Black Parrot (S) Loro negro (F) Perroquet noir, Perroquet petit vasa  
*Coracopsis personata* G. R. Gray, 1848 = *Prosopeia personata* (G. R. Gray, 1848)  
**Coracopsis vasa** (Shaw, 1812) II 29 PSITTACIDAE  
 (Aves) (E) Vasa Parrot (S) Loro vasa (F) Perroquet vaza, Petit perroquet noir, Vasa géant  
 Corail arbuscule (F): *Cladocora arbuscula*  
 Corail arbuscule mince (F): *Cladocora debilis*  
 Corail balle de golf (F): *Favia fragum*  
 Corail Bleu (F): *Helioporidae*  
 Corail cactus à bosses (F): *Mycetophyllia aliciae*  
 Corail cactus à bulbes (F): *Mycetophyllia reesi*  
 Corail cactus à crêtes basses (F): *Mycetophyllia daniana*  
 Corail cactus ridé (F): *Mycetophyllia lamarckiana*  
 Corail cactus rugueux (F): *Mycetophyllia ferox*  
 Corail cactus sinueux (F): *Isophyllia sinuosa*  
 Corail calice mouchetée (F): *Colangia immersa*  
 Corail cerveau bosselé (F): *Diploria clivosa*  
 Corail cerveau natan (F): *Colpophyllia natans*  
 Corail cerveau symétrique (F): *Diploria strigosa*  
 Corail champignon de l'atlantique (F): *Scolymia lacera*

Corail cierge (F): *Dendrogyra cylindrus*  
 Corail coeur d'artichaut (F): *Scolymia cubensis*  
 Corail cornes de cerf (F): *Acropora cervicornis*  
 Corail cornes d'élan (F): *Acropora palmata*  
 Corail de feu alvéolé (F): *Millepora squarrosa*  
 Corail de feu feuillu (F): *Millepora complanata*  
 Corail-dentelle rose (F): *Stylaster roseus*  
 Corail étoilé bosselé (F): *Solenastrea hyades*  
 Corail étoile elliptique (F): *Dichocoenia stokesii*  
 Corail étoilé lisse (F): *Solenastrea bournonii*  
 Corail étoilé massif (F): *Montastrea annularis*  
 Corail étoile rougissant (F): *Stephanocoenia intersepta*  
 Corail étoile rugueux (F): *Isophyllastrea rigida*  
 Corail fil de fer (F): *Stichopathes lutkeni*  
 Corail fleur des grottes (F): *Thalamophyllia riisei*  
 Corail fleur doux (F): *Eusmilia fastigiata*  
 Corail fleur épineux (F): *Mussa angulosa*  
 Corail laitue (F): *Helioseris cucullata*  
 Corail limace (F): *Herpolitha limax*  
 Corail méandreux (F): *Meandrina maeandrites*  
 Corail noir à résille (F): *Antipathes lenta*  
 Corail noir de barbade (F): *Tanacetipathes barbadensis*  
 Corail noir des Caraïbes (F): *Antipathes caribbeana*  
 Corail noir éventail (F): *Antipathes gracilis*  
 Corail noir éventail gris (F): *Antipathes atlantica*  
 Corail noir goupillon (F): *Tanacetipathes tanacetum*  
 Corail noir hérissé (F): *Tanacetipathes hirta*  
 Corail noir plumeux (F): *Plumapathes pennacea*  
 Corail solitaire de wells (F): *Scolymia wellsii*  
 Corail starlette massif (F): *Siderastrea siderea*  
 Coral abanico de Caillet (S): *Javania cailleti*  
 Coral abanico de Moseley (S): *Flabellum moseleyi*  
 Coral abanico frágil (S): *Polymyces fragilis*  
 Coral abanico paradójico (S): *Gardineria paradoxa*  
 Coral abanico partido (S): *Placotrochides frustum*  
 Coral, African Pillow (E): *Siderastrea savignyana*  
 Coral, Agassiz's Star (E): *Deltocyathus agassizii*  
 Coral alambre de Pourtalès (S): *Stichopathes pourtalesii*  
 Coral alambre naranja (S): *Stichopathes gracilis*  
 Coral alambre negro (S): *Stichopathes lutkeni*  
 Coral alambre verde (S): *Stichopathes occidentalis*  
 Coral, Amaranth (E): *Colpophyllia amaranthus*  
 Coral, American Black (E): *Stylopathes americana*  
 Coral, Anchor (E): *Euphyllia ancora*  
 Coral, Angelskin (E): *Corallium secundum*  
 Coral anillado (S): *Micrurus diastema*  
 Coral, Antillean Horn (E): *Caryophyllia antillarum*  
 Coral, Antilles Lace (E): *Stylaster antillarum*  
 Coral, Antler (E): *Pocillopora eydouxi*  
 Coral, Antler Lettuce (E): *Pectinia alcicornis*  
 Coral aplastado (S): *Dichocoenia stellaris*  
 Coral arbólito (S): *Coenosmilia arbuscula*  
 Coral, Artichoke (E): *Scolymia cubensis*  
 Coral, Atlantic Mushroom (E): *Scolymia lacera*  
 Coral bajorrelieve (S): *Agaricia humilis*  
 Coral, Baroque Cave (E): *Thalamophyllia riisei*  
 Coral barroco de cuevas (S): *Thalamophyllia riisei*  
 Coral, Basket (E): *Sandalolitha robusta*  
 Coral, Beaked Cup (E): *Enallopsammia rostrata*  
 Coral, Beautiful Horn (E): *Caryophyllia berteriana*

Coral, Big-leaf (E): *Oxysmilia rotundifolia*  
 Coral, Black Turret (E): *Tubastraea micranthus*  
 Coral, Black Wire (E): *Stichopathes lutkeni*  
 Coral, Bladder (E): *Plerogyra sinuosa*  
 Coral, Bladed Fire (E): *Millepora complanata*  
 Coral, Bladed Lace (E): *Stylaster complanatus*  
 Coral blanco escondido (S): *Madrepora oculata*  
 Coral, Blue (E): *Heliopora coerulea*  
 Coral, Blue Crust (E): *Porites branneri*  
 Coral, Bluetip (E): *Acropora loripes*  
 Coral, Blushing Star (E): *Stephanocoenia intersepta*  
 Coral, Bosc's Bottle-brush Black (E): *Antipathes boscii*  
 Coral, Bottle-brush Black (E): *Tanacetipathes tanacetum*  
 Coral, Bottle-brush Bush Black (E): *Tanacetipathes hirta*  
 Coral, Boulder Brain (E): *Colpophyllia natans*  
 Coral, Boulder Star (E): *Montastrea franksi*  
 Coral, Boulder Star (E): *Montastrea annularis*  
 Coral, Bowl (E): *Turbinaria peltata*  
 Coral, Bowl (E): *Halomitra pileus*  
 Coral, Box Fire (E): *Millepora squarrosa*  
 Coral, Brain (E): *Platygyra daedalea*  
 Coral, Branched Bottle-brush Black (E): *Antipathes furcata*  
 Coral, Branched Cup (E): *Blastomussa merleti*  
 Coral, Branched Finger (E): *Porites furcata*  
 Coral, Branched Sandpaper (E): *Psammocora contigua*  
 Coral, Branching (E): *Porites cylindrica*  
 Coral, Branching Anchor (E): *Euphyllia paraancora*  
 Coral, Branching Fire (E): *Millepora alcicornis*  
 Coral, Brazilian Rose (E): *Meandrina brasiliensis*  
 Coral, Brazilian Starlet (E): *Siderastrea stellata*  
 Coral, Bush (E): *Acropora valida*  
 Coral, Bushy Black (E): *Aphanipathes salix*  
 Coral, Button (E): *Scolymia australis*  
 Coral, Button (E): *Heteropsammia cochlea*  
 Coral, Cabbage (E): *Montipora foliosa*  
 Coral, Cactus (E): *Pavona decussata*  
 Coral, Caillet's Fan (E): *Javania cailleti*  
 Coral cajita de fuego (S): *Millepora squarrosa*  
 Coral camuflado (S): *Caryophyllia crypta*  
 Coral, Caribbean Cup (E): *Balanophyllia caribbeana*  
 Coral, Carnation (E): *Pectinia lactuca*  
 Coral, Carolina's Ivory (E): *Madrepora carolina*  
 Coral, Castle (E): *Pachyseris rugosa*  
 Coral, Cat's-eye (E): *Cynarina lacrymalis*  
 Coral, Cauliflower (E): *Pocillopora damicornis*  
 Coral cavernoso macizo (S): *Montastrea cavernosa*  
 Coral, Cavernous Star (E): *Montastrea cavernosa*  
 Coral cerebro macizo (S): *Colpophyllia natans*  
 Coral cerebro parejo (S): *Diploria strigosa*  
 Coral cerebro surcado (S): *Diploria labyrinthiformis*  
 Coral cerebro verrugoso (S): *Diploria clivosa*  
 Coral, Chaff Cup (E): *Balanophyllia palifera*  
 Coral, Chaotic Cup (E): *Balanophyllia dineta*  
 Coral, Christmas (E): *Acropora elseyi*  
 Coral cilíndrico (S): *Coenocyathus cylindricus*  
 Coral, Club Finger (E): *Porites porites*  
 Coral, Clubtip Finger (E): *Porites porites*  
 Coral, Cluster (E): *Stylophora pistillata*  
 Coral, Cockscomb Cup (E): *Desmophyllum dianthus*

- Coral, Column Bottle-brush Black (E): *Stylopathes columnaris*  
 Coral, Common Brain (E): *Diploria labyrinthiformis*  
 Coral, Compact Ivory Bush (E): *Oculina arbuscula*  
 Coral, Conical Star (E): *Deltocyathus italicus*  
 Coral cónico fundido (S): *Acropora prolifera*  
 Coral corrugado (S): *Caryophyllia corrugata*  
 Coral, Corrugated (E): *Caryophyllia corrugata*  
 Coral, Crater (E): *Trachyphyllia geoffroyi*  
 Coral cresta de gallo (S): *Desmophyllum dianthus*  
 Coral, Crisp Pillow (E): *Anomastraea irregularis*  
 Coral, Crispy Crust (E): *Merulina ampliata*  
 Coral, Crowned Cup (E): *Stephanocyathus coronatus*  
 Coral, Crust (E): *Leptastrea purpurea*  
 Coral crustoso azul (S): *Porites branneri*  
 Coral, Cryptic (E): *Caryophyllia crypta*  
 Coral cuatro-ramas (S): *Parantipathes tetrasticha*  
 Coral cuernito antillano (S): *Caryophyllia antillarum*  
 Coral cuernito chico (S): *Premocyathus cornuformis*  
 Coral cuernito hermoso (S): *Caryophyllia berteriana*  
 Coral cuerno de alce (S): *Acropora palmata*  
 Coral cuerno de ciervo (S): *Acropora cervicornis*  
 Coral, Cut Fan (E): *Placotrochides frustum*  
 Coral, Cylindrical (E): *Coenocyathus cylindricus*  
 Coral de amaranto (S): *Colpophyllia amaranthus*  
 Coral de cinta (S): *Agaricia tenuifolia*  
 Coral de cuña (S): *Sphenotrochus lindstroemi*  
 Coral de dedos chatos (S): *Porites porites*  
 Coral de dedos finos (S): *Porites divaricata*  
 Coral de diez rayos (S): *Madracis decactis*  
 Coral de encaje (S): *Leptoseris cailleti*  
 Coral de encaje antillano (S): *Stylaster antillarum*  
 Coral de encaje aplastado (S): *Stylaster complanatus*  
 Coral de encaje de Duchassaing (S): *Stylaster duchassaingii*  
 Coral, Deepsea Star (E): *Deltocyathus calcar*  
 Coral de fuego (S): *Millepora alcicornis*  
 Coral de fuego aplastado (S): *Millepora complanata*  
 Coral de Goreau (S): *Coenocyathus goreau*  
 Coral de lanza (S): *Elatopathes abietina*  
 Coral de lechuga (S): *Agaricia agaricites*  
 Coral, Delicate Ivory Bush (E): *Oculina tenella*  
 Coral de marfil de Carolina (S): *Madrepora carolina*  
 Coral de marfil de Valenciennes (S): *Oculina valencienensis*  
 Coral de ocho rayos (S): *Madracis formosa*  
 Coral de seis rayos (S): *Madracis senaria*  
 Coral despatarrado (S): *Bathyphathes patula*  
 Coral de tubo (S): *Cladocora arbuscula*  
 Coral, Devonshire Cup (E): *Caryophyllia smithii*  
 Coral diadema (S): *Stephanocyathus diadema*  
 Coral, Diadem Cup (E): *Stephanocyathus diadema*  
 Coral, Diffuse Ivory Bush (E): *Oculina diffusa*  
 Coral, Disk (E): *Turbinaria peltata*  
 Coral, Disk (E): *Heliofungia actiniformis*  
 Coral, Dissected Black (E): *Antipathes dissecta*  
 Coral, Dome (E): *Halomitra pileus*  
 Coral, Doughnut (E): *Scolymia vitiensis*  
 Coral, Duchassaing's Lace (E): *Stylaster duchassaingii*  
 Coral, Dug-out Cup (E): *Trochocyathus fossulus*  
 Coral, Dwarf Cup (E): *Astrangia solitaria*  
 Coral, Dwarf Tree (E): *Coenosmilia arbuscula*  
 Coral, Eccentric Star (E): *Deltocyathus eccentricus*  
 Coral, Eight-ray Finger (E): *Madracis formosa*  
 Coral, Elegant (E): *Catalaphyllia jardinei*  
 Coral, Elkhorn (E): *Acropora palmata*  
 Coral, Elliptical Star (E): *Dichocoenia stokesii*  
 Coral, Elliptical Star (E): *Dichocoenia stellaris*  
 Coral empelotado (S): *Favia fragum*  
 Coral, Encrusting Pore (E): *Montipora aequituberculata*  
 Coral, Encrusting Sandpaper (E): *Psammocora haimeana*  
 Coral enrollado (S): *Agaricia undata*  
 Coral en serie (S): *Colpophyllia breviserialis*  
 Corales Azules (S): *Helioporidae*  
 Corales De Encaje (S): *Stylasteridae*  
 Corales De Fuego (S): *Milleporidae*  
 Corales Negros (S): *Antipatharia*  
 Coral espátula de encaje (S): *Stylaster spatula*  
 Corales Pétreos (S): *Scleractinia*  
 Corales Rojos (S): *Tubiporidae*  
 Coral estrella cónico (S): *Deltocyathus italicus*  
 Coral estrella de Agassiz (S): *Deltocyathus agassizii*  
 Coral estrella de lo hondo (S): *Deltocyathus calcar*  
 Coral estrella extraño (S): *Deltocyathus eccentricus*  
 Coral estrella liso (S): *Solenastrea bournonii*  
 Coral estrella macizo (S): *Montastrea annularis*  
 Coral estrella noduloso (S): *Solenastrea hyades*  
 Coral estrella sonrojado (S): *Stephanocoenia intersepta*  
 Coral estrellita chico (S): *Siderastrea radians*  
 Coral estrellita de sur (S): *Siderastrea stellata*  
 Coral estrellita macizo (S): *Siderastrea siderea*  
 Coral estriado de dedos (S): *Madracis myriaster*  
 Coral expansivo de marfil (S): *Oculina diffusa*  
 Coral, Extended Black (E): *Bathyphathes patula*  
 Coral, False Pillow (E): *Pseudosiderastrea tayamai*  
 Coral, Feather (E): *Polyphyllia talpina*  
 Coral, Feather Black (E): *Plumatopathea pennacea*  
 Coral, Feathery Bottle-brush Black (E): *Tanacetipathes thamnea*  
 Coral, Finger (E): *Porites compressa*  
 Coral, Finger (E): *Porites cylindrica*  
 Coral, Finger (E): *Millepora alcicornis*  
 Coral fino de tubo (S): *Cladocora debilis*  
 Coral fisible (S): *Schizocyathus fissilis*  
 Coral, Flat Lettuce (E): *Echinophyllia aspera*  
 Coral, Fleshy Artichoke (E): *Acanthastrea maxima*  
 Coral floral liso (S): *Eusmilia fastigiata*  
 coral, Flowerpot (E): *Goniopora stokesii*  
 Coral, Folded (E): *Trachyphyllia geoffroyi*  
 Coral, Formosa Pink (E): *Corallium secundum*  
 Coral, Four-stick Black (E): *Parantipathes tetrasticha*  
 Coral frágil (S): *Agaricia fragilis*  
 Coral, Fragile Saucer (E): *Agaricia fragilis*  
 Coral, Franks's Boulder Star (E): *Montastrea franksi*  
 Coral, Frilly Lettuce (E): *Pectinia lactuca*  
 Coral, Frogspawn (E): *Euphyllia divisa*  
 Coral fundido de marfil (S): *Oculina varicosa*  
 Coral, Fused Ivory Tree (E): *Oculina varicosa*  
 Coral, Fused Staghorn (E): *Acropora prolifera*  
 Coral, Gerda's Cup (E): *Rhizosmilia gerdae*

Coral, Ginger (E): *Millepora alcicornis*  
 Coral, Goes's Cup (E): *Rhizopsammia goesi*  
 Coral, Golfball (E): *Favia fragum*  
 Coral, Goreau's (E): *Coenocyathus goreau*  
 Coral, Graham's Sheet (E): *Agaricia grahamae*  
 Coral, Greater Brain (E): *Sympyllia radians*  
 Coral, Great Star (E): *Montastrea cavernosa*  
 Coral, Green Cactus (E): *Madracis decactis*  
 Coral, Green Wire (E): *Stichopathes occidentalis*  
 Coral, Grey Sea-fan Black (E): *Antipathes atlantica*  
 Coral, Grooved Brain (E): *Diploria labyrinthiformis*  
 Coral, Grooved Crust (E): *Leptastrea inaequalis*  
 Coral gusanero (S): *Stenocyathus vermicularis*  
 Coral guynidio áspero (S): *Pourtalocyathus hispidus*  
 Coral, Hairnet Black (E): *Antipathes lenta*  
 Coral, Hammer (E): *Euphyllia ancora*  
 Coral, Hedgehog (E): *Echinopora gemmacea*  
 Coral, Helmet (E): *Halomitra pileus*  
 Coral, Hidden Cup (E): *Phyllangia americana*  
 Coral, Hidden White (E): *Madrepora oculata*  
 Coral hinchado (S): *Favia gravida*  
 Coral, Honeycomb (E): *Favites peresi*  
 Coral, Honeycomb (E): *Favites abdita*  
 Coral, Honeycomb Plate (E): *Porites colonensis*  
 Coral hongo arrugado (S): *Fungiacyathus crispus*  
 Coral hongo de Marenzeller (S): *Fungiacyathus marenzelleri*  
 Coral hongo simétrico (S): *Fungiacyathus symmetricus*  
 Coral, Hood (E): *Stylophora pistillata*  
 Coral, Hump (E): *Porites lutea*  
 Coral, In-row (E): *Colpophyllia breviserialis*  
 Coral, Ivory Tree (E): *Oculina valenciennesi*  
 Coral, Ivory Tube (E): *Cladocora arbuscula*  
 Coral, Jasmine (E): *Plerogyra turbida*  
 Coral, Joker's Boomerang (E): *Polyphyllia talpina*  
 Coral, King's Black (E): *Antipathes caribbeana*  
 Coral, Kneecap (E): *Fungia patelliformis*  
 Coral, Knob (E): *Favia pallida*  
 Coral, Knobby Brain (E): *Diploria clivosa*  
 Coral, Knobby Cactus (E): *Mycetophyllia aliciae*  
 Coral, Knobby Star (E): *Solenastrea hyades*  
 Coral laberíntico (S): *Meandrina maeandrites*  
 Coral laberíntico rosado (S): *Meandrina brasiliensis*  
 Coral, Labyrinthic Cup (E): *Labyrinthocyathus langae*  
 Coral, Lacklustre Black (E): *Antipathes tristis*  
 Coral, Lacy Lettuce (E): *Leptoseris cailleti*  
 Coral, Lamarck's Sheet (E): *Agaricia lamarcki*  
 Coral laminar (S): *Agaricia lamarcki*  
 Coral laminar de Graham (S): *Agaricia grahamae*  
 Coral, Large Flower (E): *Mussa angulosa*  
 Coral, Large Ivory (E): *Oculina varicosa*  
 Coral, Larger Knob (E): *Favia speciosa*  
 Coral, Larger Star (E): *Favites chinensis*  
 Coral, Leaf (E): *Montipora foliosa*  
 Coral, Leaf (E): *Pavona cactus*  
 Coral, Leaf (E): *Agaricia agaricites*  
 Coral, Leafy Hedgehog (E): *Echinopora lamellosa*  
 Coral, Lesser Brain (E): *Leptoria phrygia*  
 Coral, Lesser Horn (E): *Premocystathus cornuformis*  
 Coral, Lesser Knob (E): *Cyphastrea serailia*

Coral, Lesser Knob (E): *Cyphastrea microphthalma*  
 Coral, Lesser Speckled Cup (E): *Colangia immersa*  
 Coral, Lesser Star (E): *Favites pentagona*  
 Coral, Lesser Starlet (E): *Siderastrea radians*  
 Coral, Lettuce (E): *Agaricia agaricites*  
 Coral lira (S): *Abyssopathes lyra*  
**Corallium elatius** Ridley, 1882 III CORALLIIDAE  
 (Anthozoa)  
**Corallium japonicum** Kishinouye, 1903 III CORALLIIDAE  
 (Anthozoa)  
**Corallium konjoi** Kishinouye, 1903 III CORALLIIDAE  
 (Anthozoa) (E) White Coral  
**Corallium secundum** Dana, 1846 III CORALLIIDAE  
 (Anthozoa) (E) Angelskin Coral, Formosa Pink Coral, Pink Coral  
 Coral, Lobed Star (E): *Solenastrea hyades*  
 Coral, Lobed Star (E): *Montastrea annularis*  
 Coral, Lowrelief Lettuce (E): *Agaricia humilis*  
 Coral, Lowridge Cactus (E): *Mycetophyllia daniela*  
**Corallus spp.** Daudin, 1803 II BOIDAE (Reptilia)  
**Corallus annulatus** (Cope, 1875) II BOIDAE (Reptilia) (E)  
 Annulated Tree Boa (S) Boa arborícola anillada (F)  
 Boa annelé, Boa arboricole annelé  
*Corallus batesi* Gray, 1860 = *Corallus batesii* (Gray, 1860)  
**Corallus batesii** (Gray, 1860) II BOIDAE (Reptilia)  
*Corallus blombergi* Rendahl & Vestergren, 1941 =  
*Corallus annulatus* (Cope, 1875)  
**Corallus caninus** (Linnaeus, 1758) II BOIDAE (Reptilia)  
 (E) Emerald Tree Boa (S) Boa esmeralda (F) Boa canin, Boa émeraude, Faux jacquot  
*Corallus caninus* Boulenger, 1893 = *Corallus batesii* (Gray, 1860)  
*Corallus caninus* Peters and Donoso-Barros, 1970 =  
*Corallus batesii* (Gray, 1860)  
**Corallus cookii** Gray, 1842 II BOIDAE (Reptilia) (E)  
 Cook's Tree Boa (F) Boa de Cook  
**Corallus cropanii** (Hoge, 1953) II BOIDAE (Reptilia) (E)  
 Cropan's Boa (S) Boa costera de Brasil (F) Boa de Cropan  
*Corallus enydris cookii* (Linnaeus, 1758) = *Corallus cookii* Gray, 1842  
*Corallus enydris* (Linnaeus, 1758) = *Corallus hortulanus* (Linnaeus, 1758)  
**Corallus grenadensis** (Barbour, 1914) II BOIDAE  
 (Reptilia) (F) Boa des arbres de la Grenade  
**Corallus hortulanus** (Linnaeus, 1758) II BOIDAE  
 (Reptilia) (E) Amazon Tree Boa, Garden Tree Boa (S) Boa arborícola de jardín (F) Boa arboricole d'Amazonie, Boa des jardins  
*Corallus hortulanus cookii* (Linnaeus, 1758) = *Corallus cookii* Gray, 1842  
*Corallus hortulanus melanea* (Linnaeus, 1758) = *Corallus cookii* Gray, 1842  
*Corallus maculatus* Gray, 1842 = *Corallus hortulanus* (Linnaeus, 1758)  
*Corallus madagascariensis* (Duméril & Bibron, 1844) =  
*Sanzinia madagascariensis* (Duméril & Bibron, 1844)  
*Corallus obtusirostris* (Bechstein, 1802) = *Corallus hortulanus* (Linnaeus, 1758)

**Corallus ruschenbergerii** (Cope, 1876) II BOIDAE  
 (Reptilia) (F) Boa des arbres d'Amérique centrale  
 Coral, Lyre (E): *Abyssopathes lyra*  
 coral macizo de Franks (S): *Montastrea franksi*  
 Coral, Marenzeller's Mushroom (E): *Fungiacyathus marenzelleri*  
 Coral, Massive Starlet (E): *Siderastrea siderea*  
 Coral, Maze (E): *Meandrina maeandrites*  
 Coral mechón (S): *Lophelia pertusa*  
 Coral montañoso (S): *Montastrea faveolata*  
 Coral, Moseley's Fan (E): *Flabellum moseleyi*  
 Coral mostaza (S): *Porites astreoides*  
 Coral, Mountainous Star (E): *Montastrea faveolata*  
 Coral, Mushroom (E): *Heliofungia actiniformis*  
 Coral, Mushroom (E): *Fungia fungites*  
 Coral, Mustard Hill (E): *Porites astreoides*  
 Coral naranja de tubo (S): *Tubastraea coccinea*  
 Coral, Needle (E): *Seriatopora hystrix*  
 Coral, Neptune's Cap (E): *Halomitra pileus*  
 Coral, Northern Star (E): *Astrangia poculata*  
 Coral, Orange Cup (E): *Tubastraea coccinea*  
 Coral, Orange sea-fan Black (E): *Antipathes gracilis*  
 Coral, Orange Tube (E): *Tubastraea coccinea*  
 Coral, Orange Turret (E): *Tubastraea faulkneri*  
 Coral, Orange Wire (E): *Stichopathes gracilis*  
 Coral, Organ-pipe (E): *Tubipora musica*  
 Coral, Pacific Rose (E): *Cynarina lacrymalis*  
 Coral, Pagoda (E): *Turbinaria mesenterina*  
 Coral, Palm Lettuce (E): *Pectinia paeonia*  
 Coral panal (S): *Porites colonensis*  
 Coral, Pancake Star (E): *Dichocoenia stellaris*  
 Coral, Papillose Cup (E): *Paracyathus pulchellus*  
 Coral, Paradox Fan (E): *Gardineria paradoxa*  
 Coral párvulo (S): *Coenocyathus parvulus*  
 Coral, Peacock (E): *Pavona explanulata*  
 Coral, Pearl Bubble (E): *Physogyra lichtensteini*  
 Coral, Phonograph (E): *Pachyseris speciosa*  
 Coral pilar (S): *Dendrogyra cylindrus*  
 Coral, Pillar (E): *Dendrogyra cylindrus*  
 Coral piña (S): *Dichocoenia stokesii*  
 Coral, Pineapple (E): *Dichocoenia stokesii*  
 Coral, Pink (E): *Corallium secundum*  
 Coral pocillo caótico (S): *Balanophyllia dineta*  
 Coral pocillo caribeño (S): *Balanophyllia caribbeana*  
 Coral pocillo curvo (S): *Enallopsammia rostrata*  
 Coral pocillo de Goes (S): *Rhizopsammia goesi*  
 Coral pocillo de la broza (S): *Balanophyllia palifera*  
 Coral pocillo de Squires (S): *Rhombopsammia squiresi*  
 Coral pocillo poroso (S): *Balanophyllia floridana*  
 Coral, Pointed Pencil (E): *Madracis asperula*  
 Coral, Porous Cup (E): *Balanophyllia floridana*  
 Coral, Porous Leaf (E): *Montipora circumvallata*  
 Coral, Porous Lettuce (E): *Oxypora lacera*  
 Coral, Porous Star (E): *Astreopora myriophthalma*  
 Coral, Pourtalès' Black Wire (E): *Stichopathes pourtalesii*  
 Coral, Pregnant (E): *Favia gravida*  
 Coral, Prolific (E): *Anomocora fecunda*  
 Coral prolífico (S): *Anomocora fecunda*  
 Coral, Puffed (E): *Trachyphyllia geoffroyi*  
 Coral puntiagudo (S): *Madracis asperula*

Coral ramificado de dedos (S): *Porites furcata*  
 Coral, Rathbun's Dwarf Cup (E): *Astrangia rathbuni*  
 Coral, Rawson's Cup (E): *Trochocyathus rawsonii*  
 Coral rayo de sol (S): *Helioseris cucullata*  
 Coral redecilla (S): *Antipathes lenta*  
 Coral, Ribbon (E): *Agaricia tenuifolia*  
 Coral, Ridged Cactus (E): *Mycetophyllia lamarckiana*  
 Coral, Ridgeless Cactus (E): *Mycetophyllia reesi*  
 Coral ripido (S): *Antipathes rhipidion*  
 Coral, Ripedum Black (E): *Antipathes rhipidion*  
 Coral, Robust Ivory Tree (E): *Oculina robusta*  
 Coral robusto de marfil (S): *Oculina robusta*  
 Coral rosado (S): *Manicina areolata*  
 Coral rosado de encaje (S): *Stylaster roseus*  
 Coral, Rose (E): *Manicina areolata*  
 Coral, Rose Lace (E): *Stylaster roseus*  
 Coral rotundo (S): *Oxysmilia rotundifolia*  
 Coral, Rough Cactus (E): *Mycetophyllia ferox*  
 Coral, Rough Guyniid (E): *Pourtalocyathus hispidus*  
 Coral, Rough Star (E): *Isophyllastrea rigida*  
 Coral, Rough Starlet (E): *Siderastrea radians*  
 Coral, Ruffled (E): *Merulina ampliata*  
 Corals, Black (E): *Antipatharia*  
 Corals, Blue (E): *Helioporidae*  
 Coral, Scalpel (E): *Acrhelia horrescens*  
 Coral, Scarlet-and-gold Star (E): *Balanophyllia regia*  
 Coral, Scarlet Crisp (E): *Flabellum macandrewi*  
 Coral, Scroll (E): *Agaricia undata*  
 Coral, Sea Mole (E): *Polyphyllia talpina*  
 Corals, Fire (E): *Milleporidae*  
 Coral, Sinuous Cactus (E): *Isophyllia sinuosa*  
 Coral, Six-ray Star (E): *Madracis senaria*  
 Corals, Lace (E): *Stylasteridae*  
 Coral, Slender Lettuce (E): *Leptoseris mycetoseroides*  
 Coral, Slipper (E): *Polyphyllia talpina*  
 Coral, Slipper (E): *Herpolitha limax*  
 Coral, Small (E): *Coenocyathus parvulus*  
 Coral, Small Bubble (E): *Physogyra lichtensteini*  
 Coral, Small Knob (E): *Plesiastrea versipora*  
 Coral, Small Star (E): *Favia fragum*  
 Coral, Smooth Black (E): *Leiopathes glaberrima*  
 Coral, Smooth Flower (E): *Eusmilia fastigiata*  
 Coral, Smooth Star (E): *Solenastrea bournonii*  
 Coral, Smooth Starlet (E): *Siderastrea siderea*  
 Coral, Solitary Disk (E): *Scolymia wellsii*  
 Coral, Solitary Disk (E): *Scolymia cubensis*  
 Corals, Organ-Pipe (E): *Tubiporidae*  
 Coral, Spear Black (E): *Elatopathes abietina*  
 Coral, Speckled Cup (E): *Rhizosmilia maculata*  
 Coral, Spiny Flower (E): *Scolymia lacera*  
 Coral, Spiny Flower (E): *Mussa angulosa*  
 Coral, Split (E): *Schizocyathus fissilis*  
 Coral, Splitting Cup (E): *Dasmosmilia lymani*  
 Coral, Splitting Fan (E): *Flabellum macandrewi*  
 Coral, Spoon Lace (E): *Stylaster spatula*  
 Coral, Squires's Cup (E): *Rhombopsammia squiresi*  
 Corals, Stony (E): *Scleractinia*  
 Coral, Staghorn (E): *Acropora cervicornis*  
 Coral, Star (E): *Madracis pharensis*  
 Coral, Starburst (E): *Galaxea fascicularis*

Coral, Star Column (E): <i>Pavona clavus</i>	Coraux De Feu (F): <i>Milleporidae</i>
Coral, Starry Cup (E): <i>Acanthastrea echinata</i>	Coraux Durs (F): <i>Scleractinia</i>
Coral, Stimpson's Cup (E): <i>Deltocyathoides stimpsonii</i>	Coraux Noirs (F): <i>Antipatharia</i>
Coral, Striated Cup (E): <i>Desmophyllum striatum</i>	Cordyle africain (F): <i>Cordylus polyzonus</i>
Coral, Striate Finger (E): <i>Madracis myriaster</i>	Cordyle à larges écailles (F): <i>Cordylus macropholis</i>
Coral, Sunray Lettuce (E): <i>Helioseris cucullata</i>	Cordyle à pustules (F): <i>Cordylus pustulatus</i>
Coral, Symmetrical Brain (E): <i>Diploria strigosa</i>	Cordyle à taches bleues (F): <i>Cordylus coeruleopunctatus</i>
Coral, Symmetrical Mushroom (E): <i>Fungiacyathus symmetricus</i>	Cordyle commun (F): <i>Cordylus cordylus</i>
Coral, Table (E): <i>Acropora cytherea</i>	Cordyle d'Armadillo (F): <i>Cordylus cataphractus</i>
Coral, Table (E): <i>Acropora valenciennesi</i>	Cordyle de Campbell (F): <i>Cordylus campbelli</i>
Coral, Table (E): <i>Acropora clathrata</i>	Cordyle de Cope (F): <i>Cordylus tropidosternum</i>
Coral tacita de Rathbun (S): <i>Astrangia rathbuni</i>	Cordyle de Hewitt (F): <i>Cordylus peersi</i>
Coral tacita estrella (S): <i>Astrangia poculata</i>	Cordyle de Jordan (F): <i>Cordylus jordani</i>
Coral tacita solitario (S): <i>Astrangia solitaria</i>	Cordyle de Lawrence (F): <i>Cordylus lawrenci</i>
Coral tazón coronado (S): <i>Stephanocyathus coronatus</i>	Cordyle de McLachlan (F): <i>Cordylus mclachlani</i>
Coral tazón de Gerda (S): <i>Rhizosmilia gerdae</i>	Cordyle de Reichenow (F): <i>Cordylus vittifer</i>
Coral tazón de Rawson (S): <i>Trochocyathus rawsonii</i>	Cordyle de Rhodésie (F): <i>Cordylus rhodesianus</i>
Coral tazón de Stimpson (S): <i>Deltocyathoides stimpsonii</i>	Cordyle de Tasman (F): <i>Cordylus tasmani</i>
Coral tazón estriado (S): <i>Desmophyllum striatum</i>	Cordyle de Warren (F): <i>Cordylus warreni</i>
Coral tazón excavado (S): <i>Trochocyathus fossulus</i>	Cordyle d'Oelofsen (F): <i>Cordylus oelofseni</i>
Coral tazón laberíntico (S): <i>Labyrinthocyathus langae</i>	Cordyle d'Ukinga (F): <i>Cordylus ukingensis</i>
Coral tazón manchado (S): <i>Rhizosmilia maculata</i>	Cordyle du Namaqua (F): <i>Cordylus namaquensis</i>
Coral tazón manchado (S): <i>Colangia immersa</i>	Cordyle géant (F): <i>Cordylus giganteus</i>
Coral tazón moteado (S): <i>Dasmosmilia variegata</i>	Cordyle noir (F): <i>Cordylus niger</i>
Coral tazón oculto (S): <i>Phyllangia americana</i>	<b><i>Cordylus</i> spp.</b> Gronovius, 1763 II CORDYLIDAE (Reptilia)
Coral tazón papilar (S): <i>Paracyathus pulchellus</i>	<i>Cordylus algoensis</i> A. Smith, 1838 = <i>Cordylus fasciatus</i> A. Smith, 1838
Coral tazón partido (S): <i>Dasmosmilia lymani</i>	<b><i>Cordylus angolensis</i></b> (Bocage, 1895) II CORDYLIDAE (Reptilia) (E) Angolan Girdled Lizard, Angolan Spiny-tailed Lizard
Coral tazón variado (S): <i>Tethocyathus variabilis</i>	<b><i>Cordylus aridus</i></b> Mouton & van Wyk, 1994 II CORDYLIDAE (Reptilia) (E) Dwarf Karoo Girdled Lizard
Coral tazón veteado (S): <i>Phacelocyathus flos</i>	<b><i>Cordylus barbertonensis</i></b> (van Dam, 1921) II CORDYLIDAE (Reptilia) (E) Barberton Girdled Lizard
coral, teeth (E): <i>Lobophyllia hemprichii</i>	<b><i>Cordylus beraduccii</i></b> Broadley & Branch, 2002 II CORDYLIDAE (Reptilia) (E) Maasai Girdled Lizard
Coral, Ten-ray Finger (E): <i>Madracis decactis</i>	<b><i>Cordylus breyeri</i></b> (van Dam, 1921) II CORDYLIDAE (Reptilia) (E) Waterberg Girdled Lizard
Coral, Ten-ray Star (E): <i>Madracis decactis</i>	<b><i>Cordylus campbelli</i></b> (FitzSimons, 1938) II CORDYLIDAE (Reptilia) (E) Campbell's Girdled Lizard, Campbell's Spiny-tailed Lizard (F) Cordyle de Campbell, Lézard à queue épineuse de Campbell
Coral, Thin Finger (E): <i>Porites divaricata</i>	<b><i>Cordylus capensis</i></b> A. Smith, 1838 II CORDYLIDAE (Reptilia) (E) False Girdled Lizard, Graceful Crag Lizard (S) Falso lagarto armadillo del cabo (F) Lézard à fausse ceinture du Cap, Pseudocordyle du Cap
Coral, Thin-leaf Lettuce (E): <i>Agaricia tenuifolia</i>	<b><i>Cordylus cataphractus</i></b> Boie, 1828 II CORDYLIDAE (Reptilia) (E) Armadillo Girdled Lizard, Armadillo Spiny-tailed Lizard (F) Cordyle d'Armadillo, Lézard à queue épineuse d'Armadillo
Coral, Thin Tube (E): <i>Cladocora debilis</i>	<b><i>Cordylus cloetei</i></b> Mouton & van Wyk, 1994 II CORDYLIDAE (Reptilia) (E) Cloete's Girdled Lizard
Coral, Thorn (E): <i>Stylocoeniella guentheri</i>	<b><i>Cordylus coeruleopunctatus</i></b> (Methuen & Hewitt, 1914) II CORDYLIDAE (Reptilia) (E) Blue-spotted Girdled Lizard, Blue-spotted Spiny-tailed Lizard (F) Cordyle à taches bleues, Lézard à queue épineuse à taches bleues
Coral, Tongue (E): <i>Herpolitha limax</i>	
Coral, Tree (E): <i>Tubastraea micranthus</i>	
Coral, Tuft (E): <i>Lophelia pertusa</i>	
Coral, Twelve-root Cup (E): <i>Polymyces fragilis</i>	
Coral, Two-tone Cup (E): <i>Phacelocyathus flos</i>	
Coral, Valenciennes's Ivory (E): <i>Oculina valenciennesi</i>	
Coral, Variable Cup (E): <i>Tethocyathus variabilis</i>	
Coral, Variegated Cup (E): <i>Dasmosmilia variegata</i>	
Coral, Vase (E): <i>Turbinaria mesenterina</i>	
Coral, Wedge (E): <i>Sphenotrochus lindstroemi</i>	
Coral, Wedge (E): <i>Fungia distorta</i>	
Coral, Weymouth Carpet (E): <i>Hoplangia durotrix</i>	
Coral, Whisker (E): <i>Duncanopsammia axifuga</i>	
Coral, White (E): <i>Corallium konjoi</i>	
Coral, White Grape (E): <i>Euphyllia cristata</i>	
Coral, Worm (E): <i>Stenocyathus vermiciformis</i>	
Coral, Wrinkle (E): <i>Coscinaraea monile</i>	
Coral, Wrinkled Mushroom (E): <i>Fungiacyathus crispus</i>	
Coral, Yellow Pencil (E): <i>Madracis myriaster</i>	
Coral, Yellow Pencil (E): <i>Madracis auretenra</i>	
Coral, Yellow Scroll (E): <i>Turbinaria reniformis</i>	
Coral, Zebra (E): <i>Oulastrea crispata</i>	
Coraux à pores (F): <i>Porites branneri</i>	

- Cordylus cordylus*** (Linnaeus, 1758) II CORDYLIDAE  
 (Reptilia) (E) Cape Girdled Lizard, Common Girdled Lizard, Common Spiny-tailed Lizard, Rough-scaled Girdled Lizard (F) Cordyle commun, Lézard à queue épineuse commun
- Cordylus cordylus lawrenci*** (Linnaeus, 1758) = ***Cordylus lawrenci*** (FitzSimons, 1939)
- Cordylus cordylus*** (Linnaeus, 1758) = ***Cordylus tasmani*** (Power, 1930)
- Cordylus cordylus minor*** (Linnaeus, 1758) = ***Cordylus minor*** FitzSimons, 1943
- Cordylus cordylus niger*** (Linnaeus, 1758) = ***Cordylus niger*** Cuvier, 1829
- Cordylus cordylus pustulatus*** (Linnaeus, 1758) = ***Cordylus pustulatus*** (Peters, 1862)
- Cordylus cordylus rhodesianus*** (Linnaeus, 1758) = ***Cordylus rhodesianus*** (Hewitt, 1933)
- Cordylus cordylus tasmani*** (Linnaeus, 1758) = ***Cordylus tasmani*** (Power, 1930)
- Cordylus cordylus tropidosternum*** (Linnaeus, 1758) = ***Cordylus tropidosternum*** (Cope, 1869)
- Cordylus depressus*** (FitzSimons, 1930) II CORDYLIDAE  
 (Reptilia) (E) Zoutpansberg Girdled Lizard
- Cordylus dorsalis*** Cuvier, 1829 = ***Cordylus cordylus*** (Linnaeus, 1758)
- Cordylus fasciatus*** A. Smith, 1838 II CORDYLIDAE  
 (Reptilia) (E) Eastern Cape Crag Lizard
- Cordylus giganteus*** A. Smith, 1844 II CORDYLIDAE  
 (Reptilia) (E) Giant Girdled Lizard, Giant Spiny-tailed Lizard, Giant Zonure, Sungazer (F) Cordyle géant, Lézard à queue épineuse géant
- Cordylus griseus*** Cuvier, 1829 = ***Cordylus cordylus*** (Linnaeus, 1758)
- Cordylus imkae*** Mouton & van Wyk, 1994 II  
 CORDYLIDAE (Reptilia) (E) Rooiberg Girdled Lizard
- Cordylus jonesii*** (Boulenger, 1891) II CORDYLIDAE  
 (Reptilia) (E) Limpopo Girdled Lizard
- Cordylus jordani*** (Parker, 1936) II CORDYLIDAE  
 (Reptilia) (E) Jordan's Girdled Lizard (F) Cordyle de Jordan, Lézard à queue épineuse de Jordan
- Cordylus langi*** (Loveridge, 1944) II CORDYLIDAE  
 (Reptilia) (E) Lang's Crag Lizard, Lang's Girdled Lizard (S) Falso lagarto armadillo de Lang (F) Lézard à fausse ceinture de Lang, Pseudocordyle de Lang
- Cordylus lawrenci*** (FitzSimons, 1939) II CORDYLIDAE  
 (Reptilia) (E) Lawrence's Girdled Lizard (F) Cordyle de Lawrence, Lézard à queue épineuse de Lawrence
- Cordylus machadoi*** Laurent, 1964 II CORDYLIDAE  
 (Reptilia) (E) Machado's Girdled Lizard
- Cordylus macropholis*** (Boulenger, 1910) II  
 CORDYLIDAE (Reptilia) (E) Coastal Spiny-tailed Lizard, Large-scaled Girdled Lizard (F) Cordyle à larges écailles, Lézard à queue épineuse à larges écailles
- Cordylus mclachlani*** Mouton, 1986 II CORDYLIDAE  
 (Reptilia) (E) McLachlan's Girdled Lizard, McLachlan's Spiny-tailed Lizard (F) Cordyle de McLachlan, Lézard à queue épineuse de McLachlan
- Cordylus meculae*** Branch, Roedel & Marais, 2005 II  
 CORDYLIDAE (Reptilia)
- Cordylus melanotus*** A. Smith, 1838 II CORDYLIDAE  
 (Reptilia) (E) Highveld Crag Lizard (F) Lézard des rochers du Drakensberg, Pseudocordyle du Drakensberg
- Cordylus microlepidotus*** Cuvier, 1829 II CORDYLIDAE  
 (Reptilia) (E) Western Cape Crag Lizard (F) Lézard à fausse ceinture des rochers, Lézard des rochers, Pseudocordyle des rochers
- Cordylus minor*** FitzSimons, 1943 II CORDYLIDAE  
 (Reptilia) (E) Dwarf Girdled Lizard (F) Petit cordyle, Petit lézard à queue épineuse
- Cordylus montanus*** A. Smith, 1838 = ***Cordylus microlepidotus*** Cuvier, 1829
- Cordylus mossambicus*** FitzSimons, 1958 II  
 CORDYLIDAE (Reptilia)
- Cordylus namaquensis*** (Methuen & Hewitt, 1914) II  
 CORDYLIDAE (Reptilia) (E) Namaqua Girdled Lizard, Namaqua Spiny-tailed Lizard (F) Cordyle du Namaqua, Lézard à queue épineuse du Namaqua
- Cordylus nebulosus*** (Mouton & van Wyk, 1995) II  
 CORDYLIDAE (Reptilia) (E) Dwarf Crag Lizard
- Cordylus nebulosus*** A. Smith, 1838 = ***Cordylus cataphractus*** Boie, 1828
- Cordylus niger*** Cuvier, 1829 II CORDYLIDAE (Reptilia)  
 (E) Black Girdled Lizard (F) Cordyle noir, Lézard à queue épineuse noir
- Cordylus nyikae*** Broadley & Mouton, 2000 II  
 CORDYLIDAE (Reptilia)
- Cordylus oelofseni*** Mouton & van Wyk, 1990 II  
 CORDYLIDAE (Reptilia) (E) Oelofsen's Girdled Lizard (F) Cordyle d'Oelofsen, Lézard à queue épineuse d'Oelofsen
- Cordylus peersi*** (Hewitt, 1932) II CORDYLIDAE (Reptilia)  
 (E) Hewitt's Spiny-tailed Lizard, Peers's Girdled Lizard (F) Cordyle de Hewitt, Lézard à queue épineuse de Hewitt
- Cordylus polyzonus*** A. Smith, 1838 II CORDYLIDAE  
 (Reptilia) (E) African Spiny-tailed Lizard, Karoo Girdled Lizard (F) Cordyle africain, Lézard à queue épineuse africain
- Cordylus polyzonus jordani*** A. Smith, 1838 = ***Cordylus jordani*** (Parker, 1936)
- Cordylus pustulatus*** (Peters, 1862) II CORDYLIDAE  
 (Reptilia) (E) Herero Girdled Lizard (F) Cordyle à pustules, Lézard à queue épineuse à pustules
- Cordylus regius*** Broadley, 1962 II CORDYLIDAE  
 (Reptilia) (E) Regal Girdled Lizard
- Cordylus rhodesianus*** (Hewitt, 1933) II CORDYLIDAE  
 (Reptilia) (E) Rhodesian Girdled Lizard, Zimbabwe Girdled Lizard (F) Cordyle de Rhodésie, Lézard à queue épineuse de Rhodésie
- Cordylus rivae*** (Boulenger, 1896) II CORDYLIDAE  
 (Reptilia)
- Cordylus spinosus*** (FitzSimons, 1947) II CORDYLIDAE  
 (Reptilia) (E) Prickly Girdled Lizard, Spiny Crag Lizard (S) Falso lagarto armadillo espinoso (F) Lézard à ceinture épineuse, Pseudocordyle épineux
- Cordylus subviridis*** A. Smith, 1838 II CORDYLIDAE  
 (Reptilia) (E) Drakensberg Crag Lizard
- Cordylus tasmani*** (Power, 1930) II CORDYLIDAE

(Reptilia) (E) Tasman's Girdled Lizard (F) Cordyle de Tasman, Lézard à queue épineuse de Tasman	<i>Cordylus tasmani</i> Broadley, 1971 = <i>Cordylus cordylus</i> (Linnaeus, 1758)	<i>Corucia zebrata</i> Gray, 1855 II SCINCIDAE (Reptilia) (E) Prehensile-tailed Skink, Solomon Islands Giant Skink (S) Eslizón de las Islas Salomón (F) Scinque à queue préhensile des Iles Salomons, Scinque arboricole des Iles Salomon, Scinque géant des Iles Salomon
<b><i>Cordylus transvaalensis</i></b> (FitzSimons, 1943) II	CORDYLIDAE (Reptilia) (E) Northern Crag Lizard	<i>Corynephis</i> à front orange (F): <i>Loriculus aurantiifrons</i>
<b><i>Cordylus tropidosternum</i></b> (Cope, 1869) II CORDYLIDAE	(Reptilia) (E) East African Spiny-tailed Lizard, Tropical Girdled Lizard, Tropical Spiny-tailed Lizard (F) Cordyle de Cope, Lézard à queue épineuse de Cope	<i>Corynephis</i> à gorge jaune (F): <i>Loriculus pusillus</i>
<b><i>Cordylus ukingensis</i></b> (Loveridge, 1932) II CORDYLIDAE	(Reptilia) (E) Ukinga Girdled Lizard, Ukinga Spiny-tailed Lizard (F) Cordyle d'Ukinga, Lézard à queue épineuse d'Ukinga	<i>Corynephis</i> à tête bleue (F): <i>Loriculus galgulus</i>
<b><i>Cordylus vandami</i></b> FitzSimons, 1930 II CORDYLIDAE	(Reptilia) (E) Van Dam's Girdled Lizard	<i>Corynephis</i> de Ceylan (F): <i>Loriculus beryllinus</i>
<i>Cordylus verus</i> Laurenti, 1768 = <i>Cordylus cordylus</i> (Linnaeus, 1758)		<i>Corynephis</i> des Célèbes (F): <i>Loriculus stigmatus</i>
<b><i>Cordylus vittifer</i></b> (Reichenow, 1887) II CORDYLIDAE	(Reptilia) (E) Reichenow's Spiny-tailed Lizard, Transvaal Girdled Lizard (F) Cordyle de Reichenow, Lézard à queue épineuse de Reichenow	<i>Corynephis</i> des Moluques (F): <i>Loriculus amabilis</i>
<i>Cordylus vittifer machadoi</i> (Reichenow, 1887) = <i>Cordylus machadoi</i> Laurent, 1964		<i>Corynephis</i> des Philippines (F): <i>Loriculus philippensis</i>
<b><i>Cordylus warreni</i></b> (Boulenger, 1908) II CORDYLIDAE	(Reptilia) (E) Warren's Girdled Lizard, Warren's Spiny-tailed Lizard (F) Cordyle de Warren, Lézard à queue épineuse de Warren	<i>Corynephis</i> des Sangi (F): <i>Loriculus catamene</i>
<i>Cordylus warreni breyeri</i> (Boulenger, 1908) = <i>Cordylus breyeri</i> (van Dam, 1921)		<i>Corynephis</i> de Wallace (F): <i>Loriculus flosculus</i>
<i>Cordylus warreni mossambicus</i> (Boulenger, 1908) = <i>Cordylus mossambicus</i> FitzSimons, 1958		<i>Corynephis</i> vernal (F): <i>Loriculus vernalis</i>
<i>Cordylus warreni regius</i> (Boulenger, 1908) = <i>Cordylus regius</i> Broadley, 1962		<i>Corynephis</i> vert (F): <i>Loriculus exilis</i>
<i>Cordylus warreni vandami</i> (Boulenger, 1908) = <i>Cordylus vandami</i> FitzSimons, 1930		<i>Corythaix fischeri</i> Reichenow, 1878 = <i>Tauraco fischeri</i> (Reichenow, 1878)
Corella, Little (E): <i>Cacatua sanguinea</i>		<i>Corythaix hartlaubi</i> Fischer & Reichenow, 1884 = <i>Tauraco hartlaubi</i> (Fischer & Reichenow, 1884)
Corella, Long-billed (E): <i>Cacatua tenuirostris</i>		<i>Corythaix leucolophus</i> Heuglin, 1855 = <i>Tauraco leucolophus</i> (Heuglin, 1855)
Corella, Tanimbar (E): <i>Cacatua goffiniana</i>		<i>Corythaix leucotis</i> Rüppell, 1835 = <i>Tauraco leucotis</i> (Rüppell, 1835)
Corella, Western (E): <i>Cacatua pastinator</i>		<i>Corythaix macrorhynchos</i> Fraser, 1839 = <i>Tauraco macrorhynchos</i> (Fraser, 1839)
<i>Coriphilus rubronotatus</i> Wallace, 1862 = <i>Charmosyna rubronotata</i> (Wallace, 1862)		<i>Corythaix porphyreolopha</i> Vigors, 1831 = <i>Tauraco porphyreolophus</i> (Vigors, 1831)
Corneille de paradis (F): <i>Lycocorax pyrrhocopterus</i>		<i>Corythaix schalowi</i> Reichenow, 1891 = <i>Tauraco schalowi</i> (Reichenow, 1891)
Cornúa (S): <i>Sphyraña lewini</i>		<i>Corythaix schuettii</i> Cabanis, 1879 = <i>Tauraco schuettii</i> (Cabanis, 1879)
Cornuda (S): <i>Sphyraña lewini</i>		<b><i>Coscinaraea</i></b> spp. II SIDERASTREIDAE (Anthozoa)
Cornuda comun (S): <i>Sphyraña lewini</i>		<b><i>Coscinaraea columna</i></b> (Dana, 1846) II
Cornuda común (S): <i>Sphyraña lewini</i>		SIDERASTREIDAE (Anthozoa)
Cornuda martillo (S): <i>Sphyraña lewini</i>		<b><i>Coscinaraea crassa</i></b> Veron & Pichon, 1980 II
Cornuda negra (S): <i>Sphyraña lewini</i>		SIDERASTREIDAE (Anthozoa)
Corocoro colorado (S): <i>Eudocimus ruber</i>		<b><i>Coscinaraea exaesa</i></b> (Dana, 1846) II SIDERASTREIDAE (Anthozoa)
Corocoro rojo (S): <i>Eudocimus ruber</i>		<b><i>Coscinaraea fossata</i></b> (Dana, 1846) II SIDERASTREIDAE (Anthozoa)
Coronet, Buff-tailed (E): <i>Boissonneaua flavescens</i>		<b><i>Coscinaraea hazimanensis</i></b> Yabe & Sugiyama, 1936 II
Coronet, Chestnut-breasted (E): <i>Boissonneaua matthewsii</i>		SIDERASTREIDAE (Anthozoa)
Coronet, Velvet-purple (E): <i>Boissonneaua jardini</i>		<b><i>Coscinaraea marshae</i></b> Wells, 1962 II SIDERASTREIDAE (Anthozoa)
Coronita aterciopelada (S): <i>Boissonneaua jardini</i>		<b><i>Coscinaraea mcneilli</i></b> Wells, 1962 II SIDERASTREIDAE (Anthozoa)
Coronita colihabana (S): <i>Boissonneaua flavescens</i>		<b><i>Coscinaraea monile</i></b> (Forskål, 1775) II
Coronita pechicastaña (S): <i>Boissonneaua matthewsii</i>		SIDERASTREIDAE (Anthozoa) (E) Wrinkle Coral
Corredor Chillón (S): <i>Atrichornis clamosus</i>		<b><i>Coscinaraea wellsi</i></b> Veron & Pichon, 1980 II
Corsac (E): <i>Vulpes cana</i>		SIDERASTREIDAE (Anthozoa)
		<i>Coscinarea donnani</i> = <i>Coscinaraea monile</i> (Forskål, 1775)
		<i>Coscinarea foliata</i> Nemenzo, 1980 = <i>Leptoseris yabei</i> (Pillai & Scheer, 1976)
		<i>Coscinarea maeandrina</i> (Hemprich & Ehrenberg, 1834) = <i>Montipora danae</i> Milne Edwards & Haime, 1851
		<i>Coscinarea ostreaeformis</i> van der Horst, 1922 = <i>Coscinaraea monile</i> (Forskål, 1775)
		<i>Coscinastrea columna</i> Gardiner, 1898 = <i>Coscinaraea columna</i> (Dana, 1846)

<i>Coscinastrea crassa</i> = <i>Coscinaraea crassa</i> Veron & Pichon, 1980	Cotorra de ceilán (S): <i>Psittacula calthorpa</i>
<i>Coscinastrea exaesa</i> = <i>Coscinaraea exaesa</i> (Dana, 1846)	Cotorra de Derby (S): <i>Psittacula derbiana</i>
<i>Coscinastrea fossata</i> Dana, 1846 = <i>Coscinaraea fossata</i> (Dana, 1846)	Cotorra de Deville (S): <i>Pyrrhura devillei</i>
<i>Coscinastrea hazimanensis</i> = <i>Coscinaraea hazimanensis</i> Yabe & Sugiyama, 1936	Cotorra de El Oro (S): <i>Pyrrhura orcesi</i>
<i>Coscinastrea kusimotoensis</i> = <i>Coscinaraea columna</i> (Dana, 1846)	Cotorra de Finsch (S): <i>Psittacula finschii</i>
<i>Coscinastrea marshae</i> = <i>Coscinaraea marshae</i> Wells, 1962	Cotorra de Kramer (S): <i>Psittacula krameri</i>
<i>Coscinastrea mcneilli</i> = <i>Coscinaraea mcneilli</i> Wells, 1962	Cotorra del Himalaya (S): <i>Psittacula himalayana</i>
<i>Coscinastrea monile</i> Gardiner, 1905 = <i>Coscinaraea monile</i> (Forskål, 1775)	Cotorra de los Palos (S): <i>Aratinga acuticaudata</i>
Coscoroba blanc (F): <i>Coscoroba coscoroba</i>	Cotorra de Malabar (S): <i>Psittacula columbooides</i>
<b>Coscoroba coscoroba</b> (Molina, 1782) II ANATIDAE (Aves) (E) Coscoroba Swan (S) Cisne coscoroba, Ganso blanco (F) Coscoroba blanc, Cygne coscoroba	Cotorra de Mauricio (S): <i>Psittacula echo</i>
<i>Cosmoporites laevigata</i> Duchassaing & Michelotti, 1864 = <i>Porites astreoides</i> Lamarck, 1816	Cotorra de Molina (S): <i>Pyrrhura molinae</i>
Cotinga à ailes blanches (F): <i>Xipholena atropurpurea</i>	Cotorra de Nicobar (S): <i>Psittacula caniceps</i>
Cotinga à bandeau (F): <i>Cotinga maculata</i>	Cotorra de Santa Marta (S): <i>Pyrrhura viridicata</i>
Cotinga aliblanca (S): <i>Xipholena atropurpurea</i>	Cotorra egregia (S): <i>Pyrrhura egregia</i>
Cotinga, Banded (E): <i>Cotinga maculata</i>	Cotorra frente roja (S): <i>Amazona finschi</i>
Cotinga cordonbleu (F): <i>Cotinga maculata</i>	Cotorra frentidorada (S): <i>Aratinga aurea</i>
Cotinga de corbata (S): <i>Cotinga maculata</i>	Cotorra intermedia (S): <i>Psittacula intermedia</i>
<b>Cotinga maculata</b> (Müller, 1776) I COTINGIDAE (Aves) (E) Banded Cotinga, Spotted Cotinga (S) Cotinga de corbata, Cotinga manchado (F) Cotinga à bandeau, Cotinga cordonbleu, Cotinga maculé	Cotorra morada (S): <i>Pionus fuscus</i>
Cotinga maculé (F): <i>Cotinga maculata</i>	Cotorra negra (S): <i>Pionus chalcopterus</i>
Cotinga manchado (S): <i>Cotinga maculata</i>	Cotorra pechiparda (S): <i>Pyrrhura calliptera</i>
Cotinga porphyron (F): <i>Xipholena atropurpurea</i>	Cotorra pechirroja (S): <i>Psittacula alexandri</i>
Cotinga, Spotted (E): <i>Cotinga maculata</i>	Cotorra perlada (S): <i>Pyrrhura lepida</i>
Cotinga, White-winged (E): <i>Xipholena atropurpurea</i>	Cotorra pintada (S): <i>Pyrrhura picta</i>
Cotorra (S): <i>Lepidochelys kempii</i>	Cotorra-serrana occidental (S): <i>Rhynchopsitta pachyrhyncha</i>
Cotorra (S): <i>Amazona ventralis</i>	Cotorra-serrana oriental (S): <i>Rhynchopsitta terrisi</i>
Cotorra alejandrina (S): <i>Psittacula eupatria</i>	Cotorra tiriba (S): <i>Pyrrhura cruentata</i>
Cotorra amarilla (S): <i>Guarouba guarouba</i>	Cotorra ventrirroja (S): <i>Pyrrhura perlata</i>
Cotorra argentina (S): <i>Myiopsitta monachus</i>	Cotorra verde (S): <i>Aratinga leucophthalma</i>
Cotorra austral (S): <i>Enicognathus ferrugineus</i>	Cotorrita aliazul (S): <i>Forpus xanthopterygius</i>
Cotorra cabeciamilla (S): <i>Amazona barbadensis</i>	Cotorrita alipinta (S): <i>Touit stictopterus</i>
Cotorra cabeciazul (S): <i>Pionus menstruus</i>	Cotorrita alirroja (S): <i>Touit huetii</i>
Cotorra cabeciblanca (S): <i>Pionus tumultuosus</i>	Cotorrita amazónica (S): <i>Nannopsittaca dachilleae</i>
Cotorra cabecinegra (S): <i>Nandayus nenday</i>	Cotorrita cariazul (S): <i>Touit dilectissimus</i>
Cotorra cachaña (S): <i>Enicognathus ferrugineus</i>	Cotorrita carigualda (S): <i>Forpus xanthops</i>
Cotorra capirotada (S): <i>Pyrrhura rupicola</i>	Cotorrita costarricense (S): <i>Touit costaricensis</i>
Cotorra cariparda (S): <i>Pyrrhura leucotis</i>	Cotorrita culiverde (S): <i>Forpus passerinus</i>
Cotorra carirroja (S): <i>Aratinga mitrata</i>	Cotorrita de anteojos (S): <i>Forpus conspicillatus</i>
Cotorra carirrosa (S): <i>Psittacula roseata</i>	Cotorrita de Piura (S): <i>Forpus coelestis</i>
Cotorra catana (S): <i>Pyrrhura hoffmanni</i>	Cotorrita de Slater (S): <i>Forpus modestus</i>
Cotorra chiripepé (S): <i>Pyrrhura frontalis</i>	Cotorrita dorsinegra (S): <i>Touit melanotus</i>
Cotorra choroy (S): <i>Enicognathus leptorhynchus</i>	Cotorrita mexicana (S): <i>Forpus cyanopygius</i>
Cotorra ciruela (S): <i>Psittacula cyanocephala</i>	Cotorrita purpurada (S): <i>Touit purpuratus</i>
Cotorra collarga (S): <i>Psittacula longicauda</i>	Cotorrita sietecolores (S): <i>Touit batavicus</i>
Cotorra colinegra (S): <i>Pyrrhura melanura</i>	Cotorrita sorda (S): <i>Touit surdus</i>
Cotorra colirroja (S): <i>Pyrrhura hoematotis</i>	Cotorrita tepuí (S): <i>Nannopsittaca panychlora</i>
Cotorra coronirroja (S): <i>Pyrrhura rhodocephala</i>	<i>Cottonsaurus breyeri</i> (Van Dam, 1921) = <i>Cordylus breyeri</i> (van Dam, 1921)
Cotorra cucha (S): <i>Amazona autumnalis</i>	<i>Cottonsaurus mossambicus</i> (FitzSimons, 1958) = <i>Cordylus mossambicus</i> FitzSimons, 1958
Cotorra cuelliblanca (S): <i>Pyrrhura albipectus</i>	<i>Cottonsaurus regius</i> (Broadley, 1962) = <i>Cordylus regius</i> Broadley, 1962
	<i>Cottonsaurus vandami</i> (FitzSimons, 1930) = <i>Cordylus vandami</i> FitzSimons, 1930
	<i>Cottonsaurus warreni</i> (Boulenger, 1908) = <i>Cordylus warreni</i> (Boulenger, 1908)
	Cotunto (S): <i>Gymnoglaux lawrencii</i>
	Cougar (E): <i>Puma concolor</i>
	Cougar de Floride (F): <i>Puma concolor coryi</i>
	Cougar, Eastern (E): <i>Puma concolor couguar</i>

Cougar, Florida (E): <i>Puma concolor coryi</i>	Hocco piguiazul, Paují de pico azul, Pavón piquiazzul
Couguar (F): <i>Puma concolor couguar</i>	(F) Hocco à bec bleu, Hocco d'Albert
Couleuvre à damier (F): <i>Xenochrophis piscator</i>	<b><i>Crax blumenbachii</i></b> Spix, 1825 I CRACIDAE (Aves) (E)
Couleuvre aquatique (F): <i>Xenochrophis piscator</i>	Blumenbach's Curassow, Mutum, Red-billed Curassow
Couleuvre d'eau asiatique (F): <i>Xenochrophis piscator</i>	(S) Hoco piguirojo, Muitú mamaco, Paují piquirrojo,
Couleuvre de Westermann (F): <i>Elachistodon westermanni</i>	Pavón piquirrojo (F) Hocco à bec rouge, Hocco de Blumenbach
Couleuvre lisse du Brésil (F): <i>Cyclagras gigas</i>	<b><i>Crax daubentoni</i></b> Gray, 1867 III CRACIDAE (Aves) (E)
Couleuvre pêcheuse (F): <i>Xenochrophis piscator</i>	Daubenton's Curassow, Yellow-knobbed Curassow (S)
Coureuse (F): <i>Anguilla anguilla</i>	Hoco de Daubenton, Paují de copete, Pavón poría,
Courlis à bec grêle (F): <i>Numenius tenuirostris</i>	Pavón porú (F) Hocco de Daubenton
Courlis esquimaux (F): <i>Numenius borealis</i>	<b><i>Crax globulosa</i></b> Spix, 1825 III CRACIDAE (Aves) (E)
Couscous de la Sonde (F): <i>Phalanger orientalis</i>	Wattled Curassow, Yarrell's Curassow (S) Hoco barbado, Pavón carunculado (F) Hocco globuleux,
Couscous gris (F): <i>Phalanger orientalis</i>	Hoco à caroncule
Couscous tacheté (F): <i>Spilocucus maculatus</i>	<b><i>Crax mitu mitu Linnaeus, 1766 = Mitu mitu</i></b> (Linnaeus, 1766)
Cow, Sea (E): <i>Dugong dugon</i>	<b><i>Crax pauxi Linnaeus, 1766 = Pauxi pauxi</i></b> (Linnaeus, 1766)
Crab-Hawk, Rufous (E): <i>Buteogallus aequinoctialis</i>	<b><i>Crax pipile Jacquin, 1784 = Pipile pipile</i></b> (Jacquin, 1784)
Crane (E): <i>Grus grus</i>	<b><i>Crax rubra</i></b> Linnaeus, 1758 III CRACIDAE (Aves) (E)
Crane, Black-necked (E): <i>Grus nigricollis</i>	Globose Curassow, Great Curassow, Mexican Curassow (S) Hoco faisán, Hoco grande, Pavón grande, Pavón norteño (F) Grand hocco
Crane, Blue (E): <i>Anthropoides paradiseus</i>	Créa (F): <i>Acipenser sturio</i>
Crane, Common (E): <i>Grus grus</i>	Créac (F): <i>Acipenser sturio</i>
Crane, Cuban Sandhill (E): <i>Grus canadensis nesiotes</i>	Créach (F): <i>Acipenser sturio</i>
Crane, Demoiselle (E): <i>Anthropoides virgo</i>	Crécerelle américaine (F): <i>Falco sparverius</i>
Crane, Hooded (E): <i>Grus monacha</i>	Crécerelle australienne (F): <i>Falco cenchroides</i>
Crane, Japanese (E): <i>Grus japonensis</i>	Crécerelle aux yeux blancs (F): <i>Falco rupicolooides</i>
Crane, Manchurian (E): <i>Grus japonensis</i>	Crécerelle d'Aldabra (F): <i>Falco newtoni</i>
Crane, Mississippi Sandhill (E): <i>Grus canadensis pulla</i>	Crécerelle d'Amérique (F): <i>Falco sparverius</i>
Crane, Red-crowned (E): <i>Grus japonensis</i>	Crécerelle d'Australie (F): <i>Falco cenchroides</i>
Cranes (E): <i>Gruidae</i>	Crécerelle de Maurice (F): <i>Falco punctatus</i>
Crane, Sandhill (E): <i>Grus canadensis</i>	Crécerelle des Moluques (F): <i>Falco moluccensis</i>
Crane, Sarus (E): <i>Grus antigone</i>	Crécerelle des Seychelles (F): <i>Falco araeus</i>
Crane, Siberian (E): <i>Grus leucogeranus</i>	Crécerelle katitie (F): <i>Falco araeus</i>
Crane, Siberian White (E): <i>Grus leucogeranus</i>	Crécerelle malgache (F): <i>Falco newtoni</i>
Crane, Snow (E): <i>Grus leucogeranus</i>	Crécerelle renard (F): <i>Falco alopec</i>
Crane, South African Crowned (E): <i>Balearica regulorum</i>	Crick à ventre bleu (F): <i>Triclaria malachitacea</i>
Crane, Stanley (E): <i>Anthropoides paradiseus</i>	<b><i>Crispatotrochus spp.</i></b> Tenison-Woods, 1878 II
Crane, Tibetan (E): <i>Grus nigricollis</i>	CARYOPHYLLIIDAE (Anthozoa)
Crane, Wattled (E): <i>Bugeranus carunculatus</i>	<b><i>Crispatotrochus cornu</i></b> (Moseley, 1881) II
Crane, West African Crowned (E): <i>Balearica pavonina</i>	CARYOPHYLLIIDAE (Anthozoa)
Crane, White-naped (E): <i>Grus vipio</i>	<b><i>Crispatotrochus curvatus</i></b> Cairns, 1995 II
Crane, White-necked (E): <i>Grus vipio</i>	CARYOPHYLLIIDAE (Anthozoa)
Crane, Whooping (E): <i>Grus americana</i>	<b><i>Crispatotrochus diomedaeae</i></b> (Vaughan, 1907) =
<i>Cranopsis periglenes</i> Frost, Grant, Faivovich, Bain, Haas, Haddad, de Sá, Channing, Wilkinson, Donnellan, Raxworthy, Campbell, Blotto, Moler, Drewes, Nussbaum, Lynch, Green & Wheeler, 2006 = <i>Incilius periglenes</i> (Savage, 1967)	<i>Crispatotrochus rubescens</i> (Moseley, 1881)
<i>Cranopsis periglenes</i> (Savage, 1967 "1966") = <i>Incilius periglenes</i> (Savage, 1967)	<b><i>Crispatotrochus foxi</i></b> (Durham & Barnard, 1952) II
<i>Cranorhinus waldeni</i> Sharpe, 1877 = <i>Aceros waldeni</i> (Sharpe, 1877)	CARYOPHYLLIIDAE (Anthozoa)
Crappaud doré (F): <i>Incilius periglenes</i>	<b><i>Crispatotrochus galapagensis</i></b> Cairns, 1991 II
Crappaud du Cameroun (F): <i>Amietophrynu superciliaris</i>	CARYOPHYLLIIDAE (Anthozoa)
Crappaud orange (F): <i>Atelopus zeteki</i>	<b><i>Crispatotrochus gregarius</i></b> Cairns, 2004 II
Crappaud rouge de Madagascar (F): <i>Dyscophus antongilii</i>	CARYOPHYLLIIDAE (Anthozoa)
<i>Craterastrea levigata</i> Head, 1983 = <i>Leptoseris foliosa</i> Dinesen, 1980	<b><i>Crispatotrochus inornatus</i></b> Tenison-Woods, 1878 II
<b><i>Crax alberti</i></b> Fraser, 1852 III CRACIDAE (Aves) (E)	CARYOPHYLLIIDAE (Anthozoa)
Albert's Curassow, Blue-billed Curassow, Blue-knobbed Curassow, Prince Albert's Curassow (S)	<b><i>Crispatotrochus irregularis</i></b> (Cairns, 1982) II
	CARYOPHYLLIIDAE (Anthozoa)
	<b><i>Crispatotrochus niinoi</i></b> (Yabe & Eguchi, 1942) II
	CARYOPHYLLIIDAE (Anthozoa)

- Crispatotrochus rubescens*** (Moseley, 1881) II  
CARYOPHYLLIIDAE (Anthozoa)
- Crispatotrochus rugosus*** Cairns, 1995 II  
CARYOPHYLLIIDAE (Anthozoa)
- Crispatotrochus septumdentatus*** Kitahara & Cairns, 2008 II CARYOPHYLLIIDAE (Anthozoa)
- Crispatotrochus squiresi*** (Cairns, 1979) II  
CARYOPHYLLIIDAE (Anthozoa)
- Crispatotrochus tydemani* (Alcock, 1902) =  
*Crispatotrochus rubescens* (Moseley, 1881)
- Crispatotrochus woodsi*** (Wells, 1964) II  
CARYOPHYLLIIDAE (Anthozoa)
- Crocodile, African (E): *Crocodylus niloticus*
- Crocodile, African Dwarf (E): *Osteolaemus tetraspis*
- Crocodile, African Sharp-nosed (E): *Crocodylus cataphractus*
- Crocodile, African Slender-snouted (E): *Crocodylus cataphractus*
- Crocodile à front large (F): *Osteolaemus tetraspis*
- Crocodile américain (F): *Crocodylus acutus*
- Crocodile, American (E): *Crocodylus acutus*
- Crocodile à museau allongé d'Afrique (F): *Crocodylus cataphractus*
- Crocodile à museau court (F): *Osteolaemus tetraspis*
- Crocodile à museau étroit (F): *Crocodylus cataphractus*
- Crocodile à nuque cuirassée (F): *Osteolaemus tetraspis*
- Crocodile, Australian Fresh-water (E): *Crocodylus johnstoni*
- Crocodile, Belize (E): *Crocodylus moreletii*
- Crocodile, Broad-snouted (E): *Crocodylus palustris*
- Crocodile, Cuban (E): *Crocodylus rhombifer*
- Crocodile d'Amérique (F): *Crocodylus acutus*
- Crocodile de Cuba (F): *Crocodylus rhombifer*
- Crocodile de Johnstone (F): *Crocodylus johnstoni*
- Crocodile de l'Orénoque (F): *Crocodylus intermedius*
- Crocodile de Mindoro (F): *Crocodylus mindorensis*
- Crocodile de Morelet (F): *Crocodylus moreletii*
- Crocodile de Nouvelle-Guinée (F): *Crocodylus novaeguineae*
- Crocodile des marais (F): *Crocodylus palustris*
- Crocodile des Philippines (F): *Crocodylus mindorensis*
- Crocodile d'estuaire (F): *Crocodylus porosus*
- Crocodile du Nil (F): *Crocodylus niloticus*
- Crocodile du Siam (F): *Crocodylus siamensis*
- Crocodile, Estuarine (E): *Crocodylus porosus*
- Crocodile, Fish-eating (E): *Gavialis gangeticus*
- Crocodile, Johnstone's (E): *Crocodylus johnstoni*
- Crocodile lézardet (F): *Crocodilurus amazonicus*
- Crocodile, Long-nosed (E): *Gavialis gangeticus*
- Crocodile, Long-snouted (E): *Crocodylus cataphractus*
- Crocodile marin (F): *Crocodylus porosus*
- Crocodile, Marsh (E): *Crocodylus palustris*
- Crocodile, Mindoro (E): *Crocodylus mindorensis*
- Crocodile, Morelet's (E): *Crocodylus moreletii*
- Crocodile, Mugger (E): *Crocodylus palustris*
- Crocodile nain africain (F): *Osteolaemus tetraspis*
- Crocodile, New Guinea (E): *Crocodylus novaeguineae*
- Crocodile, Nile (E): *Crocodylus niloticus*
- Crocodile, Orinoco (E): *Crocodylus intermedius*
- Crocodile paludéen (F): *Crocodylus palustris*
- Crocodile palustre (F): *Crocodylus palustris*
- Crocodile, Philippine (E): *Crocodylus mindorensis*
- Crocodiles (F): *Crocodylidae*
- Crocodiles, Alligators, Caimans, (E): *Crocodylia*
- Crocodiles, Alligators, Caïmans (F): *Crocodylia*
- Crocodile, Salt-water (E): *Crocodylus porosus*
- Crocodile, Siamese (E): *Crocodylus siamensis*
- Crocodile, Tree (E): *Varanus salvadorii*
- Crocodile, West African Dwarf (E): *Osteolaemus tetraspis*
- Crocodilurus amazonicus*** (Spix, 1825) II TEIIDAE  
(Reptilia) (E) Crocodile Tegu, Dragon Lizard, Dragon Lizardet (F) Crocodile lézardet, Téju-Crocodile
- Crocodilurus lacertinus* auct. (nec Daudin) = *Crocodilurus amazonicus* (Spix, 1825)
- Crocodilus americanus moreletii* (Laurenti, 1768) =  
*Crocodylus moreletii* Duméril, Bibron & Duméril, 1851
- Crocodilus arcirostris* Daudin, 1802 = *Gavialis gangeticus* (Gmelin, 1789)
- Crocodilus binuensis* Baikie, 1857 = *Crocodylus niloticus* Laurenti, 1768
- Crocodilus biporcatus* Cuvier, 1807 = *Crocodylus porosus* Schneider, 1801
- Crocodilus biscutatus* Cuvier, 1807 = *Crocodylus acutus* (Cuvier, 1807)
- Crocodilus bombifrons* Gray, 1844 = *Crocodylus palustris* Lesson, 1831
- Crocodilus caiman* Daudin, 1802 = *Caiman crocodilus* (Linnaeus, 1758)
- Crocodilus chamaes* Bory, 1824 = *Crocodylus niloticus* Laurenti, 1768
- Crocodilus complanatus* Geoffroy, 1827 = *Crocodylus niloticus* Laurenti, 1768
- Crocodilus cuvieri* Leach, 1815 = *Alligator mississippiensis* (Daudin, 1801)
- Crocodilus floridanus* Hornaday, 1875 = *Crocodylus acutus* (Cuvier, 1807)
- Crocodilus frontatus* Murray, 1862 = *Osteolaemus tetraspis* Cope, 1861
- Crocodilus galeatus* Cuvier, 1807 = *Crocodylus siamensis* Schneider, 1801
- Crocodilus gavial* Bonnaterre, 1789 = *Gavialis gangeticus* (Gmelin, 1789)
- Crocodilus journei* Bory, 1824 = *Crocodylus intermedius* Graves, 1819
- Crocodilus lacunosus* Geoffroy, 1827 = *Crocodylus niloticus* Laurenti, 1768
- Crocodilus latirostris* Daudin, 1802 = *Caiman latirostris* (Daudin, 1802)
- Crocodilus leptorhynchus* Bennett, 1835 = *Crocodylus cataphractus* Cuvier, 1825
- Crocodilus lewyanus* Duméril & Bocourt, 1870 =  
*Crocodylus acutus* (Cuvier, 1807)
- Crocodilus longirostris* Schneider, 1801 = *Gavialis gangeticus* (Gmelin, 1789)
- Crocodilus lucius* Cuvier, 1807 = *Alligator mississippiensis* (Daudin, 1801)
- Crocodilus madagascariensis* Grandidier, 1872 =  
*Crocodylus niloticus* Laurenti, 1768
- Crocodilus marginatus* Geoffroy, 1827 = *Crocodylus niloticus* Laurenti, 1768

- Crocodilus mexicanus* Duméril & Bocourt, 1870 =  
*Crocodylus acutus* (Cuvier, 1807)
- Crocodilus mississippiensis* Daudin, 1802 = *Alligator mississippiensis* (Daudin, 1801)
- Crocodilus multiscutatus* Rüppell, 1826 = *Crocodylus niloticus* Laurenti, 1768
- Crocodilus octophractus* Rüppell, 1831 = *Crocodylus niloticus* Laurenti, 1768
- Crocodilus oopholis* Schneider, 1801 = *Crocodylus porosus* Schneider, 1801
- Crocodilus pacificus* Duméril & Bocourt, 1870 =  
*Crocodylus acutus* (Cuvier, 1807)
- Crocodilus palpebrosus* Cuvier, 1807 = *Paleosuchus palpebrosus* (Cuvier, 1807)
- Crocodilus robustus* Vaillant & Grandidier, 1872 =  
*Crocodylus niloticus* Laurenti, 1768
- Crocodilus schlegelii* S. Müller, 1838 = *Tomistoma schlegelii* (S. Müller, 1838)
- Crocodilus sclerops* Schneider, 1801 = *Caiman crocodilus* (Linnaeus, 1758)
- Crocodilus suchus* Geoffroy, 1807 = *Crocodylus niloticus* Laurenti, 1768
- Crocodilus tenuirostris* Cuvier, 1807 = *Gavialis gangeticus* (Gmelin, 1789)
- Crocodilus trigonatus* Schneider, 1801 = *Paleosuchus trigonatus* (Schneider, 1801)
- Crocodilus vulgaris* Cuvier, 1807 = *Crocodylus niloticus* Laurenti, 1768
- Crocodilus vulgaris indicus* Cuvier, 1807 = *Crocodylus palustris* Lesson, 1831
- CROCODYLIA** spp. I/II (E) Alligators, Caimans, Crocodiles (S) Aligatores, Caimanes, Cocodrilos (F) Crocodiles, Alligators, Caïmans
- CROCODYLIDAE** spp. I/II (Reptilia) (S) Cocodrilos (F) Crocodiles
- Crocodylus* spp. Gronovius, 1763 I/II CROCODYLIDAE (Reptilia)
- Crocodylus acutus* (Cuvier, 1807) I/II 33  
 CROCODYLIDAE (Reptilia) (E) American Crocodile (S) Caimán americano, Cocodrilo americano, Lagarto aguja, Lagarto blanco (F) Crocodile américain, Crocodile d'Amérique
- Crocodylus cataphractus* Cuvier, 1825 I  
 CROCODYLIDAE (Reptilia) (E) African Sharp-nosed Crocodile, African Slender-snouted Crocodile, Long-snouted Crocodile (S) Cocodrilo hociquifino africano, Falso gavial africano (F) Crocodile à museau allongé d'Afrique, Crocodile à museau étroit, Faux-gavial d'Afrique
- Crocodylus intermedius* Graves, 1819 I  
 CROCODYLIDAE (Reptilia) (E) Orinoco Crocodile (S) Caimán del Orinoco, Cocodrilo del Orinoco (F) Crocodile de l'Orénoque
- Crocodylus johnsoni* Krefft, 1873 = *Crocodylus johnstoni* Krefft, 1873
- Crocodylus johnstoni* Krefft, 1873 II CROCODYLIDAE (Reptilia) (E) Australian Fresh-water Crocodile, Johnstone's Crocodile (S) Cocodrilo australiano (F) Crocodile de Johnstone
- Crocodylus mindorensis* Schmidt, 1935 I  
 CROCODYLIDAE (Reptilia) (E) Mindoro Crocodile, Philippine Crocodile (S) Cocodrilo de Mindoro (F) Crocodile de Mindoro, Crocodile des Philippines
- Crocodylus moreletii* Duméril, Bibron & Duméril, 1851 I/II 34 CROCODYLIDAE (Reptilia) (E) Belize Crocodile, Morelet's Crocodile (S) Caimán de Morelet, Cocodrilo de Morelet (F) Crocodile de Morelet
- Crocodylus niloticus* Laurenti, 1768 I/II 35  
 CROCODYLIDAE (Reptilia) (E) African Crocodile, Nile Crocodile (S) Cocodrilo del Nilo (F) Crocodile du Nil
- Crocodylus novaeguineae* K. P. Schmidt, 1928 II  
 CROCODYLIDAE (Reptilia) (E) New Guinea Crocodile (S) Cocodrilo de Nueva Guinea (F) Crocodile de Nouvelle-Guinée
- Crocodylus novaeguineae mindorensis* K. P. Schmidt, 1928 = *Crocodylus mindorensis* Schmidt, 1935
- Crocodylus palustris* Lesson, 1831 I CROCODYLIDAE (Reptilia) (E) Broad-snouted Crocodile, Marsh Crocodile, Mugger, Mugger Crocodile (S) Cocodrilo del Marjal, Cocodrilo marismeño (F) Crocodile des marais, Crocodile paludéen, Crocodile palustre
- Crocodylus porosus* Schneider, 1801 I/II 36  
 CROCODYLIDAE (Reptilia) (E) Estuarine Crocodile, Salt-water Crocodile (S) Cocodrilo poroso (F) Crocodile d'estuaire, Crocodile marin
- Crocodylus raninus* S. Müller & Schlegel, 1844 =  
*Crocodylus porosus* Schneider, 1801
- Crocodylus rhombifer* Cuvier, 1807 I CROCODYLIDAE (Reptilia) (E) Cuban Crocodile (S) Caimán de Cuba, Cocodrilo de Cuba (F) Crocodile de Cuba
- Crocodylus siamensis* Schneider, 1801 I  
 CROCODYLIDAE (Reptilia) (E) Siamese Crocodile (S) Cocodrilo de Siam (F) Crocodile du Siam
- Crocodylus trigonops* Gray, 1844 = *Crocodylus palustris* Lesson, 1831  
 Croco-Teju (E): *Dracaena guianensis*
- Crossoptilon crossoptilon* (Hodgson, 1838) I  
 PHASIANIDAE (Aves) (E) White Eared-Pheasant (S) Faisán orejudo blanco, Faisán orejudo tibetano, Hoki blanco (F) Faisan oreillard blanc, Hokki blanc
- Crossoptilon harmani* Elwes, 1881 = *Crossoptilon crossoptilon* (Hodgson, 1838)
- Crossoptilon mantchuricum* Swinhoe, 1863 I  
 PHASIANIDAE (Aves) (E) Brown Eared-Pheasant, Manchurian Eared-Pheasant (S) Faisán orejudo de Manchuria, Faisán orejudo pardo, Hoki pardo (F) Faisan oreillard brun, Hokki brun  
 Crotale des tropiques (F): *Crotalus durissus*  
 Crotale durisse (F): *Crotalus durissus*
- Crotalus basiliscus totonacus* (Cope, 1864) = *Crotalus durissus* Linnaeus, 1758  
*Crotalus cascavella* Wagler, 1824 = *Crotalus durissus* Linnaeus, 1758
- Crotalus cumanensis* Humboldt, 1813 = *Crotalus durissus* Linnaeus, 1758
- Crotalus dryinas* Linnaeus, 1758 = *Crotalus durissus* Linnaeus, 1758
- Crotalus durissus* Linnaeus, 1758 III VIPERIDAE (Reptilia) (E) Cascabel, Cascabel Rattlesnake,

- Neotropical Rattlesnake (S) Cascavelle (F) Cascabel, Cascavelle, Crotale des tropiques, Crotale durisse, Durisse, Serpent à sonnette tropical
- Crotalus exalbidus* Boddaert, 1778 = *Crotalus durissus* Linnaeus, 1758
- Crotalus gronovii* (Laurenti, 1768) = *Crotalus durissus* Linnaeus, 1758
- Crotalus immaculatus* Latreille, 1801 = *Crotalus durissus* Linnaeus, 1758
- Crotalus loefflingii* Humboldt, 1813 = *Crotalus durissus* Linnaeus, 1758
- Crotalus maricelae* García Pérez, 1995 = *Crotalus durissus* Linnaeus, 1758
- Crotalus orientalis* (Laurenti, 1768) = *Crotalus durissus* Linnaeus, 1758
- Crotalus pifanorum* Sandner-Montilla, 1980 = *Crotalus durissus* Linnaeus, 1758
- Crotalus pulvis* Ditmars, 1905 = *Crotalus durissus* Linnaeus, 1758
- Crotalus simus* Latreille, 1801 = *Crotalus durissus* Linnaeus, 1758
- Crotalus strepitans* Daudin, 1803 = *Crotalus durissus* Linnaeus, 1758
- Crotalus terrificus* (Laurenti, 1768) = *Crotalus durissus* Linnaeus, 1758
- Crotalus totonacus* Gloyd & Kauffeld, 1940 = *Crotalus durissus* Linnaeus, 1758
- Crowned-Crane, Black (E): *Balearica pavonina*
- Crowned-Crane, Grey (E): *Balearica regulorum*
- Crowned-Pigeon, Blue (E): *Goura cristata*
- Crowned-Pigeon, Maroon-breasted (E): *Goura scheepmakeri*
- Crowned-Pigeon, Scheepmaker's (E): *Goura scheepmakeri*
- Crowned-Pigeon, Southern (E): *Goura scheepmakeri*
- Crowned-Pigeon, Victoria (E): *Goura victoria*
- Crowned-Pigeon, Western (E): *Goura cristata*
- Cryptabacia leptophylla* (Ehrenberg, 1834) = *Polyphyllia talpina* (Lamarck, 1801)
- Cryptabacia talpina* (Lamarck, 1801) = *Polyphyllia talpina* (Lamarck, 1801)
- Crypthelia* spp.** Milne Edwards & Haime, 1849 II  
STYLAESTERIDAE (Hydrozoa)
- Crypthelia affinis*** Moseley, 1879 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia balia*** (Hickson & England, 1905) II  
STYLAESTERIDAE (Hydrozoa)
- Crypthelia clausa*** Broch, 1947 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia cryptotrema*** Zibrowius, 1981 II  
STYLAESTERIDAE (Hydrozoa)
- Crypthelia curvata*** Cairns, 1991 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia cymas*** Cairns, 1986 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia dactylopoma*** Cairns, 1986 II  
STYLAESTERIDAE (Hydrozoa)
- Crypthelia eueides*** Cairns, 1986 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia floridana*** Cairns, 1986 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia formosa*** Cairns, 1983 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia fragilis*** Cairns, 1983 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia gigantea*** (Fisher, 1938) II STYLAESTERIDAE (Hydrozoa)
- Crypthelia glebulenta*** Cairns, 1986 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia glossopoma*** Cairns, 1986 II  
STYLAESTERIDAE (Hydrozoa) (E) Fruity Hydrocoral, Hidrocoral frutoso
- Crypthelia insolita*** Cairns, 1986 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia japonica*** (Milne Edwards & Haime, 1849) II STYLAESTERIDAE (Hydrozoa)
- Crypthelia lacunosa*** Cairns, 1986 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia medioatlantica*** Zibrowius & Cairns, 1992 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia micropoma*** Cairns, 1985 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia papillosa*** Cairns, 1986 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia peircei*** Pourtalès, 1867 II STYLAESTERIDAE (Hydrozoa) (E) Pierce's Hydrocoral (S) Hidrocoral de Pierce
- Crypthelia platypoma*** (Hickson & England, 1905) II STYLAESTERIDAE (Hydrozoa)
- Crypthelia polypoma*** Cairns, 1991 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia pudica*** Milne Edwards & Haime, 1849 II STYLAESTERIDAE (Hydrozoa) (E) Shy Hydrocoral (S) Hidricoral timido
- Crypthelia ramosa*** (Hickson & England, 1905) II STYLAESTERIDAE (Hydrozoa)
- Crypthelia robusta*** Cairns, 1991 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia stenopoma*** (Hickson & England, 1905) II STYLAESTERIDAE (Hydrozoa)
- Crypthelia studeri*** Cairns, 1991 II STYLAESTERIDAE (Hydrozoa)
- Crypthelia tenuiseptata*** Cairns, 1986 II STYLAESTERIDAE (Hydrozoa) (E) Smooth-pore Hydrocoral (S) Hidrocoral de poros lisos
- Crypthelia trophostega*** (Fisher, 1938) II STYLAESTERIDAE (Hydrozoa)
- Crypthelia vascomarquesi*** Zibrowius & Cairns, 1992 II STYLAESTERIDAE (Hydrozoa)
- Cryptobranchus alleganiensis*** (Daudin, 1803) III CRYPTOBRANCHIDAE (Amphibia) (E) Hellbender
- Cryptobranchus alleganiensis* Bishop, 1943 = *Cryptobranchus alleganiensis* (Daudin, 1803)
- Cryptobranchus alleganiensis* Garman, 1884 = *Cryptobranchus alleganiensis* (Daudin, 1803)
- Cryptobranchus alleghaniensis* Van der Hoeven, 1838 = *Cryptobranchus alleganiensis* (Daudin, 1803)
- Cryptobranchus bishopi* Collins, 1991 = *Cryptobranchus alleganiensis* (Daudin, 1803)

- Cryptobranchus bishopi* Grobman, 1943 =  
*Cryptobranchus alleganiensis* (Daudin, 1803)
- Cryptobranchus davidianus* (Blanchard, 1871) = *Andrias davidianus* (Blanchard, 1871)
- Cryptobranchus davidianus* Naylor, 1981 = *Andrias davidianus* (Blanchard, 1871)
- Cryptobranchus fuscus* Garman, 1884 = *Cryptobranchus alleganiensis* (Daudin, 1803)
- Cryptobranchus japonicus* (Temminck, 1836) = *Andrias japonicus* (Temminck, 1836)
- Cryptobranchus japonicus* Van der Hoeven, 1838 = *Andrias japonicus* (Temminck, 1836)
- Cryptobranchus maximus* Chapman, 1893 = *Andrias japonicus* (Temminck, 1836)
- Cryptobranchus maximus* (Schlegel, 1837) = *Andrias japonicus* (Temminck, 1836)
- Cryptobranchus salamandroides* Leuckart, 1821 = *Cryptobranchus alleganiensis* (Daudin, 1803)
- Cryptobranchus sieboldia* Calmette, 1907 = *Andrias japonicus* (Temminck, 1836)
- Cryptobranchus terassodactylos* Wellborn, 1936 = *Cryptobranchus alleganiensis* (Daudin, 1803)
- Cryptoglaux ridgwayi* Alfaro, 1905 = *Aegolius ridgwayi* (Alfaro, 1905)
- Cryptohelia gigantea* Fisher, 1938 = *Cryptothelia gigantea* (Fisher, 1938)
- Cryptohelia moseleyi* Hickson & England, 1905 = *Cryptothelia affinis* Moseley, 1879
- Cryptohelia pachypoma* Hickson & England, 1905 = *Pseudocryptothelia pachypoma* (Hickson & England, 1905)
- Cryptohelia pudica* (Milne Edwards & Haime, 1849) = *Cryptothelia pudica* Milne Edwards & Haime, 1849
- Cryptohelia trophostega* Fisher, 1938 = *Cryptothelia trophostega* (Fisher, 1938)
- Cryptohelia virginis* Lindström, 1877 = *Stylaster complanatus* Pourtalès, 1867
- Cryptoleucopteryx plumbea* (Salvin, 1872) = *Leucopternis plumbeus* Salvin, 1872
- Cryptophyllobates azureiventris* (Kneller & Henle, 1985) = *Hyloxalus azureiventris* (Kneller & Henle, 1985)
- Cryptoprocta ferox** Bennett, 1833 II EUPLERIDAE  
 (Mammalia) (E) Fosa, Fossa (S) Gato fosa de Madagascar (F) Cryptoprocte féroce, Fossa, Foussa
- Cryptoprocte** féroce (F): *Cryptoprocta ferox*
- Cryptotrochus spp.** Cairns, 1988 II TURBINOLIIDAE (Anthozoa)
- Cryptotrochus brevipalpus** Cairns, 1999 II TURBINOLIIDAE (Anthozoa)
- Cryptotrochus carolinensis** Cairns, 1988 II TURBINOLIIDAE (Anthozoa)
- Cryptotrochus javanicus** Cairns, 1988 II TURBINOLIIDAE (Anthozoa)
- Cryptotrochus venustus* (Alcock, 1902) = *Pleotrochus venustus* (Alcock, 1902)
- Cryptura solitaria* Vieillot, 1819 = *Tinamus solitarius* (Vieillot, 1819)
- Ctenactis spp.** Verrill, 1864 II FUNGIIDAE (Anthozoa)
- Ctenactis albitentaculata** Hoeksema, 1989 II FUNGIIDAE (Anthozoa)
- Ctenactis crassa** (Dana, 1848) II FUNGIIDAE (Anthozoa)
- Ctenactis echinata** (Pallas, 1766) II FUNGIIDAE (Anthozoa)
- Ctenella spp.** Matthai, 1928 II MEANDRINIIDAE (Anthozoa)
- Ctenella chagius** Matthai, 1928 II MEANDRINIIDAE (Anthozoa)
- Ctenella laxa* Matthai, 1928 = *Gyrosmilia interrupta* (Hemprich & Ehrenberg, 1834)
- Ctenophyllia brasiliensis* Milne Edwards & Haime, 1848 = *Meandrina brasiliensis* (Milne Edwards & Haime, 1848)
- Ctenophyllia maeandrites* (Linnaeus, 1758) = *Meandrina maeandrites* (Linnaeus, 1758)
- Ctenophyllia pectinata* (Lamarck, 1801) = *Meandrina maeandrites* (Linnaeus, 1758)
- Ctenophyllia profunda* Dana, 1846 = *Meandrina maeandrites* (Linnaeus, 1758)
- Ctenophyllia quadrata* Dana, 1846 = *Meandrina maeandrites* (Linnaeus, 1758)
- Ctenosaura bakeri** Stejneger, 1901 II IGUANIDAE (Reptilia) (E) Baker's Spiny-tailed Iguana, Utila Island Spiny-tailed Iguana
- Ctenosaura melanosterna** Buckley & Axtell, 1997 II IGUANIDAE (Reptilia) (E) Honduran Paleate Spiny-tailed Iguana, Rio Aguan Valley Spiny-tailed Iguana
- Ctenosaura oedirhina** De Queiroz, 1987 II IGUANIDAE (Reptilia) (E) De Queiroz's Spiny-tailed Iguana, Roatán Spiny-tailed Iguana
- Ctenosaura palearis** Stejneger, 1899 II IGUANIDAE (Reptilia) (E) Guatemalan Black Iguana, Guatemalan Spiny-tailed Iguana (S) Iguana de órgano, Iguana garrobo
- Cuataquil (S): *Bassaricyon gabbii*
- Cuchumbi (S): *Potos flavus*
- Cuchumbi (S): *Bassaricyon gabbii*
- Cuckoo-Falcon, African (E): *Aviceda cuculoides*
- Cuckoo-Falcon, Madagascar (E): *Aviceda madagascariensis*
- Cuckoo-Hawk, African (E): *Aviceda cuculoides*
- Cuckoo-Hawk, Madagascar (E): *Aviceda madagascariensis*
- Cuco (S): *Gymnoglaux lawrencii*
- Cucú (S): *Athene cunicularia*
- Cuculus persa* Linnaeus, 1758 = *Tauraco persa* (Linnaeus, 1758)
- Cucumber, Brown Sea (E): *Isostichopus fuscus*
- Cuervo calvo de cuello blanco (S): *Picathartes gymnocephalus*
- Cuervo calvo de cuello gris (S): *Picathartes oreas*
- Cui (S): *Chasmistes cujus*
- Cuí cúiu (S): *Pionopsitta pileata*
- Cuiui (F): *Chasmistes cujus*
- Cui ui (S): *Chasmistes cujus*
- Cui-Ui (F): *Chasmistes cujus*
- Cui-Ui (S): *Chasmistes cujus*
- Cui-ui (E): *Chasmistes cujus*
- Culebra boba (S): *Tropidophis melanurus*
- Culebra comedora de huevos (S): *Elachistodon westermanni*

Culebra ratera oriental (S): <i>Ptyas mucosus</i>	<b><i>Cuora amboinensis</i></b> (Daudin, 1801) II 41
Culebra tragahuevos india (S): <i>Elachistodon westermanni</i>	GEOEMYDIDAE (Reptilia) (E) Malaysian Box Turtle,
Culebrera azor (S): <i>Eutriorchis astur</i>	South Asian Box Turtle (S) Tortuga de caja malaya (F)
Culebrera barreada (S): <i>Circaetus gallicus</i>	Tortue-boîte d'Asie orientale
Culebrera barreada (S): <i>Circaetus fasciolatus</i>	<b><i>Cuora aurocapitata</i></b> Luo & Zong, 1988 II 41
Culebrera chíila (S): <i>Spilornis cheela</i>	GEOEMYDIDAE (Reptilia) (E) Golden-headed Box
Culebrera coliblanca (S): <i>Circaetus cinerascens</i>	Turtle, Yellow-headed Box Turtle (F) Tortue-boîte à tête jaune
Culebrera congoleña (S): <i>Dryotriorchis spectabilis</i>	<b><i>Cuora bourreti</i></b> Obst & Reimann, 1994 = <i>Cuora galbinifrons</i> Bourret, 1939
Culebrera de Andamán (S): <i>Spilornis elgini</i>	<b><i>Cuora chriskarannarum</i></b> Ernst & McCord, 1987 = <i>Cuora pani</i> Song, 1984
Culebrera de Célebes (S): <i>Spilornis rufipectus</i>	<b><i>Cuora cyclornata</i></b> Blanck, McCord & Le Minh, 2006 = <i>Cuora trifasciata</i> (Bell, 1825)
Culebrera del Kinabalu (S): <i>Spilornis kinabaluensis</i>	<b><i>Cuora flavomarginata</i></b> (Gray, 1863) II 41 GEOEMYDIDAE
Culebrera europea (S): <i>Circaetus gallicus</i>	(Reptilia) (E) Chinese Box Turtle, Yellow-margined Box
Culebrera pechinegra (S): <i>Circaetus pectoralis</i>	Turtle (F) Tortue-boîte à bord jaune
Culebrera sombría (S): <i>Circaetus cinereus</i>	<b><i>Cuora galbinifrons</i></b> Bourret, 1939 II 41 GEOEMYDIDAE
Culebrera Sudanesa (S): <i>Circaetus beaudouini</i>	(Reptilia) (E) Bourret's Box Turtle, Indochinese Box
<b><i>Culicia</i> spp.</b> Dana, 1848 II RHIZANGIIDAE (Anthozoa)	Turtle (F) Tortue-boîte à front jaune
<b><i>Culicia australiensis</i></b> Hoffmeister, 1933 II	<b><i>Cuora hainanensis</i></b> (Li, 1958) = <i>Cuora galbinifrons</i> Bourret, 1939
RHIZANGIIDAE (Anthozoa)	<b><i>Cuora mccordi</i></b> Ernst, 1988 II 41 GEOEMYDIDAE
<b><i>Culicia cuticulata</i></b> Klunzinger, 1879 II RHIZANGIIDAE (Anthozoa)	(Reptilia) (E) McCord's Box Turtle (F) Tortue-boîte de McCord
<b><i>Culicia excavata</i></b> (Milne Edwards & Haime, 1850) II	<b><i>Cuora mouhotii</i></b> (Gray, 1862) II 41 GEOEMYDIDAE
RHIZANGIIDAE (Anthozoa)	(Reptilia) (E) Jagged-shelled Turtle, Keel-backed Turtle, Keeled Box Turtle
<b><i>Culicia fragilis</i></b> Chevalier, 1972 II RHIZANGIIDAE (Anthozoa)	<b><i>Cuora pallidicephala</i></b> McCord & Iverson, 1991 = <i>Cuora zhoui</i> Zhao, 1990
<b><i>Culicia hoffmeisteri</i></b> Squires, 1966 II RHIZANGIIDAE (Anthozoa)	<b><i>Cuora pani</i></b> Song, 1984 II 41 GEOEMYDIDAE (Reptilia)
<b><i>Culicia japonica</i></b> Yabe & Eguchi, 1936 = <i>Culicia stellata</i> Dana, 1846	(E) Pan's Box Turtle (F) Tortue-boîte de Pan
<b><i>Culicia magna</i></b> (Tenison-Woods, 1878) = <i>Scolymia australis</i> (Milne Edwards & Haime, 1848)	<b><i>Cuora picturata</i></b> Lehr, Fritz & Obst, 1998 = <i>Cuora galbinifrons</i> Bourret, 1939
<b><i>Culicia quinaria</i></b> (Tenison-Woods, 1878) II	<b><i>Cuora serrata</i></b> Iverson & McCord, 1992 = <i>Cuora galbinifrons</i> Bourret, 1939
RHIZANGIIDAE (Anthozoa)	<b><i>Cuora trifasciata</i></b> (Bell, 1825) II 41 GEOEMYDIDAE
<b><i>Culicia rubeola</i></b> (Quoy & Gaimard, 1833) II	(Reptilia) (E) Chinese Three-striped Box Turtle (F) Tortue-boîte à trois bandes
RHIZANGIIDAE (Anthozoa)	<b><i>Cuora yunnanensis</i></b> (Boulenger, 1906) II 41
<b><i>Culicia smithii</i></b> (Milne Edwards & Haime, 1850) II	GEOEMYDIDAE (Reptilia) (E) Yunnan Box Turtle (F) Tortue-boîte du Yunnan
RHIZANGIIDAE (Anthozoa)	<b><i>Cuora zhoui</i></b> Zhao, 1990 II 41 GEOEMYDIDAE (Reptilia)
<b><i>Culicia stellata</i></b> Dana, 1846 II RHIZANGIIDAE (Anthozoa)	(E) Zhou's Box Turtle (F) Tortue-boîte du Guangxi
<b><i>Culicia subaustraliensis</i></b> Ogawa, Takahashi & Sakai, 1997 II RHIZANGIIDAE (Anthozoa)	Cupiso (S): <i>Podocnemis sextuberculata</i>
<b><i>Culicia tenella</i></b> Dana, 1846 II RHIZANGIIDAE (Anthozoa)	<b><i>Cupressopatthes</i> spp.</b> Opresko, 2001 II
<b><i>Culicia tenuisepes</i></b> Ogawa, Takahashi & Sakai, 1997 II	MYRIOPATHIDAE (Anthozoa)
RHIZANGIIDAE (Anthozoa)	<b><i>Cupressopatthes abies</i></b> (Linnaeus, 1758) II
<b><i>Culicia truncata</i></b> Dana, 1846 = <i>Culicia stellata</i> Dana, 1846	MYRIOPATHIDAE (Anthozoa)
<b><i>Culicia verreauxi</i></b> (Milne Edwards & Haime, 1850) II	<b><i>Cupressopatthes gracilis</i></b> (Thomson & Simpson, 1905) II
RHIZANGIIDAE (Anthozoa)	MYRIOPATHIDAE (Anthozoa)
Culpeo (S): <i>Lycalopex culpaeus</i>	<b><i>Cupressopatthes paniculata</i></b> (Esper, 1796) II
Culpeo (E): <i>Lycalopex culpaeus</i>	MYRIOPATHIDAE (Anthozoa)
<i>Cultrunguis flavipes</i> Hodgson, 1836 = <i>Ketupa flavipes</i> (Hodgson, 1836)	<b><i>Cupressopatthes pumila</i></b> (Brook, 1889) II
<b><i>Cuniculus paca</i></b> (Linnaeus, 1766) III CUNICULIDAE (Mammalia) (E) Agouti, Paca, Spotted Paca (S) Agouti, Paca (F) Agouti, Paca	MYRIOPATHIDAE (Anthozoa)
<b><i>Cuon alpinus</i></b> (Pallas, 1811) II CANIDAE (Mammalia) (E) Asiatic Wild Dog, Dhole, Indian Wild Dog, Red Dog (S) Cuon asiático, Perro salvaje asiático (F) Chien sauvage d'Asie, Cuon d'Asie, Dhole	Curassow, Alagoas (E): <i>Mitu mitu</i>
Cuon asiático (S): <i>Cuon alpinus</i>	Curassow, Albert's (E): <i>Crax alberti</i>
Cuon d'Asie (F): <i>Cuon alpinus</i>	Curassow, Black-fronted (E): <i>Pipile jacutinga</i>
<b><i>Cuora</i> spp.</b> Gray, 1855 II 41 GEOEMYDIDAE (Reptilia)	Curassow, Blue-billed (E): <i>Crax alberti</i>
	Curassow, Blue-knobbed (E): <i>Crax alberti</i>

- Curassow, Blumenbach's (E): *Crax blumenbachii*  
 Curassow, Daubenton's (E): *Crax daubentoni*  
 Curassow, Globose (E): *Crax rubra*  
 Curassow, Great (E): *Crax rubra*  
 Curassow, Helmeted (E): *Pauxi pauxi*  
 Curassow, Mexican (E): *Crax rubra*  
 Curassow, Northern Helmeted (E): *Pauxi pauxi*  
 Curassow, Prince Albert's (E): *Crax alberti*  
 Curassow, Razor-billed (E): *Mitu mitu*  
 Curassow, Red-billed (E): *Crax blumenbachii*  
 Curassow, Trinidad White-headed (E): *Pipile pipile*  
 Curassow, Wattled (E): *Crax globulosa*  
 Curassow, Yarrell's (E): *Crax globulosa*  
 Curassow, Yellow-knobbed (E): *Crax daubentoni*  
 Curlew, Eskimo (E): *Numenius borealis*  
 Curlew, Slender-billed (E): *Numenius tenuirostris*  
 Curruga bigotuda piquilarga (S): *Dasyornis longirostris*  
 Curruga bigotuda rojiza (S): *Dasyornis broadbenti litoralis*  
 Curucucú barriga amarilla (S): *Aegolius harrisii*  
 Curucucú común (S): *Otus choliba*  
 Curucucú gargantiblanco (S): *Otus albogularis*  
 Curucucú orejudo (S): *Otus watsonii*  
 Curucucú pálido (S): *Otus ingens*  
 Curucucú vermiculado (S): *Otus atricapilla*  
 Cuscus, Admiralty (E): *Spilocucus kraemerii*  
 Cuscus, Common (E): *Phalanger orientalis*  
 Cuscus, Common Spotted (E): *Spilocucus maculatus*  
 Cuscus, Cryptic (E): *Phalanger mimicus*  
 Cuscus, Eastern Common (E): *Phalanger intercastellanus*  
 Cuscus, Grey (E): *Phalanger orientalis*  
 Cuscús gris (S): *Phalanger orientalis*  
 Cuscús manchado (S): *Spilocucus maculatus*  
 Cuscús moteado (S): *Spilocucus maculatus*  
 Cuscus, Northern Common (E): *Phalanger orientalis*  
 Cuscús oriental (S): *Phalanger orientalis*  
 Cuscus, Short-tailed Spotted (E): *Spilocucus maculatus*  
 Cuscus, Southern Common (E): *Phalanger mimicus*  
 Cuscus, Southern Common (E): *Phalanger intercastellanus*  
 Cuscus, Waigeo (E): *Spilocucus papuensis*  
*Cusoria elegans* Gray, 1849 = *Eryx elegans* (Gray, 1849)  
 Cuspon (S): *Priodontes maximus*  
 Cusumbi (S): *Potos flavus*  
*Cyanolesbia berlepschi* Hartert, 1898 = *Aglaiocercus kingi* (Lesson, 1832)  
*Cyanolesbia emmae* Berlepsch, 1892 = *Aglaiocercus kingi* (Lesson, 1832)  
***Cyanoliseus* spp.** Bonaparte, 1854 II 29 PSITTACIDAE (Aves)  
***Cyanoliseus patagonus*** (Vieillot, 1818) II 29  
 PSITTACIDAE (Aves) (E) Burrowing Parakeet, Patagonian Conure (S) Loro barranquero (F) Conure de Patagonie  
*Cyanoliseus patagonus byroni* (Vieillot, 1818) = *Enicognathus leptorhynchus* (King, 1831)  
*Cyanomyia microrhyncha* Elliot, 1876 = *Amazilia cyanocephala* (Lesson, 1829)  
*Cyanomyia sordida* Gould, 1859 = *Cynanthus sordidus* (Gould, 1859)  
*Cyanomyia violiceps* Gould, 1859 = *Amazilia violiceps* (Gould, 1859)  
***Cyanophphaia* spp.** Reichenbach, 1854 II TROCHILIDAE (Aves)  
***Cyanophphaia bicolor*** (Gmelin, 1788) II TROCHILIDAE (Aves) (E) Blue-headed Hummingbird (S) Colibrí bicolor (F) Colibri à tête bleue  
***Cyanopsitta* spp.** Bonaparte, 1854 I 29 PSITTACIDAE (Aves)  
***Cyanopsitta spixii*** (Wagler, 1832) I PSITTACIDAE (Aves) (E) Little Blue Macaw, Spix's Macaw (S) Guacamayito azul, Guacamayo de Spix (F) Ara à face grise, Ara de Spix  
***Cyanoramphus* spp.** Bonaparte, 1854 I/II 29  
 PSITTACIDAE (Aves)  
***Cyanoramphus auriceps*** (Kuhl, 1820) II 29  
 PSITTACIDAE (Aves) (E) Yellow-crowned Parakeet, Yellow-fronted Kakariki, Yellow-fronted Parakeet (S) Perico maori cabecigualdo (F) Perruche à front jaune, Perruche à tête d'or  
*Cyanoramphus auriceps forbesi* (Kuhl, 1820) = *Cyanoramphus forbesi* Rothschild, 1893  
***Cyanoramphus cookii*** (G. R. Gray, 1859) I  
 PSITTACIDAE (Aves) (E) Norfolk Island Parakeet, Norfolk Parakeet (F) Perruche de Norfolk  
***Cyanoramphus forbesi*** Rothschild, 1893 I PSITTACIDAE (Aves) (E) Chatham Island Yellow-fronted Parakeet, Forbes's Kakariki, Forbes's Parakeet (S) Cacatúa de Forbes, Perico de las Chatham, Periquito frentiamarillo de Forbes (F) Perruche à front jaune de Forbes, Perruche à tête d'or de Forbes, Perruche des îles Chatham  
***Cyanoramphus malherbi*** Souancé, 1857 II 29  
 PSITTACIDAE (Aves) (E) Malherbe's Parakeet, Orange-fronted Parakeet (S) Perico maori montano (F) Perruche de Malherbe  
***Cyanoramphus novaezelandiae*** (Sparrman, 1787) I  
 PSITTACIDAE (Aves) (E) New Zealand Parakeet, Red-crowned Parakeet, Red-fronted Kakariki, Red-fronted Parakeet (S) Perico maori cabecirrojo, Periquito cabecirrojo (F) Perruche à bandeau rouge, Perruche de Nouvelle-Zélande, Perruche de Sparman  
***Cyanoramphus saisseti*** J. Verreaux & Des Murs, 1860 I  
 PSITTACIDAE (Aves) (E) Red-crowned Parakeet  
***Cyanoramphus unicolor*** (Lear, 1831) II 29  
 PSITTACIDAE (Aves) (E) Antipodes Green Parakeet, Antipodes Parakeet (S) Perico de las Antípodas (F) Perruche des Antipodes, Perruche unicole  
***Cyathelia* spp.** Milne Edwards & Haime, 1849 II  
 OCULINIDAE (Anthozoa)  
***Cyathelia axillaris*** (Ellis & Solander, 1786) II  
 OCULINIDAE (Anthozoa)  
*Cyathina clavus* (Scacchi, 1835) = *Caryophyllia smithii* Stokes & Broderip, 1828  
*Cyathina cyathus* (Ellis & Solander, 1786) = *Caryophyllia cyathus* (Ellis & Solander, 1786)  
*Cyathina pulchella* Philippi, 1842 = *Paracyathus pulchellus* (Philippi, 1842)  
*Cyathina smithii* (Stokes & Broderip, 1828) = *Caryophyllia smithii* Stokes & Broderip, 1828

- Cyathoceras avis* (Durham & Barnard, 1952) =  
*Pseudocyathoceras avis* (Durham & Barnard, 1952)
- Cyathoceras cornu* Gardiner, 1904 = *Labyrinthocyathus delicatus* (Marenzeller, 1904)
- Cyathoceras cornu* Moseley, 1881 = *Crispatotrochus cornu* (Moseley, 1881)
- Cyathoceras diomedae* Vaughan, 1907 =  
*Crispatotrochus rubescens* (Moseley, 1881)
- Cyathoceras foxi* Durham & Barnard, 1952 =  
*Crispatotrochus foxi* (Durham & Barnard, 1952)
- Cyathoceras inornatus* (Tenison-Woods, 1878) =  
*Crispatotrochus inornatus* Tenison-Woods, 1878
- Cyathoceras irregularis* Cairns, 1982 = *Crispatotrochus irregularis* (Cairns, 1982)
- Cyathoceras niinoi* Yabe & Eguchi, 1942 = *Crispatotrochus niinoi* (Yabe & Eguchi, 1942)
- Cyathoceras portoricensis* Vaughan, 1901 = *Oxysmilia rotundifolia* (Milne Edwards & Haime, 1848)
- Cyathoceras quaylei* Durham, 1947 = *Labyrinthocyathus quaylei* (Durham, 1947)
- Cyathoceras riisei* (Duchassaing & Michelotti, 1860) =  
*Thalamophyllia riisei* (Duchassaing & Michelotti, 1860)
- Cyathoceras rubescens* Moseley, 1881 = *Crispatotrochus rubescens* (Moseley, 1881)
- Cyathoceras squiresi* Cairns, 1979 = *Crispatotrochus squiresi* (Cairns, 1979)
- Cyathoceras tydemanii* Alcock, 1902 = *Crispatotrochus rubescens* (Moseley, 1881)
- Cyathoceras woodsi* Wells, 1964 = *Crispatotrochus woodsi* (Wells, 1964)
- Cyathohelia formosa* Alcock, 1898 = *Madrepora oculata* Linnaeus, 1758
- Cyathotrochus* spp.** Bourne, 1905 II TURBINOLIIDAE (Anthozoa)
- Cyathotrochus herdmani*** Bourne, 1905 II  
TURBINOLIIDAE (Anthozoa)
- Cyathotrochus nascornatus*** (Gardiner & Waugh, 1938)  
II TURBINOLIIDAE (Anthozoa)
- Cyathotrochus pileus*** (Alcock, 1902) II TURBINOLIIDAE (Anthozoa)
- Cyclagras gigas* (Duméril, Bibron & Duméril, 1854) II  
COLUBRIDAE (Reptilia) (E) Brazilian Smooth Snake, Brazilian Water Cobra, False Cobra, False Water Cobra, Surucucu (S) Falsa cobra, Falsa cobra acuatica, Nakamina (F) Couleuvre lisse du Brésil, Faux cobra, Faux cobra aquatique du Brésil
- Cyclemys* spp.** II GEOEMYDIDAE (Reptilia)
- Cyclemys annamensis* Siebenrock, 1903 = *Mauremys annamensis* (Siebenrock, 1903)
- Cyclemys annandalii* Boulenger, 1903 = *Heosemys annandalii* (Boulenger, 1903)
- Cyclemys atripons*** Iverson & McCord, 1997 II  
GEOEMYDIDAE (Reptilia) (E) Western Black-bridged Leaf Turt
- Cyclemys bellii* Gray, 1863 = *Cyclemys dentata* (Gray, 1831)
- Cyclemys dentata*** (Gray, 1831) II GEOEMYDIDAE (Reptilia) (E) Asian Leaf Turtle
- Cyclemys flavomarginata* (Gray, 1863) = *Cuora flavomarginata* (Gray, 1863)
- Cyclemys giebelii* Hubrecht, 1881 = *Notochelys platynota* (Gray, 1834)
- Cyclemys hainanensis* Li, 1958 = *Cuora galbinifrons* Bourret, 1939
- Cyclemys mouhotii* Gray, 1862 = *Cuora mouhotii* (Gray, 1862)
- Cyclemys oldhamii*** Gray, 1863 II GEOEMYDIDAE (Reptilia) (E) Southeast Asian Leaf Turtle
- Cyclemys oldhamii* Gray, 1863 = *Cyclemys shanensis* Annandale, 1918
- Cyclemys orbiculata* Bell, 1834 = *Cyclemys dentata* (Gray, 1831)
- Cyclemys ovata* Gray, 1863 = *Cyclemys dentata* (Gray, 1831)
- Cyclemys platynota* (Gray, 1834) = *Notochelys platynota* (Gray, 1834)
- Cyclemys pulchristriata*** Fritz, Gaulke & Lehr, 1997 II  
GEOEMYDIDAE (Reptilia) (E) Eastern Black-bridged Leaf Turtle
- Cyclemys shanensis*** Annandale, 1918 II  
GEOEMYDIDAE (Reptilia)
- Cyclemys shanensis* Annandale, 1918 = *Cyclemys oldhamii* Gray, 1863
- Cyclemys tiannanensis* Kou, 1989 = *Cyclemys oldhamii* Gray, 1863
- Cyclemys trifasciata* (Bell, 1825) = *Cuora trifasciata* (Bell, 1825)
- Cyclemys yunnanensis* Boulenger, 1906 = *Cuora yunnanensis* (Boulenger, 1906)
- Cyclocheilichthys jullieni* (Sauvage, 1880) = *Probarbus jullieni* Sauvage, 1880
- Cyclohelia* spp.** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Cyclohelia lamellata*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Cyclopsitta* spp.** Reichenbach, 1850 I/II 29  
PSITTACIDAE (Aves)
- Cyclopsittacus edwardsii* Oustalet, 1885 = *Psittaculirostris edwardsii* (Oustalet, 1885)
- Cyclopsittacus salvadorii* Oustalet, 1880 = *Psittaculirostris salvadorii* (Oustalet, 1880)
- Cyclopsitta diophthalma*** (Hombron & Jacquinot, 1841) I/II 29 PSITTACIDAE (Aves) (E) Double-eyed Fig-Parrot, Dwarf Fig-Parrot (S) Lorito doblejo (F) Perroquet masqué, Psittacule double-oeil
- Cyclopsitta diophthalma coxeni*** Gould, 1867 I  
PSITTACIDAE (Aves) (E) Coxen's Blue-browed Fig Parrot, Coxen's Double-eyed Fig-Parrot, Coxen's Two-eyed Fig Parrot (S) Lorito de Coxen, Lorito emmascarado de Coxen (F) Perroquet masqué de Coxen, Psittacule à double-oeil de Coxen
- Cyclopsitta gulielmitertii*** (Schlegel, 1866) II 29  
PSITTACIDAE (Aves) (E) Orange-breasted Fig-Parrot (S) Lorito pechinaranja (F) Psittacule à poitrine orange
- Cyclopsitta melanogenia* (von Rosenberg, 1866) = *Cyclopsitta gulielmitertii* (Schlegel, 1866)
- Cyclopsitta nigrifrons* (Reichenow, 1891) = *Cyclopsitta gulielmitertii* (Schlegel, 1866)
- Cycloseris* spp.** Milne-Edwards & Haime, 1849 II  
FUNGIIDAE (Anthozoa)

- Cycloseris colini** Veron, 2000 II FUNGIIIDAE (Anthozoa)  
*Cycloseris cooperi* (Gardiner, 1909) = *Fungia tenuis* Dana, 1848  
*Cycloseris costulata* (Ortmann, 1889) = *Fungia costulata* Ortmann, 1889  
*Cycloseris curvata* (Hoeksema, 1989) = *Fungia curvata* Hoeksema, 1989  
*Cycloseris cyclolites* (Lamarck, 1816) = *Fungia cyclolites* Lamarck, 1816  
*Cycloseris distorta* (Michelin, 1843) = *Fungia distorta* Michelin, 1842  
*Cycloseris doederleini* (Marenzeller, 1907) = *Cantharellus doederleini* (Marenzeller, 1907)  
*Cycloseris elegans* (Verrill, 1870) = *Fungia curvata* Hoeksema, 1989  
*Cycloseris erosa* (Döderlein, 1901) = *Fungia erosa* Döderlein, 1901  
*Cycloseris hexagonalis* (Milne Edwards & Haime, 1848) = *Fungia hexagonalis* Milne Edwards & Haime, 1848  
*Cycloseris marginata* (Boschma, 1923) = *Fungia tenuis* Dana, 1848  
*Cycloseris marginata* (Boschma, 1923) = *Fungia costulata* Ortmann, 1889  
*Cycloseris mexicana* Durham, 1947 = *Fungia distorta* Michelin, 1842  
*Cycloseris mycoides* Alcock, 1893 = *Fungia sinensis* (Milne Edwards & Haime, 1851)  
*Cycloseris noumeae* (Hoeksema & Best, 1984) = *Cantharellus noumeae* Hoeksema & Best, 1984  
*Cycloseris patelliformis* (Boschma, 1923) = *Fungia patelliformis* Boschma, 1923  
*Cycloseris similis* Nemenzo, 1976 = *Fungia fralinae* Nemenzo, 1955  
*Cycloseris sinensis* Milne Edwards & Haime, 1851 = *Fungia sinensis* (Milne Edwards & Haime, 1851)  
*Cycloseris sinuosa* Nemenzo, 1983 = *Fungia concinna* Verrill, 1864  
*Cycloseris somervillei* (Gardiner, 1909) = *Fungia somervillei* Gardiner, 1909  
*Cycloseris tenuis* (Dana, 1846) = *Fungia tenuis* Dana, 1848  
*Cycloseris vaughani* (Boschma, 1923) = *Fungia vaughani* Boschma, 1923  
**Cyclura spp.** Harlan, 1825 I IGUANIDAE (Reptilia)  
*Cyclura baelopha* Cope, 1862 = *Cyclura cyclura* (Cuvier, 1829)  
**Cyclura carinata** Harlan, 1824 I IGUANIDAE (Reptilia)  
 (E) Bahamas Rock Iguana, Bartsch's Iguana, Turks and Caicos Ground Iguana, Turks and Caicos Iguana  
 (F) Cyclure des îles Turques-et-Caïques, Iguane terrestre des îles Turks et Caïques  
**Cyclura collei** Gray, 1845 I IGUANIDAE (Reptilia) (E)  
 Jamaica Ground Iguana, Jamaican Iguana (F) Cyclure terrestre de la Jamaïque, Iguane terrestre de la Jamaïque  
**Cyclura cornuta** (Bonnaterre, 1789) I IGUANIDAE (Reptilia) (E) Rhinoceros Iguana (F) Cyclure cornu, Iguane cornu, Iguane terrestre cornu  
*Cyclura cornuta onchiopsis* (Bonnaterre, 1789) = *Cyclura onchiopsis* Cope, 1885  
*Cyclura cornuta stejnegeri* (Bonnaterre, 1789) = *Cyclura stejnegeri* Barbour & Noble, 1916  
**Cyclura cyclura** (Cuvier, 1829) I IGUANIDAE (Reptilia) (E) Bahamas Iguana, Bahamas Rock Iguana  
**Cyclura lewisi** Grant, 1941 I IGUANIDAE (Reptilia) (E) Grand Cayman Iguana  
*Cyclura lophoma* Gosse, 1848 = *Cyclura collei* Gray, 1845  
*Cyclura macleayi* Gray, 1845 = *Cyclura nubila* (Gray, 1831)  
**Cyclura nubila** (Gray, 1831) I IGUANIDAE (Reptilia) (E) Cayman Islands Ground Iguana, Cuban Ground Iguana, Cuban Iguana (F) Cyclure des îles Caïmanes, Iguane terrestre des îles Caïmanes  
**Cyclura onchiopsis** Cope, 1885 I IGUANIDAE (Reptilia)  
**Cyclura pinguis** Barbour, 1917 I IGUANIDAE (Reptilia) (E) Anegada Ground Iguana, Anegada Island Iguana, Anegada Rock Iguana (F) Cyclure de l'île Anegada, Iguane terrestre de l'île Anegada  
**Cyclura ricordi** (Duméril & Bibron, 1837) I IGUANIDAE (Reptilia) (E) Hispaniolan Ground Iguana, Ricord's Ground Iguana, Ricord's Iguana (F) Cyclure de Ricord, Cyclure d'Hispaniola, Iguane terrestre d'Hispaniola  
**Cyclura rileyi** Stejneger, 1903 I IGUANIDAE (Reptilia) (E) San Salvador Ground Iguana, San Salvador Iguana, Watling Island Iguana, White Cay Ground Iguana (F) Cyclure des Bahamas, Iguane terrestre des Bahamas  
**Cyclura stejnegeri** Barbour & Noble, 1916 I IGUANIDAE (Reptilia) (E) Mona Island Iguana  
 Cyclure cornu (F): *Cyclura cornuta*  
 Cyclure de l'île Anegada (F): *Cyclura pinguis*  
 Cyclure de Ricord (F): *Cyclura ricordi*  
 Cyclure des Bahamas (F): *Cyclura rileyi*  
 Cyclure des îles Caïmanes (F): *Cyclura nubila*  
 Cyclure des îles Turques-et-Caïques (F): *Cyclura carinata*  
 Cyclure d'Hispaniola (F): *Cyclura ricordi*  
 Cyclure terrestre de la Jamaïque (F): *Cyclura collei*  
 Cygne à cou noir (F): *Cygnus melancoryphus*  
 Cygne chanteur (F): *Cygnus melancoryphus*  
 Cygne coscoroba (F): *Coscoroba coscoroba*  
*Cygnus melancorypha* (Molina, 1782) = *Cygnus melancoryphus* (Molina, 1782)  
**Cygnus melancoryphus** (Molina, 1782) II ANATIDAE (Aves) (E) Black-necked Swan (S) Cisne cuellinegro (F) Cygne à cou noir, Cygne chanteur  
*Cygnus melanocorypha* (Molina, 1782) = *Cygnus melancoryphus* (Molina, 1782)  
**Cylicia spp.** Milne-Edwards & Haime, 1857 II RHIZANGIIDAE (Anthozoa)  
**Cylicia inflata** Pourtalès, 1878 II RHIZANGIIDAE (Anthozoa)  
*Cylindrophyllia minimus* (Yabe & Eguchi, 1937) = *Peponocyathus minimus* (Yabe & Eguchi, 1937)  
*Cylloseris incrustans* Quelch, 1886 = *Leptoseris incrustans* (Quelch, 1886)  
*Cymindis wilsonii* Cassin, 1847 = *Chondrohierax uncinatus wilsonii* (Cassin, 1847)  
**Cynanthus spp.** Swainson, 1827 II TROCHILIDAE (Aves)  
*Cynanthus coelestis* Gould, 1861 = *Aglaiaocercus coelestis* (Gould, 1861)  
*Cynanthus doubledayi* (Bourcier, 1847) = *Cynanthus latirostris* Swainson, 1827

- Cynanthus griseiventris* Taczanowski, 1883 =  
*Taphrolesbia griseiventris* (Taczanowski, 1883)
- Cynanthus latirostris*** Swainson, 1827 II TROCHILIDAE  
 (Aves) (E) Broad-billed Hummingbird (S) Colibrí piquiancho (F) Colibri circé
- Cynanthus lawrencei* (Berlepsch, 1887) = *Cynanthus latirostris* Swainson, 1827
- Cynanthus lucifer* Swainson, 1827 = *Calothorax lucifer* (Swainson, 1827)
- Cynanthus sordidus*** (Gould, 1859) II TROCHILIDAE  
 (Aves) (E) Dusky Hummingbird (S) Colibrí prieto (F) Colibri sombre
- Cynarina* spp.** Brüggemann, 1877 II MUSSIDAE  
 (Anthozoa)
- Cynarina lacrymalis*** (Milne Edwards & Haime, 1848) II MUSSIDAE (Anthozoa) (E) Cat's-eye Coral, Pacific Rose Coral
- Cynarina savignyi* Brüggemann, 1877 = *Cynarina lacrymalis* (Milne Edwards & Haime, 1848)
- Cynogale bennettii*** Gray, 1837 II VIVERRIDAE  
 (Mammalia) (E) Otter-civet, Sunda Otter-civet (S) Cibeta nutria, Civeta de Sumatra (F) Civette-loutre de Sumatra
- Cynogale lowei* Pocock, 1933 = *Cynogale bennettii* Gray, 1837
- Cynomys mexicanus*** Merriam, 1892 I SCIURIDAE  
 (Mammalia) (E) Mexican Prairie-dog, Mexican Prairie Marmot (S) Perrito de la pradera mexicano, Perrito de las praderas, Perrito llanero mexicano (F) Chien de prairie du Mexique
- Cynopithèque nègre (F): *Macaca nigra*
- Cynoscion macdonaldi* Gilbert, 1890 = *Totoaba macdonaldi* (Gilbert, 1890)
- Cyornis ruckii*** (Oustalet, 1881) II MUSCICAPIDAE  
 (Aves) (E) Rueck's Blue-Flycatcher, Rueck's Niltava (S) Papamoscas de Rueck (F) Gobe-mouche bleu de Rueck, Gobe-mouche de Rueck
- Cyphastrea* spp.** Milne Edwards & Haime, 1848 II FAVIIDAE (Anthozoa)
- Cyphastrea agassizi*** (Vaughan, 1907) II FAVIIDAE (Anthozoa)
- Cyphastrea aspera* Quelch, 1886 = *Cyphastrea microphthalmalma* (Lamarck, 1816)
- Cyphastrea bottae* Milne Edwards & Haime, 1850 = *Leptastrea bottae* (Milne Edwards & Haime, 1849)
- Cyphastrea brueggemanni* Quelch, 1886 = *Cyphastrea serailia* (Forskål, 1775)
- Cyphastrea capitata* Studer, 1878 = *Cyphastrea serailia* (Forskål, 1775)
- Cyphastrea chalcidicum*** (Forskål, 1775) II FAVIIDAE (Anthozoa)
- Cyphastrea conferta* Nemenzo, 1959 = *Cyphastrea serailia* (Forskål, 1775)
- Cyphastrea decadia*** Moll & Best, 1984 II FAVIIDAE (Anthozoa)
- Cyphastrea forskaelana* (Milne Edwards & Haime, 1850) = *Echinopora gemmacea* (Lamarck, 1816)
- Cyphastrea gardineri* Matthai, 1914 = *Cyphastrea microphthalmalma* (Lamarck, 1816)
- Cyphastrea glomerata* Nemenzo, 1988 = *Cyphastrea serailia* (Forskål, 1775)
- Cyphastrea hemprichiana* (Milne Edwards & Haime, 1850) = *Cyphastrea serailia* (Forskål, 1775)
- Cyphastrea hexasepta*** Veron, Turak & DeVantier, 2000 II FAVIIDAE (Anthozoa)
- Cyphastrea japonica*** Yabe & Sugiyama, 1936 II FAVIIDAE (Anthozoa)
- Cyphastrea laticostata* Nemenzo = *Cyphastrea serailia* (Forskål, 1775)
- Cyphastrea microphthalmalma*** (Lamarck, 1816) II FAVIIDAE (Anthozoa) (E) Lesser Knob Coral
- Cyphastrea minuta* Nemenzo & Ferraris, 1982 = *Cyphastrea microphthalmalma* (Lamarck, 1816)
- Cyphastrea muellerae* Milne Edwards & Haime, 1851 = *Cyphastrea microphthalmalma* (Lamarck, 1816)
- Cyphastrea ocellina*** (Dana, 1846) II FAVIIDAE (Anthozoa)
- Cyphastrea savignyi* Milne Edwards & Haime, 1850 = *Cyphastrea microphthalmalma* (Lamarck, 1816)
- Cyphastrea serailia*** (Forskål, 1775) II FAVIIDAE (Anthozoa) (E) Lesser Knob Coral
- Cyphastrea suvadivae* Gardiner, 1904 = *Cyphastrea serailia* (Forskål, 1775)
- Cyphastrea tanabensis* Yabe & Sugiyama, 1936 = *Cyphastrea japonica* Yabe & Sugiyama, 1936
- Cyprogenia aberti* (Conrad, 1850) II UNIONIDAE (Bivalvia) (E) Edible Naiad, Edible Pearly Mussel, Western Fanshell, Western Fanshell Mussel
- Cyrtodactyle de l'île de Serpent (F): *Nactus serpensinsula*
- Cyrtodactylus serpensinsula* Loveridge, 1951 = *Nactus serpensinsula* (Loveridge, 1951)
- Cyrtonaias birostris* (Walbaum, 1792) = *Manta birostris* (Walbaum, 1792)
- Cyrtonaias tampicoensis tecumatensis* (I. Lea, 1838) = *Unio tampicoensis tecumatensis* I. Lea, 1841
- Daboia elegans* (Daudin, 1803) = *Daboia russelii* (Shaw & Nodder, 1797)
- Daboia pulchella* Gray, 1842 = *Daboia russelii* (Shaw & Nodder, 1797)
- Daboia russelii*** (Shaw & Nodder, 1797) III VIPERIDAE (Reptilia) (E) Russell's Viper (F) Dabois, Vipère de Russell
- Daboia siamensis* (Smith, 1917) = *Daboia russelii* (Shaw & Nodder, 1797)
- Dabois (F): *Daboia russelii*
- Dactylethra bengalensis* Duméril & Bibron, 1841 = *Euphyctis hexadactylus* (Lesson, 1834)
- Dactylocnemis pacificus* (Gray, 1842) = *Hoplodactylus pacificus* (Gray, 1842)
- Dactylotrochus* spp.** Wells 1954 II CARYOPHYLLIIDAE (Anthozoa)
- Dactylotrochus cervicornis*** (Moseley, 1881) II CARYOPHYLLIIDAE (Anthozoa)
- Daim de Mésopotamie (F): *Dama dama mesopotamica*
- Daim européen (F): *Dama dama*
- Dalgyte (E): *Macrotis lagotis*
- Dama dama*** (Linnaeus, 1758) I/NC CERVIDAE (Mammalia) (E) Fallow Deer (S) Gamo (F) Daim européen

<b>Dama dama mesopotamica</b> I CERVIDAE (Mammalia) (E) Mesopotamian Fallow Deer, Persian Fallow Deer (S) Dama pérsono, Gacela de Irán, Gamo de Mesopotamia (F) Daim de Mésopotamie	<b>Dasmosmilia variegata</b> (Pourtalès, 1871) II CARYOPHYLLIIDAE (Anthozoa) (E) Variegated Cup Coral (S) Coral tazón moteado
<b>Damaliscus dorcus</b> (Pallas, 1766) = <i>Damaliscus pygargus</i> (Pallas, 1767)	Dasyorne à long bec (F): <i>Dasyornis longirostris</i> Dasyornerousse de l'ouest (F): <i>Dasyornis broadbenti litoralis</i>
<b>Damaliscus pygargus</b> (Pallas, 1767) II/NC BOVIDAE (Mammalia) (E) Blesbok, Bontebok (S) Bontebok (F) Bontebok	Dasyorne roux (F): <i>Dasyornis broadbenti</i> <i>Dasyornis brachypterus longirostris</i> (Latham, 1801) = <i>Dasyornis longirostris</i> Gould, 1841
<b>Damaliscus pygargus pygargus</b> (Pallas, 1767) II BOVIDAE (Mammalia) (E) Bontebok (S) Bontebok, Topi gacela (F) Bontebok	<b>Dasyornis broadbenti</b> (McCoy, 1867) I/NC MUSCICAPIDAE (Aves) (E) Rufous Bristlebird (F) Dasyorne roux
<i>Dama mesopotamica</i> (Brooke, 1875) = <i>Dama dama mesopotamica</i>	<b>Dasyornis broadbenti litoralis</b> (Milligan, 1902) I MUSCICAPIDAE (Aves) (E) Lesser Rufous Bristlebird, Rufous-headed Bristlebird, Western Rufous Bristlebird (S) Curruga bigotuda rojiza, Papamoscas rosa occidental (F) Dasyornerousse de l'ouest, Fauvette rousse de l'Ouest
Dama pérsono (S): <i>Dama dama mesopotamica</i>	<b>Dasyornis longirostris</b> Gould, 1841 I MUSCICAPIDAE (Aves) (E) Long-billed Bristlebird, Western Bristlebird (S) Curruga bigotuda piquilarga, Papamoscas piquilargo (F) Dasyorne à long bec, Fauvette à long bec, Fauvette brune à long bec, Malure occidental
<i>Dama virginiana</i> Zimmermann, 1780 = <i>Odocoileus virginianus</i> (Zimmermann, 1780)	<i>Dasyphyllia echinulata</i> Milne Edwards & Haime, 1848 = <i>Caulastraea echinulata</i> (Milne Edwards & Haime, 1848)
Dámero (S): <i>Rhincodon typus</i>	<b>Dasyprocta punctata</b> Gray, 1842 III DASYPROCTIDAE (Mammalia) (E) Agouti, Central American Agouti (S) Agouti, Agoutí rojizo, Agutí de América Central (F) Agouti, Agouti ponctué
<i>Damonia crassiceps</i> Gray, 1870 = <i>Malayemys subtrijuga</i> (Schlegel & S. Müller, 1844)	<i>Dasyprocta variegata</i> Goldman, 1913 = <i>Dasyprocta punctata</i> Gray, 1842
<i>Damonia hamiltonii</i> (Gray, 1831) = <i>Geoclemys hamiltonii</i> (Gray, 1831)	Dátel de mar (S): <i>Lithophaga lithophaga</i>
<i>Damonia mutica</i> Boulenger, 1889 = <i>Mauremys nigricans</i> (Gray, 1834)	Datte lithophage (F): <i>Lithophaga lithophaga</i>
<i>Damonia nigricans</i> (Gray, 1834) = <i>Mauremys nigricans</i> (Gray, 1834)	<b>Daubentonina</b> spp. I DAUBENTONIIDAE (Mammalia)
<i>Damonia reevesii</i> (Gray, 1831) = <i>Mauremys reevesii</i> (Gray, 1831)	<b>Daubentonina madagascariensis</b> (Gmelin, 1788) I DAUBENTONIIDAE (Mammalia) (E) Aye-aye (S) Aye-aye (F) Aye-Aye
<i>Damonia subtrijuga</i> (Schlegel & S. Müller, 1844) = <i>Malayemys subtrijuga</i> (Schlegel & S. Müller, 1844)	<b>DAUBENTONIIDAE</b> spp. Gray, 1863 I (Mammalia) (E) Aye-aye (S) Aye-aye (F) Aye-Aye
<i>Damonia unicolor</i> Gray, 1873 = <i>Mauremys reevesii</i> (Gray, 1831)	Dauphin à bosse de l'Atlantique (F): <i>Sousa teuszii</i>
<b>Damophila</b> spp. II TROCHILIDAE (Aves)	Dauphin à bosse de l'Indo-Pacifique (F): <i>Sousa chinensis</i>
<b>Damophila julie</b> (Bourcier, 1842) II TROCHILIDAE (Aves) (E) Violet-bellied Hummingbird (S) Colibrí de Julia, Colibrí ventrivoleta (F) Colibri julie	Dauphin aptère austral (F): <i>Lissodelphis peronii</i>
Danta (S): <i>Tapirus terrestris</i>	Dauphin aptère boréal (F): <i>Lissodelphis borealis</i>
Danta cordillerana (S): <i>Tapirus pinchaque</i>	Dauphin blanc (F): <i>Delphinapterus leucas</i>
Danta lanuda (S): <i>Tapirus pinchaque</i>	Dauphin bleu et blanc (F): <i>Stenella coeruleoalba</i>
Danta negra (S): <i>Tapirus pinchaque</i>	Dauphin commun (F): <i>Delphinus delphis</i>
Dante (S): <i>Tapirus bairdii</i>	Dauphin crucigère (F): <i>Lagenorhynchus cruciger</i>
<b>Daptrius</b> spp. II 27 FALCONIDAE (Aves)	Dauphin de Clymène (F): <i>Stenella clymene</i>
<i>Daptrius americanus</i> (Boddaert, 1783) = <i>Ibycter americanus</i> (Boddaert, 1783)	Dauphin de Commerson (F): <i>Cephalorhynchus commersonii</i>
<b>Daptrius ater</b> Vieillot, 1816 II 27 FALCONIDAE (Aves) (E) Black Caracara, Yellow-throated Caracara (S) Caracara negro, Carancho negro, Chupacacao negro (F) Caracara noir	Dauphin de Fraser (F): <i>Lagenodelphis hosei</i>
Dara (S): <i>Burhinus bistriatus</i>	Dauphin de Heaviside (F): <i>Cephalorhynchus heavisidii</i>
<b>Dasmosmilia</b> spp. Pourtalès 1880 II CARYOPHYLLIIDAE (Anthozoa)	Dauphin de l'Amazone (F): <i>Inia geoffrensis</i>
<b>Dasmosmilia lymani</b> (Pourtalès, 1871) II CARYOPHYLLIIDAE (Anthozoa) (E) Splitting Cup Coral (S) Coral tazón partido	Dauphin de la Plata (F): <i>Pontoporia blainvilliei</i>
<i>Dasmosmilia marchadi</i> Chevalier, 1966 = <i>Anomocora marchadi</i> (Chevalier, 1966)	Dauphin de Risso (F): <i>Grampus griseus</i>
<i>Dasmosmilia pacifica</i> (Yabe & Eguchi, 1932) = <i>Dasmosmilia lymani</i> (Pourtalès, 1871)	Dauphin d'Hector (F): <i>Cephalorhynchus hectori</i>
<b>Dasmosmilia valida</b> Marenzeller, 1907 II CARYOPHYLLIIDAE (Anthozoa)	Dauphin fluviatile de Chine (F): <i>Lipotes vexillifer</i>
	Dauphin longirostre (F): <i>Stenella longirostris</i>
	Dauphin noir du Chili (F): <i>Cephalorhynchus eutropia</i>

- Dauphin rayé (F): *Stenella coeruleoalba*  
 Dauphins (F): *Delphinidae*  
 Dauphins D'Eau Douce (F): *Platanistidae*  
 Dauphins D'Eau Douce (F): *Iniidae*  
 Dauphins, Marsouins, Baleines (F): *Cetacea*  
 Dauphin tacheté de l'Atlantique (F): *Stenella frontalis*  
 Dauphin tacheté pantropical (F): *Stenella attenuata*  
 Deer, Alpine Musk (E): *Moschus chrysogaster*  
 Deer, Anhui Musk (E): *Moschus anhuiensis*  
 Deer, Atlas (E): *Cervus elaphus barbarus*  
 Deer, Bactrian (E): *Cervus elaphus bactrianus*  
 Deer, Bactrian Red (E): *Cervus elaphus bactrianus*  
 Deer, Barbary (E): *Cervus elaphus barbarus*  
 Deer, Barbary Red (E): *Cervus elaphus barbarus*  
 Deer, Bawean (E): *Axis kuhlii*  
 Deer, Black Musk (E): *Moschus fuscus*  
 Deer, Bokharan (E): *Cervus elaphus bactrianus*  
 Deer, Brow-antlered (E): *Rucervus eldii*  
 Deer, Bukhara (E): *Cervus elaphus bactrianus*  
 Deer, Calamian (E): *Axis calamianensis*  
 Deer, Calamian Hog (E): *Axis calamianensis*  
 Deer, Chinese Forest Musk (E): *Moschus berezovskii*  
 Deer, Dusky Musk (E): *Moschus fuscus*  
 Deer, Dwarf Musk (E): *Moschus berezovskii*  
 Deer, Eld's (E): *Rucervus eldii*  
 Deer, Fallow (E): *Dama dama*  
 Deer, Forest Musk (E): *Moschus berezovskii*  
 Deer, Ganges Hog (E): *Axis porcinus annamiticus*  
 Deer, Guatemalan White-tailed (E): *Odocoileus virginianus mayensis*  
 Deer, Himalayan Musk (E): *Moschus leucogaster*  
 Deer, Himalayan Musk (E): *Moschus chrysogaster*  
 Deer, Hog (E): *Axis porcinus*  
 Deer, Indochinese Hog (E): *Axis porcinus annamiticus*  
 Deer, Kashmir (E): *Cervus elaphus hanglu*  
 Deer, Kashmir Musk (E): *Moschus cupreus*  
 Deer, Kashmir Red (E): *Cervus elaphus hanglu*  
 Deer, Kuhl's Hog (E): *Axis kuhlii*  
 Deer, Marsh (E): *Blastocerus dichotomus*  
 Deer, Mesopotamian Fallow (E): *Dama dama mesopotamica*  
 Deer, North Andean (E): *Hippocamelus antisensis*  
 Deer, Pampas (E): *Ozotoceros bezoarticus*  
 Deer, Persian Fallow (E): *Dama dama mesopotamica*  
 Deer, Red (E): *Cervus elaphus*  
 Deer, Siberian Musk (E): *Moschus moschiferus*  
 Deer, South Andean (E): *Hippocamelus bisulcus*  
 Deer, Swamp (E): *Rucervus duvaucelii*  
 Deer, Thai Hog (E): *Axis porcinus annamiticus*  
 Deer, White-tailed (E): *Odocoileus virginianus*  
 De la riviere (F): *Anguilla anguilla*  
*Delattria sybillae* Salvin & Godman, 1892 = *Lampornis sybillae* (Salvin & Godman, 1892)  
 Delfín austral (S): *Lagenorhynchus australis*  
 Delfín blanco africano (S): *Sousa teuszii*  
 Delfín blanco de China (S): *Sousa chinensis*  
 Delfín blanco y azul (S): *Stenella coeruleoalba*  
 Delfín común (S): *Delphinus delphis*  
 Delfín cruzado (S): *Lagenorhynchus cruciger*  
 Delfín de Borneo (S): *Lagenodelphis hosei*  
 Delfín de China (S): *Lipotes vexillifer*  
 Delfín de flancos blancos (S): *Lagenorhynchus acutus*  
 Delfín de Héctor (S): *Cephalorhynchus hectori*  
 Delfín de la Plata (S): *Pontoporia blainvilliei*  
 Delfín del Ganges (S): *Platanista gangetica*  
 Delfín del Irrawaddy (S): *Orcaella brevirostris*  
 Delfín de pico blanco (S): *Lagenorhynchus albirostris*  
 Delfín de pico largo (S): *Steno bredanensis*  
 Delfín de Risso (S): *Grampus griseus*  
 Delfines (S): *Delphinidae*  
 Delfines De Rio (S): *Platanistidae*  
 Delfines De Rio (S): *Iniidae*  
 Delfines, Marsopas, Ballenas (S): *Cetacea*  
 Delfín lagenor ringo (S): *Lagenorhynchus obliquidens*  
 Delfín liso (S): *Lissodelphis peronii*  
 Delfín liso (S): *Lissodelphis borealis*  
 Delfín listado (S): *Lagenorhynchus obscurus*  
 Delfín manchado (S): *Stenella attenuata*  
 Delfín manchado del Atlántico (S): *Stenella frontalis*  
 Delfín mular (S): *Tursiops truncatus*  
 Delfín mular del Oceano Indico (S): *Tursiops aduncus*  
 Delfín negro (S): *Cephalorhynchus eutropia*  
 Delfín pintado (S): *Stenella attenuata*  
 Delfín tornillón (S): *Stenella longirostris*  
*Delopelma sabulosum* (Pickard-Cambridge, 1897) =  
*Brachypelma sabulosum* (F. O. Pickard-Cambridge, 1897)  
 Delphinaptère blanc (F): *Delphinapterus leucas*  
***Delphinapterus* spp. II** 18 MONODONTIDAE  
 (Mammalia)  
***Delphinapterus leucas*** (Pallas, 1776) II 18  
 MONODONTIDAE (Mammalia) (E) Beluga, White  
 Whale (S) Ballena blanca, Beluga (F) Bélouga, Beluga,  
 Dauphin blanc, Delphinaptère blanc  
**DELPHINIDAE** spp. Gray, 1821 I/II 18 (Mammalia) (E)  
 Dolphins (S) Delfines (F) Dauphins  
***Delphinus* spp. II** 18 DELPHINIDAE (Mammalia)  
***Delphinus capensis*** Gray, 1828 II 18 DELPHINIDAE  
 (Mammalia) (E) Long-beaked Common Dolphin  
***Delphinus delphis*** Linnaeus, 1758 II 18 DELPHINIDAE  
 (Mammalia) (E) Atlantic Dolphin, Common Dolphin,  
 Pacific Dolphin, Saddle-backed Dolphin, Short-beaked  
 Saddleback Dolphin (S) Delfín común (F) Dauphin  
 comun  
*Delphinus tropicalis* van Bree, 1971 = *Delphinus delphis*  
 Linnaeus, 1758  
***Deltocyathoides* spp.** Yabe & Eguchi 1932 II  
 TURBINOLIIDAE (Anthozoa)  
***Deltocyathoides orientalis*** (Duncan, 1876) II  
 TURBINOLIIDAE (Anthozoa)  
***Deltocyathoides stimpsonii*** (Pourtalès, 1871) II  
 TURBINOLIIDAE (Anthozoa) (E) Stimpson's Cup Coral  
 (S) Coral tazón de Stimpson  
***Deltocyathus* spp.** Milne Edwards & Haime 1848 II  
 CARYOPHYLLIIDAE (Anthozoa)  
***Deltocyathus agassizii*** Pourtalès, 1867 II  
 CARYOPHYLLIIDAE (Anthozoa) (E) Agassiz's Star  
 Coral (S) Coral estrella de Agassiz  
*Deltocyathus agassizii calcar* Pourtalès, 1867 =  
*Deltocyathus calcar* Pourtalès, 1874

- Deltocyathus andamanicus** Alcock, 1898 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus calcar** Pourtales, 1874 II  
CARYOPHYLLIIDAE (Anthozoa) (E) Deepsea Star Coral (S) Coral estrella de lo hondo
- Deltocyathus cameratus** Cairns, 1999 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus conicus** Zibrowius, 1980 = *Deltocyathus italicus* (Michelotti, 1838)
- Deltocyathus corrugatus** Cairns, 1999 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus crassiseptum** Cairns, 1999 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus eccentricus** Cairns, 1979 II  
CARYOPHYLLIIDAE (Anthozoa) (E) Eccentric Star Coral (S) Coral estrella extraño
- Deltocyathus formosus** Cairns, 1995 = *Deltocyathus suluensis* Alcock, 1902
- Deltocyathus fragilis** Alcock, 1902 = *Deltocyathus rotulus* (Alcock, 1898)
- Deltocyathus halianthus** (Lindström, 1877) II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus heteroclitus** Wells, 1984 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus hexagonus** (Gravier, 1915) = *Fungiacyathus marenzelleri* (Vaughan, 1906)
- Deltocyathus inusitatus** Kitahara & Cairns, 2009 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus italicus** (Michelotti, 1838) II  
CARYOPHYLLIIDAE (Anthozoa) (E) Conical Star Coral (S) Coral estrella cónico
- Deltocyathus lens** Alcock, 1902 = *Deltocyathoides orientalis* (Duncan, 1876)
- Deltocyathus magnificus** Moseley, 1876 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus magnificus suluensis** Moseley, 1876 = *Deltocyathus suluensis* Alcock, 1902
- Deltocyathus moseleyi** Cairns, 1979 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus murrayi** Gardiner & Waugh, 1938 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus orientalis** Duncan, 1876 = *Deltocyathoides orientalis* (Duncan, 1876)
- Deltocyathus orientalis** (Vaughan, 1900) = *Deltocyathus vaughani* Yabe & Eguchi, 1932
- Deltocyathus ornatus** Gardiner, 1899 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus parvulus** Keller, 1982 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus philippinensis** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus pourtalesi** Cairns, 1979 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus rotulus** (Alcock, 1898) II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus sarsi** (Gardiner & Waugh, 1938) II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus stella** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus stellulatus** Cairns, 1984 = *Bourneotrochus stellulatus* (Cairns, 1984)
- Deltocyathus suluensis** Alcock, 1902 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus taiwanicus** Hu, 1987 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus varians** Gardiner & Waugh, 1938 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus vaughani** Yabe & Eguchi, 1932 II  
CARYOPHYLLIIDAE (Anthozoa)
- Deltocyathus vincentinus** Dennant, 1906 = *Australocyathus vincentinus* (Dennant, 1904)
- Demoiselle de Numidie (F): *Anthropoides virgo*
- Dendrobate à cinq bandes (F): *Adelphobates quinquevittatus*
- Dendrobate arboricole (F): *Oophaga arborea*
- Dendrobate à tapirer (F): *Dendrobates tinctorius*
- Dendrobate à trois bandes (F): *Ameerega trivittata*
- Dendrobate au ventre tacheté (F): *Ranitomeya ventrimaculata*
- Dendrobate biolat (F): *Ranitomeya biolat*
- Dendrobate de Bassler (F): *Ameerega bassleri*
- Dendrobate de Lehman (F): *Oophaga lehmanni*
- Dendrobate de Silverstone (F): *Ameerega silverstonei*
- Dendrobate de Vanzolini (F): *Ranitomeya vanzolinii*
- Dendrobate doré (F): *Dendrobates auratus*
- Dendrobate du Rio Magdalena (F): *Dendrobates truncatus*
- Dendrobate du Rio Santiago (F): *Excidobates captivus*
- Dendrobate du Tapajos (F): *Adelphobates galactonotus*
- Dendrobate du Xingu (F): *Adelphobates castaneoticus*
- Dendrobate fantastique (F): *Ranitomeya fantastica*
- Dendrobate granuleux (F): *Oophaga granulifera*
- Dendrobate imitateur (F): *Ranitomeya imitator*
- Dendrobate jaune et noir (F): *Dendrobates leucomelas*
- Dendrobate labié (F): *Ameerega labialis*
- Dendrobate mystérieux (F): *Excidobates mysteriosus*
- Dendrobate occulté (F): *Oophaga occultator*
- Dendrobate pumilio (F): *Oophaga pumilio*
- Dendrobate réticulé (F): *Ranitomeya reticulata*
- Dendrobate rougeâtre (F): *Allobates rufulus*
- Dendrobates spp.** Wagler, 1830 II DENDROBATIDAE (Amphibia)
- Dendrobates abditus* Jungfer, Lötters & Jörgens, 2000 = *Andinobates abditus* (Myers & Daly, 1976)
- Dendrobates abditus* Myers & Daly, 1976 = *Andinobates abditus* (Myers & Daly, 1976)
- Dendrobates altobueyensis* Jungfer, Lötters & Jörgens, 2000 = *Andinobates altobueyensis* (Silverstone, 1975)
- Dendrobates altobueyensis* Jungfer, Lötters & Jörgens, 2000 = *Ranitomeya altobueyensis* (Silverstone, 1975)
- Dendrobates altobueyensis* Silverstone, 1975 = *Ranitomeya altobueyensis* (Silverstone, 1975)
- Dendrobates altobueyensis* Silverstone, 1975 = *Andinobates altobueyensis* (Silverstone, 1975)
- Dendrobates amazonicus* Schulte, 1999 = *Ranitomeya amazonica* (Schulte, 1999)
- Dendrobates amoenus* Werner, 1901 = *Dendrobates auratus* (Girard, 1855)
- Dendrobates andinus* (Myers & Burrowes, 1987) = *Ameerega andina* (Myers & Burrowes, 1987)

- Dendrobates anthonyi* Myers, Daly & Malkin, 1978 =  
*Epipedobates anthonyi* (Noble, 1921)
- Dendrobates anthonyi* (Noble, 1921) = *Epipedobates anthonyi* (Noble, 1921)
- Dendrobates arboreus* Myers, Daly & Martínez, 1984 =  
*Oophaga arborea* (Myers, Daly & Martínez, 1984)
- Dendrobates auratus** (Girard, 1855) II  
DENDROBATIDAE (Amphibia) (E) Green-and-black Poison Frog, Green Poison Frog (F) Dendrobate doré
- Dendrobates auratus* Dunn, 1931 = *Dendrobates auratus* (Girard, 1855)
- Dendrobates aurotaenia* Boulenger, 1913 = *Phylllobates aurotaenia* (Boulenger, 1913)
- Dendrobates azureiventris* (Kneller & Henle, 1985) =  
*Hyloxalus azureiventris* (Kneller & Henle, 1985)
- Dendrobates azureus* Hoogmoed, 1969 = *Dendrobates tinctorius* (Cuvier, 1797)
- Dendrobates bassleri* Melin, 1941 = *Ameerega bassleri* (Melin, 1941)
- Dendrobates bassleri* Myers, Daly & Malkin, 1978 =  
*Ameerega bassleri* (Melin, 1941)
- Dendrobates betsileo* Grandidier, 1872 = *Mantella betsileo* (Grandidier, 1872)
- Dendrobates biolat* Morales, 1992 = *Ranitomeya biolat* (Morales, 1992)
- Dendrobates bolivianus* (Boulenger, 1902) = *Ameerega boliviana* (Boulenger, 1902)
- Dendrobates bolivianus* Myers, Daly & Malkin, 1978 =  
*Ameerega boliviana* (Boulenger, 1902)
- Dendrobates bombetes* Jungfer, Lötters & Jörgens, 2000 = *Andinobates bombetes* (Myers & Daly, 1980)
- Dendrobates bombetes* Myers & Daly, 1980 =  
*Andinobates bombetes* (Myers & Daly, 1980)
- Dendrobates boulengeri* (Barbour, 1909) = *Epipedobates boulengeri* (Barbour, 1909)
- Dendrobates boulengeri* Myers, Daly & Malkin, 1978 =  
*Epipedobates boulengeri* (Barbour, 1909)
- Dendrobates braccatus* Cope, 1887 = *Ameerega braccata* (Steindachner, 1864)
- Dendrobates braccatus* Steindachner, 1864 = *Ameerega braccata* (Steindachner, 1864)
- Dendrobates captivus* Myers, 1982 = *Excidobates captivus* (Myers, 1982)
- Dendrobates castaneoticus* Caldwell & Myers, 1990 =  
*Adelphobates castaneoticus* (Caldwell & Myers, 1990)
- Dendrobates claudiae* (Jungfer, Lötters & Jörgens, 2000) = *Andinobates claudiae* (Jungfer, Lötters & Jörgens, 2000)
- Dendrobates dendrobates altobueyensis* Silverstone, 1975 = *Andinobates altobueyensis* (Silverstone, 1975)
- Dendrobates dendrobates altobueyensis* Silverstone, 1975 = *Ranitomeya altobueyensis* (Silverstone, 1975)
- Dendrobates dendrobates daleswansoni*  
Rueda-Almonacid, Rada, Sánchez-Pacheco,  
Velásquez-Álvarez & Quevedo-Gil, 2006ez-Pacheco, et al., 2006) = *Andinobates daleswansoni* (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006)
- Dendrobates dendrobates dorisswansonae*  
Rueda-Almonacid, Rada, Sánchez-Pacheco,
- Velásquez-Álvarez & Quevedo-Gil, 2006* =  
*Andinobates dorisswansonae* (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006)
- Dendrobates dendrobates ebenaui* Boettger, 1880 =  
*Mantella ebenaui* (Boettger, 1880)
- Dendrobates dendrobates ebenaui* Boettger, 1880 =  
*Mantella betsileo* (Grandidier, 1872)
- Dendrobates dendrobates femoralis* Boulenger, 1884 =  
*Allobates femoralis* (Boulenger, 1884)
- Dendrobates dendrobates histrionicus* (Berthold, 1845) =  
*Oophaga sylvatica* (Funkhouser, 1956)
- Dendrobates dendrobates histrionicus* (Berthold, 1845) =  
*Oophaga histrionica* (Berthold, 1845)
- Dendrobates dendrobates speciosus* Schmidt, 1857 =  
*Oophaga speciosa* (Schmidt, 1857)
- Dendrobates duellmani* Schulte, 1999 = *Ranitomeya ventrimaculata* (Shreve, 1935)
- Dendrobates enigmaticus** Schulte, 1999 II  
DENDROBATIDAE (Amphibia)
- Dendrobates erythromos* Vigle & Miyata, 1980 =  
*Ameerega erythromos* (Vigle & Miyata, 1980)
- Dendrobates espinosai* (Funkhouser, 1956) =  
*Epipedobates espinosai* (Funkhouser, 1956)
- Dendrobates espinosai* Myers, Daly & Malkin, 1978 =  
*Epipedobates espinosai* (Funkhouser, 1956)
- Dendrobates eucnemis* Steindachner, 1864 = *Ameerega picta* (Tschudi, 1838)
- Dendrobates fantasticus* Boulenger, 1884 "1883" =  
*Ranitomeya fantastica* (Boulenger, 1884 "1883")
- Dendrobates fantasticus-imitator** Schulte, 1999 II  
DENDROBATIDAE (Amphibia)
- Dendrobates femoralis* Myers, Daly & Malkin, 1978 =  
*Allobates femoralis* (Boulenger, 1884)
- Dendrobates flavopictus* (A. Lutz, 1925) = *Ameerega flavopicta* (A. Lutz, 1925)
- Dendrobates flavopictus* Cochran, 1955 = *Ameerega flavopicta* (A. Lutz, 1925)
- Dendrobates flavovittatus* Schulte, 1999 = *Ranitomeya flavovittata* (Schulte, 1999)
- Dendrobates fulguritus* Jungfer, Lötters & Jörgens, 2000, =  
*Andinobates fulguritus* (Silverstone, 1975)
- Dendrobates fulguritus* (Silverstone, 1975) = *Andinobates fulguritus* (Silverstone, 1975)
- Dendrobates galactonotus* Steindachner, 1864 =  
*Adelphobates galactonotus* (Steindachner, 1864)
- Dendrobates galindo* Trapido, 1953 = *Oophaga pumilio* (Schmidt, 1857)
- Dendrobates granulifer* Duellman, 1993 = *Oophaga granulifera* (Taylor, 1958)
- Dendrobates granuliferus* Taylor, 1958 = *Oophaga granulifera* (Taylor, 1958)
- Dendrobates hahneli* Boulenger, 1884 = *Ameerega hahneli* (Boulenger, 1884)
- Dendrobates histrionica* Dunn, 1944 = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates histrionicus* Berthold, 1845 = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates histrionicus confluens* Funkhouser, 1956 =  
*Oophaga histrionica* (Berthold, 1845)

- Dendrobates histrionicus sylvaticus* (Funkhouser, 1956) = *Oophaga sylvatica* (Funkhouser, 1956)
- Dendrobates ignitus* Cope, 1874 = *Oophaga pumilio* (Schmidt, 1857)
- Dendrobates imitator imitator* Schulte, 1999 = *Ranitomeya imitator* (Schulte, 1986)
- Dendrobates imitator intermedius* Schulte, 1999 = *Ranitomeya imitator* (Schulte, 1986)
- Dendrobates imitator* Schulte, 1986 = *Ranitomeya imitator* (Schulte, 1986)
- Dendrobates imitator yurimaguensis-imitator* Schulte, 1999 = *Ranitomeya imitator* (Schulte, 1986)
- Dendrobates imitator yurimaguensis* Schulte, 1999 = *Ranitomeya imitator* (Schulte, 1986)
- Dendrobates ingeri Cochran & Goin, 1970* = *Ameerega ingeri* (Cochran & Goin, 1970)
- Dendrobates ingeri Myers, Daly & Malkin, 1978* = *Ameerega ingeri* (Cochran & Goin, 1970)
- Dendrobates labialis* Cope, 1874 = *Ameerega labialis* (Cope, 1874)
- Dendrobates lamasi* Morales, 1992 = *Ranitomeya sirensis* (Aichinger, 1991)
- Dendrobates latimaculatus* Günther, 1859 = *Dendrobates auratus* (Girard, 1855)
- Dendrobates lehmanni* Myers & Daly, 1976 = *Oophaga lehmanni* (Myers & Daly, 1976)
- Dendrobates leucomelas*** Steindachner, 1864 II  
DENDROBATIDAE (Amphibia) (E) Yellow-banded Poison Frog (S) Rana de punta de flecha de bandas amarillas (F) Dendrobate jaune et noir
- Dendrobates lugubris* Dunn, 1940 = *Phyllobates lugubris* (O. Schmidt, 1857)
- Dendrobates lugubris* Schmidt, 1857 = *Phyllobates lugubris* (O. Schmidt, 1857)
- Dendrobates lugubris* Werner, 1901 = *Phyllobates lugubris* (O. Schmidt, 1857)
- Dendrobates machadoi* Bokermann, 1958 = *Dendrobates tinctorius* (Cuvier, 1797)
- Dendrobates maculatus* Myers, 1982 = *Ameerega maculata* (W. Peters, 1873)
- Dendrobates maculatus* W. Peters, 1873 = *Ameerega maculata* (W. Peters, 1873)
- Dendrobates madagascariensis* Grandidier, 1872 = *Mantella madagascariensis* (Grandidier, 1872)
- Dendrobates mimulus* Burton, 1998 = *Andinobates claudiae* (Jungfer, Lötters & Jörgens, 2000)
- Dendrobates minutus* Jungfer, Lötters & Jörgens, 2000 = *Andinobates minutus* (Shreve, 1935)
- Dendrobates minutus minutus* Shreve, 1935 = *Andinobates minutus* (Shreve, 1935)
- Dendrobates minutus* (Shreve, 1935) = *Andinobates minutus* (Shreve, 1935)
- Dendrobates minutus ventrimaculatus* Shreve, 1935 = *Ranitomeya ventrimaculata* (Shreve, 1935)
- Dendrobates myersi* Pyburn, 1981 = *Allobates myersi* (Pyburn, 1981)
- "*dendrobates*" *mysteriosus* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Excidobates mysteriosus* Myers, 1982
- Dendrobates mysteriosus* Myers, 1982 = *Excidobates mysteriosus* Myers, 1982
- Dendrobates nigerrima* Wagler, 1830 = *Ameerega trivittata* (Spix, 1824)
- Dendrobates nigerrimus* (Spix, 1824) = *Ameerega trivittata* (Spix, 1824)
- Dendrobates nigerrimus* Wagler, 1830 = *Ameerega trivittata* (Spix, 1824)
- Dendrobates nubeculosus*** Jungfer & Böhme, 2004 II  
DENDROBATIDAE (Amphibia)
- Dendrobates obscurus* Duméril & Bibron, 1841 = *Ameerega trivittata* (Spix, 1824)
- Dendrobates occultator* Myers & Daly, 1976 = *Oophaga occultator* (Myers & Daly, 1976)
- Dendrobates opisthomelas* (Boulenger, 1899) = *Andinobates opisthomelas* (Boulenger, 1899)
- Dendrobates opisthomelas* Jungfer, Lötters & Jörgens, 2000 = *Andinobates opisthomelas* (Boulenger, 1899)
- Dendrobates paraensis* Boulenger, 1913 = *Adelphobates galactonotus* (Steindachner, 1864)
- Dendrobates parvulus* Boulenger, 1882 = *Ameerega parvula* (Boulenger, 1882)
- Dendrobates parvulus* Myers, Daly & Malkin, 1978 = *Ameerega parvula* (Boulenger, 1882)
- Dendrobates petersi* Myers, Daly & Malkin, 1978 = *Ameerega petersi* (Silverstone, 1976)
- Dendrobates petersi* (Silverstone, 1976) = *Ameerega petersi* (Silverstone, 1976)
- Dendrobates phantasticus* Werner, 1901 = *Ranitomeya fantastica* (Boulenger, 1884 "1883")
- Dendrobates pictus braccatus* Lutz, 1952 = *Ameerega braccata* (Steindachner, 1864)
- Dendrobates pictus braccatus* (Tschudi, 1838) = *Ameerega braccata* (Steindachner, 1864)
- Dendrobates pictus Duméril & Bibron, 1841* = *Ameerega picta* (Tschudi, 1838)
- Dendrobates pictus eucnemis* Lutz, 1952 = *Ameerega picta* (Tschudi, 1838)
- Dendrobates pictus flavopictus* Lutz, 1952 = *Ameerega flavopicta* (A. Lutz, 1925)
- Dendrobates pictus flavopictus* (Tschudi, 1838) = *Ameerega flavopicta* (A. Lutz, 1925)
- Dendrobates pictus guayanensis* Heatwole, Solano & Heatwole, 1965 = *Ameerega picta* (Tschudi, 1838)
- Dendrobates pictus hahneli* Lutz, 1952 = *Ameerega hahneli* (Boulenger, 1884)
- Dendrobates pictus hahneli* (Tschudi, 1838) = *Ameerega hahneli* (Boulenger, 1884)
- Dendrobates pictus Myers, Daly & Malkin, 1978* = *Ameerega picta* (Tschudi, 1838)
- Dendrobates pictus pictus* Lutz, 1952 = *Ameerega picta* (Tschudi, 1838)
- Dendrobates pictus* (Tschudi, 1838) = *Ameerega picta* (Tschudi, 1838)
- Dendrobates pulchripectus* Myers, Daly, and Malkin, 1978 = *Ameerega pulchripecta* (Silverstone, 1976)
- Dendrobates pulchripectus* (Silverstone, 1976) = *Ameerega pulchripecta* (Silverstone, 1976)
- Dendrobates pumilio* Schmidt, 1857 = *Oophaga pumilio* (Schmidt, 1857)

- Dendrobates quinquevittatus* Jan, 1857 = *Adelphobates quinquevittatus* (Steindachner, 1864)
- Dendrobates quinquevittatus* Silverstone, 1975 = *Adelphobates quinquevittatus* (Steindachner, 1864)
- Dendrobates quinquevittatus Steindachner, 1864* = *Adelphobates quinquevittatus* (Steindachner, 1864)
- Dendrobates reticulatus* Boulenger, 1884 "1883" = *Ranitomeya reticulata* (Boulenger, 1884)
- Dendrobates riverimus** Schulte, 1999 II
- DENDROBATIDAE (Amphibia)
- Dendrobates rubrocephalus* Schulte, 1999 = *Ranitomeya rubrocephala* (Schulte, 1999)
- Dendrobates rufulus* Gorzula, 1990 "1988" = *Allobates rufulus* (Gorzula, 1990)
- Dendrobates shrevei* Dunn, 1940 = *Andinobates minutus* (Shreve, 1935)
- Dendrobates silverstonei* Myers & Daly, 1979 = *Ameerega silverstonei* (Myers & Daly, 1979)
- Dendrobates sirenensis* Aichinger, 1991 = *Ranitomeya sirenensis* (Aichinger, 1991)
- Dendrobates smaragdinus* Myers, Daly & Malkin, 1978 = *Ameerega smaragdina* (Silverstone, 1976)
- Dendrobates smaragdinus* (Silverstone, 1976) = *Ameerega smaragdina* (Silverstone, 1976)
- Dendrobates speciosus* Savage, 1968 = *Oophaga speciosa* (Schmidt, 1857)
- Dendrobates steyermarki* Jungfer, Lötters & Jörgens, 2000 = *Minyobates steyermarki* (Rivero, 1971)
- Dendrobates steyermarki* Rivero, 1971 = *Minyobates steyermarki* (Rivero, 1971)
- Dendrobates sylvaticus* Funkhouser, 1956 = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates sylvaticus* (Stuart, Hoffmann, Chanson, Cox, Berridge, Ramani, and Young, 2008) = *Oophaga sylvatica* (Funkhouser, 1956)
- Dendrobates tetravittatus* Miranda-Ribeiro, 1926 = *Ameerega trivittata* (Spix, 1824)
- Dendrobates tinctorius** (Cuvier, 1797) II
- DENDROBATIDAE (Amphibia) (E) Dyeing Poison Frog
  - (F) Dendrobate à tapirer, Dendrobate teint
- Dendrobates tinctorius auratus* Laurent, 1942 = *Dendrobates auratus* (Girard, 1855)
- Dendrobates tinctorius auratus* (Schneider, 1799) = *Dendrobates auratus* (Girard, 1855)
- Dendrobates tinctorius cocteai* Boulenger, 1913 = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates tinctorius confluens* Cochran and Goin, 1970 = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates tinctorius confluens* (Schneider, 1799) = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates tinctorius histrionicus* Laurent, 1942 = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates tinctorius histrio* (Schneider, 1799) = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates tinctorius igneus* Melin, 1941 = *Ranitomeya reticulata* (Boulenger, 1884)
- Dendrobates tinctorius igneus* (Schneider, 1799) = *Adelphobates quinquevittatus* (Steindachner, 1864)
- Dendrobates tinctorius quinquevittatus* (Schneider, 1799) = *Adelphobates quinquevittatus* (Steindachner, 1864)
- Dendrobates tinctorius* Schneider, 1799 = *Dendrobates tinctorius* (Cuvier, 1797)
- Dendrobates tinctorius* var. *auratus* Steindachner, 1864 = *Dendrobates auratus* (Girard, 1855)
- Dendrobates tinctorius* var. *chocoensis* Boulenger, 1913 = *Phyllobates bicolor* Duméril & Bibron, 1841
- Dendrobates tinctorius* var. *coctaei* Boulenger, 1913 = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates tinctorius* var. *cocteani* Steindachner, 1864 = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates tinctorius* var. *daudini* Steindachner, 1864 = *Dendrobates tinctorius* (Cuvier, 1797)
- Dendrobates tinctorius* var. *quinquevittatus* Steindachner, 1864 = *Adelphobates quinquevittatus* (Steindachner, 1864)
- Dendrobates tinctorius vittatus* Cope, 1893 = *Phyllobates vittatus* (Cope, 1893)
- Dendrobates tinctorius vittatus* (Schneider, 1799) = *Phyllobates vittatus* (Cope, 1893)
- Dendrobates tinctorius Wagler, 1830* = *Dendrobates tinctorius* (Cuvier, 1797)
- Dendrobates tinctorius wittei* Laurent, 1942 = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates tinctorius wittei* (Schneider, 1799) = *Oophaga histrionica* (Berthold, 1845)
- Dendrobates tinctorum* Silverstone, 1975 = *Dendrobates tinctorius* (Cuvier, 1797)
- Dendrobates tricolor* (Boulenger, 1899) = *Epipedobates tricolor* (Boulenger, 1899)
- Dendrobates tricolor* Myers, Daly & Malkin, 1978, = *Epipedobates tricolor* (Boulenger, 1899)
- Dendrobates trivittatus auratus* (Spix, 1824) = *Dendrobates auratus* (Girard, 1855)
- Dendrobates trivittatus maculatus* (Spix, 1824) = *Ameerega maculata* (W. Peters, 1873)
- Dendrobates trivittatus* (Spix, 1824) = *Ameerega trivittata* (Spix, 1824)
- Dendrobates trivittatus* var. *aurata* Peters, 1873 = *Dendrobates auratus* (Girard, 1855)
- Dendrobates trivittatus* var. *maculata* Peters, 1873 = *Ameerega maculata* (W. Peters, 1873)
- Dendrobates trivittatus* Wagler, 1830 = *Ameerega trivittata* (Spix, 1824)
- Dendrobates truncatus** (Cope, 1861) II
- DENDROBATIDAE (Amphibia) (E) Yellow-striped Poison Frog (S) Rana de punta de flecha truncada (F)
- Dendrobates truncatus* Cope, 1867 = *Dendrobates truncatus* (Cope, 1861)
- Dendrobates typographicus* Oertter, 1951 = *Oophaga pumilio* (Schmidt, 1857)
- Dendrobates typographus* Keferstein, 1867 = *Oophaga pumilio* (Schmidt, 1857)
- Dendrobates uakarii* Brown, Schulte & Summers, 2006 = *Ranitomeya uakarii* (Brown, Schulte & Summers, 2006)
- Dendrobates vanzolinii* Myers, 1982 = *Ranitomeya vanzolinii* (Myers, 1982)
- Dendrobates variabilis* Zimmermann & Zimmermann, 1988 = *Ranitomeya variabilis* (Zimmermann &

Zimmermann, 1988)	Tupaya de Borneo
<i>Dendrobates variabilis</i> Zimmerman & Zimmerman, 1988 = <i>Ranitomeya ventrimaculata</i> (Shreve, 1935)	<i>Dendrogale murina</i> (Schlegel & Müller, 1843) II TUPAIIDAE (Mammalia) (E) Mainland Slender-tailed Treeshrew, Northern Smooth-tailed Treeshrew (F)
<i>Dendrobates ventrimaculatus</i> Daly, Myers & Whittaker, 1987 = <i>Ranitomeya ventrimaculata</i> (Shreve, 1935)	Toupaïe murin
<i>Dendrobates ventrimaculatus</i> Shreve, 1935 = <i>Ranitomeya ventrimaculata</i> (Shreve, 1935)	<i>Dendrogyra</i> spp. Ehrenberg 1834 II MEANDRINIIDAE (Anthozoa)
<i>Dendrobates vicentei</i> Jungfer, Weygoldt & Juraska, 1996 = <i>Oophaga vicentei</i> (Jungfer, Weygoldt & Juraska, 1996)	<i>Dendrogyra cylindrus</i> (Ehrenberg, 1834) II MEANDRINIIDAE (Anthozoa) (E) Pillar Coral (S) Coral pilar (F) Corail clierge
<i>Dendrobates viridis</i> Jungfer, Löters & Jörgens, 2000 = <i>Andinobates viridis</i> (Myers & Daly, 1976)	Dendrolague gris (F): <i>Dendrolagus inustus</i>
<i>Dendrobates viridis</i> (Myers & Daly, 1976) = <i>Andinobates viridis</i> (Myers & Daly, 1976)	Dendrolague noir (F): <i>Dendrolagus ursinus</i>
<i>Dendrobates virolensis</i> (Ruiz-Carranza and Ramírez-Pinilla, 1992) = <i>Andinobates virolensis</i> (Ruiz-Carranza and Ramírez-Pinilla, 1992)	<i>Dendrolagus inustus</i> Müller, 1840 II MACROPODIDAE (Mammalia) (E) Grizzled Tree-kangaroo (S) Canguro arbóreo gris, Canguro arborícola gris (F) Dendrolague gris
<i>Dendrobates virolinensis</i> Jungfer, Löters & Jörgens, 2000 = <i>Andinobates virolensis</i> (Ruiz-Carranza and Ramírez-Pinilla, 1992)	<i>Dendrolagus ursinus</i> (Temminck, 1836) II MACROPODIDAE (Mammalia) (E) Black Tree-kangaroo, Vogelkop Tree-kangaroo, White-throated Tree-kangaroo (S) Canguro arbóreo negro, Canguro arborícola negro (F) Dendrolague noir
<i>Dendrobates zaparo</i> Myers, Daly & Malkin, 1978 = <i>Allobates zaparo</i> (Silverstone, 1976)	<i>Dendropathes</i> spp. Opresco, 2005 II SCHIZOPATHIDAE (Anthozoa)
<i>Dendrobates zaparo</i> (Silverstone, 1976) = <i>Allobates zaparo</i> (Silverstone, 1976)	<i>Dendropathes bacotaylorae</i> Opresco, 2005 II SCHIZOPATHIDAE (Anthozoa)
Dendrobate teint (F): <i>Dendrobates tinctorius</i>	<i>Dendrophyllia</i> spp. Blainville 1830 II DENDROPHYLLIIDAE (Anthozoa)
Dendrobate variable (F): <i>Ranitomeya variabilis</i>	<i>Dendrophyllia aculeata</i> Latypov, 1990 II DENDROPHYLLIIDAE (Anthozoa)
<i>Dendrobathypathes</i> spp. Opresco, 2002 II SCHIZOPATHIDAE (Anthozoa)	<i>Dendrophyllia affinis</i> Duncan, 1889 = <i>Tubastraea coccinea</i> Lesson, 1829
<i>Dendrobathypathes boutillieri</i> Opresco, 2005 II SCHIZOPATHIDAE (Anthozoa)	<i>Dendrophyllia alcocki</i> (Wells, 1954) II DENDROPHYLLIIDAE (Anthozoa)
<i>Dendrobathypathes fragilis</i> Opresco, 2005 II SCHIZOPATHIDAE (Anthozoa)	<i>Dendrophyllia alternata</i> Pourtalès, 1880 II DENDROPHYLLIIDAE (Anthozoa)
<i>Dendrobathypathes grandis</i> Opresco, 2002 II SCHIZOPATHIDAE (Anthozoa)	<i>Dendrophyllia ampheliooides</i> Alcock, 1902 = <i>Enallopsammia rostrata</i> (Pourtalès, 1878)
<i>Dendrobathypathes isocrada</i> Opresco, 2002 II SCHIZOPATHIDAE (Anthozoa)	<i>Dendrophyllia arbuscula</i> van der Horst, 1922 II DENDROPHYLLIIDAE (Anthozoa)
<i>Dendrocygna arborea</i> (Linnaeus, 1758) II ANATIDAE (Aves) (E) Black-billed Wood-Duck, Cuban Tree-Duck, West Indian Tree-Duck, West Indian Whistling-Duck (S) Chiriría caribeña, Pato silbón de Cuba, Suirirí yaguaza (F) Dendrocygne à bec noir, Dendrocygne des Antilles	<i>Dendrophyllia arbuscula compressa</i> van der Horst, 1922 = <i>Dendrophyllia arbuscula</i> van der Horst, 1922
<i>Dendrocygna autumnalis</i> (Linnaeus, 1758) III ANATIDAE (Aves) (E) Black-bellied Whistling-Duck, Red-billed Whistling-Duck (S) Guirirí, Pato silbón ventrinegro, Pijiji aliblanco, Suirirí piquirrojo (F) Dendrocygne à bec rouge, Dendrocygne à ventre noir	<i>Dendrophyllia atrata</i> Dennant, 1906 = <i>Astrangia atrata</i> (Dennant, 1906)
<i>Dendrocygna bicolor</i> (Vieillot, 1816) III ANATIDAE (Aves) (E) Fulvous Tree-Duck, Fulvous Whistling-Duck (S) Pato silbón común, Pijiji canelo, Suirirí bicolor, Suirirí leonado, Yaguaso colorado (F) Dendrocygne fauve	<i>Dendrophyllia aurantiaca</i> (Milne Edwards, 1836) = <i>Tubastraea coccinea</i> Lesson, 1829
<i>Dendrocygna fulva</i> Hartlaub, 1844 = <i>Dendrocygna bicolor</i> (Vieillot, 1816)	<i>Dendrophyllia axifuga</i> Milne Edwards & Haime, 1848 = <i>Duncanopsammia axifuga</i> (Milne Edwards & Haime, 1848)
Dendrocygne à bec noir (F): <i>Dendrocygna arborea</i>	<i>Dendrophyllia boschmai</i> van der Horst, 1926 II DENDROPHYLLIIDAE (Anthozoa)
Dendrocygne à bec rouge (F): <i>Dendrocygna autumnalis</i>	<i>Dendrophyllia californica</i> Durham, 1947 II DENDROPHYLLIIDAE (Anthozoa)
Dendrocygne à ventre noir (F): <i>Dendrocygna autumnalis</i>	<i>Dendrophyllia cladonia</i> van der Horst, 1927 II DENDROPHYLLIIDAE (Anthozoa)
Dendrocygne des Antilles (F): <i>Dendrocygna arborea</i>	<i>Dendrophyllia coarctata</i> Duncan, 1889 = <i>Cladopsammia gracilis</i> (Milne Edwards & Haime, 1848)
Dendrocygne fauve (F): <i>Dendrocygna bicolor</i>	<i>Dendrophyllia coccinea</i> (Hemprich & Ehrenberg, 1834) = <i>Cladopsammia gracilis</i> (Milne Edwards & Haime, 1848)
<i>Dendrogale</i> spp. II TUPAIIDAE (Mammalia)	<i>Dendrophyllia conferta</i> Quelch, 1886 = <i>Dendrophyllia arbuscula</i> van der Horst, 1922
<i>Dendrogale melanura</i> (Thomas, 1892) II TUPAIIDAE (Mammalia) (E) Bornean Smooth-tailed Treeshrew (S)	

- Dendrophyllia cornigera** (Lamarck, 1816) II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia cornucopia** Pourtalès, 1871 =  
*Eguchipsammia cornucopia* (Pourtalès, 1871)
- Dendrophyllia cortezi** Durham & Barnard, 1952 =  
*Dendrophyllia oldroydae* Oldroyd, 1924
- Dendrophyllia cribrosa** Milne Edwards & Haime, 1851 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia cyathoides** Pourtalès, 1871 = *Balanophyllia cyathoides* (Pourtalès, 1871)
- Dendrophyllia danae** Verrill, 1872 = *Tubastraea coccinea* Lesson, 1829
- Dendrophyllia diaphana** Dana, 1846 = *Tubastraea diaphana* (Dana, 1846)
- Dendrophyllia dilatata** van der Horst, 1927 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia ehrenbergiana** (Milne Edwards & Haime, 1848) = *Tubastraea coccinea* Lesson, 1829
- Dendrophyllia elegans** van der Horst, 1922 =  
*Cladopsammia gracilis* (Milne Edwards & Haime, 1848)
- Dendrophyllia erecta** Nemenzo, 1960 = *Dendrophyllia arbuscula* van der Horst, 1922
- Dendrophyllia fistula** (Alcock, 1902) = *Eguchipsammia fistula* (Alcock, 1902)
- Dendrophyllia florulenta** Alcock, 1902 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia futojiku** Ogawa & Takahashi, 2000 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia gaditana** (Duncan, 1873) = *Eguchipsammia gaditana* (Duncan, 1873)
- Dendrophyllia gracilis** Milne Edwards & Haime, 1848 =  
*Cladopsammia gracilis* (Milne Edwards & Haime, 1848)
- Dendrophyllia horsti** Gardiner & Waugh, 1939 =  
*Dendrophyllia arbuscula* van der Horst, 1922
- Dendrophyllia ijimai** Yabe & Eguchi, 1934 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia incisa** (Crossland, 1952) II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia indica** Pillai, 1969 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia japonica** Rehberg, 1892 = *Eguchipsammia japonica* (Rehberg, 1892)
- Dendrophyllia japonica** van der Horst, 1922 =  
*Dendrophyllia boschmai* van der Horst, 1926
- Dendrophyllia johnsoni** Cairns, 1991 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia klonzingeri** van der Horst, 1926 =  
*Dendrophyllia robusta* (Bourne, 1905)
- Dendrophyllia laboreli** Zibrowius & Brito, 1984 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia manni** (Verrill, 1866) = *Tubastraea coccinea* Lesson, 1829
- Dendrophyllia micranthus** (Ehrenberg, 1834) = *Tubastraea micranthus* (Ehrenberg, 1834)
- Dendrophyllia minima** Ogawa & Takahashi, 2000 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia minuscula** Bourne, 1905 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia nigrescens** Dana, 1846 = *Tubastraea micranthus* (Ehrenberg, 1834)
- Dendrophyllia oahensis** Vaughan, 1907 = *Eguchipsammia fistula* (Alcock, 1902)
- Dendrophyllia oldroydae** Oldroyd, 1924 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia oldroydi** Faustino, 1931 = *Dendrophyllia oldroydae* Oldroyd, 1924
- Dendrophyllia palita** Squires & Keyes, 1967 =  
*Dendrophyllia alcocki* (Wells, 1954)
- Dendrophyllia paragracilis** Ogawa & Takahashi, 2000 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia praecipua** (Gardiner & Waugh, 1939) =  
*Eguchipsammia gaditana* (Duncan, 1873)
- Dendrophyllia profunda** (Pourtalès, 1867) =  
*Enallopssammia profunda* (Pourtalès, 1867)
- Dendrophyllia pusilla** Alcock, 1902 = *Enallopssammia pusilla* (Alcock, 1902)
- Dendrophyllia ramea** (Linnaeus, 1758) II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia robusta** (Bourne, 1905) II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia rubeola** Quoy & Gaimard, 1833 = *Culicia rubeola* (Quoy & Gaimard, 1833)
- Dendrophyllia serpentina** Vaughan, 1907 =  
*Eguchipsammia serpentina* (Vaughan, 1907)
- Dendrophyllia sibogae** van der Horst, 1922 = *Tubastraea diaphana* (Dana, 1846)
- Dendrophyllia subcornigera** Eguchi, 1968 = *Dendrophyllia arbuscula* van der Horst, 1922
- Dendrophyllia suprarbuscula** Ogawa & Takahashi, 2000 II DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia surcularis** Verrill, 1869 = *Tubastraea coccinea* Lesson, 1829
- Dendrophyllia turbinata** Nemenzo, 1960 = *Tubastraea coccinea* Lesson, 1829
- Dendrophyllia velata** Crossland, 1952 II  
DENDROPHYLLIIDAE (Anthozoa)
- Dendrophyllia wellsi** Eguchi, 1968 = *Eguchipsammia wellsi* (Eguchi, 1968)
- Dendrophyllia willeyi** (Gardiner, 1899) = *Tubastraea coccinea* Lesson, 1829
- DENDROPHYLLIIDAE spp.** Gray 1847 II (Anthozoa)
- Dendrosimilia nomlandi** Durham & Barnard, 1952 =  
*Lophelia pertusa* (Linnaeus, 1758)
- Dent de cochon poreuse (F): *Balanophyllia floridana*
- Deratoptera alfredi** (Krefft, 1868) = *Manta alfredi* Krefft, 1868
- Dermatemyde de Mawe (F): *Dermatemys mawii*
- Dermatemys abnormis** Cope, 1868 = *Dermatemys mawii* Gray, 1847
- Dermatemys mawii** Gray, 1847 II DERMATEMYDIDAE (Reptilia) (E) Central American River Turtle (S) Plana, Tortuga blanca (F) Dermatemyde de Mawe, Tortue De Tabasco
- Dermatemys salvini** Gray, 1870 = *Dermatemys mawii* Gray, 1847
- Dermatochelys atlantica** Duméril and Bibron, 1835 =  
*Dermochelys coriacea* (Vandelli, 1761)
- Dermatochelys porcata** Wagler, 1830 = *Dermochelys coriacea* (Vandelli, 1761)

- Dermochelys coriacea** (Vandelli, 1761) I  
 DERMOCHELYIDAE (Reptilia) (E) Leatherback, Leatherback Turtle, Leathery Turtle, Luth, Luth Turtle, Trunkback Turtle (S) Canal, Tinglada, Tortuga laud (F) Tortue Luth
- Deroptyus spp.** II 29 PSITTACIDAE (Aves)
- Deroptyus accipitrinus** (Linnaeus, 1758) II 29  
 PSITTACIDAE (Aves) (E) Hawk-headed Parrot, Red-fan Parrot (S) Loro cacique (F) Papegeai maillé
- Desmophyllum spp.** Ehrenberg 1834 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Desmophyllum alabastrum* Alcock, 1902 = *Javania lamprotichum* (Moseley, 1880)
- Desmophyllum antarcticum* Gravier, 1914 = *Javania antarctica* (Gravier, 1914)
- Desmophyllum cailleti* Duchassaing & Michelotti, 1864 = *Javania cailleti* (Duchassaing & Michelotti, 1864)
- Desmophyllum capense* (Gardiner, 1904) = *Caryophyllia capensis* Gardiner, 1904
- Desmophyllum costatum* Milne Edwards & Haime, 1848 = *Desmophyllum dianthus* (Esper, 1794)
- Desmophyllum cristagalli* Milne Edwards & Haime, 1848 = *Desmophyllum dianthus* (Esper, 1794)
- Desmophyllum cumingii* Milne Edwards & Haime, 1848 = *Desmophyllum dianthus* (Esper, 1794)
- Desmophyllum delicatum* Yabe & Eguchi, 1942 = *Javania cailleti* (Duchassaing & Michelotti, 1864)
- Desmophyllum dianthus** (Esper, 1794) II  
 CARYOPHYLLIIDAE (Anthozoa) (E) Cockscomb Cup Coral (S) Coral cresta de gallo
- Desmophyllum eburneum* (Pourtalès, 1871) = *Javania cailleti* (Duchassaing & Michelotti, 1864)
- Desmophyllum galapagense* Vaughan, 1906 = *Javania cailleti* (Duchassaing & Michelotti, 1864)
- Desmophyllum gasti* Döderlein, 1913 = *Thalamophyllia gasti* (Döderlein, 1913)
- Desmophyllum incertum* Duchassaing & Michelotti, 1860 = *Oxysmilia rotundifolia* (Milne Edwards & Haime, 1848)
- Desmophyllum ingens* Moseley, 1881 = *Desmophyllum dianthus* (Esper, 1794)
- Desmophyllum insignis* (Duncan, 1876) = *Javania insignis* Duncan, 1876
- Desmophyllum lamprotichum* Moseley, 1880 = *Javania lamprotichum* (Moseley, 1880)
- Desmophyllum nobile* Verrill, 1885 = *Javania cailleti* (Duchassaing & Michelotti, 1864)
- Desmophyllum riisei* Duchassaing & Michelotti, 1860 = *Thalamophyllia riisei* (Duchassaing & Michelotti, 1860)
- Desmophyllum serpuliforme* Gravier, 1915 = *Desmophyllum dianthus* (Esper, 1794)
- Desmophyllum simplex* Verrill, 1870 = *Thalamophyllia riisei* (Duchassaing & Michelotti, 1860)
- Desmophyllum solidum* Pourtalès, 1871 = *Thalamophyllia riisei* (Duchassaing & Michelotti, 1860)
- Desmophyllum striatum** Cairns, 1979 II  
 CARYOPHYLLIIDAE (Anthozoa) (E) Striated Cup Coral (S) Coral tazón estriado
- Desmophyllum tenuescens* Gardiner, 1899 = *Thalamophyllia tenuescens* (Gardiner, 1899)
- Desmophyllum vitreum* Alcock, 1898 = *Javania cailleti* (Duchassaing & Michelotti, 1864)  
 Devil-fish (E): *Eschrichtius robustus*  
 Devorador de hombres (S): *Carcharodon carcharias*  
 Dhaman (E): *Ptyas mucosus*  
 Dhole (F): *Cuon alpinus*  
 Dhole (E): *Cuon alpinus*  
 Diamant à bavette (F): *Poephila cincta*  
 Diamante colidorado (S): *Amazilia brevirostris*  
 Diamante gargantiverde (S): *Amazilia fimbriata*  
 Diamante multicolor (S): *Amazilia versicolor*  
 Diamante pechizafiro (S): *Amazilia lactea*  
 Diamante ventriblanco (S): *Amazilia leucogaster*  
 Diana (S): *Cercopithecus diana*  
*Diaseris crispa* Pourtalès, 1871 = *Fungiacyathus crispus* (Pourtalès, 1871)  
*Diaseris distorta* (Michelin, 1842) = *Fungia distorta* Michelin, 1842  
*Diaseris fragilis* Alcock, 1893 = *Fungia fragilis* (Alcock, 1893)  
*Diaseris freycineti* Milne Edwards & Haime, 1851 = *Fungia sinensis* (Milne Edwards & Haime, 1851)  
*Diaseris pulchella* Verrill, 1866 = *Fungia distorta* Michelin, 1842  
*Diaseris pusilla* Pourtalès, 1868 = *Fungiacyathus pusillus* (Pourtalès, 1868)  

**Dicerorhinus spp.** I RHINOCEROTIDAE (Mammalia)

**Dicerorhinus sumatrensis** (G. Fischer, 1814) I  
 RHINOCEROTIDAE (Mammalia) (E) Hairy Rhinoceros, Sumatran Rhinoceros (S) Rinoceronte de Sumatra (F) Rhinocéros de Sumatra

**Diceros spp.** I RHINOCEROTIDAE (Mammalia)

**Diceros bicornis** (Linnaeus, 1758) I RHINOCEROTIDAE (Mammalia) (E) Black Rhinoceros, Browse Rhinoceros, Hook-lipped Rhinoceros (S) Rinoceronte negro (F) Rhinocéros noir

**Dichocoenia spp.** Milne Edwards & Haime 1848 II  
 MEANDRINIIDAE (Anthozoa)

**Dichocoenia stellaris** Milne Edwards & Haime, 1848 II  
 MEANDRINIIDAE (Anthozoa) (E) Elliptical Star Coral, Pancake Star Coral (S) Coral aplastado

**Dichocoenia stokesii** Milne Edwards & Haime, 1848 II  
 MEANDRINIIDAE (Anthozoa) (E) Elliptical Star Coral, Pineapple Coral (S) Coral piña (F) Corail étoile elliptique

**Dichopsammia spp.** Song 1994 II DENDROPHYLLIIDAE (Anthozoa)

**Dichopsammia granulosa** Song, 1994 II  
 DENDROPHYLLIIDAE (Anthozoa)

*Dicotyles tajacu* (Linnaeus, 1758) = *Pecari tajacu* (Linnaeus, 1758)

*Dicranosaura bifurca crassicornis* (Kuhl, 1820) = *Furcifer bifidus* (Brongniart, 1800)

*Dicroglossus tigerinus* (Daudin, 1802) = *Hoplobatrachus tigerinus* (Daudin, 1802)

*Dicroglossus tigrinus* Deckert, 1938 = *Hoplobatrachus tigerinus* (Daudin, 1802)

*Didermocerus sumatrensis* (G. Fischer, 1814) = *Dicerorhinus sumatrensis* (G. Fischer, 1814)

Dienton (S): *Pristis microdon*

- Dindon ocellé (F): *Meleagris ocellata*
- Dinectus truncatus* Rafinesque, 1818 = *Acipenser fulvescens* Rafinesque, 1817
- Diopsittaca* spp.** II 29 PSITTACIDAE (Aves)
- Diopsittaca nobilis*** (Linnaeus, 1758) II 29 PSITTACIDAE (Aves) (E) Hahn's Macaw, Noble Macaw, Red-shouldered Macaw (S) Guacamayo enano, Guacamayo noble (F) Ara noble, Petit perruche-ara
- Diostedé pico acanelado (S): *Ramphastos vitellinus*
- Diphyllodes* spp.** II PARADISAEIDAE (Aves)
- Diphyllodes magnificus*** (Pennant, 1781) II PARADISAEIDAE (Aves) (E) Magnificent Bird-of-paradise (F) Paradisier magnifique
- Diphyllodes respublica*** (Bonaparte, 1850) II PARADISAEIDAE (Aves) (E) Wilson's Bird-of-paradise (F) Paradisier républicain
- Diploastrea* spp.** Matthai 1914 II FAVIIDAE (Anthozoa)
- Diploastrea glauropsis* (Dana, 1846) = *Diploastrea heliopora* (Lamarck, 1816)
- Diploastrea heliopora*** (Lamarck, 1816) II FAVIIDAE (Anthozoa)
- Diploastrea patula* (Dana, 1846) = *Diploastrea heliopora* (Lamarck, 1816)
- Diplohelia eburnea* Koch, 1886 = *Schizoculina fissipara* (Milne Edwards & Haime, 1850)
- Diplohelia profunda* Pourtalès, 1867 = *Enallopssammia profunda* (Pourtales, 1867)
- Diploria* spp.** Milne Edwards & Haime 1848 II FAVIIDAE (Anthozoa)
- Diploria cerebriformis* (Lamarck, 1816) = *Diploria labyrinthiformis* (Linnaeus, 1758)
- Diploria clivosa*** (Ellis & Solander, 1786) II FAVIIDAE (Anthozoa) (E) Knobby Brain Coral (S) Coral cerebro verrugoso (F) Corail cerveau bosselé
- Diploria geographica* Whitfield, 1901 = *Diploria labyrinthiformis* (Linnaeus, 1758)
- Diploria labyrinthiformis*** (Linnaeus, 1758) II FAVIIDAE (Anthozoa) (E) Common Brain Coral, Grooved Brain Coral (S) Coral cerebro surcado (F) Cerveau de neptune
- Diploria mammosa* (Dana, 1846) = *Diploria clivosa* (Ellis & Solander, 1786)
- Diploria stokesii* Milne Edwards & Haime, 1849 = *Diploria labyrinthiformis* (Linnaeus, 1758)
- Diploria strigosa*** (Dana, 1846) II FAVIIDAE (Anthozoa) (E) Symmetrical Brain Coral (S) Coral cerebro parejo (F) Corail cerveau symétrique
- Dipneuste (F): *Neoceratodus forsteri*
- Dipnoo (S): *Neoceratodus forsteri*
- Dipsastrea solida* Blainville, 1830 = *Goniastrea edwardsi* Chevalier, 1972
- Dipsochelys abrupta* (Grandidier, 1868) = *Aldabrachelys gigantea* (Schweigger, 1812)
- Dipsochelys arnoldi* Bour, 1982 = *Aldabrachelys gigantea* (Schweigger, 1812)
- Dipsochelys daudinii* (Duméril & Bibron, 1835) = *Aldabrachelys gigantea* (Schweigger, 1812)
- Dipsochelys dussumieri* (Gray, 1831) = *Aldabrachelys gigantea* (Schweigger, 1812)
- Dipsochelys elephantina* (Duméril & Bibron, 1835) = *Aldabrachelys gigantea* (Schweigger, 1812)
- Dipsochelys grandidieri* (Vallant, 1885) = *Aldabrachelys gigantea* (Schweigger, 1812)
- Dipsochelys hololissa* (Günther, 1877) = *Aldabrachelys gigantea* (Schweigger, 1812)
- Discophus antongili* Guibé, 1978 = *Dyscophus antongili* Grandidier, 1877
- Discophus antongili* (Grandidier, 1877) = *Dyscophus antongili* Grandidier, 1877
- Discophus antongili* Guibé, 1950 "1948" = *Dyscophus antongili* Grandidier, 1877
- Discosura* spp.** II TROCHILIDAE (Aves)
- Discosura conversii*** (Bourcier & Mulsant, 1846) II TROCHILIDAE (Aves) (E) Green Thorntail (S) Colacerda verde, Rabudito verde (F) Coquette à queue fine
- Discosura langsdorffii*** (Temminck, 1821) II TROCHILIDAE (Aves) (E) Black-bellied Thorntail (S) Colacerda ventrínegra, Coqueta cola de Lira, Rabudito ventrínegro (F) Coquette de Langsdorff
- Discosura letitia*** (Bourcier & Mulsant, 1852) II TROCHILIDAE (Aves) (E) Coppery Thorntail (S) Rabudito cobrizo (F) Coquette de Létitia
- Discosura longicauda* (Gmelin, 1788) = *Discosura longicaudus* (Gmelin, 1788)
- Discosura longicaudus*** (Gmelin, 1788) II TROCHILIDAE (Aves) (E) Racket-tailed Coquette (S) Coqueta cola raqueta, Rabudito de raquetas (F) Coquette à raquettes
- Discosura popelairii*** (DuBus & Gisignies, 1846) II TROCHILIDAE (Aves) (E) Wire-crested Thorntail (S) Colacerda crestada, Rabudito crestado (F) Coquette de Popelaire
- Discotrochus dentatus* Alcock, 1902 = *Anthemiphyllia dentata* (Alcock, 1902)
- Discotrochus minimus* Yabe & Eguchi, 1937 = *Peponocyathus minimus* (Yabe & Eguchi, 1937)
- Distichopathe* spp.** Opresko, 2004 II APHANIPATHIDAE (Anthozoa)
- Distichopathe disticha*** Opresko, 2004 II APHANIPATHIDAE (Anthozoa)
- Distichopathe filix*** (Pourtales, 1867) II APHANIPATHIDAE (Anthozoa)
- Distichopora* spp.** Lamarck 1816 II STYLASTERIDAE (Hydrozoa)
- Distichopora allnuttii* Wright, 1882 = *Distichopora nitida* Verrill, 1864
- Distichopora anceps*** Cairns, 1978 II STYLASTERIDAE (Hydrozoa)
- Distichopora anomala*** Cairns, 1986 II STYLASTERIDAE (Hydrozoa)
- Distichopora asulcata*** Cairns, 2005 II STYLASTERIDAE (Hydrozoa)
- Distichopora barbadensis*** Pourtales, 1874 II STYLASTERIDAE (Hydrozoa)
- Distichopora borealis*** Fisher, 1938 II STYLASTERIDAE (Hydrozoa)
- Distichopora brasseyae* Wright, 1882 = *Distichopora nitida* Verrill, 1864

<i>Distichopora breviserialis</i> Quelch, 1884 = <i>Distichopora nitida</i> Verrill, 1864	<i>Distichopora yucatanensis</i> Cairns, 1986 II STYLASTERIDAE (Hydrozoa)
<b><i>Distichopora cervina</i></b> Pourtalès, 1871 II STYLASTERIDAE (Hydrozoa) (E) Staghorn Hydrocoral (S) Hidrocoral cuerno de ciervo	Dob (F): <i>Uromastyx acanthinura</i> <i>Doederleinia irregularis</i> Gardiner, 1909 = <i>Sandalolitha robusta</i> (Quelch, 1886)
<i>Distichopora cinnabrina</i> Nardo, 1844 = <i>Distichopora violacea</i> (Pallas, 1766)	<i>Doederleinia sluiteri van der Horst</i> , 1921 = <i>Sandalolitha dentata</i> Quelch, 1884
<b><i>Distichopora coccinea</i></b> Gray, 1860 II STYLASTERIDAE (Hydrozoa)	<i>Dogania guentheri</i> Gray, 1862 = <i>Dogania subplana</i> (Geoffroy Saint-Hilaire, 1809)
<i>Distichopora conferta</i> Quelch, 1885 = <i>Distichopora gracilis</i> Dana, 1846	<b><i>Dogania subplana</i></b> (Geoffroy Saint-Hilaire, 1809) II TRIONYCHIDAE (Reptilia) (E) Malayan Softshell Turtle
<b><i>Distichopora contorta</i></b> Pourtalès, 1878 II STYLASTERIDAE (Hydrozoa)	Dog, Asiatic Wild (E): <i>Cuon alpinus</i> dog, Blue (E): <i>Lamna nasus</i>
<b><i>Distichopora dispar</i></b> Cairns, 1991 II STYLASTERIDAE (Hydrozoa)	Dog, Bush (E): <i>Speothos venaticus</i> Dog, Indian Wild (E): <i>Cuon alpinus</i>
<i>Distichopora fisheri</i> Broch, 1942 = <i>Distichopora violacea</i> (Pallas, 1766)	Dog, Red (E): <i>Cuon alpinus</i> Dog, Savannah (E): <i>Speothos venaticus</i>
<b><i>Distichopora foliacea</i></b> Pourtalès, 1868 II STYLASTERIDAE (Hydrozoa)	Dolphin, Amazon River (E): <i>Inia geoffrensis</i> Dolphin, Atlantic (E): <i>Delphinus delphis</i>
<i>Distichopora fragilis</i> Quelch, 1885 = <i>Distichopora gracilis</i> Dana, 1846	Dolphin, Atlantic Humpbacked (E): <i>Sousa teuszii</i> Dolphin, Atlantic Spinner (E): <i>Stenella clymene</i>
<i>Distichopora fulvacea</i> Michelin, 1862 = <i>Distichopora violacea</i> (Pallas, 1766)	Dolphin, Atlantic Spotted (E): <i>Stenella frontalis</i> Dolphin, Atlantic White-sided (E): <i>Lagenorhynchus acutus</i>
<b><i>Distichopora gracilis</i></b> Dana, 1846 II STYLASTERIDAE (Hydrozoa)	Dolphin, Australian Snubfin (E): <i>Orcaella heinsohni</i> Dolphin, Benguela (E): <i>Cephalorhynchus heavisidii</i>
<i>Distichopora granulosa</i> Quelch, 1885 = <i>Distichopora gracilis</i> Dana, 1846	Dolphin, Black (E): <i>Cephalorhynchus eutropia</i> Dolphin, Blackchin (E): <i>Lagenorhynchus australis</i>
<b><i>Distichopora irregularis</i></b> Moseley, 1879 II STYLASTERIDAE (Hydrozoa)	Dolphin, Bottlenose (E): <i>Tursiops truncatus</i> Dolphin, Bottle-nosed (E): <i>Tursiops truncatus</i>
<b><i>Distichopora laevigranulosa</i></b> Cairns, 1986 II STYLASTERIDAE (Hydrozoa)	Dolphin, Bridled (E): <i>Stenella attenuata</i> Dolphin, Changjiang (E): <i>Lipotes vexillifer</i>
<b><i>Distichopora livida</i></b> Tenison-Woods, 1880 II STYLASTERIDAE (Hydrozoa)	Dolphin, Chilean (E): <i>Cephalorhynchus eutropia</i> Dolphin, Chinese Lake (E): <i>Lipotes vexillifer</i>
<i>Distichopora milesii</i> Quelch, 1885 = <i>Distichopora gracilis</i> Dana, 1846	Dolphin, Chinese White (E): <i>Sousa chinensis</i> Dolphin, Clymene (E): <i>Stenella clymene</i>
<b><i>Distichopora nitida</i></b> Verrill, 1864 II STYLASTERIDAE (Hydrozoa)	Dolphin, Commerson's (E): <i>Cephalorhynchus commersonii</i> Dolphin, Common (E): <i>Delphinus delphis</i>
<i>Distichopora ochracea</i> Quelch, 1884 = <i>Distichopora nitida</i> Verrill, 1864	Dolphin, Dusky (E): <i>Lagenorhynchus obscurus</i> Dolphin, Estuarine (E): <i>Sotalia fluviatilis</i>
<b><i>Distichopora profunda</i></b> Hickson & England, 1909 II STYLASTERIDAE (Hydrozoa)	Dolphin, Euphydryne (E): <i>Stenella coeruleoalba</i> Dolphin, Fraser's (E): <i>Lagenodelphis hosei</i>
<b><i>Distichopora providentiae</i></b> (Hickson & England, 1909) II STYLASTERIDAE (Hydrozoa)	Dolphin, Ganges River (E): <i>Platanista gangetica</i> Dolphin, Grey (E): <i>Sotalia fluviatilis</i>
<b><i>Distichopora robusta</i></b> Lindner, Cairns & Guzman, 2004 II STYLASTERIDAE (Hydrozoa)	Dolphin, Grey (E): <i>Grampus griseus</i> dolphin, Guiana (E): <i>Sotalia guianensis</i>
<b><i>Distichopora rosalindae</i></b> Cairns, 1986 II STYLASTERIDAE (Hydrozoa)	Dolphin, Guianian River (E): <i>Sotalia guianensis</i> Dolphin, Heaviside's (E): <i>Cephalorhynchus heavisidii</i>
<i>Distichopora rosea</i> Kent, 1871 = <i>Distichopora violacea</i> (Pallas, 1766)	Dolphin, Hector's (E): <i>Cephalorhynchus hectori</i> Dolphin, Helmet (E): <i>Stenella clymene</i>
<b><i>Distichopora serpens</i></b> Broch, 1942 II STYLASTERIDAE (Hydrozoa)	Dolphin, Hourglass (E): <i>Lagenorhynchus cruciger</i> Dolphin, Indian Ocean Bottlenose (E): <i>Tursiops aduncus</i>
<b><i>Distichopora sulcata</i></b> Pourtalès, 1867 II STYLASTERIDAE (Hydrozoa)	Dolphin, Indo-Pacific Bottle-nosed (E): <i>Tursiops aduncus</i> Dolphin, Indo-Pacific Humpbacked (E): <i>Sousa chinensis</i>
<b><i>Distichopora uniserialis</i></b> Cairns, 1986 II STYLASTERIDAE (Hydrozoa)	Dolphin, Irrawaddy (E): <i>Orcaella brevirostris</i> Dolphin, La Plata River (E): <i>Pontoporia blainvillei</i>
<b><i>Distichopora veroorti</i></b> Cairns & Hoeksema, 1999 II STYLASTERIDAE (Hydrozoa)	Dolphin, Long-beaked (E): <i>Stenella longirostris</i> Dolphin, Long-beaked Bottlenose (E): <i>Tursiops aduncus</i>
<b><i>Distichopora violacea</i></b> (Pallas, 1766) II STYLASTERIDAE (Hydrozoa)	Dolphin, Long-beaked Common (E): <i>Delphinus capensis</i> Dolphin, Long-snouted (E): <i>Stenella longirostris</i>

- Dolphin, Narrow-snouted (E): *Stenella attenuata*  
 Dolphin, New Zealand (E): *Cephalorhynchus hectori*  
 Dolphin, Northern Right Whale (E): *Lissodelphis borealis*  
 Dolphin, Pacific (E): *Delphinus delphis*  
 Dolphin, Pacific White-sided (E): *Lagenorhynchus obliquidens*  
 Dolphin, Pantropical Spotted (E): *Stenella attenuata*  
 Dolphin, Peale's (E): *Lagenorhynchus australis*  
 Dolphin, Piebald (E): *Cephalorhynchus commersonii*  
 Dolphin, Risso's (E): *Grampus griseus*  
 Dolphin, Rough-toothed (E): *Steno bredanensis*  
 Dolphins (E): *Delphinidae*  
 Dolphin, Saddle-backed (E): *Delphinus delphis*  
 Dolphin, Sarawak (E): *Lagenodelphis hosei*  
 Dolphin, Short-beaked Bottlenose (E): *Tursiops truncatus*  
 Dolphin, Short-beaked Saddleback (E): *Delphinus delphis*  
 Dolphin, Snubfin (E): *Orcaella brevirostris*  
 Dolphin, Southern Right Whale (E): *Lissodelphis peronii*  
 Dolphin, Spinner (E): *Stenella longirostris*  
 Dolphins, River (E): *Platanistidae*  
 Dolphins, River (E): *Iniidae*  
 Dolphin, Striped (E): *Stenella coeruleoalba*  
 Dolphin, White-beaked (E): *Lagenorhynchus albirostris*  
 Dolphin, White-bellied (E): *Cephalorhynchus eutropia*  
 Dolphin, Whitefin (E): *Lipotes vexillifer*  
 Dolphin, White Flag (E): *Lipotes vexillifer*  
 Dolphin, White-headed (E): *Cephalorhynchus hectori*  
 Dolphin, Yangtze River (E): *Lipotes vexillifer*  
*Domicella albidiunucha* Rothschild & Hartert, 1924 = *Lorius albidiunucha* (Rothschild & Hartert, 1924)  
*Domicella amabilis* (Stresemann, 1931) = *Lorius hypoinochrous* G. R. Gray, 1859  
*Domicella chlorocercus* (Gould, 1856) = *Lorius chlorocercus* Gould, 1856  
*Domicella domicella* (Linnaeus, 1758) = *Lorius domicella* (Linnaeus, 1758)  
*Domicella garrula* (Linnaeus, 1758) = *Lorius garrulus* (Linnaeus, 1758)  
*Domicella hypoinochroa* (G. R. Gray, 1859) = *Lorius hypoinochrous* G. R. Gray, 1859  
*Domicella lory* (Linnaeus, 1758) = *Lorius lory* (Linnaeus, 1758)  
*Domicella tibialis* (Sclater, 1871) = *Lorius domicella* (Linnaeus, 1758)  
*Domoseris porosa* Quelch, 1886 = *Leptoseris solida* (Quelch, 1886)  
*Domoseris regularis* Quelch, 1886 = *Leptoseris scabra* Vaughan, 1907  
*Domoseris solida* Quelch, 1886 = *Leptoseris solida* (Quelch, 1886)  
***Doricha* spp. II** TROCHILIDAE (Aves)  
*Doricha bryantae* Lawrence, 1867 = *Calliphlox bryantae* (Lawrence, 1867)  
***Doricha eliza*** (Lesson & DeLattre, 1839) II  
 TROCHILIDAE (Aves) (E) Mexican Sheartail (S) Colibrí de Elisa, Tijereta yucateca (F) Colibri élise  
***Doricha enicura*** (Vieillot, 1818) II TROCHILIDAE (Aves) (E) Slender Sheartail (S) Colibrí colirraro, Tijereta centroamericana (F) Colibri à queue singulière  
***Doryfera* spp. II** TROCHILIDAE (Aves)  
***Doryfera johannae*** (Bourcier, 1847) II TROCHILIDAE (Aves) (E) Blue-fronted Lancebill (S) Colibrí picolanza menor, Pico lanza frentiazul (F) Porte-lance de Jeanne  
***Doryfera ludovicae*** (Bourcier & Mulsant, 1847) II TROCHILIDAE (Aves) (E) Green-fronted Lancebill (S) Colibrí picolanza mayor, Pico lanza frentiverde (F) Porte-lance de Louise  
 Douc (F): *Pygathrix nemaeus*  
 Douc (E): *Pygathrix nemaeus*  
 Douroucouli (F): *Aotus trivirgatus*  
 Douroucouli (E): *Aotus trivirgatus*  
 Dove, Bleeding-heart (E): *Gallicolumba luzonica*  
 Dove, Nicobar (E): *Caloenas nicobarica*  
*Dracaena* spp. Daudin, 1802 II TEIIDAE (Reptilia)  
*Dracaena guianensis* Daudin, 1802 II TEIIDAE (Reptilia) (E) Armoured Teyou, Croco-Teju, Four-foot Caiman, Guyanan Caiman Lizard, Jacuruxi (F) Dracène de Guyane, Lézard-caïman de Guyane  
*Dracaena paraguayensis* Amaral, 1950 II TEIIDAE (Reptilia) (E) Paraguayan Caiman Lizard (F) Dracène du Paraguay, Lézard-caïman du Paraguay  
 Dracène de Guyane (F): *Dracaena guianensis*  
 Dracène du Paraguay (F): *Dracaena paraguayensis*  
 Dragón (S): *Xanthopsar flavus*  
 Dragón de Komodo (S): *Varanus komodoensis*  
 Dragon des Komodos (F): *Varanus komodoensis*  
 Dragonfish (E): *Scleropages formosus*  
 Dragon, Komodo (E): *Varanus komodoensis*  
***Drepanornis* spp. II** PARADISAEIDAE (Aves)  
***Drepanornis alberti*** Sclater, 1873 II PARADISAEIDAE (Aves) (E) Black-billed Sicklebill, Buff-tailed Sicklebill (F) Drépanornis d'Albertis, Paradisier d'Albertis  
***Drepanornis bruijnii*** Oustalet, 1880 II PARADISAEIDAE (Aves) (E) Pale-billed Sicklebill, White-billed Sicklebill (F) Drépanornis de Bruijn, Paradisier à bec blanc  
 Drépanornis d'Albertis (F): *Drepanornis alberti*  
 Drépanornis de Bruijn (F): *Drepanornis bruijnii*  
 Drill (S): *Mandrillus leucophaeus*  
 Drill (F): *Mandrillus leucophaeus*  
 Drill (S): *Mandrillus leucophaeus*  
 Drill (E): *Mandrillus leucophaeus*  
 Droguera (F): *Papio hamadryas*  
*Dromus dromas* (I. Lea, 1834) I UNIONIDAE (Bivalvia) (E) Dromedary Naiad, Dromedary Pearly Mussel  
 Dryade à queue fourchue (F): *Thalurania furcata*  
 Dryade couronnée (F): *Thalurania colombica*  
 Dryade de Fanny (F): *Thalurania fannyi*  
 Dryade de Waterton (F): *Thalurania watertonii*  
 Dryade du Mexique (F): *Thalurania ridgwayi*  
 Dryade glaucope (F): *Thalurania glaucoptis*  
***Dryocopus javensis*** (Horsfield, 1821) I/NC PICIDAE (Aves) (E) White-bellied Woodpecker (F) Pic à ventre blanc  
***Dryocopus javensis richardsi*** Tristram, 1879 I PICIDAE (Aves) (E) Tristram's Woodpecker (S) Pito de vientre blanco de Corea, Pito ventriblanco de Corea (F) Pic à ventre blanc de Corée, Pic de Tristram  
***Dryotriorchis* spp. II** 27 ACCIPITRIDAE (Aves)  
***Dryotriorchis spectabilis*** (Schlegel, 1863) II 27 ACCIPITRIDAE (Aves) (E) African Serpent-Eagle,

Congo Serpent-Eagle (S) Águila culebrera colilarga, Culebrera congolesa (F) Aigle serpentaire, Serpentaire du Congo	<b>Dunocyathus wallaceae</b> Cairns, 2004 II TURBINOLIIDAE (Anthozoa)
Duc à aigrettes (F): <i>Lophostrix cristata</i>	Durisse (F): <i>Crotalus durissus</i>
Duc à crinière (F): <i>Jubula lettii</i>	<i>Dusicyon culpaeus</i> Molina, 1782 = <i>Lycalopex culpaeus</i> (Molina, 1782)
Duck, Comb (E): <i>Sarkidiornis melanotos</i>	<i>Dusicyon griseus</i> Gray, 1837 = <i>Lycalopex griseus</i> (Gray, 1837)
Duck, Laysan (E): <i>Anas laysanensis</i>	<i>Dusicyon gymnocercus</i> (G. Fischer, 1814) = <i>Lycalopex</i> <i>gymnocercus</i> (G. Fischer, 1814)
Duck, Muscovy (E): <i>Cairina moschata</i>	<i>Dusicyon thous</i> (Linnaeus, 1766) = <i>Cerdocyon thous</i> (Linnaeus, 1766)
Duck, New Zealand Brown (E): <i>Anas chlorotis</i>	<b>Dynastes satanas</b> Moser, 1909 II SCARABAEIDAE (Insecta) (E) Satanás beetle (S) Escarabajo rompecocos
Duck, Pink-headed (E): <i>Rhodonessa caryophyllacea</i>	<b>Dyscophus antongilii</b> Grandidier, 1877 I MICROHYLIDAE (Amphibia) (E) Tomato Frog (F) Crabaud rouge de Madagascar, Grenouille tomate
Duck, White-headed (E): <i>Oxyura leucocephala</i>	<i>Dyscophus antongilii</i> Boulenger, 1882 = <i>Dyscophus</i> <i>antongilii</i> Grandidier, 1877
Duck, White-winged (E): <i>Asarcornis scutulata</i>	<i>Dyscophus antongilii</i> var. <i>pallidus</i> Mocquard, 1895 = <i>Dyscophus antongilii</i> Grandidier, 1877
Duck, White-winged Wood (E): <i>Asarcornis scutulata</i>	<i>Dyscophus insularis</i> <i>antongilii</i> Grandidier, 1872 = <i>Dyscophus antongilii</i> Grandidier, 1877
Dúcula de Mindoro (S): <i>Ducula mindorensis</i>	<i>Dyscophus insularis</i> <i>pallidus</i> Grandidier, 1872 = <i>Dyscophus antongilii</i> Grandidier, 1877
<b>Ducula mindorensis</b> (Whitehead, 1896) I COLUMBIDAE (Aves) (E) Mindoro Imperial-Pigeon, Mindoro	<i>Dyscophus insularis</i> var. <i>antongilii</i> Grandidier, 1877 = <i>Dyscophus antongilii</i> Grandidier, 1877
Zone-tailed Pigeon (S) Dúcula de Mindoro, Paloma de Mindoro (F) Carpophage de Mindoro, Pigeon de Mindoro	<i>Dyscophus insularis</i> var. <i>pallidus</i> Grandidier, 1877 = <i>Dyscophus antongilii</i> Grandidier, 1877
<i>Dugesiella epicureana</i> (Chamberlin, 1925) = <i>Brachypelma</i> <i>epicureanum</i> (Chamberlin, 1925)	<i>Dyscophus insularis</i> var. <i>antongilii</i> Grandidier, 1877 = <i>Dyscophus antongilii</i> Grandidier, 1877
Dugon (S): <i>Dugong dugon</i>	<i>Dyscophus insularis</i> var. <i>var.</i> <i>pallidus</i> Grandidier, 1877 = <i>Dyscophus antongilii</i> Grandidier, 1877
Dugong (F): <i>Dugong dugon</i>	<i>Dyscophus sanguineus</i> Boettger, 1880 = <i>Dyscophus</i> <i>antongilii</i> Grandidier, 1877
Dugong (S): <i>Dugong dugon</i>	<i>Dysnomia florentina</i> <i>curtisi</i> (I. Lea, 1857) = <i>Epioblasma</i> <i>curtisia</i> (Utterback, 1915)
Dugong (E): <i>Dugong dugon</i>	<i>Dysnomia florentina</i> <i>walkeri</i> (I. Lea, 1857) = <i>Epioblasma</i> <i>walkeri</i> (Wilson & Clark, 1914)
<b>Dugong dugon</b> (P. L. S. Müller, 1776) I DUGONGIDAE (Mammalia) (E) Dugong, Sea Cow (S) Dugon, Dugong, Dugongo (F) Dugong	<i>Dysnomia lefevrei</i> (Utterback, 1915) = <i>Epioblasma</i> <i>turgidula</i> (I. Lea, 1858)
Dugongo (S): <i>Dugong dugon</i>	<i>Dysnomia obliquata</i> <i>perobliqua</i> (Rafinesque, 1820) = <i>Epioblasma sulcata</i> <i>perobliqua</i> (Conrad, 1836)
Duiker, Banded (E): <i>Cephalophus zebra</i>	<i>Dysnomia sampsonii</i> (I. Lea, 1861) = <i>Epioblasma</i> <i>sampsonii</i> (I. Lea, 1861)
Duiker, Bay (E): <i>Cephalophus dorsalis</i>	<i>Dysnomia torulosa</i> <i>gubernaculum</i> (Rafinesque, 1820) = <i>Epioblasma torulosa</i> <i>gubernaculum</i> (Reeve, 1865)
Duiker, Blue (E): <i>Philantomba monticola</i>	<i>Dysnomia torulosa</i> <i>rangiana</i> (Rafinesque, 1820) = <i>Epioblasma torulosa</i> <i>rangiana</i> (I. Lea, 1839)
duiker, Brooke's (E): <i>Cephalophus brookei</i>	<i>Dysnomia torulosa</i> <i>torulosa</i> (Rafinesque, 1820) = <i>Epioblasma</i> <i>torulosa</i> <i>torulosa</i> (Rafinesque, 1820)
Duiker, Jentink's (E): <i>Cephalophus jentinki</i>	<i>Dysnomia turgidula</i> (I. Lea, 1858) = <i>Epioblasma</i> <i>turgidula</i> (I. Lea, 1858)
Duiker, Ogilby's (E): <i>Cephalophus ogilbyi</i>	Dziggetai (E): <i>Equus hemionus hemionus</i>
Duiker, Yellow-backed (E): <i>Cephalophus silvicultor</i>	Eagle, Adalbert's (E): <i>Aquila adalberti</i>
Duiker, Zebra (E): <i>Cephalophus zebra</i>	Eagle, African (E): <i>Hieraetus spilogaster</i>
Duiquero azul (S): <i>Philantomba monticola</i>	Eagle, African Black (E): <i>Aquila verreauxii</i>
Duiquero bayo (S): <i>Cephalophus dorsalis</i>	Eagle, African Crowned (E): <i>Stephanoaetus coronatus</i>
Duiquero cebrado (S): <i>Cephalophus zebra</i>	Eagle, American Harpy (E): <i>Harpia harpyja</i>
Duiquero de Jentink (S): <i>Cephalophus jentinki</i>	Eagle, Asian Black (E): <i>Ictinaetus malayensis</i>
Duiquero de lomo amarillo (S): <i>Cephalophus silvicultor</i>	Eagle, Ayres's (E): <i>Hieraetus ayresii</i>
Duiquero de Ogilby (S): <i>Cephalophus ogilbyi</i>	Eagle, Bald (E): <i>Haliaeetus leucocephalus</i>
<i>Dumerilia madagascariensis</i> Grandidier, 1867 = <i>Erymnochelys madagascariensis</i> (Grandidier, 1867)	Eagle, Bateleur (E): <i>Terathopius ecaudatus</i>
<i>Duncania barbadensis</i> Pourtalès, 1874 = <i>Gardineria</i> <i>paradoxa</i> (Pourtalès, 1868)	Eagle, Black (E): <i>Aquila verreauxii</i>
<i>Duncania capensis</i> Gardiner, 1904 = <i>Paraconotrochus</i> <i>capense</i> (Gardiner, 1904)	
<b>Duncanopsammia</b> spp. Wells 1936 II DENDROPHYLLOIDAE (Anthozoa)	
<b>Duncanopsammia axifuga</b> (Milne Edwards & Haime, 1848) II DENDROPHYLLOIDAE (Anthozoa) (E) Whisker Coral	
Dunnart, Long-tailed (E): <i>Sminthopsis longicaudata</i>	
Dunnart, Sandhill (E): <i>Sminthopsis psammophila</i>	
<b>Dunocyathus</b> spp. Tenison-Woods 1878 II TURBINOLIIDAE (Anthozoa)	
<b>Dunocyathus parasiticus</b> Tenison-Woods, 1878 II TURBINOLIIDAE (Anthozoa)	

- Eagle, Black (E): *Ictinaetus malayensis*  
 Eagle, Black-and-chestnut (E): *Oroaetus isidori*  
 Eagle, Black-chested (E): *Geranoaetus melanoleucus*  
 Eagle, Black Solitary (E): *Harpyhaliaetus solitarius*  
 Eagle, Bonelli's (E): *Hieraetus fasciatus*  
 Eagle, Booted (E): *Hieraetus pennatus*  
 Eagle, Crested (E): *Morphnus guianensis*  
 Eagle, Crowned (E): *Stephanoaetus coronatus*  
 Eagle, Crowned (E): *Harpyhaliaetus coronatus*  
 Eagle, Crowned Solitary (E): *Harpyhaliaetus coronatus*  
 Eagle, Eastern Imperial (E): *Aquila heliaca*  
 Eagle, Golden (E): *Aquila chrysaetos*  
 Eagle, Greater Spotted (E): *Aquila clanga*  
 Eagle, Great Philippine (E): *Pithecophaga jefferyi*  
 Eagle, Grey-headed Fishing (E): *Ichthyophaga ichthyaetus*  
 Eagle, Grey Sea (E): *Haliaeetus albicilla*  
 Eagle, Guianan Crested (E): *Morphnus guianensis*  
 Eagle, Gurney's (E): *Aquila gurneyi*  
 Eagle, Harpy (E): *Harpia harpyja*  
 Eagle, Imperial (E): *Aquila heliaca*  
 Eagle, Indian Black (E): *Ictinaetus malayensis*  
 Eagle, Indian Spotted (E): *Aquila hastata*  
 Eagle, Isidor's (E): *Oroaetus isidori*  
 Eagle, Lesser Fishing (E): *Ichthyophaga humilis*  
 Eagle, Lesser Spotted (E): *Aquila pomarina*  
 Eagle, Little (E): *Hieraetus morphnoides*  
 Eagle, Long-crested (E): *Lophaetus occipitalis*  
 Eagle, Martial (E): *Polemaetus bellicosus*  
 Eagle, Monkey-eating (E): *Pithecophaga jefferyi*  
 Eagle, New Guinea (E): *Harpyopsis novaeguineae*  
 Eagle, New Guinea Harpy (E): *Harpyopsis novaeguineae*  
 Eagle, Nicobar Serpent (E): *Spilornis klossi*  
 Eagle-Owl, African (E): *Bubo africanus*  
 Eagle-Owl, Akun (E): *Bubo leucostictus*  
 Eagle-Owl, Banded (E): *Bubo shelleyi*  
 Eagle-Owl, Barred (E): *Bubo sumatrana*  
 Eagle-Owl, Cape (E): *Bubo capensis*  
 Eagle-Owl, Dusky (E): *Bubo coromandus*  
 Eagle-Owl, Eurasian (E): *Bubo bubo*  
 Eagle-Owl, Forest (E): *Bubo nipalensis*  
 Eagle-Owl, Fraser's (E): *Bubo poensis*  
 Eagle-Owl, Giant (E): *Bubo lacteus*  
 Eagle-Owl, Greyish (E): *Bubo cinerascens*  
 Eagle-Owl, Lesser (E): *Mimizuku gurneyi*  
 Eagle-Owl, Mackinder's (E): *Bubo capensis*  
 Eagle-Owl, Milky (E): *Bubo lacteus*  
 Eagle-Owl, Mindanao (E): *Mimizuku gurneyi*  
 Eagle-Owl, Mountain (E): *Bubo capensis*  
 Eagle-Owl, Pharaoh (E): *Bubo ascalaphus*  
 Eagle-Owl, Philippine (E): *Bubo philippensis*  
 Eagle-Owl, Shelley's (E): *Bubo shelleyi*  
 Eagle-Owl, Sooty (E): *Bubo leucostictus*  
 Eagle-Owl, Spot-bellied (E): *Bubo nipalensis*  
 Eagle-Owl, Spotted (E): *Bubo africanus*  
 Eagle-owl, Usambara (E): *Bubo vosseleri*  
 Eagle-Owl, Verreaux's (E): *Bubo lacteus*  
 Eagle, Philippine (E): *Pithecophaga jefferyi*  
 Eagle, Red-backed Sea (E): *Haliastur indus*  
 Eagle, River (E): *Haliaeetus vocifer*  
 Eagle, Rufous-bellied (E): *Hieraetus kienerii*  
 Eagles, Hawks, (E): *Accipitridae*  
 Eagle, Short-toed (E): *Circaetus gallicus*  
 Eagle, Solitary (E): *Harpyhaliaetus solitarius*  
 Eagle, Spanish Imperial (E): *Aquila adalberti*  
 Eagle, Spotted (E): *Aquila clanga*  
 Eagle, Steppe (E): *Aquila nipalensis*  
 Eagle, Tawny (E): *Aquila rapax*  
 Eagle, Verreaux's (E): *Aquila verreauxii*  
 Eagle, Wahlberg's (E): *Hieraetus wahlbergi*  
 Eagle, Wedge-tailed (E): *Aquila audax*  
 Eagle, Whistling (E): *Haliastur sphenurus*  
 Eagle, White-headed (E): *Haliaeetus leucocephalus*  
 Eagle, White-headed Sea (E): *Haliastur indus*  
 Eagle, White-shouldered (E): *Aquila adalberti*  
 Eagle, White-tailed (E): *Haliaeetus albicilla*  
 Eared-Pheasant, Brown (E): *Crossoptilon mantchuricum*  
 Eared-Pheasant, Manchurian (E): *Crossoptilon mantchuricum*  
 Eared-Pheasant, White (E): *Crossoptilon crossoptilon*  
 Echidna, Attenborough's (E): *Zaglossus attenboroughi*  
 Echidna, Barton's (E): *Zaglossus bartoni*  
 Echidna, Long-beaked (E): *Zaglossus bruijni*  
 Echidna, Long-nosed (E): *Zaglossus bruijni*  
 Echidna, New Guinea Long-nosed (E): *Zaglossus bruijni*  
*Echidna russelii* (Shaw & Nodder, 1797) = *Daboia russelii* (Shaw & Nodder, 1797)  
 Echidné à bec courbe (F): *Zaglossus bruijni*  
 Echidné de Bruijn (F): *Zaglossus bruijni*  
 Echidné de Nouvelle-Guinée (F): *Zaglossus bruijni*  
 Echidhos narilargos (S): *Zaglossus bruijni*  
*Echinomorpha nishihirai* (Veron, 1990) = *Echinophyllia nishihirai* Veron, 1990  
***Echinophyllia* spp.** Klunzinger 1879 II PECTINIIDAE (Anthozoa)  
***Echinophyllia aspera*** (Ellis & Solander, 1786) II PECTINIIDAE (Anthozoa) Flat Lettuce Coral  
***Echinophyllia costata*** Fenner & Veron, 2000 II PECTINIIDAE (Anthozoa)  
***Echinophyllia echinata*** (Kent, 1871) II PECTINIIDAE (Anthozoa)  
***Echinophyllia echinoporoides*** Veron & Pichon, 1980 II PECTINIIDAE (Anthozoa)  
*Echinophyllia lacera* (Verrill, 1864) = *Oxypora lacera* (Verrill, 1864)  
***Echinophyllia maxima*** Moll & Best, 1984 II PECTINIIDAE (Anthozoa)  
***Echinophyllia nishihirai*** Veron, 1990 II PECTINIIDAE (Anthozoa)  
***Echinophyllia orpheensis*** Veron & Pichon, 1980 II PECTINIIDAE (Anthozoa)  
***Echinophyllia patula*** (Hodgson & Ross, 1982) II PECTINIIDAE (Anthozoa)  
***Echinophyllia pectinata*** Veron, 2000 II PECTINIIDAE (Anthozoa)  
***Echinophyllia taylorae*** Veron, 2000 II PECTINIIDAE (Anthozoa)  
***Echinophyllia tosaensis*** (Yabe & Eguchi, 1935) II PECTINIIDAE (Anthozoa)  
***Echinopora* spp.** Lamarck 1816 II FAVIIDAE (Anthozoa)

<i>Echinopora ashmorensis</i> Veron, 1990 II FAVIIDAE (Anthozoa)	<i>Echinopora undulata</i> Dana, 1846 = <i>Echinopora lamellosa</i> (Esper, 1791)
<i>Echinopora aspera</i> (Ellis & Solander, 1786) = <i>Echinophyllia aspera</i> (Ellis & Solander, 1786)	<i>Eclectus</i> spp. II <sup>29</sup> PSITTACIDAE (Aves)
<i>Echinopora carduus</i> Klunzinger, 1879 = <i>Echinopora gemmacea</i> (Lamarck, 1816)	<i>Eclectus roratus</i> (P. L. S. Müller, 1776) II <sup>29</sup>
<i>Echinopora concamerata</i> (Forskål, 1775) = <i>Echinopora gemmacea</i> (Lamarck, 1816)	PSITTACIDAE (Aves) (E) Eclectus Parrot (S) Loro ecléctico (F) Grand Eclectus
<i>Echinopora concinna</i> Verrill, 1901 = <i>Echinopora lamellosa</i> (Esper, 1791)	Écureuil de Deppe (F): <i>Sciurus deppei</i>
<i>Echinopora ehrenbergii</i> Milne Edwards & Haime, 1850 = <i>Echinopora gemmacea</i> (Lamarck, 1816)	Écureuil de Raffles (F): <i>Ratufa affinis</i>
<i>Echinopora elegans</i> Verrill, 1901 = <i>Echinopora lamellosa</i> (Esper, 1791)	Écureuil des pins (F): <i>Sciurus deppei</i>
<i>Echinopora flexuosa</i> Verrill, 1864 = <i>Echinopora lamellosa</i> (Esper, 1791)	Écureuil géant commun (F): <i>Ratufa affinis</i>
<i>Echinopora forskaliana</i> (Milne Edwards & Haime, 1849) II FAVIIDAE (Anthozoa)	Écureuil géant de Ceylan (F): <i>Ratufa macroura</i>
<i>Echinopora fruticulosa</i> Klunzinger, 1879 II FAVIIDAE (Anthozoa)	Écureuil géant de l'Inde (F): <i>Ratufa indica</i>
<i>Echinopora gemmacea</i> (Lamarck, 1816) II FAVIIDAE (Anthozoa) (E) Hedgehog Coral	Écureuil géant de Malaisie (F): <i>Ratufa bicolor</i>
<i>Echinopora glabra</i> Chevalier, 1975 = <i>Echinopora mammiformis</i> (Nemenzo, 1959)	Écureuil géant gris (F): <i>Ratufa macroura</i>
<i>Echinopora helli</i> Rousseau, 1854 = <i>Echinopora hirsutissima</i> Milne Edwards & Haime, 1850	Edmi (F): <i>Gazella cuvieri</i>
<i>Echinopora hirsutissima</i> Milne Edwards & Haime, 1850 II FAVIIDAE (Anthozoa)	Eel (E): <i>Anguilla anguilla</i>
<i>Echinopora horrida</i> Dana, 1846 II FAVIIDAE (Anthozoa)	eel, Common (E): <i>Anguilla anguilla</i>
<i>Echinopora irregularis</i> Veron, Turak & DeVantier, 2000 II FAVIIDAE (Anthozoa)	eel, European (E): <i>Anguilla anguilla</i>
<i>Echinopora lamellosa</i> (Esper, 1791) II FAVIIDAE (Anthozoa) (E) Leafy Hedgehog Coral	eel, River (E): <i>Anguilla anguilla</i>
<i>Echinopora litae</i> Nemenzo & Montecillo, 1981 = <i>Echinopora lamellosa</i> (Esper, 1791)	eel, Silver (E): <i>Anguilla anguilla</i>
<i>Echinopora magna</i> Gardiner, 1904 = <i>Echinophyllia aspera</i> (Ellis & Solander, 1786)	eel, Sing (E): <i>Anguilla anguilla</i>
<i>Echinopora mammiformis</i> (Nemenzo, 1959) II FAVIIDAE (Anthozoa)	eel, Weed (E): <i>Anguilla anguilla</i>
<i>Echinopora pacificus</i> Veron, 1990 II FAVIIDAE (Anthozoa)	eel, Yellow (E): <i>Anguilla anguilla</i>
<i>Echinopora reflexa</i> Dana, 1846 = <i>Echinopora lamellosa</i> (Esper, 1791)	Effraie africaine (F): <i>Tyto alba</i>
<i>Echinopora robusta</i> Veron, 2000 II FAVIIDAE (Anthozoa)	Effraie de Manus (F): <i>Tyto manusi</i>
<i>Echinopora rosularia</i> Lamarck, 1816 = <i>Echinopora lamellosa</i> (Esper, 1791)	Effraie de Minahassa (F): <i>Tyto inexspectata</i>
<i>Echinopora rousseui</i> Milne Edwards & Haime, 1850 = <i>Echinopora gemmacea</i> (Lamarck, 1816)	Effraie des Célèbes (F): <i>Tyto rosenbergii</i>
<i>Echinopora solidior</i> Gardiner, 1904 = <i>Echinopora hirsutissima</i> Milne Edwards & Haime, 1850	Effraie des clochers (F): <i>Tyto alba</i>
<i>Echinopora solidior</i> Milne Edwards & Haime, 1850 = <i>Echinopora gemmacea</i> (Lamarck, 1816)	Effraie De Soumagne (F): <i>Tyto soumaginei</i>
<i>Echinopora striatula</i> Studer, 1877 = <i>Echinopora lamellosa</i> (Esper, 1791)	Effraie De Soumagne (F): <i>Tytonidae</i>
<i>Echinopora taylorae</i> (Veron, 2000) = <i>Echinophyllia taylorae</i> Veron, 2000	Effraie des Tanimbar (F): <i>Tyto sororcula</i>
<i>Echinopora tertia</i> Gardiner, 1904 = <i>Echinopora hirsutissima</i> Milne Edwards & Haime, 1850	Effraie de Taliabu (F): <i>Tyto nigrobrunnea</i>
<i>Echinopora tiranensis</i> Veron, Turak & DeVantier, 2000 II FAVIIDAE (Anthozoa)	Effraie d'Hispaniola (F): <i>Tyto glaucops</i>
	Effraie dorée (F): <i>Tyto aurantia</i>
	Effraie du Cap (F): <i>Tyto capensis</i>
	Effraie masquée (F): <i>Tyto novaehollandiae</i>
	Effraie ombrée (F): <i>Tyto tenebricosa</i>
	Effraie piquetée (F): <i>Tyto multipunctata</i>
	Effraie rousse de Madagascar (F): <i>Tyto soumaginei</i>
	Egg-eater, Indian (E): <i>Elachistodon westermanni</i>
	<i>Eguchipsammia</i> spp. Cairns 1994 II DENDROPHYLLIIDAE (Anthozoa)
	<i>Eguchipsammia cornucopia</i> (Pourtales, 1871) II DENDROPHYLLIIDAE (Anthozoa)
	<i>Eguchipsammia fistula</i> (Alcock, 1902) II DENDROPHYLLIIDAE (Anthozoa)
	<i>Eguchipsammia gaditana</i> (Duncan, 1873) II DENDROPHYLLIIDAE (Anthozoa)
	<i>Eguchipsammia japonica</i> (Rehberg, 1892) II DENDROPHYLLIIDAE (Anthozoa)
	<i>Eguchipsammia serpentina</i> (Vaughan, 1907) II DENDROPHYLLIIDAE (Anthozoa)
	<i>Eguchipsammia strigosa</i> Cairns, 2000 II DENDROPHYLLIIDAE (Anthozoa)
	<i>Eguchipsammia wellsi</i> (Eguchi, 1968) II DENDROPHYLLIIDAE (Anthozoa)
	<i>Eira barbara</i> (Linnaeus, 1758) III MUSTELIDAE (Mammalia) (E) Tayra (S) Cabeza de viejo, Gato cutarra, Gato negro, Hurón mayor, Manco, Taira, Tejón, Tolumuco, Ucatí, Ulamá (F) Tayra

Elachistodon (F): *Elachistodon westermanni*  
*Elachistodon westermanni* Reinhardt, 1863 II  
 COLUBRIDAE (Reptilia) (E) Indian Egg-eater, Indian Egg-eating Snake, Westermann's Snake (S) Culebra comedora de huevos, Culebra tragahuevos india (F) Couleuvre de Westermann, Elachistodon, Mangeur d'oeufs asiatique, Mangeur d'oeufs indien, Mangeur d'oeufs indien de Westermann  
 Élançon blanc (F): *Elanus caeruleus*  
 Elanio australiano (S): *Elanus axillaris*  
 Elanio azul (S): *Elanus caeruleus*  
 Elanio bidentado (S): *Harpagus bidentatus*  
 Elanio blanco (S): *Elanus leucurus*  
 Elanio chico (S): *Gampsonyx swainsonii*  
 Elanio común (S): *Elanus caeruleus*  
 Elanio del Mississipi (S): *Ictinia mississippiensis*  
 Elanio enano (S): *Gampsonyx swainsonii*  
 Elanio escrito (S): *Elanus scriptus*  
 Elanio golondrina (S): *Chelictinia riocourii*  
 Elanio maromero (S): *Elanus leucurus*  
 Elanio muslirrufo (S): *Harpagus diodon*  
 Élanion à queue blanche (F): *Elanus leucurus*  
 Élanion blanc (F): *Elanus caeruleus*  
 Élanion d'Australie (F): *Elanus axillaris*  
 Élanion lettré (F): *Elanus scriptus*  
 Élanion naucler (F): *Chelictinia riocourii*  
 Élanion perle (F): *Gampsonyx swainsonii*  
 Elanio plomizo (S): *Ictinia plumbea*  
 Elanio tijereta (S): *Elanoides forficatus*  
***Elanoides* spp.** Vieillot, 1818 II 27 ACCIPITRIDAE (Aves)  
***Elanoides forficatus*** (Linnaeus, 1758) II 27  
 ACCIPITRIDAE (Aves) (E) American Swallow-tailed Kite, Swallow-tailed Kite (S) Elanio tijereta, Gavilán tijereta, Milano tijereta (F) Milan à queue fourchue  
*Elanoides riocourii* Vieillot, 1822 = *Chelictinia riocourii* (Vieillot, 1822)  
***Elanus* spp.** II 27 ACCIPITRIDAE (Aves)  
***Elanus axillaris*** (Latham, 1801) II 27 ACCIPITRIDAE (Aves) (E) Australian Black-shouldered Kite, Black-shouldered Kite (S) Elanio australiano (F) Élanion d'Australie  
***Elanus caeruleus*** (Desfontaines, 1789) II 27  
 ACCIPITRIDAE (Aves) (E) Black-shouldered Kite, Black-winged Kite (S) Elanio azul, Elanio común (F) Élançon blanc, Élanion blanc  
*Elanus caeruleus leucurus* (Desfontaines, 1789) = *Elanus leucurus* (Vieillot, 1818)  
***Elanus leucurus*** (Vieillot, 1818) II 27 ACCIPITRIDAE (Aves) (E) White-tailed Kite (S) Elanio blanco, Elanio maromero, Gavilán maromero, Milano coliblanco (F) Élanion à queue blanche  
*Elanus notatus* Gould, 1838 = *Elanus axillaris* (Latham, 1801)  
*Elanus riocourii* (Vieillot, 1822) = *Chelictinia riocourii* (Vieillot, 1822)  
***Elanus scriptus*** Gould, 1842 II 27 ACCIPITRIDAE (Aves) (E) Letter-winged Kite (S) Elanio escrito (F) Élanion lettré  
 Elaphe de l'Inde (F): *Ptyas mucosus*

***Elatopathes* spp.** Opresko, 2004 II APHANIPATHIDAE (Anthozoa)  
***Elatopathes abietina*** (Pourtalès, 1874) II  
 APHANIPATHIDAE (Anthozoa) (E) Spear Black Coral (S) Coral de lanza  
 Electra (S): *Peponocephala electra*  
 Elefante africano (S): *Loxodonta africana*  
 Elefante asiático (S): *Elephas maximus*  
 Elefante marino del sur (S): *Mirounga leonina*  
 Elefantes marinos (S): *Mirounga leonina*  
 Eléphant africain (F): *Loxodonta africana*  
 Elephant, African (E): *Loxodonta africana*  
 Elephant, African Savannah (E): *Loxodonta africana*  
 Elephant, Asian (E): *Elephas maximus*  
 Eléphant d'Afrique (F): *Loxodonta africana*  
 Eléphant d'Asie (F): *Elephas maximus*  
 Eléphant De Mer Du Sud (F): *Mirounga leonina*  
 Eléphant de mer méridional (F): *Mirounga leonina*  
 Eléphant d'Inde (F): *Elephas maximus*  
 Elephant, Indian (E): *Elephas maximus*  
***Elephas maximus*** Linnaeus, 1758 I ELEPHANTIDAE (Mammalia) (E) Asian Elephant, Indian Elephant (S) Elefante asiático (F) Eléphant d'Asie, Eléphant d'Inde  
 Elk (E): *Cervus elaphus*  
***Elvira* spp.** II TROCHILIDAE (Aves)  
***Elvira chionura*** (Gould, 1851) II TROCHILIDAE (Aves) (E) White-tailed Emerald (S) Esmeralda elvira (F) Colibri elvire  
***Elvira cupreiceps*** (Lawrence, 1867) II TROCHILIDAE (Aves) (E) Coppery-headed Emerald (S) Esmeralda capirotada (F) Colibri à tête cuivrée  
 Emerald, Andean (E): *Amazilia franciae*  
 Emerald, Blue-tailed (E): *Chlorostilbon mellisugus*  
 Emerald, Chiribiquete (E): *Chlorostilbon olivaresi*  
 Emerald, Coppery (E): *Chlorostilbon russatus*  
 Emerald, Coppery-headed (E): *Elvira cupreiceps*  
 Emerald, Cozumel (E): *Chlorostilbon forficatus*  
 Emerald, Cuban (E): *Chlorostilbon ricordii*  
 Emerald, Fork-tailed (E): *Chlorostilbon canivetii*  
 Emerald, Garden (E): *Chlorostilbon assimilis*  
 Emerald, Glittering-bellied (E): *Chlorostilbon lucidus*  
 Emerald, Glittering-throated (E): *Amazilia fimbriata*  
 Emerald, Golden-crowned (E): *Chlorostilbon auriceps*  
 Emerald, Green-tailed (E): *Chlorostilbon alice*  
 Emerald, Hispaniolan (E): *Chlorostilbon swainsonii*  
 Emerald, Honduran (E): *Amazilia luciae*  
 Emerald, Narrow-tailed (E): *Chlorostilbon stenurus*  
 Emerald, Plain-bellied (E): *Amazilia leucogaster*  
 Emerald, Puerto Rican (E): *Chlorostilbon maugaeus*  
 Emerald, Rondônia (E): *Amazilia rondoniae*  
 Emerald, Sapphire-spangled (E): *Amazilia lactea*  
 Emerald, Short-tailed (E): *Chlorostilbon poortmani*  
 Emerald, Versicolored (E): *Amazilia versicolor*  
 Emerald, White-bellied (E): *Amazilia candida*  
 Emerald, White-cheasted (E): *Amazilia brevirostris*  
 Emerald, White-tailed (E): *Elvira chionura*  
 Émeraude alice (F): *Chlorostilbon alice*  
 Émeraude à queue courte (F): *Chlorostilbon poortmani*  
 Émeraude à queue étroite (F): *Chlorostilbon stenurus*  
 Émeraude cuivrée (F): *Chlorostilbon russatus*

- Émeraude de Canivet (F): *Chlorostilbon canivetii*  
 Émeraude de Porto Rico (F): *Chlorostilbon maugaeus*  
 Émeraude de Ricord (F): *Chlorostilbon ricordii*  
 Émeraude d'Hispaniola (F): *Chlorostilbon swainsonii*  
 Émeraude d'Olivares (F): *Chlorostilbon olivaresi*  
 Émeraude du Panama (F): *Chlorostilbon assimilis*  
 Émeraude orvert (F): *Chlorostilbon mellisugus*  
 Émeraude splendide (F): *Chlorostilbon lucidus*  
 Emouchel des Seychelles (F): *Falco araeus*  
*Emyda ceylonensis* Gray, 1855 = *Lissemys punctata* (Lacépède, 1788)  
*Emyda ceylonensis* Gray, 1856 = *Lissemys ceylonensis* (Gray, 1856)  
*Emyda dura* Anderson, 1876 = *Lissemys punctata* (Lacépède, 1788)  
*Emyda fuscomaculata* Gray, 1873 = *Lissemys scutata* (Peters, 1868)  
*Emyda granosa* (Schoepff, 1801) = *Lissemys punctata* (Lacépède, 1788)  
*Emyda scutata* Peters, 1868 = *Lissemys scutata* (Peters, 1868)  
*Emyda vittata* Peters, 1854 = *Lissemys punctata* (Lacépède, 1788)  
 Émyde à ocelles de Birmanie (F): *Morenia ocellata*  
 Émyde d'Annam (F): *Mauremys annamensis*  
 émyde en toit (F): *Geoclemys hamiltonii*  
 Émyde fluviale indienne (F): *Batagur baska*  
 Émyde géante de Borneo (F): *Orlitia borneensis*  
 Émyde indienne à trois carènes (F): *Melanochelys tricarinata*  
 Émyde ocellée de Birmanie (F): *Melanochelys tricarinata*  
 Émyde peinte de Bornéo (F): *Batagur borneoensis*  
 Émyde tricarénée (F): *Pangshura tecta*  
***Emydidea* *blandingii*** (Holbrook, 1838) II EMYDIDAE  
 (Reptilia) (E) Blanding's Turtle  
*Emydidea* *blandingii* Conant & Collins 1991 = *Emydidea* *blandingii* (Holbrook, 1838)  
*Emydidea* *blandingii* Ernst & Lovich 2009 = *Emydidea* *blandingii* (Holbrook, 1838)  
*Emydidea* *blandingii* Gray 1870 = *Emydidea* *blandingii* (Holbrook, 1838)  
*Emydidea* *blandingii* Loveridge & Williams 1957 = *Emydidea* *blandingii* (Holbrook, 1838)  
*Emydura* *inspectata* Glauert, 1954 = *Pseudemydura umbrina* Siebenrock, 1901  
*Emys* *amazonica* Spix, 1824 = *Podocnemis expansa* (Schweigger, 1812)  
*Emys* *arrau* Schinz, 1833 = *Podocnemis expansa* (Schweigger, 1812)  
*Emys* *baska* Gray, 1831 = *Batagur baska* (Gray, 1831)  
*Emys* *batagur* Gray, 1831 = *Batagur baska* (Gray, 1831)  
*Emys* *bealii* Gray, 1834 = *Sacalia bealei* (Gray, 1831)  
*Emys* *belangeri* Lesson, 1831 = *Melanochelys trijuga* (Schweigger, 1812)  
*Emys* *bennetti* Gray, 1844 = *Mauremys sinensis* (Gray, 1834)  
*Emys* *berardii* Duméril, Bibron & Duméril, 1851 = *Dermatemys mawii* Gray, 1847  
*Emys* *berdmorei* Blyth, 1859 = *Morenia ocellata* (Duméril & Bibron, 1835)  
*Emys* *biguttata* Say, 1824 = *Glyptemys muhlenbergii* (Schoepff, 1801)  
*Emys* *bipunctata* Gray, 1830 = *Glyptemys muhlenbergii* (Schoepff, 1801)  
*Emys* *blandingii* Blanchard 1923 = *Emydidea* *blandingii* (Holbrook, 1838)  
*Emys* *blandingii* Boulenger 1889 = *Emydidea* *blandingii* (Holbrook, 1838)  
*Emys* *blandingii* Conant 1938 = *Emydidea* *blandingii* (Holbrook, 1838)  
*Emys* *blandingii* Spinks & Schaffer 2009 = *Emydidea* *blandingii* (Holbrook, 1838)  
*Emys* *blandingii* Strauch 1862 = *Emydidea* *blandingii* (Holbrook, 1838)  
*Emys* *borneoensis* Schlegel & S. Müller, 1844 = *Batagur borneoensis* (Schlegel & S. Müller, 1844)  
*Emys* *carolinae* *fusca* Gray, 1830 = *Glyptemys muhlenbergii* (Schoepff, 1801)  
*Emys* *cayannensis* Schweigger, 1812 = *Podocnemis unifilis* Troschel, 1848  
*Emys* *cayennensis* Schweigger, 1812 = *Podocnemis erythrocephala* (Spix, 1824)  
*Emys* *concentrica* (Dumeril & Bibron 1835) = *Malaclemys terrapin* Schoepff, 1793  
*Emys* *concentrica* (Dumeril & Bibron 1854) = *Malaclemys terrapin* Schoepff, 1793  
*Emys* *crassicollis* Gray, 1831 = *Siebenrockiella crassicollis* (Gray, 1831)  
*Emys* *cuoro* Schweigger, 1812 = *Cuora amboinensis* (Daudin, 1801)  
*Emys* *dentata* Gray, 1831 = *Cyclemys dentata* (Gray, 1831)  
*Emys* *dermatemys* Duméril & Bocourt, 1888 = *Dermatemys mawii* Gray, 1847  
*Emys* *dhongoka* Gray, 1834 = *Batagur dhongoka* (Gray, 1835)  
*Emys* *dhor* Gray 1830 = *Cyclemys dentata* (Gray, 1831)  
*Emys* *dumeriliana* Schweigger, 1812 = *Peltoccephalus dumerilianus* (Schweigger, 1812)  
*Emys* *duvaucelii* Duméril & Bibron, 1835 = *Batagur dhongoka* (Gray, 1835)  
*Emys* *erythrocephala* Spix, 1824 = *Podocnemis erythrocephala* (Spix, 1824)  
*Emys* *expansa* Schweigger, 1812 = *Podocnemis expansa* (Schweigger, 1812)  
*Emys* *flavonigra* Lesson, 1831 = *Hardella thurjii* (Gray, 1831)  
*Emys* *guttata* Gray, 1832 = *Geoclemys hamiltonii* (Gray, 1831)  
*Emys* *hamiltonii* Gray, 1831 = *Geoclemys hamiltonii* (Gray, 1831)  
*Emys* *hasseltii* Boie in Fitzinger, 1826 = *Cyclemys dentata* (Gray, 1831)  
*Emys* *herrmanni* Schweigger, 1812 = *Malayemys subtrijuga* (Schlegel & S. Müller, 1844)  
*Emys* *icterocephala* Spix in Gray, 1830 = *Peltoccephalus dumerilianus* (Schweigger, 1812)  
*Emys* *inscripta* Gray, 1831 = *Glyptemys insculpta* (Le Conte, 1829)  
*Emys* *japonica* Duméril, Bibron & Duméril, 1851 = *Mauremys reevesii* (Gray, 1831)

- Emys kachuga* Gray, 1831 = *Batagur kachuga* (Gray, 1831)  
*Emys kinosternoides* Gray, 1831 = *Terrapene carolina* (Linnaeus, 1758)  
*Emys kuhlii* Gray, 1831 = *Psammobates oculifer* (Kuhl, 1820)  
*Emys lesueuri* Gray, 1830 = *Graptemys geographica* (LeSueur, 1817)  
*Emys lineata* Gray, 1831 = *Batagur kachuga* (Gray, 1831)  
*Emys macrocephala* Spix, 1824 = *Peltocephalus dumerilianus* (Schweigger, 1812)  
*Emys macrocephalus* (Gray 1844) = *Malaclemys terrapin* Schoepff, 1793  
*Emys megacephala* Holbrook, 1836 = *Graptemys geographica* (LeSueur, 1817)  
*Emys muticus* Cantor, 1842 = *Mauremys mutica* (Cantor, 1842)  
*Emys nigra* Blyth, 1855 = *Siebenrockiella crassicollis* (Gray, 1831)  
*Emys nigricans* Gray, 1834 = *Mauremys nigricans* (Gray, 1834)  
*Emys nuchalis* Blyth, 1863 = *Malayemys subtrijuga* (Schlegel & S. Müller, 1844)  
*Emys ocellata* Duméril & Bibron, 1835 = *Morenia ocellata* (Duméril & Bibron, 1835)  
*Emys picquotii* Lesson, 1831 = *Geoclemys hamiltonii* (Gray, 1831)  
*Emys platynota* Gray, 1834 = *Notochelys platynota* (Gray, 1834)  
*Emys pseudogeographica* Gray, 1831 = *Graptemys pseudogeographica* (Gray, 1831)  
*Emys reevesii* Gray, 1831 = *Mauremys reevesii* (Gray, 1831)  
*Emys schneideri* Schweigger, 1812 = *Terrapene carolina* (Linnaeus, 1758)  
*Emys sebae* Gray, 1831 = *Melanochelys trijuga* (Schweigger, 1812)  
*Emys siamensis* Gray in Bocourt, 1866 = *Heosemys annandalii* (Boulenger, 1903)  
*Emys sinensis* Gray, 1834 = *Mauremys sinensis* (Gray, 1834)  
*Emys speciosa* Gray, 1831 = *Glyptemys insculpta* (LeConte, 1829)  
*Emys spinosa* Bell, 1830 = *Heosemys spinosa* (Gray, 1831)  
*Emys subtrijuga* Schlegel & S. Müller, 1844 = *Malayemys subtrijuga* (Schlegel & S. Müller, 1844)  
*Emys tecta* Gray, 1831 = *Pangshura tecta* (Gray, 1831)  
*Emys tecta intermedia* Gray, 1831 = *Pangshura tentoria* (Gray, 1834)  
*Emys tentoria* Gray, 1834 = *Pangshura tentoria* (Gray, 1834)  
*Emys tetraonyx* Temminck & Schlegel, 1833 = *Batagur baska* (Gray, 1831)  
*Emys thermalis* Lesson, 1830 = *Melanochelys trijuga* (Schweigger, 1812)  
*Emys thurpii* Gray 1831 = *Hardella thurpii* (Gray, 1831)  
*Emys thuryi* Gray 1830 = *Hardella thurpii* (Gray, 1831)  
*Emys tracaxa* Spix, 1824 = *Peltocephalus dumerilianus* (Schweigger, 1812)  
*Emys trigibbosa* Lesson, 1831 = *Pangshura tecta* (Gray, 1831)  
*Emys trijuga* Schweigger, 1812 = *Melanochelys trijuga* (Schweigger, 1812)  
*Emys trivittata* Duméril & Bibron, 1835 = *Batagur trivittata* (Duméril & Bibron, 1835)  
*Emys twentei* Taylor 1943 = *Emydoidea blandingii* (Holbrook, 1838)  
*Emys vulgaris japonica* Temminck and Schlegel, 1838 = *Mauremys japonica* (Temminck & Schlegel, 1835)  
*Emys vulgaris picta* Gray, 1831 = *Mauremys reevesii* (Gray, 1831)  
**Enallopsammia spp.** Michelotti 1871 II  
 DENDROPHYLLIIDAE (Anthozoa)  
*Enallopsammia adminicularis* (Rehberg, 1892) = *Enallopsammia rostrata* (Pourtales, 1878)  
*Enallopsammia amphelioides* (Alcock, 1902) = *Enallopsammia rostrata* (Pourtales, 1878)  
*Enallopsammia marenzelleri* Zibrowius, 1973 = *Enallopsammia pusilla* (Alcock, 1902)  
*Enallopsammia micranthus* (Ehrenberg, 1834) = *Tubastraea micranthus* (Ehrenberg, 1834)  
**Enallopsammia profunda** (Pourtales, 1867) II  
 DENDROPHYLLIIDAE (Anthozoa)  
**Enallopsammia pusilla** (Alcock, 1902) II  
 DENDROPHYLLIIDAE (Anthozoa)  
**Enallopsammia rostrata** (Pourtales, 1878) II  
 DENDROPHYLLIIDAE (Anthozoa) (E) Beaked Cup Coral (S) Coral pocillo curvo  
*Endhelia japonica* Milne Edwards & Haime, 1849 = *Cryptelia japonica* (Milne Edwards & Haime, 1849)  
**Endocyathopora spp.** Cairns 1989 II TURBINOLIIDAE (Anthozoa)  
**Endocyathopora laticostata** Cairns, 1989 II  
 TURBINOLIIDAE (Anthozoa)  
**Endopachys spp.** Lonsdale 1845 II  
 DENDROPHYLLIIDAE (Anthozoa)  
*Endopachys australiae* Tenison-Woods, 1878 = *Platytrochus hastatus* Dennant, 1902  
**Endopachys bulbosa** Cairns & Zibrowius, 1997 II  
 DENDROPHYLLIIDAE (Anthozoa)  
**Endopachys grayi** Milne Edwards & Haime, 1848 II  
 DENDROPHYLLIIDAE (Anthozoa)  
*Endopachys japonicum* Yabe & Eguchi, 1932 = *Endopachys grayi* Milne Edwards & Haime, 1848  
*Endopachys oahense* Vaughan, 1907 = *Endopachys grayi* Milne Edwards & Haime, 1848  
*Endopachys vaughani* Durham, 1947 = *Endopachys grayi* Milne Edwards & Haime, 1848  
*Endopachys weberi* Alcock, 1902 = *Endopachys grayi* Milne Edwards & Haime, 1848  
**Endopsammia spp.** Milne Edwards & Haime 1848 II  
 DENDROPHYLLIIDAE (Anthozoa)  
**Endopsammia philippensis** Milne Edwards & Haime, 1848 II DENDROPHYLLIIDAE (Anthozoa)  
**Endopsammia pourtalesi** (Durham & Barnard, 1952) II  
 DENDROPHYLLIIDAE (Anthozoa)  
**Endopsammia regularis** (Gardiner, 1899) II  
 DENDROPHYLLIIDAE (Anthozoa)  
 Engoulevent d'Europe (F): *Aegolius funereus*

- Enhydra* spp.** Fleming, 1822 I/II MUSTELIDAE  
(Mammalia)
- Enhydra lutris*** (Linnaeus, 1758) I/II MUSTELIDAE  
(Mammalia) (E) Sea Otter (S) Nutria del Kamtchatka, Nutria marina (F) Loutre de mer
- Enhydra lutris nereis*** (Merriam, 1904) I MUSTELIDAE  
(Mammalia) (E) California Sea Otter, Southern Sea Otter (S) Nutria de mar californiana (F) Loutre de mer de Californie, Loutre de mer méridionale
- Enicognathus* spp.** II 29 PSITTACIDAE (Aves)
- Enicognathus ferrugineus*** (Müller, 1776) II 29  
PSITTACIDAE (Aves) (E) Austral Conure, Austral Parakeet (S) Cotorra austral, Cotorra cachaña (F) Conure magellanique, Perruche émeraude
- Enicognathus leptorhynchus*** (King, 1831) II 29  
PSITTACIDAE (Aves) (E) Slender-billed Conure, Slender-billed Parakeet (S) Cotorra choroy (F) Conure à long bec, Perruche à bec gracile
- Enigmopora* spp.** Ditlev, 2003 II ACROPORIDAE  
(Anthozoa)
- Enigmopora darveliensis*** Ditlev, 2003 II ACROPORIDAE  
(Anthozoa)
- Ensifera* spp.** II TROCHILIDAE (Aves)
- Ensifera ensifera*** (Boissonneau, 1839) II TROCHILIDAE  
(Aves) (E) Sword-billed Hummingbird (S) Colibrí picoespada (F) Colibri porte-épée
- Ensirostris melleri* Gray, 1865 = *Trioceros melleri* (Gray, 1865)  
Entelle (F): *Semnopithecus entellus*  
Entelle de Pagi (F): *Simias concolor*  
Entelle dorée (F): *Trachypithecus geei*  
Entelle pileuse (F): *Trachypithecus pileatus*  
*Enyaliosaurus palearis* = *Ctenosaura palearis* Stejneger, 1899  
*Enygrus asper* (Günther, 1877) = *Candoia aspera* (Günther, 1877)  
*Enygrus australis* (Montrouzier, 1860) = *Candoia bibroni* (Duméril & Bibron, 1844)  
*Enygrus bibroni* Duméril & Bibron, 1844 = *Candoia bibroni* (Duméril & Bibron, 1844)  
*Enygrus carinatus* Boettger, 1898 = *Candoia superciliosa* (Günther, 1863)  
*Enygrus carinatus paulsoni* Stull, 1956 = *Candoia paulsoni* (Stull, 1956)  
*Enygrus carinatus* (Schneider, 1801) = *Candoia carinata* (Schneider, 1801)  
*Enygrus carinatus* var. *superciliosus* Kinghorn, 1928 = *Candoia superciliosa* (Günther, 1863)  
*Enygrus gularis* (Peters, 1860) = *Trachyboa gularis* Peters, 1860  
*Enygrus regius* (Shaw, 1802) = *Python regius* (Shaw, 1802)  
*Enygrus superciliosus* Günther, 1863 = *Candoia superciliosa* (Günther, 1863)  
*Enygrus superciliosus* Günther, 1863 = *Candoia carinata* (Schneider, 1801)
- Eolophus* spp.** Bonaparte, 1854 II 29 CACATUIDAE  
(Aves)
- Eolophus roseicapilla*** (Vieillot, 1817) II 29 CACATUIDAE  
(Aves) (E) Galah, Roseate Cockatoo (S) Cacatúa rosada (F) Cacatoès rosalbin
- Eos* spp.** Wagler, 1832 I/II 29 LORIIDAE (Aves)  
*Eos bornea* (Linnaeus, 1758) = *Eos rubra* (Gmelin, 1788)
- Eos cyanogenia*** Bonaparte, 1850 II 29 LORIIDAE (Aves)  
(E) Biak Red Lory, Black-winged Lory (S) Lori alinegro (F) Lori à joues bleues
- Eos fuscata* Blyth, 1858 = *Pseudeos fuscata* (Blyth, 1858)
- Eos goodfellowi* Ogilvie-Grant, 1907 = *Eos rubra* (Gmelin, 1788)
- Eos histrio*** (P. L. S. Müller, 1776) I LORIIDAE (Aves) (E) Red-and-blue Lory (S) Lori de Sangir (F) Lori arlequin
- Eos reticulata*** (S. Müller, 1841) II 29 LORIIDAE (Aves)  
(E) Blue-streaked Lory (S) Lori de las Tanimbar (F) Lori réticulé
- Eos rubra*** (Gmelin, 1788) II 29 LORIIDAE (Aves) (E) Moluccan Lory, Red Lory (S) Lori rouge (F) Lori écarlate
- Eos semilarvata*** Bonaparte, 1850 II 29 LORIIDAE (Aves)  
(E) Blue-eared Lory (S) Lori de Seram (F) Lori masqué
- Eos squamata*** (Boddaert, 1783) II 29 LORIIDAE (Aves)  
(E) Moluccan Red Lory, Violet-necked Lory (S) Lori escamoso (F) Lori écaille
- Epaulard (F): *Orcinus orca*  
Epaulard pygmée (F): *Feresa attenuata*  
Éperonnier chinquis (F): *Polyplectron bicalcaratum*  
Éperonnier de Bornéo (F): *Polyplectron schleiermacheri*  
Éperonnier de Germain (F): *Polyplectron germaini*  
Éperonnier de Hardwick (F): *Polyplectron malacense*  
Éperonnier de Malaisie (F): *Polyplectron malacense*  
Éperonnier de Palawan (F): *Polyplectron napoleonis*  
Éperonnier gris (F): *Polyplectron bicalcaratum*  
Éperonnier malais (F): *Polyplectron malacense*  
Éperonnier Napoléon (F): *Polyplectron napoleonis*  
Épervier à collier interrompu (F): *Accipiter collaris*  
Épervier à collier roux (F): *Accipiter cirrhocephalus*  
Épervier à gorge grise (F): *Accipiter erythrauchen*  
Épervier à pieds courts (F): *Accipiter brevipes*  
Épervier à poitrine rousse (F): *Accipiter rhodogaster*  
Épervier à queue tachetée (F): *Accipiter trinotatus*  
Épervier besra (F): *Accipiter virgatus*  
Épervier bicolore (F): *Accipiter bicolor*  
Épervier brun (F): *Accipiter striatus*  
Épervier de Cooper (F): *Accipiter cooperii*  
Épervier de Cuba (F): *Accipiter gundlachi*  
Épervier de Frances (F): *Accipiter francesii*  
Épervier de Hartlaub (F): *Accipiter erythropus*  
Épervier de Horsfield (F): *Accipiter soloensis*  
Épervier de l'Ovampo (F): *Accipiter ovampensis*  
Épervier de Madagascar (F): *Accipiter madagascariensis*  
Épervier de Nouvelle-Bretagne (F): *Accipiter brachyurus*  
Épervier des Célèbes (F): *Accipiter nanus*  
Épervier des Nicobar (F): *Accipiter butleri*  
Épervier d'Europe (F): *Accipiter nisus*  
Épervier du Japon (F): *Accipiter gularis*  
Épervier menu (F): *Accipiter rufiventris*  
Épervier minule (F): *Accipiter minullus*  
Épervier nain (F): *Accipiter superciliosus*  
Épervier pie (F): *Accipiter melanoleucus*  
Épervier shikra (F): *Accipiter badius*

- Ephialtes balli* Hume, 1873 = *Otus balli* (Hume, 1873)  
*Ephialtes brucei* Hume, 1873 = *Otus brucei* (Hume, 1873)  
*Ephialtes elegans* Cassin, 1852 = *Otus elegans* (Cassin, 1852)  
*Ephialtes grammicus* Gosse, 1847 = *Pseudoscops grammicus* (Gosse, 1847)  
*Ephialtes sagittatus* Cassin, 1848 = *Otus sagittatus* (Cassin, 1848)  
*Ephialtes spilocephalus* Blyth, 1846 = *Otus spilocephalus* (Blyth, 1846)  
*Ephialtes watsonii* Cassin, 1848 = *Otus watsonii* (Cassin, 1848)  
*Epicarsius cupreus* Fischer, 1856 = *Epicrates maurus* Gray, 1849  
*Epicarsius cupreus* Fischer, 1856 = *Epicrates cenchria* (Linnaeus, 1758)  
*Epiceratodus forsteri* (Krefft, 1870) = *Neoceratodus forsteri* (Krefft, 1870)  
**Epicrates** spp. I/II BOIDAE (Reptilia)  
**Epicrates alvarezi** Abalos, Baez & Nader, 1964 II BOIDAE (Reptilia)  
**Epicrates angulifer** Bibron, 1840 II BOIDAE (Reptilia) (E) Cuban Boa, Cuban Tree Boa (S) Boa de Cuba, Maja de Sta. María (F) Boa de Cuba  
**Epicrates assisi** Machado, 1945 II BOIDAE (Reptilia)  
**Epicrates cenchria** (Linnaeus, 1758) II BOIDAE (Reptilia) (E) Rainbow Boa (S) Boa irisada (F) Aboma, Boa arc-en-ciel  
*Epicrates cenchria alvarezi* Abalos, Baez & Nader, 1964 = *Epicrates alvarezi* Abalos, Baez & Nader, 1964  
*Epicrates cenchria alvarezi* (Linnaeus, 1758) = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria assisi* (Linnaeus, 1758) = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria assisi* Machado, 1945 = *Epicrates assisi* Machado, 1945  
*Epicrates cenchria barbouri* (Linnaeus, 1758) = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria barbouri* Stull, 1938 = *Epicrates maurus* Gray, 1849  
*Epicrates cenchria cenchria* Amaral, 1930 = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria cenchria* Perez-Santos & Moreno, 1988 = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria Chippaux*, 1986 = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria crassus* Amaral, 1929 = *Epicrates crassus* Cope, 1862  
*Epicrates cenchria crassus* Cope, 1862 = *Epicrates crassus* Cope, 1862  
*Epicrates cenchria gaigei* (Linnaeus, 1758) = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria gaigei* Stull, 1938 = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria hygrophilus* Amaral, 1954 = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria hygrophilus* (Linnaeus, 1758) = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria maurus* (Linnaeus, 1758) = *Epicrates maurus* Gray, 1849  
*Epicrates cenchria maurus* McDiarmid, Campbell & Toure, 1999 = *Epicrates maurus* Gray, 1849  
*Epicrates cenchria maurus* Perez-Santos & Moreno, 1988 = *Epicrates maurus* Gray, 1849  
*Epicrates cenchria polylepis* Amaral, 1935 = *Epicrates crassus* Cope, 1862  
*Epicrates cenchria polylepis* (Linnaeus, 1758) = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria Wagler*, 1830 = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria xerophilus* Amaral, 1954 = *Epicrates assisi* Machado, 1945  
*Epicrates cenchria xerophilus* (Linnaeus, 1758) = *Epicrates cenchria* (Linnaeus, 1758)  
*Epicrates cenchria xerophilus* Peters & Orejas-Miranda, 1970 = *Epicrates assisi* Machado, 1945  
*Epicrates cenchris* Dumeril & Bibron, 1844 = *Epicrates cenchria* (Linnaeus, 1758)  
**Epicrates chrysogaster** (Cope, 1871) II BOIDAE (Reptilia) (E) Bahamas Islands Boa, Turks Islands Boa (F) Boa de l'île Turques  
**Epicrates crassus** Cope, 1862 II BOIDAE (Reptilia)  
*Epicrates crassus* Lema, 2002 = *Epicrates crassus* Cope, 1862  
*Epicrates cupreus* (Fischer, 1856) = *Epicrates cenchria* (Linnaeus, 1758)  
**Epicrates exsul** Netting & Goin, 1944 II BOIDAE (Reptilia) (E) Abaco Island Boa (F) Boa de l'île Abaco  
**Epicrates fordii** (Günther, 1861) II BOIDAE (Reptilia) (E) Ford's Boa (F) Boa de Ford  
**Epicrates gracilis** (Fischer, 1888) II BOIDAE (Reptilia) (E) Haitian Vine Boa, Hispaniolan Boa (F) Boa arboricole gracie, Boa d'Hispaniola  
*Epicrates gracilis monensis* (Fischer, 1888) = *Epicrates monensis* Zenneck, 1898  
**Epicrates inornatus** (Reinhardt, 1843) I BOIDAE (Reptilia) (E) Puerto Rican Boa, Yellow Tree Boa (S) Boa de Puerto Rico (F) Boa de Porto Rico, Boa sobre  
*Epicrates inornatus fordii* (Reinhardt, 1843) = *Epicrates fordii* (Günther, 1861)  
*Epicrates inornatus granti* (Reinhardt, 1843) = *Epicrates monensis* Zenneck, 1898  
*Epicrates maurus* Gray, 1849 II BOIDAE (Reptilia)  
*Epicrates maurus* Chippaux, 1986 = *Epicrates maurus* Gray, 1849  
*Epicrates maurus colombianus* Matz, 2004 = *Epicrates maurus* Gray, 1849  
*Epicrates maurus Gorzula & Seiaris*, 1998 = *Epicrates maurus* Gray, 1849  
*Epicrates maurus guayanensis* Matz, 2004 = *Epicrates maurus* Gray, 1849  
*Epicrates maurus maurus* Matz, 2004 = *Epicrates maurus* Gray, 1849  
**Epicrates monensis** Zenneck, 1898 I BOIDAE (Reptilia) (E) Mona Island Boa, Virgin Islands Tree Boa (F) Boa de l'île Mona, Boa de Mona  
*Epicrates relicquus* Barbour & Shreve, 1935 = *Epicrates chrysogaster* (Cope, 1871)

- Epicrates sabogae* Barbour, 1906 = *Boa constrictor* Linnaeus, 1758
- Epicrates striatus*** (Fischer, 1856) II BOIDAE (Reptilia) (E) Fischer's Tree Boa, Haitian Boa (F) Boa d'Haïti
- Epicrates striatus chrysogaster* (Fischer, 1856) = *Epicrates chrysogaster* (Cope, 1871)
- Epicrates striatus relicquus* (Fischer, 1856) = *Epicrates chrysogaster* (Cope, 1871)
- Epicrates subflavus*** Stejneger, 1901 I BOIDAE (Reptilia) (E) Jamaican Boa (S) Boa de Jamaica (F) Boa de la Jamaïque
- Epicrates versicolor* Steindachner, 1863 = *Epicrates striatus* (Fischer, 1856)
- Epimachus* spp.** Cuvier 1817 II PARADISAEIDAE (Aves)
- Epimachus albertisi* (Sclater, 1873) = *Drepanornis albertisi* Sclater, 1873
- Epimachus bruijnii* (Oustalet, 1880) = *Drepanornis bruijnii* Oustalet, 1880
- Epimachus fastuosus*** (Hermann, 1783) II PARADISAEIDAE (Aves) (E) Black Sicklebill (F) Epimaque fastueux, Paradisier fastueux
- Epimachus meyeri*** Finsch, 1885 II PARADISAEIDAE (Aves) (E) Brown Sicklebill (F) Epimaque de Mayer, Paradisier de Meyer
- Epimaque de Mayer (F): *Epimachus meyeri*
- Epimaque fastueux (F): *Epimachus fastuosus*
- Epioblasma curtisii* (Utterback, 1915) I UNIONIDAE (Bivalvia) (E) Curtis' Pearly Mussel, Curtis' Riffleshell
- Epioblasma florentina* (I. Lea, 1857) I UNIONIDAE (Bivalvia) (E) Yellow Blossom, Yellow-blossom Pearly Mussel, Yellow Riffleshell
- Epioblasma florentina curtisii* = *Epioblasma curtisii* (Utterback, 1915)
- Epioblasma florentina curtisi* (I. Lea, 1857) = *Epioblasma curtisii* (Utterback, 1915)
- Epioblasma florentina walkeri* (I. Lea, 1857) = *Epioblasma walkeri* (Wilson & Clark, 1914)
- Epioblasma lefevrei* (Utterback, 1915) = *Epioblasma turgidula* (I. Lea, 1858)
- Epioblasma obliquata perobliqua* (Rafinesque, 1820) = *Epioblasma sulcata perobliqua* (Conrad, 1836)
- Epioblasma rangiana* (I. Lea, 1839) = *Epioblasma torulosa rangiana* (I. Lea, 1839)
- Epioblasma sampsonii* (I. Lea, 1861) I UNIONIDAE (Bivalvia) (E) Sampson's Naiad, Sampson's Pearly Mussel, Sampson's Riffleshell, Wabash Riffleshell
- Epioblasma sulcata* (I. Lea, 1829) I/NC UNIONIDAE (Bivalvia)
- Epioblasma sulcata delicata* (I. Lea, 1829) = *Epioblasma sulcata* (I. Lea, 1829)
- Epioblasma sulcata perobliqua* (Conrad, 1836) I UNIONIDAE (Bivalvia) (E) White Catpaw
- Epioblasma torulosa* (Rafinesque, 1820) I/II/NC UNIONIDAE (Bivalvia) (E) Tuberled Blossom
- Epioblasma torulosa gubernaculum* (Reeve, 1865) I UNIONIDAE (Bivalvia) (E) Green Blossom, Green-blossom Pearly Mussel, Green Riffle Shell
- Epioblasma torulosa rangiana* (I. Lea, 1839) II UNIONIDAE (Bivalvia) (E) Northern Riffleshell, Tan-blossom Pearly Mussel
- Epioblasma torulosa torulosa* (Rafinesque, 1820) I UNIONIDAE (Bivalvia) (E) Tuberled Blossom, Tuberled-blossom Pearly Mussel, Tuberculated Riffle Shell
- Epioblasma turgidula* (I. Lea, 1858) I UNIONIDAE (Bivalvia) (E) Turgid Blossom, Turgid-blossom Pearly Mussel, Turgid Riffle Shell
- Epioblasma walkeri* (Wilson & Clark, 1914) I UNIONIDAE (Bivalvia) (E) Brown-blossom Naiad, Brown-blossom Pearly Mussel, Tan Riffleshell
- Epipedobate andin (F): *Ameerega andina*
- Epipedobate au ventre bleu (F): *Hyloxalus azureiventris*
- Epipedobate bolivien (F): *Ameerega boliviana*
- Epipedobate brillant (F): *Oophaga speciosa*
- Epipedobate calisterne (F): *Ameerega pulchripecta*
- Epipedobate de Bolivie (F): *Ameerega boliviiana*
- Epipedobate de Boulenger (F): *Epipedobates boulengeri*
- Epipedobate de Myers (F): *Allobates myersi*
- Epipedobate de Peters (F): *Ameerega petersi*
- Epipedobate d'Espinosa (F): *Epipedobates spinosai*
- Epipedobate d'Inger (F): *Ameerega ingeri*
- Epipedobate du Rio Palenque (F): *Ameerega erythromos*
- Epipedobate émeraude (F): *Ameerega smaragdina*
- Epipedobate fémorale (F): *Allobates femoralis*
- Epipedobate minime (F): *Ameerega parvula*
- Epipedobate peint (F): *Ameerega picta*
- Epipedobates* spp.** Myers, 1987 II DENDROBATIDAE (Amphibia)
- Epipedobates andinus* Myers & Burrowes, 1987 = *Ameerega andina* (Myers & Burrowes, 1987)
- Epipedobates anthonyi*** (Noble, 1921) II DENDROBATIDAE (Amphibia) (E) Anthony's Poison-Arrow Frog
- Epipedobates anthonyi* Myers, 1987 = *Epipedobates anthonyi* (Noble, 1921)
- Epipedobates ardens* Jungfer, 1989 = *Ameerega cainarachi* (Schulte, 1989)
- Epipedobates azureiventris* (Kneller & Henle, 1985) = *Hyloxalus azureiventris* (Kneller & Henle, 1985)
- Epipedobates bassleri* (Melin, 1941) = *Ameerega bassleri* (Melin, 1941)
- Epipedobates bassleri* Myers, 1987 = *Ameerega bassleri* (Melin, 1941)
- Epipedobates bicolor* Rivero and Almendáriz, 1992 "1991" = *Epipedobates tricolor* (Boulenger, 1899)
- Epipedobates bilinguis* Jungfer, 1989 = *Ameerega bilinguis* (Jungfer, 1989)
- Epipedobates boliviensis* (Boulenger, 1902) = *Ameerega boliviensis* (Boulenger, 1902)
- Epipedobates boliviensis* Myers, 1987 = *Ameerega boliviensis* (Boulenger, 1902)
- Epipedobates boulengeri*** (Barbour, 1909) II DENDROBATIDAE (Amphibia) (E) Marbled Poison Frog (S) Rana de punta de flecha de Boulenger (F) Epipedobate de Boulenger
- Epipedobates boulengeri* Myers, 1987 = *Epipedobates boulengeri* (Barbour, 1909)
- Epipedobates braccatus* Martins & Sazima, 1989 = *Ameerega braccata* (Steindachner, 1864)

- Epipedobates braccatus* (Steindachner, 1864) =  
*Ameerega braccata* (Steindachner, 1864)
- Epipedobates cainarachi* Schulte, 1989 = *Ameerega cainarachi* (Schulte, 1989)
- Epipedobates epipedobates trivittatus* (Spix, 1824) =  
*Ameerega peruviridis* Bauer, 1986
- Epipedobates epipedobates trivittatus* (Spix, 1824) =  
*Ameerega trivittata* (Spix, 1824)
- Epipedobates epipedobates yungicola* Lötters, Schmitz & Reichle, 2005 = *Ameerega yungicola* (Lötters, Schmitz & Reichle, 2006)
- Epipedobates erythromos* Myers, 1987 = *Ameerega erythromos* (Vigle & Miyata, 1980)
- Epipedobates erythromos* (Vigle & Miyata, 1980) =  
*Ameerega erythromos* (Vigle & Miyata, 1980)
- Epipedobates espinosai*** (Funkhouser, 1956) II  
DENDROBATIDAE (Amphibia) (E) Espinosa Poison Frog, Turquoise-bellied Poison Frog (F) Epipedobate d'Espinosa
- Epipedobates espinosai* Myers, 1987 = *Epipedobates espinosai* (Funkhouser, 1956)
- Epipedobates femoralis* (Boulenger, 1884) = *Allobates femoralis* (Boulenger, 1884)
- Epipedobates femoralis* Myers, 1987 = *Allobates femoralis* (Boulenger, 1884)
- Epipedobates flavopictus* (Lutz, 1925) = *Ameerega flavopicta* (A. Lutz, 1925)
- Epipedobates flavopictus* Myers, 1987 = *Ameerega flavopicta* (A. Lutz, 1925)
- Epipedobates hahneli* (Boulenger, 1883) = *Ameerega hahneli* (Boulenger, 1884)
- Epipedobates hahneli hahneli* Schulte, 1999 = *Ameerega hahneli* (Boulenger, 1884)
- Epipedobates hahneli Martins & Sazima, 1989* =  
*Ameerega hahneli* (Boulenger, 1884)
- Epipedobates hahneli rubriventris* Schulte, 1999 =  
*Ameerega rubriventris* (Lötters, Debold, Henle, Glaw & Kneller, 1997)
- Epipedobate simisimi (F): *Allobates femoralis*
- Epipedobates ingeri* (Cochran & Goin, 1970) = *Ameerega ingeri* (Cochran & Goin, 1970)
- Epipedobates ingeri* Myers, 1987 = *Ameerega ingeri* (Cochran & Goin, 1970)
- Epipedobates labialis* (Cope, 1874) = *Ameerega labialis* (Cope, 1874)
- Epipedobates labialis* Schulte, 1999 = *Ameerega labialis* (Cope, 1874)
- Epipedobates macero Rodriguez & Myers, 1993* =  
*Ameerega macero Rodriguez & Myers, 1993*
- Epipedobates machalilla*** (Coloma, 1995) II  
DENDROBATIDAE (Amphibia)
- Epipedobates machalilla* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Epipedobates machalilla* (Coloma, 1995)
- Epipedobates maculatus* Myers, 1987 = *Ameerega maculata* (W. Peters, 1873)
- Epipedobates maculatus* (W. Peters, 1873) = *Ameerega maculata* (W. Peters, 1873)
- Epipedobates myersi* Myers, 1987 = *Allobates myersi* (Pyburn, 1981)
- Epipedobates narinensis*** Mueses-Cisneros, Cepeda-Quilindo & Moreno-Quintero, 2008 II  
DENDROBATIDAE (Amphibia)
- Epipedobates parvulus* (Boulenger, 1882) = *Ameerega parvula* (Boulenger, 1882)
- Epipedobates parvulus* Myers, 1987 = *Ameerega parvula* (Boulenger, 1882)
- Epipedobates petersi* Myers, 1987 = *Ameerega petersi* (Silverstone, 1976)
- Epipedobates petersi* (Silverstone, 1976) = *Ameerega petersi* (Silverstone, 1976)
- Epipedobates pictus* Myers, 1987 = *Ameerega picta* (Tschudi, 1838)
- Epipedobates pictus* (Tschudi, 1838) = *Ameerega picta* (Tschudi, 1838)
- Epipedobates planipaleae* Morales & Velasco, 1998 = *Ameerega planipaleae* (Morales & Velasco, 1998)
- Epipedobates pongoensis* Schulte, 1999 = *Ameerega pongoensis* (Schulte, 1999)
- Epipedobates pulchripectus* Myers, 1987 = *Ameerega pulchripecta* (Silverstone, 1976)
- Epipedobates pulchripectus* (Silverstone, 1976) = *Ameerega pulchripecta* (Silverstone, 1976)
- Epipedobates rubriventris* Lötters, Debold, Henle, Glaw & Kneller, 1997 = *Ameerega rubriventris* (Lötters, Debold, Henle, Glaw & Kneller, 1997)
- Epipedobates rufulus* (Gorzula, 1990 "1988") = *Allobates rufulus* (Gorzula, 1990)
- Epipedobates rufulus* Walls, 1994 = *Allobates rufulus* (Gorzula, 1990)
- Epipedobates silverstonei* Myers, 1987 = *Ameerega silverstonei* (Myers & Daly, 1979)
- Epipedobates silverstonei* (Myers & Daly, 1979) = *Ameerega silverstonei* (Myers & Daly, 1979)
- Epipedobates simulans* Myers, Rodríguez & Icochea, 2000 = *Ameerega simulans* (Myers, Rodriguez & Icochea, 1998)
- Epipedobates smaragdinus* Myers, 1987 = *Ameerega smaragdina* (Silverstone, 1976)
- Epipedobates smaragdinus* (Silverstone, 1976) = *Ameerega smaragdina* (Silverstone, 1976)
- Epipedobates tricolor*** (Boulenger, 1899) II  
DENDROBATIDAE (Amphibia) (E) Phantasmal Poison Frog (S) Rana de punta de flecha tricolor (F) Epipedobate tricolore
- Epipedobates tricolor* Myers, 1987 = *Epipedobates tricolor* (Boulenger, 1899)
- Epipedobates trivittatus* Myers, 1987 = *Ameerega trivittata* (Spix, 1824)
- Epipedobates zaparo* Myers, 1987 = *Allobates zaparo* (Silverstone, 1976)
- Epipedobates zaparo* (Silverstone, 1976) = *Allobates zaparo* (Silverstone, 1976)
- Epipedobate tacheté (F): *Ameerega maculata*
- Epipedobate tricolore (F): *Epipedobates tricolor*
- Epipedobate zaparo (F): *Allobates zaparo*
- Equidna de Nueva Guinea (S): *Zaglossus bruijni*
- Equus africanus* Heuglin & Fitzinger, 1866 I<sup>22</sup> EQUIDAE (Mammalia) (E) African Ass, African wild ass (S) Asno salvaje de África (F) Ane sauvage d'Afrique

- Equus caballus przewalskii* Linnaeus, 1758 = *Equus przewalskii* Poliakov, 1881
- Equus ferus przewalskii* Boddaert, 1785 = *Equus przewalskii* Poliakov, 1881
- Equus grevyi*** Oustalet, 1882 I EQUIDAE (Mammalia) (E)  
Grevy's Zebra (S) Cebra de Grévy (F) Zèbre de Grévy
- Equus hartmannae* Matschie, 1898 = *Equus zebra hartmannae* Matschie, 1898
- Equus hemionus*** Pallas, 1775 I/II EQUIDAE (Mammalia)  
(E) Asian Wild Ass, Asiatic Wild Ass, Kulan (S)  
Hemiono (F) Ane sauvage d'Asie, Hémione
- Equus hemionus hemionus*** Pallas, 1775 I EQUIDAE  
(Mammalia) (E) Dziggetai, Mongolian Wild Ass, North Mongolian Kulan (S) Hemiono mongol (F) Ane sauvage de Mongolie
- Equus hemionus khur*** Lesson, 1827 I EQUIDAE  
(Mammalia) (E) Ghor-khar, Indian Wild Ass, Khur (S) Hemiono indostánico, Khur, Onagro de la India (F) Ane sauvage de l'Inde, Hémione de l'Inde
- Equus hemionus kiang* Pallas, 1775 = *Equus kiang* Moorcroft, 1841
- Equus khur* Lesson, 1827 = *Equus hemionus khur* Lesson, 1827
- Equus kiang*** Moorcroft, 1841 II EQUIDAE (Mammalia)  
(E) Kiang (S) Kiang (F) Ane sauvage du Tibet, Kiang
- Equus onager* Boddaert, 1785 = *Equus hemionus* Pallas, 1775
- Equus onager khur* (Pallas, 1775) = *Equus hemionus khur* Lesson, 1827
- Equus przewalskii* Poliakov, 1881 I EQUIDAE (Mammalia)  
(E) Mongolian Wild Horse, Przewalski's Horse, Przewalski's Wild Horse, Takh (S) Caballo de Przewalski, Caballo salvaje (F) Cheval de Przewalski
- Equus zebra*** Linnaeus, 1758 I/II/NC EQUIDAE  
(Mammalia) (E) Mountain Zebra
- Equus zebra hartmannae*** Matschie, 1898 II EQUIDAE  
(Mammalia) (E) Hartmann's Mountain Zebra (S) Cebra de Hartmann (F) Zèbre de Hartmann, Zèbre de montagne de Hartmann
- Equus zebra zebra*** Linnaeus, 1758 I EQUIDAE  
(Mammalia) (E) Cape Mountain Zebra (S) Cebra de montaña del Cabo, Cebra montañesa del Cabo (F) Zèbre de montagne du Cap
- Erebophis asper* Günther, 1877 = *Candoia aspera* (Günther, 1877)
- Eretmochelys* spp.** I CHELONIIDAE (Reptilia)
- Eretmochelys imbricata*** (Linnaeus, 1766) I  
CHELONIIDAE (Reptilia) (E) Hawksbill Turtle (S)  
Tortuga carey, Tortuga de carey (F) Caret, Tortue à bec de faucon, Tortue à écailles, Tortue imbriquée
- Eretmochelys squamata* Agassiz, 1857 = *Eretmochelys imbricata* (Linnaeus, 1766)
- Eriociyathus* spp.** Cairns & Zibrowius 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Eriociyathus echinatus*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Eriocnemis* spp.** II TROCHILIDAE (Aves)
- Eriocnemis alinae*** (Bourcier, 1842) II TROCHILIDAE  
(Aves) (E) Emerald-bellied Puffleg (S) Calzadito pechiblanco, Zamarrito pechiblanco (F) Érione d'Aline
- Eriocnemis aline* (Bourcier, 1843) = *Eriocnemis alinae* (Bourcier, 1842)
- Eriocnemis assimilis* Elliot, 1876 = *Haplophaedia assimilis* (Elliot, 1876)
- Eriocnemis cupreoventris*** (Fraser, 1840) II  
TROCHILIDAE (Aves) (E) Coppery-bellied Puffleg (S) Calzadito cobrizo, Colibrí pantalón cobrizo (F) Érione à ventre cuivré
- Eriocnemis derbyi*** (DeLattre & Bourcier, 1846) II  
TROCHILIDAE (Aves) (E) Black-thighed Puffleg (S) Calzadito patinegro, Zamarrito muslinegro (F) Érione de Derby
- Eriocnemis glaucopoides*** (d'Orbigny & Lafresnaye, 1838) II TROCHILIDAE (Aves) (E) Blue-capped Puffleg (S) Calzadito frentiazul, Picaflor frentivioleta (F) Érione à front bleu
- Eriocnemis godini*** (Bourcier, 1851) II TROCHILIDAE (Aves) (E) Turquoise-throated Puffleg (S) Calzadito turquesa, Zamarrito gorjiturquesa (F) Érione turquoise
- Eriocnemis isabellae*** Cortés-Diago, Ortega, Mazariegos-Hurtado & Weller, 2007 II TROCHILIDAE (Aves) (E) Gorgeted Puffleg
- Eriocnemis luciani*** (Bourcier, 1847) II TROCHILIDAE (Aves) (E) Sapphire-vented Puffleg (S) Calzadito colilargo norteño, Zamarrito colilargo (F) Érione Catherine
- Eriocnemis mirabilis*** Meyer de Schauensee, 1967 II  
TROCHILIDAE (Aves) (E) Colourful Puffleg (S) Calzadito admirable (F) Érione multicolore
- Eriocnemis mosquera*** (DeLattre & Bourcier, 1846) II  
TROCHILIDAE (Aves) (E) Golden-breasted Puffleg (S) Calzadito de Mosquera, Zamarrito pechidorado (F) Érione à poitrine d'or
- Eriocnemis nigrivestis*** (Bourcier & Mulsant, 1852) II  
TROCHILIDAE (Aves) (E) Black-breasted Puffleg (S) Calzadito pechinegro, Zamarrito pechinegro (F) Érione à robe noire
- Eriocnemis sapphiropygia* Taczanowski, 1874 = *Eriocnemis luciani* (Bourcier, 1847)
- Eriocnemis vestita*** (Lesson, 1838) II TROCHILIDAE (Aves) (E) Glowing Puffleg (S) Calzadito reluciente, Colibrí pantalón verde, Zamarrito luciente (F) Érione pattue
- Eriocnemis vestitus* (Lesson, 1838) = *Eriocnemis vestita* (Lesson, 1838)  
Érione à front bleu (F): *Eriocnemis glaucopoides*  
Érione à poitrine d'or (F): *Eriocnemis mosquera*  
Érione à robe noire (F): *Eriocnemis nigrivestis*  
Érione à ventre cuivré (F): *Eriocnemis cupreoventris*  
Érione Catherine (F): *Eriocnemis luciani*  
Érione d'Aline (F): *Eriocnemis alinae*  
Érione d'Aurélie (F): *Haplophaedia aureliae*  
Érione de Derby (F): *Eriocnemis derbyi*  
Érione givrée (F): *Haplophaedia lugens*  
Érione multicolore (F): *Eriocnemis mirabilis*  
Érione pattue (F): *Eriocnemis vestita*  
Érione turquoise (F): *Eriocnemis godini*  
*Eriopus lugens* Gould, 1851 = *Haplophaedia lugens* (Gould, 1851)  
Érismature à tête blanche (F): *Oxyura leucocephala*

Ermine (E): <i>Mustela erminea</i>	Ermitaño de Prêtre (F): <i>Phaethornis pretrei</i>
Ermitaño barbigrís (S): <i>Phaethornis griseogularis</i>	Ermitaño de Rucker (F): <i>Threnetes ruckeri</i>
Ermitaño gargantifusco (S): <i>Phaethornis squalidus</i>	Ermitaño de Stuart (F): <i>Phaethornis stuarti</i>
Ermitaño pequeño (S): <i>Phaethornis longuemareus</i>	Ermitaño d'Idalie (F): <i>Phaethornis idaliae</i>
Ermitaño rufo (S): <i>Phaethornis ruber</i>	Ermitaño d'Osery (F): <i>Phaethornis hispidus</i>
Ermitaño barbiblanco (S): <i>Phaethornis hispidus</i>	Ermitaño eurynome (F): <i>Phaethornis eurynome</i>
Ermitaño barbigris (S): <i>Phaethornis griseogularis</i>	Ermitaño hirsute (F): <i>Glaucis hirsutus</i>
Ermitaño barbudo (S): <i>Threnetes ruckeri</i>	Ermitaño nain (F): <i>Phaethornis longuemareus</i>
Ermitaño barbudo colibandeado (S): <i>Threnetes ruckeri</i>	Ermitaño ocré (F): <i>Phaethornis subochraceus</i>
Ermitaño bigotiblanco (S): <i>Phaethornis yaruqui</i>	Ermitaño roussâtre (F): <i>Phaethornis ruber</i>
Ermitaño boliviano (S): <i>Phaethornis stuarti</i>	Ermitaño terne (F): <i>Phaethornis squalidus</i>
Ermitaño bronceado (S): <i>Glaucis aeneus</i>	Ermitaño vert (F): <i>Phaethornis guy</i>
Ermitaño carinegro (S): <i>Phaethornis anthophilus</i>	Ermitaño yaruqui (F): <i>Phaethornis yaruqui</i>
Ermitaño chico (S): <i>Phaethornis longuemareus</i>	Eroïde (F): <i>Brachyteles arachnoides</i>
Ermitaño coliancho (S): <i>Anopetia gounellei</i>	<b>Errina spp.</b> Gray 1835 II STYLASTERIDAE (Hydrozoa)
Ermitaño colilargo (S): <i>Phaethornis superciliosus</i>	<b>Errina altispina</b> Cairns, 1986 II STYLASTERIDAE
Ermitaño colilargo común (S): <i>Phaethornis superciliosus</i>	(Hydrozoa)
Ermitaño colilargo norteño (S): <i>Phaethornis longirostris</i>	<i>Errina amoena</i> Boschma, 1956 = <i>Errina dabneyi</i>
Ermitaño de Espírito Santo (S): <i>Glaucis dohrnii</i>	(Pourtales, 1871)
Ermitaño de Koepcke (S): <i>Phaethornis koepckeae</i>	<b>Errina antarctica</b> (Gray, 1872) II STYLASTERIDAE
Ermitaño del planalto (S): <i>Phaethornis pretrei</i>	(Hydrozoa)
Ermitaño de Natterer (S): <i>Phaethornis nattereri</i>	<b>Errina aspera</b> (Linnaeus, 1767) II STYLASTERIDAE
Ermitaño de picorrecto (S): <i>Phaethornis bourcieri</i>	(Hydrozoa)
Ermitaño de Yaruqui (S): <i>Phaethornis yaruqui</i>	<i>Errina aspera mascarina</i> (Linnaeus, 1767) = <i>Errina aspera</i>
Ermitaño escamoso (S): <i>Phaethornis eurynome</i>	(Linnaeus, 1767)
Ermitaño escuálido (S): <i>Phaethornis squalidus</i>	<b>Errina atlantica</b> Hickson, 1912 II STYLASTERIDAE
Ermitaño fretrinégra (S): <i>Phaethornis pretrei</i>	(Hydrozoa)
Ermitaño gorgiestriado (S): <i>Phaethornis striigularis</i>	<b>Errina bicolor</b> Cairns, 1991 II STYLASTERIDAE
Ermitaño guayanés (S): <i>Phaethornis superciliosus</i>	(Hydrozoa)
Ermitaño hirsuto (S): <i>Glaucis hirsutus</i>	<b>Errina boschmai</b> Cairns, 1983 II STYLASTERIDAE
Ermitaño limpiacasa (S): <i>Phaethornis augusti</i>	(Hydrozoa)
Ermitaño manchado (S): <i>Phaethornis eurynome</i>	<b>Errina capensis</b> Hickson, 1912 II STYLASTERIDAE
Ermitaño ocráceo (S): <i>Phaethornis subochraceus</i>	(Hydrozoa)
Ermitaño pechicanelo (S): <i>Glaucis hirsutus</i>	<i>Errina carinata</i> (Pourtales, 1867) = <i>Lepidopora carinata</i>
Ermitaño picoaguja (S): <i>Phaethornis philippii</i>	(Pourtales, 1867)
Ermitaño picogrande (S): <i>Phaethornis malaris</i>	<i>Errina carneae</i> Boschma, 1965 = <i>Errina laterorifa</i> Eguchi,
Ermitaño picosierra (S): <i>Ramphodon naevius</i>	1964
Ermitaño pigmeo (S): <i>Phaethornis idaliae</i>	<i>Errina cervicornis</i> Broch, 1942 = <i>Lepidotheca cervicornis</i>
Ermitaño piquirrecto (S): <i>Phaethornis bourcieri</i>	(Broch, 1942)
Ermitaño rojizo (S): <i>Phaethornis ruber</i>	<b>Errina chathamensis</b> Cairns, 1991 II STYLASTERIDAE
Ermitaño ventrihabano (S): <i>Phaethornis syrmatophorus</i>	(Hydrozoa)
Ermitaño ventripáldido (S): <i>Phaethornis anthophilus</i>	<b>Errina cheilopora</b> Cairns, 1983 II STYLASTERIDAE
Ermitaño verde (S): <i>Phaethornis guy</i>	(Hydrozoa)
Ermita à brins blancs (F): <i>Phaethornis superciliosus</i>	<b>Errina cochleata</b> Pourtales, 1867 II STYLASTERIDAE
Ermita à gorge grise (F): <i>Phaethornis griseogularis</i>	(Hydrozoa)
Ermita à gorge rayée (F): <i>Phaethornis striigularis</i>	<b>Errina cooki</b> Hickson, 1912 II STYLASTERIDAE
Ermita à long bec (F): <i>Phaethornis malaris</i>	(Hydrozoa)
Ermita à longue queue (F): <i>Phaethornis longirostris</i>	<i>Errina cruenta</i> Boschma, 1968 = <i>Errina novaezelandiae</i>
Ermita anthophile (F): <i>Phaethornis anthophilus</i>	Hickson, 1912
Ermita à queue blanche (F): <i>Threnetes niger</i>	<b>Errina cyclopora</b> Cairns, 1983 II STYLASTERIDAE
Ermita à ventre fauve (F): <i>Phaethornis syrmatophorus</i>	(Hydrozoa)
Ermita bronzé (F): <i>Glaucis aeneus</i>	<b>Errina dabneyi</b> (Pourtales, 1871) II STYLASTERIDAE
Ermita d'Auguste (F): <i>Phaethornis augusti</i>	(Hydrozoa)
Ermita de Bourcier (F): <i>Phaethornis bourcieri</i>	<i>Errina decipiens</i> Boschma, 1964 = <i>Lepidopora decipiens</i>
Ermita de Dohrn (F): <i>Glaucis dohrnii</i>	(Boschma, 1964)
Ermita de Dohrnou à bec incurvé (F): <i>Glaucis dohrnii</i>	<b>Errina dendyi</b> Hickson, 1912 II STYLASTERIDAE
Ermita de Filippi (F): <i>Phaethornis philippii</i>	(Hydrozoa)
Ermita de Gounelle (F): <i>Anopetia gounellei</i>	<i>Errina diffusa</i> Boschma, 1963 = <i>Lepidopora diffusa</i>
Ermita de Koepcke (F): <i>Phaethornis koepckeae</i>	(Boschma, 1963)
Ermita de Natterer (F): <i>Phaethornis nattereri</i>	

- Errina echinata* (Moseley, 1879) = *Stellapora echinata* (Moseley, 1879)
- Errina fissurata*** Gray, 1872 II STYLASTERIDAE (Hydrozoa)
- Errina glabra* Pourtalès, 1867 = *Lepidopora glabra* (Pourtalès, 1867)
- Errina gracilis*** Marenzeller, 1903 II STYLASTERIDAE (Hydrozoa)
- Errina hicksoni*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Errina hicksoni* Boschma, 1963 = *Lepidopora eburnea* (Calvet, 1903)
- Errina horrida* Hickson & England, 1905 = *Lepidotheca horrida* (Hickson & England, 1905)
- Errina japonica*** Eguchi, 1968 II STYLASTERIDAE (Hydrozoa)
- Errina kerguelensis*** Broch, 1942 II STYLASTERIDAE (Hydrozoa)
- Errina labiata* Moseley, 1879 = *Inferiolabiata labiata* (Moseley, 1879)
- Errina laevigata*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Errina lateroripa*** Eguchi, 1964 II STYLASTERIDAE (Hydrozoa)
- Errina macrogastera*** Marenzeller, 1904 II STYLASTERIDAE (Hydrozoa)
- Errina moseleyi* Ridley, 1881 = *Errina antarctica* (Gray, 1872)
- Errina novaezelandiae*** Hickson, 1912 II STYLASTERIDAE (Hydrozoa)
- Errina novaezelandiae cooki* Hickson, 1912 = *Errina cooki* Hickson, 1912
- Errina novaezelandiae dendyi* Hickson, 1912 = *Errina dendyi* Hickson, 1912
- Errina porifera*** Naumov, 1960 II STYLASTERIDAE (Hydrozoa)
- Errina pourtalesii* Dall, 1884 = *Errinopora pourtalesii* (Dall, 1884)
- Errina ramosa* Hickson & England, 1905 = *Lepidotheca ramosa* (Hickson & England, 1905)
- Errina regularis* (Kirkpatrick, 1887) = *Phalangopora regularis* Kirkpatrick, 1887
- Errina reticulata*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Errina rubra* Broch, 1942 = *Errina dendyi* Hickson, 1912
- Errina sarmentosa* Boschma, 1968 = *Lepidopora sarmentosa* (Boschma, 1968)
- Errina sinuosa*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Errina spongiosa* Broch, 1942 = *Errina antarctica* (Gray, 1872)
- Errina tenuistylus* Broch, 1942 = *Lepidotheca tenuistylus* (Broch, 1942)
- Errinopora spp.*** Fisher 1931 II STYLASTERIDAE (Hydrozoa)
- Errinopora cestoporina*** Cairns, 1983 II STYLASTERIDAE (Hydrozoa)
- Errinopora intervacans* Naumov, 1960 = *Errinopora stylifera* (Broch, 1935)
- Errinopora latifundata*** Naumov, 1960 II STYLASTERIDAE (Hydrozoa)
- Errinopora nanneca*** Fisher, 1938 II STYLASTERIDAE (Hydrozoa)
- Errinopora pourtalesii*** (Dall, 1884) II STYLASTERIDAE (Hydrozoa)
- Errinopora stylifera*** (Broch, 1935) II STYLASTERIDAE (Hydrozoa)
- Errinopora zarhyncha*** Fisher, 1938 II STYLASTERIDAE (Hydrozoa)
- Errinopsis spp.*** Broch 1951 II STYLASTERIDAE (Hydrozoa)
- Errinopsis fenestrata*** Cairns, 1983 II STYLASTERIDAE (Hydrozoa)
- Errinopsis reticulum*** Broch, 1951 II STYLASTERIDAE (Hydrozoa)
- Erymnochelys madagascariensis*** (Grandidier, 1867) II PODOCNEMIDIDAE (Reptilia) (E) Madagascar Big-headed Turtle, Madagascar Sideneck Turtle (F) Podocnémide de Madagascar
- Erythraストrea spp.*** Scheer & Pillai 1983 II FAVIIDAE (Anthozoa)
- Erythraストrea flabellata*** Scheer & Pillai, 1983 II FAVIIDAE (Anthozoa)
- Erythrocebus spp.*** II CERCOPITHECIDAE (Mammalia)
- Erythrocebus patas*** (Schreber, 1775) II CERCOPITHECIDAE (Mammalia) (E) Patas Monkey (F) Patas
- Erythrosplizias trinotatus nanus* (Bonaparte, 1850) = *Accipiter nanus* (Blasius, 1897)
- Erythroriorchis spp.*** II<sup>27</sup> ACCIPITRIDAE (Aves)
- Erythroriorchis buergersi*** (Reichenow, 1914) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Bürger's Sparrowhawk, Chestnut-mantled Goshawk, Chestnut-shouldered Goshawk, Chestnut-shouldered Hawk (S) Azor de Bürgers (F) Autour de Bürger
- Erythroriorchis radiatus*** (Latham, 1801) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Red Goshawk (S) Azor rojo (F) Autour rouge
- Eryx spp.*** II BOIDAE (Reptilia)
- Eryx bengalensis* Guerin, 1830 = *Gongylophis conicus* (Schneider, 1801)
- Eryx borrii*** Lanza & Nistri, 2005 II BOIDAE (Reptilia)
- Eryx cerastes* (Linnaeus, 1758) = *Eryx jaculus* (Linnaeus, 1758)
- Eryx colubrina* = *Gongylophis colubrinus* (Linnaeus, 1758)
- Eryx colubrinus* Stull, 1932 = *Gongylophis colubrinus* (Linnaeus, 1758)
- Eryx conicus* (Schneider, 1801) = *Gongylophis conicus* (Schneider, 1801)
- Eryx elegans*** (Gray, 1849) II BOIDAE (Reptilia) (E) Central Asian Sand Boa, Elegant Sand Boa (F) Boa des sables d'Asie centrale, Boa des sables élégant
- Eryx familiaris* Eichwald, 1831 = *Eryx jaculus* (Linnaeus, 1758)
- Eryx fodiens* Annandale, 1913 = *Eryx jayakari* Boulenger, 1888
- Eryx jaculus*** (Linnaeus, 1758) II BOIDAE (Reptilia) (E) Caucasian Sand Boa, Javelin Sand Boa, Spotted Sand

Boa (S) Boa jabalina (F) Boa des sables occidental, Boa-javelot, Eryx javelot	Baleine Gris
<i>Eryx jaculus czarewskii</i> (Linnaeus, 1758) = <i>Eryx elegans</i> (Gray, 1849)	<b><i>Eschrichtius</i> spp. I/II 18</b> ESCHRICHTIIDAE (Mammalia) <i>Eschrichtius gibbosus</i> Erxleben, 1777 = <i>Eschrichtius robustus</i> (Lilljeborg, 1861)
<i>Eryx jaculus miliaris</i> (Linnaeus, 1758) = <i>Eryx miliaris</i> (Pallas, 1773)	<i>Eschrichtius glaucus</i> (Cope, 1868) = <i>Eschrichtius robustus</i> (Lilljeborg, 1861)
<i>Eryx jaculus sennaariensis</i> Linnaeus, 1758 = <i>Gongylophis colubrinus</i> (Linnaeus, 1758)	<b><i>Eschrichtius robustus</i></b> (Lilljeborg, 1861) I ESCHRICHTIIDAE (Mammalia) (E) Devil-fish, Gray-back, Grey Whale, Hard-head, Mussel-digger, Rip-sack (S) Ballena gris (F) Baleine à six bosses, Baleine grise
Eryx javelot (F): <i>Eryx jaculus</i>	Escorpión (S): <i>Heloderma horridum</i>
<b><i>Eryx jayakari</i></b> Boulenger, 1888 II BOIDAE (Reptilia) (E)	Escorpión de Gambia (S): <i>Pandinus gambiensis</i>
Arabian Sand Boa, Jayakar's Sand Boa (F) Boa des sables d'Arabie	Escorpión emperador (S): <i>Pandinus imperator</i>
<b><i>Eryx johnii</i></b> (Russell, 1801) II BOIDAE (Reptilia) (E)	Escorpión gigante (S): <i>Pandinus imperator</i>
Blunt-tailed Sand Boa, Brown Sand Boa, Indian Sand Boa (S) Boa de arena de la India (F) Boa des sables brun	Escorpión magnífico (S): <i>Pandinus dictator</i>
<i>Eryx johnii persicus</i> (Russell, 1801) = <i>Eryx jaculus</i> (Linnaeus, 1758)	Eslízón de las Islas Salomón (S): <i>Corucia zebra</i>
<i>Eryx loveridgei</i> (Linnaeus, 1758) = <i>Gongylophis colubrinus</i> (Linnaeus, 1758)	Esmeralda bronceada (S): <i>Chlorostilbon russatus</i>
<i>Eryx maculatus</i> Hallowell, 1949 = <i>Eryx johnii</i> (Russell, 1801)	Esmeralda capirotada (S): <i>Elvira cupreiceps</i>
Eryx miliaire (F): <i>Eryx miliaris</i>	Esmeralda cola de alambre (S): <i>Chlorostilbon stenurus</i>
<b><i>Eryx miliaris</i></b> (Pallas, 1773) II BOIDAE (Reptilia) (E)	Esmeralda coliazul (S): <i>Chlorostilbon mellisugus</i>
Desert Sand Boa, Dwarf Sand Boa (F) Boa des sables miliaire, Boa des sables nain, Eryx miliaire	Esmeralda colicorta (S): <i>Chlorostilbon poortmani</i>
<i>Eryx muelleri</i> (Boulenger, 1892) = <i>Gongylophis muelleri</i> Boulenger, 1892	Esmeralda colifina (S): <i>Chlorostilbon stenurus</i>
<i>Eryx multocarinata</i> F. Boie, 1827 = <i>Bolyeria multocarinata</i> (Boie, 1827)	Esmeralda coliverde (S): <i>Chlorostilbon alice</i>
<i>Eryx persicus</i> Nikolsky, 1907 = <i>Eryx jaculus</i> (Linnaeus, 1758)	Esmeralda de Canivet (S): <i>Chlorostilbon canivetii</i>
<i>Eryx reinhardtii</i> Schlegel, 1848 = <i>Calabaria reinhardtii</i> (Schlegel, 1848)	Esmeralda de la Española (S): <i>Chlorostilbon swainsonii</i>
<i>Eryx rickmersi</i> Werner, 1930 = <i>Eryx miliaris</i> (Pallas, 1773)	Esmeralda del Chiribiquete (S): <i>Chlorostilbon olivaresi</i>
<i>Eryx rufescens</i> Ahl, 1933 = <i>Gongylophis colubrinus</i> (Linnaeus, 1758)	Esmeralda elvira (S): <i>Elvira chionura</i>
<i>Eryx scutata</i> Gray, 1842 = <i>Gongylophis colubrinus</i> (Linnaeus, 1758)	Esmeralda gorgiazul (S): <i>Chlorostilbon notatus</i>
<b><i>Eryx somalicus</i></b> Scortecci, 1939 II BOIDAE (Reptilia) (E)	Esmeralda hondurena (S): <i>Amazilia luciae</i>
Somali Sand Boa (S) Boa de arena somalí (F) Boa des sables de Somalia	Esmeralda portorriqueña (S): <i>Chlorostilbon maugaeus</i>
<i>Eryx speciosus</i> Carevskij, 1916 = <i>Eryx tataricus</i> (Lichtenstein, 1823)	Esmeralda ventridorada (S): <i>Chlorostilbon lucidus</i>
<b><i>Eryx tataricus</i></b> (Lichtenstein, 1823) II BOIDAE (Reptilia) (E)	Esmeralda viente-blanco (S): <i>Amazilia candida</i>
Tartary Sand Boa (F) Boa des sables de Tatarie	Esmeralda zunzún (S): <i>Chlorostilbon ricordii</i>
<i>Eryx tataricus bogdanovi</i> (Lichtenstein, 1823) = <i>Eryx miliaris</i> (Pallas, 1773)	Esmerejón (S): <i>Falco columbarius</i>
<i>Eryx tataricus helluo</i> (Lichtenstein, 1823) = <i>Eryx miliaris</i> (Pallas, 1773)	Esok (E): <i>Probarbus jullieni</i>
<i>Eryx thebaicus</i> Reuss, 1834 = <i>Gongylophis colubrinus</i> (Linnaeus, 1758)	Espadachin (S): <i>Pristis pectinata</i>
<i>Eryx turcicus</i> (Oliver, 1801) = <i>Eryx jaculus</i> (Linnaeus, 1758)	Espadarte (S): <i>Orcinus orca</i>
<b><i>Eryx whitakeri</i></b> Das, 1991 II BOIDAE (Reptilia) (E)	Espadon (S): <i>Pristis pectinata</i>
Whitaker's Boa (S) Boa de arena de Whitaker (F) Boa des sables de Whitaker	Esparvero bicolor (S): <i>Accipiter bicolor</i>
Escarabajo rompefocos (S): <i>Dynastes satanas</i>	Esparvero chico (S): <i>Accipiter striatus</i>
<b>ESCHRICHTIIDAE</b> spp. Ellerman & Morrison-Scott, 1951 I/II 18 (Mammalia) (E)	Esparvero gris (S): <i>Accipiter superciliosus</i>
Grey Whale (S) Ballena gris (F)	Esparvero pechigrís (S): <i>Accipiter poliogaster</i>
	Espátula (S): <i>Platalea leucorodia</i>
	Espátula blanca (S): <i>Platalea leucorodia</i>
	Espátula común (S): <i>Platalea leucorodia</i>
	Espolonero chinquis (S): <i>Polyplectron bicalcaratum</i>
	Espolonero de Borneo (S): <i>Polyplectron schleiermacheri</i>
	Espolonero de Germain (S): <i>Polyplectron germaini</i>
	Espolonero de Palawan (S): <i>Polyplectron napoleonis</i>
	Espolonero malayo (S): <i>Polyplectron malacense</i>
	Esterlete (S): <i>Acipenser ruthenus</i>
	Estornino de Rothschild (S): <i>Leucopsar rothschildi</i>
	Estouroun (F): <i>Acipenser sturio</i>
	Estrella coliblanca (S): <i>Urochroa bouguieri</i>
	estrella, Coral (E): <i>Madracis pharensis</i>
	Estrella cuellirrojo (S): <i>Chaetocercus heliodor</i>
	Estrella ecuatoriana (S): <i>Oreotrochilus chimborazo</i>
	Estrellita amatista (S): <i>Calliphlox amethystina</i>
	Estrellita chica (S): <i>Chaetocercus bombus</i>

- Estrellita colicorta (S): *Myrmia micrura*  
 Estrellita de gorguera (S): *Chaetocercus heliodor*  
 Estrellita esmeraldeña (S): *Chaetocercus berlepschi*  
 Estrellita gargantillada (S): *Myrtis fanny*  
 Estrellita gorjipúrpura (S): *Calliphlox mitchellii*  
 Estrellita ventriblanca (S): *Chaetocercus mulsanti*  
*Estrilda formosa* (Latham, 1790) = *Amandava formosa* (Latham, 1790)  
 Estrilda verde (S): *Amandava formosa*  
 Esturión (F): *Acipenser sturio*  
 Esturón à barbillons frangés (F): *Acipenser nudiventris*  
 Esturón à museau court (F): *Acipenser brevirostrum*  
 Esturón à nez court (F): *Acipenser brevirostrum*  
 Esturón atlántico (F): *Acipenser sturio*  
 Esturón atlántico d'Europe (F): *Acipenser sturio*  
 Esturón blanc (F): *Acipenser transmontanus*  
 Esturón chino (F): *Acipenser sinensis*  
 Esturón comun (F): *Acipenser sturio*  
 Esturón de la Baltique (F): *Acipenser sturio*  
 Esturón de l'Adriatique (F): *Acipenser naccarii*  
 Esturón de l'Atlántique (F): *Acipenser oxyrinchus*  
 Esturón de Sakhaline (F): *Acipenser medirostris*  
 Esturón de Sibérie (F): *Acipenser ruthenus*  
 Esturón du Danube (F): *Acipenser gueldenstaedtii*  
 Esturón écusonné, Esturón de l'Amour (F): *Acipenser schrenckii*  
 Esturón étoilé (F): *Acipenserstellatus*  
 Esturón européen (F): *Acipenser sturio*  
 Esturón européen occidentale (F): *Acipenser sturio*  
 Esturón jaune (F): *Acipenser fulvescens*  
 Esturón noir (F): *Acipenser oxyrinchus*  
 Esturón nu (F): *Acipenser nudiventris*  
 Esturón russe, Osciètre (F): *Acipenser gueldenstaedtii*  
 Esturones (F): *Acipenseridae*  
 Esturón sibérien (F): *Acipenser baerii*  
 Esturón vert (F): *Acipenser medirostris*  
 Esturión (S): *Acipenser sturio*  
 Esturión (S): *Huso huso*  
 Esturión barba de flecos (S): *Acipenser nudiventris*  
 Esturión beluga (S): *Huso huso*  
 Esturión blanco (S): *Acipenser transmontanus*  
 Esturión chato (S): *Acipenser brevirostrum*  
 Esturión común (S): *Acipenser sturio*  
 Esturión del Adriático (S): *Acipenser naccarii*  
 Esturión del Atlántico (S): *Acipenser oxyrinchus*  
 Esturión del Danubio (S): *Acipenser gueldenstaedtii*  
 Esturión de Siberia (S): *Acipenser ruthenus*  
 Esturiones (S): *Acipenseridae*  
 Esturiones, Peces Espátulas (S): *Acipenseriformes*  
 Esturión estrellado (S): *Acipenserstellatus*  
 Esturión hociquicorto (S): *Acipenser brevirostrum*  
 Esturión lacustre (S): *Acipenser fulvescens*  
 Esturión verde (S): *Acipenser medirostris*  
 Étourneau de Rothschild (F): *Leucopsar rothschildi*  
 Étrujeon (F): *Acipenser sturio*  
*Euathlus albopilosus* (Valerio, 1980) = *Brachypelma albopilosum* Valerio, 1980  
*Euathlus angustus* (Valerio, 1980) = *Brachypelma angustum* Valerio, 1980  
*Euathlus aureoceps* (Chamberlin, 1917) = *Brachypelma aureoceps* (Chamberlin, 1917)  
*Euathlus embrithes* (Chamberlin & Ivie, 1936) = *Brachypelma embrithes* (Chamberlin & Ivie, 1936)  
*Euathlus emilia* (White, 1856) = *Brachypelma emilia* (White, 1856)  
*Euathlus epicureanus* (Chamberlin, 1925) = *Brachypelma epicureanum* (Chamberlin, 1925)  
*Euathlus fossorius* (Valerio, 1980) = *Brachypelma fossorium* Valerio, 1980  
*Euathlus pallidus* (F. O. Pickard-Cambridge, 1897) = *Aphonopelma pallidum* (Pickard-Cambridge, 1897)  
*Euathlus sabulosus* (Pickard-Cambridge, 1897) = *Brachypelma sabulosum* (F. O. Pickard-Cambridge, 1897)  
*Euathlus smithi* (Pickard-Cambridge, 1897) = *Brachypelma smithi* (F. O. Pickard-Cambridge, 1897)  
*Euathlus vagans* (Ausserer, 1875) = *Brachypelma vagans* (Ausserer, 1875)  
**Eubalaena spp.** Gray, 1864 I BALAENIDAE (Mammalia)  
**Eubalaena australis** (Desmoulin, 1822) I BALAENIDAE (Mammalia) (E) Southern Right Whale (S) Ballena franca (F) Baleine australe  
**Eubalaena glacialis** (P. L. S. Müller, 1776) I BALAENIDAE (Mammalia) (E) Black Right Whale, Northern Right Whale, Right Whale (S) Ballena franca del Norte, Ballenga (F) Baleine de Biscaye, Baleine des Basques, Baleine franche  
*Eubalaena glacialis japonica* P. L. S. Müller, 1776 = *Eubalaena japonica* (Lacépède, 1818)  
**Eubalaena japonica** (Lacépède, 1818) I BALAENIDAE (Mammalia) (E) North Pacific Right Whale  
*Eubalaena sieboldi* Gray, 1864 = *Eubalaena glacialis* (P. L. S. Müller, 1776)  
*Eucimopathes contorta* (van Pesch, 1910) = *Cirrhipathes contorta* van Pesch, 1910  
**Eudocimus ruber** (Linnaeus, 1758) II THRESKIORNITHIDAE (Aves) (E) Scarlet Ibis (S) Corocoro colorado, Corocoro rojo, Ibis escarlata (F) Ibis rouge  
**Eugenes spp.** II TROCHILIDAE (Aves)  
**Eugenes fulgens** (Swainson, 1827) II TROCHILIDAE (Aves) (E) Magnificent Hummingbird, Rivoli's Hummingbird (S) Colibrí magnífico (F) Colibri de Rivoli  
*Eugenia imperatrix* Gould, 1856 = *Heliodoxa imperatrix* (Gould, 1856)  
**Eulampis spp.** II TROCHILIDAE (Aves)  
**Eulampis holosericeus** (Linnaeus, 1758) II TROCHILIDAE (Aves) (E) Green-throated Carib (S) Colibrí caribeño gorgiverde (F) Colibri falle-vert  
**Eulampis jugularis** (Linnaeus, 1766) II TROCHILIDAE (Aves) (E) Purple-throated Carib (S) Colibrí caribeño gorgimorado (F) Colibri madère  
**Eulemur spp.** I LEMURIDAE (Mammalia)  
**Eulemur albifrons** (É. Geoffroy, 1796) I LEMURIDAE (Mammalia) (E) White-fronted Brown Lemur, White-fronted Lemur  
**Eulemur albocollaris** (Rumpler, 1975) I LEMURIDAE (Mammalia) (E) White-collared Brown Lemur, White-collared Lemur

- Eulemur cinereiceps** (A. Grandidier & Milne-Edwards, 1890) I LEMURIDAE (Mammalia) (E) Grey-headed Lemur
- Eulemur collaris** (É. Geoffroy, 1812) I LEMURIDAE (Mammalia) (E) Collared Brown Lemur, Red-collared Lemur
- Eulemur coronatus** (Gray, 1842) I LEMURIDAE (Mammalia) (E) Crowned Lemur (S) Lémur coronado (F) Lémur à couronne
- Eulemur fulvus** (É. Geoffroy, 1796) I LEMURIDAE (Mammalia) (E) Brown Lemur (S) Lémur leonado (F) Lémur brun, Maki brun
- Eulemur fulvus albifrons* = *Eulemur albifrons* (É. Geoffroy, 1796)
- Eulemur fulvus albocollaris* (É. Geoffroy, 1796) = *Eulemur albocollaris* (Rumpler, 1975)
- Eulemur fulvus collaris* (É. Geoffroy, 1796) = *Eulemur collaris* (É. Geoffroy, 1812)
- Eulemur fulvus rufus* (É. Geoffroy, 1796) = *Eulemur rufus* (Audebert, 1799)
- Eulemur fulvus sanfordi* (É. Geoffroy, 1796) = *Eulemur sanfordi* (Archbold, 1932)
- Eulemur macaco** (Linnaeus, 1766) I LEMURIDAE (Mammalia) (E) Black Lemur (S) Lémur negro (F) Lémur macaco, Lémur noir, Maki noir
- Eulemur mongoz** (Linnaeus, 1766) I LEMURIDAE (Mammalia) (E) Mongoose Lemur (S) Lémur mangosta (F) Lémur mongoz, Maki mongoz
- Eulemur mongoz coronatus* (Linnaeus, 1766) = *Eulemur coronatus* (Gray, 1842)
- Eulemur rubriventer** (I. Geoffroy, 1850) I LEMURIDAE (Mammalia) (E) Red-bellied Lemur (S) Lemur de vientre rojo (F) Lémur à ventre rouge
- Eulemur rufus** (Audebert, 1799) I LEMURIDAE (Mammalia) (E) Red-fronted Brown Lemur, Red-fronted Lemur
- Eulemur sanfordi** (Archbold, 1932) I LEMURIDAE (Mammalia) (E) Sanford's Brown Lemur, Sanford's Lemur
- Eulidia spp.** II TROCHILIDAE (Aves)
- Eulidia zarudnyi** (Bourcier, 1847) II TROCHILIDAE (Aves) (E) Chilean Woodstar (S) Colibrí de Arica (F) Colibri d'Arica
- Eunectes spp.** II BOIDAE (Reptilia)
- Eunectes barbouri* Dunn & Conant, 1936 = *Eunectes murinus* (Linnaeus, 1758)
- Eunectes beniensis** Dirksen, 2002 II BOIDAE (Reptilia)
- Eunectes deschauenseei** Dunn & Conant, 1936 II BOIDAE (Reptilia) (E) Dark-spotted Anaconda, Meyer de Schauensee's Anaconda (F) Anaconda à taches sombres, Anaconda de Meyer de Schauensee
- Eunectes murinus** (Linnaeus, 1758) II BOIDAE (Reptilia) (E) Anaconda, Green Anaconda, Water Boa (S) Anaconda, Sucuri (F) Anaconda, Anaconda commun, Anaconda vert
- Eunectes notaeus** Cope, 1862 II BOIDAE (Reptilia) (E) Yellow Anaconda (S) Anaconda amarilla (F) Anaconda du Paraguay, Anaconda jaune
- Eunectes scytale* (Linnaeus, 1758) = *Eunectes murinus* (Linnaeus, 1758)
- Eunectes wieningeri* Steindachner, 1903 = *Eunectes notaeus* Cope, 1862
- Eunymphicus spp.** I/II 29 PSITTACIDAE (Aves)
- Eunymphicus cornutus** (Gmelin, 1788) I PSITTACIDAE (Aves) (E) Horned Parakeet (S) Perico cornudo (F) Perruche cornue, Perruche huppée
- Eunymphicus cornutus* (J. F. Gmelin, 1788) = *Eunymphicus cornutus* (Gmelin, 1788)
- Eunymphicus uvaensis* (Layard & Layard, 1882) = *Eunymphicus cornutus* (Gmelin, 1788)
- Euoticus spp.** II GALAGIDAE (Mammalia)
- Euoticus elegantulus** (Le Conte, 1857) II GALAGIDAE (Mammalia) (E) Elegant Galago, Western Needle-clawed Bushbaby, Western Needle-clawed Galago (S) Abolí, Gálago elegante (F) Galago élégant
- Euoticus inustus** (Schwarz, 1930) = *Galago matschiei* Lorenz, 1917
- Euoticus pallidus** (Gray, 1863) II GALAGIDAE (Mammalia) (E) Northern Needle-clawed Bushbaby, Northern Needle-clawed Galago
- Eupetomena spp.** II TROCHILIDAE (Aves)
- Eupetomena macroura** (Gmelin, 1788) II TROCHILIDAE (Aves) (E) Swallow-tailed Hummingbird (S) Colibrí golondrina (F) Colibri hirondelle
- Euphema bourkii* Gould, 1841 = *Neopsephotus bourkii* (Gould, 1841)
- Euphema petrophila* Gould, 1841 = *Neophema petrophila* (Gould, 1841)
- Euphema splendida* Gould, 1841 = *Neophema splendida* (Gould, 1841)
- Euperusa spp.** II TROCHILIDAE (Aves)
- Euperusa cupreiceps* Lawrence, 1866 = *Elvira cupreiceps* (Lawrence, 1867)
- Euperusa cyanophrys** Rowley & Orr, 1964 II TROCHILIDAE (Aves) (E) Blue-capped Hummingbird, Oaxaca Hummingbird (S) Colibrí oaxaqueño (F) Colibri d'Oaxaca
- Euperusa eximia** (DeLattre, 1843) II TROCHILIDAE (Aves) (E) Stripe-tailed Hummingbird (S) Colibrí colirrayado (F) Colibri à épaulettes
- Euperusa nigriventris** Lawrence, 1867 II TROCHILIDAE (Aves) (E) Black-bellied Hummingbird (S) Colibrí ventrinegro (F) Colibri à ventre noir
- Euperusa poliocerca** Elliot, 1871 II TROCHILIDAE (Aves) (E) White-tailed Hummingbird (S) Colibrí de Guerrero, Colibrí guerrerense (F) Colibri du Guerrero
- Euphlyctis hexadactyla* Poynton & Broadley, 1985 = *Euphlyctis hexadactylus* (Lesson, 1834)
- Euphlyctis hexadactylus** (Lesson, 1834) II DICROGLOSSIDAE (Amphibia) (E) Green Pond Frog, Indian Bullfrog, Indian Five-fingered Frog, Indian Green Frog, Indian Pond Frog, Six-fingered Frog, Six-toed Frog (F) Grenouille du Bengale, Grenouille hexadactyle
- Euphlyctis hexadactylus* Dubois, 1992 = *Euphlyctis hexadactylus* (Lesson, 1834)
- Euphlyctis tigerina* Poynton & Broadley, 1985 = *Hoplobatrachus tigerinus* (Daudin, 1802)
- Euphractus nationi* (Thomas, 1894) = *Chaetophractus nationi* (Thomas, 1894)

- Euphyllia* spp.** Dana, 1848 II CARYOPHYLLIIDAE  
(Anthozoa)
- Euphyllia ancora*** Veron & Pichon, 1980 II  
CARYOPHYLLIIDAE (Anthozoa) (E) Anchor Coral,  
Hammer Coral
- Euphyllia aspera* Dana, 1846 = *Eusmilia fastigiata* (Pallas, 1766)
- Euphyllia cristata*** Chevalier, 1972 II CARYOPHYLLIIDAE  
(Anthozoa) (E) White Grape Coral
- Euphyllia divisa*** Veron & Pichon, 1980 II  
CARYOPHYLLIIDAE (Anthozoa) (E) Frogspawn Coral
- Euphyllia fimbriata*** (Spengler, 1799) II  
CARYOPHYLLIIDAE (Anthozoa)
- Euphyllia glabrescens*** (Chamisso & Eysenhardt, 1821) II  
CARYOPHYLLIIDAE (Anthozoa)
- Euphyllia laxa* Gravier, 1911 = *Euphyllia glabrescens* (Chamisso & Eysenhardt, 1821)
- Euphyllia meandrina* Dana, 1846 = *Euphyllia fimbriata* (Spengler, 1799)
- Euphyllia paraancora*** Veron, 1990 II  
CARYOPHYLLIIDAE (Anthozoa) (E) Branching Anchor Coral
- Euphyllia paradivisa*** Veron, 1990 II CARYOPHYLLIIDAE  
(Anthozoa)
- Euphyllia paraglabrescens*** Veron, 1990 II  
CARYOPHYLLIIDAE (Anthozoa)
- Euphyllia pavonina* (Lesson, 1831) = *Flabellum pavoninum* Lesson, 1831
- Euphyllia rubra* (Quoy & Gaimard, 1833) = *Monomyces rubrum* (Quoy & Gaimard, 1833)
- Euphyllia rugosa* Dana, 1846 = *Euphyllia glabrescens* (Chamisso & Eysenhardt, 1821)
- Euphyllia sinuosa* Dana, 1846 = *Plerogyra sinuosa* (Dana, 1846)
- Euphyllia spheniscus* Dana, 1846 = *Truncatoflabellum spheniscus* (Dana, 1846)
- Euphyllia turgida* Dana, 1846 = *Euphyllia glabrescens* (Chamisso & Eysenhardt, 1821)
- Euphyllia yaeyamaensis*** (Shirai, 1980) II  
CARYOPHYLLIIDAE (Anthozoa)
- Euplère de Goudot (F): *Eupleres goudotii*
- Eupleres goudotii*** Doyère, 1835 II EUPLERIDAE  
(Mammalia) (E) Falanouc, Malagasy Mongoose, Slender Fanalouc, Small-toothed Mongoose (S) Fanaloca, Mangosta dentipequeno (F) Euplère de Goudot
- Eupleres major* Lavauden, 1929 = *Eupleres goudotii* Doyère, 1835
- Euplocomus swinhonis* Gould, 1863 = *Lophura swinhonis* (Gould, 1863)
- Eupodotis* spp.** II OTIDIDAE (Aves)
- Eupodotis afra afraoides* (Linnaeus, 1766) = *Afrotis afraoides* (A. Smith, 1831)
- Eupodotis afra* (Linnaeus, 1766) = *Afrotis afra* (Linnaeus, 1766)
- Eupodotis afraoides* (A. Smith, 1831) = *Afrotis afraoides* (A. Smith, 1831)
- Eupodotis bengalensis* (Gmelin, 1789) = *Houbaropsis bengalensis* (Gmelin, 1789)
- Eupodotis burchellii* Heuglin, 1867 = *Neotis denhami* (Children, 1826)
- Eupodotis caeruleescens*** (Vieillot, 1820) II OTIDIDAE  
(Aves) (E) Blue Bustard, Blue Korhaan (S) Sisón azul, Sisón azulado (F) Outarde plombée
- Eupodotis gindiana* Oustalet, 1881 = *Lophotis gindiana* (Oustalet, 1881)
- Eupodotis hartlaubii* (Heuglin, 1863) = *Lissotis hartlaubii* (Heuglin, 1863)
- Eupodotis humilis*** (Blyth, 1856) II OTIDIDAE (Aves) (E) Little Brown Bustard (S) Sisón somalí (F) Outarde somalienne
- Eupodotis indica* (J. F. Miller, 1782) = *Sypheotides indicus* (J. F. Miller, 1782)
- Eupodotis melanogaster* (Rüpell, 1835) = *Lissotis melanogaster* (Rüpell, 1835)
- Eupodotis rueppellii*** (Wahlberg, 1856) II OTIDIDAE  
(Aves) (E) Damara Korhaan, Rüpell's Bustard (S) Sisón de Damaraland, Sisón de Rüpell (F) Outarde de Rüpell
- Eupodotis ruficrista* (A. Smith, 1836) = *Lophotis ruficrista* (A. Smith, 1836)
- Eupodotis ruficrista gindiana* (A. Smith, 1836) = *Lophotis gindiana* (Oustalet, 1881)
- Eupodotis savilei* (Lynes, 1920) = *Lophotis savilei* Lynes, 1920
- Eupodotis senegalensis*** (Vieillot, 1820) II OTIDIDAE  
(Aves) (E) Senegal Bustard, White-bellied Bustard, White-bellied Korhaan (S) Sisón senegalés (F) Outarde du Sénégal
- Eupodotis vigorsii*** (A. Smith, 1831) II OTIDIDAE (Aves)  
(E) Karoo Bustard, Karoo Korhaan, Vigors's Bustard (S) Sisón del karroo, Sisón de Vigors (F) Outarde de Vigors
- Eupsammia regalis* Alcock, 1893 = *Balanophyllia regalis* (Alcock, 1893)
- Eupsammia stimpsoniana* Verrill, 1866 = *Balanophyllia stimpsonii* (Verrill, 1865)
- Eupsammia stimpsonii* Verrill, 1865 = *Balanophyllia stimpsonii* (Verrill, 1865)
- Eupsittula aurea* (J. F. Gmelin, 1788) = *Aratinga aurea* (Gmelin, 1788)
- Eupsittula cactorum* (Kuhl, 1820) = *Aratinga cactorum* (Kuhl, 1820)
- Eupsittula cactorum* (Spix, 1824) = *Aratinga cactorum* (Kuhl, 1820)
- Eupsittula canicularis* (Linnaeus, 1758) = *Aratinga canicularis* (Linnaeus, 1758)
- Eupsittula nana* (Vigors, 1830) = *Aratinga nana* (Vigors, 1830)
- Eupsittula pertinax* (Linnaeus, 1758) = *Aratinga pertinax* (Linnaeus, 1758)
- Eupsittula weddelli* (Deville, 1851) = *Aratinga weddelli* (Deville, 1851)
- Eurochelidon sirintarae* (Thonglongya, 1968) = *Pseudochelidon sirintarae* Kitti, 1968
- Eurycea mucronata* Rafinesque, 1832 = *Cryptobranchus alleganiensis* (Daudin, 1803)
- Eurychelidon sirintarae* (Kitti, 1968) = *Pseudochelidon sirintarae* Kitti, 1968

- Eurypelma aureoceps* Chamberlin, 1917 = *Brachypelma aureoceps* (Chamberlin, 1917)
- Eurypelma dupontii* Becker, 1879 = *Brachypelma vagans* (Ausserer, 1875)
- Eurypelma embrithes* Chamberlin & Ivie, 1936 = *Brachypelma embrithes* (Chamberlin & Ivie, 1936)
- Eurypelma emilia* (White, 1856) = *Brachypelma emilia* (White, 1856)
- Eurypelma epicureana* Chamberlin, 1925 = *Brachypelma epicureanum* (Chamberlin, 1925)
- Eurypelma pallidum* Pickard-Cambridge, 1897 = *Aphonopelma pallidum* (Pickard-Cambridge, 1897)
- Eurypelma sabulosum* Pickard-Cambridge, 1897 = *Brachypelma sabulosum* (F. O. Pickard-Cambridge, 1897)
- Eurypelma smithi* Pickard-Cambridge, 1897 = *Brachypelma smithi* (F. O. Pickard-Cambridge, 1897)
- Eurypelma vagans* Ausserer, 1875 = *Brachypelma vagans* (Ausserer, 1875)
- Eusmilia* spp.** Milne Edwards & Haime 1848 II  
CARYOPHYLLIIDAE (Anthozoa)
- Eusmilia aspera* (Dana, 1848) = *Eusmilia fastigiata* (Pallas, 1766)
- Eusmilia fastigiata*** (Pallas, 1766) II CARYOPHYLLIIDAE (Anthozoa) (E) Smooth Flower Coral (S) Coral floral liso (F) Corail fleur doux
- Eusmilia knorrii* Milne Edwards & Haime, 1848 = *Eusmilia fastigiata* (Pallas, 1766)
- Eutoxeres* spp.** II TROCHILIDAE (Aves)
- Eutoxeres aquila*** (Bourcier, 1847) II TROCHILIDAE (Aves) (E) White-tipped Sicklebill (S) Pico-de-hoz puntiblanco, Picohoz coliverde (F) Bec-en-faucille aigle
- Eutoxeres condamini*** (Bourcier, 1851) II TROCHILIDAE (Aves) (E) Buff-tailed Sicklebill (S) Pico-de-hoz colihabano, Picohoz colicanela (F) Bec-en-faucille de la Condamine
- Eutriorchis* spp.** II 27 ACCIPITRIDAE (Aves)
- Eutriorchis astur*** (Sharpe, 1875) II 27 ACCIPITRIDAE (Aves) (E) Madagascar Serpent-Eagle (S) Culebrera azor (F) Aigle serpentaire, Serpentaire de Madagascar
- Excidobates* spp.** II DENDROBATIDAE (Amphibia)
- Excidobates captivus*** (Myers, 1982) II  
DENDROBATIDAE (Amphibia) (E) Rio Santiago Poison Frog (F) Dendrobate du Rio Santiago
- Excidobates captivus* Twomey & Brown, 2008 = *Excidobates captivus* (Myers, 1982)
- Excidobates mysteriosus*** Myers, 1982 II  
DENDROBATIDAE (Amphibia) (E) Maranon Poison Frog (S) Rana de punta de flecha misteriosa (F) Dendrobate mystérieux
- Excidobates mysteriosus* Twomey & Brown, 2008 = *Excidobates mysteriosus* Myers, 1982
- Exiliboa* spp.** II TROPIDOPHIIDAE (Reptilia)
- Exiliboa placata*** Bogert, 1968 II TROPIDOPHIIDAE (Reptilia) (E) Bogert's Boa, Oaxacan Boa, Oaxacan Dwarf Boa (S) Boa enana mexicana (F) Boa nain d'Oaxaca
- Explanaria annularis* (Ellis & Solander, 1786) = *Montastrea annularis* (Ellis & Solander, 1786)
- Explanaria argus* (Lamarck, 1816) = *Montastrea cavernosa* (Linnaeus, 1767)
- Explanaria cinerascens* (Ellis & Solander, 1786) = *Turbinaria mesenterina* (Lamarck, 1816)
- Explanaria galaxea* (Ellis & Solander, 1786) = *Astreopora listeri* Bernard, 1896
- Explanaria gemmacea* Lamarck, 1816 = *Echinopora gemmacea* (Lamarck, 1816)
- Explanaria hemprichii* Ehrenberg, 1834 = *Lobophyllia hemprichii* (Ehrenberg, 1834)
- Explanaria infundibulum* Lamarck, 1816 = *Turbinaria crater* (Pallas, 1766)
- Explanaria mesenterina* Lamarck, 1816 = *Turbinaria mesenterina* (Lamarck, 1816)
- Explanaria radiata* (Ellis & Solander, 1786) = *Montastrea cavernosa* (Linnaeus, 1767)
- Eye, Higgins's (E): *Lampsilis higginsii*
- Fabo calderón (S): *Grampus griseus*
- Fairy, Black-eared (E): *Heliothryx auritus*
- Fairy, Purple-crowned (E): *Heliothryx barroti*
- Faisan à queue barrée (F): *Syrmaticus humiae*
- Faisán argos (S): *Argusianus argus*
- Faisán chir (S): *Catreus wallichii*
- Faisan de Birmanie (F): *Syrmaticus humiae*
- Faisán de cola ocelada de Germain (S): *Polyplectron germaini*
- Faisán de cola ocelada gris (S): *Polyplectron bicalcaratum*
- Faisán de cola ocelada malayo (S): *Polyplectron malacense*
- Faisan de cuerno rojo (S): *Oreophasis derbianus*
- Faisan d'Edwards (F): *Lophura edwardsi*
- Faisán de Edwards (S): *Lophura edwardsi*
- Faisán de Elliot (S): *Syrmaticus ellioti*
- Faisán de espolones de Borneo (S): *Polyplectron schleiermacheri*
- Faisán de espolones de Germain (S): *Polyplectron germaini*
- Faisán de espolones de Palawan (S): *Polyplectron napoleonis*
- Faisán de espolones gris (S): *Polyplectron bicalcaratum*
- Faisán de espolones malayo (S): *Polyplectron malacense*
- Faisán de Formosa (S): *Lophura swinhoii*
- Faisan de Formose (F): *Lophura swinhoii*
- Faisán de Hume (F): *Syrmaticus humiae*
- Faisán de Hume (S): *Syrmaticus humiae*
- Faisan de l'Himalaya (F): *Catreus wallichii*
- Faisán d'Elliot (F): *Syrmaticus ellioti*
- Faisán de Rheinard (S): *Rheinardia ocellata*
- Faisan de Swinhoe (F): *Lophura swinhoii*
- Faisán de Swinhoe (S): *Lophura swinhoii*
- Faisan de Wallich (F): *Catreus wallichii*
- Faisán de Wallich (S): *Catreus wallichii*
- Faisán ensangrentado (S): *Ithaginis cruentus*
- Faisán kálij (S): *Lophura leucomelanos*
- Faisan leucomèle (F): *Lophura leucomelanos*
- Faisán mikado (F): *Syrmaticus mikado*
- Faisán mikado (S): *Syrmaticus mikado*
- Faisán monal chino (S): *Lophophorus lhuysii*
- Faisán monal del Himalaya (S): *Lophophorus impejanus*
- Faisán monal de Sclater (S): *Lophophorus sclateri*

- Faisan oreillard blanc (F): *Crossoptilon crossoptilon*  
 Faisan oreillard brun (F): *Crossoptilon mantchuricum*  
 Faisán orejudo blanco (S): *Crossoptilon crossoptilon*  
 Faisán orejudo de Manchuria (S): *Crossoptilon mantchuricum*  
 Faisán orejudo pardo (S): *Crossoptilon mantchuricum*  
 Faisán orejudo tibetano (S): *Crossoptilon crossoptilon*  
 Faisán real de Germain (S): *Polyplectron germaini*  
 Faisán real de Palaguán (S): *Polyplectron napoleonis*  
 Faisán real gris (S): *Polyplectron bicalcaratum*  
 Faisán real malayo (S): *Polyplectron malacense*  
 Faisán sangrante (S): *Ithaginis cruentus*  
 Faisan sanguin (F): *Ithaginis cruentus*  
 Faisán sanguíneo (S): *Ithaginis cruentus*  
 Falanouc (E): *Eupleres goudotii*  
***Falcatoflabellum* spp.** II FLABELLIDAE (Anthozoa)  
***Falcatoflabellum raoulensis*** Cairns, 1995 II  
 FLABELLIDAE (Anthozoa)  
***Falco* spp.** I/II 27 FALCONIDAE (Aves)  
*Falco aequinoctialis* Gmelin, 1788 = *Buteogallus aequinoctialis* (Gmelin, 1788)  
*Falco aeruginosus* Linnaeus, 1758 = *Circus aeruginosus* (Linnaeus, 1758)  
*Falco albicilla* Linnaeus, 1758 = *Haliaeetus albicilla* (Linnaeus, 1758)  
*Falco albicollis* Latham, 1790 = *Leucophaea albicollis* (Latham, 1790)  
*Falco alexanderi* Bourne, 1955 = *Falco tinnunculus* Linnaeus, 1758  
***Falco alopec*** (Heuglin, 1861) II 27 FALCONIDAE (Aves)  
 (E) Fox Kestrel (S) Cernícalo zorrudo (F) Crécerelle renard, Faucon-renard  
*Falco altaicus* (Menzbier, 1891) = *Falco cherrug* Gray, 1834  
*Falco americanus* Boddaert, 1783 = *Ibycter americanus* (Boddaert, 1783)  
***Falco amurensis*** Radde, 1863 II 27 FALCONIDAE (Aves)  
 (E) Amur Falcon, Eastern Red-footed Falcon, Manchurian Red-footed Falcon (S) Cernícalo del Amur (F) Faucon de l'Amour  
*Falco angolensis* Gmelin, 1788 = *Gypohierax angolensis* (Gmelin, 1788)  
*Falco anthracinus* Deppe, 1830 = *Buteogallus anthracinus* (Deppe, 1830)  
*Falco apivorus* Linnaeus, 1758 = *Pernis apivorus* (Linnaeus, 1758)  
*Falco araea* (Oberholser, 1917) = *Falco araeus* (Oberholser, 1917)  
***Falco araeus*** (Oberholser, 1917) I FALCONIDAE (Aves)  
 (E) Seychelles Kestrel (S) Cernícalo de las Seychelles (F) Crécerelle des Seychelles, Crécerelle katitie, Emouchel des Seychelles, Faucon crécerelle des Seychelles  
***Falco ardosiaceus*** Vieillot, 1823 II 27 FALCONIDAE (Aves) (E) Grey Kestrel (S) Cernícalo gris, Cernícalo pizarroso (F) Faucon ardoisé  
*Falco augur* Rüppell, 1836 = *Buteo augur* (Rüppell, 1836)  
*Falco australis* Gmelin, 1788 = *Phalcoboenus australis* (Gmelin, 1788)  
*Falco badius* Gmelin, 1788 = *Accipiter badius* (Gmelin, 1788)  
*Falco belllicosus* Daudin, 1800 = *Polemaetus bellicosus* (Daudin, 1800)  
***Falco berigora*** Vigors & Horsfield, 1827 II 27  
 FALCONIDAE (Aves) (E) Brown Falcon (S) Halcón berigora (F) Faucon bérigora  
***Falco biarmicus*** Temminck, 1825 II 27 FALCONIDAE (Aves) (E) Lanner, Lanner Falcon (S) Halcón borní (F) Faucon lanier  
*Falco bidentatus* Latham, 1790 = *Harpagus bidentatus* (Latham, 1790)  
*Falco buffoni* Gmelin, 1788 = *Circus buffoni* (Gmelin, 1788)  
*Falco buteo* Linnaeus, 1758 = *Buteo buteo* (Linnaeus, 1758)  
*Falco cachinnans* Linnaeus, 1758 = *Herpetotheres cachinnans* (Linnaeus, 1758)  
*Falco caerulescens* Linnaeus, 1758 = *Microhierax caerulescens* (Linnaeus, 1758)  
*Falco caeruleus* Desfontaines, 1789 = *Elanus caeruleus* (Desfontaines, 1789)  
*Falco canorus* Rislachi, 1799 = *Melierax canorus* (Rislachi, 1799)  
*Falco cayanensis* Latham, 1790 = *Leptodon cayanensis* (Latham, 1790)  
***Falco cenchroides*** Vigors & Horsfield, 1827 II 27  
 FALCONIDAE (Aves) (E) Australian Kestrel, Nankeen Kestrel (S) Cernícalo australiano (F) Crécerelle australienne, Crécerelle d'Australie  
*Falco cheela* Latham, 1790 = *Spilornis cheela* (Latham, 1790)  
*Falco cheriway* Jacquin, 1784 = *Caracara cheriway* (Jacquin, 1784)  
***Falco cherrug*** Gray, 1834 II 27 FALCONIDAE (Aves) (E) Saker, Saker Falcon (S) Halcón sacre (F) Faucon sacre  
***Falco chicquera*** Daudin, 1800 II 27 FALCONIDAE (Aves)  
 (E) Red-headed Falcon, Red-headed Merlin, Red-necked Falcon (S) Alcotán cuellirrojo, Alcotán turumti, Halcón de cabeza roja (F) Faucon à cou roux, Faucon chicquera  
*Falco chrysaetos* Linnaeus, 1758 = *Aquila chrysaetos* (Linnaeus, 1758)  
*Falco cirrhatus* Gmelin, 1788 = *Spizaetus cirrhatus* (Gmelin, 1788)  
***Falco columbarius*** Linnaeus, 1758 II 27 FALCONIDAE (Aves) (E) Merlin, Pigeon Hawk (S) Esmerejón, Halcón migratorio, Halcón palomero (F) Faucon émerillon  
***Falco concolor*** Temminck, 1825 II 27 FALCONIDAE (Aves) (E) Sooty Falcon (S) Halcón pardo, Halcón pizarroso (F) Faucon concolor  
*Falco connivens* Latham, 1801 = *Ninox connivens* (Latham, 1801)  
*Falco cooperii* Bonaparte, 1828 = *Accipiter cooperii* (Bonaparte, 1828)  
*Falco coronatus* Linnaeus, 1766 = *Stephanoaetus coronatus* (Linnaeus, 1766)  
***Falco cuvierii*** Smith, 1830 II 27 FALCONIDAE (Aves) (E) African Hobby (S) Alcotán africano, Halcón de Cuvier

- (F) Faucon de Cuvier, Hobereau africain  
*Falco cyaneus* Linnaeus, 1766 = *Circus cyaneus* (Linnaeus, 1766)
- Falco deiroleucus*** Temminck, 1825 II 27 FALCONIDAE  
 (Aves) (E) Orange-breasted Falcon (S) Halcón pechianaranjado, Halcón pechirrojo, Halcón pechirrufo, Halcón plomizo (F) Faucon orangé
- Falco dickinsoni*** Sclater, 1864 II 27 FALCONIDAE  
 (Aves) (E) Dickinson's Kestrel, White-rumped Kestrel (S) Cernícalo de Dickinson, Cernícalo dorsinegro (F) Faucon de Dickinson
- Falco diodon* Temminck, 1823 = *Harpagus diodon* (Temminck, 1823)
- Falco ecaudatus* Daudin, 1800 = *Terathopius ecaudatus* (Daudin, 1800)
- Falco eleonorae*** Géné, 1839 II 27 FALCONIDAE (Aves)  
 (E) Eleonora's Falcon (S) Halcón de Eleonor, Halcón de Eleonora (F) Faucon d'Eléonore
- Falco fasciinucha*** Reichenow & Neumann, 1895 II 27 FALCONIDAE (Aves) (E) Taita Falcon, Teita Falcon (S) Halcón taita (F) Faucon taita
- Falco femoralis*** Temminck, 1822 II 27 FALCONIDAE  
 (Aves) (E) Aplomado Falcon (S) Halcón aleteo, Halcón aplomado, Halcón azulado, Halcón perdiguero (F) Faucon aplomado
- Falco forficatus* Linnaeus, 1758 = *Elanoides forficatus* (Linnaeus, 1758)
- Falco fringillarius* Drapiez, 1824 = *Microhierax fringillarius* (Drapiez, 1824)
- Falco gabar* Daudin, 1800 = *Micronisus gabar* (Daudin, 1800)
- Falco gallicus* Gmelin, 1788 = *Circaetus gallicus* (Gmelin, 1788)
- Falco gentilis* Linnaeus, 1758 = *Accipiter gentilis* (Linnaeus, 1758)
- Falco guianensis* Daudin, 1800 = *Morphnus guianensis* (Daudin, 1800)
- Falco haliaeetus* Linnaeus, 1758 = *Pandion haliaeetus* (Linnaeus, 1758)
- Falco hamatus* Temminck, 1821 = *Rostrhamus hamatus* (Temminck, 1821)
- Falco humilis* S. Müller & Schlegel, 1841 = *Ichthyophaga humilis* (Müller & Schlegel, 1841)
- Falco hypoleucus*** Gould, 1841 II 27 FALCONIDAE  
 (Aves) (E) Grey Falcon (S) Halcón gris, Halcón gris de Australia (F) Faucon gris
- Falco ichthyaetus* Horsfield, 1821 = *Ichthyophaga ichthyaetus* (Horsfield, 1821)
- Falco indicus* Gmelin, 1788 = *Butastur indicus* (Gmelin, 1788)
- Falco indus* Boddaert, 1783 = *Haliastur indus* (Boddaert, 1783)
- Falco isidori* Des Murs, 1845 = *Oraetus isidori* (Des Murs, 1845)
- Falco jamaicensis* Gmelin, 1788 = *Buteo jamaicensis* (Gmelin, 1788)
- Falco jugger*** Gray, 1834 I FALCONIDAE (Aves) (E) Laggar Falcon (S) Halcón yággar (F) Faucon laggar
- Falco kreyenborgi* Kleinschmidt, 1929 = *Falco peregrinus* Tunstall, 1771
- Falco lacernulatus* Temminck, 1827 = *Leucopternis lacernulatus* (Temminck, 1827)
- Falco lagopus* Pontoppidan, 1763 = *Buteo lagopus* (Pontoppidan, 1763)
- Falco leucocephalus* Linnaeus, 1766 = *Haliaeetus leucocephalus* (Linnaeus, 1766)
- Falco leucogaster* Gmelin, 1788 = *Haliaeetus leucogaster* (Gmelin, 1788)
- Falco leucorrhous* Quoy & Gaimard, 1824 = *Buteo leucorrhous* (Quoy & Gaimard, 1824)
- Falco leuphotes* Dumont, 1820 = *Aviceda leuphotes* (Dumont, 1820)
- Falco lineatus* Gmelin, 1788 = *Buteo lineatus* (Gmelin, 1788)
- Falco liventer* Temminck, 1827 = *Butastur liventer* (Temminck, 1827)
- Falco longicauda* Garnot, 1828 = *Henicopernis longicauda* (Garnot, 1828)
- Falco longipennis*** Swainson, 1837 II 27 FALCONIDAE  
 (Aves) (E) Australian Hobby, Little Falcon (S) Alcotán australiano, Halconcito australiano (F) Petit faucon
- Falco macrourus* S. G. Gmelin, 1770 = *Circus macrourus* (S. G. Gmelin, 1770)
- Falco madens* Ripley & Watson, 1963 = *Falco peregrinus* Tunstall, 1771
- Falco magnirostris* Gmelin, 1788 = *Buteo magnirostris* (Gmelin, 1788)
- Falco malayensis* Temminck, 1822 = *Ictinaetus malayensis* (Temminck, 1822)
- Falco maurus* Temminck, 1828 = *Circus maurus* (Temminck, 1828)
- Falco melanoleucus* Pennant, 1769 = *Circus melanoleucus* (Pennant, 1769)
- Falco melanops* Latham, 1790 = *Leucopternis melanops* (Latham, 1790)
- Falco meridionalis* Latham, 1790 = *Buteogallus meridionalis* (Latham, 1790)
- Falco mexicanus*** Schlegel, 1850 II 27 FALCONIDAE  
 (Aves) (E) Prairie Falcon (S) Halcón de las praderas, Halcón mejicano, Halcón pradeño (F) Faucon des prairies
- Falco migrans* Boddaert, 1783 = *Milvus migrans* (Boddaert, 1783)
- Falco milvus* Linnaeus, 1758 = *Milvus milvus* (Linnaeus, 1758)
- Falco minullus* Daudin, 1800 = *Accipiter minullus* (Daudin, 1800)
- Falco mississippiensis* Wilson, 1811 = *Ictinia mississippiensis* (Wilson, 1811)
- Falco moluccensis*** (Bonaparte, 1850) II 27 FALCONIDAE (Aves) (E) Moluccan Kestrel, Spotted Kestrel (S) Cernícalo de las Molucas, Cernícalo moluqueño (F) Crécerelle des Moluques
- Falco monogrammicus* Temminck, 1824 = *Kaupifalco monogrammicus* (Temminck, 1824)
- Falcon, African Pygmy (E): *Polihierax semitorquatus*
- Falcon, Amur (E): *Falco amurensis*
- Falcon, Aplomado (E): *Falco femoralis*

- Falco naumanni** Fleischer, 1818 II 27 FALCONIDAE  
 (Aves) (E) Lesser Kestrel (S) Cernícalo primilla (F)  
 Faucon crécerellette
- Falcon, Barbary (E): *Falco pelegrinoides*  
 Falcon, Bat (E): *Falco rufigularis*  
 Falcon, Black (E): *Falco subniger*  
 Falcon, Brown (E): *Falco berigora*  
 Falcon, Eastern Red-footed (E): *Falco amurensis*  
*Falco neglectus* Schlegel, 1873 = *Falco tinnunculus*  
 Linnaeus, 1758
- Falcon, Eleonora's (E): *Falco eleonorae*  
 Falconet, Black-legged (E): *Microhierax fringillarius*  
 Falconet, Black-sided (E): *Microhierax fringillarius*  
 Falconet, Black-thighed (E): *Microhierax fringillarius*  
 Falconet, Bornean (E): *Microhierax latifrons*  
 Falconet, Collared (E): *Microhierax caerulescens*  
 Falconete acollarado (S): *Microhierax caerulescens*  
 Falconete de Borneo (S): *Microhierax latifrons*  
 Falconete filipino (S): *Microhierax erythrogenys*  
 Falconete indonesio (S): *Microhierax fringillarius*  
 Falconete pío (S): *Microhierax melanoleucus*  
 Falconet, Fielden's (E): *Polihierax insignis*  
 Falconet, Philippine (E): *Microhierax erythrogenys*  
 Falconet, Pied (E): *Microhierax melanoleucus*  
 Falconet, Red-legged (E): *Microhierax caerulescens*  
 Falconet, Red-thighed (E): *Microhierax caerulescens*  
 Falconet, Spot-winged (E): *Spizapteryx circumcincta*  
 Falconet, White-fronted (E): *Microhierax latifrons*  
 Falconet, White-rumped (E): *Polihierax insignis*
- Falco newtoni** (Gurney, 1863) I/II 28 FALCONIDAE  
 (Aves) (E) Madagascar Kestrel, Newton's Kestrel (S)  
 Cernícalo de Aldabra, Cernícalo de la isla Aldabra,  
 Cernícalo de Madagascar (F) Crécerelle d'Aldabra,  
 Crécerelle malgache, Faucon de Newton d'Aldabra
- Falcon, Grey (E): *Falco hypoleucus*  
 Falcon, Gyr (E): *Falco rusticolus*
- FALCONIDAE spp.** I/II 27 (Aves) (E) Falcons (S)  
 Halcones (F) Faucons
- FALCONIFORMES spp.** I/II/III/NC 27 (E) Eagles, Falcons,  
 Hawks, Vultures (S) Águilas, Halcones, Gavilanes,  
 Buitres (F) Aigles, Faucons, Éperviers, Vautours
- Falco nigricollis* Latham, 1790 = *Busarellus nigricollis*  
 (Latham, 1790)
- Falco nisus* Linnaeus, 1758 = *Accipiter nisus* (Linnaeus, 1758)
- Falco nitidus* Latham, 1790 = *Asturina nitida* (Latham, 1790)
- Falcon, Laggar (E): *Falco jugger*  
 Falcon, Lanner (E): *Falco biarmicus*  
 Falcon, Laughing (E): *Herpetotheres cachinnans*  
 Falcon, Little (E): *Falco longipennis*  
 Falcon, Manchurian Red-footed (E): *Falco amurensis*  
 Falcon, New Zealand (E): *Falco novaeseelandiae*  
 Falcon, Orange-breasted (E): *Falco deiroleucus*  
*Falco novaehollandiae* Gmelin, 1788 = *Accipiter novaehollandiae* (Gmelin, 1788)
- Falco novaeseelandiae** Gmelin, 1788 II 27  
 FALCONIDAE (Aves) (E) New Zealand Falcon (S)  
 Halcón de Nueva Zelanda, Halcón maorí (F) Faucon de Nouvelle-Zélande
- Falcon, Peregrine (E): *Falco peregrinus*  
 Falcon, Prairie (E): *Falco mexicanus*  
 Falcon, Pygmy (E): *Polihierax semitorquatus*  
 Falcon, Red-footed (E): *Falco vespertinus*  
 Falcon, Red-headed (E): *Falco chicquera*  
 Falcon, Red-necked (E): *Falco chicquera*  
 Falcons (E): *Falconidae*  
 Falcon, Saker (E): *Falco cherrug*  
 Falcon, Sooty (E): *Falco concolor*  
 Falcon, Spot-winged (E): *Spizapteryx circumcincta*  
 Falcon, Taita (E): *Falco fasciinucha*  
 Falcon, Teita (E): *Falco fasciinucha*  
 Falcon, Western Red-footed (E): *Falco vespertinus*  
 Falcon, White-rumped (E): *Polihierax insignis*  
*Falco occipitalis* Daudin, 1800 = *Lophaetus occipitalis*  
 (Daudin, 1800)
- Falco ornatus* Daudin, 1800 = *Spizaetus ornatus* (Daudin, 1800)
- Falco pelegrinoides** Temminck, 1829 I FALCONIDAE  
 (Aves) (E) Barbary Falcon (S) Halcón de Berbería,  
 Halcón peregrino de Babilonia (F) Faucon de Barbarie
- Falco pelegrinoides* Temminck, 1829 = *Falco peregrinus*  
 Tunstall, 1771
- Falco pennatus* Gmelin, 1788 = *Hieraetus pennatus*  
 (Gmelin, 1788)
- Falco peregrinus** Tunstall, 1771 I FALCONIDAE (Aves)  
 (E) Duck Hawk, Peregrine, Peregrine Falcon (S)  
 Halcón blancuzco, Halcón común, Halcón peregrino,  
 Halcón real, Halcón viajero (F) Faucon pèlerin
- Falco peregrinus pelegrinoides* Tunstall, 1771 = *Falco pelegrinoides* Temminck, 1829
- Falco peregrinus* Tunstall, 1771 = *Falco pelegrinoides*  
 Temminck, 1829
- Falco plancus* J. F. Miller, 1777 = *Caracara plancus* (J. F. Miller, 1777)
- Falco plumbeus* Gmelin, 1788 = *Ictinia plumbea* (Gmelin, 1788)
- Falco poliogaster* Temminck, 1824 = *Accipiter poliogaster*  
 (Temminck, 1824)
- Falco polyosoma* Quoy & Gaimard, 1824 = *Buteo polyosoma* (Quoy & Gaimard, 1824)
- Falco ptlorhyncus* Temminck, 1821 = *Pernis ptlorhynchus*  
 (Temminck, 1821)
- Falco punctatus** Temminck, 1821 I FALCONIDAE (Aves)  
 (E) Mauritius Kestrel (S) Cernícalo de la Mauricio,  
 Cernícalo de Mauricio (F) Crécerelle de Maurice,  
 Faucon de l'île Maurice
- Falco pygargus* Linnaeus, 1758 = *Circus pygargus*  
 (Linnaeus, 1758)
- Falco radiatus* Latham, 1801 = *Erythrotriorchis radiatus*  
 (Latham, 1801)
- Falco ranivorus* Daudin, 1800 = *Circus ranivorus* (Daudin, 1800)
- Falco rapax* Temminck, 1828 = *Aquila rapax* (Temminck, 1828)
- Falco rufigularis** Daudin, 1800 II 27 FALCONIDAE  
 (Aves) (E) Bat Falcon (S) Halcón golondrina, Halcón murcielaguero, Halcón plomizo menor (F) Faucon des chauves-souris

- Falco rufinus* Cretzschmar, 1827 = *Buteo rufinus* (Cretzschmar, 1827)
- Falco rufofuscus* J. R. Forster, 1798 = *Buteo rufofuscus* (Forster, 1798)
- Falco rupicoloides** Smith, 1829 II 27 FALCONIDAE (Aves) (E) Greater Kestrel, White-eyed Kestrel (S) Cernícalo ojiblanco, Cernícalo ojiblanco de Africa (F) Crécerelle aux yeux blancs
- Falco rusticulus** Linnaeus, 1758 I FALCONIDAE (Aves) (E) Gyrfalcon, Gyr Falcon (S) Halcón gerifalte (F) Faucon gerfaut, Gerfaut
- Falco semitorquata* A. Smith, 1836 = *Polihierax semitorquatus* (Smith, 1836)
- Falco serpentarius* J. F. Miller, 1779 = *Sagittarius serpentarius* (Miller, 1779)
- Falco severus** Horsfield, 1821 II 27 FALCONIDAE (Aves) (E) Oriental Hobby (S) Alcotán filipino (F) Faucon aldrovandin, Hobereau à poitrine rousse
- Falco soloensis* Horsfield, 1821 = *Accipiter soloensis* (Horsfield, 1821)
- Falco sparverius** Linnaeus, 1758 II 27 FALCONIDAE (Aves) (E) American Kestrel (S) Cernícalo americano, Cernícalo primitivo, Halconcito, Halconcito común, Halcón primitivo (F) Crécerelle américaine, Crécerelle d'Amérique
- Falco subbuteo** Linnaeus, 1758 II 27 FALCONIDAE (Aves) (E) Eurasian Hobby, Hobby, Northern Hobby (S) Alcotán, Alcotán europeo (F) Faucon hobereau
- Falco subniger** Gray, 1843 II 27 FALCONIDAE (Aves) (E) Black Falcon (S) Halcón negro, Halcón negro de Australia (F) Faucon noir
- Falco superciliosus* Linnaeus, 1766 = *Accipiter superciliosus* (Linnaeus, 1766)
- Falco tachiro* Daudin, 1800 = *Accipiter tachiro* (Daudin, 1800)
- Falco tinnunculus** Linnaeus, 1758 II 27 FALCONIDAE (Aves) (E) Common Kestrel, Eurasian Kestrel, Kestrel (S) Cernícalo común, Cernícalo Vulgar (F) Faucon crécerelle
- Falco trivirgatus* Temminck, 1824 = *Accipiter trivirgatus* (Temminck, 1824)
- Falco tyrannus* Wied, 1820 = *Spizaetus tyrannus* (Wied, 1820)
- Falco uncinatus* Temminck, 1822 = *Chondrohierax uncinatus* (Temminck, 1822)
- Falco unicinctus* Temminck, 1824 = *Parabuteo unicinctus* (Temminck, 1824)
- Falco urubitinga* Gmelin, 1788 = *Buteogallus urubitinga* (Gmelin, 1788)
- Falco vespertinus** Linnaeus, 1766 II 27 FALCONIDAE (Aves) (E) Red-footed Falcon, Western Red-footed Falcon (S) Cernícalo Patirrojo (F) Faucon kobezi
- Falco vespertinus amurensis* Linnaeus, 1766 = *Falco amurensis* Radde, 1863
- Falco virgatus* Temminck, 1822 = *Accipiter virgatus* (Temminck, 1822)
- Falco vocifer* Daudin, 1800 = *Haliaeetus vocifer* (Daudin, 1800)
- Falco zoniventris** Peters, 1854 II 27 FALCONIDAE (Aves) (E) Banded Kestrel, Barred Kestrel (S) Cernícalo malgache (F) Faucon à ventre rayé
- Falsa cobra (S): *Cyclagras gigas*
- Falsa cobra acuatica (S): *Cyclagras gigas*
- Falsa rata de agua (S): *Xeromys myoides*
- Falso gavial africano (S): *Crocodylus cataphractus*
- Falso gavial malayo (S): *Tomistoma schlegelii*
- Falso lagarto armadillo de Lang (S): *Cordylus langi*
- Falso lagarto armadillo del cabo (S): *Cordylus capensis*
- Falso lagarto armadillo espinoso (S): *Cordylus spinosus*
- Falso ratón de la Bahía de Shark (S): *Pseudomys fieldi praeconis*
- Falso vampiro del Uruguay (S): *Platyrhinus lineatus*
- Fanaloca (S): *Eupleres goudotii*
- Fanaloka (E): *Fossa fossana*
- Fanaloka (F): *Fossa fossana*
- Fanalouc, Slender (E): *Eupleres goudotii*
- Fandangero colicina (S): *Campylopterus curvipennis*
- Fandangero morado (S): *Campylopterus hemileucurus*
- Fandangero pechiescamosa (S): *Campylopterus cuvierii*
- Fandangero rufo (S): *Campylopterus rufus*
- Fanshell, Western (E): *Cyprogenia aberti*
- Faucon à cou roux (F): *Falco chicquera*
- Faucon aldrovandin (F): *Falco severus*
- Faucon aplomado (F): *Falco femoralis*
- Faucon ardoisé (F): *Falco ardosiaceus*
- Faucon à ventre rayé (F): *Falco zoniventris*
- Faucon bérigora (F): *Falco berigora*
- Faucon chicquera (F): *Falco chicquera*
- Faucon concolor (F): *Falco concolor*
- Faucon-coucou (F): *Aviceda cuculoides*
- Faucon crécerelle (F): *Falco tinnunculus*
- Faucon crécerelle des Seychelles (F): *Falco araeus*
- Faucon crécerellette (F): *Falco naumannni*
- Faucon de Barbarie (F): *Falco pelegrinoides*
- Faucon de Cuvier (F): *Falco cuvierii*
- Faucon de Dickinson (F): *Falco dickinsoni*
- Faucon de l'Amour (F): *Falco amurensis*
- Faucon d'Eléonore (F): *Falco eleonorae*
- Faucon de l'île Maurice (F): *Falco punctatus*
- Faucon de Newton d'Aldabra (F): *Falco newtoni*
- Faucon de Nouvelle-Zélande (F): *Falco novaeseelandiae*
- Faucon des chauves-souris (F): *Falco rufigularis*
- Faucon des prairies (F): *Falco mexicanus*
- Faucon émerillon (F): *Falco columbarius*
- Faucon gerfaut (F): *Falco rusticulus*
- Faucon gris (F): *Falco hypoleucus*
- Faucon hobereau (F): *Falco subbuteo*
- Faucon kobezi (F): *Falco vespertinus*
- Faucon laggar (F): *Falco jugger*
- Faucon lanier (F): *Falco biarmicus*
- Fauconnet à collier (F): *Microhierax caerulescens*
- Fauconnet à pattes jaunes (F): *Polihierax insignis*
- Fauconnet d'Afrique (F): *Polihierax semitorquatus*
- Fauconnet d'Amérique (F): *Spizapteryx circumcincta*
- Fauconnet de Bornéo (F): *Microhierax latifrons*
- Fauconnet des Philippines (F): *Microhierax erythrogenys*
- Fauconnet moineau (F): *Microhierax fringillarius*
- Fauconnet noir-et-blanc (F): *Microhierax melanoleucus*

Faucon noir (F): <i>Falco subniger</i>	<i>Favia halicora</i> (Hemprich & Ehrenberg, 1834) = <i>Favites halicora</i> (Hemprich & Ehrenberg, 1834)
Faucon orangé (F): <i>Falco deiroleucus</i>	<i>Favia hawaiiensis</i> Vaughan, 1907 = <i>Leptastrea purpurea</i> (Dana, 1846)
Faucon pèlerin (F): <i>Falco peregrinus</i>	<b><i>Favia helianthoides</i></b> Wells, 1954 II FAVIIDAE (Anthozoa)
Faucon-renard (F): <i>Falco alopecus</i>	<i>Favia hemprichii</i> (Ehrenberg, 1834) = <i>Acanthastrea hemprichii</i> (Ehrenberg, 1834)
Faucons (F): <i>Falconidae</i>	<i>Favia hombronii</i> (Rousseau, 1854) = <i>Favia stelligera</i> (Dana, 1846)
Faucon sacre (F): <i>Falco cherrug</i>	<i>Favia hululensis</i> Gardiner, 1904 = <i>Favia pallida</i> (Dana, 1846)
Faucon taita (F): <i>Falco fasciinucha</i>	<i>Favia incerta</i> Duchassaing & Michelotti, 1860 = <i>Favia fragum</i> (Esper, 1793)
Fausse souris de la baie de Shark (F): <i>Pseudomys fieldi praeconis</i>	<i>Favia ingolfi</i> Crossland, 1931 = <i>Plesiastrea versipora</i> (Lamarck, 1816)
Fauvette à long bec (F): <i>Dasyornis longirostris</i>	<i>Favia jacquinoti</i> Milne Edwards & Haime, 1857 = <i>Favia favus</i> (Forskål, 1775)
Fauvette brune à long bec (F): <i>Dasyornis longirostris</i>	<i>Favia laccadivica</i> Gardiner, 1904 = <i>Favia pallida</i> (Dana, 1846)
Fauvette rousse de l'Ouest (F): <i>Dasyornis broadbenti litoralis</i>	<b><i>Favia lacuna</i></b> Veron, Turak & DeVantier, 2000 II FAVIIDAE (Anthozoa)
Faux cobra (F): <i>Cyclagras gigas</i>	<i>Favia laddi</i> (Wells, 1954) = <i>Barabattoia laddi</i> (Wells, 1954)
Faux cobra aquatique du Brésil (F): <i>Cyclagras gigas</i>	<b><i>Favia laxa</i></b> (Klunzinger, 1879) II FAVIIDAE (Anthozoa)
Faux-gavial d'Afrique (F): <i>Crocodylus cataphractus</i>	<b><i>Favia leptophylla</i></b> Verrill, 1868 II FAVIIDAE (Anthozoa)
Faux-gavial malais (F): <i>Tomistoma schlegelii</i>	<b><i>Favia lizardensis</i></b> Veron, Pichon & Wijsman-Best, 1977 II FAVIIDAE (Anthozoa)
Faux jacquot (F): <i>Corallus caninus</i>	<b><i>Favia maritima</i></b> (Nemenzo, 1971) II FAVIIDAE (Anthozoa)
Faux-orque (F): <i>Pseudorca crassidens</i>	<b><i>Favia marshae</i></b> Veron, 2000 II FAVIIDAE (Anthozoa)
Faux rat d'eau (F): <i>Xeromys myoides</i>	<b><i>Favia matthaii</i></b> Vaughan, 1918 II FAVIIDAE (Anthozoa)
<i>Favastrea magnifica</i> Blainville, 1830 = <i>Favites abdita</i> (Ellis & Solander, 1786)	<b><i>Favia maxima</i></b> Veron, Pichon & Wijsman-Best, 1977 II FAVIIDAE (Anthozoa)
<b><i>Favia spp.</i></b> Oken, 1815 II FAVIIDAE (Anthozoa)	<i>Favia okeni</i> Milne Edwards & Haime, 1857 = <i>Favia speciosa</i> (Dana, 1846)
<i>Favia adduensis</i> Gardiner, 1904 = <i>Favites pentagona</i> (Esper, 1790)	<i>Favia palauensis</i> Yabe, Sugiyama & Eguchi, 1936 = <i>Goniastrea palauensis</i> (Yabe & Sugiyama, 1936)
<i>Favia affinis</i> (Milne Edwards & Haime, 1850) = <i>Favia favus</i> (Forskål, 1775)	<b><i>Favia pallida</i></b> (Dana, 1846) II FAVIIDAE (Anthozoa) (E) Knob Coral
<b><i>Favia albidus</i></b> Veron, 2000 II FAVIIDAE (Anthozoa)	<i>Favia pandanus</i> (Dana, 1846) = <i>Favia speciosa</i> (Dana, 1846)
<i>Favia amicorum</i> (Milne Edwards & Haime, 1848) = <i>Barabattoia amicorum</i> (Milne Edwards & Haime, 1848)	<i>Favia parvimurata</i> Gardiner, 1904 = <i>Goniastrea favulus</i> (Dana, 1846)
<i>Favia armata</i> (Verrill, 1872) = <i>Favia stelligera</i> (Dana, 1846)	<i>Favia paucisepta</i> Chevalier, 1972 = <i>Favia pallida</i> (Dana, 1846)
<i>Favia cavernosa</i> (Forskål, 1775) = <i>Favia favus</i> (Forskål, 1775)	<i>Favia puteolina</i> (Dana, 1846) = <i>Favia speciosa</i> (Dana, 1846)
<i>Favia cellulosa</i> (Verrill, 1872) = <i>Favia pallida</i> (Dana, 1846)	<i>Favia putnami</i> (Verrill, 1872) = <i>Favia pallida</i> (Dana, 1846)
<i>Favia clouei</i> Milne Edwards & Haime, 1857 = <i>Favia speciosa</i> (Dana, 1846)	<i>Favia robusta</i> (Dana, 1846) = <i>Favites abdita</i> (Ellis & Solander, 1786)
<i>Favia coarctata</i> Duchassaing & Michelotti, 1860 = <i>Favia fragum</i> (Esper, 1793)	<b><i>Favia rosaria</i></b> Veron, 2000 II FAVIIDAE (Anthozoa)
<i>Favia complanata</i> Hemprich & Ehrenberg, 1834 = <i>Favites complanata</i> (Hemprich & Ehrenberg, 1834)	<b><i>Favia rotumana</i></b> (Gardiner, 1899) II FAVIIDAE (Anthozoa)
<i>Favia conferta</i> Verrill, 1868 = <i>Favia gravida</i> Verrill, 1868	<b><i>Favia rotundata</i></b> (Veron, Pichon & Wijsman-Best, 1977) II FAVIIDAE (Anthozoa)
<b><i>Favia danae</i></b> Verrill, 1872 II FAVIIDAE (Anthozoa)	<i>Favia rudis</i> (Verrill, 1866) = <i>Favia speciosa</i> (Dana, 1846)
<b><i>Favia danai</i></b> Milne Edwards & Haime, 1857 II FAVIIDAE (Anthozoa)	<i>Favia rugosa</i> Chevalier, 1972 = <i>Favia matthaii</i> Vaughan, 1918
<i>Favia denticulata</i> (Ellis & Solander, 1786) = <i>Favia favus</i> (Forskål, 1775)	<i>Favia sinensis</i> (Milne Edwards & Haime, 1849) = <i>Platygyra sinensis</i> (Milne Edwards & Haime, 1849)
<i>Favia doreyensis</i> (Milne Edwards & Haime, 1850) = <i>Favia pallida</i> (Dana, 1846)	<b><i>Favia speciosa</i></b> (Dana, 1846) II FAVIIDAE (Anthozoa) (E) Larger Knob Coral
<i>Favia ehrenbergi</i> Klunzinger, 1879 = <i>Favia favus</i> (Forskål, 1775)	<b><i>Favia stelligera</i></b> (Dana, 1846) II FAVIIDAE (Anthozoa)
<b><i>Favia favus</i></b> (Forskål, 1775) II FAVIIDAE (Anthozoa)	
<i>Favia fragilis</i> (Dana, 1846) = <i>Favia speciosa</i> (Dana, 1846)	
<b><i>Favia fragum</i></b> (Esper, 1793) II FAVIIDAE (Anthozoa) (E)	
Golfball Coral, Small Star Coral (S) Coral empelotado (F) Corail balle de golf	
<i>Favia geoffroyi</i> Milne Edwards & Haime, 1857 = <i>Favia favus</i> (Forskål, 1775)	
<b><i>Favia gravida</i></b> Verrill, 1868 II FAVIIDAE (Anthozoa) (E)	
Pregnant Coral (S) Coral hinchado	

- Favia stelligera fanningensis** (Dana, 1846) = *Favia stelligera* (Dana, 1846)
- Favia truncatus** Veron, 2000 II FAVIIDAE (Anthozoa)
- Favia tubulifera* Klunzinger, 1879 = *Favia favus* (Forskål, 1775)
- Favia veroni** Moll & Best, 1984 II FAVIIDAE (Anthozoa)
- Favia vietnamensis** Veron, 2000 II FAVIIDAE (Anthozoa)
- Favia wakayama* Gardiner, 1914 = *Montastrea curta* (Dana, 1846)
- Favia whitfieldi* Verrill, 1901 = *Favia fragum* (Esper, 1793)
- Favia wisseli** Scheer & Pillai, 1983 II FAVIIDAE (Anthozoa)
- FAVIIDAE spp.** Gregory 1900 II (Anthozoa)
- Favites spp.** Link, 1807 II FAVIIDAE (Anthozoa)
- Favites abdita** (Ellis & Solander, 1786) II FAVIIDAE (Anthozoa) (E) Honeycomb Coral
- Favites acuticollis** (Ortmann, 1889) II FAVIIDAE (Anthozoa)
- Favites astrinus* Link, 1807 = *Favites abdita* (Ellis & Solander, 1786)
- Favites bennettae* Veron, Pichon & Wijsman-Best, 1977 = *Oulophyllia bennettae* (Veron, Pichon & Wijsman-Best, 1977)
- Favites bestae** Veron, 2000 II FAVIIDAE (Anthozoa)
- Favites chinensis** (Verrill, 1866) II FAVIIDAE (Anthozoa) (E) Larger Star Coral
- Favites complanata** (Hemprich & Ehrenberg, 1834) II FAVIIDAE (Anthozoa)
- Favites ellisiana* Verrill, 1901 = *Favites abdita* (Ellis & Solander, 1786)
- Favites filicosa* (Dana, 1846) = *Favites abdita* (Ellis & Solander, 1786)
- Favites flexuosa** (Dana, 1846) II FAVIIDAE (Anthozoa)
- Favites galei* Chevalier, 1972 = *Favites pentagona* (Esper, 1790)
- Favites halicora** (Hemprich & Ehrenberg, 1834) II FAVIIDAE (Anthozoa)
- Favites hemprichii* (Ehrenberg, 1834) = *Favites complanata* (Hemprich & Ehrenberg, 1834)
- Favites micropentagona** Veron, 2000 II FAVIIDAE (Anthozoa)
- Favites palauensis* (Yabe, Sugiyama & Eguchi, 1936) = *Goniastrea palauensis* (Yabe & Sugiyama, 1936)
- Favites paraflexuosa** Veron, 2000 II FAVIIDAE (Anthozoa)
- Favites parvicella* Nemenzo, 1959 = *Favites pentagona* (Esper, 1790)
- Favites pentagona** (Esper, 1790) II FAVIIDAE (Anthozoa) (E) Lesser Star Coral
- Favites peresi** Faure & Pichon, 1978 II FAVIIDAE (Anthozoa) (E) Honeycomb Coral
- Favites robusta* (Dana, 1846) = *Favites abdita* (Ellis & Solander, 1786)
- Favites rotundata* Veron, Pichon & Wijsman-Best, 1977 = *Favia rotundata* (Veron, Pichon & Wijsman-Best, 1977)
- Favites russelli** (Wells, 1954) II FAVIIDAE (Anthozoa)
- Favites spinosa** (Klunzinger, 1879) II FAVIIDAE (Anthozoa)
- Favites stylifera** Yabe & Sugiyama, 1937 II FAVIIDAE (Anthozoa)
- Favites vasta** (Klunzinger, 1879) II FAVIIDAE (Anthozoa)
- Favites virens* (Dana, 1846) = *Favites abdita* (Ellis & Solander, 1786)
- Favites yamanarii* Yabe & Sugiyama, 1936 = *Favites chinensis* (Verrill, 1866)
- FELIDAE spp.** G. Fischer, 1817 I/II/NC<sup>10</sup> (Mammalia) (E) Cats (S) Felinos (F) Félidés, Félins
- Félidés, Félin (F): *Felidae*
- Felinos (S): *Felidae*
- Felis spp.** I/II/NC<sup>10</sup> FELIDAE (Mammalia)
- Felis aurata* (Kral and Zima 1980) = *Profelis aurata* (Temminck, 1827)
- Felis aurata* Temminck, 1827 = *Profelis aurata* (Temminck, 1827)
- Felis badia* Gray, 1874 = *Catopuma badia* (Gray, 1874)
- Felis bengalensis bengalensis* Kerr, 1792 = *Prionailurus bengalensis bengalensis* (Kerr, 1792)
- Felis bengalensis* Kerr, 1792 = *Prionailurus bengalensis* (Kerr, 1792)
- Felis bieti** Milne-Edwards, 1892 II<sup>10</sup> FELIDAE (Mammalia) (E) Chinese Desert Cat (S) Gato de Biet, Gato del desierto de China (F) Chat de Biet
- Felis canadensis* (Kerr, 1792) = *Lynx canadensis* Kerr, 1792
- Felis caracal* Schreber, 1776 = *Caracal caracal* (Schreber, 1776)
- Felis catus** Linnaeus, 1758 NC FELIDAE (Mammalia) (E) Domestic Cat
- Felis chaus** Schreber, 1777 II<sup>10</sup> FELIDAE (Mammalia) (E) Jungle Cat, Reed Cat, Swamp Cat (S) Gato de la jungla, Gato de los pantanos (F) Chat de jungle, Chat des marais
- Felis colocolo* Molina, 1782 = *Leopardus colocolo* (Molina, 1782)
- Felis concolor coryi* Linnaeus, 1771 = *Puma concolor coryi* (Bangs, 1899)
- Felis concolor costaricensis* Linnaeus, 1771 = *Puma concolor costaricensis* (Merriam, 1901)
- Felis concolor couguar* Linnaeus, 1771 = *Puma concolor couguar* (Kerr, 1792)
- Felis concolor* Linnaeus, 1771 = *Puma concolor* (Linnaeus, 1771)
- Felis euptilura* Elliot, 1871 = *Prionailurus bengalensis* (Kerr, 1792)
- Felis geoffroyi d'Orbigny & Gervais, 1844* = *Leopardus geoffroyi* (d'Orbigny & Gervais, 1844)
- Felis guigna* Molina, 1782 = *Leopardus guigna* (Molina, 1782)
- Felis iriomotensis Imaizumi, 1967* = *Prionailurus iriomotensis* Imaizumi, 1967
- Felis jacobita* Cornalia, 1865 = *Leopardus jacobitus* (Cornalia, 1865)
- Felis libyca* Forster, 1780 = *Felis silvestris* Schreber, 1777
- Felis lynx* Linnaeus, 1758 = *Lynx lynx* (Linnaeus, 1758)
- Felis lynx pardinus* Linnaeus, 1758 = *Lynx pardinus* (Temminck, 1827)
- Felis manul** Pallas, 1776 II<sup>10</sup> FELIDAE (Mammalia) (E) Pallas's Cat (S) Gato de Pallas, Gato manul (F) Chat manul

<b><i>Felis margarita</i></b> Loche, 1858 II FELIDAE (Mammalia) (E)	Firecrown, Juan Fernández (E): <i>Sephanoides fernandensis</i>
Sand Cat, Sand Dune Cat (S) Gato de las arenas, Gato del Sahara (F) Chat des sables	
<b><i>Felis marmorata</i></b> Martin, 1837 = <i>Pardofelis marmorata</i> (Martin, 1837)	Fish, African Blind Barb (E): <i>Caecobarbus geertsii</i>
<b><i>Felis nigripes</i></b> Burchell, 1824 I FELIDAE (Mammalia) (E)	Fish-Eagle, African (E): <i>Haliaeetus vocifer</i>
Black-footed Cat, Small-spotted Cat (S) Gato de pies negros, Gato patinegro (F) Chat à pieds noirs	Fish-Eagle, Band-tailed (E): <i>Haliaeetus leucoryphus</i>
<b><i>Felis ornata</i></b> Gray, 1830 = <i>Felis silvestris</i> Schreber, 1777	Fish-Eagle, Grey-headed (E): <i>Ichthyophaga ichthyaetus</i>
<b><i>Felis pardalis</i></b> Linnaeus, 1758 = <i>Leopardus pardalis</i> (Linnaeus, 1758)	Fish-Eagle, Lesser (E): <i>Ichthyophaga humilis</i>
<b><i>Felis pardina</i></b> Temminck, 1824 = <i>Lynx pardinus</i> (Temminck, 1827)	Fish-Eagle, Madagascar (E): <i>Haliaeetus vociferoides</i>
<b><i>Felis planiceps</i></b> Vigors & Horsfield, 1827 = <i>Prionailurus planiceps</i> (Vigors & Horsfield , 1827)	Fish-Eagle, Pallas's (E): <i>Haliaeetus leucoryphus</i>
<b><i>Felis rubiginosa</i></b> I. Geoffroy, 1831 = <i>Prionailurus rubiginosus</i> (I. Geoffroy Saint-Hilaire, 1831)	Fish-Eagle, Sanford's (E): <i>Haliaeetus sanfordi</i>
<b><i>Felis rufa</i></b> Schreber, 1776 = <i>Lynx rufus</i> (Schreber, 1777)	Fish-Eagle, Solomon (E): <i>Haliaeetus sanfordi</i>
<b><i>Felis serval</i></b> Schreber, 1776 = <i>Leptailurus serval</i> (Schreber, 1776)	Fish-Eagle, Vulturine (E): <i>Gypohierax angolensis</i>
<b><i>Felis silvestris</i></b> Schreber, 1777 II 10 FELIDAE	Fish-Eagle, White-bellied (E): <i>Haliaeetus leucogaster</i>
(Mammalia) (E) Wildcat, Wild Cat (S) Gato montés, Gato silvestre (F) Chat orné, Chat sauvage	Fish, Golden Dragon (E): <i>Scleropages formosus</i>
<b><i>Felis temminckii</i></b> Vigors & Horsfield, 1827 = <i>Catopuma temminckii</i> (Vigors & Horsfield, 1827)	Fishing-Owl, Pel's (E): <i>Scotopelia peli</i>
<b><i>Felis tigrina</i></b> Schreber, 1775 = <i>Leopardus tigrinus</i> (Schreber, 1775)	Fishing-Owl, Rufous (E): <i>Scotopelia ussheri</i>
<b><i>Felis viverrina</i></b> Bennett, 1833 = <i>Prionailurus viverrinus</i> (Bennett, 1833)	Fishing-Owl, Vermiculated (E): <i>Scotopelia bouvieri</i>
<b><i>Felis wiedii</i></b> Schinz, 1821 = <i>Leopardus wiedii</i> (Schinz, 1821)	Fish-owl, Blakiston's (E): <i>Bubo blakistoni</i>
<b><i>Felis yagouaroundi</i></b> É. Geoffroy Saint-Hilaire, 1803 = <i>Puma yagouaroundi</i> (É. Geoffroy Saint-Hilaire, 1803)	Fish-Owl, Brown (E): <i>Ketupa zeylonensis</i>
Fennec (F): <i>Vulpes zerda</i>	Fish-Owl, Buffy (E): <i>Ketupa ketupu</i>
Fennec (S): <i>Vulpes zerda</i>	Fish-Owl, Malay (E): <i>Ketupa ketupu</i>
Fennecus zerda (Zimmermann, 1780) = <i>Vulpes zerda</i> (Zimmermann, 1780)	Fish-Owl, Tawny (E): <i>Ketupa flavipes</i>
<b><i>Feresa spp.</i></b> II 18 DELPHINIDAE (Mammalia)	Fish, Seahorse (E): <i>Hippocampus abdominalis</i>
<b><i>Feresa attenuata</i></b> Gray, 1874 II 18 DELPHINIDAE	<b>FLABELLIDAE</b> spp. Bourne 1905 II (Anthozoa)
(Mammalia) (E) Pygmy Killer Whale, Slender Blackfish (S) Orca pigmea (F) Epaulard pygmée, Orque pygmée	<b><i>Flabellum spp.</i></b> Lesson 1831 II FLABELLIDAE (Anthozoa)
<b><i>Feresa occulta</i></b> Jones & Packard, 1956 = <i>Feresa attenuata</i> Gray, 1874	<b><i>Flabellum aculeatum</i></b> Milne Edwards & Haime, 1848 = <i>Truncatoflabellum aculeatum</i> (Milne Edwards & Haime, 1848)
Ferret, Black-footed (E): <i>Mustela nigripes</i>	<b><i>Flabellum affine</i></b> Milne Edwards & Haime, 1848 = <i>Truncatoflabellum spheniscus</i> (Dana, 1846)
Fig-Parrot, Coxen's Double-eyed (E): <i>Cyclopsitta diophthalma coxeni</i>	<b><i>Flabellum alabastrum</i></b> Moseley, 1873 II FLABELLIDAE (Anthozoa)
Fig-Parrot, Desmarest's (E): <i>Psittaculirostris desmarestii</i>	<b><i>Flabellum angostum</i></b> Yabe & Eguchi, 1942 II FLABELLIDAE (Anthozoa)
Fig-Parrot, Double-eyed (E): <i>Cyclopsitta diophthalma</i>	<b><i>Flabellum antarcticum</i></b> (Gravier, 1914) = <i>Javania antarctica</i> (Gravier, 1914)
Fig-Parrot, Dwarf (E): <i>Cyclopsitta diophthalma</i>	<b><i>Flabellum anthophyllum</i></b> (Ehrenberg, 1834) = <i>Monomyces pygmaea</i> (Risso, 1826)
Fig-Parrot, Edwards's (E): <i>Psittaculirostris edwardsii</i>	<b><i>Flabellum aotearoa</i></b> Squires, 1964 II FLABELLIDAE (Anthozoa)
Fig-Parrot, Golden-headed (E): <i>Psittaculirostris desmarestii</i>	<b><i>Flabellum apertum</i></b> Moseley, 1876 II FLABELLIDAE (Anthozoa)
Fig-Parrot, Large (E): <i>Psittaculirostris desmarestii</i>	<b><i>Flabellum arcuatile</i></b> Cairns, 1999 II FLABELLIDAE (Anthozoa)
Fig-Parrot, Orange-breasted (E): <i>Cyclopsitta gulielmitertii</i>	<b><i>Flabellum areum</i></b> Cairns, 1982 II FLABELLIDAE (Anthozoa)
Fig-Parrot, Salvadori's (E): <i>Psittaculirostris salvadorii</i>	<b><i>Flabellum atlanticum</i></b> Cairns, 1979 II FLABELLIDAE (Anthozoa)
Finback (E): <i>Balaenoptera physalus</i>	<b><i>Flabellum australe</i></b> Moseley, 1881 II FLABELLIDAE (Anthozoa)
Finch, Black-throated (E): <i>Poephila cincta</i>	<b><i>Flabellum bairdi</i></b> Milne Edwards & Haime, 1848 = <i>Truncatoflabellum spheniscus</i> (Dana, 1846)
Finner (E): <i>Balaenoptera physalus</i>	<b><i>Flabellum brasiliensis</i></b> (Milne Edwards & Haime, 1848) = <i>Meandrina brasiliensis</i> (Milne Edwards & Haime, 1848)
Firecrown, Green-backed (E): <i>Sephanoides sephanoides</i>	<b><i>Flabellum campanulatum</i></b> Holdsworth, 1862 II FLABELLIDAE (Anthozoa)

- Flabellum candeum Milne Edwards & Haime, 1848* =  
*Truncatoflabellum candeum* (Milne Edwards & Haime, 1848)
- Flabellum chunii** Marenzeller, 1904 II FLABELLIDAE  
 (Anthozoa)
- Flabellum coalitum Marenzeller, 1888* = *Flabellum pavoninum* Lesson, 1831
- Flabellum conuis** Moseley, 1881 II FLABELLIDAE  
 (Anthozoa)
- Flabellum crassum Milne Edwards & Haime, 1848* =  
*Truncatoflabellum crassum* (Milne Edwards & Haime, 1848)
- Flabellum crenulatum Milne Edwards & Haime, 1848* =  
*Truncatoflabellum spheniscus* (Dana, 1846)
- Flabellum cumingii Milne Edwards & Haime, 1848* =  
*Truncatoflabellum cumingii* (Milne Edwards & Haime, 1848)
- Flabellum curvatum** Moseley, 1881 II FLABELLIDAE  
 (Anthozoa)
- Flabellum daphnense** Durham & Barnard, 1952 II  
 FLABELLIDAE (Anthozoa)
- Flabellum debile Milne Edwards & Haime, 1848* =  
*Truncatoflabellum spheniscus* (Dana, 1846)
- Flabellum deludens** Marenzeller, 1904 II FLABELLIDAE  
 (Anthozoa)
- Flabellum dens Alcock, 1902* = *Truncatoflabellum dens*  
 (Alcock, 1902)
- Flabellum distinctum Milne Edwards & Haime, 1848* =  
*Flabellum pavoninum* Lesson, 1831
- Flabellum elegans Milne Edwards & Haime, 1848* =  
*Truncatoflabellum candeum* (Milne Edwards & Haime, 1848)
- Flabellum elongatum Hu, 1987* = *Placotrochides scaphula*  
 Alcock, 1902
- Flabellum flexuosum** Cairns, 1982 II FLABELLIDAE  
 (Anthozoa)
- Flabellum floridanum** Cairns, 1991 II FLABELLIDAE  
 (Anthozoa)
- Flabellum folkesoni** Cairns, 1998 II FLABELLIDAE  
 (Anthozoa)
- Flabellum fragile* Cairns, 1977 = *Flabellum floridanum*  
 Cairns, 1991
- Flabellum gardineri** Cairns, 1982 II FLABELLIDAE  
 (Anthozoa)
- Flabellum harmeri* Gardiner, 1929 = *Monomyces rubrum*  
 (Quoy & Gaimard, 1833)
- Flabellum hoffmeisteri** Cairns & Parker, 1992 II  
 FLABELLIDAE (Anthozoa)
- Flabellum impensum** Squires, 1962 II FLABELLIDAE  
 (Anthozoa)
- Flabellum inconstans* Marenzeller, 1904 =  
*Truncatoflabellum inconstans* (Marenzeller, 1904)
- Flabellum irregulare Semper, 1872* = *Truncatoflabellum irregulare* (Semper, 1872)
- Flabellum japonicum** Moseley, 1881 II FLABELLIDAE  
 (Anthozoa)
- Flabellum japonicum bythios* Moseley, 1881 = *Flabellum japonicum* Moseley, 1881
- Flabellum knoxi** Ralph & Squires, 1962 II FLABELLIDAE  
 (Anthozoa)
- Flabellum laciniatum* Duncan, 1873 = *Flabellum macandrewi* Gray, 1849
- Flabellum laciniatum messum* Duncan, 1873 = *Flabellum messum* Alcock, 1902
- Flabellum lamellulosum** Alcock, 1902 II FLABELLIDAE  
 (Anthozoa)
- Flabellum latum Studer, 1878* = *Monomyces rubrum*  
 (Quoy & Gaimard, 1833)
- Flabellum lessonii Michelin, 1842* = *Tropidocyathus lessonii* (Michelin, 1842)
- Flabellum lowekeyesi** Squires & Ralph, 1965 II  
 FLABELLIDAE (Anthozoa)
- Flabellum macandrewi** Gray, 1849 II FLABELLIDAE  
 (Anthozoa) (E) Scarlet Crisp Coral, Splitting Fan Coral
- Flabellum magnificum** Marenzeller, 1904 II  
 FLABELLIDAE (Anthozoa)
- Flabellum marcus** Keller, 1974 II FLABELLIDAE  
 (Anthozoa)
- Flabellum marenzelleri** Cairns, 1989 II FLABELLIDAE  
 (Anthozoa)
- Flabellum martensii Studer, 1878* = *Truncatoflabellum martensii* (Studer, 1878)
- Flabellum matridium Kent, 1871* = *Aulocyathus matridius* (Kent, 1871)
- Flabellum messum** Alcock, 1902 II FLABELLIDAE  
 (Anthozoa)
- Flabellum minus* Duncan, 1878 = *Flabellum alabastrum*  
 Moseley, 1873
- Flabellum montereyense* Durham, 1947 = *Polymyces montereyensis* (Durham, 1947)
- Flabellum moseleyi** Pourtalès, 1880 II FLABELLIDAE  
 (Anthozoa) (E) Moseley's Fan Coral (S) Coral abanico  
 de Moseley
- Flabellum nobile Holdsworth, 1862* = *Monomyces rubrum*  
 (Quoy & Gaimard, 1833)
- Flabellum nutrix* (Milne Edwards & Haime, 1848) =  
*Blastotrochus nutrix* Milne Edwards & Haime, 1848
- Flabellum ongulense** Eguchi, 1965 II FLABELLIDAE  
 (Anthozoa)
- Flabellum owenii Milne Edwards & Haime, 1848* =  
*Truncatoflabellum stokesii* (Milne Edwards & Haime, 1848)
- Flabellum paripavoninum* Alcock, 1894 =  
*Truncatoflabellum paripavoninum* (Alcock, 1894)
- Flabellum patagonichum* Moseley, 1881 = *Flabellum apertum* Moseley, 1876
- Flabellum patens** Moseley, 1881 II FLABELLIDAE  
 (Anthozoa)
- Flabellum pavoninum** Lesson, 1831 II FLABELLIDAE  
 (Anthozoa)
- Flabellum pavoninum atlanticum* Lesson, 1831 =  
*Flabellum atlanticum* Cairns, 1979
- Flabellum politum** Cairns, 1989 II FLABELLIDAE  
 (Anthozoa)
- Flabellum profundum* Milne Edwards & Haime, 1848 =  
*Truncatoflabellum spheniscus* (Dana, 1846)
- Flabellum rubrum* (Quoy & Gaimard, 1833) = *Monomyces rubrum* (Quoy & Gaimard, 1833)
- Flabellum sexcostatum** Cairns, 1989 II FLABELLIDAE  
 (Anthozoa)

<b>Flabellum sibogae</b> Gardiner, 1904	II FLABELLIDAE	Flatback (E): <i>Natator depressus</i>
(Anthozoa)		Florican, Bengal (E): <i>Houbaropsis bengalensis</i>
<b>Flabellum spheniscus</b> (Dana, 1846) = <i>Truncatoflabellum spheniscus</i> (Dana, 1846)		Florican, Lesser (E): <i>Syphoetides indicus</i>
<b>Flabellum spinosum</b> Milne Edwards & Haime, 1848 =		<b>Florisuga spp.</b> II TROCHILIDAE (Aves)
<i>Truncatoflabellum aculeatum</i> (Milne Edwards & Haime, 1848)		<b>Florisuga fusca</b> (Vieillot, 1817) II TROCHILIDAE (Aves)
<b>Flabellum stabile</b> Marenzeller, 1904 = <i>Truncatoflabellum stabile</i> (Marenzeller, 1904)		(E) Black Jacobin (S) Colibrí negro, Picaflor negro (F) Colibri demi-deuil
<b>Flabellum stokesii</b> Milne Edwards & Haime, 1848 =		<b>Florisuga mellivora</b> (Linnaeus, 1758) II TROCHILIDAE
<i>Truncatoflabellum stokesii</i> (Milne Edwards & Haime, 1848)		(Aves) (E) White-necked Jacobin (S) Colibrí nuquiblanco, Jacobino collarejo, Jacobino nuquiblanco (F) Colibri jacobin
<b>Flabellum suluense</b> Alcock, 1902 = <i>Flabellum magnificum</i> Marenzeller, 1904		Flying-fox, Admiralty (E): <i>Pteropus admiraltatum</i>
<b>Flabellum sumatrense</b> Milne Edwards & Haime, 1848 =		Flying-fox, Aldabra (E): <i>Pteropus aldabrensis</i>
<i>Truncatoflabellum spheniscus</i> (Dana, 1846)		Flying-fox, Ambon (E): <i>Pteropus chrysoproctus</i>
<b>Flabellum tannerense</b> Durham & Barnard, 1952 =		Flying-fox, Andersen's (E): <i>Pteropus intermedius</i>
<i>Polymyces montereiensis</i> (Durham, 1947)		Flying-fox, Aru (E): <i>Pteropus aruensis</i>
<b>Flabellum thouarsii</b> Milne Edwards & Haime, 1848	II FLABELLIDAE (Anthozoa)	Flying-fox, Ashy-headed (E): <i>Pteropus caniceps</i>
<b>Flabellum transversale</b> Moseley, 1881	II FLABELLIDAE	Flying-fox, Banks (E): <i>Pteropus fundatus</i>
(Anthozoa)		Flying-fox, Big-eared (E): <i>Pteropus macrotis</i>
<b>Flabellum truncum</b> Cairns, 1982 = <i>Truncatoflabellum truncum</i> (Cairns, 1982)		Flying-fox, Bismarck (E): <i>Pteropus neohibernicus</i>
<b>Flabellum tuthilli</b> Hoffmeister, 1933	II FLABELLIDAE	Flying-fox, Bismarck Masked (E): <i>Pteropus capistratus</i>
(Anthozoa)		Flying-fox, Black (E): <i>Pteropus alecto</i>
<b>Flabellum variable</b> Semper, 1872 = <i>Truncatoflabellum aculeatum</i> (Milne Edwards & Haime, 1848)		Flying-fox, Black-bearded (E): <i>Pteropus melanopogon</i>
<b>Flabellum vaughani</b> Cairns, 1984	II FLABELLIDAE	Flying-fox, Black-eared (E): <i>Pteropus melanotus</i>
(Anthozoa)		Flying-fox, Bonin (E): <i>Pteropus pseleaphon</i>
<b>Flabellum weberi</b> Alcock, 1902 = <i>Javania insignis</i> Duncan, 1876		Flying-fox, Caroline (E): <i>Pteropus molossinus</i>
Flamant de Cuba (F): <i>Phoenicopterus ruber</i>		Flying-fox, Central (E): <i>Pteropus alecto</i>
Flamant de James (F): <i>Phoenicoparrus jamesi</i>		Flying-fox, Christmas Island (E): <i>Pteropus melanotus</i>
Flamant des Andes (F): <i>Phoenicoparrus andinus</i>		Flying-fox, Chuuk (E): <i>Pteropus insularis</i>
Flamant du Chili (F): <i>Phoenicopterus chilensis</i>		Flying-fox, Comoro Black (E): <i>Pteropus livingstonii</i>
Flamant nain (F): <i>Phoeniconaias minor</i>		Flying-fox, Dark (E): <i>Pteropus subniger</i>
Flamant rose (F): <i>Phoenicopterus ruber</i>		Flying-fox, Dusky (E): <i>Pteropus brunneus</i>
Flamant rouge (F): <i>Phoenicopterus ruber</i>		Flying-fox, Dwarf (E): <i>Pteropus woodfordi</i>
Flamants (F): <i>Phoenicopteridae</i>		Flying-fox, Geelvink Bay (E): <i>Pteropus pohlei</i>
Flamenco (S): <i>Phoenicopterus ruber</i>		Flying-fox, Gilliard's (E): <i>Pteropus gilliardorum</i>
Flamenco andino (S): <i>Phoenicoparrus andinus</i>		Flying-fox, Great (E): <i>Pteropus neohibernicus</i>
Flamenco andino chico (S): <i>Phoenicoparrus jamesi</i>		Flying-fox, Greater Mascarene (E): <i>Pteropus niger</i>
Flamenco chileno (S): <i>Phoenicopterus chilensis</i>		Flying-fox, Grey (E): <i>Pteropus griseus</i>
Flamenco común (S): <i>Phoenicopterus ruber</i>		Flying-fox, Grey-headed (E): <i>Pteropus poliocephalus</i>
Flamenco común de Chile (S): <i>Phoenicopterus chilensis</i>		Flying-fox, Guam (E): <i>Pteropus tokudae</i>
Flamenco de Cuba (S): <i>Phoenicopterus ruber</i>		Flying-fox, Indian (E): <i>Pteropus giganteus</i>
Flamenco de James (S): <i>Phoenicoparrus jamesi</i>		Flying-fox, Insular (E): <i>Pteropus tonganus</i>
Flamenco enano (S): <i>Phoeniconaias minor</i>		Flying-fox, Japanese (E): <i>Pteropus loochoensis</i>
Flamenco rojo (S): <i>Phoenicopterus ruber</i>		Flying-fox, Kei (E): <i>Pteropus keyensis</i>
Flamencos (S): <i>Phoenicopteridae</i>		Flying-fox, Kosrae (E): <i>Pteropus ualanus</i>
Flamingo, American (E): <i>Phoenicopterus ruber</i>		Flying-fox, Large (E): <i>Pteropus vampyrus</i>
Flamingo, Andean (E): <i>Phoenicoparrus andinus</i>		Flying-fox, Large-eared (E): <i>Pteropus macrotis</i>
Flamingo, Caribbean (E): <i>Phoenicopterus ruber</i>		Flying-fox, Large Palau (E): <i>Pteropus pilosus</i>
Flamingo, Chilean (E): <i>Phoenicopterus chilensis</i>		Flying-fox, Least (E): <i>Pteropus woodfordi</i>
Flamingo, James's (E): <i>Phoenicoparrus jamesi</i>		Flying-fox, Lesser (E): <i>Pteropus mahaganus</i>
Flamingo, Lesser (E): <i>Phoeniconaias minor</i>		Flying-fox, Lesser Mascarene (E): <i>Pteropus subniger</i>
Flamingo, Puna (E): <i>Phoenicoparrus jamesi</i>		Flying-fox, Lesser Sunda (E): <i>Acerodon mackloti</i>
Flamingos (E): <i>Phoenicopteridae</i>		Flying-fox, Little Golden-mantled (E): <i>Pteropus pumilus</i>
Flap-shell, Indo-Gangetic (E): <i>Lissemys punctata</i>		Flying-fox, Little Red (E): <i>Pteropus scapulatus</i>
		Flying-fox, Lombok (E): <i>Pteropus lombocensis</i>
		Flying-fox, Lyle's (E): <i>Pteropus lylei</i>
		Flying-fox, Madagascar (E): <i>Pteropus rufus</i>
		Flying-fox, Makira (E): <i>Pteropus cognatus</i>
		Flying-fox, Marianas (E): <i>Pteropus mariannus</i>
		Flying-fox, Masked (E): <i>Pteropus personatus</i>

- Flying-fox, Micronesian (E): *Pteropus mariannus*  
 Flying-fox, Moluccan (E): *Pteropus chrysoproctus*  
 Flying-fox, New Britain (E): *Pteropus gilliardorum*  
 Flying-fox, New Caledonia (E): *Pteropus vetulus*  
 Flying-fox, Nicobar (E): *Pteropus faunulus*  
 Flying-fox, North Moluccan (E): *Pteropus caniceps*  
 Flying-fox, Okinawa (E): *Pteropus loochoensis*  
 Flying-fox, Ontong Java (E): *Pteropus howensis*  
 Flying-fox, Ornate (E): *Pteropus ornatus*  
 Flying-fox, Pacific (E): *Pteropus tonganus*  
 Flying-fox, Palau (E): *Pteropus pelewensis*  
 Flying-fox, Palawan (E): *Acerodon leucotis*  
 Flying-fox, Pemba (E): *Pteropus voeltzkowi*  
 Flying-fox, Philippine Grey (E): *Pteropus speciosus*  
 Flying-fox, Pohnpei (E): *Pteropus molossinus*  
 Flying-fox, Rennell (E): *Pteropus rennelli*  
 Flying-fox, Rodrigues (E): *Pteropus rodricensis*  
 Flying-fox, Ruck (E): *Pteropus insularis*  
 Flying-fox, Ryukyu (E): *Pteropus dasymallus*  
 Flying-fox, Samoan (E): *Pteropus samoensis*  
 Flying-fox, Sanborn's (E): *Pteropus mahaganus*  
 Flying-fox, Seram (E): *Pteropus oocularis*  
 Flying-fox, Seychelles (E): *Pteropus seychellensis*  
 Flying-fox, Small (E): *Pteropus hypomelanus*  
 Flying-fox, Solomons (E): *Pteropus rayneri*  
 Flying-fox, Spectacled (E): *Pteropus conspicillatus*  
 Flying-fox, Sulawesi (E): *Acerodon celebensis*  
 Flying-fox, Sunda (E): *Acerodon mackloti*  
 Flying-fox, Talaud (E): *Acerodon humilis*  
 Flying-fox, Temminck's (E): *Pteropus temminckii*  
 Flying-fox, Temotu (E): *Pteropus nitendiensis*  
 Flying-fox, Vanikoro (E): *Pteropus tuberculatus*  
 Flying-fox, Vanuatu (E): *Pteropus anetianus*  
 Flying-fox, Variable (E): *Pteropus hypomelanus*  
 Flying-fox, White (E): *Pteropus anetianus*  
 Flying-fox, White-winged (E): *Pteropus leucopterus*  
 Flying-fox, Yap (E): *Pteropus yapensis*  
 Foca fraile de Hawaii (S): *Monachus schauinslandi*  
 Foca fraile del Caribe (S): *Monachus tropicalis*  
 Foca monje (S): *Monachus monachus*  
 Foca monje del Mediterráneo (S): *Monachus monachus*  
*Folioseris papyrus Rehberg, 1892 = Leptoseris gardineri van der Horst, 1921*  
 Forest-Falcon, Barred (E): *Micrastur ruficollis*  
 Forest-Falcon, Buckley's (E): *Micrastur buckleyi*  
 Forest-Falcon, Collared (E): *Micrastur semitorquatus*  
 Forest-Falcon, Cryptic (E): *Micrastur mintoni*  
 Forest-Falcon, Lesser Collared (E): *Micrastur buckleyi*  
 Forest-Falcon, Lined (E): *Micrastur gilvicollis*  
 Forest-Falcon, Plumbeous (E): *Micrastur plumbeus*  
 Forest-Falcon, Slaty-backed (E): *Micrastur mirandolaei*  
 Forest-Falcon, Traylor's (E): *Micrastur buckleyi*  
**Forpus spp. II** 29 PSITTACIDAE (Aves)  
**Forpus coelestis** (Lesson, 1847) II 29 PSITTACIDAE  
 (Aves) (E) Celestial Parrotlet, Pacific Parrotlet (S)  
 Cotorrita de Piura, Periquito del Pacífico (F) Toui céleste  
*Forpus coelestis xanthops* (Lesson, 1847) = *Forpus xanthops* (Salvin, 1895)  
**Forpus conspicillatus** (Lafresnaye, 1848) II 29  
 PSITTACIDAE (Aves) (E) Spectacled Parrotlet (S)  
 Cotorrita de anteojos, Periquito ojiazul (F) Toui à lunettes  
*Forpus crassirostris* (Taczanowski, 1883) = *Forpus xanthopterygius* (Spix, 1824)  
**Forpus cyanopygius** (Souancé, 1856) II 29  
 PSITTACIDAE (Aves) (E) Blue-rumped Parrotlet,  
 Mexican Parrotlet (S) Cotorrita mexicana, Periquito mexicano (F) Toui du Mexique  
*Forpus eidos* Peters, 1937 = *Forpus modestus* (Cabanis, 1848)  
**Forpus modestus** (Cabanis, 1848) II 29 PSITTACIDAE  
 (Aves) (E) Dusky-billed Parrotlet, Sclater's Parrotlet (S)  
 Cotorrita de Sclater, Periquito obscuro (F) Toui de Sclater  
**Forpus passerinus** (Linnaeus, 1758) II 29 PSITTACIDAE  
 (Aves) (E) Green-rumped Parrotlet (S) Cotorrita culiverde, Periquito (F) Perruche aux ailes bleues, Toui été  
*Forpus passerinus crassirostris* (Linnaeus, 1758) = *Forpus xanthopterygius* (Spix, 1824)  
*Forpus sclateri* (G. R. Gray, 1859) = *Forpus modestus* (Cabanis, 1848)  
**Forpus xanthops** (Salvin, 1895) II 29 PSITTACIDAE  
 (Aves) (E) Yellow-faced Parrotlet (S) Cotorrita carigualda (F) Toui à tête jaune  
**Forpus xanthopterygius** (Spix, 1824) II 29  
 PSITTACIDAE (Aves) (E) Blue-winged Parrotlet (S)  
 Catita enana, Cotorrita aliazul, Periquito aliazul (F) Toui de Spix  
 Fosa (E): *Cryptoprocta ferox*  
 Fossa (E): *Cryptoprocta ferox*  
 Fossa (F): *Cryptoprocta ferox*  
**Fossa fossana** (P. L. S. Müller, 1776) II EUPLERIDAE  
 (Mammalia) (E) Fanaloka, Malagasy Civet, Striped Civet (S) Cibeta de Madagascar, Civeta (F) Civette fossane, Civette malgache, Fanaloka, Fossana  
 Fossana (F): *Fossa fossana*  
 Fou D'Abbott (F): *Papasula abbotti*  
 Fouette-queue de Bent (F): *Uromastyx benti*  
 Fouette-queue d'Egypte (F): *Uromastyx aegyptia*  
 Fouette-queue de Hardwick (F): *Saara hardwickii*  
 Fouette-queue de Mésopotamie (F): *Saara loricata*  
 Fouette-queue de Somalie (F): *Uromastyx macfadyeni*  
 Fouette-queue de Thomas (F): *Uromastyx thomasi*  
 Fouette-queue d'Iran (F): *Saara asmussi*  
 Fouette-queue d'O'Shaughnessy (F): *Uromastyx princeps*  
 Fouette-queue du Sahara (F): *Uromastyx geyri*  
 Fouette-queue épineux (F): *Uromastyx acanthinura*  
 Fouette-queue indien (F): *Saara hardwickii*  
 Fouette-queue ocellé (F): *Uromastyx ocellata*  
 Fouette-queue princier (F): *Uromastyx princeps*  
 Fouine (F): *Martes foina*  
 Foussa (F): *Cryptoprocta ferox*  
**Foveolocyathus spp.** Cairns 1997 II TURBINOLIIDAE  
 (Anthozoa)  
**Foveolocyathus alternans** (Cairns & Parker, 1992) II  
 TURBINOLIIDAE (Anthozoa)

**Foveolocyathus parkeri** Cairns, 2004 II

TURBINOLIIDAE (Anthozoa)

**Foveolocyathus verconis** (Dennant, 1904) II

TURBINOLIIDAE (Anthozoa)

Fowl, Malee (E): *Macrocephalon maleo*

Fowl, Maleo (E): *Macrocephalon maleo*

Fox, Afghan (E): *Vulpes cana*

Fox, Argentine Grey (E): *Lycalopex griseus*

Fox, Bengal (E): *Vulpes bengalensis*

Fox, Blanford's (E): *Vulpes cana*

Fox, Chico Grey (E): *Lycalopex griseus*

Fox, Chiloe (E): *Lycalopex griseus*

Fox, Colpeo (E): *Lycalopex culpaeus*

Fox, Dog (E): *Vulpes cana*

Fox, Fennec (E): *Vulpes zerda*

Fox, Forest (E): *Cerdocyon thous*

Fox, Hoary (E): *Vulpes cana*

Fox, Little (E): *Lycalopex griseus*

Fox, Pampa (E): *Lycalopex griseus*

Fox, Pampa (E): *Lycalopex gymnocercus*

Fox, Red (E): *Lycalopex culpaeus*

Fox, Red (E): *Vulpes vulpes*

Fox, Steppe (E): *Vulpes cana*

Fragata de las islas Christmas (S): *Fregata andrewsi*

*Fragilocyathus conotrochoides* Yabe & Eguchi, 1932 =

*Aulocyathus matridicus* (Kent, 1871)

Franciscana (E): *Pontoporia blainvilliei*

**Fregata andrewsi** Mathews, 1914 I FREGATIDAE (Aves)

(E) Andrews' Frigatebird, Christmas Frigatebird,

Christmas Island Frigatebird (S) Fragata de las islas

Christmas, Rabihorcado de la Christmas, Rabihorcado

Ventriblanco (F) Frégate D'Andrews, Frégate de l'île

Christmas

Frégate D'Andrews (F): *Fregata andrewsi*

Frégate de l'île Christmas (F): *Fregata andrewsi*

Frentiestrella alihabano (S): *Coeligena lutetiae*

Frentiestrella arcoiris (S): *Coeligena iris*

Frentijoya (S): *Heliodoxa aurescens*

Frigatebird, Andrews' (E): *Fregata andrewsi*

Frigatebird, Christmas (E): *Fregata andrewsi*

Frigatebird, Christmas Island (E): *Fregata andrewsi*

Frog, Alto de Buey Poison (E): *Andinobates altobueyensis*

Frog, Amazonian Poison (E): *Ranitomeya ventrimaculata*

Frog, Amazonian Poison-Arrow (E): *Adelphobates quinquevittatus*

Frog, Andean Poison (E): *Andinobates opisthomelas*

Frog, Anthony's Poison-Arrow (E): *Epipedobates anthonyi*

Frog, Beautiful-breasted Poison (E): *Ameerega pulchripecta*

Frog, Betsileo Golden (E): *Mantella betsileo*

Frog, Biolat Poison (E): *Ranitomeya biolat*

frog, Black-eyed leaf (E): *Agalychnis moreletii*

Frog, Black Golden (E): *Mantella cowanii*

Frog, Black-legged Poison (E): *Phyllobates bicolor*

Frog, Blue-bellied Poison (E): *Andinobates minutus*

Frog, Blue-breasted Poison (E): *Ameerega pulchripecta*

Frog, Blue-sided Leaf (E): *Agalychnis annae*

Frog, Bolivian Poison (E): *Ameerega boliviiana*

Frog, Brazilian Poison (E): *Ranitomeya vanzolinii*

Frog, Brazil-nut Poison (E): *Adelphobates castaneoticus*

Frog, Brilliant-thighed Poison (E): *Allobates femoralis*

Frog, Cauca Poison (E): *Andinobates bombetes*

Frog, Chirmantá Poison (E): *Allobates rufulus*

Frog, Collins's Poison (E): *Andinobates abditus*

Frog, Confusing Poison (E): *Ameerega maculata*

Frog, Conondale Gastric-brooding (E): *Rheobatrachus silus*

Frog, Cowan's Golden (E): *Mantella cowanii*

Frog, Demonic Poison (E): *Minyobates steyermarki*

Frog, Dyeing Poison (E): *Dendrobates tinctorius*

Frog, Eastern Golden (E): *Mantella crocea*

Frog, Ebenaú's Golden (E): *Mantella ebenaui*

Frog, Ecuadorean Poison (E): *Ameerega bilinguis*

Frog, Ecuador Poison (E): *Ameerega bilinguis*

Frog, Emerald Poison (E): *Ameerega smaragdina*

Frog, Espinosa Poison (E): *Epipedobates spinosai*

Frog, Eugella Gastric-brooding (E): *Rheobatrachus vitellinus*

Frog, Flaming Poison (E): *Oophaga pumilio*

Frog, Folohy Golden (E): *Mantella laevigata*

frog, Gay's (E): *Calyptocephalella gayi*

Frog, Ginger Tree (E): *Mantella aurantiaca*

Frog, Gliding Leaf (E): *Agalychnis spurrelli*

Frog, Golden (E): *Atelopus zeteki*

Frog, Golden (E): *Mantella aurantiaca*

Frog, Golden Arrow Poison (E): *Atelopus zeteki*

Frog, Golden Poison (E): *Andinobates altobueyensis*

Frog, Golden Poison (E): *Phyllobates terribilis*

Frog, Golfodulcean Poison (E): *Phyllobates vittatus*

Frog, Gorzula's Poison (E): *Allobates rufulus*

Frog, Granular Poison (E): *Oophaga granulifera*

Frog, Green-and-black Poison (E): *Dendrobates auratus*

Frog, Green Golden (E): *Mantella viridis*

Frog, Green Poison (E): *Andinobates viridis*

Frog, Green Poison (E): *Dendrobates auratus*

Frog, Green Pond (E): *Euphlyctis hexadactylus*

Frog, Harlequin Poison (E): *Oophaga histrionica*

Frog, Indian Five-fingered (E): *Euphlyctis hexadactylus*

Frog, Indian Green (E): *Euphlyctis hexadactylus*

Frog, Indian Pond (E): *Euphlyctis hexadactylus*

Frog, Kokoe Poison (E): *Phyllobates aurotaenia*

Frog, La Brea Poison (E): *Oophaga occultator*

Frog, La Planada Poison (E): *Ameerega andina*

Frog, Lehmann's Poison (E): *Oophaga lehmanni*

Frog, Lovely Poison (E): *Phyllobates lugubris*

Frog, Madagascar Golden (E): *Mantella madagascariensis*

Frog, Manu Poison (E): *Ameerega macero*

Frog, Maranon Poison (E): *Excidobates mysteriosus*

Frog, Marbled Poison (E): *Epipedobates boulengeri*

Frog, Mimic Poison (E): *Ranitomeya imitator*

Frog, Misfit Leaf (E): *Agalychnis saltator*

Frog, Morelet's Leaf (E): *Agalychnis moreletii*

Frog, Myers's Poison (E): *Allobates myersi*

Frog, Niceforo's Poison (E): *Ameerega ingeri*

Frog, Northern Gastric-brooding (E): *Rheobatrachus vitellinus*

Frog, Northern Platypus (E): *Rheobatrachus vitellinus*

Frog, Orange-and-black Poison (E): *Phyllobates vittatus*

Frog, Palenque Poison (E): *Ameerega erythromos*

Frog, Parker's Golden (E): *Mantella pulchra*

- Frog, Peruvian Poison (E): *Ameerega petersi*  
 Frog, Phantasmal Poison (E): *Epipedobates tricolor*  
 Frog, Pleasing Poison (E): *Ameerega bassleri*  
 Frog, Polkadot Poison (E): *Oophaga arborea*  
 Frog, Red-and-black Poison (E): *Oophaga histrionica*  
 Frog, Red-and-blue Poison (E): *Oophaga pumilio*  
 Frog, Red-backed Poison (E): *Ranitomeya reticulata*  
 Frog, Red-banded Poison (E): *Oophaga lehmanni*  
 Frog, Red-eyed Leaf (E): *Agalychnis callidryas*  
 Frog, Red-headed Poison (E): *Ranitomeya fantastica*  
 Frog, Red Rain (E): *Scaphiophryne gottlebei*  
 Frog, Reticulated Poison (E): *Ranitomeya reticulata*  
 Frog, Rio Madeira Poison (E): *Adelphobates quinquevittatus*  
 Frog, Rio Santiago Poison (E): *Excidobates captivus*  
 Frog, Ruby Poison (E): *Ameerega parvula*  
 Frog, Sanguine Poison (E): *Allobates zaparo*  
 Frog, Santander Poison (E): *Andinobates virolensis*  
 Frog, Silverstone's Poison (E): *Ameerega silverstonei*  
 Frog, Silverstone's Poison (E): *Ameerega pulchripecta*  
 Frog, Six-fingered (E): *Euphlyctis hexadactylus*  
 Frog, Six-toed (E): *Euphlyctis hexadactylus*  
 Frog, Sky-blue Poison (E): *Hyloxalus azureiventris*  
 Frog, Southern Platypus (E): *Rheobatrachus silus*  
 Frog, Splash-backed Poison (E): *Adelphobates galactonotus*  
 Frog, Splendid Poison (E): *Oophaga speciosa*  
 Frog, Spot-legged Poison (E): *Ameerega picta*  
 Frog, Strawberry Poison (E): *Oophaga pumilio*  
 Frog, Tepui Poison (E): *Allobates rufulus*  
 Frog, Three-striped Poison (E): *Ameerega trivittata*  
 Frog, Tiger (E): *Hoplobatrachus tigerinus*  
 Frog, Tolagnaro Golden (E): *Mantella haraldmeieri*  
 Frog, Tolongoina Golden (E): *Mantella bernhardi*  
 Frog, Tomato (E): *Dyscophus antongilii*  
 Frog, Tulear Golden (E): *Mantella expectata*  
 Frog, Turquoise-bellied Poison (E): *Epipedobates espinosai*  
 Frog, Two-toned Poison (E): *Phylllobates bicolor*  
 Frog, Variegated Golden (E): *Mantella baroni*  
 Frog, Yellow-banded Poison (E): *Dendrobates leucomelas*  
 Frog, Yellow-bellied Poison (E): *Andinobates fulgoritus*  
 Frog, Yellow-striped Poison (E): *Dendrobates truncatus*  
 Frog, Zaparo's Poison (E): *Allobates zaparo*  
 Frog, Zetek's Golden (E): *Atelopus zeteki*  
 Frog, Zimmermann's Poison (E): *Ranitomeya variabilis*  
 frutoso, Hidrocoral (E): *Cryptothelia glossopoma*  
***Fungia* spp.** Lamarck, 1801 II FUNGIIDAE (Anthozoa)  
*Fungia actiniformis* Quoy & Gaimard, 1833 = *Heliofungia actiniformis* (Quoy & Gaimard, 1833)  
*Fungia acutidens* Studer, 1877 = *Fungia horrida* Dana, 1848  
*Fungia adrianae* van der Horst, 1921 = *Fungia cyclolites* Lamarck, 1816  
*Fungia agariciformis* Lamarck, 1801 = *Fungia fungites* (Linnaeus, 1758)  
*Fungia alta* Nemenzo, 1983 = *Fungia gravis* Nemenzo, 1955  
*Fungia asperata* Dana, 1846 = *Ctenactis echinata* (Pallas, 1766)  
*Fungia brachystoma* Thiel, 1932 = *Ctenactis crassa* (Dana, 1848)  
*Fungia cacharias* Studer, 1877 = *Fungia paumotensis* Stutchbury, 1833  
***Fungia concinna*** Verrill, 1864 II FUNGIIDAE (Anthozoa)  
*Fungia confertifolia* Dana, 1846 = *Fungia fungites* (Linnaeus, 1758)  
*Fungia cooperi* Gardiner, 1909 = *Fungia tenuis* Dana, 1848  
***Fungia corona*** Döderlein, 1901 II FUNGIIDAE (Anthozoa)  
***Fungia costulata*** Ortmann, 1889 II FUNGIIDAE (Anthozoa)  
*Fungia crassa* Dana, 1846 = *Ctenactis crassa* (Dana, 1848)  
*Fungia crassitentaculata* Quoy & Gaimard, 1833 = *Heliofungia actiniformis* (Quoy & Gaimard, 1833)  
*Fungia crassolamellata* Milne Edwards & Haime, 1851 = *Fungia fungites* (Linnaeus, 1758)  
***Fungia curvata*** Hoeksema, 1989 II FUNGIIDAE (Anthozoa)  
**FUNGIACYATHIDAE** spp. Chevalier 1987 II (Anthozoa)  
***Fungiacyathus* spp.** Sars 1872 II FUNGIACYATHIDAE (Anthozoa)  
*Fungiacyathus aleuticus* Keller, 1976 = *Fungiacyathus marenzelleri* (Vaughan, 1906)  
***Fungiacyathus crispus*** Pourtalès, 1871 II FUNGIACYATHIDAE (Anthozoa) (E) Wrinkled Mushroom Coral (S) Coral hongo arrugado  
***Fungiacyathus dennanti*** Cairns & Parker, 1992 II FUNGIACYATHIDAE (Anthozoa)  
*Fungiacyathus durus* Keller, 1976 = *Fungiacyathus symmetricus* (Pourtalès, 1871)  
***Fungiacyathus fissidiscus*** Cairns & Zibrowius, 1997 II FUNGIACYATHIDAE (Anthozoa)  
***Fungiacyathus fissilis*** Cairns, 1984 II FUNGIACYATHIDAE (Anthozoa)  
***Fungiacyathus fragilis*** Sars, 1872 II FUNGIACYATHIDAE (Anthozoa)  
***Fungiacyathus granulosus*** Cairns, 1989 II FUNGIACYATHIDAE (Anthozoa)  
*Fungiacyathus hawaiiensis* (Vaughan, 1907) = *Fungiacyathus fragilis* Sars, 1872  
***Fungiacyathus hydra*** Zibrowius & Gili, 1990 II FUNGIACYATHIDAE (Anthozoa)  
*Fungiacyathus kikaiensis* (Yabe & Eguchi, 1942) = *Fungiacyathus paliferus* (Alcock, 1902)  
***Fungiacyathus marenzelleri*** (Vaughan, 1906) II FUNGIACYATHIDAE (Anthozoa) (E) Marenzeller's Mushroom Coral (S) Coral hongo de Marenzeller  
***Fungiacyathus margaretae*** Cairns, 1995 II FUNGIACYATHIDAE (Anthozoa)  
***Fungiacyathus multicarinatus*** Cairns, 1998 II FUNGIACYATHIDAE (Anthozoa)  
***Fungiacyathus paliferus*** (Alcock, 1902) II FUNGIACYATHIDAE (Anthozoa)  
***Fungiacyathus pliciseptus*** Keller, 1981 II FUNGIACYATHIDAE (Anthozoa)  
***Fungiacyathus pseudostephanus*** Keller, 1976 II FUNGIACYATHIDAE (Anthozoa)

- Fungiacyathus pusillus** (Pourtalès, 1868) II  
FUNGIACYATHIDAE (Anthozoa)
- Fungiacyathus sandoi** Cairns, 1999 II  
FUNGIACYATHIDAE (Anthozoa)
- Fungiacyathus sarsi* (Gardiner & Waugh, 1938) =  
*Deltocyathus sarsi* (Gardiner & Waugh, 1938)
- Fungiacyathus sibogae** (Alcock, 1902) II  
FUNGIACYATHIDAE (Anthozoa)
- Fungiacyathus stabilis* (Gardiner & Waugh, 1939) =  
*Fungiacyathus sibogae* (Alcock, 1902)
- Fungiacyathus stephanus** (Alcock, 1893) II  
FUNGIACYATHIDAE (Anthozoa)
- Fungiacyathus symmetricus** (Pourtalès, 1871) II  
FUNGIACYATHIDAE (Anthozoa) (E) Symmetrical  
Mushroom Coral (S) Coral hongo simétrico
- Fungiacyathus turbinoliodes** Cairns, 1989 II  
FUNGIACYATHIDAE (Anthozoa)
- Fungiacyathus variegatus** Cairns, 1989 II  
FUNGIACYATHIDAE (Anthozoa)
- Fungia cyclolites** Lamarck, 1816 II FUNGIIDAE  
(Anthozoa)
- Fungia danae** Milne Edwards & Haime, 1851 II  
FUNGIIDAE (Anthozoa)
- Fungia dentata* Dana, 1846 = *Fungia fungites* (Linnaeus,  
1758)
- Fungia dentigera* Leuckart, 1841 = *Fungia scutaria*  
Lamarck, 1801
- Fungia distorta** Michelin, 1842 II FUNGIIDAE (Anthozoa)  
(E) Wedge Coral
- Fungia diversidens* Milne Edwards & Haime, 1851 =  
*Heliofungia actiniformis* (Quoy & Gaimard, 1833)
- Fungia doederleini* Marenzeller, 1907 = *Cantharellus*  
*doederleini* (Marenzeller, 1907)
- Fungia echinata* (Pallas, 1766) = *Ctenactis echinata*  
(Pallas, 1766)
- Fungia ehrenbergii* (Leuckart, 1841) = *Ctenactis echinata*  
(Pallas, 1766)
- Fungia elegans* Verrill, 1870 = *Fungia curvata* Hoeksema,  
1989
- Fungia erosa** Döderlein, 1901 II FUNGIIDAE (Anthozoa)
- Fungia fieldi* Gardiner, 1909 = *Fungia scruposa*  
Klunzinger, 1879
- Fungia fragilis** (Alcock, 1893) II FUNGIIDAE (Anthozoa)
- Fungia fralinae** Nemenzo, 1955 II FUNGIIDAE  
(Anthozoa)
- Fungia fungites** (Linnaeus, 1758) II FUNGIIDAE  
(Anthozoa) (E) Mushroom Coral
- Fungia gigantea* Dana, 1846 = *Ctenactis echinata* (Pallas,  
1766)
- Fungia glans* Dana, 1846 = *Fungia cyclolites* Lamarck,  
1816
- Fungia granulosa** Klunzinger, 1879 II FUNGIIDAE  
(Anthozoa)
- Fungia gravis** Nemenzo, 1955 II FUNGIIDAE (Anthozoa)
- Fungia haimei* Verrill, 1864 = *Fungia fungites* (Linnaeus,  
1758)
- Fungia hexagonalis** Milne Edwards & Haime, 1848 II  
FUNGIIDAE (Anthozoa)
- Fungia horrida** Dana, 1848 II FUNGIIDAE (Anthozoa)
- Fungia integra* Dana, 1846 = *Fungia repanda* Dana, 1848
- Fungia klunzingeri** Döderlein, 1901 II FUNGIIDAE  
(Anthozoa)
- Fungia lacera* Verrill, 1866 = *Fungia fungites* (Linnaeus,  
1758)
- Fungia laciniosa* Boschma, 1925 = *Fungia fragilis* (Alcock,  
1893)
- Fungia limacina* Lamarck, 1801 = *Halomitra pileus*  
(Linnaeus, 1758)
- Fungia linnaei* Milne Edwards & Haime, 1851 = *Fungia*  
*repanda* Dana, 1848
- Fungia lobulata* Ortmann, 1889 = *Fungia scruposa*  
Klunzinger, 1879
- Fungia madagascariensis* Vaughan, 1906 = *Fungia*  
*scruposa* Klunzinger, 1879
- Fungia marginata* Boschma, 1923 = *Fungia costulata*  
Ortmann, 1889
- Fungia marginata* Boschma, 1923 = *Fungia tenuis* Dana,  
1848
- Fungia mexicana* (Durham, 1947) = *Fungia distorta*  
Michelin, 1842
- Fungia moluccensis** van der Horst, 1919 II FUNGIIDAE  
(Anthozoa)
- Fungia oahensis* Döderlein, 1901 = *Fungia scutaria*  
Lamarck, 1801
- Fungia papillosa* Verrill, 1866 = *Fungia fungites* (Linnaeus,  
1758)
- Fungia patella* (Ellis & Solander, 1786) = *Fungia fungites*  
(Linnaeus, 1758)
- Fungia patellaris* Lamarck, 1801 = *Fungia fungites*  
(Linnaeus, 1758)
- Fungia patelliformis** Boschma, 1923 II FUNGIIDAE  
(Anthozoa) (E) Kneecap Coral
- Fungia paumotensis** Stutchbury, 1833 II FUNGIIDAE  
(Anthozoa)
- Fungia pectinata* Ehrenberg, 1834 = *Ctenactis echinata*  
(Pallas, 1766)
- Fungia placunaria* Klunzinger, 1879 = *Fungia scutaria*  
Lamarck, 1801
- Fungia plana* (Studer, 1877) = *Fungia concinna* Verrill,  
1864
- Fungia pliculosa* Studer, 1877 = *Fungia fungites*  
(Linnaeus, 1758)
- Fungia proechinata* Döderlein, 1901 = *Fungia*  
*paumotensis* Stutchbury, 1833
- Fungia puishani** Veron & DeVantier, 2000 II FUNGIIDAE  
(Anthozoa)
- Fungia pulchella* (Verrill, 1866) = *Fungia distorta* Michelin,  
1842
- Fungia repanda** Dana, 1848 II FUNGIIDAE (Anthozoa)
- Fungia rugosa* Quelch, 1886 = *Fungia scruposa*  
Klunzinger, 1879
- Fungia samboangensis* Vaughan, 1906 = *Fungia repanda*  
Dana, 1848
- Fungia scabra** Döderlein, 1901 II FUNGIIDAE (Anthozoa)
- Fungia scruposa** Klunzinger, 1879 II FUNGIIDAE  
(Anthozoa)
- Fungia scutaria** Lamarck, 1801 II FUNGIIDAE (Anthozoa)
- Fungia serrulata* Verrill, 1864 = *Fungia concinna* Verrill,  
1864

- Fungia seychellensis** Hoeksema, 1993 II FUNGIIDAE  
 (Anthozoa)
- Fungia sibogae van der Horst, 1921** = *Fungia costulata* Ortmann, 1889
- Fungia simplex (Gardiner, 1905)** = *Ctenactis crassa* (Dana, 1848)
- Fungia sinensis** (Milne Edwards & Haime, 1851) II FUNGIIDAE (Anthozoa)
- Fungia somervillei** Gardiner, 1909 II FUNGIIDAE (Anthozoa)
- Fungia spinifer** Claereboudt & Hoeksema, 1987 II FUNGIIDAE (Anthozoa)
- Fungia subrepanda Döderlein, 1901** = *Fungia scruposa* Klunzinger, 1879
- Fungia symmetrica Pouthalès, 1871** = *Fungiacyathus symmetricus* (Pouthalès, 1871)
- Fungia taiwanensis** Hoeksema & Dai, 1991 II FUNGIIDAE (Anthozoa)
- Fungia talpina Lamarck, 1801** = *Polyphyllia talpina* (Lamarck, 1801)
- Fungia tenuidens Quelch, 1886** = *Fungia scutaria* Lamarck, 1801
- Fungia tenuis** Dana, 1848 II FUNGIIDAE (Anthozoa)
- Fungia vaughani** Boschma, 1923 II FUNGIIDAE (Anthozoa)
- Fungia verrilliana Quelch, 1886** = *Fungia scutaria* Lamarck, 1801
- Fungia weberi van der Horst, 1921** = *Herpolitha weberi* (van der Horst, 1921)
- FUNGIIDAE spp.** Dana 1848 II (Anthozoa)
- Furcifer spp.** Fitzinger, 1843 II CHAMELEONIDAE (Reptilia)
- Furcifer angeli** (Brygoo & Domergue, 1968) II CHAMELEONIDAE (Reptilia) (E) Angel's Chameleon (F) Caméléon d'Angel
- Furcifer antimena** (Grandidier, 1872) II CHAMELEONIDAE (Reptilia) (E) White-lined Chameleon (F) Caméléon à lignes blanches
- Furcifer balteatus** (Duméril & Bibron, 1851) II CHAMELEONIDAE (Reptilia) (E) Rainforest Chameleon, Two-banded Chameleon (F) Caméléon forestier
- Furcifer belalandaensis** (Brygoo & Domergue, 1970) II CHAMELEONIDAE (Reptilia) (E) Belalanda Chameleon (F) Caméléon de Belalanda
- Furcifer bifidus** (Bronniart, 1800) II CHAMELEONIDAE (Reptilia) (E) Two-horned Chameleon (F) Caméléon à deux cornes, Caméléon à nez fourchu
- Furcifer campani** (Grandidier, 1872) II CHAMELEONIDAE (Reptilia) (E) Madagascar Forest Chameleon (F) Caméléon forestier de Madagascar
- Furcifer cephalolepis** (Günther, 1880) II CHAMELEONIDAE (Reptilia) (E) Comoro Islands Chameleon (F) Caméléon des Comores
- Furcifer labordi** (Grandidier, 1872) II CHAMELEONIDAE (Reptilia) (E) Labord's Chameleon (F) Caméléon de Laborde
- Furcifer lateralis** (Gray, 1831) II CHAMELEONIDAE (Reptilia) (E) Carpet Chameleon, Jewelled Chameleon (F) Caméléon à bandes latérales, Caméléon-joyau
- Furcifer minor** (Günther, 1879) II CHAMELEONIDAE (Reptilia) (E) South-central Chameleon (F) Caméléon de Günther
- Furcifer monoceras** (Boettger, 1913) II CHAMELEONIDAE (Reptilia) (E) One-horned Chameleon (F) Caméléon à une corne
- Furcifer nicosiai** Jesu, Mattioli & Schimmenti, 1999 II CHAMELEONIDAE (Reptilia)
- Furcifer oustaleti** (Mocquard, 1894) II CHAMELEONIDAE (Reptilia) (E) Malagasy Giant Chameleon, Oustalet's Giant Chameleon (S) Camaleón de Oustalet (F) Caméléon d'Oustalet
- Furcifer pardalis** (Cuvier, 1829) II CHAMELEONIDAE (Reptilia) (E) Panther Chameleon (F) Caméléon panthère
- Furcifer petteri** (Brygoo & Domergue, 1966) II CHAMELEONIDAE (Reptilia) (E) Petter's Chameleon (S) Camaleón de Petter (F) Caméléon de Petter
- Furcifer polleni** (Peters, 1874) II CHAMELEONIDAE (Reptilia) (E) Mayotte Chameleon (F) Caméléon de Mayotte
- Furcifer rhinoceratus** (Gray, 1845) II CHAMELEONIDAE (Reptilia) (E) Rhinoceros Chameleon (S) Camaleón rinoceronte (F) Caméléon rhinocéros
- Furcifer timoni** Glaw, Köhler & Vences, 2009 II CHAMELEONIDAE (Reptilia)
- Furcifer tuzetae** (Brygoo, Bourgat & Domergue, 1972) II CHAMELEONIDAE (Reptilia) (E) Ambiky Chameleon (F) Caméléon d'Andrenalamivola
- Furcifer verrucosus** (Cuvier, 1829) II CHAMELEONIDAE (Reptilia) (E) Madagascar Giant Chameleon, Madagascar Giant Spiny Chameleon, Warty Chameleon (S) Camaleón verrugoso (F) Caméléon verrueux
- Furcifer willsii** (Günther, 1890) II CHAMELEONIDAE (Reptilia) (E) Canopy Chameleon (F) Caméléon de la canopée, Caméléon de Wills
- Furculachelys nabeulensis Highfield, 1990** = *Testudo graeca* Linnaeus, 1758
- Furculachelys whitei** (Bennett, 1836) = *Testudo graeca* Linnaeus, 1758
- Fusconaia cuneolus** (I. Lea, 1840) I UNIONIDAE (Bivalvia) (E) Fine-rayed Pigtoe, Fine-rayed Pigtoe Pearly Mussel
- Fusconaia edgariana** (I. Lea, 1841) I UNIONIDAE (Bivalvia) (E) Shiny Pigtoe, Shiny Pigtoe Pearly Mussel
- Gacela de Cuvier (S): *Gazella cuvieri*
- Gacela de Irán (S): *Dama dama mesopotamica*
- Gacela dorcas (S): *Gazella dorcas*
- Gafudo gorgiblanco (S): *Zosterops albogularis*
- GALAGIDAE spp.** Gray, 1825 II (Mammalia) (E) Bushbabies, Galagos (S) Gálagos (F) Galagos
- Galago spp.** II GALAGIDAE (Mammalia)
- Galago alleni** Waterhouse, 1838 II GALAGIDAE (Mammalia) (E) Allen's Bushbaby, Allen's Galago, Allen's Squirrel Galago, Bioko Allen's Bushbaby (S) Gálago de Allen (F) Galago d'Allen
- Galago, Allen's (E): *Galago alleni*
- Galago, Allen's Squirrel (E): *Galago alleni*

- Galago à queue touffue (F): *Otolemur crassicaudatus*
- Galago cameronensis*** (Peters, 1876) II GALAGIDAE  
(Mammalia) (E) Cross River Bushbaby, Cross River Squirrel Galago
- Galago crassicaudatus* É. Geoffroy, 1812 = *Otolemur crassicaudatus* (É. Geoffroy, 1812)
- Galago, Cross River Squirrel (E): *Galago cameronensis*
- Galago d'Allen (F): *Galago alleni*
- Gálago de Allen (S): *Galago alleni*
- Gálago de cola gruesa (S): *Otolemur crassicaudatus*
- Galago de Demidoff (F): *Galago demidoff*
- Galago demidoff*** G. Fischer, 1806 II GALAGIDAE  
(Mammalia) (E) Demidoff's Dwarf Galago, Demidoff's Galago, Dwarf Bushbaby, Dwarf Galago (S) Gálago enano (F) Galago de Demidoff
- Galago, Demidoff's (E): *Galago demidoff*
- Galago, Demidoff's Dwarf (E): *Galago demidoff*
- Gálago de Senegal (S): *Galago senegalensis*
- Gálago de Zanzíbar (S): *Galago zanzibaricus*
- Galago du Congo (F): *Galago matschiei*
- Galago du Sénégal (F): *Galago senegalensis*
- Galago, Dwarf (E): *Galago demidoff*
- Galago, Eastern Needle-clawed (E): *Galago matschiei*
- Galago, Elegant (E): *Euoticus elegantulus*
- Galago élégant (F): *Euoticus elegantulus*
- Gálago elegante (S): *Euoticus elegantulus*
- Galago elegantulus* Le Conte, 1857 = *Euoticus elegantulus* (Le Conte, 1857)
- Galago elegantulus pallidus* Le Conte, 1857 = *Euoticus pallidus* (Gray, 1863)
- Gálago enano (S): *Galago demidoff*
- Gálago etíope (S): *Galago gallarum*
- Galago gabonensis*** Gray, 1863 II GALAGIDAE  
(Mammalia) (E) Gabon Bushbaby, Gabon Squirrel Galago
- Galago, Gabon Squirrel (E): *Galago gabonensis*
- Galago gallarum*** Thomas, 1901 II GALAGIDAE  
(Mammalia) (E) Somali Bushbaby, Somali Galago (S) Gálago etíope
- Galago, Garnett's Greater (E): *Otolemur garnettii*
- Galago granti*** Thomas & Wroughton, 1907 II GALAGIDAE (Mammalia) (E) Grant's Dwarf Galago, Mozambique Galago
- Galago, Grant's Dwarf (E): *Galago granti*
- Galagoides alleni* (Waterhouse, 1838) = *Galago alleni* Waterhouse, 1838
- Galagoides cocos* (Heller, 1912) = *Galago zanzibaricus* Matschie, 1893
- Galagoides demidoff* (G. Fischer, 1806) = *Galago demidoff* G. Fischer, 1806
- Galagoides demidovii* (G. Fischer, 1806) = *Galago demidoff* G. Fischer, 1806
- Galagoides granti* Thomas & Wroughton, 1907 = *Galago granti* Thomas & Wroughton, 1907
- Galagoides nyasae* (Elliot, 1907) = *Galago nyasae* Elliot, 1907
- Galagoides orinus* (Lawrence & Washburn, 1936) = *Galago orinus* Lawrence & Washburn, 1936
- Galagoides rondoensis* Honess, 1997 = *Galago rondoensis* (Honess, 1997)
- Galagoides thomasi* (Elliot, 1907) = *Galago thomasi* Elliot, 1907
- Galagoides udzungwensis* Honess & Bearder, 1997 = *Galago zanzibaricus* Matschie, 1893
- Galagoides zanzibaricus* (Matschie, 1893) = *Galago zanzibaricus* Matschie, 1893
- Galago inustus* (Schwarz, 1930) = *Galago matschiei* Lorenz, 1917
- Galago, Large-Eared Greater (E): *Otolemur crassicaudatus*
- Galago, Lesser (E): *Galago senegalensis*
- Galago, Lesser Needle-clawed (E): *Galago matschiei*
- Galago matschiei*** Lorenz, 1917 II GALAGIDAE  
(Mammalia) (E) Dusky Bushbaby, Eastern Needle-clawed Bushbaby, Eastern Needle-clawed Galago, Lesser Needle-clawed Galago, Matschie's Galago, Spectacled Galago (F) Galago du Congo
- Galago, Matschie's (E): *Galago matschiei*
- Galago, Mohol (E): *Galago moholi*
- Galago moholi*** A. Smith, 1836 II GALAGIDAE  
(Mammalia) (E) Lesser Bushbaby, Mohol Galago, Moholi Bushbaby, South African Lesser Galago
- Galago, Mozambique (E): *Galago granti*
- Galago, Northern Needle-clawed (E): *Euoticus pallidus*
- Galago nyasae*** Elliot, 1907 II GALAGIDAE (Mammalia)  
(E) Malawi Bushbaby
- Galago orinus*** Lawrence & Washburn, 1936 II GALAGIDAE (Mammalia) (E) Uluguru Bushbaby
- Galago, Rondo (E): *Galago rondoensis*
- Galago, Rondo Dwarf (E): *Galago rondoensis*
- Galago rondoensis*** (Honess, 1997) II GALAGIDAE  
(Mammalia) (E) Rondo Dwarf Galago, Rondo Galago
- Galagos (F): *Galagidae*
- Gálagos (S): *Galagidae*
- Galagos, Bushbabies, (E): *Galagidae*
- Galago, Senegal (E): *Galago senegalensis*
- Galago senegalensis*** É. Geoffroy, 1796 II GALAGIDAE  
(Mammalia) (E) Lesser Bushbaby, Lesser Galago, Senegal Bushbaby, Senegal Galago (S) Gálago de Senegal (F) Galago du Sénégal
- Galago senegalensis gallarum* É. Geoffroy, 1796 = *Galago gallarum* Thomas, 1901
- Galago senegalensis moholi* É. Geoffroy, 1796 = *Galago moholi* A. Smith, 1836
- Galago senegalensis zanzibaricus* É. Geoffroy, 1796 = *Galago zanzibaricus* Matschie, 1893
- Galago, Silvery Greater (E): *Otolemur monteiri*
- Galago, Small-eared Greater (E): *Otolemur garnettii*
- Galago, Somali (E): *Galago gallarum*
- Galago, South African Lesser (E): *Galago moholi*
- Galago, Spectacled (E): *Galago matschiei*
- Galago, Thick-tailed Greater (E): *Otolemur crassicaudatus*
- Galago thomasi*** Elliot, 1907 II GALAGIDAE (Mammalia)  
(E) Thomas's Dwarf Galago, Thomas's Galago
- Galago, Thomas's (E): *Galago thomasi*
- Galago, Thomas's Dwarf (E): *Galago thomasi*
- Galago, Western Needle-clawed (E): *Euoticus elegantulus*
- Galago, Zanzibar (E): *Galago zanzibaricus*

- Galago zanzibaricus*** Matschie, 1893 II GALAGIDAE  
 (Mammalia) (E) Zanzibar Bushbaby, Zanzibar Galago  
 (S) Gálago de Zanzíbar
- Galah (E): *Eolophus roseicapilla*
- Galápago acuático encajado (S): *Terrapene coahuila*
- Galápago Batagur (S): *Batagur baska*
- Galápago caja mexicano (S): *Terrapene coahuila*
- Galápago cubierto de la India (S): *Pangshura tecta*
- Galápago de Birmania (S): *Morenia ocellata*
- Galápago de Hamilton (S): *Geoclemys hamiltonii*
- Galápago de Muhlenberg (S): *Glyptemys muhlenbergii*
- Galápago indio (S): *Batagur baska*
- Galápago ocelado de Birmania (S): *Morenia ocellata*
- Galápago pintado (S): *Batagur borneoensis*
- Galápago rayado (S): *Geoclemys hamiltonii*
- Galápago terrestre (S): *Melanochelys tricarinata*
- Galápago tricarenado (S): *Melanochelys tricarinata*
- Galaxea* spp.** Oken, 1815 II OCULINIDAE (Anthozoa)
- Galaxea acrhelia*** Veron, 2000 II OCULINIDAE (Anthozoa)
- Galaxea alta*** Nemenzo, 1980 II OCULINIDAE (Anthozoa)
- Galaxea aspera* Quelch, 1886 = *Galaxea fascicularis* (Linnaeus, 1758)
- Galaxea astreata*** (Lamarck, 1816) II OCULINIDAE (Anthozoa)
- Galaxea cespitosa* Studer, 1877 = *Galaxea fascicularis* (Linnaeus, 1758)
- Galaxea clavus* (Dana, 1846) = *Galaxea astreata* (Lamarck, 1816)
- Galaxea cryptoramosa*** Fenner & Veron, 2000 II OCULINIDAE (Anthozoa)
- Galaxea eburnea* Pournalès, 1871 = *Javania cailleti* (Duchassaing & Michelotti, 1864)
- Galaxea fascicularis*** (Linnaeus, 1758) II OCULINIDAE (Anthozoa) (E) Starburst Coral
- Galaxea hexagonalis* (Milne Edwards & Haime, 1848) = *Galaxea fascicularis* (Linnaeus, 1758)
- Galaxea horrescens* (Dana, 1846) = *Acrhelia horrescens* (Dana, 1846)
- Galaxea hystrix* (Dana, 1846) = *Galaxea fascicularis* (Linnaeus, 1758)
- Galaxea lamarcki* Milne Edwards & Haime, 1851 = *Galaxea astreata* (Lamarck, 1816)
- Galaxea laperousiana* (Milne Edwards & Haime, 1850) = *Montastrea curta* (Dana, 1846)
- Galaxea laticostata* Nemenzo = *Galaxea astreata* (Lamarck, 1816)
- Galaxea lawisiana* Nemenzo, 1959 = *Galaxea fascicularis* (Linnaeus, 1758)
- Galaxea longisepta*** Fenner & Veron, 2000 II OCULINIDAE (Anthozoa)
- Galaxea negrensis* Nemenzo, 1980 = *Galaxea astreata* (Lamarck, 1816)
- Galaxea pauciradiata* (Milne Edwards & Haime, 1848) = *Galaxea paucisepta* Claereboudt, 1990
- Galaxea paucisepta*** Claereboudt, 1990 II OCULINIDAE (Anthozoa)
- Galaxea susanae* Nemenzo & Ferraris, 1982 = *Galaxea astreata* (Lamarck, 1816)
- Galictis allamandi* (Göldi & Hagmann, 1904) = *Galictis vittata* (Schreber, 1776)
- Galictis vittata*** (Schreber, 1776) III MUSTELIDAE  
 (Mammalia) (E) Allamand's Grison, Greater Grison (S) Grisón, Hurón, Hurón grange, Tejón (F) Grison, Grison d'Allemand
- Gallicolombe poignardée (F): *Gallicolumba luzonica*
- Gallicolumba luzonica*** (Scopoli, 1786) II COLUMBIDAE (Aves) (E) Bleeding-heart Dove, Bleeding-heart Pigeon, Luzon Bleeding-heart (S) Paloma apuñalada, Paloma apuñalada de Luzón (F) Colombe poignardée, Gallicolombe poignardée
- Gallina de palo (S): *Iguana iguana*
- Gallinazo rey (S): *Sarcoramphus papa*
- Gallirallus sylvestris*** (Sclater, 1869) I RALLIDAE (Aves) (E) Lord Howe Island Rail, Lord Howe Island Woodhen, Lord Howe Rail (S) Rascón de la isla de Lord Howe, Rascón de la Lord Howe (F) Râle de l'île Lord Howe, Râle sylvestre
- Gallirex porphyreolophus* (Vigors, 1831) = *Tauraco porphyreolophus* (Vigors, 1831)
- Gallito de las rocas (S): *Rupicola rupicola*
- Gallito de las sierras (S): *Rupicola peruvianus*
- Gallito de pradera (S): *Tympanuchus cupido attwateri*
- Gallito de roca anaranjado (S): *Rupicola rupicola*
- Gallito de roca peruano (S): *Rupicola peruvianus*
- Gallo de las praderas grande (S): *Tympanuchus cupido*
- Gallo de Sonnerat (S): *Gallus sonneratii*
- Gallo gris (S): *Gallus sonneratii*
- Gallo lira (S): *Tetrao tetraz*
- Gallo lira del Caspio (S): *Tetraogallus caspius*
- Gallo lira del Tíbet (S): *Tetraogallus tibetanus*
- Gallo salvaje del Caspio (S): *Tetraogallus caspius*
- Gallo salvaje del Tibet (S): *Tetraogallus tibetanus*
- Gallotia simonyi*** Steindachner, 1889 I LACERTIDAE (Reptilia) (E) Hierro Giant Lizard (S) Lagarto gigante del Hierro (F) Lézard de Simony, Lézard géant de Hierro
- Gallus sonneratii*** Temminck, 1813 II PHASIANIDAE (Aves) (E) Grey Junglefowl, Sonnerat's Junglefowl (S) Gallo de Sonnerat, Gallo gris (F) Coq de Sonnerat
- Gamo (S): *Dama dama*
- Gamo de Mesopotamia (S): *Dama dama mesopotamica*
- Gampsonyx* spp.** II 27 ACCIPITRIDAE (Aves)
- Gampsonyx swainsonii*** Vigors, 1825 II 27 ACCIPITRIDAE (Aves) (E) Pearl Kite (S) Cernícalo, Elanio chico, Elanio enano (F) Élanion perle
- Gamuza alpina (S): *Rupicapra pyrenaica ornata*
- Gamuza de los Abruzzos (S): *Rupicapra pyrenaica ornata*
- Gan-Gan (S): *Callocephalon fimbriatum*
- Ganso blanco (S): *Coscoroba coscoroba*
- Ganso canadiense aleutiana (S): *Branta canadensis leucopareia*
- Ganso nene (S): *Branta sandvicensis*
- Gardineria* spp.** Vaughan 1907 II GARDINERIIDAE (Anthozoa)
- Gardineria antarctica* Gardiner, 1929 = *Paraconotrochus antarctica* (Gardiner, 1929)
- Gardineria barbadensis* (Pournalès, 1874) = *Gardineria paradoxa* (Pournalès, 1868)
- Gardineria capensis* (Gardiner, 1904) = *Paraconotrochus capense* (Gardiner, 1904)

<b>Gardineria hawaiensis</b> Vaughan, 1907 II	Gato manul (S): <i>Felis manul</i>
GARDINERIIDAE (Anthozoa)	Gato marino (S): <i>Lontra felina</i>
<b>Gardineria minor</b> Wells, 1973 II GARDINERIIDAE	Gato montés (S): <i>Lynx rufus</i>
(Anthozoa)	Gato montés (S): <i>Felis silvestris</i>
<i>Gardineria musorstromica</i> Cairns, 1989 = <i>Gardineria hawaiensis</i> Vaughan, 1907	Gato montés (S): <i>Leopardus wiedii</i>
<b>Gardineria paradoxa</b> (Pourtalès, 1868) II	Gato montés común (S): <i>Leopardus geoffroyi</i>
GARDINERIIDAE (Anthozoa) (E) Paradox Fan Coral	Gato moro (S): <i>Puma yagouaroundi</i>
(S) Coral abanico paradójico	Gato negro (S): <i>Eira barbara</i>
<b>Gardineria philippinensis</b> Cairns, 1989 II	Gato onza (S): <i>Leopardus pardalis</i>
GARDINERIIDAE (Anthozoa)	Gato pajero (S): <i>Leopardus colocolo</i>
<i>Gardineria ponderosa</i> (Gardiner, 1905) = <i>Gardineroseris planulata</i> (Dana, 1846)	Gato patinegro (S): <i>Felis nigripes</i>
<b>Gardineria simplex</b> (Pourtalès, 1878) II	Gato pescador (S): <i>Prionailurus viverrinus</i>
GARDINERIIDAE (Anthozoa)	Gato rojizo (S): <i>Prionailurus rubiginosus</i>
<b>GARDINERIIDAE spp.</b> II (Anthozoa)	Gato rubiginosa (S): <i>Prionailurus rubiginosus</i>
<i>Gardineroseris</i> spp. Scheer & Pillai 1974 II	Gato silvestre (S): <i>Felis silvestris</i>
AGARICIIDAE (Anthozoa)	Gato tigre (S): <i>Leopardus tigrinus</i>
<b>Gardineroseris planulata</b> (Dana, 1846) II AGARICIIDAE	Gato tigrillo (S): <i>Leopardus tigrinus</i>
(Anthozoa)	Gaur (S): <i>Bos gaurus</i>
<i>Gardineroseris ponderosa</i> (Gardiner, 1905) =	Gaur (E): <i>Bos gaurus</i>
<i>Gardineroseris planulata</i> (Dana, 1846)	Gaur (F): <i>Bos gaurus</i>
Garduña (S): <i>Martes foina</i>	Gauru (S): <i>Bos gaurus</i>
Garganta de oro coliverde (S): <i>Polytmus theresiae</i>	Gavial (E): <i>Gavialis gangeticus</i>
Garganta lanza coliblanca (S): <i>Threnetes niger</i>	Gavial (E): <i>Gavialidae</i>
<b>Garrulax canorus</b> (Linnaeus, 1758) II MUSCICAPIDAE	Gavial del Ganges (S): <i>Gavialis gangeticus</i>
(Aves) (E) Chinese Hwamei, Hwamei, Melodious	Gavial Du Gange (F): <i>Gavialis gangeticus</i>
Laughingthrush (F) Garrulaxe hoamy	Gavial Du Gange (F): <i>Gavialidae</i>
Garrulaxe de l'Omei (F): <i>Liocichla omeiensis</i>	Gaviales (S): <i>Gavialidae</i>
Garrulaxe hoamy (F): <i>Garrulax canorus</i>	Gavial, False (E): <i>Tomistoma schlegelii</i>
<b>Garrulax taewanus</b> Swinhoe, 1859 II MUSCICAPIDAE	<b>GAVIALIDAE</b> spp. I (Reptilia) (E) Gavial (S) Gaviales (F)
(Aves) (E) Taiwan Hwamei	Gavial Du Gange
Garzón soldado (S): <i>Jabiru mycteria</i>	<b>Gavialis</b> spp. I GAVIALIDAE (Reptilia)
Gato andino (S): <i>Leopardus jacobitus</i>	<b>Gavialis gangeticus</b> (Gmelin, 1789) I GAVIALIDAE
Gato atigrado (S): <i>Leopardus tigrinus</i>	(Reptilia) (E) Fish-eating Crocodile, Gavial, Gharial,
Gato bengalí (S): <i>Prionailurus bengalensis</i>	Long-nosed Crocodile (S) Gavial del Ganges (F)
Gato cabeciancho (S): <i>Prionailurus planiceps</i>	Gavial Du Gange
Gato colorado (S): <i>Puma yagouaroundi</i>	Gavilán acollarado (S): <i>Accipiter cirrocephalus</i>
Gato cutarra (S): <i>Eira barbara</i>	Gavilán acollarado (S): <i>Accipiter collaris</i>
Gato de agua (S): <i>Lontra longicaudis</i>	Gavilán albonotatus (S): <i>Buteo albonotatus</i>
Gato de Bengala (S): <i>Prionailurus bengalensis</i>	Gavilán alirrojizo (S): <i>Buteo magnirostris</i>
Gato de Biet (S): <i>Felis bieti</i>	Gavilán americano (S): <i>Accipiter striatus</i>
Gato de cabeza plana (S): <i>Prionailurus planiceps</i>	Gavilán andapie (S): <i>Parabuteo unicinctus</i>
Gato de la jungla (S): <i>Felis chaus</i>	Gavilán arrastrador (S): <i>Accipiter striatus</i>
Gato de las arenas (S): <i>Felis margarita</i>	Gavilán azor (S): <i>Accipiter gentilis</i>
Gato del desierto de China (S): <i>Felis bieti</i>	Gavilán azul (S): <i>Leucopternis schistaceus</i>
Gato de los pajonales (S): <i>Leopardus colocolo</i>	Gavilán bebehumo (S): <i>Buteo platypterus</i>
Gato de los pantanos (S): <i>Felis chaus</i>	Gavilán besra (S): <i>Accipiter virgatus</i>
Gato del Sahara (S): <i>Felis margarita</i>	Gavilán bicolor (S): <i>Accipiter bicolor</i>
Gato de mar (S): <i>Lontra felina</i>	Gavilán bidente (S): <i>Harpagus bidentatus</i>
Gato de mato (S): <i>Leopardus geoffroyi</i>	Gavilán blanco (S): <i>Leucopternis albicollis</i>
Gato de Pallas (S): <i>Felis manul</i>	Gavilán cabecigrís (S): <i>Accipiter poliocephalus</i>
Gato de pies negros (S): <i>Felis nigripes</i>	Gavilán cangrejero (S): <i>Buteogallus anthracinus</i>
Gato dorado (S): <i>Profelis aurata</i>	Gavilán caracolero (S): <i>Rostrhamus sociabilis</i>
Gato dorado asiático (S): <i>Catopuma temminckii</i>	Gavilán carinegro (S): <i>Leucopternis melanops</i>
Gato fossa de Madagascar (S): <i>Cryptoprocta ferox</i>	Gavilán ceniciente (S): <i>Circus cinereus</i>
Gato jaspeado (S): <i>Pardofelis marmorata</i>	Gavilán chikra (S): <i>Accipiter badius</i>
Gato leopardo chino (S): <i>Prionailurus bengalensis</i>	Gavilancito americano (S): <i>Accipiter superciliosus</i>
Gato leopardo de la India (S): <i>Prionailurus rubiginosus</i>	Gavilancito chico (S): <i>Accipiter minullus</i>
Gato lince (S): <i>Leopardus jacobitus</i>	Gavilancito de Célebes (S): <i>Accipiter nanus</i>
	Gavilancito de Hartlaub (S): <i>Accipiter erythropus</i>
	Gavilancito de Nueva Bretaña (S): <i>Accipiter brachyurus</i>

Gavilancito japonés (S): *Accipiter gularis*  
 Gavilancito moluqueño (S): *Accipiter erythrauchen*  
 Gavilancito musirrojo (S): *Accipiter erythropus*  
 Gavilancito torcáz (S): *Accipiter collaris*  
 Gavilán cola corta (S): *Buteo brachyurus*  
 Gavilán colifajeado (S): *Buteo albonotatus*  
 Gavilán colipinto (S): *Accipiter trinotatus*  
 Gavilán colorado (S): *Busarellus nigricollis*  
 Gavilán común (S): *Buteo magnirostris*  
 Gavilán común (S): *Accipiter nisus*  
 Gavilán cubano (S): *Accipiter Gundlachi*  
 Gavilán cueillirojo (S): *Micrastur ruficollis*  
 Gavilán de Célebes (S): *Accipiter griseiceps*  
 Gavilán de collar (S): *Micrastur Gilvicollis*  
 Gavilán de Cooper (S): *Accipiter cooperii*  
 Gavilán de Frances (S): *Accipiter francesii*  
 Gavilán de Galapagos (S): *Buteo galapagoensis*  
 Gavilán de las Fiji (S): *Accipiter rufitorques*  
 Gavilán de Manglares (S): *Buteogallus aequinoctialis*  
 Gavilán de Nicobar (S): *Accipiter butleri*  
 Gavilán de Nueva Bretaña (S): *Accipiter luteoschistaceus*  
 Gavilán de Nueva Caledonia (S): *Accipiter haplochrous*  
 Gavilán de Ovampo (S): *Accipiter ovampensis*  
 Gavilán de Traylor (S): *Micrastur buckleyi*  
 Gavilán dorsigris (S): *Leucopternis occidentalis*  
 Gavilán enano (S): *Accipiter superciliosus*  
 Gavilanes, Águilas (S): *Accipitridae*  
 Gavilán flanquirrojo (S): *Accipiter castanilius*  
 Gavilán gabar (S): *Micronus gabar*  
 Gavilán gargantiblanco (S): *Buteo albigula*  
 Gavilán grande (S): *Circus buffoni*  
 Gavilán griego (S): *Accipiter brevipes*  
 Gavilán gris (S): *Asturina nitida*  
 Gavilán habado (S): *Buteo magnirostris*  
 Gavilán imitador (S): *Accipiter imitator*  
 Gavilán langostero (S): *Buteo swainsoni*  
 Gavilán malgache (S): *Accipiter madagascariensis*  
 Gavilán maromero (S): *Elanus leucurus*  
 Gavilán mixto (S): *Parabuteo unicinctus*  
 Gavilán negro (S): *Buteo leucorrhous*  
 Gavilán negro común (S): *Buteogallus subtilis*  
 Gavilán negro grande (S): *Buteogallus urubitinga*  
 Gavilán pajarero (S): *Accipiter striatus*  
 Gavilán palomero (S): *Leptodon cayanensis*  
 Gavilán pantalón (S): *Accipiter bicolor*  
 Gavilán papirrufo (S): *Accipiter rufiventris*  
 Gavilán patilargo (S): *Geranospiza caerulescens*  
 Gavilán pechirrojo (S): *Accipiter castanilius*  
 Gavilán pechirrojo (S): *Accipiter rhodogaster*  
 Gavilán pechirroso (S): *Accipiter tousenelii*  
 Gavilán pescador (S): *Pandion haliaetus*  
 Gavilán pico de Hoz (S): *Rostrhamus hamatus*  
 Gavilán pico ganchudo (S): *Chondrohierax uncinatus*  
 Gavilán pío (S): *Accipiter albogularis*  
 Gavilán pita venado (S): *Buteogallus meridionalis*  
 Gavilán pizarroso (S): *Leucopternis schistaceus*  
 Gavilán plomizo (S): *Ictinia plumbea*  
 Gavilán plomizo (S): *Leucopternis plumbeus*  
 Gavilán príncipe (S): *Leucopternis princeps*  
 Gavilán puneño (S): *Buteo poecilochrous*

Gavilán rabadilla blanca (S): *Buteo leucorrhous*  
 Gavilán ranero (S): *Accipiter soloensis*  
 Gavilán rastrero (S): *Circus cyaneus*  
 Gavilán-reloj (S): *Micrastur semitorquatus*  
 Gavilán rufinegro (S): *Accipiter melanochlamys*  
 Gavilán sabanero (S): *Buteogallus meridionalis*  
 Gavilán semiplomizo (S): *Leucopternis semiplumbeus*  
 Gavilán tejé (S): *Buteo albicaudatus*  
 Gavilán tijereta (S): *Elanoides forficatus*  
 Gavilán vientrigris (S): *Accipiter poliogaster*  
 Gavilán zancón (S): *Geranospiza caerulescens*  
 Gavilán zancudo (S): *Geranospiza caerulescens*  
 Gaviota de Mongolia (S): *Larus relictus*  
 Gaviota reicta (S): *Larus relictus*  
**Gazella bennettii** III BOVIDAE (Mammalia) (E) Indian Gazelle  
*Gazella christii* Blyth, 1842 = *Gazella bennettii*  
*Gazella christyi* Lydekker, 1914 = *Gazella bennettii*  
**Gazella cuvieri** (Ogilby, 1841) I BOVIDAE (Mammalia) (E)  
 Cuvier's Gazelle, Edmi Gazelle, Idmi (S) Gacela de Cuvier (F) Edmi, Gazelle de Cuvier  
*Gazella dama* (Pallas, 1766) = *Nanger dama* (Pallas, 1766)  
**Gazella dorcas** (Linnaeus, 1758) III BOVIDAE (Mammalia) (E) Dorcas Gazelle (S) Gacela dorcas (F) Gazelle dorcas  
*Gazella fuscifrons* Blanford, 1873 = *Gazella bennettii*  
*Gazella hayi* Lydekker, 1911 = *Gazella bennettii*  
*Gazella hazenna* (I. Geoffroy Saint-Hilaire, 1843) = *Gazella bennettii*  
*Gazella karamii* Groves, 1993 = *Gazella bennettii*  
*Gazella kennioni* Lydekker, 1908 = *Gazella bennettii*  
**Gazella leptoceros** (F. Cuvier, 1842) I BOVIDAE (Mammalia) (E) Rhim Gazelle, Sand Gazelle, Slender-horned Gazelle (S) Rhim (F) Gazelle à cornes fines, Gazelle leptocère, Rhim  
*Gazella salinarum* Groves, 2003 = *Gazella bennettii*  
*Gazella shikarii* Groves, 1993 = *Gazella bennettii*  
 Gazelle à cornes fines (F): *Gazella leptoceros*  
 Gazelle, Addra (E): *Nanger dama*  
 Gazelle, Cuvier's (E): *Gazella cuvieri*  
 Gazelle dama (F): *Nanger dama*  
 Gazelle, Dama (E): *Nanger dama*  
 Gazelle de Cuvier (F): *Gazella cuvieri*  
 Gazelle dorcas (F): *Gazella dorcas*  
 Gazelle, Dorcas (E): *Gazella dorcas*  
 Gazelle, Edmi (E): *Gazella cuvieri*  
 Gazelle, Indian (E): *Gazella bennettii*  
 Gazelle leptocère (F): *Gazella leptoceros*  
 Gazelle, Rhim (E): *Gazella leptoceros*  
 Gazelle, Sand (E): *Gazella leptoceros*  
 Gazelle, Slender-horned (E): *Gazella leptoceros*  
 Gecko, Abbott's Day (E): *Phelsuma abbotti*  
 Gecko, Aldabra Day (E): *Phelsuma abbotti*  
 Gecko, Andaman Day (E): *Phelsuma andamanense*  
 Gecko, Antanasy Day (E): *Phelsuma antanasy*  
 Gecko, Banded Day (E): *Phelsuma standingi*  
 Gecko, Barbour's Day (E): *Phelsuma barbouri*  
 Gecko, Black-eyed (E): *Hoplodactylus kahutarae*  
 Gecko, Blue-tailed Day (E): *Phelsuma cepediana*

- Gecko, Boettger's Day (E): *Phelsuma v-nigra*  
 Gecko, Bright-eyed Day (E): *Phelsuma dubia*  
 Gecko, Central Tree (E): *Naultinus poecilochlorus*  
*Gecko cepediana Merrem, 1820 = Phelsuma cepediana*  
 (Merrem, 1820)  
 Gecko, Cloudy (E): *Hoplodactylus nebulosus*  
 Gecko, Common (E): *Hoplodactylus maculatus*  
 Gecko, Common Flat-tailed (E): *Uroplatus fimbriatus*  
 Gecko, Common Green (E): *Naultinus elegans*  
 Gecko, Comoro Day (E): *Phelsuma comorensis*  
 Gecko, Delcourt's Sticky-toed (E): *Hoplodactylus delcourtii*  
 Gecko de l'île Serpent (F): *Nactus serpensinsula*  
 Gecko diurne à bandes noires (F): *Phelsuma nigristriata*  
 Gecko diurne à courte tête (F): *Phelsuma breviceps*  
 Gecko diurne à gorge jaune (F): *Phelsuma flavigularis*  
 Gecko diurne à large queue (F): *Phelsuma laticauda*  
 Gecko diurne à quatre ocelles (F): *Phelsuma quadriocellata*  
 Gecko diurne à queue bleue (F): *Phelsuma cepediana*  
 Gecko diurne à queue charnue (F): *Phelsuma mutabilis*  
 Gecko diurne à queue plate (F): *Phelsuma serraticauda*  
 Gecko diurne à tête jaune (F): *Phelsuma klemmeri*  
 Gecko diurne d'Aldabra (F): *Phelsuma abbotti*  
 Gecko diurne de Barbour (F): *Phelsuma barbouri*  
 Gecko diurne de Boettger (F): *Phelsuma v-nigra*  
 Gecko diurne de Bourbon (F): *Phelsuma borbonica*  
 Gecko diurne de Grandidier (F): *Phelsuma mutabilis*  
 Gecko diurne de Klemmer (F): *Phelsuma klemmeri*  
 Gecko diurne de la région Antanasy (F): *Phelsuma antanasy*  
 Gecko diurne de la Réunion (F): *Phelsuma borbonica*  
 Gecko diurne de l'Île Maurice (F): *Phelsuma guimbeau*  
 Gecko diurne de l'Île Pemba (F): *Phelsuma parkeri*  
 Gecko diurne de l'Île Ronde (F): *Phelsuma guentheri*  
 Gecko diurne de Madagascar (F): *Phelsuma madagascariensis*  
 Gecko diurne de Meier (F): *Phelsuma nigristriata*  
 Gecko diurne de Parker (F): *Phelsuma parkeri*  
 Gecko diurne de Peacock (F): *Phelsuma quadriocellata*  
 Gecko diurne de Robert Mertens (F): *Phelsuma robertmertensi*  
 Gecko diurne de Rodrigues (F): *Phelsuma edwardnewtonii*  
 Gecko diurne des Comores (F): *Phelsuma comorensis*  
 Gecko diurne de Seipp (F): *Phelsuma seippi*  
 Gecko diurne des îles Andaman (F): *Phelsuma andamanense*  
 Gecko diurne des Seychelles (F): *Phelsuma astriata*  
 Gecko diurne de Standing (F): *Phelsuma standingi*  
 Gecko diurne de Zanzibar (F): *Phelsuma dubia*  
 Gecko diurne géant de Rodrigues (F): *Phelsuma gigas*  
 Gecko diurne géant des Seychelles (F): *Phelsuma sundbergi*  
 Gecko diurne ligné (F): *Phelsuma lineata*  
 Gecko diurne modeste (F): *Phelsuma modesta*  
 Gecko diurne nain (F): *Phelsuma pusilla*  
 Gecko diurne ocellé (F): *Phelsuma ocellata*  
 Gecko diurne orné de l'Île Maurice (F): *Phelsuma ornata*  
 Gecko diurne poussière-d'or (F): *Phelsuma laticauda*  
 Gecko diurne rayé (F): *Phelsuma lineata*  
 Gecko diurne sombre (F): *Phelsuma dubia*  
 Gecko diurne tacheté (F): *Phelsuma guttata*  
 Gecko, Dull-green Day (E): *Phelsuma dubia*  
 Gecko, Duvaucel's (E): *Hoplodactylus duvaucelii*  
 Gecko, Dwarf Day (E): *Phelsuma pusilla*  
 Gecko, Fan-tailed Day (E): *Phelsuma serraticauda*  
 Gecko, Flat-tailed Day (E): *Phelsuma laticauda*  
 Gecko, Forest (E): *Hoplodactylus granulatus*  
 Gecko, Four-spot Day (E): *Phelsuma quadriocellata*  
 Gecko, Giant Day (E): *Phelsuma gigas*  
 Gecko, Gold-dust Day (E): *Phelsuma laticauda*  
 Gecko, Golden Sticky-toed (E): *Hoplodactylus chrysosireticus*  
 Gecko, Goldstripe (E): *Hoplodactylus chrysosireticus*  
 Gecko, Gold-striped (E): *Hoplodactylus chrysosireticus*  
 Gecko, Granulated (E): *Hoplodactylus granulatus*  
 Gecko, Gray's Sticky-toed (E): *Hoplodactylus granulatus*  
 Gecko, Gray's Tree (E): *Naultinus grayii*  
 Gecko, Green Tree (E): *Naultinus elegans*  
 Gecko, Günther's Flat-tailed (E): *Uroplatus guentheri*  
 Gecko, Harlequin (E): *Hoplodactylus rakiurae*  
 Gecko, Henkel's Flat-tailed (E): *Uroplatus henkeli*  
 Gecko, Island Day (E): *Phelsuma nigristriata*  
 Gecko, Jewelled (E): *Naultinus gemmeus*  
 Gecko, Klemmer's Day (E): *Phelsuma klemmeri*  
 Gecko, Koch's Giant Day (E): *Phelsuma kochi*  
 Gecko, La-Digue Day (E): *Phelsuma sundbergi*  
 Gecko, Lined Day (E): *Phelsuma lineata*  
 Gecko, Lined Flat-tailed (E): *Uroplatus lineatus*  
 Gecko, Madagascar Day (E): *Phelsuma madagascariensis*  
 Gecko, Madagascar Giant Day (E): *Phelsuma grandis*  
 Gecko, Marlborough Green (E): *Naultinus manukanus*  
 Gecko, Mauritius Day (E): *Phelsuma guimbeau*  
 Gecko, Mauritius Greater Day (E): *Phelsuma cepediana*  
 Gecko, Mauritius Lowland Forest Day (E): *Phelsuma rosagularis*  
 Gecko, Mauritius Lowland Forest Day (E): *Phelsuma guimbeau*  
 Gecko, Mertens's Day (E): *Phelsuma robertmertensi*  
 Gecko, Modest Day (E): *Phelsuma modesta*  
 Gecko, Namaqua Day (E): *Phelsuma ocellata*  
 Gecko, Natural Tree (E): *Naultinus rudis*  
 Gecko, Nelson Green (E): *Naultinus stellatus*  
 Gecko, Northern Flat-tailed (E): *Uroplatus alluaudi*  
 Gecko, Northern Sticky-toed (E): *Hoplodactylus duvaucelii*  
 Gecko, Northern Tree (E): *Naultinus manukanus*  
 Gecko, Northland Green (E): *Naultinus grayii*  
 Gecko, Nosy Bé Flat-tailed (E): *Uroplatus ebenaui*  
 Gecko, Ocellated Day (E): *Phelsuma ocellata*  
 Gecko, Ornate Day (E): *Phelsuma ornata*  
 Gecko, Pacific (E): *Hoplodactylus pacificus*  
 Gecko, Pacific Sticky-toed (E): *Hoplodactylus pacificus*  
 Gecko, Parker's Day (E): *Phelsuma parkeri*  
 Gecko, Pasteur's Day (E): *Phelsuma pasteuri*  
 Gecko, Peacock Day (E): *Phelsuma quadriocellata*  
 Gecko, Pemba Day (E): *Phelsuma parkeri*  
 Gecko, Pronk's Day (E): *Phelsuma pronki*  
 Gecko, Réunion Day (E): *Phelsuma borbonica*  
 Gecko, Réunion Day (E): *Phelsuma inexpectata*  
 Gecko, Rodrigues Day (E): *Phelsuma edwardnewtonii*

- Gecko, Rough (E): *Naultinus rufus*  
 Gecko, Round Island Day (E): *Phelsuma guentheri*  
 Geckos à queue plate à bouche noire (F): *Uroplatus sikorae*  
 Geckos à queue plate commun (F): *Uroplatus fimbriatus*  
 Geckos à queue plate d'Alluaud (F): *Uroplatus alluaudi*  
 Geckos à queue plate d'Ebenau (F): *Uroplatus ebenaui*  
 Geckos à queue plate de Günther (F): *Uroplatus guentheri*  
 Geckos à queue plate de Henkel (F): *Uroplatus henkeli*  
 Geckos à queue plate de la côte est (F): *Uroplatus phantasticus*  
 Geckos à queue plate ligné (F): *Uroplatus lineatus*  
 Geckos à queue plate Malahelo (F): *Uroplatus malahelo*  
 Gecko, Seipp's Day (E): *Phelsuma seippi*  
 Gecko, Serpent Island (E): *Nactus serpensinsula*  
 Gecko, Serrated Day (E): *Phelsuma serraticeps*  
 Gecko, Seychelles Day (E): *Phelsuma abbotti*  
 Gecko, Seychelles Day (E): *Phelsuma astriata*  
 Gecko, Seychelles Giant Day (E): *Phelsuma sundbergi*  
 Gecko, Side-striped Day (E): *Phelsuma lineata*  
 Gecko, Southern Flat-tailed (E): *Uroplatus sikorae*  
 Gecko, South Island Tree (E): *Naultinus gemmeus*  
 Gecko, Speckled Day (E): *Phelsuma guttata*  
 Gecko, Spotted Day (E): *Phelsuma guttata*  
 Gecko, Spotted Day (E): *Phelsuma ocellata*  
 Gecko, Spotted Sticky-toed (E): *Hoplodactylus maculatus*  
 Gecko, Standing's Day (E): *Phelsuma standingi*  
 Gecko, Starry Tree (E): *Naultinus stellatus*  
 Gecko, Stephens's Island (E): *Hoplodactylus stephensi*  
 Gecko, Stephens's Sticky-toed (E): *Hoplodactylus stephensi*  
 Gecko, Stewart's Sticky-toed (E): *Hoplodactylus rakiurae*  
 Gecko, Striped (E): *Hoplodactylus stephensi*  
 Gecko, Striped Day (E): *Phelsuma lineata*  
 Gecko, Thick-tailed Day (E): *Phelsuma mutabilis*  
 Gecko, Warty Tree (E): *Naultinus tuberculatus*  
 Gecko, West Coast Green (E): *Naultinus tuberculatus*  
 Gecko, Whitaker's Sticky-toed (E): *Hoplodactylus kahutarae*  
 Gecko, Yellow-throated Day (E): *Phelsuma flavigularis*  
 Gecko, Zanzibar Day (E): *Phelsuma dubia*  
 Geco de la isla Serpiente (S): *Nactus serpensinsula*  
 Geco diurno de Abbott (S): *Phelsuma abbotti*  
 Geco diurno de Andaman (S): *Phelsuma andamanense*  
 Geco diurno de bandas (S): *Phelsuma lineata*  
 Geco diurno de Barbour (S): *Phelsuma barbouri*  
 Geco diurno de cola azul (S): *Phelsuma cepediana*  
 Geco diurno de cola dentada (S): *Phelsuma serraticeps*  
 Geco diurno de cola gruesa (S): *Phelsuma laticauda*  
 Geco diurno de estrias negras (S): *Phelsuma nigristriata*  
 Geco diurno de garganta amarilla (S): *Phelsuma flavigularis*  
 Geco diurno de Guenther (S): *Phelsuma guentheri*  
 Geco diurno de Guimbeau (S): *Phelsuma guimbeau*  
 Geco diurno de Klemmer (S): *Phelsuma klemmeri*  
 Geco diurno de las Comores (S): *Phelsuma comorensis*  
 Geco diurno de Madagascar (S): *Phelsuma madagascariensis*  
 Geco diurno de Robert Mertens (S): *Phelsuma robertmertensi*  
 Geco diurno de Standing (S): *Phelsuma standingi*  
 Geco diurno de Sundberg (S): *Phelsuma sundbergi*  
 Geco diurno de Zanzíbar (S): *Phelsuma dubia*  
 Geco diurno ocelado (S): *Phelsuma ocellata*  
 Geco diurno ornado (S): *Phelsuma ornata*  
 Gelada (F): *Theropithecus gelada*  
*Gemmipora frondens* Dana, 1846 = *Turbinaria frondens* (Dana, 1846)  
*Gemmipora fungiformis* Michelin, 1840 = *Turbinaria peltata* (Esper, 1790)  
*Gemmipora patula* Dana, 1846 = *Turbinaria patula* (Dana, 1846)  
*Gemmulatrus simplex* Duncan, 1878 = *Hoplania durotrix* Gosse, 1860  
*Gennaeus edwardsi* Oustalet, 1896 = *Lophura edwardsi* (Oustalet, 1896)  
*Gennaeus leucomelanos* (Latham, 1790) = *Lophura leucomelanos* (Latham, 1790)  
**Geochelone** spp. Fitzinger, 1835 I/II 46 TESTUDINIDAE (Reptilia)  
*Geochelone arnoldi* (Bour, 1982) = *Aldabrachelys gigantea* (Schweigger, 1812)  
*Geochelone carbonaria* (Spix, 1824) = *Chelonoidis carbonaria* (Spix, 1824)  
*Geochelone chilensis* (Gray, 1870) = *Chelonoidis chilensis* (Gray, 1870)  
*Geochelone denticulata* (Linnaeus, 1766) = *Chelonoidis denticulata* (Linnaeus, 1766)  
*Geochelone donosobarrosi* Freiberg, 1973 = *Chelonoidis chilensis* (Gray, 1870)  
*Geochelone dussumieri* (Gray, 1831) = *Aldabrachelys gigantea* (Schweigger, 1812)  
**Geochelone elegans** (Schoepff, 1794) II 46 TESTUDINIDAE (Reptilia) (E) Indian Star Tortoise, Star Tortoise (S) Tortuga estrellada de la India (F) Tortue étoilée de l'Inde  
*Geochelone elegans platynota* (Obst 1985) = *Geochelone platynota* (Blyth, 1863)  
*Geochelone elephantopus* (Harlan, 1827) = *Chelonoidis nigra* (Quoy & Gaimard, 1824)  
*Geochelone elongata* (Blyth, 1853) = *Indotestudo elongata* (Blyth, 1853)  
*Geochelone emys* (Schlegel & S. Müller, 1844) = *Manouria emys* (Schlegel & S. Müller, 1844)  
*Geochelone forstenii* (Schlegel & S. Müller, 1844) = *Indotestudo forstenii* (Schlegel & S. Müller, 1844)  
*Geochelone gigantea* (Schweigger, 1812) = *Aldabrachelys gigantea* (Schweigger, 1812)  
*Geochelone hololissa* (Günther, 1877) = *Aldabrachelys gigantea* (Schweigger, 1812)  
*Geochelone impressa* (Günther, 1882) = *Manouria impressa* (Günther, 1882)  
*Geochelone nigra* (Quoy & Gaimard, 1824) = *Chelonoidis nigra* (Quoy & Gaimard, 1824)  
*Geochelone pardalis* (Bell, 1828) = *Stigmochelys pardalis* (Bell, 1828)  
*Geochelone petersi* Freiberg, 1973 = *Chelonoidis chilensis* (Gray, 1870)  
**Geochelone platynota** (Blyth, 1863) I TESTUDINIDAE (Reptilia) (E) Burmese Starred Tortoise, Flatback

- Tortoise (S) Tortuga estrellada de Burma (F) Tortue étoilée de Birmanie
- Geochelone platynota*** (*Loveridge and Williams 1957*) = *Geochelone platynota* (Blyth, 1863)
- Geochelone radiata*** (*Shaw, 1802*) = *Astrochelys radiata* (*Shaw, 1802*)
- Geochelone sulcata*** (*Miller, 1779*) II 46 TESTUDINIDAE  
(*Reptilia*) (E) African Spurred Tortoise, Grooved Tortoise (S) Tortuga con púas (F) Tortue sillonnée
- Geochelone travancorica*** (*Boulenger, 1907*) = *Indotestudo travancorica* (*Boulenger, 1907*)
- Geochelone yniphora*** (*Vaillant, 1885*) = *Astrochelys yniphora* (*Vaillant, 1885*)
- Géoclemmyde d'Hamilton (F): *Geoclemys hamiltonii*
- Geoclemmys sebae*** Gray, 1869 = *Clemmys guttata* (*Schneider, 1792*)
- Geoclemys grangeri*** K. P. Schmidt, 1927 = *Mauremys reevesii* (*Gray, 1831*)
- Geoclemys hamiltonii*** (*Gray, 1831*) I GEOEMYDIDAE  
(*Reptilia*) (E) Black Pond Turtle, Black Spotted Turtle, Hamilton's Terrapin, Spotted Pond Turtle (S) Galápago de Hamilton, Galápago rayado (F) émyde en toit, Géoclemmyde d'Hamilton, Tortue de Hamilton
- Geoclemys kwangtungensis*** Pope, 1934 = *Mauremys nigricans* (*Gray, 1834*)
- Geoclemys macrocephala*** Gray, 1859 = *Malayemys macrocephala* (*Gray, 1859*)
- Geoclemys paracarettai*** Chang, 1929 = *Mauremys reevesii* (*Gray, 1831*)
- Geoemyda arakana*** Theobald, 1876 = *Heosemys depressa* (*Anderson, 1875*)
- Geoemyda depressa*** (*Anderson, 1875*) = *Heosemys depressa* (*Anderson, 1875*)
- Geoemyda grandis*** Gray, 1860 = *Heosemys grandis* (*Gray, 1860*)
- Geoemyda impressa*** Günther, 1882 = *Manouria impressa* (*Günther, 1882*)
- Geoemyda indopeninsularis*** Annandale, 1913 = *Melanochelys trijuga* (*Schweigger, 1812*)
- Geoemyda japonica*** Fan, 1931 II GEOEMYDIDAE  
(*Reptilia*) (E) Ryukyu Black-breasted Leaf Turtle
- Geoemyda latinuchalis*** Vaillant, 1894 = *Manouria impressa* (*Günther, 1882*)
- Geoemyda leyteensis*** (*Taylor, 1920*) = *Siebenrockiella leyteensis* (*Taylor, 1920*)
- Geoemyda spengleri*** (*Gmelin, 1789*) II GEOEMYDIDAE  
(*Reptilia*) (E) Black-breasted Leaf Turtle
- Geoemyda spinosa*** (*Gray, 1831*) = *Heosemys spinosa* (*Gray, 1831*)
- Geoemyda splengleri japonica*** Fan 1931 = *Geoemyda japonica* Fan, 1931
- Geoemyda tcheponensis*** Bourret, 1939 = *Cyclemys oldhamii* Gray, 1863
- Geoemyda tricarinata*** Blyth, 1856 = *Melanochelys tricarinata* (*Blyth, 1856*)
- Geoemyda trijuga*** (*Schweigger, 1812*) = *Melanochelys trijuga* (*Schweigger, 1812*)
- Geoemyda yuwonoi*** McCord, Iverson & Boeadi, 1995 = *Leucocephalon yuwonoi* (*McCord, Iverson & Boeadi, 1995*)
- Géoémyde des Célèbes (F): *Leucocephalon yuwonoi*
- Géoémyde tricarénée (F): *Melanochelys tricarinata*
- Geoffroyus spp.*** II 29 PSITTACIDAE (Aves)
- Geoffroyus geoffroyi*** (Bechstein, 1811) II 29  
PSITTACIDAE (Aves) (E) Red-cheeked Parrot (S) Lorito carirrojo (F) Perruche de Geoffroy
- Geoffroyus heteroclitus*** (Hombron & Jacquinot, 1841) II 29 PSITTACIDAE (Aves) (E) Singing Parrot (S) Lorito heteróclito (F) Perruche hétéroclite
- Geoffroyus simplex*** (*Meyer, 1874*) II 29 PSITTACIDAE (Aves) (E) Blue-collared Parrot (S) Lorito acollarado (F) Perruche à col bleu
- Geopsittacus occidentalis*** (*Gould, 1861*) = *Pezoporus occidentalis* Gould, 1861
- Geranoaetus spp.*** II 27 ACCIPITRIDAE (Aves)
- Geranoaetus albicaudatus*** (*Vieillot 1816*) = *Buteo albicaudatus* Vieillot, 1816
- Geranoaetus melanoleucus*** (*Vieillot, 1819*) II 27  
ACCIPITRIDAE (Aves) (E) Black-chested Buzzard-Eagle, Black-chested Eagle, Grey Buzzard-Eagle (S) Águila escudada, Águila mora (F) Buse aguia
- Geranoaetus polyosoma*** (*Quoy & Gaimard, 1824*) = *Buteo polyosoma* (*Quoy & Gaimard, 1824*)
- Geranoaetus polyosoma*** (*Quoy & Gaimard, 1824*) = *Buteo poecilochrous* Gurney, 1879
- Geranospiza spp.*** II 27 ACCIPITRIDAE (Aves)
- Geranospiza caerulescens*** (*Vieillot, 1817*) II 27  
ACCIPITRIDAE (Aves) (E) Crane Hawk (S) Azor zancón, Gavilán patilargo, Gavilán zancón, Gavilán zancudo (F) Buse échasse
- Gerfaut*** (F): *Falco rusticolus*
- Geronticus calvus*** (*Boddaert, 1783*) II  
THRESKIORNITHIDAE (Aves) (E) Bald Ibis, Southern Bald Ibis (S) Ibis calvo, Ibis calvo de África del Sur (F) Ibis chauve de l'Afrique du Sud, Ibis du Cap, Ibis noir
- Geronticus eremita*** (*Linnaeus, 1758*) I  
THRESKIORNITHIDAE (Aves) (E) Bald Ibis, Hermit Ibis, Northern Bald Ibis, Waldrapp (S) Ibis eremita (F) Ibis chauve
- Gharial (E): *Gavialis gangeticus*
- Gharial, False (E): *Tomistoma schlegelii*
- Gharial, Malayan (E): *Tomistoma schlegelii*
- Ghor-khar (E): *Equus hemionus khur*
- Gibbon à favoris blancs (F): *Nomascus concolor*
- Gibbon agile (F): *Hylobates agilis*
- Gibbon, Agile (E): *Hylobates agilis*
- Gibbon à mains blanches (F): *Hylobates lar*
- Gibbon, Black (E): *Nomascus concolor*
- Gibbon, Black-cheeked Crested (E): *Nomascus concolor*
- Gibbon, Bornean (E): *Hylobates muelleri*
- Gibbon, Bornean White-bearded (E): *Hylobates albifrons*
- Gibbon, Buff-cheeked (E): *Nomascus gabriellae*
- Gibbon, Capped (E): *Hylobates pileatus*
- Gibbon cendré (F): *Hylobates moloch*
- Gibbon, Common (E): *Hylobates lar*
- Gibbon, Crested (E): *Nomascus concolor*
- Gibbon, Crowned (E): *Hylobates pileatus*
- Gibbon, Dark-handed (E): *Hylobates agilis*

- Gibbon de Muller (F): *Hylobates muelleri*  
 Gibbon, Dwarf (E): *Hylobates klossii*  
 Gibbon, Grey (E): *Hylobates muelleri*  
 Gibbon, Hainan (E): *Nomascus hainanus*  
 Gibbon, Hoolock (E): *Bunopithecus hoolock*  
 Gibbon, Indochinese (E): *Nomascus concolor*  
 Gibbon, Javan (E): *Hylobates moloch*  
 Gibbon, Kloss's (E): *Hylobates klossii*  
 Gibbon lar (F): *Hylobates lar*  
 Gibbon, Lar (E): *Hylobates lar*  
 Gibbon, Mentawai (E): *Hylobates klossii*  
 Gibbon, Müller's (E): *Hylobates muelleri*  
 Gibbon noir (F): *Nomascus concolor*  
 Gibbon, Pileated (E): *Hylobates pileatus*  
 Gibbon, Potto (E): *Perodicticus potto*  
 Gibbons (F): *Hylobatidae*  
 Gibbon, Silvery (E): *Hylobates moloch*  
 Gibbon, White-cheeked (E): *Nomascus leucogenys*  
 Gibbon, White-cheeked Crested (E): *Nomascus leucogenys*  
 Gibbon, White-handed (E): *Hylobates lar*  
 Gibbon, Yellow-cheeked Crested (E): *Nomascus gabriellae*  
 Gibón ceniciente (S): *Hylobates moloch*  
 Gibón de cresta negra (S): *Hylobates pileatus*  
 Gibón de manos blancas (S): *Hylobates lar*  
 Gibón de Mueller (S): *Hylobates muelleri*  
 Gibones (S): *Hylobatidae*  
 Gibón hulock (S): *Bunopithecus hoolock*  
 Giboya (E): *Boa constrictor*  
*Gladostomus stellatus* (Pallas, 1771) = *Acipenser stellatus*  
 Pallas, 1771  
***Glaucidium* spp.** II 30 STRIGIDAE (Aves)  
*Glaucidium albertinum* Prigogine, 1983 = *Glaucidium capense* (A. Smith, 1834)  
***Glaucidium boliviannum*** König, 1991 II 30 STRIGIDAE  
 (Aves) (E) Yungas Pygmy-Owl (S) Mochuelo boliviano  
 (F) Chevêchette des yungas  
***Glaucidium brasiliannum*** (Gmelin, 1788) II 30  
 STRIGIDAE (Aves) (E) Ferruginous Pygmy-Owl (S)  
 Caburé, Mochuelo caburé, Pavita ferruginea, Tecolotito  
 común (F) Chevêchette brune  
***Glaucidium brodiei*** (Burton, 1836) II 30 STRIGIDAE  
 (Aves) (E) Collared Owlet, Collared Pygmy-Owl (S)  
 Mochuelo acollarado (F) Chevêchette à collier  
*Glaucidium californicum* P. L. Sclater, 1857 = *Glaucidium gnoma* Wagler, 1832  
***Glaucidium capense*** (A. Smith, 1834) II 30 STRIGIDAE  
 (Aves) (E) African Barred Owl, Barred Owl (S)  
 Mochuelo de El Cabo (F) Chevêchette du Cap  
*Glaucidium castaneum* Reichenow, 1893 = *Glaucidium capense* (A. Smith, 1834)  
***Glaucidium castanotum*** (Blyth, 1852) II 30  
 STRIGIDAE (Aves) (E) Chestnut-backed Owl (S)  
 Mochuelo de Ceilán (F) Chevêchette à dos marron  
***Glaucidium castanopterum*** (Horsfield, 1821) II 30  
 STRIGIDAE (Aves) (E) Javan Owl (S) Mochuelo de  
 Java (F) Chevêchette spadicée  
*Glaucidium castanotum* (Blyth, 1852) = *Glaucidium castanopterum* (Blyth, 1852)  
***Glaucidium costaricanum*** L. Kelso, 1937 II 30  
 STRIGIDAE (Aves) (E) Costa Rican Pygmy-Owl  
***Glaucidium cuculoides*** (Vigors, 1831) II 30 STRIGIDAE  
 (Aves) (E) Asian Barred Owl, Cuckoo Owl (S)  
 Mochuelo cuco (F) Chevêchette cuculoïde  
*Glaucidium cuculoides castanopterum* (Vigors, 1831) =  
*Glaucidium castanopterum* (Blyth, 1852)  
*Glaucidium cuculoides castanopterum* (Vigors, 1831) =  
*Glaucidium castanopterum* (Horsfield, 1821)  
***Glaucidium gnoma*** Wagler, 1832 II 30 STRIGIDAE  
 (Aves) (E) Mountain Pygmy-Owl (S) Mochuelo gnomo,  
 Tecolotito serano (F) Chevêchette naine  
***Glaucidium griseiceps*** Sharpe, 1875 II 30 STRIGIDAE  
 (Aves) (E) Central American Pygmy-Owl  
***Glaucidium hardyi*** Vielliard, 1989 II 30 STRIGIDAE  
 (Aves) (E) Amazonian Pygmy-Owl, Hardy's Pygmy-Owl  
 (S) Mochuelo amazónico (F) Chevêchette d'Amazonie  
*Glaucidium hoskynsi* Brewster, 1888 = *Glaucidium gnoma*  
 Wagler, 1832  
***Glaucidium jardinii*** (Bonaparte, 1855) II 30 STRIGIDAE  
 (Aves) (E) Andean Pygmy-Owl (S) Mochuelo andino,  
 Pavita andina (F) Chevêchette des Andes  
***Glaucidium minutissimum*** (Wied, 1830) II 30  
 STRIGIDAE (Aves) (E) Brazilian Pygmy-Owl, Least  
 Pygmy-Owl (S) Mochuelo minimo (F) Chevêchette  
 cabouré  
***Glaucidium mooreorum*** da Silva, Coelho & Gonzaga,  
 2002 II 30 STRIGIDAE (Aves) (E) Pernambuco  
 Pygmy-Owl  
***Glaucidium nana*** (P. P. King, 1827) II 30 STRIGIDAE  
 (Aves) (E) Austral Pygmy-Owl (S) Caburé patagónico,  
 Mochuelo patagónico (F) Chevêchette austral  
*Glaucidium nana* (King, 1828) = *Glaucidium nana* (P. P.  
 King, 1827)  
*Glaucidium nanum* (King, 1828) = *Glaucidium nana* (P. P.  
 King, 1827)  
*Glaucidium ngamiense* (Roberts, 1932) = *Glaucidium capense* (A. Smith, 1834)  
***Glaucidium nubicola*** Robbins & Stiles, 1999 II 30  
 STRIGIDAE (Aves) (E) Cloud-forest Pygmy-Owl  
***Glaucidium palmarum*** Nelson, 1901 II 30 STRIGIDAE  
 (Aves) (E) Colima Pygmy-Owl (S) Mochuela de Colima  
 (F) Chevêchette du Colima  
***Glaucidium parkeri*** Robbins & Howell, 1995 II 30  
 STRIGIDAE (Aves) (E) Subtropical Pygmy-Owl (S)  
 Mochuelo de Parker (F) Chevêchette de Parker  
***Glaucidium passerinum*** (Linnaeus, 1758) II 30  
 STRIGIDAE (Aves) (E) Eurasian Pygmy-Owl, Pygmy  
 Owl (S) Mochuelo alpino, Mochuelo chico (F)  
 Chevêchette d'Europe, Chouette chevêchette  
***Glaucidium perlatum*** (Vieillot, 1817) II 30 STRIGIDAE  
 (Aves) (E) Pearl-spotted Owl (S) Mochuelín perlado,  
 Mochuelo perlado (F) Chevêchette perlée  
***Glaucidium peruanum*** König, 1991 II 30 STRIGIDAE  
 (Aves) (E) Pacific Pygmy-Owl, Peruvian Pygmy-Owl (S)  
 Mochuelo peruano (F) Chevêchette du Pérou

- Glaucidium radiatum** (Tickell, 1833) II 30 STRIGIDAE  
 (Aves) (E) Barred Jungle Owl, Jungle Owl (S)  
 Mochuelo de jungla (F) Chevêchette de jungle
- Glaucidium radiatum castanonotum** (Tickell, 1833) =  
**Glaucidium castanonotum** (Blyth, 1852)
- Glaucidium sanchezi** Lowery & Newman, 1949 II 30  
 STRIGIDAE (Aves) (E) Tamaulipas Pygmy-Owl (S)  
 Mochuelo Tamaulipeco (F) Chevêchette du Tamaulipas
- Glaucidium scheffleri** Neumann, 1911 = **Glaucidium capense** (A. Smith, 1834)
- Glaucidium siju** (d'Orbigny, 1839) II 30 STRIGIDAE  
 (Aves) (E) Cuban Pygmy-Owl (S) Mochuelo sijú, Siju, Sijucito (F) Chevêchette de Cuba
- Glaucidium sjostedti** Reichenow, 1893 II 30 STRIGIDAE  
 (Aves) (E) Sjostedt's Owl (S) Mochuelo chico, Mochuelo del Congo, Mochuelo de Sjöstedt (F) Chevêchette à queue barrée
- Glaucidium tephronotum** Sharpe, 1875 II 30  
 STRIGIDAE (Aves) (E) Red-chested Owl, Yellow-legged Owl (S) Mochuelo pechirrojo (F) Chevêchette à pieds jaunes
- Glaucis spp.** I/II TROCHILIDAE (Aves)
- Glaucis aenea** Lawrence, 1867 = **Glaucis aeneus** Lawrence, 1867
- Glaucis aeneus** Lawrence, 1867 II TROCHILIDAE (Aves) (E) Bronzy Hermit (S) Ermitaño bronceado (F) Ermite bronzé
- Glaucis dohrnii** (Bourcier & Mulsant, 1852) I  
 TROCHILIDAE (Aves) (E) Hook-billed Hermit (S) Colibrí de pico recurvado, Colibrí picosierra chico, Ermitaño de Espíritu Santo (F) Colibri à bec incurvé, Colibri de Dohrn, Ermite de Dohrn, Ermite de Dohrnou à bec incurvé
- Glaucis hirsuta** (Gmelin, 1788) = **Glaucis hirsutus** (Gmelin, 1788)
- Glaucis hirsutus** (Gmelin, 1788) II TROCHILIDAE (Aves) (E) Rufous-breasted Hermit (S) Colibrí pecho canela, Ermitaño hirsuto, Ermitaño pechicanelo (F) Ermite hirsute
- Glaucis hirsutus aeneus** (Gmelin, 1788) = **Glaucis aeneus** Lawrence, 1867
- Globicephala spp.** II 18 DELPHINIDAE (Mammalia)
- Globicephala edwardii** Smith, 1834 = **Globicephala melas** (Traill, 1809)
- Globicephala macrorhynchus** Gray, 1846 II 18  
 DELPHINIDAE (Mammalia) (E) Pacific Pilot Whale, Short-finned Pilot Whale (S) Caldrón negro (F) Globicéphale tropical
- Globicephala melaena** (Traill, 1809) = **Globicephala melas** (Traill, 1809)
- Globicephala melas** (Traill, 1809) II 18 DELPHINIDAE (Mammalia) (E) Long-finned Pilot Whale (S) Caldrón negro (F) Globicéphale commun
- Globicephala sieboldii** Gray, 1846 = **Globicephala macrorhynchus** Gray, 1846  
 Globicéphale commun (F): *Globicephala melas*  
 Globicéphale tropical (F): *Globicephala macrorhynchus*
- Glory, Bhutan (E): *Bhutanitis lidderdalii*
- Glossopsitta spp.** Bonaparte, 1854 II 29 LORIIDAE  
 (Aves)
- Glossopsitta concinna** (Shaw, 1791) II 29 LORIIDAE  
 (Aves) (E) Musk Lorikeet (S) Lori almizclero (F) Lori à bandeau rouge, Lori musc
- Glossopsitta porphyrocephala** (Dietrichsen, 1837) II 29  
 LORIIDAE (Aves) (E) Purple-crowned Lorikeet (S) Lori coronipúrpura (F) Lori à couronne pourpre
- Glossopsitta pusilla** (Shaw, 1790) II 29 LORIIDAE  
 (Aves) (E) Little Lorikeet (S) Lori carirrojo (F) Lori à masque rouge, Petit lori musc
- Glyptemys insculpta** (Le Conte, 1829) II EMYDIDAE  
 (Reptilia) (E) Wood Turtle (F) Clemmyde sculptée
- Glyptemys muhlenbergii** (Schoepff, 1801) I EMYDIDAE  
 (Reptilia) (E) Bog Turtle, Muhlenberg's Turtle (S) Galápago de Muhlenberg (F) Clemmyde de Muhlenberg, Tortue de Muhlenberg, Tortue des marécages
- Goanna, Sand (E): *Varanus rosenbergi*  
 Goat, Wild (E): *Capra hircus aegagrus*  
 Goazu (F): *Ozotoceros bezoarticus*  
 Gobe-mouche bleu de Rueck (F): *Cyornis ruckii*  
 Gobe-mouche de Rueck (F): *Cyornis ruckii*  
 Godoy (S): *Potos flavus*  
 Goéland de Mongolie (F): *Larus relictus*  
 Goéland relique (F): *Larus relictus*  

**Goethalsia spp.** II TROCHILIDAE (Aves)

**Goethalsia bella** Nelson, 1912 II TROCHILIDAE (Aves) (E) Rufous-cheeked Hummingbird (S) Colibrí del Pirré (F) Colibri du Pirré

Goldentail, Blue-throated (E): *Hylocharis eliciae*  
 Goldenthroat, Green-tailed (E): *Polytmus theresiae*  
 Goldenthroat, Tepui (E): *Polytmus milleri*  
 Goldenthroat, White-tailed (E): *Polytmus guainumbi*

**Goldmania spp.** II TROCHILIDAE (Aves)

**Goldmania violiceps** Nelson, 1911 II TROCHILIDAE (Aves) (E) Violet-capped Hummingbird (S) Colibrí de Goldman (F) Colibri à calotte violette

Golondrina de anteojos (S): *Pseudochelidon sirintarae*  
 Gombessa (E): *Latimeria chalumnae*

**Gongylophis spp.** Wagler, 1830 II BOIDAE (Reptilia)

**Gongylophis colubrinus** (Linnaeus, 1758) II BOIDAE (Reptilia) (E) East African Sand Boa, Egyptian Sand Boa, Kenyan Sand Boa, Theban Sand Boa (S) Boa de arena de Egipto (F) Boa aux écailles rugueuses, Boa des sables couleuvrin, Boa des sables d'Egipte, Boa des sables du Kenya

**Gongylophis conicus** (Schneider, 1801) II BOIDAE (Reptilia) (E) Baby Python, Indian Sand Boa, Rough-scaled Sand Boa, Russell's Sand Boa (S) Boa de arena de Sri Lanka (F) Boa des sables à écailles rugueuses, Boa des sables des Indes

**Gongylophis muelleri** Boulenger, 1892 II BOIDAE (Reptilia) (E) Müller's Sand Boa, West African Sand Boa (S) Boa de arena de Müller (F) Boa des sables de Müller

**Goniastrea spp.** Milne Edwards & Haime 1848 II  
 FAVIIDAE (Anthozoa)

**Goniastrea aspera** Verrill, 1866 II FAVIIDAE (Anthozoa)

- Goniastrea australensis** (Milne Edwards & Haime, 1857) II FAVIIDAE (Anthozoa)  
*Goniastrea benhami* Vaughan, 1917 = *Goniastrea australensis* (Milne Edwards & Haime, 1857)  
*Goniastrea bournonii* Milne Edwards & Haime, 1850 = *Goniastrea retiformis* (Lamarck, 1816)  
*Goniastrea cerium* (Dana, 1846) = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)  
**Goniastrea columella** Crossland, 1948 II FAVIIDAE (Anthozoa)  
*Goniastrea coronalis* Quelch, 1886 = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)  
**Goniastrea deformis** Veron, 1990 II FAVIIDAE (Anthozoa)  
**Goniastrea edwardsi** Chevalier, 1972 II FAVIIDAE (Anthozoa)  
*Goniastrea equisepta* Nemenzo, 1959 = *Goniastrea aspera* Verrill, 1866  
*Goniastrea eximia* (Dana, 1846) = *Goniastrea retiformis* (Lamarck, 1816)  
*Goniastrea favistella* (Dana, 1846) = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)  
**Goniastrea favulus** (Dana, 1846) II FAVIIDAE (Anthozoa)  
*Goniastrea favus* (Forskål, 1775) = *Favia favus* (Forskål, 1775)  
*Goniastrea grayi* Milne Edwards & Haime, 1850 = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)  
*Goniastrea hombronii* (Rousseau, 1854) = *Favia stelligera* (Dana, 1846)  
*Goniastrea incrustans* Duncan, 1889 = *Goniastrea aspera* Verrill, 1866  
*Goniastrea laxa* (Klunzinger, 1879) = *Favia laxa* (Klunzinger, 1879)  
*Goniastrea laxa* Quelch, 1886 = *Favites pentagona* (Esper, 1790)  
*Goniastrea mantonae* Crossland, 1952 = *Goniastrea aspera* Verrill, 1866  
**Goniastrea minuta** Veron, 2000 II FAVIIDAE (Anthozoa)  
*Goniastrea multilobata* Quelch, 1886 = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)  
**Goniastrea palauensis** (Yabe & Sugiyama, 1936) II FAVIIDAE (Anthozoa)  
*Goniastrea parvistella* (Dana, 1846) = *Goniastrea retiformis* (Lamarck, 1816)  
**Goniastrea pectinata** (Hemprich & Ehrenberg, 1834) II FAVIIDAE (Anthozoa)  
*Goniastrea peresi* (Faure & Pichon, 1978) = *Favites peresi* Faure & Pichon, 1978  
*Goniastrea planulata* Milne Edwards & Haime, 1850 = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)  
*Goniastrea quoyi* Milne Edwards & Haime, 1850 = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)  
**Goniastrea ramosa** Veron, 2000 II FAVIIDAE (Anthozoa)  
*Goniastrea regularis* Chevalier, 1972 = *Goniastrea favulus* (Dana, 1846)  
**Goniastrea retiformis** (Lamarck, 1816) II FAVIIDAE (Anthozoa)  
*Goniastrea rudis* Milne Edwards & Haime, 1850 = *Favites pentagona* (Esper, 1790)
- Goniastrea sericea* Ortmann, 1888 = *Gardineroseris planulata* (Dana, 1846)  
*Goniastrea serrata* Ortmann, 1889 = *Favia pallida* (Dana, 1846)  
*Goniastrea seychellensis* (Milne Edwards & Haime, 1850) = *Goniastrea australensis* (Milne Edwards & Haime, 1857)  
*Goniastrea sinuosa* (Dana, 1846) = *Goniastrea pectinata* (Hemprich & Ehrenberg, 1834)  
*Goniastrea solida* (Blainville, 1830) = *Goniastrea edwardsi* Chevalier, 1972  
*Goniastrea solida* (Forskål, 1775) = *Porites solida* (Forskål, 1775)  
*Goniastrea spectabilis* (Verrill, 1872) = *Goniastrea aspera* Verrill, 1866  
**Goniastrea thecata** Veron, DeVantier & Turak, 2000 II FAVIIDAE (Anthozoa)  
*Goniastrea yaeyamaensis* Eguchi & Shirai, 1977 = *Platygyra yaeyamaensis* (Eguchi & Shirai, 1977)  
**Goniocorella** spp. Yabe & Eguchi 1932 II CARYOPHYLLIIDAE (Anthozoa)  
**Goniocorella dumosa** (Alcock, 1902) II CARYOPHYLLIIDAE (Anthozoa)  
*Goniocorella glanulosa* Hu, 1987 = *Goniocorella dumosa* (Alcock, 1902)  
*Goniocyathus pacificus* Yabe & Eguchi, 1932 = *Dasmosmilia lymani* (Pourtales, 1871)  
**Goniopora** spp. Blainville, 1830 II PORITIDAE (Anthozoa)  
**Goniopora albiconus** Veron, 2000 II PORITIDAE (Anthozoa)  
**Goniopora burgosi** Nemenzo, 1955 II PORITIDAE (Anthozoa)  
**Goniopora cellulosa** Veron, 1990 II PORITIDAE (Anthozoa)  
**Goniopora ciliatus** Veron, 2000 II PORITIDAE (Anthozoa)  
**Goniopora columna** Dana, 1846 II PORITIDAE (Anthozoa)  
**Goniopora djiboutiensis** Vaughan, 1907 II PORITIDAE (Anthozoa)  
*Goniopora duofaciata* Thiel, 1932 = *Goniopora planulata* (Hemprich & Ehrenberg, 1834)  
**Goniopora eclipsensis** Veron & Pichon, 1982 II PORITIDAE (Anthozoa)  
**Goniopora fruticosa** Kent, 1891 II PORITIDAE (Anthozoa)  
*Goniopora hirsuta* Crossland, 1952 = *Goniopora lobata* Milne Edwards & Haime, 1851  
*Goniopora klunzingeri* Marenzeller, 1906 = *Porites lichen* Dana, 1846  
*Goniopora lichen* (Dana, 1846) = *Porites lichen* Dana, 1846  
**Goniopora lobata** Milne Edwards & Haime, 1851 II PORITIDAE (Anthozoa)  
**Goniopora minor** Crossland, 1952 II PORITIDAE (Anthozoa)  
*Goniopora nigra* Pillai, 1969 = *Goniopora stutchburyi* Wells, 1955

- Goniopora norfolkensis** Veron & Pichon, 1982 II  
PORITIDAE (Anthozoa)
- Goniopora palmensis** Veron & Pichon, 1982 II  
PORITIDAE (Anthozoa)
- Goniopora pandoraensis** Veron & Pichon, 1982 II  
PORITIDAE (Anthozoa)
- Goniopora pearsoni** Veron, 2000 II PORITIDAE (Anthozoa)
- Goniopora pendulus** Veron, 1985 II PORITIDAE (Anthozoa)
- Goniopora planulata** (Hemprich & Ehrenberg, 1834) II  
PORITIDAE (Anthozoa)
- Goniopora polyformis** (Zou, 1980) II PORITIDAE (Anthozoa)
- Goniopora pulvinula* Wells, 1954 = *Goniopora djiboutiensis* Vaughan, 1907
- Goniopora savignii** Dana, 1846 II PORITIDAE (Anthozoa)
- Goniopora somaliensis** Vaughan, 1907 II PORITIDAE (Anthozoa)
- Goniopora stokesi** Milne Edwards & Haime, 1851 II  
PORITIDAE (Anthozoa) (E) Flowerpot coral
- Goniopora stutchburyi** Wells, 1955 II PORITIDAE (Anthozoa)
- Goniopora sultani** Veron, DeVantier & Turak, 2000 II  
PORITIDAE (Anthozoa)
- Goniopora tenella** (Quelch, 1886) II PORITIDAE (Anthozoa)
- Goniopora tenuidens** (Quelch, 1886) II PORITIDAE (Anthozoa)
- Goniopora traceyi* Wells, 1954 = *Goniopora lobata* Milne Edwards & Haime, 1851
- Goniopora undulata* Nemenzo = *Goniopora somaliensis* Vaughan, 1907
- Goniopora viridis* (Quoy & Gaimard, 1833) = *Alveopora viridis* Quoy & Gaimard, 1833
- Goniopora wotouensis* Zou, Song & Ma, 1975 = *Goniopora stutchburyi* Wells, 1955
- Goose, Aleutian (E): *Branta canadensis leucopareia*
- Goose, Aleutian Canada (E): *Branta canadensis leucopareia*
- Goose, Hawaiian (E): *Branta sandvicensis*
- Goose, Knob-billed (E): *Sarkidiornis melanotos*
- Goose, Red-breasted (E): *Branta ruficollis*
- Gophère à bords jaunes (F): *Gopherus flavomarginatus*
- Gophère d'Agassiz (F): *Gopherus agassizii*
- Gophère du Texas (F): *Gopherus berlandieri*
- Gophère polyphème (F): *Gopherus polyphemus*
- Gopherus spp.** Rafinesque, 1832 I/II 46 TESTUDINIDAE (Reptilia)
- Gopherus agassizii** (Cooper, 1863) II 46  
TESTUDINIDAE (Reptilia) (E) Desert Tortoise (S)  
Tortuga del desierto (F) Gophère d'Agassiz, Tortue d'Agassiz
- Gopherus agassizii* Cooper, 1861 = *Gopherus morafkai* Murphy, Berry, Edwards, Leviton, Lathrop & Riedle, 2011
- Gopherus berlandieri** (Agassiz, 1857) II 46  
TESTUDINIDAE (Reptilia) (E) Berlandier's Tortoise, Texas Tortoise (S) Tortuga de Texas (F) Gophère du Texas, Tortue du Texas
- Gopherus flavomarginatus** Legler, 1959 I  
TESTUDINIDAE (Reptilia) (E) Bolson Tortoise, Mexican Giant Tortoise, Yellow-bordered Tortoise (S) Tortuga grande, Tortuga Ilanera, Tortuga topo (F) Gophère à bords jaunes, Tortue à bords jaunes, Tortue du Mexique, Tortue fousseuse du Mexique
- Gopherus morafkai** Murphy, Berry, Edwards, Leviton, Lathrop & Riedle, 2011 II 46 TESTUDINIDAE (Reptilia)
- Gopherus polyphemus** (Daudin, 1801) II 46  
TESTUDINIDAE (Reptilia) (E) Gopher Tortoise (S) Tortuga terrestre de Florida (F) Gophère polyphème, Tortue de la Floride, Tortue gaufrière
- Gopherus polyphemus agassizii* (Daudin, 1801) = *Gopherus agassizii* (Cooper, 1863)
- Gopherus polyphemus berlandieri* (Daudin, 1801) = *Gopherus berlandieri* (Agassiz, 1857)
- Gopherus polyphemus flavomarginatus* (Daudin, 1801) = *Gopherus flavomarginatus* Legler, 1959
- Goral (E): *Naemorhedus goral*
- Goral (F): *Naemorhedus goral*
- Goral (S): *Naemorhedus goral*
- Goral à queue longue (F): *Naemorhedus caudatus*
- Goral, Chinese (E): *Naemorhedus caudatus*
- Goral, Chinese (E): *Naemorhedus baileyi*
- Goral, Chinese (E): *Naemorhedus griseus*
- Goral, Himalayan (E): *Naemorhedus goral*
- Goral, Long-tailed (E): *Naemorhedus caudatus*
- Goral, Red (E): *Naemorhedus baileyi*
- Goral rouge (F): *Naemorhedus baileyi*
- Goral, South China (E): *Naemorhedus griseus*
- Goreaugra memorialis* Wells, 1974 = *Meandrina maeandrites* (Linnaeus, 1758)
- Gorgonia abies* Linnaeus, 1758 = *Cupressopatthes abies* (Linnaeus, 1758)
- Gorgonia aenea* Linnaeus, 1758 = *Cupressopatthes abies* (Linnaeus, 1758)
- Gorila (S): *Gorilla gorilla*
- Gorilla spp.** I HOMINIDAE (Mammalia)
- Gorilla (E): *Gorilla gorilla*
- Gorilla beringei** Matschie, 1903 I HOMINIDAE (Mammalia) (E) Eastern Gorilla, Mountain Gorilla
- Gorilla, Eastern (E): *Gorilla beringei*
- Gorilla gorilla** (Savage, 1847) I HOMINIDAE (Mammalia) (E) Gorilla, Western Gorilla (S) Gorila (F) Gorille
- Gorilla gorilla beringei* (Savage, 1847) = *Gorilla beringei* Matschie, 1903
- Gorilla, Mountain (E): *Gorilla beringei*
- Gorilla, Western (E): *Gorilla gorilla*
- Gorille (F): *Gorilla gorilla*
- Gorrión de Java (S): *Lonchura oryzivora*
- Goshawk (E): *Accipiter gentilis*
- Goshawk, African (E): *Accipiter tachiro*
- Goshawk, Asian Crested (E): *Accipiter trivirgatus*
- Goshawk, Australasian (E): *Accipiter fasciatus*
- Goshawk, Black (E): *Accipiter melanoleucus*
- Goshawk, Black-mantled (E): *Accipiter melanochlamys*
- Goshawk, Brown (E): *Accipiter fasciatus*
- Goshawk, Celebes Crested (E): *Accipiter griseiceps*

Goshawk, Chestnut-mantled (E): *Erythrotriorchis buergersi*  
 Goshawk, Chestnut-shouldered (E): *Erythrotriorchis buergersi*  
 Goshawk, Chinese (E): *Accipiter soloensis*  
 Goshawk, Crested (E): *Accipiter trivirgatus*  
 Goshawk, Doria's (E): *Megatriorchis doriae*  
 Goshawk, Fiji (E): *Accipiter rufitorques*  
 Goshawk, Frances's (E): *Accipiter francesii*  
 Goshawk, Gabar (E): *Micronisus gabar*  
 Goshawk, Gray's (E): *Accipiter henicogrammus*  
 Goshawk, Grey (E): *Accipiter novaehollandiae*  
 Goshawk, Grey-bellied (E): *Accipiter poliogaster*  
 Goshawk, Grey-headed (E): *Accipiter princeps*  
 Goshawk, Grey-headed (E): *Accipiter poliocephalus*  
 Goshawk, Grey-throated (E): *Accipiter novaehollandiae*  
 Goshawk, Henst's (E): *Accipiter henstii*  
 Goshawk, Meyer's (E): *Accipiter meyerianus*  
 Goshawk, Moluccan (E): *Accipiter henicogrammus*  
 Goshawk, New Britain (E): *Accipiter princeps*  
 Goshawk, New Caledonia (E): *Accipiter haplochrous*  
 Goshawk, New Guinea Grey-headed (E): *Accipiter poliocephalus*  
 Goshawk, Northern (E): *Accipiter gentilis*  
 Goshawk, Papuan (E): *Accipiter meyerianus*  
 Goshawk, Pied (E): *Accipiter albogularis*  
 Goshawk, Red (E): *Erythrotriorchis radiatus*  
 Goshawk, Red-chested (E): *Accipiter toussenelii*  
 Goshawk, Slaty-backed (E): *Accipiter luteoschistaceus*  
 Goshawk, Spot-tailed (E): *Accipiter trinotatus*  
 Goshawk, Sulawesi (E): *Accipiter griseiceps*  
 Goshawk, Variable (E): *Accipiter novaehollandiae*  
 Goshawk, White (E): *Accipiter novaehollandiae*  
 Goshawk, White-bellied (E): *Accipiter haplochrous*  
**Goura spp.** Stephens, 1819 II COLUMBIDAE (Aves)  
 Goura couronné (F): *Goura cristata*  
**Goura cristata** (Pallas, 1764) II COLUMBIDAE (Aves) (E)  
     Blue Crowned-Pigeon, Common Crowned Pigeon,  
     Great Goura, Western Crowned-Pigeon (S) Gura  
     occidental, Paloma crestada azul (F) Goura couronné  
 Goura de Scheepmaker (F): *Goura scheepmakeri*  
 Goura de Sclater (F): *Goura scheepmakeri*  
 Goura de Victoria (F): *Goura victoria*  
 Goura, Great (E): *Goura cristata*  
 Goura, Masked (E): *Goura scheepmakeri*  
**Goura scheepmakeri** Finsch, 1876 II COLUMBIDAE  
     (Aves) (E) Maroon-breasted Crowned-Pigeon, Masked  
     Goura, Scheepmaker's Crowned-Pigeon, Southern  
     Crowned-Pigeon (S) Gura sureña, Paloma crestada de  
     Scheepmaker (F) Goura de Scheepmaker, Goura de  
     Sclater  
**Goura victoria** (Fraser, 1844) II COLUMBIDAE (Aves) (E)  
     Victoria Crowned-Pigeon, Victoria Goura (S) Gura  
     Victoria, Paloma crestada victoria (F) Goura de Victoria  
 Goura, Victoria (E): *Goura victoria*  
*Gracula enganensis* Salvadori, 1892 = *Gracula religiosa*  
     Linnaeus, 1758  
*Gracula indica* (Cuvier, 1929) = *Gracula religiosa*  
     Linnaeus, 1758

**Gracula religiosa** Linnaeus, 1758 II STURNIDAE (Aves)  
     (E) Common Hill Myna, Hill Myna (S) Miná de la India,  
     Miná religioso (F) Mainate Religieux, Merle des Indes  
*Gracula robusta* Salvadori, 1887 = *Gracula religiosa*  
     Linnaeus, 1758  
*Grampus* (F): *Grampus griseus*  
**Grampus spp.** II<sup>18</sup> DELPHINIDAE (Mammalia)  
**Grampus griseus** (G. Cuvier, 1812) II<sup>18</sup> DELPHINIDAE  
     (Mammalia) (E) Grey Dolphin, Risso's Dolphin (S)  
     Delfín de Risso, Fabo calderón (F) Dauphin de Risso,  
     Grampus  
 Gran autillo veliblanco (S): *Ptilopsis leucotis*  
 Gran búho etiópico (S): *Bubo lacteus*  
 Gran civeta de la India (S): *Viverra zibetha*  
 Grand bandicoot-lapin (F): *Macrotis lagotis*  
 Grand cacatoès à huppe jaune (F): *Cacatua galerita*  
 Grand cheirogale (F): *Cheirogaleus major*  
 Grand corail étoilé (F): *Montastrea cavernosa*  
 Grand Dauphin (F): *Tursiops truncatus*  
 Grand dauphin de l'océan Indien (F): *Tursiops aduncus*  
 Grand-duc à aigrettes (F): *Bubo poensis*  
 Grand-duc africain (F): *Bubo africanus*  
 Grand-duc ascalaphe (F): *Bubo ascalaphus*  
 Grand-duc bruyant (F): *Bubo sumatrana*  
 Grand-duc d'Amérique (F): *Bubo virginianus*  
 Grand-duc de Blakiston (F): *Bubo blakistoni*  
 Grand-duc de Coromandel (F): *Bubo coromandus*  
 Grand-duc de Shelley (F): *Bubo shelleyi*  
 Grand-duc des Philippines (F): *Bubo philippensis*  
 Grand-duc des Usambara (F): *Bubo vosseleri*  
 Grand-duc d'Europe (F): *Bubo bubo*  
 Grand-duc de Verreaux (F): *Bubo lacteus*  
 Grand-duc du Cap (F): *Bubo capensis*  
 Grand-duc du désert (F): *Bubo ascalaphus*  
 Grand-duc du Népal (F): *Bubo nipalensis*  
 Grand-duc tacheté (F): *Bubo leucostictus*  
 Grande civette de l'Inde (F): *Viverra zibetha*  
 Grand Électus (F): *Eclectus roratus*  
 Grande mélampitte (F): *Melampitta gigantea*  
 Grande Outarde (F): *Otis tarda*  
 Grande outarde arabe (F): *Ardeotis arabs*  
 Grand esturgeon (F): *Huso huso*  
 Grande toupaïe (F): *Tupaia tana*  
 Grand fourmilier (F): *Myrmecophaga tridactyla*  
 Grand galago (F): *Otolemur crassicaudatus*  
 Grand hapalémur (F): *Prolemur simus*  
 Grand hippocampe (F): *Hippocampus kuda*  
 Grand hocco (F): *Crax rubra*  
 Grand hocco à bec rasoir (F): *Mitu mitu*  
 Grand lépilémur (F): *Lepilemur mustelinus*  
 Grand pangolin (F): *Manis gigantea*  
 Grand pangolin de l'Inde (F): *Manis crassicaudata*  
 Grand paradisier (F): *Paradisaea apoda*  
 Grand requin blanc (F): *Carcharodon carcharias*  
 Grand scorpion du Sénégal (F): *Pandinus gambiensis*  
 Grand serpent ratier de l'Indie (F): *Ptyas mucosus*  
 Grand téju (F): *Tupinambis teguixin*  
 Gran Lémur ardilla (S): *Cheirogaleus major*  
 Gran sifaka blanco (S): *Propithecus verreauxi*  
**Graptemys spp.** III EMYDIDAE (Reptilia)

<i>Graptemys alabamensis</i> Baur in Lindeman 2013 = <i>Graptemys pulchra</i> Baur, 1893	Grenouille de Zetek (F): <i>Atelopus zeteki</i>
<b><i>Graptemys barbouri</i></b> Carr & Marchand, 1942 III EMYDIDAE (Reptilia) (E) Barbour's Map Turtle	Grenouille dorée du Panama (F): <i>Atelopus zeteki</i>
<b><i>Graptemys caglei</i></b> Haynes & McKown, 1974 III EMYDIDAE (Reptilia) (E) Cagle's Map Turtle	Grenouille du Bengale (F): <i>Euphyctis hexadactylus</i>
<b><i>Graptemys ernsti</i></b> Lovich & McCoy, 1992 III EMYDIDAE (Reptilia) (E) Escambia Map Turtle	Grenouille hexadactyle (F): <i>Euphyctis hexadactylus</i>
<b><i>Graptemys flavimaculata</i></b> Cagle, 1954 III EMYDIDAE (Reptilia) (E) Yellow-blotted Map Turtle, Yellow Blotched Sawback	Grenouille plate à incubation gastrique (F): <i>Rheobatrachus silus</i>
<b><i>Graptemys geographica</i></b> (LeSueur, 1817) III EMYDIDAE (Reptilia) (E) Common Map Turtle	Grenouille tigre (F): <i>Hoplobatrachus tigerinus</i>
<b><i>Graptemys gibbonsi</i></b> Lovich & McCoy, 1992 III EMYDIDAE (Reptilia) (E) Pascagoula Map Turtle	Grenouille tigrée (F): <i>Hoplobatrachus tigerinus</i>
<i>Graptemys grandis</i> Baur in Lindeman 2013 = <i>Graptemys pulchra</i> Baur, 1893	Grenouille tomate (F): <i>Dyscophus antongilii</i>
<i>Graptemys kohnii</i> (Baur, 1890) = <i>Graptemys pseudogeographica</i> (Gray, 1831)	Griffon, Cape (E): <i>Gyps coprotheres</i>
<b><i>Graptemys nigrinoda</i></b> Cagle, 1954 III EMYDIDAE (Reptilia) (E) Black-knobbed Map Turtle	Griffon, Eurasian (E): <i>Gyps fulvus</i>
<b><i>Graptemys oculifera</i></b> (Baur, 1890) III EMYDIDAE (Reptilia) (E) Ringed Map Turtle, Ringed Sawback	Griffon, Himalayan (E): <i>Gyps himalayensis</i>
<b><i>Graptemys ouachitensis</i></b> Cagle, 1953 III EMYDIDAE (Reptilia) (E) Ouachita Map Turtle	Griffon, Long-billed (E): <i>Gyps indicus</i>
<b><i>Graptemys pearlensis</i></b> Ennen, Lovich, Kreiser, Selman & Qualls, 2010 III EMYDIDAE (Reptilia) (E) Pearl River Map Turtle	Griffon, Rüppell's (E): <i>Gyps rueppellii</i>
<b><i>Graptemys pseudogeographica</i></b> (Gray, 1831) III EMYDIDAE (Reptilia) (E) False Map Turtle	Grison (F): <i>Galictis vittata</i>
<i>Graptemys pseudogeographica ouachitensis</i> Cagle, 1953 = <i>Graptemys ouachitensis</i> Cagle, 1953	Grisón (S): <i>Galictis vittata</i>
<i>Graptemys pseudogeographica versa</i> Stejneger 1925 = <i>Graptemys versa</i> Stejneger, 1925	Grison, Allamand's (E): <i>Galictis vittata</i>
<b><i>Graptemys pulchra</i></b> Baur, 1893 III EMYDIDAE (Reptilia) (E) Alabama Map Turtle	Grison d'Allemand (F): <i>Galictis vittata</i>
<b><i>Graptemys versa</i></b> Stejneger, 1925 III EMYDIDAE (Reptilia) (E) Texas Map Turtle	Grison, Greater (E): <i>Galictis vittata</i>
Grass-Owl, African (E): <i>Tyto capensis</i>	Grosse cateau verte de Maurice (F): <i>Psittacula echo</i>
Grass-Parakeet, Blue-winged (E): <i>Neophema chrysostoma</i>	Grue à cou blanc (F): <i>Grus vipio</i>
Grass-Parakeet, Elegant (E): <i>Neophema elegans</i>	Grue à cou noir (F): <i>Grus nigricollis</i>
Grass-Parakeet, Splendid (E): <i>Neophema splendida</i>	Grue antigone (F): <i>Grus antigone</i>
Grass-Parakeet, Turquoise (E): <i>Neophema pulchella</i>	Grue antigone tropicale (F): <i>Grus antigone</i>
Gray-back (E): <i>Eschrichtius robustus</i>	Grue blanche (F): <i>Grus americana</i>
<b><i>Graydidascalus</i> spp. II</b> 29 PSITTACIDAE (Aves)	Grue blanche américaine (F): <i>Grus americana</i>
<b><i>Graydidascalus brachyurus</i></b> (Kuhl, 1820) II 29 PSITTACIDAE (Aves) (E) Short-tailed Parrot (S) Lorito colicorto, Loro colicorto (F) Caïque à queue courte	Grue blanche d'Amérique (F): <i>Grus americana</i>
Grebe, Atitlan (E): <i>Podilymbus gigas</i>	Grue blanche d'Asie (F): <i>Grus leucogeranus</i>
Grèbe de l'Atitlan (F): <i>Podilymbus gigas</i>	Grue blanche du Japon (F): <i>Grus japonensis</i>
Grèbe du lac Atitlan (F): <i>Podilymbus gigas</i>	Grue bleue (F): <i>Anthropoides paradiseus</i>
Grèbe Géant (F): <i>Podilymbus gigas</i>	Grue brolga (F): <i>Grus rubicunda</i>
Grebe, Giant (E): <i>Podilymbus gigas</i>	Grue canadienne (F): <i>Grus canadensis</i>
Grebe, Giant Pied-billed (E): <i>Podilymbus gigas</i>	Grue canadienne de Cuba (F): <i>Grus canadensis nesiotes</i>
Greenshank, Nordmann's (E): <i>Tringa guttifer</i>	Grue canadienne du Mississippi (F): <i>Grus canadensis pulla</i>
Greenshank, Spotted (E): <i>Tringa guttifer</i>	Grue caronculée (F): <i>Bugeranus carunculatus</i>
Grenedera (S): <i>Penelope purpurascens</i>	Grue cendrée (F): <i>Grus grus</i>
Grenouille aux yeux rouges (F): <i>Agalychnis callidryas</i>	Grue couronnée (F): <i>Balearica pavonina</i>
Grenouille d'arbre de spurrelli (F): <i>Agalychnis spurrelli</i>	Grue couronnée de Cap (F): <i>Balearica regulorum</i>
	Grue couronnée de l'Afrique de l'ouest et du Soudan (F): <i>Balearica pavonina</i>
	Grue couronnée de l'Afrique du sud et de l'est (F): <i>Balearica regulorum</i>
	Grue d'Australie (F): <i>Grus rubicunda</i>
	Grue de Mandchourie (F): <i>Grus japonensis</i>
	Grue demoiselle (F): <i>Anthropoides virgo</i>
	Grue de paradis (F): <i>Anthropoides paradiseus</i>
	Grue de Sibérie (F): <i>Grus leucogeranus</i>
	Grue du Canada (F): <i>Grus canadensis</i>
	Grue du Japon (F): <i>Grus japonensis</i>
	Grue grise (F): <i>Grus canadensis</i>
	Grue moine (F): <i>Grus monacha</i>
	Grue royale (F): <i>Balearica regulorum</i>
	Grues (F): <i>Gruidae</i>
	<b>GRUIDAE</b> spp. I/II (Aves) (E) Cranes (S) Grullas (F) Grues
	Grulla americana (S): <i>Grus americana</i>
	Grulla australiana (S): <i>Grus rubicunda</i>
	Grulla azul (S): <i>Anthropoides paradiseus</i>
	Grulla blanca asiática (S): <i>Grus leucogeranus</i>

- Grulla blanco cuello (S): *Grus antigone*  
 Grulla brolga (S): *Grus rubicunda*  
 Grulla canadiense (S): *Grus canadensis*  
 Grulla carunculada (S): *Bugeranus carunculatus*  
 Grulla ceniciente (S): *Grus canadensis*  
 Grulla ceniciente de Cuba (S): *Grus canadensis nesiotis*  
 Grulla ceniciente del Misisipi (S): *Grus canadensis pulla*  
 Grulla Común (S): *Grus grus*  
 Grulla coronada (S): *Balearica pavonina*  
 Grulla coronada cuelligris (S): *Balearica regulorum*  
 Grulla coronada cuellinegra (S): *Balearica pavonina*  
 Grulla coronada del África occidental (S): *Balearica pavonina*  
 Grulla coronada sudafricana (S): *Balearica regulorum*  
 Grulla cuelliblanca (S): *Grus vipio*  
 Grulla cuellinegra (S): *Grus nigricollis*  
 Grulla damisela (S): *Anthropoides virgo*  
 Grulla de Cuba (S): *Grus canadensis*  
 Grulla de Manchuria (S): *Grus japonensis*  
 Grulla de paraíso (S): *Anthropoides paradiseus*  
 Grulla gritona (S): *Grus americana*  
 Grulla manchú (S): *Grus japonensis*  
 Grulla monje (S): *Grus monacha*  
 Grulla monjita (S): *Grus monacha*  
 Grulla moruna (S): *Anthropoides virgo*  
 Grullas (S): *Gruidae*  
 Grulla sarus (S): *Grus antigone*  
 Grulla siberiana (S): *Grus leucogeranus*  
 Grulla siberiana blanca (S): *Grus leucogeranus*  
 Grulla trompetera (S): *Grus americana*  
 Grulla zarzo (S): *Bugeranus carunculatus*  
**Grus spp. I/II GRUIDAE (Aves)**  
**Grus americana** (Linnaeus, 1758) I GRUIDAE (Aves) (E)  
 Whooping Crane (S) Grulla americana, Grulla gritona, Grulla trompetera (F) Grue blanche, Grue blanche américaine, Grue blanche d'Amérique  
**Grus antigone** (Linnaeus, 1758) II GRUIDAE (Aves) (E)  
 Sarus Crane (S) Grulla blanco cuello, Grulla sarus (F) Grue antigone, Grue antigone tropicale  
**Grus canadensis** (Linnaeus, 1758) I/II GRUIDAE (Aves)  
 (E) Sandhill Crane (S) Grulla canadiense, Grulla ceniciente, Grulla de Cuba (F) Grue canadienne, Grue du Canada, Grue grise  
**Grus canadensis nesiotis** Bangs & Zappey, 1905 I  
 GRUIDAE (Aves) (E) Cuban Sandhill Crane (S) Grulla ceniciente de Cuba (F) Grue canadienne de Cuba  
**Grus canadensis pulla** Aldrich, 1972 I GRUIDAE (Aves)  
 (E) Mississippi Sandhill Crane (S) Grulla ceniciente del Misisipi (F) Grue canadienne du Mississippi  
**Grus carunculatus** (Gmelin, 1789) = *Bugeranus carunculatus* (Gmelin, 1789)  
**Grus grus** (Linnaeus, 1758) II GRUIDAE (Aves) (E)  
 Common Crane, Crane (S) Grulla Común (F) Grue cendrée  
**Grus japonensis** (Müller, 1776) I GRUIDAE (Aves) (E)  
 Japanese Crane, Manchurian Crane, Red-crowned Crane (S) Grulla de Manchuria, Grulla manchú (F) Grue blanche du Japon, Grue de Mandchourie, Grue du Japon  
**Grus leucogeranus** Pallas, 1773 I GRUIDAE (Aves) (E)  
 Siberian Crane, Siberian White Crane, Snow Crane (S) Grulla blanca asiática, Grulla siberiana, Grulla siberiana blanca (F) Grue blanche d'Asie, Grue de Sibérie, Leucogéranne  
**Grus monacha** Temminck, 1835 I GRUIDAE (Aves) (E)  
 Hooded Crane (S) Grulla monje, Grulla monjita (F) Grue moine  
**Grus nesiotis Bangs & Zappey, 1905** = *Grus canadensis nesiotis* Bangs & Zappey, 1905  
**Grus nigricollis** Przevalski, 1876 I GRUIDAE (Aves) (E)  
 Black-necked Crane, Tibetan Crane (S) Grulla cuellinegra (F) Grue à cou noir  
**Grus paradisea** (Lichtenstein, 1793) = *Anthropoides paradiseus* (Lichtenstein, 1793)  
**Grus rubicunda** (Perry, 1810) II GRUIDAE (Aves) (E)  
 Brolga (S) Grulla australiana, Grulla brolga (F) Grue brolga, Grue d'Australie  
**Grus vipio** Pallas, 1811 I GRUIDAE (Aves) (E)  
 White-naped Crane, White-necked Crane (S) Grulla cuelliblanca (F) Grue à cou blanc  
**Grus virgo** (Linnaeus, 1758) = *Anthropoides virgo* (Linnaeus, 1758)  
 Guacamayito azul (S): *Cyanopsitta spixii*  
 Guacamayo acollarado (S): *Primolius auricollis*  
 Guacamayo aliverde (S): *Ara chloropterus*  
 Guacamayo amarillo (S): *Ara glaucogularis*  
 Guacamayo ambiguo (S): *Ara ambiguus*  
 Guacamayo azul (S): *Anodorhynchus hyacinthinus*  
 Guacamayo azulamarillo (S): *Ara ararauna*  
 Guacamayo azul y amarillo (S): *Ara ararauna*  
 Guacamayo bandera (S): *Ara macao*  
 Guacamayo barbazul (S): *Ara glaucogularis*  
 Guacamayo barriga roja (S): *Orthopsittaca manilata*  
 Guacamayo cabeciazul (S): *Primolius couloni*  
 Guacamayo caninde (S): *Ara glaucogularis*  
 Guacamayo cobalto (S): *Anodorhynchus leari*  
 Guacamayo de Cochabamba (S): *Ara rubrogenys*  
 Guacamayo de Illiger (S): *Primolius maracana*  
 Guacamayo de Lear (S): *Anodorhynchus leari*  
 Guacamayo de Spix (S): *Cyanopsitta spixii*  
 Guacamayo enano (S): *Diopsittaca nobilis*  
 Guacamayo frentirroja (S): *Ara rubrogenys*  
 Guacamayo glauco (S): *Anodorhynchus glaucus*  
 Guacamayo jacinto (S): *Anodorhynchus hyacinthinus*  
 Guacamayo macao (S): *Ara macao*  
 Guacamayo maracaná (S): *Primolius maracana*  
 Guacamayo militar (S): *Ara militaris*  
 Guacamayo noble (S): *Diopsittaca nobilis*  
 Guacamayo rojo (S): *Ara chloropterus*  
 Guacamayo severo (S): *Ara severus*  
 Guacamayo ventrirrojo (S): *Orthopsittaca manilata*  
 Guacamayo verde (S): *Ara militaris*  
 Guacamayo verde mayor (S): *Ara ambiguus*  
 Guacamayo violáceo (S): *Anodorhynchus glaucus*  
 Guiabero (E): *Bolbopsittacus lunulatus*  
 Guajolote ocelado (S): *Meleagris ocellata*  
 Guanaco (S): *Lama guanicoe*  
 Guanaco (E): *Lama guanicoe*  
 Guanaco (F): *Lama guanicoe*

- Guan aliblanco (S): *Penelope albipennis*  
 Guan común de Trinidad (S): *Pipile pipile*  
 Guan cornudo (S): *Oreophasis derbianus*  
 Guan, Crested (E): *Penelope purpurascens*  
 Guan de frente negra (S): *Pipile jacutinga*  
 Guan, Derby's (E): *Oreophasis derbianus*  
 Guan, Highland (E): *Penelopina nigra*  
 Guan, Horned (E): *Oreophasis derbianus*  
 Guan, Little (E): *Penelopina nigra*  
 Guan negro (S): *Penelopina nigra*  
 Guan, Purple (E): *Penelope purpurascens*  
 Guan, Purplish (E): *Penelope purpurascens*  
 Guan, Trinidad White-headed Piping (E): *Pipile pipile*  
 Guan, White-winged (E): *Penelope albipennis*  
 Guaraguao (S): *Buteo jamaicensis*  
 Guarahuau cordillerano (S): *Phalcoboenus albogularis*  
 Guariba peludo (S): *Alouatta palliata*  
**Guarouba spp.** I<sup>29</sup> PSITTACIDAE (Aves)  
 Guarouba (F): *Guarouba guarouba*  
**Guarouba guarouba** (Gmelin, 1788) I PSITTACIDAE  
     (Aves) (E) Golden Conure, Golden Parakeet, Queen of  
     Bavaria's Conure (S) Aratinga guaruba, Cacatúa  
     dorada, Cotorra amarilla (F) Conure de la Reine de  
     Bavière, Conure dorée, Guarouba, Perruche dorée  
*Guaruba guarouba* (J. F. Gmelin, 1788) = *Guarouba*  
     *guarouba* (Gmelin, 1788)  
 Gubarte (S): *Megaptera novaehangliae*  
**Gubernatrix cristata** Vieillot, 1817 II EMBERIZIDAE  
     (Aves) (E) Yellow Cardinal (S) Cardenal amarillo (F)  
     Cardinal vert, Commandeur huppé  
 Guemal (S): *Hippocamelus antisensis*  
 Guemal, Peruvian (E): *Hippocamelus antisensis*  
 Guémal péruvien (F): *Hippocamelus antisensis*  
 Guenon, Campbell's (E): *Cercopithecus campbelli*  
 Guenon couronnée (F): *Cercopithecus pogonias*  
 Guenon, Crowned (E): *Cercopithecus pogonias*  
 Guenon, Diana (E): *Cercopithecus diana*  
 Guenon, Dryas (E): *Cercopithecus dryas*  
 Guenon, Golden-bellied (E): *Cercopithecus pogonias*  
 Guenon, Lesser Spot-nosed (E): *Cercopithecus petaurista*  
 Guenon, Lesser White-nosed (E): *Cercopithecus*  
     *petaurista*  
 Guenon, Owl-faced (E): *Cercopithecus hamlyni*  
 Guenon, Preuss's (E): *Cercopithecus preussi*  
 Guenon, Red-bellied (E): *Cercopithecus erythrogaster*  
 Guenon, Red-eared (E): *Cercopithecus erythrotis*  
 Guenon, Russet-eared (E): *Cercopithecus erythrotis*  
 Guenon, Schmidt's (E): *Cercopithecus ascanius*  
 Guenon, Sclater's (E): *Cercopithecus sclateri*  
 Guenon, Spot-nosed (E): *Cercopithecus nictitans*  
 Guenon, Sun-tailed (E): *Cercopithecus solatus*  
 Guenon, White-nosed (E): *Cercopithecus nictitans*  
 Guenon, White-throated (E): *Cercopithecus erythrogaster*  
 Guenon, White-throated (E): *Cercopithecus sclateri*  
 Guépard (F): *Acinonyx jubatus*  
 Guepardo (S): *Acinonyx jubatus*  
 Guereza (E): *Colobus guereza*  
 Guéréza noir (F): *Colobus satanas*  
 Guigna (F): *Leopardus guigna*  
 Guina (S): *Leopardus guigna*
- Guincho (S): *Pandion haliaetus*  
 Guirirí (S): *Dendrocygna autumnalis*  
 Gull, Relict (E): *Larus relictus*  
 Gura occidental (S): *Goura cristata*  
 Gura sureña (S): *Goura scheepmakeri*  
 Gura Victoria (S): *Goura victoria*  
**Guynia spp.** Duncan 1872 II GUYNIIDAE (Anthozoa)  
**Guynia annulata** Duncan, 1872 II GUYNIIDAE  
     (Anthozoa)
- GUYNIIDAE spp.** Hickson 1910 II (Anthozoa)
- Gymnogene (E): *Polyboroides typus*  
 Gymnogene, African (E): *Polyboroides typus*  
 Gymnogène d'Afrique (F): *Polyboroides typus*  
 Gymnogène de Madagascar (F): *Polyboroides radiatus*  
 Gymnogene, Madagascar (E): *Polyboroides radiatus*
- Gymnoglaux spp.** II<sup>30</sup> STRIGIDAE (Aves)
- Gymnoglaux lawrencii** Sclater & Salvin, 1868 II<sup>30</sup>  
     STRIGIDAE (Aves) (E) Bare-legged Owl, Cuban  
     Screech-Owl (S) Autillo cubano, Cotunto, Cuco, Siju  
     cotunto (F) Chouette de Cuba, Petit-duc de Cuba
- Gymnogyps spp.** I CATHARTIDAE (Aves)
- Gymnogyps californianus** (Shaw, 1898) I  
     CATHARTIDAE (Aves) (E) California Condor (S)  
     Condor californiano, Cónedor de California (F) Condor  
     de Califormie
- Gymnopus duvaucelii** Duméril and Bibron, 1835 =  
     *Nilssonia gangetica* (Cuvier, 1825)
- Gymnopus duvaucelii duméril and bibron** 1835 Duméril  
     and Bibron, 1835 = *Nilssonia hurum* (Gray, 1831)
- Gymnopus lineatus** Duméril & Bibron, 1835 = *Chitra indica*  
     (Gray, 1831)
- Gymnoscops insularis** Tristram, 1880 = *Otus insularis*  
     (Tristram, 1880)
- Gypaète barbu (F): *Gypaetus barbatus*
- Gypaetus spp.** II<sup>27</sup> ACCIPITRIDAE (Aves)
- Gypaetus barbatus** (Linnaeus, 1758) II<sup>27</sup>  
     ACCIPITRIDAE (Aves) (E) Bearded Vulture,  
     Lammergeier (S) Quebrantahuesos (F) Gypaète barbu
- Gypohierax spp.** II<sup>27</sup> ACCIPITRIDAE (Aves)
- Gypohierax angolensis** (Gmelin, 1788) II<sup>27</sup>  
     ACCIPITRIDAE (Aves) (E) Palm-nut Vulture, Vulturine  
     Fish-Eagle (S) Buitre palmero (F) Palmiste africain
- Gypopsitta barrabandi** (Kuhl, 1820) = *Pionopsitta*  
     *barrabandi* (Kuhl, 1820)
- Gypopsitta caica** (Latham, 1790) = *Pionopsitta caica*  
     (Latham, 1790)
- Gypopsitta haematotis** (Sclater & Salvin, 1860) =  
     *Pionopsitta haematotis* (Sclater & Salvin, 1860)
- Gypopsitta pulchra** Berlepsch, 1897 = *Pionopsitta pulchra*  
     Berlepsch, 1897
- Gypopsitta pyrilia** (Bonaparte, 1853) = *Pionopsitta pyrilia*  
     (Bonaparte, 1853)
- Gypopsitta vulturina** (Kuhl, 1820) = *Pionopsitta vulturina*  
     (Kuhl, 1820)
- Gyps spp.** II<sup>27</sup> ACCIPITRIDAE (Aves)
- Gyps africain (F): *Gyps bengalensis*
- Gyps africanus** Salvadori, 1865 II<sup>27</sup> ACCIPITRIDAE  
     (Aves) (E) African White-backed Vulture, White-backed

Vulture (S) Buitre dorsiblanco africano (F) Vautour africain	Halconcito de las Filipinas (S): <i>Microhierax erythrogenys</i>
<b>Gyps bengalensis</b> (Gmelin, 1788) II 27 ACCIPITRIDAE (Aves) (E) Asian White-backed Vulture, Oriental White-backed Vulture, White-backed Vulture, White-rumped Vulture (S) Buitre dorsiblanco bengalí, Buitre leonado bengalés (F) Gyps africain, Vautour chaugoun	Halconcito gris (S): <i>Spizapteryx circumcincta</i>
<b>Gyps coprotheres</b> (Forster, 1798) II 27 ACCIPITRIDAE (Aves) (E) Cape Griffon, Cape Vulture (S) Buitre el cabo (F) Vautour chassefiente	Halconcito gris americano (S): <i>Spizapteryx circumcincta</i>
<b>Gyps fulvus</b> (Hablitzl, 1783) II 27 ACCIPITRIDAE (Aves) (E) Eurasian Griffon, Eurasian Griffon Vulture, Griffon Vulture (S) Buitre común, Buitre Leonado, Buitre leonado común (F) Vautour fauve	Halconcito malayo (S): <i>Microhierax fringillarius</i>
<i>Gyps fulvus coprotheres</i> (Hablitzl, 1783) = <i>Gyps coprotheres</i> (Forster, 1798)	Halcón común (S): <i>Falco peregrinus</i>
<b>Gyps himalayensis</b> Hume, 1869 II 27 ACCIPITRIDAE (Aves) (E) Himalayan Griffon, Himalayan Griffon Vulture (S) Buitre del Himalaya (F) Vautour de l'Himalaya	Halcón cuellirrufo (S): <i>Micrastur ruficollis</i>
<b>Gyps indicus</b> (Scopoli, 1786) II 27 ACCIPITRIDAE (Aves) (E) Long-billed Griffon, Long-billed Vulture (S) Buitre picofino (F) Vautour indien	Halcón de Berbería (S): <i>Falco pelegrinoides</i>
<i>Gyps rueppelli</i> (A. E. Brehm, 1852) = <i>Gyps rueppellii</i> (Brehm, 1852)	Halcón de cabeza roja (S): <i>Falco chicquera</i>
<b>Gyps rueppellii</b> (Brehm, 1852) II 27 ACCIPITRIDAE (Aves) (E) Rüppell's Griffon, Rüppell's Griffon Vulture, Rüppell's Vulture (S) Buitre moteado (F) Vautour de Rüppell	Halcón de Cuvier (S): <i>Falco cuvierii</i>
<b>Gyps tenuirostris</b> G. R. Gray, 1844 II 27 ACCIPITRIDAE (Aves) (E) Slender-billed Vulture	Halcón de Eleonor (S): <i>Falco eleonorae</i>
Gyrfalcon (E): <i>Falco rusticolus</i>	Halcón de Eleonora (S): <i>Falco eleonorae</i>
<i>Gyrinus mexicanus</i> Shaw & Nodder, 1798 = <i>Ambystoma mexicanum</i> (Shaw & Nodder, 1798)	Halcón de las praderas (S): <i>Falco mexicanus</i>
<b>Gyropora</b> spp. Boschma 1960 II STYLASTERIDAE (Hydrozoa)	Halcón de lomo pizarreño (S): <i>Micrastur mirandollei</i>
<b>Gyropora africana</b> Boschma, 1960 II STYLASTERIDAE (Hydrozoa)	Halcón de Nueva Zelanda (S): <i>Falco novaeseelandiae</i>
<b>Gyrosmilia</b> spp. Milne Edwards & Haime 1851 II CARYOPHYLLIIDAE (Anthozoa)	Halcón enano de la India (S): <i>Microhierax caerulescens</i>
<b>Gyrosmilia interrupta</b> (Hemprich & Ehrenberg, 1834) II CARYOPHYLLIIDAE (Anthozoa)	Halcones (S): <i>Falconidae</i>
Hada coronimorada (S): <i>Heliothryx barroti</i>	Halcón gerifalte (S): <i>Falco rusticolus</i>
Hada gorrímorada (S): <i>Heliothryx barroti</i>	Halcón golondrina (S): <i>Falco rufigularis</i>
Hada orejinegro (S): <i>Heliothryx auritus</i>	Halcón gris (S): <i>Falco hypoleucus</i>
Halcón abejero (S): <i>Pernis apivorus</i>	Halcón gris de Australia (S): <i>Falco hypoleucus</i>
Halcón aleto (S): <i>Falco femoralis</i>	Halcón guaco (S): <i>Herpetotheres cachinnans</i>
Halcón aplomado (S): <i>Falco femoralis</i>	Halcón guairú (S): <i>Herpetotheres cachinnans</i>
Halcón azulado (S): <i>Falco femoralis</i>	Halcón macagua (S): <i>Herpetotheres cachinnans</i>
Halcón berigora (S): <i>Falco berigora</i>	Halcón maorí (S): <i>Falco novaeseelandiae</i>
Halcón blancuzco (S): <i>Falco peregrinus</i>	Halcón mejicano (S): <i>Falco mexicanus</i>
Halcón borní (S): <i>Falco biarmicus</i>	Halcón migratorio (S): <i>Falco columbarius</i>
Halconcito (S): <i>Falco sparverius</i>	Halcón-montés agavilanado (S): <i>Micrastur ruficollis</i>
Halconcito africano (S): <i>Polihierax semitorquatus</i>	Halcón-montés cabecigrís (S): <i>Micrastur gilvicollis</i>
Halconcito argentino (S): <i>Spizapteryx circumcincta</i>	Halcón-montés collarejo (S): <i>Micrastur semitorquatus</i>
Halconcito asiático (S): <i>Polihierax insignis</i>	Halcón-montés de Buckley (S): <i>Micrastur buckleyi</i>
Halconcito australiano (S): <i>Falco longipennis</i>	Halcón-montés dorsigrís (S): <i>Micrastur mirandollei</i>
Halconcito colilargo de Asia (S): <i>Polihierax insignis</i>	Halcón-montés plomizo (S): <i>Micrastur plumbeus</i>
Halconcito común (S): <i>Falco sparverius</i>	Halcón murcielaguero (S): <i>Falco rufigularis</i>
Halconcito de Borneo (S): <i>Microhierax latifrons</i>	Halcón negro (S): <i>Falco subniger</i>
	Halcón negro de Australia (S): <i>Falco subniger</i>
	Halcón palomero (S): <i>Falco columbarius</i>
	Halcón palomero (S): <i>Micrastur ruficollis</i>
	Halcón palomero del sur (S): <i>Micrastur gilvicollis</i>
	Halcón pardo (S): <i>Falco concolor</i>
	Halcón pechianaranjado (S): <i>Falco deiroleucus</i>
	Halcón pechirrojo (S): <i>Falco deiroleucus</i>
	Halcón pechirrufo (S): <i>Falco deiroleucus</i>
	Halcón perdiguero (S): <i>Falco femoralis</i>
	Halcón peregrino (S): <i>Falco peregrinus</i>
	Halcón peregrino de Babilonia (S): <i>Falco pelegrinoides</i>
	Halcón pizarroso (S): <i>Falco concolor</i>
	Halcón plomizo (S): <i>Falco deiroleucus</i>
	Halcón plomizo menor (S): <i>Falco rufigularis</i>
	Halcón pradeño (S): <i>Falco mexicanus</i>
	Halcón primito (S): <i>Falco sparverius</i>
	Halcón real (S): <i>Falco peregrinus</i>
	Halcón reidor (S): <i>Herpetotheres cachinnans</i>
	Halcón sacre (S): <i>Falco cherrug</i>
	Halcón-selvático collarejo (S): <i>Micrastur semitorquatus</i>
	Halcón semiacollarado (S): <i>Micrastur semitorquatus</i>
	Halcón taita (S): <i>Falco fasciinucha</i>
	Halcón viajero (S): <i>Falco peregrinus</i>
	Halcón yággar (S): <i>Falco jugger</i>
	<i>Halcrosia afzelii</i> Lilljeborg, 1867 = <i>Osteolaemus tetraspis</i> Cope, 1861

- Halcrosia nigra* Gray, 1867 = *Osteolaemus tetraspis* Cope, *Halglossa stellaris* Ehrenberg, 1834 = *Herpolitha limax* (Esper, 1792)
- Haliaeetus* spp.** Savigny, 1809 I/II 27 ACCIPITRIDAE (Aves)
- Haliaeetus albicilla*** (Linnaeus, 1758) I ACCIPITRIDAE (Aves) (E) Grey Sea Eagle, White-tailed Eagle (S) Pigargo, Pigargo coliblanco, Pigargo común, Pigargo Europeo (F) Pygargue à queue blanche, Pygargue commun
- Haliaeetus leucocephalus*** (Linnaeus, 1766) II 27 ACCIPITRIDAE (Aves) (E) Bald Eagle, White-headed Eagle (S) Águila cabeciblanca, Águila cabeza blanca, Pigargo americano, Pigargo cabeciblanco, Pigargo cabeciblanco meridional (F) Aigle à tête blanche, Pygargue à tête blanche
- Haliaeetus leucogaster*** (Gmelin, 1788) II 27 ACCIPITRIDAE (Aves) (E) White-bellied Fish-Eagle, White-bellied Sea-Eagle (S) Pigargo de vientre blanco, Pigargo oriental (F) Pygargue à ventre blanc, Pygargue blagre
- Haliaeetus leucoryphus*** (Pallas, 1771) II 27 ACCIPITRIDAE (Aves) (E) Band-tailed Fish-Eagle, Pallas's Fish-Eagle, Pallas's Sea-Eagle (S) Pigargo de Pallas (F) Pygargue de Pallas
- Haliaeetus lineatus*** J. E. Gray, 1831 = *Milvus migrans* (Boddaert, 1783)
- Haliaeetus pelagicus*** (Pallas, 1811) II 27 ACCIPITRIDAE (Aves) (E) Steller's Sea-Eagle (S) Pigargo de Steller, Pigargo gigante (F) Pygargue de Steller, Pygargue empereur
- Haliaeetus sanfordi*** Mayr, 1935 II 27 ACCIPITRIDAE (Aves) (E) Sanford's Fish-Eagle, Sanford's Sea-Eagle, Solomon Fish-Eagle, Solomon Sea-Eagle (S) Pigargo de las Salomón, Pigargo de Sanford (F) Pygargue de Sanford
- Haliaeetus vocifer*** (Daudin, 1800) II 27 ACCIPITRIDAE (Aves) (E) African Fish-Eagle, River Eagle (S) Pigargo vocinglero (F) Aigle pêcheur africain, Pygargue vocifer
- Haliaeetus vociferoides*** Des Murs, 1845 II 27 ACCIPITRIDAE (Aves) (E) Madagascar Fish-Eagle (S) Pigargo de Madagascar, Pigargo malgache (F) Pygargue de Madagascar
- Haliastur* spp.** II 27 ACCIPITRIDAE (Aves)
- Haliastur indus*** (Boddaert, 1783) II 27 ACCIPITRIDAE (Aves) (E) Brahminy Kite, Red-backed Kite, Red-backed Sea Eagle, White-headed Sea Eagle (S) Milano brahmán (F) Milan sacré
- Haliastur sphenurus*** (Vieillot, 1818) II 27 ACCIPITRIDAE (Aves) (E) Whistling Eagle, Whistling Hawk, Whistling Kite (S) Milano silbador (F) Milan siffleur
- Halglossa echinata* (Pallas, 1766) = *Ctenactis echinata* (Pallas, 1766)
- Halglossa foliosa* Ehrenberg, 1834 = *Herpolitha limax* (Esper, 1792)
- Halglossa interrupta* Ehrenberg, 1834 = *Herpolitha limax* (Esper, 1792)
- Halglossa limacina* (Lamarck, 1801) = *Halomitra pileus* (Linnaeus, 1758)
- Halomitra* spp.** Dana, 1848 II FUNGIIDAE (Anthozoa)
- Halomitra clavator*** Hoeksema, 1989 II FUNGIIDAE (Anthozoa)
- Halomitra clypeus* Verrill, 1864 = *Halomitra pileus* (Linnaeus, 1758)
- Halomitra concentrica* Studer, 1901 = *Halomitra pileus* (Linnaeus, 1758)
- Halomitra irregularis* Gardiner, 1898 = *Sandalolitha robusta* (Quelch, 1886)
- Halomitra louwinae* van der Horst, 1921 = *Halomitra pileus* (Linnaeus, 1758)
- Halomitra meierae*** Veron & Maragos, 2000 II FUNGIIDAE (Anthozoa)
- Halomitra philippinensis* (Studer, 1901) = *Halomitra pileus* (Linnaeus, 1758)
- Halomitra pileus*** (Linnaeus, 1758) II FUNGIIDAE (Anthozoa) (E) Bowl Coral, Dome Coral, Helmet Coral, Neptune's Cap Coral
- Halomitra robusta* (Quelch, 1886) = *Sandalolitha robusta* (Quelch, 1886)
- Halomitra tiara* Verrill, 1864 = *Halomitra pileus* (Linnaeus, 1758)
- Haloseris crispa* (Ehrenberg, 1834) = *Leptoseris papyracea* (Dana, 1846)
- Halsydrus pontoppidanii* (Neill, 1809) = *Cetorhinus maximus* (Gunnerus, 1765)
- Hamadryad (E): *Ophiophagus hannah*
- Hamadryade (F): *Ophiophagus hannah*
- Hamadryas (F): *Ophiophagus hannah*
- hamerhead, Scalloped (E): *Sphyraena lewini*
- Hamirostra* spp.** II 27 ACCIPITRIDAE (Aves)
- Hamirostra melanosternon*** (Gould, 1841) II 27 ACCIPITRIDAE (Aves) (E) Black-breasted Buzzard, Black-breasted Buzzard-Kite, Black-breasted Kite (S) Milano pechinegro (F) Milan à plastron
- Hammerhai, gebuchteter (E): *Sphyraena lewini*
- Hammerhead (E): *Sphyraena lewini*
- hammerhead, Great (E): *Sphyraena mokarran*
- Hammerhead, Scalloped (E): *Sphyraena lewini*
- Hanging-Parrot, Black-billed (E): *Loriculus stigmatus*
- Hanging-Parrot, Blue-crowned (E): *Loriculus galgulus*
- Hanging-Parrot, Blue-topped (E): *Loriculus galgulus*
- Hanging-Parrot, Ceylon (E): *Loriculus beryllinus*
- Hanging-Parrot, Flores (E): *Loriculus flosculus*
- Hanging-Parrot, Green (E): *Loriculus exilis*
- Hanging-Parrot, Maroon-rumped (E): *Loriculus stigmatus*
- Hanging-Parrot, Moluccan (E): *Loriculus amabilis*
- Hanging-Parrot, Orange-fronted (E): *Loriculus aurantiifrons*
- Hanging-Parrot, Papuan (E): *Loriculus aurantiifrons*
- Hanging-Parrot, Philippine (E): *Loriculus philippensis*
- Hanging-Parrot, Pygmy (E): *Loriculus exilis*
- Hanging-Parrot, Red-billed (E): *Loriculus exilis*
- Hanging-Parrot, Sangihe (E): *Loriculus catamene*
- Hanging-Parrot, Sri Lanka (E): *Loriculus beryllinus*
- Hanging-Parrot, Sulawesi (E): *Loriculus stigmatus*
- Hanging-Parrot, Vernal (E): *Loriculus vernalis*
- Hanging-Parrot, Wallace's (E): *Loriculus flosculus*

- Hanging-parrot, Yellow-throated (E): *Loriculus pusillus*  
 Hangul (F): *Cervus elaphus hanglu*  
 Hangul (E): *Cervus elaphus hanglu*  
***Hapalemur* spp.** I. Geoffroy Saint-Hilaire, 1851 I  
 LEMURIDAE (Mammalia)  
***Hapalemur alaotrensis*** Rumphier, 1975 I LEMURIDAE  
 (Mammalia) (E) Alaotran Bamboo Lemur, Alaotran Gentle Lemur, Alaotra Reed Lemur  
***Hapalemur aureus*** Meier, Albignac, Peyriéras, Rumphier & Wright, 1987 I LEMURIDAE (Mammalia) (E) Golden Bamboo Lemur, Golden Lemur (S) Lémur cariancho (F) Hapalémur doré  
 Hapalémur doré (F): *Hapalemur aureus*  
 Hapalémur gris (F): *Hapalemur griseus*  
***Hapalemur griseus*** (Link, 1795) I LEMURIDAE  
 (Mammalia) (E) Grey Gentle Lemur (S) Lémur cariancho (F) Hapalémur gris, Petit hapalémur  
*Hapalemur griseus alaotrensis* (Link, 1795) = *Hapalemur alaotrensis* Rumphier, 1975  
*Hapalemur griseus occidentalis* Link, 1795 = *Hapalemur occidentalis* Rumphier, 1975  
***Hapalemur occidentalis*** Rumphier, 1975 I LEMURIDAE  
 (Mammalia) (E) Sambirano Bamboo Lemur, Western Grey Bamboo Lemur  
 Hapalémur simien (F): *Prolemur simus*  
*Hapalemur simus* Gray, 1871 = *Prolemur simus* (Gray, 1871)  
***Hapalopsittaca* spp.** II 29 PSITTACIDAE (Aves)  
***Hapalopsittaca amazonina*** (Des Murs, 1845) II 29  
 PSITTACIDAE (Aves) (E) Rusty-faced Parrot (S) Lorito amazonino, Perico multicolor (F) Caïque à face rouge  
*Hapalopsittaca amazonina fuertesi* (Des Murs, 1845) = *Hapalopsittaca fuertesi* (Chapman, 1912)  
*Hapalopsittaca amazonina pyrrhops* (Des Murs, 1845) = *Hapalopsittaca pyrrhops* (Salvin, 1876)  
***Hapalopsittaca fuertesi*** (Chapman, 1912) II 29  
 PSITTACIDAE (Aves) (E) Fuertes's Parrot, Indigo-winged Parrot (S) Lorito de Fuertes (F) Caïque de Fuertes  
***Hapalopsittaca melanotos*** (Lafresnaye, 1847) II 29  
 PSITTACIDAE (Aves) (E) Black-eared Parrot, Black-winged Parrot (S) Lorito alinegro (F) Caïque à ailes noires  
***Hapalopsittaca pyrrhops*** (Salvin, 1876) II 29  
 PSITTACIDAE (Aves) (E) Red-faced Parrot (S) Lorito ecuatoriano (F) Caïque de Salvin  
***Haplophaedia* spp.** II TROCHILIDAE (Aves)  
***Haplophaedia assimilis*** (Elliot, 1876) II TROCHILIDAE (Aves) (E) Buff-thighed Puffleg  
***Haplophaedia aureliae*** (Bourcier & Mulsant, 1846) II TROCHILIDAE (Aves) (E) Greenish Puffleg (S) Calzadito verdoso norteño, Zamarrito verdoso (F) Érione d'Aurélie  
*Haplophaedia aureliae assimilis* (Bourcier & Mulsant, 1846) = *Haplophaedia assimilis* (Elliot, 1876)  
***Haplophaedia lugens*** (Gould, 1851) II TROCHILIDAE (Aves) (E) Hoary Puffleg (S) Calzadito canoso, Zamarrito canoso (F) Érione givrée  
*Haplophyllia paradoxa* Pourtalès, 1868 = *Gardineria paradoxa* (Pourtalès, 1868)  
***Hardella baileyi*** Bartlett, 1895 = *Orlitia borneensis* Gray, 1873  
***Hardella indi*** Gray, 1870 = *Hardella thurjii* (Gray, 1831)  
***Hardella thurjii*** (Gray, 1831) II GEOEMYDIDAE (Reptilia)  
 (E) Crowned River Turtle  
 Hard-head (E): *Eschrichtius robustus*  
 Hare, Hispid (E): *Caprolagus hispidus*  
 Hare-wallaby, Banded (E): *Lagostrophus fasciatus*  
 Hare-wallaby, Rufous (E): *Lagorchestes hirsutus*  
 Hare-wallaby, Western (E): *Lagorchestes hirsutus*  
 Harfang des neiges (F): *Nyctea scandiaca*  
***Harpagus* spp.** II 27 ACCIPITRIDAE (Aves)  
***Harpagus bidentatus*** (Latham, 1790) II 27  
 ACCIPITRIDAE (Aves) (E) Double-toothed Kite (S) Elanio bidentado, Gavilán bidente, Milano bidentado (F) Milan bidenté  
*Harpagus circumcinctus* Kaup, 1852 = *Spizapteryx circumcincta* (Kaup, 1852)  
***Harpagus diodon*** (Temminck, 1823) II 27 ACCIPITRIDAE (Aves) (E) Rufous-thighed Kite (S) Elanio muslirrufo, Milano dentado, Milano muslirrufo (F) Milan diodon  
***Harpia* spp.** I 27 ACCIPITRIDAE (Aves)  
 Harpía (S): *Harpia harpyja*  
***Harpia harpyja*** (Linnaeus, 1758) I ACCIPITRIDAE (Aves) (E) American Harpy Eagle, Harpy Eagle (S) Águila arpía, Águila harpía, Arpía, Arpía mayor, Harpía (F) Aigle harpie, Harpie, Harpie féroce  
 Harpie (F): *Harpia harpyja*  
 Harpie féroce (F): *Harpia harpyja*  
 Harpie huppée (F): *Morphnus guianensis*  
***Harpyhaliaetus* spp.** II 27 ACCIPITRIDAE (Aves)  
***Harpyhaliaetus coronatus*** (Vieillot, 1817) II 27  
 ACCIPITRIDAE (Aves) (E) Crowned Eagle, Crowned Solitary Eagle (S) Águila coronada, Águila de Azara (F) Buse couronnée  
***Harpyhaliaetus solitarius*** (Tschudi, 1844) II 27  
 ACCIPITRIDAE (Aves) (E) Black Solitary Eagle, Solitary Eagle (S) Águila solitaria (F) Buse solitaire  
*Harpyia coronata* Vieillot, 1817 = *Harpyhaliaetus coronatus* (Vieillot, 1817)  
***Harpyopsis* spp.** II 27 ACCIPITRIDAE (Aves)  
***Harpyopsis novaeguineae*** Salvadori, 1875 II 27  
 ACCIPITRIDAE (Aves) (E) New Guinea Eagle, New Guinea Harpy Eagle (S) Arpía papúa (F) Aigle de Nouvelle-Guinée  
 Harrier, Australasian (E): *Circus approximans*  
 Harrier, Black (E): *Circus maurus*  
 Harrier, Cinereous (E): *Circus cinereus*  
 Harrier-Eagle, Black-breasted (E): *Circaetus pectoralis*  
 Harrier-Eagle, Brown (E): *Circaetus cinereus*  
 Harrier-Hawk, African (E): *Polyboroides typus*  
 Harrier-Hawk, Madagascar (E): *Polyboroides radiatus*  
 Harrier, Hen (E): *Circus cyaneus*  
 Harrier, Long-winged (E): *Circus buffoni*  
 Harrier, Madagascar (E): *Circus maillardi*  
 Harrier, Marsh (E): *Circus aeruginosus*  
 Harrier, Montagu's (E): *Circus pygargus*  
 Harrier, Northern (E): *Circus cyaneus*  
 Harrier, Pale (E): *Circus macrourus*

Harrier, Pallid (E): <i>Circus macrourus</i>	Hawk, Gurney's (E): <i>Buteo poecilochrous</i>
Harrier, Papuan (E): <i>Circus spilonotus</i>	Hawk, Harris's (E): <i>Parabuteo unicinctus</i>
Harrier, Pied (E): <i>Circus melanoleucus</i>	Hawk, Hawaiian (E): <i>Buteo solitarius</i>
Harrier, Réunion (E): <i>Circus maillardi</i>	Hawk, Hispaniolan (E): <i>Buteo ridgwayi</i>
Harrier, Spotted (E): <i>Circus assimilis</i>	Hawk, Long-tailed (E): <i>Urotriorchis macrourus</i>
Harrier, Spotted-backed (E): <i>Circus spilonotus</i>	Hawk, Mantled (E): <i>Leucopternis polionotus</i>
Harrier, Swamp (E): <i>Circus approximans</i>	Hawk, Marsh (E): <i>Circus cyaneus</i>
Hat, Chinaman's (E): <i>Zoopilus echinatus</i>	Hawk, Masked (E): <i>Leucopternis melanops</i>
Hatteria de Günther (F): <i>Sphenodon guntheri</i>	Hawk, Meyer's (E): <i>Accipiter meyerianus</i>
Hatteria ponctué (F): <i>Sphenodon punctatus</i>	Hawk-Owl, Admiralty (E): <i>Ninox meeki</i>
Hatteria punctata Gray, 1842 = <i>Sphenodon punctatus</i> (Gray, 1842)	Hawk-Owl, Admiralty Islands (E): <i>Ninox meeki</i>
Hausse-col à queue rubanée (F): <i>Astrapia stephaniae</i>	Hawk-Owl, Andaman (E): <i>Ninox affinis</i>
Hausse-col de Rothschild (F): <i>Astrapia rothschildi</i>	Hawk-Owl, Bismarck (E): <i>Ninox variegata</i>
Hausse-col doré (F): <i>Astrapia nigra</i>	Hawk-Owl, Brown (E): <i>Ninox scutulata</i>
Hausse-col splendide (F): <i>Astrapia splendidissima</i>	Hawk-Owl, Chestnut (E): <i>Ninox theomacha</i>
Haut-de-chausses à palettes (F): <i>Ocreatus underwoodii</i>	Hawk-Owl, Christmas (E): <i>Ninox natalis</i>
Hawk, African Long-tailed (E): <i>Urotriorchis macrourus</i>	Hawk-Owl, Christmas Island (E): <i>Ninox natalis</i>
Hawk, Barred (E): <i>Leucopternis princeps</i>	Hawk-Owl, Cinnabar (E): <i>Ninox ios</i>
Hawk, Bat (E): <i>Macheiramphus alcinus</i>	Hawk-Owl, Jungle (E): <i>Ninox theomacha</i>
Hawk, Bay-winged (E): <i>Parabuteo unicinctus</i>	Hawk-Owl, Little Sumba (E): <i>Ninox sumbaensis</i>
Hawk, Bicolored (E): <i>Accipiter bicolor</i>	Hawk-Owl, Madagascar (E): <i>Ninox superciliaris</i>
Hawk, Black-chested (E): <i>Leucopternis princeps</i>	Hawk-Owl, Manus (E): <i>Ninox meeki</i>
Hawk, Black-collared (E): <i>Busarellus nigricollis</i>	Hawk-Owl, Moluccan (E): <i>Ninox squamipila</i>
Hawk, Black-faced (E): <i>Leucopternis melanops</i>	Hawk-Owl, New Britain (E): <i>Ninox odiosa</i>
Hawk, Black-mantled (E): <i>Accipiter melanochlamys</i>	Hawk-Owl, New Ireland (E): <i>Ninox variegata</i>
Hawk, Broad-winged (E): <i>Buteo platypterus</i>	Hawk-Owl, Ochre-bellied (E): <i>Ninox ochracea</i>
Hawk, Chestnut-shouldered (E): <i>Erythrotiorchis buergersi</i>	Hawk-Owl, Papuan (E): <i>Uroglaux dimorpha</i>
Hawk, Collared Fishing (E): <i>Busarellus nigricollis</i>	Hawk-Owl, Philippine (E): <i>Ninox philippensis</i>
Hawk, Cooper's (E): <i>Accipiter cooperii</i>	Hawk-Owl, Russet (E): <i>Ninox odiosa</i>
Hawk, Crane (E): <i>Geranospiza caerulescens</i>	Hawk-Owl, Solomon (E): <i>Ninox jacquinoti</i>
Hawk, Cuban Black (E): <i>Buteogallus anthracinus</i>	Hawk-Owl, Sooty-backed (E): <i>Ninox theomacha</i>
Hawk, Duck (E): <i>Falco peregrinus</i>	Hawk-Owl, Speckled (E): <i>Ninox punctulata</i>
Hawk-Eagle, African (E): <i>Hieraetus spilogaster</i>	Hawk, Pacific Black (E): <i>Buteogallus subtilis</i>
Hawk-Eagle, Ayres's (E): <i>Hieraetus ayresii</i>	Hawk, Pigeon (E): <i>Falco columbarius</i>
Hawk-Eagle, Black (E): <i>Spizaetus tyrannus</i>	Hawk, Plumbeous (E): <i>Leucopternis plumbeus</i>
Hawk-Eagle, Black-and-white (E): <i>Spizastur melanoleucus</i>	Hawk, Puna (E): <i>Buteo poecilochrous</i>
Hawk-Eagle, Blyth's (E): <i>Spizaetus alboniger</i>	Hawk, Red-backed (E): <i>Buteo polyosoma</i>
Hawk-Eagle, Cassin's (E): <i>Spizaetus africanus</i>	Hawk, Red-chested (E): <i>Accipiter toussenelii</i>
Hawk-Eagle, Changeable (E): <i>Spizaetus cirrhatus</i>	Hawk, Red-shouldered (E): <i>Buteo lineatus</i>
Hawk-Eagle, Chestnut-bellied (E): <i>Hieraetus kieneri</i>	Hawk, Red-tailed (E): <i>Buteo ventralis</i>
Hawk-Eagle, Crested (E): <i>Spizaetus cirrhatus</i>	Hawk, Red-tailed (E): <i>Buteo jamaicensis</i>
Hawk-Eagle, Crowned (E): <i>Stephanoaetus coronatus</i>	Hawk, Ridgway's (E): <i>Buteo ridgwayi</i>
Hawk-Eagle, Feather-toed (E): <i>Spizaetus nipalensis</i>	Hawk, Roadside (E): <i>Buteo magnirostris</i>
Hawk-Eagle, Hodgson's (E): <i>Spizaetus nipalensis</i>	Hawk, Rough-legged (E): <i>Buteo lagopus</i>
Hawk-Eagle, Javan (E): <i>Spizaetus bartelsi</i>	Hawk, Rufous-tailed (E): <i>Buteo ventralis</i>
Hawk-Eagle, Mountain (E): <i>Spizaetus nipalensis</i>	Hawk, Rufous-thighed (E): <i>Buteo leucorrhous</i>
Hawk-Eagle, Ornate (E): <i>Spizaetus ornatus</i>	Hawk, Savanna (E): <i>Buteogallus meridionalis</i>
Hawk-Eagle, Philippine (E): <i>Spizaetus philippensis</i>	Hawk, Semi-collared (E): <i>Accipiter collaris</i>
Hawk-Eagle, Sulawesi (E): <i>Spizaetus lanceolatus</i>	Hawk, Semiplumbeous (E): <i>Leucopternis semiplumbeus</i>
Hawk-Eagle, Sunda (E): <i>Spizaetus cirrhatus</i>	Hawk, Sharp-shinned (E): <i>Accipiter striatus</i>
Hawk-Eagle, Tyrant (E): <i>Spizaetus tyrannus</i>	Hawk, Short-tailed (E): <i>Buteo brachyurus</i>
Hawk-Eagle, Wallace's (E): <i>Spizaetus nanus</i>	Hawk, Slate-colored (E): <i>Leucopternis schistaceus</i>
Hawk, Ferruginous (E): <i>Buteo regalis</i>	Hawk, Swainson's (E): <i>Buteo swainsoni</i>
Hawk, Galapagos (E): <i>Buteo galapagoensis</i>	Hawk, Tiny (E): <i>Accipiter superciliosus</i>
Hawk, Grey-backed (E): <i>Leucopternis occidentalis</i>	Hawk, Variable (E): <i>Buteo poecilochrous</i>
Hawk, Grey-bellied (E): <i>Accipiter poliogaster</i>	Hawk, Whistling (E): <i>Haliastur sphenurus</i>
Hawk, Grey Frog (E): <i>Accipiter soloensis</i>	Hawk, White (E): <i>Leucopternis albicollis</i>
Hawk, Grey-lined (E): <i>Asturina nitida</i>	Hawk, White-browed (E): <i>Leucopternis kuhli</i>
Hawk, Gundlach's (E): <i>Accipiter gundlachi</i>	Hawk, White-necked (E): <i>Leucopternis lacernulatus</i>
	Hawk, White-rumped (E): <i>Buteo leucorrhous</i>

- Hawk, White-tailed (E): *Buteo albicaudatus*  
 Hawk, White-throated (E): *Buteo albogula*  
 Hawk, Zone-tailed (E): *Buteo albonotatus*  
 Hazards, Spider (E): *Lophelia pertusa*  
***Helarctos* spp. I URSIDAE (Mammalia)**  
***Helarctos malayanus* (Raffles, 1821) I URSIDAE**  
 (Mammalia) (E) Malayan Sun Bear, Sun Bear (S) Oso de los cocoteros, Oso de sol, Oso malayo (F) Ours des cocotiers, Ours malais  
*Heleionomus variegatus* Gray, 1842 = *Python sebae* (Gmelin, 1789)  
***Heliaictin* spp. II TROCHILIDAE (Aves)**  
*Heliaictin bilopha* (Temminck, 1820) = *Heliaictin bilophus* (Temminck, 1820)  
***Heliaictin bilophus* (Temminck, 1820) II TROCHILIDAE (Aves) (E) Horned Sungem (S) Colibrí cornuditó (F) Colibri aux huppes d'or**  
*Heliaictin cornuta* (Wied, 1821) = *Heliaictin bilophus* (Temminck, 1820)  
 Héliange à gorge améthyste (F): *Heliangelus amethysticollis*  
 Héliange à queue bleue (F): *Heliangelus strophianus*  
 Héliange clarisse (F): *Heliangelus amethysticollis*  
***Heliangelus* spp. II TROCHILIDAE (Aves)**  
***Heliangelus amethysticollis* (d'Orbigny & Lafresnaye, 1938) II TROCHILIDAE (Aves) (E) Amethyst-throated Sunangel (S) Angel de sol amatista, Colibrí gorgiamatista, Solangel gorjiamatista (F) Héliange à gorge améthyste, Héliange clarisse**  
*Heliangelus clarisse* (Longuemare, 1841) = *Heliangelus amethysticollis* (d'Orbigny & Lafresnaye, 1938)  
***Heliangelus exortis* (Fraser, 1840) II TROCHILIDAE (Aves) (E) Tourmaline Sunangel (S) Colibrí turmalina, Solangel turmalino (F) Héliange tourmaline**  
***Heliangelus mavors* Gould, 1848 II TROCHILIDAE (Aves) (E) Orange-throated Sunangel (S) Angel de sol cuelliocre, Colibrí de Marte (F) Héliange mars**  
***Heliangelus micraster* Gould, 1872 II TROCHILIDAE (Aves) (E) Little Sunangel (S) Colibrí lacero (F) Héliange menu**  
***Heliangelus regalis* Fitzpatrick, Willard & Terborgh, 1979 II TROCHILIDAE (Aves) (E) Royal Sunangel (S) Colibrí real (F) Héliange royale**  
*Heliangelus spencei* (Bourcier, 1847) = *Heliangelus amethysticollis* (d'Orbigny & Lafresnaye, 1938)  
***Heliangelus strophianus* (Gould, 1846) II TROCHILIDAE (Aves) (E) Gorgeted Sunangel (S) Colibrí pectoral, Solangel de gorquera (F) Héliange à queue bleue**  
***Heliangelus viola* (Gould, 1853) II TROCHILIDAE (Aves) (E) Purple-throated Sunangel (S) Colibrí violeta, Solangel gorjipurpura (F) Héliange violette**  
***Heliangelus zusii* Graves, 1993 II TROCHILIDAE (Aves) (E) Bogotá Sunangel**  
 Héliange mars (F): *Heliangelus mavors*  
 Héliange menu (F): *Heliangelus micraster*  
 Héliange royale (F): *Heliangelus regalis*  
 Héliange tourmaline (F): *Heliangelus exortis*  
 Héliange violette (F): *Heliangelus viola*  
*Helianthea eos* Gould, 1848 = *Coeligena bonapartei* (Boissonneau, 1840)  
*Helianthea iris* Gould, 1854 = *Coeligena iris* (Gould, 1854)  
*Helastrea aperta* Verrill, 1868 = *Favia leptophylla* Verrill, 1868  
*Helastrea forskaelana* Milne Edwards & Haime, 1850 = *Echinopora gemmacea* (Lamarck, 1816)  
*Helastrea heliopora* (Lamarck, 1816) = *Diploastrea heliopora* (Lamarck, 1816)  
*Helastrea solidior* (Milne Edwards & Haime, 1850) = *Montastrea curta* (Dana, 1846)  
*Helicolestes hamatus* (Temminck, 1821) = *Rostrhamus hamatus* (Temminck, 1821)  
*Heliodilus soumagnei* Milne-Edwards, 1878 = *Tyto soumagnei* (Milne Edwards, 1878)  
***Heliodoxa* spp. II TROCHILIDAE (Aves)**  
***Heliodoxa aurescens* (Gould, 1846) II TROCHILIDAE (Aves) (E) Gould's Jewelfront (S) Brillante pechicastaño, Colibrí cuellicastaño, Frentijoya (F) Brillant à bandeau bleu**  
***Heliodoxa branickii* (Taczanowski, 1874) II TROCHILIDAE (Aves) (E) Rufous-webbed Brilliant (S) Brillante alicanela (F) Brillant de Branicki**  
 Heliodoxa frentiazul (S): *Heliodoxa leadbeateri*  
***Heliodoxa gularis* (Gould, 1860) II TROCHILIDAE (Aves) (E) Pink-throated Brilliant (S) Brillante gorgirrosado (F) Brillant à gorge rose**  
***Heliodoxa imperatrix* (Gould, 1856) II TROCHILIDAE (Aves) (E) Empress Brilliant (S) Brillante emperador (F) Brillant impératrice**  
***Heliodoxa jacula* Gould, 1850 II TROCHILIDAE (Aves) (E) Green-crowned Brilliant (S) Brillante coroniverde (F) Brillant fer-de-lance**  
***Heliodoxa leadbeateri* (Bourcier, 1843) II TROCHILIDAE (Aves) (E) Violet-fronted Brilliant (S) Brillante frentivioleta, Heliodoxa frentiazul (F) Brillant à front violet**  
***Heliodoxa rubinoides* (Bourcier & Mulsant, 1846) II TROCHILIDAE (Aves) (E) Fawn-breasted Brilliant (S) Brillante pechianteado, Brillante pechigamuza (F) Brillant rubinoïde**  
***Heliodoxa schreibersii* (Bourcier, 1847) II TROCHILIDAE (Aves) (E) Black-throated Brilliant (S) Brillante gorjinegro, Brillante ventinegro (F) Brillant à gorge noire**  
***Heliodoxa xanthogonys* Salvin & Godman, 1882 II TROCHILIDAE (Aves) (E) Velvet-browed Brilliant, Velvet-crowned Brilliant (S) Brillante de Tepui, Colibrí frentiverde (F) Brillant à couronne verte**  
***Heliofungia* spp. Wells 1966 II FUNGIIDAE (Anthozoa)**  
***Heliofungia actiniformis* (Quoy & Gaimard, 1833) II FUNGIIDAE (Anthozoa) (E) Disk Coral, Mushroom Coral**  
***Heliomaster* spp. II TROCHILIDAE (Aves)**  
***Heliomaster constantii* (DeLatre, 1843) II TROCHILIDAE (Aves) (E) Plain-capped Starthroat (S) Colibrí pochoteró, Picolargo coronoscuro (F) Colibri de Constant**  
***Heliomaster furcifer* (Shaw, 1812) II TROCHILIDAE (Aves) (E) Blue-tufted Starthroat (S) Colibrí de Barbijo, Picaflor de Barbijo (F) Colibri d'Angèle**

<b><i>Heliomaster longirostris</i></b> (Audebert & Vieillot, 1801) II	Héloderme granuleux (F): <i>Heloderma horridum</i>
TROCHILIDAE (Aves) (E) Long-billed Starthroat (S)	Héloderme horrible (F): <i>Heloderma horridum</i>
Colibrí estrella picolargo, Colibrí piquilargo,	<i>Helops stellatus</i> (Pallas, 1771) = <i>Acipenser stellatus</i>
Heliomaster piquilargo, Picolargo coroniazul (F) Colibri	Pallas, 1771
corinne	
Heliomaster piquilargo (S): <i>Heliomaster longirostris</i>	
<b><i>Heliomaster squamosus</i></b> (Temminck, 1823) II	<i>Hemicordylus capensis</i> (Smith, 1838) = <i>Cordylus capensis</i>
TROCHILIDAE (Aves) (E) Stripe-breasted Starthroat	A. Smith, 1838
(S) Colibrí escamoso, Picaflor escamado (F) Colibri	
médiastin	
<b><i>Heliopathes</i> spp.</b> Opresco, 2003 II CLADOPATHIDAE	<i>Hemidactylus nebulosus</i> (Mouton & Van Wyk, 1995) =
(Anthozoa)	<i>Cordylus nebulosus</i> (Mouton & van Wyk, 1995)
<b><i>Heliopathes americana</i></b> Opresco, 2003 II	Hémigale de Derby (F): <i>Hemigalus derbyanus</i>
CLADOPATHIDAE (Anthozoa)	
<b><i>Heliopathes heterorhodzos</i></b> (Forster Cooper, 1909) II	<b><i>Hemigalus derbyanus</i></b> (Gray, 1837) II VIVERRIDAE
CLADOPATHIDAE (Anthozoa)	(Mammalia) (E) Banded Musang, Banded Palm Civet,
	Hardwick's Civet (S) Cibeta palmirayada, Civeta de
<b><i>Heliopathes pacifica</i></b> Opresco, 2005 II CLADOPATHIDAE	Derby (F) Civette palmiste à bandes de Derby, Civette
(Anthozoa)	palmiste rayée, Hémigale de Derby
<b><i>Heliopora</i> spp.</b> Blainville 1830 II HELIOPORIDAE	Hémione (F): <i>Equus hemionus</i>
(Anthozoa)	Hémione de l'Inde (F): <i>Equus hemionus khur</i>
<i>Heliopora carinata</i> Pourtalès, 1867 = <i>Lepidopora carinata</i>	Hemiono (S): <i>Equus hemionus</i>
(Pourtalès, 1867)	Hemiono indostánico (S): <i>Equus hemionus khur</i>
<b><i>Heliopora coerulea</i></b> (Pallas, 1766) II HELIOPORIDAE	Hemiono mongol (S): <i>Equus hemionus hemionus</i>
(Anthozoa) (E) Blue Coral	<i>Hemitriton mexicanum</i> (Shaw & Nodder, 1798) =
<i>Heliopora compressa</i> Verrill, 1864 = <i>Heliopora coerulea</i>	<i>Ambystoma mexicanum</i> (Shaw & Nodder, 1798)
(Pallas, 1766)	<i>Hemitriton (siredon) mexicanum</i> Van der Hoeven, 1833 =
<i>Heliopora tubulata</i> Pourtalès, 1867 = <i>Pliobothrus tubulatus</i>	<i>Ambystoma mexicanum</i> (Shaw & Nodder, 1798)
(Pourtalès, 1867)	
<b>HELIOPORIDAE</b> spp. Moseley, 1876 II (Anthozoa) (E)	<b><i>Henicopernis</i> spp.</b> II 27 ACCIPITRIDAE (Aves)
Blue Corals (S) Corales Azules (F) Corail Bleu	
<b><i>Helioseris</i> spp.</b> Milne Edwards & Haime 1849 II	<b><i>Henicopernis infuscatus</i></b> Gurney, 1882 II 27
AGARICIIDAE (Anthozoa)	ACCIPITRIDAE (Aves) (E) Black Honey-buzzard, New
<b><i>Helioseris cucullata</i></b> (Ellis & Solander, 1786) II	Britain Honey-buzzard (S) Abejero negro (F) Bondrée
AGARICIIDAE (Anthozoa) (E) Sunray Lettuce Coral (S)	noire
Coral rayo de sol (F) Corail laitue	<b><i>Henicopernis longicauda</i></b> (Garnot, 1828) II 27
<b><i>Heliothryx</i> spp.</b> II TROCHILIDAE (Aves)	ACCIPITRIDAE (Aves) (E) Long-tailed Honey-buzzard,
<i>Heliothryx aurita</i> (Gmelin, 1788) = <i>Heliothryx auritus</i>	Papuan Honey-buzzard (S) Abejero colilargo (F)
(Gmelin, 1788)	Bondrée à longue queue
<b><i>Heliothryx auritus</i></b> (Gmelin, 1788) II TROCHILIDAE	Héosémyde de l'Arakan (F): <i>Heosemys depressa</i>
(Aves) (E) Black-eared Fairy (S) Colibrí hada orejazul,	Héosémyde de Leyte (F): <i>Siebenrockiella leyteensis</i>
Colibrí hada oriental, Hada orejinegro (F) Colibri	Héosémyde épineuse (F): <i>Heosemys spinosa</i>
oreillard	Héosémyde géante (F): <i>Heosemys grandis</i>
<b><i>Heliothryx barroti</i></b> (Bourcier, 1843) II TROCHILIDAE	<b><i>Heosemys annandalii</i></b> (Boulenger, 1903) II 42
(Aves) (E) Purple-crowned Fairy (S) Colibrí hada	GEOEMYDIDAE (Reptilia) (E) Yellow-headed Temple
occidental, Hada coronimorada, Hada gorrímorada (F)	Turtle
Colibri féérique	<b><i>Heosemys depressa</i></b> (Anderson, 1875) II 43
<i>Heliotrypha viola</i> Gould, 1853 = <i>Heliangelus viola</i> (Gould,	GEOEMYDIDAE (Reptilia) (E) Arakan Forest Turtle (F)
1853)	Héosémyde de l'Arakan
Hellbender (E): <i>Cryptobranchus alleganiensis</i>	<b><i>Heosemys grandis</i></b> (Gray, 1860) II GEOEMYDIDAE
Helmetcrest, Bearded (E): <i>Oxygonon guerinii</i>	(Reptilia) (E) Giant Asian Pond Turtle, Orange-headed
<i>Heloderma</i> spp. I/II HELODERMATIDAE (Reptilia)	Temple Turtle (F) Héosémyde géante
<i>Heloderma horridum</i> (Weigmann, 1829) I/II	<i>Heosemys leyensis</i> Taylor, 1920 = <i>Siebenrockiella</i>
HELODERMATIDAE (Reptilia) (E) Beaded Lizard (S)	<i>leyensis</i> (Taylor, 1920)
Escorpión, Lagarto de Cuentas (F) Héloderme	<b><i>Heosemys spinosa</i></b> (Gray, 1831) II GEOEMYDIDAE
granuleux, Héloderme horrible	(Reptilia) (E) Spiny Terrapin, Spiny Turtle, Sunburst
<i>Heloderma horridum charlesbogerti</i> I HELODERMATIDAE	Turtle (F) Héosémyde épineuse
(Reptilia)	<i>Heosemys yuwonoi</i> (McCord, Iverson & Boeadi, 1995) =
<i>Heloderma suspectum</i> Cope, 1869 II HELODERMATIDAE	<i>Leucocephalon yuwonoi</i> (McCord, Iverson & Boeadi,
(Reptilia) (E) Gila Monster (S) Monstruo de Gila (F)	1995)
Lézard perlé, Monstre de Gila	Hermine (F): <i>Mustela erminea</i>
	Hermit, Black-throated (E): <i>Phaethornis atrimentalis</i>
	Hermit, Broad-tipped (E): <i>Anopetia gounellei</i>
	Hermit, Bronzy (E): <i>Glaucis aeneus</i>
	Hermit, Buff-bellied (E): <i>Phaethornis subochraceus</i>
	Hermit, Cinnamon-throated (E): <i>Phaethornis nattereri</i>
	Hermit, Dusky-throated (E): <i>Phaethornis squalidus</i>

Hermit, Eastern Long-tailed (E): <i>Phaethornis superciliosus</i>	<b>Herpestes urva</b> (Hodgson, 1836) III HERPESTIDAE
Hermit, Great-billed (E): <i>Phaethornis malaris</i>	(Mammalia) (E) Crab-eating Mongoose (S) Mangosta cangrejera (F) Mangouste crabière
Hermit, Green (E): <i>Phaethornis guy</i>	<b>Herpestes vitticollis</b> Bennett, 1835 III HERPESTIDAE
Hermit, Grey-chinned (E): <i>Phaethornis griseogularis</i>	(Mammalia) (E) Stripe-necked Mongoose (S) Mangosta de nuca rayada (F) Mangouste à cou rayé
Hermit, Hook-billed (E): <i>Glaucis dohrnii</i>	<i>Herpetoglossa secunda</i> Nemenzo, 1988 = <i>Ctenactis crassa</i> (Dana, 1848)
Hermit, Koepcke's (E): <i>Phaethornis koepckeae</i>	<i>Herpetoglossa simplex</i> (Gardiner, 1905) = <i>Ctenactis crassa</i> (Dana, 1848)
Hermit, Little (E): <i>Phaethornis longuemareus</i>	<i>Herpetolitha ampla</i> Verrill, 1864 = <i>Herpolitha limax</i> (Esper, 1792)
Hermit, Long-tailed (E): <i>Phaethornis superciliosus</i>	<i>Herpetolitha crassus</i> Dana, 1846 = <i>Herpolitha limax</i> (Esper, 1792)
Hermit, Margaretta's (E): <i>Phaethornis malaris</i>	<i>Herpetolitha rueppellii</i> Leuckart, 1841 = <i>Ctenactis echinata</i> (Pallas, 1766)
Hermit, Minute (E): <i>Phaethornis idaliae</i>	<i>Herpetolitha stricta</i> Dana, 1846 = <i>Herpolitha limax</i> (Esper, 1792)
Hermit, Needle-billed (E): <i>Phaethornis philippii</i>	<i>Herpetolithus ehrenbergii</i> Leuckart, 1841 = <i>Ctenactis echinata</i> (Pallas, 1766)
Hermit, Obscure (E): <i>Phaethornis idaliae</i>	<b>Herpetotheres spp.</b> II 27 FALCONIDAE (Aves)
Hermit, Pale-bellied (E): <i>Phaethornis anthophilus</i>	<b>Herpetotheres cachinnans</b> (Linnaeus, 1758) II 27
Hermit, Planalto (E): <i>Phaethornis pretrei</i>	FALCONIDAE (Aves) (E) Laughing Falcon (S) Acuá, Halcón guaco, Halcón guairú, Halcón macagua, Halcón reidor (F) Macagua rieur
Hermit, Porcula (E): <i>Phaethornis griseogularis</i>	<i>Herpetotheres sociabilis</i> Vieillot, 1817 = <i>Rostrhamus sociabilis</i> (Vieillot, 1817)
Hermit, Reddish (E): <i>Phaethornis ruber</i>	<b>Herpolitha spp.</b> Eschscholtz 1825 II FUNGIIDAE (Anthozoa)
Hermit, Rufous-breasted (E): <i>Glaucis hirsutus</i>	<i>Herpolitha crassa</i> (Dana, 1846) = <i>Ctenactis crassa</i> (Dana, 1848)
Hermit, Saw-billed (E): <i>Ramphodon naevius</i>	<b>Herpolitha limax</b> (Esper, 1792) II FUNGIIDAE (Anthozoa)
Hermit, Scale-throated (E): <i>Phaethornis eurynome</i>	(E) Slipper Coral, Tongue Coral (F) Corail limace
Hermit, Sooty-capped (E): <i>Phaethornis augusti</i>	<i>Herpolitha simplex</i> Gardiner, 1905 = <i>Ctenactis crassa</i> (Dana, 1848)
Hermit, Straight-billed (E): <i>Phaethornis bourcieri</i>	<i>Herpolitha stricta</i> (Dana, 1846) = <i>Herpolitha limax</i> (Esper, 1792)
Hermit, Streak-throated (E): <i>Phaethornis rupurumii</i>	<b>Herpolitha weberi</b> (van der Horst, 1921) II FUNGIIDAE (Anthozoa)
Hermit, Stripe-throated (E): <i>Phaethornis striigularis</i>	<b>Heterocyathus spp.</b> Milne Edwards & Haime 1848 II
Hermit, Tawny-bellied (E): <i>Phaethornis syrmatophorus</i>	CARYOPHYLLIIDAE (Anthozoa)
Hermit, Western Long-tailed (E): <i>Phaethornis longirostris</i>	<b>Heterocyathus aequicostatus</b> Milne Edwards & Haime, 1848 II CARYOPHYLLIIDAE (Anthozoa)
Hermit, White-bearded (E): <i>Phaethornis hispidus</i>	<b>Heterocyathus alternatus</b> Verrill, 1865 II
Hermit, White-browed (E): <i>Phaethornis stuarti</i>	CARYOPHYLLIIDAE (Anthozoa)
Hermit, White-whiskered (E): <i>Phaethornis yaruqui</i>	<b>Heterocyathus antoniae</b> Reyes, Santodomingo & Cairns, 2009 II CARYOPHYLLIIDAE (Anthozoa)
<i>Herpailurus yagouaroundi</i> (Lacépède, 1809) = <i>Puma yagouaroundi</i> (É. Geoffroy Saint-Hilaire, 1803)	<i>Heterocyathus cochlea</i> Gray, 1849 = <i>Heterocyathus aequicostatus</i> Milne Edwards & Haime, 1848
<i>Herpailurus yagouaroundi</i> (É. Geoffroy, Saint-Hilaire, 1803) = <i>Puma yagouaroundi</i> (É. Geoffroy Saint-Hilaire, 1803)	<b>Heterocyathus hemisphaericus</b> Gray, 1849 II
<i>Herpestes auropunctatus</i> (Hodgson, 1836) = <i>Herpestes javanicus auropunctatus</i> (Hodgson, 1836)	CARYOPHYLLIIDAE (Anthozoa)
<i>Herpestes brachyurus fuscus</i> Gray, 1837 = <i>Herpestes fuscus</i> Waterhouse, 1838	<i>Heterocyathus heterocostatus</i> Harrison, 1911 = <i>Heterocyathus alternatus</i> Verrill, 1865
<b>Herpestes edwardsi</b> (E. Geoffroy Saint-Hilaire, 1818) III HERPESTIDAE (Mammalia) (E) Indian Grey Mongoose (S) Mangosta gris de la India (F) Mangouste d'Edwards, Mangouste grise de l'Inde	<i>Heterocyathus japonicus</i> (Verrill, 1866) = <i>Heterocyathus aequicostatus</i> Milne Edwards & Haime, 1848
<i>Herpestes edwardsii</i> (E. Geoffroy Saint-Hilaire, 1818) = <i>Herpestes edwardsi</i> (E. Geoffroy Saint-Hilaire, 1818)	<i>Heterocyathus lamellosus</i> (Verrill, 1865) = <i>Heterocyathus aequicostatus</i> Milne Edwards & Haime, 1848
<b>Herpestes fuscus</b> Waterhouse, 1838 III HERPESTIDAE (Mammalia) (E) Indian Brown Mongoose (S) Mangosta colicorta oscura (F) Mangouste à queue courte de l'Inde	<i>Heterocyathus mai</i> Cheng, 1971 = <i>Heterocyathus alternatus</i> Verrill, 1865
<b>Herpestes javanicus</b> (É. Geoffroy Saint-Hilaire, 1818) III HERPESTIDAE (Mammalia) (E) Javan Mongoose, Small Asian Mongoose	
<b>Herpestes javanicus auropunctatus</b> (Hodgson, 1836) III HERPESTIDAE (Mammalia) (E) Small Indian Mongoose (S) Mangosta de manchas doradas (F) Petite mangouste indienne	
<i>Herpestes palustris</i> Ghose, 1965 = <i>Herpestes javanicus</i> (É. Geoffroy Saint-Hilaire, 1818)	
<b>Herpestes smithii</b> Gray, 1837 III HERPESTIDAE (Mammalia) (E) Ruddy Mongoose (S) Mangosta roja de la India (F) Mangouste de Smith	

- Heterocyathus oblongatus* Rehberg, 1892 = *Heterocyathus aequicostatus* Milne Edwards & Haime, 1848  
*Heterocyathus parasiticus* Semper, 1872 = *Heterocyathus alternatus* Verrill, 1865  
*Heterocyathus philippinensis* Semper, 1872 = *Heterocyathus aequicostatus* Milne Edwards & Haime, 1848  
*Heterocyathus pulchellus* Rehberg, 1892 = *Heterocyathus sulcatus* (Verrill, 1866)  
*Heterocyathus roussaeanus* Milne Edwards & Haime, 1848 = *Heterocyathus aequicostatus* Milne Edwards & Haime, 1848  
*Heterocyathus rousseau* (Milne Edwards & Haime, 1851) = *Heterocyathus aequicostatus* Milne Edwards & Haime, 1848  
***Heterocyathus sulcatus*** (Verrill, 1866) II  
 CARYOPHYLLIIDAE (Anthozoa)  
*Heterocyathus woodmasoni* Alcock, 1893 = *Heterocyathus aequicostatus* Milne Edwards & Haime, 1848  
***Heteroglaux* spp.** Hume, 1873 I<sup>30</sup> STRIGIDAE (Aves)  
***Heteroglaux blewitti*** Hume, 1873 I STRIGIDAE (Aves)  
 (E) Forest Little Owl, Forest Owlet, Forest Spotted Owlet (S) Mochuelo de Blewitt, Mochuelo de los bosques, Mochuelo forestal (F) Chevêche forestière, Chouette des forêts  
*Heterometrus roeseli* Simon, 1872 = *Pandinus imperator* (Koch, 1842)  
*Heteropora forskalii* Hemprich & Ehrenberg, 1834 = *Acropora forskalii* (Hemprich & Ehrenberg, 1834)  
*Heteropora hemprichii* Ehrenberg, 1834 = *Acropora hemprichii* (Ehrenberg, 1834)  
*Heteropora microclados* Ehrenberg, 1834 = *Acropora microclados* (Ehrenberg, 1834)  
*Heteropora millepora* Ehrenberg, 1834 = *Acropora millepora* (Ehrenberg, 1834)  
*Heteropora seriata* Ehrenberg, 1834 = *Acropora seriata* (Ehrenberg, 1834)  
*Heteropora squarrosa* Hemprich & Ehrenberg, 1834 = *Acropora squarrosa* (Hemprich & Ehrenberg, 1834)  
***Heteropsammia* spp.** Milne Edwards & Haime 1848 II  
 DENDROPHYLLIIDAE (Anthozoa)  
*Heteropsammia aphrodes* Alcock, 1893 = *Heteropsammia cochlea* (Spengler, 1781)  
***Heteropsammia cochlea*** (Spengler, 1781) II  
 DENDROPHYLLIIDAE (Anthozoa) (E) Button Coral  
***Heteropsammia eupsammides*** (Gray, 1849) II  
 DENDROPHYLLIIDAE (Anthozoa)  
*Heteropsammia geminata* Verrill, 1870 = *Heteropsammia cochlea* (Spengler, 1781)  
*Heteropsammia michelinii* Milne Edwards & Haime, 1848 = *Heteropsammia cochlea* (Spengler, 1781)  
***Heteropsammia moretonensis*** Wells, 1964 II  
 DENDROPHYLLIIDAE (Anthozoa)  
*Heteropsammia multilobata* Moseley, 1881 = *Heteropsammia cochlea* (Spengler, 1781)  
*Heterospizias meridionalis* (Latham, 1790) = *Buteogallus meridionalis* (Latham, 1790)  
*Heterotetra humilis* (Blyth, 1855) = *Eupodotis humilis* (Blyth, 1856)  
*Heterotetra rueppelii* (Wahlberg, 1856) = *Eupodotis rueppelii* (Wahlberg, 1856)  
*Heterotetra vigorsii* (A. Smith, 1831) = *Eupodotis vigorsii* (A. Smith, 1831)  
***Hexapathes* spp.** Kinoshita 1910 II CLADOPATHIDAE (Anthozoa)  
***Hexapathes alis*** Molodtsova, 2006 II CLADOPATHIDAE (Anthozoa)  
***Hexapathes australiensis*** Opresko, 2003 II CLADOPATHIDAE (Anthozoa)  
***Hexapathes heterosticha*** Kinoshita, 1910 II CLADOPATHIDAE (Anthozoa)  
***Hexapathes hivaensis*** Molodtsova, 2006 II CLADOPATHIDAE (Anthozoa)  
***Hexaprotodon liberiensis*** (Morton, 1849) II HIPPOPOTAMIDAE (Mammalia) (E) Pygmy Hippopotamus (S) Hipopótamo enano, Hipopótamo pigmeo (F) Hippopotame nain, Hippopotame pygmée  
 Hibou à bec jaune (F): *Jubula lettii*  
 Hibou à casque (F): *Lophostrix cristata*  
 Hibou brachyote (F): *Asio flammeus*  
 Hibou criard (F): *Pseudoscops clamator*  
 Hibou d'Abyssinie (F): *Asio abyssinicus*  
 Hibou de la Jamaïque (F): *Pseudoscops grammicus*  
 Hibou de Madagascar (F): *Asio madagascariensis*  
 Hibou des marais (F): *Asio flammeus*  
 Hibou de Tweeddale (F): *Mimizuku gurneyi*  
 Hibou du Cap (F): *Asio capensis*  
 Hibou grand-duc (F): *Bubo bubo*  
 Hibou maître-bois (F): *Asio stygius*  
 Hibou malgache (F): *Asio madagascariensis*  
 Hibou moyen-duc (F): *Asio otus*  
 Hibou pêcheur roux (F): *Ketupa flavipes*  
 Hibou petit-duc (F): *Otus scops*  
 Hibou redoutable (F): *Nesasio solomonensis*  
 Hibou strié (F): *Pseudoscops clamator*  
 Hidrocoral timido (S): *Cryptphelia pudica*  
 Hidrocoral cuerno de ciervo (S): *Distichopora cervina*  
 Hidrocoral de lo hondo (S): *Stenohelia profunda*  
 Hidrocoral de Pierce (S): *Cryptphelia piercei*  
 Hidrocoral de poros lisos (S): *Cryptphelia tenuiseptata*  
 Hidrocoral espinoso (S): *Pliothrhus echinatus*  
 Hidrocoral simétrico (S): *Pliothrhus symmetricus*  
 Hidrocoral tubular (S): *Pliothrhus tubulatus*  
***Hieraetus* spp.** II<sup>27</sup> ACCIPITRIDAE (Aves)  
***Hieraetus ayresii*** Gurney, 1862 II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Ayres's Eagle, Ayres's Hawk-Eagle (S) Águila-azor de Ayres (F) Aigle d'Ayres  
*Hieraetus bellicosus* (Daudin, 1800) = *Polemaetus bellicosus* (Daudin, 1800)  
*Hieraetus dubius* Smith, 1830 misapplied = *Hieraetus ayresii* Gurney, 1862  
***Hieraetus fasciatus*** (Vieillot, 1822) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Bonelli's Eagle (S) Águila-azor perdicera, Águila de Bonelli, Águila perdicera (F) Aigle de Bonelli  
*Hieraetus fasciatus* AERC TAC (2003) = *Hieraetus fasciatus* (Vieillot, 1822)  
*Hieraetus fasciatus* Sibley and Monroe (1990, 1993) = *Hieraetus fasciatus* (Vieillot, 1822)

- Hieraetus fasciatus spilogaster** (Vieillot, 1822) = *Hieraetus spilogaster* (Bonaparte, 1850)
- Hieraetus kienerii** (Geoffroy Saint-Hilaire, 1835) II 27  
ACCIPITRIDAE (Aves) (E) Chestnut-bellied Hawk-Eagle, Rufous-bellied Eagle (S) Águila-azor ventrirroja (F) Aigle à ventre roux
- Hieraetus morphnoides** (Gould, 1841) II 27  
ACCIPITRIDAE (Aves) (E) Little Eagle (S) Aguililla australiana (F) Aigle nain
- Hieraetus pennatus** (Gmelin, 1788) II 27  
ACCIPITRIDAE (Aves) (E) Booted Eagle (S) Águila calzada, Aguililla calzada (F) Aigle botté
- Hieraetus spilogaster** (Bonaparte, 1850) II 27  
ACCIPITRIDAE (Aves) (E) African Eagle, African Hawk-Eagle (S) Águila-azor africana, Águila perdicera africana (F) Aigle-autour fascié, Aigle fascié
- Hieraetus wahlbergi** (Sundevall, 1850) II  
ACCIPITRIDAE (Aves) (E) Wahlberg's Eagle (S) Águila de Wahlberg (F) Aigle de Wahlberg
- Hieraetus weiskei** (Reichenow, 1900) = *Hieraetus morphnoides* (Gould, 1841)
- Hierax erythrogenys** Vigors, 1831 = *Microhierax erythrogenys* (Vigors, 1831)
- Hieremys annandalii** (Boulenger, 1903) = *Heosemys annandalii* (Boulenger, 1903)
- Hierophasis edwardsi** (Oustalet, 1896) = *Lophura edwardsi* (Oustalet, 1896)
- Hierophasis swinhoii** (Gould, 1863) = *Lophura swinhoii* (Gould, 1863)
- Hillopathes spp.** van Pesch 1914 II ANTIPATHIDAE (Anthozoa)
- Hillopathes ramosa** (van Pesch, 1910) II ANTIPATHIDAE (Anthozoa)
- Hillstar, Andean (E): *Oreotrochilus estella*
- Hillstar, Black-breasted (E): *Oreotrochilus melanogaster*
- Hillstar, Ecuadorian (E): *Oreotrochilus chimborazo*
- Hillstar, Wedge-tailed (E): *Oreotrochilus adela*
- Hillstar, White-sided (E): *Oreotrochilus leucopleurus*
- Hillstar, White-tailed (E): *Urochroa bougueri*
- Hipopótamo (S): *Hippopotamus amphibius*
- Hipopótamo enano (S): *Hexaprotodon liberiensis*
- Hipopótamo pigmeo (S): *Hexaprotodon liberiensis*
- Hippocamelus spp.** I CERVIDAE (Mammalia)
- Hippocamelus antisensis** (d'Orbigny, 1834) I CERVIDAE (Mammalia) (E) North Andean Deer, North Andean Huemul, Peruvian Guemal, Peruvian Huemul, Taruca (S) Ciervo andino septentrional, Guemal, Huemul, Taruca, Taruka de los Andes septentrionales (F) Cerf des Andes septentrionales, Guémal péruvien, Huémul des Andes septentrionales
- Hippocamelus bisulcus** (Molina, 1782) I CERVIDAE (Mammalia) (E) Chilean Huemul, Patagonian Huemul, South Andean Deer, South Andean Huemul (S) Ciervo andino meridional, Huemul (F) Cerf des Andes méridionales, Huémul des Andes méridionales
- Hippocampe (F): *Hippocampus hippocampus*
- Hippocampe à museau court (F): *Hippocampus hippocampus*
- Hippocampe couronné (F): *Hippocampus coronatus*
- Hippocampe doré (F): *Hippocampus kuda*
- Hippocampe du Pacifique (F): *Hippocampus kuda*
- Hippocampe épineux (F): *Hippocampus histrix*
- Hippocampe long-nez (F): *Hippocampus reidi*
- Hippocampe marin (F): *Hippocampus ingens*
- Hippocampe moucheté (F): *Hippocampus guttulatus*
- Hippocampe moucheté (F): *Hippocampus erectus*
- Hippocampe nain (F): *Hippocampus zosterae*
- Hippocampe rayé (F): *Hippocampus erectus*
- Hippocampus spp.** II SYNGNATHIDAE (Actinopterygii)
- Hippocampus abdominalis** Lesson, 1827 II  
SYNGNATHIDAE (Actinopterygii) (E) Big-bellied Seahorse, Big-belly Seahorse, Eastern Potbelly Seahorse, Pot-bellied Seahorse, Seahorse Fish
- Hippocampus agnesae** Fowler, 1907 = *Hippocampus abdominalis* Lesson, 1827
- Hippocampus aimei** Roule, 1916 = *Hippocampus spinosissimus* Weber, 1913
- Hippocampus aimei** Roule, 1916 = *Hippocampus barbouri* Jordan & Richardson, 1908
- Hippocampus alatus** Kuiter, 2001 II SYNGNATHIDAE (Actinopterygii) (E) Winged Seahorse
- Hippocampus algiricus** Kaup, 1856 II SYNGNATHIDAE (Actinopterygii) (E) West African Seahorse
- Hippocampus angustus** Günther, 1870 II  
SYNGNATHIDAE (Actinopterygii) (E) Narrow-bellied Seahorse, Western Australian Seahorse, Western Spiny Seahorse
- Hippocampus antiquorum** Leach, 1814 = *Hippocampus hippocampus* (Linnaeus, 1758)
- Hippocampus antiquus** Risso, 1827 = *Hippocampus hippocampus* (Linnaeus, 1758)
- Hippocampus arnei** Roule, 1916 = *Hippocampus spinosissimus* Weber, 1913
- Hippocampus arnei** Roule, 1916 = *Hippocampus barbouri* Jordan & Richardson, 1908
- Hippocampus aterrimus** Jordan & Snyder, 1901 = *Hippocampus kuda* Bleeker, 1852
- Hippocampus atrichus de la Pylaie**, 1835 = *Hippocampus guttulatus* Cuvier, 1829
- Hippocampus barbouri** Jordan & Richardson, 1908 II  
SYNGNATHIDAE (Actinopterygii) (E) Barbour's Seahorse
- Hippocampus bargibanti** Whitley, 1970 II  
SYNGNATHIDAE (Actinopterygii) (E) Bargibant's Seahorse, Pygmy Seahorse
- Hippocampus bicuspidata** Kaup, 1856 = *Hippocampus guttulatus* Cuvier, 1829
- Hippocampus biocellatus** Kuiter, 2001 II  
SYNGNATHIDAE (Actinopterygii) (E) False-eyed Seahorse
- Hippocampus bleekeri** Fowler, 1907 = *Hippocampus abdominalis* Lesson, 1827
- Hippocampus borboniensis** Duméril, 1870 II  
SYNGNATHIDAE (Actinopterygii) (E) Réunion Seahorse
- Hippocampus brachyrhynchus** Duncker, 1914 = *Hippocampus fuscus* Rüppell, 1838
- Hippocampus breviceps** Peters, 1869 II  
SYNGNATHIDAE (Actinopterygii) (E) Knobby

Seahorse, Short-headed Seahorse, Short-head	Seahorse
Seahorse, Short-snouted Seahorse	
<i>Hippocampus brevirostris</i> Cuvier, 1829 = <i>Hippocampus hippocampus</i> (Linnaeus, 1758)	SYNGNATHIDAE (Actinopterygii) (E) Long-snouted Seahorse (F) Cheval marin, Hippocampe moucheté
<i>Hippocampus brunneus</i> Bean, 1906 = <i>Hippocampus erectus</i> Perry, 1810	
<b><i>Hippocampus camelopardalis</i></b> Bianconi, 1854 II	<b><i>Hippocampus guttulatus</i></b> Cuvier, 1829 II
SYNGNATHIDAE (Actinopterygii) (E) Giraffe Seahorse	SYNGNATHIDAE (Actinopterygii) (E) Long-snouted Seahorse (F) Cheval marin, Hippocampe moucheté
<b><i>Hippocampus capensis</i></b> Boulenger, 1900 II	<b><i>Hippocampus hendriki</i></b> Kuiter, 2001 II SYNGNATHIDAE (Actinopterygii) (E) Eastern Spiny Seahorse
SYNGNATHIDAE (Actinopterygii) (E) Cape Seahorse, Knysna Seahorse	<i>Hippocampus heptagonus</i> Rafinesque, 1810 = <i>Hippocampus hippocampus</i> (Linnaeus, 1758)
<i>Hippocampus chinensis</i> Basilewsky, 1855 = <i>Hippocampus kuda</i> Bleeker, 1852	<i>Hippocampus hildebrandi</i> Ginsburg, 1933 = <i>Hippocampus ingens</i> Girard, 1858
<b><i>Hippocampus colemani</i></b> Kuiter, 2003 II SYNGNATHIDAE (Actinopterygii) (E) Coleman's Pygmy Seahorse	<i>Hippocampus hilonis</i> Jordan & Evermann, 1903 = <i>Hippocampus kuda</i> Bleeker, 1852
<b><i>Hippocampus comes</i></b> Cantor, 1849 II SYNGNATHIDAE (Actinopterygii) (E) Tiger-tail Seahorse	<b><i>Hippocampus hippocampus</i></b> (Linnaeus, 1758) II
<b><i>Hippocampus coronatus</i></b> Temminck & Schlegel, 1850 II	SYNGNATHIDAE (Actinopterygii) (E) Black Seahorse, Sea Horse, Short-snouted Seahorse (S) Caballo marino, Cabalo de mar (F) Cheval de mer, Hippocampe, Hippocampe à museau court
SYNGNATHIDAE (Actinopterygii) (E) Crowned Seahorse (F) Hippocampe couronné	<b><i>Hippocampus histrix</i></b> Kaup, 1856 II SYNGNATHIDAE (Actinopterygii) (E) Seahorse, Spiny Seahorse, Thorny Seahorse (F) Hippocampe épineux
<i>Hippocampus dahli</i> Ogilby, 1908 = <i>Hippocampus trimaculatus</i> Leach, 1814	<i>Hippocampus horai</i> Duncker, 1926 = <i>Hippocampus kuda</i> Bleeker, 1852
<i>Hippocampus deanei</i> Duméril, 1861 = <i>Hippocampus algiricus</i> Kaup, 1856	<i>Hippocampus hudsonius</i> DeKay, 1842 = <i>Hippocampus erectus</i> Perry, 1810
<b><i>Hippocampus debelius</i></b> Gomon & Kuiter, 2009 II	<b><i>Hippocampus ingens</i></b> Girard, 1858 II SYNGNATHIDAE (Actinopterygii) (E) Giant Seahorse, Pacific Seahorse (S) Caballito de mar del Pacífico (F) Hippocampe marin
SYNGNATHIDAE (Actinopterygii) (E) Softcoral Seahorse	<i>Hippocampus japonicus</i> Kaup, 1856 = <i>Hippocampus mohnikei</i> Bleeker, 1854
<b><i>Hippocampus denise</i></b> Lourie & Randall, 2003 II	<b><i>Hippocampus jayakari</i></b> Boulenger, 1900 II
SYNGNATHIDAE (Actinopterygii)	SYNGNATHIDAE (Actinopterygii) (E) Jayakar's Seahorse
<i>Hippocampus ecuadorensis</i> Fowler, 1922 = <i>Hippocampus ingens</i> Girard, 1858	<i>Hippocampus jubatus de la Pylaie</i> , 1835 = <i>Hippocampus guttulatus</i> Cuvier, 1829
<i>Hippocampus elongatus</i> Castelnau, 1873 = <i>Hippocampus subelongatus</i> Castelnau, 1873	<b><i>Hippocampus jugumus</i></b> Kuiter, 2001 II SYNGNATHIDAE (Actinopterygii) (E) Collared Seahorse
<b><i>Hippocampus erectus</i></b> Perry, 1810 II SYNGNATHIDAE (Actinopterygii) (E) Black Seahorse, Brown Seahorse, Horsefish, Lined Seahorse, Northern Seahorse, Spotted Seahorse, Yellow Seahorse (S) Caballito erecto, Caballito punteado (F) Hippocampe moucheté, Hippocampe rayé	<i>Hippocampus kampylotrachelos</i> Bleeker, 1854 = <i>Hippocampus trimaculatus</i> Leach, 1814
<i>Hippocampus erinaceus</i> Günther, 1870 = <i>Hippocampus angustus</i> Günther, 1870	<i>Hippocampus kaupii</i> Duméril, 1870 = <i>Hippocampus algiricus</i> Kaup, 1856
<i>Hippocampus europaeus</i> Ginsburg, 1933 = <i>Hippocampus hippocampus</i> (Linnaeus, 1758)	<b><i>Hippocampus kelloggi</i></b> Jordan & Snyder, 1901 II
<i>Hippocampus fasciatus</i> Kaup, 1856 = <i>Hippocampus coronatus</i> Temminck & Schlegel, 1850	SYNGNATHIDAE (Actinopterygii) (E) Great Seahorse, Kellogg's Seahorse, Offshore Seahorse
<i>Hippocampus fascicularis</i> Kaup, 1856 = <i>Hippocampus erectus</i> Perry, 1810	<i>Hippocampus kincaidi</i> Townsend & Barbour, 1906 = <i>Hippocampus erectus</i> Perry, 1810
<i>Hippocampus filamentosus</i> Duméril, 1870 = <i>Hippocampus guttulatus</i> Cuvier, 1829	<b><i>Hippocampus kuda</i></b> Bleeker, 1852 II SYNGNATHIDAE (Actinopterygii) (E) Black Seahorse, Coloured Seahorse, Oceanic Seahorse, Spotted Seahorse, Yellow Seahorse (F) Cheval marin, Grand hippocampe, Hippocampe doré, Hippocampe du Pacifique
<b><i>Hippocampus fisheri</i></b> Jordan & Evermann, 1903 II	<i>Hippocampus kuda multiannularis</i> Bleeker, 1852 = <i>Hippocampus kuda</i> Bleeker, 1852
SYNGNATHIDAE (Actinopterygii) (E) Fisher's Seahorse	<i>Hippocampus laevicaudatus</i> Kaup, 1856 = <i>Hippocampus erectus</i> Perry, 1810
<b><i>Hippocampus fuscus</i></b> Rüppell, 1838 II SYNGNATHIDAE (Actinopterygii) (E) Chilka Seahorse, Sea Pony	<i>Hippocampus lenis de Vis</i> , 1908 = <i>Hippocampus trimaculatus</i> Leach, 1814
<i>Hippocampus graciliformis</i> McCulloch, 1911 = <i>Hippocampus abdominalis</i> Lesson, 1827	<b><i>Hippocampus lichtensteinii</i></b> Kaup, 1856 II
<i>Hippocampus gracilis</i> Gill, 1862 = <i>Hippocampus ingens</i> Girard, 1858	SYNGNATHIDAE (Actinopterygii) (E) Lichtenstein's Seahorse
<b><i>Hippocampus grandiceps</i></b> Kuiter, 2001 II	
SYNGNATHIDAE (Actinopterygii) (E) Big-head	

- Hippocampus longirostris* Schinz, 1822 = *Hippocampus guttulatus* Cuvier, 1829
- Hippocampus macleayana* Fowler, 1907 = *Hippocampus abdominalis* Lesson, 1827
- Hippocampus manadensis* Bleeker, 1856 = *Hippocampus trimaculatus* Leach, 1814
- Hippocampus mannulus* Cantor, 1849 = *Hippocampus trimaculatus* Leach, 1814
- Hippocampus marginalis* Kaup, 1856 = *Hippocampus erectus* Perry, 1810
- Hippocampus melanospilos* Bleeker, 1854 = *Hippocampus kuda* Bleeker, 1852
- Hippocampus microcoronatus* Slastenenko, 1938 = *Hippocampus guttulatus* Cuvier, 1829
- Hippocampus microstefphanus* Slastenenko, 1937 = *Hippocampus guttulatus* Cuvier, 1829
- Hippocampus minotaur*** Gomon, 1997 II  
SYNGNATHIDAE (Actinopterygii) (E) Bullneck Seahorse
- Hippocampus mohnikei*** Bleeker, 1854 II  
SYNGNATHIDAE (Actinopterygii) (E) Japanese Seahorse
- Hippocampus moluccensis* Bleeker, 1852 = *Hippocampus kuda* Bleeker, 1852
- Hippocampus montebelloensis*** Kuiter, 2001 II  
SYNGNATHIDAE (Actinopterygii) (E) Monte Bello Seahorse
- Hippocampus multiannularis* Ginsburg, 1937 = *Hippocampus guttulatus* Cuvier, 1829
- Hippocampus multispinus*** Kuiter, 2001 II  
SYNGNATHIDAE (Actinopterygii) (E) Northern Spiny Seahorse
- Hippocampus natalensis* von Bonde, 1923 = *Hippocampus kuda* Bleeker, 1852
- Hippocampus novaehebridorum* Fowler, 1944 = *Hippocampus kuda* Bleeker, 1852
- Hippocampus novaehollandiae* Steindachner, 1866 = *Hippocampus whitei* Bleeker, 1855
- Hippocampus obscurus* Ehrenberg in Klunzinger, 1871 = *Hippocampus fuscus* Rüppell, 1838
- Hippocampus obtusus* Ginsburg, 1933 = *Hippocampus reidi* Ginsburg, 1933
- Hippocampus paradoxus*** Foster & Gomon, 2010 II  
SYNGNATHIDAE (Actinopterygii)
- Hippocampus patagonicus*** Piacentino & Luzzatto, 2004 II SYNGNATHIDAE (Actinopterygii) (E) Patagonian Seahorse
- Hippocampus pentagonus* Ginsburg, 1937 = *Hippocampus hippocampus* (Linnaeus, 1758)
- Hippocampus planifrons* Peters, 1877 = *Hippocampus trimaculatus* Leach, 1814
- Hippocampus poeyi* Howell Rivero, 1934 = *Hippocampus reidi* Ginsburg, 1933
- Hippocampus polytaenia* Bleeker, 1854 = *Hippocampus kuda* Bleeker, 1852
- Hippocampus pontohi*** Lourie & Kuiter, 2008 II  
SYNGNATHIDAE (Actinopterygii)
- Hippocampus procerus*** Kuiter, 2001 II SYNGNATHIDAE (Actinopterygii) (E) High-crown Seahorse
- Hippocampus punctulatus* Guichenot, 1853 = *Hippocampus erectus* Perry, 1810
- Hippocampus punctulatus* Kaup, 1856 = *Hippocampus algiricus* Kaup, 1856
- Hippocampus queenslandicus*** Horne, 2001 II  
SYNGNATHIDAE (Actinopterygii) (E) Queensland Seahorse
- Hippocampus raji* Whitley, 1955 = *Hippocampus kuda* Bleeker, 1852
- Hippocampus ramulosus* Leach, 1814 = *Hippocampus guttulatus* Cuvier, 1829
- Hippocampus regulus* Ginsburg, 1933 = *Hippocampus zosterae* Jordan & Gilbert, 1882
- Hippocampus reidi*** Ginsburg, 1933 II SYNGNATHIDAE (Actinopterygii) (E) Longsnout Seahorse, Slender Seahorse (F) Hippocampe long-nez
- Hippocampus rhynchosacer* Duméril, 1870 = *Hippocampus kuda* Bleeker, 1852
- Hippocampus ringens* Jordan & Evermann, 1905 = *Hippocampus ingens* Girard, 1858
- Hippocampus rondeletii* Yarrell (ex Willughby), 1841 = *Hippocampus hippocampus* (Linnaeus, 1758)
- Hippocampus rosaceus* Risso, 1827 = *Hippocampus guttulatus* Cuvier, 1829
- Hippocampus rosamondae* Borodin, 1928 = *Hippocampus zosterae* Jordan & Gilbert, 1882
- Hippocampus satomiae*** Lourie & Kuiter, 2008 II  
SYNGNATHIDAE (Actinopterygii)
- Hippocampus semispinosus*** Kuiter, 2001 II  
SYNGNATHIDAE (Actinopterygii) (E) Half-spined Seahorse
- Hippocampus severnsi*** Lourie & Kuiter, 2008 II  
SYNGNATHIDAE (Actinopterygii)
- Hippocampus sexmaculatus* Kaup, 1856 = *Hippocampus trimaculatus* Leach, 1814
- Hippocampus sindonis*** Jordan & Snyder, 1901 II  
SYNGNATHIDAE (Actinopterygii) (E) Dhiho's Seahorse
- Hippocampus spinosissimus*** Weber, 1913 II  
SYNGNATHIDAE (Actinopterygii) (E) Hedgehog Seahorse
- Hippocampus stylifer* Jordan & Gilbert, 1882 = *Hippocampus erectus* Perry, 1810
- Hippocampus subcoronatus* Günther in Playfair & Günther, 1867 = *Hippocampus camelopardalis* Bianconi, 1854
- Hippocampus subelongatus*** Castelnau, 1873 II  
SYNGNATHIDAE (Actinopterygii) (E) Tiger-snout Seahorse, West Australian Seahorse
- Hippocampus suezensis* Duncker, 1940 = *Hippocampus kelloggi* Jordan & Snyder, 1901
- Hippocampus taenioops* Fowler, 1904 = *Hippocampus kuda* Bleeker, 1852
- Hippocampus taeniopterus* Bleeker, 1852 = *Hippocampus kuda* Bleeker, 1852
- Hippocampus takakurae* Tanaka, 1916 = *Hippocampus trimaculatus* Leach, 1814
- Hippocampus tetragonus* Mitchell, 1814 = *Hippocampus erectus* Perry, 1810
- Hippocampus trimaculatus*** Leach, 1814 II  
SYNGNATHIDAE (Actinopterygii) (E) Flat-faced Seahorse, Longnose Seahorse, Low-crowned

Seahorse, Three-spot Seahorse, Three-spotted Seahorse	Hobby (E): <i>Falco subbuteo</i>
<b><i>Hippocampus tristis</i></b> Castelnau, 1872 = <i>Hippocampus kuda</i> Bleeker, 1852	Hobby, African (E): <i>Falco cuvierii</i>
<b><i>Hippocampus tuberculatus</i></b> Castelnau, 1875 = <i>Hippocampus breviceps</i> Peters, 1869	Hobby, Australian (E): <i>Falco longipennis</i>
<b><i>Hippocampus tyro</i></b> Randall & Lourie, 2009 II	Hobby, Eurasian (E): <i>Falco subbuteo</i>
SYNGNATHIDAE (Actinopterygii)	Hobby, Northern (E): <i>Falco subbuteo</i>
<b><i>Hippocampus valentini</i></b> Bleeker, 1859 = <i>Hippocampus kuda</i> Bleeker, 1852	Hobby, Oriental (E): <i>Falco severus</i>
<b><i>Hippocampus villosum</i></b> Günther, 1880 = <i>Hippocampus erectus</i> Perry, 1810	Hobereau africain (F): <i>Falco cuvierii</i>
<b><i>Hippocampus vulgaris</i></b> Cloquet, 1821 = <i>Hippocampus hippocampus</i> (Linnaeus, 1758)	Hobereau à poitrine rousse (F): <i>Falco severus</i>
<b><i>Hippocampus waleananus</i></b> Gomon & Kuiter, 2009 II	Hocco à bec bleu (F): <i>Crax alberti</i>
SYNGNATHIDAE (Actinopterygii) (E) Walea Pygmy Seahorse	Hocco à bec rouge (F): <i>Crax blumenbachii</i>
<b><i>Hippocampus whitei</i></b> Bleeker, 1855 II SYNGNATHIDAE (Actinopterygii) (E) New Holland Seahorse, Sydney Seahorse, White's Seahorse	Hocco à pierre (F): <i>Pauxi pauxi</i>
<b><i>Hippocampus zebra</i></b> Whitley, 1964 II SYNGNATHIDAE (Actinopterygii) (E) Zebra Seahorse	Hocco d'Albert (F): <i>Crax alberti</i>
<b><i>Hippocampus zosterae</i></b> Jordan & Gilbert, 1882 II	Hocco de Blumenbach (F): <i>Crax blumenbachii</i>
SYNGNATHIDAE (Actinopterygii) (E) Dwarf Seahorse (S) Caballito oliváceo (F) Hippocampe nain	Hocco de Daubenton (F): <i>Crax daubentoni</i>
Hippo, Large (E): <i>Hippopotamus amphibius</i>	Hocco globuleux (F): <i>Crax globulosa</i>
Hippopotame (F): <i>Hippopotamus amphibius</i>	Hocco huppé (F): <i>Oreophasis derbianus</i>
Hippopotame amphibia (F): <i>Hippopotamus amphibius</i>	Hocco mitou (F): <i>Mitu mitu</i>
Hippopotame nain (F): <i>Hexaprotodon liberiensis</i>	Hocco piguiazul (S): <i>Crax alberti</i>
Hippopotame pygmée (F): <i>Hexaprotodon liberiensis</i>	Hocheur (F): <i>Cercopithecus nictitans</i>
Hippopotamus (E): <i>Hippopotamus amphibius</i>	Hocheur à nez rouge (F): <i>Cercopithecus erythrotis</i>
<b><i>Hippopotamus amphibius</i></b> Linnaeus, 1758 II	Hocheur blanc-nez du Bénin (F): <i>Cercopithecus petaurista</i>
HIPPOPOTAMIDAE (Mammalia) (E) Hippopotamus, Large Hippo (S) Hipopótamo (F) Hippopotame, Hippopotame amphibia	Hocheur du Ghana (F): <i>Cercopithecus petaurista</i>
Hippopotamus, Pygmy (E): <i>Hexaprotodon liberiensis</i>	Hoco à caroncule (F): <i>Crax globulosa</i>
<i>Hippopus</i> spp. II TRIDACNIDAE (Bivalvia)	Hoco barbado (S): <i>Crax globulosa</i>
<b><i>Hippopus hippopus</i></b> (Linnaeus, 1758) II TRIDACNIDAE (Bivalvia) (E) Bear Paw Clam, Horse's Hoof Clam, Strawberry Clam	Hoco de casco (S): <i>Pauxi pauxi</i>
<b><i>Hippopus porcellanus</i></b> Rosewater, 1982 II TRIDACNIDAE (Bivalvia) (E) China Clam	Hoco de Daubenton (S): <i>Crax daubentoni</i>
Hippotrague géant de l'Angola (F): <i>Hippotragus niger variani</i>	Hoco de pico navaja (S): <i>Mitu mitu</i>
Hippotrague noir géant (F): <i>Hippotragus niger variani</i>	Hoco faisán (S): <i>Crax rubra</i>
<b><i>Hippotragus niger</i></b> (Harris, 1838) I/NC BOVIDAE (Mammalia) (E) Sable Antelope	Hoco grande (S): <i>Crax rubra</i>
<b><i>Hippotragus niger variani</i></b> (Thomas, 1916) I BOVIDAE (Mammalia) (E) Giant Sable Antelope (S) Antílope negro gigante, Antílope sable negro (F) Hippotrague géant de l'Angola, Hippotrague noir géant	Hoco mitu (S): <i>Mitu mitu</i>
Hirondelle à lunettes (F): <i>Pseudochelidon sirintarae</i>	Hoco piguerojo (S): <i>Crax blumenbachii</i>
<b><i>Hirudo medicinalis</i></b> Linnaeus, 1758 II HIRUDINIDAE (Hirudinoidea) (E) Medicinal Leech, Northern Medicinal Leech (S) Sanguijuela (F) Sangsue médicinale, Sangsue Officinale	Hoe-mother (E): <i>Cetorhinus maximus</i>
<b><i>Hirudo officinalis</i></b> (Savigny, 1820) = <i>Hirudo medicinalis</i> Linnaeus, 1758	Hog, Deer (E): <i>Babyrousa babyrussa</i>
<b><i>Hirudo verbana</i></b> Carena, 1820 II HIRUDINIDAE (Hirudinoidea) (E) Southern Medicinal Leech	Hog, Pygmy (E): <i>Sus salvanius</i>
	Hoki blanco (S): <i>Crossoptilon crossoptilon</i>
	Hoki pardo (S): <i>Crossoptilon mantchuricum</i>
	Hokki blanc (F): <i>Crossoptilon crossoptilon</i>
	Hokki brun (F): <i>Crossoptilon mantchuricum</i>
	<b><i>Holcotrechus</i> spp.</b> Dennant 1902 II TURBINOLIIDAE (Anthozoa)
	<b><i>Holcotrechus crenulatus</i></b> Dennant, 1904 II TURBINOLIIDAE (Anthozoa)
	<b><i>Holcotrechus scriptus</i></b> Dennant, 1902 II TURBINOLIIDAE (Anthozoa)
	<i>Homalochilus chrysogaster</i> Cope, 1871 = <i>Epicrates chrysogaster</i> (Cope, 1871)
	<i>Homalochilus multisectus</i> Cope, 1862 = <i>Epicrates striatus</i> (Fischer, 1856)
	<i>Homalochilus striatus</i> Fischer, 1856 = <i>Epicrates striatus</i> (Fischer, 1856)
	<i>Homalochilus strigilatus</i> Cope, 1862 = <i>Epicrates striatus</i> (Fischer, 1856)
	<b><i>HOMINIDAE</i> spp.</b> Gray, 1825 I/II (Mammalia) (E) Chimpanzees, Gorilla, Orang-Utan (S) Chimpancés, Gorila, Orangutane (F) Chimpanzés, Gorille, Orang-Outan
	<b><i>Homo</i> spp.</b> Linnaeus, 1758 II HOMINIDAE (Mammalia)
	<i>Homophyllia australis</i> (Milne Edwards & Haime, 1848) = <i>Scolymia australis</i> (Milne Edwards & Haime, 1848)

<i>Homophyllia incrassata</i> Dennant, 1906 = <i>Heterocyathus sulcatus</i> (Verrill, 1866)		<i>Hoplobatrachus davidis</i> Möllendorff, 1877 = <i>Andrias davidianus</i> (Blanchard, 1871)
Homopode à éperon (F): <i>Homopus femoralis</i>		<b><i>Hoplobatrachus tigerinus</i></b> (Daudin, 1802) II
Homopode aréolé (F): <i>Homopus areolatus</i>		DICROGLOSSIDAE (Amphibia) (E) Indian Bullfrog, Tiger Frog (F) Grenouille tigre, Grenouille tigrée
Homopode de Boulenger (F): <i>Homopus boulengeri</i>		<i>Hoplobatrachus tigerinus</i> Dubois, 1992 = <i>Hoplobatrachus tigerinus</i> (Daudin, 1802)
Homopode éperonné (F): <i>Homopus femoralis</i>		Hoplocéphale à large tête (F): <i>Hoplocephalus bungaroides</i>
Homopode marqué (F): <i>Homopus signatus</i>		Hoplocéphale de Schlegel (F): <i>Hoplocephalus bungaroides</i>
<b><i>Homopus</i> spp.</b> Duméril and Bibron, 1834 II 46	TESTUDINIDAE (Reptilia)	<i>Hoplocephalus bungaroides</i> (Schlegel, 1837) II ELAPIDAE (Reptilia) (E) Broad-headed Snake, Fierce Snake (F) Hoplocéphale à large tête, Hoplocéphale de Schlegel
<b><i>Homopus areolatus</i></b> (Thunberg, 1787) II 46	TESTUDINIDAE (Reptilia) (E) Areolated Tortoise, Beaked Cape Tortoise, Grooved Mountain Tortoise, Parrot-beaked Tortoise (S) Tortuga pico de loro (F) Homopode aréolé	<i>Hoplodactylus</i> spp. III GEKKONIDAE (Reptilia)
<i>Homopus bergeri</i> Lindholm, 1906 = <i>Psammobates tentorius</i> (Bell, 1828)		<i>Hoplodactylus chrysosireticus</i> Robb, 1980 III GEKKONIDAE (Reptilia) (E) Golden Sticky-toed Gecko, Gold-striped Gecko, Goldstripe Gecko
<i>Homopus bergeri</i> Lindholm, 1906 = <i>Homopus solus</i> Branch, 2007		<i>Hoplodactylus cryptozoicus</i> Jewell & Leschen, 2004 III GEKKONIDAE (Reptilia)
<b><i>Homopus boulengeri</i></b> Duerden, 1906 II 46	TESTUDINIDAE (Reptilia) (E) Boulenger's Cape Tortoise, Boulenger's Padloper, Karoo Dwarf Tortoise, Karoo Padloper (S) Tortuga terrestre (F) Homopode de Boulenger	<i>Hoplodactylus delcourtii</i> Bauer & Russell, 1986 III GEKKONIDAE (Reptilia) (E) Delcourt's Sticky-toed Gecko
<i>Homopus burnesii</i> Blyth, 1854 = <i>Testudo horsfieldii</i> Gray, 1844		<i>Hoplodactylus duvaucelii</i> (Duméril & Bibron, 1836) = <i>Hoplodactylus duvaucelii</i> (Duméril & Bibron, 1836)
<i>Homopus darlingi</i> Boulenger, 1902 = <i>Kinixys spekii</i> Gray, 1863		<i>Hoplodactylus duvaucelii</i> (Duméril & Bibron, 1836) III GEKKONIDAE (Reptilia) (E) Duvaucel's Gecko, Northern Sticky-toed Gecko
<b><i>Homopus femoralis</i></b> Boulenger, 1888 II 46	TESTUDINIDAE (Reptilia) (E) Greater Dward Tortoise, Greater Padloper, Karoo Cape Tortoise (F) Homopode à éperon, Homopode éperonné	<i>Hoplodactylus granulatus</i> (Gray, 1845) III GEKKONIDAE (Reptilia) (E) Forest Gecko, Granulated Gecko, Gray's Sticky-toed Gecko
<i>Homopus nogueyi</i> Lataste, 1886 = <i>Kinixys belliana</i> (Gray, 1831)		<i>Hoplodactylus kahutarae</i> Whitaker, 1985 III GEKKONIDAE (Reptilia) (E) Black-eyed Gecko, Whitaker's Sticky-toed Gecko
<b><i>Homopus signatus</i></b> (Gmelin, 1789) II 46 TESTUDINIDAE	(Reptilia) (E) Speckled Cape Tortoise, Speckled Padloper, Speckled Tortoise (S) Tortuga manchada (F) Homopode marqué	<i>Hoplodactylus maculatus</i> (Gray, 1845) III GEKKONIDAE (Reptilia) (E) Common Gecko, Spotted Sticky-toed Gecko
<b><i>Homopus solus</i></b> Branch, 2007 II 46 TESTUDINIDAE	(Reptilia) (E) Nama Tortoise	<i>Hoplodactylus nebulosus</i> (McCann, 1955) III GEKKONIDAE (Reptilia) (E) Cloudy Gecko
Honey-buzzard, Barred (E): <i>Pernis celebensis</i>		<i>Hoplodactylus pacificus</i> (Gray, 1842) III GEKKONIDAE (Reptilia) (E) Pacific Gecko, Pacific Sticky-toed Gecko
Honey-buzzard, Black (E): <i>Henicopernis infuscatus</i>		<i>Hoplodactylus rakiurae</i> Thomas, 1981 III GEKKONIDAE (Reptilia) (E) Harlequin Gecko, Stewart's Sticky-toed Gecko
Honey-buzzard, European (E): <i>Pernis apivorus</i>		<i>Hoplodactylus stephensi</i> Robb, 1980 III GEKKONIDAE (Reptilia) (E) Stephens's Island Gecko, Stephens's Sticky-toed Gecko, Striped Gecko
Honey-buzzard, Long-tailed (E): <i>Henicopernis longicauda</i>		<b><i>Horastrea</i> spp.</b> Pichon 1971 II SIDERASTREIDAE (Anthozoa)
Honey-buzzard, New Britain (E): <i>Henicopernis infuscatus</i>		<b><i>Horastrea indica</i></b> Pichon, 1971 II SIDERASTREIDAE (Anthozoa)
Honey-buzzard, Oriental (E): <i>Pernis ptilorhynchus</i>		Hormiguero gigante (S): <i>Myrmecophaga tridactyla</i>
Honey-buzzard, Papuan (E): <i>Henicopernis longicauda</i>		Hornbill, Asian Black (E): <i>Anthracoboceros malayanus</i>
Honeyeater, Helmeted (E): <i>Lichenostomus melanops cassidix</i>		Hornbill, Asian White-crested (E): <i>Berenicornis comatus</i>
Honeyeater, Yellow-tufted (E): <i>Lichenostomus melanops</i>		Hornbill, Assam Brown-backed (E): <i>Anorrhinus tickelli</i>
Hoolock (F): <i>Bunopithecus hoolock</i>		Hornbill, Bar-pouched Wreathed (E): <i>Rhyticeros undulatus</i>
Hoolock hoolock (Harlan, 1834) = <i>Bunopithecus hoolock</i> (Harlan, 1834)		Hornbill, Bar-throated Wreathed (E): <i>Rhyticeros undulatus</i>
<i>Hoolock leuconedys</i> (Groves, 1967) = <i>Bunopithecus hoolock</i> (Harlan, 1834)		Hornbill, Black (E): <i>Anthracoboceros malayanus</i>
<b><i>Hoplania</i> spp.</b> Gosse 1860 II CARYOPHYLLIIDAE	(Anthozoa)	Hornbill, Blyth's (E): <i>Rhyticeros subruficollis</i>
<b><i>Hoplania durotrix</i></b> Gosse, 1860 II CARYOPHYLLIIDAE	(Anthozoa) (E) Weymouth Carpet Coral	Hornbill, Blyth's Wreathed (E): <i>Rhyticeros subruficollis</i>
<i>Hoplania pallaryi</i> Joubin, 1930 = <i>Cladocora caespitosa</i> (Linnaeus, 1767)		Hornbill, Brown (E): <i>Anorrhinus tickelli</i>

- Hornbill, Burmese (E): *Rhyticeros subruficollis*  
 Hornbill, Bushy-crested (E): *Anorrhinus galeritus*  
 Hornbill, Buton (E): *Aceros cassidix*  
 Hornbill, Celebes (E): *Penelopides exarhatus*  
 Hornbill, Celebes (E): *Aceros cassidix*  
 Hornbill, Celebes Tarictic (E): *Penelopides exarhatus*  
 Hornbill, Concave-casqued (E): *Buceros bicornis*  
 Hornbill, Great (E): *Buceros bicornis*  
 Hornbill, Greater Sulawesi (E): *Aceros cassidix*  
 Hornbill, Great Indian (E): *Buceros bicornis*  
 Hornbill, Great Pied (E): *Buceros bicornis*  
 Hornbill, Helmeted (E): *Rhinoplax vigil*  
 Hornbill, Indian (E): *Buceros bicornis*  
 Hornbill, Indian Concave-casqued (E): *Buceros bicornis*  
 Hornbill, Indian Pied (E): *Anthracoceros albirostris*  
 Hornbill, Knobbed (E): *Aceros cassidix*  
 Hornbill, Long-crested (E): *Berenicornis comatus*  
 Hornbill, Malaysian Black (E): *Anthracoceros malayanus*  
 Hornbill, Mindanao Wrinkled (E): *Aceros leucocephalus*  
 Hornbill, Narcondam (E): *Rhyticeros narcondami*  
 Hornbill, New Guinea (E): *Rhyticeros plicatus*  
 Hornbill, New Guinea Wreathed (E): *Rhyticeros plicatus*  
 Hornbill, Northern Waved (E): *Rhyticeros undulatus*  
 Hornbill, Palawan (E): *Anthracoceros marchei*  
 Hornbill, Panay Tarictic (E): *Penelopides panini*  
 Hornbill, Panay Wrinkled (E): *Aceros waldeni*  
 Hornbill, Papuan (E): *Rhyticeros plicatus*  
 Hornbill, Pied (E): *Anthracoceros coronatus*  
 Hornbill, Plain-pouched (E): *Rhyticeros subruficollis*  
 Hornbill, Plain-pouched Wreathed (E): *Rhyticeros subruficollis*  
 Hornbill, Plicated (E): *Rhyticeros plicatus*  
 Hornbill, Red-knobbed (E): *Aceros cassidix*  
 Hornbill, Rhinoceros (E): *Buceros rhinoceros*  
 Hornbill, Rufous (E): *Buceros hydrocorax*  
 Hornbill, Rufous-cheeked (E): *Aceros nipalensis*  
 Hornbill, Rufous-headed (E): *Aceros waldeni*  
 Hornbill, Rufous-necked (E): *Aceros nipalensis*  
 Hornbill, Sulawesi (E): *Penelopides exarhatus*  
 Hornbill, Sulawesi Dwarf (E): *Penelopides exarhatus*  
 Hornbill, Sulawesi Tarictic (E): *Penelopides exarhatus*  
 Hornbill, Sulawesi Wrinkled (E): *Aceros cassidix*  
 Hornbill, Sulu (E): *Anthracoceros montani*  
 Hornbill, Sumba (E): *Rhyticeros everetti*  
 Hornbill, Sumba Wreathed (E): *Rhyticeros everetti*  
 Hornbill, Sunda Pied (E): *Anthracoceros albirostris*  
 Hornbill, Sunda Wrinkled (E): *Aceros corrugatus*  
 Hornbill, Tarictic (E): *Penelopides panini*  
 Hornbill, Tickell's Brown (E): *Anorrhinus tickelli*  
 Hornbill, Visayan (E): *Penelopides panini*  
 Hornbill, Visayan Wrinkled (E): *Aceros waldeni*  
 Hornbill, White-crested (E): *Berenicornis comatus*  
 Hornbill, White-crowned (E): *Berenicornis comatus*  
 Hornbill, White-headed (E): *Aceros leucocephalus*  
 Hornbill, Wreathed (E): *Rhyticeros undulatus*  
 Hornbill, Wrinkled (E): *Aceros corrugatus*  
 Hornbill, Writhed (E): *Aceros leucocephalus*  
 Hornbill, Writhed-billed (E): *Aceros waldeni*  
 Horned-Pheasant, Crimson (E): *Tragopan satyra*  
 Horned-Pheasant, Western (E): *Tragopan melanocephalus*  
*Hornera eburnea* Calvet, 1903 = *Lepidopora eburnea* (Calvet, 1903)  
*Hornera gravieri* Calvet, 1911 = *Pliothrus symmetricus* Pourtalès, 1868  
*Hornera verrucosa* Calvet, 1903 = *Errina dabneyi* (Pourtalès, 1871)  
 Horsefish (E): *Hippocampus erectus*  
 Horse, Mongolian Wild (E): *Equus przewalskii*  
 Horse, Przewalski's (E): *Equus przewalskii*  
 Horse, Przewalski's Wild (E): *Equus przewalskii*  
 Horse, Sea (E): *Hippocampus hippocampus*  
*Hortulia natalensis* (A. Smith, 1833) = *Python sebae* (Gmelin, 1789)  
*Hortulia regia* (Shaw, 1802) = *Python regius* (Shaw, 1802)  
*Hortulia sebae* (Gmelin, 1788) = *Python sebae* (Gmelin, 1789)  
*Hoserelapidea diastema* (Duméril, Bibron & Duméril, 1854) = *Micrurus diastema* (Duméril, Bibron & Duméril, 1854)  
*Hoserelapidea nigrocinctus* (Girard, 1855) = *Micrurus nigrocinctus* (Girard, 1854)  
 Houbara (E): *Chlamydotis undulata*  
 Houbara, Asian (E): *Chlamydotis macqueenii*  
 Houbara ondulé (F): *Chlamydotis undulata*  
**Houbaropsis spp.** I OTIDIDAE (Aves)  
**Houbaropsis bengalensis** (Gmelin, 1789) I OTIDIDAE (Aves) (E) Bengal Bustard, Bengal Florican (S) Avutarda bengalí, Avutarda de Bengala, Sisón bengali (F) Outarde du Bengale  
 Houleman (F): *Semnopithecus entellus*  
 Houlemán (S): *Semnopithecus entellus*  
 Howler, Black (E): *Alouatta caraya*  
 Howler, Brown (E): *Alouatta guariba*  
 Howler, Guatemalan (E): *Alouatta pigra*  
 Howler, Mantled (E): *Alouatta palliata*  
 Howler, Red (E): *Alouatta seniculus*  
 Howler, Red-handed (E): *Alouatta belzebul*  
 Huallaca (S): *Lontra felina*  
 Huapo colorado (S): *Cacajao calvus*  
 Huapo rojo (S): *Cacajao calvus*  
 Hubara (S): *Chlamydotis undulata*  
 Huemul (S): *Hippocamelus antisensis*  
 Huemul (S): *Hippocamelus bisulcus*  
 Huemul, Chilean (E): *Hippocamelus bisulcus*  
 Huémul des Andes méridionales (F): *Hippocamelus bisulcus*  
 Huémul des Andes septentrionales (F): *Hippocamelus antisensis*  
 Huemul, North Andean (E): *Hippocamelus antisensis*  
 Huemul, Patagonian (E): *Hippocamelus bisulcus*  
 Huemul, Peruvian (E): *Hippocamelus antisensis*  
 Huemul, South Andean (E): *Hippocamelus bisulcus*  
*Huhua shelleyi* Sharpe & Ussher, 1872 = *Bubo shelleyi* (Sharpe & Ussher, 1872)  
 Huillin (E): *Lontra provocax*  
 Huillin (F): *Lontra provocax*  
 Huillín (S): *Lontra provocax*  
 Hulotte africaine (F): *Strix woodfordii*

- Hulotte chat-huant (F): *Strix aluco*  
 Hummingbird, Allen's (E): *Selasphorus sasin*  
 Hummingbird, Amazilia (E): *Amazilia amazilia*  
 Hummingbird, Amethyst-throated (E): *Lampornis amethystinus*  
 Hummingbird, Anna's (E): *Calypte anna*  
 Hummingbird, Antillean Crested (E): *Orthorhynchus cristatus*  
 Hummingbird, Azure-crowned (E): *Amazilia cyanocephala*  
 Hummingbird, Beautiful (E): *Calothorax pulcher*  
 Hummingbird, Bee (E): *Mellisuga helenae*  
 Hummingbird, Berylline (E): *Amazilia beryllina*  
 Hummingbird, Black-bellied (E): *Euperusa nigriventris*  
 Hummingbird, Black-chinned (E): *Archilochus alexandri*  
 Hummingbird, Black-fronted (E): *Basilinna xantusii*  
 Hummingbird, Blue-capped (E): *Euperusa cyanophrys*  
 Hummingbird, Blue-cheasted (E): *Amazilia amabilis*  
 Hummingbird, Blue-headed (E): *Cyanophaia bicolor*  
 Hummingbird, Blue-tailed (E): *Amazilia cyanura*  
 Hummingbird, Blue-throated (E): *Lampornis clemenciae*  
 Hummingbird, Blue-vented (E): *Amazilia saucerrottei*  
 Hummingbird, Broad-billed (E): *Cynanthus latirostris*  
 Hummingbird, Broad-tailed (E): *Selasphorus platycercus*  
 Hummingbird, Buff-bellied (E): *Amazilia yucatanensis*  
 Hummingbird, Buffy (E): *Leucippus fallax*  
 Hummingbird, Bumblebee (E): *Atthis heloisa*  
 Hummingbird, Calliope (E): *Stellula calliope*  
 Hummingbird, Cerise-throated (E): *Selasphorus flammula*  
 Hummingbird, Chestnut-bellied (E): *Amazilia castaneiventris*  
 Hummingbird, Cinnamon (E): *Amazilia rutila*  
 Hummingbird, Copper-rumped (E): *Amazilia tobaci*  
 Hummingbird, Copper-tailed (E): *Amazilia cupreicauda*  
 Hummingbird, Costa's (E): *Calypte costae*  
 Hummingbird, Dusky (E): *Cynanthus sordidus*  
 Hummingbird, Emerald-chinned (E): *Abeillia abeillei*  
 Hummingbird, Fawn-breasted (E): *Amazilia yucatanensis*  
 Hummingbird, Fiery-throated (E): *Panterpe insignis*  
 Hummingbird, Garnet-throated (E): *Lamprolaima rhami*  
 Hummingbird, Giant (E): *Patagona gigas*  
 Hummingbird, Gilded (E): *Hylocharis chrysura*  
 Hummingbird, Glow-throated (E): *Selasphorus ardens*  
 Hummingbird, Green-and-white (E): *Amazilia viridicauda*  
 Hummingbird, Green-bellied (E): *Amazilia viridigaster*  
 Hummingbird, Green-fronted (E): *Amazilia viridifrons*  
 Hummingbird, Heliotrope-throated (E): *Selasphorus flammula*  
 Hummingbird, Indigo-capped (E): *Amazilia cyanifrons*  
 Hummingbird, Loja (E): *Amazilia alticola*  
 Hummingbird, Lucifer (E): *Calothorax lucifer*  
 Hummingbird, Magnificent (E): *Eugenes fulgens*  
 Hummingbird, Mangrove (E): *Amazilia boucardi*  
 Hummingbird, Many-spotted (E): *Taphrospilus hypostictus*  
 Hummingbird, Oasis (E): *Rhodopis vesper*  
 Hummingbird, Oaxaca (E): *Euperusa cyanophrys*  
 Hummingbird, Olive-spotted (E): *Leucippus chlorocercus*  
 Hummingbird, Purple-chested (E): *Amazilia rosenbergi*  
 Hummingbird, Rivoli's (E): *Eugenes fulgens*  
 Hummingbird, Ruby-throated (E): *Archilochus colubris*  
 Hummingbird, Ruby-topaz (E): *Chrysolampis mosquitus*  
 Hummingbird, Rufous (E): *Selasphorus rufus*  
 Hummingbird, Rufous-cheeked (E): *Goethalsia bella*  
 Hummingbird, Rufous-tailed (E): *Amazilia tzacatl*  
 Hummingbirds (E): *Trochilidae*  
 Hummingbird, Sapphire-bellied (E): *Lepidopyga lilliae*  
 Hummingbird, Sapphire-throated (E): *Lepidopyga coeruleogularis*  
 Hummingbird, Scaly-breasted (E): *Campylopterus cuvierii*  
 Hummingbird, Scintillant (E): *Selasphorus scintilla*  
 Hummingbird, Scissor-tailed (E): *Hylonympha macrocerca*  
 Hummingbird, Shining-green (E): *Lepidopyga goudoti*  
 Hummingbird, Snowy-breasted (E): *Amazilia edward*  
 Hummingbird, Sombre (E): *Aphantochroa cirrochloris*  
 Hummingbird, Sparkling-tailed (E): *Tilmatura dupontii*  
 Hummingbird, Speckled (E): *Adelomyia melanogenys*  
 Hummingbird, Spot-throated (E): *Leucippus taczaniowski*  
 Hummingbird, Steely-vented (E): *Amazilia saucerrottei*  
 Hummingbird, Stripe-tailed (E): *Euperusa eximia*  
 Hummingbird, Swallow-tailed (E): *Eupetomena macroura*  
 Hummingbird, Sword-billed (E): *Ensifera ensifera*  
 Hummingbird, Tooth-billed (E): *Androdon aequatorialis*  
 Hummingbird, Tumbes (E): *Leucippus baeri*  
 Hummingbird, Vervain (E): *Mellisuga minima*  
 Hummingbird, Violet-bellied (E): *Damophila julie*  
 Hummingbird, Violet-capped (E): *Goldmania violiceps*  
 Hummingbird, Violet-chested (E): *Sternoclyta cyanopectus*  
 Hummingbird, Violet-crowned (E): *Amazilia violiceps*  
 Hummingbird, Violet-headed (E): *Klais guimeti*  
 Hummingbird, Volcano (E): *Selasphorus flammula*  
 Hummingbird, Wedge-billed (E): *Schistes geoffroyi*  
 Hummingbird, White-bellied (E): *Amazilia chionogaster*  
 Hummingbird, White-eared (E): *Basilinna leucotis*  
 Hummingbird, White-tailed (E): *Euperusa poliocerca*  
 Hummingbird, White-throated (E): *Leucochloris albicollis*  
 Hummingbird, Wine-throated (E): *Atthis ellioti*  
 Hummingbird, Xantus's (E): *Basilinna xantusii*  
 Humphead (E): *Cheilinus undulatus*  
 Hurleur à mains rousses (F): *Alouatta belzebul*  
 Hurleur brun (F): *Alouatta guariba*  
 Hurleur du Guatemala (F): *Alouatta pigra*  
 Hurleur du Guatemala (F): *Alouatta palliata*  
 Hurleur noir (F): *Alouatta caraya*  
 Hurleur roux (F): *Alouatta seniculus*  
 Hurón (S): *Galictis vittata*  
 Hurón grange (S): *Galictis vittata*  
 Hurón mayor (S): *Eira barbara*  
*Hurria rynchos* (Schneider, 1799) = *Cerberus rynchos* (Schneider, 1799)  
**Huso spp. II ACIPENSERIDAE (Actinopterygii)**  
*Huso anasimos* Duméril, 1870 = *Acipenser fulvescens* Rafinesque, 1817  
*Huso anthracinus* Duméril, 1870 = *Acipenser fulvescens* Rafinesque, 1817  
*Huso atelaspis* Duméril, 1870 = *Acipenser fulvescens* Rafinesque, 1817  
*Huso copei* Duméril, 1870 = *Acipenser fulvescens* Rafinesque, 1817

<b><i>Huso dauricus</i></b> (Georgi, 1775) II ACIPENSERIDAE (Actinopterygii) (E) Great Siberian Sturgeon, Huso Sturgeon	<b><i>Hydnophora exesa</i></b> (Pallas, 1766) II MERULINIDAE (Anthozoa)
<i>Huso honneymani</i> Duméril, 1870 = <i>Acipenser fulvescens</i> Rafinesque, 1817	<b><i>Hydnophora grandis</i></b> Gardiner, 1904 II MERULINIDAE (Anthozoa)
<b><i>Huso huso</i></b> (Linnaeus, 1758) II ACIPENSERIDAE (Actinopterygii) (E) Beluga, European Sturgeon, Giant Sturgeon, Great Sturgeon, Russian Sturgeon (S) Beluga, Cola de pescado, Esturión, Esturión beluga (F) Beluga, Grand esturgeon, Ichtyocolle	<i>Hydnophora gyrosa</i> Milne Edwards & Haime, 1849 = <i>Hydnophora exesa</i> (Pallas, 1766)
<i>Huso huso caspicus</i> Babushkin, 1942 = <i>Huso huso</i> (Linnaeus, 1758)	<i>Hydnophora lobata</i> (Lamarck, 1816) = <i>Hydnophora exesa</i> (Pallas, 1766)
<i>Huso huso maeoticus</i> Sal'nikov & Malyatskii, 1934 = <i>Huso huso</i> (Linnaeus, 1758)	<i>Hydnophora maldivensis</i> Gardiner, 1904 = <i>Hydnophora exesa</i> (Pallas, 1766)
<i>Huso huso orientalis</i> Lelek, 1987 = <i>Huso huso</i> (Linnaeus, 1758)	<i>Hydnophora majori</i> Hoffmeister, 1925 = <i>Hydnophora rigida</i> (Dana, 1846)
<i>Huso huso ponticus</i> Sal'nikov & Malyatskii, 1934 = <i>Huso huso</i> (Linnaeus, 1758)	<b><i>Hydnophora microconos</i></b> (Lamarck, 1816) II MERULINIDAE (Anthozoa)
<i>Huso ichthyocolla</i> Bonaparte, 1846 = <i>Huso huso</i> (Linnaeus, 1758)	<b><i>Hydnophora pilosa</i></b> Veron, 1985 II MERULINIDAE (Anthozoa)
<i>Huso kaluschka</i> Steller in Pallas, 1814 = <i>Huso dauricus</i> (Georgi, 1775)	<i>Hydnophora polygonata</i> (Lamarck, 1816) = <i>Hydnophora exesa</i> (Pallas, 1766)
<i>Huso kirtlandi</i> Duméril, 1870 = <i>Acipenser fulvescens</i> Rafinesque, 1817	<i>Hydnophora ramosa</i> Nemenzo, 1959 = <i>Hydnophora grandis</i> Gardiner, 1904
<i>Huso lamarii</i> Duméril, 1870 = <i>Acipenser fulvescens</i> Rafinesque, 1817	<b><i>Hydnophora rigida</i></b> (Dana, 1846) II MERULINIDAE (Anthozoa)
<i>Huso mertinianus</i> Duméril, 1870 = <i>Acipenser fulvescens</i> Rafinesque, 1817	<i>Hydnophora tenella</i> Quelch, 1886 = <i>Hydnophora exesa</i> (Pallas, 1766)
<i>Huso paranasimos</i> Duméril, 1870 = <i>Acipenser fulvescens</i> Rafinesque, 1817	<b><i>Hydrictis spp.</i></b> Pocock, 1921 II MUSTELIDAE (Mammalia)
<i>Huso platyrhinus</i> Duméril, 1870 = <i>Acipenser fulvescens</i> Rafinesque, 1817	<b><i>Hydrictis maculicollis</i></b> (Lichtenstein, 1835) II MUSTELIDAE (Mammalia) (E) Speckle-throated Otter, Spot-necked Otter, Spotted-necked Otter (S) Nutria de cuello manchado (F) Loutre à cou tacheté
<i>Huso rafinesquii</i> Duméril, 1870 = <i>Acipenser fulvescens</i> Rafinesque, 1817	Hydrocoral, Deepwater (E): <i>Stenohelia profunda</i>
<i>Huso rauchii</i> Duméril, 1870 = <i>Acipenser fulvescens</i> Rafinesque, 1817	Hydrocoral, Fruity (E): <i>Cryptelia glossopoma</i>
<i>Huso richardsonii</i> Duméril, 1870 = <i>Acipenser fulvescens</i> Rafinesque, 1817	Hydrocoral, Pierce's (E): <i>Cryptelia peircei</i>
<i>Huso rosarium</i> Duméril, 1870 = <i>Acipenser fulvescens</i> Rafinesque, 1817	Hydrocoral, Shy (E): <i>Cryptelia pudica</i>
Hwamei (E): <i>Garrulax canorus</i>	Hydrocoral, Smooth-pore (E): <i>Cryptelia tenuiseptata</i>
Hwamei, Chinese (E): <i>Garrulax canorus</i>	Hydrocoral, Spiny (E): <i>Pliobothrus echinatus</i>
Hwamei, Taiwan (E): <i>Garrulax taewanus</i>	Hydrocoral, Staghorn (E): <i>Distichopora cervina</i>
<b><i>Hyaena hyaena</i></b> (Linnaeus, 1758) III HYAENIDAE (Mammalia) (E) Striped Hyaena (F) Hyène rayée	Hydrocoral, Symmetrical (E): <i>Pliobothrus symmetricus</i>
Hyaena, Striped (E): <i>Hyaena hyaena</i>	Hydrocoral, Tube (E): <i>Pliobothrus tubulatus</i>
<b><i>Hydnophora spp.</i></b> Fischer de Waldheim 1807 II MERULINIDAE (Anthozoa)	<b><i>Hydrodynastes gigas</i></b> (Duméril, Bibron & Duméril, 1854) = <i>Cyclagras gigas</i> (Duméril, Bibron & Duméril, 1854)
<i>Hydnophora aurorae</i> Nemenzo, 1988 = <i>Hydnophora exesa</i> (Pallas, 1766)	<i>Hydrosalamandra japonica</i> Leuckart, 1840 = <i>Andrias japonicus</i> (Temminck, 1836)
<b><i>Hydnophora bonsai</i></b> Veron, 1990 II MERULINIDAE (Anthozoa)	<i>Hydrosalamandra japonica</i> (Temminck, 1836) = <i>Andrias japonicus</i> (Temminck, 1836)
<i>Hydnophora breviconus</i> Nemenzo = <i>Hydnophora rigida</i> (Dana, 1846)	<i>Hydrosalamandra siboldi</i> Leuckart, 1840 = <i>Andrias japonicus</i> (Temminck, 1836)
<i>Hydnophora contignatio</i> (Forskål, 1775) = <i>Hydnophora exesa</i> (Pallas, 1766)	<i>Hydrosaurus giganteus</i> Gray, 1845 = <i>Varanus giganteus</i> (Gray, 1845)
<i>Hydnophora demidovii</i> Fischer de Waldheim, 1807 = <i>Hydnophora exesa</i> (Pallas, 1766)	<i>Hydrosaurus gouldii</i> Gray, 1838 = <i>Varanus gouldii</i> (Gray, 1838)
<i>Hydnophora ehrenbergii</i> Milne Edwards & Haime, 1849 = <i>Hydnophora exesa</i> (Pallas, 1766)	<i>Hydrosaurus marmoratus</i> Wiegmann, 1834 = <i>Varanus marmoratus</i> (Wiegmann 1834)
	<i>Hydrosaurus nuchalis</i> Günther, 1872 = <i>Varanus nuchalis</i> (Günther 1872)
	<i>Hyelaphus porcinus</i> (Zimmermann, 1780) = <i>Axis porcinus</i> (Zimmermann, 1780)
	Hyène rayée (F): <i>Hyaena hyaena</i>
	<i>Hyla callidryas</i> Cope, 1862 = <i>Agalychnis callidryas</i> (Cope, 1862)

- Hyla holochlora* Salvin, 1860 = *Agalychnis moreletii* (Duméril, 1853)
- Hyla moreletii* Duméril, 1853 = *Agalychnis moreletii* (Duméril, 1853)
- Hyla moreletii* Keferstein, 1868 = *Agalychnis moreletii* (Duméril, 1853)
- Hyla nigerrima* Spix, 1824 = *Ameerega trivittata* (Spix, 1824)
- Hylaplesia aurata* Cope, 1863 = *Dendrobates auratus* (Girard, 1855)
- Hylaplesia aurata* (Girard, 1855) = *Dendrobates auratus* (Girard, 1855)
- Hylaplesia de cocteau* Duméril & Bibron, 1841 = *Oophaga histrionica* (Berthold, 1845)
- Hylaplesia flavopicta* Lutz, 1925 = *Ameerega flavopicta* (A. Lutz, 1925)
- Hylaplesia ignita* (Cope, 1874) = *Oophaga pumilio* (Schmidt, 1857)
- Hylaplesia ignita* Knauer, 1883 = *Oophaga pumilio* (Schmidt, 1857)
- Hylaplesia labialis* (Cope, 1874) = *Ameerega labialis* (Cope, 1874)
- Hylaplesia labialis* Knauer, 1883 = *Ameerega labialis* (Cope, 1874)
- Hylaplesia lugubris* Brocchi, 1882 = *Phylllobates lugubris* (O. Schmidt, 1857)
- Hylaplesia lugubris* (Schmidt, 1857) = *Phylllobates lugubris* (O. Schmidt, 1857)
- Hylaplesia nigerrima* (Spix, 1824) = *Ameerega trivittata* (Spix, 1824)
- Hylaplesia picta* Bibron In Tschudi, 1838 = *Ameerega picta* (Tschudi, 1838)
- Hylaplesia pumilio* Günther, 1859 "1858" = *Oophaga pumilio* (Schmidt, 1857)
- Hylaplesia pumilio* (Schmidt, 1857) = *Oophaga pumilio* (Schmidt, 1857)
- Hylaplesia speciosa* Günther, 1859 "1858" = *Oophaga speciosa* (Schmidt, 1857)
- Hylaplesia speciosa* (Schmidt, 1857) = *Oophaga speciosa* (Schmidt, 1857)
- Hylaplesia tinctoria* Boie In Schlegel, 1826 = *Dendrobates tinctorius* (Cuvier, 1797)
- Hylaplesia tinctoria latimaculata* Dunn, 1941 = *Dendrobates auratus* (Girard, 1855)
- Hylaplesia tinctoria* (Schneider, 1799) = *Dendrobates tinctorius* (Cuvier, 1797)
- Hylaplesia trivittata* (Spix, 1824) = *Ameerega trivittata* (Spix, 1824)
- Hylaplesia trivittatus* Knauer, 1883 = *Ameerega trivittata* (Spix, 1824)
- Hylaplesia truncata* (Cope, 1863) = *Dendrobates truncatus* (Cope, 1861)
- Hylaplesia typographa* Brocchi, 1882 = *Oophaga pumilio* (Schmidt, 1857)
- Hylaplesia typographa* (Keferstein, 1867) = *Oophaga pumilio* (Schmidt, 1857)
- Hyla tinctoria* Daudin, 1800 = *Dendrobates tinctorius* (Cuvier, 1797)
- Hyla tinctoria* Schneider, 1799 = *Dendrobates tinctorius* (Cuvier, 1797)
- Hyla trivittata* Spix, 1824 = *Ameerega trivittata* (Spix, 1824)
- Hylobates spp.** I HYLOBATIDAE (Mammalia)
- Hylobates agilis** F. Cuvier, 1821 I HYLOBATIDAE (Mammalia) (E) Agile Gibbon, Dark-handed Gibbon (F) Gibbon agile
- Hylobates agilis albibarbis* F. Cuvier, 1821 = *Hylobates albibarbis* Lyon, 1911
- Hylobates albibarbis** Lyon, 1911 I HYLOBATIDAE (Mammalia) (E) Bornean White-bearded Gibbon
- Hylobates concolor gabriellae* (Harlan, 1826) = *Nomascus gabriellae* (Thomas, 1909)
- Hylobates concolor hainanus* (Harlan, 1826) = *Nomascus hainanus* (Thomas, 1892)
- Hylobates concolor* (Harlan, 1826) = *Nomascus concolor* (Harlan, 1826)
- Hylobates concolor leucogenys* (Harlan, 1826) = *Nomascus leucogenys* (Ogilby, 1840)
- Hylobates gabriellae* Thomas, 1909 = *Nomascus gabriellae* (Thomas, 1909)
- Hylobates hoolock* (Harlan, 1834) = *Bunopithecus hoolock* (Harlan, 1834)
- Hylobates klossii** (Miller, 1903) I HYLOBATIDAE (Mammalia) (E) Dwarf Gibbon, Kloss's Gibbon, Mentawai Gibbon (S) Siamang de Kloss, Siamang enano (F) Siamang de Kloss
- Hylobates lar** (Linnaeus, 1771) I HYLOBATIDAE (Mammalia) (E) Common Gibbon, Lar Gibbon, White-handed Gibbon (S) Gibón de manos blancas (F) Gibbon à mains blanches, Gibbon lar
- Hylobates lar agilis* (Linnaeus, 1771) = *Hylobates agilis* F. Cuvier, 1821
- Hylobates lar moloch* (Linnaeus, 1771) = *Hylobates moloch* (Audebert, 1798)
- Hylobates lar muelleri* (Linnaeus, 1771) = *Hylobates muelleri* Martin, 1841
- Hylobates lar pileatus* (Linnaeus, 1771) = *Hylobates pileatus* (Gray, 1861)
- Hylobates leucogenys gabriellae* Ogilby, 1840 = *Nomascus gabriellae* (Thomas, 1909)
- Hylobates leucogenys* Ogilby, 1840 = *Nomascus leucogenys* (Ogilby, 1840)
- Hylobates leucogenys siki* Ogilby, 1840 = *Nomascus siki* Delacour, 1951
- Hylobates moloch** (Audebert, 1798) I HYLOBATIDAE (Mammalia) (E) Javan Gibbon, Silvery Gibbon (S) Gibón ceniciente (F) Gibbon cendré
- Hylobates muelleri** Martin, 1841 I HYLOBATIDAE (Mammalia) (E) Bornean Gibbon, Grey Gibbon, Müller's Gibbon (S) Gibón de Mueller (F) Gibbon de Muller
- Hylobates pileatus** (Gray, 1861) I HYLOBATIDAE (Mammalia) (E) Capped Gibbon, Crowned Gibbon, Pileated Gibbon (S) Gibón de cresta negra
- Hylobates siki* Delacour, 1951 = *Nomascus siki* Delacour, 1951
- Hylobates syndactylus* (Raffles, 1821) = *Sympthalangus syndactylus* (Raffles, 1821)
- HYLOBATIDAE spp.** Gray, 1871 I (Mammalia) (S) Gibones (F) Gibbons

- Hylocharis* spp. II TROCHILIDAE (Aves)**
- Hylocharis chrysura* (Shaw, 1812) II TROCHILIDAE**  
 (Aves) (E) Gilded Hummingbird (S) Picaflor bronceado, Picaflor dorado, Zafiro bronceado (F) Saphir à queue d'or
- Hylocharis cyanus* (Vieillot, 1818) II TROCHILIDAE**  
 (Aves) (E) White-chinned Sapphire (S) Picaflor cabeciazul, Zafiro cabecimorado, Zafiro gorgiblanco (F) Saphir azuré
- Hylocharis eliciae* (Bourcier & Mulsant, 1846) II**  
 TROCHILIDAE (Aves) (E) Blue-throated Goldentail (S) Zafiro de Elicia, Zafiro gorjiazul (F) Saphir d'Elicia
- Hylocharis grayi* (DeLattre & Bourcier, 1846) II**  
 TROCHILIDAE (Aves) (E) Blue-headed Sapphire (S) Zafiro cabeciazul (F) Saphir ulyssse
- Hylocharis humboldtii* (Bourcier & Mulsant, 1852) =**  
***Hylocharis grayi* (DeLattre & Bourcier, 1846)**
- Hylocharis leucotis* (Vieillot, 1818) = *Basilinna leucotis* (Vieillot, 1818)**
- Hylocharis sapphirina* (Gmelin, 1788) II TROCHILIDAE**  
 (Aves) (E) Rufous-throated Sapphire (S) Picaflor pechiazul, Zafiro gargantirrufo, Zafiro gorgirrojo (F) Saphir à gorge rousse
- Hylocharis xanthusii* (Lawrence, 1860) = *Basilinna xanthusii* (Lawrence, 1860)**
- Hylocharis xanthusii* (Lawrence, 1861) = *Basilinna xanthusii* (Lawrence, 1860)**
- Hylonympha* spp. II TROCHILIDAE (Aves)**
- Hylonympha macrocerca* Gould, 1873 II TROCHILIDAE**  
 (Aves) (E) Scissor-tailed Hummingbird (S) Colibrí tijereta (F) Colibri à queue en ciseaux
- Hyloxalus azureiventris* (Kneller & Henle, 1985) II**  
 DENDROBATIDAE (Amphibia) (E) Sky-blue Poison Frog (S) Rana de punta de flecha de vientre azul (F) Epipedobate au ventre bleu
- Hynobius amjiensis* Gu, 1992 III HYNObIIDAE (Amphibia)**
- Hypaspistes dipsadoides* Ogilby, 1891 = *Morelia amethistina* (Schneider, 1801)**
- Hyperoodon* spp. Lacépède, 1804 I ZIPHIIDAE (Mammalia)**
- Hyperoodon ampullatus* (Forster, 1770) I ZIPHIIDAE**  
 (Mammalia) (E) Bottlehead, Northern Bottlenose Whale (S) Ballena hocico de botella del norte (F) Hyperoodon boréal
- Hyperoodon austral (F): *Hyperoodon planifrons*
- Hyperoodon boréal (F): *Hyperoodon ampullatus*
- Hyperoodon planifrons* Flower, 1882 I ZIPHIIDAE**  
 (Mammalia) (E) Southern Bottlenose Whale (S) Ballena hocico de botella del sur (F) Hyperoodon austral
- Hyperoodon rostratus* P. L. S. Müller, 1776 = *Hyperoodon ampullatus* (Forster, 1770)
- Hypocharmosyna* amabilis (E. P. Ramsay, 1876) =**  
***Charmosyna aureicincta* (E. L. Layard, 1875)**
- Hypocharmosyna diadema* (Verreaux & Des Murs, 1860) = *Charmosyna diadema* (Verreaux & Des Murs, 1860)**
- Hypocharmosyna meeki* Rothschild & Hartert, 1901 =**  
***Charmosyna meeki* (Rothschild & Hartert, 1901)**
- Hypocharmosyna multistriata* (Rothschild, 1911) =**  
***Charmosyna multistriata* (Rothschild, 1911)**
- Hypocharmosyna palmarum* (J. F. Gmelin, 1788) =**  
***Charmosyna palmarum* (Gmelin, 1788)**
- Hypocharmosyna placentis* (Temminck, 1835) =**  
***Charmosyna placentis* (Temminck, 1834)**
- Hypocharmosyna rubrigularis* (P. L. Sclater, 1881) =**  
***Charmosyna rubrigularis* (Sclater, 1881)**
- Hypocharmosyna rubronotata* (Wallace, 1862) =**  
***Charmosyna rubronotata* (Wallace, 1862)**
- Hypocharmosyna toxopei* Siebers, 1930 = *Charmosyna toxopei* (Siebers, 1930)**
- Hypocharmosyna wilhelmina* (A. B. Meyer, 1874) =**  
***Charmosyna wilhelmina* (A. B. Meyer, 1874)**
- Hypochton pisciformis* Gravenhorst, 1829 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)**
- Hypochton pisciformis* (Shaw, 1802) = *Ambystoma mexicanum* (Shaw & Nodder, 1798)**
- Hypotaenidia sylvestris* (P. L. Sclater, 1870) = *Gallirallus sylvestris* (Sclater, 1869)**
- Hypuroptila urochrysia* Gould, 1861 = *Chalybura urochrysia* (Gould, 1861)**
- Hysaplesia nigerrima* Schlegel, 1826 = *Ameerega trivittata* (Spix, 1824)**
- Hysaplesia trivittata* Schlegel, 1826 = *Ameerega trivittata* (Spix, 1824)**
- Iaça (S): *Podocnemis sextuberculata*
- Ibex, Siberian (E): *Capra sibirica*
- Ibis à crête du Japon (F): *Nipponia nippon*
- Ibis, Bald (E): *Geronticus calvus*
- Ibis, Bald (E): *Geronticus eremita*
- Ibis blanc (F): *Nipponia nippon*
- Ibis blanc du Japon (F): *Nipponia nippon*
- Ibis blanco japonés (S): *Nipponia nippon*
- Ibis calvo (S): *Geronticus calvus*
- Ibis calvo de África del Sur (S): *Geronticus calvus*
- Ibis chauve (F): *Geronticus eremita*
- Ibis chauve de l'Afrique du Sud (F): *Geronticus calvus*
- Ibis, Crested (E): *Nipponia nippon*
- Ibis du Cap (F): *Geronticus calvus*
- Ibis eremita (S): *Geronticus eremita*
- Ibis escarlata (S): *Eudocimus ruber*
- Ibis, Hermit (E): *Geronticus eremita*
- Ibis, Japanese Crested (E): *Nipponia nippon*
- Ibis moñudo japonés (S): *Nipponia nippon*
- Ibis nipón (S): *Nipponia nippon*
- Ibis nippon (F): *Nipponia nippon*
- Ibis nippon* Temminck, 1835 = *Nipponia nippon* (Temminck, 1835)
- Ibis noir (F): *Geronticus calvus*
- Ibis, Northern Bald (E): *Geronticus eremita*
- Ibis rouge (F): *Eudocimus ruber*
- Ibis, Scarlet (E): *Eudocimus ruber*
- Ibis, Southern Bald (E): *Geronticus calvus*
- Ibycter* spp. II<sup>27</sup> FALCONIDAE (Aves)**
- Ibycter americanus* (Boddaert, 1783) II<sup>27</sup> FALCONIDAE**  
 (Aves) (E) Red-throated Caracara (S) Caracara comecacao, Caracara gorgirrojo, Carancho ventri-blancos, Chupacacao ventriblanco (F) Caracara à gorge rouge, Caracara à ventre rouge
- Ichthyaetus nanus* Blyth, 1842 = *Ichthyophaga humilis* (Müller & Schlegel, 1841)**

- Ichthyophaga* spp.** II 27 ACCIPITRIDAE (Aves)
- Ichthyophaga humilis*** (Müller & Schlegel, 1841) II 27  
ACCIPITRIDAE (Aves) (E) Lesser Fish-Eagle, Lesser Fishing Eagle (S) Pigarguillo menor (F) Pygargue nain
- Ichthyophaga ichthyaetus*** (Horsfield, 1821) II 27  
ACCIPITRIDAE (Aves) (E) Grey-headed Fish-Eagle, Grey-headed Fishing Eagle (S) Pigarguillo común (F) Pygargue à tête grise
- Ichthyophaga nana*** (Blyth, 1842) = ***Ichthyophaga humilis*** (Müller & Schlegel, 1841)  
Ichtyocolle (F): *Huso huso*
- Ictéride à tête jaune (F): *Xanthopsar flavus*
- Icterus xantholaemus*** Gil Lletget, 1918 = *Xanthopsar flavus* (Gmelin, 1788)
- Ichthyophaga humilis*** (Müller & Schlegel, 1841) = ***Ichthyophaga humilis*** (Müller & Schlegel, 1841)
- Ichthyophaga ichthyaetus*** (Horsfield, 1821) = ***Ichthyophaga ichthyaetus*** (Horsfield, 1821)
- Ictinaetus* spp.** II 27 ACCIPITRIDAE (Aves)
- Ictinaetus malaiensis*** (Temminck, 1822) = ***Ictinaetus malayensis*** (Temminck, 1822)
- Ictinaetus malayensis*** (Temminck, 1822) II 27  
ACCIPITRIDAE (Aves) (E) Asian Black Eagle, Black Eagle, Indian Black Eagle (S) Águila milana (F) Aigle noir
- Ictinia* spp.** II 27 ACCIPITRIDAE (Aves)
- Ictinia mississippiensis*** (Wilson, 1811) II 27  
ACCIPITRIDAE (Aves) (E) Mississippi Kite (S) Elanio del Mississipi, Milano del Misisipi, Milano misisipero (F) Milan du Mississippi
- Ictinia plumbea*** (Gmelin, 1788) II 27 ACCIPITRIDAE (Aves) (E) Plumbeous Kite (S) Elanio plomizo, Gavilán plomizo, Milano plomizo (F) Milan bleuâtre
- Idiotrochus* spp.** Wells 1935 II TURBINOLIIDAE (Anthozoa)
- Idiotrochus alatus*** Cairns, 2004 II TURBINOLIIDAE (Anthozoa)
- Idiotrochus emaciatus*** Duncan, 1865 II TURBINOLIIDAE (Anthozoa)
- Idiotrochus perexigua*** (Dennant, 1906) = ***Idiotrochus emaciatus*** Duncan, 1865  
Idmi (E): *Gazella cuvieri*
- lerax melanoleucus*** Blyth, 1843 = ***Microhierax melanoleucus*** (Blyth, 1843)
- Iguana* spp.** Laurenti, 1768 II IGUANIDAE (Reptilia)
- Iguana, Anegada Ground (E): *Cyclura pinguis*
- Iguana, Anegada Island (E): *Cyclura pinguis*
- Iguana, Anegada Rock (E): *Cyclura pinguis*
- Iguana, Bahamas (E): *Cyclura cychlura*
- Iguana, Bahamas Rock (E): *Cyclura carinata*
- Iguana, Bahamas Rock (E): *Cyclura cychlura*
- Iguana, Baker's Spiny-tailed (E): *Ctenosaura bakeri*
- Iguana, Barrington Land (E): *Conolophus pallidus*
- Iguana, Bartsch's (E): *Cyclura carinata*
- Iguana, Cayman Islands Ground (E): *Cyclura nubila*
- Iguana, Common (E): *Iguana iguana*
- Iguana cornuda (S): *Phrynosoma coronatum*
- Iguana crestada de Fiji (S): *Brachylophus vitiensis*
- Iguana, Cuban (E): *Cyclura nubila*
- Iguana, Cuban Ground (E): *Cyclura nubila*
- Iguana delicatissima*** Laurenti, 1768 II IGUANIDAE (Reptilia) (E) Lesser Antillean Iguana, West Indian Iguana (F) Iguane des Antilles
- Iguana de órgano (S): *Ctenosaura palearis*
- Iguana, De Queiroz's Spiny-tailed (E): *Ctenosaura oedirhina*
- Iguana, Fiji Banded (E): *Brachylophus fasciatus*
- Iguana, Fiji Crested (E): *Brachylophus vitiensis*
- Iguana, Galapagos Land (E): *Conolophus subcristatus*
- Iguana, Galapagos Marine (E): *Amblyrhynchus cristatus*
- Iguana garrobo (S): *Ctenosaura palearis*
- Iguana, Grand Cayman (E): *Cyclura lewisi*
- Iguana, Green (E): *Iguana iguana*
- Iguana, Guatemalan Black (E): *Ctenosaura palearis*
- Iguana, Guatemalan Spiny-tailed (E): *Ctenosaura palearis*
- Iguana, Hispaniolan Ground (E): *Cyclura ricordi*
- Iguana, Honduran Paleate Spiny-tailed (E): *Ctenosaura melanosterna*
- Iguana iguana*** Linnaeus, 1758 II IGUANIDAE (Reptilia) (E) Common Iguana, Green Iguana (S) Gallina de palo, Iguana verde (F) Iguane commun, Iguane vert
- Iguana, Jamaica Ground (E): *Cyclura collei*
- Iguana, Jamaican (E): *Cyclura collei*
- Iguana, Lesser Antillean (E): *Iguana delicatissima*
- Iguana marina (S): *Amblyrhynchus cristatus*
- Iguana, Marine (E): *Amblyrhynchus cristatus*
- Iguana, Mona Island (E): *Cyclura stejnegeri*
- Iguana, Rhinoceros (E): *Cyclura cornuta*
- Iguana rhinolopha*** (Fitzinger, 1843) = ***Iguana iguana*** Linnaeus, 1758
- Iguana, Ricord's (E): *Cyclura ricordi*
- Iguana, Ricord's Ground (E): *Cyclura ricordi*
- Iguana, Rio Aguan Valley Spiny-tailed (E): *Ctenosaura melanosterna*
- Iguana, Roatán Spiny-tailed (E): *Ctenosaura oedirhina*
- Iguana, San Salvador (E): *Cyclura rileyi*
- Iguana, San Salvador Ground (E): *Cyclura rileyi*
- Iguana, Santa Fe Land (E): *Conolophus pallidus*
- Iguana, Sea (E): *Amblyrhynchus cristatus*
- Iguana, South Pacific Banded (E): *Brachylophus fasciatus*
- Iguana terrestre de Barrington (S): *Conolophus pallidus*
- Iguana terrestre de las Galápagos (S): *Conolophus subcristatus*
- Iguana, Turks and Caicos (E): *Cyclura carinata*
- Iguana, Turks and Caicos Ground (E): *Cyclura carinata*
- Iguana, Utila Island Spiny-tailed (E): *Ctenosaura bakeri*
- Iguana verde (S): *Iguana iguana*
- Iguana, Watling Island (E): *Cyclura rileyi*
- Iguana, West Indian (E): *Iguana delicatissima*
- Iguana, White Cay Ground (E): *Cyclura rileyi*
- Iguane à bandes des Fidji (F): *Brachylophus fasciatus*
- Iguane à crête des Fidji (F): *Brachylophus vitiensis*
- Iguane commun (F): *Iguana iguana*
- Iguane cornu (F): *Cyclura cornuta*
- Iguane des Antilles (F): *Iguana delicatissima*
- Iguane marin (F): *Amblyrhynchus cristatus*

Iguane terrestre cornu (F): <i>Cyclura cornuta</i>	<b>Indotestudo forstenii</b> (Schlegel & S. Müller, 1844) II 46
Iguane terrestre de la Jamaïque (F): <i>Cyclura collei</i>	TESTUDINIDAE (Reptilia) (E) Celebes Tortoise, Forsten's Tortoise (F) Tortue des Célèbes
Iguane terrestre de l'île Anegada (F): <i>Cyclura pinguis</i>	<b>Indotestudo travancorica</b> (Boulenger, 1907) II 46
Iguane terrestre de l'île Santa Fe (F): <i>Conolophus pallidus</i>	TESTUDINIDAE (Reptilia) (E) Travancore Tortoise (S)
Iguane terrestre des Bahamas (F): <i>Cyclura rileyi</i>	Tortuga marrón de la India (F) Tortue de Tranvancore
Iguane terrestre des Galapagos (F): <i>Conolophus subcristatus</i>	<b>Indri spp.</b> I INDRIIDAE (Mammalia)
Iguane terrestre des îles Caïmanes (F): <i>Cyclura nubila</i>	Indri (F): <i>Indri indri</i>
Iguane terrestre des îles Turks et Caïques (F): <i>Cyclura carinata</i>	Indri à queue courte (F): <i>Indri indri</i>
Iguane terrestre d'Hispaniola (F): <i>Cyclura ricordi</i>	Indri colicorto (S): <i>Indri indri</i>
Iguane vert (F): <i>Iguana iguana</i>	<b>INDRIIDAE spp.</b> Burnett, 1828 I (Mammalia) (E) Avahi, Indris, Sifakas, Woolly Lemurs (S) Indirs, Avahis, Sifacas, Lémures Lanudos (F) Avahis Laineux, Indris, Sifakas
Imperial-Pigeon, Mindoro (E): <i>Ducula mindorensis</i>	<b>Indri indri</b> (Gmelin, 1788) I INDRIIDAE (Mammalia) (E) Indris (S) Indri colicorto (F) Indri, Indri à queue courte
Impeyan, Chinese (E): <i>Lophophorus lhuysii</i>	Indri lanudo (S): <i>Avahi laniger</i>
Inca acollarado (S): <i>Coeligena torquata</i>	Indris (E): <i>Indri indri</i>
Inca à collier (F): <i>Coeligena torquata</i>	Indris sifaca (S): <i>Propithecus tattersalli</i>
Inca à gemme bleue (F): <i>Coeligena lutetiae</i>	Indris sifaca (S): <i>Propithecus verreauxi</i>
Inca alihabano (S): <i>Coeligena lutetiae</i>	Indris sifaca (S): <i>Propithecus diadema</i>
Inca à queue blanche (F): <i>Coeligena phalerata</i>	Indris, Woolly (E): <i>Avahi laniger</i>
Inca arcoiris (S): <i>Coeligena iris</i>	<b>Inferiolabiata spp.</b> Broch 1951 II STYLASTERIDAE (Hydrozoa)
Inca, Black (E): <i>Coeligena prunellei</i>	<b>Inferiolabiata labiata</b> (Moseley, 1879) II STYLASTERIDAE (Hydrozoa)
Inca bronceado (S): <i>Coeligena coeligena</i>	<b>Inferiolabiata lowei</b> (Cairns, 1983) II STYLASTERIDAE (Hydrozoa)
Inca, Bronzy (E): <i>Coeligena coeligena</i>	<b>Inferiolabiata spinosa</b> Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
Inca, Brown (E): <i>Coeligena wilsoni</i>	Inia (F): <i>Inia geoffrensis</i>
Inca brun (F): <i>Coeligena wilsoni</i>	<b>Inia spp.</b> II 18 INIIDAE (Mammalia)
Inca café (S): <i>Coeligena wilsoni</i>	<i>Inia boliviensis</i> d'Orbigny, 1834 = <i>Inia geoffrensis</i> (de Blainville, 1817)
Inca céleste (F): <i>Coeligena coeligena</i>	<b>Inia geoffrensis</b> (de Blainville, 1817) II 18 INIIDAE (Mammalia) (E) Amazon River Dolphin, Boto, Boutu (S)
Inca coliblanco (S): <i>Coeligena phalerata</i>	Bufo (F) Dauphin de l'Amazone, Inia
Inca, Collared (E): <i>Coeligena torquata</i>	<b>INIIDAE spp.</b> Gray, 1846 I/II 18 (Mammalia) (E) River Dolphins (S) Delfines De Rio (F) Dauphins D'Eau Douce
Inca de Bonaparte (F): <i>Coeligena bonapartei</i>	Inseparable abisinio (S): <i>Agapornis taranta</i>
Inca gorgimorado (S): <i>Coeligena violifer</i>	Inseparable acollarado (S): <i>Agapornis swindernianus</i>
Inca iris (F): <i>Coeligena iris</i>	Inséparable à collier noir (F): <i>Agapornis swindernianus</i>
Inca negro (S): <i>Coeligena prunellei</i>	Inséparable à face rose (F): <i>Agapornis roseicollis</i>
Inca noir (F): <i>Coeligena prunellei</i>	Inséparable à joues noires (F): <i>Agapornis nigripenis</i>
Inca pardo (S): <i>Coeligena wilsoni</i>	Inséparable à tête grise (F): <i>Agapornis canus</i>
Inca porphyre (F): <i>Coeligena helianthea</i>	Inséparable à tête rouge (F): <i>Agapornis pullarius</i>
Inca ventridorado (S): <i>Coeligena bonapartei</i>	Inseparable cabecinegro (S): <i>Agapornis personatus</i>
Inca ventravioleta (S): <i>Coeligena helianthea</i>	Inseparable cachetón (S): <i>Agapornis nigripenis</i>
Inca violifère (F): <i>Coeligena violifer</i>	Inseparable carirrojo (S): <i>Agapornis pullarius</i>
<b>Incilius periglenes</b> (Savage, 1967) I BUFONIDAE (Amphibia) (E) Alajuela Toad, Golden Toad, Monte Verde Toad, Orange Toad (S) Sapo dorado, Sapo dorado de Monteverde (F) Crapaud doré	Inséparable d'Abyssinie (F): <i>Agapornis taranta</i>
<i>Incilius periglenes</i> Frost, Mendelson & Pramuk, 2009 = <i>Incilius periglenes</i> (Savage, 1967)	Inseparable de collera (S): <i>Agapornis swindernianus</i>
Indirs, Avahis, Sifacas, Lémures Lanudos (S): <i>Indriidae</i>	Inseparable de Fischer (S): <i>Agapornis fischeri</i>
<b>Indopacetus spp.</b> II 18 ZIPHIIDAE (Mammalia)	Inséparable de Fischer (F): <i>Agapornis fischeri</i>
<b>Indopacetus pacificus</b> (Longman, 1926) II 18 ZIPHIIDAE (Mammalia) (E) Indo-pacific Beaked Whale, Longman's Beaked Whale (S) Ballena de pico de Longman (F)	Inséparable de Lilian (F): <i>Agapornis lilianae</i>
Mesoplodon de Longman	Inseparable del-Nyasa (S): <i>Agapornis lilianae</i>
<b>Indophyllia spp.</b> Gerth 1921 II MUSSIDAE (Anthozoa)	Inseparable de Namibia (S): <i>Agapornis roseicollis</i>
<b>Indophyllia macassarensis</b> Best & Hoeksema, 1987 II MUSSIDAE (Anthozoa)	Inséparable de Swindern (F): <i>Agapornis swindernianus</i>
<b>Indotestudo spp.</b> II 46 TESTUDINIDAE (Reptilia)	Inseparable malgache (S): <i>Agapornis canus</i>
<b>Indotestudo elongata</b> (Blyth, 1853) II 46 TESTUDINIDAE (Reptilia) (E) Elongated Tortoise, Pineapple Tortoise, Red-nosed Tortoise, Yellow-headed Tortoise, Yellow Tortoise (F) Tortue à tête jaune	Inséparable masqué (F): <i>Agapornis personatus</i>

- Inséparable rose-gorge (F): *Agapornis roseicollis*  
*lonolaima schreibersii* (Bourcier, 1847) = *Heliodoxa schreibersii* (Bourcier, 1847)
- Irbis (F): *Uncia uncia*
- Isard (F): *Rupicapra pyrenaica*
- Isophyllastrea* spp.** Matthai 1928 II MUSSIDAE  
(Anthozoa)
- Isophyllastrea rigida*** (Dana, 1846) II MUSSIDAE  
(Anthozoa) (E) Rough Star Coral (S) Micetocoral  
áspero (F) Corail étoile rugueux
- Isophyllia* spp.** Milne Edwards & Haime 1851 II  
MUSSIDAE (Anthozoa)
- Isophyllia erythraea* Klunzinger, 1879 = *Sympyllia erythraea* (Klunzinger, 1879)
- Isophyllia multiflora* Verrill, 1901 = *Isophyllia sinuosa* (Ellis & Solander, 1786)
- Isophyllia rigida* (Dana, 1846) = *Isophyllastrea rigida* (Dana, 1846)
- Isophyllia sinuosa*** (Ellis & Solander, 1786) II MUSSIDAE  
(Anthozoa) (E) Sinuous Cactus Coral (S) Micetocoral  
sinuoso (F) Corail cactus sinueux
- Isopora brueggemanni* (Brook, 1891) = *Acropora brueggemanni* (Brook, 1891)
- Isopora palifera* (Lamarck, 1816) = *Acropora palifera* (Lamarck, 1816)
- Isostichopus fuscus* (Ludwig, 1875) III STICHOPODIDAE  
(Holothuroidea) (E) Brown Sea Cucumber
- Ithagine ensanglantée (F): *Ithaginis cruentus*
- Ithagines (F): *Ithaginis cruentus*
- Ithaginis cruentus*** (Hardwicke, 1821) II PHASIANIDAE  
(Aves) (E) Blood Pheasant (S) Faisán ensangrentado,  
Faisán sangrante, Faisán sanguíneo (F) Faisan  
sanguin, Ithagine ensanglantée, Ithagini
- Jabalí enano (S): *Sus salvanius*
- Jabalí pigmeo (S): *Sus salvanius*
- Jabiru (E): *Jabiru mycteria*
- Jabiru (F): *Jabiru mycteria*
- Jabirú (S): *Jabiru mycteria*
- Jabiru américain (F): *Jabiru mycteria*
- Jabirú Americano (S): *Jabiru mycteria*
- Jabiru d'Amérique (F): *Jabiru mycteria*
- Jabiru mycteria*** (Lichtenstein, 1819) I CICONIIDAE  
(Aves) (E) Jabiru (S) Garzón soldado, Jabirú, Jabirú  
Americano (F) Jabiru, Jabiru américain, Jabiru  
d'Amérique
- Jabuti (S): *Chelonoidis carbonaria*
- Jacare hirticollis* Gray, 1867 = *Caiman crocodilus* (Linnaeus, 1758)
- Jacaretinga crocodilus* (Linnaeus, 1758) = *Caiman crocodilus* (Linnaeus, 1758)
- Jacaretinga moschifer* Spix, 1825 = *Paleosuchus palpebrosus* (Cuvier, 1807)
- Jackal, Common (E): *Canis aureus*
- Jackal, Golden (E): *Canis aureus*
- Jacko (F): *Psittacus erithacus*
- Jackyphyton carinata*** Hoser, 2009 = *Morelia carinata* (L. A. Smith, 1981)
- Jacobin, Black (E): *Florisuga fusca*
- Jacobino collarejo (S): *Florisuga mellivora*
- Jacobino nuquiblanco (S): *Florisuga mellivora*
- Jacobin, White-necked (E): *Florisuga mellivora*
- Jacobita (S): *Cephalorhynchus commersonii*
- Jacotinga (S): *Pipile jacutinga*
- Jacquot (F): *Amazona arausiaca*
- Jacquot (E): *Psittacus erithacus*
- Jacquot (E): *Amazona arausiaca*
- Jacquot (F): *Psittacus erithacus*
- Jacuruxi (E): *Dracaena guianensis*
- Jaguar (S): *Panthera onca*
- Jaguar (E): *Panthera onca*
- Jaguar (F): *Panthera onca*
- Jaguarundi (F): *Puma yagouaroundi*
- Jaguarundi (E): *Puma yagouaroundi*
- Japan, Ryukyu Yellow Pond Turtle (E): *Mauremys mutica*
- Jaquetón (S): *Carcharodon carcharias*
- Jaquetón blanco (S): *Carcharodon carcharias*
- Jaquetón de ley (S): *Carcharodon carcharias*
- Javania* spp.** Duncan 1876 II FLABELLIDAE (Anthozoa)
- Javania antarctica*** (Gravier, 1914) II FLABELLIDAE  
(Anthozoa)
- Javania borealis*** Cairns, 1994 II FLABELLIDAE  
(Anthozoa)
- Javania cailleti*** (Duchassaing & Michelotti, 1864) II  
FLABELLIDAE (Anthozoa) (E) Caillet's Fan Coral (S)  
Coral abanico de Caillet
- Javania californica*** Cairns, 1994 II FLABELLIDAE  
(Anthozoa)
- Javania delicata* (Yabe & Eguchi, 1942) = *Javania cailleti* (Duchassaing & Michelotti, 1864)
- Javania eburnea* (Pourtales, 1871) = *Javania cailleti* (Duchassaing & Michelotti, 1864)
- Javania erhardtii*** Cairns, 2004 II FLABELLIDAE  
(Anthozoa)
- Javania exserta*** Cairns, 1995 II FLABELLIDAE  
(Anthozoa)
- Javania fusca*** (Vaughan, 1907) II FLABELLIDAE  
(Anthozoa)
- Javania galapagensis* (Vaughan, 1906) = *Javania cailleti* (Duchassaing & Michelotti, 1864)
- Javania insignis*** Duncan, 1876 II FLABELLIDAE  
(Anthozoa)
- Javania lamprotichum*** (Moseley, 1880) II FLABELLIDAE  
(Anthozoa)
- Javania nobile* (Verrill, 1885) = *Javania cailleti* (Duchassaing & Michelotti, 1864)
- Javania pachytheca* Cairns, 1995 = *Javania fusca* (Vaughan, 1907)
- Javania pseudoalabastra*** Zibrowius, 1974 II  
FLABELLIDAE (Anthozoa)
- Javania vitrea* (Alcock, 1898) = *Javania cailleti* (Duchassaing & Michelotti, 1864)
- Jerdonella sylhetensis* (Jerdon, 1870) = *Pangshura sylhetensis* Jerdon, 1870 Jewelfront, Gould's (E):  
*Heliodoxa aurescens*
- Jilguero cara amarilla (S): *Carduelis yarrellii*
- Jilguero de Yarrell (S): *Carduelis yarrellii*
- Jilguero rojo (S): *Carduelis cucullata*
- Jorobada (S): *Megaptera novaeangliae*
- Jote real (S): *Sarcoramphus papa*
- Jubarte (F): *Megaptera novaeangliae*

<b>Jubula spp. II</b>	<sup>30</sup> STRIGIDAE (Aves)	Kakatoe alba (P. L. S. Müller, 1776) = Cacatua alba (P. L. S. Müller, 1776)	
<b>Jubula lettii</b> (Büttikofer, 1889) II	<sup>30</sup> STRIGIDAE (Aves)	Kakatoe ducrops (Bonaparte, 1850) = Cacatua ducorpii Pucheran, 1853	
(E) Maned Owl (S) Búho de Crin, Búho de Guinea (F)		Kakatoe galerita (Latham, 1790) = Cacatua galerita (Latham, 1790)	
Duc à crinière, Hibou à bec jaune		Kakatoe galerita ophthalmica (Latham, 1790) = Cacatua ophthalmica Slater, 1864	
<i>Juliamyia julie</i> (Bourcier, 1843) = <i>Damophila julie</i> (Bourcier, 1842)		Kakatoe haematuropygia (P. L. S. Müller, 1776) = Cacatua haematuropygia (Müller, 1776)	
Junglefowl, Grey (E): <i>Gallus sonneratii</i>		Kakatoe leadbeateri (Vigors, 1831) = Cacatua leadbeateri (Vigors, 1831)	
Junglefowl, Sonnerat's (E): <i>Gallus sonneratii</i>		Kakatoe moluccensis (Gmelin, 1788) = Cacatua moluccensis (Gmelin, 1788)	
Kachuga à cou rayé (F): <i>Batagur dhongoka</i>		Kakatoe roseicapilla (Vieillot, 1817) = <i>Eolophus roseicapilla</i> (Vieillot, 1817)	
Kachuga à dos en toit (F): <i>Pangshura tecta</i>		Kakatoe sanguinea goffini (Gould, 1843) = Cacatua goffiniana (Finsch, 1863)	
Kachuga à front rouge (F): <i>Batagur kachuga</i>		Kakatoe sanguinea (Gould, 1843) = Cacatua sanguinea Gould, 1843	
<i>Kachuga brookei</i> Bartlett, 1895 = <i>Batagur borneoensis</i> (Schlegel & S. Müller, 1844)		Kakatoe sulphurea (Gmelin, 1788) = Cacatua sulphurea (Gmelin, 1788)	
Kachuga carénée (F): <i>Pangshura tentoria</i>		Kakatoe tenuirostris (Kuhl, 1820) = Cacatua tenuirostris (Kuhl, 1820)	
Kachuga de l'Assam (F): <i>Pangshura sylhetensis</i>		Kakatoe tenuirostris pastinator (Kuhl, 1820) = Cacatua pastinator (Gould, 1841)	
Kachuga de Smith (F): <i>Pangshura smithii</i>		Kakatoi vareur (F): <i>Cheilinus undulatus</i>	
<i>Kachuga dhongoka</i> (Gray, 1835) = <i>Batagur dhongoka</i> (Gray, 1835)		Kangaroo, Brush-tailed Rat (E): <i>Bettongia penicillata</i>	
<i>Kachuga fusca</i> Gray, 1870 = <i>Batagur trivittata</i> (Duméril & Bibron, 1835)		Kangaroo, Lesueur's Rat (E): <i>Bettongia lesueur</i>	
<i>Kachuga fusca</i> Gray, 1870 = <i>Batagur kachuga</i> (Gray, 1831)		Kangaroo, Tasmanian Rat (E): <i>Bettongia gaimardi</i>	
<i>Kachuga hardwickii</i> Gray, 1869 = <i>Batagur dhongoka</i> (Gray, 1835)		Kangourou-rat à queue touffue (F): <i>Bettongia penicillata</i>	
<i>Kachuga intermedia</i> Boulenger, 1889 = <i>Pangshura tentoria</i> (Gray, 1834)		Kangourou-rat de Lesueur (F): <i>Bettongia lesueur</i>	
<i>Kachuga kachuga</i> (Gray, 1831) = <i>Batagur kachuga</i> (Gray, 1831)		Kangourou-rat de Tasmanie (F): <i>Bettongia gaimardi</i>	
<i>Kachuga lineata</i> (Boulenger, 1889) = <i>Batagur kachuga</i> (Gray, 1831)		Karumbé (S): <i>Chelonoidis carbonaria</i>	
<i>Kachuga major</i> Gray, 1873 = <i>Batagur borneoensis</i> (Schlegel & S. Müller, 1844)		Karusaurus jordani (Parker, 1936) = <i>Cordylus jordani</i> (Parker, 1936)	
<i>Kachuga oldhami</i> Gray 1869 = <i>Hardella thurjii</i> (Gray, 1831)		Karusaurus polyzonus (Smith, 1838) = <i>Cordylus polyzonus</i> A. Smith, 1838	
<i>Kachuga peguensis</i> Gray, 1869 = <i>Batagur trivittata</i> (Duméril & Bibron, 1835)		<b>Kaupifalco spp. II</b>	<sup>27</sup> ACCIPITRIDAE (Aves)
<i>Kachuga smithii</i> (Gray, 1863) = <i>Pangshura smithii</i> (Gray, 1863)		<b>Kaupifalco monogrammicus</b> (Temminck, 1824) II	<sup>27</sup> ACCIPITRIDAE (Aves) (E) Lizard Buzzard (S) Busardo gavilán (F) Autour unibande
<i>Kachuga sylhetensis</i> (Jerdon, 1870) = <i>Pangshura sylhetensis</i> Jerdon, 1870		Kea (S): <i>Nestor notabilis</i>	
<i>Kachuga tecta</i> (Gray, 1831) = <i>Pangshura tecta</i> (Gray, 1831)		Kea (F): <i>Nestor notabilis</i>	
<i>Kachuga tentoria</i> (Gray, 1834) = <i>Pangshura tentoria</i> (Gray, 1834)		Kea (E): <i>Nestor notabilis</i>	
<i>Kachuga trilineata</i> Gray, 1869 = <i>Batagur trivittata</i> (Duméril & Bibron, 1835)		Keelback, Chequered (E): <i>Xenochrophis piscator</i>	
<i>Kachuga trivittata</i> (Duméril & Bibron, 1835) = <i>Batagur trivittata</i> (Duméril & Bibron, 1835)		Keelback, Olivaceous (E): <i>Atretium schistosum</i>	
Kagou (F): <i>Rhynochetos jubatus</i>		Keelback, Olive (E): <i>Atretium schistosum</i>	
Kagou Huppé (F): <i>Rhynochetos jubatus</i>		Kelesa (E): <i>Scleropages formosus</i>	
Kagu (E): <i>Rhynochetos jubatus</i>		Kestrel (E): <i>Falco tinnunculus</i>	
Kagú (S): <i>Rhynochetos jubatus</i>		Kestrel, American (E): <i>Falco sparverius</i>	
Kaiserhind (E): <i>Teinopalpus imperialis</i>		Kestrel, Australian (E): <i>Falco cenchroides</i>	
Kaiserhind, Golden (E): <i>Teinopalpus aureus</i>		Kestrel, Banded (E): <i>Falco zoniventris</i>	
Kaka (S): <i>Nestor meridionalis</i>		Kestrel, Barred (E): <i>Falco zoniventris</i>	
Kaka (E): <i>Nestor meridionalis</i>		Kestrel, Common (E): <i>Falco tinnunculus</i>	
Kaka, New Zealand (E): <i>Nestor meridionalis</i>		Kestrel, Dickinson's (E): <i>Falco dickinsoni</i>	
Kakariki, Forbes's (E): <i>Cyanoramphus forbesi</i>		Kestrel, Eurasian (E): <i>Falco tinnunculus</i>	
Kakariki, Red-fronted (E): <i>Cyanoramphus novaezelandiae</i>		Kestrel, Fox (E): <i>Falco alox</i>	
Kakariki, Yellow-fronted (E): <i>Cyanoramphus auriceps</i>		Kestrel, Greater (E): <i>Falco rupicoloides</i>	

- Kestrel, Grey (E): *Falco ardosiaceus*  
 Kestrel, Lesser (E): *Falco naumanni*  
 Kestrel, Madagascar (E): *Falco newtoni*  
 Kestrel, Mauritius (E): *Falco punctatus*  
 Kestrel, Moluccan (E): *Falco moluccensis*  
 Kestrel, Nankeen (E): *Falco cenchroides*  
 Kestrel, Newton's (E): *Falco newtoni*  
 Kestrel, Seychelles (E): *Falco araeus*  
 Kestrel, Spotted (E): *Falco moluccensis*  
 Kestrel, White-eyed (E): *Falco rupicoloides*  
 Kestrel, White-rumped (E): *Falco dickinsoni*  
 Kétoupa brun (F): *Ketupa zeylonensis*  
 Kétoupa de Blakiston (F): *Bubo blakistoni*  
 Kétoupa malais (F): *Ketupa ketupu*  
 Kétoupa roux (F): *Ketupa flavipes*  
**Ketupa spp.** II 30 STRIGIDAE (Aves)  
*Ketupa blakistoni* (Seeböhm, 1884) = *Bubo blakistoni* Seeböhm, 1884  
**Ketupa flavipes** (Hodgson, 1836) II 30 STRIGIDAE (Aves) (E) Tawny Fish-Owl (S) Búho pescador, Búho pescador leonado (F) Hibou pêcheur roux, Kétoupa roux  
**Ketupa ketupu** (Horsfield, 1821) II 30 STRIGIDAE (Aves) (E) Buffy Fish-Owl, Malay Fish-Owl (S) Búho pescador malayo (F) Kétoupa malais  
**Ketupa zeylonensis** (Gmelin, 1788) II 30 STRIGIDAE (Aves) (E) Brown Fish-Owl (S) Búho pescador de Ceilán (F) Kétoupa brun  
 Khur (S): *Equus hemionus khur*  
 Khur (E): *Equus hemionus khur*  
 Kiang (E): *Equus kiang*  
 Kiang (F): *Equus kiang*  
 Kiang (S): *Equus kiang*  
 King-Parrot, Ambon (E): *Alisterus amboinensis*  
 King-Parrot, Australian (E): *Alisterus scapularis*  
 King-Parrot, Green-winged (E): *Alisterus chloropterus*  
 King-Parrot, Moluccan (E): *Alisterus amboinensis*  
 King-Parrot, Papuan (E): *Alisterus chloropterus*  
**Kinixys spp.** Bell, 1827 II 46 TESTUDINIDAE (Reptilia)  
*Kinixys australis* Hewitt, 1931 = *Kinixys spekii* Gray, 1863  
**Kinixys belliana** (Gray, 1831) II 46 TESTUDINIDAE (Reptilia) (E) Bell's Hinged-backed Tortoise, Bell's Hinged Tortoise (F) Kinixys de Bell  
*Kinixys belliana natalensis* Gray, 1831 = *Kinixys natalensis* Hewitt, 1935  
*Kinixys castanea* Bell, 1827 = *Kinixys erosa* (Schweigger, 1812)  
 Kinixys de Bell (F): *Kinixys belliana*  
 Kinixys de Home (F): *Kinixys homeana*  
 Kinixys du Natal (F): *Kinixys natalensis*  
**Kinixys erosa** (Schweigger, 1812) II 46 TESTUDINIDAE (Reptilia) (E) Common Tortoise, Forest Hinged Tortoise, Schweigger's Tortoise, Serrated Hinge-backed Tortoise, Serrated Hinge-back Tortoise, Serrated Tortoise (F) Kinixys rongée, Tortue articulée d'Afrique  
**Kinixys homeana** Bell, 1827 II 46 TESTUDINIDAE (Reptilia) (E) Home's Hinge-back Tortoise, Home's Hinged-backed Tortoise, Home's Hinged Tortoise (F) Kinixys de Home  
*Kinixys jordani* Hewitt, 1931 = *Kinixys spekii* Gray, 1863  
**Kinixys lobatsiana** (Power, 1927) II 46 TESTUDINIDAE (Reptilia) (E) Lobatse Hinged Tortoise  
**Kinixys natalensis** Hewitt, 1935 II 46 TESTUDINIDAE (Reptilia) (E) Natal Hinge-backed Tortoise, Natal Hinge-back Tortoise, Natal Hinged Tortoise (F) Kinixys du Natal  
*Kinixys nogueyi* (Latoste, 1886) = *Kinixys belliana* (Gray, 1831)  
 Kinixys rongée (F): *Kinixys erosa*  
*Kinixys schoensis* Rüppell, 1845 = *Kinixys belliana* (Gray, 1831)  
**Kinixys spekii** Gray, 1863 II 46 TESTUDINIDAE (Reptilia) (E) Speke's Hinged Tortoise  
*Kinixys youngi* Hewitt, 1931 = *Kinixys spekii* Gray, 1863  
*Kinixys zombensis* Hewitt, 1931 = *Kinixys belliana* (Gray, 1831)  
 Kinkajou (E): *Potos flavus*  
**Kinyongia spp.** Tilbury, Tolley & Branch, 2006 II CHAMELEONIDAE (Reptilia)  
**Kinyongia adolfifriederici** (Sternfeld, 1912) II CHAMELEONIDAE (Reptilia) (E) Ituri Chameleon, Ituri Forest Chameleon (F) Caméléon nain d'Ituri  
**Kinyongia asheorum** Necas, Sindaco, Korený, Kopecná, Malonza & Modry, 2009 II CHAMELEONIDAE (Reptilia)  
**Kinyongia boehmei** Lutzmann & Necas, 2002 II CHAMELEONIDAE (Reptilia) (E) Böhme's Two-horned Chameleon  
**Kinyongia carpenteri** (Boulenger, 1901) II CHAMELEONIDAE (Reptilia) (E) Carpenter's Chameleon, Ruwenzori Mountain Chameleon (F) Caméléon nain de Carpenter  
**Kinyongia excubitor** (Barbour, 1911) II CHAMELEONIDAE (Reptilia)  
**Kinyongia fischeri** (Reichenow, 1887) II CHAMELEONIDAE (Reptilia) (E) Fischer's Chameleon, Fischer's two-horned chameleon (F) Caméléon nain de Fischer  
**Kinyongia magomberae** Menegon, Tolley, Jones, Rovero, Marshall & Tilbury, 2009 II CHAMELEONIDAE (Reptilia)  
**Kinyongia matschiei** (Werner, 1895) II CHAMELEONIDAE (Reptilia) (E) Matschie's two-horned chameleon  
**Kinyongia multituberculata** (Nieden, 1913) II CHAMELEONIDAE (Reptilia) (E) West Usambara two-horned chameleon  
**Kinyongia oxyrhina** Klaver & Böhme, 1988 II CHAMELEONIDAE (Reptilia) (E) Red-nosed Dwarf Chameleon, Uluguru One-horned Chameleon (F) Caméléon nain du Cap  
**Kinyongia tavetana** (Steindachner, 1891) II CHAMELEONIDAE (Reptilia) (E) Mount Kilimanjaro Two-horned Chameleon (F) Caméléon nain de Matschie  
**Kinyongia tenuis** (Matschie, 1892) II CHAMELEONIDAE (Reptilia) (E) Matschie's Dwarf

Chameleon, Single Soft-nosed Chameleon, Slender Chameleon, Usambara Soft-horned Chameleon	Kite, Whistling (E): <i>Haliastur sphenurus</i>
<i>Kinyongia uluguruense</i> (Loveridge, 1957) = <i>Kinyongia uluguruensis</i> (Loveridge, 1957)	Kite, White-tailed (E): <i>Elanus leucurus</i>
<b><i>Kinyongia uluguruensis</i></b> (Loveridge, 1957) II	Kite, Yellow-billed (E): <i>Milvus migrans</i>
CHAMAELEONIDAE (Reptilia) (E) Uluguru Chameleon, Uluguru two-horned chamaeleon	<b><i>Klaia</i></b> spp. II TROCHILIDAE (Aves)
<b><i>Kinyongia uthmoelleri</i></b> (Müller, 1938) II	<b><i>Klaia guimeti</i></b> (Bourcier, 1843) II TROCHILIDAE (Aves)
CHAMAELEONIDAE (Reptilia) (E) Hanang Hornless Chameleon, Müller's Leaf Chameleon (F) Caméléon nain du sud et du Namaqua	(E) Violet-headed Hummingbird (S) Colibrí cabeciazul, Colibrí cabecivioleta, Tucusito cabeza azul (F) Colibri à tête violette
<b><i>Kinyongia vanheygeni</i></b> Necas, 2009 II	<i>Kobus kafuensis</i> Haltenorth, 1963 = <i>Kobus leche</i> Gray, 1850
CHAMAELEONIDAE (Reptilia)	<b><i>Kobus leche</i></b> Gray, 1850 II BOVIDAE (Mammalia) (E)
<b><i>Kinyongia vosseleri</i></b> (Nieden, 1913) II	Lechwe (S) Cobo de Lechwe, Lechwe (F) Cobe lechwe, Lechwe
CHAMAELEONIDAE (Reptilia) (E) Vosseler's Two-horned Chameleon	<i>Kobus smithemani</i> (Lydekker, 1900) = <i>Kobus leche</i> Gray, 1850
<b><i>Kinyongia xenorhina</i></b> (Boulenger, 1901) II	Kodkod (E): <i>Leopardus guigna</i>
CHAMAELEONIDAE (Reptilia) (E) Single Welded-horn Chameleon, Strange-horned Chameleon, Strange-nosed Chameleon (F) Caméléon de Rüppell	<b><i>Kogia</i></b> spp. II 18 PHYSETERIDAE (Mammalia)
<b><i>Kionotrochus</i></b> spp. Dennant 1906 II TURBINOLIIDAE (Anthozoa)	<b><i>Kogia breviceps</i></b> (Blainville, 1838) II 18 PHYSETERIDAE (Mammalia) (E) Pygmy Sperm Whale (S) Cachalote cabeza chica, Cachalote pigmeo (F) Cachalot pygmée
<i>Kionotrochus avis</i> Durham & Barnard, 1952 = <i>Pseudocyathoceras avis</i> (Durham & Barnard, 1952)	<b><i>Kogia sima</i></b> (Owen, 1866) II 18 PHYSETERIDAE (Mammalia) (E) Dwarf Sperm Whale, Owen's Pygmy Sperm Whale (S) Cachalote enano (F) Cachalot nain
<i>Kionotrochus hoodensis</i> Durham & Barnard, 1952 = <i>Pseudocyathoceras avis</i> (Durham & Barnard, 1952)	<i>Kogia simus</i> (Owen, 1866) = <i>Kogia sima</i> (Owen, 1866)
<i>Kionotrochus minimus</i> (Yabe & Eguchi, 1937) = <i>Peponocyathus minimus</i> (Yabe & Eguchi, 1937)	Kokomo (E): <i>Rhyticeros plicatus</i>
<b><i>Kionotrochus suteri</i></b> Dennant, 1906 II TURBINOLIIDAE (Anthozoa)	Kolinsky (E): <i>Mustela sibirica</i>
Kite, African Swallow-tailed (E): <i>Chelictinia riocourii</i>	Korhaan, Black (E): <i>Afrrotis afra</i>
Kite, American Swallow-tailed (E): <i>Elanoides forficatus</i>	Korhaan, Black-bellied (E): <i>Lissotis melanogaster</i>
Kite, Australian Black-shouldered (E): <i>Elanus axillaris</i>	Korhaan, Blue (E): <i>Eupodotis caerulescens</i>
Kite, Bat (E): <i>Macheiramphus alcinus</i>	Korhaan, Crested (E): <i>Lophotis ruficrista</i>
Kite, Black (E): <i>Milvus migrans</i>	Korhaan, Damara (E): <i>Eupodotis rueppellii</i>
Kite, Black-breasted (E): <i>Hamirostra melanosternon</i>	Korhaan, Karoo (E): <i>Eupodotis vigorsii</i>
Kite, Black-shouldered (E): <i>Elanus axillaris</i>	Korhaan, White-bellied (E): <i>Eupodotis senegalensis</i>
Kite, Black-shouldered (E): <i>Elanus caeruleus</i>	Kouprey (S): <i>Bos sauveli</i>
Kite, Black-winged (E): <i>Elanus caeruleus</i>	Kouprey (E): <i>Bos sauveli</i>
Kite, Brahminy (E): <i>Haliastur indus</i>	Kouprey (F): <i>Bos sauveli</i>
Kite, Cayenne (E): <i>Leptodon cayanensis</i>	Kulan (E): <i>Equus hemionus</i>
Kite, Cuban Hook-billed (E): <i>Chondrohierax uncinatus wilsonii</i>	Kulan, North Mongolian (E): <i>Equus hemionus hemionus</i>
Kite, Double-toothed (E): <i>Harpagus bidentatus</i>	<i>Labiopora antarctica</i> (Gray, 1872) = <i>Errina antarctica</i> (Gray, 1872)
Kite, Everglade (E): <i>Rostrhamus sociabilis</i>	<b><i>Labyrinthocyathus</i></b> spp. Cairns 1979 II
Kite, Grey-headed (E): <i>Leptodon cayanensis</i>	CARYOPHYLLIIDAE (Anthozoa)
Kite, Hook-billed (E): <i>Chondrohierax uncinatus</i>	<i>Labyrinthocyathus cornu</i> (Gardiner, 1904) = <i>Labyrinthocyathus delicatus</i> (Marenzeller, 1904)
Kite, Letter-winged (E): <i>Elanus scriptus</i>	<b><i>Labyrinthocyathus delicatus</i></b> (Marenzeller, 1904) II
Kite, Mississippi (E): <i>Ictinia mississippiensis</i>	CARYOPHYLLIIDAE (Anthozoa)
Kite, Pariah (E): <i>Milvus migrans</i>	<b><i>Labyrinthocyathus facetus</i></b> Cairns, 1979 II
Kite, Pearl (E): <i>Gampsonyx swainsonii</i>	CARYOPHYLLIIDAE (Anthozoa)
Kite, Plumbeous (E): <i>Ictinia plumbea</i>	<b><i>Labyrinthocyathus langae</i></b> Cairns, 1979 II
Kite, Red (E): <i>Milvus milvus</i>	CARYOPHYLLIIDAE (Anthozoa) (E) Labyrinthic Cup Coral (S) Coral tazón laberíntico
Kite, Red-backed (E): <i>Haliastur indus</i>	<b><i>Labyrinthocyathus limatulus</i></b> (Squires, 1964) II
Kite, Rufous-thighed (E): <i>Harpagus diodon</i>	CARYOPHYLLIIDAE (Anthozoa)
Kite, Scissor-tailed (E): <i>Chelictinia riocourii</i>	<b><i>Labyrinthocyathus quaylei</i></b> (Durham, 1947) II
Kite, Slender-billed (E): <i>Rostrhamus hamatus</i>	CARYOPHYLLIIDAE (Anthozoa)
Kite, Snail (E): <i>Rostrhamus sociabilis</i>	<i>Lacerta aegyptia</i> Forskål, 1775 = <i>Uromastyx aegyptia</i> (Forskål, 1775)
Kite, Square-tailed (E): <i>Lophoictinia isura</i>	<i>Lacerta capensis</i> Sparrman, 1783 = <i>Varanus niloticus</i> (Linnaeus, 1766)
Kite, Swallow-tailed (E): <i>Elanoides forficatus</i>	

- Lacerta chamaeleon* Linnaeus, 1758 = *Chamaeleo chamaeleon* Linnaeus, 1758  
*Lacerta cordylus* Linnaeus, 1758 = *Cordylus cordylus* (Linnaeus, 1758)  
*Lacerta crocodilus* Linnaeus, 1758 = *Caiman crocodilus* (Linnaeus, 1758)  
*Lacerta exanthematica* Bosc, 1792 = *Varanus exanthematicus* (Bosc, 1792)  
*Lacerta gangetica* Gmelin, 1789 = *Gavialis gangeticus* (Gmelin, 1789)  
*Lacerta nilotica* Linnaeus, 1766 = *Varanus niloticus* (Linnaeus, 1766)  
*Lacerta pumila* Gmelin, 1789 = *Bradypodion kentanicum* Hewitt, 1935  
*Lacerta pumila* Gmelin, 1789 = *Bradypodion melanocephalum* (Gray, 1865)  
*Lacerta pumila* Gmelin, 1789 = *Bradypodion pumilum* (Gmelin, 1789)  
*Lacerta varia* Shaw, 1790 = *Varanus varius* (Shaw in White, 1790)
- Lafresnaya spp.** II TROCHILIDAE (Aves)  
**Lafresnaya lafresnayi** (Boissonneau, 1840) II  
 TROCHILIDAE (Aves) (E) Mountain Velvetbreast (S) Colibrí aterciopelado, Colibrí terciopelo (F) Colibri de Lafresnaye  
 Lagarhja de las Pitiusas (S): *Podarcis pityusensis*  
 Lagartija balear (S): *Podarcis lilfordi*  
 Lagartija de las Pitiusas (S): *Podarcis pityusensis*  
 Lagarto aguja (S): *Crocodylus acutus*  
 Lagarto blanco (S): *Crocodylus acutus*  
 Lagarto cocodrilo chino (S): *Shinisaurus crocodilurus*  
 Lagarto de cola espinosa común (S): *Uromastyx acanthinura*  
 Lagarto de cola espinosa de Geyr (S): *Uromastyx geyri*  
 Lagarto de cola espinosa de Macfadyen (S): *Uromastyx macfadyeni*  
 Lagarto de cola espinosa de Thomas (S): *Uromastyx thomasi*  
 Lagarto de cola espinosa ocelado (S): *Uromastyx ocellata*  
 Lagarto de Cuentas (S): *Heloderma horridum*  
 Lagarto egipcio de cola espinosa (S): *Uromastyx aegyptia*  
 Lagarto gigante del Hierro (S): *Gallotia simonyi*  
 Lagarto indio de cola espinosa (S): *Saara hardwickii*  
 Lagarto negro (S): *Melanosuchus niger*
- Lagenodelphis spp.** II<sup>18</sup> DELPHINIDAE (Mammalia)  
**Lagenodelphis hosei** Fraser, 1956 II<sup>18</sup> DELPHINIDAE (Mammalia) (E) Fraser's Dolphin, Sarawak Dolphin (S) Delfín de Borneo (F) Dauphin de Fraser
- Lagenorhynchus spp.** II<sup>18</sup> DELPHINIDAE (Mammalia)  
**Lagenorhynchus acutus** (Gray, 1828) II<sup>18</sup>  
 DELPHINIDAE (Mammalia) (E) Atlantic White-sided Dolphin (S) Delfín de flancos blancos (F) Lagénorhynque à flanc blanc de l'Atlantique
- Lagenorhynchus albirostris** (Gray, 1846) II<sup>18</sup>  
 DELPHINIDAE (Mammalia) (E) White-beaked Dolphin (S) Delfín de pico blanco (F) Lagénorhynque à bec blanc de l'Atlantique
- Lagenorhynchus australis** (Peale, 1848) II<sup>18</sup>  
 DELPHINIDAE (Mammalia) (E) Blackchin Dolphin, Peale's Dolphin (S) Delfín austral (F) Lagénorhynque de Peale
- Lagenorhynchus cruciger** (Quoy & Gaimard, 1824) II<sup>18</sup>  
 DELPHINIDAE (Mammalia) (E) Hourglass Dolphin (S) Delfín cruzado (F) Dauphin crucigère, Lagénorhynque crucigère
- Lagenorhynchus electra** Gray, 1846 = *Peponocephala electra* (Gray, 1846)
- Lagenorhynchus obliquidens** Gill, 1865 II<sup>18</sup>  
 DELPHINIDAE (Mammalia) (E) Pacific White-sided Dolphin (S) Delfín lagenor ringo (F) Lagénorhynque à flanc blanc du Pacifique
- Lagenorhynchus obscurus** (Gray, 1828) II<sup>18</sup>  
 DELPHINIDAE (Mammalia) (E) Dusky Dolphin (S) Delfín listado (F) Lagénorhynque sombre
- Lagenorhynchus superciliosus** Lesson & Garnot, 1826 = *Lagenorhynchus obscurus* (Gray, 1828)  
 Lagénorhynque à bec blanc de l'Atlantique (F):  
**Lagenorhynchus albirostris**  
 Lagénorhynque à flanc blanc de l'Atlantique (F):  
**Lagenorhynchus acutus**  
 Lagénorhynque à flanc blanc du Pacifique (F):  
**Lagenorhynchus obliquidens**  
 Lagénorhynque crucigère (F): *Lagenorhynchus cruciger*  
 Lagénorhynque de Peale (F): *Lagenorhynchus australis*  
 Lagénorhynque sombre (F): *Lagenorhynchus obscurus*
- Lagorchestes hirsutus** Gould, 1844 I MACROPODIDAE (Mammalia) (E) Ormala, Rufous Hare-wallaby, Western Hare-wallaby, Wurrup (S) Canguro-liebre peludo, Wallabi rojo (F) Wallaby-lièvre de l'ouest, Wallaby-lièvre roux
- Lagostrophus fasciatus** (Péron & Lesueur, 1807) I  
 MACROPODIDAE (Mammalia) (E) Banded Hare-wallaby, Munning (S) Canguro-liebre rayado, Wallabi rayado (F) Wallaby-lièvre à bandes, Wallaby-lièvre rayé
- Lagothriche de Humboldt (F): *Lagothrix lagotricha*  
**Lagothrix spp.** II ATELIDAE (Mammalia)  
**Lagothrix cana** É. Geoffroy, 1812 II ATELIDAE (Mammalia)  
*Lagothrix flavicauda* Humboldt, 1812 = *Oreonax flavicauda* (Humboldt, 1812)  
*Lagothrix hendeei* Thomas, 1927 = *Oreonax flavicauda* (Humboldt, 1812)  
*Lagothrix lagothricha* (Humboldt, 1812) = *Lagothrix lagotricha* (Humboldt, 1812)  
**Lagothrix lagotricha** (Humboldt, 1812) II ATELIDAE (Mammalia) (E) Common Woolly Monkey, Humboldt's Woolly Monkey (S) Mono lanudo (F) Lagothriche de Humboldt, Singe laineux  
*Lagothrix lagotricha cana* (Humboldt, 1812) = *Lagothrix cana* É. Geoffroy, 1812  
*Lagothrix lagotricha lugens* (Humboldt, 1812) = *Lagothrix lugens* Elliot, 1907  
*Lagothrix lagotricha poeppigii* (Humboldt, 1812) = *Lagothrix poeppigii* Schinz, 1844  
**Lagothrix lugens** Elliot, 1907 II ATELIDAE (Mammalia) (E) Colombian Woolly Monkey  
**Lagothrix poeppigii** Schinz, 1844 II ATELIDAE (Mammalia)

- Lama glama guanicoe* = *Lama guanicoe* (P. L. S. Müller, 1776)
- Lama guanicoe*** (P. L. S. Müller, 1776) II CAMELIDAE  
 (Mammalia) (E) Guanaco (S) Guanaco (F) Guanaco
- Lamantin d'Afrique (F): *Trichechus senegalensis*  
 Lamantin d'Amérique du nord (F): *Trichechus manatus*  
 Lamantin d'Amérique du sud (F): *Trichechus inunguis*  
 Lamantin de l'Amazone (F): *Trichechus inunguis*  
 Lamantin des Antilles (F): *Trichechus manatus*  
 Lamantin des Caraïbes (F): *Trichechus manatus*  
 Lamantin du Sénégal (F): *Trichechus senegalensis*  
 Lamantino amazónico (S): *Trichechus inunguis*  
 Lamantino norteamericano (S): *Trichechus manatus*  
 Lamantin ouest-africain (F): *Trichechus senegalensis*  
*Lama vicugna* (Molina, 1782) = *Vicugna vicugna* (Molina, 1782)
- Lambis (F): *Strombus gigas*
- Lamie (F): *Carcharodon carcharias*
- Lammergeier (E): *Gypaetus barbatus*
- Lamna nasus*** (Bonnaterre, 1788) II LAMNIDAE  
 (Elasmobranchii) (E) Beaumaris shark, Blue dog, Mackerel shark, Porbeagle, Porbeagle shark, Porbeale shark (S) Cailón, Cailón marrajo, Marrajo, Marrajo sardinero (F) Requin-taupe commun
- Lamna philippii* Pérez Canto, 1886 = *Lamna nasus* (Bonnaterre, 1788)
- Lamna philippii* Perez Canto, 1886 = *Lamna nasus* (Bonnaterre, 1788)
- Lamna punctata* Storer, 1839 = *Lamna nasus* (Bonnaterre, 1788)
- Lamna whitleyi* Philipps, 1935 = *Lamna nasus* (Bonnaterre, 1788)
- Lampmussel, Alabama (E): *Lampsilis virescens*
- Lampornis* spp.** II TROCHILIDAE (Aves)
- Lampornis amethystinus*** Swainson, 1827 II TROCHILIDAE (Aves) (E) Amethyst-throated Hummingbird (S) Colibrí amatistino, Colibrí-serrano gorjiamatisto (F) Colibri à gorge améthyste
- Lampornis calolaemus*** (Salvin, 1865) II TROCHILIDAE (Aves) (E) Purple-throated Mountain-gem
- Lampornis castaneoventris*** (Gould, 1851) II TROCHILIDAE (Aves) (E) Purple-throated Mountain-gem, Variable Mountain-gem, White-throated Mountain-gem (S) Colibrí variable (F) Colibri à ventre châtain
- Lampornis cinereicauda* (Lawrence, 1867) = *Lampornis castaneoventris* (Gould, 1851)
- Lampornis clemenciae*** (Lesson, 1829) II TROCHILIDAE (Aves) (E) Blue-throated Hummingbird (S) Colibrí gorgiazul, Colibrí-serrano gorjiazul (F) Colibri à gorge bleue
- Lampornis hemileucus*** (Salvin, 1865) II TROCHILIDAE (Aves) (E) White-bellied Mountain-gem (S) Colibrí gorgivioleta (F) Colibri à gorge lilas
- Lampornis sybillae*** (Salvin & Godman, 1892) II TROCHILIDAE (Aves) (E) Green-breasted Mountain-gem (S) Colibrí de Sibila, Colibrí-serrano pechiverde (F) Colibri de Sybil
- Lampornis viridipallens*** (Bourcier & Mulsant, 1846) II TROCHILIDAE (Aves) (E) Green-throated
- Mountain-gem (S) Colibrí gorgiescamoso, Colibrí-serrano gorjiverde (F) Colibri vert-d'eau
- Lampornis viridipallens sybillae* (Bourcier & Mulsant, 1846) = *Lampornis sybillae* (Salvin & Godman, 1892)
- Lampraster branickii* Taczanowski, 1874 = *Heliodoxa branickii* (Taczanowski, 1874)
- Lamprolaima* spp.** II TROCHILIDAE (Aves)
- Lamprolaima rhami*** (Lesson, 1838) II TROCHILIDAE (Aves) (E) Garnet-throated Hummingbird (S) Colibrí alicastaño (F) Colibri à gorge grenat
- Lampsilis higginsii* (I. Lea, 1857) I UNIONIDAE (Bivalvia) (E) Higgins' Eye Pearly Mussel, Higgins's Eye
- Lampsilis orbiculata* (I. Lea, 1836) I/NC UNIONIDAE (Bivalvia)
- Lampsilis orbiculata orbiculata* (Hildreth, 1828) I UNIONIDAE (Bivalvia) (E) Pinkmucket
- Lampsilis satur* (I. Lea, 1852) I UNIONIDAE (Bivalvia) (E) Plain Pocketbook Pearly Mussel, Sandbank Pocketbook
- Lampsilis satur* (I. Lea, 1852) = *Lampsilis satur* (I. Lea, 1852)
- Lampsilis tampicoensis tecumensis* (I. Lea, 1838) = *Unio tampicoensis tecumensis* I. Lea, 1841
- Lampsilis virescens* (I. Lea, 1858) I UNIONIDAE (Bivalvia) (E) Alabama Lampmussel, Alabama Lamp Pearly Mussel
- Lancebill, Blue-fronted (E): *Doryfera johannae*  
 Lancebill, Green-fronted (E): *Doryfera ludovicae*  
 Langur à capuchon (F): *Trachypithecus pileatus*  
 Langur à queue de cochon (F): *Simias concolor*  
 Langur, Banded (E): *Presbytis femoralis*  
 Langur, Black-footed Grey (E): *Semnopithecus hypoleucos*  
 Langur, Black-shanked Douc (E): *Pygathrix nigripes*  
 Langur, Bonneted (E): *Trachypithecus pileatus*  
 Langur, Capped (E): *Trachypithecus pileatus*  
 Langur capuchino (S): *Trachypithecus pileatus*  
 Langur chato (S): *Rhinopithecus roxellana*  
 Langur colilargo (S): *Presbytis potenziani*  
 Langur, Common (E): *Semnopithecus entellus*  
 Langur común (S): *Semnopithecus entellus*  
 Langur crestado (S): *Trachypithecus villosus*  
 Langur de capa (S): *Trachypithecus pileatus*  
 Langur de cara roja (S): *Trachypithecus vetulus*  
 Langur de cresta (S): *Presbytis melalophos*  
 Langur de Francois (S): *Trachypithecus francoisi*  
 Langur de François (F): *Trachypithecus francoisi*  
 Langur de frente blanca (S): *Presbytis frontata*  
 Langur de Hose (S): *Presbytis hosei*  
 Langur Delacouri (F): *Trachypithecus delacouri*  
 Langur, Delacour's (E): *Trachypithecus delacouri*  
 Langur de Mentawi (S): *Presbytis potenzianii*  
 Langur de Nilgiri (S): *Trachypithecus johnii*  
 Langur des îles Mentawi (F): *Simias concolor*  
 Langur de Thomas (S): *Presbytis thomasi*  
 Langur dorado (S): *Trachypithecus geei*  
 Langur doré (F): *Trachypithecus geei*  
 Langur, Douc (E): *Pygathrix nemaeus*  
 Langur du Nilgiri (F): *Trachypithecus johnii*  
 Langur, Entellus (E): *Semnopithecus entellus*

Langur, François's (E): *Trachypithecus francoisi*  
 Langur, Gee's Golden (E): *Trachypithecus geei*  
 Langur, Golden (E): *Trachypithecus geei*  
 Langur, Grey (E): *Semnopithecus entellus*  
 Langur, Grey-shanked Douc (E): *Pygathrix cinerea*  
 Langur gris (S): *Presbytis comata*  
 Langur hanuman (S): *Semnopithecus entellus*  
 Langur, Hanuman (E): *Semnopithecus entellus*  
 Langur, Hatinh (E): *Trachypithecus hatinhensis*  
 Langur, Hose's (E): *Presbytis hosei*  
 Langur, Indochinese Black (E): *Trachypithecus ebenus*  
 Langur jaspeado (S): *Pygathrix nemaeus*  
 Langur, John's (E): *Trachypithecus johnii*  
 Langur, Kashmir Grey (E): *Semnopithecus ajax*  
 Langur, Laotian (E): *Trachypithecus laotum*  
 Langur, Long-tailed (E): *Presbytis potenziani*  
 Langur, Maroon (E): *Presbytis rubicunda*  
 Langur, Mentawai (E): *Presbytis potenziani*  
 Langur, Mentawi Islands Snub-nosed (E): *Simias concolor*  
 Langur mitrado (S): *Presbytis femoralis*  
 Langur, Nepal Grey (E): *Semnopithecus schistaceus*  
 Langur, Nilgiri (E): *Trachypithecus johnii*  
 Langur, Northern Plains Grey (E): *Semnopithecus entellus*  
 Langur obscuro (S): *Trachypithecus obscurus*  
 Langur, Pagai Island (E): *Simias concolor*  
 Langur, Phayre's (E): *Trachypithecus phayrei*  
 Langur, Pig-tailed (E): *Simias concolor*  
 Langur rabicero (S): *Simias concolor*  
 Langur, Red-shanked Douc (E): *Pygathrix nemaeus*  
 Langur rubicundo (S): *Presbytis rubicunda*  
 Langur, Shortridge's (E): *Trachypithecus shortridgei*  
 Langur, Silvered (E): *Trachypithecus villosus*  
 Langur, Southern Plains Grey (E): *Semnopithecus dussumieri*  
 Langur, Spectacled (E): *Trachypithecus obscurus*  
 Langur, Tarai Grey (E): *Semnopithecus hector*  
 Langur, Thomas's (E): *Presbytis thomasi*  
 Langur, True (E): *Semnopithecus entellus*  
 Langur, Tufted Grey (E): *Semnopithecus priam*  
 Langur, White-faced (E): *Presbytis frontata*  
 Langur, White-fronted (E): *Presbytis frontata*  
 Langur, White-headed (E): *Trachypithecus poliocephalus*  
 Langur, White-rumped Black (E): *Trachypithecus delacouri*  
 Lanner (E): *Falco biarmicus*  
 Lapa azul (S): *Ara macao*  
 Lapin de Diaz (F): *Romerolagus diazi*  
 Lapin de l'Assam (F): *Caprolagus hispidus*  
 Lapin des volcans (F): *Romerolagus diazi*  
 Larus melanocephalus relictus Temminck, 1820 = *Larus relictus* Lönnberg, 1931  
**Larus relictus** Lönnberg, 1931 | LARIDAE (Aves) (E)  
     Relict Gull (S) Gaviota de Mongolia, Gaviota relicta (F)  
     Goéland de Mongolie, Goéland relique, Mouette  
     Relique  
*Lasiorhinus barnardi* Longman, 1939 = *Lasiorhinus krefftii* (Owen, 1873)  
*Lasiorhinus gillespiei* (DeVis, 1900) = *Lasiorhinus krefftii* (Owen, 1873)  
**Lasiorhinus krefftii** (Owen, 1873) | VOMBATIDAE (Mammalia) (E) Northern Hairy-nosed Wombat,  
 Queensland Hairy-nosed Wombat (S) Oso marsupial del río Moonie, Vombat de Queensland (F) Wombat à nez poilu du Queensland  
**Lathamus spp.** II 29 PSITTACIDAE (Aves)  
**Lathamus discolor** (White, 1790) II 29 PSITTACIDAE (Aves) (E) Swift Parrot (S) Periquito migrador (F) Perruche de Latham  
*Latimeria* spp. I LATIMERIIDAE (Sarcopterygii)  
*Latimeria* (E): *Latimeria chalumnae*  
*Latimeria chalumnae* Smith, 1939 I LATIMERIIDAE (Sarcopterygii) (E) Coelacanth, Gombessa, Latimeria, Old Four Legs (S) Celecanto (F) Coelacanthe  
*Latimeria menadoensis* Pouyaud, Wirjoatmodjo, Rachmatika, Tjakrawidjaja, Hadiaty & Hadie 1999 I LATIMERIIDAE (Sarcopterygii) (E) Menado Coelacanth  
 Laughingthrush, Melodious (E): *Garrulax canorus*  
*Layardiella tabuensis* (J. F. Gmelin, 1788) = *Prosopeia tabuensis* (Gmelin, 1788)  
 Leatherback (E): *Dermochelys coriacea*  
 Lechucita acanelada (S): *Aegolius harrisii*  
 Lechucita común (S): *Otus choliba*  
 Lechucita común (S): *Athene cunicularia*  
 Lechucita de las viscacheras (S): *Athene cunicularia*  
 Lechucita rojiza (S): *Otus atricapilla*  
 Lechuza australiana (S): *Tyto novaehollandiae*  
 Lechuza bataraz (S): *Strix rufipes*  
 Lechuza baya de Madagascar (S): *Phodilus badius*  
 Lechuza blanquinegra (S): *Ciccaba nigrolineata*  
 Lechuza campestre (S): *Asio flammeus*  
 Lechuza colilarga (S): *Strix virgata*  
 Lechuza colilarga (S): *Strix albitarsis*  
 Lechuza común (S): *Tyto alba*  
 Lechuza copetona (S): *Lophostrix cristata*  
 Lechuza cornuda (S): *Phodilus badius*  
 Lechuza de campanario (S): *Tyto alba*  
 Lechuza de Célebes (S): *Tyto rosenbergii*  
 Lechuza de El Cabo (S): *Tyto capensis*  
 Lechuza de la Española (S): *Tyto glaurops*  
 Lechuza de la Manus (S): *Tyto manusi*  
 Lechuza de las Tanimbar (S): *Tyto sororcula*  
 Lechuza de la Taliabu (S): *Tyto nigrobrunnea*  
 Lechuza del Congo (S): *Phodilus prigoginei*  
 Lechuza de Madagascar (S): *Tyto soumagnei*  
 Lechuza de Minahassa (S): *Tyto inexspectata*  
 Lechuza de Tengmalm (S): *Aegolius funereus*  
 Lechuza dorada (S): *Tyto aurantia*  
 Lechuza estigia (S): *Asio stygius*  
 Lechuza gavilana (S): *Surnia ulula*  
 Lechuza gavilana de las Molucas (S): *Ninox squamipila*  
 Lechuza gavilana de Norfolk (S): *Ninox novaeseelandiae undulata*  
 Lechuza listada (S): *Pseudoscops clamator*  
 Lechuza listada (S): *Strix hylophila*  
 Lechuza malgache (S): *Tyto soumagnei*  
 Lechuza mora (S): *Asio capensis*  
 Lechuza moteada (S): *Tyto multipunctata*  
 Lechuza negra (S): *Ciccaba huhula*  
 Lechuza orejcorta (S): *Asio flammeus*  
 Lechuza orejita de Madagascar (S): *Asio madagascariensis*

- Lechuza patiblanca (S): *Strix albitarsis*  
 Lechuza pescadora (S): *Scotopelia peli*  
 Lechuzas (S): *Tytonidae*  
 Lechuza tenebrosa (S): *Tyto tenebricosa*  
 Lechuzón (S): *Pseudoscops clamator*  
 Lechuzón acollarado chico (S): *Pulsatrix koeniswaldiana*  
 Lechuzón acollarado grande (S): *Pulsatrix melanota*  
 Lechuzón anteojos (S): *Pulsatrix perspicillata*  
 Lechuzón anteojos menor (S): *Pulsatrix koeniswaldiana*  
 Lechuzón campestre (S): *Asio flammeus*  
 Lechuzón cariblanco (S): *Sceloglaux albifacies*  
 Lechuzón de anteojos (S): *Pulsatrix perspicillata*  
 Lechuzón de Woodford (S): *Strix woodfordii*  
 Lechuzón negruzco (S): *Asio stygius*  
 Lechuzón orejas largas (S): *Pseudoscops clamator*  
 Lechuzón orejudo (S): *Pseudoscops clamator*  
 Lechuzón orejudo (S): *Bubo virginianus*  
 Lechuzón pardo menor (S): *Pulsatrix koeniswaldiana*  
 Lechwe (F): *Kobus leche*  
 Lechwe (E): *Kobus leche*  
 Lechwe (S): *Kobus leche*  
 Leech, Medicinal (E): *Hirudo medicinalis*  
 Leech, Northern Medicinal (E): *Hirudo medicinalis*  
 Leech, Southern Medicinal (E): *Hirudo verbana*  
 Legs, Old Four (E): *Latimeria chalumnae*  
*Leionotus maculatus* Bibron, 1840 = *Tropidophis maculatus* (Bibron, 1840)  
***Leiopathes* spp.** (Gray 1842) II LEIOPATHIDAE  
 (Anthozoa)  
***Leiopathes acanthophora*** Opresco, 1998 II  
 LEIOPATHIDAE (Anthozoa)  
*Leiopathes boscii* (Lamouroux, 1821) = *Antipathes boscii* Lamouroux, 1821  
***Leiopathes bulbosa*** Opresco, 1998 II LEIOPATHIDAE  
 (Anthozoa)  
***Leiopathes expansa*** Johnson, 1900 II LEIOPATHIDAE  
 (Anthozoa)  
***Leiopathes glaberrima*** (Esper, 1792) II LEIOPATHIDAE  
 (Anthozoa) (E) Smooth Black Coral  
***Leiopathes grimaldii*** Roule, 1902 II LEIOPATHIDAE  
 (Anthozoa)  
*Leiopathes lenta* (Pourtales, 1871) = *Antipathes lenta* Pourtales, 1871  
***Leiopathes secunda*** Opresco, 1998 II LEIOPATHIDAE  
 (Anthozoa)  
**LEIOPATHIDAE** spp. Haeckel, 1896 II (Anthozoa)  
***Leiopython* spp.** Hubrecht, 1879 II PYTHONIDAE  
 (Reptilia)  
***Leiopython albertisii*** (Peters & Doria, 1878) II  
 PYTHONIDAE (Reptilia) (E) D'Albert's Python,  
 White-lipped Python (S) Pitón de Albert (F) Python à lèvres blanches, Python de Nouvelle-Guinée  
*Leiopython albertisii albertisii* Hoser, 2000 = *Leiopython albertisii* (Peters & Doria, 1878)  
*Leiopython albertisii bennetti* Hoser 2000 = *Leiopython bennettorum* Hoser, 2000  
*Leiopython albertisii Kluge*, 1993 = *Leiopython albertisii* (Peters & Doria, 1878)  
*Leiopython albertisii McDiarmid et al.*, 1999 = *Leiopython albertisii* (Peters & Doria, 1878)
- Leiopython bennettorum*** Hoser, 2000 II PYTHONIDAE  
 (Reptilia)  
***Leiopython biakensis*** Schleip, 2008 II PYTHONIDAE  
 (Reptilia)  
***Leiopython fredparkeri*** Schleip, 2008 II PYTHONIDAE  
 (Reptilia)  
*Leiopython gracilis* Hubrecht, 1879 = *Leiopython albertisii* (Peters & Doria, 1878)  
***Leiopython hoserae*** Hoser, 2000 II PYTHONIDAE  
 (Reptilia)  
***Leiopython huonensis*** Schleip, 2008 II PYTHONIDAE  
 (Reptilia)  
 Léiothrix à joues argent (F): *Leiothrix argentauris*  
***Leiothrix argentauris*** (Hodgson, 1837) II  
 MUSCICAPIDAE (Aves) (E) Silver-eared Mesia (S) Mesía (F) Léiothrix à joues argent  
 Léiothrix jaune (F): *Leiothrix lutea*  
***Leiothrix lutea*** (Scopoli, 1786) II MUSCICAPIDAE (Aves)  
 (E) Red-billed Leiothrix, Red-billed Mesia (S) Ruiseñor del bambú (F) Léiothrix jaune  
 Léiothrix, Red-billed (E): *Leiothrix lutea*  
*Lempijius megalotis* Walden, 1875 = *Otus megalotis* (Walden, 1875)  
***Lemur* spp.** Linnaeus, 1758 I LEMURIDAE (Mammalia)  
 Lémur à couronne (F): *Eulemur coronatus*  
 Lemur, Alaotran Bamboo (E): *Hapalemur alaotrensis*  
 Lemur, Alaotran Gentle (E): *Hapalemur alaotrensis*  
 Lemur, Alaotra Reed (E): *Hapalemur alaotrensis*  
 Lemur, Amber Mountain Fork-marked (E): *Phaner electromontis*  
 Lemur, Ankarana Sportive (E): *Lepilemur ankaranensis*  
 Lémur ardilla coligrueso (S): *Cheirogaleus medius*  
 Lémur à ventre rouge (F): *Eulemur rubriventer*  
 Lemur, Berthe's Mouse (E): *Microcebus berthae*  
 Lemur, Black (E): *Eulemur macaco*  
 Lemur, Broad-nosed Gentle (E): *Prolemur simus*  
 Lemur, Brown (E): *Eulemur fulvus*  
 Lémur brun (F): *Eulemur fulvus*  
 Lémur cariancho (S): *Hapalemur aureus*  
 Lémur cariancho (S): *Prolemur simus*  
 Lémur cariancho (S): *Hapalemur griseus*  
***Lemur catta*** Linnaeus, 1758 I LEMURIDAE (Mammalia)  
 (E) Ring-tailed Lemur (S) Lémur colianillado (F) Lémur catta, Maki catta  
 Lémur catta (F): *Lemur catta*  
 Lémur colianillado (S): *Lemur catta*  
 Lemur, Collared Brown (E): *Eulemur collaris*  
 Lémur comadreja de Ambarja (S): *Lepilemur dorsalis*  
 Lémur comadreja de dientes pequeños (S): *Lepilemur microdon*  
 Lémur comadreja de Edwards (S): *Lepilemur edwardsi*  
 Lémur comadreja de pies blancos (S): *Lepilemur leucopus*  
 Lémur comadreja septentrional (S): *Lepilemur septentrionalis*  
 Lemur, Coquerel's Dwarf (E): *Mirza coquereli*  
 Lémur coronado (S): *Eulemur coronatus*  
*Lemur coronatus* Gray, 1842 = *Eulemur coronatus* (Gray, 1842)  
 Lemur, Crowned (E): *Eulemur coronatus*  
 Lémur de collar (S): *Varecia variegata*

- Lémur de Gola (S): *Varecia variegata*  
 Lémur de Gorguera (S): *Varecia variegata*  
 Lemur de vientre rojo (S): *Eulemur rubriventer*  
 Lemur, Dry-bush Weasel (E): *Lepilemur leucopus*  
 Lemur, Eastern Woolly (E): *Avahi laniger*  
 Lémur enano coligrueso (S): *Cheirogaleus medius*  
 Lémur enano mayor (S): *Cheirogaleus major*  
 Lémures Enanos (S): *Cheirogaleidae*  
 Lémures Grandes (S): *Lemuridae*  
 Lémures Saltadores (S): *Lepilemuridae*  
 Lemur, Fat-tailed Dwarf (E): *Cheirogaleus medius*  
 Lemur, Fork-marked (E): *Phaner furcifer*  
*Lemur fulvus Geoffroy, 1796 = Eulemur fulvus (É. Geoffroy, 1796)*  
 Lemur, Furry-eared Dwarf (E): *Cheirogaleus crossleyi*  
 Lemur, Golden (E): *Hapalemur aureus*  
 Lemur, Golden Bamboo (E): *Hapalemur aureus*  
 Lemur, Golden-brown Mouse (E): *Microcebus ravelobensis*  
 Lemur, Greater Bamboo (E): *Prolemur simus*  
 Lemur, Greater Dwarf (E): *Cheirogaleus major*  
 Lemur, Greater Iron-grey Dwarf (E): *Cheirogaleus ravus*  
 Lemur, Greater Sportive (E): *Lepilemur mustelinus*  
 Lemur, Greater Weasel (E): *Lepilemur mustelinus*  
 Lemur, Grey-backed Sportive (E): *Lepilemur dorsalis*  
 Lemur, Grey Gentle (E): *Hapalemur griseus*  
 Lemur, Grey-headed (E): *Eulemur cinereiceps*  
 Lemur, Hairy-eared Dwarf (E): *Allocebus trichotis*  
**LEMURIDAE spp.** Gray, 1821 I (Mammalia) (E) Large  
     Lemurs (S) Lémures Grandes (F) Lémuridés  
 Lémuridés (F): *Lemuridae*  
 Lemur, Large Iron-grey Dwarf (E): *Cheirogaleus ravus*  
 Lémur leonado (S): *Eulemur fulvus*  
 Lemur, Lesser Iron-grey Dwarf (E): *Cheirogaleus minusculus*  
 Lemur, Lesser Weasel (E): *Lepilemur ruficaudatus*  
 Lemur, Light-necked Sportive (E): *Lepilemur microdon*  
 Lémur macaco (F): *Eulemur macaco*  
*Lemur macaco Linnaeus, 1766 = Eulemur macaco (Linnaeus, 1766)*  
 Lémur mangosta (S): *Eulemur mongoz*  
 Lemur, Milne-Edwards's Sportive (E): *Lepilemur edwardsi*  
 Lemur, Mongoose (E): *Eulemur mongoz*  
 Lémur mongoz (F): *Eulemur mongoz*  
*Lemur mongoz Linnaeus, 1766 = Eulemur mongoz (Linnaeus, 1766)*  
 Lémur negro (S): *Eulemur macaco*  
 Lémur noir (F): *Eulemur macaco*  
 Lemur, Northern Rufous Mouse (E): *Microcebus tavaratra*  
 Lemur, Northern Sportive (E): *Lepilemur septentrionalis*  
 Lemur, Nossi-bé Sportive (E): *Lepilemur dorsalis*  
 Lémur orejipeludo (S): *Allocebus trichotis*  
 Lemur, Pale Fork-marked (E): *Phaner pallescens*  
 Lemur, Pariente's Fork-marked (E): *Phaner parienti*  
 Lemur, Red-and-grey Mouse (E): *Microcebus griseorufus*  
 Lemur, Red-bellied (E): *Eulemur rubriventer*  
 Lemur, Red-collared (E): *Eulemur collaris*  
 Lemur, Red-fronted (E): *Eulemur rufus*  
 Lemur, Red-fronted Brown (E): *Eulemur rufus*  
 Lemur, Red Ruffed (E): *Varecia rubra*  
 Lemur, Red-tailed Sportive (E): *Lepilemur ruficaudatus*  
 Lemur, Ring-tailed (E): *Lemur catta*  
*Lemur rubriventer Geoffroy, 1850 = Eulemur rubriventer (I. Geoffroy, 1850)*  
 Lemur, Ruffed (E): *Varecia variegata*  
 Lemur, Sambirano Bamboo (E): *Hapalemur occidentalis*  
 Lemur, Sambirano Mouse (E): *Microcebus sambiranensis*  
 Lemur, Sanford's (E): *Eulemur sanfordi*  
 Lemur, Sanford's Brown (E): *Eulemur sanfordi*  
 Lemurs, Avahi, Indris, Sifakas, Woolly (E): *Indriidae*  
 Lemur, Sibree's Dwarf (E): *Cheirogaleus sibreei*  
 Lemurs, Large (E): *Lemuridae*  
 Lemur, Spiny Desert Dwarf (E): *Cheirogaleus adipicaudatus*  
 Lémur vari (F): *Varecia variegata*  
*Lemur variegatus (Kerr, 1792) = Varecia variegata (Kerr, 1792)*  
 Lemur, Western Grey Bamboo (E): *Hapalemur occidentalis*  
 Lemur, Western Woolly (E): *Avahi occidentalis*  
 Lemur, White-collared (E): *Eulemur albocollaris*  
 Lemur, White-collared Brown (E): *Eulemur albocollaris*  
 Lemur, White-footed Sportive (E): *Lepilemur leucopus*  
 Lemur, White-fronted (E): *Eulemur albifrons*  
 Lemur, White-fronted Brown (E): *Eulemur albifrons*  
 Lemur, Woolly (E): *Avahi laniger*  
 León (S): *Panthera leo*  
 León americano (S): *Puma concolor*  
 León asiático (S): *Panthera leo persica*  
 León bayo (S): *Puma concolor*  
 León brenero (S): *Puma yagouaroundi*  
 Leoncillo (S): *Puma yagouaroundi*  
 León costarricense (S): *Puma concolor costaricensis*  
 León de Florida (S): *Puma concolor coryi*  
 León indostánico (S): *Panthera leo persica*  
*Leontideus caissara Lorini & Persson, 1990 = Leontopithecus caissara Lorini & Persson, 1990*  
*Leontideus chrysomela (Kuhl, 1820) = Leontopithecus chrysomelas (Kuhl, 1820)*  
*Leontideus chrysopygus (Mikan, 1820) = Leontopithecus chrysopygus (Mikan, 1823)*  
*Leontideus rosalia (Linnaeus, 1766) = Leontopithecus rosalia (Linnaeus, 1766)*  
**Leontopithecus spp.** Lesson, 1840 I CEBIDAE  
     (Mammalia)  
**Leontopithecus caissara** Lorini & Persson, 1990 I  
     CEBIDAE (Mammalia) (E) Black-faced Lion Tamarin  
*Leontopithecus chrysomela (Kuhl, 1820) = Leontopithecus chrysomelas (Kuhl, 1820)*  
**Leontopithecus chrysomelas** (Kuhl, 1820) I CEBIDAE  
     (Mammalia) (E) Golden-headed Lion Tamarin (S)  
     Tamarino león de cabeza dorada  
**Leontopithecus chrysopygus** (Mikan, 1823) I CEBIDAE  
     (Mammalia) (E) Black Lion Tamarin, Golden-rumped Lion Tamarin  
**Leontopithecus rosalia** (Linnaeus, 1766) I CEBIDAE  
     (Mammalia) (E) Golden Lion Tamarin (F) Singe-lion, Tamarin soyeux  
*Leontopithecus rosalia caissara (Linnaeus, 1766) = Leontopithecus caissara Lorini & Persson, 1990*

- Leontopithecus rosalia chrysomela* (Linnaeus, 1766) =  
*Leontopithecus chrysomelas* (Kuhl, 1820)  
*Leontopithecus rosalia chrysopygus* (Linnaeus, 1766) =  
*Leontopithecus chrysopygus* (Mikan, 1823)  
*Leontopithecus rosalia rosalia* (Linnaeus, 1766) =  
*Leontopithecus rosalia* (Linnaeus, 1766)
- Leopard (E): *Panthera pardus*  
Léopard (F): *Panthera pardus*  
Leopard, Clouded (E): *Neofelis nebulosa*  
Léopard des neiges (F): *Uncia uncia*  
Leopard, Hunting (E): *Acinonyx jubatus*  
Leopardo (S): *Panthera pardus*  
Leopardo de las nieves (S): *Uncia uncia*  
Leopardo nival (S): *Uncia uncia*  
Leopard, Snow (E): *Uncia uncia*
- Leopardus* spp. I/II** 10 FELIDAE (Mammalia)
- Leopardus braccatus*** (Cope, 1889) II 10 FELIDAE  
(Mammalia) (E) Pantanal Cat
- Leopardus colocolo*** (Molina, 1782) II 10 FELIDAE  
(Mammalia) (E) Chilean Pampa Cat, Pampas Cat (S)  
Gato de los pajonales, Gato pajero, Osio (F) Chat des pampas
- Leopardus geoffroyi*** (d'Orbigny & Gervais, 1844) I  
FELIDAE (Mammalia) (E) Geoffroy's Cat (S) Gato de mato, Gato montés común (F) Chat de Geoffroy
- Leopardus guigna*** (Molina, 1782) II 10 FELIDAE  
(Mammalia) (E) Chilean Cat, Kodkod (S) Guina (F) Guigna
- Leopardus jacobitus*** (Cornalia, 1865) I FELIDAE  
(Mammalia) (E) Andean Cat, Mountain Cat (S)  
Chinchay, Gato andino, Gato lince, Osjo (F) Chat des Andes
- Leopardus pajeros*** (Desmarest, 1816) II 10 FELIDAE  
(Mammalia) (E) Pampas Cat
- Leopardus pardalis*** (Linnaeus, 1758) I FELIDAE  
(Mammalia) (E) Ocelot (S) Gato onza, Manigordo, Ocelote (F) Ocelot
- Leopardus tigrinus*** (Schreber, 1775) I FELIDAE  
(Mammalia) (E) Little Spotted Cat, Oncilla, Tiger Cat (S) Caucel, Gato atigrado, Gato tigre, Gato tigrillo, Tigrillo, Tirica (F) Chat-tacheté, Chat-tigre, Oncille
- Leopardus wiedii*** (Schinz, 1821) I FELIDAE (Mammalia)  
(E) Margay, Tree Ocelot (S) Caucel, Gato montés, Tigrillo (F) Margay
- Lépidochelyde de Kemp (F): *Lepidochelys kempii*  
***Lepidochelys* spp. I CHELONIIDAE (Reptilia)  
*Lepidochelys kempi* (Garman, 1880) = *Lepidochelys kempii* (Garman, 1880)**
- Lepidochelys kempii*** (Garman, 1880) I CHELONIIDAE (Reptilia) (E) Atlantic Ridley, Gulf Ridley, Kemp's Ridley, Mexican Ridley (S) Cotorra, Tortuga lora, Tortuga marina bastarda (F) Lépidochelyde de Kemp, Ridley de Kemp, Tortue de Kemp
- Lepidochelys olivacea*** (Eschscholtz, 1829) I  
CHELONIIDAE (Reptilia) (E) Olive Ridley, Pacific Ridley (S) Tortuga golfina, Tortuga olivacea (F) Ridley du Pacifique, Tortue bâtarde, Tortue de Ridley, Tortue olivâtre
- Lepidochelys olivacea kempi* (Eschscholtz, 1829) =  
*Lepidochelys kempii* (Garman, 1880)
- Lepidogenys subcristatus* Gould, 1838 = *Aviceda subcristata* (Gould, 1838)
- Lepidopora* spp.** Pourtalès 1871 II STYLASTERIDAE (Hydrozoa)
- Lepidopora acrolophos*** Cairns, 1983 II  
STYLASTERIDAE (Hydrozoa)
- Lepidopora biserialis*** Cairns, 1986 II STYLASTERIDAE (Hydrozoa)
- Lepidopora carinata*** (Pourtalès, 1867) II  
STYLASTERIDAE (Hydrozoa)
- Lepidopora clavigera*** Cairns, 1986 II STYLASTERIDAE (Hydrozoa)
- Lepidopora cochleata* (Pourtalès, 1867) = *Errina cochleata* Pourtalès, 1867
- Lepidopora concatenata*** Cairns, 1991 II  
STYLASTERIDAE (Hydrozoa)
- Lepidopora cryptocymas*** Cairns, 1985 II  
STYLASTERIDAE (Hydrozoa)
- Lepidopora dabneyi* Pourtalès, 1871 = *Errina dabneyi* (Pourtalès, 1871)
- Lepidopora decipiens*** (Boschma, 1964) II  
STYLASTERIDAE (Hydrozoa)
- Lepidopora dendrostylus*** Cairns, 1991 II  
STYLASTERIDAE (Hydrozoa)
- Lepidopora diffusa*** (Boschma, 1963) II  
STYLASTERIDAE (Hydrozoa)
- Lepidopora eburnea*** (Calvet, 1903) II STYLASTERIDAE (Hydrozoa)
- Lepidopora glabra*** (Pourtalès, 1867) II  
STYLASTERIDAE (Hydrozoa)
- Lepidopora granulosa*** Cairns, 1983 II STYLASTERIDAE (Hydrozoa)
- Lepidopora hicksoni* (Boschma, 1963) = *Lepidopora eburnea* (Calvet, 1903)
- Lepidopora microstylus*** Cairns, 1991 II  
STYLASTERIDAE (Hydrozoa)
- Lepidopora polystichopora*** Cairns, 1985 II  
STYLASTERIDAE (Hydrozoa)
- Lepidopora sarmentosa*** (Boschma, 1968) II  
STYLASTERIDAE (Hydrozoa)
- Lepidopora symmetrica*** Cairns, 1991 II  
STYLASTERIDAE (Hydrozoa)
- Lepidopyga* spp. II TROCHILIDAE (Aves)**
- Lepidopyga coeruleogularis*** (Gould, 1851) II  
TROCHILIDAE (Aves) (E) Sapphire-throated Hummingbird (S) Colibrí gorgizafiro (F) Colibri faux-saphir
- Lepidopyga coeruleogularis lilliae* (Gould, 1851) =  
*Lepidopyga lilliae* Stone, 1917
- Lepidopyga goudoti*** (Bourcier, 1843) II TROCHILIDAE (Aves) (E) Shining-green Hummingbird (S) Colibrí de Goudot, Tucusito pico curvo (F) Colibri de Goudot
- Lepidopyga lilliae*** Stone, 1917 II TROCHILIDAE (Aves) (E) Sapphire-bellied Hummingbird (S) Colibrí ventrizafiro (F) Colibri de Lillian
- Lepidopyga luminosa* (Lawrence, 1862) = *Lepidopyga goudoti* (Bourcier, 1843)
- Lepidotheca* spp.** Cairns 1983 II STYLASTERIDAE (Hydrozoa)

- Lepidotheca altispina** Cairns, 1991 II STYMASTERIDAE  
(Hydrozoa)
- Lepidotheca brochi** Cairns, 1986 II STYMASTERIDAE  
(Hydrozoa)
- Lepidotheca cervicornis** (Broch, 1942) II  
STYMASTERIDAE (Hydrozoa)
- Lepidotheca chauliostylus** Cairns, 1991 II  
STYMASTERIDAE (Hydrozoa)
- Lepidotheca fascicularis** (Cairns, 1983) II  
STYMASTERIDAE (Hydrozoa)
- Lepidotheca horrida** (Hickson & England, 1905) II  
STYMASTERIDAE (Hydrozoa)
- Lepidotheca inconsuta** Cairns, 1991 II  
STYMASTERIDAE (Hydrozoa)
- Lepidotheca macropora** Cairns, 1986 II  
STYMASTERIDAE (Hydrozoa)
- Lepidotheca pourtalesi** Cairns, 1986 II  
STYMASTERIDAE (Hydrozoa)
- Lepidotheca ramosa** (Hickson & England, 1905) II  
STYMASTERIDAE (Hydrozoa)
- Lepidotheca robusta** Cairns, 1991 II STYMASTERIDAE  
(Hydrozoa)
- Lepidotheca tenuistylus** (Broch, 1942) II  
STYMASTERIDAE (Hydrozoa)
- Lepilemur spp.** I. Geoffroy Saint-Hilaire, 1851 I  
LEPILEMURIDAE (Mammalia)
- Lepilemur ankaranensis** Rumpler & Albignac, 1975 I  
LEPILEMURIDAE (Mammalia) (E) Ankarana Sportive Lemur
- Lepilemur dorsalis** Gray, 1870 I LEPILEMURIDAE  
(Mammalia) (E) Grey-backed Sportive Lemur, Nossi-bé Sportive Lemur (S) Lémur comadreja de Ambanja
- Lepilemur edwardsi** (Forbes, 1894) I LEPILEMURIDAE  
(Mammalia) (E) Milne-Edwards's Sportive Lemur (S) Lémur comadreja de Edwards
- LEPILEMURIDAE spp.** Gray, 1870 I (Mammalia) (S)  
Lémures Saltadores (F) Mégalapidés
- Lepilemur leucopus** (Major, 1894) I LEPILEMURIDAE  
(Mammalia) (E) Dry-bush Weasel Lemur, White-footed Sportive Lemur (S) Lémur comadreja de pies blancos
- Lepilemur microdon** (Forsyth Major, 1894) I  
LEPILEMURIDAE (Mammalia) (E) Light-necked Sportive Lemur (S) Lémur comadreja de dientes pequeños
- Lepilemur mustelinus** I. Geoffroy, 1851 I  
LEPILEMURIDAE (Mammalia) (E) Greater Sportive Lemur, Greater Weasel Lemur (F) Grand lépilémur
- Lepilemur mustelinus dorsalis* I. Geoffroy, 1851 =  
*Lepilemur dorsalis* Gray, 1870
- Lepilemur mustelinus edwardsi* I. Geoffroy, 1851 =  
*Lepilemur edwardsi* (Forbes, 1894)
- Lepilemur mustelinus leucopus* I. Geoffroy, 1851 =  
*Lepilemur leucopus* (Major, 1894)
- Lepilemur mustelinus microdon* I. Geoffroy, 1851 =  
*Lepilemur microdon* (Forsyth Major, 1894)
- Lepilemur mustelinus ruficaudatus* I. Geoffroy, 1851 =  
*Lepilemur ruficaudatus* A. Grandidier, 1867
- Lepilemur mustelinus septentrionalis* I. Geoffroy, 1851 =  
*Lepilemur septentrionalis* Rumpler & Albignac, 1975
- Lepilemur rufescens** (Lorenz, 1898) = *Lepilemur edwardsi* (Forbes, 1894)
- Lepilemur ruficaudatus** A. Grandidier, 1867 I  
LEPILEMURIDAE (Mammalia) (E) Lesser Weasel Lemur, Red-tailed Sportive Lemur (F) Petit lépilémur
- Lepilemur septentrionalis** Rumpler & Albignac, 1975 I  
LEPILEMURIDAE (Mammalia) (E) Northern Sportive Lemur (S) Lémur comadreja septentrional
- Leporillus conditor** (Sturt, 1848) I MURIDAE  
(Mammalia) (E) Greater Stick-nest Rat, House-building Rat (S) Rata arquitecto (F) Rat architecte
- Leptailurus spp.** II 10 FELIDAE (Mammalia)
- Leptailurus serval** (Schreber, 1776) II FELIDAE  
(Mammalia) (E) Serval (S) Serval (F) Chat-tigre, Serval
- Leptastrea spp.** Milne Edwards & Haime 1848 II  
FAVIIDAE (Anthozoa)
- Leptastrea aequalis** Veron, 2000 II FAVIIDAE (Anthozoa)
- Leptastrea agassizi** Vaughan, 1907 = *Cyphastrea agassizi* (Vaughan, 1907)
- Leptastrea bewickensis** Veron, Pichon & Wijsman-Best, 1977 II FAVIIDAE (Anthozoa)
- Leptastrea bottae** (Milne Edwards & Haime, 1849) II  
FAVIIDAE (Anthozoa)
- Leptastrea ehrenbergiana** Milne Edwards & Haime, 1850 = *Leptastrea purpurea* (Dana, 1846)
- Leptastrea hawaiiensis** Vaughan, 1907 = *Leptastrea bottae* (Milne Edwards & Haime, 1849)
- Leptastrea immersa** Klunzinger, 1879 = *Leptastrea bottae* (Milne Edwards & Haime, 1849)
- Leptastrea inaequalis** Klunzinger, 1879 II FAVIIDAE (Anthozoa) (E) Grooved Crust Coral
- Leptastrea mammiformis** Nemenzo, 1959 = *Echinopora mammiformis* (Nemenzo, 1959)
- Leptastrea pruinosa** Crossland, 1952 II FAVIIDAE (Anthozoa)
- Leptastrea pulchra** (Dana, 1846) = *Leptastrea purpurea* (Dana, 1846)
- Leptastrea purpurea** (Dana, 1846) II FAVIIDAE (Anthozoa) (E) Crust Coral
- Leptastrea roissyana** Milne Edwards & Haime, 1848 = *Leptastrea purpurea* (Dana, 1846)
- Leptastrea solida** (Milne Edwards & Haime, 1850) = *Leptastrea bottae* (Milne Edwards & Haime, 1849)
- Leptastrea stellulata** Verrill, 1867 = *Leptastrea purpurea* (Dana, 1846)
- Leptastrea transversa** Klunzinger, 1879 II FAVIIDAE (Anthozoa)
- Leptoboa dussumieri** (Schlegel, 1837) = *Casarea dussumieri* (Schlegel, 1837)
- Leptocephalus brevirostris** Kaup, 1856 = *Anguilla anguilla* (Linnaeus, 1758)
- Leptocyathus stimpsonii** Pourtalès, 1871 = *Deltocyathoides stimpsonii* (Pourtalès, 1871)
- Leptodon spp.** II 27 ACCIPITRIDAE (Aves)
- Leptodon cayanensis** (Latham, 1790) II 27  
ACCIPITRIDAE (Aves) (E) Cayenne Kite, Grey-headed Kite (S) Gavilán palomero, Milano blanquigrís, Milano cabecigris (F) Milan de Cayenne
- Leptodon cayanensis** (Latham, 1790) = *Leptodon cayanensis* (Latham, 1790)

- Leptodon forbesi* (Swann, 1922) = *Leptodon cayanensis* (Latham, 1790)
- Leptopenus* spp.** Moseley 1881 II MICRABACIIDAE (Anthozoa)
- Leptopenus antarcticus*** Cairns, 1989 II MICRABACIIDAE (Anthozoa)
- Leptopenus discus*** Moseley, 1881 II MICRABACIIDAE (Anthozoa)
- Leptopenus hypocoelus*** Moseley, 1881 II MICRABACIIDAE (Anthozoa)
- Leptopenus irinae* Keller, 1977 = *Leptopenus discus* Moseley, 1881
- Leptopenus solidus*** Keller, 1977 II MICRABACIIDAE (Anthozoa)
- Leptopsammia* spp.** Milne Edwards & Haime 1848 II DENDROPHYLLIIDAE (Anthozoa)
- Leptopsammia britannica*** (Duncan, 1870) II DENDROPHYLLIIDAE (Anthozoa)
- Leptopsammia chevalieri*** Zibrowius, 1980 II DENDROPHYLLIIDAE (Anthozoa)
- Leptopsammia columna*** Folkeson, 1919 II DENDROPHYLLIIDAE (Anthozoa)
- Leptopsammia conica* van der Horst, 1922 = *Balanophyllia stimpsonii* (Verrill, 1865)
- Leptopsammia crassa*** van der Horst, 1922 II DENDROPHYLLIIDAE (Anthozoa)
- Leptopsammia formosa*** (Gravier, 1915) II DENDROPHYLLIIDAE (Anthozoa)
- Leptopsammia microcardia* Döderlein, 1913 = *Leptopsammia pruvoti* Lacaze-Duthiers, 1897
- Leptopsammia poculum*** (Alcock, 1902) II DENDROPHYLLIIDAE (Anthozoa)
- Leptopsammia pruvoti*** Lacaze-Duthiers, 1897 II DENDROPHYLLIIDAE (Anthozoa)
- Leptopsammia queenslandiae*** Wells, 1964 II DENDROPHYLLIIDAE (Anthozoa)
- Leptopsammia stokesiana*** Milne Edwards & Haime, 1848 II DENDROPHYLLIIDAE (Anthozoa)
- Leptopsammia trinitatis*** Hubbard & Wells, 1986 II DENDROPHYLLIIDAE (Anthozoa)
- Leptoria* spp.** Milne Edwards & Haime 1848 II FAVIIDAE (Anthozoa)
- Leptoria gracilis* (Dana, 1848) = *Leptoria phrygia* (Ellis & Solander, 1786)
- Leptoria irregularis*** Veron, 1990 II FAVIIDAE (Anthozoa)
- Leptoria phrygia*** (Ellis & Solander, 1786) II FAVIIDAE (Anthozoa) (E) Lesser Brain Coral
- Leptoria tenuis* (Dana, 1846) = *Leptoria phrygia* (Ellis & Solander, 1786)
- Leptoseris* spp.** Milne Edwards & Haime 1849 II AGARICIIDAE (Anthozoa)
- Leptoseris amitoriensis*** Veron, 1990 II AGARICIIDAE (Anthozoa)
- Leptoseris cailleti*** (Duchassaing & Michelotti, 1864) II AGARICIIDAE (Anthozoa) (E) Lacy Lettuce Coral (S) Coral de encaje
- Leptoseris columna* Yabe & Sugiyama, 1941 = *Leptoseris scabra* Vaughan, 1907
- Leptoseris cucullata* (Ellis & Solander, 1786) = *Helioseris cucullata* (Ellis & Solander, 1786)
- Leptoseris digitata* Vaughan, 1907 = *Leptoseris papyracea* (Dana, 1846)
- Leptoseris explanata*** Yabe & Sugiyama, 1941 II AGARICIIDAE (Anthozoa)
- Leptoseris foliosa*** Dinesen, 1980 II AGARICIIDAE (Anthozoa)
- Leptoseris fragilis* Milne Edwards & Haime, 1849 = *Leptoseris tenuis* van der Horst, 1921
- Leptoseris gardineri*** van der Horst, 1921 II AGARICIIDAE (Anthozoa)
- Leptoseris glabra* Dinesen, 1980 = *Leptoseris explanata* Yabe & Sugiyama, 1941
- Leptoseris gravieri* van der Horst, 1922 = *Leptoseris hawaiiensis* Vaughan, 1907
- Leptoseris hawaiiensis*** Vaughan, 1907 II AGARICIIDAE (Anthozoa)
- Leptoseris incrustans*** (Quelch, 1886) II AGARICIIDAE (Anthozoa)
- Leptoseris incrustans* Gardiner, 1905 = *Leptoseris hawaiiensis* Vaughan, 1907
- Leptoseris kalayaanensis*** Licuanan & Alino, 2009 II AGARICIIDAE (Anthozoa)
- Leptoseris mycetoseroidea*** Wells, 1954 II AGARICIIDAE (Anthozoa) (E) Slender Lettuce Coral
- Leptoseris nobilis* Ma, 1959 = *Helioseris cucullata* (Ellis & Solander, 1786)
- Leptoseris panamensis* Durham & Barnard, 1952 = *Leptoseris papyracea* (Dana, 1846)
- Leptoseris papyracea*** (Dana, 1846) II AGARICIIDAE (Anthozoa)
- Leptoseris paschalensis* Wells, 1972 = *Leptoseris solida* (Quelch, 1886)
- Leptoseris porosa* (Quelch, 1886) = *Leptoseris solida* (Quelch, 1886)
- Leptoseris regularis* (Quelch, 1886) = *Leptoseris scabra* Vaughan, 1907
- Leptoseris scabra*** Vaughan, 1907 II AGARICIIDAE (Anthozoa)
- Leptoseris solida*** (Quelch, 1886) II AGARICIIDAE (Anthozoa)
- Leptoseris striata*** Fenner & Veron, 2000 II AGARICIIDAE (Anthozoa)
- Leptoseris striata* Kent, 1871 = *Leptoseris hawaiiensis* Vaughan, 1907
- Leptoseris tenuis*** van der Horst, 1921 II AGARICIIDAE (Anthozoa)
- Leptoseris tubulifera*** Vaughan, 1907 II AGARICIIDAE (Anthozoa)
- Leptoseris yabei*** (Pillai & Scheer, 1976) II AGARICIIDAE (Anthozoa)
- Leptoseris zamboi* Nemenzo, 1971 = *Leptoseris papyracea* (Dana, 1846)
- Leptosittaca* spp.** II<sup>29</sup> PSITTACIDAE (Aves)
- Leptosittaca branickii*** Berlepsch & Stolzmann, 1894 II<sup>29</sup> PSITTACIDAE (Aves) (E) Golden-plumed Conure, Golden-plumed Parakeet (S) Aratinga de pinceles (F) Conure à pinceaux d'or, Perruche de Branicki
- Leptosmilia costulata* Milne Edwards & Haime, 1848 = *Euphyllia glabrescens* (Chamisso & Eysenhardt, 1821)

- Leptosmlia gaimardi* Milne Edwards & Haime, 1848 =  
*Euphyllia glabrescens* (Chamisso & Eysenhardt, 1821)
- Leptosmlia glabrescens* (Chamisso & Eysenhardt, 1821)  
= *Euphyllia glabrescens* (Chamisso & Eysenhardt, 1821)
- Leptosmlia ramosa* Milne Edwards & Haime, 1848 =  
*Euphyllia glabrescens* (Chamisso & Eysenhardt, 1821)
- Leptosmlia rugosa* (Dana, 1846) = *Euphyllia glabrescens* (Chamisso & Eysenhardt, 1821)
- Leptosmlia striata* Milne Edwards & Haime, 1848 =  
*Euphyllia glabrescens* (Chamisso & Eysenhardt, 1821)
- Lesbia spp.** II TROCHILIDAE (Aves)
- Lesbia gouldii* (Loddiges, 1832) = *Lesbia nuna* (Lesson, 1832)
- Lesbia nuna* (Lesson, 1832) II TROCHILIDAE (Aves) (E)  
Green-tailed Trainbearer (S) Colacinta coliverde,  
Colibrí colilargo menor, Colibrí coludo verde (F)  
Porte-traîne nouna
- Lesbia victoriae* (Bourcier & Mulsant, 1846) II  
TROCHILIDAE (Aves) (E) Black-tailed Trainbearer (S)  
Colacinta colinegra, Colibrí colilargo mayor (F)  
Porte-traîne lesbie
- Letepsammia spp.** Yabe & Eguchi 1932 II  
MICRABACIIDAE (Anthozoa)
- Letepsammia fissilis** Cairns, 1995 II MICRABACIIDAE (Anthozoa)
- Letepsammia formosissima** (Moseley, 1876) II  
MICRABACIIDAE (Anthozoa)
- Letepsammia franki** Owens, 1994 II MICRABACIIDAE (Anthozoa)
- Letepsammia superstes** (Ortmann, 1888) II  
MICRABACIIDAE (Anthozoa)
- Leucippus spp.** Bonaparte, 1850 II TROCHILIDAE (Aves)
- Leucippus baeri** Simon, 1901 II TROCHILIDAE (Aves) (E) Tumbes Hummingbird (S) Colibrí de Tumbes (F) Colibri de Tumbes
- Leucippus chionogaster* (Tschudi, 1846) = *Amazilia chionogaster* (Tschudi, 1846)
- Leucippus chlorocercus** (Gould, 1866) II TROCHILIDAE (Aves) (E) Olive-spotted Hummingbird (S) Colibrí blancioliva, Colibrí olivipunteado (F) Colibri à queue verte
- Leucippus fallax** (Bourcier, 1843) II TROCHILIDAE (Aves) (E) Buffy Hummingbird (S) Colibrí ante, Colibrí anteado (F) Colibri trompeur
- Leucippus hypostictus* (Gould, 1862) = *Taphrospilus hypostictus* (Gould, 1862)
- Leucippus taczanowskii** (Sclater, 1879) II  
TROCHILIDAE (Aves) (E) Spot-throated Hummingbird (S) Colibrí de Taczanowski (F) Colibri de Taczanowski
- Leucippus viridicauda* Berlepsch, 1883 = *Amazilia viridicauda* (Berlepsch, 1883)
- Leucocephalon yuwonoi** (McCord, Iverson & Boeadi, 1995) II GEOEMYDIDAE (Reptilia) (E) Sulawesi Forest Turtle (F) Géoemyde des Célèbes
- Leucochloris spp.** II TROCHILIDAE (Aves)
- Leucochloris albicollis** (Vieillot, 1818) II TROCHILIDAE (Aves) (E) White-throated Hummingbird (S) Colibrí
- gargantilla, Picaflor cuelliblanco (F) Colibri à gorge blanche
- Leucogéranne** (F): *Grus leucogeranus*
- Leucogeranus leucogeranus* (Pallas, 1773) = *Grus leucogeranus* Pallas, 1773
- Leucopleurus acutus* (Gray, 1828) = *Lagenorhynchus acutus* (Gray, 1828)
- Leucopsar rothschildi** Stresemann, 1912 I STURNIDAE (Aves) (E) Bali Myna, Bali Starling, Rothschild's Myna, Rothschild's Starling, White Starling (S) Estornino de Rothschild, Miná de Rothschild (F) Étourneau de Rothschild, Mainate de Rothschild, Martin de Rothschild, Sansonnet de Rothschild
- Leucopternis spp.** II 27 ACCIPITRIDAE (Aves)
- Leucopternis albicollis** (Latham, 1790) II 27  
ACCIPITRIDAE (Aves) (E) White Hawk (S) Busardo blanco, Gavilán blanco (F) Buse blanche
- Leucopternis albicollis occidentalis* (Latham, 1790) = *Leucopternis occidentalis* Salvin, 1876
- Leucopternis kuhli** Bonaparte, 1850 II 27  
ACCIPITRIDAE (Aves) (E) White-browed Hawk (S) Busardo cejiblanco (F) Buse à sourcils blancs
- Leucopternis lacernulata* (Temminck, 1827) = *Leucopternis lacernulatus* (Temminck, 1827)
- Leucopternis lacernulatus** (Temminck, 1827) II 27  
ACCIPITRIDAE (Aves) (E) White-necked Hawk (S) Busardo cuelliblanco (F) Buse lacernulée
- Leucopternis melanops** (Latham, 1790) II 27  
ACCIPITRIDAE (Aves) (E) Black-faced Hawk, Masked Hawk (S) Busardo carinegro, Gavilán carinegro (F) Buse à face noire
- Leucopternis occidentalis** Salvin, 1876 II 27  
ACCIPITRIDAE (Aves) (E) Grey-backed Hawk (S) Busardo dorsi, Busardo dorsigris, Gavilán dorsigris (F) Buse à dos gris
- Leucopternis plumbea* Salvin, 1872 = *Leucopternis plumbeus* Salvin, 1872
- Leucopternis plumbeus** Salvin, 1872 II 27  
ACCIPITRIDAE (Aves) (E) Plumbeous Hawk (S) Busardo plomizo, Gavilán plomizo (F) Buse plombée
- Leucopternis polionota* (Kaup, 1847) = *Leucopternis polionotus* (Kaup, 1847)
- Leucopternis polionotus** (Kaup, 1847) II 27  
ACCIPITRIDAE (Aves) (E) Mantled Hawk (S) Busardo blanquinegro (F) Buse mantelée
- Leucopternis princeps** Sclater, 1865 II 27  
ACCIPITRIDAE (Aves) (E) Barred Hawk, Black-chested Hawk (S) Busardo azoreño, Gavilán príncipe (F) Buse barrée
- Leucopternis schistacea* (Sundevall, 1851) = *Leucopternis schistaceus* (Sundevall, 1851)
- Leucopternis schistaceus** (Sundevall, 1851) II 27  
ACCIPITRIDAE (Aves) (E) Slate-colored Hawk (S) Busardo pizarroso, Gavilán azul, Gavilán pizarroso (F) Buse ardoisée
- Leucopternis semiplumbea* Lawrence, 1861 = *Leucopternis semiplumbeus* Lawrence, 1861
- Leucopternis semiplumbeus** Lawrence, 1861 II 27  
ACCIPITRIDAE (Aves) (E) Semiplumbeous Hawk (S)

Busardo semiplomizo, Gavilán semiplomizo (F) Buse semiplombée	Lézard perlé (F): <i>Heloderma suspectum</i>
<i>Leucuria phalerata Bangs, 1898 = Coeligena phalerata</i> (Bangs, 1898)	<b><i>Liasis</i> spp.</b> Gray, 1842 II PYTHONIDAE (Reptilia)
<i>Levipalifer orientalis Vaughan, 1900 = Deltocyathus vaughani</i> Yabe & Eguchi, 1932	<i>Liasis albertisii</i> Boulenger, 1893 = <i>Leiopython albertisii</i> (Peters & Doria, 1878)
Lézard à ceinture épineuse (F): <i>Cordylus spinosus</i>	<i>Liasis albertisii</i> McDowell, 1975 = <i>Leiopython albertisii</i> (Peters & Doria, 1878)
Lézard à fausse ceinture de Lang (F): <i>Cordylus langi</i>	<i>Liasis albertisii</i> Peters & Doria, 1878 = <i>Leiopython albertisii</i> (Peters & Doria, 1878)
Lézard à fausse ceinture des rochers (F): <i>Cordylus microlepidotus</i>	<i>Liasis albertisii</i> Switak, 1973 = <i>Leiopython albertisii</i> (Peters & Doria, 1878)
Lézard à fausse ceinture du Cap (F): <i>Cordylus capensis</i>	<i>Liasis amethystinus</i> (Schneider, 1801) = <i>Morelia amethystina</i> (Schneider, 1801)
Lézard à queue épineuse africain (F): <i>Cordylus polyzonus</i>	<i>Liasis amethystinus timoriensis</i> (Schneider, 1801) = <i>Python timoriensis</i> (Peters, 1876)
Lézard à queue épineuse à larges écailles (F): <i>Cordylus macropholis</i>	<i>Liasis boa</i> (Schlegel, 1837) = <i>Bothrochilus boa</i> (Schlegel, 1837)
Lézard à queue épineuse à pustules (F): <i>Cordylus pustulatus</i>	<i>Liasis boeleni</i> Brongersma, 1953 = <i>Morelia boeleni</i> (Brongersma, 1953)
Lézard à queue épineuse à taches bleues (F): <i>Cordylus coeruleopunctatus</i>	<i>Liasis carinata</i> (L. A. Smith, 1981) = <i>Morelia carinata</i> (L. A. Smith, 1981)
Lézard à queue épineuse commun (F): <i>Cordylus cordylus</i>	<i>Liasis childreni</i> Gray, 1842 = <i>Antaresia childreni</i> (Gray, 1842)
Lézard à queue épineuse d'Armadillo (F): <i>Cordylus cataphractus</i>	<i>Liasis childreni perthensis</i> Gray, 1842 = <i>Antaresia perthensis</i> (Stull, 1932)
Lézard à queue épineuse de Campbell (F): <i>Cordylus campbelli</i>	<i>Liasis clarki</i> Barbour, 1914 = <i>Morelia amethystina</i> (Schneider, 1801)
Lézard à queue épineuse de Cope (F): <i>Cordylus tropidosternum</i>	<i>Liasis cornwallisius</i> Günther, 1879 = <i>Liasis fuscus</i> Peters, 1873
Lézard à queue épineuse de Hewitt (F): <i>Cordylus peersi</i>	<i>Liasis duceboracensis</i> Günther, 1879 = <i>Morelia amethystina</i> (Schneider, 1801)
Lézard à queue épineuse de Jordan (F): <i>Cordylus jordani</i>	<b><i>Liasis fuscus</i></b> Peters, 1873 II PYTHONIDAE (Reptilia)
Lézard à queue épineuse de Lawrence (F): <i>Cordylus lawrenci</i>	<i>Liasis fuscus albertisi</i> Capocaccia, 1961 = <i>Leiopython albertisii</i> (Peters & Doria, 1878)
Lézard à queue épineuse de McLachlan (F): <i>Cordylus mclachlani</i>	<i>Liasis fuscus albertisii</i> Peters, 1873 = <i>Leiopython albertisii</i> (Peters & Doria, 1878)
Lézard à queue épineuse de Reichenow (F): <i>Cordylus vittifer</i>	<i>Liasis fuscus albertisii</i> Stimson, 1969 = <i>Leiopython albertisii</i> (Peters & Doria, 1878)
Lézard à queue épineuse de Rhodésie (F): <i>Cordylus rhodesianus</i>	<i>Liasis fuscus albertisii</i> Stull, 1935 = <i>Leiopython albertisii</i> (Peters & Doria, 1878)
Lézard à queue épineuse de Tasman (F): <i>Cordylus tasmani</i>	<b><i>Liasis mackloti</i></b> Duméril & Bibron, 1844 II PYTHONIDAE (Reptilia) (E) Macklot's Python, Water Python (S) Pitón de Macklot (F) Python de Macklot
Lézard à queue épineuse de Warren (F): <i>Cordylus warreni</i>	<i>Liasis maculosus</i> Peters, 1873 = <i>Antaresia maculosa</i> (Peters, 1873)
Lézard à queue épineuse d'Oelofsen (F): <i>Cordylus oelofseni</i>	<i>Liasis maximus</i> Stimson, 1969 = <i>Apodora papuana</i> (Peters & Doria, 1878)
Lézard à queue épineuse d'Ukinga (F): <i>Cordylus ukingensis</i>	<b><i>Liasis olivaceus</i></b> Gray, 1842 II PYTHONIDAE (Reptilia) (E) Olive Python (S) Pitón oliva (F) Python olive
Lézard à queue épineuse du Namaqua (F): <i>Cordylus namaquensis</i>	<i>Liasis olivaceus papuanus</i> Gray, 1842 = <i>Apodora papuana</i> (Peters & Doria, 1878)
Lézard à queue épineuse géant (F): <i>Cordylus giganteus</i>	<i>Liasis papuanus</i> Peters & Doria, 1878 = <i>Apodora papuana</i> (Peters & Doria, 1878)
Lézard à queue épineuse noir (F): <i>Cordylus niger</i>	<i>Liasis perthensis</i> Stull, 1932 = <i>Antaresia perthensis</i> (Stull, 1932)
Lézard-caïman de Guyane (F): <i>Dracaena guianensis</i>	<i>Liasis petersii</i> Hubrecht, 1879 = <i>Python timoriensis</i> (Peters, 1876)
Lézard-caïman du Paraguay (F): <i>Dracaena paraguayensis</i>	<i>Liasis sauensis</i> Brongersma, 1956 = <i>Liasis mackloti</i> Duméril & Bibron, 1844
Lézard cornu (F): <i>Phrynosoma coronatum</i>	<i>Liasis stimsoni</i> (Smith, 1985) = <i>Antaresia stimsoni</i> (L. A. Smith, 1985)
Lézard cornu de San Diego (F): <i>Phrynosoma coronatum</i>	
Lézard crocodile de Chine (F): <i>Shinisaurus crocodilurus</i>	
Lézard de Lilford (F): <i>Podarcis lilfordi</i>	
Lézard des Baléares (F): <i>Podarcis lilfordi</i>	
Lézard de Simony (F): <i>Gallotia simonyi</i>	
Lézard des Pityuses (F): <i>Podarcis pityusensis</i>	
Lézard des rochers (F): <i>Cordylus microlepidotus</i>	
Lézard des rochers du Drakensberg (F): <i>Cordylus melanotus</i>	
Lézard d'Ibiza (F): <i>Podarcis pityusensis</i>	
Lézard géant de Hierro (F): <i>Gallotia simonyi</i>	

- Liasis taronga* Worrell, 1958 = *Morelia boeleni* (Brongersma, 1953)
- Liasis tornieri* Werner, 1897 = *Apodora papuana* (Peters & Doria, 1878)
- Lichanotus laniger* (Gmelin, 1788) = *Avahi laniger* (Gmelin, 1788)
- Lichanura* spp. II BOIDAE (Reptilia)
- Lichanura myriolepis* Cope, 1868 = *Lichanura trivirgata* (Cope, 1861)
- Lichanura orcutti* Stejneger, 1889 = *Lichanura trivirgata* (Cope, 1861)
- Lichanura roseofusca* Cope, 1868 = *Lichanura trivirgata* (Cope, 1861)
- Lichanura simplex* Stejneger, 1889 = *Lichanura trivirgata* (Cope, 1861)
- Lichanura trivirgata* (Cope, 1861) II BOIDAE (Reptilia) (E) Rosy Boa (S) Boa mexicana rosada (F) Boa à trois bandes, Boa rose
- Lichenostomus cassidix* (Latham, 1802) = *Lichenostomus melanops cassidix* (Gould, 1867)
- Lichenostomus melanops*** (Latham, 1802) I/NC MELIPHAGIDAE (Aves) (E) Yellow-tufted Honeyeater (F) Méliphage cornu
- Lichenostomus melanops cassidix*** (Gould, 1867) I MELIPHAGIDAE (Aves) (E) Helmeted Honeyeater (S) Melero de casco, Melíago de casco (F) Méliphage casqué
- Licmetis pastinator* Gould, 1841 = *Cacatua pastinator* (Gould, 1841)
- Liemys inornata* Boulenger, 1897 = *Orlitia borneensis* Gray, 1873
- Likh (E): *Sypheotides indicus*
- Lillipathes* spp.** Opresco, 2002 II SCHIZOPATHIDAE (Anthozoa)
- Lillipathes lilliei*** (Totton, 1923) II SCHIZOPATHIDAE (Anthozoa)
- Lillipathes quadribrachiata*** (van Pesch, 1914) II SCHIZOPATHIDAE (Anthozoa)
- Lillipathes ritamariae*** Opresco & Breedy, 2010 II SCHIZOPATHIDAE (Anthozoa)
- Lillipathes wingi*** Opresco, 2005 II SCHIZOPATHIDAE (Anthozoa)
- Lilliput, Pale (E): *Toxolasma cylindrella*
- Limnaetus africanus* Cassin, 1865 = *Spizaetus africanus* (Cassin, 1865)
- Limnochelone micrura* Werner, 1901 = *Dermatemys mawii* Gray, 1847
- Limnonectes (hoplobatrachus) tigerinus* Dubois, 1987 "1986" = *Hoplobatrachus tigerinus* (Daudin, 1802)
- Limnonectes tigerinus* (Daudin, 1802) = *Hoplobatrachus tigerinus* (Daudin, 1802)
- Limpiacasa (S): *Phaethornis augusti*
- Lince (S): *Lynx lynx*
- Lince africano (S): *Caracal caracal*
- Lince boreal (S): *Lynx lynx*
- Lince caracal (S): *Caracal caracal*
- Lince del Canadá (S): *Lynx canadensis*
- Lince europeo (S): *Lynx lynx*
- Lince ibérico (S): *Lynx pardinus*
- Lince rojo (S): *Lynx rufus*
- Lingo (S): *Bassaricyon gabbii*
- Linsang à taches (F): *Prionodon pardicolor*
- Linsang, Banded (E): *Prionodon linsang*
- Linsang manchado (S): *Prionodon pardicolor*
- Linsang rayado (S): *Prionodon linsang*
- Linsang rayé (F): *Prionodon linsang*
- Linsang, Spotted (E): *Prionodon pardicolor*
- Linsang tacheté (F): *Prionodon pardicolor*
- Liocichla, Emei Shan (E): *Liocichla omeiensis*
- Liocichla, Mount Omei (E): *Liocichla omeiensis*
- Liocichla omeiensis*** Riley, 1926 II MUSCICAPIDAE (Aves) (E) Emei Shan Liocichla, Mount Omei Liocichla, Omei Shan Liocichla (S) Liocicla del Monte Omei (F) Garrulaxe de l'omei
- Liocichla, Omei Shan (E): *Liocichla omeiensis*
- Liocicla del Monte Omei (S): *Liocichla omeiensis*
- Lion (E): *Panthera leo*
- Lion, Asiatic (E): *Panthera leo persica*
- Lion d'Afrique (F): *Panthera leo*
- Lion d'Asie (F): *Panthera leo persica*
- Lion, Indian (E): *Panthera leo persica*
- Lion, Mountain (E): *Puma concolor*
- Lipotes* spp.** I 18 INIIDAE (Mammalia)
- Lipotes vexillifer*** Miller, 1918 I INIIDAE (Mammalia) (E) Baiji, Changjiang Dolphin, Chinese Lake Dolphin, Whitefin Dolphin, White Flag Dolphin, Yangtze River Dolphin (S) Baiji, Delfín de China (F) Baiji, Dauphin fluvial de Chine
- Lisalia albertisii* Wells and Wellington, 1984 = *Leiopython albertisii* (Peters & Doria, 1878)
- Lisalia fusca* (Peters, 1873) = *Liasis fuscus* Peters, 1873
- Lissemys ceylonensis*** (Gray, 1856) II TRIONYCHIDAE (Reptilia) (E) Sri Lankan Flapshell Turtle
- Lissemys punctata*** (Lacépède, 1788) II TRIONYCHIDAE (Reptilia) (E) Indian Flapshell Turtle, Indo-Gangetic Flap-shell, Spotted Turtle (S) Tortuga de concha blanda moteada, Tortuga plana india (F) Lyssémyde ponctuée, Tortue de l'Inde, Tortue molle à clapet de l'Inde, Trionyx de l'Inde
- Lissemys scutata*** (Peters, 1868) II TRIONYCHIDAE (Reptilia) (E) Burmese Flapshell Turtle
- Lissodelphis* spp.** II 18 DELPHINIDAE (Mammalia)
- Lissodelphis borealis*** (Peale, 1848) II 18 DELPHINIDAE (Mammalia) (E) Northern Right Whale Dolphin (S) Delfín liso (F) Dauphin aptère boréal
- Lissodelphis peronii*** (Lacépède, 1804) II 18 DELPHINIDAE (Mammalia) (E) Southern Right Whale Dolphin (S) Delfín liso, Tunina sinalaeta (F) Dauphin aptère austral
- Lissotis* spp.** II OTIDIDAE (Aves)
- Lissotis hartlaubii*** (Heuglin, 1863) II OTIDIDAE (Aves) (E) Hartlaub's Bustard (S) Sisón de Hartlaub, Sisón ventrinegro de Hartlaub (F) Outarde de Hartlaub
- Lissotis melanogaster*** (Rüppell, 1835) II OTIDIDAE (Aves) (E) Black-bellied Bustard, Black-bellied Korhaan (S) Sisón ventrinegro, Sisón ventrinegro común (F) Outarde à ventre noir
- Lissotrochus* spp.** Cairns, 2004 II TURBINOLIIDAE (Anthozoa)

<b>Lissotrochus curvatus</b> Cairns, 2004	II TURBINOLIIDAE	Lizard, Cloete's Girdled (E): <i>Cordylus cloetei</i>
(Anthozoa)		Lizard, Coastal Spiny-tailed (E): <i>Cordylus macropholis</i>
<b>Lithactina novaehiberniae</b> Lesson, 1832 = <i>Polyphyllia novaehiberniae</i> (Lesson, 1831)		Lizard, Coast Horned (E): <i>Phrynosoma coronatum</i>
<b>Lithodendrum saccharatum</b> von Martens, 1902 = <i>Distichopora coccinea</i> Gray, 1860		Lizard, Common Girdled (E): <i>Cordylus cordylus</i>
<b>Lithodomus dactylus</b> Cuvier, 1817 = <i>Lithophaga lithophaga</i> (Linnaeus, 1758)		Lizard, Common Spiny-tailed (E): <i>Cordylus cordylus</i>
<b>Lithodomus inflatus</b> Réquier, 1848 = <i>Lithophaga lithophaga</i> (Linnaeus, 1758)		Lizard, Dabb (E): <i>Uromastyx aegyptia</i>
<b>Lithophaga lithophaga</b> (Linnaeus, 1758) II MYTILIDAE		Lizard, Dragon (E): <i>Crocodilurus amazonicus</i>
(Bivalvia) (E) Date Mussel, European Date Mussel (S)		Lizard, Drakensberg Crag (E): <i>Cordylus subviridis</i>
Dátíl de mar (F) Datte lithophage		Lizard, Dwarf Crag (E): <i>Cordylus nebulosus</i>
<b>Lithophaga mytuloides</b> Röding, 1798 = <i>Lithophaga lithophaga</i> (Linnaeus, 1758)		Lizard, Dwarf Girdled (E): <i>Cordylus minor</i>
<b>Lithophyllia argemone</b> Duchassaing & Michelotti, 1860 = <i>Mussa angulosa</i> (Pallas, 1766)		Lizard, Dwarf Karoo Girdled (E): <i>Cordylus aridus</i>
<b>Lithophyllia vitiensis</b> (Brüggemann, 1877) = <i>Scolymia vitiensis</i> Brüggemann, 1877		Lizard, East African Spiny-tailed (E): <i>Cordylus tropidosternum</i>
<b>Lithophyllum spp.</b> Rehberg 1892 II FUNGIIDAE		Lizard, Eastern Cape Crag (E): <i>Cordylus fasciatus</i>
(Anthozoa)		Lizard, Egyptian Spiny-tailed (E): <i>Uromastyx aegyptia</i>
<b>Lithophyllum levistei</b> Nemenzo, 1971 = <i>Lithophyllum undulatum</i> Rehberg, 1892		Lizardet, Dragon (E): <i>Crocodilurus amazonicus</i>
<b>Lithophyllum lobata</b> (van der Horst, 1921) II FUNGIIDAE		Lizard, Eyed Dabb (E): <i>Uromastyx ocellata</i>
(Anthozoa)		Lizard, False Girdled (E): <i>Cordylus capensis</i>
<b>Lithophyllum mokai</b> Hoeksema, 1989 II FUNGIIDAE		Lizard, Fish (E): <i>Varanus dumerilii</i>
(Anthozoa)		Lizard, Flower (E): <i>Varanus indicus</i>
<b>Lithophyllum ranjithi</b> Ditlev, 2003 II FUNGIIDAE		Lizard, Giant Girdled (E): <i>Cordylus giganteus</i>
(Anthozoa)		Lizard, Giant Spiny-tailed (E): <i>Cordylus giganteus</i>
<b>Lithophyllum undulatum</b> Rehberg, 1892 II FUNGIIDAE		Lizard, Graceful Crag (E): <i>Cordylus capensis</i>
(Anthozoa)		Lizard, Guyanan Caiman (E): <i>Dracaena guianensis</i>
Lizard, African Large-grain (E): <i>Varanus exanthematicus</i>		Lizard, Hardwick's Spiny-tailed (E): <i>Saara hardwickii</i>
Lizard, African Small-grain (E): <i>Varanus niloticus</i>		Lizard, Herero Girdled (E): <i>Cordylus pustulatus</i>
Lizard, African Spiny-tailed (E): <i>Cordylus polyzonus</i>		Lizard, Hewitt's Spiny-tailed (E): <i>Cordylus peersi</i>
Lizard, Agra (E): <i>Varanus griseus</i>		Lizard, Hierro Giant (E): <i>Gallotia simonyi</i>
Lizard, Ambo (E): <i>Varanus indicus</i>		Lizard, Highveld Crag (E): <i>Cordylus melanotus</i>
Lizard, Angolan Girdled (E): <i>Cordylus angolensis</i>		Lizard, Ibiza Wall (E): <i>Podarcis pityusensis</i>
Lizard, Angolan Spiny-tailed (E): <i>Cordylus angolensis</i>		Lizard, Indian Oval-grain (E): <i>Varanus flavescens</i>
Lizard, Armadillo Girdled (E): <i>Cordylus cataphractus</i>		Lizard, Indian Small-grain (E): <i>Varanus bengalensis</i>
Lizard, Armadillo Spiny-tailed (E): <i>Cordylus cataphractus</i>		Lizard, Iranian Spiny-tailed (E): <i>Saara asmussi</i>
Lizard, Baghdad Small-grain (E): <i>Varanus griseus</i>		Lizard, Jordan's Girdled (E): <i>Cordylus jordani</i>
Lizard, Balearic (E): <i>Podarcis lilfordi</i>		Lizard, Karoo Girdled (E): <i>Cordylus polyzonus</i>
Lizard, Barberton Girdled (E): <i>Cordylus barbertonensis</i>		Lizard, Lang's Crag (E): <i>Cordylus langi</i>
Lizard, Beaded (E): <i>Heloderma horridum</i>		Lizard, Lang's Girdled (E): <i>Cordylus langi</i>
Lizard, Bell's Dabb (E): <i>Uromastyx acanthinura</i>		Lizard, Large-scaled Girdled (E): <i>Cordylus macropholis</i>
Lizard, Bengal (E): <i>Varanus bengalensis</i>		Lizard, Lawrence's Girdled (E): <i>Cordylus lawrenci</i>
Lizard, Bengal Black (E): <i>Varanus bengalensis</i>		Lizard, Lilford's Wall (E): <i>Podarcis lilfordi</i>
Lizard, Bent's Spiny-tailed (E): <i>Uromastyx benti</i>		Lizard, Limpopo Girdled (E): <i>Cordylus jonesii</i>
Lizard, Black Girdled (E): <i>Cordylus niger</i>		Lizard, Maasai Girdled (E): <i>Cordylus beraduccii</i>
Lizard, Black Spiny-tailed (E): <i>Uromastyx acanthinura</i>		Lizard, Machado's Girdled (E): <i>Cordylus machadoi</i>
Lizard, Blue-spotted Girdled (E): <i>Cordylus coeruleopunctatus</i>		Lizard, McLachlan's Girdled (E): <i>Cordylus mclachlani</i>
Lizard, Blue-spotted Spiny-tailed (E): <i>Cordylus coeruleopunctatus</i>		Lizard, McLachlan's Spiny-tailed (E): <i>Cordylus mclachlani</i>
Lizard, Calcutta Oval-grain (E): <i>Varanus flavescens</i>		Lizard, Mesopotamian Spiny-tailed (E): <i>Saara loricata</i>
Lizard, Campbell's Girdled (E): <i>Cordylus campbelli</i>		Lizard, Moroccan Spiny-tailed (E): <i>Uromastyx nigriventris</i>
Lizard, Campbell's Spiny-tailed (E): <i>Cordylus campbelli</i>		Lizard, Namaqua Girdled (E): <i>Cordylus namaquensis</i>
Lizard, Cape Girdled (E): <i>Cordylus cordylus</i>		Lizard, Namaqua Spiny-tailed (E): <i>Cordylus namaquensis</i>
Lizard, Cedros Island Horned (E): <i>Phrynosoma cerroense</i>		Lizard, No-mark (E): <i>Varanus salvator</i>
Lizard, Chinese Crocodile (E): <i>Shinisaurus crocodilurus</i>		Lizard, Northern Crag (E): <i>Cordylus transvaalensis</i>

- Lizard, Rhodesian Girdled (E): *Cordylus rhodesianus*  
 Lizard, Rice (E): *Varanus salvator*  
 Lizard, Ring (E): *Varanus salvator*  
 Lizard, Rooiberg Girdled (E): *Cordylus imkae*  
 Lizard, Rough-scaled Girdled (E): *Cordylus cordylus*  
 Lizard, Saharan Spiny-tailed (E): *Uromastyx geyri*  
 Lizard, Somali Spiny-tailed (E): *Uromastyx macfadyeni*  
 Lizard, Spiny Crag (E): *Cordylus spinosus*  
 Lizard, Talagoya (E): *Varanus bengalensis*  
 Lizard, Tasman's Girdled (E): *Cordylus tasmani*  
 Lizard, Transvaal Girdled (E): *Cordylus vittifer*  
 Lizard, Tree (E): *Varanus rudicollis*  
 Lizard, Tropical Girdled (E): *Cordylus tropidosternum*  
 Lizard, Tropical Spiny-tailed (E): *Cordylus tropidosternum*  
 Lizard, Ukinga Girdled (E): *Cordylus ukingensis*  
 Lizard, Ukinga Spiny-tailed (E): *Cordylus ukingensis*  
 Lizard, Van Dam's Girdled (E): *Cordylus vandami*  
 Lizard, Warren's Girdled (E): *Cordylus warreni*  
 Lizard, Warren's Spiny-tailed (E): *Cordylus warreni*  
 Lizard, Waterberg Girdled (E): *Cordylus breyeri*  
 Lizard, Western Cape Crag (E): *Cordylus microlepidotus*  
 Lizard, Yellow Land (E): *Varanus flavescens*  
 Lizard, Zimbabwe Girdled (E): *Cordylus rhodesianus*  
 Lizard, Zoutpansberg Girdled (E): *Cordylus depressus*  
*Lobactis conferta* Verrill, 1864 = *Fungia scutaria* Lamarck, 1801  
*Lobactis danae* Verrill, 1864 = *Fungia scutaria* Lamarck, 1801  
 Lobito de cola ancha (S): *Pteronura brasiliensis*  
 Lobito del Plata (S): *Lontra longicaudis*  
 Lobito de río (S): *Lontra longicaudis*  
 Lobito patagonico (S): *Lontra provocax*  
 Lobo (S): *Canis lupus*  
 Lobo común (S): *Canis lupus*  
 Lobo de crin (S): *Chrysocyon brachyurus*  
 Lobo del río (S): *Pteronura brasiliensis*  
 Lobo de Río Grande (S): *Pteronura brasiliensis*  
 Lobo de tierra (S): *Proteles cristata*  
 Lobo fino sudamericano (S): *Arctocephalus australis*  
 Lobo gargantilla (S): *Pteronura brasiliensis*  
***Loboparadisea* spp.** Rothschild 1896 II  
 PARADISAEIDAE (Aves)  
***Loboparadisea sericea*** Rothschild, 1896 II  
 PARADISAEIDAE (Aves) (E) Wattle-billed Bird-of-paradise, Yellow-breasted Bird-of-paradise (F) Paradisier soyeux  
***Lobophyllia* spp.** Blainville 1830 II MUSSIDAE (Anthozoa)  
*Lobophyllia angulosa* (Pallas, 1766) = *Mussa angulosa* (Pallas, 1766)  
*Lobophyllia aurea* Quoy & Gaimard, 1833 = *Tubastraea coccinea* Lesson, 1829  
***Lobophyllia corymbosa*** (Forskål, 1775) II MUSSIDAE (Anthozoa)  
***Lobophyllia costata*** (Dana, 1846) II MUSSIDAE (Anthozoa)  
*Lobophyllia cytherea* (Dana, 1846) = *Lobophyllia hemprichii* (Ehrenberg, 1834)  
***Lobophyllia dentatus*** Veron, 2000 II MUSSIDAE (Anthozoa)  
***Lobophyllia diminuta*** Veron, 1985 II MUSSIDAE (Anthozoa)  
*Lobophyllia fistulosa* Milne Edwards & Haime, 1849 = *Lobophyllia corymbosa* (Forskål, 1775)  
***Lobophyllia flabelliformis*** Veron, 2000 II MUSSIDAE (Anthozoa)  
*Lobophyllia glabrescens* (Chamisso & Eysenhardt, 1821) = *Euphyllia glabrescens* (Chamisso & Eysenhardt, 1821)  
***Lobophyllia hataii*** Yabe, Sugiyama & Eguchi, 1936 II MUSSIDAE (Anthozoa)  
***Lobophyllia hemprichii*** (Ehrenberg, 1834) II MUSSIDAE (Anthozoa) (E) teeth coral  
***Lobophyllia pachysepta*** Chevalier, 1975 II MUSSIDAE (Anthozoa)  
***Lobophyllia robusta*** Yabe & Sugiyama, 1936 II MUSSIDAE (Anthozoa)  
***Lobophyllia serratus*** Veron, 2000 II MUSSIDAE (Anthozoa)  
*Lobophyllia sinensis* (Milne Edwards & Haime, 1849) = *Platygyra sinensis* (Milne Edwards & Haime, 1849)  
*Lobopsammia robusta* Bourne, 1905 = *Dendrophyllia robusta* (Bourne, 1905)  
***Lochmaeotrochus* spp.** Alcock 1902 II CARYOPHYLLIIDAE (Anthozoa)  
***Lochmaeotrochus gardineri*** Cairns, 1999 II CARYOPHYLLIIDAE (Anthozoa)  
***Lochmaeotrochus oculatus*** Alcock, 1902 II CARYOPHYLLIIDAE (Anthozoa)  
***Loddigesia* spp.** II TROCHILIDAE (Aves)  
***Loddigesia mirabilis*** (Bourcier, 1847) II TROCHILIDAE (Aves) (E) Marvellous Spatuletail (S) Colibrí admirable (F) Loddigésie admirable (F) *Loddigesia mirabilis*  
 Lofóforo chino (S): *Lophophorus lhuysii*  
 Lofóforo del Himalaya (S): *Lophophorus impejanus*  
 Lofóforo de Sclater (S): *Lophophorus sclateri*  
 Loggerhead (E): *Caretta caretta*  
***Lonchura oryzivora*** (Linnaeus, 1758) II ESTRILDIDAE (Aves) (E) Java Sparrow (S) Gorrión de Java (F) Padda de Java  
***Lontra* spp.** Gray, 1843 I/II MUSTELIDAE (Mammalia)  
*Lontra annectens* (Major, 1897) = *Lontra longicaudis* (Olfers, 1818)  
***Lontra canadensis*** (Schreber, 1777) II MUSTELIDAE (Mammalia) (E) North American Otter, North American River Otter, Northern River Otter (S) Nutria de Canadá, Nutria norteamericana (F) Loutre du Canada  
*Lontra enudris* (F. G. Cuvier, 1823) = *Lontra longicaudis* (Olfers, 1818)  
***Lontra felina*** (Molina, 1782) I MUSTELIDAE (Mammalia) (E) Chingungo, Chungungo, Marine Otter, Sea Cat (S) Chichimen, Chinchingo, Chungungo, Gato de mar, Gato marino, Huallaca, Nutria de mar, Nutria marina (F) Chungungo, Loutre de mer  
*Lontra incarum* (Thomas, 1908) = *Lontra longicaudis* (Olfers, 1818)  
***Lontra longicaudis*** (Olfers, 1818) I MUSTELIDAE (Mammalia) (E) Long-tailed Otter, Neotropical Otter, Neotropical River Otter, South American River Otter

- (S) Gato de agua, Lobito del Plata, Lobito de río, Nutria de agua, Nutria de cola larga, Perro de agua, Taira (F) Loutre à longue queue, Loutre d'Amérique du Sud, Loutre de La Plata
- Lontra mesopetes* (Cabrera, 1924) = *Lontra longicaudis* (Olfers, 1818)
- Lontra platensis* (Waterhouse, 1838) = *Lontra longicaudis* (Olfers, 1818)
- Lontra provocax*** (Thomas, 1908) I MUSTELIDAE (Mammalia) (E) Huillín, Southern River Otter (S) Huillín, Lobito patagonico, Nutria chilena, Nutria de Chile (F) Huillín, Loutre du Chili
- Lophaetus spp.*** II<sup>27</sup> ACCIPITRIDAE (Aves)
- Lophaetus occipitalis*** (Daudin, 1800) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Long-crested Eagle (S) Águila copetuda africana, Águila crestilarga (F) Aigle huppard
- Lophelia spp.*** Milne Edwards & Haime 1849 II CARYOPHYLLIIDAE (Anthozoa)
- Lophelia anthophyllites* (Ellis & Solander, 1786) = *Pourtalosmilia anthophyllites* (Ellis & Solander, 1786)
- Lophelia californica* Durham, 1947 = *Lophelia pertusa* (Linnaeus, 1758)
- Lophelia pertusa*** (Linnaeus, 1758) II CARYOPHYLLIIDAE (Anthozoa) (E) Spider Hazards, Tuft Coral (S) Coral mechón
- Lophelia prolifera* (Pallas, 1766) = *Lophelia pertusa* (Linnaeus, 1758)
- Lophelia subcostata* Milne Edwards & Haime, 1850 = *Lophelia pertusa* (Linnaeus, 1758)
- Lophocebus spp.*** II CERCOPITHECIDAE (Mammalia)
- Lophocebus albigena*** (Gray, 1850) II CERCOPITHECIDAE (Mammalia) (E) Grey-cheeked Mangabey, White-cheeked Mangabey (S) Mangabey de mejillas grises
- Lophocebus albigena opdenboschi* (Gray, 1850) = *Lophocebus opdenboschi* (Schouteden, 1944)
- Lophocebus aterrimus*** (Oudemans, 1890) II CERCOPITHECIDAE (Mammalia) (E) Black-crested Mangabey, Black Mangabey, Congo Mangabey, Peaked Mangabey (S) Mangabey moro onegro (F) Cercocèbe noir, Mangabé huppé, Mangabé noir
- Lophocebus aterrimus opdenboschi* (Oudemans, 1890) = *Lophocebus opdenboschi* (Schouteden, 1944)
- Lophocebus kipunji* Ehardt, Butynski, Jones & Davenport, 2005 = *Rungwecebus kipunji* (Ehardt, Butynski, Jones & Davenport, 2005)
- Lophocebus opdenboschi*** (Schouteden, 1944) II CERCOPITHECIDAE (Mammalia) (E) Opdenbosch's Black Mangabey
- Lophocebus ugandae* Matschie, 1913 = *Lophocebus albigena* (Gray, 1850)
- Lophochroa goffini* Finsch, 1863 = *Cacatua goffiniana* (Finsch, 1863)
- Lophophelia affinis* Pourtalès, 1868 = *Lophelia pertusa* (Linnaeus, 1758)
- Lophophelia arbuscula* Moseley, 1881 = *Madrepore arbuscula* (Moseley, 1881)
- Lophophelia candida* Moseley, 1881 = *Madrepore oculata* Linnaeus, 1758
- Lophophelia carolina* Pourtalès, 1871 = *Madrepore carolina* (Pourtalès, 1871)
- Lophophelia exigua* Pourtalès, 1871 = *Madrepore carolina* (Pourtalès, 1871)
- Lophophelia investigatoris* Alcock, 1898 = *Madrepore oculata* Linnaeus, 1758
- Lophophelia tenuis* Moseley, 1881 = *Madrepore oculata* Linnaeus, 1758
- Lophophelia tubulosa* Studer, 1878 = *Lophelia pertusa* (Linnaeus, 1758)
- Lophoictinia spp.*** II<sup>27</sup> ACCIPITRIDAE (Aves)
- Lophoictinia isura*** (Gould, 1838) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Square-tailed Kite (S) Milano colicuadrado (F) Milan à queue carrée
- Lophophore de Lhuys (F): *Lophophorus lhuysii*
- Lophophore de Sclater (F): *Lophophorus sclateri*
- Lophophore resplendissant (F): *Lophophorus impejanus*
- Lophophorus impejanus*** (Latham, 1790) I PHASIANIDAE (Aves) (E) Himalayan Monal, Impeyan Pheasant, Monal Pheasant (S) Faisán monal del Himalaya, Lofóforo del Himalaya, Monal colirrojo (F) Lophophore resplendissant, Monal de l'Himalaya
- Lophophorus lhuysii*** Geoffroy Saint-Hilaire, 1866 I PHASIANIDAE (Aves) (E) Chinese Impeyan, Chinese Monal (S) Faisán monal chino, Lofóforo chino, Monal coliverde (F) Lophophore de Lhuys, Monal chinois
- Lophophorus sclateri*** Jerdon, 1870 I PHASIANIDAE (Aves) (E) Crestless Monal, Sclater's Monal (S) Faisán monal de Sclater, Lofóforo de Sclater, Monal coliblanco (F) Lophophore de Sclater, Monal birman
- Lophophorus wallichii* Hardwicke, 1827 = *Catreus wallichii* (Hardwicke, 1827)
- Lophopsittacus spp.*** II<sup>29</sup> PSITTACIDAE (Aves)
- Lophorina spp.*** Vieillot 1816 II PARADISAEIDAE (Aves)
- Lophorina superba*** (Pennant, 1781) II PARADISAEIDAE (Aves) (E) Superb Bird-of-paradise (F) Paradisier superbe
- Lophornis spp.*** II TROCHILIDAE (Aves)
- Lophornis adorabilis*** Salvin, 1870 II TROCHILIDAE (Aves) (E) Adorable Coquette, White-crested Coquette (S) Coqueta adorable (F) Coquette adorable
- Lophornis brachylophus*** Moore, 1949 II TROCHILIDAE (Aves) (E) Short-crested Coquette (S) Coqueta cresticorta, Coqueta de Guerrero (F) Coquette du Guerrero
- Lophornis chalybeus*** (Vieillot, 1823) II TROCHILIDAE (Aves) (E) Festive Coquette (S) Coqueta abanico puntiblanco, Coqueta festiva, Coqueta verde, Picaflor abanico verde (F) Coquette chalybée
- Lophornis delattrei*** (Lesson, 1839) II TROCHILIDAE (Aves) (E) Rufous-crested Coquette (S) Coqueta crestirrufa (F) Coquette de Delattre
- Lophornis delattrei brachylophus* (Lesson, 1839) = *Lophornis brachylophus* Moore, 1949
- Lophornis gouldii*** (Lesson, 1833) II TROCHILIDAE (Aves) (E) Dot-eared Coquette (S) Coqueta moteada (F) Coquette de Gould
- Lophornis heleneae*** (DeLattre, 1843) II TROCHILIDAE (Aves) (E) Black-crested Coquette (S) Coqueta crestinegra (F) Coquette d'Hélène

<b><i>Lophornis magnificus</i></b> (Vieillot, 1817) II TROCHILIDAE (Aves) (E) Frilled Coquette (S) Coqueta magnifica (F) Coquette magnifique	<i>Lophotriorchis kienerii</i> (de Sparre, 1835) = <i>Hieraaetus kienerii</i> (Geoffroy Saint-Hilaire, 1835)
<i>Lophornis melaniae</i> Floericke, 1920 = <i>Lophornis delattrei</i> (Lesson, 1839)	<b><i>Lophura edwardsi</i></b> (Oustalet, 1896) I PHASIANIDAE (Aves) (E) Edwards's Pheasant (S) Faisán de Edwards (F) Faisan d'Edwards
<b><i>Lophornis ornatus</i></b> (Boddaert, 1783) II TROCHILIDAE (Aves) (E) Tufted Coquette (S) Coqueta abanico canela, Coqueta adornada (F) Coquette huppe-col	<b><i>Lophura hatinhensis</i></b> Vo Quy, 1975 = <i>Lophura edwardsi</i> (Oustalet, 1896)
<b><i>Lophornis pavoninus</i></b> Salvin & Godman, 1882 II TROCHILIDAE (Aves) (E) Peacock Coquette (S) Coqueta abanico pavo real, Coqueta pavonina (F) Coquette paon	<b><i>Lophura leucomelanos</i></b> (Latham, 1790) III PHASIANIDAE (Aves) (E) Kalij Pheasant (S) Faisán kálij (F) Faisan leucomèle
<b><i>Lophornis stictolophus</i></b> Salvin & Elliot, 1873 II TROCHILIDAE (Aves) (E) Spangled Coquette (S) Coqueta coronada, Coqueta lentejuelada (F) Coquette pailletée	<b><i>Lophura swinhoi</i></b> (Gould, 1863) I PHASIANIDAE (Aves) (E) Swinhoe's Pheasant (S) Faisán de Formosa, Faisán de Swinhoe (F) Faisan de Formose, Faisan de Swinhoe
<i>Lophosaura pumila fordii</i> (Gmelin, 1789) = <i>Bradypodion pumilum</i> (Gmelin, 1789)	<i>Lophyrus victoria</i> Fraser, 1844 = <i>Goura victoria</i> (Fraser, 1844)
<i>Lophosaura pumila fordii</i> Gray, 1865 = <i>Bradypodion kentanicum</i> Hewitt, 1935	Lora de cara roja (S): <i>Amazona pretrei</i>
<i>Lophosaura pumila fordii</i> Gray, 1865 = <i>Bradypodion melanocephalum</i> (Gray, 1865)	Lori à bandeau rouge (F): <i>Glossopsitta concinna</i>
<i>Lophoseris cactus</i> Forskål, 1775) = <i>Pavona cactus</i> (Forskål, 1775)	Lori acollarado (S): <i>Lorius chlorocercus</i>
<i>Lophoseris cristata</i> (Ellis & Solander, 1786) = <i>Pavona cactus</i> (Forskål, 1775)	Lori à collier jaune (F): <i>Lorius chlorocercus</i>
<i>Lophoseris diffluens</i> (Lamarck, 1816) = <i>Pavona diffluens</i> (Lamarck, 1816)	Lori à couronne pourpre (F): <i>Glossopsitta porphyrocephala</i>
<i>Lophoseris divaricata</i> (Lamarck, 1816) = <i>Pavona divaricata</i> (Lamarck, 1816)	Lori à diadème (F): <i>Charmosyna diadema</i>
<i>Lophoseris explanulata</i> (Lamarck, 1816) = <i>Pavona explanulata</i> (Lamarck, 1816)	Lori adornado (S): <i>Trichoglossus ornatus</i>
<i>Lophoseris frondifera</i> (Lamarck, 1816) = <i>Pavona frondifera</i> (Lamarck, 1816)	Lori à front rouge (F): <i>Charmosyna rubronotata</i>
<i>Lophoseris repens</i> Brüggemann, 1878 = <i>Pavona varians</i> (Verrill, 1864)	Lori à gorge rouge (F): <i>Charmosyna aureicincta</i>
<i>Lophosmilia rotundifolia</i> Milne Edwards & Haime, 1848 = <i>Oxysmilia rotundifolia</i> (Milne Edwards & Haime, 1848)	Lori à joues bleues (F): <i>Eos cyanogenia</i>
<i>Lophosmilia wellsi</i> Durham & Barnard, 1952 = <i>Phyllangia consagensis</i> (Durham & Barnard, 1952)	Lori alinegro (S): <i>Eos cyanogenia</i>
<b><i>Lophostrix</i> spp. II</b> 30 STRIGIDAE (Aves)	Lori almizclero (S): <i>Glossopsitta concinna</i>
<b><i>Lophostrix cristata</i></b> (Daudin, 1800) II 30 STRIGIDAE (Aves) (E) Crested Owl (S) Búho corniblanco, Búho cornudo, Lechuza copetona (F) Duc à aigrettes, Hibou à casque	<i>Loria loriae</i> Salvadori, 1894 = <i>Cnemophilus loriae</i> (Salvadori, 1894)
<i>Lophostrix lettii</i> (Büttikofer, 1889) = <i>Jubula lettii</i> (Büttikofer, 1889)	Lori à masque rouge (F): <i>Glossopsitta pusilla</i>
<b><i>Lophotis</i> spp. II</b> OTIDIDAE (Aves)	Lori à menton rouge (F): <i>Charmosyna rubrigularis</i>
<b><i>Lophotis gindiana</i></b> (Oustalet, 1881) II OTIDIDAE (Aves) (E) Buff-crested Bustard (S) Sisón moñudo etíope (F) Outarde d'Oustalet	Lori à nuque blanche (F): <i>Lorius albidiunucha</i>
<b><i>Lophotis ruficrista</i></b> (A. Smith, 1836) II OTIDIDAE (Aves) (E) Crested Korhaan, Red-crested Bustard (S) Sisón moñirrojo, Sisón moñudo austral (F) Outarde houppette, Outarde naine	Lori arcoiris (S): <i>Trichoglossus haematodus</i>
<i>Lophotis ruficrista gindiana</i> (A. Smith, 1836) = <i>Lophotis gindiana</i> (Oustalet, 1881)	Lori arlequin (F): <i>Eos histrio</i>
<b><i>Lophotis savilei</i></b> Lynes, 1920 II OTIDIDAE (Aves) (E) Savile's Bustard (S) Avutarda de Savile, Sisón moñudo de saheliano (F) Outarde de Savile	Lori à ventre violet (F): <i>Lorius hypoinochrous</i>
	Lori barbirrojo (S): <i>Charmosyna rubrigularis</i>
	Lori bigotudo (S): <i>Oreopsittacus arfaki</i>
	Lori bridé (F): <i>Oreopsittacus arfaki</i>
	Lori cardenal (S): <i>Chalcopsitta cardinalis</i>
	Lori cardinal (F): <i>Chalcopsitta cardinalis</i>
	Lori carirrojo (S): <i>Glossopsitta pusilla</i>
	Lori chispeado (S): <i>Chalcopsitta sintillata</i>
	Lori coquet (F): <i>Charmosyna placensis</i>
	Lori coronipúrpura (S): <i>Glossopsitta porphyrocephala</i>
	Lorículo amable (S): <i>Loriculus amabilis</i>
	Lorículo coroniazul (S): <i>Loriculus galgulus</i>
	Lorículo de Ceilán (S): <i>Loriculus beryllinus</i>
	Lorículo de Célebes (S): <i>Loriculus stigmatus</i>
	Lorículo de Flores (S): <i>Loriculus fuscus</i>
	Lorículo de Java (S): <i>Loriculus pusillus</i>
	Lorículo de la Sangihe (S): <i>Loriculus catamene</i>
	Lorículo exiguo (S): <i>Loriculus exilis</i>
	Lorículo filipino (S): <i>Loriculus philippensis</i>
	Lorículo papú (S): <i>Loriculus aurantiiifrons</i>
	Lorículo vernal (S): <i>Loriculus vernalis</i>
	<b><i>Loriculus</i> spp. II</b> 29 PSITTACIDAE (Aves)

<b>Loriculus amabilis</b> Wallace, 1862 II 29	PSITTACIDAE	Lori de las Tanimbar (S): <i>Eos reticulata</i>
(Aves) (E) Moluccan Hanging-Parrot (S) Lorículo amable (F) Coryllis des Moluques		Lori de l'île Buru (F): <i>Charmosyna toxopei</i>
<b>Loriculus amabilis catamene</b> Wallace, 1862 = <i>Loriculus catamene</i> Schlegel, 1873		Lori de Margaret (F): <i>Charmosyna margarethae</i>
<b>Loriculus amabilis sclateri</b> Wallace, 1862 = <i>Loriculus amabilis</i> Wallace, 1862		Lori de Margarita (S): <i>Charmosyna margarethae</i>
<b>Loriculus aurantiifrons</b> Schlegel, 1873 II 29	PSITTACIDAE (Aves) (E) Orange-fronted Hanging-Parrot, Papuan Hanging-Parrot (S) Lorículo papú (F) Coryllis à front orange	Lori de Marguerite (F): <i>Charmosyna margarethae</i>
<b>Loriculus beryllinus</b> (J. R. Forster, 1781) II 29	PSITTACIDAE (Aves) (E) Ceylon Hanging-Parrot, Sri Lanka Hanging-Parrot (S) Lorículo de Ceilán (F) Coryllis de Ceylan	Lori de Meek (S): <i>Charmosyna meeki</i>
<b>Loriculus catamene</b> Schlegel, 1873 II 29	PSITTACIDAE (Aves) (E) Sangihe Hanging-Parrot (S) Lorículo de la Sangihe (F) Coryllis des Sangi	Lori de Meek (F): <i>Charmosyna meeki</i>
<b>Loriculus exilis</b> Schlegel, 1866 II 29	PSITTACIDAE (Aves) (E) Green Hanging-Parrot, Pygmy Hanging-Parrot, Red-billed Hanging-Parrot (S) Lorículo exiguo (F) Coryllis vert	Lori de Mindanao (S): <i>Trichoglossus johnstoniae</i>
<b>Loriculus flosculus</b> Wallace, 1864 II 29	PSITTACIDAE (Aves) (E) Flores Hanging-Parrot, Wallace's Hanging-Parrot (S) Lorículo de Flores (F) Coryllis de Wallace	Lori de Musschenbroek (F): <i>Neopsittacus musschenbroekii</i>
<b>Loriculus galgulus</b> (Linnaeus, 1758) II 29	PSITTACIDAE (Aves) (E) Blue-crowned Hanging-Parrot, Blue-topped Hanging-Parrot (S) Lorículo coroniazul (F) Coryllis à tête bleue, Loriculus malais	Lori de Nouvelle-Calédonie (F): <i>Charmosyna diadema</i>
<b>Loriculus philippensis</b> (Müller, 1776) II 29	PSITTACIDAE (Aves) (E) Colasisi, Philippine Hanging-Parrot (S) Lorículo filipino (F) Coryllis des Philippines	Lori de Papouasie (F): <i>Charmosyna papou</i>
<b>Loriculus pusillus</b> G. R. Gray, 1859 II 29	PSITTACIDAE (Aves) (E) Yellow-throated Hanging-parrot (S) Lorículo de Java (F) Coryllis à gorge jaune	Lori de Ponapé (S): <i>Trichoglossus rubiginosus</i>
<b>Loriculus sclateri</b> Wallace, 1863 = <i>Loriculus amabilis</i> Wallace, 1862		Lori de Rimitara (S): <i>Vini kuhlii</i>
<b>Loriculus stigmatus</b> (S. Müller, 1843) II 29	PSITTACIDAE (Aves) (E) Black-billed Hanging-Parrot, Maroon-rumped Hanging-Parrot, Sulawesi Hanging-Parrot (S) Lorículo de Célebes (F) Coryllis des Célèbes	Lori de Samoa (S): <i>Vini australis</i>
<b>Loriculus stigmatus tener</b> (S. Müller, 1843) = <i>Loriculus aurantiifrons</i> Schlegel, 1873		Lori de Sangir (S): <i>Eos histrio</i>
<b>Loriculus tener</b> Sclater, 1877 = <i>Loriculus aurantiifrons</i> Schlegel, 1873		Lori des dames (F): <i>Lorius domicella</i>
<b>Loriculus vernalis</b> (Sparrman, 1787) II 29	PSITTACIDAE (Aves) (E) Vernal Hanging-Parrot (S) Lorículo vernal (F) Coryllis vernal	Lori de Seram (S): <i>Eos semilarvata</i>
Lori damisela (S): <i>Lorius domicella</i>		Lori des Fidji (F): <i>Phigys solitarius</i>
Lori de Buru (S): <i>Charmosyna toxopei</i>		Lori des Moluques (F): <i>Lorius lory</i>
Lori de Buru (F): <i>Charmosyna toxopei</i>		Lori des montagnes (F): <i>Oreopsittacus arfaki</i>
Lori de Duyvenbode (F): <i>Chalcopsitta duivenbodei</i>		Lori des palmiers (F): <i>Charmosyna palmarum</i>
Lori de Goldie (S): <i>Psitteuteles goldiei</i>		Lori de Stephen (F): <i>Vini stepheni</i>
Lori de Josefina (S): <i>Charmosyna josefinae</i>		Lori de Stephen (S): <i>Vini stepheni</i>
Lori de Joséphine (F): <i>Charmosyna josefinae</i>		Lori de Wilhelmina (F): <i>Charmosyna wilhelminae</i>
Lori de Kuhl (F): <i>Vini kuhlii</i>		Lori diadema (S): <i>Charmosyna diadema</i>
		Lori écaillé (F): <i>Eos squamata</i>
		Lori écarlate (F): <i>Eos rubra</i>
		Lori émeraude (F): <i>Neopsittacus pullicauda</i>
		Lori escamoso (S): <i>Eos squamata</i>
		Lori esquamiverde (S): <i>Trichoglossus chlorolepidotus</i>
		Lori estriado (S): <i>Charmosyna multistriata</i>
		Lori féérique (F): <i>Charmosyna pulchella</i>
		Lori flammeché (F): <i>Chalcopsitta sintillata</i>
		Lori flanquirrojo (S): <i>Charmosyna placensis</i>
		Lori frentirrojo (S): <i>Charmosyna rubronotata</i>
		Lori fringillaire (F): <i>Vini australis</i>
		Lori gárrulo (S): <i>Lorius garrulus</i>
		Lori gorgirrojo (S): <i>Charmosyna aureicincta</i>
		Lori humilde (S): <i>Trichoglossus euteles</i>
		<b>LORIIDAE spp.</b> I/II 29 (Aves) (E) Lories, Lorikeets (S)
		Loris (F) Loris, Loriquets
		Lori iris (S): <i>Psitteuteles iris</i>
		Lorikeet, Blue (E): <i>Vini peruviana</i>
		Lorikeet, Blue-crowned (E): <i>Vini australis</i>
		Lorikeet, Blue-fronted (E): <i>Charmosyna toxopei</i>
		Lorikeet, Duchess (E): <i>Charmosyna margarethae</i>
		Lorikeet, Emerald (E): <i>Neopsittacus pullicauda</i>
		Lorikeet, Fairy (E): <i>Charmosyna pulchella</i>
		Lorikeet, Goldie's (E): <i>Psitteuteles goldiei</i>
		Lorikeet, Green-naped (E): <i>Trichoglossus haematodus</i>
		Lorikeet, Henderson (E): <i>Vini stepheni</i>
		Lorikeet, Iris (E): <i>Psitteuteles iris</i>
		Lorikeet, Johnstone's (E): <i>Trichoglossus johnstoniae</i>
		Lorikeet, Josephine's (E): <i>Charmosyna josefinae</i>
		Lorikeet, Kuhl's (E): <i>Vini kuhlii</i>
		Lorikeet, Little (E): <i>Glossopsitta pusilla</i>
		Lorikeet, Little Red (E): <i>Charmosyna pulchella</i>
		Lorikeet, Meek's (E): <i>Charmosyna meeki</i>
		Lorikeet, Meyer's (E): <i>Trichoglossus flavoviridis</i>

- Lori keet, Mindanao (E): *Trichoglossus johnstoniae*  
 Lori keet, Musk (E): *Glossopsitta concinna*  
 Lori keet, Musschenbroek's (E): *Neopsittacus musschenbroekii*  
 Lori keet, New Caledonian (E): *Charmosyna diadema*  
 Lori keet, Olive-headed (E): *Trichoglossus euteles*  
 Lori keet, Orange-billed (E): *Neopsittacus pullicauda*  
 Lori keet, Ornate (E): *Trichoglossus ornatus*  
 Lori keet, Palm (E): *Charmosyna palmarum*  
 Lori keet, Papuan (E): *Charmosyna papou*  
 Lori keet, Perfect (E): *Trichoglossus euteles*  
 Lori keet, Plum-faced (E): *Oreopsittacus arfaki*  
 Lori keet, Pohnpei (E): *Trichoglossus rubiginosus*  
 Lori keet, Purple-crowned (E): *Glossopsitta porphyrocephala*  
 Lori keet, Pygmy (E): *Charmosyna wilhelminae*  
 Lori keet, Rainbow (E): *Trichoglossus haematodus*  
 Lori keet, Red-chinned (E): *Charmosyna rubrigularis*  
 Lori keet, Red-flanked (E): *Charmosyna placentis*  
 Lori keet, Red-fronted (E): *Charmosyna rubronotata*  
 Lori keet, Red-spotted (E): *Charmosyna rubronotata*  
 Lori keet, Red-throated (E): *Charmosyna aureicincta*  
 Lori keet, Scaly-breasted (E): *Trichoglossus chlorolepidotus*  
 Lori keet, Scarlet-breasted (E): *Vini kuhlii*  
 Lori keets, Lories, (E): *Loriidae*  
 Lori keet, Stephen's (E): *Vini stepheni*  
 Lori keet, Streaked (E): *Charmosyna multistriata*  
 Lori keet, Striated (E): *Charmosyna multistriata*  
 Lori keet, Tahitian (E): *Vini peruviana*  
 Lori keet, Ultramarine (E): *Vini ultramarina*  
 Lori keet, Varied (E): *Psitteuteles versicolor*  
 Lori keet, Whiskered (E): *Oreopsittacus arfaki*  
 Lori keet, Wilhelmina's (E): *Charmosyna wilhelminae*  
 Lori keet, Yellow-and-green (E): *Trichoglossus flavoviridis*  
 Lori keet, Yellow-billed (E): *Neopsittacus musschenbroekii*  
 Lori lindo (S): *Charmosyna pulchella*  
 Lori masqué (F): *Eos semilarvata*  
 Lori monjita (S): *Vini peruviana*  
 Lori montano chico (S): *Neopsittacus pullicauda*  
 Lori montano grande (S): *Neopsittacus musschenbroekii*  
 Lori musc (F): *Glossopsitta concinna*  
 Lori negro (S): *Chalcopsitta atra*  
 Lori noir (F): *Chalcopsitta atra*  
 Lori noira (F): *Lorius garrulus*  
 Lori nonnette (F): *Vini peruviana*  
 Lori nuquiblanco (S): *Lorius albidinucha*  
 Lori orange sombre (F): *Pseudeos fuscata*  
 Lori palmero (S): *Charmosyna palmarum*  
 Lori papou (F): *Charmosyna papou*  
 Lori pardo (S): *Chalcopsitta duivenbodei*  
 Lori pigmeo (S): *Charmosyna wilhelminae*  
 Loriquet à tête bleue (F): *Trichoglossus haematodus*  
 Loriquet de Goldie (F): *Psitteuteles goldiei*  
 Loriquet de Johnstone (F): *Trichoglossus johnstoniae*  
 Loriquet de Ponapé (F): *Trichoglossus rubiginosus*  
 Loriquet eutèle (F): *Trichoglossus euteles*  
 Loriquet iris (F): *Psitteuteles iris*  
 Loriquet jaune et vert (F): *Trichoglossus flavoviridis*  
 Loriquet orné (F): *Trichoglossus ornatus*
- Loriquet versicolore (F): *Psitteuteles versicolor*  
 Loriquet vert (F): *Trichoglossus chlorolepidotus*  
 Lori rabilargo (S): *Charmosyna papou*  
 Lori réticulé (F): *Eos reticulata*  
 Lori rouge (S): *Eos rubra*  
 Loris (S): *Loriidae*  
**Loris spp. II LORISIDAE (Mammalia)**  
 Loris, Bengal Slow (E): *Nycticebus bengalensis*  
 Lorises (E): *Lorisidae*  
 Lorises (S): *Lorisidae*  
 Lorises (F): *Lorisidae*  
 Loris fino (S): *Loris tardigradus*  
*Loris grandis* Hill & Phillips, 1932 = *Loris lydekkerianus* Cabrera, 1908  
 Loris grèle (F): *Loris tardigradus*  
 Loris, Grey Slender (E): *Loris lydekkerianus*  
**LORISIDAE spp. Gray, 1821 I/II (Mammalia) (E)** Lorises (S) Lorises (F) Lorises  
 Loris lent (F): *Nycticebus coucang*  
 Loris lento (S): *Nycticebus coucang*  
 Loris, Lesser Slow (E): *Nycticebus pygmaeus*  
 Loris, Loriquets (F): *Loriidae*  
**Loris lydekkerianus** Cabrera, 1908 II LORISIDAE (Mammalia) (E) Grey Slender Loris  
*Loris malabaricus* Wroughton, 1917 = *Loris lydekkerianus* Cabrera, 1908  
*Loris nordicus* Hill, 1933 = *Loris lydekkerianus* Cabrera, 1908  
*Loris nycticeboides* Hill, 1942 = *Loris lydekkerianus* Cabrera, 1908  
 Lori solitaire des îles Fidji (F): *Phigys solitarius*  
 Lori solitario (S): *Phigys solitarius*  
 Lori sombre (F): *Pseudeos fuscata*  
 Lori sombrio (S): *Pseudeos fuscata*  
 Lori splendide (F): *Charmosyna placentis*  
 Loris, Pygmy (E): *Nycticebus pygmaeus*  
 Loris, Slender (E): *Loris tardigradus*  
 Loris, Slow (E): *Nycticebus coucang*  
 Loris, Sunda Slow (E): *Nycticebus coucang*  
**Loris tardigradus** (Linnaeus, 1758) II LORISIDAE (Mammalia) (E) Slender Loris (S) Loris fino (F) Loris grèle  
*Loris tardigradus grandis* (Linnaeus, 1758) = *Loris lydekkerianus* Cabrera, 1908  
*Loris tardigradus lydekkerianus* (Linnaeus, 1758) = *Loris lydekkerianus* Cabrera, 1908  
*Loris tardigradus malabaricus* (Linnaeus, 1758) = *Loris lydekkerianus* Cabrera, 1908  
*Loris tardigradus nordicus* (Linnaeus, 1758) = *Loris lydekkerianus* Cabrera, 1908  
*Loris tardigradus nycticeboides* (Linnaeus, 1758) = *Loris lydekkerianus* Cabrera, 1908  
 Lori strié (F): *Charmosyna multistriata*  
 Lori acollarado (S): *Geoffroyus simplex*  
 Lori alinegro (S): *Hapalopsittaca melanotos*  
 Lori amazonino (S): *Hapalopsittaca amazonina*  
 Lori cabecigualdo (S): *Pionopsitta pyrilia*  
 Lori cabecipardo (S): *Poicephalus cryptoxanthus*  
 Lori caica (S): *Pionopsitta caica*  
 Lori carigualdo (S): *Poicephalus flavigrons*

- Lorito carinaranja (S): *Pionopsitta barrabandi*  
 Lorito carirrojo (S): *Geoffroyus geoffroyi*  
 Lorito carirrojo (S): *Pionopsitta pileata*  
 Lorito carirrosado (S): *Pionopsitta pulchra*  
 Lorito chirlecrés (S): *Pionites melanocephalus*  
 Lorito colicorto (S): *Graydidascalus brachyurus*  
 Lorito de copete (S): *Nymphicus hollandicus*  
 Lorito de Coxen (S): *Cyclopsitta diophthalma coxeni*  
 Lorito de Desmarest (S): *Psittaculirostris desmarestii*  
 Lorito de Edwards (S): *Psittaculirostris edwardsii*  
 Lorito de Fuertes (S): *Hapalopsittaca fuertesi*  
 Lorito de Meyer (S): *Poicephalus meyeri*  
 Lorito de Rüppell (S): *Poicephalus rueppellii*  
 Lorito de Salvadori (S): *Psittaculirostris salvadorii*  
 Lorito dobleojo (S): *Cyclopsitta diophthalma*  
 Lorito dorsiazul (S): *Psittinus cyanurus*  
 Lorito ecuatoriano (S): *Hapalopsittaca pyrrhops*  
 Lorito emmascarado de Coxen (S): *Cyclopsitta diophthalma coxeni*  
 Lorito encapuchado (S): *Pionopsitta haematotis*  
 Lorito frentirrojo (S): *Poicephalus gulielmi*  
 Lorito guayabero (S): *Bolbopsittacus lunulatus*  
 Lorito heteroclito (S): *Geoffroyus heteroclitus*  
 Lorito-momoto amarillento (S): *Prioniturus flavicans*  
 Lorito-momoto coroniazul (S): *Prioniturus discurus*  
 Lorito-momoto de Buru (S): *Prioniturus mada*  
 Lorito-momoto de las Sulu (S): *Prioniturus verticalis*  
 Lorito-momoto de Luzón (S): *Prioniturus luconensis*  
 Lorito-momoto de Palawan (S): *Prioniturus platenae*  
 Lorito-momoto dorsidorado (S): *Prioniturus platurus*  
 Lorito-momoto montano (S): *Prioniturus montanus*  
 Lorito niam-niam (S): *Poicephalus crassus*  
 Lorito orejudo (S): *Pionopsitta pileata*  
 Lorito pechinaranja (S): *Cyclopsitta gulielmitertii*  
 Lorito pileado (S): *Pionopsitta pileata*  
 Lorito robusto (S): *Poicephalus robustus*  
 Lorito rubio (S): *Pionites leucogaster*  
 Lorito senegalés (S): *Poicephalus senegalus*  
 Lorito-tigre de Brehm (S): *Psittacula brehmii*  
 Lorito-tigre de Madarasz (S): *Psittacula madaraszi*  
 Lorito-tigre modesto (S): *Psittacula modesta*  
 Lorito-tigre pintado (S): *Psittacula picta*  
 Lorito ventrirrojo (S): *Poicephalus rufiventris*  
 Lorito vulturino (S): *Pionopsitta vulturina*  
 Lori tricolor (S): *Lorius lory*  
 Lori tricolore (F): *Lorius lory*  
 Lori ultramar (S): *Vini ultramarina*  
 Lori ultramarín (F): *Vini ultramarina*  
**Lorius spp.** Vigors, 1825 II 29 LORIIDAE (Aves)  
**Lorius albidiñucha** (Rothschild & Hartert, 1924) II 29  
 LORIIDAE (Aves) (E) White-naped Lory (S) Lori nuquiblanco (F) Lori à nuque blanche  
**Lorius albidiñuchus** (Rothschild & Hartert, 1924) = *Lorius albidiñucha* (Rothschild & Hartert, 1924)  
**Lorius amabilis** Stresemann, 1931 = *Lorius hypoinochrous* G. R. Gray, 1859  
**Lorius cardinalis** G. R. Gray, 1849 = *Chalcopsitta cardinalis* (G. R. Gray, 1849)  
**Lorius chlorocercus** Gould, 1856 II 29 LORIIDAE (Aves)  
 (E) Yellow-bibbed Lory (S) Lori acollarado (F) Lori à collier jaune  
**Lorius domicella** (Linnaeus, 1758) II 29 LORIIDAE  
 (Aves) (E) Purple-capped Lory, Purple-naped Lory (S) Lori damisela (F) Lori des dames  
**Lorius garrulus** (Linnaeus, 1758) II 29 LORIIDAE (Aves)  
 (E) Chattering Lory, Yellow-backed Lory (S) Lori gárrulo (F) Lori noira  
**Lorius hypoinochrous** G. R. Gray, 1859 II 29 LORIIDAE (Aves)  
 (Aves) (E) Eastern Black-capped Lory, Purple-bellied Lory (S) Lori ventrivenoso (F) Lori à ventre violet  
**Lorius lory** (Linnaeus, 1758) II 29 LORIIDAE (Aves) (E)  
 Black-capped Lory, Western Black-capped Lory (S) Lori tricolor (F) Lori des Moluques, Lori tricolore  
**Lorius roratus** (P. L. S. Müller, 1776) = *Eclectus roratus* (P. L. S. Müller, 1776)  
**Lorius tibialis** Sclater, 1871 = *Lorius domicella* (Linnaeus, 1758)  
 Lori ventrivenoso (S): *Lorius hypoinochrous*  
 Lori verdigualdo (S): *Trichoglossus flavoviridis*  
 Lori versicolor (S): *Psitteuteles versicolor*  
 Loro aguileño (S): *Psittrichas fulgidus*  
 Loro alibronceado (S): *Pionus chalcopterus*  
 Loro alisero (S): *Amazona tucumana*  
 Loro barranquero (S): *Cyanoliseus patagonus*  
 Loro brasileño (S): *Amazona brasiliensis*  
 Loro burrón (S): *Amazona farinosa*  
 Loro cabeciamarillo (S): *Amazona oratrix*  
 Loro cabeciazul (S): *Pionus menstruus*  
 Loro cabecirrojo (S): *Amazona pretrei*  
 Loro cabeza amarilla (S): *Amazona ochrocephala*  
 Loro cabeza azul (S): *Amazona farinosa*  
 Loro cabeza roja (S): *Amazona viridigenalis*  
 Loro cachtirrosa (S): *Pionopsitta pulchra*  
 Loro cacique (S): *Deroptyus accipitrinus*  
 Loro cariazul (S): *Amazona dufresniana*  
 Loro cariazul (S): *Amazona brasiliensis*  
 Loro caroniblanco (S): *Pionus senilis*  
 Loro choclero (S): *Pionus maximiliani*  
 Loro colicorto (S): *Graydidascalus brachyurus*  
 Loro corona-violeta (S): *Amazona finschi*  
 Loro de banda roja (S): *Amazona vittata*  
 Loro de Barbados (S): *Amazona barbadensis*  
 Loro de Buru (S): *Tanygnathus gramineus*  
 Loro de cabeza blanca (S): *Amazona leucocephala*  
 Loro de cabeza roja (S): *Amazona pretrei*  
 Loro de Jamaica (S): *Amazona collaria*  
 Loro de la Española (S): *Amazona ventralis*  
 Loro del paraíso (S): *Psephotus pulcherrimus*  
 Loro de mejillas azules (S): *Amazona rhodocorytha*  
 Loro de Müller (S): *Tanygnathus sumatranus*  
 Loro de San Vicente (S): *Amazona guildingii*  
 Loro ecléctico (S): *Eclectus roratus*  
 Loro famaulipeco (S): *Amazona viridigenalis*  
 Loro frente blanca (S): *Amazona albifrons*  
 Loro frente roja (S): *Amazona autumnalis*  
 Loro frentirrojo (S): *Amazona autumnalis*  
 Loro guaro (S): *Amazona amazonica*  
 Loro hablador (S): *Amazona aestiva*

Loro hombroamarillo (S): <i>Psephotus chrysoterygius</i>	Lory, Yellow-bibbed (E): <i>Lorius chlorocercus</i>
Loro imperial (S): <i>Amazona imperialis</i>	Lory, Yellow-streaked (E): <i>Chalcopsitta sintillata</i>
Loro lomirrojo (S): <i>Amazona festiva</i>	Loup (F): <i>Canis lupus</i>
Loro malva (S): <i>Amazona vinacea</i>	Loup à crinière (F): <i>Chrysocyon brachyurus</i>
Loro mona amarilla (S): <i>Amazona ochrocephala</i>	Loup gris (F): <i>Canis lupus</i>
Loro morado (S): <i>Pionus fuscus</i>	Loup vulgaire (F): <i>Canis lupus</i>
Loro multicolor (S): <i>Amazona versicolor</i>	Loutre à cou tacheté (F): <i>Hydrictis maculicollis</i>
Loro negro (S): <i>Coracopsis nigra</i>	Loutre à joues blanches (F): <i>Aonyx capensis</i>
Loro nocturno (S): <i>Pezoporus occidentalis</i>	Loutre à joues blanches du Cameroun (F): <i>Aonyx capensis microdon</i>
Loro nuca amarilla (S): <i>Amazona ochrocephala</i>	Loutre à longue queue (F): <i>Lontra longicaudis</i>
Loro nuquiamarillo (S): <i>Amazona europalliata</i>	Loutre cendrée (F): <i>Aonyx cinerea</i>
Loro nuquiazul (S): <i>Tanygnathus lucionensis</i>	Loutre commune (F): <i>Lutra lutra</i>
Loro orejirrojo (S): <i>Pionopsitta haematotis</i>	Loutre d'Amérique du Sud (F): <i>Lontra longicaudis</i>
Loro pechivinoso (S): <i>Amazona vinacea</i>	Loutre d'Asie (F): <i>Lutrogale perspicillata</i>
Loro pecho vinoso (S): <i>Amazona vinacea</i>	Loutre de La Plata (F): <i>Lontra longicaudis</i>
Loro picogrodo (S): <i>Tanygnathus megalorynchos</i>	Loutre de mer (F): <i>Enhydra lutris</i>
Loro piquigordo (S): <i>Rhynchopsitta pachyrhyncha</i>	Loutre de mer (F): <i>Lontra felina</i>
Loro piquirrojo (S): <i>Pionus sordidus</i>	Loutre de mer de Californie (F): <i>Enhydra lutris nereis</i>
Loro rabudo collar (S): <i>Psittacula krameri</i>	Loutre de mer méridionale (F): <i>Enhydra lutris nereis</i>
Loro real (S): <i>Amazona ochrocephala</i>	Loutre de rivière (F): <i>Lutra lutra</i>
Loro senil (S): <i>Pionus senilis</i>	Loutre de Sumatra (F): <i>Lutra sumatrana</i>
Loro tumultuoso (S): <i>Pionus tumultuosus</i>	Loutre d'Europe (F): <i>Lutra lutra</i>
Loro vasa (S): <i>Coracopsis vasa</i>	Loutre du Canada (F): <i>Lontra canadensis</i>
Loro ventriazul (S): <i>Trichilaria malachitacea</i>	Loutre du Chili (F): <i>Lontra provocax</i>
Loro ventrinaranja (S): <i>Neophema chrysogaster</i>	Loutre géante du Brésil (F): <i>Pteronura brasiliensis</i>
Loro verde (S): <i>Amazona farinosa</i>	Loutres (F): <i>Lutrinae</i>
Loro verde (S): <i>Amazona mercenaria</i>	Lovebird, Abyssinian (E): <i>Agapornis taranta</i>
Loro yaco (S): <i>Psittacus erithacus</i>	Lovebird, Black-cheeked (E): <i>Agapornis nigrigenis</i>
Loro yucateco (S): <i>Amazona xantholora</i>	Lovebird, Black-collared (E): <i>Agapornis swindernianus</i>
Lory, Biak Red (E): <i>Eos cyanogenia</i>	Lovebird, Black-masked (E): <i>Agapornis personatus</i>
Lory, Black (E): <i>Chalcopsitta atra</i>	Lovebird, Black-winged (E): <i>Agapornis taranta</i>
Lory, Black-capped (E): <i>Lorius lory</i>	Lovebird, Fischer's (E): <i>Agapornis fischeri</i>
Lory, Black-winged (E): <i>Eos cyanogenia</i>	Lovebird, Grey-headed (E): <i>Agapornis canus</i>
Lory, Blue-eared (E): <i>Eos semilarvata</i>	Lovebird, Lilian's (E): <i>Agapornis lilianae</i>
Lory, Blue-streaked (E): <i>Eos reticulata</i>	Lovebird, Madagascar (E): <i>Agapornis canus</i>
Lory, Brown (E): <i>Chalcopsitta duivenbodei</i>	Lovebird, Masked (E): <i>Agapornis personatus</i>
Lory, Cardinal (E): <i>Chalcopsitta cardinalis</i>	Lovebird, Nyasa (E): <i>Agapornis lilianae</i>
Lory, Chattering (E): <i>Lorius garrulus</i>	Lovebird, Peach-faced (E): <i>Agapornis roseicollis</i>
Lory, Collared (E): <i>Phigys solitarius</i>	Lovebird, Red-faced (E): <i>Agapornis pullarius</i>
Lory, Dusky (E): <i>Pseudeos fuscata</i>	Lovebird, Red-headed (E): <i>Agapornis pullarius</i>
Lory, Duyvenbode's (E): <i>Chalcopsitta duivenbodei</i>	Lovebird, Rosy-faced (E): <i>Agapornis roseicollis</i>
Lory, Eastern Black-capped (E): <i>Lorius hypoinochrous</i>	Lovebird, Yellow-collared (E): <i>Agapornis personatus</i>
Lory, Greater Streaked (E): <i>Chalcopsitta sintillata</i>	<b>LOXOCEMIDAE spp.</b> Cope, 1861 II (Reptilia) (E) Mexican Dwarf Boa (S) Pitón excavadora (F) Loxocéménés
Lory, Iris (E): <i>Psitteuteles iris</i>	Loxocéménés (F): <i>Loxocemidae</i>
Lory, Josephine's (E): <i>Charmosyna josefinae</i>	<b>Loxocemus spp.</b> II LOXOCEMIDAE (Reptilia)
Lory, Moluccan (E): <i>Eos rubra</i>	<b>Loxocemus bicolor</b> Cope, 1861 II LOXOCEMIDAE (Reptilia) Burrowing Python, Ground Python, New World Python (S) Pitón excavadora (F) Python d'Amérique centrale, Python fouisseur du Mexique
Lory, Moluccan Red (E): <i>Eos squamata</i>	<b>Loxodonta africana</b> (Blumenbach, 1797) I/II 25 ELEPHANTIDAE (Mammalia) (E) African Elephant, African Savannah Elephant (S) Elefante africano (F) Eléphant africain, Eléphant d'Afrique
Lory, Ornate (E): <i>Trichoglossus ornatus</i>	<i>Loxodonta cyclotis</i> (Matschie, 1900) = <i>Loxodonta africana</i> (Blumenbach, 1797)
Lory, Pohnpei (E): <i>Trichoglossus rubiginosus</i>	Lúgano cardenalito (S): <i>Carduelis cucullata</i>
Lory, Purple-bellied (E): <i>Lorius hypoinochrous</i>	Lúgano de Yarrell (S): <i>Carduelis yarrellii</i>
Lory, Purple-capped (E): <i>Lorius domicella</i>	Lúgano encapuchado (S): <i>Carduelis cucullata</i>
Lory, Purple-naped (E): <i>Lorius domicella</i>	
Lory, Rainbow (E): <i>Trichoglossus haematodus</i>	
Lory, Red (E): <i>Eos rubra</i>	
Lory, Red-and-blue (E): <i>Eos histrio</i>	
Lory, Ultramarine (E): <i>Vini ultramarina</i>	
Lory, Violet-necked (E): <i>Eos squamata</i>	
Lory, Western Black-capped (E): <i>Lorius lory</i>	
Lory, White-naped (E): <i>Lorius albidiunucha</i>	
Lory, Yellow-backed (E): <i>Lorius garrulus</i>	

- Lungfish, Australian (E): *Neoceratodus forsteri*  
 Lungfish, Queensland (E): *Neoceratodus forsteri*  
 Luth (E): *Dermochelys coriacea*  
***Lutra* spp.** Brisson, 1762 I/II MUSTELIDAE (Mammalia)  
*Lutra canadensis* Schreber, 1776 = *Lontra canadensis* (Schreber, 1777)  
*Lutra felina* (Molina, 1782) = *Lontra felina* (Molina, 1782)  
*Lutra longicaudis* (Olfers, 1818) = *Lontra longicaudis* (Olfers, 1818)  
***Lutra lutra*** (Linnaeus, 1758) I MUSTELIDAE (Mammalia)  
 (E) Common Otter, Eurasian Otter, European Otter, European River Otter, Old World Otter (S) Nutria, Nutria común, Nutria europea (F) Loutre commune, Loutre de rivière, Loutre d'Europe  
*Lutra lutra* (Linnaeus, 1758) = *Lutra nippon* Imaizumi & Yoshiyuki, 1989  
*Lutra maculicollis* Lichtenstein, 1835 = *Hydrictis maculicollis* (Lichtenstein, 1835)  
***Lutra nippon*** Imaizumi & Yoshiyuki, 1989 I MUSTELIDAE (Mammalia)  
*Lutra perspicillata* I. Geoffroy Saint-Hilaire, 1826 = *Lutrogale perspicillata* (I. Geoffroy Saint-Hilaire, 1826)  
*Lutra provocax* Thomas, 1908 = *Lontra provocax* (Thomas, 1908)  
***Lutra sumatrana*** (Gray, 1865) II MUSTELIDAE (Mammalia) (E) Hairy-nosed Otter (S) Nutria de Sumatra (F) Loutre de Sumatra  
**LUTRINAE** spp. Bonaparte, 1838 I/II MUSTELIDAE (Mammalia) (S) Nutrias (F) Loutres  
***Lutrogale* spp.** Gray, 1865 II MUSTELIDAE (Mammalia)  
*Lutrogale perspicillata* (I. Geoffroy Saint-Hilaire, 1826) II MUSTELIDAE (Mammalia) (E) Indian Smooth-coated Otter, Smooth-coated Otter (S) Nutria lisa, Nutria simung (F) Loutre d'Asie  
 Lutung, Indochinese (E): *Trachypithecus germaini*  
 Lutung, Javan (E): *Trachypithecus auratus*  
 Lutung, Silvery (E): *Trachypithecus villosus*  
***Lycalopex culpaeus*** (Molina, 1782) II CANIDAE (Mammalia) (E) Andean Wolf, Colpeo Fox, Culpeo, Red Fox (S) Culpeo, Zorro andino, Zorro colorado (F) Renard colfleo  
***Lycalopex fulvipes*** (Martin, 1837) II CANIDAE (Mammalia)  
***Lycalopex griseus*** (Gray, 1837) II CANIDAE (Mammalia) (E) Argentine Grey Fox, Chico Grey Fox, Chiloe Fox, Grey Zorro, Little Fox, Pampa Fox (S) Chilla, Zorro chico, Zorro de la Isla Chiloe, Zorro gris argentino (F) Renard de Chiloé, Renard gris d'Argentine  
***Lycalopex gymnocercus*** (G. Fischer, 1814) II CANIDAE (Mammalia) (E) Azara's Zorro, Pampa Fox (S) Zorro de la Pampa (F) Renard d'Azara, Renard de la pampa  
***Lycocorax* spp.** Bonaparte 1853 II PARADISAEIDAE (Aves)  
***Lycocorax pyrrhocopterus*** (Bonaparte, 1851) II PARADISAEIDAE (Aves) (E) Paradise-Crow, Silky-Crow (F) Corneille de paradis, Paradisier corvin  
*Lynchailurus colocolo* (Molina, 1782) = *Leopardus colocolo* (Molina, 1782)  
*Lynchailurus pajeros* (Desmarest, 1816) = *Leopardus pajeros* (Desmarest, 1816)  
***Lynx* spp.** I/II 10 FELIDAE (Mammalia)  
 Lynx (F): *Lynx lynx*  
 Lynx, American (E): *Lynx canadensis*  
 Lynx, Bay (E): *Lynx rufus*  
 Lynx boréal (F): *Lynx lynx*  
 Lynx, Canada (E): *Lynx canadensis*  
***Lynx canadensis*** Kerr, 1792 II 10 FELIDAE (Mammalia)  
 (E) American Lynx, Canada Lynx (S) Lince del Canadá (F) Lynx du Canada  
*Lynx caracal* (Schreber, 1776) = *Caracal caracal* (Schreber, 1776)  
 Lynx, Desert (E): *Caracal caracal*  
 Lynx d'Espagne (F): *Lynx pardinus*  
 Lynx d'Eurasie (F): *Lynx lynx*  
 Lynx du Canada (F): *Lynx canadensis*  
 Lynx du désert (F): *Caracal caracal*  
 Lynx, Eurasian (E): *Lynx lynx*  
 Lynx, Iberian (E): *Lynx pardinus*  
***Lynx lynx*** (Linnaeus, 1758) II 10 FELIDAE (Mammalia)  
 (E) Eurasian Lynx (S) Lince, Lince boreal, Lince europeo (F) Lynx, Lynx boréal, Lynx d'Eurasie  
*Lynx lynx canadensis* (Linnaeus, 1758) = *Lynx canadensis* Kerr, 1792  
*Lynx lynx pardinus* (Linnaeus, 1758) = *Lynx pardinus* (Temminck, 1827)  
 Lynx, Pardel (E): *Lynx pardinus*  
 Lynx pardelle (F): *Lynx pardinus*  
***Lynx pardinus*** (Temminck, 1827) I FELIDAE (Mammalia) (E) Iberian Lynx, Pardel Lynx, Spanish Lynx (S) Lince ibérico (F) Lynx d'Espagne, Lynx pardelle  
 Lynx roux (F): *Lynx rufus*  
***Lynx rufus*** (Schreber, 1777) II 10 FELIDAE (Mammalia)  
 (E) Bay Lynx, Bobcat (S) Gato montés, Lince rojo (F) Chat sauvage, Lynx roux  
 Lynx, Spanish (E): *Lynx pardinus*  
 Lyssémyde ponctuée (F): *Lissemys punctata*  
***Macaca* spp.** I/II CERCOPITHECIDAE (Mammalia)  
***Macaca arctoides*** (I. Geoffroy, 1831) II CERCOPITHECIDAE (Mammalia) (E) Bear Macaque, Stump-tailed Macaque, Stumptail Macaque (S) Macaca ursin (F) Macaque brun  
***Macaca assamensis*** (McClelland, 1840) II CERCOPITHECIDAE (Mammalia) (E) Assamese Macaque, Assam Macaque (S) Macaca del Himalaya (F) Macaque d' Assam  
 Macaca cangrejera (S): *Macaca fascicularis*  
 Macaca cola de cerdo (S): *Macaca nemestrina*  
 Macaca crestada de Sulawesi (S): *Macaca ochreata*  
***Macaca cyclopis*** (Swinhoe, 1863) II CERCOPITHECIDAE (Mammalia) (E) Formosan Rock Macaque, Taiwan Macaque (S) Macaca de Formosa (F) Macaque de Formose  
*Macaca cynomolgus* (Schreber, 1775) = *Macaca fascicularis* (Raffles, 1821)  
 Macaca de Formosa (S): *Macaca cyclopis*  
 Macaca del Himalaya (S): *Macaca assamensis*  
 Macaca del Tibet (S): *Macaca thibetana*  
 Macaca de Madras (S): *Macaca radiata*  
 Macaca de Sri Lanka (S): *Macaca sinica*  
 Macaca de Tonkean (S): *Macaca tonkeana*

<b><i>Macaca fascicularis</i></b> (Raffles, 1821) II	<b><i>Macaca silenus</i></b> (Linnaeus, 1758) I CERCOPITHECIDAE
CERCOPITHECIDAE (Mammalia) (E) Crab-eating Macaque, Cynomolgus Monkey, Long-tailed Macaque (S) Macaca cangrejera (F) Macaque crabier, Macaque de Buffon	(Mammalia) (E) Lion-tailed Macaque, Wanderoo (S) Macaca leonina, Macaco barbudo, Macaco de cola de león (F) Macaque à queue de lion, Macaque ouandérou, Ouandérou
<b><i>Macaca fuscata</i></b> (Blyth, 1875) II CERCOPITHECIDAE	<b><i>Macaca sinica</i></b> (Linnaeus, 1771) II CERCOPITHECIDAE
(Mammalia) (E) Japanese Macaque (S) Macaca japonesa (F) Macaque à face rouge, Macaque japonais	(Mammalia) (E) Toque Macaque (S) Macaca de Sri Lanka (F) Macaque couronné, Macaque toque
<b><i>Macaca hecki</i></b> (Matschie, 1901) II CERCOPITHECIDAE	<b><i>Macaca speciosa</i></b> Blyth, 1875 = <i>Macaca arctoides</i> (I. Geoffroy, 1831)
(Mammalia) (E) Heck's Macaque	<i>Macaca speciosa</i> I. Geoffroy, 1826 = <i>Macaca fuscata</i> (Blyth, 1875)
<b><i>Macaca irus</i></b> I. Geoffroy, 1826 = <i>Macaca fascicularis</i> (Raffles, 1821)	<b><i>Macaca sylvanus</i></b> (Linnaeus, 1758) II
Macaca japonesa (S): <i>Macaca fuscata</i>	CERCOPITHECIDAE (Mammalia) (E) Barbary Ape, Barbary Macaque (S) Mono de Berbería, Mono de Gibraltar (F) Macaque de Gibraltar, Magot, Magot commun
Macaca leonina (S): <i>Macaca silenus</i>	<b><i>Macaca thibetana</i></b> (Milne-Edwards, 1870) II
<b><i>Macaca leonina</i></b> (Blyth, 1863) II CERCOPITHECIDAE	CERCOPITHECIDAE (Mammalia) (E) Père David's Macaque, Short-tailed Tibetan Macaque, Tibetan Macaque (S) Macaca del Tibet (F) Macaque du Tibet
(Mammalia) (E) Northern Pig-tailed Macaque	<b><i>Macaca tonkeana</i></b> (Meyer, 1899) II CERCOPITHECIDAE
<b><i>Macaca maura</i></b> (H. R. Schinz, 1825) II	(Mammalia) (E) Tonkean Black Macaque, Tonkean Macaque (S) Macaca de Tonkean (F) Macaque de Tonkean
CERCOPITHECIDAE (Mammalia) (E) Celebes Macaque, Moor Macaque (S) Macaca mora (F) Macaque maure	<i>Macaca tonkeana hecki</i> (Meyer, 1899) = <i>Macaca hecki</i> (Matschie, 1901)
<i>Macaca maurus</i> (F. Schinz, 1825) = <i>Macaca maura</i> (H. R. Schinz, 1825)	Macaca ursin (S): <i>Macaca arctoides</i>
Macaca mora (S): <i>Macaca maura</i>	Macaco barbudo (S): <i>Macaca silenus</i>
<b><i>Macaca mulatta</i></b> (Zimmermann, 1780) II	Macaco de cola de león (S): <i>Macaca silenus</i>
CERCOPITHECIDAE (Mammalia) (E) Rhesus Macaque, Rhesus Monkey (S) Mono resus (F) Macaque rhésus	Macagua rieur (F): <i>Herpetotheres cachinnans</i>
<b><i>Macaca munzala</i></b> Sinha, Datta, Madhusudan and Mishra, 2005 II CERCOPITHECIDAE (Mammalia) (E) Arunachal Macaque	Macaón de Córcega (S): <i>Papilio hospiton</i>
Macaca negra (S): <i>Macaca nigra</i>	Macaque à face rouge (F): <i>Macaca fuscata</i>
<b><i>Macaca nemestrina</i></b> (Linnaeus, 1766) II	Macaque à queue de cochon (F): <i>Macaca nemestrina</i>
CERCOPITHECIDAE (Mammalia) (E) Pig-tailed Macaque, Pigtail Macaque (S) Macaca cola de cerdo (F) Macaque à queue de cochon	Macaque à queue de lion (F): <i>Macaca silenus</i>
<i>Macaca nemestrina pagensis</i> (Linnaeus, 1766) = <i>Macaca pagensis</i> (Miller, 1903)	Macaque, Arunachal (E): <i>Macaca munzala</i>
	Macaque, Assam (E): <i>Macaca assamensis</i>
<b><i>Macaca nigra</i></b> (Desmarest, 1822) II CERCOPITHECIDAE	Macaque, Assamese (E): <i>Macaca assamensis</i>
(Mammalia) (E) Celebes Black Macaque, Celebes Crested Macaque, Gorontalo Macaque, Sulawesi Macaque (S) Macaca negra (F) Cynopithèque nègre, Macaque des Célèbes	Macaque, Barbary (E): <i>Macaca sylvanus</i>
<b><i>Macaca nigrescens</i></b> (Temminck, 1849) II	Macaque, Bear (E): <i>Macaca arctoides</i>
CERCOPITHECIDAE (Mammalia) (E) Dumoga-bone Macaque, Gorontalo Macaque	Macaque, Bonnet (E): <i>Macaca radiata</i>
<b><i>Macaca ochreata</i></b> (Ogilby, 1841) II CERCOPITHECIDAE	Macaque bonnet chinois (F): <i>Macaca radiata</i>
(Mammalia) (E) Booted Macaque (S) Macaca crestada de Sulawesi	Macaque, Booted (E): <i>Macaca ochreata</i>
<b><i>Macaca pagensis</i></b> (Miller, 1903) II CERCOPITHECIDAE	Macaque brun (F): <i>Macaca arctoides</i>
(Mammalia) (E) Mentawai Macaque, Pagai Island Macaque	Macaque, Celebes (E): <i>Macaca maura</i>
<i>Macaca pagensis siberu</i> (Miller, 1903) = <i>Macaca siberu</i> Fuentes & Olson, 1995	Macaque, Celebes Black (E): <i>Macaca nigra</i>
<b><i>Macaca radiata</i></b> (É. Geoffroy, 1812) II	Macaque, Celebes Crested (E): <i>Macaca nigra</i>
CERCOPITHECIDAE (Mammalia) (E) Bonnet Macaque (S) Macaca de Madras (F) Macaque bonnet chinois, Macaque commun	Macaque commun (F): <i>Macaca radiata</i>
<b><i>Macaca siberu</i></b> Fuentes & Olson, 1995 II	Macaque couronné (F): <i>Macaca sinica</i>
CERCOPITHECIDAE (Mammalia) (E) Siberut Macaque	Macaque, Crab-eating (E): <i>Macaca fascicularis</i>

Macaque, Gorontalo (E): *Macaca nigra*  
 Macaque, Gorontalo (E): *Macaca nigrescens*  
 Macaque, Heck's (E): *Macaca hecki*  
 Macaque, Japanese (E): *Macaca fuscata*  
 Macaque japonais (F): *Macaca fuscata*  
 Macaque, Lion-tailed (E): *Macaca silenus*  
 Macaque, Long-tailed (E): *Macaca fascicularis*  
 Macaque maure (F): *Macaca maura*  
 Macaque, Mentawai (E): *Macaca pagensis*  
 Macaque, Moor (E): *Macaca maura*  
 Macaque, Northern Pig-tailed (E): *Macaca leonina*  
 Macaque ouandérou (F): *Macaca silenus*  
 Macaque, Pagai Island (E): *Macaca pagensis*  
 Macaque, Père David's (E): *Macaca thibetana*  
 Macaque, Pigtail (E): *Macaca nemestrina*  
 Macaque, Pig-tailed (E): *Macaca nemestrina*  
 Macaque, Rhesus (E): *Macaca mulatta*  
 Macaque rhésus (F): *Macaca mulatta*  
 Macaque, Short-tailed Tibetan (E): *Macaca thibetana*  
 Macaque, Siberut (E): *Macaca siberu*  
 Macaque, Stumptail (E): *Macaca arctoides*  
 Macaque, Stump-tailed (E): *Macaca arctoides*  
 Macaque, Sulawesi (E): *Macaca nigra*  
 Macaque, Taiwan (E): *Macaca cyclopis*  
 Macaque, Tibetan (E): *Macaca thibetana*  
 Macaque, Tonkean (E): *Macaca tonkeana*  
 Macaque, Tonkean Black (E): *Macaca tonkeana*  
 Macaque toque (F): *Macaca sinica*  
 Macaque, Toque (E): *Macaca sinica*  
 Macaw, Blue-and-gold (E): *Ara ararauna*  
 Macaw, Blue-and-yellow (E): *Ara ararauna*  
 Macaw, Blue-headed (E): *Primolius couloni*  
 Macaw, Blue-throated (E): *Ara glaucocephala*  
 Macaw, Blue-winged (E): *Primolius maracana*  
 Macaw, Buffon's (E): *Ara ambiguus*  
 Macaw, Chestnut-fronted (E): *Ara severus*  
 Macaw, Glaucous (E): *Anodorhynchus glaucus*  
 Macaw, Golden-collared (E): *Primolius auricollis*  
 Macaw, Great Green (E): *Ara ambiguus*  
 Macaw, Green-winged (E): *Ara chloropterus*  
 Macaw, Hahn's (E): *Diopsittaca nobilis*  
 Macaw, Hyacinth (E): *Anodorhynchus hyacinthinus*  
 Macaw, Illiger's (E): *Primolius maracana*  
 Macaw, Indigo (E): *Anodorhynchus leari*  
 Macaw, Lear's (E): *Anodorhynchus leari*  
 Macaw, Little Blue (E): *Cyanopsitta spixii*  
 Macaw, Military (E): *Ara militaris*  
 Macaw, Noble (E): *Diopsittaca nobilis*  
 Macaw, Red-and-green (E): *Ara chloropterus*  
 Macaw, Red-bellied (E): *Orthopsittaca manilata*  
 Macaw, Red-fronted (E): *Ara rubrogenys*  
 Macaw, Red-shouldered (E): *Diopsittaca nobilis*  
 Macaw, Scarlet (E): *Ara macao*  
 Macaw, Severe (E): *Ara severus*  
 Macaw, Spix's (E): *Cyanopsitta spixii*  
 Macaw, Yellow-collared (E): *Primolius auricollis*  
**Macgregoria spp.** De Vis 1897 II PARADISAEIDAE  
 (Aves)

**Macgregoria pulchra** De Vis, 1897 II PARADISAEIDAE  
 (Aves) (E) Macgregor's Bird-of-paradise (F) Paradisier de Macgregor  
**Machadoporites spp.** Nemésio, 2005 II PORITIDAE  
 (Anthozoa)  
*Machaerhamphus alcinus* (Westerman, 1851) =  
*Macheiramphus alcinus* Westermann, 1851  
 Machaon de Luzon (F): *Papilio chikae*  
**Macheiramphus spp.** II 27 ACCIPITRIDAE (Aves)  
**Macheiramphus alcinus** Westermann, 1851 II 27  
 ACCIPITRIDAE (Aves) (E) Bat Hawk, Bat Kite (S)  
 Milano murcielaguero (F) Milan des chauves-souris  
**Macrocephalon maleo** Müller, 1846 I MEGAPODIIDAE  
 (Aves) (E) Celebes Maleo, Gray's Brush-turkey, Maleo Fowl, Maleo, Maleo Fowl, Maleo Megapode (S)  
 Megapodio maleo, Megápodo cabecigrande, Talégalo maleo (F) Maléo, Mégapode Maléo  
*Macrocercus glaucus* Vieillot, 1816 = *Anodorhynchus glaucus* (Vieillot, 1816)  
*Macrocercus maracana* Vieillot, 1816 = *Primolius maracana* (Vieillot, 1816)  
*Macrocercus pachyrhynchos* Swainson, 1827 =  
*Rhynchositta pachyrhyncha* (Swainson, 1827)  
*Macrochelys maxhoseri* Hoser, 2013 = *Macrochelys temminckii* (Troost, 1835)  
**Macrochelys temminckii** (Troost, 1835) III  
 CHELYDRIDAE (Reptilia) (E) Alligator Snapping Turtle  
*Macroclemys temminckii* (Troost, 1835) = *Macrochelys temminckii* (Troost, 1835)  
**Macrotis lagotis** (Reid, 1837) I THYLCOMYIDAE  
 (Mammalia) (E) Bilby, Dalgyte, Greater Bilby, Greater Rabbit-eared Bandicoot (S) Bandicot conejo, Canguito narigudo grande (F) Bandicoot-lapin, Grand bandicoot-lapin  
 Macuco (S): *Tinamus solitarius*  
 Madrace à dix rayons (F): *Madracis decactis*  
 Madrace étoile (F): *Madracis pharensis*  
 Madrace profond (F): *Madracis formosa*  
**Madracis spp.** Milne Edwards & Haime, 1849 II  
 POCILLOPORIDAE (Anthozoa)  
**Madracis asanoi** Yabe & Sugiyama, 1936 II  
 POCILLOPORIDAE (Anthozoa)  
**Madracis asperula** Milne Edwards & Haime, 1849 II  
 POCILLOPORIDAE (Anthozoa) (E) Pointed Pencil Coral (S) Coral puntiagudo  
**Madracis auretenra** Locke, Weil & Coates, 2007 II  
 POCILLOPORIDAE (Anthozoa) (E) Yellow Pencil Coral  
**Madracis brueggemanni** (Ridley, 1881) II  
 POCILLOPORIDAE (Anthozoa)  
**Madracis carmabi** Vermeij, Diekmann & Bak, 2003 II  
 POCILLOPORIDAE (Anthozoa)  
**Madracis decactis** (Lyman, 1859) II POCILLOPORIDAE  
 (Anthozoa) (E) Green Cactus Coral, Ten-ray Finger Coral, Ten-ray Star Coral (S) Coral de diez rayos (F) Madrace à dix rayons  
**Madracis formosa** Wells, 1973 II POCILLOPORIDAE  
 (Anthozoa) (E) Eight-ray Finger Coral (S) Coral de ocho rayos (F) Madrace profond  
**Madracis fragilis** Neves & Johnsson, 2009 II  
 POCILLOPORIDAE (Anthozoa)

- Madracis hellana*** Milne Edwards & Haime, 1850 II  
POCILLOPORIDAE (Anthozoa)
- Madracis interjecta*** Marenzeller, 1907 II  
POCILLOPORIDAE (Anthozoa)
- Madracis kauaiensis*** Vaughan, 1907 II  
POCILLOPORIDAE (Anthozoa)
- Madracis kauaiensis macrocalyx* Vaughan, 1907 =  
*Madracis kauaiensis* Vaughan, 1907
- Madracis kirbyi*** Veron & Pichon, 1976 II  
POCILLOPORIDAE (Anthozoa)
- Madracis luciphila* Wells, 1973 = *Madracis pharensis* (Heller, 1868)
- Madracis mirabilis* (Duchassaing & Michelotti, 1860) =  
*Madracis myriaster* (Milne Edwards & Haime, 1849)
- Madracis myriaster*** (Milne Edwards & Haime, 1849) II  
POCILLOPORIDAE (Anthozoa) (E) Striate Finger Coral, Yellow Pencil Coral (S) Coral estriado de dedos
- Madracis palaoensis* Yabe & Sugiyama, 1936 = *Madracis asanoi* Yabe & Sugiyama, 1936
- Madracis pharensis*** (Heller, 1868) II POCILLOPORIDAE (Anthozoa) (E) Coral estrella, Star Coral (F) Madrace étoile
- Madracis profunda*** Zibrowius, 1980 II  
POCILLOPORIDAE (Anthozoa)
- Madracis senaria*** Wells, 1974 II POCILLOPORIDAE (Anthozoa) (E) Six-ray Star Coral (S) Coral de seis rayos
- Madracis singularis*** Rehberg, 1892 II  
POCILLOPORIDAE (Anthozoa)
- Madrepore spp.*** Linnaeus 1758 II OCULINIDAE (Anthozoa)
- Madrepore abdita* Ellis & Solander 1786 = *Favites abdita* (Ellis & Solander, 1786)
- Madrepore abrotanoides* Lamarck, 1816 = *Acropora abrotanoides* (Lamarck, 1816)
- Madrepore aculeus* Dana, 1846 = *Acropora aculeus* (Dana, 1846)
- Madrepore acuminata* Verrill, 1864 = *Acropora acuminata* (Verrill, 1864)
- Madrepore affinis* Brook, 1893 = *Acropora florida* (Dana, 1846)
- Madrepore agaricites* Linnaeus, 1758 = *Agaricia agaricites* (Linnaeus, 1758)
- Madrepore alcocki* Faustino, 1927 = *Madrepore oculata* Linnaeus, 1758
- Madrepore ambigua* Brook, 1892 = *Acropora robusta* (Dana, 1846)
- Madrepore ampliata* Ellis & Solander, 1786 = *Merulina ampliata* (Ellis & Solander, 1786)
- Madrepore angulata* Quelch, 1886 = *Acropora horrida* (Dana, 1846)
- Madrepore angulosa* Pallas, 1766 = *Mussa angulosa* (Pallas, 1766)
- Madrepore annularis* Ellis & Solander, 1786 = *Montastrea annularis* (Ellis & Solander, 1786)
- Madrepore anthocercis* Brook, 1893 = *Acropora anthocercis* (Brook, 1893)
- Madrepore anthophyllites* Ellis & Solander, 1786 =  
*Pourtalosmilia anthophyllites* (Ellis & Solander, 1786)
- Madrepore anthophyllum* Esper, 1794 = *Caryophyllia cyathus* (Ellis & Solander, 1786)
- Madrepore arabica* Milne Edwards & Haime, 1860 =  
*Acropora pharaonis* (Milne Edwards & Haime, 1860)
- Madrepore arbuscula*** (Moseley, 1881) II OCULINIDAE (Anthozoa)
- Madrepore arcuata* Brook, 1892 = *Acropora cytherea* (Dana, 1846)
- Madrepore arenosa* Esper, 1797 = *Porites lutea* Quoy & Gaimard, 1833
- Madrepore areolata* Linnaeus, 1758 = *Manicina areolata* (Linnaeus, 1758)
- Madrepore armata* Brook, 1892 = *Acropora cytherea* (Dana, 1846)
- Madrepore armata* Hemprich & Ehrenberg, 1834 =  
*Stylocoeniella armata* (Hemprich & Ehrenberg, 1834)
- Madrepore aspera* Dana, 1846 = *Acropora aspera* (Dana, 1846)
- Madrepore aspera* Ellis & Solander, 1786 = *Echinophyllia aspera* (Ellis & Solander, 1786)
- Madrepore assimilis* Brook, 1892 = *Acropora microclados* (Ehrenberg, 1834)
- Madrepore astroites* Pallas, 1766 = *Montastrea annularis* (Ellis & Solander, 1786)
- Madrepore attenuata* Brook, 1893 = *Acropora cervicornis* (Lamarck, 1816)
- Madrepore austera* Dana, 1846 = *Acropora austera* (Dana, 1846)
- Madrepore australis* Brook, 1892 = *Acropora gemmifera* (Brook, 1892)
- Madrepore axillaris* Ellis & Solander, 1786 = *Cyathelia axillaris* (Ellis & Solander, 1786)
- Madrepore baeodactyla* Brook, 1892 = *Acropora digitifera* (Dana, 1846)
- Madrepore bifaria* Brook, 1892 = *Acropora tenuis* (Dana, 1846)
- Madrepore boletiformis* Esper, 1797 = *Pavona cactus* (Forskål, 1775)
- Madrepore brachiata* Dana, 1846 = *Acropora formosa* (Dana, 1846)
- Madrepore brachiata* Dana, 1846 = *Acropora nobilis* (Dana, 1846)
- Madrepore brachyclados* Ortmann, 1888 = *Acropora florida* (Dana, 1846)
- Madrepore brevicollis* Brook, 1892 = *Acropora digitifera* (Dana, 1846)
- Madrepore brooki* Bernard, 1900 = *Acropora robusta* (Dana, 1846)
- Madrepore brueggemannii* Brook, 1891 = *Acropora brueggemannii* (Brook, 1891)
- Madrepore cactus* Forskål, 1775 = *Pavona cactus* (Forskål, 1775)
- Madrepore caespitosa* Linnaeus, 1767 = *Cladocora caespitosa* (Linnaeus, 1767)
- Madrepore calendula* Hermann, 1782 = *Caryophyllia cyathus* (Ellis & Solander, 1786)
- Madrepore calicularis* Pallas, 1766 = *Astroides calicularis* (Pallas, 1766)
- Madrepore canaliculata* Klunzinger, 1879 = *Acropora nasuta* (Dana, 1846)

- Madrepora canalis* Quelch, 1886 = *Acropora robusta* (Dana, 1846)
- Madrepora candelabrum* Studer, 1878 = *Acropora cytherea* (Dana, 1846)
- Madrepora candida* (Moseley, 1881) = *Madrepora oculata* Linnaeus, 1758
- Madrepora capitata* Esper, 1797 = *Eusmilia fastigiata* (Pallas, 1766)
- Madrepora carduus* Dana, 1846 = *Acropora carduus* (Dana, 1846)
- Madrepora carduus* Ellis & Solander, 1786 = *Mussa angulosa* (Pallas, 1766)
- Madrepora carolina** (Pourtales, 1871) II OCULINIDAE (Anthozoa) (E) Carolina's Ivory Coral (S) Coral de marfil de Carolina
- Madrepora caryophyllia* J. B. Harvey, 1837 = *Caryophyllia smithii* Stokes & Broderip, 1828
- Madrepora cavernosa* Forskål, 1775 = *Favia favus* (Forskål, 1775)
- Madrepora cavernosa* Linnaeus, 1766 = *Montastrea cavernosa* (Linnaeus, 1767)
- Madrepora cerealis* Dana, 1846 = *Acropora cerealis* (Dana, 1846)
- Madrepora cervicornis* Lamarck, 1816 = *Acropora cervicornis* (Lamarck, 1816)
- Madrepora chalcidicum* Forskål, 1775 = *Cyphastrea chalcidicum* (Forskål, 1775)
- Madrepora cinerascens* Ellis & Solander, 1786 = *Turbinaria mesenterina* (Lamarck, 1816)
- Madrepora circumvallata* Hemprich & Ehrenberg, 1834 = *Montipora circumvallata* (Hemprich & Ehrenberg, 1834)
- Madrepora clathrata* Brook, 1891 = *Acropora clathrata* (Brook, 1891)
- Madrepora clavigera* Brook, 1892 = *Acropora granulosa* (Milne Edwards & Haime, 1860)
- Madrepora clivosa* Ellis & Solander, 1786 = *Diploria clivosa* (Ellis & Solander, 1786)
- Madrepora coalescens* Ortmann, 1889 = *Acropora valida* (Dana, 1846)
- Madrepora cochlea* Spengler, 1781 = *Heteropsammia cochlea* (Spengler, 1781)
- Madrepora coerulea* Pallas, 1766 = *Heliopora coerulea* (Pallas, 1766)
- Madrepora complanata* Brook, 1891 = *Acropora clathrata* (Brook, 1891)
- Madrepora compressa* Bassett-Smith, 1890 = *Acropora florida* (Dana, 1846)
- Madrepora concamerata* Forskål, 1775 = *Echinopora gemmacea* (Lamarck, 1816)
- Madrepora concinna* Brook, 1891 = *Acropora secale* (Studer, 1878)
- Madrepora conferta* Quelch, 1886 = *Acropora hyacinthus* (Dana, 1846)
- Madrepora conglomerata* Esper, 1797 = *Porites solida* (Forskål, 1775)
- Madrepora conigera* Dana, 1846 = *Acropora robusta* (Dana, 1846)
- Madrepora contignatio* Forskål, 1775 = *Hydnophora exesa* (Pallas, 1766)
- Madrepora contigua* Esper, 1797 = *Psammocora contigua* (Esper, 1794)
- Madrepora convexa* Dana, 1846 = *Acropora convexa* (Dana, 1846)
- Madrepora cophodactyla* Brook, 1892 = *Acropora cophodactyla* (Brook, 1892)
- Madrepora cornuta* Duchassaing & Michelotti, 1860 = *Acropora palmata* (Lamarck, 1816)
- Madrepora coronata* Brook, 1892 = *Acropora anthocercis* (Brook, 1893)
- Madrepora corymbosa* Forskål, 1775 = *Lobophyllia corymbosa* (Forskål, 1775)
- Madrepora crassa* Milne Edwards & Haime, 1860 = *Acropora abrotanoides* (Lamarck, 1816)
- Madrepora crateriformis* Gardiner, 1898 = *Acropora crateriformis* (Gardiner, 1898)
- Madrepora crater* Pallas, 1766 = *Turbinaria crater* (Pallas, 1766)
- Madrepora cribripora* Dana, 1846 = *Acropora aspera* (Dana, 1846)
- Madrepora cristagalli* Hemprich & Ehrenberg, 1834 = *Montipora circumvallata* (Hemprich & Ehrenberg, 1834)
- Madrepora cristata* Ellis & Solander, 1786 = *Pavona cactus* (Forskål, 1775)
- Madrepora cucullata* Ellis & Solander, 1786 = *Helioseris cucullata* (Ellis & Solander, 1786)
- Madrepora cuneata* Dana, 1846 = *Acropora cuneata* (Dana, 1846)
- Madrepora cuspidata* Dana, 1846 = *Acropora robusta* (Dana, 1846)
- Madrepora cuspidata* Esper, 1791 = *Galaxea fascicularis* (Linnaeus, 1758)
- Madrepora cyathus* Ellis & Solander, 1786 = *Caryophyllia cyathus* (Ellis & Solander, 1786)
- Madrepora cyclopea* Dana, 1846 = *Acropora robusta* (Dana, 1846)
- Madrepora cylindrus* Ortmann, 1892 = *Acropora palifera* (Lamarck, 1816)
- Madrepora cymbicyathus* Brook, 1893 = *Acropora cerealis* (Dana, 1846)
- Madrepora cytherea* Dana, 1846 = *Acropora cytherea* (Dana, 1846)
- Madrepora daedalea* Ellis & Solander, 1786 = *Platygyra daedalea* (Ellis & Solander, 1786)
- Madrepora daedalea* Forskål, 1775 = *Alveopora daedalea* (Forskål, 1775)
- Madrepora danai* Milne Edwards & Haime, 1860 = *Acropora danai* (Milne Edwards & Haime, 1860)
- Madrepora decipiens* Brook, 1892 = *Acropora robusta* (Dana, 1846)
- Madrepora deformis* Dana, 1846 = *Acropora danai* (Milne Edwards & Haime, 1860)
- Madrepora delicatula* Brook, 1891 = *Acropora selago* (Studer, 1878)
- Madrepora dendrum* Bassett-Smith, 1890 = *Acropora dendrum* (Bassett-Smith, 1890)
- Madrepora denticulata* Ellis & Solander, 1786 = *Favia favus* (Forskål, 1775)
- Madrepora dianthus* Esper, 1794 = *Desmophyllum dianthus* (Esper, 1794)

- Madrepora diffusa* Verrill, 1864 = *Acropora acuminata* (Verrill, 1864)
- Madrepora digitata* Pallas, 1766 = *Stylophora pistillata* (Esper, 1792)
- Madrepora digitifera* Dana, 1846 = *Acropora digitifera* (Dana, 1846)
- Madrepora divaricata* Dana, 1846 = *Acropora divaricata* (Dana, 1846)
- Madrepora divergens* Forskål, 1775 = *Galaxea fascicularis* (Linnaeus, 1758)
- Madrepora diversa* Brook, 1891 = *Acropora secale* (Studer, 1878)
- Madrepora durvillei* Milne Edwards & Haime, 1860 = *Acropora echinata* (Dana, 1846)
- Madrepora echinata* Dana, 1846 = *Acropora echinata* (Dana, 1846)
- Madrepora echinata* Pallas, 1766 = *Ctenactis echinata* (Pallas, 1766)
- Madrepora efflorescens* Dana, 1846 = *Acropora efflorescens* (Dana, 1846)
- Madrepora effusa* Dana, 1846 = *Acropora nasuta* (Dana, 1846)
- Madrepora ehrenbergii* Milne Edwards & Haime, 1860 = *Acropora pharaonis* (Milne Edwards & Haime, 1860)
- Madrepora elegans* Milne Edwards & Haime, 1860 = *Acropora elegans* (Milne Edwards & Haime, 1860)
- Madrepora elegantula* Ortmann, 1889 = *Acropora elegantula* (Ortmann, 1889)
- Madrepora elephantotus* Pallas, 1766 = *Mycedium elephantotus* (Pallas, 1766)
- Madrepora elseyi* Brook, 1892 = *Acropora elseyi* (Brook, 1892)
- Madrepora erubescens* Ellis & Solander, 1786 = *Stylaster erubescens* Pourtalès, 1868
- Madrepora ethica* Duchassaing & Michelotti, 1861 = *Acropora prolifera* (Lamarck, 1816)
- Madrepora eurystoma* Klunzinger, 1879 = *Acropora eurystoma* (Klunzinger, 1879)
- Madrepora exesa* Pallas, 1766 = *Hydnophora exesa* (Pallas, 1766)
- Madrepora exigua* (Pourtalès, 1871) = *Madrepora carolina* (Pourtalès, 1871)
- Madrepora exilis* Brook, 1892 = *Acropora elseyi* (Brook, 1892)
- Madrepora fascicularis* Linnaeus, 1758 = *Galaxea fascicularis* (Linnaeus, 1758)
- Madrepora fastigiata* Pallas, 1766 = *Eusmilia fastigiata* (Pallas, 1766)
- Madrepora faveolata* Ellis & Solander, 1786 = *Montastrea annularis* (Ellis & Solander, 1786)
- Madrepora favosa* Ellis & Solander, 1786 = *Favites abdita* (Ellis & Solander, 1786)
- Madrepora favus* Forskål, 1775 = *Favia favus* (Forskål, 1775)
- Madrepora filograna* Esper, 1791 = *Diploria clivosa* (Ellis & Solander, 1786)
- Madrepora flabellum* Lamarck, 1816 = *Acropora palmata* (Lamarck, 1816)
- Madrepora florida* Dana, 1846 = *Acropora florida* (Dana, 1846)
- Madrepora foliosa* Pallas, 1766 = *Montipora foliosa* (Pallas, 1766)
- Madrepora formosa* (Alcock, 1898) = *Madrepora oculata* Linnaeus, 1758
- Madrepora formosa* Dana, 1846 = *Acropora formosa* (Dana, 1846)
- Madrepora fragilis* Bassett-Smith, 1890 = *Acropora rambleri* (Bassett-Smith, 1890)
- Madrepora fragrum* Esper, 1797 = *Favia fragum* (Esper, 1793)
- Madrepora frondosa* Brook, 1893 = *Acropora subulata* (Dana, 1846)
- Madrepora fruticosa* Brook, 1892 = *Acropora humilis* (Dana, 1846)
- Madrepora fungites* Linnaeus, 1758 = *Fungia fungites* (Linnaeus, 1758)
- Madrepora galapagensis* Vaughan, 1906 = *Madrepora oculata* Linnaeus, 1758
- Madrepora galaxea* Ellis & Solander, 1786 = *Astreopora listeri* Bernard, 1896
- Madrepora gemmascens* Esper, 1794 = *Stylaster gemmascens* (Esper, 1790)
- Madrepora gemmifera* Brook, 1892 = *Acropora gemmifera* (Brook, 1892)
- Madrepora glauca* Brook, 1893 = *Acropora glauca* (Brook, 1893)
- Madrepora globiceps* Dana, 1846 = *Acropora globiceps* (Dana, 1846)
- Madrepora gracilis* Dana, 1848 = *Acropora formosa* (Dana, 1846)
- Madrepora grandis* Brook, 1892 = *Acropora grandis* (Brook, 1892)
- Madrepora granulosa* Milne Edwards & Haime, 1860 = *Acropora granulosa* (Milne Edwards & Haime, 1860)
- Madrepora gravida* Dana, 1846 = *Acropora florida* (Dana, 1846)
- Madrepora guppyi* Brook, 1892 = *Acropora humilis* (Dana, 1846)
- Madrepora gyrosa* Ellis & Solander, 1786 = *Colpophyllia natans* (Houttuyn, 1772)
- Madrepora haimei* Milne Edwards & Haime, 1860 = *Acropora haimei* (Milne Edwards & Haime, 1860)
- Madrepora hebes* Dana, 1846 = *Acropora aspera* (Dana, 1846)
- Madrepora hirtella* Pallas, 1766 = *Sclerhelia hirtella* (Pallas, 1766)
- Madrepora hispida* Brook, 1891 = *Acropora cuneata* (Dana, 1846)
- Madrepora horrida* Dana, 1846 = *Acropora horrida* (Dana, 1846)
- Madrepora humilis* Dana, 1846 = *Acropora humilis* (Dana, 1846)
- Madrepora hyacinthinus* Dana, 1846 = *Acropora hyacinthus* (Dana, 1846)
- Madrepora hystrix* Dana, 1846 = *Acropora cerealis* (Dana, 1846)
- Madrepora implicata* Dana, 1846 = *Acropora tortuosa* (Dana, 1846)
- Madrepora implicata* Ellis & Solander, 1786 = *Diploria labyrinthiformis* (Linnaeus, 1758)

<i>Madrepora incrassata</i> Forskål, 1775 = <i>Turbinaria mesenterina</i> (Lamarck, 1816)	<i>Madrepora minutiseptum</i> Cairns & Zibrowius, 1997 II OCULINIDAE (Anthozoa)
<i>Madrepora incrassata</i> Rehberg, 1892 = <i>Acropora cuneata</i> (Dana, 1846)	<i>Madrepora mirabilis</i> Quelch, 1886 = <i>Acropora mirabilis</i> (Quelch, 1886)
<i>Madrepora inermis</i> Brook, 1891 = <i>Acropora inermis</i> (Brook, 1891)	<i>Madrepora monasteriata</i> Forskål, 1775 = <i>Montipora monasteriata</i> (Forskål, 1775)
<i>Madrepora intermedia</i> Brook, 1891 = <i>Acropora intermedia</i> (Brook, 1891)	<i>Madrepora monile</i> Forskål, 1775 = <i>Coscinaraea monile</i> (Forskål, 1775)
<i>Madrepora intersepta</i> Esper, 1795 = <i>Stephanocoenia intersepta</i> (Esper, 1795)	<i>Madrepora monticulosa</i> Brüggemann, 1879 = <i>Acropora monticulosa</i> (Brüggemann, 1879)
<i>Madrepora investigatoris</i> (Alcock, 1898) = <i>Madrepora oculata</i> Linnaeus, 1758	<i>Madrepora muricata</i> Ellis & Solander, 1786 = <i>Acropora danai</i> (Milne Edwards & Haime, 1860)
<i>Madrepora irregularis</i> Brook, 1892 = <i>Acropora irregularis</i> (Brook, 1892)	<i>Madrepora murrayensis</i> Vaughan, 1918 = <i>Acropora loripes</i> (Brook, 1892)
<b><i>Madrepora kauaiensis</i></b> Vaughan, 1907 II OCULINIDAE (Anthozoa)	<i>Madrepora nana</i> Studer, 1878 = <i>Acropora nana</i> (Studer, 1878)
<i>Madrepora kentii</i> Brook, 1892 = <i>Acropora tenuis</i> (Dana, 1846)	<i>Madrepora nasuta</i> Dana, 1846 = <i>Acropora nasuta</i> (Dana, 1846)
<i>Madrepora klunzingeri</i> Quelch, 1886 = <i>Acropora variolosa</i> (Klunzinger, 1879)	<i>Madrepora nigra</i> Brook, 1892 = <i>Acropora acuminata</i> (Verrill, 1864)
<i>Madrepora labrosa</i> Dana, 1846 = <i>Acropora palifera</i> (Lamarck, 1816)	<i>Madrepora nobilis</i> Dana, 1846 = <i>Acropora nobilis</i> (Dana, 1846)
<i>Madrepora labyrinthica</i> Pallas, 1766 = <i>Meandrina maeandrites</i> (Linnaeus, 1758)	<i>Madrepora obscura</i> Brook, 1893 = <i>Acropora humilis</i> (Dana, 1846)
<i>Madrepora labyrinthiformis</i> Forskål, 1775 = <i>Platygyra lamellina</i> (Hemprich & Ehrenberg, 1834)	<i>Madrepora obtusata</i> Klunzinger, 1879 = <i>Acropora variolosa</i> (Klunzinger, 1879)
<i>Madrepora labyrinthiformis</i> Linnaeus, 1758 = <i>Diploria labyrinthiformis</i> (Linnaeus, 1758)	<i>Madrepora ocellata</i> Klunzinger, 1879 = <i>Acropora ocellata</i> (Klunzinger, 1879)
<i>Madrepora lacera</i> Pallas, 1766 = <i>Scolymia lacera</i> (Pallas, 1766)	<b><i>Madrepora oculata</i></b> Linnaeus, 1758 II OCULINIDAE (Anthozoa) (E) Hidden White Coral (S) Coral blanco escondido
<i>Madrepora lactuca</i> Pallas, 1766 = <i>Pectinia lactuca</i> (Pallas, 1766)	<i>Madrepora orbicularis</i> Brook, 1892 = <i>Acropora orbicularis</i> (Brook, 1892)
<i>Madrepora lamellosa</i> Esper, 1797 = <i>Echinopora lamellosa</i> (Esper, 1791)	<i>Madrepora organum</i> Forskål, 1775 = <i>Galaxea fascicularis</i> (Linnaeus, 1758)
<i>Madrepora latistella</i> Brook, 1892 = <i>Acropora latistella</i> (Brook, 1892)	<i>Madrepora ornata</i> Brook, 1891 = <i>Acropora florida</i> (Dana, 1846)
<i>Madrepora leptocyathus</i> Brook, 1891 = <i>Acropora digitifera</i> (Dana, 1846)	<i>Madrepora pacifica</i> Brook, 1891 = <i>Acropora robusta</i> (Dana, 1846)
<i>Madrepora limax</i> Esper, 1797 = <i>Herpolitha limax</i> (Esper, 1792)	<i>Madrepora palmata</i> Lamarck, 1816 = <i>Acropora palmata</i> (Lamarck, 1816)
<i>Madrepora listeri</i> Brook, 1893 = <i>Acropora listeri</i> (Brook, 1893)	<i>Madrepora parilis</i> Quelch, 1886 = <i>Acropora parilis</i> (Quelch, 1886)
<i>Madrepora longicyathus</i> Milne Edwards & Haime, 1860 = <i>Acropora longicyathus</i> (Milne Edwards & Haime, 1860)	<i>Madrepora patella</i> Ellis & Solander, 1786 = <i>Fungia fungites</i> (Linnaeus, 1758)
<i>Madrepora loripes</i> Brook, 1892 = <i>Acropora loripes</i> (Brook, 1892)	<i>Madrepora patella</i> Studer, 1878 = <i>Acropora hyacinthus</i> (Dana, 1846)
<i>Madrepora macrostoma</i> Brook, 1891 = <i>Acropora macrostoma</i> (Brook, 1891)	<i>Madrepora patula</i> Brook, 1892 = <i>Acropora latistella</i> (Brook, 1892)
<i>Madrepora maeandrina</i> Hemprich & Ehrenberg, 1834 = <i>Montipora danae</i> Milne Edwards & Haime, 1851	<i>Madrepora paxilligera</i> Dana, 1846 = <i>Acropora robusta</i> (Dana, 1846)
<i>Madrepora maeandrites</i> Linnaeus, 1758 = <i>Meandrina maeandrites</i> (Linnaeus, 1758)	<i>Madrepora pectinata</i> Brook, 1892 = <i>Acropora hyacinthus</i> (Dana, 1846)
<i>Madrepora mammillaris</i> Ellis & Solander, 1786 = <i>Oculina valenciennesi</i> Milne Edwards & Haime, 1850	<i>Madrepora peltata</i> Esper, 1794 = <i>Turbinaria peltata</i> (Esper, 1790)
<i>Madrepora manni</i> Quelch, 1886 = <i>Acropora aspera</i> (Dana, 1846)	<i>Madrepora pentagona</i> Esper, 1794 = <i>Favites pentagona</i> (Esper, 1790)
<i>Madrepora microcyathus</i> Klunzinger, 1879 = <i>Acropora pharaonis</i> (Milne Edwards & Haime, 1860)	<i>Madrepora perampla</i> Horn, 1861 = <i>Acropora palmata</i> (Lamarck, 1816)
<i>Madrepora microphthalma</i> Verrill, 1869 = <i>Acropora microphthalma</i> (Verrill, 1869)	

- Madrepora pertusa* Linnaeus, 1758 = *Lophelia pertusa* (Linnaeus, 1758)
- Madrepora pharaonis* Milne Edwards & Haime, 1860 = *Acropora pharaonis* (Milne Edwards & Haime, 1860)
- Madrepora phrygia* Ellis & Solander, 1786 = *Leptoria phrygia* (Ellis & Solander, 1786)
- Madrepora pileus* Linnaeus, 1758 = *Halomitra pileus* (Linnaeus, 1758)
- Madrepora pistillata* Esper, 1792 = *Stylophora pistillata* (Esper, 1792)
- Madrepora plantaginea* Lamarck, 1816 = *Acropora plantaginea* (Lamarck, 1816)
- Madrepora plicata* Brook, 1891 = *Acropora cuneata* (Dana, 1846)
- Madrepora poculata* Ellis & Solander, 1786 = *Astrangia poculata* (Ellis & Solander, 1786)
- Madrepora polymorpha* Brook, 1891 = *Acropora florida* (Dana, 1846)
- Madrepora polystoma* Brook, 1891 = *Acropora polystoma* (Brook, 1891)
- Madrepora porcellana** (Moseley, 1881) II OCULINIDAE (Anthozoa)
- Madrepora porites* Pallas, 1766 = *Porites porites* (Pallas, 1766)
- Madrepora procumbens* Brook, 1891 = *Acropora echinata* (Dana, 1846)
- Madrepora prolifera* Lamarck, 1816 = *Acropora prolifera* (Lamarck, 1816)
- Madrepora prolifera* Pallas, 1766 = *Lophelia pertusa* (Linnaeus, 1758)
- Madrepora prolixa* Verrill, 1866 = *Acropora carduus* (Dana, 1846)
- Madrepora prostrata* Dana, 1846 = *Acropora prostrata* (Dana, 1846)
- Madrepora pruinosa* Brook, 1893 = *Acropora pruinosa* (Brook, 1893)
- Madrepora pulchra* Brook, 1891 = *Acropora pulchra* (Brook, 1891)
- Madrepora punctata* Linnaeus, 1758 = *Stylaraea punctata* (Linnaeus, 1758)
- Madrepora pustulosa* Klunzinger, 1879 = *Acropora variolosa* (Klunzinger, 1879)
- Madrepora pustulosa* Milne Edwards & Haime, 1860 = *Acropora pharaonis* (Milne Edwards & Haime, 1860)
- Madrepora pyramidalis* Klunzinger, 1879 = *Acropora digitifera* (Dana, 1846)
- Madrepora quelchi* Brook, 1893 = *Acropora secale* (Studer, 1878)
- Madrepora radians* Pallas, 1766 = *Siderastrea radians* (Pallas, 1766)
- Madrepora radiata* Ellis & Solander, 1786 = *Montastrea cavernosa* (Linnaeus, 1767)
- Madrepora rambleri* Bassett-Smith, 1890 = *Acropora rambleri* (Bassett-Smith, 1890)
- Madrepora ramea* Linnaeus, 1758 = *Dendrophyllia ramea* (Linnaeus, 1758)
- Madrepora rayneri* Brook, 1892 = *Acropora speciosa* (Quelch, 1886)
- Madrepora recumbens* Brook, 1892 = *Acropora hyacinthus* (Dana, 1846)
- Madrepora repens* Rehberg, 1892 = *Acropora intermedia* (Brook, 1891)
- Madrepora reticulata* Brook, 1892 = *Acropora cytherea* (Dana, 1846)
- Madrepora retusa* Dana, 1846 = *Acropora retusa* (Dana, 1846)
- Madrepora robusta* Dana, 1846 = *Acropora robusta* (Dana, 1846)
- Madrepora rosaria* Dana, 1846 = *Acropora rosaria* (Dana, 1846)
- Madrepora rosea* Pallas, 1766 = *Stylaster roseus* (Pallas, 1766)
- Madrepora rotumana* Gardiner, 1898 = *Acropora danai* (Milne Edwards & Haime, 1860)
- Madrepora rubra* Studer, 1878 = *Acropora millepora* (Ehrenberg, 1834)
- Madrepora rudis* Rehberg, 1892 = *Acropora rudis* (Rehberg, 1892)
- Madrepora rus* Forskål, 1775 = *Porites rus* (Forskål, 1775)
- Madrepora samoensis* Brook, 1891 = *Acropora samoensis* (Brook, 1891)
- Madrepora sarmentosa* Brook, 1892 = *Acropora sarmentosa* (Brook, 1892)
- Madrepora scabrosa* Quelch, 1886 = *Acropora divaricata* (Dana, 1846)
- Madrepora scandens* Klunzinger, 1879 = *Acropora pharaonis* (Milne Edwards & Haime, 1860)
- Madrepora scherzeriana* Brüggemann, 1878 = *Acropora scherzeriana* (Brüggemann, 1878)
- Madrepora secale* Studer, 1878 = *Acropora secale* (Studer, 1878)
- Madrepora secunda* Dana, 1846 = *Acropora nobilis* (Dana, 1846)
- Madrepora securis* Dana, 1846 = *Acropora cuneata* (Dana, 1846)
- Madrepora selago* Studer, 1878 = *Acropora selago* (Studer, 1878)
- Madrepora serailia* Forskål, 1775 = *Cyphastrea serailia* (Forskål, 1775)
- Madrepora siderea* Ellis & Solander, 1786 = *Siderastrea siderea* (Ellis & Solander, 1786)
- Madrepora sinensis* Brook, 1893 = *Acropora hyacinthus* (Dana, 1846)
- Madrepora sinuosa* Ellis & Solander, 1786 = *Isophyllia sinuosa* (Ellis & Solander, 1786)
- Madrepora smithi* Brook, 1893 = *Acropora robusta* (Dana, 1846)
- Madrepora solida* Forskål, 1775 = *Porites solida* (Forskål, 1775)
- Madrepora spathulata* Brook, 1891 = *Acropora spathulata* (Brook, 1891)
- Madrepora speciosa* Quelch, 1886 = *Acropora speciosa* (Quelch, 1886)
- Madrepora spectabilis* Brook, 1892 = *Acropora humilis* (Dana, 1846)
- Madrepora spicifera* Dana, 1846 = *Acropora spicifera* (Dana, 1846)
- Madrepora spinulosa* Klunzinger, 1879 = *Acropora pharaonis* (Milne Edwards & Haime, 1860)

- Madrepora spongiosa* Ellis & Solander, 1786 = *Montipora foveolata* (Dana, 1846)
- Madrepora spongiosa* Hemprich & Ehrenberg, 1834 = *Montipora spongiosa* (Hemprich & Ehrenberg, 1834)
- Madrepora squamosa* Brook, 1892 = *Acropora millepora* (Ehrenberg, 1834)
- Madrepora stellulata* Verrill, 1902 = *Acropora formosa* (Dana, 1846)
- Madrepora stilosa* Hemprich & Ehrenberg, 1834 = *Montipora stilosa* (Hemprich & Ehrenberg, 1834)
- Madrepora striata* Verrill, 1866 = *Acropora striata* (Verrill, 1866)
- Madrepora subglabra* Brook, 1891 = *Acropora subglabra* (Brook, 1891)
- Madrepora subseriata* Hemprich & Ehrenberg, 1834 = *Stylophora subseriata* (Hemprich & Ehrenberg, 1834)
- Madrepora subtilis* Klunzinger, 1879 = *Acropora pharaonis* (Milne Edwards & Haime, 1860)
- Madrepora subulata* Dana, 1846 = *Acropora subulata* (Dana, 1846)
- Madrepora surculosa* Dana, 1846 = *Acropora hyacinthus* (Dana, 1846)
- Madrepora symmetrica* Brook, 1891 = *Acropora cytherea* (Dana, 1846)
- Madrepora syringodes* Brook, 1892 = *Acropora longicyathus* (Milne Edwards & Haime, 1860)
- Madrepora tenella* Brook, 1892 = *Acropora tenella* (Brook, 1892)
- Madrepora tenuis* Dana, 1846 = *Acropora tenuis* (Dana, 1846)
- Madrepora tenuispicata* Studer, 1880 = *Acropora divaricata* (Dana, 1846)
- Madrepora teres* Verrill, 1866 = *Acropora teres* (Verrill, 1866)
- Madrepora thomasiana* Duchassaing & Michelotti, 1860 = *Acropora palmata* (Lamarck, 1816)
- Madrepora tizardi* Brook, 1892 = *Acropora tizardi* (Brook, 1892)
- Madrepora tortuosa* Dana, 1846 = *Acropora tortuosa* (Dana, 1846)
- Madrepora trilinguis* Boddaert, 1768 = *Herpolitha limax* (Esper, 1792)
- Madrepora tumida* Verrill, 1866 = *Acropora tumida* (Verrill, 1866)
- Madrepora turbinata* Dana, 1846 = *Acropora hyacinthus* (Dana, 1846)
- Madrepora turgida* Verrill, 1866 = *Acropora palifera* (Lamarck, 1816)
- Madrepora undata* Ellis & Solander, 1786 = *Agaricia undata* (Ellis & Solander, 1786)
- Madrepora valencennesii* Milne Edwards & Haime, 1860 = *Acropora valenciennesi* (Milne Edwards & Haime, 1860)
- Madrepora valida* Dana, 1846 = *Acropora valida* (Dana, 1846)
- Madrepora variabilis* Klunzinger, 1879 = *Acropora variabilis* (Klunzinger, 1879)
- Madrepora variolosa* Klunzinger, 1879 = *Acropora variolosa* (Klunzinger, 1879)
- Madrepora vasiformis* Brook, 1893 = *Acropora clathrata* (Brook, 1891)
- Madrepora venosa* Ehrenberg, 1834 = *Montipora venosa* (Ehrenberg, 1834)
- Madrepora verrucaria* Pallas, 1766 = *Balanophyllia europaea* (Risso, 1826)
- Madrepora verrucosa* Ellis & Solander, 1786 = *Pocillopora verrucosa* (Ellis & Solander, 1786)
- Madrepora violacea* Brook, 1892 = *Acropora secale* (Studer, 1878)
- Madrepora virgata* Dana, 1846 = *Acropora formosa* (Dana, 1846)
- Madrepora virginea* Linnaeus, 1758 = *Oculina diffusa* Lamarck, 1816
- Madrepora vitiae* Squires & Keyes, 1967 = *Madrepora oculata* Linnaeus, 1758
- Madrépole oeillet tacheté (F): *Rhizosmilia maculata*
- Maeandbra caudex* Ehrenberg, 1834 = *Dendrogyra cylindrus* (Ehrenberg, 1834)
- Maeandbra cerebrum* Gravier, 1910 = *Favia gravida* Verrill, 1868
- Maeandbra conferta* (Verrill, 1868) = *Favia gravida* Verrill, 1868
- Maeandbra cylindrus* Ehrenberg, 1834 = *Dendrogyra cylindrus* (Ehrenberg, 1834)
- Maeandbra daedalea* (Ellis & Solander, 1786) = *Platygyra daedalea* (Ellis & Solander, 1786)
- Maeandbra labyrinthica* Ehrenberg, 1834 = *Platygyra daedalea* (Ellis & Solander, 1786)
- Maeandbra lamellina* Hemprich & Ehrenberg, 1834 = *Platygyra lamellina* (Hemprich & Ehrenberg, 1834)
- Maeandbra spatiosea* Ehrenberg, 1834 = *Dendrogyra cylindrus* (Ehrenberg, 1834)
- Magot (F): *Macaca sylvanus*
- Magot commun (F): *Macaca sylvanus*
- Mainate de Rothschild (F): *Leucopsar rothschildi*
- Mainate Religieux (F): *Gracula religiosa*
- Maja chico (S): *Tropidophis melanurus*
- Maja de Sta. María (S): *Epicrates angulifer*
- Maki à Bourre (F): *Avahi laniger*
- Maki ardilla (S): *Phaner furcifer*
- Maki brun (F): *Eulemur fulvus*
- Maki catta (F): *Lemur catta*
- Maki coligordo (S): *Cheirogaleus medius*
- Maki coligordo (S): *Cheirogaleus major*
- Maki horquilla (S): *Phaner furcifer*
- Maki mongoz (F): *Eulemur mongoz*
- Maki noir (F): *Eulemur macaco*
- Maki ratón (S): *Microcebus rufus*
- Maki ratón de Coquerel (S): *Mirza coquereli*
- Maki ratón gris (S): *Microcebus murinus*
- Maki vari (F): *Varecia variegata*
- Malaclemys concentrica* (Gray 1863) = *Malaclemys terrapin* Schoepff, 1793
- Malaclemys terrapin** Schoepff, 1793 II EMYDIDAE (Reptilia) (E) Carolina Diamondback Terrapin, Diamondback Terrapin, Northern Diamondback Terrapin, Texas Diamondback Terrapin
- Malaclemys terrapin* (Bangs 1896) = *Malaclemys terrapin* Schoepff, 1793

<b><i>Malacochersus</i> spp.</b> Lindholm, 1929 II 46	Mangabey, Black (E): <i>Lophocebus aterrimus</i>
TESTUDINIDAE (Reptilia)	Mangabey, Black-crested (E): <i>Lophocebus aterrimus</i>
<b><i>Malacochersus tornieri</i></b> (Siebenrock, 1903) II 46	Mangabey, Collared (E): <i>Cercocebus torquatus</i>
TESTUDINIDAE (Reptilia) (E) Crevice Tortoise,	Mangabey, Congo (E): <i>Lophocebus aterrimus</i>
Pancake Tortoise, Softshell Tortoise, Tornier's Tortoise	Mangabey couronné (F): <i>Cercocebus torquatus</i>
(S) Tortuga de cuña (F) Tortue à carapace souple,	Mangabey crestado ventriblanco (S): <i>Cercocebus galeritus</i>
Tortue de Tornier	Mangabey de collar blanco (S): <i>Cercocebus torquatus</i>
<i>Malacoclemmys kohnii</i> Baur, 1890 = <i>Graptemys pseudogeographica</i> (Gray, 1831)	Mangabey de la Tana (F): <i>Cercocebus galeritus</i>
<i>Malacoclemmys oculifera</i> Baur, 1890 = <i>Graptemys oculifera</i> (Baur, 1890)	Mangabey de mejillas grises (S): <i>Lophocebus albigena</i>
<i>Malacoclemmys terrapen</i> (Boulenger 1889) = <i>Malaclemys terrapin</i> Schoepff, 1793	Mangabey enfumé (F): <i>Cercocebus atys</i>
<i>Malania anjouanae</i> Smith, 1953 = <i>Latimeria chalumnae</i> Smith, 1939	Mangabey, Golden-bellied (E): <i>Cercocebus chrysogaster</i>
<i>Malayaopthon timoriensis</i> (Peters, 1876) = <i>Python timoriensis</i> (Peters, 1876)	Mangabey, Grey-cheeked (E): <i>Lophocebus albigena</i>
<b><i>Malayemys macrocephala</i></b> (Gray, 1859) II	Mangabey, Highland (E): <i>Rungwecebush kipunji</i>
GEOEMYDIDAE (Reptilia) (E) Malayan Snail-eating Turtle	Mangabey moro onegro (S): <i>Lophocebus aterrimus</i>
<b><i>Malayemys subtrijuga</i></b> (Schlegel & S. Müller, 1844) II	Mangabey, Opdenbosch's Black (E): <i>Lophocebus opdenboschi</i>
GEOEMYDIDAE (Reptilia) (E) Mekong Snail-eating Turtle, Ricefield Turtle	Mangabey, Peaked (E): <i>Lophocebus aterrimus</i>
<i>Malayopython reticulatus</i> (Schneider, 1801) = <i>Python reticulatus</i> (Schneider, 1801)	Mangabey, Red-capped (E): <i>Cercocebus torquatus</i>
Maleo (E): <i>Macrocephalon maleo</i>	Mangabey, Sooty (E): <i>Cercocebus atys</i>
Maléo (F): <i>Macrocephalon maleo</i>	Mangabey, Tana River (E): <i>Cercocebus galeritus</i>
Maleo, Celebes (E): <i>Macrocephalon maleo</i>	Mangabey, White-cheeked (E): <i>Lophocebus albigena</i>
Malure occidental (F): <i>Dasyornis longirostris</i>	Mangabey, White-collared (E): <i>Cercocebus torquatus</i>
Malvasía (S): <i>Oxyura leucocephala</i>	Mangeur d'hommes (F): <i>Carcharodon carcharias</i>
Malvasía Cabeciblanca (S): <i>Oxyura leucocephala</i>	Mangeur d'oeufs asiatique (F): <i>Elachistodon westermanni</i>
Manatee, African (E): <i>Trichechus senegalensis</i>	Mangeur d'oeufs indien (F): <i>Elachistodon westermanni</i>
Manatee, Amazonian (E): <i>Trichechus inunguis</i>	Mangeur d'oeufs indien de Westermann (F): <i>Elachistodon westermanni</i>
Manatee, American (E): <i>Trichechus manatus</i>	
Manatee, Caribbean (E): <i>Trichechus manatus</i>	
Manatee, North American (E): <i>Trichechus manatus</i>	
Manatee, South American (E): <i>Trichechus inunguis</i>	
Manatee, West African (E): <i>Trichechus senegalensis</i>	
Manatee, West Indian (E): <i>Trichechus manatus</i>	
Manatí amazónico (S): <i>Trichechus inunguis</i>	
Manatí de Senegal (S): <i>Trichechus senegalensis</i>	
Manatí norteamericano (S): <i>Trichechus manatus</i>	
Manchot de Humboldt (F): <i>Spheniscus humboldti</i>	
Manchot du Cap (F): <i>Spheniscus demersus</i>	
Manco (S): <i>Eira barbara</i>	
Mandril (S): <i>Mandrillus sphinx</i>	
Mandrill (F): <i>Mandrillus sphinx</i>	
Mandrill (E): <i>Mandrillus sphinx</i>	
<b><i>Mandrillus</i> spp.</b> I CERCOPITHECIDAE (Mammalia)	
<b><i>Mandrillus leucophaeus</i></b> (F. Cuvier, 1807) I	
CERCOPITHECIDAE (Mammalia) (E) Drill (S) Dril, Drill (F) Drill	
<b><i>Mandrillus sphinx</i></b> (Linnaeus, 1758) I	
CERCOPITHECIDAE (Mammalia) (E) Mandrill (S)	
Mandril (F) Mandrill	
Mangabé huppé (F): <i>Lophocebus aterrimus</i>	
Mangabé noir (F): <i>Lophocebus aterrimus</i>	
Mangabey à crête (F): <i>Cercocebus galeritus</i>	
Mangabey agile (F): <i>Cercocebus agilis</i>	
Mangabey, Agile (E): <i>Cercocebus agilis</i>	
	Mangabey, Black (E): <i>Lophocebus aterrimus</i>
	Mangabey, Black-crested (E): <i>Lophocebus aterrimus</i>
	Mangabey, Collared (E): <i>Cercocebus torquatus</i>
	Mangabey, Congo (E): <i>Lophocebus aterrimus</i>
	Mangabey couronné (F): <i>Cercocebus torquatus</i>
	Mangabey crestado ventriblanco (S): <i>Cercocebus galeritus</i>
	Mangabey de collar blanco (S): <i>Cercocebus torquatus</i>
	Mangabey de la Tana (F): <i>Cercocebus galeritus</i>
	Mangabey de mejillas grises (S): <i>Lophocebus albigena</i>
	Mangabey enfumé (F): <i>Cercocebus atys</i>
	Mangabey, Golden-bellied (E): <i>Cercocebus chrysogaster</i>
	Mangabey, Grey-cheeked (E): <i>Lophocebus albigena</i>
	Mangabey, Highland (E): <i>Rungwecebush kipunji</i>
	Mangabey moro onegro (S): <i>Lophocebus aterrimus</i>
	Mangabey, Opdenbosch's Black (E): <i>Lophocebus opdenboschi</i>
	Mangabey, Peaked (E): <i>Lophocebus aterrimus</i>
	Mangabey, Red-capped (E): <i>Cercocebus torquatus</i>
	Mangabey, Sooty (E): <i>Cercocebus atys</i>
	Mangabey, Tana River (E): <i>Cercocebus galeritus</i>
	Mangabey, White-cheeked (E): <i>Lophocebus albigena</i>
	Mangabey, White-collared (E): <i>Cercocebus torquatus</i>
	Mangeur d'hommes (F): <i>Carcharodon carcharias</i>
	Mangeur d'oeufs asiatique (F): <i>Elachistodon westermanni</i>
	Mangeur d'oeufs indien (F): <i>Elachistodon westermanni</i>
	Mangeur d'oeufs indien de Westermann (F): <i>Elachistodon westermanni</i>
	Mango (S): <i>Anthracothorax nigricollis</i>
	Mango à cravate noire (F): <i>Anthracothorax nigricollis</i>
	Mango à cravate verte (F): <i>Anthracothorax viridigula</i>
	Mango antillano (S): <i>Anthracothorax dominicus</i>
	Mango, Antillean (E): <i>Anthracothorax dominicus</i>
	Mango, Black-throated (E): <i>Anthracothorax nigricollis</i>
	Mango de la Jamaïque (F): <i>Anthracothorax mango</i>
	Mango de Prévost (F): <i>Anthracothorax prevostii</i>
	Mango de Veragua (S): <i>Anthracothorax veraguensis</i>
	Mango de Veragua (F): <i>Anthracothorax veraguensis</i>
	Mango, Dominican (E): <i>Anthracothorax dominicus</i>
	Mango doré (F): <i>Anthracothorax dominicus</i>
	Mango gargantiverde (S): <i>Anthracothorax viridigula</i>
	Mango gorginegro (S): <i>Anthracothorax nigricollis</i>
	Mango gorgiverde (S): <i>Anthracothorax viridigula</i>
	Mango, Green (E): <i>Anthracothorax viridis</i>
	Mango, Green-breasted (E): <i>Anthracothorax prevostii</i>
	Mango, Green-throated (E): <i>Anthracothorax viridigula</i>
	Mango, Jamaican (E): <i>Anthracothorax mango</i>
	Mango jamaicano (S): <i>Anthracothorax mango</i>
	Mango pechinegro (S): <i>Anthracothorax nigricollis</i>
	Mango pechiverde (S): <i>Anthracothorax prevostii</i>
	Mango picolezna (S): <i>Anthracothorax recurvirostris</i>
	Mango portorriqueño (S): <i>Anthracothorax viridis</i>
	Mangosta cangrejera (S): <i>Herpestes urva</i>
	Mangosta colicorta oscura (S): <i>Herpestes fuscus</i>
	Mangosta de manchas doradas (S): <i>Herpestes javanicus europunctatus</i>
	Mangosta dentipequeno (S): <i>Eupleres goudotii</i>
	Mangosta de nuca rayada (S): <i>Herpestes vitticollis</i>
	Mangosta gris de la India (S): <i>Herpestes edwardsi</i>
	Mangosta roja de la India (S): <i>Herpestes smithii</i>

Mango-taniwha (E): <i>Carcharodon carcharias</i>	Pangolin (S) Pangolín de cola larga (F) Pangolin à longue queue, Pangolin tétradactyle
Mango-ururoa (E): <i>Carcharodon carcharias</i>	
Mangouste à cou rayé (F): <i>Herpestes vitticollis</i>	
Mangouste à queue courte de l'Inde (F): <i>Herpestes fuscus</i>	
Mangouste crabière (F): <i>Herpestes urva</i>	
Mangouste d'Edwards (F): <i>Herpestes edwardsi</i>	
Mangouste de Smith (F): <i>Herpestes smithii</i>	
Mangouste grise de l'Inde (F): <i>Herpestes edwardsi</i>	
Mango, Veraguan (E): <i>Anthracothorax veraguensis</i>	
Mango vert (F): <i>Anthracothorax viridis</i>	
<b>Manicina spp.</b> Hemprich & Ehrenberg 1834 II FAVIIDAE (Anthozoa)	
<i>Manicina amaranthum</i> Dana, 1846 = <i>Trachyphyllia geoffroyi</i> (Audouin, 1826)	
<b>Manicina areolata</b> (Linnaeus, 1758) II FAVIIDAE (Anthozoa) (E) Rose Coral (S) Coral rosado (F) Rose de corail	
<i>Manicina hemprichii</i> Ehrenberg, 1834 = <i>Favites complanata</i> (Hemprich & Ehrenberg, 1834)	
<i>Manicina hispida</i> Ehrenberg, 1834 = <i>Manicina areolata</i> (Linnaeus, 1758)	
<i>Manicina interrupta</i> Hemprich & Ehrenberg, 1834 = <i>Gyrosmilia interrupta</i> (Hemprich & Ehrenberg, 1834)	
<i>Manicina majori</i> Wells, 1936 = <i>Manicina areolata</i> (Linnaeus, 1758)	
<i>Manicina praerupta</i> Ehrenberg, 1834 = <i>Manicina areolata</i> (Linnaeus, 1758)	
<i>Manicina strigilis</i> Milne Edwards & Haime, 1849 = <i>Manicina areolata</i> (Linnaeus, 1758)	
<i>Manicina valenciennesii</i> Milne Edwards & Haime, 1849 = <i>Montastrea valenciennesi</i> (Milne Edwards & Haime, 1849)	
Manigordo (S): <i>Leopardus pardalis</i>	
<b>Manis spp.</b> Linnaeus, 1758 II 24 MANIDAE (Mammalia)	
<b>Manis crassicaudata</b> Gray, 1827 II 24 MANIDAE (Mammalia) (E) Indian Pangolin, Thick-tailed Pangolin (S) Pangolín indio (F) Grand pangolin de l'Inde, Pangolin à grosse queue	
<b>Manis culionensis</b> Elera, 1895 II 24 MANIDAE (Mammalia)	
<b>Manis gigantea</b> Illiger, 1815 II 24 MANIDAE (Mammalia) (E) Giant Ground Pangolin, Giant Pangolin (S) Pangolín gigante (F) Grand pangolin, Pangolin géant	
<b>Manis javanica</b> Desmarest, 1822 II 24 MANIDAE (Mammalia) (E) Malayan Pangolin, Sunda Pangolin (S) Pangolín malayo (F) Pangolin javanais, Pangolin malais	
<i>Manis longicaudata</i> (Brisson, 1756) = <i>Manis tetradactyla</i> Linnaeus, 1766	
<b>Manis pentadactyla</b> Linnaeus, 1758 II 24 MANIDAE (Mammalia) (E) Chinese Pangolin (S) Pangolín chino (F) Pangolin à queue courte, Pangolin de Chine	
<b>Manis temminckii</b> Smuts, 1832 II 24 MANIDAE (Mammalia) (E) Cape Pangolin, Scaly Anteater, South African Pangolin, Temminck's Ground Pangolin (S) Pangolín del Cabo (F) Pangolin de Temminck, Pangolin terrestre du Cap	
<b>Manis tetradactyla</b> Linnaeus, 1766 II 24 MANIDAE (Mammalia) (E) Black-bellied Pangolin, Long-tailed	
	Pangolin (S) Pangolín de cola larga (F) Pangolin à longue queue, Pangolin tétradactyle
	<b>Manis tricuspidis</b> Rafinesque, 1821 II 24 MANIDAE (Mammalia) (E) Three-cusped Pangolin, Tree Pangolin, White-bellied Pangolin (F) Pangolin à écailles tricuspidées, Pangolin commun, Tricuspidé
	<i>Manopora caliculata</i> Dana, 1846 = <i>Montipora caliculata</i> (Dana, 1846)
	<i>Manopora capitata</i> Dana, 1846 = <i>Montipora capitata</i> (Dana, 1846)
	<i>Manopora digitata</i> Dana, 1846 = <i>Montipora digitata</i> (Dana, 1846)
	<i>Manopora effusa</i> Dana, 1846 = <i>Montipora effusa</i> (Dana, 1846)
	<i>Manopora expansa</i> Dana, 1846 = <i>Montipora hispida</i> (Dana, 1846)
	<i>Manopora foveolata</i> Dana, 1846 = <i>Montipora foveolata</i> (Dana, 1846)
	<i>Manopora hispida</i> Dana, 1846 = <i>Montipora hispida</i> (Dana, 1846)
	<i>Manopora incrassata</i> Dana, 1846 = <i>Montipora incrassata</i> (Dana, 1846)
	<i>Manopora nodosa</i> Dana, 1846 = <i>Montipora nodosa</i> (Dana, 1846)
	<i>Manopora nudiceps</i> Dana, 1846 = <i>Montipora circumvallata</i> (Hemprich & Ehrenberg, 1834)
	<i>Manopora planiuscula</i> Dana, 1846 = <i>Montipora verrucosa</i> (Lamarck, 1816)
	<i>Manopora tortuosa</i> Dana, 1846 = <i>Montipora digitata</i> (Dana, 1846)
	<b>Manouria spp.</b> II 46 TESTUDINIDAE (Reptilia)
	<b>Manouria emys</b> (Schlegel & S. Müller, 1844) II 46 TESTUDINIDAE (Reptilia) (E) Asian Giant Tortoise, Asian Tortoise, Black Giant Tortoise, Burmese Brown Tortoise, Burmese Mountain Tortoise, Six-legged Tortoise (F) Tortue brune
	<i>Manouria fusca</i> Gray, 1854 = <i>Manouria emys</i> (Schlegel & S. Müller, 1844)
	<b>Manouria impressa</b> (Günther, 1882) II 46 TESTUDINIDAE (Reptilia) (E) Impressed Tortoise (S) Tortuga marrón de Burma (F) Tortue imprimée
	<i>Manta spp.</i> II MOBULIDAE (Elasmobranchii)
	<i>Manta alfredi</i> Krefft, 1868 II MOBULIDAE (Elasmobranchii)
	<i>Manta birostris</i> (Walbaum, 1792) II MOBULIDAE (Elasmobranchii)
	<i>Manta ehrenbergii</i> (Müller & Henle, 1841) = <i>Manta birostris</i> (Walbaum, 1792)
	<i>Manta fowleri</i> Whitney, 1936 = <i>Manta alfredi</i> Krefft, 1868
	<i>Manta hamiltoni</i> Hamilton & Newman, 1849 = <i>Manta birostris</i> (Walbaum, 1792)
	<i>Manta raya</i> Baer, 1899 = <i>Manta birostris</i> (Walbaum, 1792)
	<b>Mantella spp.</b> Boulenger, 1882 II MANTELLIDAE (Amphibia)
	<i>Mantella aff. baroni</i> Thominot, 1889 = <i>Mantella baroni</i> Boulenger, 1888
	Mantella, Arboreal (E): <i>Mantella laevigata</i>
	<b>Mantella aurantiaca</b> Mocquard, 1900 II MANTELLIDAE (Amphibia) (E) Ginger Tree Frog, Golden Frog, Golden

- Mantella (S) Rana dorada, Ranita dorada de Madagascar (F) Mantelle dorée
- Mantella aurantiaca milotympanum* Mocquard, 1900 = *Mantella milotympanum* Staniszewski, 1996
- Mantella aurantiaca milotympanum* Staniszewski, 1996 = *Mantella milotympanum* Staniszewski, 1996
- Mantella baroni*** Boulenger, 1888 II MANTELLIDAE  
(Amphibia) (E) Baron's Mantella, Harlequin Mantella, Variegated Golden Frog, Variegated Mantella
- Mantella, Baron's (E): *Mantella baroni*
- Mantella, Beautiful (E): *Mantella pulchra*
- Mantella bernhardi*** Vences, Glaw, Peyrieras, Böhme & Busse, 1994 II MANTELLIDAE (Amphibia) (E)  
Bernhard's Mantella, Black Mantella, Tolongoina Golden Frog
- Mantella, Bernhard's (E): *Mantella bernhardi*
- Mantella betsileo*** (Grandidier, 1872) II MANTELLIDAE  
(Amphibia) (E) Betsileo Golden Frog, Bronze Mantella, Brown Mantella
- Mantella, Black (E): *Mantella bernhardi*
- Mantella, Black-eared (E): *Mantella milotympanum*
- Mantella, Black-eared Golden (E): *Mantella milotympanum*
- Mantella, Blue-legged (E): *Mantella expectata*
- Mantella, Bronze (E): *Mantella betsileo*
- Mantella, Brown (E): *Mantella betsileo*
- Mantella, Climbing (E): *Mantella laevigata*
- Mantella cowanii*** Boulenger, 1882 II MANTELLIDAE  
(Amphibia) (E) Black Golden Frog, Cowan's Golden Frog, Cowan's Mantella
- Mantella cowanii nigricans* Boulenger, 1882 = *Mantella nigricans* Guibé, 1978
- Mantella cowanii pulchra* Boulenger, 1882 = *Mantella pulchra* Parker, 1925
- Mantella cowani nigricans* Guibé, 1978 = *Mantella nigricans* Guibé, 1978
- Mantella cowani pulchra* Andreone, 1992 = *Mantella pulchra* Parker, 1925
- Mantella, Cowan's (E): *Mantella cowanii*
- Mantella crocea*** Pintak & Böhme, 1990 II MANTELLIDAE  
(Amphibia) (E) Eastern Golden Frog, Yellow Mantella
- Mantella ebenaui*** (Boettger, 1880) II MANTELLIDAE  
(Amphibia) (E) Ebenau's Golden Frog
- Mantella ebenaui* Boulenger, 1882 = *Mantella ebenaui* (Boettger, 1880)
- Mantella expectata*** Busse & Böhme, 1992 II  
MANTELLIDAE (Amphibia) (E) Blue-legged Mantella, Tulear Golden Frog
- Mantella, Golden (E): *Mantella aurantiaca*
- Mantella, Green (E): *Mantella viridis*
- Mantella, Green-backed (E): *Mantella laevigata*
- Mantella haraldmeieri*** Busse, 1981 II MANTELLIDAE  
(Amphibia) (E) Haraldmeier's Mantella, Tolagnaro Golden Frog
- Mantella haraldmeieri* Meier, 1986 = *Mantella haraldmeieri* Busse, 1981
- Mantella, Haraldmeier's (E): *Mantella haraldmeieri*
- Mantella, Harlequin (E): *Mantella baroni*
- Mantella laevigata*** Methuen & Hewitt, 1913 II  
MANTELLIDAE (Amphibia) (E) Arboreal Mantella,
- Climbing Mantella, Folohy Golden Frog, Green-backed Mantella
- Mantella, Lime (E): *Mantella viridis*
- Mantella loppei* Roux, 1935 = *Mantella madagascariensis* (Grandidier, 1872)
- Mantella, Madagascan (E): *Mantella madagascariensis*
- Mantella madagascariensis*** (Grandidier, 1872) II  
MANTELLIDAE (Amphibia) (E) Madagascan Mantella, Madagascar Golden Frog, Malagasy Mantella, Painted Mantella
- Mantella madagascariensis* Boulenger, 1882 = *Mantella madagascariensis* (Grandidier, 1872)
- Mantella madagascariensis haraldmeieri* Busse, 1981 = *Mantella haraldmeieri* Busse, 1981
- Mantella madagascariensis haraldmeieri* (Grandidier, 1872) = *Mantella haraldmeieri* Busse, 1981
- Mantella madagascariensis nigricans* Busse, 1981 = *Mantella nigricans* Guibé, 1978
- Mantella, Malagasy (E): *Mantella madagascariensis*
- Mantella manery*** Vences, Glaw & Böhme, 1999 II  
MANTELLIDAE (Amphibia) (E) Marojezy Mantella, Marojezy Mountain Mantella
- Mantella mantella attemsi* Werner, 1901 = *Mantella ebenaui* (Boettger, 1880)
- Mantella mantella attemsi* Werner, 1901 = *Mantella betsileo* (Grandidier, 1872)
- Mantella, Marojezy (E): *Mantella manery*
- Mantella, Marojezy Mountain (E): *Mantella manery*
- Mantella milotympanum*** Staniszewski, 1996 II  
MANTELLIDAE (Amphibia) (E) Black-eared Golden Mantella, Black-eared Mantella
- Mantella nigricans*** Guibé, 1978 II MANTELLIDAE (Amphibia)  
*Mantella nigricans* Vences, Glaw & Böhme, 1999 = *Mantella nigricans* Guibé, 1978
- Mantella, Painted (E): *Mantella madagascariensis*
- Mantella, Parker's (E): *Mantella pulchra*
- Mantella pulchra*** Parker, 1925 II MANTELLIDAE  
(Amphibia) (E) Beautiful Mantella, Parker's Golden Frog, Parker's Mantella, Splendid Mantella
- Mantella, Splendid (E): *Mantella pulchra*
- Mantella, Variegated (E): *Mantella baroni*
- Mantella viridis*** Pintak & Böhme, 1988 II MANTELLIDAE  
(Amphibia) (E) Green Golden Frog, Green Mantella, Lime Mantella
- Mantella, Yellow (E): *Mantella crocea*
- Mantelle dorée (F): *Mantella aurantiaca*
- Manucaude de Comrie (F): *Manucodia comrii*
- Manucaude de Jobi (F): *Manucodia jobiensis*
- Manucaude de Keraudren (F): *Phonygammus keraudrenii*
- Manucaude noir (F): *Manucodia ater*
- Manucaude vert (F): *Manucodia chalybatus*
- Manucode, Crinkle-collared (E): *Manucodia chalybatus*
- Manucode, Curl-crested (E): *Manucodia comrii*
- Manucode, Glossy-mantled (E): *Manucodia ater*
- Manucode, Jobi (E): *Manucodia jobiensis*
- Manucode, Trumpet (E): *Phonygammus keraudrenii*
- Manucodia spp.*** Boddaert 1783 II PARADISAEIDAE  
(Aves)

<b>Manucodia ater</b> (Lesson, 1830) II PARADISAEIDAE (Aves) (E) Glossy-mantled Manucode (F) Manucaude noir, Paradisier noir	Marmoset, White-eared (E): <i>Callithrix aurita</i>
<b>Manucodia atra</b> (Lesson, 1830) = <i>Manucodia ater</i> (Lesson, 1830)	Marmoset, White-fronted (E): <i>Callithrix geoffroyi</i>
<b>Manucodia chalybata</b> (Pennant, 1781) = <i>Manucodia chalybatus</i> (Pennant, 1781)	Marmoset, White-tufted-ear (E): <i>Callithrix jacchus</i>
<b>Manucodia chalybatus</b> (Pennant, 1781) II PARADISAEIDAE (Aves) (E) Crinkle-collared Manucode (F) Manucaude vert, Paradisier vert	Marmoset, Wied's (E): <i>Callithrix kuhlii</i>
<b>Manucodia comrii</b> Sclater, 1876 II PARADISAEIDAE (Aves) (E) Curl-crested Manucode (F) Manucaude de Comrie, Paradisier d'Entrecasteaux	Marmoset, Wied's Black-tufted-ear (E): <i>Callithrix kuhlii</i>
<b>Manucodia jobiensis</b> Salvadori, 1876 II PARADISAEIDAE (Aves) (E) Jobi Manucode (F) Manucaude de Jobi, Paradisier de Jobi	<b>Marmota caudata</b> (Geoffroy, 1844) III SCIURIDAE (Mammalia) (E) Long-tailed Marmot (S) Marmota de cola larga (F) Marmote à longue queue
<b>Manucodia keraudrenii</b> (Lesson & Garnot, 1826) = <i>Phonygammus keraudrenii</i> (Lesson & Garnot, 1826)	Marmota de cola larga (S): <i>Marmota caudata</i>
Maracana cuellidorada (S): <i>Primolius auricollis</i>	Marmota del Himalaya (S): <i>Marmota himalayana</i>
Maracana dorsirroja (S): <i>Primolius maracana</i>	<b>Marmota himalayana</b> (Hodgson, 1841) III SCIURIDAE (Mammalia) (E) Himalayan Marmot (S) Marmota del Himalaya (F) Marmote de l'Himalaya
<i>Margarobyas lawrencii</i> (Sclater & Salvin, 1868) = <i>Gymnoglaux lawrencii</i> Sclater & Salvin, 1868	Marmote à longue queue (F): <i>Marmota caudata</i>
Margay (E): <i>Leopardus wiedii</i>	Marmote de l'Himalaya (F): <i>Marmota himalayana</i>
Margay (F): <i>Leopardus wiedii</i>	Marmot, Himalayan (E): <i>Marmota himalayana</i>
Margignou (F): <i>Anguilla anguilla</i>	Marmot, Long-tailed (E): <i>Marmota caudata</i>
Mariposa apollo (S): <i>Parnassius apollo</i>	Marmot, Mexican Prairie (E): <i>Cynomys mexicanus</i>
Markhor (F): <i>Capra falconeri</i>	Marmouset à oreilles blanches (F): <i>Callithrix aurita</i>
Markhor (E): <i>Capra falconeri</i>	Marrajo (S): <i>Carcharodon carcharias</i>
Markhor (S): <i>Capra falconeri</i>	Marrajo (S): <i>Lamna nasus</i>
Marl (E): <i>Perameles bougainville</i>	Marrajo ballenato (S): <i>Cetorhinus maximus</i>
Marmoset, Aripuana (E): <i>Callithrix intermedia</i>	Marrajo gigante (S): <i>Cetorhinus maximus</i>
Marmoset, Black-and-white Tassel-ear (E): <i>Callithrix humeralifera</i>	Marrajo sardinero (S): <i>Lamna nasus</i>
Marmoset, Black-crowned Dwarf (E): <i>Callithrix humilis</i>	Marsh-Harrier, African (E): <i>Circus ranivorus</i>
Marmoset, Black-headed (E): <i>Callithrix nigriceps</i>	Marsh-Harrier, Eastern (E): <i>Circus spilonotus</i>
Marmoset, Black-pencilled (E): <i>Callithrix penicillata</i>	Marsh-Harrier, Eurasian (E): <i>Circus aeruginosus</i>
Marmoset, Black-tailed (E): <i>Callithrix melanura</i>	Marsh-Harrier, Madagascar (E): <i>Circus maillardi</i>
Marmoset, Black-tufted-ear (E): <i>Callithrix penicillata</i>	Marsh-Harrier, Malagasy (E): <i>Circus maillardi</i>
Marmoset, Buffy-headed (E): <i>Callithrix flaviceps</i>	Marsh-Harrier, Pacific (E): <i>Circus approximans</i>
Marmoset, Buffy-tufted-ear (E): <i>Callithrix aurita</i>	Marsh-Harrier, Réunion (E): <i>Circus maillardi</i>
Marmoset, Common (E): <i>Callithrix jacchus</i>	Marsh-Harrier, Spotted (E): <i>Circus spilonotus</i>
Marmoset, Cotton-top (E): <i>Saguinus geoffroyi</i>	Marsh-Harrier, Western (E): <i>Circus aeruginosus</i>
Marmoset, Emilia's (E): <i>Callithrix emiliae</i>	Marsopa común (S): <i>Phocoena phocoena</i>
Marmoset, Geoffroy's Tufted-ear (E): <i>Callithrix geoffroyi</i>	Marsopa de antejo (S): <i>Phocoena dioptrica</i>
Marmoset, Goeldi's (E): <i>Callimico goeldii</i>	Marsopa de Dall (S): <i>Phocoenoides dalli</i>
Marmoset, Gold-and-white (E): <i>Callithrix chrysoleuca</i>	Marsopa espinosa (S): <i>Phocoena spinipinnis</i>
Marmoset, Golden-white Tassel-ear (E): <i>Callithrix chrysoleuca</i>	Marsopa negra (S): <i>Neophocaena phocaenoides</i>
Marmoset, Hershkovitz's (E): <i>Callithrix intermedia</i>	Marsopas (S): <i>Phocoenidae</i>
Marmoset, Marca's (E): <i>Callithrix marcai</i>	Marsouin (F): <i>Phocoena phocoena</i>
Marmoset, Pinche (E): <i>Saguinus geoffroyi</i>	Marsouin à lunettes (F): <i>Phocoena dioptrica</i>
Marmoset, Pygmy (E): <i>Callithrix pygmaea</i>	Marsouin aptère (F): <i>Neophocaena phocaenoides</i>
Marmoset, Rio Acari (E): <i>Callithrix acariensis</i>	Marsouin commun (F): <i>Phocoena phocoena</i>
Marmoset, Rio Manicoré (E): <i>Callithrix manicorensis</i>	Marsouin de Burmeister (F): <i>Phocoena spinipinnis</i>
Marmoset, Rio Maués (E): <i>Callithrix maeusi</i>	Marsouin de Dall (F): <i>Phocoenoides dalli</i>
Marmoset, Roosmalen's Dwarf (E): <i>Callithrix humilis</i>	Marsouin de Lahille (F): <i>Phocoena dioptrica</i>
Marmoset, Sateré (E): <i>Callithrix saterei</i>	Marsouin du Golfe de Californie (F): <i>Phocoena sinus</i>
Marmoset, Silvery (E): <i>Callithrix argentata</i>	Marsouins (F): <i>Phocoenidae</i>
Marmoset, Tassel-eared (E): <i>Callithrix humeralifera</i>	Marsouin sans nageoires (F): <i>Neophocaena phocaenoides</i>
Marmoset, White (E): <i>Callithrix leucippe</i>	Marsupial-Mouse, Large Desert (E): <i>Sminthopsis psammophila</i>
	Marsupial-Mouse, Long-tailed (E): <i>Sminthopsis longicaudata</i>
	Marta (S): <i>Potos flavus</i>
	Marta de cuello amarillo (S): <i>Martes flavigula</i>
	Marten, Beech (E): <i>Martes foina</i>
	Marten, Central Asian Stone (E): <i>Martes foina intermedia</i>
	Marten, Nilgiri (E): <i>Martes gwatkinsii</i>
	Marten, Yellow-throated (E): <i>Martes flavigula</i>

- Martes flavigula*** (Boddaert, 1785) **III** MUSTELIDAE  
 (Mammalia) (E) Yellow-throated Marten (S) Marta de cuello amarillo (F) Martre à gorge jaune
- Martes flavigula gwatkinsii*** (Boddaert, 1785) = *Martes gwatkinsii* Horsfield, 1851
- Martes foina*** (Erxleben, 1777) **III/NC** MUSTELIDAE  
 (Mammalia) (E) Beech Marten (S) Garduña (F) Fouine
- Martes foina intermedia*** Severtzov, 1873 **III**  
 MUSTELIDAE (Mammalia) (E) Central Asian Stone Marten
- Martes gwatkinsii*** Horsfield, 1851 **III** MUSTELIDAE  
 (Mammalia) (E) Nilgiri Marten (F) Martre de l'Inde du Sud
- Martin de Rothschild (F): *Leucopsar rothschildi*  
 Martre à gorge jaune (F): *Martes flavigula*  
 Martre de l'Inde du Sud (F): *Martes gwatkinsii*  
 Martucha (S): *Potos flavus*  
 Masacuate (E): *Boa constrictor*
- Mascarenotus* spp.** **II** <sup>30</sup> STRIGIDAE (Aves)
- Mascarinus* spp.** **II** <sup>29</sup> PSITTACIDAE (Aves)  
 Masked-Owl, Australian (E): *Tyto novaehollandiae*  
 Masked-Owl, Bismarck (E): *Tyto aurantia*  
 Masked-Owl, Lesser (E): *Tyto sororcula*  
 Masked-Owl, Manus (E): *Tyto manusi*  
 Masked-Owl, Minahassa (E): *Tyto inexspectata*  
 Masked-Owl, New Britain (E): *Tyto aurantia*  
 Masked-Owl, Taliabu (E): *Tyto nigrobrunnea*  
 Mastigure, Bent's (E): *Uromastyx benti*  
 Mastigure, Dabb's (E): *Uromastyx acanthinura*  
 Mastigure, Egyptian (E): *Uromastyx aegyptia*  
 Mastigure, Indian (E): *Saara hardwickii*  
 Mastigure, Iranian (E): *Saara asmussi*  
 Mastigure, Mesopotamian (E): *Saara loricata*  
 Mastigure, Ocellated (E): *Uromastyx ocellata*  
 Mastigure, Princely (E): *Uromastyx princeps*  
 Mastigure, Sahara (E): *Uromastyx geyri*  
 Mastigure, Somali (E): *Uromastyx macradyeni*  
 Mastigure, Thomas's (E): *Uromastyx thomasi*  
 Masurana (S): *Clelia clelia*  
 Matamico blanco (S): *Phalcoboenus albogularis*  
 Matamico cordillerano (S): *Phalcoboenus megalopterus*  
 Matamico estriado (S): *Phalcoboenus australis*  
 Matamico grande (S): *Phalcoboenus australis*  
 Matojo de mar arizado (S): *Tanacetipathes hirta*  
 Matojo negro de mar (S): *Aphanipathes salix*
- Mauremys annamensis*** (Siebenrock, 1903) **II** <sup>44</sup>  
 GEOEMYDIDAE (Reptilia) (E) Annam Leaf Turtle, Annam Pond Turtle, Vietnamese Pond Turtle (F) Emyde d'Annam
- Mauremys bealei*** (Gray, 1831) = *Sacalia bealei* (Gray, 1831)
- Mauremys guangxiensis*** (Qin, 1992) = *Mauremys iversoni* Pritchard & McCord, 1991
- Mauremys iversoni*** Pritchard & McCord, 1991 **III**  
 GEOEMYDIDAE (Reptilia) (E) Fujian Pond Turtle
- Mauremys iversoni*** Pritchard and McCord, 1991 = *Mauremys mutica* (Cantor, 1842)
- Mauremys japonica*** (Temminck & Schlegel, 1835) **II**  
 GEOEMYDIDAE (Reptilia) (E) Japanese Pond Turtle
- Mauremys megalocephala*** (Fang, 1934) **III**  
 GEOEMYDIDAE (Reptilia) (E) Big-headed Pond Turtle
- Mauremys megalocephala* (Fang, 1934) = *Mauremys reevesii* (Gray, 1831)
- Mauremys mutica*** (Cantor, 1842) **II** GEOEMYDIDAE  
 (Reptilia) (E) Ryukyu Yellow Pond Turtle Japan, Yellow Pond Turtle
- Mauremys mutica* kami Yasukawa, Ota, and Iverson, 1996 = *Mauremys mutica* (Cantor, 1842)
- Mauremys nigricans*** (Gray, 1834) **II** GEOEMYDIDAE  
 (Reptilia) (E) Chinese Red-necked Pond Turtle (F) Chinémyde noirâtre
- Mauremys pritchardi* McCord, 1997 **III** GEOEMYDIDAE  
 (Reptilia) (E) Pritchard's Pond Turtle
- Mauremys pritchardi* McCord, 1997 = *Mauremys mutica* (Cantor, 1842)
- Mauremys reevesii*** (Gray, 1831) **III** GEOEMYDIDAE  
 (Reptilia) (E) Chinese Three-keeled Pond Turtle, Reeves's Turtle (F) Chinémyde de Reeves
- Mauremys reevesii* (Gray, 1831) = *Mauremys megalocephala* (Fang, 1934)
- Mauremys sinensis*** (Gray, 1834) **III** GEOEMYDIDAE  
 (Reptilia) (E) Chinese Stripe-necked Turtle
- Mazama americana cerasina* (Erxleben, 1777) = *Mazama temama cerasina* Hollister, 1914
- Mazama temama*** (Kerr, 1792) **III/NC** CERVIDAE  
 (Mammalia) (E) Central American Red Brocket
- Mazama temama cerasina*** Hollister, 1914 **III** CERVIDAE  
 (Mammalia) (E) Guatemalan Red Brocket, Middle American Red Brocket
- Meandra esperi* (Milne Edwards & Haime, 1849) = *Platygyra daedalea* (Ellis & Solander, 1786)
- Meandrina* spp.** Lamarck 1801 **II** MEANDRINIIDAE (Anthozoa)
- Meandrina brasiliensis*** (Milne Edwards & Haime, 1848) **II** MEANDRINIIDAE (Anthozoa) (E) Brazilian Rose Coral (S) Coral laberíntico rosado
- Meandrina cerebriformis* Lamarck, 1816 = *Diploria labyrinthiformis* (Linnaeus, 1758)
- Meandrina crispa* Lamarck, 1816 = *Oulophyllia crispa* (Lamarck, 1816)
- Meandrina cylindrus* (Ehrenberg, 1834) = *Dendrogyra cylindrus* (Ehrenberg, 1834)
- Meandrina filograna* (Esper, 1791) = *Diploria clivosa* (Ellis & Solander, 1786)
- Meandrina gracilis* Dana, 1846 = *Leptoria phrygia* (Ellis & Solander, 1786)
- Meandrina grandilobata* Milne Edwards & Haime, 1849 = *Diploria clivosa* (Ellis & Solander, 1786)
- Meandrina interrupta* Dana, 1846 = *Diploria clivosa* (Ellis & Solander, 1786)
- Meandrina maeandrites*** (Linnaeus, 1758) **II**  
 MEANDRINIIDAE (Anthozoa) (E) Maze Coral (S) Coral laberíntico (F) Corail méandreux
- Meandrina mammosa* Dana, 1846 = *Diploria clivosa* (Ellis & Solander, 1786)
- Meandrina memorialis* (Wells, 1974) = *Meandrina maeandrites* (Linnaeus, 1758)
- Meandrina pectinata* Lamarck, 1801 = *Meandrina maeandrites* (Linnaeus, 1758)

- Meandrina rustica* Dana, 1846 = *Platygyra daedalea* (Ellis & Solander, 1786) *Megascops asio* (Linnaeus, 1758) = *Otus asio* (Linnaeus, 1758)
- Meandrina sinuosa* Quoy & Gaimard, 1833 = *Sympyllia recta* (Dana, 1846) *Megascops atricapilla* (Temminck, 1822) = *Otus atricapilla* (Temminck, 1822)
- Meandrina strigosa* Dana, 1846 = *Diploria strigosa* (Dana, 1846) *Megascops barbarus* (Sclater & Salvin, 1868) = *Otus barbarus* (Sclater & Salvin, 1868)
- Meandrina superficialis* Milne Edwards & Haime, 1849 = *Diploria clivosa* (Ellis & Solander, 1786) *Megascops choliba* (Vieillot, 1817) = *Otus choliba* (Vieillot, 1817)
- Meandrina tenuis* Dana, 1846 = *Leptoria phrygia* (Ellis & Solander, 1786) *Megascops clarkii* (L. Kelso & E. H. Kelso, 1935) = *Otus clarkii* Kelso & Kelso, 1935
- Meandrina truncata* Dana, 1846 = *Diploria labyrinthiformis* (Linnaeus, 1758) *Megascops colombianus* (Traylor, 1952) = *Otus colombianus* Traylor, 1952
- MEANDRINIIDAE spp.** Gray 1847 II (Anthozoa)
- Mecistops bathyrhynchus* Cope, 1861 = *Crocodylus intermedius* Graves, 1819 *Megascops cooperi* (Ridgway, 1878) = *Otus cooperi* (Ridgway, 1878)
- Mecistops bennettii* Gray, 1844 = *Crocodylus cataphractus* Cuvier, 1825 *Megascops flammeolus* (Kaup, 1853) = *Otus flammeolus* (Kaup, 1853)
- Mégalapides (F): *Lepilemuridae* *Megascops guatemalae* (Sharpe, 1875) = *Otus guatemalae* Sharpe, 1875
- Megalobatrachus davidianus* (Blanchard, 1871) = *Andrias davidianus* (Blanchard, 1871) *Megascops guatemalae vermiculatus* Ridgway, 1887 = *Otus vermiculatus* (Ridgway, 1887)
- Megalobatrachus davidianus* Liu, 1950 = *Andrias davidianus* (Blanchard, 1871) *Megascops hoyi* (Koenig & Straneck, 1989) = *Otus hoyi* König & Straneck, 1989
- Megalobatrachus japonicus* Beddard, 1904 "1903" = *Andrias japonicus* (Temminck, 1836) *Megascops ingens* (Salvin, 1897) = *Otus ingens* (Salvin, 1897)
- Megalobatrachus japonicus davidianus* Pope & Boring, 1940 = *Andrias davidianus* (Blanchard, 1871) *Megascops kennicotti* (Elliot, 1867) = *Otus kennicottii* (Elliot, 1867)
- Megalobatrachus japonicus davidi* Chang, 1935 = *Andrias davidianus* (Blanchard, 1871) *Megascops kennicottii* (Elliot, 1867) = *Otus kennicottii* (Elliot, 1867)
- Megalobatrachus japonicus japonicus* Chang, 1936 = *Andrias japonicus* (Temminck, 1836) *Megascops koepckeae* (Hekstra, 1982) = *Otus koepckeae* Hekstra, 1982
- Megalobatrachus japonicus* (Temminck, 1836) = *Andrias japonicus* (Temminck, 1836) *Megascops marshalli* (Weske & Terborgh, 1981) = *Otus marshalli* Weske & Terborgh, 1981
- Megalobatrachus maximus* Boulenger, 1882 = *Andrias japonicus* (Temminck, 1836) *Megascops napensis* (Chapman, 1928) = *Otus vermiculatus* (Ridgway, 1887)
- Megalobatrachus maximus* (Schlegel, 1837) = *Andrias japonicus* (Temminck, 1836) *Megascops nudipes* (Daudin, 1800) = *Otus nudipes* (Daudin, 1800)
- Megalobatrachus sieboldi* Tschudi, 1837 = *Andrias japonicus* (Temminck, 1836) *Megascops petersoni* (Fitzpatrick & O'Neill, 1986) = *Otus petersoni* Fitzpatrick & O'Neill, 1986
- Megalobatrachus sligoi* Boulenger, 1924 = *Andrias davidianus* (Blanchard, 1871) *Megascops roboratus* (Bangs & Noble, 1918) = *Otus roboratus* Bangs & Noble, 1918
- Megalonaias nickliniana* (I. Lea, 1837) = *Unio nickliniana* I. Lea, 1837 *Megascops roraimae* (Salvin, 1897) = *Otus vermiculatus* (Ridgway, 1887)
- Megamuntiacus vuquangensis* Tuoc, Dung, Dawson, Arctander & MacKinnon, 1994 = *Muntiacus vuquangensis* (Tuoc, Dung, Dawson, Arctander & MacKinnon, 1994) *Megascops sanctaecatarinae* (Salvin, 1897) = *Otus sanctaecatarinae* (Salvin, 1897)
- Megapode, Maleo (E): *Macrocephalon maleo* *Megascops seductus* (R. T. Moore, 1941) = *Otus seductus* Moore, 1941
- Mégapode Maléo (F): *Macrocephalon maleo* *Megascops trichopsis* (Wagler, 1832) = *Otus trichopsis* (Wagler, 1832)
- Megapodio maleo (S): *Macrocephalon maleo* *Megascops vermiculatus* (Ridgway, 1887) = *Otus vermiculatus* (Ridgway, 1887)
- Megápodo cabecigrande (S): *Macrocephalon maleo* *Megascops watsonii* (Cassin, 1848) = *Otus watsonii* (Cassin, 1848)
- Megaptera spp. I** 18 BALAENOPTERIDAE (Mammalia)
- Megaptera novaeangliae** (Borowski, 1781) I **Megatriorchis spp. II** 27 ACCIPITRIDAE (Aves)
- BALAENOPTERIDAE (Mammalia) (E) Bunch, Humpback Whale, Hump Whale, Hunchbacked Whale (S) Ballena jorobada, Jubarte, Jorobada, Rorcual jorobado (F) Baleine à bosse, Baleine à taquet, Jubarte, Mégaptère, Rorqual à bosse, Rorqual du Cap Mégaptère (F): *Megaptera novaeangliae* **Megatriorchis doriae** Salvadori & D'Albertis, 1875 II 27 ACCIPITRIDAE (Aves) (E) Doria's Goshawk (S) Azor de Doria (F) Autour de Doria
- Megascops albogularis* (Cassin, 1849) = *Otus albogularis* (Cassin, 1850) **Melampitta spp.** Schlegel 1873 II PARADISAEIDAE (Aves)

- Melampitta gigantea** (Rothschild, 1899) II  
 PARADISAEIDAE (Aves) (E) Greater Melampitta (F)  
 Grande mélampitte  
 Melampitta, Greater (E): *Melampitta gigantea*  
 Melampitta, Lesser (E): *Melampitta lugubris*
- Melampitta lugubris** Schlegel, 1873 II PARADISAEIDAE  
 (Aves) (E) Lesser Melampitta (F) Petite mélampitte
- Melanochelys edeniana* Theobald, 1876 = *Melanochelys trijuga* (Schweigger, 1812)
- Melanochelys pictus* Murray, 1884 = *Geoclemys hamiltonii* (Gray, 1831)
- Melanochelys tricarinata** (Blyth, 1856) I GEOEMYDIDAE (Reptilia) (E) Three-keeled Land Tortoise, Three-keeled Land Turtle, Tricarinate Hill Turtle (S) Galápago terrestre, Galápago tricarenado (F) Émyde indienne à trois carènes, Émyde ocellée de Birmanie, Géoémyde tricarénée, Tortue tricarénée
- Melanochelys trijuga** (Schweigger, 1812) II  
 GEOEMYDIDAE (Reptilia) (E) Bengal Black Turtle, Burmese Black Turtle, Cochin Black Turtle, Indian Black Turtle, Parker's Black Turtle, Sri Lanka Black Turtle
- Melanosuchus spp.** I/II ALLIGATORIDAE (Reptilia)
- Melanosuchus niger** (Spix, 1825) I/II ALLIGATORIDAE (Reptilia) (E) Black Caiman (S) Caimán negro, Lagarto negro (F) Caïman noir
- Melanotrichilus fuscus* (Vieillot, 1817) = *Florisuga fusca* (Vieillot, 1817)
- Meleagris ocellata** Cuvier, 1820 III PHASIANIDAE (Aves) (E) Ocellated Turkey (S) Guajolote ocelado, Pavo ocelado (F) Dindon ocellé
- Meleagris satyrus* Linnaeus, 1758 = *Tragopan satyrus* (Linnaeus, 1758)
- Melero de casco (S): *Lichenostomus melanops cassidix*
- Melierax spp.** II 27 ACCIPITRIDAE (Aves)
- Melierax canorus** (Rislachi, 1799) II 27 ACCIPITRIDAE (Aves) (E) Pale Chanting-Goshawk (S) Azor-lagartijero claro (F) Autour chanteur
- Melierax canorus poliopterus* (Rislachi, 1799) = *Melierax poliopterus* Cabanis, 1869
- Melierax gabar* (Daudin, 1800) = *Micronisus gabar* (Daudin, 1800)
- Melierax metabates** Heuglin, 1861 II 27 ACCIPITRIDAE (Aves) (E) Dark Chanting-Goshawk (S) Azor lagartijero oscuro (F) Autour sombre
- Melierax poliopterus** Cabanis, 1869 II 27 ACCIPITRIDAE (Aves) (E) Eastern Chanting-Goshawk (S) Azor-lagartijero somalí (F) Autour à ailes grises
- Melífago de casco (S): *Lichenostomus melanops cassidix*
- Meliphaga cassidix* (Latham, 1802) = *Lichenostomus melanops cassidix* (Gould, 1867)
- Méliche casqué (F): *Lichenostomus melanops cassidix*
- Méliche cornu (F): *Lichenostomus melanops*
- Mellisuga spp.** II TROCHILIDAE (Aves)
- Mellisuga albocoronata* Lawrence, 1855 = *Microchera albocoronata* (Lawrence, 1855)
- Mellisuga helena** (Lembeye, 1850) II TROCHILIDAE (Aves) (E) Bee Hummingbird (S) Colibrí zunzuncito (F) Colibri d'Helen
- Mellisuga minima** (Linnaeus, 1758) II TROCHILIDAE (Aves) (E) Vervain Hummingbird (S) Colibrí zumbadorcito, Zumbadorcito (F) Colibri nain
- Mellivora capensis** (Schreber, 1776) III MUSTELIDAE (Mammalia) (E) Honey Badger, Ratel (S) Ratel, Tejón melívoro (F) Ratel
- Melopsittacus spp.** NC 29 PSITTACIDAE (Aves)
- Melopsittacus undulatus** (Shaw, 1805) NC  
 PSITTACIDAE (Aves) (E) Budgerigar (S) Periquito común (F) Perruche inseparable, Perruche ondulée
- Melursus spp.** I URSIDAE (Mammalia)
- Melursus ursinus** (Shaw, 1791) I URSIDAE (Mammalia) (E) Sloth Bear (S) Oso bezudo, Oso perezoso (F) Ours lippu de l'Inde, Ours prochile lippu
- Menopoma alleghaniensis* Harlan, 1825 = *Cryptobranchus alleghaniensis* (Daudin, 1803)
- Menopoma fusca* Holbrook, 1842 = *Cryptobranchus alleghaniensis* (Daudin, 1803)
- Menopoma fuscum* Yarrow, 1882 = *Cryptobranchus alleghaniensis* (Daudin, 1803)
- Menopoma gigantea* Tschudi, 1838 = *Cryptobranchus alleghaniensis* (Daudin, 1803)
- Merle des Indes (F): *Gracula religiosa*
- Merlin (E): *Falco columbarius*
- Merlin, Red-headed (E): *Falco chicquera*
- Merrin (E): *Onychogalea fraenata*
- Merulina spp.** Ehrenberg 1834 II MERULINIDAE (Anthozoa)
- Merulina ampliata** (Ellis & Solander, 1786) II MERULINIDAE (Anthozoa) (E) Crispy Crust Coral, Ruffled Coral
- Merulina crispa* Dana, 1846 = *Merulina ampliata* (Ellis & Solander, 1786)
- Merulina laxa* Dana, 1846 = *Hydnophora rigida* (Dana, 1846)
- Merulina laxa* Dana, 1846 = *Merulina ampliata* (Ellis & Solander, 1786)
- Merulina regalis* Dana, 1846 = *Merulina ampliata* (Ellis & Solander, 1786)
- Merulina rigida* Dana, 1846 = *Hydnophora rigida* (Dana, 1846)
- Merulina scabricula** Dana, 1846 II MERULINIDAE (Anthozoa)
- Merulina scheeri** Head, 1983 II MERULINIDAE (Anthozoa)
- Merulina speciosa* Dana, 1846 = *Merulina ampliata* (Ellis & Solander, 1786)
- Merulina triangularis* (Veron, Pichon & Wijsman-Best, 1977) = *Paraclavaria triangularis* (Veron, Pichon & Wijsman-Best, 1977)
- Merulina vaughani* van der Horst, 1921 = *Merulina ampliata* (Ellis & Solander, 1786)
- MERULINIDAE spp.** Verrill 1866 II (Anthozoa)
- Mesía (S): *Leiothrix argentauris*
- Mesia, Red-billed (E): *Leiothrix lutea*
- Mesia, Silver-eared (E): *Leiothrix argentauris*
- Mesoplodon spp.** II 18 ZIPHIIDAE (Mammalia)
- Mesoplodon bahamondi* Reyes, van Waerebeek, Cádenas & Yáñez, 1995 = *Mesoplodon traversii* (Gray, 1874)

- Mesoplodon bidens*** (Sowerby, 1804) II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) Sowerby's Beaked Whale (S) Ballena de pico de Sowerby (F) Mesoplodon de Sowerby
- Mesoplodon bowdoini*** Andrews, 1908 II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) Andrews's Beaked Whale, Splaytooth Beaked Whale (S) Ballena de pico de Andrew (F) Mesoplodon de Bowdoin
- Mesoplodon carlhubbsi*** Moore, 1963 II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) Arch-beaked Whale, Hubbs's Beaked Whale (S) Ballena de pico de Hubbs (F) Mesoplodon de Hubbs  
 Mesoplodon de Blainville (F): *Mesoplodon densirostris*  
 Mesoplodon de Bowdoin (F): *Mesoplodon bowdoini*  
 Mesoplodon de Gervais (F): *Mesoplodon europaeus*  
 Mesoplodon de Gray (F): *Mesoplodon grayi*  
 Mesoplodon de Hubbs (F): *Mesoplodon carlhubbsi*  
 Mesoplodon de Layard (F): *Mesoplodon layardii*  
 Mesoplodon de Longman (F): *Indopacetus pacificus*  
 Mesoplodon de Nishiwaki (F): *Mesoplodon ginkgodens*
- Mesoplodon densirostris*** (de Blainville, 1817) II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) Blainville's Beaked Whale (S) Ballena de pico de Blainville (F) Mesoplodon de Blainville
- Mesoplodon de Sowerby (F): *Mesoplodon bidens*  
 Mesoplodon de Stejneger (F): *Mesoplodon stejnegeri*  
 Mesoplodon de True (F): *Mesoplodon mirus*  
 Mesoplodon d'Hector (F): *Mesoplodon hectori*
- Mesoplodon europaeus*** (Gervais, 1855) II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) Gervais's Beaked Whale, Gulf Stream Beaked Whale (S) Ballena de pico de Gervais (F)  
 Mesoplodon de Gervais
- Mesoplodon gervaisi Deslongchamps, 1866* = *Mesoplodon europaeus* (Gervais, 1855)
- Mesoplodon ginkgodens*** Nishiwaki & Kamiya, 1958 II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) Ginkgo-toothed Beaked Whale (F) Mesoplodon de Nishiwaki
- Mesoplodon grayi*** Von Haast, 1876 II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) Gray's Beaked Whale, Southern Beaked Whale (S) Ballena de pico de Gray (F)  
 Mesoplodon de Gray
- Mesoplodon hectori*** (Gray, 1871) II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) Hector's Beaked Whale, Skew-beaked Whale (S) Ballena de pico de Héctor (F) Mesoplodon d'Hector
- Mesoplodon layardii*** (Gray, 1865) II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) Layard's Beaked Whale, Strap-toothed Whale (S) Ballena de pico de Layard (F) Mesoplodon de Layard
- Mesoplodon mirus*** True, 1913 II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) True's Beaked Whale (S) Ballena de pico de True (F) Mesoplodon de True
- Mesoplodon pacificus* Longman, 1926 = *Indopacetus pacificus* (Longman, 1926)
- Mesoplodon perrini*** Dalebout, Mead, Baker, Baker & van Helden, 2002 II<sup>18</sup> ZIPHIIDAE (Mammalia) (E) Perrin's Beaked Whale
- Mesoplodon peruvianus*** Reyes, Mead & Van Waerebeek, 1991 II<sup>18</sup> ZIPHIIDAE (Mammalia) (E)
- Lesser Beaked Whale, Pygmy Beaked Whale (S) Zifio peruano (F) Mesoplodon pygmée  
 Mesoplodon pygmée (F): *Mesoplodon peruvianus*
- Mesoplodon stejnegeri*** True, 1885 II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) Stejneger's Beaked Whale (S) Ballena de pico de Stejneger (F) Mesoplodon de Stejneger
- Mesoplodon traversii*** (Gray, 1874) II<sup>18</sup> ZIPHIIDAE  
 (Mammalia) (E) Spade-toothed Whale  
 Messager sagitaire (F): *Sagittarius serpentarius*  
 Messager Sagittaire, Secrétaire Des Serpents, Serpentaire (F): *Sagittariidae*
- Metallura spp.*** II TROCHILIDAE (Aves)
- Metallura aeneocauda*** (Gould, 1846) II TROCHILIDAE  
 (Aves) (E) Scaled Metaltail (S) Metalura escamosa (F) Métallure à queue d'airain
- Metallura baroni*** Salvin, 1893 II TROCHILIDAE (Aves)  
 (E) Violet-throated Metaltail (S) Metalura de Azuay, Metalura gorjivioleta (F) Métallure de Baron
- Metallura eupogon*** (Cabanis, 1874) II TROCHILIDAE  
 (Aves) (E) Fire-throated Metaltail (S) Metalura barbaflue (F) Métallure à gorge feu
- Metallura iracunda*** Wetmore, 1947 II TROCHILIDAE  
 (Aves) (E) Perijá Metaltail (S) Colibrí de Perijá, Metalura iracunda (F) Métallure dorée
- Metallura malagae Berlepsch, 1897* = *Metallura aeneocauda* (Gould, 1846)
- Metallura odomae*** Graves, 1980 II TROCHILIDAE (Aves)  
 (E) Neblina Metaltail (S) Metalura del Chinguela (F) Métallure du Chinguela
- Metallura phoebe*** (Lesson & DeLattre, 1839) II TROCHILIDAE (Aves) (E) Black Metaltail (S) Metalura negra (F) Métallure phébé
- Metallura ruficeps* (Gould, 1846) = *Chalcostigma ruficeps* (Gould, 1846)
- Metallura theresiae*** Simon, 1902 II TROCHILIDAE (Aves)  
 (E) Coppery Metaltail (S) Metalura de Teresa (F) Métallure de Thérèse
- Metallura tyrianthina*** (Loddiges, 1832) II TROCHILIDAE (Aves) (E) Tyrian Metaltail (S) Colibrí verde colirrojo, Metalura tibia (F) Métallure émeraude
- Metallura williami*** (DeLattre & Bourcier, 1846) II TROCHILIDAE (Aves) (E) Viridian Metaltail (S) Metalura verte (F) Métallure verte  
 Métallure à gorge feu (F): *Metallura eupogon*  
 Métallure à queue bronzée (F): *Chalcostigma heteropogon*
- Métallure à queue d'airain (F): *Metallura aeneocauda*  
 Métallure arc-en-ciel (F): *Chalcostigma herrani*  
 Métallure à tête rousse (F): *Chalcostigma ruficeps*  
 Métallure de Baron (F): *Metallura baroni*  
 Métallure de Stanley (F): *Chalcostigma stanleyi*  
 Métallure de Thérèse (F): *Metallura theresiae*  
 Métallure dorée (F): *Metallura iracunda*  
 Métallure du Chinguela (F): *Metallura odomae*  
 Métallure émeraude (F): *Metallura tyrianthina*  
 Métallure olivâtre (F): *Chalcostigma olivaceum*  
 Métallure phébé (F): *Metallura phoebe*  
 Métallure verte (F): *Metallura williami*  
 Metaltail, Black (E): *Metallura phoebe*  
 Metaltail, Coppery (E): *Metallura theresiae*

- Metaltail, Fire-throated (E): *Metallura eupogon*  
 Metaltail, Neblina (E): *Metallura odomae*  
 Metaltail, Perijá (E): *Metallura iracunda*  
 Metaltail, Scaled (E): *Metallura aeneocauda*  
 Metaltail, Tyrian (E): *Metallura tyrianthina*  
 Metaltail, Violet-throated (E): *Metallura baroni*  
 Metaltail, Viridian (E): *Metallura williami*  
 Metalura barbafüego (S): *Metallura eupogon*  
 Metalura de Azuay (S): *Metallura baroni*  
 Metalura del Chinguela (S): *Metallura odomae*  
 Metalura de Teresa (S): *Metallura theresiae*  
 Metalura escamosa (S): *Metallura aeneocauda*  
 Metalura gorjivioleta (S): *Metallura baroni*  
 Metalura iracunda (S): *Metallura iracunda*  
 Metalura negra (S): *Metallura phoebe*  
 Metalura tibia (S): *Metallura tyrianthina*  
 Metalura verde (S): *Metallura williami*  
 Micetocoral angular (S): *Mussa angulosa*  
 Micetocoral áspero (S): *Isophyllastrea rigida*  
 Micetocoral crestado (S): *Mycetophyllum lamarckiana*  
 Micetocoral del Atlántico (S): *Scolymia lacera*  
 Micetocoral de poca cresta (S): *Mycetophyllum daniana*  
 Micetocoral espinoso áspero (S): *Mycetophyllum ferox*  
 Micetocoral laminar (S): *Scolymia wellsi*  
 Micetocoral liso (S): *Mycetophyllum reesi*  
 Micetocoral noduloso (S): *Mycetophyllum aliciae*  
 Micetocoral sinuoso (S): *Isophyllia sinuosa*  
***Mico* spp. II** CEBIDAE (Mammalia)  
*Mico acariensis* (van Roosmalen, van Roosmalen, Mittermeier & Rylands, 2000) = *Callithrix acariensis* van Roosmalen, van Roosmalen, Mittermeier & Rylands, 2000  
*Mico argentatus* (Linnaeus, 1766) = *Callithrix argentata* (Linnaeus, 1771)  
*Mico chrysoleucus* (Wagner, 1842) = *Callithrix chrysoleuca* (Wagner, 1842)  
*Mico de noche* (S): *Bassariscus sumichrasti*  
*Mico de noche* (S): *Potos flavus*  
*Mico emiliae* (Thomas, 1920) = *Callithrix emiliae* (Thomas, 1920)  
*Mico humeralifer* (E. Geoffroy in Humboldt, 1812) = *Callithrix humeralifera* (E. Geoffroy in Humboldt, 1812)  
*Mico humilis* (van Roosmalen, van Roosmalen, Mittermeier & Fonseca, 1998) = *Callithrix humilis* van Roosmalen, van Roosmalen, Mittermeier & Fonseca, 1998  
*Mico intermedius* (Hershkovitz, 1977) = *Callithrix intermedia* Hershkovitz, 1977  
*Micoleón* (S): *Potos flavus*  
*Mico leucippe* (Thomas, 1922) = *Callithrix leucippe* (Thomas, 1922)  
*Mico manicorensis* (van Roosmalen, van Roosmalen, Mittermeier & Rylands, 2000) = *Callithrix manicorensis* van Roosmalen, van Roosmalen, Mittermeier & Rylands, 2000  
*Mico marcasi* (Alperin, 1993) = *Callithrix marcasi* Alperin, 1993  
*Mico mauesi* (Mittermeier, Schwarz & Ayres, 1992) = *Callithrix mauesi* Mittermeier, Schwarz & Ayres, 1992  
*Mico melanurus* (E. Geoffroy in Humboldt, 1812) = *Callithrix melanura* (E. Geoffroy in Humboldt, 1812)  
*Mico nigriceps* (Ferrari & Lopes, 1992) = *Callithrix nigriceps* Ferrari & Lopes, 1992  
*Mico rayado* (S): *Bassariscus sumichrasti*  
***Mico rondoni*** Ferrari, Sena, Schneider & Júnior, 2010 II  
 CEBIDAE (Mammalia)  
*Mico saterei* (Silva, Jr & Noronha, 1998) = *Callithrix saterei* Silva, Jr & Noronha, 1998  
**MICRABACIIDAE spp.** Vaughan 1905 II (Anthozoa)  
***Micrastur* spp. II** 27 FALCONIDAE (Aves)  
***Micrastur buckleyi*** Swann, 1919 II 27 FALCONIDAE (Aves) (E) Buckley's Forest-Falcon, Lesser Collared Forest-Falcon, Traylor's Forest-Falcon (S) Gavilán de Traylor, Halcón-montés de Buckley (F) Carnifex de Buckley, Carnifex de Traylor  
***Micrastur gilvicollis*** (Vieillot, 1817) II 27 FALCONIDAE (Aves) (E) Lined Forest-Falcon (S) Gavilán de collar, Halcón-montés cabecigrís, Halcón palomero del sur (F) Carnifex à gorge cendrée  
*Micrastur gilvicollis plumbeus* (Vieillot, 1817) = *Micrastur plumbeus* W. L. Sclater, 1918  
*Micrastur melanoleucus buckleyi* ? = *Micrastur buckleyi* Swann, 1919  
***Micrastur mintoni*** Whittaker, 2002 II 27 FALCONIDAE (Aves) (E) Cryptic Forest-Falcon  
***Micrastur mirandollei*** (Schlegel, 1862) II 27 FALCONIDAE (Aves) (E) Slaty-backed Forest-Falcon (S) Halcón de lomo pizarreño, Halcón-montés dorsigris (F) Carnifex ardoisé  
***Micrastur plumbeus*** W. L. Sclater, 1918 II 27 FALCONIDAE (Aves) (E) Plumbeous Forest-Falcon (S) Halcón-montés plomizo (F) Carnifex plombé  
***Micrastur ruficollis*** (Vieillot, 1817) II 27 FALCONIDAE (Aves) (E) Barred Forest-Falcon (S) Caburé, Gavilán cueillirojo, Halcón cuellirrufo, Halcón-montés agavilanado, Halcón palomero (F) Carnifex à cou roux, Carnifex barré  
*Micrastur ruficollis gilvicollis* (Vieillot, 1817) = *Micrastur gilvicollis* (Vieillot, 1817)  
***Micrastur semitorquatus*** (Vieillot, 1817) II 27 FALCONIDAE (Aves) (E) Collared Forest-Falcon (S) Gavilán-reloj, Halcón-montés collarejo, Halcón-selvático collarejo, Halcón semiacollarado (F) Carnifex à collier  
***Micrathene* spp. II** 30 STRIGIDAE (Aves)  
***Micrathene whitneyi*** (Cooper, 1861) II 30 STRIGIDAE (Aves) (E) Elf Owl (S) Mochuelo de los saguaros, Mochuelo duende, Tecolotito enano (F) Chevêchette des saguaros, Chevêchette-elfe  
*Micristodus punctatus* Gill, 1865 = *Rhincodon typus* Smith, 1828  
 Microcèbe de Coquerel (F): *Mirza coquereli*  
 Microcèbe murin (F): *Microcebus murinus*  
***Microcebus* spp. I** CHEIROGALEIDAE (Mammalia)  
***Microcebus berthae*** Rasoloarison, Goodman & Ganzhorn, 2000 I CHEIROGALEIDAE (Mammalia) (E) Berthe's Mouse Lemur

<i>Microcebus coquereli</i> A. Grandidier, 1867 = <i>Mirza coquereli</i> (A. Grandidier, 1867)	Microloro de Geelvink (S): <i>Micropsitta geelvinkiana</i>
<b><i>Microcebus griseorufus</i></b> Kollman, 1910 I CHEIROGALEIDAE (Mammalia) (E) Red-and-grey Mouse Lemur	Microloro de las Kai (S): <i>Micropsitta keiensis</i>
<b><i>Microcebus murinus</i></b> (J. F. Miller, 1777) I CHEIROGALEIDAE (Mammalia) (E) Grey Mouse-lemur, Lesser Mouse-lemur (S) Maki ratón gris (F) Microcèbe murin, Petit microcèbe	Microloro de Meek (S): <i>Micropsitta meeki</i>
<b><i>Microcebus murinus rufus</i></b> (J. F. Miller, 1777) = <i>Microcebus rufus</i> É. Geoffroy, 1834	Microloro pechirrojo (S): <i>Micropsitta bruijnii</i>
<b><i>Microcebus myoxinus</i></b> Peters, 1852 I CHEIROGALEIDAE (Mammalia) (E) Pygmy Mouse-Lemur	Microloro pusio (S): <i>Micropsitta pusio</i>
<b><i>Microcebus ravelobensis</i></b> Zimmermann, Ehresmann, Zietemann, Radespiel, et al., 1998 I CHEIROGALEIDAE (Mammalia) (E) Golden-brown Mouse Lemur	<b><i>Micromussa</i> spp. II MUSSIDAE (Anthozoa)</b>
<b><i>Microcebus rufus</i></b> É. Geoffroy, 1834 I CHEIROGALEIDAE (Mammalia) (E) Brown Mouse-lemur, Rufous Mouse-lemur, Russet Mouse-lemur (S) Maki ratón	<i>Micromussa amakusensis</i> (Veron, 1990) = <i>Acanthastrea amakusensis</i> Veron, 1990
<b><i>Microcebus sambiranensis</i></b> Rasoloarison, Goodman & Ganzhorn, 2000 I CHEIROGALEIDAE (Mammalia) (E) Sambirano Mouse Lemur	<b><i>Micromussa diminuta</i></b> Veron, 2000 II MUSSIDAE (Anthozoa)
<b><i>Microcebus tavaratra</i></b> Rasoloarison, Goodman & Ganzhorn, 2000 I CHEIROGALEIDAE (Mammalia) (E) Northern Rufous Mouse Lemur	<i>Micromussa minuta</i> (Moll & Best, 1984) = <i>Acanthastrea minuta</i> Moll & Best, 1984
<b><i>Microchera</i> spp. II TROCHILIDAE (Aves)</b>	<i>Micromya tratalis</i> (Conrad, 1834) = <i>Villosa tratalis</i> (Conrad, 1834)
<b><i>Microchera albocoronata</i></b> (Lawrence, 1855) II TROCHILIDAE (Aves) (E) Snowcap (S) Colibrí coroniblanco (F) Colibri à coiffe blanche	<b><i>Micronisus</i> spp. II 27 ACCIPITRIDAE (Aves)</b>
<b><i>Microcyathus neapolitanus</i></b> Döderlein, 1913 = <i>Hoplangia durotrix</i> Gosse, 1860	<b><i>Micronisus gabar</i></b> (Daudin, 1800) II 27 ACCIPITRIDAE (Aves) (E) Gabar Goshawk (S) Gavilán gabar (F) Autour gabar
Microglosse noir (F): <i>Probosciger aterrimus</i>	<b><i>Micropsitta</i> spp. II 29 PSITTACIDAE (Aves)</b>
<b><i>Microhierax</i> spp. II 27 FALCONIDAE (Aves)</b>	<b><i>Micropsitta bruijnii</i></b> (Salvadori, 1875) II 29 PSITTACIDAE (Aves) (E) Red-breasted Pygmy-Parrot (S) Microloro pechirrojo (F) Micropsitte de Bruijn, Perruche pygmée de Bruijn
<b><i>Microhierax caerulescens</i></b> (Linnaeus, 1758) II 27 FALCONIDAE (Aves) (E) Collared Falconet, Red-legged Falconet, Red-thighed Falconet (S) Falconete acollarado, Halcón enano de la India (F) Fauconnet à collier	<b><i>Micropsitta finschii</i></b> (Ramsay, 1881) II 29 PSITTACIDAE (Aves) (E) Finsch's Pygmy-Parrot (S) Microloro de Finsch (F) Micropsitte de Finsch
<b><i>Microhierax erythrogenys</i></b> (Vigors, 1831) II 27 FALCONIDAE (Aves) (E) Philippine Falconet (S) Falconete filipino, Halconcito de las Filipinas (F) Fauconnet des Philippines	<b><i>Micropsitta geelvinkiana</i></b> (Schlegel, 1871) II 29 PSITTACIDAE (Aves) (E) Geelvink Pygmy-Parrot (S) Microloro de Geelvink (F) Micropsitte de Geelvink, Perruche pygmée de Schlegel
<b><i>Microhierax fringillarius</i></b> (Drapiez, 1824) II 27 FALCONIDAE (Aves) (E) Black-legged Falconet, Black-sided Falconet, Black-thighed Falconet (S) Falconete indonesio, Halconcito malayo (F) Fauconnet moineau	<b><i>Micropsitta keiensis</i></b> (Salvadori, 1875) II 29 PSITTACIDAE (Aves) (E) Yellow-capped Pygmy-Parrot (S) Microloro de las Kai (F) Micropsitte pygmée, Perruche pygmée de Salvadori
<b><i>Microhierax latifrons</i></b> Sharpe, 1879 II 27 FALCONIDAE (Aves) (E) Bornean Falconet, White-fronted Falconet (S) Falconete de Borneo, Halconcito de Borneo (F) Fauconnet de Bornéo	<b><i>Micropsitta meeki</i></b> Rothschild & Hartert, 1924 II 29 PSITTACIDAE (Aves) (E) Meek's Pygmy-Parrot (S) Microloro de Meek (F) Micropsitte de Meek, Perruche pygmée de Meek
<b><i>Microhierax melanoleucus</i></b> (Blyth, 1843) II 27 FALCONIDAE (Aves) (E) Pied Falconet (S) Falconete pío (F) Fauconnet noir-et-blanc	<b><i>Micropsitta pusio</i></b> (Sclater, 1866) II 29 PSITTACIDAE (Aves) (E) Buff-faced Pygmy-Parrot (S) Microloro pusio (F) Micropsitte à tête fauve, Perruche pygmée de Sclater
<b><i>Microhierax melanoleucus</i></b> (Blyth, 1843) = <i>Microhierax melanoleucus</i> (Blyth, 1843)	Micropsitte à tête fauve (F): <i>Micropsitta pusio</i>
Microloro de Finsch (S): <i>Micropsitta finschii</i>	Micropsitte de Bruijn (F): <i>Micropsitta bruijnii</i>
	Micropsitte de Finsch (F): <i>Micropsitta finschii</i>
	Micropsitte de Geelvink (F): <i>Micropsitta geelvinkiana</i>
	Micropsitte de Meek (F): <i>Micropsitta meeki</i>
	Micropsitte pygmée (F): <i>Micropsitta keiensis</i>
	<i>Microsittace ferruginea</i> (P. L. S. Müller, 1776) = <i>Enicognathus ferrugineus</i> (Müller, 1776)
	<b><i>Microstilbon</i> spp. II TROCHILIDAE (Aves)</b>
	<b><i>Microstilbon burmeisteri</i></b> (P. L. Sclater, 1888) II TROCHILIDAE (Aves) (E) Slender-tailed Woodstar (S) Colibrí de Burmeister, Picaflor enano (F) Colibri de Burmeister
	Micrure à bandes noires (F): <i>Micrurus nigrocinctus</i>
	Micrure distancé (F): <i>Micrurus diastema</i>
	<i>Micrurus diastema</i> (Duméril, Bibron & Duméril, 1854) III ELAPIDAE (Reptilia) (E) Atlantic Coral Snake, Variable

Coral Snake (S) Cantil coral, Coral anillado (F) Micrure distanté, Serpent corail	<i>Micrurus</i> <b><i>nigrocinctus</i></b> (Girard, 1854) <b>III ELAPIDAE</b> (Reptilia) (E) Black-banded Coral Snake, Central American Coral Snake (F) Micrure à bandes noires, Serpent corail à bandes noires	<i>Millepora complanata</i> Lamarck, 1816 <b>II MILLEPORIDAE</b> (Hydrozoa) (E) Bladed Fire Coral (S) Coral de fuego aplastado (F) Corail de feu feuillu
<i>Micrurus ruatanus</i> (Günther, 1895) = <i>Micrurus nigrocinctus</i> (Girard, 1854)	Milan à long bec (F): <i>Rostrhamus hamatus</i>	<i>Millepora cristagalli</i> Duchassaing & Michelotti, 1864 = <i>Millepora alcicornis</i> Linnaeus, 1758
Milan à plastron (F): <i>Hamirostra melanosternon</i>	Milan à queue carrée (F): <i>Lophoictinia isura</i>	<i>Millepora cruzi</i> Nemenzo, 1975 = <i>Millepora tenera</i> Boschma, 1949
Milan à queue fourchue (F): <i>Elanoides forficatus</i>	Milan bec-en-croc (F): <i>Chondrohierax uncinatus</i>	<i>Millepora damicornis</i> Linnaeus, 1758 = <i>Pocillopora damicornis</i> (Linnaeus, 1758)
Milan bidenté (F): <i>Harpagus bidentatus</i>	Milan bleuâtre (F): <i>Ictinia plumbea</i>	<i>Millepora delicatula</i> Duchassaing & Michelotti, 1864 = <i>Millepora alcicornis</i> Linnaeus, 1758
Milan de Cayenne (F): <i>Leptodon cayanensis</i>	Milan de Cuba (F): <i>Chondrohierax uncinatus wilsonii</i>	<b><i>Millepora dichotoma</i></b> Forskål, 1775 <b>II MILLEPORIDAE</b> (Hydrozoa)
Milan des chauves-souris (F): <i>Macheiramphus alcinus</i>	Milan des marais (F): <i>Rostrhamus sociabilis</i>	<b><i>Millepora exaesa</i></b> Forskål, 1775 <b>II MILLEPORIDAE</b> (Hydrozoa)
Milan de Wilson (F): <i>Chondrohierax uncinatus wilsonii</i>	Milan diodon (F): <i>Harpagus diodon</i>	<b><i>Millepora foveolata</i></b> Crossland, 1952 <b>II MILLEPORIDAE</b> (Hydrozoa)
Milan du Mississippi (F): <i>Ictinia mississippiensis</i>	Milan noir (F): <i>Milvus migrans</i>	<i>Millepora gonagra</i> Milne Edwards & Haime, 1860 = <i>Millepora exaesa</i> Forskål, 1775
Milan brahmán (S): <i>Haliastur indus</i>	Milano bidentado (S): <i>Harpagus bidentatus</i>	<b><i>Millepora intricata</i></b> Milne Edwards, 1857 <b>II</b> <b>MILLEPORIDAE</b> (Hydrozoa)
Milano cabecigris (S): <i>Leptodon cayanensis</i>	Milano blanquigrís (S): <i>Leptodon cayanensis</i>	<b><i>Millepora latifolia</i></b> Boschma, 1948 <b>II MILLEPORIDAE</b> (Hydrozoa)
Milano caracolero (S): <i>Rostrhamus sociabilis</i>	Milano coliblanco (S): <i>Elanus leucurus</i>	<i>Millepora lineata</i> Linnaeus, 1758 = <i>Seriatopora hystrix</i> Dana, 1846
Milano colicuadrado (S): <i>Lophoictinia isura</i>	Milano del Misisipi (S): <i>Ictinia mississippiensis</i>	<i>Millepora moniliformis</i> Dana, 1846 = <i>Millepora alcicornis</i> Linnaeus, 1758
Milano dentado (S): <i>Harpagus diodon</i>	Milano misisipero (S): <i>Ictinia mississippiensis</i>	<i>Millepora muricata</i> Linnaeus, 1758 = <i>Acropora formosa</i> (Dana, 1846)
Milano murcielaguero (S): <i>Macheiramphus alcinus</i>	Milano muslirrufo (S): <i>Harpagus diodon</i>	<i>Millepora murrayi</i> Quelch, 1884 = <i>Millepora intricata</i> Milne Edwards, 1857
Milano negro (S): <i>Milvus migrans</i>	Milano plomizo (S): <i>Ictinia plumbea</i>	<b><i>Millepora nitida</i></b> Verrill, 1868 <b>II MILLEPORIDAE</b> (Hydrozoa)
Milano pechinegro (S): <i>Hamirostra melanosternon</i>	Milano real (S): <i>Milvus milvus</i>	<i>Millepora norvegica</i> Gunnerus, 1768 = <i>Stylaster norvegicus</i> (Gunnerus, 1768)
Milano picogarfio (S): <i>Chondrohierax uncinatus</i>	Milano silbador (S): <i>Haliastur sphenurus</i>	<b><i>Millepora platyphylla</i></b> Hemprich & Ehrenberg, 1834 <b>II</b> <b>MILLEPORIDAE</b> (Hydrozoa)
Milano plomizo (S): <i>Ictinia plumbea</i>	Milano tijereta (S): <i>Elanoides forficatus</i>	<i>Millepora plicata</i> Esper, 1794 = <i>Millepora alcicornis</i> Linnaeus, 1758
Milano real (S): <i>Milvus milvus</i>	Milan royal (F): <i>Milvus milvus</i>	<i>Millepora ramosa</i> Pallas, 1766 = <i>Millepora alcicornis</i> Linnaeus, 1758
Milan sacré (F): <i>Haliastur indus</i>	Milan sacré (F): <i>Haliastur sphenurus</i>	<i>Millepora schrammi</i> Duchassaing & Michelotti, 1864 = <i>Millepora alcicornis</i> Linnaeus, 1758
Milan siffleur (F): <i>Haliastur sphenurus</i>	Milanus nigro (S): <i>Milvus migrans</i>	<b><i>Millepora squarrosa</i></b> Lamarck, 1816 <b>II MILLEPORIDAE</b> (Hydrozoa) (E) Box Fire Coral (S) Coral cajita de fuego (F) Corail de feu alvéolé
<b><i>Millepora</i> spp.</b> Linnaeus 1758 <b>II MILLEPORIDAE</b> (Hydrozoa)	<b><i>Millepora striata</i></b> Duchassaing & Michelotti, 1864 <b>II</b> <b>MILLEPORIDAE</b> (Hydrozoa)	<b><i>Millepora tenella</i></b> Ortmann, 1892 = <i>Millepora tenera</i> Boschma, 1949
<b><i>Millepora alcicornis</i></b> Linnaeus, 1758 <b>II MILLEPORIDAE</b> (Hydrozoa) (E) Branching Fire Coral, Finger Coral, Ginger Coral (S) Coral de fuego	<b><i>Millepora tenera</i></b> Boschma, 1949 <b>II MILLEPORIDAE</b> (Hydrozoa)	<i>Millepora tortuosa</i> Dana, 1846 = <i>Millepora tenera</i> Boschma, 1949
<i>Millepora aspera</i> Linnaeus, 1767 = <i>Errina aspera</i> (Linnaeus, 1767)	<i>Millepora truncata</i> Dana, 1846 = <i>Millepora platyphylla</i> Hemprich & Ehrenberg, 1834	<i>Millepora tuberosa</i> Boschma, 1966 = <i>Millepora exaesa</i> Forskål, 1775
<b><i>Millepora boschmai</i></b> de Weerdt & Glynn, 1991 <b>II</b> <b>MILLEPORIDAE</b> (Hydrozoa)	<i>Millepora verrucosa</i> Milne Edwards & Haime, 1860 = <i>Millepora squarrosa</i> Lamarck, 1816	
<b><i>Millepora braziliensis</i></b> Verrill, 1868 <b>II MILLEPORIDAE</b> (Hydrozoa)		
<i>Millepora carthaginiensis</i> Duchassaing & Michelotti, 1864 = <i>Millepora alcicornis</i> Linnaeus, 1758		

- Millepora violacea* Pallas, 1766 = *Distichopora violacea* (Pallas, 1766)
- Millepora xishaensis* Zou, 1978 = *Millepora intricata* Milne Edwards, 1857
- MILLEPORIDAE spp.** Fleming 1828 II (Hydrozoa) (E) Fire Corals (S) Corales De Fuego (F) Coraux De Feu
- Milvago spp.** II<sup>27</sup> FALCONIDAE (Aves)
- Milvago chimachima** (Vieillot, 1816) II<sup>27</sup> FALCONIDAE (Aves) (E) Yellow-headed Caracara (S) Caracara chimachima, Caricare sabanero, Chimachima (F) Caracara à tête jaune, Caracara chimachima
- Milvago chimango** (Vieillot, 1816) II<sup>27</sup> FALCONIDAE (Aves) (E) Chimango Caracara (S) Caracara chimango, Chimango (F) Caracara chimango
- Milvus spp.** II<sup>27</sup> ACCIPITRIDAE (Aves)
- Milvus fasciicauda* Hartert, 1914 = *Milvus milvus* (Linnaeus, 1758)
- Milvus isurus* Gould, 1838 = *Lophoictinia isura* (Gould, 1838)
- Milvus leucurus* Vieillot, 1818 = *Elanus leucurus* (Vieillot, 1818)
- Milvus lineatus* (Gray, 1831) = *Milvus migrans* (Boddaert, 1783)
- Milvus migrans** (Boddaert, 1783) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Black Kite, Pariah Kite, Yellow-billed Kite (S) Milano negro, Milanus nigro (F) Milan noir
- Milvus milvus** (Linnaeus, 1758) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Red Kite (S) Milano real (F) Milan royal
- Milvus sphenurus* Vieillot, 1818 = *Haliastur sphenurus* (Vieillot, 1818)
- Mimizuku spp.** I<sup>30</sup> STRIGIDAE (Aves)
- Mimizuku gurneyi** (Tweeddale, 1879) I STRIGIDAE (Aves) (E) Giant Scops-Owl, Lesser Eagle-Owl, Mindanao Eagle-Owl (S) Autillo de Guerney, Búho de Mindanao (F) Hibou de Tweeddale, Petit-duc de Gurney, Petit-duc géant, Scops géant de Guerney
- Miná de la India (S): *Gracula religiosa*
- Miná de Rothschild (S): *Leucopsar rothschildi*
- Miná religioso (S): *Gracula religiosa*
- Minyobate bourdonnant (F): *Andinobates bombetes*
- Minyobate d'Alto del Buey (F): *Andinobates altobueyensis*
- Minyobate de Steyermark (F): *Minyobates steyermarki*
- Minyobate étincelant (F): *Andinobates fulguritus*
- Minyobate menu (F): *Andinobates minutus*
- Minyobate opisthomèle (F): *Andinobates opisthomelas*
- Minyobates spp.** II DENDROBATIDAE (Amphibia)
- Minyobates abditus* Myers, 1987 = *Andinobates abditus* (Myers & Daly, 1976)
- Minyobates abditus* (Myers & Daly, 1976) = *Andinobates abditus* (Myers & Daly, 1976)
- Minyobates altobueyensis* Myers, 1987 = *Andinobates altobueyensis* (Silverstone, 1975)
- Minyobates altobueyensis* Myers, 1987 = *Ranitomeya altobueyensis* (Silverstone, 1975)
- Minyobates altobueyensis* (Silverstone, 1975) = *Andinobates altobueyensis* (Silverstone, 1975)
- Minyobates bombetes* Myers, 1987 = *Andinobates bombetes* (Myers & Daly, 1980)
- Minyobates bombetes* (Myers & Daly, 1980) = *Andinobates bombetes* (Myers & Daly, 1980)
- Minyobates dendrobates steyermarki* Rivero, 1971 = *Minyobates steyermarki* (Rivero, 1971)
- Minyobate secret (F): *Andinobates abditus*
- Minyobates fulguritus* Myers, 1987 = *Andinobates fulguritus* (Silverstone, 1975)
- Minyobates fulguritus* (Silverstone, 1975) = *Andinobates fulguritus* (Silverstone, 1975)
- Minyobates minutus* Myers, 1987 = *Andinobates minutus* (Shreve, 1935)
- Minyobates minutus* (Shreve, 1935) = *Andinobates minutus* (Shreve, 1935)
- Minyobates opisthomelas* (Boulenger, 1899) = *Andinobates opisthomelas* (Boulenger, 1899)
- Minyobates opisthomelas* Myers, 1987 = *Andinobates opisthomelas* (Boulenger, 1899)
- Minyobates steyermarki** (Rivero, 1971) II
- DENDROBATIDAE (Amphibia) (E) Demonic Poison Frog (S) Rana de punta de flecha de Steyermark (F) Minyobate de Steyermark
- Minyobates steyermarki* Myers, 1987 = *Minyobates steyermarki* (Rivero, 1971)
- Minyobates viridis* Myers, 1987 = *Andinobates viridis* (Myers & Daly, 1976)
- Minyobates viridis* (Myers & Daly, 1976) = *Andinobates viridis* (Myers & Daly, 1976)
- Minyobates virolinensis* Ruiz-Carranza & Ramírez-Pinilla, 1992 = *Andinobates virolensis* (Ruiz-Carranza and Ramírez-Pinilla, 1992)
- Minyobate vert (F): *Andinobates viridis*
- Miopithecus spp.** II CERCOPITHECIDAE (Mammalia)
- Miopithecus ogouensis** Kingdon, 1997 II
- CERCOPITHECIDAE (Mammalia) (E) Northern Talapoin
- Miopithecus talapoin** (Schreber, 1774) II
- CERCOPITHECIDAE (Mammalia) (E) Southern Talapoin, Talapoin (S) Talapoin (F) Talapoin
- Mirlo americano pechiamarillo (S): *Xanthopsar flavus*
- Mirounga leonina** (Linnaeus, 1758) II PHOCIDAE (Mammalia) (E) South Atlantic Elephant Seal, Southern Elephant Seal (S) Elefante marino del sur, Elefantes marinos (F) Eléphant De Mer Du Sud, Eléphant de mer méridional
- Mirza spp.** Gray, 1870 I CHEIROGALEIDAE (Mammalia)
- Mirza coquereli** (A. Grandidier, 1867) I
- CHEIROGALEIDAE (Mammalia) (E) Coquerel's Dwarf Lemur, Coquerel's Mouse-lemur (S) Maki ratón de Coquerel (F) Microcèbe de Coquerel
- Mitu (S): *Mitu mitu*
- Mitu mitu** (Linnaeus, 1766) I CRACIDAE (Aves) (E) Alagoas Curassow, Razor-billed Curassow (S) Hoco de pico navaja, Hoco mitu, Mitu, Paují de Alagoas, Paují menor (F) Grand hocco à bec rasoir, Hocco mitou
- Mitzli (S): *Puma concolor*
- Mochuela de Colima (S): *Glaucidium palmarum*
- Mochuelín perlado (S): *Glaucidium perlatum*
- Mochuelo acollarado (S): *Glaucidium brodiei*
- Mochuelo alpino (S): *Glaucidium passerinum*
- Mochuelo amazónico (S): *Glaucidium hardyi*

- Mochuelo andino (S): *Glaucidium jardinii*  
 Mochuelo boliviano (S): *Glaucidium boliviannum*  
 Mochuelo boreal (S): *Aegolius funereus*  
 Mochuelo brahmán (S): *Athene brama*  
 Mochuelo cabezón (S): *Aegolius acadicus*  
 Mochuelo caburé (S): *Glaucidium brasiliannum*  
 Mochuelo canela (S): *Aegolius harrisii*  
 Mochuelo chico (S): *Glaucidium passerinum*  
 Mochuelo chico (S): *Glaucidium sjostedti*  
 Mochuelo común (S): *Athene noctua*  
 Mochuelo cuco (S): *Glaucidium cuculoides*  
 Mochuelo cucú (S): *Ninox novaeseelandiae undulata*  
 Mochuelo de Blewitt (S): *Heteroglaux blewitti*  
 Mochuelo de Ceilán (S): *Glaucidium castanopterum*  
 Mochuelo de El Cabo (S): *Glaucidium capense*  
 Mochuelo de Hoyo (S): *Athene cunicularia*  
 Mochuelo de Java (S): *Glaucidium castanopterum*  
 Mochuelo de jungla (S): *Glaucidium radiatum*  
 Mochuelo de las Molucas (S): *Ninox squamipila*  
 Mochuelo del Congo (S): *Glaucidium sjostedti*  
 Mochuelo de los bosques (S): *Heteroglaux blewitti*  
 Mochuelo de los saguaros (S): *Micrathene whitneyi*  
 Mochuelo de madriguera (S): *Athene cunicularia*  
 Mochuelo de Parker (S): *Glaucidium parkeri*  
 Mochuelo de Sjöstedt (S): *Glaucidium sjostedti*  
 Mochuelo duende (S): *Micrathene whitneyi*  
 Mochuelo europeo (S): *Athene noctua*  
 Mochuelo forestal (S): *Heteroglaux blewitti*  
 Mochuelo gnomo (S): *Glaucidium gnoma*  
 Mochuelo minimo (S): *Glaucidium minutissimum*  
 Mochuelo moreno (S): *Aegolius ridgwayi*  
 Mochuelo patagónico (S): *Glaucidium nana*  
 Mochuelo pechirrojo (S): *Glaucidium tephronotum*  
 Mochuelo peludo (S): *Xenoglaux loweryi*  
 Mochuelo perlado (S): *Glaucidium perlatum*  
 Mochuelo peruano (S): *Glaucidium peruanum*  
 Mochuelo sijú (S): *Glaucidium siju*  
 Mochuelo Tamaulipeco (S): *Glaucidium sanchezi*  
 Mofeta de Patagonia (S): *Conepatus humboldtii*  
*Mokopirirakau cryptozoicus* (Jewell & Leschen, 2004) =  
*Hoplodactylus cryptozoicus* Jewell & Leschen, 2004  
*Mokopirirakau granulatus* (Gray, 1845) = *Hoplodactylus granulatus* (Gray, 1845)  
*Mokopirirakau kahutarae* (Whitaker, 1895) =  
*Hoplodactylus kahutarae* Whitaker, 1985  
*Mokopirirakau nebulosus* (McCann, 1955) =  
*Hoplodactylus nebulosus* (McCann, 1955)  
*Molge gigantea* Merrem, 1820 = *Cryptobranchus alleganiensis* (Daudin, 1803)  
**Monachus spp.** I PHOCIDAE (Mammalia)  
**Monachus monachus** (Hermann, 1779) I PHOCIDAE  
 (Mammalia) (E) Mediterranean Monk Seal (S) Foca monje, Foca monje del Mediterráneo (F)  
 Phoque-moine, Phoque-moine méditerranéen  
**Monachus schauinslandi** Matschie, 1905 I PHOCIDAE  
 (Mammalia) (E) Hawaiian Monk Seal (S) Foca fraile de Hawaii  
**Monachus tropicalis** (Gray, 1850) I PHOCIDAE  
 (Mammalia) (E) Caribbean Monk Seal, West Indian Monk Seal, West Indian Seal (S) Foca fraile del Caribe  
 Monal birman (F): *Lophophorus sclateri*  
 Monal, Chinese (E): *Lophophorus lhuysii*  
 Monal chinois (F): *Lophophorus lhuysii*  
 Monal coliblanco (S): *Lophophorus sclateri*  
 Monal colirrojo (S): *Lophophorus impejanus*  
 Monal coliverde (S): *Lophophorus lhuysii*  
 Monal, Crestless (E): *Lophophorus sclateri*  
 Monal de l'Himalaya (F): *Lophophorus impejanus*  
 Monal, Himalayan (E): *Lophophorus impejanus*  
 Monal, Sclater's (E): *Lophophorus sclateri*  
 Mone (F): *Cercopithecus pogonias*  
 Mone de Wolf (F): *Cercopithecus wolfi*  
 Mongoose, Crab-eating (E): *Herpestes urva*  
 Mongoose, Indian Brown (E): *Herpestes fuscus*  
 Mongoose, Indian Grey (E): *Herpestes edwardsi*  
 Mongoose, Javan (E): *Herpestes javanicus*  
 Mongoose, Malagasy (E): *Eupleres goudotii*  
 Mongoose, Ruddy (E): *Herpestes smithii*  
 Mongoose, Small Asian (E): *Herpestes javanicus*  
 Mongoose, Small Indian (E): *Herpestes javanicus europunctatus*  
 Mongoose, Small-toothed (E): *Eupleres goudotii*  
 Mongoose, Stripe-necked (E): *Herpestes vitticollis*  
 Monitor, African Savanna (E): *Varanus exanthematicus*  
 Monitor, Agra (E): *Varanus griseus*  
 Monitor, Argus (E): *Varanus panoptes*  
 Monitor, Arid (E): *Varanus tristis*  
*Monitor beccarii* Doria, 1874 = *Varanus beccarii* (Schlegel, 1839)  
 Monitor, Bengal (E): *Varanus bengalensis*  
*Monitor bivittatus celebensis* (Kuhl, 1820) = *Varanus salvator* (Laurenti, 1768)  
*Monitor bivittatus philippensis* Schlegel, 1844 = *Varanus marmoratus* (Wiegmann 1834)  
 Monitor, Black-headed (E): *Varanus tristis*  
 Monitor, Black Sand (E): *Varanus rosenbergi*  
 Monitor, Black Tree (E): *Varanus beccarii*  
 Monitor, Blue-tailed (E): *Varanus doreanus*  
 Monitor, Bogert's (E): *Varanus bogerti*  
 Monitor, Bosc's (E): *Varanus exanthematicus*  
 Monitor, Brown (E): *Varanus primordius*  
*Monitor chlorostigma* Gray, 1831 = *Varanus indicus* (Daudin, 1802)  
 Monitor, Clouded (E): *Varanus nebulosus*  
 Monitor, Common (E): *Varanus bengalensis*  
 Monitor, Common Tree (E): *Varanus varius*  
 Monitor, Common Water (E): *Varanus salvator*  
 Monitor, Crevice (E): *Varanus kingorum*  
 Monitor, Crocodile (E): *Varanus salvadorii*  
 Monitor, Desert (E): *Varanus griseus*  
 Monitor, Desert Pygmy (E): *Varanus eremicus*  
*Monitor doreanus* A. B. Meyer, 1874 = *Varanus doreanus* (A. B. Meyer, 1874)  
*Monitor douarrha* Lesson, 1830 = *Varanus indicus* (Daudin, 1802)  
*Monitor dumerillii* Schlegel, 1939 = *Varanus dumerillii* (Schlegel, 1839)  
 Monitor, Duméril's (E): *Varanus dumerillii*  
 Monitor, Dwarf (E): *Varanus storri*

<i>Monitor elegans senegalensis</i> (Daudin, 1802) = <i>Varanus niloticus</i> (Linnaeus, 1766)	Monitor, Rock (E): <i>Varanus albigularis</i>
Monitor, Emerald (E): <i>Varanus prasinus</i>	Monitor, Rosenberg's (E): <i>Varanus rosenbergi</i>
<i>Monitor exanthematicus capensis</i> (Bosc, 1792) = <i>Varanus albigularis</i> (Daudin, 1802)	Monitor, Rossell Island Tree (E): <i>Varanus telenesetes</i>
<i>Monitor exanthematicus indicus</i> (Bosc, 1792) = <i>Varanus flavescens</i> (Hardwicke & Gray, 1827)	Monitor, Rough-necked (E): <i>Varanus rudicollis</i>
<i>Monitor exanthematicus indicus</i> (Bosc, 1792) = <i>Varanus flavescens</i> (Hardwicke & Gray, 1827)	Monitor, Ruddy Snub-nosed (E): <i>Varanus flavescens</i>
<i>Monitor exilis</i> Gray, 1831 = <i>Varanus salvator</i> (Laurenti, 1768)	Monitor, Rusty (E): <i>Varanus semiremex</i>
<i>Monitor flavescens</i> Hardwicke & Gray, 1827 = <i>Varanus flavescens</i> (Hardwicke & Gray, 1827)	<i>Monitor salvadorii</i> Peters & Doria, 1878 = <i>Varanus salvadorii</i> (Peters & Doria, 1878)
Monitor, Freckled (E): <i>Varanus tristis</i>	Monitor, Sand (E): <i>Varanus gouldii</i>
<i>Monitor gemmatus</i> Guérin-Méneville, 1829 = <i>Varanus bengalensis</i> (Daudin, 1802)	Monitor, Schmidt's (E): <i>Varanus jobiensis</i>
Monitor, Glauert's (E): <i>Varanus glauerti</i>	Monitor, Sepik (E): <i>Varanus jobiensis</i>
Monitor, Goanna (E): <i>Varanus acanthurus</i>	Monitor, Short-tailed Pygmy (E): <i>Varanus brevicauda</i>
Monitor, Gould's (E): <i>Varanus gouldii</i>	Monitor, Solomon Islands Spiny (E): <i>Varanus spinulosus</i>
Monitor, Gray's (E): <i>Varanus olivaceus</i>	Monitor, Southern Savanna (E): <i>Varanus albigularis</i>
Monitor, Grey (E): <i>Varanus griseus</i>	Monitor, Spencer's (E): <i>Varanus spenceri</i>
Monitor, Harlequin (E): <i>Varanus rudicollis</i>	Monitor, Spinifex (E): <i>Varanus eremius</i>
<i>Monitor heraldicus</i> Gray, 1831 = <i>Varanus bengalensis</i> (Daudin, 1802)	Monitor, Spiny-necked Water (E): <i>Varanus nuchalis</i>
Monitor, Indian (E): <i>Varanus bengalensis</i>	Monitor, Spiny-tailed Pygmy (E): <i>Varanus acanthurus</i>
<i>Monitor inornatus</i> Schlegel, 1839 = <i>Varanus bengalensis</i> (Daudin, 1802)	Monitor, Spotted Tree (E): <i>Varanus timorensis</i>
<i>Monitor kalabeck</i> Lesson, 1830 = <i>Varanus indicus</i> (Daudin, 1802)	Monitor, Stone (E): <i>Varanus baritji</i>
Monitor, King's (E): <i>Varanus kingorum</i>	Monitor, Streak-tailed (E): <i>Varanus caudolineatus</i>
Monitor, Komodo (E): <i>Varanus komodoensis</i>	Monitor, Stripe-tailed (E): <i>Varanus caudolineatus</i>
<i>Monitor kordensis</i> A. B. Meyer, 1874 = <i>Varanus kordensis</i> (A. B. Meyer, 1874)	<i>Monitor timorensis</i> Gray, 1831 = <i>Varanus timorensis</i> (Gray, 1831)
<i>Monitor kordensis beccarii</i> A. B. Meyer, 1874 = <i>Varanus beccarii</i> (Schlegel, 1839)	Monitor, Timor Tree (E): <i>Varanus timorensis</i>
Monitor, Lace (E): <i>Varanus varius</i>	<i>Monitor togianus</i> Peters, 1872 = <i>Varanus togianus</i> (Peters, 1872)
Monitor, Long-tailed Rock (E): <i>Varanus glebopalma</i>	Monitor, Togian Water (E): <i>Varanus togianus</i>
Monitor, Malayan (E): <i>Varanus salvator</i>	<i>Monitor tristis</i> Schlegel, 1838 = <i>Varanus tristis</i> (Schlegel, 1838)
Monitor, Mangrove (E): <i>Varanus indicus</i>	Monitor, Two-banded (E): <i>Varanus salvator</i>
Monitor, Mangrove (E): <i>Varanus semiremex</i>	Monitor, Water (E): <i>Varanus salvator</i>
Monitor, Marbled Water (E): <i>Varanus marmoratus</i>	Monitor, White-throated (E): <i>Varanus albigularis</i>
<i>Monitor marmoratus</i> Cuvier, 1829 = <i>Varanus marmoratus</i> (Wiegmann 1834)	Monitor, Yellow (E): <i>Varanus flavescens</i>
Monitor, Mertens's Water (E): <i>Varanus mertensi</i>	Monitor, Yemen (E): <i>Varanus yemenensis</i>
Monitor, Mindanao Water (E): <i>Varanus cumingi</i>	Monkey, Allen's Swamp (E): <i>Allenopithecus nigroviridis</i>
Monitor, Mitchell's Water (E): <i>Varanus mitchelli</i>	Monkey, Amazon Black Howler (E): <i>Alouatta nigerrima</i>
Monitor, Mourful Tree (E): <i>Varanus tristis</i>	Monkey, Andean Night (E): <i>Aotus miconax</i>
<i>Monitor nebulosus</i> Gray, 1831 = <i>Varanus nebulosus</i> (Gray, 1831)	Monkey, Azara's Night (E): <i>Aotus azarae</i>
Monitor, Nile (E): <i>Varanus niloticus</i>	Monkey, Bale (E): <i>Chlorocebus djamdamensis</i>
Monitor, Northern Savanna (E): <i>Varanus exanthematicus</i>	Monkey, Banded Leaf (E): <i>Presbytis femoralis</i>
Monitor, Pacific (E): <i>Varanus indicus</i>	Monkey, Black-and-red Howling (E): <i>Alouatta belzebul</i>
Monitor, Papuan (E): <i>Varanus salvadorii</i>	Monkey, Black-browed Spider (E): <i>Ateles geoffroyi frontatus</i>
Monitor, Peachthroat (E): <i>Varanus jobiensis</i>	Monkey, Black-cheeked White-nosed (E): <i>Cercopithecus ascanius</i>
Monitor, Pilbara (E): <i>Varanus pilbarensis</i>	Monkey, Black-faced Black Spider (E): <i>Ateles chamek</i>
<i>Monitor prasinus</i> Schlegel, 1839 = <i>Varanus prasinus</i> (Schlegel, 1839)	Monkey, Black-handed Spider (E): <i>Ateles geoffroyi</i>
<i>Monitor pulcher</i> Leach, 1819 = <i>Varanus niloticus</i> (Linnaeus, 1766)	Monkey, Black-headed Night (E): <i>Aotus nigriceps</i>
Monitor, Pygmy Mulga (E): <i>Varanus gilleni</i>	Monkey, Black-headed Squirrel (E): <i>Saimiri boliviensis</i>
Monitor, Ridge-tailed (E): <i>Varanus primordius</i>	Monkey, Black Howling (E): <i>Alouatta caraya</i>
Monitor, Ridge-tailed (E): <i>Varanus acanthurus</i>	Monkey, Blackish Squirrel (E): <i>Saimiri vanzolinii</i>
	Monkey, Black Leaf (E): <i>Trachypithecus ebenus</i>
	Monkey, Blue (E): <i>Cercopithecus mitis</i>
	Monkey, Bolivian Red Howling (E): <i>Alouatta sara</i>
	Monkey, Brelich's Snub-nosed (E): <i>Rhinopithecus brelichi</i>
	Monkey, Brown-headed Spider (E): <i>Ateles fusciceps</i>
	Monkey, Brown Howling (E): <i>Alouatta guariba</i>
	Monkey, Campbell's (E): <i>Cercopithecus campbelli</i>
	Monkey, Capped (E): <i>Trachypithecus pileatus</i>

Monkey, Capped Leaf (E): *Trachypithecus pileatus*  
Monkey, Central American Squirrel (E): *Saimiri oerstedii*  
Monkey, Coiba Island Howling (E): *Alouatta coibensis*  
Monkey, Colombian Woolly (E): *Lagothrix lugens*  
Monkey, Common Squirrel (E): *Saimiri sciureus*  
Monkey, Common Woolly (E): *Lagothrix lagotricha*  
Monkey, Crowned (E): *Cercopithecus pogonias*  
Monkey, Cynomolgus (E): *Macaca fascicularis*  
Monkey, De Brazza's (E): *Cercopithecus neglectus*  
Monkey, Delacour's Leaf (E): *Trachypithecus delacouri*  
Monkey, Dent's (E): *Cercopithecus denti*  
Monkey, Diademed (E): *Cercopithecus mitis*  
Monkey, Diana (E): *Cercopithecus diana*  
Monkey, Douc (E): *Pygathrix nemaeus*  
Monkey, Dryas (E): *Cercopithecus dryas*  
Monkey, Dusky Leaf (E): *Trachypithecus obscurus*  
Monkey, Ebony Leaf (E): *Trachypithecus auratus*  
Monkeyface, Appalachian (E): *Quadrula sparsa*  
Monkeyface, Cumberland (E): *Quadrula intermedia*  
Monkey, François's Leaf (E): *Trachypithecus francoisi*  
Monkey, Gentle (E): *Cercopithecus mitis*  
Monkey, Geoffroy's Spider (E): *Ateles geoffroyi*  
Monkey, Goeldi's (E): *Callimico goeldii*  
Monkey, Golden (E): *Cercopithecus kandti*  
Monkey, Golden-backed Squirrel (E): *Saimiri ustus*  
Monkey, Golden-bellied (E): *Cercopithecus pogonias*  
Monkey, Golden Leaf (E): *Trachypithecus geei*  
Monkey, GoldenPalace.com (E): *Calicebus aureipalatii*  
Monkey, Golden Snub-nosed (E): *Rhinopithecus roxellana*  
Monkey, Greater White-nosed (E): *Cercopithecus nictitans*  
Monkey, Green (E): *Chlorocebus sabaeus*  
Monkey, Grey Leaf (E): *Presbytis hosei*  
Monkey, Grey Snub-nosed (E): *Rhinopithecus brelichi*  
Monkey, Grivet (E): *Chlorocebus aethiops*  
Monkey, Grizzled Leaf (E): *Presbytis comata*  
Monkey, Guatemalan Howling (E): *Alouatta pigra*  
Monkey, Guizhou Snub-nosed (E): *Rhinopithecus brelichi*  
Monkey, Guyanan Red Howler (E): *Alouatta macconnelli*  
Monkey, Hatinh Leaf (E): *Trachypithecus hatinhensis*  
Monkey, Hershkovitz's Night (E): *Aotus hershkovitzi*  
Monkey, Hose's Leaf (E): *Presbytis hosei*  
Monkey, Humboldt's Woolly (E): *Lagothrix lagotricha*  
Monkey, Hybrid Spider (E): *Ateles hybridus*  
Monkey, Indochinese Leaf (E): *Trachypithecus germaini*  
Monkey, Java Leaf (E): *Presbytis comata*  
Monkey, Laotian Leaf (E): *Trachypithecus laotum*  
Monkey, Lemurine Night (E): *Aotus lemurinus*  
Monkey, Lesser White-nosed (E): *Cercopithecus petaurista*  
Monkey, L'Hoest's (E): *Cercopithecus lhoesti*  
Monkey, Liszt (E): *Saguinus geoffroyi*  
Monkey, Long-haired Spider (E): *Ateles belzebuth*  
Monkey, Long-nosed (E): *Nasalis larvatus*  
Monkey, Lowe's (E): *Cercopithecus lowei*  
monkey, Madidi titi (E): *Calicebus aureipalatii*  
Monkey, Malbrouck (E): *Chlorocebus cynosuros*  
Monkey, Mantled Howling (E): *Alouatta palliata*  
Monkey, Maroon Leaf (E): *Presbytis rubicunda*  
Monkey, Ma's Night (E): *Aotus nancymaae*  
Monkey, Mentawai Leaf (E): *Presbytis potenziani*  
Monkey, Mitred Leaf (E): *Presbytis melalophos*  
Monkey, Mona (E): *Cercopithecus mona*  
Monkey, Mountain (E): *Cercopithecus lhoesti*  
Monkey, Moustached (E): *Cercopithecus cephus*  
Monkey, Natuna Islands Leaf (E): *Presbytis natunae*  
Monkey, Night (E): *Aotus trivirgatus*  
Monkey, Nilgiri Leaf (E): *Trachypithecus johnii*  
Monkey, Owl (E): *Aotus trivirgatus*  
Monkey, Owl-faced (E): *Cercopithecus hamlyni*  
Monkey, Panama Spider (E): *Ateles geoffroyi panamensis*  
Monkey, Patas (E): *Erythrocebus patas*  
Monkey, Peruvian Night (E): *Aotus nigriceps*  
Monkey, Phayre's Leaf (E): *Trachypithecus phayrei*  
Monkey, Preuss's (E): *Cercopithecus preussi*  
Monkey, Proboscis (E): *Nasalis larvatus*  
Monkey, Purple-faced Leaf (E): *Trachypithecus vetulus*  
Monkey, Putty-nosed (E): *Cercopithecus nictitans*  
Monkey, Red-backed Squirrel (E): *Saimiri oerstedii*  
Monkey, Red-bellied (E): *Cercopithecus erythrogaster*  
Monkey, Red-bellied Spider (E): *Ateles geoffroyi frontatus*  
Monkey, Red-eared (E): *Cercopithecus erythrotis*  
Monkey, Red-faced Black Spider (E): *Ateles paniscus*  
Monkey, Red-handed Howling (E): *Alouatta belzebul*  
Monkey, Red Howling (E): *Alouatta seniculus*  
Monkey, Red Spider (E): *Ateles geoffroyi panamensis*  
Monkey, Redtail (E): *Cercopithecus ascanius*  
Monkey, Red-tailed (E): *Cercopithecus ascanius*  
Monkey, Rhesus (E): *Macaca mulatta*  
Monkey, Roloway (E): *Cercopithecus roloway*  
Monkeys, Apes, (E): *Primates*  
Monkey, Sarawak Leaf (E): *Presbytis chrysomelas*  
Monkey, Savanna (E): *Chlorocebus aethiops*  
Monkey, Shortridge's Leaf (E): *Trachypithecus shortridgei*  
Monkeys, Howler And Prehensile-Tailed (E): *Atelidae*  
Monkey, Sichuan Snub-nosed (E): *Rhinopithecus roxellana*  
Monkey, Silver (E): *Cercopithecus doggetti*  
Monkey, Silvered Leaf (E): *Trachypithecus villosus*  
Monkeys, New World (E): *Cebidae*  
Monkey, Spectacled Leaf (E): *Trachypithecus obscurus*  
Monkey, Spot-nosed (E): *Cercopithecus petaurista*  
Monkey, Sun-tailed (E): *Cercopithecus solatus*  
Monkey, Sykes's (E): *Cercopithecus albogularis*  
Monkey, Tantalus (E): *Chlorocebus tantalus*  
Monkey, Tenasserim Leaf (E): *Trachypithecus barbei*  
Monkey, Thomas's Leaf (E): *Presbytis thomasi*  
Monkey, Tonkin Leaf (E): *Trachypithecus francoisi*  
Monkey, Tonkin Snub-nosed (E): *Rhinopithecus avunculus*  
Monkey, Vervet (E): *Chlorocebus pygerythrus*  
Monkey, White-bellied Spider (E): *Ateles belzebuth*  
Monkey, White-fronted Leaf (E): *Presbytis frontata*  
Monkey, White-headed Leaf (E): *Trachypithecus poliocephalus*  
Monkey, White-thighed Leaf (E): *Presbytis siamensis*  
Monkey, White-throated (E): *Cercopithecus albogularis*  
Monkey, White-throated (E): *Cercopithecus erythrogaster*  
Monkey, White-whiskered Spider (E): *Ateles marginatus*  
Monkey, Widow (E): *Calicebus lucifer*  
Monkey, Wolf's (E): *Cercopithecus wolfi*  
Monkey, Woolly Spider (E): *Brachyteles arachnoides*

- Monkey, Yellow-tailed Woolly (E): *Oreonax flavicauda*  
 Monkey, Yunnan Snub-nosed (E): *Rhinopithecus bieti*  
 Mono araña (S): *Brachyteles arachnoides*  
 Mono araña de Panamá (S): *Ateles geoffroyi panamensis*  
 Mono araña maninegro (S): *Ateles geoffroyi frontatus*  
 Mono aullador de Guatemala (S): *Alouatta palliata*  
 Mono capuchino (S): *Cebus capucinus*  
*Monoclida kentukensis* Rafinesque, 1822 = *Terrapene carolina* (Linnaeus, 1758)  
 Mono congo (S): *Alouatta palliata*  
 Mono coronado (S): *Cercopithecus pogonias*  
 Mono de Berbería (S): *Macaca sylvanus*  
 Mono de Gibraltar (S): *Macaca sylvanus*  
 Mono del Gabón (S): *Cercopithecus solatus*  
 Mono de orejas rojas (S): *Cercopithecus erythrotis*  
 Mono de Preuss (S): *Cercopithecus preussi*  
 Mono de Sclater (S): *Cercopithecus sclateri*  
 Mono de Wolf (S): *Cercopithecus wolfi*  
**Monodon spp.** II<sup>18</sup> MONODONTIDAE (Mammalia)  
**Monodon monoceros** Linnaeus, 1758 II<sup>18</sup>  
 MONODONTIDAE (Mammalia) (E) Narwhal, Unicorn Whale (S) Narval (F) Narval  
**MONODONTIDAE spp.** Gray, 1821 II<sup>18</sup> (Mammalia) (E)  
 Narwhal, Unicorn Whale (S) Narval (F) Narval  
 Mono dryas (S): *Cercopithecus dryas*  
 Mono grande (S): *Brachyteles arachnoides*  
**Monohedotrochus spp.** Kitahara & Cairns, 2005 II  
 CARYOPHYLLIIDAE (Anthozoa)  
**Monohedotrochus capitolii** Kitahara & Cairns, 2005 II  
 CARYOPHYLLIIDAE (Anthozoa)  
*Monohedotrochus circularis* (Cairns, 1998) = *Oxysmilia circularis* Cairns, 1998  
*Monohedotrochus epithecatus* (Cairns, 1999) = *Oxysmilia epithecata* Cairns, 1999  
 Mono lanudo (S): *Lagothrix lagotricha*  
**Monomyces spp.** Ehrenberg 1834 II FLABELLIDAE (Anthozoa)  
*Monomyces anthophyllum* Ehrenberg, 1834 = *Monomyces pygmaea* (Risso, 1826)  
*Monomyces levidensis* (Gardiner, 1899) = *Rhizotrochus levidensis* Gardiner, 1899  
*Monomyces niinoi* (Yabe & Eguchi, 1942) = *Rhizotrochus niinoi* Yabe & Eguchi, 1942  
*Monomyces palaoensis* (Yabe & Eguchi, 1942) = *Rhizotrochus typus* Milne Edwards & Haime, 1848  
*Monomyces patella* (Ellis & Solander, 1786) = *Fungia fungites* (Linnaeus, 1758)  
**Monomyces pygmaea** (Risso, 1826) II FLABELLIDAE (Anthozoa)  
*Monomyces radiatus* (Dennant, 1904) = *Rhizotrochus tuberculatus* (Tenison-Woods, 1879)  
**Monomyces rubrum** (Quoy & Gaimard, 1833) II FLABELLIDAE (Anthozoa)  
*Monomyces tulipa* (Pourtales, 1874) = *Polymyces fragilis* (Pourtales, 1868)  
*Monomyces typica* Eguchi, 1968 = *Rhizotrochus typus* Milne Edwards & Haime, 1848  
*Monomyces typus* (Milne Edwards & Haime, 1848) = *Rhizotrochus typus* Milne Edwards & Haime, 1848  
*Monomyces uchiuraensis* Eguchi, 1972 = *Rhizotrochus typus* Milne Edwards & Haime, 1848  
 Mono narigudo (S): *Nasalis larvatus*  
 Mono negro (S): *Alouatta palliata*  
 Mono pigatrix (S): *Pygathrix nemaeus*  
 Mono resus (S): *Macaca mulatta*  
 Mono saraguato (S): *Alouatta palliata*  
 Monos Aulladores Y Arañas (S): *Atelidae*  
 Monos Del Nuevo Mundo (S): *Cebidae*  
 Monos Del Viejo Mundo (S): *Cercopithecidae*  
 Mono tití (S): *Saimiri oerstedii*  
 Mono verde (S): *Chlorocebus sabaeus*  
 Monster, Gila (E): *Heloderma suspectum*  
 Monstre de Gila (F): *Heloderma suspectum*  
 Monstruo de Gila (S): *Heloderma suspectum*  
**Montastrea spp.** Blainville, 1830 II FAVIIDAE (Anthozoa)  
**Montastrea annularis** (Ellis & Solander, 1786) II  
 FAVIIDAE (Anthozoa) (E) Boulder Star Coral, Lobed Star Coral (S) Coral estrella macizo (F) Corail étoilé massif  
**Montastrea annuligera** (Milne Edwards & Haime, 1850) II  
 FAVIIDAE (Anthozoa)  
**Montastrea cavernosa** (Linnaeus, 1767) II FAVIIDAE (Anthozoa) (E) Cavernous Star Coral, Great Star Coral (S) Coral cavernoso macizo (F) Grand corail étoilé  
*Montastrea cavernosa hirta* (Linnaeus, 1767) = *Montastrea cavernosa* (Linnaeus, 1767)  
**Montastrea colemani** Veron, 2000 II FAVIIDAE (Anthozoa)  
*Montastrea coronata* (Dana, 1846) = *Montastrea curta* (Dana, 1846)  
**Montastrea curta** (Dana, 1846) II FAVIIDAE (Anthozoa)  
**Montastrea faveolata** (Ellis & Solander, 1786) II  
 FAVIIDAE (Anthozoa) (E) Mountainous Star Coral (S) Coral montañoso  
*Montastrea forskaelana* (Milne Edwards & Haime, 1850) = *Echinopora gemmacea* (Lamarck, 1816)  
**Montastrea franksi** (Gregory, 1895) II FAVIIDAE (Anthozoa) (E) Boulder Star Coral, Franks's Boulder Star Coral (S) coral macizo de Franks  
*Montastrea hispidula* (Verrill, 1901) = *Montastrea annularis* (Ellis & Solander, 1786)  
**Montastrea magnstellata** Chevalier, 1972 II FAVIIDAE (Anthozoa)  
**Montastrea multipunctata** Hodgson, 1985 II FAVIIDAE (Anthozoa)  
**Montastrea salebrosa** (Nemenzo, 1959) II FAVIIDAE (Anthozoa)  
**Montastrea serageldini** Veron, 2000 II FAVIIDAE (Anthozoa)  
**Montastrea valenciennesi** (Milne Edwards & Haime, 1849) II FAVIIDAE (Anthozoa)  
*Monticularia folium* Lamarck, 1816 = *Hydnophora exesa* (Pallas, 1766)  
*Monticularia lobata* Lamarck, 1816 = *Hydnophora exesa* (Pallas, 1766)  
*Monticularia meandrina* Lamarck, 1816 = *Hydnophora exesa* (Pallas, 1766)  
*Monticularia microconos* Lamarck, 1816 = *Hydnophora microconos* (Lamarck, 1816)

- Monticularia polygonata* Lamarck, 1816 = *Hydnophora exesa* (Pallas, 1766)
- Montigyra* spp.** Matthai 1928 II CARYOPHYLLIIDAE (Anthozoa)
- Montigyra kenti*** Matthai, 1928 II CARYOPHYLLIIDAE (Anthozoa)
- Montipora* spp.** Blainville 1830 II ACROPORIDAE (Anthozoa)
- Montipora abrotanoides* (Audouin) = *Montipora circumvallata* (Hemprich & Ehrenberg, 1834)
- Montipora aequituberculata*** Bernard, 1897 II ACROPORIDAE (Anthozoa) (E) Encrusting Pore Coral
- Montipora altasepta*** Nemenzo, 1967 II ACROPORIDAE (Anthozoa)
- Montipora angulata*** (Lamarck, 1816) II ACROPORIDAE (Anthozoa)
- Montipora angusta* Nemenzo, 1967 = *Montipora triabilis* Bernard, 1897
- Montipora aspergillus*** Veron, DeVantier & Turak, 2000 II ACROPORIDAE (Anthozoa)
- Montipora australiensis*** Bernard, 1897 II ACROPORIDAE (Anthozoa)
- Montipora berryi* Hoffmeister, 1925 = *Montipora informis* Bernard, 1897
- Montipora biformis* Nemenzo, 1988 = *Montipora mollis* Bernard, 1897
- Montipora brueggemannii* Bernard = *Montipora danae* Milne Edwards & Haime, 1851
- Montipora cactus*** Bernard, 1897 II ACROPORIDAE (Anthozoa)
- Montipora calcarea*** Bernard, 1897 II ACROPORIDAE (Anthozoa)
- Montipora caliculata*** (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Montipora capitata*** (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Montipora capricornis*** Veron, 1985 II ACROPORIDAE (Anthozoa)
- Montipora carinata* Nemenzo, 1967 = *Montipora hirsuta* Nemenzo, 1967
- Montipora cebuensis*** Nemenzo, 1976 II ACROPORIDAE (Anthozoa)
- Montipora circumvallata*** (Hemprich & Ehrenberg, 1834) II ACROPORIDAE (Anthozoa) (E) Porous Leaf Coral
- Montipora coalita* Nemenzo, 1967 = *Montipora altasepta* Nemenzo, 1967
- Montipora cocosensis*** Vaughan, 1918 II ACROPORIDAE (Anthozoa)
- Montipora colei* Wells, 1954 = *Montipora undata* Bernard, 1897
- Montipora composita* Crossland, 1952 = *Montipora aequituberculata* Bernard, 1897
- Montipora conferta* Nemenzo, 1967 = *Montipora monasteriata* (Forskål, 1775)
- Montipora confusa*** Nemenzo, 1967 II ACROPORIDAE (Anthozoa)
- Montipora conicula* Wells, 1954 = *Montipora millepora* Crossland, 1952
- Montipora conspicua* Nemenzo, 1980 = *Montipora orientalis* Nemenzo, 1967
- Montipora contorta*** Nemenzo & Montecillo, 1981 = *Montipora confusa* Nemenzo, 1967
- Montipora corbettensis*** Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)
- Montipora crassituberculata*** Bernard, 1897 II ACROPORIDAE (Anthozoa)
- Montipora cristagalli* (Hemprich & Ehrenberg, 1834) = *Montipora circumvallata* (Hemprich & Ehrenberg, 1834)
- Montipora cryptus*** Veron, 2000 II ACROPORIDAE (Anthozoa)
- Montipora danae*** Milne Edwards & Haime, 1851 II ACROPORIDAE (Anthozoa)
- Montipora delicatula*** Veron, 2000 II ACROPORIDAE (Anthozoa)
- Montipora digitata*** (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Montipora divaricata* Brüggemann, 1879 = *Montipora digitata* (Dana, 1846)
- Montipora echinata*** Veron, DeVantier & Turak, 2000 II ACROPORIDAE (Anthozoa)
- Montipora edwardsi*** Bernard, 1897 II ACROPORIDAE (Anthozoa)
- Montipora efflorescens*** Bernard, 1897 II ACROPORIDAE (Anthozoa)
- Montipora effusa*** (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Montipora erythraea* Marenzeller, 1906 = *Montipora aequituberculata* Bernard, 1897
- Montipora expansa* (Dana, 1846) = *Montipora hispida* (Dana, 1846)
- Montipora flabellata*** Studer, 1901 II ACROPORIDAE (Anthozoa)
- Montipora florida*** Nemenzo, 1967 II ACROPORIDAE (Anthozoa)
- Montipora floweri*** Wells, 1954 II ACROPORIDAE (Anthozoa)
- Montipora foliosa*** (Pallas, 1766) II ACROPORIDAE (Anthozoa) (E) Cabbage Coral, Leaf Coral
- Montipora fossae* Crossland, 1952 = *Montipora digitata* (Dana, 1846)
- Montipora foveolata*** (Dana, 1846) II ACROPORIDAE (Anthozoa)
- Montipora friabilis*** Bernard, 1897 II ACROPORIDAE (Anthozoa)
- Montipora fruticosa* Bernard, 1897 = *Montipora digitata* (Dana, 1846)
- Montipora fungiformis* Bernard = *Montipora monasteriata* (Forskål, 1775)
- Montipora gaimardi*** Bernard, 1897 II ACROPORIDAE (Anthozoa)
- Montipora granulata* Bernard, 1897 = *Montipora informis* Bernard, 1897
- Montipora granulosa*** Bernard, 1897 II ACROPORIDAE (Anthozoa)
- Montipora grisea*** Bernard, 1897 II ACROPORIDAE (Anthozoa)
- Montipora guppyi* Bernard = *Montipora spumosa* (Lamarck, 1816)
- Montipora hemispherica*** Veron, 2000 II ACROPORIDAE (Anthozoa)

- Montipora hirsuta*** Nemenzo, 1967 II ACROPORIDAE  
(Anthozoa)
- Montipora hispida*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Montipora Hodgsonii*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Montipora hoffmeisteri*** Wells, 1954 II ACROPORIDAE  
(Anthozoa)
- Montipora inconstans* Nemenzo, 1967 = *Montipora altasepta* Nemenzo, 1967
- Montipora incrassata*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Montipora incrustans* Brüggemann, 1878 = *Montipora monasteriata* (Forskål, 1775)
- Montipora indentata* Bernard, 1897 = *Montipora digitata* (Dana, 1846)
- Montipora informis*** Bernard, 1897 II ACROPORIDAE  
(Anthozoa)
- Montipora irregularis* Quelch, 1886 = *Montipora digitata* (Dana, 1846)
- Montipora kellyi*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Montipora lanuginosa* Bernard, 1897 = *Montipora monasteriata* (Forskål, 1775)
- Montipora levigata* Quelch, 1886 = *Montipora digitata* (Dana, 1846)
- Montipora libera* Bernard, 1897 = *Montipora turgescens* Bernard, 1897
- Montipora lobulata*** Bernard, 1897 II ACROPORIDAE  
(Anthozoa)
- Montipora mactanensis*** Nemenzo, 1979 II ACROPORIDAE (Anthozoa)
- Montipora maeandrina*** (Hemprich & Ehrenberg, 1834) II ACROPORIDAE (Anthozoa)
- Montipora malampaya*** Nemenzo, 1967 II ACROPORIDAE (Anthozoa)
- Montipora mammifera* Bernard = *Montipora tuberculosa* (Lamarck, 1816)
- Montipora marenzelleri* Bernard, 1897 = *Montipora digitata* (Dana, 1846)
- Montipora millepora*** Crossland, 1952 II ACROPORIDAE  
(Anthozoa)
- Montipora mollis*** Bernard, 1897 II ACROPORIDAE  
(Anthozoa)
- Montipora monasteriata*** (Forskål, 1775) II ACROPORIDAE (Anthozoa)
- Montipora nana* Bernard, 1882 = *Montipora digitata* (Dana, 1846)
- Montipora niugini*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Montipora nodosa*** (Dana, 1846) II ACROPORIDAE  
(Anthozoa)
- Montipora nodulosa* Nemenzo, 1967 = *Montipora malampaya* Nemenzo, 1967
- Montipora orientalis*** Nemenzo, 1967 II ACROPORIDAE  
(Anthozoa)
- Montipora pachytuberculata*** Veron, DeVantier & Turak, 2000 II ACROPORIDAE (Anthozoa)
- Montipora palawanensis*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Montipora palmata* (Dana, 1846) = *Montipora digitata* (Dana, 1846)
- Montipora patula*** Verrill, 1869 II ACROPORIDAE  
(Anthozoa)
- Montipora peltiformis*** Bernard, 1897 II ACROPORIDAE  
(Anthozoa)
- Montipora planiuscula* (Dana, 1846) = *Montipora verrucosa* (Lamarck, 1816)
- Montipora plateformis* Nemenzo, 1967 = *Montipora hispida* (Dana, 1846)
- Montipora porites*** Veron, 2000 II ACROPORIDAE  
(Anthozoa)
- Montipora poritiformis* Verrill, 1869 = *Montipora digitata* (Dana, 1846)
- Montipora prava* Nemenzo, 1967 = *Montipora cactus* Bernard, 1897
- Montipora prolifera* Brüggemann, 1879 = *Montipora foliosa* (Pallas, 1766)
- Montipora pulcherrima* Bernard, 1897 = *Montipora foliosa* (Pallas, 1766)
- Montipora punctata* Bernard, 1892 = *Montipora hispida* (Dana, 1846)
- Montipora ramosa* Bernard, 1888 = *Montipora digitata* (Dana, 1846)
- Montipora reniformis* Nemenzo, 1967 = *Montipora peltiformis* Bernard, 1897
- Montipora rubrum* (Quoy & Gaimard, 1833) = *Monomyces rubrum* (Quoy & Gaimard, 1833)
- Montipora rus* (Forskål, 1775) = *Porites rus* (Forskål, 1775)
- Montipora samarensis*** Nemenzo, 1967 II ACROPORIDAE (Anthozoa)
- Montipora saudii*** Turak, DeVantier & Veron, 2000 II ACROPORIDAE (Anthozoa)
- Montipora setosa*** Nemenzo, 1976 II ACROPORIDAE  
(Anthozoa)
- Montipora sinensis* Bernard = *Montipora tuberculosa* (Lamarck, 1816)
- Montipora socialis* Bernard, 1897 = *Montipora foveolata* (Dana, 1846)
- Montipora solanderi*** (Ellis & Solander, 1786) II ACROPORIDAE (Anthozoa)
- Montipora solanderi* Bernard, 1897 = *Montipora stellata* Bernard, 1897
- Montipora spatula* Bernard, 1897 = *Montipora digitata* (Dana, 1846)
- Montipora spicata* Bernard, 1897 = *Montipora digitata* (Dana, 1846)
- Montipora spongilla* Bernard, 1900 = *Montipora digitata* (Dana, 1846)
- Montipora spongiosa*** (Hemprich & Ehrenberg, 1834) II ACROPORIDAE (Anthozoa)
- Montipora spongeodes*** Bernard, 1897 II ACROPORIDAE  
(Anthozoa)
- Montipora spumosa*** (Lamarck, 1816) II ACROPORIDAE  
(Anthozoa)
- Montipora stellata*** Bernard, 1897 II ACROPORIDAE  
(Anthozoa)
- Montipora stilosa*** (Hemprich & Ehrenberg, 1834) II ACROPORIDAE (Anthozoa)

- Montipora striata** Bernard, 1897 II ACROPORIDAE (Anthozoa)  
*Montipora strigosa* Nemenzo, 1967 = *Montipora stellata* Bernard, 1897  
*Montipora subtilis* Bernard, 1897 = *Montipora millepora* Crossland, 1952  
**Montipora taiwanensis** Veron, 2000 II ACROPORIDAE (Anthozoa)  
*Montipora tortuosa* (Dana, 1846) = *Montipora digitata* (Dana, 1846)  
**Montipora tuberculosa** (Lamarck, 1816) II ACROPORIDAE (Anthozoa)  
**Montipora turgescens** Bernard, 1897 II ACROPORIDAE (Anthozoa)  
**Montipora turtlensis** Veron & Wallace, 1984 II ACROPORIDAE (Anthozoa)  
**Montipora undata** Bernard, 1897 II ACROPORIDAE (Anthozoa)  
*Montipora vaughani* Hoffmeister, 1925 = *Montipora foveolata* (Dana, 1846)  
**Montipora venosa** (Ehrenberg, 1834) II ACROPORIDAE (Anthozoa)  
**Montipora verrilli** Vaughan, 1907 II ACROPORIDAE (Anthozoa)  
*Montipora verrilli auaensis* Vaughan, 1907 = *Montipora verrilli* Vaughan, 1907  
**Montipora verrucosa** (Lamarck, 1816) II ACROPORIDAE (Anthozoa)  
*Montipora verrucosa* Quoy & Gaimard, 1833 = *Montipora foveolata* (Dana, 1846)  
**Montipora verriculosus** Veron, 2000 II ACROPORIDAE (Anthozoa)  
**Montipora vietnamensis** Veron, 2000 II ACROPORIDAE (Anthozoa)  
*Montlivaultia poculum* Pourtalès, 1878 = *Trochocyathus rawsonii* Pourtalès, 1874  
**Morelia spp.** Gray, 1842 II PYTHONIDAE (Reptilia)  
*Morelia albertisii* (Peters & Doria, 1878) = *Leiopython albertisii* (Peters & Doria, 1878)  
*Morelia albertisii* Underwood and Stimson, 1990 = *Leiopython albertisii* (Peters & Doria, 1878)  
**Morelia amethystina** (Schneider, 1801) II PYTHONIDAE (Reptilia) (E) Amethystine (Rock) Python, Scrub Python (S) Pitón ametista (F) Python améthiste, Python de la brousse, Python des roches  
*Morelia argus* (Linnaeus, 1766) = *Morelia spilota* (Lacépède, 1804)  
*Morelia azurea* (Meyer, 1874) = *Morelia viridis* (Schlegel, 1872)  
*Morelia boa* (Schlegel, 1837) = *Bothrocophias boa* (Schlegel, 1837)  
**Morelia boeleni** (Brongersma, 1953) II PYTHONIDAE (Reptilia) (E) Black Python, Boelen's Python (S) Pitón de Boelen (F) Python de Boelen  
**Morelia bredli** (Gow, 1981) II PYTHONIDAE (Reptilia)  
**Morelia carinata** (L. A. Smith, 1981) II PYTHONIDAE (Reptilia) (E) Keeled-scaled Python, Rough-scaled Python (F) Python à écailles rugueuses, Python caréné  
*Morelia cheynei* Wells & Wellington, 1984 = *Morelia spilota* (Lacépède, 1804)  
*Morelia childreni* (Gray, 1842) = *Antaresia childreni* (Gray, 1842)  
**Morelia clastolepis** Harvey, Barker, Ammerman & Chippindale, 2000 II PYTHONIDAE (Reptilia)  
*Morelia fusca* (Peters, 1873) = *Liasis fuscus* Peters, 1873  
*Morelia imbricata* Wells & Wellington, 1984 = *Morelia spilota* (Lacépède, 1804)  
**Morelia kinghorni** (Stull, 1933) II PYTHONIDAE (Reptilia)  
*Morelia mackloti* (Duméril & Bibron, 1844) = *Liasis mackloti* Duméril & Bibron, 1844  
*Morelia mackloti fusca* (Duméril & Bibron, 1844) = *Liasis fuscus* Peters, 1873  
*Morelia maculosa* (Peters, 1873) = *Antaresia maculosa* (Peters, 1873)  
*Morelia mcdowellii* Wells & Wellington, 1984 = *Morelia spilota* (Lacépède, 1804)  
*Morelia metcalfei* Wells & Wellington, 1985 = *Morelia spilota* (Lacépède, 1804)  
**Morelia nauta** Harvey, Barker, Ammerman & Chippindale, 2000 II PYTHONIDAE (Reptilia)  
**Morelia oenpelliensis** (Gow, 1977) II PYTHONIDAE (Reptilia) (E) Oenpelli Python, South Australian Water Python (F) Python d'Oenpelli  
*Morelia olivacea* (Gray, 1842) = *Liasis olivaceus* Gray, 1842  
*Morelia papuana* (Peters & Doria, 1878) = *Apodora papuana* (Peters & Doria, 1878)  
*Morelia perthensis* (Stull, 1932) = *Antaresia perthensis* (Stull, 1932)  
*Morelia punctata* (Merrem, 1820) = *Morelia spilota* (Lacépède, 1804)  
*Morelia reticulatus* (Schneider, 1801) = *Python reticulatus* (Schneider, 1801)  
**Morelia spilota** (Lacépède, 1804) II PYTHONIDAE (Reptilia) (E) Carpet Python, Diamond Python (S) Pitón diamantina (F) Python tapis  
*Morelia stimsoni* (L. A. Smith, 1985) = *Antaresia stimsoni* (L. A. Smith, 1985)  
*Morelia timoriensis* (Peters, 1876) = *Python timoriensis* (Peters, 1876)  
**Morelia tracyae** Harvey, Barker, Ammerman & Chippindale, 2000 II PYTHONIDAE (Reptilia)  
*Morelia variegata* Gray, 1842 = *Morelia spilota* (Lacépède, 1804)  
**Morelia viridis** (Schlegel, 1872) II PYTHONIDAE (Reptilia) (E) Green Tree Python (F) Python arboricole vert australien  
**Morenia ocellata** (Duméril & Bibron, 1835) I GEOEMYDIDAE (Reptilia) (E) Bengal Eyed Terrapin, Burmese Eyed Turtle, Burmese Swamp Turtle, Peacock Turtle, Swamp Turtle (S) Galápagos de Birmania, Galápagos ocelado de Birmania (F) Émyde à ocelles de Birmania, Tortue de Birmania  
**Morenia petersi** (Anderson, 1879) II GEOEMYDIDAE (Reptilia) (E) Indian Eyed Turtle  
*Morepork* (E): *Ninox novaeseelandiae*  
*Morfillo* (S): *Sphyrna lewini*  
*Morphnarchus princeps* (P. L. Sclater, 1865) = *Leucopternis princeps* Sclater, 1865  
**Morphnus spp.** II 27 ACCIPITRIDAE (Aves)

- Morphnus guianensis** (Daudin, 1800) II 27  
ACCIPITRIDAE (Aves) (E) Crested Eagle, Guianan Crested Eagle (S) Águila crestada, Águila monera, Arpía menor (F) Harpie huppée
- Morphnus hastatus** Lesson, 1834 = *Aquila pomarina* Brehm, 1831
- Morpho godartii** (Guérin-Méneville, 1844) III/NC NYMPHALIDAE (Insecta)
- Morpho godartii lachaumei** III NYMPHALIDAE (Insecta)  
Morsa (S): *Odobenus rosmarus*  
Morse (F): *Odobenus rosmarus*
- Moschus spp.** Linnaeus, 1758 I/II/NC 7 MOSCHIDAE (Mammalia)
- Moschus anhuiensis** Wang, Hu & Yan, 1982 II 7 MOSCHIDAE (Mammalia) (E) Anhui Musk Deer
- Moschus berezovskii** Flerov, 1929 II 7 MOSCHIDAE (Mammalia) (E) Chinese Forest Musk Deer, Dwarf Musk Deer, Forest Musk Deer
- Moschus chrysogaster** (Hodgson, 1839) I/II 7 MOSCHIDAE (Mammalia) (E) Alpine Musk Deer, Himalayan Musk Deer
- Moschus chrysogaster berezovskii** (Hodgson, 1839) = **Moschus berezovskii** Flerov, 1929
- Moschus chrysogaster fuscus** (Hodgson, 1839) = **Moschus fuscus** Li, 1981
- Moschus chrysogaster leucogaster** (Hodgson, 1839) = **Moschus leucogaster** Hodgson, 1839
- Moschus cupreus** Grubb, 1982 I 7 MOSCHIDAE (Mammalia) (E) Kashmir Musk Deer
- Moschus fuscus** Li, 1981 I/II 7 MOSCHIDAE (Mammalia) (E) Black Musk Deer, Dusky Musk Deer
- Moschus leucogaster** Hodgson, 1839 I 7 MOSCHIDAE (Mammalia) (E) Himalayan Musk Deer
- Moschus moschiferus** Linnaeus, 1758 I/II MOSCHIDAE (Mammalia) (E) Siberian Musk Deer (S) Ciervo Almizclero (F) Cerf porte-musc, Chevrotain porte-musc, Porte-musc
- Moschus sifanicus** Büchner, 1891 = **Moschus chrysogaster** (Hodgson, 1839)
- Moseleya spp.** Quelch 1884 II FAVIIDAE (Anthozoa)
- Moseleya latistellata** Quelch, 1884 II FAVIIDAE (Anthozoa)  
Motelo (S): *Chelonoidis denticulata*  
Mouette Relique (F): *Larus relictus*  
Moufette à nez de cochon (F): *Conepatus humboldti*  
Moufette De Patagonie (F): *Conepatus humboldti*  
Mouflon (E): *Ovis orientalis*  
Mouflon à manchettes (F): *Ammotragus lervia*  
Mouflon, Cyprus (E): *Ovis orientalis ophion*  
Mouflon d'Amérique (F): *Ovis canadensis*  
Mouflon d'Asie (F): *Ovis ammon*  
Mouflon de Chypre (F): *Ovis orientalis ophion*  
Mouflon de l'Himalaya (F): *Ovis ammon hodgsonii*  
Mouflon des montagnes (F): *Ovis ammon hodgsonii*  
Mouflon d'Eurasie (F): *Ovis ammon*  
Mouflon du Canada (F): *Ovis canadensis*  
Mouflon du Ladak (F): *Ovis vignei vignei*  
Mouflon méditerranéen (F): *Ovis ammon*  
Mouflon pachycère (F): *Ovis canadensis*  
Mouflon vrai (F): *Ovis ammon*
- Mountaineer, Bearded (E): *Oreonympha nobilis*  
Mountain-gem, Green-breasted (E): *Lampornis sybillae*  
Mountain-gem, Green-throated (E): *Lampornis viridipallens*  
Mountain-gem, Purple-throated (E): *Lampornis calolaemus*  
Mountain-gem, Purple-throated (E): *Lampornis castaneoventris*  
Mountain-gem, Variable (E): *Lampornis castaneoventris*  
Mountain-gem, White-bellied (E): *Lampornis hemileucus*  
Mountain-gem, White-throated (E): *Lampornis castaneoventris*  
Mouse, Alice Springs (E): *Pseudomys fieldi*  
Mouse-lemur, Brown (E): *Microcebus rufus*  
Mouse-lemur, Coquerel's (E): *Mirza coquereli*  
Mouse-lemur, Fork-marked (E): *Phaner furcifer*  
Mouse-lemur, Grey (E): *Microcebus murinus*  
Mouse-lemur, Lesser (E): *Microcebus murinus*  
Mouse-Lemur, Pygmy (E): *Microcebus myoxinus*  
Mouse-lemur, Rufous (E): *Microcebus rufus*  
Mouse-lemur, Russet (E): *Microcebus rufus*  
Mouse, Shark Bay (E): *Pseudomys fieldi praeconis*  
Moustac (F): *Cercopithecus cephus*  
Moustac à oreilles rouges (F): *Cercopithecus erythrotis*  
Moustac bleu (F): *Cercopithecus cephus*  
Moustac de Buffon (F): *Cercopithecus cephus*  
Muflón (S): *Ovis ammon*  
Muflón argal (S): *Ovis ammon*  
Muflón argal tibetano (S): *Ovis ammon hodgsonii*  
Muflón de Chipre (S): *Ovis orientalis ophion*  
Muflón del Atlas (S): *Ammotragus lervia*  
Muflón de Marco Polo (S): *Ovis ammon*  
Mugger (E): *Crocodylus palustris*  
Muitú mamaco (S): *Crax blumenbachii*  
Munning (E): *Lagostrophus fasciatus*  
**Muntiacus crinifrons** (Sclater, 1885) I CERVIDAE (Mammalia) (E) Black Muntjac (S) Muntjac negro (F) Muntjac noir  
**Muntiacus vuquangensis** (Schaller & Vrba, 1996) = **Muntiacus vuquangensis** (Tuoc, Dung, Dawson, Arctander & MacKinnon, 1994)  
**Muntiacus vuquangensis** (Tuoc, Dung, Dawson, Arctander & MacKinnon, 1994) I CERVIDAE (Mammalia) (E) Giant Muntjac, Large-antlered Muntjac (S) Muntjac gigante (F) Muntjac géant  
Muntjac, Black (E): *Muntiacus crinifrons*  
Muntjac géant (F): *Muntiacus vuquangensis*  
Muntjac, Giant (E): *Muntiacus vuquangensis*  
Muntjac gigante (S): *Muntiacus vuquangensis*  
Muntjac, Large-antlered (E): *Muntiacus vuquangensis*  
Muntjac negro (S): *Muntiacus crinifrons*  
Muntjac noir (F): *Muntiacus crinifrons*  
*Muraena anguilla maculata* Nardo, 1847 = *Anguilla anguilla* (Linnaeus, 1758)  
*Muraena oxyrhina* Ekström, 1831 = *Anguilla anguilla* (Linnaeus, 1758)  
*Muraena platyrhina* Ekström, 1831 = *Anguilla anguilla* (Linnaeus, 1758)  
Murciélagos de estriadas blancas (S): *Platyrhinus lineatus*  
Muriki (S): *Brachytele arachnoides*

- Muriqui (E): *Brachyteles arachnoides*  
 Muriqui, Northern (E): *Brachyteles hypoxanthus*  
 Muriqui, Southern (E): *Brachyteles arachnoides*  
 Musang (E): *Paradoxurus hermaphroditus*  
 Musang, Banded (E): *Hemigalus derbyanus*  
 Musaraña arborícola coliplumada (S): *Ptilocercus lowii*  
 Musaraña arborícola de Filipinas (S): *Urogale everetti*  
 Musaraña arborícola de la India (S): *Anathana elliotti*  
 Musaraña común (S): *Tupaia glis*  
 Musaraña grande (S): *Tupaia tana*  
 Musaraña pigmea (S): *Tupaia minor*  
 Musarañas (S): *Tupaiidae*  
 Musarañas Arborícolas O Tupayas (S): *Scandentia*  
*Musophaga porphyreolopha* (Vigors, 1831) = *Tauraco porphyreolophus* (Vigors, 1831)  
**Mussa** spp. Oken 1815 II MUSSIDAE (Anthozoa)  
**Mussa angulosa** (Pallas, 1766) II MUSSIDAE (Anthozoa)  
 (E) Large Flower Coral, Spiny Flower Coral (S)  
 Micetocoral angular (F) Corail fleur épineux  
*Mussa cerebriformis* Dana, 1846 = *Lobophyllia hemprichii* (Ehrenberg, 1834)  
*Mussa corymbosa* (Forskål, 1775) = *Lobophyllia corymbosa* (Forskål, 1775)  
*Mussa costata* Dana, 1846 = *Lobophyllia corymbosa* (Forskål, 1775)  
*Mussa cytherea* Dana, 1846 = *Lobophyllia hemprichii* (Ehrenberg, 1834)  
*Mussa harttii* Verrill, 1868 = *Mussismilia harttii* (Verrill, 1868)  
*Mussa hemprichii* (Ehrenberg, 1834) = *Favites complanata* (Hemprich & Ehrenberg, 1834)  
*Mussa hispida* Verrill, 1901 = *Mussismilia hispida* (Verrill, 1901)  
*Mussa nobilis* Dana, 1846 = *Sympyllia recta* (Dana, 1846)  
*Mussa recta* Dana, 1846 = *Sympyllia recta* (Dana, 1846)  
*Mussa tenuisepta* Verrill, 1901 = *Mussismilia hispida* (Verrill, 1901)  
 Mussel, Alabama Lamp Pearly (E): *Lampsilis virescens*  
 Mussel, Appalachian Monkey-face Pearly (E): *Quadrula sparsa*  
 Mussel, Birdwing Pearly (E): *Conradilla caelata*  
 Mussel, Brown-blossom Pearly (E): *Epioblasma walkeri*  
 Mussel, Clubshell Pearly (E): *Pleurobema clava*  
 Mussel, Cumberland Bean Pearly (E): *Villosa trabalis*  
 Mussel, Cumberland Monkey-face Pearly (E): *Quadrula intermedia*  
 Mussel, Curtis' Pearly (E): *Epioblasma curtisi*  
 Mussel, Date (E): *Lithophaga lithophaga*  
 Mussel-digger (E): *Eschrichtius robustus*  
 Mussel, Dromedary Pearly (E): *Dromus dromas*  
 Mussel, Edible Pearly (E): *Cyprogenia aberti*  
 Mussel, European Date (E): *Lithophaga lithophaga*  
 Mussel, Fat Pocketbook Pearly (E): *Potamilus capax*  
 Mussel, Fine-rayed Pigtoe Pearly (E): *Fusconaia cuneolus*  
 Mussel, Green-blossom Pearly (E): *Epioblasma torulosa gubernaculum*  
 Mussel, Higgins' Eye Pearly (E): *Lampsilis higginsii*  
 Mussel, Nicklin's Pearly (E): *Unio nickliniana*  
 Mussel, Orange-footed Pimpleback (E): *Plethobasus cooperianus*  
 Mussel, Pale Lilliput Pearly (E): *Toxolasma cylindrella*  
 Mussel, Plain Pocketbook Pearly (E): *Lampsilis satur*  
 Mussel, Rough Pigtoe Pearly (E): *Pleurobema plenum*  
 Mussel, Sampson's Pearly (E): *Epioblasma sampsonii*  
 Mussel, Shiny Pigtoe Pearly (E): *Fusconaia edgariana*  
 Mussel, Tampico Pearly (E): *Unio tampicoensis tecumensis*  
 Mussel, Tan-blossom Pearly (E): *Epioblasma torulosa rangiana*  
 Mussel, Tuberclad-blossom Pearly (E): *Epioblasma torulosa torulosa*  
 Mussel, Turgid-blossom Pearly (E): *Epioblasma turgidula*  
 Mussel, Western Fanshell (E): *Cyprogenia aberti*  
 Mussel, White Warty-back Pearly (E): *Plethobasus cicatricosus*  
 Mussel, Yellow-blossom Pearly (E): *Epioblasma florentina*  
**MUSSIDAE** spp. Ortmann 1890 II (Anthozoa)  
**Mussismilia** spp. Ortmann 1890 II MUSSIDAE (Anthozoa)  
**Mussismilia braziliensis** (Verrill, 1868) II MUSSIDAE (Anthozoa)  
**Mussismilia harttii** (Verrill, 1868) II MUSSIDAE (Anthozoa)  
**Mussismilia hispida** (Verrill, 1901) II MUSSIDAE (Anthozoa)  
 Mussurana (F): *Clelia clelia*  
 Mussurana (S): *Clelia clelia*  
 Mussurana (E): *Clelia clelia*  
 Mussurana d'Amérique du sud (F): *Clelia clelia*  
**Mustela altaica** Pallas, 1811 III MUSTELIDAE (Mammalia) (E) Alpine Weasel, Mountain Weasel (S) Comadreja de montaña (F) Belette alpine, Belette des Alpes  
**Mustela erminea** Linnaeus, 1758 III/NC MUSTELIDAE (Mammalia) (E) Ermine, Stoat (S) Armiño (F) Hermine  
**Mustela erminea ferghanae** (Thomas, 1895) III MUSTELIDAE (Mammalia)  
**Mustela kathiah** Hodgson, 1835 III MUSTELIDAE (Mammalia) (E) Yellow-bellied Weasel (S) Comadreja de vientre amarillo (F) Belette à ventre jaune  
**Mustela nigripes** (Audubon & Bachman, 1851) I MUSTELIDAE (Mammalia) (E) Black-footed Ferret (S) Turón de patas negras, Turón patinegro americano (F) Putois à pieds noirs  
**Mustela sibirica** Pallas, 1773 III MUSTELIDAE (Mammalia) (E) Kolinsky, Siberian Weasel (S) Comadreja de Siberia (F) Belette de Sibérie, Vison sibérien  
 Mutum (E): *Crax blumenbachii*  
*Mycedia fragilis* Dana, 1846 = *Agaricia fragilis* (Dana, 1846)  
*Mycedia gibbosa* Dana, 1846 = *Agaricia agaricites* (Linnaeus, 1758)  
**Mycedium** spp. Oken 1815 II PECTINIIDAE (Anthozoa)  
*Mycedium cailleti* Duchassaing & Michelotti, 1864 = *Leptoseris cailleti* (Duchassaing & Michelotti, 1864)  
*Mycedium danai* Duchassaing & Michelotti, 1860 = *Agaricia agaricites* (Linnaeus, 1758)

- Mycedium elephantotus*** (Pallas, 1766) II PECTINIIDAE  
 (Anthozoa)  
*Mycedium lessoni* Duchassaing & Michelotti, 1860 =  
*Agaricia agaricites* (Linnaeus, 1758)
- Mycedium mancaoi*** Nemenzo, 1979 II PECTINIIDAE  
 (Anthozoa)
- Mycedium robokaki*** Moll & Best, 1984 II PECTINIIDAE  
 (Anthozoa)
- Mycedium sanctijohannis* Duchassaing & Michelotti, 1864  
 = *Agaricia agaricites* (Linnaeus, 1758)
- Mycedium spina*** Ditlev, 2003 II PECTINIIDAE (Anthozoa)
- Mycedium steeni*** Veron, 2000 II PECTINIIDAE  
 (Anthozoa)
- Mycedium tenuicostatum* Verrill, 1901 = *Mycedium elephantotus* (Pallas, 1766)
- Mycedium tubifex* (Dana, 1846) = *Mycedium elephantotus* (Pallas, 1766)
- Mycedium umbra*** Veron, 2000 II PECTINIIDAE  
 (Anthozoa)
- Mycedium vesparium* Duchassaing & Michelotti, 1860 =  
*Agaricia agaricites* (Linnaeus, 1758)
- Mycetophyllia*** spp. Milne Edwards & Haime 1848 II  
 MUSSIDAE (Anthozoa)
- Mycetophyllia aliciae*** Wells, 1973 II MUSSIDAE  
 (Anthozoa) (E) Knobby Cactus Coral (S) Micetocoral noduloso (F) Corail cactus à bosses
- Mycetophyllia daniana*** Milne Edwards & Haime, 1849 II  
 MUSSIDAE (Anthozoa) (E) Lowridge Cactus Coral (S) Micetocoral de poca cresta (F) Corail cactus à crêtes basses
- Mycetophyllia ferox*** Wells, 1973 II MUSSIDAE  
 (Anthozoa) (E) Rough Cactus Coral (S) Micetocoral espinoso áspido (F) Corail cactus rugueux
- Mycetophyllia lamarckiana*** Milne Edwards & Haime, 1848 II MUSSIDAE (Anthozoa) (E) Ridged Cactus Coral (S) Micetocoral crestado (F) Corail cactus ridé
- Mycetophyllia reesi*** Wells, 1973 II MUSSIDAE  
 (Anthozoa) (E) Ridgeless Cactus Coral (S) Micetocoral liso (F) Corail cactus à bulbes
- Mycteria cinerea*** (Raffles, 1822) I CICONIIDAE (Aves)  
 (E) Milky Stork (S) Tántalo malayo (F) Tantale blanc
- Mygale emilia* White, 1856 = *Brachypelma emilia* (White, 1856)
- Myiopsitta*** spp. II<sup>29</sup> PSITTACIDAE (Aves)
- Myiopsitta luchsi* (Finsch, 1868) = *Myiopsitta monachus* (Boddaert, 1783)
- Myiopsitta monachus*** (Boddaert, 1783) II<sup>29</sup>  
 PSITTACIDAE (Aves) (E) Grey-breasted Parakeet, Monk Parakeet, Quaker Parakeet (S) Catita común, Cotorra argentina (F) Conure veuve, Perruche-souris
- Myiopsitta orbygnesia* Souancé, 1856 = *Bolborhynchus orbygnesius* (Souancé, 1856)
- Myna, Bali (E): *Leucopsar rothschildi*  
 Myna, Common Hill (E): *Gracula religiosa*  
 Myna, Hill (E): *Gracula religiosa*  
 Myna, Rothschild's (E): *Leucopsar rothschildi*
- Myriopathes*** spp. Opresco, 2001 II MYRIOPATHIDAE  
 (Anthozoa)
- Myriopathes antrocorda*** (Opresco, 1999) II  
 MYRIOPATHIDAE (Anthozoa)
- Myriopathes bifaria*** (Brook, 1889) II MYRIOPATHIDAE  
 (Anthozoa)
- Myriopathes japonica*** (Brook, 1889) II MYRIOPATHIDAE  
 (Anthozoa)
- Myriopathes lata*** (Silberfeld, 1909) II MYRIOPATHIDAE  
 (Anthozoa)
- Myriopathes myriophylla*** (Pallas, 1766) II  
 MYRIOPATHIDAE (Anthozoa)
- Myriopathes panamensis*** (Verrill, 1870) II  
 MYRIOPATHIDAE (Anthozoa)
- Myriopathes rugosa*** (Thomson & Simpson, 1905) II  
 MYRIOPATHIDAE (Anthozoa)
- Myriopathes spinosa*** (Carter, 1880) II MYRIOPATHIDAE  
 (Anthozoa)
- Myriopathes stechowi*** (Pax, 1932) II MYRIOPATHIDAE  
 (Anthozoa)
- Myriopathes ulex*** (Ellis & Solander, 1786) II  
 MYRIOPATHIDAE (Anthozoa)
- MYRIOPATHIDAE** spp. Opresco, 2001 II (Anthozoa)
- Myrmecophaga jubata* Linnaeus, 1758 = *Myrmecophaga tridactyla* Linnaeus, 1758
- Myrmecophaga tridactyla*** Linnaeus, 1758 II  
 MYRMECOPHAGIDAE (Mammalia) (E) Giant Anteater (S) Banderón caballo, Hormiguero gigante, Oso caballo, Oso hormiguero (F) Grand fourmilier, Tamanoir
- Myrmia*** spp. II TROCHILIDAE (Aves)
- Myrmia micrura*** (Gould, 1854) II TROCHILIDAE (Aves)  
 (E) Short-tailed Woodstar (S) Colibrí colicorto, Estrellita colicorta (F) Colibri à queue courte
- Myrtis*** spp. II TROCHILIDAE (Aves)
- Myrtis fanny*** (Lesson, 1838) II TROCHILIDAE (Aves) (E)  
 Purple-collared Woodstar (S) Colibrí myrtis, Estrellita gargantillada (F) Colibri fanny
- Myrtis yarrellii* (Bourcier, 1847) = *Eulidia yarrellii* (Bourcier, 1847)
- Mytilus lithophaga* Linnaeus, 1758 = *Lithophaga lithophaga* (Linnaeus, 1758)
- Nactus serpensinsula*** (Loveridge, 1951) II  
 GEKKONIDAE (Reptilia) (E) Serpent Island Gecko (S) Geco de la isla Serpiente (F) Cyrtodactyle de l'île de Serpent, Gecko de l'île Serpent
- Nacurutú (S): *Bubo virginianus*
- Nadzikambia* spp. Tilbury, Tolley & Branch, 2006 II  
 CHAMAELEONIDAE (Reptilia)
- Nadzikambia baylissi*** Branch & Tolley, 2010 II  
 CHAMAELEONIDAE (Reptilia)
- Nadzikambia mlanjense* (Broadley, 1965) = *Nadzikambia mlanjensis* (Broadley, 1965)
- Nadzikambia mlanjensis*** (Broadley, 1965) II  
 CHAMAELEONIDAE (Reptilia) (E) Mlanje Mountain Chameleon (F) Caméléon nain du Zululand
- Naemorhedus baileyi*** Pocock, 1914 I BOVIDAE  
 (Mammalia) (E) Chinese Goral, Red Goral (F) Goral rouge
- Naemorhedus bedfordi* (Lydekker, 1905) = *Naemorhedus goral* (Hardwicke, 1825)
- Naemorhedus caudatus*** (Milne-Edwards, 1867) I  
 BOVIDAE (Mammalia) (E) Chinese Goral, Long-tailed Goral (F) Goral à queue longue

- Naemorhedus caudatus griseus* (Milne-Edwards, 1867) = *Naemorhedus griseus* (Milne Edwards, 1871)
- Naemorhedus evansi* (Lydekker, 1902) = *Naemorhedus griseus* (Milne Edwards, 1871)
- Naemorhedus goral** (Hardwicke, 1825) I BOVIDAE  
(Mammalia) (E) Goral, Himalayan Goral (S) Goral (F)  
Bouquetin du Népal, Goral
- Naemorhedus goral baileyi* (Hardwicke, 1825) =  
*Naemorhedus baileyi* Pocock, 1914
- Naemorhedus goral caudatus* (Hardwicke, 1825) =  
*Naemorhedus caudatus* (Milne-Edwards, 1867)
- Naemorhedus griseus** (Milne Edwards, 1871) I  
BOVIDAE (Mammalia) (E) Chinese Goral, South China  
Goral
- Naemorhedus sumatraensis* (Bechstein, 1799) =  
*Capricornis sumatraensis* (Bechstein, 1799)
- Naiad, Brown-blossom (E): *Epioblasma walkeri*
- Naiad, Dromedary (E): *Dromus dromas*
- Naiad, Edible (E): *Cyrogenia aberti*
- Naiad, Rimose (E): *Conradilla caelata*
- Naiad, Sampson's (E): *Epioblasma sampsonii*
- Naja à lunettes (F): *Naja naja*
- Naja atra** Cantor, 1842 II ELAPIDAE (Reptilia) (E)  
Chinese Cobra, Chinese Spitting Cobra
- Naja indien (F): *Naja naja*
- Naja kaouthia** Lesson, 1831 II ELAPIDAE (Reptilia) (E)  
Monocellate Cobra, Monocled Cobra
- Naja mandalayensis** Slowinski & Wüster, 2000 II  
ELAPIDAE (Reptilia)
- Naja naja* (Linnaeus, 1758) II ELAPIDAE (Reptilia) (E)  
Indian Cobra, Indian Spectacled Cobra (S) Cobra de  
anteojos (F) Cobra à lunettes, Cobra des Indes, Cobra  
indien, Naja à lunettes, Naja indien, Serpent à lunettes
- Naja naja atra* (Linnaeus, 1758) = *Naja atra* Cantor, 1842
- Naja naja kaouthia* (Linnaeus, 1758) = *Naja kaouthia*  
Lesson, 1831
- Naja naja oxiana* (Linnaeus, 1758) = *Naja oxiana*  
(Eichwald, 1831)
- Naja naja philippinensis* (Linnaeus, 1758) = *Naja philippinensis* Taylor, 1922
- Naja naja sagittifera* (Linnaeus, 1758) = *Naja sagittifera*  
Wall, 1913
- Naja naja samarensis* (Linnaeus, 1758) = *Naja samarensis* W. Peters, 1861
- Naja naja siamensis* (Linnaeus, 1758) = *Naja siamensis*  
Laurenti, 1768
- Naja naja sputatrix* (Linnaeus, 1758) = *Naja sputatrix* F.  
Boie, 1827
- Naja naja sumatrana* (Linnaeus, 1758) = *Naja sumatrana*  
F. Müller, 1890
- Naja oxiana** (Eichwald, 1831) II ELAPIDAE (Reptilia) (E)  
Central Asian Cobra, Oxus Cobra
- Naja philippinensis** Taylor, 1922 II ELAPIDAE (Reptilia)  
(E) North Philippine Spitting Cobra, Philippine Cobra
- Naja sagittifera** Wall, 1913 II ELAPIDAE (Reptilia) (E)  
Andaman Cobra
- Naja samarensis** W. Peters, 1861 II ELAPIDAE (Reptilia)  
(E) Peters's Cobra, South-east Philippine Spitting  
Cobra
- Naja siamensis** Laurenti, 1768 II ELAPIDAE (Reptilia) (E)  
Indochinese Spitting Cobra
- Naja sputatrix** F. Boie, 1827 II ELAPIDAE (Reptilia) (E)  
Indonesian Cobra, South Indonesian Spitting Cobra
- Naja sumatrana** F. Müller, 1890 II ELAPIDAE (Reptilia)  
(E) Equatorial Spitting Cobra, Golden Spitting Cobra  
Nakamina (S): *Cyclagras gigas*
- Namazonurus campbelli* (FitzSimons, 1938) = *Cordylus campbelli* (FitzSimons, 1938)
- Namazonurus lawrenci* (FitzSimons, 1939) = *Cordylus lawrenci* (FitzSimons, 1939)
- Namazonurus namaquensis* (Methuen & Hewitt, 1914) =  
*Cordylus namaquensis* (Methuen & Hewitt, 1914)
- Namazonurus peersi* (Hewitt, 1932) = *Cordylus peersi*  
(Hewitt, 1932)
- Namazonurus pustulatus* (Peters, 1862) = *Cordylus pustulatus* (Peters, 1862)
- Nandayus** spp. II 29 PSITTACIDAE (Aves)
- Nandayus nenday** (Vieillot, 1823) II 29 PSITTACIDAE  
(Aves) (E) Black-headed Conure, Black-headed  
Parakeet, Nanday Conure, Nanday Parakeet (S)  
Aratinga ñanday, Cotorra cabecinegra (F) Conure  
nanday, Perruche Nanday
- Nandou commun (F): *Rhea americana*
- Nandou d'Amérique (F): *Rhea americana*
- Nandou de Darwin (F): *Pterocnemia pennata*
- Nandou gris (F): *Rhea americana*
- Ñandú (S): *Rhea americana*
- Ñandú común (S): *Rhea americana*
- Ñandú cordillerano (S): *Pterocnemia pennata*
- Ñandú de Darwin (S): *Pterocnemia pennata*
- Ñandú petizo (S): *Pterocnemia pennata*
- Nanger dama** (Pallas, 1766) I BOVIDAE (Mammalia) (E)  
Addra Gazelle, Dama Gazelle (F) Gazelle dama
- Nannopsittaca** spp. Ridgway, 1912 II 29 PSITTACIDAE  
(Aves)
- Nannopsittaca dachilleae** O'Neil, Munn & Franke, 1991  
II 29 PSITTACIDAE (Aves) (E) Amazonian Parakeet,  
Amazonian Parrotlet (S) Cotorrita amazónica (F) Toui  
de D'Achille
- Nannopsittaca panychlora** (Salvin & Godman, 1883) II  
29 PSITTACIDAE (Aves) (E) Tepui Parakeet, Tepui  
Parrotlet (S) Chirica, Cotorrita tepuí (F) Toui des tépuis
- Nannopsittacus gulielmitertii* (Schlegel, 1866) =  
*Cyclopsitta gulielmitertii* (Schlegel, 1866)
- Nanodes elegans* Gould, 1837 = *Neophema elegans*  
(Gould, 1837)
- Nanodes musschenbroekii* Schlegel, 1871 = *Neopsittacus*  
*musschenbroekii* (Schlegel, 1871)
- Napoléon (F): *Cheilinus undulatus*
- Napoleón (S): *Cheilinus undulatus*
- Napoleonfish (E): *Cheilinus undulatus*
- Nardoana boa* (Schlegel, 1837) = *Bothrochilus boa*  
(Schlegel, 1837)
- Narval (F): *Monodontidae*
- Narval (S): *Monodon monoceros*
- Narval (S): *Monodontidae*
- Narval (F): *Monodon monoceros*
- Narwhal (E): *Monodon monoceros*

- Nasalis concolor* (Miller, 1903) = *Simias concolor* Miller, 1903  
**Nasalis larvatus** (Wurmb, 1787) I CERCOPITHECIDAE (Mammalia) (E) Long-nosed Monkey, Proboscis Monkey (S) Mono narigudo, Násico (F) Nasique Násico (S): *Nasalis larvatus*  
 Nasique (F): *Simias concolor*  
 Nasique (F): *Nasalis larvatus*  
*Nasiterna bruijnii* Salvadori, 1875 = *Micropsitta bruijnii* (Salvadori, 1875)  
*Nasiterna finschii* Ramsay, 1881 = *Micropsitta finschii* (Ramsay, 1881)  
*Nasiterna keiensis* Salvadori, 1875 = *Micropsitta keiensis* (Salvadori, 1875)  
*Nasiterna pusio* Sclater, 1866 = *Micropsitta pusio* (Sclater, 1866)  
*Nasiterna pygmaea geelvinkiana* (Quoy & Gaimard, 1833) = *Micropsitta geelvinkiana* (Schlegel, 1871)  
**Nasua narica** (Linnaeus, 1766) III PROCYONIDAE (Mammalia) (E) Northern Coati, White-nosed Coati (S) Coati (F) Coati, Coati à museau blanc, Coati brun  
**Nasua nasua** (Linnaeus, 1766) III/NC PROCYONIDAE (Mammalia) (E) South American Coati, Southern Coati  
**Nasua nasua solitaria** Schinz, 1821 III PROCYONIDAE (Mammalia) (E) South Brazilian Coati (F) Coati roux  
*Nasua nelsoni* Merriam, 1901 = *Nasua narica* (Linnaeus, 1766)  
**Natator spp.** I CHELONIIDAE (Reptilia)  
**Natator depressus** (Garman, 1880) I CHELONIIDAE (Reptilia) (E) Flatback (S) Tortuga franca oriental (F) Cayunne, Chelonée à dos plat, Coffre, Tortue à bahut, Tortue marine à dos plat  
*Natator tessellatus* McCulloch, 1908 = *Natator depressus* (Garman, 1880)  
*Natrix piscator* (Schneider, 1799) = *Xenochrophis piscator* (Schneider, 1799)  
*Naultinus spp.* II GEKKONIDAE (Reptilia)  
*Naultinus elegans* Gray, 1842 II GEKKONIDAE (Reptilia) (E) Common Green Gecko, Green Tree Gecko  
*Naultinus gemmeus* (McCann, 1955) II GEKKONIDAE (Reptilia) (E) Jewelled Gecko, South Island Tree Gecko  
*Naultinus grayii* Bell, 1843 II GEKKONIDAE (Reptilia) (E) Gray's Tree Gecko, Northland Green Gecko  
*Naultinus manukanus* (McCann, 1955) II GEKKONIDAE (Reptilia) (E) Marlborough Green Gecko, Northern Tree Gecko  
*Naultinus "north cape"* Nielsen et al. 2011 II GEKKONIDAE (Reptilia)  
*Naultinus poecilochlorus* (Robb, 1980) II GEKKONIDAE (Reptilia) (E) Central Tree Gecko  
*Naultinus poecilochlorus* (Robb, 1980) = *Naultinus tuberculatus* (McCann, 1955)  
*Naultinus punctatus* (Gray, 1843) II GEKKONIDAE (Reptilia)  
*Naultinus rufus* (Fischer, 1881) II GEKKONIDAE (Reptilia) (E) Natural Tree Gecko, Rough Gecko  
*Naultinus stellatus* Hutton, 1872 II GEKKONIDAE (Reptilia) (E) Nelson Green Gecko, Starry Tree Gecko  
*Naultinus tuberculatus* (McCann, 1955) II GEKKONIDAE (Reptilia) (E) Warty Tree Gecko, West Coast Green Gecko  
**Necropsittacus spp.** II 29 PSITTACIDAE (Aves)  
**Necrosyrtes spp.** II 27 ACCIPITRIDAE (Aves)  
**Necrosyrtes monachus** (Temminck, 1823) II 27 ACCIPITRIDAE (Aves) (E) Hooded Vulture (S) Alimoche sombreño (F) Percnoptère brun, Vautour charognard  
*Nectophryne tornieri* Roux, 1906 = *Nectophrynoidea tornieri* (Roux, 1906)  
*Nectophryne werthi* Nieden, 1911 "1910" = *Nectophrynoidea viviparus* (Tornier, 1905)  
 Nectophrynoide cryptique (F): *Nectophrynoidea cryptus*  
 Nectophrynoide de Malcolm (F): *Altiphrynoidea malcolmi*  
 Nectophrynoide des Monts Uluguru (F): *Nectophrynoidea viviparus*  
 Nectophrynoide des Monts Usambara (F): *Nectophrynoidea tornieri*  
 Nectophrynoide des Monts Uzungwe (F): *Nectophrynoidea wendyae*  
 Nectophrynoide d'Ethiopie (F): *Altiphrynoidea osgoodi*  
 Nectophrynoide de Tornier (F): *Nectophrynoidea tornieri*  
 Nectophrynoide d'Osgood (F): *Altiphrynoidea osgoodi*  
 Nectophrynoide du Mont Nimba (F): *Nimbaphrynoidea occidentalis*  
 Nectophrynoide menu (F): *Nectophrynoidea minutus*  
**Nectophrynoidea spp.** Noble, 1926 I BUFONIDAE (Amphibia)  
**Nectophrynoidea asperginis** Poynton, Howell, Clarke & Lovett, 1999 I BUFONIDAE (Amphibia)  
**Nectophrynoidea cryptus** Perret, 1971 I BUFONIDAE (Amphibia) (E) Secret Tree Toad (F) Nectophrynoide cryptique  
**Nectophrynoidea frontierei** Menegon, Salvidio & Loader, 2004 I BUFONIDAE (Amphibia)  
**Nectophrynoidea laevis** Menegon, Salvidio & Loader, 2004 I BUFONIDAE (Amphibia)  
**Nectophrynoidea laticeps** Channing, Menegon, Salvidio & Akker, 2005 I BUFONIDAE (Amphibia)  
*Nectophrynoidea liberiensis* Xavier, 1979 "1978" = *Nimbaphrynoidea occidentalis* Angel, 1943  
*Nectophrynoidea malcolmi* Grandison, 1978 = *Altiphrynoidea malcolmi* Grandison, 1978  
**Nectophrynoidea minutus** Perret, 1972 I BUFONIDAE (Amphibia) (E) Minute Tree Toad (F) Nectophrynoide menu  
*Nectophrynoidea occidentalis* Angel, 1943 = *Nimbaphrynoidea occidentalis* Angel, 1943  
*Nectophrynoidea occidentalis liberiensis* Sandberger, Hillers, Doumbia, Loua, Brede & Rödel, 2010 = *Nimbaphrynoidea occidentalis* Angel, 1943  
*Nectophrynoidea occidentalis occidentalis* Sandberger, Hillers, Doumbia, Loua, Brede & Rödel, 2010 = *Nimbaphrynoidea occidentalis* Angel, 1943  
*Nectophrynoidea osgoodi* Grandison, 1978 = *Altiphrynoidea osgoodi* (Loveridge, 1932)  
*Nectophrynoidea osgoodi* (Loveridge, 1932) = *Altiphrynoidea osgoodi* (Loveridge, 1932)  
**Nectophrynoidea paulae** Menegon, Salvidio, Ngalason & Loader, 2007 I BUFONIDAE (Amphibia)

- Nectophrynoides poyntoni** Menegon, Salvidio & Loader, 2004 I BUFONIDAE (Amphibia) **Neophema elegans** (Gould, 1837) II 29 PSITTACIDAE (Aves) (E) Elegant Grass-Parakeet, Elegant Parrot (S) Periquito elegante (F) Perruche élégante
- Nectophrynoides pseudotornieri** Menegon, Salvidio & Loader, 2004 I BUFONIDAE (Amphibia)
- Nectophrynoides tornieri** (Roux, 1906) I BUFONIDAE (Amphibia) (E) Tornier's Tree Toad, Usambara Viviparous Toad (F) Nectophrynoide des Monts Usambara, Nectophrynoide de Tornier
- Nectophrynoides tornieri Barbour and Loveridge, 1928** = **Nectophrynoides tornieri** (Roux, 1906)
- Nectophrynoides vestergaardi** Menegon, Salvidio & Loader, 2004 I BUFONIDAE (Amphibia)
- Nectophrynoides vivipara Noble, 1926** = **Nectophrynoides viviparus** (Tornier, 1905)
- Nectophrynoides viviparus** (Tornier, 1905) I BUFONIDAE (Amphibia) (E) Morogoro Tree Toad, Rungwe Viviparous Toad (F) Nectophrynoide des Monts Uluguru
- Nectophrynoides viviparus Perret, 1971** = **Nectophrynoides viviparus** (Tornier, 1905)
- Nectophrynoides wendyae** Clarke, 1988 I BUFONIDAE (Amphibia) (E) Uzungwe Scarp Tree Toad (F) Nectophrynoide des Monts Uzungwe
- Nectophrynoides wendyi Graybeal and Cannatella, 1995** = **Nectophrynoides wendyae** Clarke, 1988
- Nemenzophyllia turbida Hodgson & Ross, 1982** = **Plerogyra turbida** (Hodgson & Ross, 1982)
- Nene (E): *Branta sandvicensis*
- NEOBALAEIIDAE spp.** Gray, 1873 I 18 (Mammalia) (E) Pygmy Right Whale (S) Ballena Franca Prigmea (F) Baleine Pygmée
- Neoceratodus blanchardi** Castelnau, 1876 = **Neoceratodus forsteri** (Krefft, 1870)
- Neoceratodus forsteri** (Krefft, 1870) II CERATODONTIDAE (Sarcopterygii) (E) Australian Lungfish, Ceratodus, Queensland Lungfish (S) Dipnoo, Pez pulmonado australiano (F) Cératode, Dipneuste
- Neofelis spp.** I/II 10 FELIDAE (Mammalia)
- Neofelis diardi** (G. Cuvier, 1823) = **Neofelis nebulosa** (Griffith, 1821)
- Neofelis nebulosa** (Griffith, 1821) I FELIDAE (Mammalia) (E) Clouded Leopard (S) Pantera del Himalaya, Pantera longibanda, Pantera nebulosa (F) Panthère longibande, Panthère nébuleuse
- Neohelia porcellana** Moseley, 1881 = **Madrepora porcellana** (Moseley, 1881)
- Neomeris phocaenoides** G. Cuvier, 1829 = **Neophocaena phocaenoides** (G. Cuvier, 1829)
- Neophema spp.** I/II 29 PSITTACIDAE (Aves)
- Neophema bourkii** (Gould, 1841) = **Neopsephotus bourkii** (Gould, 1841)
- Neophema chrysogaster** (Latham, 1790) I PSITTACIDAE (Aves) (E) Orange-bellied Parakeet, Orange-bellied Parrot (S) Cacatúa de vientre naranja, Loro ventrinaranja, Periquito ventrinaranja (F) Perruche à lunettes vertes, Perruche à ventre orange
- Neophema chrysostoma** (Kuhl, 1820) II 29 PSITTACIDAE (Aves) (E) Blue-winged Grass-Parakeet, Blue-winged Parrot (S) Periquito crisóstomo (F) Perruche à bouche d'or
- Neophema elegans** (Gould, 1837) II 29 PSITTACIDAE (Aves) (E) Elegant Grass-Parakeet, Elegant Parrot (S) Periquito elegante (F) Perruche élégante
- Neophema petrophila** (Gould, 1841) II 29 PSITTACIDAE (Aves) (E) Rock Parrot (S) Periquito roquero (F) Perruche des écueils, Perruche des rochers
- Neophema pulchella** (Shaw, 1792) II 29 PSITTACIDAE (Aves) (E) Turquoise Grass-Parakeet, Turquoise Parrot (S) Periquito turquesa (F) Perruche turquoise
- Neophema splendida** (Gould, 1841) II 29 PSITTACIDAE (Aves) (E) Scarlet-chested Parrot, Splendid Grass-Parakeet (S) Periquito espléndido (F) Perruche à poitrine écarlate, Perruche splendide
- Neophocaena spp.** I 18 PHOCOENIDAE (Mammalia)
- Neophocaena phocaenoides** (G. Cuvier, 1829) I PHOCOENIDAE (Mammalia) (E) Black Finless Porpoise, Finless Black Porpoise, Finless Porpoise (S) Marsopa negra (F) Marsouin aptère, Marsouin sans nageoires
- Neophron spp.** II 27 ACCIPITRIDAE (Aves)
- Neophron percnopterus** (Linnaeus, 1758) II 27 ACCIPITRIDAE (Aves) (E) Egyptian Vulture (S) Alimoche, Alimoche común (F) Percnoptère d'Egypte, Vautour percnoptère
- Neoporites subtilis** Duchassaing & Michelotti, 1864 = **Porites astreoides** Lamarck, 1816
- Neopsephotus spp.** II 29 PSITTACIDAE (Aves)
- Neopsephotus bourkii** (Gould, 1841) II 29 PSITTACIDAE (Aves) (E) Bourke's Parrot (S) Periquito rosado (F) Perruche de Bourke
- Neopsittacus spp.** Salvadori, 1875 II 29 LORIIDAE (Aves)
- Neopsittacus musschenbroekii** (Schlegel, 1871) II 29 LORIIDAE (Aves) (E) Musschenbroek's Lorikeet, Yellow-billed Lorikeet (S) Lori montano grande (F) Lori de Musschenbroek
- Neopsittacus pullicauda** Harttert, 1896 II 29 LORIIDAE (Aves) (E) Emerald Lorikeet, Orange-billed Lorikeet (S) Lori montano chico (F) Lori émeraude
- Neotis spp.** II OTIDIDAE (Aves)
- Neotis burchellii** (Heuglin, 1867) = **Neotis denhami** (Children, 1826)
- Neotis cafra denhami** (Lichtenstein, 1793) = **Neotis denhami** (Children, 1826)
- Neotis cafra** (Lichtenstein, 1793) = **Eupodotis senegalensis** (Vieillot, 1820)
- Neotis denhami** (Children, 1826) II OTIDIDAE (Aves) (E) Denham's Bustard, Stanley Bustard (S) Avutarda cafre, Avutarda de Burchell, Avutarda de Denham (F) Outarde de Burchell, Outarde de Denham
- Neotis heuglinii** (Hartlaub, 1859) II OTIDIDAE (Aves) (E) Heuglin's Bustard (S) Avutarda de Heuglin, Avutarda somalí (F) Outarde de Heuglin
- Neotis ludwigii** (Rüppell, 1837) II OTIDIDAE (Aves) (E) Ludwig's Bustard (S) Avutarda de Ludwig, Avutarda de Namibia (F) Outarde de Ludwig
- Neotis nuba** (Cretzschmar, 1826) II OTIDIDAE (Aves) (E) Nubian Bustard (S) Avutarda núbica (F) Outarde de Nubie, Outarde nubienne

- Nesasio spp.** II<sup>30</sup> STRIGIDAE (Aves)
- Nesasio solomonensis** (Hartert, 1901) II<sup>30</sup> STRIGIDAE (Aves) (E) Fearful Owl (S) Búho de las Salomón (F) Chouette des îles Salomons, Hibou redoutable
- Nesochen sandvicensis** (Vigors, 1833) = *Branta sandvicensis* (Vigors, 1833)
- Nesoenas mayeri** (Prévost, 1843) III COLUMBIDAE (Aves) (E) Pink Pigeon (S) Paloma de Mauricio (F) Pigeon rose
- Nesonetta aucklandica** G. R. Gray, 1844 = *Anas aucklandica* (G. R. Gray, 1844)
- Nestor spp.** II<sup>29</sup> PSITTACIDAE (Aves)
- Nestor kék (F): *Nestor notabilis*
- Nestor meridionalis** (Gmelin, 1788) II<sup>29</sup> PSITTACIDAE (Aves) (E) Kaka, New Zealand Kaka (S) Kaka (F) Nestor superbe
- Nestor notabilis** Gould, 1856 II<sup>29</sup> PSITTACIDAE (Aves) (E) Kea (S) Kea (F) Kea, Nestor kék
- Nestor superbe (F): *Nestor meridionalis*
- Nette à cou rose (F): *Rhodonessa caryophyllacea*
- Neurergus crocatus kaiseri** Schmidt, 1952 = *Neurergus kaiseri* Schmidt, 1952
- Neurergus crocatus kaiseri** Thorn, 1968 = *Neurergus kaiseri* Schmidt, 1952
- Neurergus kaiseri** Schmidt, 1952 I SALAMANDRIDAE (Amphibia) (E) Kaiser's spotted newt, Lurestan Newt, Luristan Newt
- Neurergus kaiseri* Schmidtler and Schmidtler, 1970 = *Neurergus kaiseri* Schmidt, 1952
- Neurergus (neurergus) kaiseri* Dubois and Raffaëlli, 2009 = *Neurergus kaiseri* Schmidt, 1952
- newt, Kaiser's spotted (E): *Neurergus kaiseri*
- Newt, Lurestan (E): *Neurergus kaiseri*
- Newt, Luristan (E): *Neurergus kaiseri*
- Nicobar à camail (F): *Caloenas nicobarica*
- Nicoria spengleri** (Gmelin, 1789) = *Geoemyda spengleri* (Gmelin, 1789)
- Nicoria tricarinata** (Blyth, 1856) = *Melanochelys tricarinata* (Blyth, 1856)
- Nifa mexicana (S): *Thalurania ridgwayi*
- Nilgai (E): *Boselaphus tragocamelus*
- Nilssonia formosa** (Gray, 1869) II TRIONYCHIDAE (Reptilia) (E) Burmese Peacock Softshell Turtle
- Nilssonia gangetica** (Cuvier, 1825) I TRIONYCHIDAE (Reptilia) (E) Indian Softshell Turtle (S) Tortuga del Ganges (F) Trionyx du Gange
- Nilssonia hurum** (Gray, 1831) I TRIONYCHIDAE (Reptilia) (E) Indian Peacock Softshell Turtle, Peacock Soft-shell Turtle (S) Tortuga pavo (F) Trionyx paon
- Nilssonia leithii** (Gray, 1872) II TRIONYCHIDAE (Reptilia) (E) Leith's Softshell Turtle
- Nilssonia nigricans** (Anderson, 1875) I TRIONYCHIDAE (Reptilia) (E) Black Softshell Turtle, Bostami Turtle (S) Tortuga sombría (F) Trionyx sombre
- Niltava ruecki* (Oustalet, 1881) = *Cyornis ruckii* (Oustalet, 1881)
- Niltava, Rueck's (E): *Cyornis ruckii*
- Nimbaphrynoides spp.** Dubois, 1987 I BUFONIDAE (Amphibia)
- Nimbaphrynoides liberiensis* Dubois, 1987 = *Nimbaphrynoides occidentalis* Angel, 1943
- Nimbaphrynoides occidentalis** Angel, 1943 I BUFONIDAE (Amphibia) (E) Mount Nimba Viviparous Toad, Western Nimba Toad (S) Sapo vivíparo de África occidental (F) Nectophrynoide du Mont Nimba
- Nimbaphrynoides occidentalis* Dubois, 1987 "1986" = *Nimbaphrynoides occidentalis* Angel, 1943
- Ninfa coronada (S): *Thalurania colombica*
- Ninox spp.** I/II<sup>30</sup> STRIGIDAE (Aves)
- Ninox affinis** Beavan, 1867 II<sup>30</sup> STRIGIDAE (Aves) (E) Andaman Boobook, Andaman Hawk-Owl (S) Nínox de Andamán (F) Ninoxe des Andaman
- Nínox australiano (S): *Ninox boobook*
- Ninox boobook** (Latham, 1801) II<sup>30</sup> STRIGIDAE (Aves) (E) Southern Boobook (S) Nínox australiano (F) Ninoxe d'Australie
- Ninox burhani** Indrawan & Somadikarta, 2004 II<sup>30</sup> STRIGIDAE (Aves)
- Ninox connivens** (Latham, 1801) II<sup>30</sup> STRIGIDAE (Aves) (E) Barking Owl, Winking Owl (S) Nínox ladrador (F) Ninoxe aboyeuse
- Nínox de Andamán (S): *Ninox affinis*
- Nínox de la Manus (S): *Ninox meeki*
- Nínox de las Bismarck (S): *Ninox variegata*
- Nínox de las Salomón (S): *Ninox jacquinoti*
- Nínox de Nueva Bretaña (S): *Ninox odiosa*
- Nínox de Sumba (S): *Ninox rudolfi*
- Ninoxe aboyeuse (F): *Ninox connivens*
- Ninoxe à sourcils blancs (F): *Ninox superciliaris*
- Ninoxe bariolée (F): *Ninox variegata*
- Ninoxe boubouk (F): *Ninox novaeseelandiae*
- Ninoxe boubouk de l'île Norfolk (F): *Ninox novaeseelandiae undulata*
- Ninoxe brune (F): *Ninox theomacha*
- Ninoxe d'Australie (F): *Ninox boobook*
- Ninoxe de Jacquinot (F): *Ninox jacquinoti*
- Ninoxe de l'Amirauté (F): *Ninox meeki*
- Ninoxe des Andaman (F): *Ninox affinis*
- Ninoxe des Moluques (F): *Ninox squamipila*
- Ninoxe des Philippines (F): *Ninox philippensis*
- Ninoxe de Sumba (F): *Ninox rudolfi*
- Ninoxe hirsute (F): *Ninox scutulata*
- Ninoxe ocrée (F): *Ninox ochracea*
- Ninoxe odieuse (F): *Ninox odiosa*
- Ninoxe papoue (F): *Uroglaux dimorpha*
- Ninoxe pointillée (F): *Ninox punctulata*
- Ninoxe puissante (F): *Ninox strenua*
- Ninoxe rieuse (F): *Sceloglaux albifacies*
- Ninoxe rousse (F): *Ninox rufa*
- Nínox filipino (S): *Ninox philippensis*
- Ninox forbesi* P. L. Sclater, 1883 = *Ninox squamipila* (Bonaparte, 1850)
- Ninox goldii* Gurney, 1883 = *Ninox theomacha* (Bonaparte, 1855)
- Nínox halcón (S): *Uroglaux dimorpha*
- Ninox hypogramma* (G. R. Gray, 1861) = *Ninox squamipila* (Bonaparte, 1850)
- Ninox ios** Rasmussen, 1999 II<sup>30</sup> STRIGIDAE (Aves) (E) Cinnabar Hawk-Owl

- Ninox jacquinoti** (Bonaparte, 1850) II 30 STRIGIDAE  
 (Aves) (E) Solomon Hawk-Owl, Solomon Islands Boobook (S) Nínox de las Solomón (F) Ninoxe de Jacquinot
- Ninox japonica** (Temminck & Schlegel, 1844) = *Ninox scutulata* (Raffles, 1822)  
 Nínox ladrador (S): *Ninox connivens*
- Ninox leucopsis** (Gould, 1838) = *Ninox novaeseelandiae* (Gmelin, 1788)
- Ninox lurida** De Vis, 1887 = *Ninox boobook* (Latham, 1801)
- Nínox malgache (S): *Ninox superciliaris*
- Nínox maorí (S): *Ninox novaeseelandiae*
- Ninox meeki** Rothschild & Hartert, 1914 II 30  
 STRIGIDAE (Aves) (E) Admiralty Hawk-Owl, Admiralty Islands Hawk-Owl, Manus Boobook, Manus Hawk-Owl (S) Nínox de la Manus (F) Ninoxe de l'Amirauté
- Ninox mindorensis** Ogilvie-Grant, 1896 = *Ninox philippensis* Bonaparte, 1855
- Nínox moluqueño (S): *Ninox squamipila*
- Ninox natalis** Lister, 1889 I STRIGIDAE (Aves) (E) Christmas Hawk-Owl, Christmas Island Hawk-Owl (F) Chouette épervière de l'île Christmas
- Ninox novaeseelandiae** (Gmelin, 1788) I/II 30  
 STRIGIDAE (Aves) (E) Morepork (S) Nínox maorí (F) Chouette boobok, Chouette coucou, Ninoxe boubouk
- Ninox novaeseelandiae boobook** (Gmelin, 1788) = *Ninox boobook* (Latham, 1801)
- Ninox novaeseelandiae cinnamomina** (Gmelin, 1788) = *Ninox boobook* (Latham, 1801)
- Ninox novaeseelandiae fusca** (Gmelin, 1788) = *Ninox boobook* (Latham, 1801)
- Ninox novaeseelandiae lurida** (Gmelin, 1788) = *Ninox boobook* (Latham, 1801)
- Ninox novaeseelandiae marmorata** (Gmelin, 1788) = *Ninox boobook* (Latham, 1801)
- Ninox novaeseelandiae ocellata** (Gmelin, 1788) = *Ninox boobook* (Latham, 1801)
- Ninox novaeseelandiae plesseni** (Gmelin, 1788) = *Ninox boobook* (Latham, 1801)
- Ninox novaeseelandiae pusilla** (Gmelin, 1788) = *Ninox boobook* (Latham, 1801)
- Ninox novaeseelandiae remigialis** (Gmelin, 1788) = *Ninox boobook* (Latham, 1801)
- Ninox novaeseelandiae roiana** (Gmelin, 1788) = *Ninox novaeseelandiae undulata* (Latham, 1801)
- Ninox novaeseelandiae rudolfi** (Gmelin, 1788) = *Ninox rudolfi* Meyer, 1882
- Ninox novaeseelandiae undulata** (Latham, 1801) I  
 STRIGIDAE (Aves) (E) Norfolk Boobook, Norfolk Island Boobook Owl (S) Lechuza gavilana de Norfolk, Mochuelo cucú (F) Chouette boobok de l'île Norfolk, Ninoxe boubouk de l'île Norfolk
- Ninox ochracea** (Schlegel, 1865) II 30 STRIGIDAE  
 (Aves) (E) Ochre-bellied Boobook, Ochre-bellied Hawk-Owl (S) Nínox ocráceo (F) Ninoxe ocrée  
 Nínox ocráceo (S): *Ninox ochracea*
- Ninox odiosa** Sclater, 1877 II 30 STRIGIDAE (Aves) (E) New Britain Hawk-Owl, Russet Boobook, Russet
- Hawk-Owl (S) Nínox de Nueva Bretaña (F) Ninoxe odieuse
- Nínox papú (S): *Ninox theomacha*
- Nínox pardo (S): *Ninox scutulata*
- Ninox perversa** Stresemann, 1938 = *Ninox ochracea* (Schlegel, 1865)
- Ninox philippensis** Bonaparte, 1855 II 30 STRIGIDAE  
 (Aves) (E) Philippine Boobook, Philippine Hawk-Owl (S) Nínox filipino (F) Ninoxe des Philippines
- Ninox punctulata** (Quoy & Gaimard, 1830) II 30 STRIGIDAE (Aves) (E) Speckled Boobook, Speckled Hawk-Owl (S) Nínox punteado (F) Ninoxe pointillée
- Nínox punteado (S): *Ninox punctulata*
- Ninox randi** Deignan, 1951 = *Ninox scutulata* (Raffles, 1822)
- Nínox reidor (S): *Sceloglaux albifacies*
- Ninox reyi** Oustalet, 1880 = *Ninox philippensis* Bonaparte, 1855
- Nínox robusto (S): *Ninox strenua*
- Nínox rojizo (S): *Ninox rufa*
- Ninox rudolfi** Meyer, 1882 II 30 STRIGIDAE (Aves) (E) Sumba Boobook (S) Nínox de Sumba (F) Ninoxe de Sumba
- Ninox rufa** (Gould, 1846) II 30 STRIGIDAE (Aves) (E) Rufous Owl (S) Nínox rojizo (F) Ninoxe rousse
- Ninox scutulata** (Raffles, 1822) II 30 STRIGIDAE (Aves) (E) Brown Boobook, Brown Hawk-Owl (S) Nínox pardo (F) Ninoxe hirsute
- Ninox solomonis** Sharpe, 1876 = *Ninox variegata* (Quoy & Gaimard, 1830)
- Ninox spilocephala** Tweeddale, 1879 = *Ninox philippensis* Bonaparte, 1855
- Ninox spilonota** Bourns & Worcester, 1894 = *Ninox philippensis* Bonaparte, 1855
- Ninox spilonotus** Bourns & Worcester, 1894 = *Ninox philippensis* Bonaparte, 1855
- Ninox squamipila** (Bonaparte, 1850) II 30 STRIGIDAE (Aves) (E) Moluccan Boobook, Moluccan Hawk-Owl (S) Lechuza gavilana de las Molucas, Mochuelo de las Molucas, Nínox moluqueño (F) Chouette des Moluques, Chouette épervière, Ninoxe des Moluques
- Ninox squamipila natalis** (Bonaparte, 1850) = *Ninox natalis* Lister, 1889
- Ninox strenua** (Gould, 1838) II 30 STRIGIDAE (Aves) (E) Powerful Owl (S) Nínox robusto (F) Ninoxe puissante
- Ninox sumbaensis** Olsen, Wink, Sauer-Gürth & Trost, 2002 II 30 STRIGIDAE (Aves) (E) Little Sumba Hawk-Owl
- Ninox superciliaris** (Vieillot, 1817) II 30 STRIGIDAE (Aves) (E) Madagascar Hawk-Owl, White-browed Boobook, White-browed Owl (S) Nínox malgache (F) Ninoxe à sourcils blancs
- Ninox theomacha** (Bonaparte, 1855) II 30 STRIGIDAE (Aves) (E) Chestnut Hawk-Owl, Jungle Boobook, Jungle Hawk-Owl, Sooty-backed Hawk-Owl (S) Nínox papú (F) Ninoxe brune
- Ninox variegata** (Quoy & Gaimard, 1830) II 30 STRIGIDAE (Aves) (E) Bismarck Boobook, Bismarck

- Hawk-Owl, New Ireland Hawk-Owl (S) Nínox de las Bismarck (F) Ninoxe bariolée
- Ninsaurus langi* (Loveridge, 1944) = *Cordylus langi* (Loveridge, 1944)
- Ninurta coeruleopunctatus* (Hewitt & Methuen, 1913) = *Cordylus coeruleopunctatus* (Methuen & Hewitt, 1914)
- Nipponia nippon* (Temminck, 1835) I THRESKIORNITHIDAE (Aves) (E) Crested Ibis, Japanese Crested Ibis (S) Ibis blanco japonés, Ibis moñudo japonés, Ibis nipón (F) Ibis à crête du Japon, Ibis blanc, Ibis blanc du Japon, Ibis nippon
- Nisaetus alboniger* Blyth, 1845 = *Spizaetus alboniger* (Blyth, 1845)
- Nisaetus bartelsi* (Stresemann, 1924) = *Spizaetus bartelsi* Stresemann, 1924
- Nisaetus cirrhatus* (J. F. Gmelin, 1788) = *Spizaetus cirrhatus* (Gmelin, 1788)
- Nisaetus lanceolatus* (Temminck & Schlegel, 1844) = *Spizaetus lanceolatus* Temminck & Schlegel, 1844
- Nisaetus nanus* (Wallace, 1868) = *Spizaetus nanus* Wallace, 1868
- Nisaetus nipalensis* Hodgson, 1836 = *Spizaetus nipalensis* (Hodgson, 1836)
- Nisaetus philippensis* (Gould, 1863) = *Spizaetus philippensis* Gould, 1863
- Nisaetus pinskeri* (Preleuthner & Gamauf, 1998) = *Spizaetus philippensis* Gould, 1863
- Nisus erythropus* Hartlaub, 1855 = *Accipiter erythropus* (Hartlaub, 1855)
- Nisus toussenelii* J. Verreaux & E. Verreaux, 1855 = *Accipiter toussenelii* (J. Verreaux & E. Verreaux, 1855)
- Nisus virgatus rhodogaster* (Temminck, 1822) = *Accipiter rhodogaster* (Schlegel, 1862)
- Noctua brodiei* Burton, 1836 = *Glaucidium brodiei* (Burton, 1836)
- Noctua capensis* A. Smith, 1834 = *Glaucidium capense* (A. Smith, 1834)
- Noctua cuculoides* Vigors, 1831 = *Glaucidium cuculoides* (Vigors, 1831)
- Noctua hartlaubi* Giebel, 1872 = *Otus hartlaubi* (Giebel, 1849)
- Noctua melanota* Tschudi, 1844 = *Pulsatrix melanota* (Tschudi, 1844)
- Noctua ochracea* Schlegel, 1865 = *Ninox ochracea* (Schlegel, 1865)
- Noctua podargina* Hartlaub & Finsch, 1872 = *Pyrroglaux podargina* (Hartlaub & Finsch, 1872)
- Noctua punctulata* Quoy & Gaimard, 1830 = *Ninox punctulata* (Quoy & Gaimard, 1830)
- Noctua siju d'Orbigny*, 1839 = *Glaucidium siju* (d'Orbigny, 1839)
- Noctua woodfordii* A. Smith, 1834 = *Strix woodfordii* (A. Smith, 1834)
- Nomascus spp.* I HYLOBATIDAE (Mammalia)
- Nomascus annamensis* Van Ngoc Thinh, Mootnick, Vu Ngoc Thanh, Nadler & Roos, 2010 I HYLOBATIDAE (Mammalia)
- Nomascus concolor* (Harlan, 1826) I HYLOBATIDAE (Mammalia) (E) Black-cheeked Crested Gibbon, Black Gibbon, Crested Gibbon, Indochinese Gibbon (F) Gibbon à favoris blancs, Gibbon noir
- Nomascus gabriellae* (Thomas, 1909) I HYLOBATIDAE (Mammalia) (E) Buff-cheeked Gibbon, Yellow-cheeked Crested Gibbon
- Nomascus hainanus* (Thomas, 1892) I HYLOBATIDAE (Mammalia) (E) Hainan Gibbon
- Nomascus leucogenys* (Ogilby, 1840) I HYLOBATIDAE (Mammalia) (E) White-cheeked Crested Gibbon, White-cheeked Gibbon
- Nomascus nasutus hainanus* (Kunkel d'Herculais, 1884) = *Nomascus hainanus* (Thomas, 1892)
- Nomascus siki* Delacour, 1951 I HYLOBATIDAE (Mammalia)
- Nomlandia spp.* Durham & Barnard 1952 II CARYOPHYLLIIDAE (Anthozoa)
- Nomlandia californica* Durham & Barnard, 1952 II CARYOPHYLLIIDAE (Anthozoa)
- Northiella spp.* II<sup>29</sup> PSITTACIDAE (Aves)
- Northiella haematogaster* (Gould, 1838) II<sup>29</sup> PSITTACIDAE (Aves) (E) Bluebonnet (S) Perico cariazul (F) Perruche à bonnet bleu
- Notochelys platynota* (Gray, 1834) II GEOEMYDIDAE (Reptilia) (E) Malayan Flat-shelled Turtle
- Notocyathus spp.* Tenison-Woods 1880 II TURBINOLIIDAE (Anthozoa)
- Notocyathus conicus* (Alcock, 1902) II TURBINOLIIDAE (Anthozoa)
- Notocyathus orientalis* (Duncan, 1876) = *Deltocyathoides orientalis* (Duncan, 1876)
- Notocyathus venustus* (Alcock, 1902) II TURBINOLIIDAE (Anthozoa)
- Notophyllia spp.* Dennant 1899 II DENDROPHYLLIIDAE (Anthozoa)
- Notophyllia etheridgi* Hoffmeister, 1933 II DENDROPHYLLIIDAE (Anthozoa)
- Notophyllia hecki* Cairns, 2004 II DENDROPHYLLIIDAE (Anthozoa)
- Notophyllia piscacauda* Cairns, 1998 II DENDROPHYLLIIDAE (Anthozoa)
- Notophyllia recta* Dennant, 1906 II DENDROPHYLLIIDAE (Anthozoa)
- Novibos sauveli* (Urbain, 1937) = *Bos sauveli* Urbain, 1937
- Numenius borealis* (Forster, 1772) I SCOLOPACIDAE (Aves) (E) Eskimo Curlew (S) Chorlito esquimal, Chorlo polar, Zarapito boreal, Zarapito esquimal, Zarapito polar (F) Courlis esquimal
- Numenius tenuirostris* Vieillot, 1817 I SCOLOPACIDAE (Aves) (E) Slender-billed Curlew (S) Zarapito fino (F) Courlis à bec grêle
- Nutria (S): *Lutra lutra*
- Nutria africana (S): *Aonyx capensis*
- Nutria brasileña (S): *Pteronura brasiliensis*
- Nutria cenicienta (S): *Aonyx cinerea*
- Nutria chilena (S): *Lontra provocax*
- Nutria común (S): *Lutra lutra*
- Nutria de agua (S): *Lontra longicaudis*
- Nutria de Canadá (S): *Lontra canadensis*

- Nutria de Chile (S): *Lontra provocax*  
 Nutria de cola larga (S): *Lontra longicaudis*  
 Nutria de cuello blanco (S): *Aonyx capensis*  
 Nutria de cuello manchado (S): *Hydrictis maculicollis*  
 Nutria del Kamtchatka (S): *Enhydra lutris*  
 Nutria de mar (S): *Lontra felina*  
 Nutria de mar californiana (S): *Enhydra lutris nereis*  
 Nutria de Sumatra (S): *Lutra sumatrana*  
 Nutria europea (S): *Lutra lutra*  
 Nutria gigante (S): *Pteronura brasiliensis*  
 Nutria inerme asiatica (S): *Aonyx cinerea*  
 Nutria inerme de Camerún (S): *Aonyx capensis microdon*  
 Nutria lisa (S): *Lutrogale perspicillata*  
 Nutria marina (S): *Enhydra lutris*  
 Nutria marina (S): *Lontra felina*  
 Nutria norteamericana (S): *Lontra canadensis*  
 Nutrias (S): *Lutrinae*  
 Nutria simung (S): *Lutrogale perspicillata*  
 Nyan (E): *Ovis ammon hodgsonii*  
 Nyctale de Harris (F): *Aegolius harrisii*  
 Nyctale de Tengmalm (F): *Aegolius funereus*  
*Nyctale harrisii Cassin, 1849 = Aegolius harrisii* (Cassin, 1849)  
 Nyctale immaculée (F): *Aegolius ridgwayi*  
*Nyctalops stygius Wagler, 1832 = Asio stygius* (Wagler, 1832)  
***Nyctea* spp. II<sup>30</sup> STRIGIDAE (Aves)**  
***Nyctea scandiaca* (Linnaeus, 1758) II<sup>30</sup> STRIGIDAE**  
 (Aves) (E) Snowy Owl (S) Búho nival (F) Chouette harfang, Harfang des neiges  
***Nycticebus* spp. I LORISIDAE (Mammalia)**  
***Nycticebus bengalensis* (Lacépède, 1800) I LORISIDAE**  
 (Mammalia) (E) Bengal Slow Loris  
***Nycticebus coucang* (Boddaert, 1785) I LORISIDAE**  
 (Mammalia) (E) Slow Loris, Sunda Slow Loris (S) Loris lento (F) Loris lent  
*Nycticebus intermedius Dào Van Tien, 1960 = Nycticebus pygmaeus* Bonhote, 1907  
*Nycticebus javanicus* (É. Geoffroy, 1812) = *Nycticebus coucang* (Boddaert, 1785)  
*Nycticebus menagensis Trouessart, 1898 = Nycticebus coucang* (Boddaert, 1785)  
***Nycticebus pygmaeus* Bonhote, 1907 I LORISIDAE**  
 (Mammalia) (E) Lesser Slow Loris, Pygmy Loris  
*Nyctophyllopython oenpelliensis* (Gow, 1977) = *Morelia oenpelliensis* (Gow, 1977)  
***Nymphicus* spp. Wagler, 1832 NC<sup>29</sup> CACATUIDAE**  
 (Aves)  
***Nymphicus hollandicus* (Kerr, 1792) NC CACATUIDAE**  
 (Aves) (E) Cockatiel (S) Cockatiel, Lorito de copete (F) Calopsitte élégante, Perruche calopsitte  
*Ocadia glyphistoma* McCord & Iverson, 1994 III  
 GEOEMYDIDAE (Reptilia) (E) Notch-mouthed Stripe-necked Turtle  
*Ocadia glyphistoma* McCord and Iverson, 1994 = *Mauremys sinensis* (Gray, 1834)  
*Ocadia glyphistoma* McCord and Iverson, 1994 = *Mauremys annamensis* (Siebenrock, 1903)  
*Ocadia philippeni* McCord & Iverson, 1992 III  
 GEOEMYDIDAE (Reptilia) (E) Philippen's Stripe-necked Turtle  
*Ocadia philippeni* McCord and Iverson, 1992 = *Mauremys sinensis* (Gray, 1834)  
*Ocadia sinensis* (Gray, 1834) = *Mauremys sinensis* (Gray, 1834)  
*Occidozyga (euphyctis) hexadactyla* Dubois, 1987 "1986"  
 = *Euphyctis hexadactylus* (Lesson, 1834)  
*Occidozyga hexadactyla* (Lesson, 1834) = *Euphyctis hexadactylus* (Lesson, 1834)  
 Ocelot (F): *Leopardus pardalis*  
 Ocelot (E): *Leopardus pardalis*  
 Ocelote (S): *Leopardus pardalis*  
 Ocelot, Tree (E): *Leopardus wiedii*  
***Ocreatus* spp. II TROCHILIDAE (Aves)**  
***Ocreatus underwoodii* (Lesson, 1832) II TROCHILIDAE**  
 (Aves) (E) Booted Racket-tail (S) Colaespatula zamarrito, Colibrí cola de hoja, Colibrí de raquetas (F) Haut-de-chausses à palettes  
***Oculina* spp. Lamarck 1816 II OCULINIDAE (Anthozoa)**  
*Oculina africana* Thiel, 1928 = *Schizoculina africana* (Thiel, 1928)  
***Oculina arbuscula* L. Agassiz in Verrill, 1864 II**  
 OCULINIDAE (Anthozoa) (E) Compact Ivory Bush Coral  
*Oculina axillaris* (Ellis & Solander, 1786) = *Cyathelia axillaris* (Ellis & Solander, 1786)  
*Oculina banksi* Milne Edwards & Haime, 1850 = *Oculina valenciennesi* Milne Edwards & Haime, 1850  
*Oculina coccinea* Hemprich & Ehrenberg, 1834 = *Cladopsammia gracilis* (Milne Edwards & Haime, 1848)  
***Oculina diffusa* Lamarck, 1816 II OCULINIDAE**  
 (Anthozoa) (E) Diffuse Ivory Bush Coral (S) Coral expansivo de marfil (F) Oculine diffuse  
*Oculina fissipara* Milne Edwards & Haime, 1850 = *Schizoculina fissipara* (Milne Edwards & Haime, 1850)  
*Oculina flabelliformis* Lamarck, 1816 = *Stylaster flabelliformis* (Lamarck, 1816)  
*Oculina horrescens* Dana, 1846 = *Acrhelia horrescens* (Dana, 1846)  
*Oculina micranthus* Ehrenberg, 1834 = *Tubastraea micranthus* (Ehrenberg, 1834)  
*Oculina pallens* Ehrenberg, 1834 = *Oculina diffusa* Lamarck, 1816  
***Oculina patagonica* Angelis, 1908 II OCULINIDAE**  
 (Anthozoa)  
***Oculina profunda* Cairns, 1991 II OCULINIDAE**  
 (Anthozoa)  
*Oculina ramea* (Linnaeus, 1758) = *Dendrophyllia ramea* (Linnaeus, 1758)  
***Oculina robusta* Pourtalès, 1871 II OCULINIDAE**  
 (Anthozoa) (E) Robust Ivory Tree Coral (S) Coral robusto de marfil (F) Oculine ivoire robuste  
***Oculina tenella* Pourtalès, 1871 II OCULINIDAE**  
 (Anthozoa) (E) Delicate Ivory Bush Coral (F) Oculine délicate  
***Oculina valenciennesi* Milne Edwards & Haime, 1850 II**  
 OCULINIDAE (Anthozoa) (E) Ivory Tree Coral,

Valenciennes's Ivory Coral (S) Coral de marfil de Valenciennes	Once (F): <i>Uncia uncia</i>
<b>Oculina varicosa</b> LeSueur, 1821 II OCULINIDAE	<i>Oncifelis braccata</i> Cope, 1889 = <i>Leopardus braccatus</i> (Cope, 1889)
(Anthozoa) (E) Fused Ivory Tree Coral, Large Ivory Coral (S) Coral fundido de marfil (F) Oculine majeure	<i>Oncifelis colocolo</i> (Molina, 1782) = <i>Leopardus colocolo</i> (Molina, 1782)
<i>Oculina virginea</i> (Linnaeus, 1758) = <i>Oculina diffusa</i> Lamarck, 1816	<i>Oncifelis geoffroyi</i> (d'Orbigny & Gervais, 1844) = <i>Leopardus geoffroyi</i> (d'Orbigny & Gervais, 1844)
<b>Oculina virgosa</b> Squires, 1958 II OCULINIDAE	<i>Oncifelis guigna</i> (Molina, 1782) = <i>Leopardus guigna</i> (Molina, 1782)
(Anthozoa)	<i>Oncifelis pajeros</i> Desmarest, 1816 = <i>Leopardus pajeros</i> (Desmarest, 1816)
Oculine délicate (F): <i>Oculina tenella</i>	<i>Oncilla</i> (E): <i>Leopardus tigrinus</i>
Oculine diffuse (F): <i>Oculina diffusa</i>	<i>Oncille</i> (F): <i>Leopardus tigrinus</i>
Oculine ivoire robuste (F): <i>Oculina robusta</i>	<i>Onychochelys kraussi</i> Gray, 1873 = <i>Eretmochelys imbricata</i> (Linnaeus, 1766)
Oculine majeure (F): <i>Oculina varicosa</i>	<b>Onychogalea fraenata</b> (Gould, 1841) I MACROPODIDAE
<b>OCULINIDAE spp.</b> Gray 1847 II (Anthozoa)	(Mammalia) (E) Bridled Nailtail Wallaby, Bridled Wallaby, Merrin (S) Canguro rabipelado oriental (F)
<i>Ocydromus sylvestris</i> Sclater, 1869 = <i>Gallirallus sylvestris</i> (Sclater, 1869)	Onychogale bridé, Onycholage bridé
<i>Odatria keithhornei</i> Wells & Wellington, 1985 = <i>Varanus keithhornei</i> (Wells & Wellington, 1985)	Onychogale bridé (F): <i>Onychogalea fraenata</i>
<i>Odatria punctata</i> Gray, 1838 = <i>Varanus tristis</i> (Schlegel, 1838)	Onycholage bridé (F): <i>Onychogalea fraenata</i>
<b>Odobenus rosmarus</b> (Linnaeus, 1758) III ODOBENIDAE	Onza (S): <i>Puma yagouaroundi</i>
(Mammalia) (E) Walrus (S) Morsa (F) Morse	Onza bermeja (S): <i>Puma concolor</i>
<i>Odocoileus bezoarticus</i> (Linnaeus, 1758) = <i>Ozotoceros bezoarticus</i> (Linnaeus, 1758)	<b>Oophaga spp.</b> II DENDROBATIDAE (Amphibia)
<i>Odocoileus cariacou</i> (Boddaert, 1784) = <i>Odocoileus virginianus</i> (Zimmermann, 1780)	<b>Oophaga arborea</b> (Myers, Daly & Martínez, 1984) II
<b>Odocoileus virginianus</b> (Zimmermann, 1780) III/NC	DENDROBATIDAE (Amphibia) (E) Polkadot Poison Frog (S) Rana de punta de flecha arbórea (F)
CERVIDAE (Mammalia) (E) White-tailed Deer (F) cerf de Virginie	Dendrobate arboricole
<b>Odocoileus virginianus mayensis</b> ? III CERVIDAE	<i>Oophaga arborea</i> Bauer, 1994 = <i>Oophaga arborea</i> (Myers, Daly & Martínez, 1984)
(Mammalia) (E) Guatemalan White-tailed Deer	<b>Oophaga granulifera</b> (Taylor, 1958) II DENDROBATIDAE
<i>Odontocyathus coronatus</i> (Pourtalès, 1867) = <i>Stephanocyathus coronatus</i> (Pourtalès, 1867)	(Amphibia) (E) Granular Poison Frog (S) Rana de punta de flecha granulosa (F) Dendrobate granuleux
<i>Odontocyathus japonicus</i> Yabe & Eguchi, 1932 = <i>Stephanocyathus spiniger</i> (Marenzeller, 1888)	<i>Oophaga granulifera</i> Bauer, 1994 = <i>Oophaga granulifera</i> (Taylor, 1958)
<i>Odontocyathus sexradiis</i> Alcock, 1902 = <i>Stephanocyathus spiniger</i> (Marenzeller, 1888)	<b>Oophaga histrionica</b> (Berthold, 1845) II
<i>Odontocyathus spiniger</i> (Marenzeller, 1888) = <i>Stephanocyathus spiniger</i> (Marenzeller, 1888)	DENDROBATIDAE (Amphibia) (E) Harlequin Poison Frog, Red-and-black Poison Frog (S) Rana de punta de flecha histriónica
<i>Odontocyathus stella</i> Alcock, 1902 = <i>Stephanocyathus spiniger</i> (Marenzeller, 1888)	<i>Oophaga histrionica</i> Bauer, 1994 = <i>Oophaga histrionica</i> (Berthold, 1845)
<i>Odontorchis forbesi</i> Swann, 1922 = <i>Leptodon cayanensis</i> (Latham, 1790)	<b>Oophaga lehmanni</b> (Myers & Daly, 1976) II
Oedincème américain (F): <i>Burhinus bistriatus</i>	DENDROBATIDAE (Amphibia) (E) Lehmann's Poison Frog, Red-banded Poison Frog (S) Rana de punta de flecha de Lehmann (F) Dendrobate de Lehman
Oedincème Bistrié (F): <i>Burhinus bistriatus</i>	<i>Oophaga lehmanni</i> Bauer, 1994 = <i>Oophaga lehmanni</i> (Myers & Daly, 1976)
<b>Ognorhynchus spp.</b> I <sup>29</sup> PSITTACIDAE (Aves)	<b>Oophaga occultator</b> (Myers & Daly, 1976) II
<b>Ognorhynchus icterotis</b> (Massena & Souancé, 1854) I	DENDROBATIDAE (Amphibia) (E) La Brea Poison Frog (F) Dendrobate occulté
PSITTACIDAE (Aves) (E) Yellow-eared Conure, Yellow-eared Parrot (S) Aratinga oreigualda, Periquito orejiamarillo (F) Conure à joues d'or, Conure à oreilles jaunes, Perruche aux oreilles jaunes	<i>Oophaga occultator</i> Bauer, 1994 = <i>Oophaga occultator</i> (Myers & Daly, 1976)
Oie néné (F): <i>Branta sandvicensis</i>	<b>Oophaga pumilio</b> (Schmidt, 1857) II DENDROBATIDAE
Oiseau bruyant des buissons (F): <i>Atrichornis clamosus</i>	(Amphibia) (E) Flaming Poison Frog, Red-and-blue Poison Frog, Strawberry Poison Frog (S) Rana de punta de flecha roja (F) Dendrobate pumilio
Olingo (S): <i>Bassaricyon gabbi</i>	<i>Oophaga pumilio</i> Bauer, 1994 = <i>Oophaga pumilio</i> (Schmidt, 1857)
Olingo (E): <i>Bassaricyon gabbi</i>	<b>Oophaga speciosa</b> (Schmidt, 1857) II DENDROBATIDAE
Olingo (F): <i>Bassaricyon gabbi</i>	(Amphibia) (E) Splendid Poison Frog (F) Epipedobate
Olingo, Bushy-tailed (E): <i>Bassaricyon gabbi</i>	
<i>Ollotis periglenes</i> Frost, Grant & Mendelson, 2006 = <i>Incilius periglenes</i> (Savage, 1967)	
Onagro de la India (S): <i>Equus hemionus khur</i>	

- brillant
- Oophaga speciosa* Bauer, 1994 = *Oophaga speciosa* (Schmidt, 1857)
- Oophaga sylvatica*** (Funkhouser, 1956) II  
DENDROBATIDAE (Amphibia)
- Oophaga sylvatica* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Oophaga sylvatica* (Funkhouser, 1956)
- Oophaga vicentei*** (Jungfer, Weygoldt & Juraske, 1996) II  
DENDROBATIDAE (Amphibia)
- Oophaga vicentei* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Oophaga vicentei* (Jungfer, Weygoldt & Juraske, 1996)
- Oopholis pondicherianus* Gray, 1862 = *Crocodylus porosus* Schneider, 1801
- Opaethus erythrolophus* Vieillot, 1819 = *Tauraco erythrolophus* (Vieillot, 1819)
- Ophiophagus hannah* (Cantor, 1836) II ELAPIDAE (Reptilia) (E) Hamadryad, King Cobra (S) Cobra real (F) Cobra royal, Hamadryade, Hamadryas
- Opisthoprorra* spp. II** TROCHILIDAE (Aves)
- Opisthoprorra euryptera*** (Loddiges, 1832) II  
TROCHILIDAE (Aves) (E) Mountain Avocetbill (S) Colibrí picolezna, Colibrí piquiavoceta (F) Colibri avocettin
- Opopsitta diophthalma coxeni* (Hombron & Jacquinot, 1841) = *Cyclopsitta diophthalma coxeni* Gould, 1867
- Opopsitta diophthalma* (Hombron & Jacquinot, 1841) = *Cyclopsitta diophthalma* (Hombron & Jacquinot, 1841)
- Opopsitta gulielmitertii* (Schlegel, 1866) = *Cyclopsitta gulielmitertii* (Schlegel, 1866)
- Ora (E): *Varanus komodoensis*
- Orang-outan (F): *Pongo pygmaeus*
- Orang-utan (E): *Pongo pygmaeus*
- Orangután (S): *Pongo pygmaeus*
- Orangutan, Bornean (E): *Pongo pygmaeus*
- Orang-Utan, Chimpanzees, Gorilla, (E): *Hominidae*
- Orangutan, Sumatran (E): *Pongo abelii*
- Orbicella annularis* (Ellis & Solander, 1786) = *Montastrea annularis* (Ellis & Solander, 1786)
- Orbicella annuligera* (Milne Edwards & Haime, 1850) = *Montastrea annuligera* (Milne Edwards & Haime, 1850)
- Orbicella borradalei* Gardiner, 1904 = *Favia favus* (Forskål, 1775)
- Orbicella bottae* (Milne Edwards & Haime, 1850) = *Leptastrea bottae* (Milne Edwards & Haime, 1849)
- Orbicella brasiliiana* Verrill, 1901 = *Montastrea cavernosa* (Linnaeus, 1767)
- Orbicella cavernosa* (Linnaeus, 1766) = *Montastrea cavernosa* (Linnaeus, 1767)
- Orbicella coronata* (Dana, 1846) = *Montastrea curta* (Dana, 1846)
- Orbicella curta* (Dana, 1846) = *Montastrea curta* (Dana, 1846)
- Orbicella ehrenbergiana* (Milne Edwards & Haime, 1850) = *Leptastrea purpurea* (Dana, 1846)
- Orbicella funafutensis* Gardiner, 1899 = *Montastrea curta* (Dana, 1846)
- Orbicella gravieri* Vaughan, 1918 = *Plesiastrea versipora* (Lamarck, 1816)
- Orbicella heliopora* (Lamarck, 1816) = *Diploastrea heliopora* (Lamarck, 1816)
- Orbicella hispidula* Verrill, 1901 = *Montastrea annularis* (Ellis & Solander, 1786)
- Orbicella immersa* (Klunzinger, 1879) = *Leptastrea bottae* (Milne Edwards & Haime, 1849)
- Orbicella klonzingeri* Gardiner, 1899 = *Leptastrea purpurea* (Dana, 1846)
- Orbicella laxa* Klunzinger, 1879 = *Favia laxa* (Klunzinger, 1879)
- Orbicella mammillosa* Klunzinger, 1879 = *Echinopora gemmacea* (Lamarck, 1816)
- Orbicella minikoiensis* Gardiner, 1904 = *Diploastrea heliopora* (Lamarck, 1816)
- Orbicella rotumana* Gardiner, 1899 = *Montastrea curta* (Dana, 1846)
- Orbicella solidior* (Milne Edwards & Haime, 1850) = *Montastrea curta* (Dana, 1846)
- Orbicella vacua* Crossland, 1952 = *Montastrea annuligera* (Milne Edwards & Haime, 1850)
- Orbicella versipora* (Lamarck, 1816) = *Plesiastrea versipora* (Lamarck, 1816)
- Orbicella wakayama* Gardiner, 1899 = *Montastrea curta* (Dana, 1846)
- Orca (E): *Orcinus orca*
- Orca (S): *Orcinus orca*
- Orcaella* spp. I** 18 DELPHINIDAE (Mammalia)
- Orcaella brevirostris*** (Owen in Gray, 1866) I  
DELPHINIDAE (Mammalia) (E) Irrawaddy Dolphin, Snubfin Dolphin (S) Delfín del Irrawaddy (F) Orcelle
- Orcaella heinsohni*** Beasley, Robertson & Arnold, 2005 I  
DELPHINIDAE (Mammalia) (E) Australian Snubfin Dolphin
- Orca falsa (S): *Pseudorca crassidens*
- Orca pigmea (S): *Feresa attenuata*
- Orcelle (F): *Orcaella brevirostris*
- Orcinus* spp. II** 18 DELPHINIDAE (Mammalia)
- Orcinus glacialis* Berzin & Vladimirov, 1983 = *Orcinus orca* (Linnaeus, 1758)
- Orcinus nanus* Mikhalev, Ivashin, Savusin & Zelenaya, 1981 = *Orcinus orca* (Linnaeus, 1758)
- Orcinus orca*** (Linnaeus, 1758) II 18 DELPHINIDAE (Mammalia) (E) Killer Whale, Orca (S) Espadarte, Orca (F) Epaulard, Orque
- Oreailurus jacobita* (Cornalia, 1865) = *Leopardus jacobitus* (Cornalia, 1865)
- Orejaviioleta café (S): *Colibri delphinae*
- Orejiviioleta marrón (S): *Colibri delphinae*
- Oreonax* spp.** Thomas, 1927 I ATELIDAE (Mammalia)
- Oreonax flavicauda*** (Humboldt, 1812) I ATELIDAE (Mammalia) (E) Yellow-tailed Woolly Monkey (F) Singe laineux à queue jaune
- Oreonympha* spp. II** TROCHILIDAE (Aves)
- Oreonympha nobilis*** Gould, 1869 II TROCHILIDAE (Aves) (E) Bearded Mountaineer (S) Colibrí noble (F) Colibrí noble
- Oréophase cornu (F): *Oreophasis derbianus*

- Oreophasis derbianus** Gray, 1844 I CRACIDAE (Aves)  
 (E) Derby's Guan, Horned Guan, Lord Derby's  
 Mountain Pheasant (S) Chachalaca cornuda, Faisan  
 de cuerno rojo, Guan cornudo, Paují cornudo, Pava  
 pajuil, Pavón, Pavón cornudo (F) Hocco huppé,  
 Oréophase cornu, Pénélope cornue, Pénélope de  
 Derby
- Oreopsittacus spp.** Salvadori, 1877 II 29 LORIIDAE  
 (Aves)
- Oreopsittacus arfaki** (A. B. Meyer, 1874) II 29 LORIIDAE  
 (Aves) (E) Plum-faced Lorikeet, Whiskered Lorikeet (S)  
 Lori bigotudo (F) Lori bridé, Lori des montagnes
- Oreopyra cinereicauda* Lawrence, 1867 = *Lampornis castaneoventris* (Gould, 1851)
- Oreopyra hemileuca* Salvin, 1865 = *Lampornis hemileucus* (Salvin, 1865)
- Oreotrochilus spp.** II TROCHILIDAE (Aves)
- Oreotrochilus adela** (d'Orbigny & Lafresnaye, 1838) II  
 TROCHILIDAE (Aves) (E) Wedge-tailed Hillstar (S)  
 Colibrí de Cochabamba (F) Colibri adèle
- Oreotrochilus boliviensis* Boucard, 1893 = *Oreotrochilus estella* (d'Orbigny & Lafresnaye, 1838)
- Oreotrochilus chimborazo** (DeLattre & Bourcier, 1846) II  
 TROCHILIDAE (Aves) (E) Ecuadorian Hillstar (S)  
 Colibrí del Chimborazo, Estrella ecuatoriana (F) Colibri  
 du Chimborazo
- Oreotrochilus estella** (d'Orbigny & Lafresnaye, 1838) II  
 TROCHILIDAE (Aves) (E) Andean Hillstar (S) Colibrí<sup>1</sup>  
 puneño, Picaflor serrano ventricanela (F) Colibri estelle
- Oreotrochilus estella chimborazo* (d'Orbigny & Lafresnaye, 1838) = *Oreotrochilus chimborazo* (DeLattre &  
 Bourcier, 1846)
- Oreotrochilus leucopleurus** Gould, 1847 II  
 TROCHILIDAE (Aves) (E) White-sided Hillstar (S)  
 Colibrí cordillerano, Picaflor serrano ventrinegro (F)  
 Colibri à flancs blancs
- Oreotrochilus melanogaster** Gould, 1847 II  
 TROCHILIDAE (Aves) (E) Black-breasted Hillstar (S)  
 Colibrí pechinegro (F) Colibri à plastron noir
- Oreotrochilus stolzmanni* Salvin, 1895 = *Oreotrochilus estella* (d'Orbigny & Lafresnaye, 1838)
- Orgues De Mer (F): *Tubiporidae*
- Oricou (F): *Torgos tracheliotus*
- Orix algacel (S): *Oryx dammah*
- Orix blanco (S): *Oryx leucoryx*
- Orix de Arabia (S): *Oryx leucoryx*
- Orix de Cimitarra (S): *Oryx dammah*
- Orlitia borneensis** Gray, 1873 II 45 GEOEMYDIDAE  
 (Reptilia) (E) Bornean River Turtle, Malaysian Giant  
 Terrapin, Malaysian Giant Turtle (F) Emyde géante de  
 Borneo
- Orlitia borneensis* Gray, 1873 = *Orlitia borneensis* Gray,  
 1873
- Ormala (E): *Lagorchestes hirsutus*
- Ornismya abeillei* Lesson & DeLattre, 1839 = *Abeillia abeillei* (Lesson & DeLattre, 1839)
- Ornismya alinae* Bourcier, 1842 = *Eriocnemis alinae* (Bourcier, 1842)
- Ornismya amazilia* Lesson, 1828 = *Amazilia amazilia* (Lesson, 1828)
- Ornismya amethysticollis* d'Orbigny & Lafresnaye, 1838 =  
*Heliangelus amethysticollis* (d'Orbigny & Lafresnaye,  
 1938)
- Ornismya anna* Lesson, 1929 = *Calypte anna* (Lesson,  
 1829)
- Ornismya aureoventris* d'Orbigny & Lafresnaye, 1838 =  
*Chlorostilbon lucidus* (d'Orbigny & Lafresnaye, 1838)
- Ornismya bonapartei* Boissonneau, 1840 = *Coeligena bonapartei* (Boissonneau, 1840)
- Ornismya canivetii* Lesson, 1832 = *Chlorostilbon canivetii* (Lesson, 1832)
- Ornismya clarisse* Longuemare, 1841 = *Heliangelus amethysticollis* (d'Orbigny & Lafresnaye, 1938)
- Ornismya clemenciae* Lesson, 1829 = *Lampornis clemenciae* (Lesson, 1829)
- Ornismya coeligena* Lesson, 1833 = *Coeligena coeligena* (Lesson, 1833)
- Ornismya colombica* Bourcier, 1843 = *Thalurania colombica* (Bourcier, 1843)
- Ornismya constantii* DeLattre, 1843 = *Heliomaster constantii* (DeLattre, 1843)
- Ornismya costae* Bourcier, 1839 = *Calypte costae* (Bourcier, 1839)
- Ornismya cyanocephala* Lesson, 1829 = *Amazilia cyanocephala* (Lesson, 1829)
- Ornismya delattrei* Lesson, 1839 = *Lophornis delattrei* (Lesson, 1839)
- Ornismya delphinae* Lesson, 1839 = *Colibri delphinae* (Lesson, 1839)
- Ornismya dupontii* Lesson, 1832 = *Tilmatura dupontii* (Lesson, 1832)
- Ornismya ensifera* Boissonneau, 1839 = *Ensifera ensifera* (Boissonneau, 1839)
- Ornismya eximia* DeLattre, 1843 = *Eupherusa eximia* (DeLattre, 1843)
- Ornismya fanny* Lesson, 1838 = *Myrtis fanny* (Lesson, 1838)
- Ornismya glaucopoides* d'Orbigny & Lafresnaye, 1838 =  
*Eriocnemis glaucopoides* (d'Orbigny & Lafresnaye,  
 1838)
- Ornismya gouldii* Lesson, 1832 = *Lophornis gouldii* (Lesson, 1833)
- Ornismya guerinii* Boissonneau, 1840 = *Oxypogon guerinii* (Boissonneau, 1840)
- Ornismya helenae* DeLattre, 1843 = *Lophornis helenae* (DeLattre, 1843)
- Ornismya helianthea* Lesson, 1838 = *Coeligena helianthea* (Lesson, 1838)
- Ornismya heliodor* Bourcier, 1840 = *Chaetocercus heliodor* (Bourcier, 1840)
- Ornismya heloisa* Lesson & DeLattre, 1839 = *Atthis heloisa* (Lesson & DeLattre, 1839)
- Ornismya heteropogon* Boissonneau, 1839 =  
*Chalcostigma heteropogon* (Boissonneau, 1839)
- Ornismya jourdanii* Bourcier, 1839 = *Chaetocercus jourdanii* (Bourcier, 1839)
- Ornismya julie* Bourcier, 1842 = *Damophila julie* (Bourcier, 1842)
- Ornismya lactea* Lesson, 1832 = *Amazilia lactea* (Lesson, 1829)

- Ornismya lumachella* Lesson, 1838 = *Augastes lumachella* (Lesson, 1838)
- Ornismya microrhyncha* Boissonneau, 1839 = *Ramphomicron microrhynchum* (Boissonneau, 1839)
- Ornismya mulsant* Bourcier, 1842 = *Chaetocercus mulsanti* (Bourcier, 1842)
- Ornismya nuna* Lesson, 1832 = *Lesbia nuna* (Lesson, 1832)
- Ornismya oenone* Lesson, 1832 = *Chrysuronia oenone* (Lesson, 1832)
- Ornismya pamela* d'Orbigny, 1838 = *Aglaeactis pamela* (d'Orbigny, 1838)
- Ornismya phoebe* Lesson & DeLattre, 1839 = *Metallura phoebe* (Lesson & DeLattre, 1839)
- Ornismya poortmani* Bourcier, 1843 = *Chlorostilbon poortmani* (Bourcier, 1843)
- Ornismya prasina* Lesson, 1830 = *Chlorostilbon mellisugus* (Linnaeus, 1758)
- Ornismya rhami* Lesson, 1838 = *Lamprolaima rhami* (Lesson, 1838)
- Ornismya ricordii* Gervais, 1835 = *Chlorostilbon ricordii* (Gervais, 1835)
- Ornismya rutila* DeLattre, 1843 = *Amazilia rutila* (DeLattre, 1842)
- Ornismya sasin* Lesson, 1829 = *Selasphorus sasin* (Lesson, 1829)
- Ornismya swainsonii* Lesson, 1829 = *Chlorostilbon swainsonii* (Lesson, 1829)
- Ornismya theresiae* Da Silva Maia, 1843 = *Polytmus theresiae* (Da Silva Maia, 1843)
- Ornismya torquata* Boissonneau, 1840 = *Coeligena torquata* (Boissonneau, 1840)
- Ornismya underwoodii* Lesson, 1832 = *Ocreatus underwoodii* (Lesson, 1832)
- Ornismya vesper* Lesson, 1829 = *Rhodopis vesper* (Lesson, 1829)
- Ornismya vestita* Lesson, 1838 = *Eriocnemis vestita* (Lesson, 1838)
- Ornithoptera spp.** Boisduval I/II PAPILIONIDAE (Insecta)
- Ornithoptera aesacus** Nay, 1903 II PAPILIONIDAE (Insecta) (E) Obi Birdwing (F) Ornithoptère Obi
- Ornithoptera akakeae** Kobayashi & Koiwaya, 1978 II PAPILIONIDAE (Insecta)
- Ornithoptera alexandrae** (Rothschild, 1907) I PAPILIONIDAE (Insecta) (E) Queen Alexandra's Birdwing (F) Ornithoptère de la reine Alexandra
- Ornithoptera allotlei** (Rothschild, 1914) II PAPILIONIDAE (Insecta)
- Ornithoptera arruana obiana* Rebel, 1906 = *Ornithoptera aesacus* Nay, 1903
- Ornithoptera brookiana* Wallace, 1856 = *Trogonoptera brookiana* (Wallace, 1856)
- Ornithoptera caelestis* (Rothschild, 1898) = *Ornithoptera priamus* (Linnaeus, 1758)
- Ornithoptera chimaera** (Rothschild, 1904) II PAPILIONIDAE (Insecta) (E) Chimaera Birdwing (F) Chimère, Ornithoptère chimère
- Ornithoptera croesus** Wallace, 1859 II PAPILIONIDAE (Insecta) (E) Wallace's golden birdwing
- Ornithoptera goliath** Oberthür, 1888 II PAPILIONIDAE (Insecta) (E) Goliath Birdwing (F) Ornithoptère goliath
- Ornithoptera meridionalis** (Rothschild, 1897) II PAPILIONIDAE (Insecta) (E) Southern Tailed Birdwing (F) Ornithoptère méridional
- Ornithoptera obiana* Rippon, 1906 = *Ornithoptera aesacus* Nay, 1903
- Ornithoptera obiensis* = *Ornithoptera aesacus* Nay, 1903
- Ornithoptera paradisea** Staudinger, 1893 II PAPILIONIDAE (Insecta) (E) Butterfly of Paradise, Paradise Birdwing, Tailed Birdwing (F) Ornithoptère de paradis
- Ornithoptera priamos poseidon* x *ornithoptera rothschildi* = *Ornithoptera akakeae* Kobayashi & Koiwaya, 1978
- Ornithoptera priamus** (Linnaeus, 1758) II PAPILIONIDAE (Insecta) (E) Common Birdwing, Common Green Birdwing, New Guinea Birdwing, Priam's Birdwing
- Ornithoptera priamus caelestis* (Linnaeus, 1758) = *Ornithoptera priamus* (Linnaeus, 1758)
- Ornithoptera richmondia* (Gray, 1852) = *Ornithoptera priamus* (Linnaeus, 1758)
- Ornithoptera rothschildi** Kenrick, 1911 II PAPILIONIDAE (Insecta) (E) Rothschild's Birdwing
- Ornithoptera schoenbergi* (Staudinger, 1893) = *Ornithoptera paradisea* Staudinger, 1893
- Ornithoptera tithonus** de Haan, 1840 II PAPILIONIDAE (Insecta) (E) Tithonus Birdwing
- Ornithoptera urvillianus* (Guérin-Méneville, 1829) = *Ornithoptera priamus* (Linnaeus, 1758)
- Ornithoptera victoriae** Gray, 1856 II PAPILIONIDAE (Insecta) (E) Queen Victoria's Birdwing (F) Ornithoptère de la reine Victoria
- Ornithoptera victoriae* x *ornithoptera priamus urvillianus* = *Ornithoptera allotlei* (Rothschild, 1914)
- Ornithoptère chimère (F): *Ornithoptera chimaera*
- Ornithoptère de Brooke (F): *Trogonoptera brookiana*
- Ornithoptère de la reine Alexandra (F): *Ornithoptera alexandrina*
- Ornithoptère de la reine Victoria (F): *Ornithoptera victoriae*
- Ornithoptère de paradis (F): *Ornithoptera paradisea*
- Ornithoptère goliath (F): *Ornithoptera goliath*
- Ornithoptère méridional (F): *Ornithoptera meridionalis*
- Ornithoptère Obi (F): *Ornithoptera aesacus*
- Oraetus spp.** II<sup>27</sup> ACCIPITRIDAE (Aves)
- Oraetus isidori** (Des Murs, 1845) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Black-and-chestnut Eagle, Isidor's Eagle (S) Águila castaña, Águila de copete, Águila poma (F) Aigle d'Isidore
- Orong (E): *Pantholops hodgsonii*
- Orque (F): *Orcinus orca*
- Orque pygmée (F): *Feresa attenuata*
- Ortalide chacamel (F): *Ortalides vetula*
- Ortalide commune (F): *Ortalides vetula*
- Ortalide du Mexique (F): *Ortalides vetula*
- Ortalides vetula** (Wagler, 1830) III CRACIDAE (Aves) (E) Chachalaca, Common Chachalaca, Mexican Chachalaca, Plain Chachalaca (S) Chachalaca de los Llenos, Chachalaca norteña (F) Ortalide chacamel, Ortalide commune, Ortalide du Mexique
- Orthopsittaca spp.** II<sup>29</sup> PSITTACIDAE (Aves)

<b><i>Orthopsittaca manilata</i></b> (Boddaert, 1783) II	29	Oso pardo (S): <i>Ursus arctos</i>
PSITTACIDAE (Aves) (E) Red-bellied Macaw (S)		Oso pardo del Himalaya (S): <i>Ursus arctos isabellinus</i>
Guacamayo barriga roja, Guacamayo ventrirrojo (F)		Oso perezoso (S): <i>Melursus ursinus</i>
Ara macavouanne		Oso polar (S): <i>Ursus maritimus</i>
<i>Orthopsittaca manilatus</i> (Boddaert, 1783) = <i>Orthopsittaca manilata</i> (Boddaert, 1783)		Oso real (S): <i>Tremarctos ornatus</i>
<b><i>Orthorhyncus</i> spp.</b> II TROCHILIDAE (Aves)		Osos, Panda Gigante (S): <i>Ursidae</i>
<i>Orthorhyncus cora</i> Lesson, 1827 = <i>Thaumastura cora</i> (Lesson, 1827)		Osprey (E): <i>Pandion haliaetus</i>
<b><i>Orthorhyncus cristatus</i></b> (Linnaeus, 1758) II		Osprey (E): <i>Pandionidae</i>
TROCHILIDAE (Aves) (E) Antillean Crested Hummingbird (S) Colibrí crestado (F) Colibri huppé		<i>Osteoblepharon osborni</i> K. P. Schmidt, 1919 = <i>Osteolaemus tetraspis</i> Cope, 1861
<i>Orthorhyncus helenae</i> Lembeye, 1850 = <i>Mellisuga helenae</i> (Lembeye, 1850)		<i>Osteoglossum formosum</i> Schlegel & Müller, 1844 = <i>Scleropages formosus</i> (Müller & Schlegel, 1844)
<i>Orthorhyncus sephanioides</i> Lesson, 1827 = <i>Sephanoides sephanioides</i> (Lesson, 1827)		<b><i>Osteolaemus</i> spp.</b> I/II CROCODYLIIDAE (Reptilia)
Oryx algazelle (F): <i>Oryx dammah</i>		<i>Osteolaemus osborni</i> (K. P. Schmidt, 1933) = <i>Osteolaemus tetraspis</i> Cope, 1861
Oryx, Arabian (E): <i>Oryx leucoryx</i>		<b><i>Osteolaemus tetraspis</i></b> Cope, 1861 I CROCODYLIIDAE (Reptilia) (E) African Dwarf Crocodile, West African
Oryx blanc (F): <i>Oryx leucoryx</i>		Dwarf Crocodile (S) Cocodrilo chico africano, Cocodrilo de hocico corto (F) Crocodile à front large, Crocodile à museau court, Crocodile à nuque cuirassée, Crocodile nain africain
<b><i>Oryx dammah</i></b> (Cretzschmar, 1827) I BOVIDAE (Mammalia) (E)		Ostrich (E): <i>Struthio camelus</i>
(Mammalia) (E) Sahara Oryx, Scimitar-horned Oryx, White Oryx (S) Orix algacel, Orix de Cimitarra (F) Oryx algazelle, Oryx de Libye		Otaria americana (S): <i>Arctocephalus townsendi</i>
Oryx d'Arabie (F): <i>Oryx leucoryx</i>		Otarie à fourrure australe (F): <i>Arctocephalus australis</i>
Oryx de Libye (F): <i>Oryx dammah</i>		Otarie à fourrure d'Amérique (F): <i>Arctocephalus townsendi</i>
<b><i>Oryx leucoryx</i></b> (Pallas, 1777) I BOVIDAE (Mammalia) (E)		Otarie à fourrure de Nouvelle-Zélande (F): <i>Arctocephalus forsteri</i>
Arabian Oryx, White Oryx (S) Orix blanco, Orix de Arabia (F) Oryx blanc, Oryx d'Arabie		<b>OTIDIDAE</b> spp. I/II (Aves) (E) Bustards (S) Avutardas (F) Outardes
Oryx, Sahara (E): <i>Oryx dammah</i>		<b><i>Otis</i> spp.</b> II OTIDIDAE (Aves)
Oryx, Scimitar-horned (E): <i>Oryx dammah</i>		<i>Otis afra</i> Linnaeus, 1766 = <i>Afrotis afra</i> (Linnaeus, 1766)
<i>Oryx tao</i> C. H. Smith, 1827 = <i>Oryx dammah</i> (Cretzschmar, 1827)		<i>Otis afraoides</i> A. Smith, 1831 = <i>Afrotis afraoides</i> (A. Smith, 1831)
Oryx, White (E): <i>Oryx dammah</i>		<i>Otis arabs</i> Linnaeus, 1758 = <i>Ardeotis arabs</i> (Linnaeus, 1758)
Oryx, White (E): <i>Oryx leucoryx</i>		<i>Otis australis</i> J. E. Gray, 1829 = <i>Ardeotis australis</i> (J. E. Gray, 1829)
<i>Oryzotrochus stephensi</i> Wells, 1959 = <i>Turbinolia stephensi</i> (Wells, 1959)		<i>Otis bengalensis</i> Gmelin, 1789 = <i>Houbaropsis bengalensis</i> (Gmelin, 1789)
<i>Oscaria swinhoei</i> (Gray, 1873) = <i>Rafetus swinhoei</i> (Gray, 1873)		<i>Otis caerulescens</i> Vieillot, 1820 = <i>Eupodotis caerulescens</i> (Vieillot, 1820)
Osetr (E): <i>Acipenser gueldenstaedtii</i>		<i>Otis cafra</i> Lichtenstein, 1793 = <i>Eupodotis senegalensis</i> (Vieillot, 1820)
Osio (S): <i>Leopardus colocolo</i>		<i>Otis hartlaubii</i> Heuglin, 1863 = <i>Lissotis hartlaubii</i> (Heuglin, 1863)
Osjo (S): <i>Leopardus jacobitus</i>		<i>Otis heuglinii</i> Hartlaub, 1859 = <i>Neotis heuglinii</i> (Hartlaub, 1859)
Oso andino de anteojos (S): <i>Tremarctos ornatus</i>		<i>Otis indica</i> J. F. Miller, 1782 = <i>Syphoetides indicus</i> (J. F. Miller, 1782)
Oso bezudo (S): <i>Melursus ursinus</i>		<i>Otis kori</i> Burchell, 1822 = <i>Ardeotis kori</i> (Burchell, 1822)
Oso caballo (S): <i>Myrmecophaga tridactyla</i>		<i>Otis ludwigii</i> Rüppell, 1837 = <i>Neotis ludwigii</i> (Rüppell, 1837)
Oso de anteojos (S): <i>Tremarctos ornatus</i>		<i>Otis macqueenii</i> J. E. Gray, 1832 = <i>Chlamydotis macqueenii</i> (J. E. Gray, 1832)
Oso de collar (S): <i>Ursus thibetanus</i>		<i>Otis melanogaster</i> Rüppell, 1835 = <i>Lissotis melanogaster</i> (Rüppell, 1835)
Oso de los cocoteros (S): <i>Helarctos malayanus</i>		<i>Otis nigriceps</i> Vigors, 1831 = <i>Ardeotis nigriceps</i> (Vigors, 1831)
Oso de sol (S): <i>Helarctos malayanus</i>		
Oso frontino (S): <i>Tremarctos ornatus</i>		
Oso hormiguero (S): <i>Myrmecophaga tridactyla</i>		
Oso malayo (S): <i>Helarctos malayanus</i>		
Oso marino austral (S): <i>Arctocephalus australis</i>		
Oso marino de Chile (S): <i>Arctocephalus philippii</i>		
Oso marino de Guadalupe (S): <i>Arctocephalus townsendi</i>		
Oso marino de las Galápagos (S): <i>Arctocephalus galapagoensis</i>		
Oso marino de Nueva Zelanda (S): <i>Arctocephalus forsteri</i>		
Oso marsupial del río Moonie (S): <i>Lasiorhinus krefftii</i>		
Oso negro americano (S): <i>Ursus americanus</i>		
Oso negro de Asia (S): <i>Ursus thibetanus</i>		

<i>Otis nuba</i> Cretzschmar, 1826 = <i>Neotis nuba</i> (Cretzschmar, 1826)	Otter, Southern River (E): <i>Lontra provocax</i>
<i>Otis rueppellii</i> Wahlberg, 1856 = <i>Eupodotis rueppellii</i> (Wahlberg, 1856)	Otter, Southern Sea (E): <i>Enhydra lutris nereis</i>
<i>Otis ruficrista</i> A. Smith, 1836 = <i>Lophotis ruficrista</i> (A. Smith, 1836)	Otter, Speckle-throated (E): <i>Hydrictis maculicollis</i>
<i>Otis senegalensis</i> Vieillot, 1820 = <i>Eupodotis senegalensis</i> (Vieillot, 1820)	Otter, Spot-necked (E): <i>Hydrictis maculicollis</i>
<b>Otis tarda</b> Linnaeus, 1758 II OTIDIDAE (Aves) (E) Great Bustard (S) Avutarda, Avutarda común, Avutarda euroasiática (F) Grande Outarde, Outarde barbue	Otter, Spotted-necked (E): <i>Hydrictis maculicollis</i>
<i>Otis tetrax</i> Linnaeus, 1758 = <i>Tetrax tetrax</i> (Linnaeus, 1758)	Otter, Swamp (E): <i>Aonyx capensis microdon</i>
<i>Otis vigorsii</i> A. Smith, 1831 = <i>Eupodotis vigorsii</i> (A. Smith, 1831)	<b>Otus spp.</b> Pennant, 1769 II 30 STRIGIDAE (Aves)
<i>Otocolobus manul</i> (Pallas, 1776) = <i>Felis manul</i> Pallas, 1776	<i>Otus abyssinicus</i> Guérin-Méneville, 1843 = <i>Asio abyssinicus</i> (Guérin-Méneville, 1843)
<b>Otolemur spp.</b> II GALAGIDAE (Mammalia)	<b>Otus albogularis</b> (Cassin, 1850) II 30 STRIGIDAE (Aves)
<b>Otolemur crassicaudatus</b> (É. Geoffroy, 1812) II GALAGIDAE (Mammalia) (E) Greater Bushbaby, Large-Eared Greater Galago, Thick-tailed Bushbaby, Thick-tailed Greater Galago (S) Gálago de cola gruesa (F) Galago à queue touffue, Grand galago	(E) White-throated Screech-Owl (S) Autillo gorgiblanco, Curucú gargantiblanco (F) Petit-duc à gorge blanche
<i>Otolemur crassicaudatus garnettii</i> (É. Geoffroy, 1812) = <i>Otolemur garnettii</i> (Ogilby, 1838)	<b>Otus alfredi</b> Hartert, 1897 II 30 STRIGIDAE (Aves) (E)
<b>Otolemur garnettii</b> (Ogilby, 1838) II GALAGIDAE (Mammalia) (E) Garnett's Greater Galago, Small-eared Greater Galago	Flores Scops-Owl (S) Autillo de Flores (F) Petit-duc de Florès
<b>Otolemur monteiri</b> (Bartlett, 1863) II GALAGIDAE (Mammalia) (E) Silvery Greater Galago	<b>Otus alias</b> Rasmussen, 1998 II 30 STRIGIDAE (Aves) (E)
Otorongo (S): <i>Panthera onca</i>	Nicobar Scops-Owl (S) Autillo de Nicobar (F) Petit-duc de Nicobar
Otter, African Clawless (E): <i>Aonyx capensis</i>	<b>Otus angelinae</b> (Finsch, 1912) II 30 STRIGIDAE (Aves)
Otter, California Sea (E): <i>Enhydra lutris nereis</i>	(E) Javan Scops-Owl (S) Autillo de Java (F) Petit-duc de Java
Otter, Cameroon Clawless (E): <i>Aonyx capensis microdon</i>	<b>Otus asio</b> (Linnaeus, 1758) II 30 STRIGIDAE (Aves) (E)
Otter, Cape Clawless (E): <i>Aonyx capensis</i>	Eastern Screech-Owl (S) Autillo yanqui, Tecolote oriental (F) Petit-duc maculé
Otter-civet (E): <i>Cynogale bennettii</i>	<i>Otus asio aikeni</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter-civet, Sunda (E): <i>Cynogale bennettii</i>	<i>Otus asio bendirei</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, Common (E): <i>Lutra lutra</i>	<i>Otus asio brewsteri</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, Eurasian (E): <i>Lutra lutra</i>	<i>Otus asio cardonensis</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, European (E): <i>Lutra lutra</i>	<i>Otus asio cineraceus</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, European River (E): <i>Lutra lutra</i>	<i>Otus asio clazus</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, Giant (E): <i>Pteronura brasiliensis</i>	<i>Otus asio gilmani</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, Giant Brazilian (E): <i>Pteronura brasiliensis</i>	<i>Otus asio inyoensis</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, Hairy-nosed (E): <i>Lutra sumatrana</i>	<i>Otus asio kennicottii</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, Indian Smooth-coated (E): <i>Lutrogale perspicillata</i>	<i>Otus asio macfarlanei</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, Long-tailed (E): <i>Lontra longicaudis</i>	<i>Otus asio mychophilus</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, Marine (E): <i>Lontra felina</i>	<i>Otus asio quercinus</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, Neotropical (E): <i>Lontra longicaudis</i>	<i>Otus asio sinaloensis</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, Neotropical River (E): <i>Lontra longicaudis</i>	<i>Otus asio vinaceus</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, North American (E): <i>Lontra canadensis</i>	<i>Otus asio xantusi</i> (Linnaeus, 1758) = <i>Otus kennicottii</i> (Elliot, 1867)
Otter, North American River (E): <i>Lontra canadensis</i>	<b>Otus atricapilla</b> (Temminck, 1822) II 30 STRIGIDAE
Otter, Northern River (E): <i>Lontra canadensis</i>	(Aves) (E) Black-capped Screech-Owl, Variable
Otter, Old World (E): <i>Lutra lutra</i>	Screech-Owl (S) Autillo capirogado, Curucú vermiculado, Lechucita rojiza (F) Petit-duc à mèches noires
Otter, Oriental Small-clawed (E): <i>Aonyx cinerea</i>	
Otter, Sea (E): <i>Enhydra lutris</i>	
Otter, Small-clawed (E): <i>Aonyx cinerea</i>	
Otter, Small-toothed Clawless (E): <i>Aonyx capensis microdon</i>	
Otter, Smooth-coated (E): <i>Lutrogale perspicillata</i>	
Otter, South American River (E): <i>Lontra longicaudis</i>	

- Otus bakkamoena** Pennant, 1769 II 30 STRIGIDAE  
 (Aves) (E) Collared Scops-Owl, Indian Scops-Owl, Sunda Scops-Owl (S) Autillo chino, Autillo de la Sonda, Autillo indio (F) Petit-duc à collier, Petit-duc de Horsfield, Petit-duc indien
- Otus bakkamoena boholensis** Pennant, 1769 = *Otus megalotis* (Walden, 1875)
- Otus bakkamoena everetti** Pennant, 1769 = *Otus megalotis* (Walden, 1875)
- Otus bakkamoena fuliginosus** Pennant, 1769 = *Otus fuliginosus* (Sharpe, 1888)
- Otus bakkamoena megalotis** Pennant, 1769 = *Otus megalotis* (Walden, 1875)
- Otus bakkamoena mentawi** Pennant, 1769 = *Otus mentawi* Chasen & Kloss, 1926
- Otus balli** (Hume, 1873) II 30 STRIGIDAE (Aves) (E) Andaman Scops-Owl (S) Autillo de Andamán (F) Petit-duc des Andaman
- Otus barbarus** (Sclater & Salvin, 1868) II 30 STRIGIDAE (Aves) (E) Bearded Screech-Owl, Santa Barbara Screech-Owl (S) Autillo barbudo, Tecolote barbudo (F) Petit-duc bridé
- Otus beccarii** Salvadori, 1876 II 30 STRIGIDAE (Aves) (E) Biak Scops-owl
- Otus bengalensis** Franklin, 1831 = *Bubo bubo* (Linnaeus, 1758)
- Otus brookii** (Sharpe, 1892) II 30 STRIGIDAE (Aves) (E) Rajah Scops-Owl (S) Autillo rajá (F) Petit-duc radjah
- Otus brucei** (Hume, 1873) II 30 STRIGIDAE (Aves) (E) Pallid Scops-Owl, Striated Scops-Owl (S) Autillo persa (F) Petit-duc de Bruce
- Otus capensis* A. Smith, 1834 = *Asio capensis* (Smith, 1834)
- Otus capnodes** (Gurney, 1889) II 30 STRIGIDAE (Aves) (E) Anjouan Scops-owl (S) Autillo de Anjouan (F) Petit-duc d'Anjouan
- Otus centralis** Hekstra, 1982 = *Otus vermiculatus* (Ridgway, 1887)
- Otus choliba** (Vieillot, 1817) II 30 STRIGIDAE (Aves) (E) Tropical Screech-Owl (S) Autillo chóliba, Curucucú común, Lechucita común (F) Petit-duc choliba
- Otus clarkii** Kelso & Kelso, 1935 II 30 STRIGIDAE (Aves) (E) Bare-shanked Screech-Owl (S) Autillo serrano, Buhito en Pernetas (F) Petit-duc de Clark
- Otus collaris** Lambert & Rasmussen, 1998 II 30 STRIGIDAE (Aves) (E) Sangihe Scops-Owl (S) Autillo de la Sangihe (F) Petit-duc de Sangihe
- Otus colombianus** Traylor, 1952 II 30 STRIGIDAE (Aves) (E) Colombian Screech-owl (S) Autillo Colombiano (F) Petit-duc de Colombie
- Otus cooperi** (Ridgway, 1878) II 30 STRIGIDAE (Aves) (E) Pacific Screech-Owl (S) Autillo de Manglar (F) Petit-duc de Cooper
- Otus elegans** (Cassin, 1852) II 30 STRIGIDAE (Aves) (E) Elegant Scops-Owl, Ryukyu Scops-Owl (S) Autillo elegante (F) Petit-duc élégant
- Otus enganensis** Riley, 1927 = *Otus umbra* (Richmond, 1903)
- Otus flammeolus** (Kaup, 1853) II 30 STRIGIDAE (Aves) (E) Flammulated Owl (S) Autillo flamulado, Tecolote flameado (F) Petit-duc nain
- Otus fuliginosus** (Sharpe, 1888) II 30 STRIGIDAE (Aves) (E) Palawan Scops-owl (S) Autillo de Palawan (F) Petit-duc de Palawan
- Otus guatemalae** Sharpe, 1875 II 30 STRIGIDAE (Aves) (E) Guatemalan Screech-Owl (S) Autillo Guatémalteco (F) Petit-duc guatémaltèque
- Otus guatemalae vermiculatus* Sharpe, 1875 = *Otus vermiculatus* (Ridgway, 1887)
- Otus gurneyi** (Tweeddale, 1879) = *Mimizuku gurneyi* (Tweeddale, 1879)
- Otus hartlaubi** (Giebel, 1849) II 30 STRIGIDAE (Aves) (E) Sao Tomé Scops-Owl (S) Autillo de Santo Tomé (F) Petit-duc de Sao Tomé
- Otus hoyi** König & Straneck, 1989 II 30 STRIGIDAE (Aves) (E) Hoy's Screech-Owl (S) Autillo fresco (F) Petit-duc de Hoy
- Otus icterorhynchus** (Shelley, 1873) II 30 STRIGIDAE (Aves) (E) Sandy Scops-Owl (S) Autillo piquigualdo (F) Petit-duc à bec jaune
- Otus ingens** (Salvin, 1897) II 30 STRIGIDAE (Aves) (E) Rufescent Screech-Owl (S) Autillo pálido, Curucucú pálido (F) Petit-duc de Salvin
- Otus insularis** (Tristram, 1880) II 30 STRIGIDAE (Aves) (E) Seychelles Scops-owl (S) Autillo de Seychelles (F) Petit-duc scieur
- Otus ireneae** Ripley, 1966 II 30 STRIGIDAE (Aves) (E) Morden's Scops-Owl, Sokoke Scops-Owl (S) Autillo de Sokoke (F) Petit-duc d'Irène
- Otus kennicottii** (Elliot, 1867) II 30 STRIGIDAE (Aves) (E) Western Screech-Owl (S) Autillo californiano, Tecolote occidental (F) Petit-duc des montagnes
- Otus koepckeae** Hekstra, 1982 II 30 STRIGIDAE (Aves) (E) Koepcke's Screech-Owl (S) Autillo de Koepcke (F) Petit-duc de Koepcke
- Otus lawrencii* (Sclater & Salvin, 1868) = *Gymnoglaux lawrencii* Sclater & Salvin, 1868
- Otus lempiji** Horsfield, 1821 = *Otus bakkamoena* Pennant, 1769
- Otus leucotis** (Temminck, 1820) = *Ptilopsis leucotis* (Temminck, 1820)
- Otus longicornis** (Ogilvie-Grant, 1894) II 30 STRIGIDAE (Aves) (E) Luzon Scops-owl (S) Autillo de Luzón (F) Petit-duc longicorne
- Otus madagascariensis** (Grandidier, 1867) II 30 STRIGIDAE (Aves) (E) Torotoroka Scops-Owl
- Otus madagascariensis** (A. Grandidier, 1867) = *Otus rutilus* (Pucheran, 1849)
- Otus madagascariensis* A. Smith, 1834 = *Asio madagascariensis* (Smith, 1834)
- Otus magicus** (Müller, 1841) II 30 STRIGIDAE (Aves) (E) Moluccan Scops-Owl, Papuan Scops-Owl (S) Autillo moluqueño (F) Petit-duc mystérieux
- Otus manadensis** (Quoy & Gaimard, 1830) II 30 STRIGIDAE (Aves) (E) Celebes Scops-Owl, Sulawesi Scops-Owl (S) Autillo de Célebes (F) Petit-duc de Manado

- Otus manadensis albiventris* (Quoy & Gaimard, 1830) = *Otus magicus* (Müller, 1841)
- Otus manadensis bourruensis* (Quoy & Gaimard, 1830) = *Otus magicus* (Müller, 1841)
- Otus manadensis leucospilus* (Quoy & Gaimard, 1830) = *Otus magicus* (Müller, 1841)
- Otus manadensis magicus* (Quoy & Gaimard, 1830) = *Otus magicus* (Müller, 1841)
- Otus manadensis morotensis* (Quoy & Gaimard, 1830) = *Otus magicus* (Müller, 1841)
- Otus manadensis sibutuensis* (Quoy & Gaimard, 1830) = *Otus mantananensis* (Sharpe, 1892)
- Otus manadensis steerei* (Quoy & Gaimard, 1830) = *Otus mantananensis* (Sharpe, 1892)
- Otus manadensis tempestatis* (Quoy & Gaimard, 1830) = *Otus magicus* (Müller, 1841)
- Otus mantananensis** (Sharpe, 1892) II 30 STRIGIDAE  
(Aves) (E) Mantanani Scops-Owl (S) Autillo de la Mantanani (F) Petit-duc de Mantanani
- Otus marshalli** Weske & Terborgh, 1981 II 30 STRIGIDAE  
STRIGIDAE (Aves) (E) Cloud-forest Screech-Owl (S) Autillo de Marshall (F) Petit-duc de Marshall
- Otus mayottensis** Benson, 1960 II 30 STRIGIDAE (Aves)  
(E) Mayotte Scops-Owl
- Otus megalotis** (Walden, 1875) II 30 STRIGIDAE (Aves)  
(E) Philippine Scops-Owl (S) Autillo filipino (F) Petit-duc de Luçon
- Otus mentawi** Chasen & Kloss, 1926 II 30 STRIGIDAE  
(Aves) (E) Mentawai Scops-Owl (S) Autillo de las Mentawai (F) Petit-duc des Mentawai
- Otus mindorensis** (Whitehead, 1899) II 30 STRIGIDAE  
(Aves) (E) Mindoro Scops-Owl (S) Autillo de Mindoro (F) Petit-duc de Mindoro
- Otus minimus* (Carriker, 1935) = *Otus ingens* (Salvin, 1897)
- Otus mirus** Ripley & Rabor, 1968 II 30 STRIGIDAE  
(Aves) (E) Mindanao Scops-Owl (S) Autillo de Mindanao (F) Petit-duc de Mindanao
- Otus moheliensis** Lafontaine & Moulaert, 1998 II 30 STRIGIDAE (Aves) (E) Moheli Scops-Owl (S) Autillo de Moheli (F) Petit-duc de Mohéli
- Otus nudipes** (Daudin, 1800) II 30 STRIGIDAE (Aves) (E) Puerto Rican Screech-Owl (S) Autillo portorriqueño (F) Petit-duc de Porto Rico
- Otus pauliani** (Benson, 1960) II 30 STRIGIDAE (Aves)  
(E) Comoro Scops-Owl, Grand Comoro Scops-Owl (S) Autillo de las Comores (F) Petit-duc du Karthala
- Otus pembaensis** Pakenham, 1937 II 30 STRIGIDAE  
(Aves) (E) Pemba Scops-Owl (S) Autillo de Pemba (F) Petit-duc de Pemba
- Otus petersoni** Fitzpatrick & O'Neill, 1986 II 30 STRIGIDAE (Aves) (E) Cinnamon Screech-Owl (S) Autillo de Peterson (F) Petit-duc de Peterson
- Otus podarginus* (Hartlaub & Finsch, 1872) = *Pyrroglaux podargina* (Hartlaub & Finsch, 1872)
- Otus roboratus** Bangs & Noble, 1918 II 30 STRIGIDAE  
(Aves) (E) Peruvian Screech-Owl, West Peruvian Screech-Owl (S) Autillo peruano, Autillo roborado (F) Petit-duc du Pérou
- Otus roraimae* (Salvin, 1897) = *Otus vermiculatus* (Ridgway, 1887)
- Otus rufescens** (Horsfield, 1821) II 30 STRIGIDAE (Aves) (E) Reddish Scops-Owl (S) Autillo rojizo (F) Petit-duc roussâtre
- Otus rutilus** (Pucheran, 1849) II 30 STRIGIDAE (Aves)  
(E) Madagascar Scops-Owl, Malagasy Scops-Owl (S) Autillo malgache (F) Petit-duc malgache
- Otus rutilus pauliani* (Pucheran, 1849) = *Otus pauliani* (Benson, 1960)
- Otus rutilus pemaensis* Pakenham, 1937 = *Otus pemaensis* Pakenham, 1937
- Otus rutilus* (Pucheran, 1849) = *Otus madagascariensis* (Grandidier, 1867)
- Otus sagittatus** (Cassin, 1848) II 30 STRIGIDAE (Aves)  
(E) White-fronted Scops-Owl (S) Autillo frentiblanco (F) Petit-duc à front blanc
- Otus sanctaecatarinae** (Salvin, 1897) II 30 STRIGIDAE  
(Aves) (E) Long-tufted Screech-Owl (S) Autillo de Santa Catalina (F) Petit-duc à aigrettes longues
- Otus scops** (Linnaeus, 1758) II 30 STRIGIDAE (Aves) (E) Common Scops-Owl, Eurasian Scops-Owl, Scops Owl (S) Autillo, Autillo europeo (F) Hibou petit-duc, Petit-duc scops
- Otus scops botelensis* (Linnaeus, 1758) = *Otus elegans* (Cassin, 1852)
- Otus scops calayensis* (Linnaeus, 1758) = *Otus elegans* (Cassin, 1852)
- Otus scops cuyensis* (Linnaeus, 1758) = *Otus mantananensis* (Sharpe, 1892)
- Otus scops elegans* (Linnaeus, 1758) = *Otus elegans* (Cassin, 1852)
- Otus scops interpositus* (Linnaeus, 1758) = *Otus elegans* (Cassin, 1852)
- Otus scops longicornis* (Linnaeus, 1758) = *Otus longicornis* (Ogilvie-Grant, 1894)
- Otus scops mantananensis* (Linnaeus, 1758) = *Otus mantananensis* (Sharpe, 1892)
- Otus scops mindorensis* (Linnaeus, 1758) = *Otus mindorensis* (Whitehead, 1899)
- Otus scops mirus* (Linnaeus, 1758) = *Otus mirus* Ripley & Rabor, 1968
- Otus scops romblonis* (Linnaeus, 1758) = *Otus mantananensis* (Sharpe, 1892)
- Otus seductus** Moore, 1941 II 30 STRIGIDAE (Aves) (E) Balsas Screech-Owl (S) Autillo del Balsas (F) Petit-duc du Balsas
- Otus senegalensis** (Swainson, 1837) II 30 STRIGIDAE  
(Aves) (E) African Scops-Owl (S) Autillo africano (F) Petit-duc africain
- Otus siaensis* (Schlegel, 1873) = *Otus manadensis* (Quoy & Gaimard, 1830)
- Otus silvicola** (Wallace, 1864) II 30 STRIGIDAE (Aves)  
(E) Lesser Sunda Scops-Owl, Wallace's Scops-Owl (S) Autillo de Wallace (F) Petit-duc de Wallace
- Otus spilocephalus** (Blyth, 1846) II 30 STRIGIDAE  
(Aves) (E) Mountain Scops-Owl, Spotted Scops-Owl (S) Autillo montano (F) Petit-duc tacheté
- Otus spilocephalus angelinae* (Blyth, 1846) = *Otus angelinae* (Finsch, 1912)

<b><i>Otus sunia</i></b> (Hodgson, 1836) II 30 STRIGIDAE (Aves) (E)	<b><i>Oulophyllia levis</i></b> (Nemenzo, 1959) II FAVIIDAE (Anthozoa)
Oriental Scops-Owl (S) Autillo oriental	
<b><i>Otus thilohoffmanni</i></b> Warakagoda & Rasmussen, 2004 II 30 STRIGIDAE (Aves)	<b><i>Oulophyllia spinosa</i></b> Milne Edwards & Haime, 1849 = <i>Isophyllia sinuosa</i> (Ellis & Solander, 1786)
	Ounce (E): <i>Uncia uncia</i>
<b><i>Otus trichopsis</i></b> (Wagler, 1832) II 30 STRIGIDAE (Aves)	<b><i>Ouroboros cataphractus</i></b> (Boie, 1828) = <i>Cordylus cataphractus</i> Boie, 1828
(E) Whiskered Screech-Owl (S) Autillo bigotudo, Tecolote bigotudo (F) Petit-duc à moustaches	Ours à collier (F): <i>Ursus thibetanus</i>
<b><i>Otus umbra</i></b> (Richmond, 1903) II 30 STRIGIDAE (Aves)	Ours à lunettes (F): <i>Tremarctos ornatus</i>
(E) Mentaur Scops-Owl, Simeulue Scops-Owl (S)	Ours andin (F): <i>Tremarctos ornatus</i>
Autillo de la Simeulue (F) Petit-duc de Simalur	Ours blanc (F): <i>Ursus maritimus</i>
<b><i>Otus usta</i></b> Sclater, 1859 = <i>Otus watsonii</i> (Cassin, 1848)	Ours brun (F): <i>Ursus arctos</i>
<b><i>Otus vandewateri</i></b> (Robinson & Kloss, 1916) = <i>Otus spilocephalus</i> (Blyth, 1846)	Ours brun de l'Himalaya (F): <i>Ursus arctos isabellinus</i>
<b><i>Otus vermiculatus</i></b> (Ridgway, 1887) II 30 STRIGIDAE (Aves)	Ours brun isabelle (F): <i>Ursus arctos isabellinus</i>
(E) Vermiculated Screech-Owl (S) Autillo vermiculado (F) Petit-duc vermiculé	Ours de l'Himalaya (F): <i>Ursus thibetanus</i>
<b><i>Otus watsonii</i></b> (Cassin, 1848) II 30 STRIGIDAE (Aves)	Ours des cocotiers (F): <i>Helarctos malayanus</i>
(E) Tawny-bellied Screech-Owl (S) Autillo del Amazonas, Curucucú orejudo (F) Petit-duc de Watson	Ours grizzly (F): <i>Ursus arctos</i>
<b><i>Otus whiteheadi</i></b> (Ogilvie-Grant, 1895) = <i>Otus megalotis</i> (Walden, 1875)	Ours lippu de l'Inde (F): <i>Melursus ursinus</i>
Ouakari à tête noire (F): <i>Cacajao melanocephalus</i>	Ours malais (F): <i>Helarctos malayanus</i>
Ouakari chauve (F): <i>Cacajao calvus</i>	Ours noir américain (F): <i>Ursus americanus</i>
Ouandérou (F): <i>Macaca silenus</i>	Ours noir d'Asie (F): <i>Ursus thibetanus</i>
Ouistiti à camail (F): <i>Callithrix humeralifera</i>	Ours, Panda Géant (F): <i>Ursidae</i>
Ouistiti à oreilles argentées (F): <i>Callithrix saterei</i>	Ours polaire (F): <i>Ursus maritimus</i>
Ouistiti à pinceaux blancs (F): <i>Callithrix jacchus</i>	Ours prochile lippu (F): <i>Melursus ursinus</i>
Ouistiti à pinceaux noirs (F): <i>Callithrix kuhlii</i>	Oustiti à oreilles blanches (F): <i>Callithrix aurita</i>
Ouistiti à pinceaux noirs (F): <i>Callithrix penicillata</i>	Oustiti oreillard (F): <i>Callithrix aurita</i>
Ouistiti argenté (F): <i>Callithrix argentata</i>	Outarde à miroir blanc (F): <i>Afrotis afraoides</i>
Ouistiti à tête jaune (F): <i>Callithrix flaviceps</i>	Outarde arabe (F): <i>Ardeotis arabs</i>
Ouistiti à tête noire (F): <i>Callithrix nigriceps</i>	Outarde à tête noire (F): <i>Ardeotis nigriceps</i>
Ouistiti à toupet blanc (F): <i>Callithrix jacchus</i>	Outarde australienne (F): <i>Ardeotis australis</i>
Ouistiti commun (F): <i>Callithrix jacchus</i>	Outarde à ventre noir (F): <i>Lissotis melanogaster</i>
Ouistiti de Geoffroy (F): <i>Callithrix geoffroyi</i>	Outarde barbue (F): <i>Otis tarda</i>
Ouistiti de Kuhl (F): <i>Callithrix kuhlii</i>	Outarde canepetière (F): <i>Tetrax tetrax</i>
Ouistiti de Manicore (F): <i>Callithrix manicorensis</i>	Outarde d'Australie (F): <i>Ardeotis australis</i>
Ouistiti de Marca (F): <i>Callithrix mariae</i>	Outarde de Burchell (F): <i>Neotis denhami</i>
Ouistiti mignon (F): <i>Callithrix pygmaea</i>	Outarde de Denham (F): <i>Neotis denhami</i>
Ouistiti nain (F): <i>Callithrix humilis</i>	Outarde de Hartlaub (F): <i>Lissotis hartlaubii</i>
<b><i>Oulangia</i> spp.</b> Milne Edwards & Haime 1848 II RHIZANGIIDAE (Anthozoa)	Outarde de Heuglin (F): <i>Neotis heuglinii</i>
<b><i>Oulangia bradleyi</i></b> (Verrill, 1866) II RHIZANGIIDAE (Anthozoa)	Outarde de l'Inde (F): <i>Ardeotis nigriceps</i>
<b><i>Oulangia cyathiformis</i></b> Chevalier, 1972 II RHIZANGIIDAE (Anthozoa)	Outarde de Ludwig (F): <i>Neotis ludwigii</i>
<b><i>Oulangia stokesiana</i></b> Milne Edwards & Haime, 1848 II RHIZANGIIDAE (Anthozoa)	Outarde de Nubie (F): <i>Neotis nuba</i>
<b><i>Oulastrea</i> spp.</b> Milne Edwards & Haime, 1848 II FAVIIDAE (Anthozoa)	Outarde de Rüppell (F): <i>Eupodotis rueppellii</i>
<b><i>Oulastrea crispata</i></b> (Lamarck, 1816) II FAVIIDAE (Anthozoa) (E) Zebra Coral	Outarde de Savile (F): <i>Lophotis savilei</i>
<b><i>Oulophyllia</i> spp.</b> Milne Edwards & Haime 1848 II FAVIIDAE (Anthozoa)	Outarde de Vigors (F): <i>Eupodotis vigorsii</i>
<b><i>Oulophyllia aspera</i></b> (Quelch, 1886) = <i>Oulophyllia crispa</i> (Lamarck, 1816)	Outarde d'Oustalet (F): <i>Lophotis gindiana</i>
<b><i>Oulophyllia bennettae</i></b> (Veron, Pichon & Wijsman-Best, 1977) II FAVIIDAE (Anthozoa)	Outarde du Bengale (F): <i>Houbaropsis bengalensis</i>
<b><i>Oulophyllia crispa</i></b> (Lamarck, 1816) II FAVIIDAE (Anthozoa)	Outarde du Sénégal (F): <i>Eupodotis senegalensis</i>
	Outarde houbara (F): <i>Chlamydotis undulata</i>
	Outarde houppette (F): <i>Lophotis ruficrista</i>
	Outarde korhaan (F): <i>Afrotis afra</i>
	Outarde kori (F): <i>Ardeotis kori</i>
	Outarde naine (F): <i>Lophotis ruficrista</i>
	Outarde naine de l'Inde (F): <i>Syphoetides indicus</i>
	Outarde noire (F): <i>Afrotis afra</i>
	Outarde nubienne (F): <i>Neotis nuba</i>
	Outarde passarage (F): <i>Syphoetides indicus</i>
	Outarde plombée (F): <i>Eupodotis caerulescens</i>
	Outardes (F): <i>Otididae</i>
	Outarde somalienne (F): <i>Eupodotis humilis</i>

<b>Ovis ammon</b> (Linnaeus, 1758) I/II BOVIDAE (Mammalia)	Owl, Buff-fronted (E): <i>Aegolius harrisii</i>
(E) Argali, Asian Wild Sheep, Marco Polo Sheep (S)	Owl, Burrowing (E): <i>Athene cunicularia</i>
Argalí, Muflón, Muflón argal, Muflón de Marco Polo (F)	Owl, Chaco (E): <i>Strix chacoensis</i>
Argali, Mouflon d'Asie, Mouflon d'Eurasie, Mouflon méditerranéen, Mouflon vrai	Owl, Crested (E): <i>Lophostrix cristata</i>
<b>Ovis ammon hodgsonii</b> Blyth, 1841 I BOVIDAE	Owl, Desert (E): <i>Strix butleri</i>
(Mammalia) (E) Great Tibetan Sheep, Nyan, Tibetan	Owl, Eagle (E): <i>Bubo bubo</i>
Argali (S) Argalí del Himalaya, Muflón argal tibetano	Owl, Elf (E): <i>Micrathene whitneyi</i>
(F) Mouflon de l'Himalaya, Mouflon des montagnes	Owlet, African Barred (E): <i>Glaucidium capense</i>
<b>Ovis ammon nigrimontana</b> Severtzov, 1873 I BOVIDAE	Owlet, Asian Barred (E): <i>Glaucidium cuculoides</i>
(Mammalia) (E) Kara Tau Argali	Owlet, Barred (E): <i>Glaucidium capense</i>
<i>Ovis ammon vignei</i> (Linnaeus, 1758) = <i>Ovis vignei vignei</i>	Owlet, Barred Jungle (E): <i>Glaucidium radiatum</i>
Blyth, 1841	Owlet, Chestnut-backed (E): <i>Glaucidium castanonotum</i>
<i>Ovis arabica</i> Sopin & Harrison, 1986 = <i>Ovis ammon</i>	Owlet, Collared (E): <i>Glaucidium brodiei</i>
(Linnaeus, 1758)	Owlet, Cuckoo (E): <i>Glaucidium cuculoides</i>
<i>Ovis aries ophion</i> Linnaeus, 1758 = <i>Ovis orientalis ophion</i>	Owlet, Forest (E): <i>Heteroglaux blewitti</i>
Blyth, 1841	Owlet, Forest Spotted (E): <i>Heteroglaux blewitti</i>
<b>Ovis canadensis</b> Shaw, 1804 II/NC <sup>5</sup> BOVIDAE	Owlet, Javan (E): <i>Glaucidium castanopterum</i>
(Mammalia) (E) Bighorn Sheep, Mexican Bighorn	Owlet, Jungle (E): <i>Glaucidium radiatum</i>
Sheep, Mountain Sheep (S) Borrego cimarrón, Carnero	Owlet, Long-whiskered (E): <i>Xenoglaux loweryi</i>
del Canadá, Carnero salvaje (F) Bighorn, Mouflon	Owlet, Pearl-spotted (E): <i>Glaucidium perlatum</i>
d'Amérique, Mouflon du Canada, Mouflon pachycère	Owlet, Red-chested (E): <i>Glaucidium tephronotum</i>
<i>Ovis gmelini</i> Blyth, 1841 = <i>Ovis orientalis ophion</i> Blyth,	Owlet, Sjostedt's (E): <i>Glaucidium sjostedti</i>
1841	Owlet, Spotted (E): <i>Athene brama</i>
<i>Ovis gmelini ophion</i> Blyth, 1841 = <i>Ovis orientalis ophion</i>	Owlet, Tibet (E): <i>Athene noctua</i>
Blyth, 1841	Owlet, Yellow-legged (E): <i>Glaucidium tephronotum</i>
<i>Ovis hodgsonii</i> Blyth, 1841 = <i>Ovis ammon hodgsonii</i>	Owl, Fearful (E): <i>Nesasio solomonensis</i>
Blyth, 1841	Owl, Flammulated (E): <i>Otus flammeolus</i>
<i>Ovis jubata</i> Kerr, 1792 = <i>Ovis vignei</i> Blyth, 1841	Owl, Forest Little (E): <i>Heteroglaux blewitti</i>
<i>Ovis jubata</i> Peters, 1876 = <i>Ovis ammon</i> (Linnaeus, 1758)	Owl, Fulvous (E): <i>Strix fulvescens</i>
<i>Ovis nigrimontana</i> Severtzov, 1873 = <i>Ovis ammon</i>	Owl, Golden (E): <i>Tyto aurantia</i>
nigrimontana Severtzov, 1873	Owl, Grass (E): <i>Tyto capensis</i>
<b>Ovis orientalis</b> Gmelin, 1774 I/NC BOVIDAE (Mammalia)	Owl, Great Grey (E): <i>Strix nebulosa</i>
(E) Mouflon	Owl, Great Horned (E): <i>Bubo virginianus</i>
<i>Ovis orientalis</i> Gmelin, 1774 = <i>Ovis vignei</i> Blyth, 1841	Owl, Grey (E): <i>Strix nebulosa</i>
<i>Ovis orientalis ophion</i> Blyth, 1841 I BOVIDAE (Mammalia)	Owl, Hawk (E): <i>Surnia ulula</i>
(E) Cyprian Wild Sheep, Cyprus Mouflon (S) Muflón de	Owl, Hume's (E): <i>Strix butleri</i>
Chipre (F) Mouflon de Chypre	Owl, Hume's Tawny (E): <i>Strix butleri</i>
<i>Ovis orientalis vignei</i> Gmelin, 1774 = <i>Ovis vignei vignei</i>	Owl, Itombwe (E): <i>Phodilus prigoginei</i>
Blyth, 1841	Owl, Jamaican (E): <i>Pseudoscops grammicus</i>
<b>Ovis vignei</b> Blyth, 1841 I/II BOVIDAE (Mammalia) (E)	Owl, Lapland (E): <i>Strix nebulosa</i>
Red Sheep, Shapo, Shapu, Urial (S) Uriel (F) Uriel	Owl, Lapp (E): <i>Strix nebulosa</i>
<b>Ovis vignei vignei</b> Blyth, 1841 I BOVIDAE (Mammalia)	Owl, Laughing (E): <i>Sceloglaux albifacies</i>
(E) Ladakh Uriel, Uriel (S) Uriel (F) Mouflon du Ladak,	Owl, Little (E): <i>Athene noctua</i>
Uriel	Owl, Long-eared (E): <i>Asio otus</i>
Owl, Abyssinian (E): <i>Asio abyssinicus</i>	Owl, Madagascar (E): <i>Asio madagascariensis</i>
Owl, Abyssinian Long-eared (E): <i>Asio abyssinicus</i>	Owl, Madagascar (E): <i>Tyto soumagnei</i>
Owl, African Bay (E): <i>Phodilus prigoginei</i>	Owl, Madagascar Grass (E): <i>Tyto soumagnei</i>
Owl, African Marsh (E): <i>Asio capensis</i>	Owl, Madagascar Red (E): <i>Tyto soumagnei</i>
Owl, Ashy-faced (E): <i>Tyto glaurops</i>	Owl, Maned (E): <i>Jubula letti</i>
Owl, Band-bellied (E): <i>Pulsatrix melanota</i>	Owl, Marsh (E): <i>Asio capensis</i>
Owl, Band-tailed (E): <i>Pulsatrix melanota</i>	Owl, Masked (E): <i>Tyto novaehollandiae</i>
Owl, Bare-legged (E): <i>Gymnoglaux lawrencii</i>	Owl, Minahassa (E): <i>Tyto inexspectata</i>
Owl, Barking (E): <i>Ninox connivens</i>	Owl, Mottled (E): <i>Strix virgata</i>
Owl, Barn (E): <i>Tyto alba</i>	Owl, Norfolk Island Boobook (E): <i>Ninox novaeseelandiae undulata</i>
Owl, Barred (E): <i>Strix varia</i>	Owl, Northern Hawk (E): <i>Surnia ulula</i>
Owl, Bay (E): <i>Phodilus badius</i>	Owl, Northern Little (E): <i>Athene noctua</i>
Owl, Black-and-white (E): <i>Ciccaba nigrolineata</i>	Owl, Northern Saw-whet (E): <i>Aegolius acadicus</i>
Owl, Black-banded (E): <i>Ciccaba huhula</i>	Owl, Palau (E): <i>Pyrroglaux podargina</i>
Owl, Boreal (E): <i>Aegolius funereus</i>	Owl, Powerful (E): <i>Ninox strenua</i>

- Owl, Pygmy (E): *Glaucidium passerinum*  
 Owl, Rufous (E): *Ninox rufa*  
 Owl, Rufous-banded (E): *Strix albitarsis*  
 Owl, Rufous-legged (E): *Strix rufipes*  
 Owl, Rusty-barred (E): *Pulsatrix melanota*  
 Owl, Rusty-barred (E): *Strix hylophila*  
 Owl, Saw-whet (E): *Aegolius acadicus*  
 Owl, Scops (E): *Otus scops*  
 Owl, Short-eared (E): *Asio flammeus*  
 Owl, Snowy (E): *Nyctea scandiaca*  
 Owl, Sooty (E): *Tyto tenebricosa*  
 Owl, Soumagne's (E): *Tyto soumagniei*  
 Owl, Southern White-faced (E): *Ptilopsis granti*  
 Owl, Spectacled (E): *Pulsatrix perspicillata*  
 Owl, Spotted (E): *Strix occidentalis*  
 Owl, Spotted Little (E): *Athene brama*  
 Owl, Striped (E): *Pseudoscops clamator*  
 Owl, Stygian (E): *Asio stygius*  
 Owl, Sulawesi (E): *Tyto rosenbergii*  
 Owl, Taliabu (E): *Tyto nigrobrunnea*  
 Owl, Tanimbar (E): *Tyto sororcula*  
 Owl, Tawny (E): *Strix aluco*  
 Owl, Tawny-browed (E): *Pulsatrix koeniswaldiana*  
 Owl, Tengmalm's (E): *Aegolius funereus*  
 Owl, Unspotted Saw-whet (E): *Aegolius ridgwayi*  
 Owl, Ural (E): *Strix uralensis*  
 Owl, White-browed (E): *Ninox superciliaris*  
 Owl, White-chinned (E): *Pulsatrix koeniswaldiana*  
 Owl, White-faced (E): *Sceloglaux albifacies*  
 Owl, Winking (E): *Ninox connivens*  
 Owl, Woodford's (E): *Strix woodfordii*  
 Ox, Indian Wild (E): *Bos gaurus*  
 Ox, Vu Quang (E): *Pseudoryx nghetinhensis*  
*Oxyphyllia aspera* (Ellis & Solander, 1786) = *Echinophyllia aspera* (Ellis & Solander, 1786)  
*Oxyphyllia aspera sugiyamai* (Ellis & Solander, 1786) = *Echinophyllia tosaensis* (Yabe & Eguchi, 1935)  
*Oxyphyllia aspera tosaensis* (Ellis & Solander, 1786) = *Echinophyllia tosaensis* (Yabe & Eguchi, 1935)  
**Oxypogon spp.** II TROCHILIDAE (Aves)  
**Oxypogon guerinii** (Boissonneau, 1840) II  
 TROCHILIDAE (Aves) (E) Bearded Helmetcrest (S)  
 Chivito de los páramos, Colibrí chivito (F) Colibri casqué  
**Oxypora spp.** Kent 1871 II PECTINIIDAE (Anthozoa)  
**Oxypora convoluta** Veron, 2000 II PECTINIIDAE (Anthozoa)  
**Oxypora crassispinosa** Nemenzo, 1980 II PECTINIIDAE (Anthozoa)  
**Oxypora egyptensis** Veron, 2000 II PECTINIIDAE (Anthozoa)  
**Oxypora glabra** Nemenzo, 1959 II PECTINIIDAE (Anthozoa)  
**Oxypora lacera** (Verrill, 1864) II PECTINIIDAE (Anthozoa) (E) Porous Lettuce Coral  
*Oxyrhina daekayi* Gill, 1862 = *Lamna nasus* (Bonnaterre, 1788)  
**Oxysmilia spp.** Duchassaing 1870 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Oxysmilia circularis** Cairns, 1998 II CARYOPHYLLIIDAE (Anthozoa)  
**Oxysmilia corrugata** Cairns, 1999 II CARYOPHYLLIIDAE (Anthozoa)  
**Oxysmilia epithecata** Cairns, 1999 II  
 CARYOPHYLLIIDAE (Anthozoa)  
*Oxysmilia portoricensis* (Vaughan, 1901) = *Oxysmilia rotundifolia* (Milne Edwards & Haime, 1848)  
**Oxysmilia rotundifolia** (Milne Edwards & Haime, 1848) II  
 CARYOPHYLLIIDAE (Anthozoa) (E) Big-leaf Coral (S)  
 Coral rotundo  
**Oxyura leucocephala** (Scopoli, 1769) II ANATIDAE (Aves) (E) White-headed Duck (S) Malvasía, Malvasía Cabeciblanca (F) Érismature à tête blanche  
**Ozotoceros bezoarticus** (Linnaeus, 1758) I CERVIDAE (Mammalia) (E) Pampas Deer (S) Ciervo de las Pampas, Ciervo pampero, Venado campero, Venado de campo, Venado de las pampas (F) Cerf des pampas, Goazu  
 Paca (S): *Cuniculus paca*  
 Paca (E): *Cuniculus paca*  
 Paca (F): *Cuniculus paca*  
 Paca, Spotted (E): *Cuniculus paca*  
*Pachliopta jophon* (Gray, 1853) = *Atrophaneura jophon* (Gray, 1853)  
*Pachliopta pandiyana* (Moore, 1881) = *Atrophaneura pandiyana* (Moore, 1881)  
*Pachydactylus quadriocellatus* Petrs, 1883 = *Phelsuma quadriocellata* (Peters, 1883)  
**Pachyseris spp.** Milne Edwards & Haime 1849 II  
 AGARICIIDAE (Anthozoa)  
*Pachyseris carinata* Brüggemann, 1879 = *Pachyseris rugosa* (Lamarck, 1801)  
*Pachyseris clementei* Nemenzo = *Pachyseris speciosa* (Dana, 1846)  
**Pachyseris foliosa** Veron, 1990 II AGARICIIDAE (Anthozoa)  
**Pachyseris gemmae** Nemenzo, 1955 II AGARICIIDAE (Anthozoa)  
**Pachyseris involuta** (Studer, 1877) II AGARICIIDAE (Anthozoa)  
*Pachyseris levicollis* (Dana, 1846) = *Pachyseris speciosa* (Dana, 1846)  
*Pachyseris monticulosa* (Verrill, 1866) = *Pachyseris rugosa* (Lamarck, 1801)  
**Pachyseris rugosa** (Lamarck, 1801) II AGARICIIDAE (Anthozoa) (E) Castle Coral  
**Pachyseris speciosa** (Dana, 1846) II AGARICIIDAE (Anthozoa) (E) Phonograph Coral  
*Pachyseris torresiana* Vaughan, 1918 = *Pachyseris rugosa* (Lamarck, 1801)  
*Pachyseris valenciennesi* Milne Edwards & Haime, 1851 = *Pachyseris rugosa* (Lamarck, 1801)  
 Padda de Java (F): *Lonchura oryzivora*  
*Padda oryzivora* (Linnaeus, 1758) = *Lonchura oryzivora* (Linnaeus, 1758)  
 Paddlefish (E): *Psephurus gladius*  
 Paddlefish (E): *Polyodon spathula*  
 Paddlefish (E): *Polyodontidae*  
 Paddlefish, Chinese (E): *Psephurus gladius*

- Paddlefish, Mississippi (E): *Polyodon spathula*  
Padloper, Boulenger's (E): *Homopus boulengeri*  
Padloper, Greater (E): *Homopus femoralis*  
Padloper, Karoo (E): *Homopus boulengeri*  
Padloper, Speckled (E): *Homopus signatus*  
**Paguma larvata** (C. E. H. Smith, 1827) III VIVERRIDAE  
(Mammalia) (E) Masked Palm Civet (S) Civeta de palmera enmascarada (F) Civette palmiste à masque  
Paiche (F): *Arapaima gigas*  
Paiche (S): *Arapaima gigas*  
Pájaro de los matorrales (S): *Atrichornis clamosus*  
Pájaro-paraguas amazónico (S): *Cephalopterus ornatus*  
Pájaro paraguas bigotudo (S): *Cephalopterus penduliger*  
Pájaro-paraguas longuipendulo (S): *Cephalopterus penduliger*  
Pájaros paraguas (S): *Cephalopterus ornatus*  
Pajuil, Black (E): *Penelopina nigra*  
**Palaeornis anthopeplus** Lear, 1831 = *Polytelis anthopeplus* (Lear, 1831)  
**Palaeornis caniceps** Blyth, 1846 = *Psittacula caniceps* (Blyth, 1846)  
**Palaeornis columbooides** Vigors, 1830 = *Psittacula columbooides* (Vigors, 1830)  
**Palaeornis derbianus** Fraser, 1852 = *Psittacula derbiana* (Fraser, 1852)  
**Palaeornis echo** A. Newton & E. Newton, 1876 = *Psittacula echo* (Newton & Newton, 1876)  
**Palaeornis finschii** Hume, 1874 = *Psittacula himalayana* (Lesson, 1832)  
**Palaeornis intermedia** Rothschild, 1895 = *Psittacula intermedia* (Rothschild, 1895)  
**Palauastrea spp.** Yabe & Sugiyama 1941 II  
POCILLOPORIDAE (Anthozoa)  
**Palauastrea ramosa** Yabe & Sugiyama, 1941 II  
POCILLOPORIDAE (Anthozoa)  
**Palea steindachneri** (Siebenrock, 1906) II  
TRIONYCHIDAE (Reptilia) (E) Wattle-necked Softshell Turtle  
**Paleosuchus spp.** Gray, 1862 II ALLIGATORIDAE (Reptilia)  
*Paleosuchus niloticus* L. Müller, 1924 = *Paleosuchus trigonatus* (Schneider, 1801)  
**Paleosuchus palpebrosus** (Cuvier, 1807) II  
ALLIGATORIDAE (Reptilia) (E) Cuvier's Smooth-fronted Caiman, Dwarf Caiman (S) Caimán enano (F) Caïman à paupières osseuses  
*Paleosuchus trigomatus* (Schneider, 1801) = *Paleosuchus trigonatus* (Schneider, 1801)  
**Paleosuchus trigonatus** (Schneider, 1801) II  
ALLIGATORIDAE (Reptilia) (E) Schneider's Smooth-fronted Caiman (S) Caimán frentiplano (F) Caïman hérissé  
Palette à couronne bleue (F): *Prioniturus discurus*  
Palette à manteau d'or (F): *Prioniturus platurus*  
Palette de Buru (F): *Prioniturus mada*  
Palette de Cassin (F): *Prioniturus flavicans*  
Palette de Palawan (F): *Prioniturus platynae*  
Palette des Sulu (F): *Prioniturus verticalis*  
Palette momot (F): *Prioniturus montanus*  
Palette verte (F): *Prioniturus luconensis*  
Palmiste africain (F): *Gypohierax angolensis*  
Paloma apuñalada (S): *Gallicolumba luzonica*  
Paloma apuñalada de Luzón (S): *Gallicolumba luzonica*  
Paloma calva (S): *Caloenas nicobarica*  
Paloma crestada azul (S): *Goura cristata*  
Paloma crestada de Scheepmaker (S): *Goura scheepmakeri*  
Paloma crestada victoria (S): *Goura victoria*  
Paloma de Mauricio (S): *Nesoenas mayeri*  
Paloma de Mindoro (S): *Ducula mindorensis*  
Paloma de Nicobar (S): *Caloenas nicobarica*  
**Pan spp.** Oken, 1816 I HOMINIDAE (Mammalia)  
Panda (F): *Ailuropoda melanoleuca*  
Panda, Bears, Giant (E): *Ursidae*  
Panda chico (S): *Ailurus fulgens*  
Panda éclatant (F): *Ailurus fulgens*  
Panda géant (F): *Ailuropoda melanoleuca*  
Panda, Giant (E): *Ailuropoda melanoleuca*  
Panda gigante (S): *Ailuropoda melanoleuca*  
Panda, Lesser (E): *Ailurus fulgens*  
Panda, Red (E): *Ailurus fulgens*  
Panda rojo (S): *Ailurus fulgens*  
**Pandinopsis dictator** Vachon, 1974 = *Pandinus dictator* (Pocock, 1888)  
**Pandinus africanus** Thorell, 1876 = *Pandinus imperator* (Koch, 1842)  
**Pandinus dictator** (Pocock, 1888) II SCORPIONIDAE (Arachnida) (S) Escorpión magnífico (F) Scorpion dictateur  
**Pandinus gambiensis** Pocock, 1899 II SCORPIONIDAE (Arachnida) (E) Giant Senegalese Scorpion (S) Escorpión de Gambia (F) Grand scorpion du Sénégal  
**Pandinus imperator** (Koch, 1842) II SCORPIONIDAE (Arachnida) (E) Emperor Scorpion (S) Escorpión emperador, Escorpión gigante (F) Scorpion empereur  
**Pandion spp.** II 27 PANDIONIDAE (Aves)  
**Pandion haliaetus** (Linnaeus, 1758) II 27 PANDIONIDAE (Aves) (E) Osprey (S) Águila pescadora, Águila sanguínea, Gavilán pescador, Guincho (F) Aigle pêcheur, Balbuzard fluvial, Balbuzard pêcheur  
**PANDIONIDAE spp.** II 27 (Aves) (E) Osprey (S) Águila Pescadora, Águila Sangüínea, Gavilán Pescador, Guincho (F) Aigle Pêcheur, Balbuzard Fluvial, Balbuzard Pêcheur  
**Pangasianodon gigas** Chevey, 1931 I PANGASIIDAE (Actinopterygii) (E) Giant Catfish (S) Siluro Gigante (F) Silure De Verre Géant  
*Pangasius gigas* (Chevey, 1931) = *Pangasianodon gigas* Chevey, 1931  
*Pangasius paucidens* Fang & Chaux, 1949 = *Pangasianodon gigas* Chevey, 1931  
Pangolin à écailles tricuspidés (F): *Manis tricuspidis*  
Pangolin à grosse queue (F): *Manis crassicaudata*  
Pangolin à longue queue (F): *Manis tetradactyla*  
Pangolin à queue courte (F): *Manis pentadactyla*  
Pangolin, Black-bellied (E): *Manis tetradactyla*  
Pangolin, Cape (E): *Manis temminckii*  
Pangolin, Chinese (E): *Manis pentadactyla*  
Pangolín chino (S): *Manis pentadactyla*  
Pangolin commun (F): *Manis tricuspidis*

- Pangolin de Chine (F): *Manis pentadactyla*  
 Pangolín de cola larga (S): *Manis tetradactyla*  
 Pangolín del Cabo (S): *Manis temminckii*  
 Pangolin de Temminck (F): *Manis temminckii*  
 Pangolin géant (F): *Manis gigantea*  
 Pangolin, Giant (E): *Manis gigantea*  
 Pangolin, Giant Ground (E): *Manis gigantea*  
 Pangolín gigante (S): *Manis gigantea*  
 Pangolin, Indian (E): *Manis crassicaudata*  
 Pangolín indio (S): *Manis crassicaudata*  
 Pangolin javanais (F): *Manis javanica*  
 Pangolin, Long-tailed (E): *Manis tetradactyla*  
 Pangolin malais (F): *Manis javanica*  
 Pangolin, Malayan (E): *Manis javanica*  
 Pangolín malayo (S): *Manis javanica*  
 Pangolin, South African (E): *Manis temminckii*  
 Pangolin, Sunda (E): *Manis javanica*  
 Pangolin, Temminck's Ground (E): *Manis temminckii*  
 Pangolin terrestre du Cap (F): *Manis temminckii*  
 Pangolin tétradactyle (F): *Manis tetradactyla*  
 Pangolin, Thick-tailed (E): *Manis crassicaudata*  
 Pangolin, Three-cusped (E): *Manis tricuspidis*  
 Pangolin, Tree (E): *Manis tricuspidis*  
 Pangolin, White-bellied (E): *Manis tricuspidis*  
**Pangshura spp. I/II** GEOEMYDIDAE (Reptilia)  
*Pangshura cochinchinensis* Tirant, 1885 = *Siebenrockiella crassicollis* (Gray, 1831)  
*Pangshura dura* Gray, 1869 = *Pangshura tecta* (Gray, 1831)  
*Pangshura flaviventer* Günther, 1864 = *Pangshura tecta* (Gray, 1831)  
*Pangshura leithii* Gray, 1870 = *Pangshura tentoria* (Gray, 1834)  
**Pangshura smithii** (Gray, 1863) II GEOEMYDIDAE  
 (Reptilia) (E) Brown River Turtle, Brown Roofed Turtle  
 (F) Kachuga de Smith  
**Pangshura sylhetensis** Jerdon, 1870 II GEOEMYDIDAE  
 (Reptilia) (E) Assam Roofed Turtle, Sylhet Roofed  
 Turtle (F) Kachuga de l'Assam  
**Pangshura tecta** (Gray, 1831) I GEOEMYDIDAE  
 (Reptilia) (E) Dura Turtle, Indian Pond Turtle, Indian  
 Roofed Turtle, Indian Sawback Turtle, Tent Turtle (S)  
 Galápago cubierto de la India, Tortuga india de visera  
 (F) Émyde tricarénée, Kachuga à dos en toit  
**Pangshura tentoria** (Gray, 1834) II GEOEMYDIDAE  
 (Reptilia) (E) Indian Tent Turtle (F) Kachuga carénée  
*Pangshura ventricosa* Gray, 1870 = *Pangshura tecta*  
 (Gray, 1831)  
*Panolia eldii* (McClelland, 1842) = *Rucervus eldii*  
 (McClelland, 1842)  
**Pan paniscus** Schwartz, 1929 I HOMINIDAE (Mammalia)  
 (E) Bonobo, Dwarf Chimpanzee, Pygmy Chimpanzee  
 (S) Chimpancé pigmeo (F) Bonobo, Chimpanzé nain,  
 Chimpanzé pygmée  
 Pantera (S): *Panthera pardus*  
 Pantera de la nieves (S): *Uncia uncia*  
 Pantera del Himalaya (S): *Neofelis nebulosa*  
 Pantera longibanda (S): *Neofelis nebulosa*  
 Pantera nebulosa (S): *Neofelis nebulosa*  
**Panterpe spp. II** TROCHILIDAE (Aves)
- Panterpe insignis** Cabanis & Heine, 1860 II  
 TROCHILIDAE (Aves) (E) Fiery-throated Hummingbird  
 (S) Colibrí insigne (F) Colibri insigne  
 Panther (E): *Panthera pardus*  
**Panthera spp. I/II** 10 FELIDAE (Mammalia)  
**Panthera leo** (Linnaeus, 1758) I/II FELIDAE (Mammalia)  
 (E) Lion (S) León (F) Lion d'Afrique  
**Panthera leo persica** Meyer, 1826 I FELIDAE  
 (Mammalia) (E) Asiatic Lion, Indian Lion (S) León  
 asiático, León indostánico (F) Lion d'Asie  
**Panthera onca** (Linnaeus, 1758) I FELIDAE (Mammalia)  
 (E) Jaguar (S) Jaguar, Otorongo, Tigre americano,  
 Tigre real, Yaguar, Yaguarete (F) Jaguar  
**Panthera pardus** (Linnaeus, 1758) I FELIDAE  
 (Mammalia) (E) Leopard, Panther (S) Chita, Leopardo,  
 Pantera (F) Léopard, Panthère  
**Panthera tigris** (Linnaeus, 1758) I FELIDAE (Mammalia)  
 (E) Tiger (S) Tigre (F) Tigre  
*Panthera uncia* (Schreber, 1775) = *Uncia uncia* (Schreber, 1775)  
 Panthère (F): *Panthera pardus*  
 Panther, Eastern (E): *Puma concolor couguar*  
 Panthère des neiges (F): *Uncia uncia*  
 Panthère longibande (F): *Neofelis nebulosa*  
 Panthère nébuleuse (F): *Neofelis nebulosa*  
 Panther, Florida (E): *Puma concolor coryi*  
**Pantholops hodgsonii** (Abel, 1826) I BOVIDAE  
 (Mammalia) (E) Chiru, Orong, Tibetan Antelope (S)  
 Antílope del Tibet, Antílope tibetano (F) Antilope du  
 Tibet, Tchirou  
**Pan troglodytes** (Blumenbach, 1775) I HOMINIDAE  
 (Mammalia) (E) Chimpanzee (S) Chimpancé (F)  
 Chimpanzé  
*Panichlora aurata* Cabanis & Heine, 1860 = *Chlorostilbon poortmani* (Bourcier, 1843)  
*Panichlora inexpectata* Berlepsch, 1879 = *Chlorostilbon poortmani* (Bourcier, 1843)  
*Panichlora russata* Salvin & Godman, 1881 =  
*Chlorostilbon russatus* (Salvin & Godman, 1881)  
*Panichlora stenura* Cabanis & Heine, 1860 =  
*Chlorostilbon stenurus* (Cabanis & Heine, 1860)  
 Paon spicifère (F): *Pavo muticus*  
 Paon vert (F): *Pavo muticus*  
 Papagayo alirrojo (S): *Aprosmictus erythropterus*  
 Papagayo australiano (S): *Alisterus scapularis*  
 Papagayo de cara roja (S): *Amazona brasiliensis*  
 Papagayo de Gulielm (S): *Poicephalus gulielmi*  
 Papagayo de Timor (S): *Aprosmictus jonquillaceus*  
 Papagayo enmascarado (S): *Prosoparia personata*  
 Papagayo escarlata (S): *Prosoparia splendens*  
 Papagayo granate (S): *Prosoparia tabuensis*  
 Papagayo moluqueño (S): *Alisterus amboinensis*  
 Papagayo papú (S): *Alisterus chloropterus*  
 Papagayo robusto (S): *Poicephalus robustus*  
 Papagayo senegalés (S): *Poicephalus senegalus*  
 Papamoscas de Rueck (S): *Cyornis ruckii*  
 Papamoscas piquilargo (S): *Dasyornis longirostris*  
 Papamoscas rosa occidental (S): *Dasyornis broadbenti litoralis*

- Papasula abbotti** Ridgway, 1893 I SULIDAE (Aves) (E)  
 Abbott's Booby (S) Alcatraz de Abbott, Piquero de Abbott (F) Fou D'Abbott
- Papegeai maillé** (F): *Deroptyus accipitrinus*
- Paphosia adorabilis** (Salvin, 1870) = *Lophornis adorabilis* Salvin, 1870
- Paphosia heleneae** (DeLattre, 1843) = *Lophornis heleneae* (DeLattre, 1843)
- Papilio chikae** Igarashi, 1965 I PAPILIONIDAE (Insecta)  
 (E) Luzon Peacock Swallowtail (F) Machaon de Luzon
- Papilio homerus** Fabricius, 1793 I PAPILIONIDAE  
 (Insecta) (E) Homerus Swallowtail (F) Portequeue Homerus
- Papilio hospiton** Guenée, 1839 II PAPILIONIDAE (Insecta)  
 (E) Corsican Swallowtail (S) Macaón de Córcega (F) Porte-queue de Corse, Portequeue de Corse
- Papio spp.** II CERCOPITHECIDAE (Mammalia)
- Papio anubis** (Lesson, 1827) II CERCOPITHECIDAE  
 (Mammalia) (E) Anubis Baboon, Olive Baboon (S) Papión oliva (F) Babouin anubis
- Papio cynocephalus** (Linnaeus, 1766) II  
 CERCOPITHECIDAE (Mammalia) (E) Yellow Baboon (F) Babouin jaune
- Papio hamadryas** (Linnaeus, 1758) II  
 CERCOPITHECIDAE (Mammalia) (E) Hamadryas Baboon (F) Droguera
- Papio hamadryas anubis** (Linnaeus, 1758) = *Papio anubis* (Lesson, 1827)
- Papio hamadryas cynocephalus** (Linnaeus, 1758) = *Papio cynocephalus* (Linnaeus, 1766)
- Papio hamadryas papio** (Linnaeus, 1758) = *Papio papio* Desmarest, 1820
- Papio hamadryas ursinus** (Linnaeus, 1758) = *Papio ursinus* (Kerr, 1792)
- Papio leucophaeus** (F. Cuvier, 1807) = *Mandrillus leucophaeus* (F. Cuvier, 1807)  
 Papión de Guinea (S): *Papio papio*  
 Papión negro (S): *Papio ursinus*  
 Papión oliva (S): *Papio anubis*
- Papio papio** Desmarest, 1820) II CERCOPITHECIDAE  
 (Mammalia) (E) Guinea Baboon, Western Baboon (S) Papión de Guinea (F) Babouin de Guinée
- Papio sphinx** (Linnaeus, 1758) = *Mandrillus sphinx* (Linnaeus, 1758)
- Papio ursinus** (Kerr, 1792) II CERCOPITHECIDAE  
 (Mammalia) (E) Chacma Baboon (S) Papión negro (F) Babouin chacma
- Papuina pulcherrima** (Rensch, 1931) = *Papustyla pulcherrima* Rensch, 1931
- Papustyla pulcherrima** Rensch, 1931 II CAMAENIDAE  
 (Gastropoda) (E) Emerald Green Snail, Green Tree Snail, Manus Green Tree Snail
- Parabuteo spp.** II<sup>27</sup> ACCIPITRIDAE (Aves)  
*Parabuteo leucorrhous* (Quoy & Gaimard, 1824) = *Buteo leucorrhous* (Quoy & Gaimard, 1824)
- Parabuteo unicinctus** (Temminck, 1824) II<sup>27</sup>  
 ACCIPITRIDAE (Aves) (E) Bay-winged Hawk, Harris's Hawk (S) Aguililla de Harris, Busardo mixto, Gavilán andapie, Gavilán mixto (F) Buse de Harris
- Paraclavarina spp.** Veron 1985 II MERULINIDAE  
 (Anthozoa)
- Paraclavarina triangularis** (Veron, Pichon & Wijsman-Best, 1977) II MERULINIDAE (Anthozoa)
- Paraconotrochus spp.** Cairns & Parker 1992 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paraconotrochus antarctica** (Gardiner, 1929) II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paraconotrochus capense** (Gardiner, 1904) II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paraconotrochus zeidleri** Cairns & Parker, 1992 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paracorallium japonicum** (Kishinouye, 1903) = *Corallium japonicum* Kishinouye, 1903
- Paracrotalus terrificus** (Laurenti, 1768) = *Crotalus durissus* Linnaeus, 1758
- Paracyathus spp.** Milne Edwards & Haime 1848 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus andersoni** Duncan, 1889 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus arcuatus** Lindström, 1877 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus caeruleus** Duncan, 1889 = *Paracyathus rotundatus* Semper, 1872
- Paracyathus caltha** Verrill, 1869 = *Paracyathus stearnsii* Verrill, 1869
- Paracyathus cavatus** Alcock, 1893 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus conceptus** Gardiner & Waugh, 1938 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus confertus** Pourtalès, 1868 = *Paracyathus pulchellus* (Philippi, 1842)
- Paracyathus darwinensis** Cairns, 2004 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus defilippii** Duchassaing & Michelotti, 1860 = *Paracyathus pulchellus* (Philippi, 1842)
- Paracyathus ebonensis** Verrill, 1866 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus flos** Pourtalès, 1878 = *Phacelocyathus flos* (Pourtalès, 1878)
- Paracyathus fulvus** Alcock, 1893 II CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus gardineri** Vaughan, 1907 = *Trochocyathus gardineri* (Vaughan, 1907)
- Paracyathus humilis** Verrill, 1870 II CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus indicus** Duncan, 1889 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus inornatus** Duncan, 1878 = *Caryophyllia inornata* (Duncan, 1878)
- Paracyathus laxus** Pourtalès, 1880 = *Trochocyathus rawsonii* Pourtalès, 1874
- Paracyathus lifuensis** Gardiner, 1899 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus mauiensis** Vaughan, 1907 = *Trochocyathus mauiensis* (Vaughan, 1907)
- Paracyathus merguiensis** Duncan, 1889 = *Paracyathus rotundatus* Semper, 1872
- Paracyathus molokensis** Vaughan, 1907 II  
 CARYOPHYLLIIDAE (Anthozoa)

- Paracyathus monilis* Duncan, 1878 = *Caryophyllia smithii* Stokes & Broderip, 1828
- Paracyathus montereyensis*** Durham, 1947 II  
CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus parvulus*** Gardiner, 1899 II  
CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus pedroensis* Vaughan, 1903 = *Paracyathus stearnsii* Verrill, 1869
- Paracyathus persicus* Duncan, 1876 = *Polycyathus persicus* (Duncan, 1876)
- Paracyathus porcellanus*** Verrill, 1866 II  
CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus porphyreus* Alcock, 1893 = *Trochocyathus porphyreus* (Alcock, 1893)
- Paracyathus profundus*** Duncan, 1889 II  
CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus pruinosis*** Alcock, 1902 II  
CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus pteropus* Gosse, 1860 = *Caryophyllia smithii* Stokes & Broderip, 1828
- Paracyathus pulchellus*** (Philippi, 1842) II  
CARYOPHYLLIIDAE (Anthozoa) (E) Papilloose Cup Coral (S) Coral tazón papilar
- Paracyathus rotundatus*** Semper, 1872 II  
CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus stearnsii*** Verrill, 1869 II  
CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus stokesii*** Milne Edwards & Haime, 1848 II  
CARYOPHYLLIIDAE (Anthozoa)
- Paracyathus taxilianus* Gosse, 1860 = *Caryophyllia smithii* Stokes & Broderip, 1828
- Paracyathus tenuicalyx* Vaughan, 1907 = *Trochocyathus rhombocolumna* Alcock, 1902
- Paracyathus thulensis* Gosse, 1860 = *Caryophyllia smithii* Stokes & Broderip, 1828
- Paracyathus tiburonensis* Durham, 1947 = *Paracyathus stearnsii* Verrill, 1869
- Paracyathus vittatus*** Dennant, 1906 II  
CARYOPHYLLIIDAE (Anthozoa)
- Paradeltocyathus orientalis* (Duncan, 1876) = *Deltocyathoides orientalis* (Duncan, 1876)
- Paradigalla spp.*** Lesson 1835 II PARADISAEIDAE (Aves)
- Paradigalla brevicauda*** Rothschild & Hartert, 1911 II  
PARADISAEIDAE (Aves) (E) Short-tailed Paradigalla (F) Paradigalle à queue courte, Paradisier à queue courte
- Paradigalla carunculata*** Lesson, 1835 II  
PARADISAEIDAE (Aves) (E) Long-tailed Paradigalla (F) Paradigalle caronculée, Paradisier caronculé
- Paradigalla, Long-tailed (E): *Paradigalla carunculata*
- Paradigalla, Short-tailed (E): *Paradigalla brevicauda*
- Paradigalle à queue courte (F): *Paradigalla brevicauda*
- Paradigalle caronculée (F): *Paradigalla carunculata*
- Paradisaea spp.*** II PARADISAEIDAE (Aves)
- Paradisaea apoda*** Linnaeus, 1758 II PARADISAEIDAE (Aves) (E) Greater Bird-of-paradise (F) Grand paradisier, Paradisier grand-émeraude
- Paradisaea decora*** Salvin & Godman, 1883 II  
PARADISAEIDAE (Aves) (E) Goldie's Bird-of-paradise (F) Paradisier de Goldie
- Paradisaea guilielmi*** Cabanis, 1888 II PARADISAEIDAE (Aves) (E) Emperor Bird-of-paradise, Emperor of Germany's Bird-of-paradise (F) Paradisier de Guillaume, Paradisier de l'empereur Guillaume
- Paradisaea minor*** Shaw, 1809 II PARADISAEIDAE (Aves) (E) Lesser Bird-of-paradise (F) Paradisier petit-émeraude, Petit paradisier
- Paradisaea raggiana*** Sclater, 1873 II PARADISAEIDAE (Aves) (E) Count Raggi's Bird-of-paradise, Raggiana Bird-of-paradise (F) Paradisier de Raggi, Paradisier du comte Raggi
- Paradisaea rubra*** Daudin, 1800 II PARADISAEIDAE (Aves) (E) Red Bird-of-paradise (F) Paradisier rouge
- Paradisaea rudolphi*** (Finsch, 1885) II PARADISAEIDAE (Aves) (E) Blue Bird-of-paradise (F) Paradisier bleu, Paradisier de Rodolphe
- PARADISAEIDAE spp. II** (Aves) (E) Birds Of Paradise (S) Aves Del Paraíso (F) Paradisiers
- Paradise, Birds Of (E): *Paradisaeidae*
- Paradise, Butterfly of (E): *Ornithoptera paradisea*
- Paradise-Crow (E): *Lycocorax pyrrhocopterus*
- Paradise-Flycatcher, Mascarene (E): *Terpsiphone bourbonnensis*
- Paradisier à bec blanc (F): *Drepanornis bruijnii*
- Paradisier à gorge noire (F): *Astrapia nigra*
- Paradisier à queue courte (F): *Paradigalla brevicauda*
- Paradisier à rubans (F): *Astrapia mayeri*
- Paradisier bleu (F): *Paradisaea rudolphi*
- Paradisier caronculé (F): *Paradigalla carunculata*
- Paradisier corvin (F): *Lycocorax pyrrhocopterus*
- Paradisier d'Albert (F): *Pteridophora alberti*
- Paradisier d'Albertis (F): *Drepanornis albertisi*
- Paradisier de Carola (F): *Parotia carolae*
- Paradisier de Goldie (F): *Paradisaea decora*
- Paradisier de Guillaume (F): *Paradisaea guilielmi*
- Paradisier de Jobi (F): *Manucodia jobiensis*
- Paradisier de Keraudren (F): *Phonygammus keraudrenii*
- Paradisier de la princesse Stéphanie (F): *Astrapia stephaniae*
- Paradisier de Lawes (F): *Parotia lawesii*
- Paradisier de l'empereur Guillaume (F): *Paradisaea guilielmi*
- Paradisier de Loria (F): *Cnemophilus loriae*
- Paradisier de Macgregor (F): *Macgregoria pulchra*
- Paradisier de Meyer (F): *Epimachus meyeri*
- Paradisier d'Entrecasteaux (F): *Manucodia comrii*
- Paradisier de Raggi (F): *Paradisaea raggiana*
- Paradisier de Rodolphe (F): *Paradisaea rudolphi*
- Paradisier de Rothschild (F): *Astrapia Rothschildi*
- Paradisier de Stéphanie (F): *Astrapia stephaniae*
- Paradisier de Victoria (F): *Ptiloris victoriae*
- Paradisier de Wahnes (F): *Parotia wahnesii*
- Paradisier de Wallace (F): *Semioptera wallacii*
- Paradisier d'Helena (F): *Parotia heleneae*
- Paradisier du comte Raggi (F): *Paradisaea raggiana*
- Paradisier du prince Albert (F): *Pteridophora alberti*
- Paradisier fastueux (F): *Epimachus fastuosus*
- Paradisier festonné (F): *Ptiloris paradiseus*
- Paradisier gorge-d'acier (F): *Ptiloris magnificus*
- Paradisier grand-émeraude (F): *Paradisaea apoda*

Paradisier huppé (F): *Cnemophilus macgregorii*  
 Paradisier loria (F): *Cnemophilus loriae*  
 Paradisier magnifique (F): *Diphylloides magnificus*  
 Paradisier multifil (F): *Seleucidis melanoleucus*  
 Paradisier noir (F): *Manucodia ater*  
 Paradisier petit-émeraude (F): *Paradisaea minor*  
 Paradisier républicain (F): *Diphylloides respublica*  
 Paradisier rouge (F): *Paradisaea rubra*  
 Paradisier royal (F): *Cicinnurus regius*  
 Paradisiers (F): *Paradisaeidae*  
 Paradisier sifilet (F): *Parotia sefilata*  
 Paradisier soyeux (F): *Loboparadisea sericea*  
 Paradisier splendide (F): *Astrapia splendidissima*  
 Paradisier superbe (F): *Lophorina superba*  
 Paradisier vert (F): *Manucodia chalybatus*  
**Paradoxurus hermaphroditus** (Pallas, 1777) III  
 VIVERRIDAE (Mammalia) (E) Asian Palm Civet,  
 Common Palm Civet, Musang (S) Civeta de palmera  
 común (F) Civette palmiste hermaphrodite  
**Paradoxurus jerdoni** Blanford, 1885 III VIVERRIDAE  
 (Mammalia) (E) Jerdon's Palm Civet (S) Civeta de  
 palmera de Jerdon (F) Civette palmiste de Jerdon  
*Paradoxurus jorandensis* Gayen, 1988 = *Paradoxurus*  
*hermaphroditus* (Pallas, 1777)  
**Paraerrina spp.** Broch 1942 II STYLASTERIDAE  
 (Hydrozoa)  
**Paraerrina decipiens** Broch, 1942 II STYLASTERIDAE  
 (Hydrozoa)  
*Parahalomitra dentata* (Quelch, 1884) = *Sandalolitha*  
*dentata* Quelch, 1884  
*Parahalomitra irregularis* (Gardiner, 1898) = *Sandalolitha*  
*robusta* (Quelch, 1886)  
*Parahalomitra robusta* (Quelch, 1886) = *Sandalolitha*  
*robusta* (Quelch, 1886)  
 Parakeet, Alexandrine (E): *Psittacula eupatria*  
 Parakeet, Amazonian (E): *Nannopsittaca dachilleae*  
 Parakeet, Amazon Red-fronted (E): *Pyrrhura parvifrons*  
 Parakeet, Andean (E): *Bolborhynchus orbygnesius*  
 Parakeet, Antipodes (E): *Cyanoramphus unicolor*  
 Parakeet, Antipodes Green (E): *Cyanoramphus unicolor*  
 Parakeet, Austral (E): *Enicognathus ferrugineus*  
 Parakeet, Aztec (E): *Aratinga nana*  
 Parakeet, Azuero (E): *Pyrrhura eisenmanni*  
 Parakeet, Baraband (E): *Polytelis swainsonii*  
 Parakeet, Barred (E): *Bolborhynchus lineola*  
 Parakeet, Beautiful (E): *Psephotus pulcherrimus*  
 Parakeet, Black-capped (E): *Pyrrhura rupicola*  
 Parakeet, Black-headed (E): *Nandayus nenday*  
 Parakeet, Blaze-winged (E): *Pyrrhura devillei*  
 Parakeet, Blood-eared (E): *Pyrrhura hoematotis*  
 Parakeet, Blossom-headed (E): *Psittacula roseata*  
 Parakeet, Blue-chested (E): *Pyrrhura cruentata*  
 Parakeet, Blue-crowned (E): *Aratinga acuticaudata*  
 Parakeet, Blue-throated (E): *Pyrrhura cruentata*  
 Parakeet, Blyth's (E): *Psittacula caniceps*  
 Parakeet, Brown-breasted (E): *Pyrrhura calliptera*  
 Parakeet, Brown-throated (E): *Aratinga pertinax*  
 Parakeet, Burrowing (E): *Cyanoliseus patagonus*  
 Parakeet, Caatinga (E): *Aratinga cactorum*  
 Parakeet, Cactus (E): *Aratinga cactorum*

Parakeet, Canary-winged (E): *Brotogeris versicolurus*  
 Parakeet, Chatham Island Yellow-fronted (E):  
     *Cyanoramphus forbesi*  
 Parakeet, Cobalt-winged (E): *Brotogeris cyanoptera*  
 Parakeet, Crimson-bellied (E): *Pyrrhura perlata*  
 Parakeet, Crimson-fronted (E): *Aratinga finschi*  
 Parakeet, Cuban (E): *Aratinga euops*  
 Parakeet, Derbyan (E): *Psittacula derbiana*  
 Parakeet, Dusky-headed (E): *Aratinga weddellii*  
 Parakeet, El Oro (E): *Pyrrhura orcesi*  
 Parakeet, Emerald-collared (E): *Psittacula calthorae*  
 Parakeet, Fiery-shouldered (E): *Pyrrhura egregia*  
 Parakeet, Flame-winged (E): *Pyrrhura calliptera*  
 Parakeet, Forbes's (E): *Cyanoramphus forbesi*  
 Parakeet, Golden (E): *Guarouba guarouba*  
 Parakeet, Golden-capped (E): *Aratinga auricapillus*  
 Parakeet, Golden-fronted (E): *Psilopsiagon aurifrons*  
 Parakeet, Golden-plumed (E): *Leptosittaca branickii*  
 Parakeet, Golden-winged (E): *Brotogeris chrysoptera*  
 Parakeet, Green (E): *Aratinga holochlora*  
 Parakeet, Green-cheeked (E): *Pyrrhura molinae*  
 Parakeet, Grey-breasted (E): *Pyrrhura griseipectus*  
 Parakeet, Grey-breasted (E): *Myiopsitta monachus*  
 Parakeet, Grey-cheeked (E): *Brotogeris pyrrhoptera*  
 Parakeet, Grey-headed (E): *Psittacula finschii*  
 Parakeet, Grey-hooded (E): *Psilopsiagon aymara*  
 Parakeet, Ground (E): *Pezoporus wallicus*  
 Parakeet, Hispaniolan (E): *Aratinga chloroptera*  
 Parakeet, Horned (E): *Eunymphicus cornutus*  
 Parakeet, Intermediate (E): *Psittacula intermedia*  
 Parakeet, Jandaya (E): *Aratinga jandaya*  
 Parakeet, Layard's (E): *Psittacula calthorae*  
 Parakeet, Long-tailed (E): *Psittacula longicauda*  
 Parakeet, Malabar (E): *Psittacula columbooides*  
 Parakeet, Malherbe's (E): *Cyanoramphus malherbi*  
 Parakeet, Many-coloured (E): *Psephotus varius*  
 Parakeet, Maroon-bellied (E): *Pyrrhura frontalis*  
 Parakeet, Maroon-faced (E): *Pyrrhura leucotis*  
 Parakeet, Maroon-tailed (E): *Pyrrhura melanura*  
 Parakeet, Mauritius (E): *Psittacula echo*  
 Parakeet, Mauritius Ring-necked (E): *Psittacula echo*  
 Parakeet, Mitred (E): *Aratinga mitrata*  
 Parakeet, Monk (E): *Myiopsitta monachus*  
 Parakeet, Mountain (E): *Psilopsiagon aurifrons*  
 Parakeet, Moustached (E): *Psittacula alexandri*  
 Parakeet, Nanday (E): *Nandayus nenday*  
 Parakeet, New Zealand (E): *Cyanoramphus*  
     *novaezelandiae*  
 Parakeet, Nicobar (E): *Psittacula caniceps*  
 Parakeet, Norfolk (E): *Cyanoramphus cookii*  
 Parakeet, Norfolk Island (E): *Cyanoramphus cookii*  
 Parakeet, Ochre-marked (E): *Pyrrhura cruentata*  
 Parakeet, Olive-throated (E): *Aratinga nana*  
 Parakeet, Orange-bellied (E): *Neophema chrysogaster*  
 Parakeet, Orange-chinned (E): *Brotogeris jugularis*  
 Parakeet, Orange-fronted (E): *Aratinga canicularis*  
 Parakeet, Orange-fronted (E): *Cyanoramphus malherbi*  
 Parakeet, Pacific (E): *Aratinga strenua*  
 Parakeet, Painted (E): *Pyrrhura picta*  
 Parakeet, Peach-fronted (E): *Aratinga aurea*

- Parakeet, Pearly (E): *Pyrrhura lepida*  
 Parakeet, Pennant's (E): *Platycercus elegans*  
 Parakeet, Perijá (E): *Pyrrhura caeruleiceps*  
 Parakeet, Pfrimer's (E): *Pyrrhura pfrimeri*  
 Parakeet, Pileated (E): *Purpureicephalus spurius*  
 Parakeet, Pink-cheeked (E): *Psittacula longicauda*  
 Parakeet, Plain (E): *Brotogeris tirica*  
 Parakeet, Plum-headed (E): *Psittacula cyanocephala*  
 Parakeet, Princess of Wales (E): *Polytelis alexandrae*  
 Parakeet, Quaker (E): *Myiopsitta monachus*  
 Parakeet, Red-breasted (E): *Psittacula alexandri*  
 Parakeet, Red-crowned (E): *Cyanoramphus novaezelandiae*  
 Parakeet, Red-crowned (E): *Cyanoramphus saisseti*  
 Parakeet, Reddish-bellied (E): *Pyrrhura frontalis*  
 Parakeet, Red-eared (E): *Pyrrhura hoematotis*  
 Parakeet, Red-fronted (E): *Cyanoramphus novaezelandiae*  
 Parakeet, Red-masked (E): *Aratinga erythrogenys*  
 Parakeet, Ring-necked (E): *Psittacula krameri*  
 Parakeet, Rock (E): *Pyrrhura rupicola*  
 Parakeet, Rose-headed (E): *Pyrrhura rhodocephala*  
 Parakeet, Rose-ringed (E): *Psittacula krameri*  
 Parakeet, Rothschild's (E): *Psittacula intermedia*  
 Parakeet, Rufous-fronted (E): *Bolborhynchus ferrugineifrons*  
 Parakeet, Santa Marta (E): *Pyrrhura viridicata*  
 Parakeet, Scarlet-fronted (E): *Aratinga wagleri*  
 Parakeet, Sierra (E): *Psilopsiagon aymara*  
 Parakeet, Sinú (E): *Pyrrhura subandina*  
 Parakeet, Slaty-headed (E): *Psittacula himalayana*  
 Parakeet, Slender-billed (E): *Enicognathus leptorhynchus*  
 Parakeet, Stanley (E): *Platycercus icterotis*  
 Parakeet, Sulphur-breasted (E): *Aratinga maculata*  
 Parakeet, Sulphur-winged (E): *Pyrrhura hoffmanni*  
 Parakeet, Sun (E): *Aratinga solstitialis*  
 Parakeet, Swamp (E): *Pezoporus wallicus*  
 Parakeet, Tepui (E): *Nannopsittaca panychlora*  
 Parakeet, Todd's (E): *Pyrrhura caeruleiceps*  
 Parakeet, Tui (E): *Brotogeris sanctithomae*  
 Parakeet, Twenty-eight (E): *Barnardius zonarius*  
 Parakeet, White-breasted (E): *Pyrrhura albipectus*  
 Parakeet, White-eared (E): *Pyrrhura leucotis*  
 Parakeet, White-eyed (E): *Aratinga leucophthalma*  
 Parakeet, White-necked (E): *Pyrrhura albipectus*  
 Parakeet, Yellow-chevroned (E): *Brotogeris chiriri*  
 Parakeet, Yellow-crowned (E): *Cyanoramphus auriceps*  
 Parakeet, Yellow-fronted (E): *Cyanoramphus auriceps*  
 Parakeet, Yellow-headed (E): *Aratinga jandaya*
- Parantipathes spp.** Brook 1889 II SCHIZOPATHIDAE (Anthozoa)
- Parantipathes abietina* (Pourtalès, 1874) = *Elatopathes abietina* (Pourtalès, 1874)
- Parantipathes columnaris* (Duchassaing, 1870) = *Stylopathes columnaris* (Duchassaing, 1870)
- Parantipathes cylindrica* (Brook, 1889) = *Antipathes cylindrica* Brook, 1889
- Parantipathes euantha** (Pasternak, 1958) II SCHIZOPATHIDAE (Anthozoa)
- Parantipathes fernandezii* (Pourtalès, 1874) = *Plumapathes fernandezii* (Pourtalès, 1874)
- Parantipathes filix* (Pourtalès, 1867) = *Distichopathes filix* (Pourtalès, 1867)
- Parantipathes helicosticha** Opresko, 1999 II SCHIZOPATHIDAE (Anthozoa)
- Parantipathes hirondelle** Molodtsova, 2006 II SCHIZOPATHIDAE (Anthozoa)
- Parantipathes hirta* (Gray, 1858) = *Tanacetipathes hirta* (Gray, 1858)
- Parantipathes laricides** van Pesch, 1914 II SCHIZOPATHIDAE (Anthozoa)
- Parantipathes larix** (Esper, 1790) II SCHIZOPATHIDAE (Anthozoa)
- Parantipathes lilliei* (Totton, 1923) = *Lillipathes lilliei* (Totton, 1923)
- Parantipathes simplex* Schultze, 1896 = *Antipathes simplex* (Schultze, 1896)
- Parantipathes strigosa* (Brook, 1889) = *Antipathella strigosa* Brook, 1889
- Parantipathes tenuispina* Silberfeld, 1909 = *Stylopathes tenuispina* (Silberfeld, 1909)
- Parantipathes tetrasticha** (Pourtalès, 1868) II SCHIZOPATHIDAE (Anthozoa) (E) Four-stick Black Coral (S) Coral cuatro-ramas
- Parantipathes triadocrada* Opresko, 1999 = *Triadopathes triadocrada* (Opresko, 1999)
- Parantipathes tristicha* van Pesch, 1914 = *Trissopathes tristicha* (van Pesch, 1914)
- Parantipathes wolffi** Pasternak, 1977 II SCHIZOPATHIDAE (Anthozoa)
- Paraonyx microdon* (Lönnberg, 1910) = *Aonyx capensis microdon*
- Paraonyx tacheté (F): *Aonyx capensis microdon*
- Parascaphirhynchus albus* Forbes & Richardson, 1905 = *Scaphirhynchus albus* (Forbes & Richardson, 1905)
- Parascolymia vitiensis* (Brüggemann, 1877) = *Scolymia vitiensis* Brüggemann, 1877
- Parasimplastrea spp.** Sheppard 1985 II FAVIIDAE (Anthozoa)
- Parasimplastrea sheppardi** Veron, 2000 II FAVIIDAE (Anthozoa)
- Parasimplastrea simplicitexta* (Umbgrove, 1939) = *Parasimplastrea sheppardi* Veron, 2000
- Parasmilia arbuscula* (Pourtalès, 1874) = *Anomocora fecunda* (Pourtalès, 1871)
- Parasmilia fecunda* (Pourtalès, 1871) = *Anomocora fecunda* (Pourtalès, 1871)
- Parasmilia lymani* Pourtalès, 1871 = *Dasmosmilia lymani* (Pourtalès, 1871)
- Parasmilia punctata* Lindström, 1877 = *Oxysmilia rotundifolia* (Milne Edwards & Haime, 1848)
- Parasmilia variegata* Pourtalès, 1871 = *Dasmosmilia variegata* (Pourtalès, 1871)
- Parastrea affinis* Milne Edwards & Haime, 1850 = *Favia favus* (Forskål, 1775)
- Parastrea amicorum* Milne Edwards & Haime, 1848 = *Barabattoia amicorum* (Milne Edwards & Haime, 1848)
- Parastrea amplior* Milne Edwards & Haime, 1850 = *Favia pallida* (Dana, 1846)

- Parastrea aspera* Milne Edwards & Haime, 1857 = *Favia favus* (Forskål, 1775)
- Parastrea deformata* Milne Edwards & Haime, 1850 = *Favia favus* (Forskål, 1775)
- Parastrea denticulata* (Ellis & Solander, 1786) = *Favia favus* (Forskål, 1775)
- Parastrea doreyensis* Milne Edwards & Haime, 1850 = *Favia pallida* (Dana, 1846)
- Parastrea fragum* (Esper, 1797) = *Favia fragum* (Esper, 1793)
- Parastrea geoffroyi* (Milne Edwards & Haime, 1857) = *Favia favus* (Forskål, 1775)
- Parastrea hombronii* Rousseau, 1854 = *Favia stelligera* (Dana, 1846)
- Parastrea jacquinoti* (Milne Edwards & Haime, 1857) = *Favia favus* (Forskål, 1775)
- Parastrea lobata* Milne Edwards & Haime, 1850 = *Favia stelligera* (Dana, 1846)
- Parastrea rousseauii* Milne Edwards & Haime, 1850 = *Favia favus* (Forskål, 1775)
- Parastrea savignyi* Milne Edwards & Haime, 1850 = *Favia favus* (Forskål, 1775)
- Parastrea urvilliana* Milne Edwards & Haime, 1850 = *Favia pallida* (Dana, 1846)
- Paratylopathes atlantica* (Roule, 1902) = *Antipathes grayi* (Roule, 1902)
- Paratylopathes grayi* (Roule, 1902) = *Antipathes grayi* (Roule, 1902)
- Pardofelis spp.** I/II<sup>10</sup> FELIDAE (Mammalia)
- Pardofelis marmorata** (Martin, 1837) I FELIDAE (Mammalia) (E) Marbled Cat (S) Gato jaspeado (F) Chat marbré
- Pardofelis nebulosa* (Griffith, 1821) = *Neofelis nebulosa* (Griffith, 1821)
- Paresseux d'Hoffmann (F): *Choloepus hoffmanni*
- Paresseux tridactyle (F): *Bradypus variegatus*
- Paresseux tridactyle de Bolivie (F): *Bradypus variegatus*
- Parihuana (S): *Phoenicopterus chilensis*
- Parina chica (S): *Phoenicoparrus jamesi*
- Parina grande (S): *Phoenicoparrus andinus*
- Pariona (S): *Phoenicopterus chilensis*
- Parnassius apollo* Linnaeus, 1758 II PAPILIONIDAE (Insecta) (E) Apollo, Apollo Butterfly, Mountain Apollo (S) Apolo, Mariposa apollo
- Paroare à bec jaune (F): *Paroaria capitata*
- Paroare cardinal à bec jaune (F): *Paroaria capitata*
- Paroare huppé (F): *Paroaria coronata*
- Paroaria capitata** d'Orbigny & Lafresnaye, 1837 II EMBERIZIDAE (Aves) (E) Yellow-billed Cardinal (S) Cardenal cabecirrojo (F) Paroare à bec jaune, Paroare cardinal à bec jaune
- Paroaria coronata** (Miller, 1776) II EMBERIZIDAE (Aves) (E) Red-crested Cardinal (S) Cardenal copetón (F) Cardinal gris, Paroare huppé
- Parotia spp.** Vieillot 1816 II PARADISAEIDAE (Aves)
- Parotia, Arfak (E): *Parotia sefilata*
- Parotia carolae** Meyer, 1894 II PARADISAEIDAE (Aves) (E) Carola's Parotia, Queen Carola's Parotia (F) Paradisier de Carola, Sifilet de Carola
- Parotia, Carola's (E): *Parotia carolae*
- Parotia, Eastern (E): *Parotia helena*
- Parotia helena** De Vis, 1891 II PARADISAEIDAE (Aves) (E) Eastern Parotia (F) Paradisier d'Helena, Sifilet d'Hélène
- Parotia lawesi** Ramsay, 1885 II PARADISAEIDAE (Aves) (E) Lawes's Parotia (F) Paradisier de Lawes, Sifilet de Lawe
- Parotia lawesi* *helena* Ramsay, 1885 = *Parotia helena* De Vis, 1891
- Parotia, Lawes's (E): *Parotia lawesi*
- Parotia, Queen Carola's (E): *Parotia carolae*
- Parotia sefilata** (Pennant, 1781) II PARADISAEIDAE (Aves) (E) Arfak Parotia, Six-plumed Parotia, Western Parotia (F) Paradisier sifilet, Sifilet d'Arfak
- Parotia, Six-plumed (E): *Parotia sefilata*
- Parotia wahnesi** Rothschild, 1906 II PARADISAEIDAE (Aves) (E) Wahnes's Parotia (F) Paradisier de Wahnes, Sifilet de Wahnes
- Parotia, Wahnes's (E): *Parotia wahnesi*
- Parotia, Western (E): *Parotia sefilata*
- Parrot, African Orange-bellied (E): *Poicephalus rufiventris*
- Parrot, Alder (E): *Amazona tucumana*
- Parrot, Alexandra's (E): *Polytelis alexandri*
- Parrot, Azure-rumped (E): *Tanygnathus sumatranus*
- Parrot, Bahamas (E): *Amazona leucocephala*
- Parrot, Bald (E): *Pionopsitta aurantiocephala*
- Parrot, Barraband's (E): *Pionopsitta barrabandi*
- Parrot, Beautiful (E): *Pionopsitta pulchra*
- Parrot, Black (E): *Coracopsis nigra*
- Parrot, Black-billed (E): *Amazona agilis*
- Parrot, Black-eared (E): *Hapalopsittaca melanotos*
- Parrot, Black-headed (E): *Pionites melanocephalus*
- Parrot, Black-lored (E): *Tanygnathus gramineus*
- Parrot, Black-winged (E): *Hapalopsittaca melanotos*
- Parrot, Blue-backed (E): *Tanygnathus sumatranus*
- Parrot, Blue-bellied (E): *Trichloria malachitacea*
- Parrot, Blue-cheeked (E): *Amazona dufresniana*
- Parrot, Blue-collared (E): *Geoffroyus simplex*
- Parrot, Blue-fronted (E): *Amazona aestiva*
- Parrot, Blue-headed (E): *Pionus menstruus*
- Parrot, Blue-naped (E): *Tanygnathus lucionensis*
- Parrot, Blue-rumped (E): *Psittinus cyanurus*
- Parrot, Blue-winged (E): *Neophema chrysostoma*
- Parrot, Bourke's (E): *Neopsephotus bourkii*
- Parrot, Bronze-winged (E): *Pionus chalcopterus*
- Parrot, Brown (E): *Poicephalus meyeri*
- Parrot, Brown-headed (E): *Poicephalus cryptoxanthus*
- Parrot, Brown-hooded (E): *Pionopsitta haematocephala*
- Parrot, Brown-necked (E): *Poicephalus robustus*
- Parrot, Caica (E): *Pionopsitta caica*
- Parrot, Cape (E): *Poicephalus robustus*
- Parrot, Coxen's Blue-browed Fig (E): *Cyclopsitta diophthalma coxeni*
- Parrot, Coxen's Two-eyed Fig (E): *Cyclopsitta diophthalma coxeni*
- Parrot, Cuban (E): *Amazona leucocephala*
- Parrot, Dusky (E): *Pionus fuscus*
- Parrot, Eclectus (E): *Eclectus roratus*
- Parrot, Elegant (E): *Neophema elegans*
- Parrot, Festive (E): *Amazona festiva*

- Parrot, Fuertes's (E): *Hapalopsittaca fuertesi*  
 Parrot, Golden-shouldered (E): *Psephotus chrysoterygius*  
 Parrot, Great-billed (E): *Tanygnathus megalorynchos*  
 Parrot, Green-cheeked (E): *Amazona viridigenalis*  
 Parrot, Green-crowned Racket-tailed (E): *Prioniturus luconensis*  
 Parrot, Green-headed Racket-tailed (E): *Prioniturus luconensis*  
 Parrot, Green Leek (E): *Polytelis swainsonii*  
 Parrot, Grey (E): *Psittacus erithacus*  
 Parrot, Ground (E): *Pezoporus wallicus*  
 Parrot, Hawk-headed (E): *Deroptyus accipitrinus*  
 Parrot, Hispaniolan (E): *Amazona ventralis*  
 Parrot, Hooded (E): *Psephotus dissimilis*  
 Parrot, Imperial (E): *Amazona imperialis*  
 Parrot, Indigo-winged (E): *Hapalopsittaca fuertesi*  
 Parrot, Jardine's (E): *Poicephalus gulielmi*  
 Parrot, Kawall's (E): *Amazona kawalli*  
 Parrotlet, Amazonian (E): *Nannopsittaca dachilleae*  
 Parrotlet, Black-eared (E): *Touit melanotus*  
 Parrotlet, Blue-fronted (E): *Touit dilectissimus*  
 Parrotlet, Blue-rumped (E): *Forpus cyanopygius*  
 Parrotlet, Blue-winged (E): *Forpus xanthopterygius*  
 Parrotlet, Brown-backed (E): *Touit melanotus*  
 Parrotlet, Celestial (E): *Forpus coelestis*  
 Parrotlet, Dusky-billed (E): *Forpus modestus*  
 Parrotlet, Golden-tailed (E): *Touit surdus*  
 Parrotlet, Green-rumped (E): *Forpus passerinus*  
 Parrotlet, Lilac-tailed (E): *Touit batavicus*  
 Parrotlet, Mexican (E): *Forpus cyanopygius*  
 Parrotlet, Pacific (E): *Forpus coelestis*  
 Parrotlet, Red-fronted (E): *Touit costaricensis*  
 Parrotlet, Sapphire-rumped (E): *Touit purpuratus*  
 Parrotlet, Scarlet-shouldered (E): *Touit huetii*  
 Parrotlet, Slater's (E): *Forpus modestus*  
 Parrotlet, Seven-colored (E): *Touit batavicus*  
 Parrotlet, Spectacled (E): *Forpus conspicillatus*  
 Parrotlet, Spot-winged (E): *Touit stictopterus*  
 Parrotlet, Tepui (E): *Nannopsittaca panychlora*  
 Parrotlet, Yellow-faced (E): *Forpus xanthops*  
 Parrot, Lilac-crowned (E): *Amazona finschi*  
 Parrot, Maroon-fronted (E): *Rhynchopsitta terrisi*  
 Parrot, Mealy (E): *Amazona farinosa*  
 Parrot, Meyer's (E): *Poicephalus meyeri*  
 Parrot, Mulga (E): *Psephotus varius*  
 Parrot, Müller's (E): *Tanygnathus sumatranus*  
 Parrot, Niam-niam (E): *Poicephalus crassus*  
 Parrot, Night (E): *Pezoporus occidentalis*  
 Parrot, Olive-shouldered (E): *Aprosmictus jonquillaceus*  
 Parrot, Orange-bellied (E): *Neophema chrysogaster*  
 Parrot, Orange-cheeked (E): *Pionopsitta barrabandi*  
 Parrot, Orange-winged (E): *Amazona amazonica*  
 Parrot, Palawan Racket-tailed (E): *Prioniturus discurus*  
 Parrot, Paradise (E): *Psephotus pulcherrimus*  
 Parrot, Pesquet's (E): *Psittrichas fulgidus*  
 Parrot, Pileated (E): *Pionopsitta pileata*  
 Parrot, Plum-crowned (E): *Pionus tumultuosus*  
 Parrot, Princess (E): *Polytelis alexandrae*  
 Parrot, Puerto Rican (E): *Amazona vittata*  
 Parrot, Purple-bellied (E): *Tricholaema malachitacea*  
 Parrot, Red-bellied (E): *Poicephalus rufiventris*  
 Parrot, Red-billed (E): *Pionus sordidus*  
 Parrot, Red-browed (E): *Amazona rhodocorytha*  
 Parrot, Red-capped (E): *Purpureicephalus spurius*  
 Parrot, Red-capped (E): *Pionopsitta pileata*  
 Parrot, Red-cheeked (E): *Geoffroyus geoffroyi*  
 Parrot, Red-crowned (E): *Amazona viridigenalis*  
 Parrot, Red-crowned (E): *Poicephalus gulielmi*  
 Parrot, Red-faced (E): *Hapalopsittaca pyrrhops*  
 Parrot, Red-fan (E): *Deroptyus accipitrinus*  
 Parrot, Red-fronted (E): *Poicephalus gulielmi*  
 Parrot, Red-lored (E): *Amazona autumnalis*  
 Parrot, Red-necked (E): *Amazona arausiaca*  
 Parrot, Red-rumped (E): *Psephotus haematonotus*  
 Parrot, Red-spectacled (E): *Amazona pretrei*  
 Parrot, Red-tailed (E): *Amazona brasiliensis*  
 Parrot, Red-topped (E): *Amazona rhodocorytha*  
 Parrot, Red-vented (E): *Pionus menstruus*  
 Parrot, Red-winged (E): *Aprosmictus erythropterus*  
 Parrot, Regent (E): *Polytelis anthopeplus*  
 Parrot, Rock (E): *Neophema petrophila*  
 Parrot, Rose-faced (E): *Pionopsitta pulchra*  
 Parrot, Rüppell's (E): *Poicephalus rueppellii*  
 Parrot, Rusty-faced (E): *Hapalopsittaca amazonina*  
 Parrot, Saffron-headed (E): *Pionopsitta pyrilia*  
 Parrot, Saint Lucia (E): *Amazona versicolor*  
 Parrot, Saint Vincent (E): *Amazona guildingii*  
 Parrots, Amazons, Macaws, Parakeets, (E): *Psittacidae*  
 Parrot, Scaly-headed (E): *Pionus maximiliani*  
 Parrot, Scaly-naped (E): *Amazona mercenaria*  
 Parrot, Scarlet-chested (E): *Neophema splendida*  
 Parrot, Senegal (E): *Poicephalus senegalus*  
 Parrot, Short-tailed (E): *Graydidascalus brachyurus*  
 Parrot, Singing (E): *Geoffroyus heteroclitus*  
 Parrot, Superb (E): *Polytelis swainsonii*  
 Parrot, Swift (E): *Lathamus discolor*  
 Parrot, Thick-billed (E): *Rhynchopsitta pachyrhyncha*  
 Parrot, Timor Red-winged (E): *Aprosmictus jonquillaceus*  
 Parrot, Tucuman (E): *Amazona tucumana*  
 Parrot, Turquoise (E): *Neophema pulchella*  
 Parrot, Turquoise-fronted (E): *Amazona aestiva*  
 Parrot, Vasa (E): *Coracopsis vasa*  
 Parrot, Vinaceous (E): *Amazona vinacea*  
 Parrot, Vulturine (E): *Psittrichas fulgidus*  
 Parrot, Vulturine (E): *Pionopsitta vulturina*  
 Parrot, White-bellied (E): *Pionites leucogaster*  
 Parrot, White-capped (E): *Pionus senilis*  
 Parrot, White-crowned (E): *Pionus senilis*  
 Parrot, White-fronted (E): *Amazona albifrons*  
 Parrot, Yellow-billed (E): *Amazona collaria*  
 Parrot, Yellow-crowned (E): *Amazona ochrocephala*  
 Parrot, Yellow-eared (E): *Ognorhynchus icterotis*  
 Parrot, Yellow-faced (E): *Amazona xanthops*  
 Parrot, Yellow-fronted (E): *Poicephalus flavigrons*  
 Parrot, Yellow-headed (E): *Amazona oratrix*  
 Parrot, Yellow-lored (E): *Amazona xantholora*  
 Parrot, Yellow-naped (E): *Amazona auropalliata*  
 Parrot, Yellow-shouldered (E): *Amazona barbadensis*  
 Parrot, Yucatan (E): *Amazona xantholora*

- Paruwrobates andinus* Bauer, 1994 = *Ameerega andina* (Myers & Burrowes, 1987)
- Patagona* spp.** II TROCHILIDAE (Aves)
- Patagona gigas*** (Vieillot, 1824) II TROCHILIDAE (Aves)  
(E) Giant Hummingbird (S) Colibrí gigante, Picaflor gigante (F) Colibri géant
- Patas (F): *Erythrocebus patas*
- Pato aliblanco (S): *Asarcornis scutulata*
- Pato almizclero aliblanco (S): *Asarcornis scutulata*
- Pato cabecirrosa (S): *Rhodonessa caryophyllacea*
- Pato crestado (S): *Sarkidiornis melanotos*
- Pato crestón (S): *Sarkidiornis melanotos*
- Pato crestudo (S): *Sarkidiornis melanotos*
- Pato criollo (S): *Cairina moschata*
- Pato de Bernier (S): *Anas bernieri*
- Pato de cabeza rosa (S): *Rhodonessa caryophyllacea*
- Pato de jungla (S): *Asarcornis scutulata*
- Pato de Laysan (S): *Anas laysanensis*
- Pato de moco (S): *Sarkidiornis melanotos*
- Pato de monte (S): *Sarkidiornis melanotos*
- Pato real (S): *Cairina moschata*
- Pato real de Laysan (S): *Anas laysanensis*
- Pato silbón común (S): *Dendrocygna bicolor*
- Pato silbón de Cuba (S): *Dendrocygna arborea*
- Pato silbón ventrínegro (S): *Dendrocygna autumnalis*
- Paují copete de piedra (S): *Pauxi pauxi*
- Paují cornudo (S): *Oreophasis derbianus*
- Paují de Alagoas (S): *Mitu mitu*
- Paují de copete (S): *Crax daubentoni*
- Paují de pico azul (S): *Crax alberti*
- Paují de yelmo (S): *Pauxi pauxi*
- Paují menor (S): *Mitu mitu*
- Paují piquirrojo (S): *Crax blumenbachii*
- Pauxi pauxi*** (Linnaeus, 1766) III CRACIDAE (Aves) (E)  
Helmeted Curassow, Northern Helmeted Curassow (S)  
Hoco de casco, Paují copete de piedra, Paují de yelmo  
(F) Hocco à pierre, Pauxi pierre
- Pauxi pierre (F): *Pauxi pauxi*
- Pava aliblanca (S): *Penelope albipennis*
- Pava cojolita (S): *Penelope purpurascens*
- Pava culirroja (S): *Penelope purpurascens*
- Pava de Trinidad (S): *Pipile pipile*
- Pava pajuil (S): *Penelopina nigra*
- Pava pajuil (S): *Oreophasis derbianus*
- Pava rajadora (S): *Pipile pipile*
- Pava yacutinga (S): *Pipile jacutinga*
- Pavita andina (S): *Glaucidium jardinii*
- Pavita ferruginea (S): *Glaucidium brasiliense*
- Pavo bicalcaratus Linnaeus, 1758 = *Polyplectron bicalcaratum* (Linnaeus, 1758)
- Pavo cristatus*** III PHASIANIDAE (Aves) (E) Common Peafowl, Indian Peafowl, Peafowl
- Pavo malacensis* Scopoli, 1786 = *Polyplectron malacense* (Scopoli, 1786)
- Pavo mudo (S): *Pavo muticus*
- Pavo muticus*** Linnaeus, 1766 II PHASIANIDAE (Aves)  
(E) Green-necked Peafowl, Green Peafowl (S) Pavo mudo, Pavo-real cuelliverde, Pavo-real verde (F) Paon spicifère, Paon vert
- Pavón (S): *Oreophasis derbianus*
- Pavona* spp.** Lamarck 1801 II AGARICIIDAE (Anthozoa)
- Pavona bipartita*** Nemenzo, 1980 II AGARICIIDAE (Anthozoa)
- Pavona cactus*** (Forskål, 1775) II AGARICIIDAE (Anthozoa) (E) Leaf Coral
- Pavona calicifera* (Gardiner, 1898) = *Pavona varians* (Verrill, 1864)
- Pavona chiriquiensis*** Glynn, Maté & Stemmann, 2001 II AGARICIIDAE (Anthozoa)
- Pavona clavus*** (Dana, 1846) II AGARICIIDAE (Anthozoa) (E) Star Column Coral
- Pavona clivosa* (Verrill, 1869) = *Pavona clavus* (Dana, 1846)
- Pavona danai*** Milne Edwards & Haime, 1860 II AGARICIIDAE (Anthozoa)
- Pavona decussata*** (Dana, 1846) II AGARICIIDAE (Anthozoa) (E) Cactus Coral
- Pavona diffluens*** (Lamarck, 1816) II AGARICIIDAE (Anthozoa)
- Pavona dilatata* Nemenzo & Montecillo, 1985 = *Pavona danai* Milne Edwards & Haime, 1860
- Pavona diminuta* Veron, 1990 = *Pavona xarifae* Scheer & Pillai, 1974
- Pavona divaricata*** (Lamarck, 1816) II AGARICIIDAE (Anthozoa)
- Pavona duerdeni*** Vaughan, 1907 II AGARICIIDAE (Anthozoa)
- Pavona explanulata*** (Lamarck, 1816) II AGARICIIDAE (Anthozoa) (E) Peacock Coral
- Pavona frondifera*** (Lamarck, 1816) II AGARICIIDAE (Anthozoa)
- Pavona galapagensis* Durham & Barnard, 1952 = *Pavona clavus* (Dana, 1846)
- Pavona gardineri van der Horst*, 1922 = *Leptoseris gardineri* van der Horst, 1921
- Pavona gigantea*** (Verrill, 1869) II AGARICIIDAE (Anthozoa)
- Pavona intermedia* (Gardiner, 1898) = *Pavona varians* (Verrill, 1864)
- Pavona lata*** (Dana, 1846) II AGARICIIDAE (Anthozoa)
- Pavona maldivensis*** (Gardiner, 1905) II AGARICIIDAE (Anthozoa)
- Pavona minuta*** Wells, 1954 II AGARICIIDAE (Anthozoa)
- Pavona obtusata* (Quelch, 1884) = *Pavona venosa* (Ehrenberg, 1834)
- Pavona planulata* (Dana, 1846) = *Gardineroseris planulata* (Dana, 1846)
- Pavona pollicata* Wells, 1954 = *Pavona maldivensis* (Gardiner, 1905)
- Pavona ponderosa* (Gardiner, 1905) = *Gardineroseris planulata* (Dana, 1846)
- Pavona praetorta* Dana, 1846 = *Pavona cactus* (Forskål, 1775)
- Pavona repens* Brüggemann, 1878 = *Pavona varians* (Verrill, 1864)
- Pavona varians*** (Verrill, 1864) II AGARICIIDAE (Anthozoa)
- Pavona venosa*** (Ehrenberg, 1834) II AGARICIIDAE (Anthozoa)

<b>Pavona xarifae</b> Scheer & Pillai, 1974	II AGARICIIDAE (Anthozoa)	Peacock-Pheasant, Napoleon's (E): <i>Polyplectron napoleonis</i>
<b>Pavona yabei</b> Pillai & Scheer, 1976 = <i>Leptoseris yabei</i> (Pillai & Scheer, 1976)		Peacock-Pheasant, Palawan (E): <i>Polyplectron napoleonis</i>
Pavón carunculado (S): <i>Crax globulosa</i>		Peafowl (E): <i>Pavo cristatus</i>
Pavón cornudo (S): <i>Oreophasis derbianus</i>		Peafowl, Common (E): <i>Pavo cristatus</i>
Pavón grande (S): <i>Crax rubra</i>		Peafowl, Green (E): <i>Pavo muticus</i>
<b>Pavonia spp.</b> Lamarck, 1816	II AGARICIIDAE (Anthozoa)	Peafowl, Green-necked (E): <i>Pavo muticus</i>
<b>Pavonia calicifera</b> Gardiner, 1898 = <i>Pavona varians</i> (Verrill, 1864)		Peafowl, Indian (E): <i>Pavo cristatus</i>
<b>Pavonia clavus</b> Dana, 1846 = <i>Pavona clavus</i> (Dana, 1846)		Pebbler, Rock (E): <i>Polytelis anthopeplus</i>
<b>Pavonia clivosa</b> Verrill, 1869 = <i>Pavona cactus</i> (Forskål, 1775)		<b>Pecari spp.</b> II <sup>8</sup> TAYASSUIDAE (Mammalia)
<b>Pavonia crassa</b> Dana, 1846 = <i>Pavona decussata</i> (Dana, 1846)		Pécari à barbe blanche (F): <i>Tayassu pecari</i>
<b>Pavonia cristata</b> (Ellis & Solander, 1786) = <i>Pavona cactus</i> (Forskål, 1775)		Pécari à collier (F): <i>Pecari tajacu</i>
<b>Pavonia decussata</b> Dana, 1846 = <i>Pavona decussata</i> (Dana, 1846)		Pécari aux babines blanches (F): <i>Tayassu pecari</i>
<b>Pavonia divaricata</b> Lamarck, 1816 = <i>Pavona divaricata</i> (Lamarck, 1816)		Pecarí de collar (S): <i>Pecari tajacu</i>
<b>Pavonia frondifera</b> Lamarck, 1816 = <i>Pavona frondifera</i> (Lamarck, 1816)		Pecarí de labio blanco (S): <i>Tayassu pecari</i>
<b>Pavonia gigantea</b> Verrill, 1869 = <i>Pavona gigantea</i> (Verrill, 1869)		Pécari du Chaco (F): <i>Catagonus wagneri</i>
<b>Pavonia intermedia</b> Gardiner, 1898 = <i>Pavona varians</i> (Verrill, 1864)		Pecaries (S): <i>Tayassuidae</i>
<b>Pavonia lata</b> Dana, 1846 = <i>Pavona lata</i> (Dana, 1846)		<i>Pecari maximus van Roosmalen, Frenz, van Hooft, de longh &amp; Leirs, 2007</i> = <i>Pecari tajacu</i> (Linnaeus, 1758)
<b>Pavonia obtusangula</b> Lamarck, 1816 = <i>Psammocora contigua</i> (Esper, 1794)		Pécaris (F): <i>Tayassuidae</i>
<b>Pavonia papyracea</b> Dana, 1846 = <i>Leptoseris papyracea</i> (Dana, 1846)		<b>Pecari tajacu</b> (Linnaeus, 1758) II TAYASSUIDAE
<b>Pavonia pretiosa</b> Bassett-Smith, 1890 = <i>Leptoseris papyracea</i> (Dana, 1846)		(Mammalia) (E) Collared Peccary (S) Pecarí de collar, Zaino javelina (F) Pécari à collier
<b>Pavonia ramosa</b> Bassett-Smith, 1890 = <i>Leptoseris papyracea</i> (Dana, 1846)		Peccaries (E): <i>Tayassuidae</i>
<b>Pavonia seriata</b> Brüggemann, 1879 = <i>Pavona decussata</i> (Dana, 1846)		Peccary, Chacoan (E): <i>Catagonus wagneri</i>
<b>Pavonia varians</b> Verrill, 1864 = <i>Pavona varians</i> (Verrill, 1864)		Peccary, Collared (E): <i>Pecari tajacu</i>
<b>Pavonia venusta</b> Dana, 1846 = <i>Pavona cactus</i> (Forskål, 1775)		Peccary, White-lipped (E): <i>Tayassu pecari</i>
Pavón norteño (S): <i>Crax rubra</i>		Peces Sierra (S): <i>Pristidae</i>
Pavón piquiazul (S): <i>Crax alberti</i>		<b>Pectinia spp.</b> Oken 1815 II PECTINIIDAE (Anthozoa)
Pavón piquirrojo (S): <i>Crax blumenbachii</i>		<b>Pectinia africanus</b> Veron, 2000 II PECTINIIDAE
Pavón poría (S): <i>Crax daubentoni</i>		(Anthozoa)
Pavón porú (S): <i>Crax daubentoni</i>		<b>Pectinia alcicornis</b> (Kent, 1871) II PECTINIIDAE
Pavo ocelado (S): <i>Meleagris ocellata</i>		(Anthozoa) (E) Antler Lettuce Coral
Pavo-real cuelliverde (S): <i>Pavo muticus</i>		<i>Pectinia ayleni</i> (Wells, 1935) = <i>Physophyllia ayleni</i> Wells, 1935
Pavo-real verde (S): <i>Pavo muticus</i>		<i>Pectinia brasiliensis</i> (Milne Edwards & Haime, 1848) = <i>Meandrina brasiliensis</i> (Milne Edwards & Haime, 1848)
Peacock-Pheasant, Bornean (E): <i>Polyplectron schleiermacheri</i>		<b>Pectinia crassa</b> Ditlev, 2003 II PECTINIIDAE (Anthozoa)
Peacock-Pheasant, Common (E): <i>Polyplectron bicalcaratum</i>		<i>Pectinia diversa</i> Nemenzo & Montecillo, 1981 = <i>Pectinia teres</i> Nemenzo & Montecillo, 1981
Peacock-Pheasant, Crested (E): <i>Polyplectron malacense</i>		<b>Pectinia elongata</b> (Rehberg, 1892) II PECTINIIDAE
Peacock-Pheasant, Germain's (E): <i>Polyplectron germaini</i>		(Anthozoa)
Peacock-Pheasant, Grey (E): <i>Polyplectron bicalcaratum</i>		<i>Pectinia jardinei</i> Kent, 1893 = <i>Catalaphyllia jardinei</i> (Kent, 1893)
Peacock-Pheasant, Iris (E): <i>Polyplectron bicalcaratum</i>		<b>Pectinia lactuca</b> (Pallas, 1766) II PECTINIIDAE
Peacock-Pheasant, Malayan (E): <i>Polyplectron malacense</i>		(Anthozoa) (E) Carnation Coral, Frilly Lettuce Coral
		<i>Pectinia maxima</i> (Moll & Best, 1984) = <i>Echinophyllia maxima</i> Moll & Best, 1984
		<b>Pectinia paeonia</b> (Dana, 1846) II PECTINIIDAE
		(Anthozoa) (E) Palm Lettuce Coral
		<i>Pectinia plicata</i> Nemenzo = <i>Pectinia alcicornis</i> (Kent, 1871)
		<b>Pectinia pygmaeus</b> Veron, 2000 II PECTINIIDAE
		(Anthozoa)
		<b>Pectinia teres</b> Nemenzo & Montecillo, 1981 II PECTINIIDAE (Anthozoa)
		<b>PECTINIIDAE spp.</b> Vaughan & Wells 1943 II (Anthozoa)
		<b>Pedicellocyathus spp.</b> II GUYNIIDAE (Anthozoa)
		<b>Pedicellocyathus keyesi</b> Cairns, 1995 II GUYNIIDAE
		(Anthozoa)

- Pejepaine (S): *Pristis pectinata*  
 Pejepaine (S): *Pristis pristis*  
 Pejesierra (S): *Pristis microdon*  
 Pejes sierra (S): *Pristis pectinata*  
 Peje vaca (S): *Cetorhinus maximus*  
**Pelecanus crispus** Bruch, 1832 I PELECANIDAE (Aves)  
 (E) Dalmatian Pelican (S) Pelícano Ceñudo, Pelícano rizado (F) Pélican dalmate, Pélican Frisé  
**Pelecanus philippensis crispus** Gmelin, 1789 = *Pelecanus crispus* Bruch, 1832  
 Pèlerin (F): *Cetorhinus maximus*  
*Pelias berus ursinii* (Linnaeus, 1758) = *Vipera ursinii* (Bonaparte, 1835)  
*Pelias ursinii* Bonaparte, 1835 = *Vipera ursinii* (Bonaparte, 1835)  
 Pélican dalmate (F): *Pelecanus crispus*  
 Pelican, Dalmatian (E): *Pelecanus crispus*  
 Pélican Frisé (F): *Pelecanus crispus*  
 Pelícano Ceñudo (S): *Pelecanus crispus*  
 Pelícano rizado (S): *Pelecanus crispus*  
**Pelochelys spp.** II TRIONYCHIDAE (Reptilia)  
**Pelochelys bibroni** (Owen, 1853) II TRIONYCHIDAE (Reptilia) (E) New Guinea Giant Softshell Turtle  
**Pelochelys cantorii** Gray, 1864 II TRIONYCHIDAE (Reptilia) (E) Asian Giant Softshell Turtle, Cantor's Giant Softshell Turtle, Frog-faced Giant Softshell Turtle  
*Pelochelys cantoris* Boulenger, 1889 = *Pelochelys cantorii* Gray, 1864  
*Pelochelys cumingii* Gray, 1864 = *Pelochelys cantorii* Gray, 1864  
*Pelochelys poljakowii* Strauch, 1890 = *Pelochelys cantorii* Gray, 1864  
**Pelochelys signifera** Webb, 2003 II TRIONYCHIDAE (Reptilia)  
**Pelodiscus axenaria** (Zhou, Zhang & Fang, 1991) II TRIONYCHIDAE (Reptilia)  
**Pelodiscus maackii** (Brandt, 1857) II TRIONYCHIDAE (Reptilia) (E) Northern Chinese Softshell Turtle  
**Pelodiscus parviformis** Tang, 1997 II TRIONYCHIDAE (Reptilia) (E) Lesser Chinese Softshell Turtle  
*Pelodiscus steindachneri* (Siebenrock, 1906) = *Palea steindachneri* (Siebenrock, 1906)  
*Pelophilus fordii* Günther, 1861 = *Epicrates fordii* (Günther, 1861)  
*Pelophilus madagascariensis* Duméril & Bibron, 1844 = *Acrantophis madagascariensis* (Duméril & Bibron, 1844)  
*Peltastes geographicus* Gray, 1869 = *Psammobates geometricus* (Linnaeus, 1758)  
*Peltastes platynotus* (Gray 1870) = *Geochelone platynota* (Blyth, 1863)  
*Peltastes verreauxii* Gray, 1870 = *Psammobates tentorioides* (Bell, 1828)  
 Peltocéphale de Duméril (F): *Peltoccephalus dumerilianus*  
**Peltoccephalus dumerilianus** (Schweigger, 1812) II PODOCNEMIDIDAE (Reptilia) (E) Big-headed Amazon River Turtle, Big-headed Sideneck, Big-headed Sideneck Turtle (S) Cabezón (F) Peltocéphale de Duméril, Podocnémide de Duméril  
*Peltoccephalus tracaxa* (Spix, 1824) = *Peltoccephalus dumerilianus* (Schweigger, 1812)  
 Pénélope à ailes blanches (F): *Penelope albipennis*  
 Penelope à crête (F): *Penelope purpurascens*  
 Pénélope à front noir (F): *Pipile jacutinga*  
**Penelope albipennis** Taczanowski, 1878 I CRACIDAE (Aves) (E) White-winged Guan (S) Chachalaca de remiges blancas, Guan aliblanco, Pava aliblanca (F) Pénélope à ailes blanches  
 Pénélope à plastron (F): *Pipile jacutinga*  
 Pénélope à ventre blanc (F): *Penelope purpurascens*  
 Pénélope cornue (F): *Oreophasis derbianus*  
 Pénélope de Derby (F): *Oreophasis derbianus*  
 Pénélope huppée (F): *Penelope purpurascens*  
*Penelope jacutinga* Spix, 1825 = *Pipile jacutinga* (Spix, 1825)  
*Penelope niger* Fraser, 1852 = *Penelopina nigra* (Fraser, 1852)  
 Pénélope noire (F): *Penelopina nigra*  
 Pénélope pajuil (F): *Penelopina nigra*  
 Pénélope panachée (F): *Penelope purpurascens*  
**Penelope purpurascens** Wagler, 1830 III CRACIDAE (Aves) (E) Crested Guan, Purple Guan, Purplish Guan (S) Grenedera, Pava cojolita, Pava culirroja (F) Penelope à crête, Pénélope à ventre blanc, Pénélope huppée, Pénélope panachée  
 Pénélope siffleuse (F): *Pipile pipile*  
 Pénélope siffleuse à gorge bleue (F): *Pipile pipile*  
*Penelope vetula* Wagler, 1830 = *Ortalisch. vetula* (Wagler, 1830)  
**Penelopides spp.** Reichenbach 1849 II BUCEROTIDAE (Aves)  
*Penelopides affinis* Tweeddale, 1877 = *Penelopides panini* (Boddaert, 1783)  
**Penelopides exarhatus** (Temminck, 1823) II BUCEROTIDAE (Aves) (E) Celebes Hornbill, Celebes Tarictic Hornbill, Sulawesi Dwarf Hornbill, Sulawesi Hornbill, Sulawesi Tarictic Hornbill (S) Cálao chico de Célebes (F) Calao des Célèbes, Calaos à canelure des Célèbes  
*Penelopides manillae* (Boddaert, 1783) = *Penelopides panini* (Boddaert, 1783)  
*Penelopides mindorensis* Steere, 1890 = *Penelopides panini* (Boddaert, 1783)  
**Penelopides panini** (Boddaert, 1783) II BUCEROTIDAE (Aves) (E) Panay Tarictic Hornbill, Tarictic Hornbill, Visayan Hornbill (S) Cálao chico de Panay (F) Calao tarictic  
*Penelopides samarensis* Steere, 1890 = *Penelopides panini* (Boddaert, 1783)  
 Penelopina, Black (E): *Penelopina nigra*  
**Penelopina nigra** (Fraser, 1852) III CRACIDAE (Aves) (E) Black Chachalaca, Black Pajuil, Black Penelopina, Highland Guan, Little Guan (S) Chachalaca negra, Guan negro, Pava pajuil (F) Pénélope noire, Pénélope pajuil  
 Penguin, African (E): *Spheniscus demersus*  
 Penguin, Black-footed (E): *Spheniscus demersus*  
 Penguin, Humboldt (E): *Spheniscus humboldti*  
 Penguin, Jackass (E): *Spheniscus demersus*

Penguin, Peruvian (E): <i>Spheniscus humboldti</i>	Perico capelo (S): <i>Purpureicephalus spurius</i>
<b><i>Peponocephala</i> spp. II</b> <sup>18</sup> DELPHINIDAE (Mammalia)	Perico capirotado (S): <i>Psephotus dissimilis</i>
<b><i>Peponocephala electra</i></b> (Gray, 1846) II <sup>18</sup> DELPHINIDAE (Mammalia) (E) Melon-headed Whale (S) Electra (F) Péponocéphale	Perico cara sucia (S): <i>Aratinga pertinax</i>
Péponocéphale (F): <i>Peponocephala electra</i>	Perico caretirrojo (S): <i>Aratinga erythrogenys</i>
<b><i>Peponocyathus</i> spp.</b> Gravier 1915 II TURBINOLIIDAE (Anthozoa)	Perico cariazul (S): <i>Northiella haematogaster</i>
<b><i>Peponocyathus dawsoni</i></b> Cairns, 1995 II TURBINOLIIDAE (Anthozoa)	Perico carigualdo (S): <i>Platycercus icterotis</i>
<b><i>Peponocyathus folliculus</i></b> (Pourtales, 1868) II TURBINOLIIDAE (Anthozoa)	Perico cola negra (S): <i>Pyrrhura melanura</i>
<i>Peponocyathus lens</i> (Alcock, 1902) = <i>Deltocyathoides orientalis</i> (Duncan, 1876)	Perico cola roja (S): <i>Pyrrhura hoematotis</i>
<b><i>Peponocyathus minimus</i></b> (Yabe & Eguchi, 1937) II TURBINOLIIDAE (Anthozoa)	Perico colimorado (S): <i>Pyrrhura egregia</i>
<i>Peponocyathus orientalis</i> (Duncan, 1876) = <i>Deltocyathoides orientalis</i> (Duncan, 1876)	Perico cornudo (S): <i>Eunymphicus cornutus</i>
<i>Peponocyathus orientalis</i> Yabe & Eguchi, 1932 = <i>Peponocyathus folliculus</i> (Pourtales, 1868)	Perico de El Oro (S): <i>Pyrrhura orcesi</i>
<i>Peponocyathus stimpsonii</i> (Pourtales, 1871) = <i>Deltocyathoides stimpsonii</i> (Pourtales, 1871)	Perico de las Antípodas (S): <i>Cyanoramphus unicolor</i>
<i>Peponocyathus variabilis</i> Gravier, 1915 = <i>Peponocyathus folliculus</i> (Pourtales, 1868)	Perico de las Chatham (S): <i>Cyanoramphus forbesi</i>
Pequeña civeta de la India (S): <i>Viverricula indica</i>	Perico del paraíso (S): <i>Psephotus pulcherrimus</i>
Pequeño panda (S): <i>Ailurus fulgens</i>	Perico de Port Lincoln (S): <i>Barnardius zonarius</i>
<b><i>Perameles bougainville</i></b> Quoy & Gaimard, 1824 I PERAMELIDAE (Mammalia) (E) Barred Bandicoot, Long-nosed Bandicoot, Marl, Western Barred Bandicoot (S) Bandicot de Bouganville, Tejón marsupial rayado (F) Bandicoot de Bougainville	Perico de Tasmania (S): <i>Platycercus caledonicus</i>
Percnoptère brun (F): <i>Necrosyrtes monachus</i>	Perico dorado (S): <i>Aratinga solstitialis</i>
Percnoptère d'Egypte (F): <i>Neophron percnopterus</i>	Perico dorsirrojo (S): <i>Psephotus haematonotus</i>
Perdigallo caspio (S): <i>Tetraogallus caspius</i>	Perico elegante (S): <i>Platycercus elegans</i>
Perdigallo del Caspio (S): <i>Tetraogallus caspius</i>	Perico frentinaranja (S): <i>Aratinga canicularis</i>
Perdigallo Tibetano (S): <i>Tetraogallus tibetanus</i>	Perico gracioso (S): <i>Platycercus venustus</i>
Perdiz real del Caspio (S): <i>Tetraogallus caspius</i>	Perico grande (S): <i>Pyrrhura cruentata</i>
Perdiz real del Tibet (S): <i>Tetraogallus tibetanus</i>	Perico ligero (S): <i>Bradypus variegatus</i>
Perdrix des neiges de la Caspienne (F): <i>Tetraogallus caspius</i>	Perico macareño (S): <i>Brotogeris pyrrhoptera</i>
Perdrix des neiges du Tibet (F): <i>Tetraogallus tibetanus</i>	Perico manglero (S): <i>Amazona albifrons</i>
Peregrine (E): <i>Falco peregrinus</i>	Perico maori cabecigualdo (S): <i>Cyanoramphus auriceps</i>
Peregrino (S): <i>Cetorhinus maximus</i>	Perico maori cabecirrojo (S): <i>Cyanoramphus novaezelandiae</i>
Perentie (E): <i>Varanus giganteus</i>	Perico maori montano (S): <i>Cyanoramphus malherbi</i>
Perentie (F): <i>Varanus giganteus</i>	Perico multicolor (S): <i>Platycercus eximius</i>
Perezoso (S): <i>Choloepus hoffmanni</i>	Perico multicolor (S): <i>Hapalopsittaca amazonina</i>
Perezoso grisaceo (S): <i>Bradypus variegatus</i>	Perico nocturno (S): <i>Pezoporus occidentalis</i>
Perezoso o tridáctilo de Bolivia (S): <i>Bradypus variegatus</i>	Perico ojo blanco (S): <i>Aratinga leucophthalma</i>
Perezoso tridáctilo (S): <i>Bradypus variegatus</i>	Perico pálido (S): <i>Platycercus adscitus</i>
Perico (S): <i>Aratinga chloroptera</i>	Perico pechiblanco (S): <i>Pyrrhura albipectus</i>
Perico aligualdo (S): <i>Psephotus chrysoterygiius</i>	Perico pechisucio (S): <i>Aratinga nana</i>
Perico barreteado (S): <i>Bolborhynchus lineola</i>	Perico pico rojo (S): <i>Pionus sordidus</i>
Perico cabecidorado (S): <i>Pionopsitta pyrilia</i>	Perico pintado (S): <i>Pyrrhura leucotis</i>
Perico cabecinegro (S): <i>Pionopsitta caica</i>	Perico princesa (S): <i>Polytelis alexandrae</i>
Perico cabecioscuro (S): <i>Aratinga weddellii</i>	Perico regente (S): <i>Polytelis anthopeplus</i>
Perico cabecirrojo (S): <i>Pyrrhura rhodocephala</i>	Perico siete colores (S): <i>Touit batavicus</i>
Perico cabecirrosado (S): <i>Pyrrhura picta</i>	Perico soberbio (S): <i>Polytelis swainsonii</i>
Perico cachete amarillo (S): <i>Pionopsitta barrabandi</i>	Perico terrestre (S): <i>Pezoporus wallicus</i>
Perico cachetigris (S): <i>Brotogeris pyrrhoptera</i>	Perico tui (S): <i>Brotogeris sanctithomae</i>
Perico calzoncito (S): <i>Pionites melanocephalus</i>	Perico variado (S): <i>Psephotus varius</i>
	Perico verde (S): <i>Aratinga holochlora</i>
	Perico verde centroamericano (S): <i>Aratinga strenua</i>
	Periquito (S): <i>Forpus passerinus</i>
	Periquito ala dorada (S): <i>Brotogeris chrysoptera</i>
	Periquito aliazul (S): <i>Forpus xanthopterygius</i>
	Periquito alipunteado (S): <i>Touit stictopterus</i>
	Periquito azul (S): <i>Brotogeris cyanoptera</i>
	Periquito azul alirrojo (S): <i>Touit huetii</i>
	Periquito barbinaranja (S): <i>Brotogeris jugularis</i>
	Periquito barrado (S): <i>Bolborhynchus lineola</i>
	Periquito cabecirrojo (S): <i>Cyanoramphus novaezelandiae</i>
	Periquito común (S): <i>Melopsittacus undulatus</i>
	Periquito crisóstomo (S): <i>Neophema chrysostoma</i>
	Periquito de collar africano (S): <i>Psittacula krameri</i>

Periquito de espalda dorada (S): <i>Psephotus chrysoterygius</i>	Perroquet à ventre rouge (F): <i>Poicephalus rufiventris</i>
Periquito del Pacífico (S): <i>Forpus coelestis</i>	Perroquet de Meyer (F): <i>Poicephalus meyeri</i>
Periquito de pico grueso (S): <i>Rhynchopsitta pachyrhyncha</i>	Perroquet de Rüpell (F): <i>Poicephalus rueppellii</i>
Periquito de tierra (S): <i>Pezoporus wallicus</i>	Perroquet des niam-niam (F): <i>Poicephalus crassus</i>
Periquito elegante (S): <i>Neophema elegans</i>	Perroquet du Cap (F): <i>Poicephalus robustus</i>
Periquito encapuchado (S): <i>Psephotus dissimilis</i>	Perroquet gris (F): <i>Psittacus erithacus</i>
Periquito espléndido (S): <i>Neophema splendida</i>	Perroquet jaco (F): <i>Psittacus erithacus</i>
Periquito frentiamarillo de Forbes (S): <i>Cyanoramphus forbesi</i>	Perroquet masqué (F): <i>Cyclopsitta diophthalma</i>
Periquito frentiazul (S): <i>Touit dilectissimus</i>	Perroquet masqué de Coxen (F): <i>Cyclopsitta diophthalma coxeni</i>
Periquito mexicano (S): <i>Forpus cyanopygius</i>	Perroquet noir (F): <i>Coracopsis nigra</i>
Periquito migrador (S): <i>Lathamus discolor</i>	Perroquet petit vasa (F): <i>Coracopsis nigra</i>
Periquito oscuro (S): <i>Forpus modestus</i>	Perroquet robuste (F): <i>Poicephalus robustus</i>
Periquito ojiazul (S): <i>Forpus conspicillatus</i>	Perroquet vaza (F): <i>Coracopsis vasa</i>
Periquito orejiamarillo (S): <i>Ognorhynchus icterotis</i>	Perroquet vert à calotte rouge (F): <i>Poicephalus gulielmi</i>
Periquito rabadilla púrpura (S): <i>Touit purpuratus</i>	Perroquet vert du Congo (F): <i>Poicephalus gulielmi</i>
Periquito roquero (S): <i>Neophema petrophila</i>	Perroquet youyou (F): <i>Poicephalus senegalus</i>
Periquito rosado (S): <i>Neopsephotus bourkii</i>	Perro salvaje asiático (S): <i>Cuon alpinus</i>
Periquito turquesa (S): <i>Neophema pulchella</i>	Perruche à ailes d'or (F): <i>Psephotus chrysoterygius</i>
Periquito ventrinaranja (S): <i>Neophema chrysogaster</i>	Perruche à ailes vertes (F): <i>Alisterus chloropterus</i>
<b><i>Pernis</i> spp. II 27 ACCIPITRIDAE (Aves)</b>	Perruche à bandeau rouge (F): <i>Cyanoramphus novaezelandiae</i>
<b><i>Pernis apivorus</i> (Linnaeus, 1758) II 27 ACCIPITRIDAE (Aves) (E) European Honey-buzzard, Honey Buzzard (S) Abejero europeo, Halcón abejero (F) Bondrée apivore</b>	Perruche à bec de sang (F): <i>Tanygnathus megalorynchos</i>
<i>Pernis apivorus ptlorhyncus</i> (Linnaeus, 1758) = <i>Pernis ptlorhyncus</i> (Temminck, 1821)	Perruche à bec gracile (F): <i>Enicognathus leptorhynchus</i>
<b><i>Pernis celebensis</i> Wallace, 1868 II 27 ACCIPITRIDAE (Aves) (E) Barred Honey-buzzard (S) Abejero de Célebes (F) Bondrée des Célèbes</b>	Perruche à bonnet bleu (F): <i>Northiella haematogaster</i>
<i>Pernis cristatus celebensis</i> Schlegel, 1866 = <i>Pernis celebensis</i> Wallace, 1868	Perruche à bouche d'or (F): <i>Neophema chrysostoma</i>
<i>Pernis jerdoni</i> Blyth, 1842 = <i>Aviceda jerdoni</i> (Blyth, 1842)	Perruche à calotte bleue (F): <i>Polytelis alexandrae</i>
<i>Pernis madagascariensis</i> A. Smith, 1834 = <i>Aviceda madagascariensis</i> (Smith, 1834)	Perruche à calotte bleue (F): <i>Tanygnathus lucionensis</i>
<b><i>Pernis ptlorhynchus</i> (Temminck, 1821) II 27 ACCIPITRIDAE (Aves) (E) Oriental Honey-buzzard (S) Abejero oriental (F) Bondrée orientale</b>	Perruche à capuchon (F): <i>Psephotus dissimilis</i>
<i>Pernis steerei</i> W. L. Sclater, 1919 = <i>Pernis celebensis</i> Wallace, 1868	Perruche à capuchon noir (F): <i>Psephotus dissimilis</i>
<b><i>Perodicticus</i> spp. II LORISIDAE (Mammalia)</b>	Perruche à col bleu (F): <i>Geoffroyus simplex</i>
<b><i>Perodicticus potto</i> (P. L. S. Müller, 1766) II LORISIDAE (Mammalia) (E) Potto, Potto Gibbon (S) Poto de Bosman (F) Potto</b>	Perruche à collier (F): <i>Psittacula krameri</i>
<i>Peropodium guatemalensis</i> Bocourt, 1882 = <i>Ungaliophis continentalis</i> Müller, 1880	Perruche à collier de Maurice (F): <i>Psittacula echo</i>
Perrito de la pradera mexicano (S): <i>Cynomys mexicanus</i>	Perruche à collier jaune (F): <i>Barnardius zonarius</i>
Perrito de las praderas (S): <i>Cynomys mexicanus</i>	Perruche à croupion bleu (F): <i>Psittinus cyanurus</i>
Perrito llanero mexicano (S): <i>Cynomys mexicanus</i>	Perruche à croupion rouge (F): <i>Psephotus haematonotus</i>
Perro de agua (S): <i>Pteronura brasiliensis</i>	Perruche à dos rouge (F): <i>Psephotus haematonotus</i>
Perro de agua (S): <i>Lontra longicaudis</i>	Perruche à épaules dorées (F): <i>Psephotus chrysoterygius</i>
Perro de los matorrales (S): <i>Speothos venaticus</i>	Perruche à face rose (F): <i>Agapornis roseicollis</i>
Perro de monte (S): <i>Speothos venaticus</i>	Perruche à front doré (F): <i>Aratinga aurea</i>
Perroquet à calotte rouge (F): <i>Poicephalus gulielmi</i>	Perruche à front jaune (F): <i>Cyanoramphus auriceps</i>
Perroquet à couronne (F): <i>Tanygnathus lucionensis</i>	Perruche à front jaune de Forbes (F): <i>Cyanoramphus forbesi</i>
Perroquet à face jaune (F): <i>Poicephalus flavifrons</i>	Perruche à gros bec (F): <i>Rhynchopsitta pachyrhyncha</i>
Perroquet à oreilles (F): <i>Pionopsitta pileata</i>	Perruche à joue noire (F): <i>Agapornis nigripenis</i>
Perroquet à tête brune (F): <i>Poicephalus cryptoxanthus</i>	Perruche alexandre (F): <i>Psittacula eupatria</i>
Perroquet à tête grise (F): <i>Poicephalus senegalus</i>	Perruche à longs brins (F): <i>Psittacula longicauda</i>
	Perruche à lunettes vertes (F): <i>Neophema chrysogaster</i>
	Perruche à moustaches (F): <i>Psittacula alexandri</i>
	Perruche à oreilles jaunes (F): <i>Platycercus icterotis</i>
	Perruche à poitrine écarlate (F): <i>Neophema splendida</i>
	Perruche ara (F): <i>Rhynchopsitta pachyrhyncha</i>
	Perruche à tête ardoisée (F): <i>Psittacula himalayana</i>
	Perruche à tête d'or (F): <i>Cyanoramphus auriceps</i>
	Perruche à tête d'or de Forbes (F): <i>Cyanoramphus forbesi</i>
	Perruche à tête pâle (F): <i>Platycercus adscitus</i>
	Perruche à tête pourpre (F): <i>Purpureicephalus spurius</i>
	Perruche à tête prune (F): <i>Psittacula cyanocephala</i>
	Perruche à tête rose (F): <i>Psittacula roseata</i>

- Perruche à tête rouge (F): *Agapornis pullarius*  
 Perruche aux ailes bleues (F): *Forpus passerinus*  
 Perruche aux ailes d'or (F): *Psephotus chrysoterygius*  
 Perruche aux oreilles jaunes (F): *Ognorhynchus icterotis*  
 Perruche à ventre bleu (F): *Triclaria malachitacea*  
 Perruche à ventre jaune (F): *Platycercus caledonicus*  
 Perruche à ventre orange (F): *Neophema chrysogaster*  
 Perruche calédonienne (F): *Platycercus caledonicus*  
 Perruche calopsitte (F): *Nymphicus hollandicus*  
 Perruche cornue (F): *Eunymphicus cornutus*  
 Perruche d'Alexandra (F): *Polytelis alexandrinae*  
 Perruche d'Aymara (F): *Psilopsiagon aymara*  
 Perruche de Barraband (F): *Polytelis swainsonii*  
 Perruche de Bourke (F): *Neopsephotus bourkii*  
 Perruche de Branicki (F): *Leptosittaca branickii*  
 Perruche de Brehm (F): *Psittacella brehmii*  
 Perruche de Buru (F): *Tanygnathus gramineus*  
 Perruche de Derby (F): *Psittacula derbiana*  
 Perruche de Finsch (F): *Psittacula finschii*  
 Perruche de Fischer (F): *Agapornis fischeri*  
 Perruche de Geoffroy (F): *Geoffroyus geoffroyi*  
 Perruche de Jenday (F): *Aratinga jandaya*  
 Perruche de Latham (F): *Lathamus discolor*  
 Perruche de Layard (F): *Psittacula calthorae*  
 Perruche de l'Himalaya (F): *Psittacula himalayana*  
 Perruche de l'île Maurice (F): *Psittacula echo*  
 Perruche de Lilian (F): *Agapornis lilianae*  
 Perruche de Luçon (F): *Tanygnathus lucionensis*  
 Perruche de Madarasz (F): *Psittacula madaraszi*  
 Perruche de Malabar (F): *Psittacula columboides*  
 Perruche de Malherbe (F): *Cyanoramphus malherbi*  
 Perruche de Maurice (F): *Psittacula echo*  
 Perruche de Müller (F): *Tanygnathus sumatranus*  
 Perruche de Norfolk (F): *Cyanoramphus cookii*  
 Perruche de Nouvelle-Zélande (F): *Cyanoramphus novaezelandiae*  
 Perruche de paradis (F): *Psephotus pulcherrimus*  
 Perruche de Pennant (F): *Platycercus elegans*  
 Perruche des Antipodes (F): *Cyanoramphus unicolor*  
 Perruche des écueils (F): *Neophema petrophila*  
 Perruche des îles Chatham (F): *Cyanoramphus forbesi*  
 Perruche des Nicobar (F): *Psittacula caniceps*  
 Perruche de Sparrman (F): *Cyanoramphus novaezelandiae*  
 Perruche des rochers (F): *Neophema petrophila*  
 Perruche de Stanley (F): *Platycercus icterotis*  
 Perruche de Swindern (F): *Agapornis swindernianus*  
 Perruche de terre (F): *Pezoporus wallicus*  
 Perruche dorée (F): *Guarouba guarouba*  
 Perruche du soleil (F): *Aratinga solstitialis*  
 Perruche écarlate (F): *Prosopeia splendens*  
 Perruche élégante (F): *Neophema elegans*  
 Perruche émeraude (F): *Enicognathus ferrugineus*  
 Perruche érythroptère (F): *Aprosmictus erythropterus*  
 Perruche gracieuse (F): *Platycercus venustus*  
 Perruche hétéroclite (F): *Geoffroyus heteroclitus*  
 Perruche huppée (F): *Eunymphicus cornutus*  
 Perruche inséparable (F): *Melopsittacus undulatus*  
 Perruche intermédiaire (F): *Psittacula intermedia*  
 Perruche jonquille (F): *Aprosmictus jonquillaceus*  
 Perruche lunulée (F): *Bolbopsittacus lunulatus*  
 Perruche magnifique (F): *Psephotus pulcherrimus*  
 Perruche masquée (F): *Prosopeia personata*  
 Perruche masquée (F): *Agapornis personatus*  
 Perruche mélanure (F): *Polytelis anthopeplus*  
 Perruche modeste (F): *Psittacella modesta*  
 Perruche multicolore (F): *Psephotus varius*  
 Perruche Nanday (F): *Nandayus nenday*  
 Perruche nocturne (F): *Pezoporus occidentalis*  
 Perruche omnicolore (F): *Platycercus eximius*  
 Perruche ondulée (F): *Melopsittacus undulatus*  
 Perruche orangé (F): *Brotogeris pyrrhoptera*  
 Perruche paliceps (F): *Platycercus adscitus*  
 Perruche peinte (F): *Psittacella picta*  
 Perruche pompadour (F): *Prosopeia tabuensis*  
 Perruche princesse (F): *Polytelis alexandrinae*  
 Perruche pygmée de Brujin (F): *Micropsitta bruijnii*  
 Perruche pygmée de Meek (F): *Micropsitta meeki*  
 Perruche pygmée de Salvadori (F): *Micropsitta keiensis*  
 Perruche pygmée de Schlegel (F): *Micropsitta geelvinkiana*  
 Perruche pygmée de Sclater (F): *Micropsitta pusio*  
 Perruche royale (F): *Alisterus scapularis*  
 Perruche-souris (F): *Myiopsitta monachus*  
 Perruche splendide (F): *Neophema splendida*  
 Perruche terrestre (F): *Pezoporus wallicus*  
 Perruche tiriba (F): *Pyrrhura cruentata*  
 Perruche tovi (F): *Brotogeris jugularis*  
 Perruche tricolore (F): *Alisterus amboinensis*  
 Perruche turquoise (F): *Neophema pulchella*  
 Perruche unicolore (F): *Cyanoramphus unicolor*  
*Pseudocordylus subviridis* (Smith, 1838) = *Cordylus subviridis* A. Smith, 1838  
 Petit cacatoès à huppe jaune (F): *Cacatua sulphurea*  
 Petit corail starlette (F): *Siderastrea radians*  
 Petit cordyle (F): *Cordylus minor*  
 Petit-duc à aigrettes longues (F): *Otus sanctaecatarinae*  
 Petit-duc à bec jaune (F): *Otus icterorhynchus*  
 Petit-duc à collier (F): *Otus bakkamoena*  
 Petit-duc à face blanche (F): *Ptilopsis leucotis*  
 Petit-duc africain (F): *Otus senegalensis*  
 Petit-duc à front blanc (F): *Otus sagittatus*  
 Petit-duc à gorge blanche (F): *Otus albogularis*  
 Petit-duc à mèches noires (F): *Otus atricapilla*  
 Petit-duc à moustaches (F): *Otus trichopsis*  
 Petit-duc bridé (F): *Otus barbarus*  
 Petit-duc choliba (F): *Otus choliba*  
 Petit-duc d'Anjouan (F): *Otus capnodes*  
 Petit-duc de Bruce (F): *Otus brucei*  
 Petit-duc de Clark (F): *Otus clarkii*  
 Petit-duc de Colombie (F): *Otus colombianus*  
 Petit-duc de Cooper (F): *Otus cooperi*  
 Petit-duc de Cuba (F): *Gymnoglaux lawrencii*  
 Petit-duc de Florès (F): *Otus alfredi*  
 Petit-duc de Gurney (F): *Mimizuku gurneyi*  
 Petit-duc de Horsfield (F): *Otus bakkamoena*  
 Petit-duc de Hoy (F): *Otus hoyi*  
 Petit-duc de Java (F): *Otus angelinae*  
 Petit-duc de Koepcke (F): *Otus koepckeae*  
 Petit-duc de Luçon (F): *Otus megalotis*

- Petit-duc de Manado (F): *Otus manadensis*  
 Petit-duc de Mantanani (F): *Otus mantananensis*  
 Petit-duc de Marshall (F): *Otus marshalli*  
 Petit-duc de Mindanao (F): *Otus mirus*  
 Petit-duc de Mindoro (F): *Otus mindorensis*  
 Petit-duc de Mohéli (F): *Otus moheliensis*  
 Petit-duc de Nicobar (F): *Otus alias*  
 Petit-duc de Palawan (F): *Otus fuliginosus*  
 Petit-duc de Pemba (F): *Otus pembaensis*  
 Petit-duc de Peterson (F): *Otus petersoni*  
 Petit-duc de Porto Rico (F): *Otus nudipes*  
 Petit-duc de Salvin (F): *Otus ingens*  
 Petit-duc des Andaman (F): *Otus balli*  
 Petit-duc de Sangihe (F): *Otus collaris*  
 Petit-duc de Sao Tomé (F): *Otus hartlaubi*  
 Petit-duc de Simalur (F): *Otus umbra*  
 Petit-duc des Mentawai (F): *Otus mentawi*  
 Petit-duc des montagnes (F): *Otus kennicottii*  
 Petit-duc des Palau (F): *Pyrroglaux podargina*  
 Petit-duc de Wallace (F): *Otus silvicola*  
 Petit-duc de Watson (F): *Otus watsonii*  
 Petit-duc d'Irène (F): *Otus ireneae*  
 Petit-duc du Balsas (F): *Otus seductus*  
 Petit-duc du Karthala (F): *Otus pauliani*  
 Petit-duc du Pérou (F): *Otus roboratus*  
 Petit-duc élégant (F): *Otus elegans*  
 Petit-duc géant (F): *Mimizuku gurneyi*  
 Petit-duc guatémaltèque (F): *Otus guatemalae*  
 Petit-duc indien (F): *Otus bakkamoena*  
 Petit-duc longicorne (F): *Otus longicornis*  
 Petit-duc maculé (F): *Otus asio*  
 Petit-duc malgache (F): *Otus rutilus*  
 Petit-duc mystérieux (F): *Otus magicus*  
 Petit-duc nain (F): *Otus flammelolus*  
 Petit-duc radjah (F): *Otus brookii*  
 Petit-duc roussâtre (F): *Otus rufescens*  
 Petit-duc scieur (F): *Otus insularis*  
 Petit-duc scops (F): *Otus scops*  
 Petit-duc tacheté (F): *Otus spilocephalus*  
 Petit-duc vermiculé (F): *Otus vermiculatus*  
 Petite buse (F): *Buteo platypterus*  
 Petite civette de l'Inde (F): *Viverricula indica*  
 Petite mangouste indienne (F): *Herpestes javanicus europunctatus*  
 Petite mélampitte (F): *Melampitta lugubris*  
 Petite nyctale (F): *Aegolius acadicus*  
 Petite roussette de Sunda (F): *Acerodon mackloti*  
 Petit esturgeon du Yang Tse (F): *Acipenser dabryanus*  
 Petit faucon (F): *Falco longipennis*  
 Petit flamant (F): *Phoeniconaias minor*  
 Petit gecko diurne des Seychelles (F): *Phelsuma astriata*  
 Petit hapalémur (F): *Hapalemur griseus*  
 Petit lépilémur (F): *Lepilemur ruficaudatus*  
 Petit lézard à queue épineuse (F): *Cordylus minor*  
 Petit lori musc (F): *Glossopsitta pusilla*  
 Petit microcèbe (F): *Microcebus murinus*  
 Petit panda (F): *Ailurus fulgens*  
 Petit paradisier (F): *Paradisaea minor*  
 Petit perroquet noir (F): *Coracopsis vasa*  
 Petit perruche-ara (F): *Diopsittaca nobilis*
- Petit phelsume des Seychelles (F): *Phelsuma astriata*  
 Petit rorqual (F): *Balaenoptera acutorostrata*  
 Petit rorqual de l'Antarctique (F): *Balaenoptera bonaerensis*  
 Petit serpentaire (F): *Polyboroides radiatus*  
**Petrophyllia spp.** Conrad, 1855 II OCULINIDAE  
 (Anthozoa)  
**Petrophyllia rediviva** (Wells & Alderslade, 1979) II OCULINIDAE (Anthozoa)  
*Petterus coronatus* (Gray, 1842) = *Eulemur coronatus* (Gray, 1842)  
 Pez dama (S): *Rhincodon typus*  
 Pez elefante (S): *Cetorhinus maximus*  
 Pez espada (S): *Anoxypristes cuspidata*  
 Pez espada (S): *Pristis perotteti*  
 Pez espada (S): *Pristis pectinata*  
 Pez espátula (S): *Polyodon spathula*  
 Pez lengüíhueso malayo (S): *Scleropages formosus*  
 Pez martillo (S): *Sphyrna lewini*  
 Pez mular (S): *Tursiops truncatus*  
**Pezoporus spp.** I<sup>29</sup> PSITTACIDAE (Aves)  
*Pezoporus flaviventris* North, 1911 = *Pezoporus wallicus* Kerr, 1792  
**Pezoporus occidentalis** Gould, 1861 I PSITTACIDAE (Aves) (E) Night Parrot (S) Cacatúa nocturna, Loro nocturno, Perico nocturno (F) Perruche nocturne  
**Pezoporus wallicus** Kerr, 1792 I PSITTACIDAE (Aves) (E) Ground Parakeet, Ground Parrot, Swamp Parakeet (S) Cacatúa terrera, Perico terrestre, Periquito de tierra (F) Perruche de terre, Perruche terrestre  
 Pez peine (S): *Pristis microdon*  
 Pez pulmonado australiano (S): *Neoceratodus forsteri*  
 Pez rastrillo (S): *Pristis microdon*  
 Pez rastrillo (S): *Pristis pectinata*  
 Pez sierra (S): *Pristis pectinata*  
 Pez sierra común (S): *Pristis pristis*  
 Pez sierra común (S): *Pristis pectinata*  
 Pez Spatula (S): *Polyodontidae*  
**Phacelocyathus spp.** Cairns 1979 II CARYOPHYLLIIDAE (Anthozoa)  
**Phacelocyathus flos** (Pourtales, 1878) II CARYOPHYLLIIDAE (Anthozoa) (E) Two-tone Cup Coral (S) Coral tazón veteado (F) Caryophille bicolore  
*Phaeochroa cuvierii* (DeLattre & Bourcier, 1846) = *Campylopterus cuvierii* (DeLattre & Bourcier, 1846)  
**Phaethornis spp.** II TROCHILIDAE (Aves)  
**Phaethornis aethopyga** Zimmer, 1950 II TROCHILIDAE (Aves)  
*Phaethornis aethopygus* J. T. Zimmer, 1950 = *Phaethornis aethopyga* Zimmer, 1950  
**Phaethornis anthophilus** (Bourcier, 1843) II TROCHILIDAE (Aves) (E) Pale-bellied Hermit (S) Ermitaño carinegro, Ermitaño ventripájido (F) Ermite anthophile  
**Phaethornis atrimentalis** Lawrence, 1858 II TROCHILIDAE (Aves) (E) Black-throated Hermit  
**Phaethornis augusti** (Bourcier, 1847) II TROCHILIDAE (Aves) (E) Sooty-capped Hermit (S) Ermitaño limpiacasa, Limpiacasa (F) Ermite d'Auguste

- Phaethornis baroni* E. Hartert, 1897 = *Phaethornis longirostris* (DeLattre, 1843)
- Phaethornis bourcieri*** (Lesson, 1832) II TROCHILIDAE  
(Aves) (E) Straight-billed Hermit (S) Ermitaño de picorrecto, Ermitaño piquirrecto (F) Ermite de Bourcier
- Phaethornis eurynome*** (Lesson, 1832) II TROCHILIDAE  
(Aves) (E) Scale-throated Hermit (S) Ermitaño escamoso, Ermitaño manchado (F) Ermite eurynome
- Phaethornis gounellei* Boucard, 1891 = *Anopetia gounellei* (Boucard, 1891)
- Phaethornis griseogularis*** Gould, 1851 II TROCHILIDAE  
(Aves) (E) Grey-chinned Hermit, Porcula Hermit (S) Ermitaño barbigrís, Ermitaño barbigris (F) Ermite à gorge grise
- Phaethornis guy*** (Lesson, 1833) II TROCHILIDAE (Aves)  
(E) Green Hermit (S) Ermitaño verde (F) Ermite vert
- Phaethornis hispidus*** (Gould, 1846) II TROCHILIDAE  
(Aves) (E) White-bearded Hermit (S) Ermitaño barbillanco (F) Ermite d'Osery
- Phaethornis idaliae*** (Bourcier & Mulsant, 1856) II  
TROCHILIDAE (Aves) (E) Minute Hermit, Obscure Hermit (S) Ermitaño pigmeo (F) Ermite d'Idalie
- Phaethornis koepckeae*** Weske & Terborgh, 1977 II  
TROCHILIDAE (Aves) (E) Koepcke's Hermit (S) Ermitaño de Koepcke (F) Ermite de Koepcke
- Phaethornis longirostris*** (DeLattre, 1843) II  
TROCHILIDAE (Aves) (E) Western Long-tailed Hermit (S) Ermitaño colilargo norteño (F) Ermite à longue queue
- Phaethornis longuemareus*** (Lesson, 1832) II  
TROCHILIDAE (Aves) (E) Little Hermit (S) Ermitaño pequeño, Ermitaño chico (F) Ermite nain
- Phaethornis malaris*** (Nordmann, 1835) II TROCHILIDAE  
(Aves) (E) Great-billed Hermit, Margaretta's Hermit (S) Ermitaño picogrande (F) Ermite à long bec
- Phaethornis maranhensis* Grantsau, 1968 =  
*Phaethornis nattereri* Berlepsch, 1887
- Phaethornis margaretae* Ruschi, 1972 = *Phaethornis malaris* (Nordmann, 1835)
- Phaethornis mexicanus* Hartert, 1897 = *Phaethornis superciliosus* (Linnaeus, 1766)
- Phaethornis nattereri*** Berlepsch, 1887 II TROCHILIDAE  
(Aves) (E) Cinnamon-throated Hermit (S) Ermitaño de Natterer (F) Ermite de Natterer
- Phaethornis nigrirostris*** Ruschi, 1973 = *Phaethornis eurynome* (Lesson, 1832)
- Phaethornis ochraceiventris camargoi* Grantsau, 1988 =  
*Phaethornis malaris* (Nordmann, 1835)
- Phaethornis philippii*** (Bourcier, 1847) II TROCHILIDAE  
(Aves) (E) Needle-billed Hermit (S) Ermitaño picoaguja (F) Ermite de Filippi
- Phaethornis porcallae* Carricker, 1935 = *Phaethornis griseogularis* Gould, 1851
- Phaethornis pretrei*** (Lesson & DeLattre, 1839) II  
TROCHILIDAE (Aves) (E) Planalto Hermit (S) Ermitaño del planalto, Ermitaño frentrinegro (F) Ermite de Prêtre
- Phaethornis ruber*** (Linnaeus, 1758) II TROCHILIDAE  
(Aves) (E) Reddish Hermit (S) Ermitaño rufo, Ermitaño rojizo (F) Ermite roussâtre
- Phaethornis ruber x phaethornis rupurumii* = *Phaethornis aethopyga* Zimmer, 1950
- Phaethornis rupurumii*** Boucard, 1892 II TROCHILIDAE  
(Aves) (E) Streak-throated Hermit
- Phaethornis squalidus*** (Temminck, 1822) II  
TROCHILIDAE (Aves) (E) Dusky-throated Hermit (S) Ermitaño gargantifusco, Ermitaño escuálido (F) Ermite terne
- Phaethornis striigularis*** Gould, 1854 II TROCHILIDAE  
(Aves) (E) Stripe-throated Hermit (S) Ermitaño gorgiestriado (F) Ermite à gorge rayée
- Phaethornis stuarti*** Hartert, 1897 II TROCHILIDAE  
(Aves) (E) White-browed Hermit (S) Ermitaño boliviano (F) Ermite de Stuart
- Phaethornis subochraceus*** Todd, 1915 II TROCHILIDAE  
(Aves) (E) Buff-bellied Hermit (S) Ermitaño ocráceo (F) Ermite ocre
- Phaethornis superciliosus*** (Linnaeus, 1766) II  
TROCHILIDAE (Aves) (E) Eastern Long-tailed Hermit, Long-tailed Hermit (S) Ermitaño colilargo, Ermitaño colilargo común, Ermitaño guayanés (F) Ermite à brins blancs
- Phaethornis syrmatophorus*** Gould, 1851 II  
TROCHILIDAE (Aves) (E) Tawny-bellied Hermit (S) Ermitaño ventrihabano (F) Ermite à ventre fauve
- Phaethornis yaruqui*** (Bourcier, 1851) II TROCHILIDAE  
(Aves) (E) White-whiskered Hermit (S) Ermitaño bigotiblanco, Ermitaño de Yaruqui (F) Ermite yaruqui
- Phaethornis zonura* Gould, 1860 = *Phaethornis griseogularis* Gould, 1851
- Phalaenopsis jardini* Bonaparte, 1855 = *Glaucidium jardini* (Bonaparte, 1855)
- Phalanger, Common (E): *Phalanger orientalis*
- Phalanger intercastellanus*** Thomas, 1895 II  
PHALANGERIDAE (Mammalia) (E) Eastern Common Cuscus, Southern Common Cuscus
- Phalanger maculatus* E. Geoffroy, 1803 = *Spilocucus maculatus* (E. Geoffroy, 1803)
- Phalanger mimicus*** Thomas, 1922 II PHALANGERIDAE  
(Mammalia) (E) Cryptic Cuscus, Southern Common Cuscus
- Phalanger orientalis*** (Pallas, 1766) II PHALANGERIDAE  
(Mammalia) (E) Common Cuscus, Common Phalanger, Grey Cuscus, Northern Common Cuscus (S) Cuscús gris, Cuscús oriental (F) Couscous de la Sonde, Couscous gris
- Phalanger, Spotted (E): *Spilocucus maculatus*
- Phalanger tacheté (F): *Spilocucus maculatus*
- Phalangopora* spp.** Kirkpatrick 1887 II STYLASTERIDAE (Hydrozoa)
- Phalangopora regularis*** Kirkpatrick, 1887 II  
STYLASTERIDAE (Hydrozoa)
- Phalangopora seriata* (Broch, 1942) = *Phalangopora regularis* Kirkpatrick, 1887
- Phalcoboenus* spp.** II 27 FALCONIDAE (Aves)
- Phalcoboenus albogularis*** Gould, 1837 II 27  
FALCONIDAE (Aves) (E) White-throated Caracara (S) Caracara araucano, Chinalinda, Guarahuau cordillerano, Matamico blanco (F) Caracara à gorge blanche

- Phalcoboenus australis*** (Gmelin, 1788) II 27  
 FALCONIDAE (Aves) (E) Forster's Caracara, Striated Caracara (S) Caracara austral, Matamico estriado, Matamico grande, Tiueque cordillerano austral (F) Caracara austral, Caracara funèbre
- Phalcoboenus carunculatus*** Des Murs, 1853 II 27  
 FALCONIDAE (Aves) (E) Carunculated Caracara (S) Caracara carunculado (F) Caracara caronculé
- Phalcoboenus chimango*** (Vieillot, 1816) = *Milvago chimango* (Vieillot, 1816)
- Phalcoboenus megalopterus*** (Meyen, 1834) II 27  
 FALCONIDAE (Aves) (E) Mountain Caracara (S) Caracara andino, Carancho andino, Matamico cordillerano (F) Caracara montagnard
- Phalcoboenus megalopterus albogularis*** (Meyen, 1834) = *Phalcoboenus albogularis* Gould, 1837
- Phalcoboenus megalopterus carunculatus*** (Meyen, 1834) = *Phalcoboenus carunculatus* Des Murs, 1853
- Phaner* spp. I CHEIROGALEIDAE (Mammalia)  
*Phaner* (F): *Phaner furcifer***
- Phaner electromontis*** Groves & Tattersall, 1991 I  
 CHEIROGALEIDAE (Mammalia) (E) Amber Mountain Fork-marked Lemur
- Phaner furcifer*** (Blainville, 1839) I CHEIROGALEIDAE (Mammalia) (E) Fork-marked Lemur, Fork-marked Mouse-Lemur (S) Maki ardilla, Maki horquilla (F) Phaner
- Phaner furcifer electromontis*** (Blainville, 1839) = *Phaner electromontis* Groves & Tattersall, 1991
- Phaner furcifer pallescens*** (Blainville, 1839) = *Phaner pallescens* Groves & Tattersall, 1991
- Phaner furcifer parienti*** (Blainville, 1839) = *Phaner parienti* Groves & Tattersall, 1991
- Phaner pallescens*** Groves & Tattersall, 1991 I  
 CHEIROGALEIDAE (Mammalia) (E) Pale Fork-marked Lemur
- Phaner parienti*** Groves & Tattersall, 1991 I  
 CHEIROGALEIDAE (Mammalia) (E) Pariente's Fork-marked Lemur
- Phanopathea* spp.** Opresco, 2004 II APHANIPATHIDAE (Anthozoa)
- Phanopathea cancellata*** (Brook, 1889) II  
 APHANIPATHIDAE (Anthozoa)
- Phanopathea expansa*** (Opresco & Cairns, 1992) II  
 APHANIPATHIDAE (Anthozoa)
- Phanopathea rigida*** (Pourtales, 1880) II  
 APHANIPATHIDAE (Anthozoa)
- Pharomachrus mocinno*** de la Llave, 1832 I  
 TROGONIDAE (Aves) (E) Magnificent Quetzal, Resplendent Quetzal (S) Quetzal, Quetzal centroamericano, Quetzal guatemalteco (F) Quetzal resplendissant, Trogon couroucou
- Phasianus argus*** Linnaeus, 1766 = *Argusianus argus* (Linnaeus, 1766)
- Phasianus crossoptilon*** Hodgson, 1838 = *Crossoptilon crossoptilon* (Hodgson, 1838)
- Phasianus cruentus*** Hardwicke, 1821 = *Ithaginis cruentus* (Hardwicke, 1821)
- Phasianus ellioti*** Swinhoe, 1872 = *Syrmaticus ellioti* (Swinhoe, 1872)
- Phasianus impejanus*** Latham, 1790 = *Lophophorus impejanus* (Latham, 1790)
- Phasianus leucomelas*** Latham, 1790 = *Lophura leucomelas* (Latham, 1790)
- Phasianus melanocephalus*** J. E. Gray, 1829 = *Tragopan melanocephalus* (Gray, 1829)
- Phasis wallengrenii*** (Trimen, 1887) = *Ailurus fulgens* F. G. Cuvier, 1825
- Phataginus gigantea*** (Illiger, 1815) = *Manis gigantea* Illiger, 1815
- Phataginus temminckii*** (Smuts, 1832) = *Manis temminckii* Smuts, 1832
- Phataginus tetradactyla*** (Linnaeus, 1766) = *Manis tetradactyla* Linnaeus, 1766
- Phataginus tricuspidis*** (Rafinesque, 1821) = *Manis tricuspidis* Rafinesque, 1821
- Pheasant, Argus (E): *Argusianus argus*
- Pheasant, Blood (E): *Ithaginis cruentus*
- Pheasant, Cheer (E): *Catreus wallichii*
- Pheasant, Chinese Barred-backed (E): *Syrmaticus ellioti*
- Pheasant, Chir (E): *Catreus wallichii*
- Pheasant, Edwards's (E): *Lophura edwardsi*
- Pheasant, Elliot's (E): *Syrmaticus ellioti*
- Pheasant, Hume's (E): *Syrmaticus humiae*
- Pheasant, Hume's Bar-tailed (E): *Syrmaticus humiae*
- Pheasant, Impeyan (E): *Lophophorus impejanus*
- Pheasant, Kalij (E): *Lophura leucomelas*
- Pheasant, Koklass (E): *Pucrasia macrolopha*
- Pheasant, Lord Derby's Mountain (E): *Oreophasis derbianus*
- Pheasant, Mikado (E): *Syrmaticus mikado*
- Pheasant, Monal (E): *Lophophorus impejanus*
- Pheasant, Mrs Hume's (E): *Syrmaticus humiae*
- Pheasant, Ocellated (E): *Rheinardia ocellata*
- Pheasant, Swinhoe's (E): *Lophura swinhoii*
- Pheasant, Wallich's (E): *Catreus wallichii*
- Phelsuma* spp.** Gray, 1825 II GEKKONIDAE (Reptilia)
- Phelsuma abbotti*** Stejneger, 1893 II GEKKONIDAE (Reptilia) (E) Abbott's Day Gecko, Aldabra Day Gecko, Seychelles Day Gecko (S) Geco diurno de Abbott (F) Gecko diurne d'Aldabra, Phelsume d'Aldabra
- Phelsuma abbotti parkeri*** Stejneger, 1893 = *Phelsuma parkeri* Loveridge, 1941
- Phelsuma abbotti v-nigra*** Stejneger, 1893 = *Phelsuma v-nigra* Boettger, 1913
- Phelsuma agalegae*** Cheke, 1975 = *Phelsuma borbonica* Mertens, 1966
- Phelsuma andamanense*** Blyth, 1860 II GEKKONIDAE (Reptilia) (E) Andaman Day Gecko (S) Geco diurno de Andaman (F) Gecko diurne des îles Andaman, Phelsume des îles Andaman
- Phelsuma antanosy*** Raxworthy & Nussbaum, 1993 II GEKKONIDAE (Reptilia) (E) Antanosy Day Gecko (F) Gecko diurne de la région Antanosy, Phelsume de la région d'Antanosy
- Phelsuma astriata*** Tornier, 1901 II GEKKONIDAE (Reptilia) (E) Seychelles Day Gecko (F) Gecko diurne des Seychelles, Petit gecko diurne des Seychelles, Petit phelsume des Seychelles

- Phelsuma barbouri*** Loveridge, 1942 II GEKKONIDAE  
 (Reptilia) (E) Barbour's Day Gecko (S) Geco diurno de Barbour (F) Gecko diurne de Barbour, Phelsume de Barbour
- Phelsuma beotakensis*** Börner & Minuth, 1982 =  
***Phelsuma abbotti*** Stejneger, 1893
- Phelsuma berghofi*** Krüger, 1996 II GEKKONIDAE  
 (Reptilia)
- Phelsuma bimaculata*** Kaudern, 1922 = ***Phelsuma quadriocellata*** (Peters, 1883)
- Phelsuma borai*** Glaw, Köhler & Vences, 2009 II GEKKONIDAE (Reptilia)
- Phelsuma borbonica*** Mertens, 1966 II GEKKONIDAE  
 (Reptilia) (E) Réunion Day Gecko (F) Gecko diurne de Bourbon, Gecko diurne de la Réunion, Phelsume de Bourbon
- Phelsuma breviceps*** Boettger, 1894 II GEKKONIDAE  
 (Reptilia) (F) Gecko diurne à courte tête, Phelsume à courte tête
- Phelsuma cepediana*** (Merrem, 1820) II GEKKONIDAE  
 (Reptilia) (E) Blue-tailed Day Gecko, Mauritius Greater Day Gecko (S) Geco diurno de cola azul (F) Gecko diurne à queue bleue, Phelsume à queue bleue
- Phelsuma cepediana borbonica*** (Merrem, 1820) =  
***Phelsuma borbonica*** Mertens, 1966
- Phelsuma chekei*** Börner & Minuth, 1984 = ***Phelsuma abbotti*** Stejneger, 1893
- Phelsuma comorensis*** Boettger, 1913 II GEKKONIDAE  
 (Reptilia) (E) Comoro Day Gecko (S) Geco diurno de las Comores (F) Gecko diurne des Comores, Phelsume des Comores
- Phelsuma dorsivittata*** Mertens, 1964 II GEKKONIDAE  
 (Reptilia)
- Phelsuma dubia*** Boettger, 1881 II GEKKONIDAE  
 (Reptilia) (E) Bright-eyed Day Gecko, Dull-green Day Gecko, Zanzibar Day Gecko (S) Geco diurno de Zanzíbar (F) Gecko diurne de Zanzibar, Gecko diurne sombre, Phelsume de Zanzibar
- Phelsuma dubia comorensis*** Boettger, 1881 = ***Phelsuma comorensis*** Boettger, 1913
- Phelsuma edwardnewtonii*** Vinson & Vinson, 1969 II GEKKONIDAE (Reptilia) (E) Rodrigues Day Gecko (F) Gecko diurne de Rodrigues, Phelsume de Rodrigues
- Phelsuma flavigularis*** Mertens, 1962 II GEKKONIDAE  
 (Reptilia) (E) Yellow-throated Day Gecko (S) Geco diurno de garganta amarilla (F) Gecko diurne à gorge jaune, Phelsume à gorge jaune
- Phelsuma flavigularis serraticauda*** Mertens, 1962 =  
***Phelsuma serraticauda*** Mertens, 1963
- Phelsuma gigas*** Liénard, 1842 II GEKKONIDAE  
 (Reptilia) (E) Giant Day Gecko (F) Gecko diurne géant de Rodrigues, Phelsume de géant Rodrigues
- Phelsuma gouldi*** Crottini, Gehring, Glaw, Harris, Lima & Vences, 2011 II GEKKONIDAE (Reptilia)
- Phelsuma grandis*** Gray, 1879 II GEKKONIDAE (Reptilia)  
 (E) Madagascar Giant Day Gecko
- Phelsuma guentheri*** Boulenger, 1885 II GEKKONIDAE  
 (Reptilia) (E) Round Island Day Gecko (S) Geco diurno de Guenther (F) Gecko diurne de l'Île Ronde, Phelsume de Günther, Phelsume de l'Île Ronde
- Phelsuma guimbeau*** Mertens, 1963 II GEKKONIDAE  
 (Reptilia) (E) Mauritius Day Gecko, Mauritius Lowland Forest Day Gecko (S) Geco diurno de Guimbeau (F) Gecko diurne de l'Île Maurice, Phelsume de l'Île Maurice
- Phelsuma guttata*** Kaudern, 1922 II GEKKONIDAE  
 (Reptilia) (E) Speckled Day Gecko, Spotted Day Gecko (F) Gecko diurne tacheté, Phelsume tacheté
- Phelsuma hielscheri*** Rösler, Obst & Seipp, 2001 II GEKKONIDAE (Reptilia)
- Phelsuma hoeschi*** Berghof & Trautmann, 2009 II GEKKONIDAE (Reptilia)
- Phelsuma inexpectata*** Mertens, 1966 II GEKKONIDAE  
 (Reptilia) (E) Réunion Day Gecko
- Phelsuma kely*** Schönecker, Bach & Glaw, 2004 II GEKKONIDAE (Reptilia)
- Phelsuma klemmeri*** Seipp, 1991 II GEKKONIDAE  
 (Reptilia) (E) Klemmer's Day Gecko (S) Geco diurno de Klemmer (F) Gecko diurne à tête jaune, Gecko diurne de Klemmer, Phelsume de Klemmer
- Phelsuma kochi*** Mertens, 1954 II GEKKONIDAE  
 (Reptilia) (E) Koch's Giant Day Gecko
- Phelsuma laticauda*** Boettger, 1880 II GEKKONIDAE  
 (Reptilia) (E) Flat-tailed Day Gecko, Gold-dust Day Gecko (S) Geco diurno de cola gruesa (F) Gecko diurne à large queue, Gecko diurne poussière-d'or, Phelsume poussière-d'or
- Phelsuma leiogaster*** Mertens, 1973 = ***Phelsuma modesta*** Mertens, 1970
- Phelsuma lineata*** Gray, 1842 II GEKKONIDAE (Reptilia)  
 (E) Lined Day Gecko, Side-striped Day Gecko, Striped Day Gecko (S) Geco diurno de bandas (F) Gecko diurne ligné, Gecko diurne rayé, Phelsume rayé
- Phelsuma lineata pusilla*** Gray, 1842 = ***Phelsuma pusilla*** Mertens, 1964
- Phelsuma longinsulæ*** Rendahl, 1939 = ***Phelsuma sundbergi*** Rendahl, 1939
- Phelsuma madagascariensis*** Gray, 1831 II GEKKONIDAE (Reptilia) (E) Madagascar Day Gecko (S) Geco diurno de Madagascar (F) Gecko diurne de Madagascar, Phelsume de Madagascar
- Phelsuma malamakibo*** Nussbaum, Raxworthy, Raselimanana & Ramanamanjato, 2000 II GEKKONIDAE (Reptilia)
- Phelsuma masohoaala*** Raxworthy & Nussbaum, 1994 II GEKKONIDAE (Reptilia)
- Phelsuma minuthi*** Börner, 1980 = ***Phelsuma lineata*** Gray, 1842
- Phelsuma modesta*** Mertens, 1970 II GEKKONIDAE  
 (Reptilia) (E) Modest Day Gecko (F) Gecko diurne modeste, Phelsume modeste
- Phelsuma mutabilis*** Grandidier, 1869 II GEKKONIDAE  
 (Reptilia) (E) Thick-tailed Day Gecko (F) Gecko diurne à queue charnue, Gecko diurne de Grandidier, Phelsume variable
- Phelsuma mutabilis breviceps*** Grandidier, 1869 =  
***Phelsuma breviceps*** Boettger, 1894
- Phelsuma newtonii*** Boulenger, 1884 = ***Phelsuma gigas*** Liénard, 1842

- Phelsuma nigristriata*** Meier, 1984 II GEKKONIDAE  
 (Reptilia) (E) Island Day Gecko (S) Geco diurno de estrias negras (F) Gecko diurne à bandes noires, Gecko diurne de Meier, Phelsume de Meier
- Phelsuma ocellata*** (Boulenger, 1885) II GEKKONIDAE  
 (Reptilia) (E) Namaqua Day Gecko, Ocellated Day Gecko, Spotted Day Gecko (S) Geco diurno ocelado (F) Gecko diurne ocellé, Phelsume ocellé
- Phelsuma ornata*** Gray, 1825 II GEKKONIDAE (Reptilia)  
 (E) Ornate Day Gecko (S) Geco diurno ornado (F) Gecko diurne orné de l'Île Maurice, Phelsume orné de l'Île Maurice
- Phelsuma parkeri*** Loveridge, 1941 II GEKKONIDAE  
 (Reptilia) (E) Parker's Day Gecko, Pemba Day Gecko (F) Gecko diurne de l'Île Pemba, Gecko diurne de Parker, Phelsume de Parker
- Phelsuma parva*** Meier, 1983 II GEKKONIDAE (Reptilia)
- Phelsuma pastouri*** Meier, 1984 II GEKKONIDAE  
 (Reptilia) (E) Pasteur's Day Gecko
- Phelsuma pronki*** Seipp, 1994 II GEKKONIDAE (Reptilia)  
 (E) Pronk's Day Gecko
- Phelsuma pusilla*** Mertens, 1964 II GEKKONIDAE  
 (Reptilia) (E) Dwarf Day Gecko (F) Gecko diurne nain, Phelsume nain
- Phelsuma quadriocellata*** (Peters, 1883) II  
 GEKKONIDAE (Reptilia) (E) Four-spot Day Gecko, Peacock Day Gecko (F) Gecko diurne à quatre ocelles, Gecko diurne de Peacock, Phelsume à quatre ocelles
- Phelsuma ravenala*** Raxworthy, Ingram, Rabibisoa & Pearson, 2007 II GEKKONIDAE (Reptilia)
- Phelsuma robertmertensi*** Meier, 1980 II GEKKONIDAE  
 (Reptilia) (E) Mertens's Day Gecko (S) Geco diurno de Robert Mertens (F) Gecko diurne de Robert Mertens, Phelsume de Robert Mertens
- Phelsuma roesleri*** Glaw, Gehring, Köhler, Franzen & Vences, 2010 II GEKKONIDAE (Reptilia)
- Phelsuma rosagularis*** Vinson & Vinson, 1969 II  
 GEKKONIDAE (Reptilia) (E) Mauritius Lowland Forest Day Gecko
- Phelsuma seippi*** Meier, 1987 II GEKKONIDAE (Reptilia)  
 (E) Seipp's Day Gecko (F) Gecko diurne de Seipp, Phelsume de Seipp
- Phelsuma serraticauda*** Mertens, 1963 II GEKKONIDAE  
 (Reptilia) (E) Fan-tailed Day Gecko, Serrated Day Gecko (S) Geco diurno de cola dentada (F) Gecko diurne à queue plate, Phelsume à queue plate
- Phelsuma standingi*** Methuen & Hewitt, 1913 II  
 GEKKONIDAE (Reptilia) (E) Banded Day Gecko, Standing's Day Gecko (S) Geco diurno de Standing (F) Gecko diurne de Standing, Phelsume de Standing
- Phelsuma sundbergi*** Rendahl, 1939 II GEKKONIDAE  
 (Reptilia) (E) La-Digue Day Gecko, Seychelles Giant Day Gecko (S) Geco diurno de Sundberg (F) Gecko diurne géant des Seychelles, Phelsume géant des Seychelles
- Phelsuma trilineata*** Gray, 1842 = *Phelsuma cepediana* (Merrem, 1820)
- Phelsuma vanheygeni*** Lerner, 2004 II GEKKONIDAE (Reptilia)
- Phelsuma vinsoni*** Mertens, 1963 = *Phelsuma ornata* Gray, 1825
- Phelsuma v-nigra*** Boettger, 1913 II GEKKONIDAE  
 (Reptilia) (E) Boettger's Day Gecko (F) Gecko diurne de Boettger, Phelsume de Boettger
- Phelsume à courte tête (F): *Phelsuma breviceps*  
 Phelsume à gorge jaune (F): *Phelsuma flavigularis*  
 Phelsume à quatre ocelles (F): *Phelsuma quadriocellata*  
 Phelsume à queue bleue (F): *Phelsuma cepediana*  
 Phelsume à queue plate (F): *Phelsuma serraticauda*  
 Phelsume d'Aldabra (F): *Phelsuma abbotti*  
 Phelsume de Barbour (F): *Phelsuma barbouri*  
 Phelsume de Boettger (F): *Phelsuma v-nigra*  
 Phelsume de Bourbon (F): *Phelsuma borbonica*  
 Phelsume de géant Rodrigues (F): *Phelsuma gigas*  
 Phelsume de Günther (F): *Phelsuma guentheri*  
 Phelsume de Klemmer (F): *Phelsuma klemmeri*  
 Phelsume de la région d'Antanosy (F): *Phelsuma antanosy*  
 Phelsume de l'Île Maurice (F): *Phelsuma guimbeau*  
 Phelsume de l'Île Ronde (F): *Phelsuma guentheri*  
 Phelsume de Madagascar (F): *Phelsuma madagascariensis*  
 Phelsume de Meier (F): *Phelsuma nigristriata*  
 Phelsume de Parker (F): *Phelsuma parkeri*  
 Phelsume de Robert Mertens (F): *Phelsuma robertmertensi*  
 Phelsume de Rodrigues (F): *Phelsuma edwardnewtonii*  
 Phelsume des Comores (F): *Phelsuma comorensis*  
 Phelsume de Seipp (F): *Phelsuma seippi*  
 Phelsume des îles Andaman (F): *Phelsuma andamanense*  
 Phelsume de Standing (F): *Phelsuma standingi*  
 Phelsume de Zanzibar (F): *Phelsuma dubia*  
 Phelsume géant des Seychelles (F): *Phelsuma sundbergi*  
 Phelsume modeste (F): *Phelsuma modesta*  
 Phelsume nain (F): *Phelsuma pusilla*  
 Phelsume ocellé (F): *Phelsuma ocellata*  
 Phelsume orné de l'Île Maurice (F): *Phelsuma ornata*  
 Phelsume poussière-d'or (F): *Phelsuma laticauda*  
 Phelsume rayé (F): *Phelsuma lineata*  
 Phelsume tacheté (F): *Phelsuma guttata*  
 Phelsume variable (F): *Phelsuma mutabilis*
- Phigys* spp.** G. R. Gray, 1870 II 29 LORIIDAE (Aves)
- Phigys solitarius*** (Suckow, 1800) II 29 LORIIDAE (Aves)  
 (E) Collared Lory (S) Lori solitario (F) Lori des Fidji, Lori solitaire des îles Fidji
- Philantomba aequatorialis* Matschie, 1892 = *Philantomba monticola* (Thunberg, 1789)
- Philantomba anchetae* (Bocage, 1879) = *Philantomba monticola* (Thunberg, 1789)
- Philantomba bicolor* (Gray, 1863) = *Philantomba monticola* (Thunberg, 1789)
- Philantomba congica* (Lönnberg, 1908) = *Philantomba monticola* (Thunberg, 1789)
- Philantomba defriesi* (W. Rothschild, 1904) = *Philantomba monticola* (Thunberg, 1789)
- Philantomba hecki* (Matschie, 1897) = *Philantomba monticola* (Thunberg, 1789)
- Philantomba lugens* (Thomas, 1898) = *Philantomba monticola* (Thunberg, 1789)

- Philantomba melanorhea* (Gray, 1846) = *Philantomba monticola* (Thunberg, 1789)**
- Philantomba monticola* (Thunberg, 1789) II BOVIDAE**  
(Mammalia) (E) Blue Duiker (S) Cefalofo azul,  
Duiquero azul (F) Céphalophe bleu
- Philantomba simpsoni* (Thomas, 1910) = *Philantomba monticola* (Thunberg, 1789)**
- Philas johnstoni* Gray, 1874 = *Crocodylus johnstoni* Krefft, 1873**
- Philhydrus pisciformis* Brookes, 1828 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)**
- Philhydrus pisciformis* (Shaw, 1802) = *Ambystoma mexicanum* (Shaw & Nodder, 1798)**
- Philodice bryantae* (Lawrence, 1867) = *Calliphlox bryantae* (Lawrence, 1867)**
- Philodice dupontii* (Lesson, 1832) = *Tilmatura dupontii* (Lesson, 1832)**
- Philodice evelynae* (Bourcier, 1847) = *Calliphlox evelynae* (Bourcier, 1847)**
- Philodice mitchellii* (Bourcier, 1847) = *Calliphlox mitchellii* (Bourcier, 1847)**
- Phloeocyathus hospes* Alcock, 1902 = *Conotrochus brunneus* (Moseley, 1881)**
- Phlogophilus* spp. II TROCHILIDAE (Aves)**
- Phlogophilus harterti* Berlepsch & Stolzmann, 1901 II**  
TROCHILIDAE (Aves) (E) Peruvian Piedtail (S) Colibrí colipinto peruano (F) Colibri de Hartert
- Phlogophilus hemileucurus* Gould, 1860 II**  
TROCHILIDAE (Aves) (E) Ecuadorian Piedtail (S) Colapinto ecuatoriano, Colibrí colipinto ecuatoriano (F) Colibri à queue mi-blanche
- Phobobate à trois bandes (F): *Ameerega trivittata*
- Phobobate de Bassler (F): *Ameerega bassleri*
- Phobobate de Silverstone (F): *Ameerega silverstonei*
- Phobobates bassleri* (Melin, 1941) = *Ameerega bassleri* (Melin, 1941)**
- Phobobates bassleri* Zimmermann & Zimmermann, 1988 = *Ameerega bassleri* (Melin, 1941)**
- Phobobates silverstonei* (Myers & Daly, 1979) = *Ameerega silverstonei* (Myers & Daly, 1979)**
- Phobobates silverstonei* Zimmermann & Zimmermann, 1988 = *Ameerega silverstonei* (Myers & Daly, 1979)**
- Phobobates trivittatus* (Spix, 1824) = *Ameerega trivittata* (Spix, 1824)**
- Phobobates trivittatus* Zimmermann and Zimmermann, 1988 = *Ameerega trivittata* (Spix, 1824)**
- Phocoena* spp. I/II 18 PHOCOENIDAE (Mammalia)**
- Phocoena dioptrica* Lahille, 1912 II 18 PHOCOENIDAE**  
(Mammalia) (E) Spectacled Porpoise (S) Marsopa de anteojo (F) Marsouin à lunettes, Marsouin de Lahille
- Phocoena phocoena* (Linnaeus, 1758) II 18**
- PHOCOENIDAE (Mammalia) (E) Common Porpoise, Harbour Porpoise (S) Marsopa común (F) Marsouin, Marsouin commun
- Phocoena sinus* Norris & McFarland, 1958 I**
- PHOCOENIDAE (Mammalia) (E) Cochito, Gulf of California Harbour Porpoise, Gulf Porpoise, Vaquita (S) Cochito, Vaquita (F) Cochito, Marsouin du Golfe de Californie, Vaquita
- Phocoena spinipinnis* Burmeister, 1865 II 18**
- PHOCOENIDAE (Mammalia) (E) Black Porpoise, Burmeister's Porpoise (S) Marsopa espinosa (F) Marsouin de Burmeister
- Phocoena vomerina* Gill, 1865 = *Phocoena phocoena* (Linnaeus, 1758)**
- PHOCOENIDAE spp. Gray, 1825 I/II 18 (Mammalia) (S)**  
Marsopas (F) Marsouins
- Phocoenoides* spp. II 18 PHOCOENIDAE (Mammalia)**
- Phocoenoides dalli* (True, 1885) II 18 PHOCOENIDAE**  
(Mammalia) (E) Dall's Porpoise, White-flanked Porpoise (S) Marsopa de Dall (F) Marsouin de Dall
- Phodile calong (F): *Phodilus badius*
- Phodile de Prigogine (F): *Phodilus prigoginei*
- Phodilus* spp. II 30 TYTONIDAE (Aves)**
- Phodilus badius* (Horsfield, 1821) II 30 TYTONIDAE**  
(Aves) (E) Bay Owl, Common Bay-Owl, Oriental Bay-Owl (S) Lechuza baya de Madagascar, Lechuza cornuda (F) Chouette baie, Phodile calong
- Phodilus prigoginei* Schouteden, 1952 II 30**
- TYTONIDAE (Aves) (E) African Bay Owl, Congo Bay-Owl, Itombwe Owl (S) Lechuza del Congo (F) Phodile de Prigogine
- Phoebastria albatrus* (Pallas, 1769) I DIOMEDEIDAE**  
(Aves) (E) Black-footed Albatross, Short-tailed Albatross, Steller's Albatross (S) Albatros, Albatros colicorto, Albatros patinegro, Albatros rabón (F) Albatros à pieds noirs, Albatros à queue courte, Albatros de Steller
- Phoeniconaias* spp. II PHOENICOPTERIDAE (Aves)**
- Phoeniconaias minor* (Geoffroy, 1798) II**
- PHOENICOPTERIDAE (Aves) (E) Lesser Flamingo (S) Flamenco enano (F) Flamant nain, Petit flamant
- Phoenicoparrus* spp. II PHOENICOPTERIDAE (Aves)**
- Phoenicoparrus andinus* (Philippi, 1854) II**
- PHOENICOPTERIDAE (Aves) (E) Andean Flamingo (S) Flamenco andino, Parina grande (F) Flamant des Andes
- Phoenicoparrus jamesi* (P. L. Sclater, 1886) II**
- PHOENICOPTERIDAE (Aves) (E) James's Flamingo, Puna Flamingo (S) Flamenco andino chico, Flamenco de James, Parina chica (F) Flamant de James
- PHOENICOPTERIDAE spp. II (Aves) (E) Flamingos (S)**  
Flamencos (F) Flamants
- Phoenicopteridae* spp. Linnaeus 1758 II**
- PHOENICOPTERIDAE (Aves)
- Phoenicopteridae andinus* Philippi, 1854 = *Phoenicoparrus andinus* (Philippi, 1854)**
- Phoenicopteridae chilensis* Molina, 1782 II**
- PHOENICOPTERIDAE (Aves) (E) Chilean Flamingo (S) Flamenco chileno, Flamenco común de Chile, Parihuana, Pariona (F) Flamant du Chili
- Phoenicopteridae jamesi* P. L. Sclater, 1886 = *Phoenicoparrus jamesi* (P. L. Sclater, 1886)**
- Phoenicopteridae minor* Geoffroy, 1798 = *Phoeniconaias minor* (Geoffroy, 1798)**
- Phoenicopteridae roseus* Pallas, 1811 = *Phoenicoparrus ruber* Linnaeus, 1758**
- Phoenicopteridae ruber* Linnaeus, 1758 II**
- PHOENICOPTERIDAE (Aves) (E) American Flamingo,

- Caribbean Flamingo (S) Flamenco, Flamenco común, Flamenco de Cuba, Flamenco rojo, Tococo (F) Flamant de Cuba, Flamant rose, Flamant rouge
- Phonygammus* spp. II PARADISAEIDAE (Aves)**
- Phonygammus keraudrenii* (Lesson & Garnot, 1826) II** PARADISAEIDAE (Aves) (E) Trumpetbird, Trumpet Manucode (F) Manucaude de Keraudren, Paradisier de Keraudren
- Phoque-moine (F): *Monachus monachus*  
Phoque-moine méditerranéen (F): *Monachus monachus*
- Phrynoderma cutiporum* (Duméril & Bibron, 1841) = *Euphlyctis hexadactylus* (Lesson, 1834)
- Phrynoderma cutiporum* Fitzinger, 1861 "1860" = *Euphlyctis hexadactylus* (Lesson, 1834)
- Phrynomantis maculatus* = *Mantella baroni* Boulenger, 1888
- Phrynosoma blainvillii* Gray, 1839 II IGUANIDAE**  
(Reptilia)  
***Phrynosoma cerroense* Stejneger, 1893 II IGUANIDAE**  
(Reptilia) (E) Cedros Island Horned Lizard
- Phrynosoma coronatum* (Blainville, 1835) II IGUANIDAE**  
(Reptilia) (E) Coast Horned Lizard (S) Iguana cornuta  
(F) Lézard cornu, Lézard cornu de San Diego, Phrynosome couronné
- Phrynosoma coronatum blainvilliei* (Blainville, 1835) = *Phrynosoma blainvillii* Gray, 1839
- Phrynosoma wigginsi* Montanucci, 2004 II IGUANIDAE**  
(Reptilia)  
Phrynosome couronné (F): *Phrynosoma coronatum*  
Phyllange américaine (F): *Phyllangia americana*
- Phyllangia* spp. Milne Edwards & Haime 1848 II** CARYOPHYLLIIDAE (Anthozoa)
- Phyllangia americana* Milne Edwards & Haime, 1849 II** CARYOPHYLLIIDAE (Anthozoa) (E) Hidden Cup Coral (S) Coral tazón oculto (F) Phyllange américaine
- Phyllangia americana nazensis* Milne Edwards & Haime, 1849 = *Phyllangia americana* Milne Edwards & Haime, 1849
- Phyllangia consagensis* (Durham & Barnard, 1952) II** CARYOPHYLLIIDAE (Anthozoa)
- Phyllangia dispersa* Verrill, 1864 II** CARYOPHYLLIIDAE (Anthozoa)
- Phyllangia echinosepes* Ogawa, Takahashi & Sakai, 1997 II** CARYOPHYLLIIDAE (Anthozoa)
- Phyllangia fuscomarginata* Klunzinger, 1879 = *Polycyathus fuscomarginatus* (Klunzinger, 1879)
- Phyllangia granulata* W. Koch, 1886 II** CARYOPHYLLIIDAE (Anthozoa)
- Phyllangia hayamaensis* (Eguchi, 1968) II** CARYOPHYLLIIDAE (Anthozoa)
- Phyllangia pallida* Klunzinger, 1879 = *Polycyathus fuscomarginatus* (Klunzinger, 1879)
- Phyllangia papuensis* Studer, 1878 II** CARYOPHYLLIIDAE (Anthozoa)
- Phyllangia pequegnatae* Cairns, 2000 II** CARYOPHYLLIIDAE (Anthozoa)
- Phyllastraea tubifex* Dana, 1846 = *Mycedium elephantotus* (Pallas, 1766)
- Phyllhydrus pisciformis* Gray In Cuvier, 1831 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Phyllobate à bande (F): *Phyllobates vittatus*  
Phyllobate à bande dorée (F): *Phyllobates aurotaenia*  
Phyllobate bicolore (F): *Phyllobates bicolor*  
Phyllobate lugubre (F): *Phyllobates lugubris*
- Phyllobates* spp. Bibron, 1841 II DENDROBATIDAE** (Amphibia)
- Phyllobates anthonyi* Noble, 1921 = *Epipedobates anthonyi* (Noble, 1921)
- Phyllobates anthonyi* Silverstone, 1976 = *Epipedobates anthonyi* (Noble, 1921)
- Phyllobates auratus* Girard, 1855 = *Dendrobates auratus* (Girard, 1855)
- Phyllobates aurotaenia* (Boulenger, 1913) II** DENDROBATIDAE (Amphibia) (E) Kokoe Poison Frog (F) Phyllobate à bande dorée
- Phyllobates aurotaenia* Dunn, 1957 = *Phyllobates aurotaenia* (Boulenger, 1913)
- Phyllobates azureiventris* Kneller & Henle, 1985 = *Hyloxalus azureiventris* (Kneller & Henle, 1985)
- Phyllobates bassleri* (Melin, 1941) = *Ameerega bassleri* (Melin, 1941)
- Phyllobates bassleri* Silverstone, 1975 = *Ameerega bassleri* (Melin, 1941)
- Phyllobates beatriceae* Barbour & Dunn, 1921 = *Phyllobates lugubris* (O. Schmidt, 1857)
- Phyllobates bicolor* Duméril & Bibron, 1841 II** DENDROBATIDAE (Amphibia) (E) Black-legged Poison Frog, Two-toned Poison Frog (F) Phyllobate bicolore
- Phyllobates bolivianus* Barbour and Noble, 1920 = *Ameerega boliviana* (Boulenger, 1902)
- Phyllobates bolivianus* (Boulenger, 1902) = *Ameerega boliviana* (Boulenger, 1902)
- Phyllobates boulengeri* (Barbour, 1909) = *Epipedobates boulengeri* (Barbour, 1909)
- Phyllobates boulengeri* Barbour and Noble, 1920 = *Epipedobates boulengeri* (Barbour, 1909)
- Phyllobates choocoensis* Posada Arango, 1869 = *Phyllobates bicolor* Duméril & Bibron, 1841
- Phyllobates espinosai* Funkhouser, 1956 = *Epipedobates espinosai* (Funkhouser, 1956)
- Phyllobates femoralis* Barbour & Noble, 1920 = *Allobates femoralis* (Boulenger, 1884)
- Phyllobates femoralis* (Boulenger, 1884) = *Allobates femoralis* (Boulenger, 1884)
- Phyllobates festae* Barbour & Noble, 1920 = *Ameerega parvula* (Boulenger, 1882)
- Phyllobates festae* (Peracca, 1904) = *Ameerega parvula* (Boulenger, 1882)
- Phyllobates ingeri* (Cochran & Goin, 1970) = *Ameerega ingeri* (Cochran & Goin, 1970)
- Phyllobates ingeri* Silverstone, 1975 = *Ameerega ingeri* (Cochran & Goin, 1970)
- Phyllobates lugubris* (O. Schmidt, 1857) II** DENDROBATIDAE (Amphibia) (E) Lovely Poison Frog (S) Rana de punta de flecha lugubre (F) Phyllobate lugubre
- Phyllobates lugubris* Dunn, 1924 = *Phyllobates lugubris* (O. Schmidt, 1857)
- Phyllobates melanorhinus* Gorham, 1963 = *Phyllobates bicolor* Duméril & Bibron, 1841

- Phyllobates melanorrhinus* Berthold, 1845 = *Phyllobates bicolor* Duméril & Bibron, 1841
- Phyllobates nicefori* Noble, 1923 = *Phyllobates bicolor* Duméril & Bibron, 1841
- Phyllobates parvulus* (Boulenger, 1882) = *Ameerega parvula* (Boulenger, 1882)
- Phyllobates parvulus* Silverstone, 1975 = *Ameerega parvula* (Boulenger, 1882)
- Phyllobates petersi* Silverstone, 1976 = *Ameerega petersi* (Silverstone, 1976)
- Phyllobates (phyllobates) aurotaenia* Bauer, 1988 = *Phyllobates aurotaenia* (Boulenger, 1913)
- Phyllobates pictus* Silverstone, 1975 = *Ameerega picta* (Tschudi, 1838)
- Phyllobates pictus* (Tschudi, 1838) = *Ameerega picta* (Tschudi, 1838)
- Phyllobates (pseudendrobates) erythromos* Bauer, 1988 = *Ameerega erythromos* (Vigle & Miyata, 1980)
- Phyllobates (pseudendrobates) ingeri* Bauer, 1988 = *Ameerega ingeri* (Cochran & Goin, 1970)
- Phyllobates (pseudendrobates) parvulus* Bauer, 1988 = *Ameerega parvula* (Boulenger, 1882)
- Phyllobates (pseudendrobates) petersi* Bauer, 1988 = *Ameerega petersi* (Silverstone, 1976)
- Phyllobates (pseudendrobates) silverstonei* Bauer, 1988 = *Ameerega silverstonei* (Myers & Daly, 1979)
- Phyllobates (pseudendrobates) smaragdina* Bauer, 1988 = *Ameerega smaragdina* (Silverstone, 1976)
- Phyllobates pulchripectus* Silverstone, 1976 = *Ameerega pulchripecta* (Silverstone, 1976)
- Phyllobates smaragdinus* Silverstone, 1976 = *Ameerega smaragdina* (Silverstone, 1976)
- Phyllobates terribilis** Myers, Daly & Malkin, 1978 **II**  
DENDROBATIDAE (Amphibia) (E) Golden Poison Frog  
(S) Rana de punta de flecha terrible (F) Phyllobate terrible
- Phyllobates tricolor* Barbour and Noble, 1920 = *Epipedobates tricolor* (Boulenger, 1899)
- Phyllobates tricolor* (Boulenger, 1899) = *Epipedobates tricolor* (Boulenger, 1899)
- Phyllobates trivittatus* Silverstone, 1976 = *Ameerega trivittata* (Spix, 1824)
- Phyllobates trivittatus* (Spix, 1824) = *Ameerega trivittata* (Spix, 1824)
- Phyllobates truncatus* Cope, 1861 = *Dendrobates truncatus* (Cope, 1861)
- Phyllobates vittatus** (Cope, 1893) **II** DENDROBATIDAE (Amphibia) (E) Golfo dulcean Poison Frog, Orange-and-black Poison Frog (S) Rana de punta de flecha rayada (F) Phyllobate à bande
- Phyllobates vittatus* Silverstone, 1975 = *Phyllobates vittatus* (Cope, 1893)
- Phyllobates zaparo* Silverstone, 1976 = *Allobates zaparo* (Silverstone, 1976)
- Phyllobate terrible (F): *Phyllobates terribilis*
- Phylomedusa (agalychnis) callidryas* Lutz, 1950 = *Agalychnis callidryas* (Cope, 1862)
- Phylomedusa (agalychnis) helenae* Lutz, 1950 = *Agalychnis callidryas* (Cope, 1862)
- Phylomedusa (agalychnis) moreletii* Lutz, 1950 = *Agalychnis moreletii* (Duméril, 1853)
- Phylomedusa annae* Duellman, 1963 = *Agalychnis annae* (Duellman, 1963)
- Phylomedusa callidryas* Savage & Heyer, 1967 = *Agalychnis callidryas* (Cope, 1862)
- Phylomedusa helenae* Kellogg, 1932 = *Agalychnis callidryas* (Cope, 1862)
- Phylomedusa litodryas* (Duellman and Trueb, 1967) = *Agalychnis spurrelli* Boulenger, 1913
- Phylomedusa moreletii* Kellogg, 1932 = *Agalychnis moreletii* (Duméril, 1853)
- Phylomedusa saltator* Funkhouser, 1957 = *Agalychnis saltator* Taylor, 1955
- Phylomedusa spurrelli* (Funkhouser, 1957) = *Agalychnis spurrelli* Boulenger, 1913
- Physeter spp.** I/II <sup>18</sup> PHYSETERIDAE (Mammalia)
- Physeter catodon* Linnaeus, 1758 = *Physeter macrocephalus* Linnaeus, 1758
- PHYSETERIDAE spp.** Gray, 1821 I/II <sup>18</sup> (Mammalia) (E)  
Cachalot, Sperm Whales (S) Cachalotes (F) Cachalot
- Physeter macrocephalus** Linnaeus, 1758 I  
PHYSETERIDAE (Mammalia) (E) Cachalot, Cachelot, Pot Whale, Spermacet Whale, Sperm Whale (S) Ballena esperma, Cachalote (F) Cachalot
- Physoglyra spp.** Quelch 1884 II CARYOPHYLLIIDAE (Anthozoa)
- Physoglyra aperta* Quelch, 1884 = *Physoglyra lichtensteini* (Milne Edwards & Haime, 1851)
- Physoglyra exerta** Nemenzo & Ferraris, 1982 II CARYOPHYLLIIDAE (Anthozoa)
- Physoglyra lichtensteini** (Milne Edwards & Haime, 1851) II CARYOPHYLLIIDAE (Anthozoa) (E) Pearl Bubble Coral, Small Bubble Coral
- Physophyllia spp.** Duncan 1885 II PECTINIIDAE (Anthozoa)
- Physophyllia ayleni** Wells, 1935 II PECTINIIDAE (Anthozoa)
- Physophyllia patula* Hodgson & Ross, 1982 = *Echinophyllia patula* (Hodgson & Ross, 1982)
- Physophyllia wellsi* Nemenzo, 1971 = *Physophyllia ayleni* Wells, 1935
- Piapoco pico rojo (S): *Ramphastos tucanus*
- Piapoco pico verde (S): *Ramphastos sulfuratus*
- Pibale (F): *Anguilla anguilla*
- Picaflor abanico verde (S): *Lophornis chalybeus*
- Picaflor amatista (S): *Calliphlox amethystina*
- Picaflor bronceado (S): *Hylocharis chrysura*
- Picaflor cabeciazul (S): *Hylocharis cyanus*
- Picaflor cabeza granate (S): *Sephanoides sephanoides*
- Picaflor coliverde (S): *Polytmus guainumbi*
- Picaflor coludo rojo (S): *Sappho sparganura*
- Picaflor común (S): *Chlorostilbon lucidus*
- Picaflor copetón (S): *Stephanoxis lalandi*
- Picaflor corona azul (S): *Thalurania glaukopis*
- Picaflor cuelliblanco (S): *Leucochloris albicollis*
- Picaflor de Barbijo (S): *Heliomaster furcifer*
- Picaflor dorado (S): *Hylocharis chrysura*
- Picaflor enano (S): *Microstilbon burmeisteri*
- Picaflor escamado (S): *Heliomaster squamosus*

- Picaflor frentivioleta (S): *Eriocnemis glaucopoides*  
 Picaflor gargantiazul (S): *Adelomyia melanogenys*  
 Picaflor gargantiverde (S): *Thalurania furcata*  
 Picaflor gigante (S): *Patagona gigas*  
 Picaflor negro (S): *Florisuga fusca*  
 Picaflor orejiazul (S): *Colibri thalassinus*  
 Picaflor pechiazul (S): *Hylocharis sapphirina*  
 Picaflor pequeño verde (S): *Amazilia versicolor*  
 Picaflor serrano ventricanela (S): *Oreotrochilus estella*  
 Picaflor serrano ventrínegro (S): *Oreotrochilus leucopleurus*  
 Picaflor ventriazul (S): *Colibri coruscans*  
 Picaflor ventriblanco (S): *Amazilia chionogaster*  
 Picaflor ventrínegro (S): *Anthracothorax nigricollis*  
 Picaflor ventriverde (S): *Colibri serrirostris*  
 Picartes cuelliblanco (S): *Picathartes gymnocephalus*  
 Picartes cuelligris (S): *Picathartes oreas*  
 Picatharte à cou blanc (F): *Picathartes gymnocephalus*  
 Picatharte à cou gris (F): *Picathartes oreas*  
 Picatharte à tête rouge (F): *Picathartes oreas*  
 Picatharte chauve (F): *Picathartes gymnocephalus*  
 Picatharte de Guinée (F): *Picathartes gymnocephalus*  
 Picatharte du Cameroun (F): *Picathartes oreas*  
 Picathartes, Grey-necked (E): *Picathartes oreas*  
**Picathartes gymnocephalus** (Temminck, 1825) I  
 MUSCICAPIDAE (Aves) (E) Bare-headed Rockfowl,  
 White-necked Picathartes, White-necked Rockfowl,  
 Yellow-headed Rockfowl (S) Cuervo calvo de cuello  
 blanco, Picartes cuelliblanco (F) Picatharte à cou  
 blanc, Picatharte chauve, Picatharte de Guinée  
**Picathartes oreas** Reichenow, 1899 I MUSCICAPIDAE  
 (Aves) (E) Grey-necked Picathartes, Grey-necked  
 Rockfowl, Red-headed Rockfowl (S) Cuervo calvo de  
 cuello gris, Picartes cuelligris (F) Picatharte à cou  
 gris, Picatharte à tête rouge, Picatharte du Cameroun  
 Picathartes, White-necked (E): *Picathartes  
 gymnocephalus*  
 Pic à ventre blanc (F): *Dryocopus javensis*  
 Pic à ventre blanc de Corée (F): *Dryocopus javensis  
 richardsi*  
 Pic de Tristram (F): *Dryocopus javensis richardsi*  
 Pichico negro (S): *Callimico goeldii*  
 Pico-de-hoz colihabano (S): *Eutoxeres condamini*  
 Pico-de-hoz puntiblanco (S): *Eutoxeres aquila*  
 Picoespina arcoiris (S): *Chalcostigma herrani*  
 Pico espina bronceado (S): *Chalcostigma heteropogon*  
 Picoespina dorsiazul (S): *Chalcostigma stanleyi*  
 Picoespina dorsipurpura (S): *Ramphomicron  
 microrhynchum*  
 Picoespina gorirrufa (S): *Chalcostigma ruficeps*  
 Picohoz colicanela (S): *Eutoxeres condamini*  
 Picohoz coliverde (S): *Eutoxeres aquila*  
 Pico lanza frentiazul (S): *Doryfera johannae*  
 Pico lanza frentiverde (S): *Doryfera ludovicae*  
 Picolargo coroniazul (S): *Heliomaster longirostris*  
 Picolargo coronoscuro (S): *Heliomaster constantii*  
 Picozapato (S): *Balaeniceps rex*  
 Pied-Hornbill, Malabar (E): *Anthracoceros coronatus*  
 Pied-Hornbill, Malaysian (E): *Anthracoceros albirostris*  
 Pied-Hornbill, Northern (E): *Anthracoceros albirostris*  
 Pied-Hornbill, Oriental (E): *Anthracoceros albirostris*  
 Piedtail, Ecuadorian (E): *Phlogophilus hemileucus*  
 Piedtail, Peruvian (E): *Phlogophilus harterti*  
*Piesigaster boettgeri* Seoane, 1881 = *Epicrates inornatus*  
 (Reinhardt, 1843)  
 Pigargo (S): *Haliaeetus albicilla*  
 Pigargo americano (S): *Haliaeetus leucocephalus*  
 Pigargo cabeciblanco (S): *Haliaeetus leucocephalus*  
 Pigargo cabeciblanco meridional (S): *Haliaeetus  
 leucocephalus*  
 Pigargo coliblanco (S): *Haliaeetus albicilla*  
 Pigargo común (S): *Haliaeetus albicilla*  
 Pigargo de las Salomón (S): *Haliaeetus sanfordi*  
 Pigargo de Madagascar (S): *Haliaeetus vociferoides*  
 Pigargo de Pallas (S): *Haliaeetus leucoryphus*  
 Pigargo de Sanford (S): *Haliaeetus sanfordi*  
 Pigargo de Steller (S): *Haliaeetus pelagicus*  
 Pigargo de vientre blanco (S): *Haliaeetus leucogaster*  
 Pigargo Europeo (S): *Haliaeetus albicilla*  
 Pigargo gigante (S): *Haliaeetus pelagicus*  
 Pigargo malgache (S): *Haliaeetus vociferoides*  
 Pigargo oriental (S): *Haliaeetus leucogaster*  
 Pigargo vocinglero (S): *Haliaeetus vocifer*  
 Pigarguillo común (S): *Ichthyophaga ichthyaetus*  
 Pigarguillo menor (S): *Ichthyophaga humilis*  
 Pigeon à camail (F): *Caloenas nicobarica*  
 Pigeon à collerette (F): *Caloenas nicobarica*  
 Pigeon, Bleeding-heart (E): *Gallicolumba luzonica*  
 Pigeon, Common Crowned (E): *Goura cristata*  
 Pigeon de Mindoro (F): *Ducula mindorensis*  
 Pigeon de Nicobar (F): *Caloenas nicobarica*  
 Pigeon, Mindoro Zone-tailed (E): *Ducula mindorensis*  
 Pigeon, Nicobar (E): *Caloenas nicobarica*  
 Pigeon, Pink (E): *Nesoenas mayeri*  
 Pigeon rose (F): *Nesoenas mayeri*  
 Pigtoe, Fine-rayed (E): *Fusconia cuneolus*  
 Pigtoe, Rough (E): *Pleurobema plenum*  
 Pigtoe, Shiny (E): *Fusconia edgariana*  
 Pijiji aliblanco (S): *Dendrocygna autumnalis*  
 Pijiji canelo (S): *Dendrocygna bicolor*  
**Piliocolobus spp.** I/II CERCOPITHECIDAE (Mammalia)  
**Piliocolobus badius** (Kerr, 1792) II CERCOPITHECIDAE  
 (Mammalia) (E) Red Colobus, Western Red Colobus  
 (S) Colobo herrumbroso occidental (F) Colobe bai,  
 Colobe bai d'Afrique occidentale, Colobe ferrugineux  
**Piliocolobus badius foai** (Kerr, 1792) = *Piliocolobus foai*  
 (de Pousargues, 1899)  
*Piliocolobus badius gordonorum* (Kerr, 1792) =  
*Piliocolobus gordonorum* Matschie, 1900  
*Piliocolobus badius kirkii* (Kerr, 1792) = *Piliocolobus kirkii*  
 (Gray, 1868)  
*Piliocolobus badius preussi* (Kerr, 1792) = *Piliocolobus  
 preussi* (Matschie, 1900)  
*Piliocolobus badius rufomitratus* (Kerr, 1792) =  
*Piliocolobus rufomitratus* (Peters, 1879)  
*Piliocolobus badius tephrosceles* (Kerr, 1792) =  
*Piliocolobus tephrosceles* (Elliot, 1907)  
*Piliocolobus badius tholloni* (Kerr, 1792) = *Piliocolobus  
 tholloni* (Milne Edwards, 1886)

- Piliocolobus foai** (de Pousargues, 1899) II  
CERCOPITHECIDAE (Mammalia) (E) Central African Red Colobus
- Piliocolobus gordonorum** Matschie, 1900 II  
CERCOPITHECIDAE (Mammalia) (E) Uzungwa Red Colobus
- Piliocolobus kirkii** (Gray, 1868) I CERCOPITHECIDAE (Mammalia) (E) Kirk's Colobus, Kirk's Red Colobus, Zanzibar Red Colobus (S) Colobo rojo de Zanzíbar (F) Colobe bai de Zanzibar
- Piliocolobus pennantii** (Waterhouse, 1838) II  
CERCOPITHECIDAE (Mammalia) (E) Eastern Red Colobus, Pennant's Red Colobus (S) Colobo rojo (F) Colobe bai
- Piliocolobus pennantii foai** (Waterhouse, 1838) =  
*Piliocolobus foai* (de Pousargues, 1899)
- Piliocolobus pennantii gordonorum** (Waterhouse, 1838) =  
*Piliocolobus gordonorum* Matschie, 1900
- Piliocolobus pennantii kirkii** (Waterhouse, 1838) =  
*Piliocolobus kirkii* (Gray, 1868)
- Piliocolobus pennantii preussi** (Waterhouse, 1838) =  
*Piliocolobus preussi* (Matschie, 1900)
- Piliocolobus pennantii tephrosceles** (Waterhouse, 1838) =  
*Piliocolobus tephrosceles* (Elliot, 1907)
- Piliocolobus pennantii tholloni** (Waterhouse, 1838) =  
*Piliocolobus tholloni* (Milne Edwards, 1886)
- Piliocolobus preussi** (Matschie, 1900) II  
CERCOPITHECIDAE (Mammalia) (E) Preuss's Colobus, Preuss's Red Colobus (S) Colobo rojo de Camerún (F) Colobe bai du Cameroun
- Piliocolobus rufomitratus** (Peters, 1879) I  
CERCOPITHECIDAE (Mammalia) (E) Tana River Red Colobus (S) Colobo de Tana, Colobo rojo mitrado (F) Colobe bai de la Tana, Colobe roux de la Tana
- Piliocolobus tephrosceles** (Elliot, 1907) II  
CERCOPITHECIDAE (Mammalia) (E) Ugandan Red Colobus
- Piliocolobus tholloni** (Milne Edwards, 1886) II  
CERCOPITHECIDAE (Mammalia) (E) Thollon's Red Colobus
- Pimperneau (F): *Anguilla anguilla*  
Pimpleback, Orange-foot (E): *Plethobasus cooperianus*
- Pinchaque (S): *Tapirus pinchaque*  
Pingüino de Humboldt (S): *Spheniscus humboldti*  
Pingüino del Cabo (S): *Spheniscus demersus*  
Pinkmucket (E): *Lampsilis orbiculata orbiculata*  
Pione à bec rouge (F): *Pionus sordidus*  
Pione à couronne blanche (F): *Pionus senilis*  
Pione à tête bleue (F): *Pionus menstruus*  
Pione de Maximilien (F): *Pionus maximiliani*  
Pione noire (F): *Pionus chalcopterus*  
Pione pailletée (F): *Pionus tumultuosus*  
Pione violette (F): *Pionus fuscus*  
*Pionias crassus* Sharpe, 1884 = *Poicephalus crassus* (Sharpe, 1884)  
*Pionias simplex* A. B. Meyer, 1874 = *Geoffroyus simplex* (Meyer, 1874)
- Pionites spp.** II 29 PSITTACIDAE (Aves)
- Pionites leucogaster** (Kuhl, 1820) II 29 PSITTACIDAE (Aves) White-bellied Caique, White-bellied Parrot
- (S) Lorito rubio (F) Caïque à ventre blanc
- Pionites melancephala** (Linnaeus, 1758) = *Pionites melancephalus* (Linnaeus, 1758)
- Pionites melancephalus** (Linnaeus, 1758) II 29  
PSITTACIDAE (Aves) Black-headed Caique, Black-headed Parrot (S) Lorito chirlecrés, Perico calzoncito (F) Caïque maïpourri
- Pionopsitta spp.** I/II 29 PSITTACIDAE (Aves)
- Pionopsitta aurantiocephala** Gaban-Lima, Raposo & Hofling, 2002 II 29 PSITTACIDAE (Aves) Bald Parrot
- Pionopsitta barrabandi** (Kuhl, 1820) II 29 PSITTACIDAE (Aves) (E) Barraband's Parrot, Orange-cheeked Parrot (S) Lorito carinaranja, Perico cachete amarillo (F) Caïque de Barraband
- Pionopsitta caica** (Latham, 1790) II 29 PSITTACIDAE (Aves) (E) Caica Parrot (S) Lorito caica, Perico cabecinegro (F) Caïque à tête noire
- Pionopsitta fuertesi** Chapman, 1912 = *Hapalopsittaca fuertesi* (Chapman, 1912)
- Pionopsitta haematotis** (Sclater & Salvin, 1860) II 29 PSITTACIDAE (Aves) Brown-hooded Parrot (S) Lorito encapuchado, Loro orejirrojo (F) Caïque à capuchon
- Pionopsitta pileata** (Scopoli, 1769) I PSITTACIDAE (Aves) (E) Pileated Parrot, Red-capped Parrot (S) Cíuiú cíuiú, Lorito carirrojo, Lorito orejudo, Lorito pileado (F) Caïque mitré, Perroquet à oreilles
- Pionopsitta pulchra** Berlepsch, 1897 II 29 PSITTACIDAE (Aves) (E) Beautiful Parrot, Rose-faced Parrot (S) Lorito carirrosado, Loro cachirrosa (F) Caïque à joues roses
- Pionopsitta pyrrhia** (Bonaparte, 1853) II 29 PSITTACIDAE (Aves) Saffron-headed Parrot (S) Lorito cabecigualdo, Perico cabecidorado (F) Caïque de Bonaparte
- Pionopsitta pyrrhops* Salvin, 1876 = *Hapalopsittaca pyrrhops* (Salvin, 1876)
- Pionopsitta vulturina** (Kuhl, 1820) II 29 PSITTACIDAE (Aves) (E) Vulturine Parrot (S) Lorito vulturino (F) Caïque vautourin
- Pionus spp.** II 29 PSITTACIDAE (Aves)
- Pionus chalcopterus** (Fraser, 1841) II 29 PSITTACIDAE (Aves) Bronze-winged Parrot (S) Cotorra negra, Loro alibronceado (F) Pione noire
- Pionus flavifrons** Rüppell, 1845 = *Poicephalus flavifrons* (Rüppell, 1845)
- Pionus fuscus** (P. L. S. Müller, 1776) II 29 PSITTACIDAE (Aves) Dusky Parrot (S) Cotorra morada, Loro morado (F) Pione violette
- Pionus gulgulmi* Jardine, 1849 = *Poicephalus gulgulmi* (Jardine, 1849)
- Pionus haematotis** Sclater & Salvin, 1860 = *Pionopsitta haematotis* (Sclater & Salvin, 1860)
- Pionus maximiliani** (Kuhl, 1820) II 29 PSITTACIDAE (Aves) Scaly-headed Parrot (S) Loro choclero (F) Pione de Maximilien
- Pionus melanotis** Lafresnaye, 1847 = *Hapalopsittaca melanotis* (Lafresnaye, 1847)

<b>Pionus menstruus</b> (Linnaeus, 1766) II 29 PSITTACIDAE (Aves) (E) Blue-headed Parrot, Red-vented Parrot (S) Cotorra cabeciazul, Loro cabeciazul (F) Pione à tête bleue	<b>Pithecia monachus</b> (É. Geoffroy, 1812) II PITHECIIDAE (Mammalia) (E) Monk Saki, Red-bearded Saki (F) Saki chevelu
<b>Pionus rufiventris</b> Rüppell, 1845 = <i>Poicephalus rufiventris</i> (Rüppell, 1845)	<b>Pithecia monachus irrorata</b> (É. Geoffroy, 1812) = <i>Pithecia irrorata</i> Gray, 1842
<b>Pionus senilis</b> (Spix, 1824) II 29 PSITTACIDAE (Aves) (E) White-capped Parrot, White-crowned Parrot (S) Loro caroniblanco, Loro senil (F) Pione à couronne blanche	<b>Pithecia pithecia</b> (Linnaeus, 1766) II PITHECIIDAE (Mammalia) (E) Pale-headed Saki, White-faced Saki (F) Saki à tête pâle
<b>Pionus seniloides</b> Massena & Souancé, 1854 = <i>Pionus tumultuosus</i> (Tschudi, 1844)	<b>PITHECIIDAE spp.</b> Mivart, 1865 I/II (Mammalia) (E) Sakis And Uakaris (S) Sakis Y Uacarís (F) Saki Et Ouakari
<b>Pionus sordidus</b> (Linnaeus, 1758) II 29 PSITTACIDAE (Aves) (E) Red-billed Parrot (S) Loro piquirrojo, Perico pico rojo (F) Pione à bec rouge	<b>Pithecophaga spp.</b> I 27 ACCIPITRIDAE (Aves) <b>Pithecophaga jefferyi</b> Ogilvie-Grant, 1897 I ACCIPITRIDAE (Aves) (E) Great Philippine Eagle, Monkey-eating Eagle, Philippine Eagle (S) Águila comemonos, Águila monera (F) Aigle des Philippines, Aigle des singes, Aigle mangeur de singes, Pithécophage des Philippines
<b>Pionus tumultuosus</b> (Tschudi, 1844) II 29 PSITTACIDAE (Aves) (E) Plum-crowned Parrot (S) Cotorra cabeciblanca, Loro tumultuoso (F) Pione pailletée	Pithécophage des Philippines (F): <i>Pithecophaga jefferyi</i> Pitiú (S): <i>Podocnemis sextuberculata</i>
<b>Pipile jacutinga</b> (Spix, 1825) I CRACIDAE (Aves) (E) Black-fronted Curassow, Black-fronted Piping-Guan (S) Chachalaca manchada, Guan de frente negra, Jacutinga, Pava yacutinga, Yacutingá frentinegra (F) Pénélope à front noir, Pénélope à plastron	Pito de vientre blanco de Corea (S): <i>Dryocopus javensis richardsi</i>
<b>Pipile pipile</b> (Jacquin, 1784) I CRACIDAE (Aves) (E) Trinidad Piping-Guan, Trinidad White-headed Curassow, Trinidad White-headed Piping Guan (S) Chachalaca de la Trinidad, Guan común de Trinidad, Pava de Trinidad, Pava rajadora, Yacutinga cariazul (F) Pénélope siffleuse, Pénélope siffleuse à gorge bleue, Siffleuse de la Trinité	Piton acuática de Papua (S): <i>Apodora papuana</i> Piton ametista (S): <i>Morelia amethistina</i> Piton anillada de Bismarck (S): <i>Bothrocophias boa</i> Piton de Albert (S): <i>Leiopython albertisii</i> Piton de Angola (S): <i>Python anchietae</i> Piton de Boelen (S): <i>Morelia boeleni</i> Piton de cabeza negra (S): <i>Aspidites melanocephalus</i> Piton de Calabar (S): <i>Calabaria reinhardtii</i> Piton de la India (S): <i>Python molurus molurus</i> Piton de Macklot (S): <i>Liasis mackloti</i> Piton de Ramsay (S): <i>Aspidites ramsayi</i> Piton de Seba (S): <i>Python sebae</i> Piton de Timor (S): <i>Python timoriensis</i> Piton diamantina (S): <i>Morelia spilota</i> Piton enana (S): <i>Antaresia childreni</i> Pitones (S): <i>Pythonidae</i> Piton excavadora (S): <i>Loxocemidae</i> Piton excavadora (S): <i>Loxocemus bicolor</i> Piton malaya (S): <i>Python brongersmai</i> Piton oliva (S): <i>Liasis olivaceus</i> Piton real (S): <i>Python regius</i> Piton reticulada (S): <i>Python reticulatus</i> Pito ventriblanco de Corea (S): <i>Dryocopus javensis richardsi</i>
Piping-Guan, Black-fronted (E): <i>Pipile jacutinga</i> Piping-Guan, Trinidad (E): <i>Pipile pipile</i> Piquero de Abbott (S): <i>Papasula abbotti</i> Pirarucu (F): <i>Arapaima gigas</i> Pirarucu (E): <i>Arapaima gigas</i>	Pitta, Banded (E): <i>Pitta guajana</i> Pitta, Black-breasted (E): <i>Pitta gurneyi</i> Pitta, Blue-tailed (E): <i>Pitta guajana</i> <i>Pitta brachyura nymphula</i> (Linnaeus, 1766) = <i>Pitta nymphula</i> Temminck & Schlegel, 1850 pitta, Chinese (E): <i>Pitta nymphula</i> Pitta, Fairy (E): <i>Pitta nymphula</i>
<i>Pisorhina alfredi</i> Hartert, 1897 = <i>Otus alfredi</i> Hartert, 1897 <i>Pisorhina angelinae</i> Finsch, 1912 = <i>Otus angelinae</i> (Finsch, 1912)	<b>Pitta guajana</b> (Müller, 1776) II PITTIDAE (Aves) (E) Banded Pitta, Blue-tailed Pitta (S) Pita barrada, Pita coliazul, Pita rayada (F) Brève à queue bleue, Brève azurine
<i>Pisorhina umbra</i> Richmond, 1903 = <i>Otus umbra</i> (Richmond, 1903)	<b>Pitta gurneyi</b> Hume, 1875 I PITTIDAE (Aves) (E) Black-breasted Pitta, Gurney's Pitta (S) Pita de Gurney (F) Brève de Gurney
<i>Pisorhina vandewateri</i> Robinson & Kloss, 1916 = <i>Otus spilocephalus</i> (Blyth, 1846)	Pitta, Gurney's (E): <i>Pitta gurneyi</i>
Pita barrada (S): <i>Pitta guajana</i> Pita coliazul (S): <i>Pitta guajana</i> Pita de Gurney (S): <i>Pitta gurneyi</i> Pita de Koch (S): <i>Pitta kochi</i> Pita de Luzón (S): <i>Pitta kochi</i> Pita ninfa (S): <i>Pitta nymphula</i> Pita nymphula (S): <i>Pitta nymphula</i> Pita rayada (S): <i>Pitta guajana</i>	
<b>Pithecia spp.</b> II PITHECIIDAE (Mammalia) <b>Pithecia aequatorialis</b> Hershkovitz, 1987 II PITHECIIDAE (Mammalia) (E) Equatorial Saki	
<b>Pithecia albicans</b> Gray, 1860 II PITHECIIDAE (Mammalia) (E) Black-and-white Saki, Buffy Saki, White Saki (S) Saki amazónico	
<b>Pithecia irrorata</b> Gray, 1842 II PITHECIIDAE (Mammalia) (E) Bald-faced Saki (S) Saki de cara pelada	

- Pitta kochi** Brüggemann, 1876 I PITTIDAE (Aves) (E)  
Koch's Pitta, Whiskered Pitta (S) Pita de Koch, Pita de Luzón (F) Brève de Koch  
Pitta, Koch's (E): *Pitta kochi*
- Pitta nymphula** Temminck & Schlegel, 1850 II PITTIDAE (Aves) (E) Chinese pitta, Fairy Pitta (S) Pita ninfa, Pita nymphula (F) Brève du Japon, Brève migratrice  
Pitta, Whiskered (E): *Pitta kochi*
- Placopsammia darwini* Duncan, 1876 = *Tubastraea coccinea* Lesson, 1829
- Placotrochides spp.** Alcock 1902 II FLABELLIDAE (Anthozoa)
- Placotrochides alabastrum* (Alcock, 1902) = *Javania lamprotichum* (Moseley, 1880)
- Placotrochides cylindrica** Cairns, 2004 II FLABELLIDAE (Anthozoa)
- Placotrochides dentiformis* Alcock, 1902 = *Premocyathus dentiformis* (Alcock, 1902)
- Placotrochides frustum** Cairns, 1979 II FLABELLIDAE (Anthozoa) (E) Cut Fan Coral (S) Coral abanico partido
- Placotrochides kikutii* Yabe & Eguchi, 1941 = *Idiotrochus kikutii* (Yabe & Eguchi, 1941)
- Placotrochides minuta** Cairns, 2004 II FLABELLIDAE (Anthozoa)
- Placotrochides scaphula** Alcock, 1902 II FLABELLIDAE (Anthozoa)
- Placotrochus spp.** Milne Edwards & Haime 1848 II FLABELLIDAE (Anthozoa)
- Placotrochus candeanus* Milne Edwards & Haime, 1848 = *Placotrochus laevis* Milne Edwards & Haime, 1848
- Placotrochus fuscus* Vaughan, 1907 = *Javania fusca* (Vaughan, 1907)
- Placotrochus laevis** Milne Edwards & Haime, 1848 II FLABELLIDAE (Anthozoa)
- Placotrochus pedicellatus** Tenison-Woods, 1879 II FLABELLIDAE (Anthozoa)
- Plagiola florentina* (I. Lea, 1857) = *Epioblasma florentina* (I. Lea, 1857)
- Plagiola torulosa* (Rafinesque, 1820) = *Epioblasma torulosa* torulosa (Rafinesque, 1820)
- Plana (S): *Dermatemys mawii*
- Plastoseryx bronni* Jan, 1862 = *Loxocemus bicolor* Cope, 1861
- Platalea leucorodia** Linnaeus, 1758 II THRESKIORNITHIDAE (Aves) (E) Eurasian Spoonbill, Spoonbill, White Spoonbill (S) Espátula, Espátula blanca, Espátula común (F) Spatule blanche
- Platanista spp.** I PLATANISTIDAE (Mammalia)
- Platanista gangetica** (Roxburgh, 1801) I PLATANISTIDAE (Mammalia) (E) Ganges River Dolphin, Ganges Susu (S) Delfín del Ganges (F) Plataniste du Gange, Sousou
- Platanista gangetica gangetica* (Roxburgh, 1801) = *Platanista gangetica* (Roxburgh, 1801)
- Platanista minor* Owen, 1853 = *Platanista gangetica* (Roxburgh, 1801)
- Plataniste du Gange (F): *Platanista gangetica*
- PLATANISTIDAE spp.** Gray, 1846 I<sup>18</sup> (Mammalia) (E) River Dolphins (S) Delfines De Rio (F) Dauphins D'Eau Douce
- Platirostra edentula* Lesueur, 1818 = *Polyodon spathula* (Walbaum in Artedi, 1792)
- Platycercus spp.** II<sup>29</sup> PSITTACIDAE (Aves)
- Platycercus adelaidae* Gould, 1841 = *Platycercus elegans* (Gmelin, 1788)
- Platycercus adscitus** (Latham, 1790) II<sup>29</sup> PSITTACIDAE (Aves) (E) Mealy Rosella, Pale-headed Rosella (S) Perico pálido (F) Perruche à tête pâle, Perruche palliceps
- Platycercus barnardi* (Vigors & Horsfield, 1827) = *Barnardius zonarius* (Shaw, 1805)
- Platycercus caledonicus** (Gmelin, 1788) II<sup>29</sup> PSITTACIDAE (Aves) (E) Green Rosella, Tasmanian Rosella (S) Perico de Tasmania (F) Perruche à ventre jaune, Perruche calédonienne
- Platycercus cookii* G. R. Gray, 1859 = *Cyanoramphus novaezelandiae* (Sparrman, 1787)
- Platycercus elegans** (Gmelin, 1788) II<sup>29</sup> PSITTACIDAE (Aves) (E) Crimson Rosella, Pennant's Parakeet (S) Perico elegante (F) Perruche de Pennant
- Platycercus eximius** (Shaw, 1792) II<sup>29</sup> PSITTACIDAE (Aves) (E) Eastern Rosella, Golden-mantled Rosella (S) Perico multicolor (F) Perruche omnicolore
- Platycercus flaveolus* Gould, 1837 = *Platycercus elegans* (Gmelin, 1788)
- Platycercus haematogaster* Gould, 1838 = *Northiella haematogaster* (Gould, 1838)
- Platycercus haematonotus* Gould, 1838 = *Psephotus haematonotus* (Gould, 1838)
- Platycercus icterotis** (Kuhl, 1820) II<sup>29</sup> PSITTACIDAE (Aves) (E) Stanley Parakeet, Western Rosella (S) Perico carigualdo (F) Perruche à oreilles jaunes, Perruche de Stanley
- Platycercus pulcherimus* Gould, 1845 = *Psephotus pulcherimus* (Gould, 1845)
- Platycercus splendens* Peale, 1848 = *Prosopelia splendens* (Peale, 1848)
- Platycercus unicolor* Lear, 1831 = *Cyanoramphus unicolor* (Lear, 1831)
- Platycercus venustus** (Kuhl, 1820) II<sup>29</sup> PSITTACIDAE (Aves) (E) Northern Rosella (S) Perico gracioso (F) Perruche gracieuse
- Platycercus zonarius* (Shaw, 1805) = *Barnardius zonarius* (Shaw, 1805)
- Platygaster multocarinatus* (Boie, 1827) = *Bolyeria multocarinata* (Boie, 1827)
- Platygyra spp.** Ehrenberg 1834 II FAVIIDAE (Anthozoa)
- Platygyra acuta** Veron, 2000 II FAVIIDAE (Anthozoa)
- Platygyra astreiformis* (Milne Edwards & Haime, 1849) = *Platygyra daedalea* (Ellis & Solander, 1786)
- Platygyra carnosus** Veron, 2000 II FAVIIDAE (Anthozoa)
- Platygyra cerebriformis* (Lamarck, 1816) = *Diploria labyrinthiformis* (Linnaeus, 1758)
- Platygyra contorta** Veron, 1990 II FAVIIDAE (Anthozoa)
- Platygyra crosslandi** (Matthai, 1928) II FAVIIDAE (Anthozoa)
- Platygyra daedalea** (Ellis & Solander, 1786) II FAVIIDAE (Anthozoa) (E) Brain Coral

- Platygyra exigua* Nemenzo, 1959 = *Goniastrea favulus* (Dana, 1846)
- Platygyra labyrinthica* (Ehrenberg, 1834) = *Platygyra daedalea* (Ellis & Solander, 1786)
- Platygyra lamellina*** (Hemprich & Ehrenberg, 1834) II  
FAVIIDAE (Anthozoa)
- Platygyra phrygia* (Ellis & Solander, 1786) = *Leptoria phrygia* (Ellis & Solander, 1786)
- Platygyra pini*** Chevalier, 1975 II FAVIIDAE (Anthozoa)
- Platygyra rustica* (Dana, 1846) = *Platygyra daedalea* (Ellis & Solander, 1786)
- Platygyra ryukyuensis*** Yabe & Sugiyama, 1936 II  
FAVIIDAE (Anthozoa)
- Platygyra sinensis*** (Milne Edwards & Haime, 1849) II  
FAVIIDAE (Anthozoa)
- Platygyra subdentata* (Milne Edwards & Haime, 1849) =  
*Platygyra lamellina* (Hemprich & Ehrenberg, 1834)
- Platygyra verweyi*** Wijsman-Best, 1976 II FAVIIDAE (Anthozoa)
- Platygyra yaeyamaensis*** (Eguchi & Shirai, 1977) II  
FAVIIDAE (Anthozoa)
- Platygyra zelli* Veron, Pichon & Wijsman-Best, 1977 =  
*Australogyra zelli* (Veron, Pichon & Wijsman-Best, 1977)
- Platyrrhinus lineatus*** (É. Geoffroy, 1810) III  
PHYLLOSTOMIDAE (Mammalia) (E) White-lined Bat,  
White-lined Broad-nosed Bat (S) Falso vampiro del  
Uruguay, Murciélagos de estrias blancas (F)  
Sténoderme pseudo-vampire
- Platyrrhinus nigellus* Gardner & Carter, 1972 =  
*Platyrrhinus lineatus* (É. Geoffroy, 1810)
- PLATYSTERNIDAE spp. I** (Reptilia) (E) Big-Headed  
Turtle (S) Tortuga De Cabeza Ancha (F) Tortue À  
Grosse Tête
- Platysternon* spp. I** PLATYSTERNIDAE (Reptilia)
- Platysternon megacephalum*** Gray, 1831 I  
PLATYSTERNIDAE (Reptilia) (E) Big-Headed Turtle
- Platytrochus* spp.** Milne Edwards & Haime 1848 II  
TURBINOLIIDAE (Anthozoa)
- Platytrochus compressus*** (Tenison-Woods, 1878) II  
TURBINOLIIDAE (Anthozoa)
- Platytrochus coronatus* Pourtalès, 1867 =  
*Stephanocyathus coronatus* (Pourtalès, 1867)
- Platytrochus hastatus*** Dennant, 1902 II  
TURBINOLIIDAE (Anthozoa)
- Platytrochus laevigatus*** Cairns & Parker, 1992 II  
TURBINOLIIDAE (Anthozoa)
- Platytrochus parisepta*** Cairns & Parker, 1992 II  
TURBINOLIIDAE (Anthozoa)
- Platytrochus rubescens* Moseley, 1876 = *Alatotrochus rubescens* (Moseley, 1876)
- Pleotrochus* spp.** Cairns 1997 II TURBINOLIIDAE (Anthozoa)
- Pleotrochus venustus*** (Alcock, 1902) II TURBINOLIIDAE (Anthozoa)
- Pleotrochus zibrowii*** Cairns, 1997 II TURBINOLIIDAE (Anthozoa)
- Plerogyra* spp.** Milne Edwards & Haime 1848 II  
CARYOPHYLLIIDAE (Anthozoa)
- Plerogyra cauliniformis*** Ditlev, 2003 II  
CARYOPHYLLIIDAE (Anthozoa)
- Plerogyra diabolotus*** Ditlev, 2003 II CARYOPHYLLIIDAE (Anthozoa)
- Plerogyra discus*** Veron & Fenner, 2000 II  
CARYOPHYLLIIDAE (Anthozoa)
- Plerogyra eurysepta*** Nemenzo, 1960 II  
CARYOPHYLLIIDAE (Anthozoa)
- Plerogyra laxa* Milne Edwards & Haime, 1848 = *Plerogyra sinuosa* (Dana, 1846)
- Plerogyra multilobata*** Ditlev, 2003 II  
CARYOPHYLLIIDAE (Anthozoa)
- Plerogyra simplex*** Rehberg, 1892 II CARYOPHYLLIIDAE (Anthozoa)
- Plerogyra sinuosa*** (Dana, 1846) II CARYOPHYLLIIDAE (Anthozoa) (E) Bladder Coral
- Plerogyra taisnei* Chevalier, 1971 = *Plerogyra simplex* Rehberg, 1892
- Plerogyra turbida*** (Hodgson & Ross, 1982) II  
CARYOPHYLLIIDAE (Anthozoa) (E) Jasmine Coral
- Plesiastrea* spp.** Milne Edwards & Haime 1848 II  
FAVIIDAE (Anthozoa)
- Plesiastrea armata* Verrill, 1872 = *Favia stelligera* (Dana, 1846)
- Plesiastrea carli* Nemenzo, 1979 = *Favia stelligera* (Dana, 1846)
- Plesiastrea devantieri*** Veron, 2000 II FAVIIDAE (Anthozoa)
- Plesiastrea goodei* Verrill, 1900 = *Stephanocoenia intersepta* (Esper, 1795)
- Plesiastrea gravieri* (Vaughan, 1918) = *Plesiastrea versipora* (Lamarck, 1816)
- Plesiastrea haekeli* Brüggemann, 1878 = *Favites pentagona* (Esper, 1790)
- Plesiastrea helianthoides* Wells, 1954 = *Favia laxa* (Klunzinger, 1879)
- Plesiastrea laxa* (Klunzinger, 1879) = *Favia laxa* (Klunzinger, 1879)
- Plesiastrea mammillosa* (Klunzinger, 1879) = *Plesiastrea versipora* (Lamarck, 1816)
- Plesiastrea proximans* Dennant, 1904 = *Plesiastrea versipora* (Lamarck, 1816)
- Plesiastrea russelli* Wells, 1954 = *Favites russelli* (Wells, 1954)
- Plesiastrea salebrosa* Nemenzo, 1959 = *Favia helianthoides* Wells, 1954
- Plesiastrea urvillii* Milne Edwards & Haime, 1848 =  
*Plesiastrea versipora* (Lamarck, 1816)
- Plesiastrea versipora*** (Lamarck, 1816) II FAVIIDAE (Anthozoa) (E) Small Knob Coral
- Plesioseris haimiana* (Milne Edwards & Haime, 1851) =  
*Psammocora haimiana* Milne Edwards & Haime, 1851
- Plethobasus cicatricosus* (Say, 1829) I UNIONIDAE (Bivalvia) (E) White Wartyback, White Warty-back Pearly Mussel
- Plethobasus cooperianus* (I. Lea, 1834) I UNIONIDAE (Bivalvia) (E) Orange-footed Pimpleback Mussel, Orange-foot Pimpleback
- Pleuractis scutaria* (Lamarck, 1801) = *Fungia scutaria* Lamarck, 1801

- Pleurobema clava** (Lamarck, 1819) II UNIONIDAE  
 (Bivalvia) (E) Clubshell, Clubshell Pearly Mussel
- Pleurobema plenum** (I. Lea, 1840) I UNIONIDAE (Bivalvia)  
 (E) Rough Pigtoe, Rough Pigtoe Pearly Mussel
- Pleurocyathus brunneus** Moseley, 1881 = *Conotrochus brunneus* (Moseley, 1881)
- Pliobothrus spp.** Pourtalès 1868 II STYLASTERIDAE (Hydrozoa)
- Pliobothrus carinatus** (Pourtalès, 1867) = *Lepidopora carinata* (Pourtalès, 1867)
- Pliobothrus echinatus** Cairns, 1986 II STYLASTERIDAE (Hydrozoa) (E) Spiny Hydrocoral (S) Hidrocoral espinoso
- Pliobothrus fistulosus** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Pliobothrus gracilis** Zibrowius & Cairns, 1992 II STYLASTERIDAE (Hydrozoa)
- Pliobothrus seriatus** Broch, 1942 = *Phalangopora regularis* Kirkpatrick, 1887
- Pliobothrus symmetricus** Pourtalès, 1868 II STYLASTERIDAE (Hydrozoa) (E) Symmetrical Hydrocoral (S) Hidrocoral simétrico
- Pliobothrus tubulatus** (Pourtalès, 1867) II STYLASTERIDAE (Hydrozoa) (E) Tube Hydrocoral (S) Hidrocoral tubular
- Plovercrest (E): *Stephanoxis lalandi*
- Pluma de mar (S): *Plumapathes pennacea*
- Plumapathes spp.** Opresko, 2001 II MYRIOPATHIDAE (Anthozoa)
- Plumapathes fernandezii** (Pourtalès, 1874) II MYRIOPATHIDAE (Anthozoa)
- Plumapathes pennacea** (Pallas, 1766) II MYRIOPATHIDAE (Anthozoa) (E) Feather Black Coral (S) Pluma de mar (F) Corail noir plumeux
- Plumeleteer, Bronze-tailed (E): *Chalybura urochrysia*
- Plumeleteer, White-vented (E): *Chalybura buffonii*
- Plyctolophus ducrops** Bonaparte, 1850 = *Cacatua ducorpii* Pucheran, 1853
- Plyctolophus leadbeateri** Vigors, 1831 = *Cacatua leadbeateri* (Vigors, 1831)
- Poc de Atitlán (S): *Podilymbus gigas*
- Pocillopora spp.** Lamarck 1816 II POCILLOPORIDAE (Anthozoa)
- Pocillopora acuta** Lamarck, 1816 = *Pocillopora damicornis* (Linnaeus, 1758)
- Pocillopora ankeli** Scheer & Pillai, 1974 II POCILLOPORIDAE (Anthozoa)
- Pocillopora aspera** Verrill, 1869 = *Pocillopora ligulata* Dana, 1846
- Pocillopora brevicornis** Lamarck, 1816 = *Pocillopora damicornis* (Linnaeus, 1758)
- Pocillopora bulbosa** Ehrenberg, 1834 = *Pocillopora damicornis* (Linnaeus, 1758)
- Pocillopora caespitosa** Dana, 1846 = *Pocillopora damicornis* (Linnaeus, 1758)
- Pocillopora capitata** Verrill, 1864 II POCILLOPORIDAE (Anthozoa)
- Pocillopora capitata porosa** Verrill, 1864 = *Pocillopora capitata* Verrill, 1864
- Pocillopora capitata pumila** Verrill, 1864 = *Pocillopora capitata* Verrill, 1864
- Pocillopora capitata robusta** Verrill, 1864 = *Pocillopora capitata* Verrill, 1864
- Pocillopora damicornis** (Linnaeus, 1758) II POCILLOPORIDAE (Anthozoa) (E) Cauliflower Coral
- Pocillopora danae** Verrill, 1864 II POCILLOPORIDAE (Anthozoa)
- Pocillopora diomedae** Vaughan, 1906 = *Pocillopora damicornis* (Linnaeus, 1758)
- Pocillopora effusus** Veron, 2000 II POCILLOPORIDAE (Anthozoa)
- Pocillopora elegans** Dana, 1846 II POCILLOPORIDAE (Anthozoa)
- Pocillopora eydouxi** Milne Edwards & Haime, 1860 II POCILLOPORIDAE (Anthozoa) (E) Antler Coral
- Pocillopora favosa** Dana, 1846 = *Pocillopora verrucosa* (Ellis & Solander, 1786)
- Pocillopora favosa** Hemprich & Ehrenberg, 1834 = *Pocillopora damicornis* (Linnaeus, 1758)
- Pocillopora fenestrata** Lamarck, 1816 = *Alveopora fenestrata* (Lamarck, 1816)
- Pocillopora fungiformis** Veron, 2000 II POCILLOPORIDAE (Anthozoa)
- Pocillopora grandis** Dana, 1846 = *Pocillopora eydouxi* Milne Edwards & Haime, 1860
- Pocillopora hemprichii** Ehrenberg, 1834 = *Pocillopora verrucosa* (Ellis & Solander, 1786)
- Pocillopora indiania** Veron, 2000 II POCILLOPORIDAE (Anthozoa)
- Pocillopora inflata** Glynn, 1999 II POCILLOPORIDAE (Anthozoa)
- Pocillopora kelleheri** Veron, 2000 II POCILLOPORIDAE (Anthozoa)
- Pocillopora lacera** Verrill, 1869 = *Pocillopora damicornis* (Linnaeus, 1758)
- Pocillopora ligulata** Dana, 1846 II POCILLOPORIDAE (Anthozoa)
- Pocillopora meandrina** Dana, 1846 II POCILLOPORIDAE (Anthozoa)
- Pocillopora modumanensis** Vaughan, 1907 = *Pocillopora eydouxi* Milne Edwards & Haime, 1860
- Pocillopora molokensis** Vaughan, 1907 II POCILLOPORIDAE (Anthozoa)
- Pocillopora nobilis tuberosa** Verrill, 1864 = *Pocillopora woodjonesi* Vaughan, 1918
- Pocillopora nobilis** Verrill, 1864 = *Pocillopora meandrina* Dana, 1846
- Pocillopora palmata** Palmer, 1928 = *Pocillopora eydouxi* Milne Edwards & Haime, 1860
- Pocillopora porosa** Verrill, 1869 = *Pocillopora capitata* Verrill, 1864
- Pocillopora robusta** Verrill, 1870 = *Pocillopora capitata* Verrill, 1864
- Pocillopora setchelli** Hoffmeister, 1929 = *Pocillopora damicornis* (Linnaeus, 1758)
- Pocillopora verrucosa** (Ellis & Solander, 1786) II POCILLOPORIDAE (Anthozoa)
- Pocillopora verrucosa** Dana, 1846 = *Pocillopora woodjonesi* Vaughan, 1918

- Pocillopora woodjonesi*** Vaughan, 1918 II  
POCILLOPORIDAE (Anthozoa)
- Pocillopora zelli*** Veron, 2000 II POCILLOPORIDAE (Anthozoa)
- POCILLOPORIDAE spp.** Gray 1842 II (Anthozoa)  
Pocketbook, Fat (E): *Potamilus capax*  
Pocketbook, Sandbank (E): *Lampsilis satur*
- Podabacia* spp.** Milne Edwards & Haime 1849 II  
FUNGIIDAE (Anthozoa)
- Podabacia crustacea*** (Pallas, 1766) II FUNGIIDAE (Anthozoa)
- Podabacia dispar*** Verrill, 1901 = *Lithophyllum undulatum* Rehberg, 1892
- Podabacia formosa*** Yabe & Sugiyama, 1932 = *Lithophyllum undulatum* Rehberg, 1892
- Podabacia involuta*** van der Horst, 1921 = *Podabacia crustacea* (Pallas, 1766)
- Podabacia kunzmanni*** Hoeksema, 2009 II FUNGIIDAE (Anthozoa)
- Podabacia lankaensis*** Veron, 2000 II FUNGIIDAE (Anthozoa)
- Podabacia lobata*** van der Horst, 1921 = *Lithophyllum undulatum* Rehberg, 1892
- Podabacia motuporensis*** Veron, 1990 II FUNGIIDAE (Anthozoa)
- Podabacia philippinensis*** Studer, 1901 = *Halomitra pileus* (Linnaeus, 1758)
- Podabacia robusta*** Quelch, 1886 = *Sandalolitha robusta* (Quelch, 1886)
- Podabacia sinai*** Veron, 2000 II FUNGIIDAE (Anthozoa)
- Podarcis lilfordi*** (Günther, 1874) II LACERTIDAE (Reptilia)  
(E) Balearic Lizard, Lilford's Wall Lizard (S) Lagartija balear (F) Lézard de Lilford, Lézard des Baléares
- Podarcis pityusensis*** (Boscá, 1883) II LACERTIDAE (Reptilia) (E) Ibiza Wall Lizard (S) Lagarhja de las Pitiusas, Lagartija de las Pitiusas (F) Lézard des Pityuses, Lézard d'Ibiza
- Podilymbus gigas*** Griscom, 1929 I PODICIPEDIDAE (Aves) (E) Atitlan Grebe, Giant Grebe, Giant Pied-billed Grebe (S) Poc de Atitlán, Somormujo de Atitlán, Somormujo del lago Atitlán, Zambullidor de Atitlán, Zampullín del Atitlán (F) Grèbe de l'Atitlan, Grèbe du lac Atitlan, Grèbe Géant
- Podocnémide à tête rouge (F): *Podocnemis erythrocephala*  
Podocnémide de Cayenne (F): *Podocnemis unifilis*  
Podocnémide de Duméril (F): *Peltoccephalus dumerilianus*  
Podocnémide de Léwy (F): *Podocnemis lewyana*  
Podocnémide de l'Orénoque (F): *Podocnemis vogli*  
Podocnémide de Madagascar (F): *Erymnochelys madagascariensis*  
Podocnémide de Vogl (F): *Podocnemis vogli*  
Podocnémide élargie (F): *Podocnemis expansa*  
Podocnémide tuberculée (F): *Podocnemis sextuberculata*
- Podocnemis* spp.** Wagler, 1830 II PODOCNEMIDIDAE (Reptilia)
- Podocnemis cayennensis*** (Schweigger, 1812) = *Podocnemis erythrocephala* (Spix, 1824)
- Podocnemis dumeriliiana*** (Schweigger, 1812) = *Peltoccephalus dumerilianus* (Schweigger, 1812)
- Podocnemis erythrocephala*** (Spix, 1824) II  
PODOCNEMIDIDAE (Reptilia) (E) Red-headed Amazon River Turtle, Red-headed River Turtle, Red-headed Sideneck (S) Chimpire (F) Podocnémide à tête rouge
- Podocnemis expansa*** (Schweigger, 1812) II  
PODOCNEMIDIDAE (Reptilia) (E) Arrau, Giant South American Turtle, South American River Turtle, Tartaruga (F) Podocnémide élargie
- Podocnemis expansa sextuberculata*** (Schweigger, 1812) = *Podocnemis sextuberculata* Cornalia, 1849
- Podocnemis lewyana*** A. Duméril, 1852 II  
PODOCNEMIDIDAE (Reptilia) (E) Magdalena River Turtle, Rio Magdalena River Turtle (S) Tortuga de agua (F) Podocnémide de Léwy
- Podocnemis madagascariensis*** (Grandidier, 1867) = *Erymnochelys madagascariensis* (Grandidier, 1867)
- Podocnemis pitiu*** Coutinho, 1868 = *Podocnemis sextuberculata* Cornalia, 1849
- Podocnemis sextuberculata*** Cornalia, 1849 II  
PODOCNEMIDIDAE (Reptilia) (E) Six-tuberclied Amazon River Turtle, Six-tuberclied River Turtle (S) Cupiso, Iaça, Pitiu (F) Podocnémide tuberculée
- Podocnemis tracaya*** (Spix, 1824) = *Peltoccephalus dumerilianus* (Schweigger, 1812)
- Podocnemis tracaya*** Coutinho, 1868 = *Podocnemis unifilis* Troschel, 1848
- Podocnemis unifilis*** Troschel, 1848 II  
PODOCNEMIDIDAE (Reptilia) (E) Yellow-headed Sideneck, Yellow-spotted River Turtle, Yellow-spotted Sideneck Turtle (S) Terecay (F) Podocnémide de Cayenne
- Podocnemis vogli*** Müller, 1935 II PODOCNEMIDIDAE (Reptilia) (E) Llanos Sideneck Turtle, Savanna Sideneck Turtle (F) Podocnémide de l'Orénoque, Podocnémide de Vogl
- Poephila cincta*** (Gould, 1837) II/NC ESTRILDIDAE (Aves) (E) Black-throated Finch (F) Diamant à bavette
- Poephila cincta cincta*** (Gould, 1837) II ESTRILDIDAE (Aves)
- Poicephalus* spp.** II 29 PSITTACIDAE (Aves)
- Poicephalus crassus*** (Sharpe, 1884) II 29 PSITTACIDAE (Aves) (E) Niam-niam Parrot (S) Lorito niam-niam (F) Perroquet des niam-niam
- Poicephalus cryptoxanthus*** (Peters, 1854) II 29  
PSITTACIDAE (Aves) (E) Brown-headed Parrot (S) Lorito cabecipardo (F) Perroquet à tête brune
- Poicephalus cryptoxanthus crassus*** (Peters, 1854) = *Poicephalus crassus* (Sharpe, 1884)
- Poicephalus flavifrons*** (Rüppell, 1845) II 29  
PSITTACIDAE (Aves) (E) Yellow-fronted Parrot (S) Lorito carigualdo (F) Perroquet à face jaune
- Poicephalus fuscicollis*** (Kuhl, 1820) = *Poicephalus robustus* (Gmelin, 1788)
- Poicephalus gulielmi*** (Jardine, 1849) II 29 PSITTACIDAE (Aves) (E) Jardine's Parrot, Red-crowned Parrot, Red-fronted Parrot (S) Lorito frentirrojo, Papagayo de Gulielm (F) Perroquet à calotte rouge, Perroquet vert à calotte rouge, Perroquet vert du Congo

- Poicephalus meyeri** (Cretzschmar, 1827) II 29  
 PSITTACIDAE (Aves) (E) Brown Parrot, Meyer's Parrot  
 (S) Lorito de Meyer (F) Perroquet de Meyer
- Poicephalus robustus** (Gmelin, 1788) II 29  
 PSITTACIDAE (Aves) (E) Brown-necked Parrot, Cape Parrot (S) Lorito robusto, Papagayo robusto (F) Perroquet du Cap, Perroquet robuste
- Poicephalus rueppellii** (Gray, 1849) II 29 PSITTACIDAE (Aves) (E) Rüppell's Parrot (S) Lorito de Rüpell (F) Perroquet de Rüppell
- Poicephalus rufiventris** (Rüppell, 1845) II 29  
 PSITTACIDAE (Aves) (E) African Orange-bellied Parrot, Red-bellied Parrot (S) Lorito ventrirrojo (F) Perroquet à ventre rouge
- Poicephalus senegalus** (Linnaeus, 1766) II 29  
 PSITTACIDAE (Aves) (E) Senegal Parrot (S) Lorito senegalés, Papagayo senegalés (F) Perroquet à tête grise, Perroquet youyou, Youyou
- Pointer, White (E): *Carcharodon carcharias*  
 Poisson à voiles (F): *Cetorhinus maximus*  
 Poisson cavernicole d'Afrique (F): *Caecobarbus geertsii*  
 poisson-scie à dents larges (F): *Pristis microdon*  
 Poisson-scie commun (F): *Pristis pristis*  
 Poisson-scie septentrional (F): *Pristis microdon*  
 Poisson-scie tident (F): *Pristis pectinata*  
 Poisson spatule (F): *Polyodon spathula*  
 Poisson-Spatule, Polydon (F): *Polyodontidae*  
 Poissons-Scies (F): *Pristidae*
- Polemaetus spp.** II 27 ACCIPITRIDAE (Aves)
- Polemaetus bellicosus** (Daudin, 1800) II 27  
 ACCIPITRIDAE (Aves) (E) Martial Eagle (S) Águila marcial (F) Aigle martial
- Polemistra chalybea* (Vieillot, 1823) = *Lophornis chalybeus* (Vieillot, 1823)
- Polemistra pavonina* (Salvin & Godman, 1882) = *Lophornis pavoninus* Salvin & Godman, 1882
- Poliherax spp.** II 27 FALCONIDAE (Aves)
- Poliherax insignis** Walden, 1872 II 27 FALCONIDAE (Aves) (E) Fielden's Falconet, White-rumped Falcon, White-rumped Falconet (S) Halconcito asiático, Halconcito colilargo de Asia (F) Fauconnet à pattes jaunes
- Poliherax semitorquatus** (Smith, 1836) II 27  
 FALCONIDAE (Aves) (E) African Pygmy Falcon, Pygmy Falcon (S) Halconcito africano (F) Fauconnet d'Afrique
- Poliornis rufipennis* Sundevall, 1851 = *Butastur rufipennis* (Sundevall, 1851)
- Polyastra planulata* (Dana, 1846) = *Gardineroseris planulata* (Dana, 1846)
- Polyastra ponderosa* (Gardiner, 1905) = *Gardineroseris planulata* (Dana, 1846)
- Polyastra venosa* Ehrenberg, 1834 = *Pavona venosa* (Ehrenberg, 1834)
- Polyboroides spp.** II 27 ACCIPITRIDAE (Aves)
- Polyboroides radiatus** (Scopoli, 1786) II 27  
 ACCIPITRIDAE (Aves) (E) Madagascar Gymnogene, Madagascar Harrier-Hawk (S) Aguilucho-caricalvo
- malgache, Azor culebrero (F) Gymnogene de Madagascar, Petit serpentaire
- Polyboroides typus** Smith, 1829 II 27 ACCIPITRIDAE (Aves) (E) African Gymnogene, African Harrier-Hawk, Gymnogene (S) Aguilucho-caricalvo común (F) Gymnogene d'Afrique
- Polyborus albogularis* Gould, 1837 = *Phalcoboenus albogularis* Gould, 1837
- Polyborus chimachima* Vieillot, 1816 = *Milvago chimachima* (Vieillot, 1816)
- Polyborus chimango* Vieillot, 1816 = *Milvago chimango* (Vieillot, 1816)
- Polyborus galapagoensis* Gould, 1837 = *Buteo galapagoensis* (Gould, 1837)
- Polyborus lutosus* Ridgway, 1876 = *Caracara lutescens* (Ridgway, 1876)
- Polyborus plancus* (J. F. Miller, 1777) = *Caracara plancus* (J. F. Miller, 1777)
- Polyborus plancus lutosus* = *Caracara lutescens* (Ridgway, 1876)
- Polycyathus spp.** Duncan 1876 II CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus andamanensis** Alcock, 1893 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus atlanticus** Duncan, 1876 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus banyulensis* Best, 1968 = *Polycyathus muellerae* (Abel, 1959)
- Polycyathus conceptus* (Gardiner & Waugh, 1938) = *Paracyathus conceptus* Gardiner & Waugh, 1938
- Polycyathus difficilis** Duncan, 1889 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus fulvus** Wijsman-Best, 1970 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus furanaensis** Verheij & Best, 1987 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus fuscomarginatus** (Klunzinger, 1879) II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus hodgsoni** Verheij & Best, 1987 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus hondaeensis** (Durham & Barnard, 1952) II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus isabela** Wells, 1982 II CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus marigondoni** Verheij & Best, 1987 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus mayae** Cairns, 2000 II CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus mediterraneus* Best, 1968 = *Polycyathus muellerae* (Abel, 1959)
- Polycyathus muellerae** (Abel, 1959) II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus norfolkensis** Cairns, 1995 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus octuplus** Cairns, 1999 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus palifera** (Verrill, 1870) II  
 CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus pallidus* (Klunzinger, 1879) = *Polycyathus fuscomarginatus* (Klunzinger, 1879)

- Polycyathus persicus*** (Duncan, 1876) II  
CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus senegalensis*** Chevalier, 1966 II  
CARYOPHYLLIIDAE (Anthozoa)
- Polycyathus verrilli*** Duncan, 1889 II  
CARYOPHYLLIIDAE (Anthozoa)
- Polyerata amabilis* (Gould, 1853) = *Amazilia amabilis* (Gould, 1853)
- Polyerata boucardi* (Mulsant, 1877) = *Amazilia boucardi* (Mulsant, 1877)
- Polyerata fimbriata* (Gmelin, 1788) = *Amazilia fimbriata* (Gmelin, 1788)
- Polyerata lactea* (Lesson, 1829) = *Amazilia lactea* (Lesson, 1829)
- Polyerata luciae* (Lawrence, 1867) = *Amazilia luciae* (Lawrence, 1867)
- Polyerata rosenbergi* Boucard, 1895 = *Amazilia rosenbergi* (Boucard, 1895)
- Polymyces* spp.** Cairns 1979 II FLABELLIDAE (Anthozoa)
- Polymyces fragilis*** (Pourtalès, 1868) II FLABELLIDAE (Anthozoa) (E) Twelve-root Cup Coral (S) Coral abanico frágil
- Polymyces montereyensis*** (Durham, 1947) II FLABELLIDAE (Anthozoa)
- Polymyces tannerensis* (Durham & Barnard, 1952) = *Polymyces montereyensis* (Durham, 1947)
- Polymyces wellsi*** Cairns, 1991 II FLABELLIDAE (Anthozoa)
- Polyodon* spp.** II POLYODONTIDAE (Actinopterygii)
- Polyodon angustifolium* Kaup, 1862 = *Psephurus gladius* (Martens, 1862)
- Polyodon feuille* Lacepède, 1797 = *Polyodon spathula* (Walbaum in Artedi, 1792)
- Polyodon folium* Bloch & Schneider, 1801 = *Polyodon spathula* (Walbaum in Artedi, 1792)
- Polyodon gladius* Martens, 1862 = *Psephurus gladius* (Martens, 1862)
- Polyodons, Esturgeons (F): *Acipenseriformes*
- Polyodon spathula*** (Walbaum in Artedi, 1792) II POLYODONTIDAE (Actinopterygii) (E) Duckbill Cat, Mississippi Paddlefish, Paddlefish, Spadefish, Spoonbill Cat, Spoonbill Catfish (S) Pez espátula, Sollo (F) Poisson spatule
- POLYODONTIDAE* spp.** II (Actinopterygii) (E) Paddlefish (S) Pez Spatula (F) Poisson-Spatule, Polydon
- Polyonymus* spp.** II TROCHILIDAE (Aves)
- Polyonymus caroli*** (Bourcier, 1847) II TROCHILIDAE (Aves) (E) Bronze-tailed Comet (S) Colibrí colibronce (F) Colibri de Bourcier
- Polyphyllia* spp.** Quoy & Gaimard 1833 II FUNGIIDAE (Anthozoa)
- Polyphyllia fungia* Dana, 1846 = *Polyphyllia talpina* (Lamarck, 1801)
- Polyphyllia galrifformis* Dana, 1846 = *Polyphyllia novaehiberniae* (Lesson, 1831)
- Polyphyllia leptophylla* Ehrenberg, 1834 = *Polyphyllia talpina* (Lamarck, 1801)
- Polyphyllia novaehiberniae*** (Lesson, 1831) II FUNGIIDAE (Anthozoa)
- Polyphyllia pileiformis* Dana, 1846 = *Polyphyllia novaehiberniae* (Lesson, 1831)
- Polyphyllia producta* Folkeson, 1919 = *Polyphyllia talpina* (Lamarck, 1801)
- Polyphyllia sigmoides* Ehrenberg, 1834 = *Polyphyllia talpina* (Lamarck, 1801)
- Polyphyllia substellata* Milne Edwards & Haime, 1851 = *Polyphyllia novaehiberniae* (Lesson, 1831)
- Polyphyllia talpina*** (Lamarck, 1801) II FUNGIIDAE (Anthozoa) (E) Feather Coral, Joker's Boomerang Coral, Sea Mole Coral, Slipper Coral
- Polyplancta aurescens* (Gould, 1846) = *Heliodoxa aurescens* (Gould, 1846)
- Polyplectron bicalcaratum*** (Linnaeus, 1758) II PHASIANIDAE (Aves) (E) Common Peacock-Pheasant, Grey Peacock-Pheasant, Iris Peacock-Pheasant (S) Espolonero chinquis, Faisán de cola ocelada gris, Faisán de espolones gris, Faisán real gris (F) Éperonnier chinquis, Éperonnier gris
- Polyplectron emphanum* Temminck, 1831 = *Polyplectron napoleonis* (Lesson, 1831)
- Polyplectron germaini*** Elliot, 1866 II PHASIANIDAE (Aves) (E) Germain's Peacock-Pheasant (S) Espolonero de Germain, Faisán de cola ocelada de Germain, Faisán de espolones de Germain, Faisán real de Germain (F) Éperonnier de Germain
- Polyplectron katsumatae* Rothschild, 1906 = *Polyplectron bicalcaratum* (Linnaeus, 1758)
- Polyplectron malacense*** (Scopoli, 1786) II PHASIANIDAE (Aves) (E) Crested Peacock-Pheasant, Malayan Peacock-Pheasant (S) Espolonero malayo, Faisán de cola ocelada malayo, Faisán de espolones malayo, Faisán real malayo (F) Éperonnier de Hardwick, Éperonnier de Malaisie, Éperonnier malais
- Polyplectron malacense schleiermacheri* (Scopoli, 1786) = *Polyplectron schleiermacheri* Brüggemann, 1877
- Polyplectron napoleonis*** (Lesson, 1831) I PHASIANIDAE (Aves) (E) Napoleon's Peacock-Pheasant, Palawan Peacock-Pheasant (S) Espolonero de Palawan, Faisán de espolones de Palawan, Faisán real de Palaguán (F) Éperonnier de Palawan, Éperonnier Napoléon
- Polyplectron schleiermacheri*** Brüggemann, 1877 II PHASIANIDAE (Aves) (E) Bornean Peacock-Pheasant (S) Espolonero de Borneo, Faisán de espolones de Borneo (F) Éperonnier de Bornéo
- Polypora dichotoma* Moseley, 1876 = *Sporadopora dichotoma* (Moseley, 1876)
- Polyprosopus macer* Couch, 1962 = *Cetorhinus maximus* (Gunnerus, 1765)
- Polytelis* spp.** II<sup>29</sup> PSITTACIDAE (Aves)
- Polytelis alexandrae*** Gould, 1863 II<sup>29</sup> PSITTACIDAE (Aves) (E) Alexandra's Parrot, Princess of Wales Parakeet, Princess Parrot (S) Perico princesa (F) Perruche à calotte bleue, Perruche d'Alexandra, Perruche princesse
- Polytelis anthopeplus*** (Lear, 1831) II<sup>29</sup> PSITTACIDAE (Aves) (E) Regent Parrot, Rock Pebbler (S) Perico regente (F) Perruche mélancolie

- Polytelis swainsonii*** (Desmarest, 1826) II 29  
 PSITTACIDAE (Aves) (E) Barraband Parakeet, Green Leek Parrot, Superb Parrot (S) Perico soberbio (F) Perruche de Barraband
- Polytmus spp.*** II TROCHILIDAE (Aves)
- Polytmus guainumbi*** (Pallas, 1764) II TROCHILIDAE (Aves) (E) White-tailed Goldenthroat (S) Colibrí gargantidorado, Colibrí guainumbí, Picaflor coliverde (F) Colibri guaïnumbi
- Polytmus milleri*** (Chapman, 1929) II TROCHILIDAE (Aves) (E) Tepui Goldenthroat (S) Colibrí de tepui (F) Colibri des tépui
- Polytmus theresiae*** (Da Silva Maia, 1843) II TROCHILIDAE (Aves) (E) Green-tailed Goldenthroat (S) Colibrí de Teresa, Garganta de oro coliverde (F) Colibri tout-vert
- Pongo spp.*** I HOMINIDAE (Mammalia)
- Pongo abelii*** Lesson, 1827 I HOMINIDAE (Mammalia) (E) Sumatran Orangutan
- Pongo pygmaeus*** (Linnaeus, 1760) I HOMINIDAE (Mammalia) (E) Bornean Orangutan, Orang-utan (S) Orangután (F) Orang-outan
- Pontoporia spp.*** II 18 INIIDAE (Mammalia)
- Pontoporia blainvilliei*** (Gervais & d'Orbigny, 1844) II 18 INIIDAE (Mammalia) (E) Franciscana, La Plata River Dolphin (S) Delfín de la Plata, Tonina (F) Dauphin de la Plata
- Pony, Sea (E): *Hippocampus fuscus*
- Popelairia conversii*** (Bourcier & Mulsant, 1846) = *Discosura conversii* (Bourcier & Mulsant, 1846)
- Popelairia langsdorffii*** (Temminck, 1821) = *Discosura langsdorffii* (Temminck, 1821)
- Popelairia letitiae*** (Bourcier & Mulsant, 1852) = *Discosura letitiae* (Bourcier & Mulsant, 1852)
- Popelairia popelairii*** (DuBus, 1846) = *Discosura popelairii* (DuBus & Gisignies, 1846)
- Porbeagle (E): *Lamna nasus*
- Porc-épic préhensile (F): *Sphiggurus mexicanus*
- Porcula salvania*** Hodgson, 1847 = *Sus salvanius* (Hodgson, 1847)
- Porcupine, Mexican Hairy Dwarf (E): *Sphiggurus mexicanus*
- Porcupine, Mexican Tree (E): *Sphiggurus mexicanus*
- Porcupine, Orange-spined Hairy Dwarf (E): *Sphiggurus spinosus*
- Porcupine, Paraguay Hairy Dwarf (E): *Sphiggurus spinosus*
- Porcupine, Spiny Tree (E): *Sphiggurus spinosus*
- Porella antarctica*** Gray, 1872 = *Errina antarctica* (Gray, 1872)
- Porite digitée (F): *Porites porites*
- Porite étoile (F): *Porites astreoides*
- Porite nid d'abeille (F): *Porites colonensis*
- Porites spp.*** Link 1807 II PORITIDAE (Anthozoa)
- Porites agaricus*** Duchassaing & Michelotti, 1860 = *Porites astreoides* Lamarck, 1816
- Porites alveolata*** Milne Edwards & Haime, 1860 = *Porites solida* (Forskål, 1775)
- Porites andrewsi*** Vaughan, 1918 = *Porites cylindrica* Dana, 1846
- Porites angulata*** Lamarck, 1816 = *Montipora angulata* (Lamarck, 1816)
- Porites annae*** Crossland, 1952 II PORITIDAE (Anthozoa)
- Porites aranetai*** Nemenzo, 1955 II PORITIDAE (Anthozoa)
- Porites arenosa*** (Esper, 1797) = *Porites lutea* Quoy & Gaimard, 1833
- Porites arnaudi*** Reyes-Bonilla & Carricart-Ganivet, 2000 II PORITIDAE (Anthozoa)
- Porites astreoides*** Lamarck, 1816 II PORITIDAE (Anthozoa) (E) Mustard Hill Coral (S) Coral mostaza (F) Porite étoile
- Porites attenuata*** Nemenzo, 1955 II PORITIDAE (Anthozoa)
- Porites australiensis*** Vaughan, 1918 II PORITIDAE (Anthozoa)
- Porites baueri*** Squires, 1959 II PORITIDAE (Anthozoa)
- Porites branneri*** Rathbun, 1887 II PORITIDAE (Anthozoa) (E) Blue Crust Coral (S) Coral crustoso azul (F) Coraux à pores
- Porites brighami*** Vaughan, 1907 II PORITIDAE (Anthozoa)
- Porites bulbosa*** Quelch, 1886 = *Porites compressa* Dana, 1846
- Porites californica*** Verrill, 1870 = *Porites panamensis* Verrill, 1866
- Porites capricornis*** Rehberg, 1892 = *Porites cylindrica* Dana, 1846
- Porites clavaria*** Lamarck, 1816 = *Porites porites* (Pallas, 1766)
- Porites cocosensis*** Wells, 1950 II PORITIDAE (Anthozoa)
- Porites colonensis*** Zlatarski, 1990 II PORITIDAE (Anthozoa) (E) Honeycomb Plate Coral (S) Coral panal (F) Porite nid d'abeille
- Porites columnaris*** Klunzinger, 1879 II PORITIDAE (Anthozoa)
- Porites compressa*** Dana, 1846 II PORITIDAE (Anthozoa) (E) Finger Coral
- Porites conglomerata*** (Esper, 1797) = *Porites solidula* (Forskål, 1775)
- Porites conglomerata lutea*** (Esper, 1797) = *Porites lutea* Quoy & Gaimard, 1833
- Porites convexa*** (Verrill, 1864) = *Porites rus* (Forskål, 1775)
- Porites cumulatus*** Nemenzo, 1955 II PORITIDAE (Anthozoa)
- Porites cylindrica*** Dana, 1846 II PORITIDAE (Anthozoa) (E) Branching Coral, Finger Coral
- Porites danae*** Milne Edwards & Haime, 1851 = *Psammocora contigua* (Esper, 1794)
- Porites danai*** (Ellis & Solander, 1786) = *Porites rus* (Forskål, 1775)
- Porites decasepta*** Clareboudt, 2006 II PORITIDAE (Anthozoa)
- Porites deformis*** Nemenzo, 1955 II PORITIDAE (Anthozoa)
- Porites densa*** Vaughan, 1918 II PORITIDAE (Anthozoa)
- Porites desilveri*** Veron, 2000 II PORITIDAE (Anthozoa)

- Porites divaricata*** LeSueur, 1821 II PORITIDAE  
 (Anthozoa) (E) Thin Finger Coral (S) Coral de dedos finos
- Porites echinulata*** Klunzinger, 1879 II PORITIDAE  
 (Anthozoa)
- Porites elongata* Lamarck, 1816 = *Stylophora pistillata* (Esper, 1792)
- Porites eridani*** Umbgrove, 1940 II PORITIDAE  
 (Anthozoa)
- Porites evermanni*** Vaughan, 1907 II PORITIDAE  
 (Anthozoa)
- Porites excavata* Verrill, 1870 = *Porites lobata* Dana, 1846
- Porites faustinoi* Hoffmeister, 1925 = *Porites rus* (Forskål, 1775)
- Porites flavus*** Veron, 2000 II PORITIDAE (Anthozoa)
- Porites fragosa* Dana, 1846 = *Porites australiensis* Vaughan, 1918
- Porites furcata*** Lamarck, 1816 II PORITIDAE (Anthozoa)  
 (E) Branched Finger Coral (S) Coral ramificado de dedos
- Porites gabonensis*** Gravier, 1911 II PORITIDAE  
 (Anthozoa)
- Porites gibsonhilli* Wells, 1950 = *Porites cylindrica* Dana, 1846
- Porites guadalupensis* Duchassaing & Michelotti, 1860 = *Porites astreoides* Lamarck, 1816
- Porites haddoni* Vaughan, 1918 = *Porites lutea* Quoy & Gaimard, 1833
- Porites harrisoni*** Veron, 2000 II PORITIDAE (Anthozoa)
- Porites hawaiensis*** Vaughan, 1907 II PORITIDAE  
 (Anthozoa)
- Porites hentscheli* Thiel, 1928 = *Porites astreoides* Lamarck, 1816
- Porites heronensis*** Veron, 1985 II PORITIDAE  
 (Anthozoa)
- Porites horizontalata*** Hoffmeister, 1925 II PORITIDAE  
 (Anthozoa)
- Porites incerta* Duchassaing & Michelotti, 1860 = *Porites astreoides* Lamarck, 1816
- Porites irregularis* (Verrill, 1864) = *Porites rus* (Forskål, 1775)
- Porites iwayamaensis*** Eguchi, 1938 II PORITIDAE  
 (Anthozoa)
- Porites latistellata*** Quelch, 1886 II PORITIDAE  
 (Anthozoa)
- Porites levigata* Dana, 1846 = *Porites cylindrica* Dana, 1846
- Porites lichen*** Dana, 1846 II PORITIDAE (Anthozoa)
- Porites lobata*** Dana, 1846 II PORITIDAE (Anthozoa)
- Porites lutea*** Quoy & Gaimard, 1833 II PORITIDAE  
 (Anthozoa) (E) Hump Coral
- Porites mayeri*** Vaughan, 1918 II PORITIDAE (Anthozoa)
- Porites monticulosa*** Dana, 1846 II PORITIDAE  
 (Anthozoa)
- Porites murrayensis*** Vaughan, 1918 II PORITIDAE  
 (Anthozoa)
- Porites myrmidonensis*** Veron, 1985 II PORITIDAE  
 (Anthozoa)
- Porites napopora*** Veron, 2000 II PORITIDAE (Anthozoa)
- Porites negrosensis*** Veron, 1990 II PORITIDAE  
 (Anthozoa)
- Porites nigrescens*** Dana, 1846 II PORITIDAE  
 (Anthozoa)
- Porites nigrescens mucronata* Dana, 1846 = *Porites nigrescens* Dana, 1846
- Porites nodifera*** Klunzinger, 1879 II PORITIDAE  
 (Anthozoa)
- Porites nodulosa* Verrill, 1870 = *Porites panamensis* Verrill, 1866
- Porites okinawensis*** Veron, 1990 II PORITIDAE  
 (Anthozoa)
- Porites ornata*** Nemenzo, 1971 II PORITIDAE (Anthozoa)
- Porites palmata* Dana, 1846 = *Porites cylindrica* Dana, 1846
- Porites panamensis*** Verrill, 1866 II PORITIDAE  
 (Anthozoa)
- Porites paschalensis* Vaughan, 1906 = *Porites lobata* Dana, 1846
- Porites planocella* Nemenzo = *Porites cylindrica* Dana, 1846
- Porites polymorphus* Link, 1807 = *Porites porites* (Pallas, 1766)
- Porites porites*** (Pallas, 1766) II PORITIDAE (Anthozoa)  
 (E) Club Finger Coral, Clubtip Finger Coral (S) Coral de dedos chatos (F) Porite digitée
- Porites porosa* Verrill, 1870 = *Porites panamensis* Verrill, 1866
- Porites profundus*** Rehberg, 1892 II PORITIDAE  
 (Anthozoa)
- Porites pukoensis*** Vaughan, 1907 II PORITIDAE  
 (Anthozoa)
- Porites punctata* (Linnaeus, 1758) = *Stylaraea punctata* (Linnaeus, 1758)
- Porites purpurea* Gardiner, 1898 = *Porites lichen* Dana, 1846
- Porites randalli*** Forsman & Birkeland, 2009 II PORITIDAE (Anthozoa)
- Porites recta* LeSueur, 1820 = *Porites furcata* Lamarck, 1816
- Porites reticulosa* Dana, 1846 = *Porites lichen* Dana, 1846
- Porites rugosa*** Fenner & Veron, 2000 II PORITIDAE  
 (Anthozoa)
- Porites rus*** (Forskål, 1775) II PORITIDAE (Anthozoa)
- Porites saccharata* Brüggemann, 1878 = *Porites nigrescens* Dana, 1846
- Porites semilunaris* Nemenzo = *Porites vaughani* Crossland, 1952
- Porites sillimaniani*** Nemenzo, 1976 II PORITIDAE  
 (Anthozoa)
- Porites solida*** (Forskål, 1775) II PORITIDAE (Anthozoa)
- Porites solida* Verrill, 1868 = *Porites astreoides* Lamarck, 1816
- Porites somaliensis*** Gravier, 1910 II PORITIDAE  
 (Anthozoa)
- Porites spumosa* Lamarck, 1816 = *Montipora spumosa* (Lamarck, 1816)
- Porites stephensi*** Crossland, 1952 II PORITIDAE  
 (Anthozoa)
- Porites subdigitata* Lamarck, 1816 = *Stylophora pistillata* (Esper, 1792)

<i>Porites superficialis</i> Duchassaing & Michelotti, 1860 =	Poudou du nord (F): <i>Pudu mephistophiles</i>
<i>Porites astreoides</i> Lamarck, 1816	Poudou du sud (F): <i>Pudu puda</i>
<i>Porites suppressa</i> Crossland, 1952 = <i>Porites nigrescens</i>	Pougau (F): <i>Anguilla anguilla</i>
Dana, 1846	Poule de prairie d'Attwater (F): <i>Tympanuchus cupido attwateri</i>
<b><i>Porites sverdrupi</i></b> Durham, 1947 II PORITIDAE	Pounchurote (F): <i>Anguilla anguilla</i>
(Anthozoa)	Pounchuroto (F): <i>Anguilla anguilla</i>
<b><i>Porites tuberculosa</i></b> Veron, 2000 II PORITIDAE	<b><i>Pourtalocyathus spp.</i></b> Cairns 1979 II GUYNIIDAE
(Anthozoa)	(Anthozoa)
<i>Porites tuberculosa</i> Lamarck, 1816 = <i>Montipora tuberculosa</i> (Lamarck, 1816)	<b><i>Pourtalocyathus hispidus</i></b> (Pourtalès, 1878) II
<b><i>Porites undulata</i></b> (Klunzinger, 1879) II PORITIDAE	GUYNIIDAE (Anthozoa) (E) Rough Guyniid Coral (S)
(Anthozoa)	Coral guynidio áspero
<b><i>Porites vaughani</i></b> Crossland, 1952 II PORITIDAE	<b><i>Pourtalosmilia spp.</i></b> Duncan 1885 II CARYOPHYLLIIDAE
(Anthozoa)	(Anthozoa)
<i>Porites verrilli</i> Rehberg, 1892 = <i>Porites astreoides</i>	<b><i>Pourtalosmilia anthophyllites</i></b> (Ellis & Solander, 1786) II
Lamarck, 1816	CARYOPHYLLIIDAE (Anthozoa)
<i>Porites verrucosa</i> Lamarck, 1816 = <i>Montipora verrucosa</i>	<b><i>Pourtalosmilia conferta</i></b> Cairns, 1978 II
(Lamarck, 1816)	CARYOPHYLLIIDAE (Anthozoa)
<i>Porites violettae</i> Nemenzo = <i>Porites deformis</i> Nemenzo,	<i>Pourtalosmilia dumosa</i> Alcock, 1902 = <i>Goniocorella dumosa</i> (Alcock, 1902)
1955	Prairie-chicken, Attwater's (E): <i>Tympanuchus cupido attwateri</i>
<i>Porites viridis</i> Gardiner, 1898 = <i>Porites lichen</i> Dana, 1846	Prairie-chicken, Greater (E): <i>Tympanuchus cupido</i>
<b>PORITIDAE spp.</b> Gray 1842 II (Anthozoa)	Prairie-dog, Mexican (E): <i>Cynomys mexicanus</i>
<b><i>Poritipora spp.</i></b> Veron, 2000 II PORITIDAE (Anthozoa)	<i>Prasitis vitticeps</i> Simon, 1910 = <i>Chlorostilbon mellisugus</i>
<b><i>Poritipora paliformis</i></b> Veron, 2000 II PORITIDAE	(Linnaeus, 1758)
(Anthozoa)	<b><i>Premocyathus spp.</i></b> Yabe & Eguchi 1942 II
Porpoise, Black (E): <i>Phocoena spinipinnis</i>	CARYOPHYLLIIDAE (Anthozoa)
Porpoise, Black Finless (E): <i>Neophocaena phocaenoides</i>	<i>Premocyathus burchae</i> Cairns, 1984 = <i>Trochocyathus burchae</i> (Cairns, 1984)
Porpoise, Burmeister's (E): <i>Phocoena spinipinnis</i>	<b><i>Premocyathus cornuformis</i></b> (Pourtalès, 1868) II
Porpoise, Common (E): <i>Phocoena phocoena</i>	CARYOPHYLLIIDAE (Anthozoa) (E) Lesser Horn Coral
Porpoise, Dall's (E): <i>Phocoenoides dalli</i>	(S) Coral cuernito chico
Porpoise, Finless (E): <i>Neophocaena phocaenoides</i>	<b><i>Premocyathus dentiformis</i></b> (Alcock, 1902) II
Porpoise, Finless Black (E): <i>Neophocaena phocaenoides</i>	CARYOPHYLLIIDAE (Anthozoa)
Porpoise, Gulf (E): <i>Phocoena sinus</i>	<i>Prepona praeneste</i> Hewitson, 1859 III/NC
Porpoise, Gulf of California Harbour (E): <i>Phocoena sinus</i>	NYMPHALIDAE (Insecta)
Porpoise, Harbour (E): <i>Phocoena phocoena</i>	<i>Prepona praeneste buckleyana</i> III NYMPHALIDAE
Porpoise, Spectacled (E): <i>Phocoena dioptrica</i>	(Insecta)
Porpoise, White-flanked (E): <i>Phocoenoides dalli</i>	<b><i>Presbytis spp.</i></b> I/II CERCOPITHECIDAE (Mammalia)
Porte-lance de Jeanne (F): <i>Doryfera johannae</i>	<i>Presbytis auratus</i> (É. Geoffroy, 1812) = <i>Trachypithecus auratus</i> (É. Geoffroy, 1812)
Porte-lance de Louise (F): <i>Doryfera ludoviae</i>	<i>Presbytis aygula</i> misapplied, not Linnaeus, 1758 =
Porte-musc (F): <i>Moschus moschiferus</i>	<i>Presbytis comata</i> (Desmarest, 1822)
Porte-queue de Corse (F): <i>Papilio hospiton</i>	<i>Presbytis bicolor</i> Aimi & Bakar, 1992 = <i>Presbytis melalophos</i> (Raffles, 1821)
Portequeue de Corse (F): <i>Papilio hospiton</i>	<b><i>Presbytis chrysomelas</i></b> (Müller, 1838) II
Portequeue Homerus (F): <i>Papilio homerus</i>	CERCOPITHECIDAE (Mammalia) (E) Sarawak Leaf Monkey, Sarawak Surili
Porte-traîne lesbie (F): <i>Lesbia victoriae</i>	<b><i>Presbytis comata</i></b> (Desmarest, 1822) II
Porte-traîne nouna (F): <i>Lesbia nuna</i>	CERCOPITHECIDAE (Mammalia) (E) Grizzled Leaf Monkey, Java Leaf Monkey, Javan Surili (S) Langur gris
<i>Potamilus capax</i> (Green, 1832) I UNIONIDAE (Bivalvia)	<i>Presbytis comata hosei</i> (Desmarest, 1822) = <i>Presbytis hosei</i> (Thomas, 1889)
(E) Fat Pocketbook, Fat Pocketbook Pearly Mussel	<i>Presbytis comata thomasi</i> (Desmarest, 1822) = <i>Presbytis thomasi</i> (Collett, 1893)
Poto de Bosman (S): <i>Perodicticus potto</i>	<i>Presbytis cristata</i> (Raffles, 1821) = <i>Trachypithecus villosus</i> (Griffith, 1821)
Poto dorado (S): <i>Arctocebus calabarensis</i>	<i>Presbytis entellus</i> (Dufresne, 1797) = <i>Semnopithecus entellus</i> (Dufresne, 1797)
Potos (F): <i>Potos flavus</i>	
<b><i>Potos flavus</i></b> (Schreber, 1774) III PROCYONIDAE	
(Mammalia) (E) Kinkajou (S) Chosna, Cuchumbi, Cusumbi, Godoy, Marta, Martucha, Mico de noche, Micoleón (F) Potos	
Potto (F): <i>Perodicticus potto</i>	
Potto (E): <i>Perodicticus potto</i>	
Potto de Calabar (F): <i>Arctocebus calabarensis</i>	
Potto, False (E): <i>Pseudopotto martini</i>	
Potto, Golden (E): <i>Arctocebus aureus</i>	
Potto, Martin's (E): <i>Pseudopotto martini</i>	

<i>Presbytis femoralis</i> (Martin, 1838) II	<i>Presbytis vetulus</i> (Erxleben, 1777) = <i>Trachypithecus vetulus</i> (Erxleben, 1777)
CERCOPITHECIDAE (Mammalia) (E) Banded Langur, Banded Leaf Monkey, Banded Surili (S) Langur mitrado	
<i>Presbytis femoralis chrysomelas</i> (Martin, 1838) = <i>Presbytis chrysomelas</i> (Müller, 1838)	<i>Priamoptera croesus</i> (Wallace, 1859) = <i>Ornithoptera croesus</i> Wallace, 1859
<i>Presbytis femoralis siamensis</i> (Martin, 1838) = <i>Presbytis siamensis</i> (Müller & Schlegel, 1841)	<i>Priamuspterous croesus</i> (Wallace, 1859) = <i>Ornithoptera croesus</i> Wallace, 1859
<i>Presbytis francoisi</i> (Pousargues, 1898) = <i>Trachypithecus francoisi</i> (Pousargues, 1898)	<b>PRIMATES</b> spp. I/II/NC (E) Apes, Monkeys (S) Simios, Monos (F) Primates Primates (F): <i>Primates</i>
<i>Presbytis frontata</i> (Müller, 1838) II CERCOPITHECIDAE (Mammalia) (E) White-faced Langur, White-fronted Langur, White-fronted Leaf Monkey (S) Langur de frente blanca (F) Semnopithèque à front blanc	<b>Primolius</b> spp. Bonaparte, 1857 I/II 29 PSITTACIDAE (Aves)
<i>Presbytis geei</i> (Khajuria, 1956) = <i>Trachypithecus geei</i> Khajuria, 1956	<b>Primolius auricollis</b> (Cassin, 1853) II 29 PSITTACIDAE (Aves) (E) Golden-collared Macaw, Yellow-collared Macaw (S) Guacamayo acollarado, Maracana cuellidorada (F) Ara à collier jaune, Ara à nuque d'or
<i>Presbytis hosei</i> (Thomas, 1889) II CERCOPITHECIDAE (Mammalia) (E) Grey Leaf Monkey, Hose's Langur, Hose's Leaf Monkey (S) Langur de Hose (F) Semnopithèque de Hose	<b>Primolius couloni</b> (P. L. Sclater, 1876) I PSITTACIDAE (Aves) (E) Blue-headed Macaw (S) Guacamayo cabeciazul (F) Ara de Coulon
<i>Presbytis johnii</i> (J. Fischer, 1829) = <i>Trachypithecus johnii</i> (J. Fischer, 1829)	<b>Primolius maracana</b> (Vieillot, 1816) I PSITTACIDAE (Aves) (E) Blue-winged Macaw, Illiger's Macaw (S) Guacamayo de Illiger, Guacamayo maracaná, Maracana dorsirroja (F) Ara d'Illiger, Ara miracana
<i>Presbytis melalophos</i> (Raffles, 1821) II	<b>Priodontes giganteus</b> (G. Fischer, 1814) = <i>Priodontes maximus</i> (Kerr, 1792)
CERCOPITHECIDAE (Mammalia) (E) Mitred Leaf Monkey, Sumatran Surili (S) Langur de cresta (F) Semnopithèque mélalophe	<b>Priodontes maximus</b> (Kerr, 1792) I DASYPODIDAE (Mammalia) (E) Giant Armadillo (S) Armadillo gigante, Carachupa Manan, Cuspon, Tatú carreta, Tatú gigante, Tatú guazú (F) Tatou géant
<i>Presbytis melalophos femoralis</i> (Raffles, 1821) = <i>Presbytis femoralis</i> (Martin, 1838)	<b>Prionailurus</b> spp. I/II 10 FELIDAE (Mammalia)
<i>Presbytis melalophos siamensis</i> (Raffles, 1821) = <i>Presbytis siamensis</i> (Müller & Schlegel, 1841)	<b>Prionailurus bengalensis</b> (Kerr, 1792) I/II 10 FELIDAE (Mammalia) (E) Leopard Cat (S) Gato bengalí, Gato de Bengal, Gato leopardo chino (F) Chat de Chine, Chat-léopard de Chine, Chat-léopard du Bengale
<i>Presbytis mitrata</i> Eschscholtz, 1821 = <i>Presbytis melalophos</i> (Raffles, 1821)	<b>Prionailurus bengalensis bengalensis</b> (Kerr, 1792) I/II 13 FELIDAE (Mammalia) (E) Bengal Leopard Cat (F) Chat-tigre du Bengale
<i>Presbytis natunae</i> (Thomas & Hartert, 1894) II	<i>Prionailurus bengalensis iromotensis</i> (Kerr, 1792) = <i>Prionailurus iromotensis</i> Imaizumi, 1967
CERCOPITHECIDAE (Mammalia) (E) Natuna Islands Leaf Monkey, Natuna Island Surili	<b>Prionailurus iromotensis</b> Imaizumi, 1967 II 10 FELIDAE (Mammalia) (E) Iriomote Cat
<i>Presbytis obscura</i> (Reid, 1837) = <i>Trachypithecus obscurus</i> (Reid, 1837)	<b>Prionailurus planiceps</b> (Vigors & Horsfield, 1827) I FELIDAE (Mammalia) (E) Flat-headed Cat (S) Gato cabeciancho, Gato de cabeza plana (F) Chat à tête plate
<i>Presbytis phayrei</i> Blyth, 1847 = <i>Trachypithecus phayrei</i> (Blyth, 1847)	<b>Prionailurus rubiginosus</b> (I. Geoffroy Saint-Hilaire, 1831) I/II 14 FELIDAE (Mammalia) (E) Rusty-spotted Cat (S) Gato leopardo de la India, Gato rojizo, Gato rubiginosa (F) Chat-léopard de l'Inde, Chat rougeâtre, Chat rubigineux
<i>Presbytis pileata</i> (Blyth, 1843) = <i>Trachypithecus pileatus</i> (Blyth, 1843)	<b>Prionailurus viverrinus</b> (Bennett, 1833) II 10 FELIDAE (Mammalia) (E) Fishing Cat (S) Gato pescador (F) Chat pêcheur
<i>Presbytis potenziani</i> (Bonaparte, 1856) I	<b>Prionastrea abdita</b> (Ellis & Solander, 1786) = <i>Favites abdita</i> (Ellis & Solander, 1786)
CERCOPITHECIDAE (Mammalia) (E) Long-tailed Langur, Mentawai Langur, Mentawai Leaf Monkey (S) Langur colilargo, Langur de Mentawi (F) Semnopithèque de Mentawi	<b>Prionastrea acuticollis</b> Ortmann, 1889 = <i>Favites acuticollis</i> (Ortmann, 1889)
<i>Presbytis rubicunda</i> (Müller, 1838) II	<b>Prionastrea australensis</b> Milne Edwards & Haime, 1857 = <i>Goniastrea australensis</i> (Milne Edwards & Haime, 1857)
CERCOPITHECIDAE (Mammalia) (E) Maroon Langur, Maroon Leaf Monkey (S) Langur rubicundo (F) Semnopithèque rubicond	
<i>Presbytis senex</i> Erxleben, 1777 = <i>Trachypithecus vetulus</i> (Erxleben, 1777)	
<i>Presbytis siamensis</i> (Müller & Schlegel, 1841) II	
CERCOPITHECIDAE (Mammalia) (E) White-thighed Leaf Monkey, White-thighed Surili	
<i>Presbytis sumatrana</i> (Müller & Schlegel, 1841) = <i>Presbytis melalophos</i> (Raffles, 1821)	
<i>Presbytis thomasi</i> (Collett, 1893) II	
CERCOPITHECIDAE (Mammalia) (E) Thomas's Langur, Thomas's Leaf Monkey (S) Langur de Thomas (F) Semnopithèque de Thomas	

- Prionastrea chinensis* Verrill, 1866 = *Favites chinensis* (Verrill, 1866)
- Prionastrea crassior* Milne Edwards & Haime, 1850 = *Favites abdita* (Ellis & Solander, 1786)
- Prionastrea echinata* (Dana, 1846) = *Acanthastrea echinata* (Dana, 1846)
- Prionastrea favosa* (Ellis & Solander, 1786) = *Favites abdita* (Ellis & Solander, 1786)
- Prionastrea fuscoviridis* (Quoy & Gaimard, 1833) = *Favites abdita* (Ellis & Solander, 1786)
- Prionastrea gibbosa* Klunzinger, 1879 = *Favites abdita* (Ellis & Solander, 1786)
- Prionastrea gibbosissima* Milne Edwards & Haime, 1850 = *Favites pentagona* (Esper, 1790)
- Prionastrea magnifica* (Blainville, 1830) = *Favites abdita* (Ellis & Solander, 1786)
- Prionastrea magnostellata* Milne Edwards & Haime, 1850 = *Favites abdita* (Ellis & Solander, 1786)
- Prionastrea obtusata* Milne Edwards & Haime, 1850 = *Favites abdita* (Ellis & Solander, 1786)
- Prionastrea pentagona* (Esper, 1794) = *Favites pentagona* (Esper, 1790)
- Prionastrea profundicella* Milne Edwards & Haime, 1850 = *Favites abdita* (Ellis & Solander, 1786)
- Prionastrea purpurea* (Dana, 1846) = *Leptastrea purpurea* (Dana, 1846)
- Prionastrea quoyi* Milne Edwards & Haime, 1850 = *Favites abdita* (Ellis & Solander, 1786)
- Prionastrea robusta* Studer, 1877 = *Favites abdita* (Ellis & Solander, 1786)
- Prionastrea seychellensis* Milne Edwards & Haime, 1850 = *Goniastrea australensis* (Milne Edwards & Haime, 1857)
- Prionastrea spectabilis* Verrill, 1872 = *Goniastrea aspera* Verrill, 1866
- Prionastrea spinosa* Klunzinger, 1879 = *Favites spinosa* (Klunzinger, 1879)
- Prionastrea sulfurea* Milne Edwards & Haime, 1850 = *Favites abdita* (Ellis & Solander, 1786)
- Prionastrea vasta* Klunzinger, 1879 = *Favites abdita* (Ellis & Solander, 1786)
- Prioniturus spp. II** 29 PSITTACIDAE (Aves)
- Prioniturus discurus** (Vieillot, 1818) II 29 PSITTACIDAE (Aves) (E) Blue-crowned Racquet-tail, Palawan Racket-tailed Parrot (S) Lorito-momoto coroniazul (F) Palette à couronne bleue
- Prioniturus discurus plateneae* (Vieillot, 1818) = *Prioniturus plateneae* W. Blasius, 1888
- Prioniturus discurus verticalis* (Vieillot, 1818) = *Prioniturus verticalis* Sharpe, 1893
- Prioniturus discurus waterstradtii* (Vieillot, 1818) = *Prioniturus montanus* Ogilvie-Grant, 1895
- Prioniturus flavicans** Cassin, 1853 II 29 PSITTACIDAE (Aves) (E) Yellow-breasted Racquet-tail, Yellowish-breasted Racquet-tail (S) Lorito-momoto amarillento (F) Palette de Cassin
- Prioniturus flavicans montanus* Cassin, 1853 = *Prioniturus montanus* Ogilvie-Grant, 1895
- Prioniturus flavicans verticalis* Cassin, 1853 = *Prioniturus verticalis* Sharpe, 1893
- Prioniturus luconensis** Steere, 1890 II 29 PSITTACIDAE (Aves) (E) Green-crowned Racket-tailed Parrot, Green-headed Racket-tailed Parrot, Green Racquet-tail (S) Lorito-momoto de Luzón (F) Palette verte
- Prioniturus mada** Hartert, 1900 II 29 PSITTACIDAE (Aves) (E) Buru Racquet-tail (S) Lorito-momoto de Buru (F) Palette de Buru
- Prioniturus montanus** Ogilvie-Grant, 1895 II 29 PSITTACIDAE (Aves) (E) Luzon Racquet-tail, Montane Racquet-tail (S) Lorito-momoto montano (F) Palette momot
- Prioniturus plateneae** W. Blasius, 1888 II 29 PSITTACIDAE (Aves) (E) Blue-headed Racquet-tail (S) Lorito-momoto de Palawan (F) Palette de Palawan
- Prioniturus platurus** (Vieillot, 1818) II 29 PSITTACIDAE (Aves) (E) Golden-mantled Racquet-tail (S) Lorito-momoto dorsidorado (F) Palette à manteau d'or
- Prioniturus verticalis** Sharpe, 1893 II 29 PSITTACIDAE (Aves) (E) Blue-winged Racquet-tail (S) Lorito-momoto de las Sulu (F) Palette des Sulu
- Prioniturus waterstradtii* Rothschild, 1904 = *Prioniturus montanus* Ogilvie-Grant, 1895
- Prionodon linsang** (Hardwicke, 1821) II VIVERRIDAE (Mammalia) (E) Banded Linsang (S) Cibeta atigrada, Civeta franjeada, Linsang rayado (F) Civette à bandes, Linsang rayé
- Prionodon pardicolor** Hodgson, 1842 I VIVERRIDAE (Mammalia) (E) Spotted Linsang, Tiger Civet (S) Cibeta moteada, Linsang manchado (F) Linsang à taches, Linsang tacheté
- PRISTIDAE spp. I** (Elasmobranchii) (E) Sawfishes (S) Peces Sierra (F) Poissons-Scies
- Pristiopsis leichhardti* Whitley, 1945 = *Pristis clavata* Garman, 1906
- Pristis spp. I** PRISTIDAE (Elasmobranchii)
- Pristis acutirostris* Duméril, 1865 = *Pristis pectinata* Latham, 1794
- Pristis antiquorum* Latham, 1794 = *Pristis pristis* (Linnaeus, 1758)
- Pristis canaliculata* Bloch & Schneider, 1801 = *Pristis pristis* (Linnaeus, 1758)
- Pristis clavata** Garman, 1906 I PRISTIDAE (Elasmobranchii) (E) Dwarf Sawfish, Queensland Sawfish
- Pristis dubius* Bleeker, 1852 = *Pristis zijsron* Bleeker, 1851
- Pristis granulosa* Bloch & Schneider, 1801 = *Pristis pectinata* Latham, 1794
- Pristis leichhardti* (Whitley, 1945) = *Pristis microdon* Latham, 1794
- Pristis leptodon* Duméril, 1865 = *Pristis zijsron* Bleeker, 1851
- Pristis megalodon* Duméril, 1865 = *Pristis pectinata* Latham, 1794
- Pristis microdon** Latham, 1794 I PRISTIDAE (Elasmobranchii) (E) Freshwater Sawfish, Greattooth Sawfish, Largetooth Sawfish, Leichhardts Sawfish (S) Catanuda, Dienton, Pejesierra, Pez peine, Pez rastrillo (F) poisson-scie à dents larges, Poisson-scie septentrional

- Pristis microdon* Latham, 1794 = *Pristis pristis* (Linnaeus, 1758)
- Pristis pectinata*** Latham, 1794 I PRISTIDAE  
(Elasmobranchii) (E) Comb shark, Smalltooth Sawfish, Smooth-tooth Sawfish, Wide Sawfish (S) Espadachin, Espadon, Pejepeine, Pejes sierra, Pez espada, Pez rastrillo, Pez sierra, Pez sierra común, Sägefisch (F) Poisson-scie tident, Requin-scie
- Pristis perotteti*** Müller & Henle, 1841 I PRISTIDAE  
(Elasmobranchii) (E) Southern sawfish (S) Catanuda, Pez espada
- Pristis perotteti* Valenciennes, in Müller & Henle, 1841 = *Pristis pristis* (Linnaeus, 1758)
- Pristis pristis*** (Linnaeus, 1758) I PRISTIDAE  
(Elasmobranchii) (E) Common Sawfish (S) Pejepaine, Pez sierra común, Sägefisch (F) Poisson-scie commun, Scie, Scie commune
- Pristis pristis* (Linnaeus, 1758) = *Pristis microdon* Latham, 1794
- Pristis pristis* (Linnaeus, 1758) = *Pristis perotteti* Müller & Henle, 1841
- Pristis serra* Bloch & Schneider, 1801 = *Pristis pectinata* Latham, 1794
- Pristis typica* Poey, 1861 = *Pristis pristis* (Linnaeus, 1758)
- Pristis woermannii* Fischer, 1884 = *Pristis pectinata* Latham, 1794
- Pristis zephyreus* Jordan & Starks, 1895 = *Pristis pristis* (Linnaeus, 1758)
- Pristis zijsron*** Bleeker, 1851 I PRISTIDAE  
(Elasmobranchii) (E) Green Sawfish, Longcomb Sawfish, Longsnout Sawfish, Narrowsnout Sawfish (F) Requin scie
- Pristobatus occa* Duméril, 1865 = *Pristis pectinata* Latham, 1794
- Probarbus jullieni*** Sauvage, 1880 I CYPRINIDAE  
(Actinopterygii) (E) Esok, Giant River Carp, Ikan Temoleh, Isok Barb, Jullien's Golden Carp, Seven-line Barb, Seven-striped Barb (S) Carpilla ikan temoleh (F) Barbeau de Jullien
- Probosciger* spp.** Kuhl, 1820 I<sup>29</sup> CACATUIDAE (Aves)
- Probosciger aterrimus*** (Gmelin, 1788) I CACATUIDAE (Aves) (E) Palm Cockatoo (S) Cacatúa enlutada (F) Cacatoès noir, Microglosse noir
- Proceros maculatus* Rafinesque, 1820 = *Polyodon spathula* (Walbaum in Artedi, 1792)
- Proceros vittatus* Rafinesque, 1820 = *Polyodon spathula* (Walbaum in Artedi, 1792)
- Procolobus* spp. II** CERCOPITHECIDAE (Mammalia)
- Procolobus badius* (Kerr, 1792) = *Piliocolobus badius* (Kerr, 1792)
- Procolobus foai* (de Pousargues, 1899) = *Piliocolobus foai* (de Pousargues, 1899)
- Procolobus gordoni* (Matschie, 1900) = *Piliocolobus gordoni* Matschie, 1900
- Procolobus kirkii* (Gray, 1868) = *Piliocolobus kirkii* (Gray, 1868)
- Procolobus pennantii* Waterhouse, 1838 = *Piliocolobus pennantii* (Waterhouse, 1838)
- Procolobus preussi* (Matschie, 1900) = *Piliocolobus preussi* (Matschie, 1900)
- Procolobus rufomitratus* (Peters, 1879) = *Piliocolobus rufomitratus* (Peters, 1879)
- Procolobus tephrosceles* (Elliot, 1907) = *Piliocolobus tephrosceles* (Elliot, 1907)
- Procolobus tholloni* (Milne Edwards, 1886) = *Piliocolobus tholloni* (Milne Edwards, 1886)
- Procolobus verus*** (Van Beneden, 1838) II  
CERCOPITHECIDAE (Mammalia) (E) Olive Colobus, Van Beneden's Colobus (S) Colobo verde (F) Colobe de Van Beneden, Colobe huppé, Colobe vert, Colobe vrai
- Profelis* spp. II**<sup>10</sup> FELIDAE (Mammalia)
- Profelis aurata*** (Temminck, 1827) II FELIDAE (Mammalia) (E) African Golden Cat, Golden Cat (S) Gato dorado (F) Chat doré
- Profelis aurata* (Pocock 1917) = *Profelis aurata* (Temminck, 1827)
- Profelis aurata* (Wozencraft 2005) = *Profelis aurata* (Temminck, 1827)
- Prolemur* spp.** Gray, 1871 I LEMURIDAE (Mammalia)
- Prolemur simus*** (Gray, 1871) I LEMURIDAE (Mammalia) (E) Broad-nosed Gentle Lemur, Greater Bamboo Lemur (S) Lémur cariancho (F) Grand hapalémur, Hapalémur simien
- Proméfil (F): *Ptiloris magnificus*
- Pronghorn (E): *Antilocapra americana*
- Pronghorn (F): *Antilocapra americana*
- Pronghorn, Mexican (E): *Antilocapra americana*
- Propithecus* spp. I** INDRIIDAE (Mammalia)
- Propithecus coquereli*** (A. Grandidier, 1867) I INDRIIDAE (Mammalia) (E) Coquerel's Sifaka
- Propithecus deckenii*** A. Grandidier, 1867 I INDRIIDAE (Mammalia) (E) Van der Decken's Sifaka
- Propithecus diadema*** Bennett, 1832 I INDRIIDAE (Mammalia) (E) Diademed Sifaka (S) Indris sifaca, Sifaka diademado (F) Propithèque à diadème
- Propithecus diadema edwardsi* Bennett, 1832 = *Propithecus edwardsi* Grandidier, 1871
- Propithecus diadema perrieri* Bennett, 1832 = *Propithecus perrieri* Lavauden, 1931
- Propithecus edwardsi*** Grandidier, 1871 I INDRIIDAE (Mammalia) (E) Milne-Edwards's Sifaka
- Propithecus perrieri*** Lavauden, 1931 I INDRIIDAE (Mammalia) (E) Perrier's Sifaka
- Propithecus tattersalli*** Simons, 1988 I INDRIIDAE (Mammalia) (E) Golden-crowned Sifaka, Tattersall's Sifaka (S) Indris sifaca
- Propithecus verreauxi*** A. Grandidier, 1867 I INDRIIDAE (Mammalia) (E) Verreaux's Sifaka (S) Gran sifaka blanco, Indris sifaca (F) Propithèque de Verreaux, Sifaka
- Propithecus verreauxi coquereli* A. Grandidier, 1867 = *Propithecus coquereli* (A. Grandidier, 1867)
- Propithecus verreauxi deckenii* A. Grandidier, 1867 = *Propithecus deckenii* A. Grandidier, 1867
- Propithèque à diadème (F): *Propithecus diadema*
- Propithèque de Verreaux (F): *Propithecus verreauxi*
- Propyrrhura auricollis* (Cassin, 1853) = *Primolius auricollis* (Cassin, 1853)

- Propyrrhura couloni* (P. L. Sclater, 1876) = *Primolius couloni* (P. L. Sclater, 1876)  
*Propyrrhura maracana* (Vieillot, 1816) = *Primolius maracana* (Vieillot, 1816)
- Prosopeia spp.** Bonaparte, 1854 II 29 PSITTACIDAE (Aves)
- Prosopeia personata** (G. R. Gray, 1848) II 29  
 PSITTACIDAE (Aves) (E) Masked Shining-Parrot (S) Papagayo enmascarado (F) Perruche masquée
- Prosopeia splendens** (Peale, 1848) II 29 PSITTACIDAE (Aves) (E) Crimson Shining-Parrot (S) Papagayo escarlata (F) Perruche écarlate
- Prosopeia tabuensis** (Gmelin, 1788) II 29 PSITTACIDAE (Aves) (E) Red Shining-Parrot (S) Papagayo granate (F) Perruche pompadour
- Prosopeia tabuensis splendens* (Gmelin, 1788) = *Prosopeia splendens* (Peale, 1848)
- Prostherapis bolivianus* Boulenger, 1902 = *Ameerega boliviana* (Boulenger, 1902)
- Prostherapis boulengeri* Barbour, 1909 = *Epipedobates boulengeri* (Barbour, 1909)
- Prostherapis femoralis* Barbour, 1905 = *Epipedobates boulengeri* (Barbour, 1909)
- Prostherapis femoralis* Boulenger, 1884 = *Allobates femoralis* (Boulenger, 1884)
- Prostherapis festae* Peracca, 1904 = *Ameerega parvula* (Boulenger, 1882)
- Prostherapis tricolor* Boulenger, 1899 = *Epipedobates tricolor* (Boulenger, 1899)
- Protèle (F): *Proteles cristata*
- Proteles cristata** (Sparrman, 1783) III HYAENIDAE (Mammalia) (E) Aardwolf (S) Lobo de tierra (F) Protèle
- Protoerrina stylifera* Broch, 1955 = *Errinopora stylifera* (Broch, 1935)
- Protolobophyllia japonica* (Yabe & Sugiyama, 1931) = *Cynarina lacrymalis* (Milne Edwards & Haime, 1848)
- Protomussa brasiliensis* (Verrill, 1868) = *Mussismilia brasiliensis* (Verrill, 1868)
- Protomussa harttii* (Verrill, 1868) = *Mussismilia harttii* (Verrill, 1868)
- Protonopsis fusca* Gray, 1850 = *Cryptobranchus alleganiensis* (Daudin, 1803)
- Protonopsis horrida* Barton In LeConte, 1824 = *Cryptobranchus alleganiensis* (Daudin, 1803)
- Proturacus bannermani* Bates, 1923 = *Tauraco bannermani* (Bates, 1923)
- Psammobates spp.** Fitzinger, 1835 I/II 46  
 TESTUDINIDAE (Reptilia)
- Psammobates depressa* FitzSimons, 1938 = *Psammobates tentorius* (Bell, 1828)
- Psammobates geometricus** (Linnaeus, 1758) I  
 TESTUDINIDAE (Reptilia) (E) Geometric Tortoise (S) Sacafí, Tortuga geométrica (F) Sakafi, Tortue géométrique
- Psammobates oculifer** (Kuhl, 1820) II 46  
 TESTUDINIDAE (Reptilia) (E) African Serrated Tortoise, Kuhl's Tortoise, Serrated Star Tortoise, Serrated Tent Tortoise, Toothed Cape Tortoise (S) Tortuga estrellada sudafricana de caparazón (F) Tortue ocelée
- Psammobates tentorius** (Bell, 1828) II 46  
 TESTUDINIDAE (Reptilia) (E) African Tent Tortoise, South African Tent Tortoise (S) Tortuga estrellada sudafricana (F) Tortue bosselée
- Psammocora spp.** Dana 1848 II SIDERASTREIDAE (Anthozoa)
- Psammocora albopicta** Benzoni, 2006 II  
 SIDERASTREIDAE (Anthozoa)
- Psammocora brighami** (Vaughan, 1907) II  
 SIDERASTREIDAE (Anthozoa)
- Psammocora columna* Yabe & Sugiyama, 1936 = *Coscinarea columna* (Dana, 1846)
- Psammocora contigua** (Esper, 1794) II  
 SIDERASTREIDAE (Anthozoa) (E) Branched Sandpaper Coral
- Psammocora contigua tutuilensis* (Esper, 1794) = *Psammocora contigua* (Esper, 1794)
- Psammocora danae* (Milne Edwards & Haime, 1851) = *Psammocora contigua* (Esper, 1794)
- Psammocora decussata** Yabe & Sugiyama, 1937 II  
 SIDERASTREIDAE (Anthozoa)
- Psammocora digitata** Milne Edwards & Haime, 1851 II  
 SIDERASTREIDAE (Anthozoa)
- Psammocora divaricata* Gardiner, 1905 = *Psammocora contigua* (Esper, 1794)
- Psammocora exesa* Dana, 1846 = *Coscinarea exesa* (Dana, 1846)
- Psammocora explanulata** van der Horst, 1922 II  
 SIDERASTREIDAE (Anthozoa)
- Psammocora fossata* = *Coscinarea fossata* (Dana, 1846)
- Psammocora frondosa* Verrill, 1872 = *Psammocora contigua* (Esper, 1794)
- Psammocora gonagra* Klunzinger, 1879 = *Psammocora contigua* (Esper, 1794)
- Psammocora haimeana** Milne Edwards & Haime, 1851 II  
 SIDERASTREIDAE (Anthozoa) (E) Encrusting Sandpaper Coral
- Psammocora nierstraszi** van der Horst, 1921 II  
 SIDERASTREIDAE (Anthozoa)
- Psammocora obtusangula* (Lamarck, 1816) = *Psammocora contigua* (Esper, 1794)
- Psammocora planipora* Milne Edwards & Haime, 1851 = *Psammocora contigua* (Esper, 1794)
- Psammocora plicata* Dana, 1846 = *Psammocora contigua* (Esper, 1794)
- Psammocora profundacella** Gardiner, 1898 II  
 SIDERASTREIDAE (Anthozoa)
- Psammocora samoensis* Hoffmeister, 1925 = *Psammocora nierstraszi* van der Horst, 1921
- Psammocora savigniensis* Dana, 1846 = *Coscinarea columna* (Dana, 1846)
- Psammocora stellata** (Verrill, 1866) II  
 SIDERASTREIDAE (Anthozoa)
- Psammocora superficialis** Gardiner, 1898 II  
 SIDERASTREIDAE (Anthozoa)
- Psammocora togianensis* Umbgrove, 1940 = *Psammocora digitata* Milne Edwards & Haime, 1851
- Psammocora vaughani** Yabe & Sugiyama, 1936 II  
 SIDERASTREIDAE (Anthozoa)

- Psammocora verrilli*** Vaughan, 1907 II  
SIDERASTREIDAE (Anthozoa)
- Psamosaurus arabicus*** Hemprich & Ehrenberg, 1899 =  
*Varanus griseus* (Daudin, 1803)
- Psammoseris hemisphaerica*** (Gray, 1850) =  
*Heterocyathus hemisphaericus* Gray, 1849
- Psammoseris rousseauii*** (Milne Edwards & Haime, 1851)  
= *Heterocyathus aequicostatus* Milne Edwards &  
Haime, 1848
- Psephotellus chrysoterygius*** (Gould, 1857) = *Psephotus chrysoterygius* Gould, 1858
- Psephotellus dissimilis*** (Collett, 1898) = *Psephotus dissimilis* Collett, 1898
- Psephotellus pulcherrimus*** (Gould, 1845) = *Psephotus pulcherrimus* (Gould, 1845)
- Psephotellus varius*** (A. H. Clark, 1910) = *Psephotus varius* Clark, 1910
- Psephotus* spp. I/II 29 PSITTACIDAE (Aves)**
- Psephotus chrysoterygius*** Gould, 1858 I  
PSITTACIDAE (Aves) (E) Golden-shouldered Parrot (S)  
Cacatúa de alas doradas, Loro hombroamarillo, Perico  
aligualdo, Periquito de espalda dorada (F) Perruche à  
ailes d'or, Perruche à épaules dorées, Perruche aux  
ailes d'or
- Psephotus chrysoterygius dissimilis* Gould, 1858 =  
*Psephotus dissimilis* Collett, 1898
- Psephotus dissimilis*** Collett, 1898 I PSITTACIDAE  
(Aves) (E) Hooded Parrot (S) Perico capirotado,  
Periquito encapuchado (F) Perruche à capuchon,  
Perruche à capuchon noir
- Psephotus haematogaster*** (Gould, 1838) = *Northiella haematogaster* (Gould, 1838)
- Psephotus haematonotus*** (Gould, 1838) II 29  
PSITTACIDAE (Aves) (E) Red-rumped Parrot (S)  
Perico dorsirrojo (F) Perruche à croupion rouge,  
Perruche à dos rouge
- Psephotus pulcherrimus*** (Gould, 1845) I PSITTACIDAE  
(Aves) (E) Beautiful Parakeet, Paradise Parrot (S)  
Cacatúa del paraíso, Loro del paraíso, Perico del  
paraíso (F) Perruche de paradis, Perruche magnifique
- Psephotus varius*** Clark, 1910 II 29 PSITTACIDAE (Aves)  
(E) Many-coloured Parakeet, Mulga Parrot (S) Perico  
variado (F) Perruche multicolore
- Psephurus* spp. II POLYODONTIDAE (Actinopterygii)**
- Psephurus gladius*** (Martens, 1862) II POLYODONTIDAE  
(Actinopterygii) (E) Chinese Paddlefish, Chinese  
Swordfish, Paddlefish
- Pseudalopex culpaeus*** (Molina, 1782) = *Lycalopex culpaeus* (Molina, 1782)
- Pseudalopex fulvipes*** Martin, 1837 = *Lycalopex fulvipes* (Martin, 1837)
- Pseudalopex griseus*** (Gray, 1837) = *Lycalopex griseus* (Gray, 1837)
- Pseudalopex gymnocercus*** (G. Fischer, 1814) = *Lycalopex gymnocercus* (G. Fischer, 1814)
- Pseudastur albicollis*** (Latham, 1790) = *Leucopernis albicollis* (Latham, 1790)
- Pseudastur occidentalis*** (Salvin, 1876) = *Leucopernis occidentalis* Salvin, 1876
- Pseudastur polionotus*** (Kaup, 1847) = *Leucopernis polionotus* (Kaup, 1847)
- Pseudemydura umbrina*** Siebenrock, 1901 I CHELIDAE  
(Reptilia) (E) Western Short-necked Turtle, Western  
Swamp Turtle (S) Tortuga occidental de cuello de  
serpiente, Tortuga serpentina occidental (F)  
Pseudémydure de Perth, Tortue à col court, Tortue des  
étangs de Perth
- Pseudémydure de Perth (F): *Pseudemydura umbrina*
- Pseudeos* spp.** J. L. Peters, 1935 II 29 LORIIDAE (Aves)
- Pseudeos fuscata*** (Blyth, 1858) II 29 LORIIDAE (Aves)  
(E) Dusky Lory (S) Lori sombrio (F) Lori orange  
sombre, Lori sombre
- Pseudoboa clelia*** (Daudin, 1803) = *Clelia clelia* (Daudin, 1803)
- Pseudochelidon sirintarae*** Kitti, 1968 I HIRUNDINIDAE  
(Aves) (E) White-eyed River-martin (S) Golondrina de  
anteojos (F) Hirondelle à lunettes, Pseudolangrayen  
d'Asie
- Pseudocirrhipathes* spp.** Bo, Barucca, Biscotti, Canapa,  
Lapian, et al. 2009 II ANTIPATHIDAE (Anthozoa)
- Pseudocirrhipathes mapia*** Bo, Barucca, Biscotti,  
Canapa, Lapian, Olmo & Bavestrello, 2009 II  
ANTIPATHIDAE (Anthozoa)
- Pseudocolumnastrea pollicata*** (Wells, 1954) = *Pavona maldivensis* (Gardiner, 1905)
- Pseudocordyle de Lang (F): *Cordylus langi*
- Pseudocordyle des rochers (F): *Cordylus microlepidotus*
- Pseudocordyle du Cap (F): *Cordylus capensis*
- Pseudocordyle du Drakensberg (F): *Cordylus melanotus*
- Pseudocordyle épineux (F): *Cordylus spinosus*
- Pseudocordylus capensis* (A. Smith, 1838) = *Cordylus capensis* A. Smith, 1838
- Pseudocordylus langi* Loveridge, 1944 = *Cordylus langi* (Loveridge, 1944)
- Pseudocordylus melanotus* (A. Smith, 1838) = *Cordylus melanotus* A. Smith, 1838
- Pseudocordylus microlepidotus* (Cuvier, 1829) = *Cordylus fasciatus* A. Smith, 1838
- Pseudocordylus microlepidotus* (Cuvier, 1829) = *Cordylus microlepidotus* Cuvier, 1829
- Pseudocordylus microlepidotus melanotus* (Cuvier, 1829) = *Cordylus melanotus* A. Smith, 1838
- Pseudocordylus microlepidotus namaquensis* (Cuvier, 1829) = *Cordylus fasciatus* A. Smith, 1838
- Pseudocordylus nebulosus* Mouton & van Wyk, 1995 = *Cordylus nebulosus* (Mouton & van Wyk, 1995)
- Pseudocordylus spinosus* FitzSimons, 1947 = *Cordylus spinosus* (FitzSimons, 1947)
- Pseudocordylus subviridis transvaalensis* (A. Smith, 1838) = *Cordylus transvaalensis* (FitzSimons, 1943)
- Pseudocordylus transvaalensis* FitzSimons, 1943 = *Cordylus transvaalensis* (FitzSimons, 1943)
- Pseudocryptothelia* spp.** Cairns 1983 II STYLASTERIDAE  
(Hydrozoa)
- Pseudocryptothelia pachypoma*** (Hickson & England, 1905) II STYLASTERIDAE (Hydrozoa)
- Pseudocyathoceras* spp.** Cairns 1991 II  
TURBINOLIIDAE (Anthozoa)

- Pseudocyathoceras avis** (Durham & Barnard, 1952) II  
TURBINOLIIDAE (Anthozoa)
- Pseudoeryx bottae** (Blainville, 1835) = *Charina bottae* (Blainville, 1835)
- Pseudogongylophis jayakari** (Boulenger, 1888) = *Eryx jayakari* Boulenger, 1888
- Pseudois barhal** (Hodgson, 1846) = *Pseudois nayaur* (Hodgson, 1833)
- Pseudois burrhel** (Blyth, 1841) = *Pseudois nayaur* (Hodgson, 1833)
- Pseudois caesia** Howell, 1928 = *Pseudois nayaur* (Hodgson, 1833)
- Pseudois nahoor** (Hodgson, 1835) = *Pseudois nayaur* (Hodgson, 1833)
- Pseudois nahura** (Gray, 1843) = *Pseudois nayaur* (Hodgson, 1833)
- Pseudois nayaur** (Hodgson, 1833) III BOVIDAE  
(Mammalia) (E) Bharal
- Pseudois szechuanensis** W. Rothschild, 1922 = *Pseudois nayaur* (Hodgson, 1833)
- Pseudolangrayen d'Asie (F): *Pseudochelidon sirintarae*
- Pseudomopus signatus** (Schoepff, 1801) = *Homopus signatus* (Gmelin, 1789)
- Pseudomys fieldi** (Waite, 1896) I/NC MURIDAE  
(Mammalia) (E) Alice Springs Mouse (S) Ratón bastardo peludo
- Pseudomys fieldi paeconis** I MURIDAE (Mammalia) (E)  
Shark Bay Mouse (S) Falso ratón de la Bahía de Shark, Ratón bastardo peludo (F) Fausse souris de la baie de Shark, Souris de la baie de Shark
- Pseudomys paeconis** Thomas, 1910 = *Pseudomys fieldi paeconis*
- Pseudophryne vivipara** Tornier, 1905 = *Nectophrynoides viviparus* (Tornier, 1905)
- Pseudopotto spp.** Schwartz 1996 II LORISIDAE  
(Mammalia)
- Pseudopotto martini** Schwartz, 1996 II LORISIDAE  
(Mammalia) (E) False Potto, Martin's Potto
- Pseudoptynx gurneyi** Tweeddale, 1879 = *Mimizuku gurneyi* (Tweeddale, 1879)
- Pseudoptynx philippensis** Kaup, 1851 = *Bubo philippensis* (Kaup, 1851)
- Pseudoptynx solomonensis** Hartert, 1901 = *Nesasio solomonensis* (Hartert, 1901)
- Pseudorca spp.** II<sup>18</sup> DELPHINIDAE (Mammalia)
- Pseudorca crassidens** (Owen, 1846) II<sup>18</sup>  
DELPHINIDAE (Mammalia) (E) False Killer Whale (S) Orca falsa (F) Faux-orque
- Pseudoryx nghetinhensis** Dung, Giao, Chinh, Touc, Arctander & MacKinnon, 1993 I BOVIDAE (Mammalia) (E) Saola, Vu Quang Ox (S) Saola, Ver nota pie de página (F) Saola
- Pseudoscaphirhynchus spp.** II ACIPENSERIDAE  
(Actinopterygii)
- Pseudoscaphirhynchus fedtschenkoi** (Kessler, 1872) II  
ACIPENSERIDAE (Actinopterygii) (E) Syr-Dar Shovelnose Sturgeon, Syr-Darya Shovelnose, Syr Darya Sturgeon
- Pseudoscaphirhynchus hermanni** (Kessler, 1877) II  
ACIPENSERIDAE (Actinopterygii) (E) Dwarf Sturgeon, Little Amu-Darya Shovelnose, Little Shovelnose Sturgeon, Small Amu-Dar Shovelnose Sturgeon
- Pseudoscaphirhynchus kaufmanni** (Kessler, 1874) II  
ACIPENSERIDAE (Actinopterygii) (E) Amu Darya Shovelnose Sturgeon, Amu Darya Sturgeon, Big Amu-Darya Shovelnose, False Shovelnose Sturgeon, Large Amu-Dar Shovelnose Sturgeon, Shovelfish
- Pseudoscaphirhynchus rossikowi** Nikolskii, 1900 = *Pseudoscaphirhynchus hermanni* (Kessler, 1877)
- Pseudoscops spp.** II<sup>30</sup> STRIGIDAE (Aves)
- Pseudoscops clamator** (Vieillot, 1808) II<sup>30</sup> STRIGIDAE (Aves) (E) Striped Owl (S) Búho-cornudo cariblanco, Búho gritón, Lechuza listada, Lechuzón, Lechuzón orejas largas, Lechuzón orejudo (F) Hibou criard, Hibou strié
- Pseudoscops grammicus** (Gosse, 1847) II<sup>30</sup>  
STRIGIDAE (Aves) (E) Jamaican Owl (S) Búho de Jamaica, Búho jamaicano (F) Hibou de la Jamaïque
- Pseudosiderastrea spp.** Yabe & Sugiyama 1935 II  
SIDERASTREIDAE (Anthozoa)
- Pseudosiderastrea tayamai** Yabe & Sugiyama, 1935 II  
SIDERASTREIDAE (Anthozoa) (E) False Pillow Coral
- Pseudototanus guttifer** (Nordmann, 1835) = *Tringa guttifer* (Nordmann, 1835)
- Psilopsiagon spp.** Ridgway, 1912 II<sup>29</sup> PSITTACIDAE (Aves)
- Psilopsiagon aurifrons** (Lesson, 1830) II<sup>29</sup>  
PSITTACIDAE (Aves) (E) Golden-fronted Parakeet, Mountain Parakeet (S) Catita frentidorada, Catita serrana verde (F) Toui à bandeau jaune
- Psilopsiagon aurifrons orbygnesius** (Lesson, 1830) = *Bolborhynchus orbygnesius* (Souancé, 1856)
- Psilopsiagon aymara** (d'Orbigny, 1839) II<sup>29</sup>  
PSITTACIDAE (Aves) (E) Grey-hooded Parakeet, Sierra Parakeet (S) Catita aimará, Catita serrana común (F) Perruche d'Aymara, Toui aymara
- Psittaca batavica** Boddaert, 1783 = *Touit batavicus* (Boddaert, 1783)
- Psittacara acuticaudatus** (Vieillot, 1818) = *Aratinga acuticaudata* (Vieillot, 1818)
- Psittacara chloroptera** Souancé, 1856 = *Aratinga chloroptera* (Souancé, 1856)
- Psittacara erythrogenys** Lesson, 1844 = *Aratinga erythrogenys* (Lesson, 1844)
- Psittacara euops** (Wagler, 1832) = *Aratinga euops* (Wagler, 1832)
- Psittacara finschi** (Salvin, 1871) = *Aratinga finschi* (Salvin, 1871)
- Psittacara holochlora** (P. L. Sclater, 1859) = *Aratinga holochlora* (Sclater, 1859)
- Psittacara leptorhyncha** King, 1830 = *Enicognathus leptorhynchus* (King, 1831)
- Psittacara leucophthalma** (Statius Müller, 1776) = *Aratinga leucophthalma* (P. L. S. Müller, 1776)
- Psittacara leucophthalmus** (Statius Müller, 1776) = *Aratinga leucophthalmus* (P. L. S. Müller, 1776)
- Psittacara mitrata** (Tschudi, 1844) = *Aratinga mitrata* (Tschudi, 1844)
- Psittacara mitratus** (Tschudi, 1844) = *Aratinga mitrata* (Tschudi, 1844)

- Psittacara nana* Vigors, 1830 = *Aratinga nana* (Vigors, 1830)  
*Psittacara strenuus* (Ridgway, 1915) = *Aratinga strenua* (Ridgway, 1915)  
*Psittacara wagleri* (G. R. Gray, 1845) = *Aratinga wagleri* (G. R. Gray, 1845)
- Psittacula spp.** II 29 PSITTACIDAE (Aves)
- Psittacula brehmii** Schlegel, 1873 II 29 PSITTACIDAE (Aves) (E) Brehm's Tiger-Parrot (S) Lorito-tigre de Brehm (F) Perruche de Brehm
- Psittacula madaraszi** A. B. Meyer, 1886 II 29 PSITTACIDAE (Aves) (E) Madarasz's Tiger-Parrot (S) Lorito-tigre de Madarasz (F) Perruche de Madarasz
- Psittacula modesta** Schlegel, 1873 II 29 PSITTACIDAE (Aves) (E) Modest Tiger-Parrot (S) Lorito-tigre modesto (F) Perruche modeste
- Psittacula modesta madaraszi* Schlegel, 1873 = *Psittacula madaraszi* A. B. Meyer, 1886
- Psittacula picta** Rothschild, 1896 II 29 PSITTACIDAE (Aves) (E) Painted Tiger-Parrot (S) Lorito-tigre pintado (F) Perruche peinte
- PSITTACIDAE spp. I/II/NC** 29 (Aves) (E) Amazons, Macaws, Parakeets, Parrots (S) Amazonas, Cotorras, Guacamayos, Periquitos, Loros (F) Amazones, Aras, Perruches, Perroquets
- PSITTACIFORMES spp. I/II/NC** 29
- Psittacula spp. I/II/NC** 29 PSITTACIDAE (Aves)
- Psittacula alexandri** (Linnaeus, 1758) II 29 PSITTACIDAE (Aves) (E) Moustached Parakeet, Red-breasted Parakeet (S) Cotorra pechirroja (F) Perruche à moustaches
- Psittacula andicola* Finsch, 1874 = *Bolborhynchus orbygnnesius* (Souancé, 1856)
- Psittacula calthorpeae** (Blyth, 1849) II 29 PSITTACIDAE (Aves) (E) Emerald-collared Parakeet, Layard's Parakeet (S) Cotorra de ceilán (F) Perruche de Layard
- Psittacula calthrapae* (Blyth, 1849) = *Psittacula calthorpeae* (Blyth, 1849)
- Psittacula caniceps** (Blyth, 1846) II 29 PSITTACIDAE (Aves) (E) Blyth's Parakeet, Nicobar Parakeet (S) Cotorra de Nicobar (F) Perruche des Nicobar
- Psittacula columbooides** (Vigors, 1830) II 29 PSITTACIDAE (Aves) (E) Malabar Parakeet (S) Cotorra de Malabar (F) Perruche de Malabar
- Psittacula conspicillata* Lafresnaye, 1848 = *Forpus conspicillatus* (Lafresnaye, 1848)
- Psittacula crassirostris* Taczanowski, 1883 = *Forpus xanthopterygius* (Spix, 1824)
- Psittacula cyanocephala** (Linnaeus, 1766) II 29 PSITTACIDAE (Aves) (E) Plum-headed Parakeet (S) Cotorra ciruela (F) Perruche à tête prune
- Psittacula cyanopygia* Souancé, 1856 = *Forpus cyanopygius* (Souancé, 1856)
- Psittacula derbiana** (Fraser, 1852) II 29 PSITTACIDAE (Aves) (E) Derby Parakeet (S) Cotorra de Derby (F) Perruche de Derby
- Psittacula diophthalma* Hombron & Jacquinot, 1841 = *Cyclopsitta diophthalma* (Hombron & Jacquinot, 1841)
- Psittacula echo** (Newton & Newton, 1876) I PSITTACIDAE (Aves) (E) Mauritius Parakeet, Mauritius Ring-necked Parakeet (S) Cacatúa del collar de Mauricio, Cotorra de Mauricio (F) Grosse cateau verte de Maurice, Perruche à collier de Maurice, Perruche de l'île Maurice, Perruche de Maurice
- Psittacula eques** (Boddaert, 1783) = *Psittacula echo* (Newton & Newton, 1876)
- Psittacula eupatria** (Linnaeus, 1766) II 29 PSITTACIDAE (Aves) (E) Alexandrine Parakeet (S) Cotorra alejandrina (F) Perruche alexandre
- Psittacula finschii** (Hume, 1874) II 29 PSITTACIDAE (Aves) (E) Grey-headed Parakeet (S) Cotorra de Finsch (F) Perruche de Finsch
- Psittacula gulielmitertii* Schlegel, 1866 = *Cyclopsitta gulielmitertii* (Schlegel, 1866)
- Psittacula himalayana** (Lesson, 1832) II 29 PSITTACIDAE (Aves) (E) Slaty-headed Parakeet (S) Cotorra del Himalaya (F) Perruche à tête ardoisée, Perruche de l'Himalaya
- Psittacula himalayana finschii* (Lesson, 1832) = *Psittacula finschii* (Hume, 1874)
- Psittacula intermedia** (Rothschild, 1895) II 29 PSITTACIDAE (Aves) (E) Intermediate Parakeet, Rothschild's Parakeet (S) Cotorra intermedia (F) Perruche intermédiaire
- Psittacula krameri** (Scopoli, 1769) NC PSITTACIDAE (Aves) (E) Ring-necked Parakeet, Rose-ringed Parakeet (S) Cotorra de Kramer, Loro rabudo collar, Periquito de collar africano (F) Perruche à collier
- Psittacula krameri echo* (Scopoli, 1769) = *Psittacula echo* (Newton & Newton, 1876)
- Psittacula kuhlii* Vigors, 1824 = *Vini kuhlii* (Vigors, 1824)
- Psittacula lineola* Cassin, 1853 = *Bolborhynchus lineola* (Cassin, 1853)
- Psittacula longicauda** (Boddaert, 1783) II 29 PSITTACIDAE (Aves) (E) Long-tailed Parakeet, Pink-cheeked Parakeet (S) Cotorra colilarga (F) Perruche à longs brins
- Psittacula pyrilia* Bonaparte, 1853 = *Pionopsitta pyrilia* (Bonaparte, 1853)
- Psittacula roseata** Biswas, 1951 II 29 PSITTACIDAE (Aves) (E) Blossom-headed Parakeet (S) Cotorra carirrosa (F) Perruche à tête rose
- Psittacula sclateri* G. R. Gray, 1859 = *Forpus modestus* (Cabanis, 1848)
- Psittacula xanthops* Salvin, 1895 = *Forpus xanthops* (Salvin, 1895)
- Psittacule à double-oeil de Coxen (F): *Cyclopsitta diophthalma coxeni*
- Psittacule à poitrine orange (F): *Cyclopsitta gulielmitertii*
- Psittacule de Desmarest (F): *Psittaculirostris desmarestii*
- Psittacule d'Edwards (F): *Psittaculirostris edwardsii*
- Psittacule de Salvadori (F): *Psittaculirostris salvadorii*
- Psittacule double-oeil (F): *Cyclopsitta diophthalma*
- Psittaculirostris spp.** II 29 PSITTACIDAE (Aves)
- Psittaculirostris desmarestii** (Desmarest, 1826) II 29 PSITTACIDAE (Aves) (E) Desmarest's Fig-Parrot,

Golden-headed Fig-Parrot, Large Fig-Parrot (S) Lorito de Desmarest (F) Psittacule de Desmarest	<i>Psittacus banksii</i> Latham, 1790 = <i>Calyptorhynchus banksii</i> (Latham, 1790)
<i>Psittaculirostris diophthalma</i> (Hombron & Jacquinot, 1841) = <i>Cyclopsitta diophthalma</i> (Hombron & Jacquinot, 1841)	<i>Psittacus barbadensis</i> Gmelin, 1788 = <i>Amazona barbadensis</i> (Gmelin, 1788)
<b>Psittaculirostris edwardsii</b> (Oustalet, 1885) II 29 PSITTACIDAE (Aves) (E) Edwards's Fig-Parrot (S) Lorito de Edwards (F) Psittacule d'Edwards	<i>Psittacus barrabandi</i> Kuhl, 1820 = <i>Pionopsitta barrabandi</i> (Kuhl, 1820)
<b>Psittaculirostris salvadorii</b> (Oustalet, 1880) II 29 PSITTACIDAE (Aves) (E) Salvadori's Fig-Parrot (S) Lorito de Salvadori (F) Psittacule de Salvadori	<i>Psittacus beryllinus</i> J. R. Forster, 1781 = <i>Loriculus beryllinus</i> (J. R. Forster, 1781)
<i>Psittaculirostris salvadorii edwardsii</i> (Oustalet, 1880) = <i>Psittaculirostris edwardsii</i> (Oustalet, 1885)	<i>Psittacus borneus</i> Linnaeus, 1758 = <i>Eos rubra</i> (Gmelin, 1788)
<b>Psittacus spp.</b> II 29 PSITTACIDAE (Aves)	<i>Psittacus brachyurus</i> Kuhl, 1820 = <i>Graydidascalus brachyurus</i> (Kuhl, 1820)
<i>Psittacus accipitrinus</i> Linnaeus, 1758 = <i>Deroptyus accipitrinus</i> (Linnaeus, 1758)	<i>Psittacus brasiliensis</i> Linnaeus, 1758 = <i>Amazona brasiliensis</i> (Linnaeus, 1758)
<i>Psittacus acuticaudatus</i> Vieillot, 1818 = <i>Aratinga acuticaudata</i> (Vieillot, 1818)	<i>Psittacus byroni</i> J. E. Gray, 1831 = <i>Enicognathus leptorhynchus</i> (King, 1831)
<i>Psittacus adscitus</i> Latham, 1790 = <i>Platycercus adscitus</i> (Latham, 1790)	<i>Psittacus cactorum</i> Kuhl, 1820 = <i>Aratinga cactorum</i> (Kuhl, 1820)
<i>Psittacus aestivus</i> Linnaeus, 1758 = <i>Amazona aestiva</i> (Linnaeus, 1758)	<i>Psittacus caica</i> Latham, 1790 = <i>Pionopsitta caica</i> (Latham, 1790)
<i>Psittacus agilis</i> Linnaeus, 1758 = <i>Amazona agilis</i> (Linnaeus, 1758)	<i>Psittacus caledonicus</i> Gmelin, 1788 = <i>Platycercus caledonicus</i> (Gmelin, 1788)
<i>Psittacus albifrons</i> Sparrman, 1788 = <i>Amazona albifrons</i> (Sparrman, 1788)	<i>Psittacus canicularis</i> Linnaeus, 1758 = <i>Aratinga canicularis</i> (Linnaeus, 1758)
<i>Psittacus albus</i> P. L. S. Müller, 1776 = <i>Cacatua alba</i> (P. L. S. Müller, 1776)	<i>Psittacus canus</i> Gmelin, 1788 = <i>Agapornis canus</i> (Gmelin, 1788)
<i>Psittacus alexandri</i> Linnaeus, 1758 = <i>Psittacula alexandri</i> (Linnaeus, 1758)	<i>Psittacus chalcopterus</i> Fraser, 1841 = <i>Pionus chalcopterus</i> (Fraser, 1841)
<i>Psittacus amazonicus</i> Linnaeus, 1766 = <i>Amazona amazonica</i> (Linnaeus, 1766)	<i>Psittacus chiriri</i> Vieillot, 1818 = <i>Brotogeris chiriri</i> (Vieillot, 1818)
<i>Psittacus amazoninus</i> Des Murs, 1845 = <i>Hapalopsittaca amazonina</i> (Des Murs, 1845)	<i>Psittacus chlorolepidotus</i> Kuhl, 1820 = <i>Trichoglossus chlorolepidotus</i> (Kuhl, 1820)
<i>Psittacus ambiguus</i> Bechstein, 1811 = <i>Ara ambiguus</i> (Bechstein, 1811)	<i>Psittacus chrysogaster</i> Latham, 1790 = <i>Neophema chrysogaster</i> (Latham, 1790)
<i>Psittacus amboinensis</i> Linnaeus, 1766 = <i>Alisterus amboinensis</i> (Linnaeus, 1766)	<i>Psittacus chrysopterus</i> Linnaeus, 1766 = <i>Brotogeris chrysoptera</i> (Linnaeus, 1766)
<i>Psittacus ararauna</i> Linnaeus, 1758 = <i>Ara ararauna</i> (Linnaeus, 1758)	<i>Psittacus chrysostomus</i> Kuhl, 1820 = <i>Neophema chrysostoma</i> (Kuhl, 1820)
<i>Psittacus arausiacus</i> P. L. S. Müller, 1766 = <i>Amazona arausiaca</i> (Müller, 1776)	<i>Psittacus collaris</i> Linnaeus, 1758 = <i>Amazona collaria</i> (Linnaeus, 1758)
<i>Psittacus aterrimus</i> Gmelin, 1788 = <i>Probosciger aterrimus</i> (Gmelin, 1788)	<i>Psittacus concinnus</i> Shaw, 1791 = <i>Glossopsitta concinna</i> (Shaw, 1791)
<i>Psittacus ater</i> Scopoli, 1786 = <i>Chalcopsitta atra</i> (Scopoli, 1786)	<i>Psittacus cornutus</i> Gmelin, 1788 = <i>Eunymphicus cornutus</i> (Gmelin, 1788)
<i>Psittacus aureus</i> Gmelin, 1788 = <i>Aratinga aurea</i> (Gmelin, 1788)	<i>Psittacus cruentatus</i> Wied, 1820 = <i>Pyrrhura cruentata</i> (Wied, 1820)
<i>Psittacus auricapillus</i> Kuhl, 1820 = <i>Aratinga auricapillus</i> (Kuhl, 1820)	<i>Psittacus cryptoxanthus</i> Peters, 1854 = <i>Poicephalus cryptoxanthus</i> (Peters, 1854)
<i>Psittacus auriceps</i> Kuhl, 1820 = <i>Cyanoramphus auriceps</i> (Kuhl, 1820)	<i>Psittacus cyanocephalus</i> Linnaeus, 1766 = <i>Psittacula cyanocephala</i> (Linnaeus, 1766)
<i>Psittacus aurifrons</i> Lesson, 1830 = <i>Psilopsiagon aurifrons</i> (Lesson, 1830)	<i>Psittacus cyanurus</i> Forster, 1795 = <i>Psittinus cyanurus</i> (Forster, 1795)
<i>Psittacus auropalliatus</i> Lesson, 1842 = <i>Amazona auropalliata</i> (Lesson, 1842)	<i>Psittacus desmarestii</i> Desmarest, 1826 = <i>Psittaculirostris desmarestii</i> (Desmarest, 1826)
<i>Psittacus australis</i> Gmelin, 1788 = <i>Vini australis</i> (Gmelin, 1788)	<i>Psittacus discolor</i> White, 1790 = <i>Lathamus discolor</i> (White, 1790)
<i>Psittacus autumnalis</i> Linnaeus, 1758 = <i>Amazona autumnalis</i> (Linnaeus, 1758)	<i>Psittacus discurus</i> Vieillot, 1822 = <i>Prioniturus discurus</i> (Vieillot, 1818)
	<i>Psittacus domicella</i> Linnaeus, 1758 = <i>Lorius domicella</i> (Linnaeus, 1758)

- Psittacus dufresnianus* Shaw, 1812 = *Amazona dufresniana* (Shaw, 1812)
- Psittacus elegans* Gmelin, 1788 = *Platycercus elegans* (Gmelin, 1788)
- Psittacus erithacus** Linnaeus, 1758 II 29 PSITTACIDAE  
(Aves) (E) Grey Parrot, Jacquot (S) Loro yaco, Yaco (F) Jacko, Jacquot, Perroquet gris, Perroquet jaco
- Psittacus erythropterus* Gmelin, 1788 = *Aprosmictus erythropterus* (Gmelin, 1788)
- Psittacus eupatria* Linnaeus, 1766 = *Psittacula eupatria* (Linnaeus, 1766)
- Psittacus euteles* Temminck, 1835 = *Trichoglossus euteles* (Temminck, 1835)
- Psittacus eximius* Shaw, 1792 = *Platycercus eximius* (Shaw, 1792)
- Psittacus farinosus* Boddaert, 1783 = *Amazona farinosa* (Boddaert, 1783)
- Psittacus ferrugineus* P. L. S. Müller, 1776 = *Enicognathus ferrugineus* (Müller, 1776)
- Psittacus festivus* Linnaeus, 1758 = *Amazona festiva* (Linnaeus, 1758)
- Psittacus fimbriatus* J. Grant, 1803 = *Callocephalon fimbriatum* (J. Grant, 1803)
- Psittacus frontalis* Vieillot, 1818 = *Pyrrhura frontalis* (Vieillot, 1818)
- Psittacus funereus* Shaw, 1794 = *Calyptorhynchus funereus* (Shaw, 1794)
- Psittacus fuscus* P. L. S. Müller, 1776 = *Pionus fuscus* (P. L. S. Müller, 1776)
- Psittacus galeritus* Latham, 1790 = *Cacatua galerita* (Latham, 1790)
- Psittacus galgulus* Linnaeus, 1758 = *Loriculus galgulus* (Linnaeus, 1758)
- Psittacus garrulus* Linnaeus, 1758 = *Lorius garrulus* (Linnaeus, 1758)
- Psittacus geoffroyi* Bechstein, 1811 = *Geoffroyus geoffroyi* (Bechstein, 1811)
- Psittacus geoffroyi heteroclitus* Bechstein, 1811 = *Geoffroyus heteroclitus* (Hombron & Jacquinot, 1841)
- Psittacus gramineus* Gmelin, 1788 = *Tanygnathus gramineus* (Gmelin, 1788)
- Psittacus guarouba* Gmelin, 1788 = *Guarouba guarouba* (Gmelin, 1788)
- Psittacus guildingii* Vigors, 1837 = *Amazona guildingii* (Vigors, 1837)
- Psittacus haematodus* Linnaeus, 1771 = *Trichoglossus haematodus* (Linnaeus, 1771)
- Psittacus haematuropygius* P. L. S. Müller, 1776 = *Cacatua haematuropygia* (Müller, 1776)
- Psittacus himalayanus* Lesson, 1832 = *Psittacula himalayana* (Lesson, 1832)
- Psittacus histrio* P. L. S. Müller, 1776 = *Eos histrio* (P. L. S. Müller, 1776)
- Psittacus hollandicus* Kerr, 1792 = *Nymphicus hollandicus* (Kerr, 1792)
- Psittacus huetii* Temminck, 1830 = *Touit huetii* (Temminck, 1830)
- Psittacus hyacinthinus* Latham, 1790 = *Anodorhynchus hyacinthinus* (Latham, 1790)
- Psittacus icterotis* Kuhl, 1820 = *Platycercus icterotis* (Kuhl, 1820)
- Psittacus iris* Temminck, 1835 = *Psitteuteles iris* (Temminck, 1835)
- Psittacus jandaya* Gmelin, 1788 = *Aratinga jandaya* (Gmelin, 1788)
- Psittacus jonquillaceus* Vieillot, 1818 = *Aprosmictus jonquillaceus* (Vieillot, 1818)
- Psittacus jugularis* P. L. S. Müller, 1776 = *Brotogeris jugularis* (P. L. S. Müller, 1776)
- Psittacus krameri* Scopoli, 1769 = *Psittacula krameri* (Scopoli, 1769)
- Psittacus lathami* Temminck, 1807 = *Calyptorhynchus lathami* (Temminck, 1807)
- Psittacus leucocephalus* Linnaeus, 1758 = *Amazona leucocephala* (Linnaeus, 1758)
- Psittacus leucogaster* Kuhl, 1820 = *Pionites leucogaster* (Kuhl, 1820)
- Psittacus leucophthalmus* P. L. S. Müller, 1776 = *Aratinga leucophthalma* (P. L. S. Müller, 1776)
- Psittacus longicauda* Boddaert, 1783 = *Psittacula longicauda* (Boddaert, 1783)
- Psittacus lory* Linnaeus, 1758 = *Lorius lory* (Linnaeus, 1758)
- Psittacus lucionensis* Linnaeus, 1766 = *Tanygnathus lucionensis* (Linnaeus, 1766)
- Psittacus lunulatus* Scopoli, 1786 = *Bolbopsittacus lunulatus* (Scopoli, 1786)
- Psittacus macao* Linnaeus, 1758 = *Ara macao* (Linnaeus, 1758)
- Psittacus magnificus* Shaw, 1790 = *Calyptorhynchus banksii* (Latham, 1790)
- Psittacus malachitaceus* Spix, 1824 = *Tricolor malachitacea* (Spix, 1824)
- Psittacus manilatus* Boddaert, 1783 = *Orthopsittaca manilata* (Boddaert, 1783)
- Psittacus maximiliani* Kuhl, 1820 = *Pionus maximiliani* (Kuhl, 1820)
- Psittacus megalorynchos* Boddaert, 1783 = *Tanygnathus megalorynchos* (Boddaert, 1783)
- Psittacus melanocephalus* Linnaeus, 1758 = *Pionites melanocephalus* (Linnaeus, 1758)
- Psittacus melanotus* Wied, 1820 = *Touit melanotus* (Wied, 1820)
- Psittacus menstruus* Linnaeus, 1766 = *Pionus menstruus* (Linnaeus, 1766)
- Psittacus mercenarius* Tschudi, 1844 = *Amazona mercenaria* (Tschudi, 1844)
- Psittacus meridionalis* Gmelin, 1788 = *Nestor meridionalis* (Gmelin, 1788)
- Psittacus meyeri* Cretzschmar, 1827 = *Poicephalus meyeri* (Cretzschmar, 1827)
- Psittacus militaris* Linnaeus, 1766 = *Ara militaris* (Linnaeus, 1766)
- Psittacus moluccensis* Gmelin, 1788 = *Cacatua moluccensis* (Gmelin, 1788)
- Psittacus monachus* Boddaert, 1783 = *Myiopsitta monachus* (Boddaert, 1783)
- Psittacus mulleri* S. Müller, 1841 = *Tanygnathus sumatranus* (Raffles, 1822)

- Psittacus nenday* Vieillot, 1823 = *Nandayus nenday* (Vieillot, 1823)
- Psittacus niger* Linnaeus, 1758 = *Coracopsis nigra* (Linnaeus, 1758)
- Psittacus nobilis* Linnaeus, 1758 = *Diopsittaca nobilis* (Linnaeus, 1758)
- Psittacus novaezelandiae* Sparrman, 1787 = *Cyanoramphus novaezelandiae* (Sparrman, 1787)
- Psittacus ochrocephalus* Gmelin, 1788 = *Amazona ochrocephala* (Gmelin, 1788)
- Psittacus ornatus* Linnaeus, 1758 = *Trichoglossus ornatus* (Linnaeus, 1758)
- Psittacus palmarum* Gmelin, 1788 = *Charmosyna palmarum* (Gmelin, 1788)
- Psittacus papou* Scopoli, 1786 = *Charmosyna papou* (Scopoli, 1786)
- Psittacus passerinus* Linnaeus, 1758 = *Forpus passerinus* (Linnaeus, 1758)
- Psittacus patagonus* Vieillot, 1818 = *Cyanoliseus patagonus* (Vieillot, 1818)
- Psittacus pertinax* Linnaeus, 1758 = *Aratinga pertinax* (Linnaeus, 1758)
- Psittacus peruvianus* P. L. S. Müller, 1776 = *Vini peruviana* (P. L. S. Müller, 1776)
- Psittacus philippensis* P. L. S. Müller, 1776 = *Loriculus philippensis* (Müller, 1776)
- Psittacus pictus* P. L. S. Müller, 1776 = *Pyrrhura picta* (P. L. S. Müller, 1776)
- Psittacus pileatus* Scopoli, 1769 = *Pionopsitta pileata* (Scopoli, 1769)
- Psittacus placentis* Temminck, 1834 = *Charmosyna placentis* (Temminck, 1834)
- Psittacus platurus* Vieillot, 1817 = *Prioniturus platurus* (Vieillot, 1818)
- Psittacus pretrei* Temminck, 1830 = *Amazona pretrei* (Temminck, 1830)
- Psittacus psittacus leucotis* Kuhl, 1820 = *Pyrrhura griseipectus* Salvadori, 1900
- Psittacus psittacus leucotis* Kuhl, 1820 = *Pyrrhura leucotis* (Kuhl, 1820)
- Psittacus pulchellus* Shaw, 1792 = *Neophema pulchella* (Shaw, 1792)
- Psittacus pullarius* Linnaeus, 1758 = *Agapornis pullarius* (Linnaeus, 1758)
- Psittacus purpuratus* Gmelin, 1788 = *Touit purpuratus* (Gmelin, 1788)
- Psittacus pusillus* Shaw, 1790 = *Glossopsitta pusilla* (Shaw, 1790)
- Psittacus pyrrhopterus* Latham, 1801 = *Brotogeris pyrrhoptera* (Latham, 1801)
- Psittacus reticulatus* S. Müller, 1841 = *Eos reticulata* (S. Müller, 1841)
- Psittacus robustus* Gmelin, 1788 = *Poicephalus robustus* (Gmelin, 1788)
- Psittacus roseicollis* Vieillot, 1818 = *Agapornis roseicollis* (Vieillot, 1818)
- Psittacus rueppellii* G. R. Gray, 1849 = *Poicephalus rueppellii* (Gray, 1849)
- Psittacus sanctithomae* P. L. S. Müller, 1776 = *Brotogeris sanctithomae* (P. L. S. Müller, 1776)
- Psittacus scapularis* Lichtenstein, 1818 = *Alisterus scapularis* (Lichtenstein, 1818)
- Psittacus senegalus* Linnaeus, 1766 = *Poicephalus senegalus* (Linnaeus, 1766)
- Psittacus senilis* Spix, 1824 = *Pionus senilis* (Spix, 1824)
- Psittacus seniloides* Massena & Souancé, 1854 = *Pionus tumultuosus* (Tschudi, 1844)
- Psittacus severus* Linnaeus, 1758 = *Ara severus* (Linnaeus, 1758)
- Psittacus sintillatus* Temminck, 1835 = *Chalcopsitta sintillata* (Temminck, 1835)
- Psittacus solitarius* Suckow, 1800 = *Phigys solitarius* (Suckow, 1800)
- Psittacus solstitialis* Linnaeus, 1758 = *Aratinga solstitialis* (Linnaeus, 1758)
- Psittacus sordidus* Linnaeus, 1758 = *Pionus sordidus* (Linnaeus, 1758)
- Psittacus spurius* Kuhl, 1820 = *Purpureicephalus spurius* (Kuhl, 1820)
- Psittacus squamatus* Boddaert, 1783 = *Eos squamata* (Boddaert, 1783)
- Psittacus stigmatus* S. Müller, 1843 = *Loriculus stigmatus* (S. Müller, 1843)
- Psittacus sulphureus* Gmelin, 1788 = *Cacatua sulphurea* (Gmelin, 1788)
- Psittacus sumatrana* Raffles, 1822 = *Tanygnathus sumatrana* (Raffles, 1822)
- Psittacus surdus* Kuhl, 1820 = *Touit surdus* (Kuhl, 1820)
- Psittacus swainsonii* Desmarest, 1826 = *Polytelis swainsonii* (Desmarest, 1826)
- Psittacus swindernianus* Kuhl, 1820 = *Agapornis swindernianus* (Kuhl, 1820)
- Psittacus tabuensis* Gmelin, 1788 = *Prosopeia tabuensis* (Gmelin, 1788)
- Psittacus taranta* Stanley, 1814 = *Agapornis taranta* (Stanley, 1814)
- Psittacus tenuirostris* Kuhl, 1820 = *Cacatua tenuirostris* (Kuhl, 1820)
- Psittacus tirica* Gmelin, 1788 = *Brotogeris tirica* (Gmelin, 1788)
- Psittacus tumultuosus* Tschudi, 1844 = *Pionus tumultuosus* (Tschudi, 1844)
- Psittacus ultramarinus* Kuhl, 1820 = *Vini ultramarina* (Kuhl, 1820)
- Psittacus undulatus* Shaw, 1805 = *Melopsittacus undulatus* (Shaw, 1805)
- Psittacus vasa* Shaw, 1812 = *Coracopsis vasa* (Shaw, 1812)
- Psittacus ventralis* P. L. S. Müller, 1776 = *Amazona ventralis* (Müller, 1776)
- Psittacus venustus* Kuhl, 1820 = *Platycercus venustus* (Kuhl, 1820)
- Psittacus vernalis* Sparrman, 1787 = *Loriculus vernalis* (Sparrman, 1787)
- Psittacus versicolor* P. L. S. Müller, 1776 = *Amazona versicolor* (P. L. S. Müller, 1776)
- Psittacus versicolorurus* P. L. S. Müller, 1776 = *Brotogeris versicolorurus* (P. L. S. Müller, 1776)
- Psittacus vinaceus* Kuhl, 1820 = *Amazona vinacea* (Kuhl, 1820)

- Psittacus vittatus* Boddaert, 1783 = *Amazona vittata* (Boddaert, 1783)
- Psittacus vulturinus* Kuhl, 1820 = *Pionopsitta vulturina* (Kuhl, 1820)
- Psittacus wallicus* Kerr, 1792 = *Pezoporus wallicus* Kerr, 1792
- Psittacus xanthops* Spix, 1824 = *Amazona xanthops* (Spix, 1824)
- Psittacus zonarius* Shaw, 1805 = *Barnardius zonarius* (Shaw, 1805)
- Psitteuteles* spp.** Bonaparte, 1854 II 29 LORIIDAE (Aves)
- Psitteuteles diadema* J. Verreaux & Des Murs, 1860 = *Charmosyna diadema* (Verreaux & Des Murs, 1860)
- Psitteuteles flavoviridis* (Wallace, 1863) = *Trichoglossus flavoviridis* Wallace, 1863
- Psitteuteles goldiei*** Sharpe, 1882 II 29 LORIIDAE (Aves) (E) Goldie's Lorikeet (S) Lori de Goldie (F) Loriquet de Goldie
- Psitteuteles iris*** (Temminck, 1835) II 29 LORIIDAE (Aves) (E) Iris Lorikeet, Iris Lory (S) Lori iris (F) Loriquet iris
- Psitteuteles johnstoniae* (Hartert, 1903) = *Trichoglossus johnstoniae* Hartert, 1903
- Psitteuteles versicolor*** (Lear, 1831) II 29 LORIIDAE (Aves) (E) Varied Lorikeet (S) Lori versicolor (F) Loriquet versicolore
- Psittinus* spp.** II 29 PSITTACIDAE (Aves)
- Psittinus cyanurus*** (Forster, 1795) II 29 PSITTACIDAE (Aves) (E) Blue-rumped Parrot (S) Lorito dorsiazul (F) Perruche à croupion bleu
- Psittrichas* spp.** II 29 PSITTACIDAE (Aves)
- Psittrichas de Pesquet (F): *Psittrichas fulgidus*
- Psittrichas fulgidus*** (Lesson, 1830) II 29 PSITTACIDAE (Aves) (E) Pesquet's Parrot, Vulturine Parrot (S) Loro aguileño (F) Psittrichas de Pesquet
- Psophia undulata* Jacquin, 1784 = *Chlamydota undulata* (Jacquin, 1784)
- Pteridopathes* spp.** Opresco, 2004 II APHANIPATHIDAE (Anthozoa)
- Pteridopathes pinnata*** Opresco, 2004 II APHANIPATHIDAE (Anthozoa)
- Pteridopathes tanycrada*** Opresco, 2004 II APHANIPATHIDAE (Anthozoa)
- Pteridophora* spp.** Meyer 1894 II PARADISAEIDAE (Aves)
- Pteridophora alberti*** Meyer, 1894 II PARADISAEIDAE (Aves) (E) King-of-Saxony Bird-of-paradise (F) Paradisier d'Albert, Paradisier du prince Albert
- Pterocnemia pennata*** (d'Orbigny, 1834) I/II RHEIDAE (Aves) (E) Darwin's Rhea, Lesser Rhea, Puna Rhea (S) Avestruz de Magallanes, Ñandú cordillerano, Ñandú de Darwin, Ñandú petizo (F) Nandou de Darwin
- Pterocnemia pennata pennata*** d'Orbigny, 1834 II RHEIDAE (Aves)
- Pteroglossus aracari*** (Linnaeus, 1758) II RAMPHASTIDAE (Aves) (E) Black-necked Aracari (S) Arasarí cuellinegro, Tilingo cuellinegro (F) Araçari à cou noir, Araçari grigri
- Pteroglossus bailloni* (Vieillot, 1819) = *Baillonius bailloni* (Vieillot, 1819)
- Pteroglossus castanotis*** Gould, 1834 III RAMPHASTIDAE (Aves) (E) Chestnut-eared Aracari (S) Arasarí caripardo, Arasarí orejicastano, Tucán tilingo, Tucán-Tilongo verde (F) Araçari à oreillons roux
- Pteroglossus maculirostris* Lichtenstein, 1823 = *Selenidera maculirostris* (Lichtenstein, 1823)
- Pteroglossus viridis*** (Linnaeus, 1766) II RAMPHASTIDAE (Aves) (E) Green Aracari (S) Arasarí verde, Tilingo limón (F) Araçari vert
- Pterolamiopterus budkeri* (Fourmanoir, 1961) = *Carcharhinus longimanus* (Poey 1861)
- Pterolamiopterus longimanus* (Poey, 1861) = *Carcharhinus longimanus* (Poey 1861)
- Pterolamiopterus magnipinnis* (Smith, 1958) = *Carcharhinus longimanus* (Poey 1861)
- Pteronura* spp.** Gray, 1837 I MUSTELIDAE (Mammalia)
- Pteronura brasiliensis*** (Gmelin, 1788) I MUSTELIDAE (Mammalia) (E) Giant Brazilian Otter, Giant Otter (S) Arirai, Lobito de cola ancha, Lobo del río, Lobo de Río Grande, Lobo gargantilla, Nutria brasileña, Nutria gigante, Perro de agua (F) Loutre géante du Brésil
- Pteropatres* spp.** Brook, 1889 II ANTIPATHIDAE (Anthozoa)
- Pteropatres fragilis*** Brook, 1889 II ANTIPATHIDAE (Anthozoa)
- Pteropatres simpsoni* Summers, 1910 = *Antipatres simpsoni* (Summers, 1910)
- Pterophanes* spp.** II TROCHILIDAE (Aves)
- Pterophanes cyanopterus*** (Fraser, 1839) II TROCHILIDAE (Aves) (E) Great Sapphirewing (S) Alazafiro grande, Colibrí aliazul (F) Colibri à ailes saphir
- Pteropus* spp. I/II/NC 20 PTEROPODIDAE (Mammalia)**
- Pteropus admirabilitatum*** Thomas, 1894 II 20 PTEROPODIDAE (Mammalia) (E) Admiralty Flying-fox (S) Zorro volador de las islas del almirantazgo
- Pteropus aldabrensis*** True, 1893 II 20 PTEROPODIDAE (Mammalia) (E) Aldabra Flying-fox (S) Zorro volador de Aldabra
- Pteropus alecto*** Temminck, 1837 II 20 PTEROPODIDAE (Mammalia) (E) Black Flying-fox, Central Flying-fox (S) Zorro volador negro
- Pteropus anetianus*** Gray, 1870 II 20 PTEROPODIDAE (Mammalia) (E) Vanuatu Flying-fox, White Flying-fox
- Pteropus argentatus* Gray, 1844 = *Pteropus chrysoproctus* Temminck, 1837
- Pteropus arquatus* Miller & Hollister, 1921 = *Acerodon celebensis* (Peters, 1867)
- Pteropus aruensis*** Peters, 1867 II 20 PTEROPODIDAE (Mammalia) (E) Aru Flying-fox
- Pteropus balutus* Hollister, 1913 = *Pteropus pumilus* Miller, 1911
- Pteropus banakrisi*** Richards & Hall, 2002 II 20 PTEROPODIDAE (Mammalia)
- Pteropus brunneus*** Dobson, 1878 NC PTEROPODIDAE (Mammalia) (E) Dusky Flying-fox (S) Zorro volador de las islas Percy

- Pteropus caniceps** Gray, 1870 II 20 PTEROPODIDAE  
 (Mammalia) (E) Ashy-headed Flying-fox, North Moluccan Flying-fox (S) Zorro volador de cabeza cenicienta
- Pteropus capistratus** Peters, 1876 II 20  
 PTEROPODIDAE (Mammalia) (E) Bismarck Masked Flying-fox
- Pteropus chrysoproctus** Temminck, 1837 II 20  
 PTEROPODIDAE (Mammalia) (E) Amboon Flying-fox, Moluccan Flying-fox (S) Zorro volador de Amboina
- Pteropus cognatus** K. Andersen, 1908 II 20  
 PTEROPODIDAE (Mammalia) (E) Makira Flying-fox
- Pteropus comorensis** Nicoll, 1908 = *Pteropus seychellensis* Milne-Edwards, 1877
- Pteropus conspicillatus** Gould, 1850 II 20  
 PTEROPODIDAE (Mammalia) (E) Spectacled Flying-fox (S) Zorro volador de anteojos
- Pteropus dasymallus** Temminck, 1825 II 20  
 PTEROPODIDAE (Mammalia) (E) Ryukyu Flying-fox (S) Zorro volador de Ryu-Kyu
- Pteropus faunulus** Miller, 1902 II 20 PTEROPODIDAE  
 (Mammalia) (E) Nicobar Flying-fox
- Pteropus fundatus** Felten & Kock, 1972 II 20  
 PTEROPODIDAE (Mammalia) (E) Banks Flying-fox (S) Zorro volador de las islas Banks
- Pteropus giganteus** (Brünnich, 1782) II 20  
 PTEROPODIDAE (Mammalia) (E) Indian Flying-fox (S) Zorro volador de la India
- Pteropus gilliardi** Van Deuseen, 1969 = *Pteropus gilliardorum* Van Deuseen, 1969
- Pteropus gilliardorum** Van Deuseen, 1969 II 20  
 PTEROPODIDAE (Mammalia) (E) Gilliard's Flying-fox, New Britain Flying-fox (S) Zorro volador de Gilliard
- Pteropus griseus** (É. Geoffroy, 1810) II 20  
 PTEROPODIDAE (Mammalia) (E) Grey Flying-fox (S) Zorro volador gris
- Pteropus howensis** Troughton, 1931 II 20  
 PTEROPODIDAE (Mammalia) (E) Ontong Java Flying-fox (S) Zorro volador de Howens
- Pteropus hypomelanus** Temminck, 1853 II 20  
 PTEROPODIDAE (Mammalia) (E) Small Flying-fox, Variable Flying-fox (S) Zorro volador pequeño
- Pteropus hypomelanus mearnsi* Temminck, 1853 = *Pteropus speciosus* K. Andersen, 1908
- Pteropus hypomelanus santacrucis* Temminck, 1853 = *Pteropus nitendiensis* Sanborn, 1930
- Pteropus insularis** Hombron & Jacquinot, 1842 I  
 PTEROPODIDAE (Mammalia) (E) Chuuk Flying-fox, Ruck Flying-fox (F) Roussette des îles Truk
- Pteropus intermedius** K. Andersen, 1908 II 20  
 PTEROPODIDAE (Mammalia) (E) Andersen's Flying-fox
- Pteropus keyensis** Peters, 1867 II 20 PTEROPODIDAE  
 (Mammalia) (E) Kei Flying-fox
- Pteropus leucopterus** Temminck, 1853 II 20  
 PTEROPODIDAE (Mammalia) (E) White-winged Flying-fox (S) Zorro volador de Luzón
- Pteropus leucotis** Sanborn, 1950 = *Acerodon leucotis* (Sanborn, 1950)
- Pteropus livingstonei** Gray, 1866 = *Pteropus livingstonii* Gray, 1866
- Pteropus livingstonii** Gray, 1866 II 20 PTEROPODIDAE  
 (Mammalia) (E) Comoro Black Flying-fox (S) Zorro volador de Livingston
- Pteropus lombocensis** Dobson, 1878 II 20  
 PTEROPODIDAE (Mammalia) (E) Lombok Flying-fox (S) Zorro volador de Lombok
- Pteropus loochoensis** Gray, 1870 I PTEROPODIDAE  
 (Mammalia) (E) Japanese Flying-fox, Okinawa Flying-fox
- Pteropus lylei** K. Andersen, 1908 II 20 PTEROPODIDAE  
 (Mammalia) (E) Lyle's Flying-fox (S) Zorro volador de Lyle
- Pteropus macrotis** Peters, 1867 II 20 PTEROPODIDAE  
 (Mammalia) (E) Big-eared Flying-fox, Large-eared Flying-fox (S) Zorro volador de orejas grandes
- Pteropus macrotis pohlei* Peters, 1867 = *Pteropus pohlei* Stein, 1933
- Pteropus mahaganus** Sanborn, 1931 II 20  
 PTEROPODIDAE (Mammalia) (E) Lesser Flying-fox, Sanborn's Flying-fox (S) Zorro volador de Bougainville
- Pteropus mariannus** Desmarest, 1822 I  
 PTEROPODIDAE (Mammalia) (E) Marianas Flying-fox, Micronesian Flying-fox (F) Roussette des îles Marianas, Roussette des îles Marianne
- Pteropus mearnsi** Hollister, 1913 = *Pteropus speciosus* K. Andersen, 1908
- Pteropus melanopogon** Peters, 1867 II 20  
 PTEROPODIDAE (Mammalia) (E) Black-bearded Flying-fox (S) Zorro volador de barba negra
- Pteropus melanotus** Blyth, 1863 II 20 PTEROPODIDAE  
 (Mammalia) (E) Black-eared Flying-fox, Christmas Island Flying-fox (S) Zorro volador de Andaman
- Pteropus molossinus** Temminck, 1853 I  
 PTEROPODIDAE (Mammalia) (E) Caroline Flying-fox, Pohnpei Flying-fox (F) Renard volant de Ponape
- Pteropus neohibernicus** Peters, 1876 II 20  
 PTEROPODIDAE (Mammalia) (E) Bismarck Flying-fox, Great Flying-fox (S) Zorro volador de Bismarck
- Pteropus niger** (Kerr, 1792) II 20 PTEROPODIDAE  
 (Mammalia) (E) Greater Mascarene Flying-fox (S) Zorro volador negro de Mauricio
- Pteropus nitendiensis** Sanborn, 1930 II 20  
 PTEROPODIDAE (Mammalia) (E) Temotu Flying-fox (S) Zorro volador de la isla Ndeni
- Pteropus oocularis** Peters, 1867 II 20 PTEROPODIDAE  
 (Mammalia) (E) Seram Flying-fox, Seram Fruit Bat (S) Zorro volador de la isla Ceram
- Pteropus ornatus** Gray, 1870 II 20 PTEROPODIDAE  
 (Mammalia) (E) Ornate Flying-fox (S) Zorro volador de las islas de la Leal
- Pteropus pelewensis** K. Andersen, 1908 I  
 PTEROPODIDAE (Mammalia) (E) Palau Flying-fox
- Pteropus personatus** Temminck, 1825 II 20  
 PTEROPODIDAE (Mammalia) (E) Masked Flying-fox, Masked Fruit Bat (S) Zorro volador enmascarado

- Pteropus phaeocephalus* Thomas, 1882 = *Pteropus insularis* Hombron & Jacquinot, 1842  
**Pteropus pilosus** K. Andersen, 1908 I PTEROPODIDAE  
 (Mammalia) (E) Large Palau Flying-fox, Palau Fruit Bat (S)  
 (S) Zorro volador de las islas Palau (F) Roussette des îles Palau  
**Pteropus pohlei** Stein, 1933 II 20 PTEROPODIDAE  
 (Mammalia) (E) Geelvink Bay Flying-fox (S) Zorro volador de la isla Japen  
**Pteropus poliocephalus** Temminck, 1825 II 20  
 PTEROPODIDAE (Mammalia) (E) Grey-headed Flying-fox (S) Zorro volador de cabeza gris  
**Pteropus pselaphon** Lay, 1829 II 20 PTEROPODIDAE  
 (Mammalia) (E) Bonin Flying-fox, Bonin Fruit Bat (S)  
 Zorro volador de las islas Bonin  
**Pteropus pumilus** Miller, 1911 II 20 PTEROPODIDAE  
 (Mammalia) (E) Little Golden-mantled Flying-fox (S)  
 Zorro volador de Taylor  
**Pteropus rayneri** Gray, 1870 II 20 PTEROPODIDAE  
 (Mammalia) (E) Solomons Flying-fox (S) Zorro volador de las Salomón  
**Pteropus rennelli** Troughton, 1929 II 20  
 PTEROPODIDAE (Mammalia) (E) Rennell Flying-fox  
**Pteropus rodricensis** Dobson, 1878 II 20  
 PTEROPODIDAE (Mammalia) (E) Rodrigues Flying-fox, Rodrigues Fruit Bat (S) Zorro volador de la isla Rodrígues  
**Pteropus rufus** É. Geoffroy, 1803 II 20 PTEROPODIDAE  
 (Mammalia) (E) Madagascar Flying-fox, Madagascar Fruit Bat (S) Zorro volador de Madagascar  
**Pteropus samoensis** Peale, 1848 I PTEROPODIDAE  
 (Mammalia) (E) Samoan Flying-fox (F) Roussette des îles Samoa  
*Pteropus sanctacrucis* Troughton, 1930 = *Pteropus nitendiensis* Sanborn, 1930  
*Pteropus satyrus* K. Andersen, 1908 = *Pteropus hypomelanus* Temminck, 1853  
**Pteropus scapulatus** Peters, 1862 II 20  
 PTEROPODIDAE (Mammalia) (E) Little Red Flying-fox (S) Zorro volador de Queensland  
**Pteropus seychellensis** Milne-Edwards, 1877 II 20  
 PTEROPODIDAE (Mammalia) (E) Seychelles Flying-fox (S) Zorro volador de las Seychelles  
*Pteropus seychellensis aldabrensis* Milne-Edwards, 1877  
 = *Pteropus aldabrensis* True, 1893  
**Pteropus speciosus** K. Andersen, 1908 II 20  
 PTEROPODIDAE (Mammalia) (E) Philippine Grey Flying-fox (S) Zorro volador de la isla Malawi  
**Pteropus subniger** (Kerr, 1792) II 20 PTEROPODIDAE  
 (Mammalia) (E) Dark Flying-fox, Lesser Mascarene Flying-fox (S) Zorro volador oscuro de Mauricio  
*Pteropus tablasi* Taylor, 1934 = *Pteropus pumilus* Miller, 1911  
**Pteropus temminckii** Peters, 1867 II 20  
 PTEROPODIDAE (Mammalia) (E) Temminck's Flying-fox (S) Zorro volador de Temminck  
*Pteropus temmincki* Peters, 1867 = *Pteropus temminckii* Peters, 1867  
**Pteropus tokudae** Tate, 1934 II 20 PTEROPODIDAE  
 (Mammalia) (E) Guam Flying-fox, Guam Fruit Bat (S)  
 Zorro volador de Tokuda  
**Pteropus tonganus** Quoy & Gaimard, 1830 I  
 PTEROPODIDAE (Mammalia) (E) Insular Flying-fox, Pacific Flying-fox (F) Roussette des îles Tonga  
**Pteropus tuberculatus** Peters, 1869 II 20  
 PTEROPODIDAE (Mammalia) (E) Vanikoro Flying-fox (S) Zorro volador de la isla Jawi  
**Pteropus ualanus** Peters, 1883 I PTEROPODIDAE  
 (Mammalia) (E) Kosrae Flying-fox  
**Pteropus vampyrus** (Linnaeus, 1758) II 20  
 PTEROPODIDAE (Mammalia) (E) Large Flying-fox (S)  
 Zorro volador de cuello rojo  
**Pteropus vetulus** Jouan, 1863 II 20 PTEROPODIDAE  
 (Mammalia) (E) New Caledonia Flying-fox (S) Zorro volador de Nueva Caledonia  
**Pteropus voeltzkowi** Matschie, 1909 II 20  
 PTEROPODIDAE (Mammalia) (E) Pemba Flying-fox (S) Zorro volador de Voeltzkow  
**Pteropus woodfordi** Thomas, 1888 II 20  
 PTEROPODIDAE (Mammalia) (E) Dwarf Flying-fox, Least Flying-fox, Least Fruit Bat (S) Zorro volador de Woodford  
**Pteropus yapensis** K. Andersen, 1908 I  
 PTEROPODIDAE (Mammalia) (E) Yap Flying-fox  
**PTILOCERCIDAE spp.** Lyon, 1913 II (Mammalia)  
*Ptilocercus* spp. II PTILOCERCIDAE (Mammalia)  
*Ptilocercus lowii* Gray, 1848 II PTILOCERCIDAE  
 (Mammalia) (E) Pen-tailed Treeshrew (S) Musaraña arborícola coliplumada (F) Ptilocerque de Low  
 Ptilocerque de Low (F): *Ptilocercus lowii*  
*Ptilolaemus austeni* (Blyth, 1855) = *Anorrhinus tickelli* (Blyth, 1855)  
*Ptilolaemus tickelli* (Blyth, 1855) = *Anorrhinus tickelli* (Blyth, 1855)  
**Ptilopsis** spp. II 30 STRIGIDAE (Aves)  
**Ptilopsis granti** (Kolibay, 1910) II 30 STRIGIDAE (Aves)  
 (E) Southern White-faced Owl  
**Ptilopsis leucotis** (Temminck, 1820) II 30 STRIGIDAE  
 (Aves) (E) White-faced Scops-Owl (S) Autillo cariblanco, Gran autillo veliblanco (F) Petit-duc à face blanche  
**Ptiloris** spp. Swainson 1825 II PARADISAEIDAE (Aves)  
 Ptiloris de Victoria (F): *Ptiloris victoriae*  
**Ptiloris intercedens** Sharpe, 1882 II PARADISAEIDAE  
 (Aves) (E) Eastern Riflebird  
**Ptiloris magnificus** (Vieillot, 1819) II PARADISAEIDAE  
 (Aves) (E) Magnificent Riflebird (F) Paradisier gorge-d'acier, Proméfil  
 Ptiloris paradis (F): *Ptiloris paradiseus*  
**Ptiloris paradiseus** Swainson, 1825 II PARADISAEIDAE  
 (Aves) (E) Paradise Riflebird (F) Paradisier festonné, Ptiloris paradis  
**Ptiloris victoriae** Gould, 1850 II PARADISAEIDAE (Aves)  
 (E) Queen Victoria's Riflebird, Victoria's Riflebird (F) Paradisier de Victoria, Ptiloris de Victoria  
*Ptyas mucosus* (Linnaeus, 1758) II COLUBRIDAE  
 (Reptilia) (E) Common Rat Snake, Dhaman, Oriental

Rat Snake (S) Culebra ratera oriental (F) Elaphe de l'Inde, Grand serpent ratier de l'Indie, Serpent ratier, Serpent ratier indien, Serpent ratier oriental	Puma, Red Tiger (S) León americano, León bayo, Mitzli, Onza bermeja, Puma (F) Puma
<i>Ptyodactylus fimbriatus</i> (Schneider, 1797) = <i>Uroplatus fimbriatus</i> (Schneider, 1792)	<i>Puma concolor coryi</i> (Bangs, 1899) I FELIDAE (Mammalia) (E) Florida Cougar, Florida Panther, Florida Puma (S) León de Florida, Puma de Florida (F) Cougar de Floride, Puma de Floride
<i>Ptyodactylus lineatus</i> Duméril & Bibron, 1836 = <i>Uroplatus lineatus</i> (Duméril & Bibron, 1836)	<i>Puma concolor costaricensis</i> (Merriam, 1901) I FELIDAE (Mammalia) (E) Central American Puma, Costa Rican Puma (S) León costarricense, Puma costarricense, Puma de América Central (F) Puma d'Amérique centrale
<b>Pucrasia macrolopha</b> (Lesson, 1829) III PHASIANIDAE (Aves) (E) Koklass Pheasant	<i>Puma concolor couguar</i> (Kerr, 1792) I FELIDAE (Mammalia) (E) Eastern Cougar, Eastern Panther, Eastern Puma (S) Puma del este de América del Norte, Puma oriental (F) Cougouar, Puma de l'est de l'Amérique du nord
Pudu, Chilean (E): <i>Pudu puda</i>	Puma, Costa Rican (E): <i>Puma concolor costaricensis</i>
Pudu du nord (F): <i>Pudu mephistophiles</i>	Puma costarricense (S): <i>Puma concolor costaricensis</i>
Pudu du sud (F): <i>Pudu puda</i>	Puma d'Amérique centrale (F): <i>Puma concolor costaricensis</i>
<b>Pudu mephistophiles</b> (de Winton, 1896) II CERVIDAE (Mammalia) (E) Northern Pudu (S) Pudu norteño, Sachacabra, Venadito de los páramos, Venado conejo (F) Poudou du nord, Pudu du nord	Puma de América Central (S): <i>Puma concolor costaricensis</i>
Pudu meridional (S): <i>Pudu puda</i>	Puma de Florida (S): <i>Puma concolor coryi</i>
Pudu norteño (S): <i>Pudu mephistophiles</i>	Puma de Floride (F): <i>Puma concolor coryi</i>
Pudu, Northern (E): <i>Pudu mephistophiles</i>	Puma de l'est de l'Amérique du nord (F): <i>Puma concolor couguar</i>
<b>Pudu puda</b> (Molina, 1782) I CERVIDAE (Mammalia) (E) Chilean Pudu, Southern Pudu (S) Ciervo enano, Pudu meridional, Pudu sureño, Venadito (F) Poudou du sud, Pudu du sud	Puma del este de América del Norte (S): <i>Puma concolor couguar</i>
Pudu, Southern (E): <i>Pudu puda</i>	Puma, Eastern (E): <i>Puma concolor couguar</i>
Pudu sureño (S): <i>Pudu puda</i>	Puma, Florida (E): <i>Puma concolor coryi</i>
Puffleg, Black-breasted (E): <i>Eriocnemis nigrivestis</i>	Puma oriental (S): <i>Puma concolor couguar</i>
Puffleg, Black-thighed (E): <i>Eriocnemis derbyi</i>	<b>Puma yagouaroundi</b> (É. Geoffroy Saint-Hilaire, 1803) I/II 15 FELIDAE (Mammalia) (E) Eyra Cat, Jaguarundi (S) Gato colorado, Gato moro, León brenero, Leoncillo, Onza, Tigrillo, Yaguarundi (F) Jaguarundi
Puffleg, Blue-capped (E): <i>Eriocnemis glaucoptoides</i>	Punta blanca (S): <i>Urosticte benjamini</i>
Puffleg, Buff-thighed (E): <i>Haplophaedia assimilis</i>	<b>Purpleicephalus spp.</b> II 29 PSITTACIDAE (Aves)
Puffleg, Colourful (E): <i>Eriocnemis mirabilis</i>	<b>Purpleicephalus spurius</b> (Kuhl, 1820) II 29
Puffleg, Coppery-bellied (E): <i>Eriocnemis cupreoventralis</i>	PSITTACIDAE (Aves) (E) Pileated Parakeet, Red-capped Parrot (S) Perico capelo (F) Perruche à tête pourpre
Puffleg, Emerald-bellied (E): <i>Eriocnemis alinae</i>	Putois à pieds noirs (F): <i>Mustela nigripes</i>
Puffleg, Glowing (E): <i>Eriocnemis vestita</i>	<b>Pycnonotus zeylanicus</b> (Gmelin, 1789) II PYCNONOTIDAE (Aves) (E) Straw-crowned Bulbul, Straw-headed Bulbul (S) Bulbul bigotudo (F) Bulbul à tête jaune
Puffleg, Golden-breasted (E): <i>Eriocnemis mosquera</i>	Pygargue à queue blanche (F): <i>Haliaeetus albicilla</i>
Puffleg, Gorgeted (E): <i>Eriocnemis isabellae</i>	Pygargue à tête blanche (F): <i>Haliaeetus leucocephalus</i>
Puffleg, Greenish (E): <i>Haplophaedia aureliae</i>	Pygargue à tête grise (F): <i>Ichthyophaga ichthyaetus</i>
Puffleg, Hoary (E): <i>Haplophaedia lugens</i>	Pygargue à ventre blanc (F): <i>Haliaeetus leucogaster</i>
Puffleg, Sapphire-vented (E): <i>Eriocnemis luciani</i>	Pygargue blagre (F): <i>Haliaeetus leucogaster</i>
Puffleg, Turquoise-throated (E): <i>Eriocnemis godini</i>	Pygargue commun (F): <i>Haliaeetus albicilla</i>
<b>Pulsatrix spp.</b> II 30 STRIGIDAE (Aves)	Pygargue de Madagascar (F): <i>Haliaeetus vociferoides</i>
<b>Pulsatrix koeniswaldiana</b> (M. Bertoni & W. Bertoni, 1901) II 30 STRIGIDAE (Aves) (E) Tawny-browed Owl, White-chinned Owl (S) Lechuzón acollarado chico, Lechuzón anteojos menor, Lechuzón pardo menor (F) Chouette à sourcils jaunes, Chouette de Koeniswald	Pygargue de Pallas (F): <i>Haliaeetus leucoryphus</i>
<b>Pulsatrix melanota</b> (Tschudi, 1844) II 30 STRIGIDAE (Aves) (E) Band-bellied Owl, Band-tailed Owl, Rusty-barred Owl (S) Cicupa, Lechuzón acollarado grande (F) Chouette à collier	Pygargue de Sanford (F): <i>Haliaeetus sanfordi</i>
<b>Pulsatrix perspicillata</b> (Latham, 1790) II 30 STRIGIDAE (Aves) (E) Spectacled Owl (S) Búho de anteojos, Lechuzón anteojos, Lechuzón de anteojos (F) Chouette à lunettes	Pygargue de Steller (F): <i>Haliaeetus pelagicus</i>
Puma (F): <i>Puma concolor</i>	Pygargue empereur (F): <i>Haliaeetus pelagicus</i>
Puma (E): <i>Puma concolor</i>	Pygargue nain (F): <i>Ichthyophaga humilis</i>
Puma (S): <i>Puma concolor</i>	Pygargue vocifer (F): <i>Haliaeetus vocifer</i>
<b>Puma spp.</b> I/II 10 FELIDAE (Mammalia)	<b>Pygathrix spp.</b> I CERCOPITHECIDAE (Mammalia)
Puma, Central American (E): <i>Puma concolor costaricensis</i>	
<b>Puma concolor</b> (Linnaeus, 1771) I/II 10 FELIDAE (Mammalia) (E) Cougar, Deer Tiger, Mountain Lion,	

<i>Pygathrix avunculus</i> (Dollman, 1912) = <i>Rhinopithecus avunculus</i> (Dollman, 1912)	<i>Pyrilia barrabandi</i> (Kuhl, 1820) = <i>Pionopsitta barrabandi</i> (Kuhl, 1820)
<i>Pygathrix bieti</i> (Milne Edwards, 1897) = <i>Rhinopithecus bieti</i> Milne-Edwards, 1897	<i>Pyrilia caica</i> (Latham, 1790) = <i>Pionopsitta caica</i> (Latham, 1790)
<i>Pygathrix brelichi</i> (Thomas, 1903) = <i>Rhinopithecus brelichi</i> (Thomas, 1903)	<i>Pyrilia haematotis</i> (Sclater & Salvin, 1860) = <i>Pionopsitta haematotis</i> (Sclater & Salvin, 1860)
<b>Pygathrix cinerea</b> Nadler, 1997 I CERCOPITHECIDAE (Mammalia) (E) Grey-shanked Douc Langur	<i>Pyrilia pulchra</i> (von Berlepsch, 1897) = <i>Pionopsitta pulchra</i> Berlepsch, 1897
<b>Pygathrix nemaeus</b> (Linnaeus, 1771) I CERCOPITHECIDAE (Mammalia) (E) Douc, Douc Langur, Douc Monkey, Red-shanked Douc Langur (S) Langur jaspeado, Mono pigatrix (F) Douc, Rhinopithèque douc	<i>Pyrilia pyrilia</i> (Bonaparte, 1853) = <i>Pionopsitta pyrilia</i> (Bonaparte, 1853)
<i>Pygathrix nemaeus cinerea</i> (Linnaeus, 1771) = <i>Pygathrix cinerea</i> Nadler, 1997	<i>Pyrilia vulturina</i> (Kuhl, 1820) = <i>Pionopsitta vulturina</i> (Kuhl, 1820)
<b>Pygathrix nigripes</b> (Milne-Edwards, 1871) I CERCOPITHECIDAE (Mammalia) (E) Black-shanked Douc Langur	<i>Pyrophylia inflata</i> Hickson, 1910 = <i>Guynia annulata</i> Duncan, 1872
<i>Pygathrix roxellana bieti</i> (Milne-Edwards, 1870) = <i>Rhinopithecus bieti</i> Milne-Edwards, 1897	<i>Pyrrhulopsis personatus</i> (G. R. Gray, 1848) = <i>Prosopeia personata</i> (G. R. Gray, 1848)
<i>Pygathrix roxellana brelichi</i> (Milne-Edwards, 1870) = <i>Rhinopithecus brelichi</i> (Thomas, 1903)	<i>Pyrrhulopsis splendens</i> (Peale, 1848) = <i>Prosopeia splendens</i> (Peale, 1848)
<i>Pygathrix roxellana</i> (Milne-Edwards, 1870) = <i>Rhinopithecus roxellana</i> (Milne-Edwards, 1870)	<i>Pyrrhulopsis tabuensis</i> (J. F. Gmelin, 1788) = <i>Prosopeia tabuensis</i> (Gmelin, 1788)
<i>Pygmornis longuemareus</i> (Lesson, 1832) = <i>Phaethornis aethopyga</i> Zimmer, 1950	<b>Pyrrhura spp.</b> Bonaparte, 1856 I/II 29 PSITTACIDAE (Aves)
<i>Pygmornis longuemareus</i> (Lesson, 1832) = <i>Phaethornis longuemareus</i> (Lesson, 1832)	<b>Pyrrhura albipectus</b> Chapman, 1914 II 29 PSITTACIDAE (Aves) (E) White-breasted Parakeet, White-necked Conure, White-necked Parakeet (S) Cotorra cuelliblanca, Perico pechiblanco (F) Conure à col blanc
<i>Pygmornis striigularis</i> (Gould, 1854) = <i>Phaethornis striigularis</i> Gould, 1854	<i>Pyrrhura amazonum</i> Hellmayr, 1906 = <i>Pyrrhura picta</i> (P. L. S. Müller, 1776)
Pygmy-Owl, Amazonian (E): <i>Glaucidium hardyi</i>	<i>Pyrrhura anaca</i> (J. F. Gmelin, 1788) = <i>Pyrrhura leucotis</i> (Kuhl, 1820)
Pygmy-Owl, Andean (E): <i>Glaucidium jardinii</i>	<i>Pyrrhura anaca</i> J. F. Gmelin, 1788 = <i>Pyrrhura griseipectus</i> Salvadori, 1900
Pygmy-Owl, Austral (E): <i>Glaucidium nana</i>	<b>Pyrrhura caeruleiceps</b> Todd, 1947 II 29 PSITTACIDAE (Aves) (E) Perijá Parakeet, Todd's Parakeet
Pygmy-Owl, Brazilian (E): <i>Glaucidium minutissimum</i>	<i>Pyrrhura caeruleiceps</i> Todd, 1947 = <i>Pyrrhura picta</i> (P. L. S. Müller, 1776)
Pygmy-Owl, Central American (E): <i>Glaucidium griseiceps</i>	<b>Pyrrhura calliptera</b> (Massena & Souancé, 1854) II 29 PSITTACIDAE (Aves) (E) Brown-breasted Parakeet, Flame-winged Conure, Flame-winged Parakeet (S) Cotorra pechiparda (F) Conure à poitrine brune
Pygmy-Owl, Cloud-forest (E): <i>Glaucidium nubicola</i>	<b>Pyrrhura cruentata</b> (Wied, 1820) I PSITTACIDAE (Aves)
Pygmy-Owl, Colima (E): <i>Glaucidium palmarum</i>	(E) Blue-chested Parakeet, Blue-throated Parakeet, Ochre-marked Parakeet, Red-eared Conure (S) Cotorra tiriba, Perico grande (F) Conure à gorge bleue, Conure tiriba, Perruche tiriba
Pygmy-Owl, Collared (E): <i>Glaucidium brodiei</i>	<b>Pyrrhura devillei</b> (Massena & Souancé, 1854) II 29 PSITTACIDAE (Aves) (E) Blaze-winged Conure, Blaze-winged Parakeet (S) Cotorra de Deville (F) Conure de Deville
Pygmy-Owl, Costa Rican (E): <i>Glaucidium costaricanum</i>	<b>Pyrrhura egregia</b> (Sclater, 1881) II 29 PSITTACIDAE (Aves) (E) Fiery-shouldered Conure, Fiery-shouldered Parakeet (S) Cotorra egregia, Perico colimorado (F) Conure aile-de-feu
Pygmy-Owl, Cuban (E): <i>Glaucidium siju</i>	<b>Pyrrhura eisenmanni</b> Delgado, 1985 II 29 PSITTACIDAE (Aves) (E) Azuero Parakeet
Pygmy-Owl, Eurasian (E): <i>Glaucidium passerinum</i>	<i>Pyrrhura eisenmanni</i> Delgado, 1985 = <i>Pyrrhura picta</i> (P. L. S. Müller, 1776)
Pygmy-Owl, Ferruginous (E): <i>Glaucidium brasiliandum</i>	<b>Pyrrhura frontalis</b> (Vieillot, 1818) II 29 PSITTACIDAE (Aves) (E) Maroon-bellied Parakeet, Red-bellied
Pygmy-Owl, Hardy's (E): <i>Glaucidium hardyi</i>	
Pygmy-Owl, Least (E): <i>Glaucidium minutissimum</i>	
Pygmy-Owl, Mountain (E): <i>Glaucidium gnoma</i>	
Pygmy-Owl, Pacific (E): <i>Glaucidium peruanum</i>	
Pygmy-Owl, Pernambuco (E): <i>Glaucidium mooreorum</i>	
Pygmy-Owl, Peruvian (E): <i>Glaucidium peruanum</i>	
Pygmy-Owl, Subtropical (E): <i>Glaucidium parkeri</i>	
Pygmy-Owl, Tamaulipas (E): <i>Glaucidium sanchezi</i>	
Pygmy-Owl, Yungas (E): <i>Glaucidium boliviianum</i>	
Pygmy-Parrot, Buff-faced (E): <i>Micropsitta pusio</i>	
Pygmy-Parrot, Finsch's (E): <i>Micropsitta finschii</i>	
Pygmy-Parrot, Geelvink (E): <i>Micropsitta geelvinkiana</i>	
Pygmy-Parrot, Meek's (E): <i>Micropsitta meeki</i>	
Pygmy-Parrot, Red-breasted (E): <i>Micropsitta bruijnii</i>	
Pygmy-Parrot, Yellow-capped (E): <i>Micropsitta keiensis</i>	
<i>Pyrrilia aurantiocephala</i> (Gaban-Lima, Raposo & Höfling, 2002) = <i>Pionopsitta aurantiocephala</i> Gaban-Lima, Raposo & Höfling, 2002	

- Conure, Reddish-bellied Parakeet (S) Chiripepé común, Cotorra chiripepé (F) Conure de Vieillot
- Pyrrhura griseipectus** Salvadori, 1900 II 29  
PSITTACIDAE (Aves) (E) Grey-breasted Conure, Grey-breasted Parakeet
- Pyrrhura griseipectus** Salvadori, 1900 = **Pyrrhura leucotis** (Kuhl, 1820)
- Pyrrhura hoematotis** Souancé, 1857 II 29 PSITTACIDAE (Aves) (E) Blood-eared Parakeet, Red-breasted Conure, Red-eared Parakeet (S) Cotorra colirroja, Perico cola roja (F) Conure à oreillons
- Pyrrhura hoffmanni** (Cabanis, 1861) II 29 PSITTACIDAE (Aves) (E) Hoffmann's Conure, Sulphur-winged Parakeet (S) Cotorra catana (F) Conure de Hoffmann
- Pyrrhura hypoxantha** Salvadori, 1899 = **Pyrrhura molinae** (Massena & Souancé, 1854)
- Pyrrhura lepidota** (Wagler, 1832) II 29 PSITTACIDAE (Aves) (E) Pearly Conure, Pearly Parakeet (S) Cotorra perlada (F) Conure perlée
- Pyrrhura leucotis** (Kuhl, 1820) II 29 PSITTACIDAE (Aves) (E) Maroon-faced Parakeet, White-eared Conure, White-eared Parakeet (S) Cotorra cariparda, Perico pintado (F) Conure emma
- Pyrrhura leucotis** (Kuhl, 1820) = **Pyrrhura griseipectus** Salvadori, 1900
- Pyrrhura lucianii** (Deville, 1851) = **Pyrrhura picta** (P. L. S. Müller, 1776)
- Pyrrhura melanura** (Spix, 1824) II 29 PSITTACIDAE (Aves) (E) Maroon-tailed Conure, Maroon-tailed Parakeet (S) Cotorra colinegra, Perico cola negra (F) Conure de Souancé
- Pyrrhura molinae** (Massena & Souancé, 1854) II 29 PSITTACIDAE (Aves) (E) Green-cheeked Conure, Green-cheeked Parakeet (S) Chiripepé salteño, Cotorra de Molina (F) Conure de Molina
- Pyrrhura orcesi** Ridgely & Robbins, 1988 II 29 PSITTACIDAE (Aves) (E) El Oro Conure, El Oro Parakeet (S) Cotorra de El Oro, Perico de El Oro (F) Conure d'Orcès
- Pyrrhura parvifrons** Arndt, 2008 II 29 PSITTACIDAE (Aves) (E) Amazon Red-fronted Parakeet
- Pyrrhura perlata** (Spix, 1824) II 29 PSITTACIDAE (Aves) (E) Crimson-bellied Conure, Crimson-bellied Parakeet (S) Cotorra ventrirroja (F) Conure à ventre rouge
- Pyrrhura pfrimeri** Miranda-Ribeiro, 1920 II 29 PSITTACIDAE (Aves) (E) Pfrimer's Conure, Pfrimer's Parakeet
- Pyrrhura picta** (P. L. S. Müller, 1776) II 29 PSITTACIDAE (Aves) (E) Painted Conure, Painted Parakeet (S) Cotorra pintada, Perico cabecirrosado (F) Conure versicolore
- Pyrrhura picta** (Statius Müller, 1776) = **Pyrrhura caeruleiceps** Todd, 1947
- Pyrrhura picta** (Statius Müller, 1776) = **Pyrrhura eisenmanni** Delgado, 1985
- Pyrrhura picta** (Statius Müller, 1776) = **Pyrrhura subandina** Todd, 1917
- Pyrrhura pyrrhura emma** Salvadori, 1891 = **Pyrrhura griseipectus** Salvadori, 1900
- Pyrrhura pyrrhura emma** Salvadori, 1891 = **Pyrrhura leucotis** (Kuhl, 1820)
- Pyrrhura rhodocephala** (Sclater & Salvin, 1871) II 29 PSITTACIDAE (Aves) (E) Rose-crowned Conure, Rose-headed Conure, Rose-headed Parakeet (S) Cotorra coronirroja, Perico cabecirrojo (F) Conure tête-de-feu
- Pyrrhura rhodogaster** (Sclater, 1864) = **Pyrrhura perlata** (Spix, 1824)
- Pyrrhura roseifrons** (G. R. Gray, 1859) = **Pyrrhura picta** (P. L. S. Müller, 1776)
- Pyrrhura rupicola** (Tschudi, 1844) II 29 PSITTACIDAE (Aves) (E) Black-capped Conure, Black-capped Parakeet, Rock Parakeet (S) Cotorra capirotada (F) Conure à cape noire
- Pyrrhura subandina** Todd, 1917 II 29 PSITTACIDAE (Aves) (E) Sinú Parakeet
- Pyrrhura subandina** Todd, 1917 = **Pyrrhura picta** (P. L. S. Müller, 1776)
- Pyrrhura viridicata** Todd, 1913 II 29 PSITTACIDAE (Aves) (E) Santa Marta Conure, Santa Marta Parakeet (S) Cotorra de Santa Marta (F) Conure des Santa Marta
- Pyrroglaux spp.** II 30 STRIGIDAE (Aves)
- Pyrroglaux podargina** (Hartlaub & Finsch, 1872) II 30 STRIGIDAE (Aves) (E) Palau Owl (S) Autillo de las Palau (F) Petit-duc des Palau
- Python spp.** Daudin, 1803 I/II PYTHONIDAE (Reptilia)  
Python à écailles rugueuses (F): *Morelia carinata*  
Python, African (E): *Python sebae*  
Python, African Burrowing (E): *Calabaria reinhardtii*  
Python, African Rock (E): *Python sebae*  
Python à large tache (F): *Antaresia stimsoni*  
Python à lèvres blanches (F): *Leiopython albertisii*  
Python améthiste (F): *Morelia amethistina*  
*Python amethystinus* (Schneider, 1801) = *Morelia amethystina* (Schneider, 1801)  
Python, Amethystine (Rock) (E): *Morelia amethystina*
- Python anchietae** Bocage, 1887 II PYTHONIDAE (Reptilia) (E) Angolan Python (S) Pitón de Angola (F) Python d'Angola
- Python, Angolan (E): *Python anchietae*  
Python arboricole vert australien (F): *Morelia viridis*  
Python, Asiatic Rock (E): *Python molurus*  
Python à tête noire d'Australie (F): *Aspidites melanocephalus*  
Python, Baby (E): *Gongylophis conicus*  
Python, Ball (E): *Python regius*  
Python, Barred (E): *Bothrocilus boa*  
*Python bellii* Gray, 1842 = *Python regius* (Shaw, 1802)  
Python, Bismarck Ringed (E): *Bothrocilus boa*
- Python bivittatus** Kuhl, 1820 II PYTHONIDAE (Reptilia) (E) Burmese python (F) Python molure à deux bandes
- Python, Black (E): *Morelia boeleni*  
Python, Black-headed (E): *Aspidites melanocephalus*  
Python, Blood (E): *Python brongersmai*  
*Python boeleni* (Brongersma, 1953) = *Morelia boeleni* (Brongersma, 1953)  
Python, Boelen's (E): *Morelia boeleni*

- Python bora Daudin, 1803* = *Python molurus* (Linnaeus, 1758)  
 Python, Borneo Short-tailed (E): *Python breitensteini*  
*Python bredli Gow, 1981* = *Morelia bredli* (Gow, 1981)  
**Python breitensteini** Steindachner, 1880 II  
 PYTHONIDAE (Reptilia) (E) Borneo Short-tailed Python  
**Python bronigersmai** Stull, 1938 II PYTHONIDAE  
 (Reptilia) (E) Blood Python (S) Pitón malaya (F) Python malais, Python sanguin  
 Python, Burmese (E): *Python molurus*  
 python, Burmese (E): *Python bivittatus*  
 Python, Burrowing (E): *Loxocemus bicolor*  
 Python, Calabar Ground (E): *Calabaria reinhardtii*  
 Python caréné (F): *Morelia carinata*  
*Python carinatus* L. A. Smith, 1981 = *Morelia carinata* (L. A. Smith, 1981)  
 Python, Carpet (E): *Morelia spilota*  
 Python, Children's (Rock) (E): *Antaresia childreni*  
**Python curtus** Schlegel, 1872 II PYTHONIDAE (Reptilia)  
 (E) Sumatran Short-tailed Python  
*Python curtus breitensteini* Schlegel, 1872 = *Python breitensteini* Steindachner, 1880  
*Python curtus bronigersmai* Schlegel, 1872 = *Python bronigersmai* Stull, 1938  
*Python curtus curtus* Schlegel, 1872 = *Python curtus* Schlegel, 1872  
 Python, D'Albert's (E): *Leiopython albertisii*  
 Python d'Amérique centrale (F): *Loxocemus bicolor*  
 Python d'Angola (F): *Python archietae*  
 Python de Boelen (F): *Morelia boeleni*  
 Python de Children (F): *Antaresia childreni*  
 Python de la brousse (F): *Morelia amethistina*  
 Python de Macklot (F): *Liasis mackloti*  
 Python de Nouvelle-Guinée (F): *Leiopython albertisii*  
 Python de Papouasie (F): *Apodora papuana*  
 Python de Ramsay (F): *Aspidites ramsayi*  
 Python de Seba (F): *Python sebae*  
 Python des rochers (F): *Morelia amethistina*  
 Python de Stimson (F): *Antaresia stimsoni*  
 Python de Timor (F): *Python timoriensis*  
 Python, Diamond (E): *Morelia spilota*  
 Python d'Oenpelli (F): *Morelia oenpelliensis*  
 Python fouisseur du Mexique (F): *Loxocemus bicolor*  
 Python, Green Tree (E): *Morelia viridis*  
 Python, Ground (E): *Loxocemus bicolor*  
*Python houttuyni* Daudin, 1803 = *Python sebae* (Gmelin, 1789)  
**PYTHONIDAE spp.** Fitzinger, 1826 I/II (Reptilia) (E)  
 Pythons (S) Pitones (F) Pythons  
 Python, Indian (E): *Python molurus*  
*Python jamesonii* Gray, 1842 = *Python molurus* (Linnaeus, 1758)  
 Python, Java Rock (E): *Python reticulatus*  
*Python jubalis* Pitman, 1936 = *Python sebae* (Gmelin, 1789)  
 Python, Keeled-scaled (E): *Morelia carinata*  
**Python kyaikiyo** Zug, Gotte & Jacobs, 2011 II  
 PYTHONIDAE (Reptilia)  
 Python, Large-blotched (E): *Antaresia stimsoni*
- Python liberiensis* Hallowell, 1845 = *Python sebae* (Gmelin, 1789)  
 Python, Macklot's (E): *Liasis mackloti*  
 Python malais (F): *Python brongersmai*  
 Python molure (F): *Python molurus*  
 Python molure à deux bandes (F): *Python bivittatus*  
 Python molure indien (F): *Python molurus*  
**Python molurus** (Linnaeus, 1758) I/II PYTHONIDAE  
 (Reptilia) (E) Asiatic Rock Python, Burmese Python, Tiger Python (F) Python molure, Python tigre  
*Python molurus bivittatus* Kuhl 1920 = *Python bivittatus* Kuhl, 1820  
*Python molurus bivittatus* (Linnaeus, 1758) = *Python bivittatus* Kuhl, 1820  
**Python molurus molurus** (Linnaeus, 1758) I  
 PYTHONIDAE (Reptilia) (E) Indian Python (S) Pitón de la India (F) Python molure indien  
*Python molurus pimbura* (Linnaeus, 1758) = *Python molurus* (Linnaeus, 1758)  
**Python natalensis** A. Smith, 1833 II PYTHONIDAE  
 (Reptilia) (E) Southern African Python  
 Python, New World (E): *Loxocemus bicolor*  
 Python, Oenpelli (E): *Morelia oenpelliensis*  
*Python oenpelliensis* Gow, 1977 = *Morelia oenpelliensis* (Gow, 1977)  
 Python olive (F): *Liasis olivaceus*  
 Python, Olive (E): *Liasis olivaceus*  
*Python ordinatus* (Schneider, 1801) = *Python molurus* (Linnaeus, 1758)  
 Python, Papuan (E): *Apodora papuana*  
*Python peronii* Wagler, 1828 = *Morelia spilota* (Lacépède, 1804)  
 Python, Perth Pygmy (E): *Antaresia perthensis*  
*Python punctatus* Merrem, 1820 = *Morelia spilota* (Lacépède, 1804)  
 Python pygmée de Perth (F): *Antaresia perthensis*  
 Python, Pygmy (E): *Antaresia perthensis*  
 Python, Ramsay's (E): *Aspidites ramsayi*  
 Python, Regal (E): *Python reticulatus*  
**Python regius** (Shaw, 1802) II PYTHONIDAE (Reptilia)  
 (E) Ball Python, Royal Python (S) Pitón real (F) Python royal  
 Python, Reticulated (E): *Python reticulatus*  
**Python reticulatus** (Schneider, 1801) II PYTHONIDAE  
 (Reptilia) (E) Java Rock Python, Regal Python, Reticulated Python (S) Pitón reticulada (F) Python réticulé  
 Python réticulé (F): *Python reticulatus*  
 Python, Ringed (E): *Bothrochilus boa*  
 Python, Rough-scaled (E): *Morelia carinata*  
 Python royal (F): *Python regius*  
 Python, Royal (E): *Python regius*  
 Pythons (E): *Pythonidae*  
 Pythons (F): *Pythonidae*  
 Python sanguin (F): *Python brongersmai*  
*Python saxuloides* Miller & H. M. Smith, 1979 = *Python sebae* (Gmelin, 1789)  
*Python schneideri* Merrem, 1820 = *Python reticulatus* (Schneider, 1801)  
 Python, Scrub (E): *Morelia amethistina*

<b>Python sebae</b> (Gmelin, 1789) II PYTHONIDAE (Reptilia) (E) African Python, African Rock Python (S) Pitón de Seba (F) Python de Seba	Quetzal guatemalteco (S): <i>Pharomachrus mocinno</i> Quetzal, Magnificent (E): <i>Pharomachrus mocinno</i> Quetzal, Resplendent (E): <i>Pharomachrus mocinno</i> Quetzal resplendissant (F): <i>Pharomachrus mocinno</i> Quimilero (S): <i>Catagonus wagneri</i> Quirquincho andino (S): <i>Chaetophractus nationi</i>
<i>Python sebae Duméril &amp; Bibron, 1844</i> = <i>Python sebae</i> (Gmelin, 1789)	Rabbit, Assam (E): <i>Caprolagus hispidus</i> Rabbit, Hispid (E): <i>Caprolagus hispidus</i>
<i>Python sebae sebae</i> Broadley, 1983 = <i>Python sebae</i> (Gmelin, 1789)	Rabbit, Volcano (E): <i>Romerolagus diazi</i>
Python, South Australian Water (E): <i>Morelia oenpelliensis</i>	Rabihorcado de la Christmas (S): <i>Fregata andrewsi</i>
Python, Southern African (E): <i>Python natalensis</i>	Rabihorcado Ventriblanco (S): <i>Fregata andrewsi</i>
<i>Python spilotus</i> (Lacépède, 1804) = <i>Morelia spilota</i> (Lacépède, 1804)	Rabudito cobrizo (S): <i>Discosura letitiae</i> Rabudito crestado (S): <i>Discosura popelairii</i>
Python, Spotted (E): <i>Antaresia maculosa</i>	Rabudito de raquetas (S): <i>Discosura longicaudus</i>
Python, Stimson's (E): <i>Antaresia stimsoni</i>	Rabudito ventrinegro (S): <i>Discosura langsdorffi</i>
Python, Sumatran Short-tailed (E): <i>Python curtus</i>	Rabudito verde (S): <i>Discosura conversii</i>
Python tacheté (F): <i>Antaresia maculosa</i>	Racket-tail, Booted (E): <i>Ocreatus underwoodii</i>
Python tapis (F): <i>Morelia spilota</i>	Racquet-tail, Blue-crowned (E): <i>Prioniturus discurus</i>
Python, Tiger (E): <i>Python molurus</i>	Racquet-tail, Blue-headed (E): <i>Prioniturus platenae</i>
Python tigre (F): <i>Python molurus</i>	Racquet-tail, Blue-winged (E): <i>Prioniturus verticalis</i>
<i>Python tigris</i> Daudin, 1803 = <i>Python molurus</i> (Linnaeus, 1758)	Racquet-tail, Buru (E): <i>Prioniturus mada</i>
Python, Timor (E): <i>Python timoriensis</i>	Racquet-tail, Golden-mantled (E): <i>Prioniturus platurus</i>
<i>Python timorensis</i> Müller, 1844 = <i>Liasis mackloti</i> Duméril & Bibron, 1844	Racquet-tail, Green (E): <i>Prioniturus luconensis</i>
<b>Python timoriensis</b> (Peters, 1876) II PYTHONIDAE (Reptilia) (E) Timor Python (S) Pitón de Timor (F) Python de Timor	Racquet-tail, Luzon (E): <i>Prioniturus montanus</i>
<i>Python viridis</i> Schlegel, 1872 = <i>Morelia viridis</i> (Schlegel, 1872)	Racquet-tail, Montane (E): <i>Prioniturus montanus</i>
Python, Water (E): <i>Liasis mackloti</i>	Racquet-tail, Yellow-breasted (E): <i>Prioniturus flavicans</i>
Python, White-lipped (E): <i>Leiopython albertisii</i>	Racquet-tail, Yellowish-breasted (E): <i>Prioniturus flavicans</i>
Pyxide à dos plat (F): <i>Pyxis planicauda</i>	<i>Rafetus hoankiemensis</i> Ha, 1995 = <i>Rafetus swinhoei</i> (Gray, 1873)
<i>Pyxidea mouhotii</i> (Gray, 1862) = <i>Cuora mouhotii</i> (Gray, 1862)	<i>Rafetus hoguomensis</i> Ha, 1995 = <i>Rafetus swinhoei</i> (Gray, 1873)
Pyxide à queue platte (F): <i>Pyxis planicauda</i>	<i>Rafetus leloii</i> Ha Dinh Dúc, 2000 = <i>Rafetus swinhoei</i> (Gray, 1873)
Pyxide arachnoïde (F): <i>Pyxis arachnoides</i>	<b>Rafetus swinhoei</b> (Gray, 1873) II TRIONYCHIDAE (Reptilia) (E) Yangtze Softshell Turtle
<b>Pyxis spp.</b> Bell, 1827 I/II 46 TESTUDINIDAE (Reptilia)	<i>Rafetus vietnamensis</i> Le, Le, Tran, Phan, Phan, Tran, Pham, Nguyen, Nong, Phan, Dinh, Truong, and Ha, 2010 = <i>Rafetus swinhoei</i> (Gray, 1873)
<b>Pyxis arachnoides</b> Bell, 1827 I TESTUDINIDAE (Reptilia) (E) Spider Tortoise (S) Tortuga araña, Tortuga de plastrón articulado (F) Pyxide arachnoïde	Rail, Lord Howe (E): <i>Gallirallus sylvestris</i>
<i>Pyxis madagascariensis</i> Lesson, 1831 = <i>Pyxis arachnoides</i> Bell, 1827	Rail, Lord Howe Island (E): <i>Gallirallus sylvestris</i>
<b>Pyxis planicauda</b> (Grandidier, 1867) I TESTUDINIDAE (Reptilia) (E) Flat-backed Spider Tortoise, Flat-shelled Spider Tortoise, Madagascar Flat-shelled Tortoise, Malagasy Flat-tailed Tortoise (S) Tortue de cola plana (F) Pyxide à dos plat, Pyxide à queue platte	Rainette arboricole de Morelet (F): <i>Agalychnis moreletii</i>
<i>Quadrula intermedia</i> (Conrad, 1836) I UNIONIDAE (Bivalvia) (E) Cumberland Monkeyface, Cumberland Monkey-face Pearly Mussel	Rainette aux yeux rouges (F): <i>Agalychnis callidryas</i>
<i>Quadrula sparsa</i> (I. Lea, 1841) I UNIONIDAE (Bivalvia) (E) Appalachian Monkeyface, Appalachian Monkey-face Pearly Mussel	<i>Raja birostris</i> (Donndorff, 1798) = <i>Manta birostris</i> (Walbaum, 1792)
<i>Quadrula striata</i> (Reeve, 1864) = <i>Plethobasus cooperianus</i> (I. Lea, 1834)	<i>Raja birostris</i> (Walbaum, 1792) = <i>Manta birostris</i> (Walbaum, 1792)
Quail, Bobwhite (E): <i>Colinus virginianus</i>	<i>Raja tampicoensis tecumensis</i> (I. Lea, 1838) = <i>Unio tampicoensis tecumensis</i> I. Lea, 1841
Quebrantahuesos (S): <i>Gypaetus barbatus</i>	Râle de l'île Lord Howe (F): <i>Gallirallus sylvestris</i>
<i>Querquedula bernieri</i> Hartlaub, 1860 = <i>Anas bernieri</i> (Hartlaub, 1860)	Râle sylvestre (F): <i>Gallirallus sylvestris</i>
Quetzal (S): <i>Pharomachrus mocinno</i>	<b>Ramphastos aracari</b> Linnaeus, 1758 = <i>Pteroglossus aracari</i> (Linnaeus, 1758)
Quetzal centroamericano (S): <i>Pharomachrus mocinno</i>	<i>Ramphastos aurantiirostris</i> Hartert, 1925 = <i>Ramphastos vitellinus</i> Lichtenstein, 1823
	<i>Ramphastos bailloni</i> Vieillot, 1819 = <i>Baillonius bailloni</i> (Vieillot, 1819)
	<b>Ramphastos dicolorus</b> Linnaeus, 1766 III RAMPHASTIDAE (Aves) (E) Red-breasted Toucan (S) Tucán bicolor, Tucán rojo y amarillo, Tucán verde (F) Toucan à ventre rouge

<i>Ramphastos inca</i> Gould, 1846 = <i>Ramphastos tucanus</i> Linnaeus, 1758	Rana de punta de flecha de Steyermark (S): <i>Minyobates steyermarki</i>
<b><i>Ramphastos sulfuratus</i></b> Lesson, 1830 II	Rana de punta de flecha de Vanzolini (S): <i>Ranitomeya vanzolinii</i>
RAMPHASTIDAE (Aves) (E) Keel-billed Toucan (S) Piapoco pico verde, Tucán pico-multicolor, Tucán piquiverde (F) Toucan à carène	Rana de punta de flecha de vientre azul (S): <i>Hyloxalus azureiventris</i>
<b><i>Ramphastos toco</i></b> P. L. S. Müller, 1776 II	Rana de punta de flecha esmeralda (S): <i>Ameerega smaragdina</i>
RAMPHASTIDAE (Aves) (E) Toco Toucan (S) Tucán de pico verde, Tucán grande, Tucán toco (F) Toucan toco	Rana de punta de flecha fantástica (S): <i>Ranitomeya fantastica</i>
<b><i>Ramphastos tucanus</i></b> Linnaeus, 1758 II	Rana de punta de flecha granulosa (S): <i>Oophaga granulifera</i>
RAMPHASTIDAE (Aves) (E) Red-billed Toucan (S) Piapoco pico rojo, Tucán pechiblanco (F) Toucan à bec rouge	Rana de punta de flecha histriónica (S): <i>Oophaga histrionica</i>
<i>Ramphastos viridis</i> Linnaeus, 1766 = <i>Pteroglossus viridis</i> (Linnaeus, 1766)	Rana de punta de flecha lúgubre (S): <i>Phyllobates lugubris</i>
<b><i>Ramphastos vitellinus</i></b> Lichtenstein, 1823 II	Rana de punta de flecha maculada (S): <i>Ameerega maculata</i>
RAMPHASTIDAE (Aves) (E) Channel-billed Toucan (S) Diostedé pico acanelado, Tucán picoacanalado, Tucán piquirrojo (F) Toucan à gorge jaune et blanche, Toucan ariel	Rana de punta de flecha misteriosa (S): <i>Excidobates mysteriosus</i>
<b><i>Ramphodon</i> spp. II</b> TROCHILIDAE (Aves)	Rana de punta de flecha pentaestriada (S): <i>Adelphobates quinquevittatus</i>
<i>Ramphodon dohrnii</i> (Bourcier & Mulsant, 1852) = <i>Glaucis dohrnii</i> (Bourcier & Mulsant, 1852)	Rana de punta de flecha picta (S): <i>Ameerega picta</i>
<b><i>Ramphodon naevius</i></b> (Dumont, 1818) II TROCHILIDAE (Aves) (E) Saw-billed Hermit (S) Ermitaño picosierra (F) Colibri tacheté	Rana de punta de flecha rayada (S): <i>Phyllobates vittatus</i>
<b><i>Ramphomicron</i> spp. II</b> TROCHILIDAE (Aves)	Rana de punta de flecha reticulada (S): <i>Ranitomeya reticulata</i>
<b><i>Ramphomicron dorsale</i></b> Salvin & Godman, 1880 II	Rana de punta de flecha roja (S): <i>Oophaga pumilio</i>
TROCHILIDAE (Aves) (E) Black-backed Thornbill (S) Colibri piquicorto dorsinegro (F) Colibri à dos noir	Rana de punta de flecha terrible (S): <i>Phyllobates terribilis</i>
<b><i>Ramphomicron microrhynchum</i></b> (Boissonneau, 1839) II	Rana de punta de flecha tricolor (S): <i>Epipedobates tricolor</i>
TROCHILIDAE (Aves) (E) Purple-backed Thornbill (S) Colibrí pico espina, Colibrí piquicorto común, Picoespina dorsipurpura (F) Colibri à petit bec	Rana de punta de flecha truncada (S): <i>Dendrobates truncatus</i>
<i>Ramphomicron olivaceus</i> Lawrence, 1864 = <i>Chalcostigma olivaceum</i> (Lawrence, 1864)	Rana de punta de flecha variable (S): <i>Ranitomeya variabilis</i>
Rana arbórea de ojos rojos (S): <i>Agalychnis callidryas</i> rana azul (S): <i>Agalychnis annae</i>	Rana de punta de flecha verde (S): <i>Andinobates viridis</i>
Rana calzonuda (S): <i>Agalychnis callidryas</i>	Rana deslizadora (S): <i>Agalychnis spurrelli</i>
<i>Rana cutipora</i> Duméril & Bibron, 1841 = <i>Euphlyctis hexadactylus</i> (Lesson, 1834)	<i>Rana (dicroGLOSSUS) hexadactyla Dubois, 1974 = Euphlyctis hexadactylus</i> (Lesson, 1834)
Rana de Ojos Negros (S): <i>Agalychnis moreletii</i>	<i>Rana (dicroGLOSSUS) tigerina tigerina Dubois, 1974 = Hoplobatrachus tigerinus</i> (Daudin, 1802)
Rana de punta de flecha andino (S): <i>Ameerega andina</i>	Rana dorada (S): <i>Atelopus zeteki</i>
Rana de punta de flecha arbórea (S): <i>Oophaga arborea</i>	Rana dorada (S): <i>Mantella aurantiaca</i>
Rana de punta de flecha boliviana (S): <i>Ameerega boliviensis</i>	Rana dorada de Panamá (S): <i>Atelopus zeteki</i>
Rana de punta de flecha de bandas amarillas (S): <i>Dendrobates leucomelas</i>	<i>Rana (euphlyctis) hexadactyla Dubois, 1981 = Euphlyctis hexadactylus</i> (Lesson, 1834)
Rana de punta de flecha de Bassler (S): <i>Ameerega bassleri</i>	<i>Rana (euphlyctis) tigerina Dubois, 1981 = Hoplobatrachus tigerinus</i> (Daudin, 1802)
Rana de punta de flecha de Boulenger (S): <i>Epipedobates boulengeri</i>	<i>Rana (fejervarya) tigrina Bolkay, 1915 = Hoplobatrachus tigerinus</i> (Daudin, 1802)
Rana de punta de flecha de Inger (S): <i>Ameerega ingeri</i>	<i>Rana gracilis var. pulla Stoliczka, 1870 = Hoplobatrachus tigerinus</i> (Daudin, 1802)
Rana de punta de flecha de Lehmann (S): <i>Oophaga lehmanni</i>	<i>Rana hexadactyla</i> Lesson, 1834 = <i>Euphlyctis hexadactylus</i> (Lesson, 1834)
Rana de punta de flecha de Myers (S): <i>Allobates myersi</i>	Rana Maki (S): <i>Agalychnis moreletii</i>
Rana de punta de flecha de Peters (S): <i>Ameerega petersi</i>	Rana Morelet (S): <i>Agalychnis moreletii</i>
Rana de punta de flecha de Silverstone (S): <i>Ameerega silverstonei</i>	<i>Rana picta</i> Gravenhorst, 1829 = <i>Hoplobatrachus tigerinus</i> (Daudin, 1802)
	<i>Rana (rana) hexadactyla Boulenger, 1920 = Euphlyctis hexadactylus</i> (Lesson, 1834)
	<i>Rana (rana) tigrina Boulenger, 1920 = Hoplobatrachus tigerinus</i> (Daudin, 1802)

- Rana robusta* Blyth, 1855 = *Euphlyctis hexadactylus* (Lesson, 1834)
- Rana saltadora* (S): *Agalychnis saltator*
- Rana saparoua* Duméril & Bibron, 1841 = *Euphlyctis hexadactylus* (Lesson, 1834)
- Rana tigerina* Barbour, 1912 = *Hoplobatrachus tigerinus* (Daudin, 1802)
- Rana tigerina* Daudin, 1802 = *Hoplobatrachus tigerinus* (Daudin, 1802)
- Rana tigerina tigerina* Mertens, 1969 = *Hoplobatrachus tigerinus* (Daudin, 1802)
- Rana tigrina Merrem*, 1820 = *Hoplobatrachus tigerinus* (Daudin, 1802)
- Rana tigrina tigrina* Smith, 1940 = *Hoplobatrachus tigerinus* (Daudin, 1802)
- Rana tinctoria* Cuvier, 1797 = *Dendrobates tinctorius* (Cuvier, 1797)
- Rana tinctoria* (Schneider, 1799) = *Dendrobates tinctorius* (Cuvier, 1797)
- Rana tinctoria* Shaw, 1802 = *Dendrobates tinctorius* (Cuvier, 1797)
- Rana venenosa* de Zetek (S): *Atelopus zeteki*
- Ranita dorada* de Madagascar (S): *Mantella aurantiaca*
- Ranitomeya spp.** Bauer, 1988 II DENDROBATIDAE (Amphibia)
- Ranitomeya abdita* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Andinobates abditus* (Myers & Daly, 1976)
- Ranitomeya abdita* (Myers & Daly, 1976) = *Andinobates abditus* (Myers & Daly, 1976)
- Ranitomeya altobueyensis** (Silverstone, 1975) II DENDROBATIDAE (Amphibia)
- Ranitomeya amazonica** (Schulte, 1999) II DENDROBATIDAE (Amphibia)
- Ranitomeya amazonica* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya amazonica* (Schulte, 1999)
- Ranitomeya benedicta** Brown, Twomey, Pepper & Sanchez-Rodriguez, 2008 II DENDROBATIDAE (Amphibia)
- Ranitomeya biolat** (Morales, 1992) II DENDROBATIDAE (Amphibia) (E) Biolat Poison Frog (F) Dendrobate biolat
- Ranitomeya biolat* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya biolat* (Morales, 1992)
- Ranitomeya bombetes* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Andinobates bombetes* (Myers & Daly, 1980)
- Ranitomeya bombetes* (Myers & Daly, 1980) = *Andinobates bombetes* (Myers & Daly, 1980)
- Ranitomeya captiva* Bauer, 1988 = *Excidobates captivus* (Myers, 1982)
- Ranitomeya claudiae* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Andinobates claudiae* (Jungfer, Lötters & Jörgens, 2000)
- Ranitomeya claudiae* (Jungfer, Lötters & Jörgens, 2000) = *Andinobates claudiae* (Jungfer, Lötters & Jörgens, 2000)
- Ranitomeya cyanovittata** Perez Peña, Chavez, Twomey & Brown, 2010 II DENDROBATIDAE (Amphibia)
- Ranitomeya daleswansoni* Frost, 2007 = *Andinobates daleswansoni* (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006)
- Ranitomeya daleswansoni* (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006) = *Andinobates daleswansoni* (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006)
- Ranitomeya defleri** Twomey & Brown, 2009 II DENDROBATIDAE (Amphibia)
- Ranitomeya dorisswansoni* Frost, 2007 = *Andinobates dorisswansonae* (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006)
- Ranitomeya dorisswansoni* (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006) = *Andinobates dorisswansonae* (Rueda-Almonacid, Rada, Sánchez-Pacheco, et al., 2006)
- Ranitomeya duellmani* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya ventrimaculata* (Shreve, 1935)
- Ranitomeya fantastica** (Boulenger, 1884 "1883") II DENDROBATIDAE (Amphibia) (E) Red-headed Poison Frog (S) Rana de punta de flecha fantástica (F) Dendrobate fantastique
- Ranitomeya fantastica* Bauer, 1988 = *Ranitomeya fantastica* (Boulenger, 1884 "1883")
- Ranitomeya fantasticus* Anonymous, 1985 = *Ranitomeya fantastica* (Boulenger, 1884 "1883")
- Ranitomeya flavovittata** (Schulte, 1999) II DENDROBATIDAE (Amphibia)
- Ranitomeya flavovittata* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya flavovittata* (Schulte, 1999)
- Ranitomeya fulgorita* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Andinobates fulgoritus* (Silverstone, 1975)
- Ranitomeya fulgorita* (Silverstone, 1975) = *Andinobates fulgoritus* (Silverstone, 1975)
- Ranitomeya granuliferus* Anonymous, 1985 = *Oophaga granulifera* (Taylor, 1958)
- Ranitomeya ignea* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya reticulata* (Boulenger, 1884)
- Ranitomeya ignea* (Melin, 1941) = *Ranitomeya reticulata* (Boulenger, 1884)
- Ranitomeya imitator** (Schulte, 1986) II DENDROBATIDAE (Amphibia) (E) Mimic Poison Frog (F) Dendrobate imitateur
- Ranitomeya imitator* Bauer, 1988 = *Ranitomeya imitator* (Schulte, 1986)
- Ranitomeya imitator* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Ranitomeya imitator* (Schulte, 1986)
- Ranitomeya imitator* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya imitator* (Schulte, 1986)

- Ranitomeya intermedia* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya imitator* (Schulte, 1986)
- Ranitomeya intermedia* (Schulte, 1999) = *Ranitomeya imitator* (Schulte, 1986)
- Ranitomeya lamasi* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya sirensis* (Aichinger, 1991)
- Ranitomeya minuta* Anonymous, 1985 = *Andinobates minutus* (Shreve, 1935)
- Ranitomeya minuta* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Andinobates minutus* (Shreve, 1935)
- Ranitomeya minuta* (Shreve, 1935) = *Andinobates minutus* (Shreve, 1935)
- Ranitomeya mysteriosa* Bauer, 1988 = *Excidobates mysteriosus* Myers, 1982
- Ranitomeya opisthomelas* Anonymous, 1985 = *Andinobates opisthomelas* (Boulenger, 1899)
- Ranitomeya opisthomelas* (Boulenger, 1899) = *Andinobates opisthomelas* (Boulenger, 1899)
- Ranitomeya opisthomelas* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Andinobates opisthomelas* (Boulenger, 1899)
- Ranitomeya quinquevittata* Anonymous, 1985 = *Adelphobates quinquevittatus* (Steindachner, 1864)
- Ranitomeya quinquevittata* Bauer, 1988 = *Adelphobates quinquevittatus* (Steindachner, 1864)
- Ranitomeya ranitomeya altobueyensis* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Andinobates altobueyensis* (Silverstone, 1975)
- Ranitomeya ranitomeya altobueyensis* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya altobueyensis* (Silverstone, 1975)
- Ranitomeya ranitomeya lamasi* (Morales, 1992) = *Ranitomeya sirensis* (Aichinger, 1991)
- Ranitomeya reticulata** (Boulenger, 1884) II  
DENDROBATIDAE (Amphibia) (E) Red-backed Poison Frog, Reticulated Poison Frog (S) Rana de punta de flecha reticulada (F) Dendrobate réticulé
- Ranitomeya reticulata* Bauer, 1986 = *Ranitomeya reticulata* (Boulenger, 1884)
- Ranitomeya reticulata* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Ranitomeya reticulata* (Boulenger, 1884)
- Ranitomeya rubrocephala** (Schulte, 1999) II  
DENDROBATIDAE (Amphibia)
- Ranitomeya rubrocephala* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya rubrocephala* (Schulte, 1999)
- Ranitomeya sirensis** (Aichinger, 1991) II  
DENDROBATIDAE (Amphibia)
- Ranitomeya sirensis* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Ranitomeya sirensis* (Aichinger, 1991)
- Ranitomeya sirensis* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya sirensis* (Aichinger, 1991)
- Ranitomeya summersi** Brown, Twomey, Pepper & Sanchez-Rodriguez, 2008 II DENDROBATIDAE (Amphibia)
- Ranitomeya tolimense* Bernal-Bautista, Luna-Mora, Gallego & Quevedo-Gil, 2007 = *Andinobates tolimensis* Bernal-Bautista, Luna-Mora, Gallego & Quevedo-Gil, 2007
- Ranitomeya tolimensis* Bernal-Bautista, Luna-Mora, Gallego & Quevedo-Gil, 2007 = *Andinobates tolimensis* Bernal-Bautista, Luna-Mora, Gallego & Quevedo-Gil, 2007
- Ranitomeya tolimensis* Frost, 2008 = *Andinobates tolimensis* Bernal-Bautista, Luna-Mora, Gallego & Quevedo-Gil, 2007
- Ranitomeya toraro** Twomey, Melo-Sampaio & Souza, 2011 II DENDROBATIDAE (Amphibia)
- Ranitomeya toraro* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Ranitomeya toraro* Twomey, Melo-Sampaio & Souza, 2011
- Ranitomeya uakarii** (Brown, Schulte & Summers, 2006) II DENDROBATIDAE (Amphibia)
- Ranitomeya uakarii* Frost, 2007 = *Ranitomeya uakarii* (Brown, Schulte & Summers, 2006)
- Ranitomeya vanzolinii** (Myers, 1982) II  
DENDROBATIDAE (Amphibia) (E) Brazilian Poison Frog (S) Rana de punta de flecha de Vanzolini (F) Dendrobate de Vanzolini
- Ranitomeya vanzolinii* Bauer, 1988 = *Ranitomeya vanzolinii* (Myers, 1982)
- Ranitomeya variabilis** (Zimmermann & Zimmermann, 1988) II DENDROBATIDAE (Amphibia) (E) Zimmermann's Poison Frog (S) Rana de punta de flecha variable (F) Dendrobate variable
- Ranitomeya variabilis* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya variabilis* (Zimmermann & Zimmermann, 1988)
- Ranitomeya ventrimaculata** (Shreve, 1935) II  
DENDROBATIDAE (Amphibia) (E) Amazonian Poison Frog (F) Dendrobate au ventre tacheté
- Ranitomeya ventrimaculata* Brown, Twomey, Amézquita, Barbosa de Souza, Caldwell, Lötters, von May, Melo-Sampaio, Mejía-Vargas, Perez-Peña, Pepper, Sanchez-Rodriguez & Summers, 2011 = *Ranitomeya ventrimaculata* (Shreve, 1935)
- Ranitomeya ventrimaculata* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Ranitomeya ventrimaculata* (Shreve, 1935)
- Ranitomeya viridis* Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = *Andinobates viridis* (Myers & Daly, 1976)

<i>Ranitomeya viridis</i> (Myers & Daly, 1976) = <i>Andinobates viridis</i> (Myers & Daly, 1976)	Renard crabier (F): <i>Cerdocyon thous</i>
<i>Ranitomeya virolinensis</i> Grant, Frost, Caldwell, Gagliardo, Haddad, Kok, Means, Noonan, Schargel & Wheeler, 2006 = <i>Andinobates virolensis</i> (Ruiz-Carranza and Ramírez-Pinilla, 1992)	Renard d'Azara (F): <i>Lycalopex gymnocercus</i>
<i>Ranitomeya virolinensis</i> (Ruiz-Carranza & Ramírez-Pinilla, 1992) = <i>Andinobates virolensis</i> (Ruiz-Carranza and Ramírez-Pinilla, 1992)	Renard de Blanford (F): <i>Vulpes cana</i>
<b><i>Ranitomeya yavaricola</i></b> Perez Peña, Chavez, Twomey & Brown, 2010 II DENDROBATIDAE (Amphibia)	Renard de Chiloé (F): <i>Lycalopex griseus</i>
Rapaces Nocturnes (F): <i>Strigiformes</i>	Renard de la pampa (F): <i>Lycalopex gymnocercus</i>
Rascón de la isla de Lord Howe (S): <i>Gallirallus sylvestris</i>	Renard du Bengale (F): <i>Vulpes bengalensis</i>
Rascón de la Lord Howe (S): <i>Gallirallus sylvestris</i>	Renard gris d'Argentine (F): <i>Lycalopex griseus</i>
Rata arquitecto (S): <i>Leporillus conditor</i>	Renard roux (F): <i>Vulpes vulpes</i>
Rata bastarda de agua (S): <i>Xeromys myoides</i>	Renard volant de Ponape (F): <i>Pteropus molossinus</i>
Rata coligorda (S): <i>Zyzomys pedunculatus</i>	Renard volant de Suwalesi (F): <i>Acerodon celebensis</i>
Rat à grosse queue (F): <i>Zyzomys pedunculatus</i>	Requin-baleine (F): <i>Rhincodon typus</i>
Rat architecte (F): <i>Leporillus conditor</i>	Requin blanc (F): <i>Carcharodon carcharias</i>
Rat, Central Rock (E): <i>Zyzomys pedunculatus</i>	Requin marteau (F): <i>Sphyrna lewini</i>
Rat, Central Thick-tailed Rock (E): <i>Zyzomys pedunculatus</i>	Requin-marteau halicorne (F): <i>Sphyrna lewini</i>
Ratel (S): <i>Mellivora capensis</i>	Requin Pèlerin (F): <i>Cetorhinus maximus</i>
Ratel (F): <i>Mellivora capensis</i>	Requin scie (F): <i>Pristis zijsron</i>
Ratel (E): <i>Mellivora capensis</i>	Requin-scie (F): <i>Pristis pectinata</i>
Rat, False Swamp (E): <i>Xeromys myoides</i>	Requin-taupe commun (F): <i>Lamna nasus</i>
Rat, False Water (E): <i>Xeromys myoides</i>	Resso (F): <i>Anguilla anguilla</i>
Rat, Greater Stick-nest (E): <i>Leporillus conditor</i>	<i>Reussia lamelloosa</i> Duchassaing & Michelotti, 1860 = <i>Madracis decactis</i> (Lyman, 1859)
Rat, House-building (E): <i>Leporillus conditor</i>	Rey zamuro (S): <i>Sarcorampus papa</i>
Ratón bastardo peludo (S): <i>Pseudomys fieldi praeconis</i>	<i>Rhampholeon spinosus</i> (Matschie, 1892) = <i>Bradypodion spinosum</i> (Matschie, 1892)
Ratón bastardo peludo (S): <i>Pseudomys fieldi</i>	<b><i>Rhea americana</i></b> (Linnaeus, 1758) II RHEIDAE (Aves) (E)
Ratonero calzado (S): <i>Buteo lagopus</i>	Common Rhea, Greater Rhea (S) Avestruz, Ñandú, Ñandú común (F) Nandou commun, Nandou d'Amérique, Nandou gris
Ratonero común (S): <i>Buteo buteo</i>	Rhea, Common (E): <i>Rhea americana</i>
Ratonero cuellirrojo (S): <i>Buteo auguralis</i>	Rhea, Darwin's (E): <i>Pterocnemia pennata</i>
Ratonero moro (S): <i>Buteo rufinus</i>	Rhea, Greater (E): <i>Rhea americana</i>
Ratón marsupial colilargo (S): <i>Sminthopsis longicaudata</i>	Rhea, Lesser (E): <i>Pterocnemia pennata</i>
Ratón marsupial desértico (S): <i>Sminthopsis psammophila</i>	<i>Rhea pennata</i> d'Orbigny, 1834 = <i>Pterocnemia pennata</i> (d'Orbigny, 1834)
Rattlesnake, Cascabel (E): <i>Crotalus durissus</i>	Rhea, Puna (E): <i>Pterocnemia pennata</i>
Rattlesnake, Neotropical (E): <i>Crotalus durissus</i>	<i>Rhechostica albiceps</i> (Pocock, 1903) = <i>Aphonopelma albiceps</i> (Pocock, 1903)
<b><i>Ratufa spp.</i></b> II SCIURIDAE (Mammalia)	<i>Rhechostica pallida</i> (Pickard-Cambridge, 1897) = <i>Aphonopelma pallidum</i> (Pickard-Cambridge, 1897)
<b><i>Ratufa affinis</i></b> (Raffles, 1821) II SCIURIDAE (Mammalia)	<i>Rheinardia nigrescens</i> (Rothschild, 1902) = <i>Rheinardia ocellata</i> (Elliot, 1871)
(E) Cream-coloured Giant Squirrel, Pale Giant Squirrel	<b><i>Rheinardia ocellata</i></b> (Elliot, 1871) I PHASIANIDAE (Aves)
(F) Écureuil de Raffles, Écureuil géant commun, Ratufe dorée	(E) Crested Argus, Ocellated Pheasant (S) Faisán de Rheinard (F) Argus ocellé, Rheinarte ocellé
<b><i>Ratufa bicolor</i></b> (Sparrman, 1778) II SCIURIDAE	Rheinarte ocellé (F): <i>Rheinardia ocellata</i>
(Mammalia) (E) Black Giant Squirrel (F) Écureuil géant de Malaisie	<b><i>Rheobatrachus spp.</i></b> Liem, 1973 II/NC <sup>47</sup>
(Mammalia) (E) Indian Giant Squirrel (F) Écureuil géant de l'Inde	MYOBATRACHIDAE (Amphibia)
<b><i>Ratufa indica</i></b> (Erxleben, 1777) II SCIURIDAE	<b><i>Rheobatrachus silus</i></b> Liem, 1973 NC
(Mammalia) (E) Indian Giant Squirrel (F) Écureuil géant de l'Inde	MYOBATRACHIDAE (Amphibia) (E) Conondale
<b><i>Ratufa macroura</i></b> (Pennant, 1769) II SCIURIDAE	Gastric-brooding Frog, Southern Platypus Frog (F)
(Mammalia) (E) Grizzled Giant Squirrel, Sri Lankan Giant Squirrel (F) Écureuil géant de Ceylan, Écureuil géant gris	Grenouille plate à incubation gastrique
Ratufe dorée (F): <i>Ratufa affinis</i>	<b><i>Rheobatrachus vitellinus</i></b> Mahony, Tyler & Davies, 1984
Rayito brillante (S): <i>Aglaeactis cupripennis</i>	NC MYOBATRACHIDAE (Amphibia) (E) Eungella
Razorback (E): <i>Balaenoptera physalus</i>	Gastric-brooding Frog, Northern Gastric-brooding Frog, Northern Platypus Frog
Rebeco de los Abruzzos (S): <i>Rupicapra pyrenaica ornata</i>	Rhim (S): <i>Gazella leptoceros</i>
Rebeco de los Apeninos (S): <i>Rupicapra pyrenaica ornata</i>	Rhim (F): <i>Gazella leptoceros</i>
Rebeco ibérico (S): <i>Rupicapra pyrenaica</i>	<b><i>Rhincodon typus</i></b> Smith, 1828 II RHINCODONTIDAE
Renard colfeo (F): <i>Lycalopex culpaeus</i>	(Elasmobranchii) (E) Whale Shark (S) Dámero, Pez dama, Tiburón Ballena (F) Chagrin, Requin-baleine

<b>Rhinoceros spp.</b> I	RHINOCEROTIDAE (Mammalia)	
Rhinocéros (F): <i>Rhinocerotidae</i>		
Rhinoceros, Black (E): <i>Diceros bicornis</i>		
Rhinocéros blanc (F): <i>Ceratotherium simum</i>		
Rhinocéros blanc du sud (F): <i>Ceratotherium simum simum</i>		
Rhinoceros, Browse (E): <i>Diceros bicornis</i>		
Rhinocéros de la Sonde (F): <i>Rhinoceros sondaicus</i>		
Rhinocéros de Sumatra (F): <i>Dicerorhinus sumatrensis</i>		
Rhinoceroses (E): <i>Rhinocerotidae</i>		
Rhinoceros, Grass (E): <i>Ceratotherium simum</i>		
Rhinoceros, Greater One-horned (E): <i>Rhinoceros unicornis</i>		
Rhinoceros, Great Indian (E): <i>Rhinoceros unicornis</i>		
Rhinoceros, Hairy (E): <i>Dicerorhinus sumatrensis</i>		
Rhinoceros, Hook-lipped (E): <i>Diceros bicornis</i>		
Rhinoceros, Javan (E): <i>Rhinoceros sondaicus</i>		
Rhinoceros, Lesser One-horned (E): <i>Rhinoceros sondaicus</i>		
Rhinocéros noir (F): <i>Diceros bicornis</i>		
<b>Rhinoceros sondaicus</b> Desmarest, 1822 I		
RHINOCEROTIDAE (Mammalia) (E) Javan		
Rhinoceros, Lesser One-horned Rhinoceros (S)		
Rinoceronte de Java (F) Rhinocéros de la Sonde		
Rhinoceros, Southern Square-lipped (E): <i>Ceratotherium simum simum</i>		
Rhinoceros, Southern White (E): <i>Ceratotherium simum simum</i>		
Rhinoceros, Square-lipped (E): <i>Ceratotherium simum</i>		
Rhinoceros, Sumatran (E): <i>Dicerorhinus sumatrensis</i>		
Rhinocéros unicorn de l'Inde (F): <i>Rhinoceros unicornis</i>		
<b>Rhinoceros unicornis</b> Linnaeus, 1758 I		
RHINOCEROTIDAE (Mammalia) (E) Greater		
One-horned Rhinoceros, Great Indian Rhinoceros (S)		
Rinoceronte unicornio índico (F) Rhinocéros unicorn de l'Inde		
Rhinoceros, White (E): <i>Ceratotherium simum</i>		
<b>RHINOCEROTIDAE spp.</b> Gray, 1821 I/II (Mammalia) (E)		
Rhinoceroses (S) Rinocerontes (F) Rhinocéros		
<i>Rhinodon pentlineatus</i> Kishinouye, 1901 = <i>Rhincodon typus</i> Smith, 1828		
<i>Rhinodon typicus</i> Müller & Henle, 1839 = <i>Rhincodon typus</i> Smith, 1828		
<i>Rhinodon typicus</i> Smith, 1845 = <i>Rhincodon typus</i> Smith, 1828		
<b>Rhinopithecus spp.</b> I CERCOPITHECIDAE (Mammalia)		
<b>Rhinopithecus avunculus</b> (Dollman, 1912) I		
CERCOPITHECIDAE (Mammalia) (E) Tonkin		
Snub-nosed Monkey (F) Rhinopithèque du Tonkin		
<b>Rhinopithecus bieti</b> Milne-Edwards, 1897 I		
CERCOPITHECIDAE (Mammalia) (E) Yunnan		
Snub-nosed Monkey		
<b>Rhinopithecus brelichi</b> (Thomas, 1903) I		
CERCOPITHECIDAE (Mammalia) (E) Brelich's		
Snub-nosed Monkey, Grey Snub-nosed Monkey,		
Guizhou Snub-nosed Monkey (F) Rhinopithèque jaune doré		
<i>Rhinopithecus nemaeus</i> (Linnaeus, 1771) = <i>Pygathrix nemaeus</i> (Linnaeus, 1771)		
<b>Rhinopithecus roxellana</b> (Milne-Edwards, 1870) I		
CERCOPITHECIDAE (Mammalia) (E) Golden		
Snub-nosed Monkey, Sichuan Snub-nosed Monkey (S)		
Langur chato (F) Rhinopithèque de Roxellane,		
Rhinopithèque doré		
<b>Rhinopithecus strykeri</b> Geissmann, Lwin, Aung, Aung, Aung, Hla, Grindley & Momberg, 2011 I		
CERCOPITHECIDAE (Mammalia)		
Rhinopithèque de Roxellane (F): <i>Rhinopithecus roxellana</i>		
Rhinopithèque doré (F): <i>Rhinopithecus roxellana</i>		
Rhinopithèque douc (F): <i>Pygathrix nemaeus</i>		
Rhinopithèque du Tonkin (F): <i>Rhinopithecus avunculus</i>		
Rhinopithèque jaune doré (F): <i>Rhinopithecus brelichi</i>		
<b>Rhinoplax vigil</b> (J. R. Forster, 1781) I BUCEROTIDAE		
(Aves) (E) Helmeted Hornbill (S) Cáiao de casco, Cáiao de Yelmo (F) Calao à casque, Calao à casque rond		
<i>Rhinoptynx clamator</i> (Vieillot, 1808) = <i>Pseudoscops clamator</i> (Vieillot, 1808)		
<b>Rhipidipathes spp.</b> Milne Edwards & Haime, 1857 II		
APHANIPATHIDAE (Anthozoa)		
<b>Rhipidipathes colombiana</b> (Opresco & Sánchez, 1997) II		
APHANIPATHIDAE (Anthozoa)		
<b>Rhipidipathes reticulata</b> (Esper, 1795) II		
APHANIPATHIDAE (Anthozoa)		
<i>Rhipidipathes tristis</i> Duchassaing, 1870 = <i>Antipathes tristis</i> (Duchassaing, 1870)		
<i>Rhipidogryra daniana</i> Milne Edwards & Haime, 1848 = <i>Euphyllia fimbriata</i> (Spengler, 1799)		
<b>RHIZANGIIDAE spp.</b> d'Orbigny 1851 II (Anthozoa)		
<b>Rhizopsammia spp.</b> Verrill 1869 II		
DENDROPHYLLOIDAE (Anthozoa)		
<b>Rhizopsammia annae</b> (van der Horst, 1933) II		
DENDROPHYLLOIDAE (Anthozoa)		
<b>Rhizopsammia bermudensis</b> Wells, 1972 II		
DENDROPHYLLOIDAE (Anthozoa)		
<i>Rhizopsammia chamissoi</i> Wells, 1954 = <i>Rhizopsammia verrilli</i> van der Horst, 1922		
<b>Rhizopsammia compacta</b> Sheppard & Sheppard, 1991 II		
DENDROPHYLLOIDAE (Anthozoa)		
<b>Rhizopsammia goesi</b> (Lindström, 1877) II		
DENDROPHYLLOIDAE (Anthozoa) (E) Goes's Cup Coral (S) Coral pocillo de Goes		
<i>Rhizopsammia manuelensis</i> Chevalier, 1966 = <i>Cladopsammia manuelensis</i> (Chevalier, 1966)		
<b>Rhizopsammia minuta</b> van der Horst, 1922 II		
DENDROPHYLLOIDAE (Anthozoa)		
<i>Rhizopsammia minuta bikiniensis</i> van der Horst, 1922 = <i>Rhizopsammia minuta</i> van der Horst, 1922		
<b>Rhizopsammia nuda</b> van der Horst, 1926 II		
DENDROPHYLLOIDAE (Anthozoa)		
<b>Rhizopsammia pulchra</b> Verrill, 1870 II		
DENDROPHYLLOIDAE (Anthozoa)		
<b>Rhizopsammia verrilli</b> van der Horst, 1922 II		
DENDROPHYLLOIDAE (Anthozoa)		
<b>Rhizopsammia wellingtoni</b> Wells, 1982 II		
DENDROPHYLLOIDAE (Anthozoa)		
<b>Rhizopsammia wettsteini</b> Scheer & Pillai, 1983 II		
DENDROPHYLLOIDAE (Anthozoa)		
<b>Rhizosmilia spp.</b> Cairns, 1978 II CARYOPHYLLIIDAE (Anthozoa)		

- Rhizosmilia bartschi* (Wells, 1947) = *Rhizosmilia maculata* (Pourtales, 1874)
- Rhizosmilia elata* Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Rhizosmilia gerdae* Cairns, 1978 II CARYOPHYLLIIDAE (Anthozoa) (E) Gerda's Cup Coral (S) Coral tazón de Gerda
- Rhizosmilia maculata* (Pourtales, 1874) II  
CARYOPHYLLIIDAE (Anthozoa) (E) Speckled Cup Coral (S) Coral tazón manchado (F) Madrépore oeillet tacheté
- Rhizosmilia multipalifera* Cairns, 1998 II  
CARYOPHYLLIIDAE (Anthozoa)
- Rhizosmilia robusta* Cairns, 1993 II CARYOPHYLLIIDAE (Anthozoa)
- Rhizosmilia sagamiensis* (Eguchi, 1968) II  
CARYOPHYLLIIDAE (Anthozoa)
- Rhizotrochus spp.* Milne Edwards & Haime 1848 II  
FLABELLIDAE (Anthozoa)
- Rhizotrochus affinis* Duncan, 1873 = *Monomyces pygmaea* (Risso, 1826)
- Rhizotrochus flabelliformis* Cairns, 1989 II  
FLABELLIDAE (Anthozoa)
- Rhizotrochus fragilis* Pourtales, 1868 = *Polymyces fragilis* (Pourtales, 1868)
- Rhizotrochus levidensis* Gardiner, 1899 II  
FLABELLIDAE (Anthozoa)
- Rhizotrochus niinoi* Yabe & Eguchi, 1942 II  
FLABELLIDAE (Anthozoa)
- Rhizotrochus palaeensis* Yabe & Eguchi, 1942 = *Rhizotrochus typus* Milne Edwards & Haime, 1848
- Rhizotrochus radiatus* Dennant, 1904 = *Rhizotrochus tuberculatus* (Tenison-Woods, 1879)
- Rhizotrochus tuberculatus* (Tenison-Woods, 1879) II  
FLABELLIDAE (Anthozoa)
- Rhizotrochus tulipa* Pourtales, 1874 = *Polymyces fragilis* (Pourtales, 1868)
- Rhizotrochus typus* Milne Edwards & Haime, 1848 II  
FLABELLIDAE (Anthozoa)
- Rhizotrochus worsleyi* Alcock, 1891 = *Rhizotrochus typus* Milne Edwards & Haime, 1848
- Rhodaraea tenuidens* Quelch, 1886 = *Goniopora tenuidens* (Quelch, 1886)
- Rhodonessa caryophyllacea* (Latham, 1790) I  
ANATIDAE (Aves) (E) Pink-headed Duck (S) Pato cabecirrosa, Pato de cabeza rosa (F) Canard à tête rose, Nette à cou rose
- Rhodopis spp.* II TROCHILIDAE (Aves)
- Rhodopis vesper* (Lesson, 1829) II TROCHILIDAE (Aves) (E) Oasis Hummingbird (S) Colibrí del Atacama (F) Colibri vesper
- Rhodopsammia affinis* Semper, 1872 = *Balanophyllia stimpsonii* (Verrill, 1865)
- Rhodopsammia amoena* Semper, 1872 = *Balanophyllia carinata* (Semper, 1872)
- Rhodopsammia carinata* Semper, 1872 = *Balanophyllia carinata* (Semper, 1872)
- Rhodopsammia incerta* Semper, 1872 = *Balanophyllia stimpsonii* (Verrill, 1865)
- Rhodopsammia ovalis* Semper, 1877 = *Balanophyllia cumingii* Milne Edwards & Haime, 1848
- Rhodopsammia parallela* Semper, 1872 = *Balanophyllia parallela* (Semper, 1872)
- Rhodopsammia socialis* Semper, 1872 = *Balanophyllia stimpsonii* (Verrill, 1865)
- Rhombopsammia spp.* Owens 1986 II MICRABACIIDAE (Anthozoa)
- Rhombopsammia niphada* Owens, 1986 II  
MICRABACIIDAE (Anthozoa)
- Rhombopsammia squiresi* Owens, 1986 II  
MICRABACIIDAE (Anthozoa) (E) Squires's Cup Coral (S) Coral pocillo de Squires
- Rhoptrura petitii* Sauvage, 1884 = *Calabaria reinhardtii* (Schlegel, 1848)
- Rhoptrura reinhardtii* (Schlegel, 1848) = *Calabaria reinhardtii* (Schlegel, 1848)
- Rhynchositta spp.* Bonaparte, 1854 I PSITTACIDAE (Aves)
- Rhynchositta pachyrhyncha* (Swainson, 1827) I  
PSITTACIDAE (Aves) (E) Thick-billed Parrot (S) Cotorra-serrana occidental, Loro piquigordo, Periquito de pico grueso (F) Conure à gros bec, Perruche à gros bec, Perruche ara
- Rhynchositta pachyrhyncha terrisi* (Swainson, 1827) = *Rhynchositta terrisi* Moore, 1947
- Rhynchositta terrisi* Moore, 1947 I PSITTACIDAE (Aves) (E) Maroon-fronted Parrot (S) Cotorra-serrana oriental (F) Conure à front brun
- Rhynchoetos jubatus* Verreaux & Des Murs, 1860 I  
RHYNOCHETIDAE (Aves) (E) Kagu (S) Kagú (F) Kagou, Kagou Huppé
- Rhyticeros spp.* I/II BUCEROTIDAE (Aves)
- Rhyticeros cassidix* (Temminck, 1823) = *Aceros cassidix* (Temminck, 1823)
- Rhyticeros corrugatus* (Temminck, 1832) = *Aceros corrugatus* (Temminck, 1832)
- Rhyticeros everetti* (Rothschild, 1897) II BUCEROTIDAE (Aves) (E) Sumba Hornbill, Sumba Wreathed Hornbill (S) Cálar de la Sumba (F) Calao de Sumba
- Rhyticeros leucocephalus* (Vieillot, 1816) = *Aceros leucocephalus* (Vieillot, 1816)
- Rhyticeros leucocephalus waldeni* (Vieillot, 1816) = *Aceros waldeni* (Sharpe, 1877)
- Rhyticeros narcondami* Hume, 1873 II BUCEROTIDAE (Aves) (E) Narcondam Hornbill (S) Cálar de la Narcondam (F) Calao de Narcondam
- Rhyticeros plicatus* (J. R. Forster, 1781) II  
BUCEROTIDAE (Aves) (E) Kokomo, New Guinea Hornbill, New Guinea Wreathed Hornbill, Papuan Hornbill, Plicated Hornbill (F) Calao papou
- Rhyticeros subruficollis* (Blyth, 1843) I BUCEROTIDAE (Aves) (E) Blyth's Hornbill, Blyth's Wreathed Hornbill, Burmese Hornbill, Plain-pouched Hornbill, Plain-pouched Wreathed Hornbill (S) Cálar gorgiclaro (F) Calao à gorge claire, Calao à poche unie
- Rhyticeros undulatus* (Shaw, 1811) II BUCEROTIDAE (Aves) (E) Bar-pouched Wreathed Hornbill, Bar-throated Wreathed Hornbill, Northern Waved

Hornbill, Wreathed Hornbill (S) Cálar gorginegro (F) Calao festonné	Rorqual bleu (F): <i>Balaenoptera musculus</i>
<i>Rhyticeros waldeni</i> (Sharpe, 1877) = <i>Aceros waldeni</i> (Sharpe, 1877)	Rorqual boréal (F): <i>Balaenoptera borealis</i>
<i>Rhytidoceros everetti</i> Rothschild, 1897 = <i>Rhyticeros everetti</i> (Rothschild, 1897)	Rorqual, Common (E): <i>Balaenoptera physalus</i>
Ridley, Atlantic (E): <i>Lepidochelys kempii</i>	Rorqual commun (F): <i>Balaenoptera physalus</i>
Ridley de Kemp (F): <i>Lepidochelys kempii</i>	Rorqual de Bryde (F): <i>Balaenoptera edeni</i>
Ridley du Pacifique (F): <i>Lepidochelys olivacea</i>	Rorqual d'Eden (F): <i>Balaenoptera edeni</i>
Ridley, Gulf (E): <i>Lepidochelys kempii</i>	Rorqual de Rudolphi (F): <i>Balaenoptera borealis</i>
Ridley, Kemp's (E): <i>Lepidochelys kempii</i>	Rorqual de Sibbold (F): <i>Balaenoptera musculus</i>
Ridley, Mexican (E): <i>Lepidochelys kempii</i>	Rorqual du Cap (F): <i>Megaptera novaeangliae</i>
Ridley, Olive (E): <i>Lepidochelys olivacea</i>	Rorqual, Lesser (E): <i>Balaenoptera acutorostrata</i>
Ridley, Pacific (E): <i>Lepidochelys olivacea</i>	Rorqual, Rudophi's (E): <i>Balaenoptera borealis</i>
Riffleshell, Curtis' (E): <i>Epioblasma curtisii</i>	Rorqual sei (F): <i>Balaenoptera borealis</i>
Riffleshell, Northern (E): <i>Epioblasma torulosa rangiana</i>	Rorquals, Humpback Whale, (E): <i>Balaenopteridae</i>
Riffleshell, Sampson's (E): <i>Epioblasma sampsonii</i>	Rorqual, Sibbald's (E): <i>Balaenoptera musculus</i>
Riffleshell, Tan (E): <i>Epioblasma walkeri</i>	Rorqual tropical (F): <i>Balaenoptera edeni</i>
Riffleshell, Wabash (E): <i>Epioblasma sampsonii</i>	Rose de corail (F): <i>Manicina areolata</i>
Riffleshell, Yellow (E): <i>Epioblasma florentina</i>	Rosella, Crimson (E): <i>Platycercus elegans</i>
Riflebird, Eastern (E): <i>Ptiloris intercedens</i>	Rosella, Eastern (E): <i>Platycercus eximius</i>
Riflebird, Magnificent (E): <i>Ptiloris magnificus</i>	Rosella, Golden-mantled (E): <i>Platycercus eximius</i>
Riflebird, Paradise (E): <i>Ptiloris paradiseus</i>	Rosella, Green (E): <i>Platycercus caledonicus</i>
Riflebird, Queen Victoria's (E): <i>Ptiloris victoriae</i>	Rosella, Mealy (E): <i>Platycercus adscitus</i>
Riflebird, Victoria's (E): <i>Ptiloris victoriae</i>	Rosella, Northern (E): <i>Platycercus venustus</i>
Ringneck, Australian (E): <i>Barnardius zonarius</i>	Rosella, Pale-headed (E): <i>Platycercus adscitus</i>
Ringneck, Port Lincoln (E): <i>Barnardius zonarius</i>	Rosella, Tasmanian (E): <i>Platycercus caledonicus</i>
Rinoceronte blanco (S): <i>Ceratotherium simum</i>	Rosella, Western (E): <i>Platycercus icterotis</i>
Rinoceronte de Java (S): <i>Rhinoceros sondaicus</i>	Rose, Malabar (E): <i>Atrophaneura pandiyana</i>
Rinoceronte de Sumatra (S): <i>Dicerorhinus sumatrensis</i>	Rose, Sri Lankan (E): <i>Atrophaneura jophon</i>
Rinoceronte negro (S): <i>Diceros bicornis</i>	<i>Rosmarus rosмарус</i> (Linnaeus, 1758) = <i>Odobenus rosмарус</i> (Linnaeus, 1758)
Rinocerontes (S): <i>Rhinocerotidae</i>	<b><i>Rostrhamus</i> spp. II</b> <sup>27</sup> ACCIPITRIDAE (Aves)
Rinoceronte unicornio índico (S): <i>Rhinoceros unicornis</i>	<b><i>Rostrhamus hamatus</i></b> (Temminck, 1821) <b>II</b> <sup>27</sup>
<i>Ripponia hypolitus</i> (Cramer, 1775) = <i>Troides hypolitus</i> (Cramer, 1775)	ACCIPITRIDAE (Aves) (E) Slender-billed Kite (S) Caracolero, Caracolero plomizo, Gavilán pico de Hoz (F) Milan à long bec
Rip-sack (E): <i>Eschrichtius robustus</i>	<b><i>Rostrhamus sociabilis</i></b> (Vieillot, 1817) <b>II</b> <sup>27</sup>
River-martin, White-eyed (E): <i>Pseudochelidon sirintarae</i>	ACCIPITRIDAE (Aves) (E) Everglade Kite, Snail Kite (S) Caracolero común, Gavilán caracolero, Milano caracolero (F) Milan des marais
Rockfowl, Bare-headed (E): <i>Picathartes gymnocephalus</i>	Rousserolle de Rodriguez (F): <i>Acrocephalus rodericanus</i>
Rockfowl, Grey-necked (E): <i>Picathartes oreas</i>	Roussette à couronne dorée (F): <i>Acerodon jubatus</i>
Rockfowl, Red-headed (E): <i>Picathartes oreas</i>	Roussette de Palawan (F): <i>Acerodon leucotis</i>
Rockfowl, White-necked (E): <i>Picathartes gymnocephalus</i>	Roussette des îles Marianes (F): <i>Pteropus mariannus</i>
Rockfowl, Yellow-headed (E): <i>Picathartes gymnocephalus</i>	Roussette des îles Marianne (F): <i>Pteropus mariannus</i>
Rock-rat, Macdonnell Range (E): <i>Zyzomys pedunculatus</i>	Roussette des îles Palau (F): <i>Pteropus pilosus</i>
Roi des vautours (F): <i>Sarcoramphus papa</i>	Roussette des îles Samoa (F): <i>Pteropus samoensis</i>
<b><i>Romerolagus diazi</i></b> (Ferrari-Pérez, 1893) I LEPORIDAE (Mammalia) (E) Volcano Rabbit (S) Conejo de Díaz, Conejo de los volcanes, Teporingo, Zacatuche (F) Lapin de Diaz, Lapin des volcans	Roussette des îles Tonga (F): <i>Pteropus tonganus</i>
Rorqual azul (S): <i>Balaenoptera musculus</i>	Roussette des îles Truk (F): <i>Pteropus insularis</i>
Rorqual boreal (S): <i>Balaenoptera borealis</i>	Roussette de Talaud (F): <i>Acerodon humilis</i>
Rorqual común (S): <i>Balaenoptera physalus</i>	Trainette arboricole à côtes bleues (F): <i>Agalychnis annae</i>
Rorqual de Rudolphi (S): <i>Balaenoptera borealis</i>	Ruby, Brazilian (E): <i>Clytolaema rubricauda</i>
Rorqual enano del antarctica (S): <i>Balaenoptera bonaerensis</i>	<b><i>Rucervus duvaucelii</i></b> (G. Cuvier, 1823) I CERVIDAE (Mammalia) (E) Barasingha, Swamp Deer (S) Barasinga, Ciervo de Duvaucel (F) Barasinga, Barasingha, Cerf de Duvaucel
Rorcuales (S): <i>Balaenopteridae</i>	<b><i>Rucervus eldii</i></b> (McClelland, 1842) I CERVIDAE (Mammalia) (E) Brow-antlered Deer, Eld's Deer, Thamin (S) Ciervo de Eld (F) Cerf d'Eld
Rorqual jorobado (S): <i>Megaptera novaeangliae</i>	<i>Rufibrenta ruficollis</i> (Pallas, 1769) = <i>Branta ruficollis</i> (Pallas, 1769)
Rorqual menor (S): <i>Balaenoptera acutorostrata</i>	Ruiseñor del bambú (S): <i>Leiothrix lutea</i>
Rorqual norteno (S): <i>Balaenoptera borealis</i>	
Rorqual à bosse (F): <i>Megaptera novaeangliae</i>	
Rorqual à ventre cannelé (F): <i>Balaenoptera musculus</i>	

- Rungwecebus spp.** Davenport, Stanley, Sargis, de Luca, et al., 2006 II CERCOPITHECIDAE (Mammalia)
- Rungwecebus kipunji** (Ehardt, Butynski, Jones & Davenport, 2005) II CERCOPITHECIDAE (Mammalia) (E) Highland Mangabey
- Rupicapra ornata* Neumann, 1899 = *Rupicapra pyrenaica ornata* Neumann, 1899
- Rupicapra pyrenaica** Bonaparte, 1845 II/NC BOVIDAE (Mammalia) (E) Pyrenean Chamois, Southern Chamois (S) Rebeco ibérico (F) Isard
- Rupicapra pyrenaica ornata** Neumann, 1899 II BOVIDAE (Mammalia) (E) Abruzzo Chamois, Apennine Chamois (S) Gamuza alpina, Gamuza de los Abruzzos, Rebeco de los Abruzzos, Rebeco de los Apeninos (F) Chamois des Abruzzes
- Rupicapra rupicapra ornata* (Linnaeus, 1758) = *Rupicapra pyrenaica ornata* Neumann, 1899
- Rupicola spp.** Brisson 1760 II COTINGIDAE (Aves)
- Rupicola peruviana* (Latham, 1790) = *Rupicola peruvianus* (Latham, 1790)
- Rupicola peruvianus** (Latham, 1790) II COTINGIDAE (Aves) (E) Andean Cock-of-the-rock, Peruvian Cock-of-the-rock, Red Cock-of-the-rock, Scarlet Cock-of-the-rock (S) Gallito de las sierras, Gallito de roca peruano, Tunqui (F) Coq-de-roche péruvien
- Rupicola rupicola** (Linnaeus, 1766) II COTINGIDAE (Aves) (E) Common Cock-of-the-Rock, Guianan Cock-of-the-rock, Orange Cock-of-the-rock, Smaller Cock-of-the-rock (S) Gallito de las rocas, Gallito de roca anaranjado (F) Coq-de-roche de Guyane, Coq-de-roche orange
- Rupornis magnirostris* (J. F. Gmelin, 1788) = *Buteo magnirostris* (Gmelin, 1788)
- Rupornis ridgwayi* Cory, 1883 = *Buteo ridgwayi* (Cory, 1883)
- Saara spp.** II AGAMIDAE (Reptilia)
- Saara asmussi** (Strauch, 1863) II AGAMIDAE (Reptilia) (E) Iranian Mastigure, Iranian Spiny-tailed Lizard (F) Fouette-queue d'Iran
- Saara hardwickii** (Gray, 1827) II AGAMIDAE (Reptilia) (E) Hardwick's Spiny-tailed Lizard, Indian Mastigure (S) Lagarto indio de cola espinosa (F) Fouette-queue de Hardwick, Fouette-queue indien
- Saara hardwickii* Gray, 1845 = *Saara hardwickii* (Gray, 1827)
- Saara loricata** (Blanford, 1874) II AGAMIDAE (Reptilia) (E) Mesopotamian Mastigure, Mesopotamian Spiny-tailed Lizard (F) Fouette-queue de Mésopotamie
- Sabrewing, Buff-breasted (E): *Campylopterus diauda*
- Sabrewing, Grey-breasted (E): *Campylopterus largipennis*
- Sabrewing, Lazuline (E): *Campylopterus falcatus*
- Sabrewing, Napo (E): *Campylopterus villaviscensio*
- Sabrewing, Rufous (E): *Campylopterus rufus*
- Sabrewing, Rufous-breasted (E): *Campylopterus hyperythrus*
- Sabrewing, Santa Marta (E): *Campylopterus phainopeplus*
- Sabrewing, Violet (E): *Campylopterus hemileucurus*
- Sabrewing, Wedge-tailed (E): *Campylopterus curvipennis*
- Sabrewing, White-tailed (E): *Campylopterus ensipennis*
- Sacafí (S): *Psammobates geometricus*
- Sacalia bealei** (Gray, 1831) II GEOEMYDIDAE (Reptilia) (E) Beale's Eyed Turtle
- Sacalia pseudocellata** Iverson & McCord, 1992 III GEOEMYDIDAE (Reptilia) (E) Chinese False-eyed Turtle
- Sacalia quadriocellata** (Siebenrock, 1903) II GEOEMYDIDAE (Reptilia) (E) Four-eyed Turtle
- Sachacabra (S): *Pudu mephistophiles*
- Sachavaca (S): *Tapirus terrestris*
- Sägefisch (S): *Pristis pectinata*
- Sägefisch (S): *Pristis pristis*
- SAGITTARIIDAE spp.** II<sup>27</sup> (Aves) (E) Secretary-Bird (S) Secretario, Serpentario (F) Messager Sagittaire, Secrétaire Des Serpents, Serpentaire
- Sagittarius spp.** II<sup>27</sup> SAGITTARIIDAE (Aves)
- Sagittarius serpentarius** (Miller, 1779) II<sup>27</sup> SAGITTARIIDAE (Aves) (E) Secretarybird (S) Secretario, Serpentario (F) Messager sagittaire, Secrétaire des serpents, Serpentaire
- Sagmatias australis* (Peale, 1848) = *Lagenorhynchus australis* (Peale, 1848)
- Sagmatias cruciger* (Quoy & Gaimard, 1824) = *Lagenorhynchus cruciger* (Quoy & Gaimard, 1824)
- Sagmatias obliquidens* (Gill, 1865) = *Lagenorhynchus obliquidens* Gill, 1865
- Sagmatias obscurus* (Gray, 1828) = *Lagenorhynchus obscurus* (Gray, 1828)
- Saguinus spp.** I/II CEBIDAE (Mammalia)
- Saguinus bicolor** (Spix, 1823) I CEBIDAE (Mammalia) (E) Bare-faced Tamarin, Pied Tamarin (S) Tamarín bicolor (F) Tamarin bicolore
- Saguinus bicolor martinsi* (Spix, 1823) = *Saguinus martinsi* (Thomas, 1912)
- Saguinus fuscicollis** (Spix, 1823) II CEBIDAE (Mammalia) (E) Brown-headed Tamarin, Rio Napo Tamarin, Saddle-back Tamarin (F) Tamarin à manteau rouge
- Saguinus fuscicollis crandalli* (Spix, 1823) = *Saguinus melanoleucus* (Miranda Ribeiro, 1912)
- Saguinus fuscicollis melanoleucus* (Spix, 1823) = *Saguinus melanoleucus* (Miranda Ribeiro, 1912)
- Saguinus fuscicollis tripartitus* (Spix, 1823) = *Saguinus tripartitus* (Milne Edwards, 1878)
- Saguinus geoffroyi** (Pucheran, 1845) I CEBIDAE (Mammalia) (E) Cotton-top Marmoset, Geoffroy's Tamarin, Liszt Monkey, Pinche Marmoset, Rufous-naped Tamarin (S) Tamarino de Geoffroy (F) Tamarin de Geoffroy
- Saguinus graellsii** Jiménez de la Espada, 1870 II CEBIDAE (Mammalia) (E) Graells's Black-mantled Tamarin
- Saguinus imperator** (Goeldi, 1907) II CEBIDAE (Mammalia) (E) Emperor Tamarin (S) Tamarino emperador
- Saguinus inustus** (Schwarz, 1951) II CEBIDAE (Mammalia) (E) Dusky Tamarin, Mottle-faced Tamarin (S) Tamarino de caba manchada
- Saguinus labiatus** (E. Geoffroy in Humboldt, 1812) II CEBIDAE (Mammalia) (E) Geoffroy's Tamarin,

Red-bellied Tamarin, Red-chested Tamarin, White-lipped Tamarin (S) Tamarino de labios blancos	Mono tití, Saimiri dorsirrojo (F) Saïmiri à dos roux, Singe-écureuil à dos rouge, Singe-écureuil à dos roux
<b><i>Saguinus leucopus</i></b> (Günther, 1877) I CEBIDAE (Mammalia) (E) White-footed Tamarin (S) Tamarín de manos blancas, Tamarín de pies blancos (F) Tamarin à pieds blancs	<b><i>Saimiri sciureus</i></b> (Linnaeus, 1758) II CEBIDAE (Mammalia) (E) Common Squirrel Monkey (F) Saïmiri écureuil
<b><i>Saguinus martinsi</i></b> (Thomas, 1912) I CEBIDAE (Mammalia) (E) Martins's Bare-faced Tamarin	<b><i>Saimiri sciureus boliviensis</i></b> (Linnaeus, 1758) = <i>Saimiri boliviensis</i> (I. Geoffroy & Blainville, 1834)
<b><i>Saguinus melanoleucus</i></b> (Miranda Ribeiro, 1912) II CEBIDAE (Mammalia) (E) White-mantled Tamarin	<b><i>Saimiri sciureus ustus</i></b> (Linnaeus, 1758) = <i>Saimiri ustus</i> (I. Geoffroy, 1843)
<b><i>Saguinus midas</i></b> (Linnaeus, 1758) II CEBIDAE (Mammalia) (E) Negro Tamarin, Red-handed Tamarin (F) Tamarin aux mains rousses	<b><i>Saimiri ustus</i></b> (I. Geoffroy, 1843) II CEBIDAE (Mammalia) (E) Golden-backed Squirrel Monkey
<b><i>Saguinus mystax</i></b> (Spix, 1823) II CEBIDAE (Mammalia) (E) Moustached Tamarin (F) Tamarin à moustaches	<b><i>Saimiri vanzolinii</i></b> Ayres, 1985 II CEBIDAE (Mammalia) (E) Blackish Squirrel Monkey
<b><i>Saguinus mystax pileatus</i></b> (Spix, 1823) = <i>Saguinus pileatus</i> (I. Geoffroy & Deville, 1848)	Sajou à front blanc (F): <i>Cebus albifrons</i> Sajou à gorge blanche (F): <i>Cebus capucinus</i> Sajou apelle (F): <i>Cebus apella</i> Sajou brun (F): <i>Cebus olivaceus</i> Sakafi (F): <i>Psammobates geometricus</i> Saker (E): <i>Falco cherrug</i> Saki amazónico (S): <i>Pithecia albicans</i> Saki à nez blanc (F): <i>Chiropotes albinasus</i> Saki à tête pâle (F): <i>Pithecia pithecia</i> Saki, Bald-faced (E): <i>Pithecia irrorata</i> Saki, Bearded (E): <i>Chiropotes satanas</i> Saki, Black (E): <i>Chiropotes satanas</i> Saki, Black-and-white (E): <i>Pithecia albicans</i> Saki, Buffy (E): <i>Pithecia albicans</i> Saki chevelu (F): <i>Pithecia monachus</i> Saki de cara pelada (S): <i>Pithecia irrorata</i> Saki de nariz blanca (S): <i>Chiropotes albinasus</i> Saki, Equatorial (E): <i>Pithecia aequatorialis</i> Saki Et Ouakari (F): <i>Pitheciidae</i> Saki, Monk (E): <i>Pithecia monachus</i> Saki nariblanco (S): <i>Chiropotes albinasus</i> Saki noir (F): <i>Chiropotes satanas</i> Saki, Pale-headed (E): <i>Pithecia pithecia</i> Saki, Red-bearded (E): <i>Pithecia monachus</i> Saki, Red-nosed (E): <i>Chiropotes albinasus</i> Sakis Y Uacarís (S): <i>Pitheciidae</i> Saki, Uta Hick's Bearded (E): <i>Chiropotes utahickae</i> Saki, White (E): <i>Pithecia albicans</i> Saki, White-faced (E): <i>Pithecia pithecia</i> Saki, White-nosed (E): <i>Chiropotes albinasus</i> Saki, White-nosed Bearded (E): <i>Chiropotes albinasus</i> Saladang (E): <i>Bos gaurus</i> Salamander, Chinese Giant (E): <i>Andrias davidianus</i> Salamander, Japanese Giant (E): <i>Andrias japonicus</i> Salamander, Lake Patzcuaro (E): <i>Ambystoma dumerilii</i> <i>Salamandra alleganiensis</i> Daudin, 1803 = <i>Cryptobranchus alleganiensis</i> (Daudin, 1803) <i>Salamandra alleghaniensis</i> Gray, 1850 = <i>Cryptobranchus alleghaniensis</i> (Daudin, 1803) Salamandra del lago Patzcuaro (S): <i>Ambystoma dumerilii</i> <i>Salamandra gigantea</i> Barton, 1808 = <i>Cryptobranchus alleganiensis</i> (Daudin, 1803) Salamandra gigante de China (S): <i>Andrias davidianus</i> Salamandra gigante de Japón (S): <i>Andrias japonicus</i> <i>Salamandra gigas</i> Duméril, Bibron & Duméril, 1854 = <i>Andrias japonicus</i> (Temminck, 1836)
<b><i>Saguinus niger</i></b> (E. Geoffroy, 1803) II CEBIDAE (Mammalia) (E) Black Tamarin	
<b><i>Saguinus nigricollis</i></b> (Spix, 1823) II CEBIDAE (Mammalia) (E) Black-and-red Tamarin, Black-mantled Tamarin (F) Tamarin rouge et noir	
<b><i>Saguinus nigricollis graellsi</i></b> (Spix, 1823) = <i>Saguinus graellsi</i> Jiménez de la Espada, 1870	
<b><i>Saguinus oedipus</i></b> (Linnaeus, 1758) I CEBIDAE (Mammalia) (E) Cotton-headed Tamarin, Cotton-top Tamarin (S) Bichichi (F) Tamarin à perruque, Tamarin d'Oedipe, Tamarin pinché	
<b><i>Saguinus oedipus geoffroyi</i></b> (Linnaeus, 1758) = <i>Saguinus geoffroyi</i> (Pucheran, 1845)	
<b><i>Saguinus pileatus</i></b> (I. Geoffroy & Deville, 1848) II CEBIDAE (Mammalia) (E) Red-capped Moustached Tamarin	
<b><i>Saguinus tamarin</i></b> (Link, 1795) = <i>Saguinus midas</i> (Linnaeus, 1758)	
<b><i>Saguinus tripartitus</i></b> (Milne Edwards, 1878) II CEBIDAE (Mammalia) (E) Golden-mantled Saddle-back Tamarin (S) Tamarino de espalda dorada	
Saiga (E): <i>Saiga tatarica</i>	
Saiga (S): <i>Saiga tatarica</i>	
Saïga (F): <i>Saiga tatarica</i>	
<b><i>Saiga borealis</i></b> (Tschersky, 1876) II/NC BOVIDAE (Mammalia) (E) Mongolian Saiga	
Saiga, Mongolian (E): <i>Saiga borealis</i>	
<b><i>Saiga tatarica</i></b> (Linnaeus, 1766) II BOVIDAE (Mammalia) (E) Saiga, Saiga Antelope (S) Antílope saiga, Saiga (F) Saïga	
<b><i>Saiga tatarica</i></b> (Linnaeus, 1766) = <i>Saiga borealis</i> (Tschersky, 1876)	
<b><i>Saimiri</i> spp. I/II CEBIDAE (Mammalia)</b>	
Saïmiri à dos roux (F): <i>Saimiri oerstedii</i>	
<b><i>Saimiri boliviensis</i></b> (I. Geoffroy & Blainville, 1834) II CEBIDAE (Mammalia) (E) Black-headed Squirrel Monkey	
Saimiri dorsirrojo (S): <i>Saimiri oerstedii</i>	
Saïmiri écureuil (F): <i>Saimiri sciureus</i>	
<b><i>Saimiri oerstedii</i></b> (Reinhardt, 1872) I CEBIDAE (Mammalia) (E) Central American Squirrel Monkey, Red-backed Squirrel Monkey (S) Barizo dorsirrojo,	

- Salamandra horrida* Barton, 1808 = *Cryptobranchus alleganiensis* (Daudin, 1803)  
*Salamandra maxima* Barton, 1808 = *Cryptobranchus alleganiensis* (Daudin, 1803)  
*Salamandra maxima* Schlegel, 1837 = *Andrias japonicus* (Temminck, 1836)  
*Salamandra (megalobatrachus) maxima* Schlegel, 1858 = *Andrias japonicus* (Temminck, 1836)  
*Salamandra (menopoma) gigantea* Schlegel, 1858 = *Cryptobranchus alleganiensis* (Daudin, 1803)  
Salamandra mexicana (S): *Ambystoma mexicanum*  
Salamandre du lac Pàtzcuaro (F): *Ambystoma dumerilii*  
Salamandre du Mexique (F): *Ambystoma mexicanum*  
Salamandre du père David (F): *Andrias davidianus*  
Salamandre géante de Chine (F): *Andrias davidianus*  
Salamandre géante du Japon (F): *Andrias japonicus*  
*Salamandrops giganteus* Wagler, 1830 = *Cryptobranchus alleganiensis* (Daudin, 1803)  
*Salvator duseni* Lönnberg, 1910 = *Tupinambis duseni* Lönnberg, 1896  
*Salvator merianae* (Duménil & Bibron, 1839) = *Tupinambis merianae* (Duménil & Bibron, 1839)  
*Salvator rufescens* (Günther, 1871) = *Tupinambis rufescens* (Günther, 1871)  
*Sancti Spiritus Trope* (S): *Tropidophis spiritus*  
***Sandalolitha* spp.** Quelch 1884 II FUNGIIDAE (Anthozoa)  
***Sandalolitha africana*** Veron, 2000 II FUNGIIDAE (Anthozoa)  
***Sandalolitha dentata*** Quelch, 1884 II FUNGIIDAE (Anthozoa)  
***Sandalolitha robusta*** (Quelch, 1886) II FUNGIIDAE (Anthozoa) (E) Basket Coral  
Sanglier nain (F): *Sus salvanius*  
Sanglier pygmée (F): *Sus salvanius*  
Sangsue médicinale (F): *Hirudo medicinalis*  
Sangsue Officinale (F): *Hirudo medicinalis*  
Sanguijuela (S): *Hirudo medicinalis*  
Sansonnnet de Rothschild (F): *Leucopsar rothschildi*  
*Sanzinia* spp. I BOIDAE (Reptilia)  
*Sanzinia* (E): *Sanzinia madagascariensis*  
*Sanzinia madagascariensis* (Duménil & Bibron, 1844) I BOIDAE (Reptilia) (E) Madagascar Tree Boa, Sanzinia (S) Boa arboricola de Madagascar (F) Boa des forêts de Madagascar  
*Sanzinia volontany* Vences & Glaw, 2004 = *Sanzinia madagascariensis* (Duménil & Bibron, 1844)  
Saola (S): *Pseudoryx nghetinhensis*  
Saola (E): *Pseudoryx nghetinhensis*  
Saola (F): *Pseudoryx nghetinhensis*  
Saphir à gorge rousse (F): *Hylocharis sapphirina*  
Saphir à oreilles blanches (F): *Basilinna leucotis*  
Saphir à queue d'or (F): *Hylocharis chrysura*  
Saphir azuré (F): *Hylocharis cyanus*  
Saphir d'Elicia (F): *Hylocharis eliciae*  
Saphir de Xantus (F): *Basilinna xantusii*  
Saphir oenome (F): *Chrysuronia oenone*  
Saphir ulyssse (F): *Hylocharis grayi*  
Sapo del Camerún (S): *Amietophrynus superciliaris*  
Sapo dorado (S): *Incilius periglenes*  
Sapo dorado de Monteverde (S): *Incilius periglenes*  
Sapo vivíparo de África occidental (S): *Nimbaphrynoides occidentalis*  
Sapo vivíparo de Malcolm (S): *Altiphrynoides malcolmi*  
Sapo vivíparo de Osgood (S): *Altiphrynoides osgoodi*  
Sapphire, Blue-chinned (E): *Chlorostilbon notatus*  
Sapphire, Blue-headed (E): *Hylocharis grayi*  
Sapphire, Golden-tailed (E): *Chrysuronia oenone*  
Sapphire, Rufous-throated (E): *Hylocharis sapphirina*  
Sapphire, White-chinned (E): *Hylocharis cyanus*  
Sapphirewing, Great (E): *Pterophanes cyanopterus*  
*Sapphironia luminosa* Lawrence, 1862 = *Lepidopyga goudoti* (Bourcier, 1843)  
***Sappho* spp. II TROCHILIDAE (Aves)**  
***Sappho sparganura*** (Shaw, 1812) II TROCHILIDAE (Aves) (E) Red-tailed Comet (S) Colibrí cometa, Picaflor coludo rojo (F) Colibri sapho  
*Sappho sparganurus* (Shaw, 1812) = *Sappho sparganura* (Shaw, 1812)  
Sarcelle aptère (F): *Anas aucklandica*  
Sarcelle brune (F): *Anas aucklandica*  
Sarcelle de Bernier (F): *Anas bernieri*  
Sarcelle de Campbell (F): *Anas nesiotis*  
Sarcelle de la Nouvelle-Zélande (F): *Anas chlorotis*  
Sarcelle de Laysan (F): *Anas laysanensis*  
Sarcelle de Madagascar (F): *Anas bernieri*  
Sarcelle de Nouvelle-Zélande (F): *Anas aucklandica*  
Sarcelle élégante (F): *Anas formosa*  
Sarcelle formose (F): *Anas formosa*  
Sarcelle malgache de Bernier (F): *Anas bernieri*  
Sarcelle terrestre des îles Auckland (F): *Anas aucklandica*  
Sarcidorne à crête (F): *Sarkidiornis melanotos*  
*Sarcinula ellisi* Milne Edwards & Haime, 1848 = *Galaxea fascicularis* (Linnaeus, 1758)  
*Sarcinula fascicularis* (Linnaeus, 1758) = *Galaxea fascicularis* (Linnaeus, 1758)  
*Sarcinula hexagonalis* Milne Edwards & Haime, 1848 = *Galaxea fascicularis* (Linnaeus, 1758)  
*Sarcinula irregularis* Milne Edwards & Haime, 1848 = *Galaxea fascicularis* (Linnaeus, 1758)  
*Sarcinula laperousiana* Milne Edwards & Haime, 1848 = *Montastrea curta* (Dana, 1846)  
*Sarcinula pauciradiata* Milne Edwards & Haime, 1848 = *Galaxea paucisepta* Claereboudt, 1990  
***Sarcogyps* spp. II 27 ACCIPITRIDAE (Aves)**  
***Sarcogyps calvus*** (Scopoli, 1786) II 27 ACCIPITRIDAE (Aves) (E) Asian Black Vulture, Asian King Vulture, Indian Black Vulture, Indian King Vulture, Pondicherry Vulture, Red-headed Vulture (S) Buitre cabecirrojo (F) Vautour royal  
Sarcoramphé roi (F): *Sarcoramphus papa*  
***Sarcoramphus* spp. III CATHARTIDAE (Aves)**  
***Sarcoramphus papa*** (Linnaeus, 1758) III CATHARTIDAE (Aves) (E) King Vulture (S) Gallinazo rey, Jote real, Rey zamuro, Zopilote rey (F) Carcoramphé roi, Roi des vautours, Sarcoramphé roi, Vautour page, Vautour royal  
*Sarkidiornis melanotos* (Pennant, 1769) II ANATIDAE (Aves) (E) Comb Duck, Knob-billed Goose (S) Pato crestado, Pato crestón, Pato crestudo, Pato de moco,

- Pato de monte (F) Canard à bosse, Canard à bosse bronzé, Canard coronculé, Sarcidorne à crête
- Saropathes spp.** Opresko, 2002 II SCHIZOPATHIDAE (Anthozoa)
- Saropathes margaritae** Molodtsova, 2005 II SCHIZOPATHIDAE (Anthozoa)
- Saropathes scoparia** (Totton, 1923) II SCHIZOPATHIDAE (Anthozoa)
- Sasin (E): *Antilope cervicapra*
- Saucerottia beryllina* (Lichtenstein, 1830) = *Amazilia beryllina* (Lichtenstein, 1830)
- Saucerottia cupreicauda* (Salvin & Godman, 1884) = *Amazilia cupreicauda* Salvin & Godman, 1884
- Saucerottia cyanifrons* (Bourcier, 1843) = *Amazilia cyanifrons* (Bourcier, 1843)
- Saucerottia cyanura* (Gould, 1859) = *Amazilia cyanura* Gould, 1859
- Saucerottia edward* (DeLattre & Bourcier, 1846) = *Amazilia edward* (DeLattre & Bourcier, 1846)
- Saucerottia saucerrottei* (DeLattre & Bourcier, 1846) = *Amazilia saucerrottei* (DeLattre & Bourcier, 1846)
- Saucerottia tobaci* (Gmelin, 1788) = *Amazilia tobaci* (Gmelin, 1788)
- Saucerottia viridigaster* (Bourcier, 1843) = *Amazilia viridigaster* (Bourcier, 1843)
- Sauromalus varius** Dickerson, 1919 I IGUANIDAE (Reptilia) (E) Piebald Chuckwalla, San Esteban Island Chuckwalla (F) Chuckwalla de San Esteban
- Sauvegarde (F): *Tupinambis teguixin*
- Savagliopsis pedata* (Gray, 1858) = *Aphanipathes pedata* (Gray, 1858)
- Sawback, Ringed (E): *Graptemys oculifera*
- Sawback, Yellow Blotched (E): *Graptemys flavimaculata*
- Sawfish, Common (E): *Pristis pristis*
- Sawfish, Dwarf (E): *Pristis clavata*
- Sawfishes (E): *Pristidae*
- Sawfish, Freshwater (E): *Pristis microdon*
- Sawfish, Greattooth (E): *Pristis microdon*
- Sawfish, Green (E): *Pristis zijsron*
- Sawfish, Knifetooth (E): *Anoxypristes cuspidata*
- Sawfish, Largetooth (E): *Pristis microdon*
- Sawfish, Leichhardts (E): *Pristis microdon*
- Sawfish, Longcomb (E): *Pristis zijsron*
- Sawfish, Longsnout (E): *Pristis zijsron*
- sawfish, Narrow (E): *Anoxypristes cuspidata*
- Sawfish, Narrowsnout (E): *Pristis zijsron*
- sawfish, Pointed (E): *Anoxypristes cuspidata*
- Sawfish, Queensland (E): *Pristis clavata*
- Sawfish, Smalltooth (E): *Pristis pectinata*
- Sawfish, Smooth-tooth (E): *Pristis pectinata*
- sawfish, Southern (E): *Pristis perotteti*
- Sawfish, Wide (E): *Pristis pectinata*
- SCANDENTIA spp.** II (E) Tree Shrews (S) Musarañas Arborícolas O Tupayas (F) Tupaias
- Scaphiophryne gottlebei** Busse & Böhme, 1992 II MICROHYLIDAE (Amphibia) (E) Red Rain Frog
- Scaphiophryne (scaphiophryne) gottlebei* Grosjean, Glos, Teschke, Glaw & Vences, 2007 = *Scaphiophryne gottlebei* Busse & Böhme, 1992
- Scaphirhynchus spp.** II ACIPENSERIDAE (Actinopterygii)
- Scaphirhynchus albus** (Forbes & Richardson, 1905) II ACIPENSERIDAE (Actinopterygii) (E) Pallid Sturgeon
- Scaphirhynchus fedtschenkoi** Kessler, 1872 = *Pseudoscaphirhynchus fedtschenkoi* (Kessler, 1872)
- Scaphirhynchus hermanni** Kessler, 1877 = *Pseudoscaphirhynchus hermanni* (Kessler, 1877)
- Scaphirhynchus kaufmanni** Bogdanov, 1874 = *Pseudoscaphirhynchus kaufmanni* (Kessler, 1874)
- Scaphirhynchus mexicanus** Giltay, 1928 = *Scaphirhynchus platorynchus* (Rafinesque, 1820)
- Scaphirhynchus platorynchus** (Rafinesque, 1820) II ACIPENSERIDAE (Actinopterygii) (E) Sand Sturgeon, Shovelnose Sturgeon
- Scaphirhynchus rafinesquei** Heckel, 1836 = *Scaphirhynchus platorynchus* (Rafinesque, 1820)
- Scaphirhynchus rafinesquii** Heckel, 1836 = *Scaphirhynchus platorynchus* (Rafinesque, 1820)
- Scaphirhynchus suttkusi** Williams & Clemmer, 1991 II ACIPENSERIDAE (Actinopterygii) (E) Alabama Sturgeon
- Scapophyllia spp.** Milne Edwards & Haime 1848 II MERULINIDAE (Anthozoa)
- Scapophyllia cylindrica** Milne Edwards & Haime, 1848 II MERULINIDAE (Anthozoa)
- Scaptochelys agassizii* Cooper, 1861 = *Gopherus morafkai* Murphy, Berry, Edwards, Leviton, Lathrop & Riedle, 2011
- Scaptochelys agassizii* (Cooper, 1863) = *Gopherus agassizii* (Cooper, 1863)
- Scaptochelys berlandieri* (Agassiz, 1857) = *Gopherus berlandieri* (Agassiz, 1857)
- Sceloglaux spp.** NC<sup>30</sup> STRIGIDAE (Aves)
- Sceloglaux albifacies** (G. R. Gray, 1844) NC STRIGIDAE (Aves) (E) Laughing Owl, White-faced Owl (S) Lechuzón cariblanco, Ninox reidor (F) Chouette à joues blanches, Ninoxe rieuse
- Schistes spp.** II TROCHILIDAE (Aves)
- Schistes geoffroyi** (Bourcier, 1843) II TROCHILIDAE (Aves) (E) Wedge-billed Hummingbird (S) Colibrí picocuña, Colibrí pico de cuña, Colibrí piquicunna (F) Colibri de Geoffroy
- Schizoculina spp.** Wells 1937 II OCULINIDAE (Anthozoa)
- Schizoculina africana** (Thiel, 1928) II OCULINIDAE (Anthozoa)
- Schizoculina arbuscula* (L. Agassiz, 1864) = *Oculina arbuscula* L. Agassiz in Verrill, 1864
- Schizoculina fissipara** (Milne Edwards & Haime, 1850) II OCULINIDAE (Anthozoa)
- Schizocyathus spp.** Pourtalès 1874 II GUYNIIDAE (Anthozoa)
- Schizocyathus fissilis** Pourtalès, 1874 II GUYNIIDAE (Anthozoa) (E) Split Coral (S) Coral fisible
- Schizopathes spp.** Brook 1889 II SCHIZOPATHIDAE (Anthozoa)
- Schizopathes affinis** Brook, 1889 II SCHIZOPATHIDAE (Anthozoa)

- Schizopathes amplispina** Opresco, 1997 II  
 SCHIZOPATHIDAE (Anthozoa)
- Schizopathes crassa** Brook, 1889 II SCHIZOPATHIDAE (Anthozoa)
- SCHIZOPATHIDAE spp.** Brook, 1889 emend. II (Anthozoa)
- Schizopsammia songae* Cairns, 1994 = *Dichopsammia granulosa* Song, 1994
- Schoenbergia chimaera* Rothschild, 1904 = *Ornithoptera chimaera* (Rothschild, 1904)
- Schoenbergia goliath* (Oberthür, 1888) = *Ornithoptera goliath* Oberthür, 1888
- Schoenbergia meridionalis* Rothschild, 1897 = *Ornithoptera meridionalis* (Rothschild, 1897)
- Schoenbergia paradisea* = *Ornithoptera paradisea* Staudinger, 1893
- Schoenbergia rothschildi* (Kenrick, 1911) = *Ornithoptera rothschildi* Kenrick, 1911
- Schoenbergia tithonus* (De Haan, 1840) = *Ornithoptera tithonus* de Haan, 1840
- Scie (F): *Pristis pristis*
- Scie commune (F): *Pristis pristis*
- Scinque à queue préhensile des Iles Salomons (F): *Corucia zebrata*
- Scinque arboricole des Iles Salomon (F): *Corucia zebrata*
- Scinque géant des Iles Salomon (F): *Corucia zebrata*
- Sciurocheirus allenii* (Waterhouse, 1838) = *Galago allenii* Waterhouse, 1838
- Sciurocheirus gabonensis* (Gray, 1863) = *Galago gabonensis* Gray, 1863
- Sciurus deppei** Peters, 1863 III SCIURIDAE (Mammalia) (E) Deppe's Squirrel (S) Ardilla costarricense, Ardilla de Deppe, Ardilla de los pinos (F) Écureuil de Deppe, Écureuil des pins
- SCLERACTINIA spp.** II (E) Stony Corals (S) Corales Pétreos (F) Coraux Durs
- Sclerhelia spp.** Milne Edwards & Haime 1850 II OCULINIDAE (Anthozoa)
- Sclerhelia alcocki* Wells, 1954 = *Dendrophyllia alcocki* (Wells, 1954)
- Sclerhelia dubia** Nemenzo, 1980 II OCULINIDAE (Anthozoa)
- Sclerhelia formosa* (Alcock, 1898) = *Madrepora oculata* Linnaeus, 1758
- Sclerhelia hirtella** (Pallas, 1766) II OCULINIDAE (Anthozoa)
- Scléropage d'Asie (F): *Scleropages formosus*
- Scleropages aureus* Pouyaud, Sudarto & Teugels, 2003 = *Scleropages formosus* (Müller & Schlegel, 1844)
- Scleropages formosus** (Müller & Schlegel, 1844) I OSTEOGLOSSIDAE (Actinopterygii) (E) Arowana, Asian Arowana, Asian Bonytongue, Dragonfish, Golden Arowana, Golden Dragon Fish, Kelesa, Malayan Bonytongue (S) Pez lengüíhueso malayo (F) Scléropage d'Asie
- Scleropages inscriptus* Roberts, 2012 = *Scleropages formosus* (Müller & Schlegel, 1844)
- Scleropages legendrei* Pouyaud, Sudarto & Teugels, 2003 = *Scleropages formosus* (Müller & Schlegel, 1844)
- Scleropages macrocephalus* Pouyaud, Sudarto & Teugels, 2003 = *Scleropages formosus* (Müller & Schlegel, 1844)
- Scolopax borealis* J. R. Forster, 1772 = *Numenius borealis* (Forster, 1772)
- Scolopax rubra* Linnaeus, 1758 = *Eudocimus ruber* (Linnaeus, 1758)
- Scolymia spp.** Haime 1852 II MUSSIDAE (Anthozoa)
- Scolymia australis** (Milne Edwards & Haime, 1848) II MUSSIDAE (Anthozoa) (E) Button Coral
- Scolymia cubensis** (Milne Edwards & Haime, 1849) II MUSSIDAE (Anthozoa) (E) Artichoke Coral, Solitary Disk Coral (S) Alcachofa de mar (F) Corail coeur d'artichaut
- Scolymia lacera** (Pallas, 1766) II MUSSIDAE (Anthozoa) (E) Atlantic Mushroom Coral, Spiny Flower Coral (S) Micetocoral del Atlántico (F) Corail champignon de l'atlantique
- Scolymia vitiensis** Brüggemann, 1877 II MUSSIDAE (Anthozoa) (E) Doughnut Coral
- Scolymia wellsii** Laborel, 1967 II MUSSIDAE (Anthozoa) (E) Solitary Disk Coral (S) Micetocoral laminar (F) Corail solitaire de wells
- Scops spp.** II 30 STRIGIDAE (Aves)
- Scops barbatus* Sclater & Salvin, 1868 = *Otus barbatus* (Sclater & Salvin, 1868)
- Scops beccarii* Salvadori, 1876 = *Otus beccarii* Salvadori, 1876
- Scops brookii* Sharpe, 1892 = *Otus brookii* (Sharpe, 1892)
- Scops cooperi* Ridgway, 1878 = *Otus cooperi* (Ridgway, 1878)
- Scops flammeola* Kaup, 1853 = *Otus flammeolus* (Kaup, 1853)
- Scops géant de Guerne (F): *Mimizuku gurneyi*
- Scops icterorhynchus* Shelley, 1873 = *Otus icterorhynchus* (Shelley, 1873)
- Scops ingens* Salvin, 1897 = *Otus ingens* (Salvin, 1897)
- Scops kennicottii* Elliot, 1867 = *Otus kennicottii* (Elliot, 1867)
- Scops longicornis* Ogilvie-Grant, 1894 = *Otus longicornis* (Ogilvie-Grant, 1894)
- Scops manadensis* Quoy & Gaimard, 1830 = *Otus manadensis* (Quoy & Gaimard, 1830)
- Scops mantananensis* Sharpe, 1892 = *Otus mantananensis* (Sharpe, 1892)
- Scops mindorensis* Whitehead, 1899 = *Otus mindorensis* (Whitehead, 1899)
- Scops-Owl, African (E): *Otus senegalensis*
- Scops-Owl, Andaman (E): *Otus balli*
- Scops-owl, Anjouan (E): *Otus capnodes*
- Scops-owl, Biak (E): *Otus beccarii*
- Scops-Owl, Celebes (E): *Otus manadensis*
- Scops-Owl, Collared (E): *Otus bakkamoena*
- Scops-Owl, Common (E): *Otus scops*
- Scops-Owl, Comoro (E): *Otus pauliani*
- Scops-Owl, Elegant (E): *Otus elegans*
- Scops-Owl, Eurasian (E): *Otus scops*
- Scops-Owl, Flores (E): *Otus alfredi*
- Scops-Owl, Giant (E): *Mimizuku gurneyi*
- Scops-Owl, Grand Comoro (E): *Otus pauliani*

- Scops-Owl, Indian (E): *Otus bakkamoena*  
 Scops-Owl, Javan (E): *Otus angelinae*  
 Scops-Owl, Lesser Sunda (E): *Otus silvicola*  
 Scops-owl, Luzon (E): *Otus longicornis*  
 Scops-Owl, Madagascar (E): *Otus rutilus*  
 Scops-Owl, Malagasy (E): *Otus rutilus*  
 Scops-Owl, Mantanani (E): *Otus mantananensis*  
 Scops-Owl, Mayotte (E): *Otus mayottensis*  
 Scops-Owl, Mentauro (E): *Otus umbra*  
 Scops-Owl, Mentawai (E): *Otus mentawi*  
 Scops-Owl, Mindanao (E): *Otus mirus*  
 Scops-Owl, Mindoro (E): *Otus mindorensis*  
 Scops-Owl, Moheli (E): *Otus moheliensis*  
 Scops-Owl, Moluccan (E): *Otus magicus*  
 Scops-Owl, Morden's (E): *Otus ireneae*  
 Scops-Owl, Mountain (E): *Otus spilocephalus*  
 Scops-Owl, Nicobar (E): *Otus alias*  
 Scops-Owl, Oriental (E): *Otus sunia*  
 Scops-owl, Palawan (E): *Otus fuliginosus*  
 Scops-Owl, Pallid (E): *Otus brucei*  
 Scops-Owl, Papuan (E): *Otus magicus*  
 Scops-Owl, Pemba (E): *Otus pembaensis*  
 Scops-Owl, Philippine (E): *Otus megalotis*  
 Scops-Owl, Rajah (E): *Otus brookii*  
 Scops-Owl, Reddish (E): *Otus rufescens*  
 Scops-Owl, Ryukyu (E): *Otus elegans*  
 Scops-Owl, Sandy (E): *Otus icterorhynchus*  
 Scops-Owl, Sangihe (E): *Otus collaris*  
 Scops-Owl, Sao Tomé (E): *Otus hartlaubi*  
 Scops-owl, Seychelles (E): *Otus insularis*  
 Scops-Owl, Simeulue (E): *Otus umbra*  
 Scops-Owl, Sokoke (E): *Otus ireneae*  
 Scops-Owl, Spotted (E): *Otus spilocephalus*  
 Scops-Owl, Striated (E): *Otus brucei*  
 Scops-Owl, Sulawesi (E): *Otus manadensis*  
 Scops-Owl, Sunda (E): *Otus bakkamoena*  
 Scops-Owl, Torotoroka (E): *Otus madagascariensis*  
 Scops-Owl, Wallace's (E): *Otus silvicola*  
 Scops-Owl, White-faced (E): *Ptilopsis leucotis*  
 Scops-Owl, White-fronted (E): *Otus sagittatus*  
*Scops philippensis* G. R. Gray, 1844 = *Bubo philippensis* (Kaup, 1851)  
*Scops rutilus* Pucheran, 1849 = *Otus rutilus* (Pucheran, 1849)  
*Scops senegalensis* Swainson, 1837 = *Otus senegalensis* (Swainson, 1837)  
*Scops silvicola* Wallace, 1864 = *Otus silvicola* (Wallace, 1864)  
*Scops sunia* Hodgson, 1836 = *Otus sunia* (Hodgson, 1836)  
*Scops trichopsis* Wagler, 1832 = *Otus trichopsis* (Wagler, 1832)  
*Scops whiteheadi* Ogilvie-Grant, 1895 = *Otus megalotis* (Walden, 1875)  
*Scorpio dictator* Pocock, 1888 = *Pandinus dictator* (Pocock, 1888)  
 Scorpion dictateur (F): *Pandinus dictator*  
 Scorpion empereur (F): *Pandinus imperator*  
 Scorpion, Emperor (E): *Pandinus imperator*  
 Scorpion, Giant Senegalese (E): *Pandinus gambiensis*
- Scotopelia* spp. II** 30 STRIGIDAE (Aves)  
***Scotopelia bouvieri*** Sharpe, 1875 II 30 STRIGIDAE (Aves) (E) Vermiculated Fishing-Owl (S) Cárabo pescador vermiculado (F) Chouette-pêcheuse de Bouvier  
***Scotopelia peli*** (Bonaparte, 1850) II 30 STRIGIDAE (Aves) (E) Pel's Fishing-Owl (S) Cárabo pescador común, Lechuza pescadora (F) Chouette pêcheuse, Chouette-pêcheuse de Pel  
***Scotopelia ussheri*** Sharpe, 1871 II 30 STRIGIDAE (Aves) (E) Rufous Fishing-Owl (S) Búho pescador rojizo, Cárabo pescador rojizo (F) Chouette d'Ussher, Chouette-pêcheuse rousse  
 Screech-Owl, Balsas (E): *Otus seductus*  
 Screech-Owl, Bare-shanked (E): *Otus clarkii*  
 Screech-Owl, Bearded (E): *Otus barbarus*  
 Screech-Owl, Black-capped (E): *Otus atricapilla*  
 Screech-Owl, Cinnamon (E): *Otus petersoni*  
 Screech-Owl, Cloud-forest (E): *Otus marshalli*  
 Screech-owl, Colombian (E): *Otus colombianus*  
 Screech-Owl, Cuban (E): *Gymnoglaux lawrencii*  
 Screech-Owl, Eastern (E): *Otus asio*  
 Screech-Owl, Guatemalan (E): *Otus guatemalae*  
 Screech-Owl, Hoy's (E): *Otus hoyi*  
 Screech-Owl, Koepcke's (E): *Otus koepckeae*  
 Screech-Owl, Long-tufted (E): *Otus sanctaecatarinae*  
 Screech-Owl, Pacific (E): *Otus cooperi*  
 Screech-Owl, Peruvian (E): *Otus roboratus*  
 Screech-Owl, Puerto Rican (E): *Otus nudipes*  
 Screech-Owl, Rufescent (E): *Otus ingens*  
 Screech-Owl, Santa Barbara (E): *Otus barbarus*  
 Screech-Owl, Tawny-bellied (E): *Otus watsonii*  
 Screech-Owl, Tropical (E): *Otus choliba*  
 Screech-Owl, Variable (E): *Otus atricapilla*  
 Screech-Owl, Vermiculated (E): *Otus vermiculatus*  
 Screech-Owl, Western (E): *Otus kennicottii*  
 Screech-Owl, West Peruvian (E): *Otus roboratus*  
 Screech-Owl, Whiskered (E): *Otus trichopsis*  
 Screech-Owl, White-throated (E): *Otus albogularis*  
 Scrub-bird, Noisy (E): *Atrichornis clamosus*  
 Scrub-bird, Western (E): *Atrichornis clamosus*  
 Sea-Eagle, Pallas's (E): *Haliaeetus leucoryphus*  
 Sea-Eagle, Sanford's (E): *Haliaeetus sanfordi*  
 Sea-Eagle, Solomon (E): *Haliaeetus sanfordi*  
 Sea-Eagle, Steller's (E): *Haliaeetus pelagicus*  
 Sea-Eagle, White-bellied (E): *Haliaeetus leucogaster*  
 Seahorse (E): *Hippocampus histrix*  
 Seahorse, Barbour's (E): *Hippocampus barbouri*  
 Seahorse, Bargibant's (E): *Hippocampus bargibanti*  
 Seahorse, Big-bellied (E): *Hippocampus abdominalis*  
 Seahorse, Big-belly (E): *Hippocampus abdominalis*  
 Seahorse, Big-head (E): *Hippocampus grandiceps*  
 Seahorse, Black (E): *Hippocampus kuda*  
 Seahorse, Black (E): *Hippocampus erectus*  
 Seahorse, Black (E): *Hippocampus hippocampus*  
 Seahorse, Brown (E): *Hippocampus erectus*  
 Seahorse, Bullneck (E): *Hippocampus minotaur*  
 Seahorse, Cape (E): *Hippocampus capensis*  
 Seahorse, Chilka (E): *Hippocampus fuscus*  
 Seahorse, Coleman's Pygmy (E): *Hippocampus colemani*

- Seahorse, Collared (E): *Hippocampus jugumus*  
 Seahorse, Coloured (E): *Hippocampus kuda*  
 Seahorse, Crowned (E): *Hippocampus coronatus*  
 Seahorse, Dhiho's (E): *Hippocampus sindonis*  
 Seahorse, Dwarf (E): *Hippocampus zosterae*  
 Seahorse, Eastern Potbelly (E): *Hippocampus abdominalis*  
 Seahorse, Eastern Spiny (E): *Hippocampus hendriki*  
 Seahorse, False-eyed (E): *Hippocampus biocellatus*  
 Seahorse, Fisher's (E): *Hippocampus fisheri*  
 Seahorse, Flat-faced (E): *Hippocampus trimaculatus*  
 Seahorse, Giant (E): *Hippocampus ingens*  
 Seahorse, Giraffe (E): *Hippocampus camelopardalis*  
 Seahorse, Great (E): *Hippocampus kelloggi*  
 Seahorse, Half-spined (E): *Hippocampus semispinosus*  
 Seahorse, Hedgehog (E): *Hippocampus spinosissimus*  
 Seahorse, High-crown (E): *Hippocampus procerus*  
 Seahorse, Japanese (E): *Hippocampus mohnikei*  
 Seahorse, Jayakar's (E): *Hippocampus jayakari*  
 Seahorse, Kellogg's (E): *Hippocampus kelloggi*  
 Seahorse, Knobby (E): *Hippocampus breviceps*  
 Seahorse, Knysna (E): *Hippocampus capensis*  
 Seahorse, Lichtenstein's (E): *Hippocampus lichtensteinii*  
 Seahorse, Lined (E): *Hippocampus erectus*  
 Seahorse, Longnose (E): *Hippocampus trimaculatus*  
 Seahorse, Longsnout (E): *Hippocampus reidi*  
 Seahorse, Long-snouted (E): *Hippocampus guttulatus*  
 Seahorse, Low-crowned (E): *Hippocampus trimaculatus*  
 Seahorse, Monte Bello (E): *Hippocampus montebelloensis*  
 Seahorse, Narrow-bellied (E): *Hippocampus angustus*  
 Seahorse, New Holland (E): *Hippocampus whitei*  
 Seahorse, Northern (E): *Hippocampus erectus*  
 Seahorse, Northern Spiny (E): *Hippocampus multispinus*  
 Seahorse, Oceanic (E): *Hippocampus kuda*  
 Seahorse, Offshore (E): *Hippocampus kelloggi*  
 Seahorse, Pacific (E): *Hippocampus ingens*  
 Seahorse, Patagonian (E): *Hippocampus patagonicus*  
 Seahorse, Pot-bellied (E): *Hippocampus abdominalis*  
 Seahorse, Pygmy (E): *Hippocampus bargibanti*  
 Seahorse, Queensland (E): *Hippocampus queenslandicus*  
 Seahorse, Réunion (E): *Hippocampus borboniensis*  
 Seahorse, Short-head (E): *Hippocampus breviceps*  
 Seahorse, Short-headed (E): *Hippocampus breviceps*  
 Seahorse, Short-snouted (E): *Hippocampus hippocampus*  
 Seahorse, Short-snouted (E): *Hippocampus breviceps*  
 Seahorse, Slender (E): *Hippocampus reidi*  
 Seahorse, Softcoral (E): *Hippocampus debelius*  
 Seahorse, Spiny (E): *Hippocampus histrix*  
 Seahorse, Spotted (E): *Hippocampus kuda*  
 Seahorse, Spotted (E): *Hippocampus erectus*  
 Seahorse, Sydney (E): *Hippocampus whitei*  
 Seahorse, Thorny (E): *Hippocampus histrix*  
 Seahorse, Three-spot (E): *Hippocampus trimaculatus*  
 Seahorse, Three-spotted (E): *Hippocampus trimaculatus*  
 Seahorse, Tiger-snout (E): *Hippocampus subelongatus*  
 Seahorse, Tiger-tail (E): *Hippocampus comes*  
 Seahorse, Walea Pygmy (E): *Hippocampus waleananus*  
 Seahorse, West African (E): *Hippocampus algiricus*  
 Seahorse, West Australian (E): *Hippocampus subelongatus*  
 Seahorse, Western Australian (E): *Hippocampus angustus*  
 Seahorse, Western Spiny (E): *Hippocampus angustus*  
 Seahorse, White's (E): *Hippocampus whitei*  
 Seahorse, Winged (E): *Hippocampus alatus*  
 Seahorse, Yellow (E): *Hippocampus kuda*  
 Seahorse, Yellow (E): *Hippocampus erectus*  
 Seahorse, Zebra (E): *Hippocampus zebra*  
 Seal, Afro-Australian Fur (E): *Arctocephalus pusillus*  
 Seal, Amsterdam Island Fur (E): *Arctocephalus tropicalis*  
 Seal, Antarctic Fur (E): *Arctocephalus gazella*  
 Seal, Cape Fur (E): *Arctocephalus pusillus*  
 Seal, Caribbean Monk (E): *Monachus tropicalis*  
 Seal, Galapagos Fur (E): *Arctocephalus galapagoensis*  
 Seal, Galapagos Islands Fur (E): *Arctocephalus galapagoensis*  
 Seal, Guadalupe Fur (E): *Arctocephalus townsendi*  
 Seal, Hawaiian Monk (E): *Monachus schauinslandi*  
 Seal, Juan Fernández Fur (E): *Arctocephalus philippii*  
 Seal, Kerguelen Fur (E): *Arctocephalus gazella*  
 Seal, Lower Californian Fur (E): *Arctocephalus townsendi*  
 Seal, Mediterranean Monk (E): *Monachus monachus*  
 Seal, New Zealand Fur (E): *Arctocephalus forsteri*  
 Seal, South African Fur (E): *Arctocephalus pusillus*  
 Seal, South American Fur (E): *Arctocephalus australis*  
 Seal, South Atlantic Elephant (E): *Mirounga leonina*  
 Seal, Southern Elephant (E): *Mirounga leonina*  
 Seal, Southern Fur (E): *Arctocephalus australis*  
 Seal, Subantarctic Fur (E): *Arctocephalus tropicalis*  
 Seal, West Indian (E): *Monachus tropicalis*  
 Seal, West Indian Monk (E): *Monachus tropicalis*  
 Secrétaire des serpents (F): *Sagittarius serpentarius*  
 Secretario (S): *Sagittarius serpentarius*  
 Secretario, Serpentario (S): *Sagittariidae*  
 Secretarybird (E): *Sagittarius serpentarius*  
 Secretary-Bird (E): *Sagittariidae*  
*Selachus pennantii* Cornish, 1885 = *Cetorhinus maximus* (Gunnerus, 1765)  
*Selanonius walkeri* Fleming, 1828 = *Lamna nasus* (Bonnaterre, 1788)  
***Selasphorus* spp. II TROCHILIDAE (Aves)**  
***Selasphorus ardens*** Salvin, 1870 II TROCHILIDAE (Aves) (E) Glow-throated Hummingbird (S) Colibrí ardiente (F) Colibri ardent  
*Selasphorus calliope* (Gould, 1847) = *Stellula calliope* (Gould, 1847)  
*Selasphorus ellioti* (Ridgway, 1878) = *Atthis ellioti* Ridgway, 1878  
***Selasphorus flammula*** Salvin, 1864 II TROCHILIDAE (Aves) (E) Cerise-throated Hummingbird, Heliotrope-throated Hummingbird, Volcano Hummingbird (S) Colibrí volcánico (F) Colibri flammule  
*Selasphorus heloisa* (Lesson & DeLattre, 1839) = *Atthis heloisa* (Lesson & DeLattre, 1839)  
***Selasphorus platycercus*** (Swainson, 1827) II TROCHILIDAE (Aves) (E) Broad-tailed Hummingbird (S) Colibrí coliancho, Zumbador coliancho (F) Colibri à queue large  
***Selasphorus rufus*** (Gmelin, 1788) II TROCHILIDAE (Aves) (E) Rufous Hummingbird (S) Colibrí rufo, Zumbador rufo (F) Colibri roux

- Selasphorus sasin*** (Lesson, 1829) II TROCHILIDAE  
 (Aves) (E) Allen's Hummingbird (S) Colibrí de Allen,  
 Zumbador de Allen (F) Colibri d'Allen
- Selasphorus scintilla*** (Gould, 1851) II TROCHILIDAE  
 (Aves) (E) Scintillant Hummingbird (S) Colibrí  
 centelleante (F) Colibri scintillant
- Selasphorus simoni*** Carriker, 1910 = *Selasphorus*  
*flammula* Salvin, 1864
- Selasphorus torridus*** Salvin, 1870 = *Selasphorus*  
*flammula* Salvin, 1864
- Selenarctos thibetanus*** (G. Cuvier, 1823) = *Ursus*  
*thibetanus* G. Cuvier, 1823
- Selenidera maculirostris*** (Lichtenstein, 1823) III  
 RAMPHASTIDAE (Aves) (E) Spot-billed Toucanet (S)  
 Tucancito picomaculado, Tucán de pico acanalado,  
 Tucanete piquimaculado (F) Toucanet à bec tacheté
- Seleucidis spp.*** Lesson 1835 II PARADISAEIDAE (Aves)  
*Seleucidis melanoleuca* (Daudin, 1800) = *Seleucidis*  
*melanoleucus* (Daudin, 1800)
- Seleucidis melanoleucus*** (Daudin, 1800) II  
 PARADISAEIDAE (Aves) (E) Twelve-wired  
 Bird-of-paradise (F) Paradisier multifil
- Semioptera spp.*** Gray 1859 II PARADISAEIDAE (Aves)
- Semioptera wallacii*** Gould, 1859 II PARADISAEIDAE  
 (Aves) (E) Standardwing, Standard-wing  
 Bird-of-paradise, Wallace's Standardwing (F)  
 Paradisier de Wallace
- Semnopithecus spp.*** I/II CERCOPITHECIDAE  
 (Mammalia)
- Semnopithecus ajax*** (Pocock, 1928) I  
 CERCOPITHECIDAE (Mammalia) (E) Kashmir Grey  
 Langur
- Semnopithecus dussumieri*** I. Geoffroy, 1843 I  
 CERCOPITHECIDAE (Mammalia) (E) Southern Plains  
 Grey Langur
- Semnopithecus entellus*** (Dufresne, 1797) I  
 CERCOPITHECIDAE (Mammalia) (E) Common  
 Langur, Entellus Langur, Grey Langur, Hanuman  
 Langur, Northern Plains Grey Langur, True Langur (S)  
 Houlemán, Langur común, Langur hanuman (F)  
 Entelle, Houleman
- Semnopithecus entellus ajax* (Dufresne, 1797) =  
*Semnopithecus ajax* (Pocock, 1928)
- Semnopithecus entellus dussumieri* (Dufresne, 1797) =  
*Semnopithecus dussumieri* I. Geoffroy, 1843
- Semnopithecus entellus hector* (Dufresne, 1797) =  
*Semnopithecus hector* (Pocock, 1928)
- Semnopithecus entellus hypoleucus* (Dufresne, 1797) =  
*Semnopithecus hypoleucus* Blyth, 1841
- Semnopithecus entellus priam* (Dufresne, 1797) =  
*Semnopithecus priam* Blyth, 1844
- Semnopithecus geei* (Khajuria, 1956) = *Trachypithecus*  
*geei* Khajuria, 1956
- Semnopithecus hector*** (Pocock, 1928) I  
 CERCOPITHECIDAE (Mammalia) (E) Tarai Grey  
 Langur
- Semnopithecus hypoleucus*** Blyth, 1841 I  
 CERCOPITHECIDAE (Mammalia) (E) Black-footed  
 Grey Langur
- Semnopithecus johnii* (Fischer, 1829) = *Trachypithecus*  
*johnii* (J. Fischer, 1829)
- Semnopithecus pileatus* Blyth, 1843 = *Trachypithecus*  
*pileatus* (Blyth, 1843)
- Semnopithecus priam*** Blyth, 1844 I  
 CERCOPITHECIDAE (Mammalia) (E) Tufted Grey  
 Langur
- Semnopithecus schistaceus*** Hodgson, 1840 I  
 CERCOPITHECIDAE (Mammalia) (E) Nepal Grey  
 Langur
- Semnopithèque à front blanc (F): *Presbytis frontata*  
 Semnopithèque blanchâtre (F): *Trachypithecus vetulus*  
 Semnopithèque de François (F): *Trachypithecus francoisi*  
 Semnopithèque de Gee (F): *Trachypithecus geei*  
 Semnopithèque de Hose (F): *Presbytis hosei*  
 Semnopithèque de Mentawi (F): *Presbytis potenziani*  
 Semnopithèque de Phayre (F): *Trachypithecus phayrei*  
 Semnopithèque des Nilgiris (F): *Trachypithecus johnii*  
 Semnopithèque de Thomas (F): *Presbytis thomasi*  
 Semnopithèque doré (F): *Trachypithecus geei*  
 Semnopithèque mélalophe (F): *Presbytis melalophos*  
 Semnopithèque obscur (F): *Trachypithecus obscurus*  
 Semnopithèque rubicond (F): *Presbytis rubicunda*
- Semnornis ramphastinus*** (Jardine, 1855) III  
 CAPITONIDAE (Aves) (E) Toucan Barbet (S) Cabezón  
 tucán (F) Cabézon toucan, Caebézon toucan, Toucan  
 barbet
- Sephanoides spp.*** II TROCHILIDAE (Aves)
- Sephanoides fernandensis*** (King, 1831) II  
 TROCHILIDAE (Aves) (E) Juan Fernández Firecrown  
 (S) Colibrí de Juan Fernández (F) Colibri robinson
- Sephanoides sephanioides* (Lesson & Garnot, 1827) =  
*Sephanoides sephanoides* (Lesson, 1827)
- Sephanoides sephanoides*** (Lesson, 1827) II  
 TROCHILIDAE (Aves) (E) Green-backed Firecrown (S)  
 Colibrí austral, Picaflor cabeza granate (F) Colibri du  
 Chili
- Serau (S): *Capricornis sumatraensis*
- Seriatopora spp.*** Lamarck 1816 II POCILLOPORIDAE  
 (Anthozoa)
- Seriatopora aculeata*** Quelch, 1886 II  
 POCILLOPORIDAE (Anthozoa)
- Seriatopora angulata* Klunzinger, 1879 = *Seriatopora*  
*hystrix* Dana, 1846
- Seriatopora caliendrum*** Hemprich & Ehrenberg, 1834 II  
 POCILLOPORIDAE (Anthozoa)
- Seriatopora caliendrum gracilis* Hemprich & Ehrenberg,  
 1834 = *Seriatopora caliendrum* Hemprich &  
 Ehrenberg, 1834
- Seriatopora crassa* Quelch, 1886 = *Seriatopora hystrix*  
 Dana, 1846
- Seriatopora dendritica*** Veron, 2000 II  
 POCILLOPORIDAE (Anthozoa)
- Seriatopora guttatus*** Veron, 2000 II POCILLOPORIDAE  
 (Anthozoa)
- Seriatopora hystrix*** Dana, 1846 II POCILLOPORIDAE  
 (Anthozoa) (E) Needle Coral
- Seriatopora lineata* (Linnaeus, 1758) = *Seriatopora hystrix*  
 Dana, 1846

<i>Seriatopora octoptera</i> Hemprich & Ehrenberg, 1834 =	<i>Seriatopora caliendrum</i> Hemprich & Ehrenberg, 1834	<i>Seriatopora prescillae</i> Nemenzo = <i>Seriatopora caliendrum</i> Hemprich & Ehrenberg, 1834	<i>Seriatopora stellata</i> Quelch, 1886 II POCILLOPORIDAE (Anthozoa)	<i>Sevruga</i> (E): <i>Acipenserstellatus</i>
				<i>Shapo</i> (E): <i>Ovisvignei</i>
				<i>Shapu</i> (E): <i>Ovisvignei</i>
				<i>Shark, Basking</i> (E): <i>Cetorhinus maximus</i>
				<i>shark, Beaumaris</i> (E): <i>Lamna nasus</i>
				<i>Shark, Bone</i> (E): <i>Cetorhinus maximus</i>
				<i>shark, Bronze hammerhead</i> (E): <i>Sphyrna lewini</i>
				<i>shark, Comb</i> (E): <i>Pristispectinata</i>
				<i>Shark, Elephant</i> (E): <i>Cetorhinus maximus</i>
				<i>shark, Great hammerhead</i> (E): <i>Sphyrnamokarran</i>
				<i>Shark, Great White</i> (E): <i>Carcharodoncarcharias</i>
				<i>shark, Hammerhead</i> (E): <i>Sphyrna lewini</i>
				<i>shark, Kidney-headed</i> (E): <i>Sphyrna lewini</i>
				<i>shark, Mackerel</i> (E): <i>Lamna nasus</i>
				<i>Shark, Man-eater</i> (E): <i>Carcharodoncarcharias</i>
				<i>shark, Oceanic whitetip</i> (E): <i>Carcharhinuslongimanus</i>
				<i>shark, Porbeagle</i> (E): <i>Lamna nasus</i>
				<i>shark, Porbeale</i> (E): <i>Lamna nasus</i>
				<i>shark, Saw</i> (E): <i>Anoxypristiscuspidata</i>
				<i>shark, Scalloped hammerhead</i> (E): <i>Sphyrna lewini</i>
				<i>shark, Smooth hammerhead</i> (E): <i>Sphyrnazygaena</i>
				<i>shark, Southern hammerhead</i> (E): <i>Sphyrna lewini</i>
				<i>Shark, Whale</i> (E): <i>Rhincodon typus</i>
				<i>Shark, White</i> (E): <i>Carcharodoncarcharias</i>
				<i>Sheartail, Mexican</i> (E): <i>Doricha eliza</i>
				<i>Sheartail, Peruvian</i> (E): <i>Thaumastura cora</i>
				<i>Sheartail, Slender</i> (E): <i>Dorichaenicura</i>
				<i>Sheep, Asian Wild</i> (E): <i>Ovis ammon</i>
				<i>Sheep, Barbary</i> (E): <i>Ammotraguslervia</i>
				<i>Sheep, Bighorn</i> (E): <i>Oviscanadensis</i>
				<i>Sheep, Cyprian Wild</i> (E): <i>Ovisorientalisophion</i>
				<i>Sheep, Great Tibetan</i> (E): <i>Ovisammonhodgsonii</i>
				<i>Sheep, Marco Polo</i> (E): <i>Ovis ammon</i>
				<i>Sheep, Mexican Bighorn</i> (E): <i>Oviscanadensis</i>
				<i>Sheep, Mountain</i> (E): <i>Oviscanadensis</i>
				<i>Sheep, Red</i> (E): <i>Ovisvignei</i>
				<i>Shell, Green Riffle</i> (E): <i>Epioblasmatorulosa</i>
				<i>gubernaculum</i>
				<i>Shell, Tubercled Riffle</i> (E): <i>Epioblasmatorulosatorulosa</i>
				<i>Shell, Turgid Riffle</i> (E): <i>Epioblasmaturgidula</i>
				<i>Shikra</i> (E): <i>Accipiterbadius</i>
				<i>Shikra, Nicobar</i> (E): <i>Accipiterbutleri</i>
				<i>Shining-Parrot, Crimson</i> (E): <i>Prosopeiasplendens</i>
				<i>Shining-Parrot, Masked</i> (E): <i>Prosopeiapersonata</i>
				<i>Shining-Parrot, Red</i> (E): <i>Prosopeiatabuensis</i>
				<i>Shinisauruscrocodilurus</i> Ahl, 1930 II XENOSAURIDAE (Reptilia) (E) Chinese Crocodile Lizard, Chinese Xenosaur (S) Lagarto cocodrilo chino (F) Lézard crocodile de Chine
				<i>Ship</i> (E): <i>Acipenser nudiventris</i>
				<i>Shoebill</i> (E): <i>Balaenicepsrex</i>
				<i>Shovelfish</i> (E): <i>Pseudoscaphirhynchuskaufmanni</i>
				<i>Shovelnose, Big Amu-Darya</i> (E): <i>Pseudoscaphirhynchus</i>
				<i>kaufmanni</i>
				<i>Shovelnose, Little Amu-Darya</i> (E): <i>Pseudoscaphirhynchus</i>
				<i>hermanni</i>
				<i>Shovelnose, Syr-Darya</i> (E): <i>Pseudoscaphirhynchus</i>
				<i>fedtschenkoi</i>
				<i>Shrews, Tree</i> (E): <i>Scandentia</i>
				<i>Shrews, Tree</i> (E): <i>Tupaiidae</i>

- Siamang (F): *Symphalangus syndactylus*  
 Siamang (E): *Symphalangus syndactylus*  
 Siamang (S): *Symphalangus syndactylus*  
 Siamang de Kloss (S): *Hylobates klossii*  
 Siamang de Kloss (F): *Hylobates klossii*  
 Siamang enano (S): *Hylobates klossii*  
*Sibbaldius musculus* (Linnaeus, 1758) = *Balaenoptera musculus* (Linnaeus, 1758)  
***Sibopathes* spp.** van Pesch 1914 II CLADOPATHIDAE (Anthozoa)  
***Sibopathes gephura*** van Pesch, 1914 II CLADOPATHIDAE (Anthozoa)  
***Sibopathes macrospina*** Opresco, 1993 II CLADOPATHIDAE (Anthozoa)  
 Sicklebill, Black (E): *Epimachus fastuosus*  
 Sicklebill, Black-billed (E): *Drepanornis albertisi*  
 Sicklebill, Brown (E): *Epimachus meyeri*  
 Sicklebill, Buff-tailed (E): *Eutoxeres condamini*  
 Sicklebill, Buff-tailed (E): *Drepanornis albertisi*  
 Sicklebill, Pale-billed (E): *Drepanornis bruijnii*  
 Sicklebill, White-billed (E): *Drepanornis bruijnii*  
 Sicklebill, White-tipped (E): *Eutoxeres aquila*  
 Sideneck, Big-headed (E): *Peltoccephalus dumerilianus*  
 Sideneck, Red-headed (E): *Podocnemis erythrocephala*  
 Sideneck, Yellow-headed (E): *Podocnemis unifilis*  
***Siderastrea* spp.** Blainville 1830 II SIDERASTREIDAE (Anthozoa)  
*Siderastrea clava* (Dana, 1846) = *Pavona clavus* (Dana, 1846)  
*Siderastrea galaxea* (Ellis & Solander, 1786) = *Astreopora listeri* Bernard, 1896  
***Siderastrea glynni*** Budd & Guzmán, 1994 II SIDERASTREIDAE (Anthozoa)  
*Siderastrea lilacea* Klunzinger, 1879 = *Siderastrea savignyana* Milne Edwards & Haime, 1849  
*Siderastrea maldensis* Gardiner, 1905 = *Pavona maldensis* (Gardiner, 1905)  
***Siderastrea radians*** (Pallas, 1766) II SIDERASTREIDAE (Anthozoa) (E) Lesser Starlet Coral, Rough Starlet Coral (S) Coral estrellita chico (F) Petit corail starlette  
***Siderastrea savignyana*** Milne Edwards & Haime, 1849 II SIDERASTREIDAE (Anthozoa) (E) African Pillow Coral  
*Siderastrea senegalensis* Milne Edwards & Haime, 1850 = *Siderastrea radians* (Pallas, 1766)  
***Siderastrea siderea*** (Ellis & Solander, 1786) II SIDERASTREIDAE (Anthozoa) (E) Massive Starlet Coral, Smooth Starlet Coral (S) Coral estrellita macizo (F) Corail starlette massif  
*Siderastrea siderea dominicensis* (Ellis & Solander, 1786) = *Siderastrea siderea* (Ellis & Solander, 1786)  
***Siderastrea stellata*** Verrill, 1868 II SIDERASTREIDAE (Anthozoa) (E) Brazilian Starlet Coral (S) Coral estrellita de sur  
**SIDERASTREIDAE** spp. Vaughan & Wells 1943 II (Anthozoa)  
*Sideropora mordax* Dana, 1846 = *Stylophora mordax* (Dana, 1846)  
*Sideropora palmata* Blainville, 1830 = *Stylophora pistillata* (Esper, 1792)  
***Siebenrockiella crassicollis*** (Gray, 1831) II GEOEMYDIDAE (Reptilia) (E) Black Marsh Turtle  
***Siebenrockiella leyteensis*** (Taylor, 1920) II GEOEMYDIDAE (Reptilia) (E) Leyte Pond Turtle, Palawan Forest Turtle, Philippine Pond Turtle (F) Héosémyde de Leyte  
*Sieboldia davidiana* Blanchard, 1871 = *Andrias davidianus* (Blanchard, 1871)  
*Sieboldia davidi* David, 1875 = *Andrias davidianus* (Blanchard, 1871)  
*Sieboldia maxima* Gray, 1850 = *Andrias japonicus* (Temminck, 1836)  
*Sieboldia maxima* (Schlegel, 1837) = *Andrias japonicus* (Temminck, 1836)  
*Sieboldiana maxima* Ishikawa, 1904 = *Andrias japonicus* (Temminck, 1836)  
 Sifaka (F): *Propithecus verreauxi*  
 Sifaka, Coquerel's (E): *Propithecus coquereli*  
 Sifaka diademado (S): *Propithecus diadema*  
 Sifaka, Diademed (E): *Propithecus diadema*  
 Sifaka, Golden-crowned (E): *Propithecus tattersalli*  
 Sifaka, Milne-Edwards's (E): *Propithecus edwardsi*  
 Sifaka, Perrier's (E): *Propithecus perrieri*  
 Sifaka, Tattersall's (E): *Propithecus tattersalli*  
 Sifaka, Van der Decken's (E): *Propithecus deckenii*  
 Sifaka, Verreaux's (E): *Propithecus verreauxi*  
 Siffleuse de la Trinité (F): *Pipile pipile*  
 Sifilet d'Arfak (F): *Parotia sefilata*  
 Sifilet de Carola (F): *Parotia carolae*  
 Sifilet de Lawe (F): *Parotia lawesii*  
 Sifilet de Wahnes (F): *Parotia wahnesi*  
 Sifilet d'Hélène (F): *Parotia heleneae*  
 Siju (S): *Glaucidium siju*  
 Sijucito (S): *Glaucidium siju*  
 Siju cotunto (S): *Gymnoglaux lawrencii*  
 Silfo celeste (S): *Aglaiocercus coelestis*  
 Silfo colilargo (S): *Aglaiocercus kingi*  
 Silfo colivioleta (S): *Aglaiocercus coelestis*  
 Silfo de King (S): *Aglaiocercus kingi*  
 Sili (F): *Anguilla anguilla*  
 Silky-Crow (E): *Lycocorax pyrrhopterus*  
 Silure De Verre Géant (F): *Pangasianodon gigas*  
 Siluro Gigante (S): *Pangasianodon gigas*  
 Silvereye, White-breasted (E): *Zosterops albogularis*  
*Simalia amethystina* (Schneider, 1801) = *Morelia amethystina* (Schneider, 1801)  
*Simalia boeleni* (Brongersma, 1953) = *Morelia boeleni* (Brongersma, 1953)  
*Simalia clastolepis* (Harvey, Barker, Ammerman & Chippindale, 2000) = *Morelia clastolepis* Harvey, Barker, Ammerman & Chippindale, 2000  
*Simalia kinghorni* (Stull, 1933) = *Morelia kinghorni* (Stull, 1933)  
*Simalia nauta* (Harvey, Barker, Ammerman & Chippindale, 2000) = *Morelia nauta* Harvey, Barker, Ammerman & Chippindale, 2000  
*Simalia oenpelliensis* (Gow, 1977) = *Morelia oenpelliensis* (Gow, 1977)

- Simalia tracyae* (Harvey, Barker, Ammerman & Chippindale, 2000) = *Morelia tracyae* Harvey, Barker, Ammerman & Chippindale, 2000
- Simia flava* (Schreber, 1774) = *Cebus flavius* Schreber, 1774
- Simias spp.** I CERCOPITHECIDAE (Mammalia)
- Simias concolor** Miller, 1903 I CERCOPITHECIDAE (Mammalia) (E) Mentawi Islands Snub-nosed Langur, Pagai Island Langur, Pig-tailed Langur (S) Langur rabicero (F) Entelle de Pagi, Langur à queue de cochon, Langur des îles Mentawi, Nasique
- Simios, Monos (S): *Primates*
- Simisimi (F): *Allobates femoralis*
- Simplastrea spp.** Umbgrove 1939 II OCULINIDAE (Anthozoa)
- Simplastrea leytenensis* Nemenzo, 1979 = *Plesiastrea versipora* (Lamarck, 1816)
- Simplastrea vesicularis** Umbgrove, 1939 II OCULINIDAE (Anthozoa)
- Singe-araignée aux mains noires (F): *Ateles geoffroyi frontatus*
- Singe araignée du Panama (F): *Ateles geoffroyi frontatus*
- Singe-araignée laineux (F): *Brachyteles arachnoides*
- Singe-araignée noir (F): *Ateles chamek*
- Singe de nuit (F): *Aotus trivirgatus*
- Singe de nuit à tête noire (F): *Aotus nigriceps*
- Singe de nuit d'Azara (F): *Aotus azarae*
- Singe de nuit de Thomas (F): *Aotus miconax*
- Singe-écureuil à dos rouge (F): *Saimiri oerstedii*
- Singe-écureuil à dos roux (F): *Saimiri oerstedii*
- Singe Hurleur, Atèle (F): *Atelidae*
- Singe laineux (F): *Lagothrix lagotricha*
- Singe laineux à queue jaune (F): *Oreonax flavicauda*
- Singe-lion (F): *Leontopithecus rosalia*
- Singes Du L'Ancien Monde (F): *Cercopithecidae*
- Singes Du Nouveau Monde (F): *Cebidae*
- Singe vert (F): *Chlorocebus sabaeus*
- Siredon alba* Smith, 1969 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siredon axolotl* Wagler, 1830 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siredon dumerilii* Dugès, 1870 = *Ambystoma dumerilii* (Dugès, 1870)
- Siredon dumerilii* Smith, 1939 = *Ambystoma dumerilii* (Dugès, 1870)
- Siredon edule* Dugès, 1888 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siredon humboldtii* Duméril, Bibron & Duméril, 1854 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siredon humboldtii* Duméril, Bibron & Duméril, 1854 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siredon mexicanum* Baird, 1850 "1849" = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siredon mexicanus* Schinz, 1833 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siredon mexicanus* (Shaw & Nodder, 1798) = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siredon pisciformis* Wiedersheim, 1877 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siredon spec.?* var. *alba* Duméril, 1869 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siren axolotl* Schlegel, 1858 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Sirenodon pisciformis* (Shaw, 1802) = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Sirenodon pisciformis* Wiegmann, 1832 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siren pisciformis* Shaw, 1802 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Siskin, Red (E): *Carduelis cucullata*
- Siskin, Yellow-faced (E): *Carduelis yarrellii*
- Sisón (S): *Tetrao tetrix*
- Sisón azul (S): *Eupodotis caerulescens*
- Sisón azulado (S): *Eupodotis caerulescens*
- Sisón bengali (S): *Houbaropsis bengalensis*
- Sisón común (S): *Tetrao tetrix*
- Sisón de Damaraland (S): *Eupodotis rueppellii*
- Sisón de Hartlaub (S): *Lissotis hartlaubii*
- Sisón del karroo (S): *Eupodotis vigorsii*
- Sisón de penacho (S): *Syphoetides indicus*
- Sisón de Rüpell (S): *Eupodotis rueppellii*
- Sisón de Vigors (S): *Eupodotis vigorsii*
- Sisón indio (S): *Syphoetides indicus*
- Sisón moñirrojo (S): *Lophotis ruficrista*
- Sisón moñudo austral (S): *Lophotis ruficrista*
- Sisón moñudo de saheliano (S): *Lophotis savilei*
- Sisón moñudo etíope (S): *Lophotis gindiana*
- Sisón negro (S): *Afrotis afra*
- Sisón negro aliclaro (S): *Afrotis afraoides*
- Sisón negro aliascuro (S): *Afrotis afra*
- Sisón senegalés (S): *Eupodotis senegalensis*
- Sisón somalí (S): *Eupodotis humilis*
- Sisón ventrínegro (S): *Lissotis melanogaster*
- Sisón ventrínegro común (S): *Lissotis melanogaster*
- Sisón ventrínegro de Hartlaub (S): *Lissotis hartlaubii*
- Sittace caninde* Wagler, 1832 = *Ara ararauna* (Linnaeus, 1758)
- Sittace cyanoptera* Pelzeln, 1870 = *Brotogeris cyanoptera* (Pelzeln, 1870)
- Sittace euops* Wagler, 1832 = *Aratinga euops* (Wagler, 1832)
- Sittace lepida* Wagler, 1832 = *Pyrrhura lepida* (Wagler, 1832)
- Sittace spixii* Wagler, 1832 = *Cyanopsitta spixii* (Wagler, 1832)
- Skink, Prehensile-tailed (E): *Corucia zebrata*
- Skink, Solomon Islands Giant (E): *Corucia zebrata*
- Skunk, Humboldt's Hog-nosed (E): *Conepatus humboldtii*
- Skunk, Patagonian Hog-nosed (E): *Conepatus humboldtii*
- Sloth, Bolivian Three-toed (E): *Bradypus variegatus*
- Sloth, Brown-throated (E): *Bradypus variegatus*
- Sloth, Brown-throated Three-toed (E): *Bradypus variegatus*
- Sloth, Hoffmann's Two-toed (E): *Choloepus hoffmanni*
- Sloth, Pygmy Tree-toes (E): *Bradypus pygmaeus*
- Smaragdites theresiae* (Da Silva Maia, 1843) = *Polytmus theresiae* (Da Silva Maia, 1843)
- Smaug breyeri* (Van Dam, 1921) = *Cordylus breyeri* (van Dam, 1921)

- Smaug giganteus* (Smith, 1844) = *Cordylus giganteus* A. Smith, 1844
- Smaug mossambicus* (FitzSimons, 1958) = *Cordylus mossambicus* FitzSimons, 1958
- Smaug regius* (Broadley, 1962) = *Cordylus regius* Broadley, 1962
- Smaug vandami* (FitzSimons, 1930) = *Cordylus vandami* FitzSimons, 1930
- Smaug warreni* (Boulenger, 1908) = *Cordylus depressus* (FitzSimons, 1930)
- Smaug warreni* (Boulenger, 1908) = *Cordylus barbertonensis* (van Dam, 1921)
- Smaug warreni* (Boulenger, 1908) = *Cordylus warreni* (Boulenger, 1908)
- Sminthopsis longicaudata*** Spencer, 1909 I  
DASYURIDAE (Mammalia) (E) Long-tailed Dunnart, Long-tailed Marsupial-Mouse, Long-tailed Sminthopsis (S) Ratón marsupial colilargo (F) Souris marsupiale à longue queue  
Sminthopsis, Long-tailed (E): *Sminthopsis longicaudata*
- Sminthopsis psammophila*** Spencer, 1895 I  
DASYURIDAE (Mammalia) (E) Large Desert Marsupial-Mouse, Sandhill Dunnart, Sandhill Sminthopsis (S) Ratón marsupial désertico (F) Souris marsupiale du désert  
Sminthopsis, Sandhill (E): *Sminthopsis psammophila*
- Smithiglaux capensis ngamiensis* (A. Smith, 1834) = *Glaucidium capense* (A. Smith, 1834)
- Smutsia gigantea* (Illiger, 1815) = *Manis gigantea* Illiger, 1815
- Smutsia temminckii* (Smuts, 1832) = *Manis temminckii* Smuts, 1832
- Snail, Emerald Green (E): *Papustyla pulcherrima*
- Snail, Green Tree (E): *Papustyla pulcherrima*
- Snail, Manus Green Tree (E): *Papustyla pulcherrima*
- Snake, Asiatic Water (E): *Xenochrophis piscator*
- Snake, Atlantic Coral (E): *Micrurus diastema*
- Snake, Black-banded Coral (E): *Micrurus nigrocinctus*
- Snake, Brazilian Smooth (E): *Cyclagras gigas*
- Snake, Broad-headed (E): *Hoplocephalus bungaroides*
- Snake, Central American Coral (E): *Micrurus nigrocinctus*
- Snake, Common Rat (E): *Ptyas mucosus*
- Snake, Common Scaled Water (E): *Xenochrophis piscator*
- Snake, Dog-faced Water (E): *Cerberus rynchops*
- Snake-Eagle, Banded (E): *Circaetus cinerascens*
- Snake-Eagle, Beaudouin's (E): *Circaetus beaudouini*
- Snake-Eagle, Black-breasted (E): *Circaetus pectoralis*
- Snake-Eagle, Black-chested (E): *Circaetus pectoralis*
- Snake-Eagle, Brown (E): *Circaetus cinereus*
- Snake-Eagle, Fasciated (E): *Circaetus fasciolatus*
- Snake-Eagle, Short-toed (E): *Circaetus gallicus*
- Snake-Eagle, Smaller Banded (E): *Circaetus cinerascens*
- Snake-Eagle, Southern Banded (E): *Circaetus fasciolatus*
- Snake, Fierce (E): *Hoplocephalus bungaroides*
- Snake, Fishing (E): *Xenochrophis piscator*
- Snake, Indian Egg-eating (E): *Elachistodon westermanni*
- Snake, Oriental Rat (E): *Ptyas mucosus*
- Snake, Rice Paddy (E): *Xenochrophis piscator*
- Snake, Thunder (E): *Tropidophis pardalis*
- Snake, Variable Coral (E): *Micrurus diastema*
- Snake, Westermann's (E): *Elachistodon westermanni*
- Snake, Wood (E): *Tropidophis melanurus*
- Snake, Wood (E): *Tropidophis canus*
- Snowcap (E): *Microchera albocoronata*
- Snowcock, Caspian (E): *Tetraogallus caspius*
- Snowcock, Tibetan (E): *Tetraogallus tibetanus*
- Softshell, Cuatro Cienegas (E): *Apalone spinifera atra*
- Solangel de gorguera (S): *Heliangelus strophianus*
- Solangel gorjiamatista (S): *Heliangelus amethysticollis*
- Solangel gorjipurpura (S): *Heliangelus viola*
- Solangel turmalino (S): *Heliangelus exortis*
- Solenastrea* spp.** Milne Edwards & Haime 1848 II  
FAVIIDAE (Anthozoa)
- Solenastrea bournonii*** Milne Edwards & Haime, 1850 II  
FAVIIDAE (Anthozoa) (E) Smooth Star Coral (S) Coral estrella liso (F) Corail étoilé lisse
- Solenastrea bowerbankii* Milne Edwards & Haime, 1850 = *Cyphastrea chalcidicum* (Forskål, 1775)
- Solenastrea ecuadoriana* Durham & Barnard, 1952 = *Pavona clavus* (Dana, 1846)
- Solenastrea forskaliana* Milne Edwards & Haime, 1850 = *Cyphastrea serailia* (Forskål, 1775)
- Solenastrea gibbosa* Milne Edwards & Haime, 1850 = *Cyphastrea serailia* (Forskål, 1775)
- Solenastrea hemprichiana* Milne Edwards & Haime, 1850 = *Cyphastrea serailia* (Forskål, 1775)
- Solenastrea hyades*** (Dana, 1846) II FAVIIDAE  
(Anthozoa) (E) Knobby Star Coral, Lobed Star Coral (S) Coral estrella noduloso (F) Corail étoilé bosselé
- Solenastrea sarcinula* Milne Edwards & Haime, 1850 = *Cyphastrea serailia* (Forskål, 1775)
- Solenosmilia* spp.** Duncan 1873 II CARYOPHYLLIIDAE (Anthozoa)
- Solenosmilia jefferyi* Alcock, 1898 = *Solenosmilia variabilis* Duncan, 1873
- Solenosmilia variabilis*** Duncan, 1873 II  
CARYOPHYLLIIDAE (Anthozoa)
- Sollo (S): *Acipenser sturio*
- Sollo (S): *Polyodon spathula*
- Sollo real (S): *Acipenser sturio*
- Somormujo de Atitlán (S): *Podilymbus gigas*
- Somormujo del lago Atitlán (S): *Podilymbus gigas*
- Sooty-Owl, Greater (E): *Tyto tenebricosa*
- Sooty-Owl, Lesser (E): *Tyto multipunctata*
- Sotalia* spp.** Gray, 1866 I DELPHINIDAE (Mammalia)
- Sotalia brasiliensis* van Bénéden, 1875 = *Sotalia fluviatilis* (Gervais & Deville, 1853)
- Sotalia fluviatilis*** (Gervais & Deville, 1853) I  
DELPHINIDAE (Mammalia) (E) Estuarine Dolphin, Grey Dolphin, Tucuxi (S) Bufo negro (F) Sotalie
- Sotalia guianensis*** (van Bénéden, 1864) I DELPHINIDAE (Mammalia) (E) Guiana dolphin, Guianian River Dolphin
- Sotalia lentiginosa* (Gray, 1866) = *Sousa chinensis* (Osbeck, 1765)
- Sotalia plumbea* (G. Cuvier, 1829) = *Sousa chinensis* (Osbeck, 1765)
- Sotalia sinensis* (F. Cuvier, 1835) = *Sousa chinensis* (Osbeck, 1765)
- Sotalie (F): *Sotalia fluviatilis*

- Souffleur (F): *Tursiops truncatus*  
 Souris de la baie de Shark (F): *Pseudomys fieldi praeconis*  
 Souris marsupiale à longue queue (F): *Sminthopsis longicaudata*  
 Souris marsupiale du désert (F): *Sminthopsis psammophila*  
***Sousa* spp.** Gray, 1866 I DELPHINIDAE (Mammalia)  
*Sousa borneensis* (Lydekker, 1901) = *Sousa chinensis* (Osbeck, 1765)  
***Sousa chinensis*** (Osbeck, 1765) I DELPHINIDAE (Mammalia) (E) Chinese White Dolphin, Indo-pacific Humpbacked Dolphin (S) Bufeo asiático, Delfín blanco de China (F) Dauphin à bosse de l'Indo-Pacifique  
*Sousa lentiginosa* (Gray, 1866) = *Sousa chinensis* (Osbeck, 1765)  
*Sousa plumbea* (G. Cuvier, 1829) = *Sousa chinensis* (Osbeck, 1765)  
***Sousa teuszii*** (Kükenthal, 1892) I DELPHINIDAE (Mammalia) (E) Atlantic Humpbacked Dolphin (S) Bufeo africano, Delfín blanco africano (F) Dauphin à bosse de l'Atlantique  
 Sousou (F): *Platanista gangetica*  
 Spadefish (E): *Polyodon spathula*  
 Sparrowhawk (E): *Accipiter nisus*  
 Sparrowhawk, African Little (E): *Accipiter minullus*  
 Sparrowhawk, Besra (E): *Accipiter virgatus*  
 Sparrowhawk, Bicolored (E): *Accipiter bicolor*  
 Sparrowhawk, Black (E): *Accipiter melanoleucus*  
 Sparrowhawk, Blue-and-grey (E): *Accipiter luteoschistaceus*  
 Sparrowhawk, Bürger's (E): *Erythrotriorchis buergersi*  
 Sparrowhawk, Celebes (E): *Accipiter nanus*  
 Sparrowhawk, Chestnut-bellied (E): *Accipiter castanilius*  
 Sparrowhawk, Chestnut-flanked (E): *Accipiter castanilius*  
 Sparrowhawk, Chinese (E): *Accipiter soloensis*  
 Sparrowhawk, Collared (E): *Accipiter cirrhocephalus*  
 Sparrowhawk, Eurasian (E): *Accipiter nisus*  
 Sparrowhawk, Fiji (E): *Accipiter rufitorques*  
 Sparrowhawk, Frances's (E): *Accipiter francesii*  
 Sparrowhawk, Great (E): *Accipiter melanoleucus*  
 Sparrowhawk, Grey-headed (E): *Accipiter poliocephalus*  
 Sparrowhawk, Gundlach's (E): *Accipiter gundlachi*  
 Sparrowhawk, Imitator (E): *Accipiter imitator*  
 Sparrowhawk, Japanese (E): *Accipiter gularis*  
 Sparrowhawk, Japanese Lesser (E): *Accipiter gularis*  
 Sparrowhawk, Levant (E): *Accipiter brevipes*  
 Sparrowhawk, Little (E): *Accipiter minullus*  
 Sparrowhawk, Little Banded (E): *Accipiter badius*  
 Sparrowhawk, Madagascar (E): *Accipiter madagascariensis*  
 Sparrowhawk, Moluccan (E): *Accipiter erythrauchen*  
 Sparrowhawk, Moluccan Barred (E): *Accipiter henicogrammus*  
 Sparrowhawk, New Britain (E): *Accipiter brachyurus*  
 Sparrowhawk, Nicobar (E): *Accipiter butleri*  
 Sparrowhawk, Ovambo (E): *Accipiter ovampensis*  
 Sparrowhawk, Ovampo (E): *Accipiter ovampensis*  
 Sparrowhawk, Pied (E): *Accipiter albogularis*  
 Sparrowhawk, Red-collared (E): *Accipiter brachyurus*  
 Sparrowhawk, Red-thighed (E): *Accipiter erythropus*  
 Sparrowhawk, Rufous-chested (E): *Accipiter rufiventris*  
 Sparrowhawk, Rufous-necked (E): *Accipiter erythrauchen*  
 Sparrowhawk, Semi-collared (E): *Accipiter collaris*  
 Sparrowhawk, Slaty-mantled (E): *Accipiter luteoschistaceus*  
 Sparrowhawk, Small (E): *Accipiter nanus*  
 Sparrowhawk, Spot-tailed (E): *Accipiter trinotatus*  
 Sparrowhawk, Tiny (E): *Accipiter superciliosus*  
 Sparrowhawk, Vinous-breasted (E): *Accipiter rhodogaster*  
 Sparrow, Java (E): *Lonchura oryzivora*  
*Sparvius bicolor* Vieillot, 1817 = *Accipiter bicolor* (Vieillot, 1817)  
*Sparvius caerulescens* Vieillot, 1817 = *Geranospiza caerulescens* (Vieillot, 1817)  
*Sparvius cirrhocephalus* Vieillot, 1817 = *Accipiter cirrhocephalus* (Vieillot, 1817)  
*Sparvius gilvicollis* Vieillot, 1817 = *Micrastur gilvicollis* (Vieillot, 1817)  
*Sparvius platypterus* Vieillot, 1823 = *Buteo platypterus* (Vieillot, 1823)  
*Sparvius ruficollis* Vieillot, 1817 = *Micrastur ruficollis* (Vieillot, 1817)  
*Sparvius semitorquatus* Vieillot, 1817 = *Micrastur semitorquatus* (Vieillot, 1817)  
*Spathopterus alexandrae* (Gould, 1863) = *Polytelis alexandrae* Gould, 1863  
*Spathopterus anthopeplus* (Lear, 1831) = *Polytelis anthopeplus* (Lear, 1831)  
*Spatularia reticulata* Shaw, 1804 = *Polydon spathula* (Walbaum in Artedi, 1792)  
 Spatule blanche (F): *Platalea leucorodia*  
 Spatuletail, Marvellous (E): *Loddigesia mirabilis*  
*Spelecto corythaix* Wagler, 1827 = *Tauraco corythaix* (Wagler, 1827)  
***Speothos venaticus*** (Lund, 1842) I CANIDAE (Mammalia) (E) Bush Dog, Savannah Dog (S) Cachorro de mato vinagre, Cachorro vinagre, Perro de los matorrales, Perro de monte, Umba, Zorro vinagre (F) Chien des buissons  
*Speotyto cunicularia* (Molina, 1782) = *Athene cunicularia* (Molina, 1782)  
*Sphargis angusta* Philippi, 1899 = *Dermochelys coriacea* (Vandelli, 1761)  
*Sphargis coriacea* (Linnaeus, 1766) = *Dermochelys coriacea* (Vandelli, 1761)  
***Spheniscus demersus*** (Linnaeus, 1758) II SPHENISCIDAE (Aves) (E) African Penguin, Black-footed Penguin, Jackass Penguin (S) Pingüino del Cabo (F) Manchot du Cap  
***Spheniscus humboldti*** Meyen, 1834 I SPHENISCIDAE (Aves) (E) Humboldt Penguin, Peruvian Penguin (S) Pingüino de Humboldt (F) Manchot de Humboldt  
 Sphenodon (E): *Sphenodon punctatus*  
***Sphenodon* spp.** I SPHENODONTIDAE (Reptilia) Sphénodon de Günther (F): *Sphenodon guntheri*  
***Sphenodon guntheri*** Buller, 1877 I SPHENODONTIDAE (Reptilia) (E) Brother Islands Tuatara (F) Hatteria de Günther, Sphénodon de Günther

- Sphénodon ponctué (F): *Sphenodon punctatus*  
***Sphenodon punctatus*** (Gray, 1842) I  
 SPHENODONTIDAE (Reptilia) (E) Beak-head, Cook Strait Tuatara, Sphenodon, Tuatara (S) Tuátara (F)  
 Hatteria ponctué, Sphénodon ponctué  
*Sphenodon punctatus guntheri* (Gray, 1842) = *Sphenodon guntheri* Buller, 1877  
***Sphenotrochus* spp.** Milne Edwards & Haime 1848 II  
 TURBINOLIIDAE (Anthozoa)  
***Sphenotrochus andrewianus*** Milne Edwards & Haime, 1848 II TURBINOLIIDAE (Anthozoa)  
***Sphenotrochus aurantiacus*** Marenzeller, 1904 II  
 TURBINOLIIDAE (Anthozoa)  
***Sphenotrochus auritus*** Pourtalès, 1874 II  
 TURBINOLIIDAE (Anthozoa)  
***Sphenotrochus cuneolus*** Cairns, 2004 II  
 TURBINOLIIDAE (Anthozoa)  
*Sphenotrochus emaciatus perexigua* Duncan, 1865 = *Idiotrochus emaciatus* Duncan, 1865  
***Sphenotrochus evexicostatus*** Cairns, 1993 II  
 TURBINOLIIDAE (Anthozoa)  
***Sphenotrochus excavatus*** Tenison-Woods, 1878 II  
 TURBINOLIIDAE (Anthozoa)  
***Sphenotrochus gardineri*** Squires, 1961 II  
 TURBINOLIIDAE (Anthozoa)  
***Sphenotrochus gilchristi*** Gardiner, 1904 II  
 TURBINOLIIDAE (Anthozoa)  
***Sphenotrochus hancocki*** Durham & Barnard, 1952 II  
 TURBINOLIIDAE (Anthozoa)  
***Sphenotrochus imbricaticostatus*** Cairns, 1993 II  
 TURBINOLIIDAE (Anthozoa)  
***Sphenotrochus lindstroemi*** Cairns, 2000 II  
 TURBINOLIIDAE (Anthozoa) (E) Wedge Coral (S)  
 Coral de cuña  
*Sphenotrochus moseleyi* Wells, 1935 = *Sphenotrochus gilchristi* Gardiner, 1904  
***Sphenotrochus ralphae*** Squires, 1964 II  
 TURBINOLIIDAE (Anthozoa)  
*Sphenotrochus rubescens* (Moseley, 1876) = *Alatotrochus rubescens* (Moseley, 1876)  
***Sphenotrochus squiresi*** Cairns, 1995 II  
 TURBINOLIIDAE (Anthozoa)  
*Sphenotrochus viola* Gerth, 1921 = *Notocyathus conicus* (Alcock, 1902)  
***Sphiggurus mexicanus*** (Kerr, 1792) III  
 ERETHIZONTIDAE (Mammalia) (E) Mexican Hairy Dwarf Porcupine, Mexican Tree Porcupine (F)  
 Porc-épic préhensile  
*Sphiggurus paraguayensis* Oken, 1816 = *Sphiggurus spinosus* (F. Cuvier, 1823)  
***Sphiggurus spinosus*** (F. Cuvier, 1823) III  
 ERETHIZONTIDAE (Mammalia) (E) Orange-spined Hairy Dwarf Porcupine, Paraguay Hairy Dwarf Porcupine, Spiny Tree Porcupine (S) Coendou espinoso (F) Coendou épineux  
*Sphyraea diplana* (Springer 1941) = *Sphyraea lewini* (Griffith & Smith, 1834)  
***Sphyraea lewini*** (Griffith & Smith, 1834) II SPHYRNIDAE (Elasmobranchii) (E) Bronze hammerhead shark, gebuchteter Hammerhai, Hammerhead, Hammerhead shark, Kidney-headed shark, Scalloped hamerhead, Scalloped Hammerhead, Scalloped hammerhead shark, Southern hammerhead shark (S) Cachona, Cornúa, Cornuda, Cornuda comun, Cornuda común, Cornuda martillo, Cornuda negra, Morfillo, Pez martillo, Tiburón martillo, Tiburón martillo festoneado (F) Requin marteau, Requin-marteau halicorne  
***Sphyraea mokarran*** (Rüppell 1837) II SPHYRNIDAE (Elasmobranchii) (E) Great hammerhead, Great hammerhead shark  
***Sphyraea zygaena*** (Linnaeus 1758) II SPHYRNIDAE (Elasmobranchii) (E) Smooth hammerhead shark  
***Spilocucus kraemerii*** (Schwartz, 1910) II  
 PHALANGERIDAE (Mammalia) (E) Admiralty Cuscus  
***Spilocucus maculatus*** (E. Geoffroy, 1803) II  
 PHALANGERIDAE (Mammalia) (E) Common Spotted Cuscus, Short-tailed Spotted Cuscus, Spotted Phalanger (S) Cuscús manchado, Cuscús moteado (F) Couscous tacheté, Phalanger tacheté  
***Spilocucus papuensis*** (Desmarest, 1822) II  
 PHALANGERIDAE (Mammalia) (E) Waigeo Cuscus  
*Spiloglaux theomacha* Bonaparte, 1855 = *Ninox theomacha* (Bonaparte, 1855)  
***Spilornis* spp.** II<sup>27</sup> ACCIPITRIDAE (Aves)  
*Spilornis abbotti* Richmond, 1903 = *Spilornis cheela* (Latham, 1790)  
*Spilornis asturinus* A. B. Meyer, 1884 = *Spilornis cheela* (Latham, 1790)  
*Spilornis baweanus* Oberholser, 1917 = *Spilornis cheela* (Latham, 1790)  
***Spilornis cheela*** (Latham, 1790) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Crested Serpent-Eagle, Mentawai Serpent-Eagle, Natuna Serpent-Eagle, Nias Serpent-Eagle, Ryukyu Serpent-Eagle, Simeulue Serpent-Eagle (S) Culebrera chiíla (F) Serpentaire bacha  
*Spilornis cheela holospilus* (Latham, 1790) = *Spilornis cheela* (Latham, 1790)  
*Spilornis cheela kinabaluensis* (Latham, 1790) = *Spilornis kinabaluensis* W. L. Sclater, 1919  
*Spilornis cheela minimus* (Latham, 1790) = *Spilornis cheela* (Latham, 1790)  
*Spilornis cheela rufipectus* (Latham, 1790) = *Spilornis rufipectus* Gould, 1858  
***Spilornis elgini*** (Blyth, 1863) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Andaman Dark Serpent-Eagle, Andaman Serpent-Eagle, Dark Serpent-Eagle (S) Culebrera de Andamán (F) Serpentaire des Andaman  
*Spilornis holospilus* (Vigors, 1831) = *Spilornis cheela* (Latham, 1790)  
***Spilornis kinabaluensis*** W. L. Sclater, 1919 II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Kinabalu Serpent-Eagle, Mountain Serpent-eagle (S) Culebrera del Kinabalu (F) Serpentaire des Kinabalu  
***Spilornis klossi*** Richmond, 1902 II<sup>27</sup> ACCIPITRIDAE (Aves) (E) Nicobar Serpent Eagle  
*Spilornis minimus* Hume, 1873 = *Spilornis cheela* (Latham, 1790)  
*Spilornis natunensis* Chasen, 1934 = *Spilornis cheela* (Latham, 1790)

- Spilornis perplexus* Swann, 1922 = *Spilornis cheela* (Latham, 1790)
- Spilornis rufipectus*** Gould, 1858 II 27 ACCIPITRIDAE (Aves) (E) Celebes Serpent-Eagle, Sulawesi Serpent-Eagle (S) Culebrera de Célebes (F) Serpentaire des Célèbes
- Spilornis sipora* Chasen & Kloss, 1926 = *Spilornis cheela* (Latham, 1790)
- Spinipora echinata* Moseley, 1879 = *Stellapora echinata* (Moseley, 1879)
- Spinophrynoidea osgoodi* Dubois, 1987 "1986" = *Altiphrynoidea osgoodi* (Loveridge, 1932)
- Spinophrynoidea osgoodi* (Loveridge, 1932) = *Altiphrynoidea osgoodi* (Loveridge, 1932)
- Spinus cucullatus* (Swainson, 1820) = *Carduelis cucullata* Swainson, 1820
- Spinus yarrellii* (Audubon, 1839) = *Carduelis yarrellii* (Audubon, 1839)
- Spizaetus* spp.** II 27 ACCIPITRIDAE (Aves)
- Spizaetus africanus*** (Cassin, 1865) II 27 ACCIPITRIDAE (Aves) (E) Cassin's Hawk-Eagle (S) Águila-azor congoleña (F) Aigle de Cassin
- Spizaetus alboniger*** (Blyth, 1845) II 27 ACCIPITRIDAE (Aves) (E) Blyth's Hawk-Eagle (S) Águila-azor indonesia (F) Aigle de Blyth
- Spizaetus bartelsi*** Stresemann, 1924 II 27 ACCIPITRIDAE (Aves) (E) Javan Hawk-Eagle (S) Águila-azor de Java (F) Aigle de Java
- Spizaetus cirrhatus*** (Gmelin, 1788) II 27 ACCIPITRIDAE (Aves) (E) Changeable Hawk-Eagle, Crested Hawk-Eagle, Sunda Hawk-Eagle (S) Águila-azor variable (F) Aigle huppé
- Spizaetus coronatus* (Linnaeus, 1766) = *Stephanoaetus coronatus* (Linnaeus, 1766)
- Spizaetus floris* (Hartert, 1898) = *Spizaetus cirrhatus* (Gmelin, 1788)
- Spizaetus isidori* (Des Murs, 1845) = *Oraetus isidori* (Des Murs, 1845)
- Spizaetus lanceolatus*** Temminck & Schlegel, 1844 II 27 ACCIPITRIDAE (Aves) (E) Sulawesi Hawk-Eagle (S) Águila-azor de Célebes (F) Aigle des Célèbes
- Spizaetus melanoleucus* (Vieillot, 1816) = *Spizastur melanoleucus* (Vieillot, 1816)
- Spizaetus melanoleucus* Vieillot, 1819 = *Geranoaetus melanoleucus* (Vieillot, 1819)
- Spizaetus nanus*** Wallace, 1868 II 27 ACCIPITRIDAE (Aves) (E) Wallace's Hawk-Eagle (S) Águila-azor de Wallace (F) Aigle de Wallace
- Spizaetus nipalensis*** (Hodgson, 1836) II 27 ACCIPITRIDAE (Aves) (E) Feather-toed Hawk-Eagle, Hodgson's Hawk-Eagle, Mountain Hawk-Eagle (S) Águila-azor montañesa (F) Aigle montagnard
- Spizaetus nipalensis bartelsi* (Hodgson, 1836) = *Spizaetus bartelsi* Stresemann, 1924
- Spizaetus occipitalis* (Daudin, 1800) = *Lophaetus occipitalis* (Daudin, 1800)
- Spizaetus ornatus*** (Daudin, 1800) II 27 ACCIPITRIDAE (Aves) (E) Ornate Hawk-Eagle (S) Águila-azor blanca,
- Águila-azor galana, Águila de penacho, Águila elegante (F) Aigle orné
- Spizaetus philippensis*** Gould, 1863 II 27 ACCIPITRIDAE (Aves) (E) Philippine Hawk-Eagle (S) Águila-azor filipina (F) Aigle des Philippines
- Spizaetus spilogaster* Bonaparte, 1850 = *Hieraetus spilogaster* (Bonaparte, 1850)
- Spizaetus tyrannus*** (Wied, 1820) II 27 ACCIPITRIDAE (Aves) (E) Black Hawk-Eagle, Tyrant Hawk-Eagle (S) Águila-azor negra, Águila tirana (F) Aigle tyran
- Spizastur* spp.** II 27 ACCIPITRIDAE (Aves)
- Spizastur melanoleucus*** (Vieillot, 1816) II 27 ACCIPITRIDAE (Aves) (E) Black-and-white Hawk-Eagle (S) Águila-azor blanquinegra, Águila-azor chica, Águila blanquinegra (F) Aigle noir et blanc
- Spiziapteryx* spp.** II 27 FALCONIDAE (Aves)
- Spiziapteryx circumcincta*** (Kaup, 1852) II 27 FALCONIDAE (Aves) (E) Spot-winged Falcon, Spot-winged Falconet (S) Halconcito argentino, Halconcito gris, Halconcito gris americano (F) Carnifex à ailes tachetées, Fauconnet d'Amérique
- Spiziapteryx circumcinctus* (Kaup, 1852) = *Spiziapteryx circumcincta* (Kaup, 1852)
- Spongiocyathus typicus* Folkeson, 1919 = *Heterocyathus aequicostatus* Milne Edwards & Haime, 1848
- Spoonbill (E): *Platalea leucorodia* Spoonbill, Eurasian (E): *Platalea leucorodia* Spoonbill, White (E): *Platalea leucorodia*
- Sporadopora* spp.** Moseley 1879 II STYLASTERIDAE (Hydrozoa)
- Sporadopora dichotoma*** (Moseley, 1876) II STYLASTERIDAE (Hydrozoa)
- Sporadopora micropora*** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Sporadopora mortenseni*** Broch, 1942 II STYLASTERIDAE (Hydrozoa)
- Sporadopora providentiae* Hickson & England, 1909 = *Distichopora providentiae* (Hickson & England, 1909)
- Squale géant (F): *Cetorhinus maximus* Squale-pêlerin (F): *Cetorhinus maximus*
- Squalus caninus* Osbeck, 1765 = *Carcharodon carcharias* (Linnaeus, 1758)
- Squalus cetaceus* Gronow in Gray, 1854 = *Cetorhinus maximus* (Gunnerus, 1765)
- Squalus cornubicus* Gmelin, 1789 = *Lamna nasus* (Bonnaterre, 1788)
- Squalus cornubiensis* Pennant, 1812 = *Lamna nasus* (Bonnaterre, 1788)
- Squalus elephas* Lesueur, 1822 = *Cetorhinus maximus* (Gunnerus, 1765)
- Squalus glaucus* Gunnerus, 1768 = *Lamna nasus* (Bonnaterre, 1788)
- Squalus gunnerianus* Blainville, 1810 = *Cetorhinus maximus* (Gunnerus, 1765)
- Squalus homianus* Blainville, 1810 = *Cetorhinus maximus* (Gunnerus, 1765)
- Squalus isodus* Macri, 1819 = *Cetorhinus maximus* (Gunnerus, 1765)
- Squalus monensis* Shaw, 1804 = *Lamna nasus* (Bonnaterre, 1788)

- Squalus pelegrinus* Blainville, 1810 = *Cetorhinus maximus* (Gunnerus, 1765)
- Squalus pennanti* Walbaum, 1792 = *Lamna nasus* (Bonnaterre, 1788)
- Squalus rashleighanus* Couch, 1838 = *Cetorhinus maximus* (Gunnerus, 1765)
- Squalus rhinoceros* DeKay, 1842 = *Cetorhinus maximus* (Gunnerus, 1765)
- Squalus rostratus* Macri, 1819 = *Cetorhinus maximus* (Gunnerus, 1765)
- Squalus selanonus* Leach, 1818 = *Lamna nasus* (Bonnaterre, 1788)
- Squirrel, Black Giant (E): *Ratufa bicolor*
- Squirrel, Cream-coloured Giant (E): *Ratufa affinis*
- Squirrel, Deppe's (E): *Sciurus deppei*
- Squirrel, Grizzled Giant (E): *Ratufa macroura*
- Squirrel, Indian Giant (E): *Ratufa indica*
- Squirrel, Pale Giant (E): *Ratufa affinis*
- Squirrel, Sri Lankan Giant (E): *Ratufa macroura*
- Stag, Barbary (E): *Cervus elaphus barbarus*
- Stag, Kashmir (E): *Cervus elaphus hanglu*
- Standardwing (E): *Semioptera wallacii*
- Standardwing, Wallace's (E): *Semioptera wallacii*
- Starfrontlet, Blue-throated (E): *Coeligena helianthea*
- Starfrontlet, Buff-winged (E): *Coeligena lutetiae*
- Starfrontlet, Golden-bellied (E): *Coeligena bonapartei*
- Starfrontlet, Rainbow (E): *Coeligena iris*
- Starfrontlet, Violet-throated (E): *Coeligena violifer*
- Starfrontlet, White-tailed (E): *Coeligena phalerata*
- Starling, Bali (E): *Leucopsar rothschildi*
- Starling, Rothschild's (E): *Leucopsar rothschildi*
- Starling, White (E): *Leucopsar rothschildi*
- Starthroat, Blue-tufted (E): *Heliomaster furcifer*
- Starthroat, Long-billed (E): *Heliomaster longirostris*
- Starthroat, Plain-capped (E): *Heliomaster constantii*
- Starthroat, Stripe-breasted (E): *Heliomaster squamosus*
- Stauropathes* spp.** Opresco, 2002 II SCHIZOPATHIDAE (Anthozoa)
- Stauropathes arctica*** (Lütken, 1871) II SCHIZOPATHIDAE (Anthozoa)
- Stauropathes punctata*** (Roule, 1905) II SCHIZOPATHIDAE (Anthozoa)
- Stauropathes staurocrada*** Opresco, 2002 II SCHIZOPATHIDAE (Anthozoa)
- Stegoporus mexicanum* Wiegmann, 1832 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Stegoporus mexicanus* Leunis, 1860 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Stegoporus mexicanus* (Shaw & Nodder, 1798) = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Stegoporus pisciformis* (Shaw, 1802) = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Stegoporus pisciformis* Wiegmann, 1832 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Stellapora* spp.** Cairns 1983 II STYMASTERIDAE (Hydrozoa)
- Stellapora echinata*** (Moseley, 1879) II STYMASTERIDAE (Hydrozoa)
- Stellio fimbriatus* Schneider, 1797 = *Uroplatus fimbriatus* (Schneider, 1792)
- Stellio salvator* Laurenti, 1768 = *Varanus salvator* (Laurenti, 1768)
- Stellio saurus* Laurenti, 1768 = *Varanus niloticus* (Linnaeus, 1766)
- Stellula* spp.** II TROCHILIDAE (Aves)
- Stellula calliope*** (Gould, 1847) II TROCHILIDAE (Aves) (E) Calliope Hummingbird (S) Colibrí calíope (F) Colibri calliope
- Stenella* spp.** J. E. Gray, 1866 II 18 DELPHINIDAE (Mammalia)
- Stenella attenuata*** (Gray, 1846) II 18 DELPHINIDAE (Mammalia) (E) Bridled Dolphin, Narrow-snouted Dolphin, Pantropical Spotted Dolphin (S) Delfín manchado, Delfín pintado (F) Dauphin tacheté pantropical
- Stenella attenuata frontalis* (Gray, 1846) = *Stenella frontalis* (G. Cuvier, 1829)
- Stenella clymene*** (Gray, 1846) II 18 DELPHINIDAE (Mammalia) (E) Atlantic Spinner Dolphin, Clymene Dolphin, Helmet Dolphin (F) Dauphin de Clymène
- Stenella coeruleoalba*** (Meyen, 1833) II 18 DELPHINIDAE (Mammalia) (E) Euphrosyne Dolphin, Striped Dolphin (S) Delfín blanco y azul (F) Dauphin bleu et blanc, Dauphin rayé
- Stenella dubia attenuata* Cuvier, 1812 = *Stenella attenuata* (Gray, 1846)
- Stenella frontalis*** (G. Cuvier, 1829) II 18 DELPHINIDAE (Mammalia) (E) Atlantic Spotted Dolphin (S) Delfín manchado del Atlántico (F) Dauphin tacheté de l'Atlantique
- Stenella graffmani* Lönnberg, 1934 = *Stenella attenuata* (Gray, 1846)
- Stenella longirostris*** (Gray, 1828) II 18 DELPHINIDAE (Mammalia) (E) Long-beaked Dolphin, Long-snouted Dolphin, Spinner Dolphin (S) Delfín tornillón (F) Dauphin longirostre
- Stenella malayana* Lesson, 1826 = *Stenella attenuata* (Gray, 1846)
- Stenella microps* Gray, 1846 = *Stenella longirostris* (Gray, 1828)
- Stenella pernettensis* (de Blainville, 1817) = *Stenella frontalis* (G. Cuvier, 1829)
- Stenella plagiodon* Cope, 1866 = *Stenella frontalis* (G. Cuvier, 1829)
- Stenella roseiventris* Wagner, 1853 = *Stenella longirostris* (Gray, 1828)
- Stenella styx* Gray, 1846 = *Stenella coeruleoalba* (Meyen, 1833)
- Steno* spp.** II 18 DELPHINIDAE (Mammalia)
- Sténo (F): *Steno bredanensis*
- Steno bredanensis*** (G. Cuvier in Lesson, 1828) II 18 DELPHINIDAE (Mammalia) (E) Rough-toothed Dolphin (S) Delfín de pico largo (F) Sténo
- Stenocyathus* spp.** Pourtalès 1871 II GUYNIIDAE (Anthozoa)
- Stenocyathus decamera* Ralph & Squires, 1962 = *Stenocyathus vermiciformis* (Pourtalès, 1868)
- Stenocyathus vermiciformis*** (Pourtalès, 1868) II GUYNIIDAE (Anthozoa) (E) Worm Coral (S) Coral

- gusanero
- Stenocyathus washingtoni* Cecchini, 1914 = *Stenocyathus vermiciformis* (Pourtalès, 1868)
- Sténoderme pseudo-vampire (F): *Platyrrhinus lineatus*
- Stenohelia spp.** Kent 1870 II STYLASTERIDAE (Hydrozoa)
- Stenohelia challengerii* (Boschma, 1951) = *Stenohelia profunda* Moseley, 1881
- Stenohelia complanata* (Pourtalès, 1867) = *Stylaster complanatus* Pourtalès, 1867
- Stenohelia concinna** Boschma, 1964 II STYLASTERIDAE (Hydrozoa)
- Stenohelia conferta** Boschma, 1968 II STYLASTERIDAE (Hydrozoa)
- Stenohelia echinata** Eguchi, 1968 II STYLASTERIDAE (Hydrozoa)
- Stenohelia maderensis** (Johnson, 1862) II STYLASTERIDAE (Hydrozoa)
- Stenohelia obliqua* (Studer, 1878) = *Conopora laevis* (Studer, 1878)
- Stenohelia pauciseptata** Cairns, 1986 II STYLASTERIDAE (Hydrozoa)
- Stenohelia profunda** Moseley, 1881 II STYLASTERIDAE (Hydrozoa) (E) Deepwater Hydrocoral (S) Hidrocoral de lo hondo
- Stenohelia robusta* Boschma, 1964 = *Stenohelia concinna* Boschma, 1964
- Stenohelia tiliata** (Hickson & England, 1905) II STYLASTERIDAE (Hydrozoa)
- Stenohelia umbonata** (Hickson & England, 1905) II STYLASTERIDAE (Hydrozoa)
- Stenohelia virginis* (Lindström, 1877) = *Stylaster complanatus* Pourtalès, 1867
- Stenohelia yabei** (Eguchi, 1941) II STYLASTERIDAE (Hydrozoa)
- Stephanaria brighami* Vaughan, 1907 = *Psammocora brighami* (Vaughan, 1907)
- Stephanaria stellata* (Verrill, 1866) = *Psammocora stellata* (Verrill, 1866)
- Stephanoaetus spp.** II<sup>27</sup> ACCIPITRIDAE (Aves)
- Stephanoaetus coronatus** (Linnaeus, 1766) II<sup>27</sup> ACCIPITRIDAE (Aves) (E) African Crowned Eagle, Crowned Eagle, Crowned Hawk-Eagle (S) Águila coronada, Águila coronada rabuda (F) Aigle blanchard, Aigle couronné
- Stephanocoenia spp.** Milne Edwards & Haime 1848 II ASTROCOENIIDAE (Anthozoa)
- Stephanocoenia goodei* (Verrill, 1900) = *Stephanocoenia intersepta* (Esper, 1795)
- Stephanocoenia intersepta** (Esper, 1795) II ASTROCOENIIDAE (Anthozoa) (E) Blushing Star Coral (S) Coral estrella sonrojado (F) Corail étoile rougissant
- Stephanocoenia maldivensis* Gardiner, 1904 = *Favites pentagona* (Esper, 1790)
- Stephanocoenia michelinii* Milne Edwards & Haime, 1848 = *Stephanocoenia intersepta* (Esper, 1795)
- Stephanocora hemprichii* Ehrenberg, 1834 = *Echinopora gemmacea* (Lamarck, 1816)
- Stephanocora stellata* Verrill, 1866 = *Psammocora stellata* (Verrill, 1866)
- Stephanocyathus spp.** Seguenza 1864 II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus campaniformis** (Marenzeller, 1904) II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus coronatus** (Pourtalès, 1867) II CARYOPHYLLIIDAE (Anthozoa) (E) Crowned Cup Coral (S) Coral tazón coronado
- Stephanocyathus crassus** (Jourdan, 1895) II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus diadema** (Moseley, 1876) II CARYOPHYLLIIDAE (Anthozoa) (E) Diadem Cup Coral (S) Coral diadema
- Stephanocyathus discoides* (Moseley, 1876) = *Stephanocyathus diadema* (Moseley, 1876)
- Stephanocyathus explanans** (Marenzeller, 1904) II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus imperialis** Cairns, 2004 II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus isabellae** Reyes, Santodomingo & Cairns, 2009 II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus ixine* Squires, 1958 = *Stephanocyathus weberianus* (Alcock, 1902)
- Stephanocyathus laevifundus** Cairns, 1977 II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus moseleyanus** (Slater, 1886) II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus nobilis** (Moseley, 1873) II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus paliferus** Cairns, 1977 II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus platypus** (Moseley, 1876) II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus regius** Cairns & Zibrowius, 1997 II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus spiniger** (Marenzeller, 1888) II CARYOPHYLLIIDAE (Anthozoa)
- Stephanocyathus weberianus** (Alcock, 1902) II CARYOPHYLLIIDAE (Anthozoa)
- Stephanohelia spp.** Cairns 1991 II STYLASTERIDAE (Hydrozoa)
- Stephanohelia praecipua** Cairns, 1991 II STYLASTERIDAE (Hydrozoa)
- Stephanophyllia spp.** Michelin 1841 II MICRABACIIDAE (Anthozoa)
- Stephanophyllia complicata** Moseley, 1876 II MICRABACIIDAE (Anthozoa)
- Stephanophyllia folliculus* Pourtalès, 1868 = *Peponocyathus folliculus* (Pourtalès, 1868)
- Stephanophyllia formosissima* Moseley, 1876 = *Letepsammia formosissima* (Moseley, 1876)
- Stephanophyllia fungulus** Alcock, 1902 II MICRABACIIDAE (Anthozoa)
- Stephanophyllia japonica* Yabe & Eguchi, 1934 = *Letepsammia superstes* (Ortmann, 1888)
- Stephanophyllia neglecta** Boschma, 1923 II MICRABACIIDAE (Anthozoa)
- Stephanophyllia superstes* Ortmann, 1888 = *Letepsammia superstes* (Ortmann, 1888)

- Stephanoseris japonica* Verrill, 1866 = *Heterocyathus aequicostatus* Milne Edwards & Haime, 1848
- Stephanoseris lamellosa* Verrill, 1865 = *Heterocyathus aequicostatus* Milne Edwards & Haime, 1848
- Stephanoseris rousseauii* Milne Edwards & Haime, 1851 = *Heterocyathus aequicostatus* Milne Edwards & Haime, 1848
- Stephanoseris sulcata* Verrill, 1866 = *Heterocyathus sulcatus* (Verrill, 1866)
- Stephanotrochus crassus* Jourdan, 1895 = *Stephanocyathus crassus* (Jourdan, 1895)
- Stephanotrochus diadema* (Moseley, 1876) = *Stephanocyathus diadema* (Moseley, 1876)
- Stephanotrochus discoides* (Moseley, 1876) = *Stephanocyathus diadema* (Moseley, 1876)
- Stephanotrochus explanans* Marenzeller, 1904 = *Stephanocyathus explanans* (Marenzeller, 1904)
- Stephanotrochus nitens* Alcock, 1891 = *Stephanocyathus nobilis* (Moseley, 1873)
- Stephanotrochus oldhami* Alcock, 1894 = *Stephanocyathus nobilis* (Moseley, 1873)
- Stephanotrochus platypus* (Moseley, 1876) = *Stephanocyathus platypus* (Moseley, 1876)
- Stephanotrochus sibogae* Alcock, 1902 = *Stephanocyathus weberianus* (Alcock, 1902)
- Stephanotrochus spiniger* Marenzeller, 1888 = *Stephanocyathus spiniger* (Marenzeller, 1888)
- Stephanotrochus weberianus* Alcock, 1902 = *Stephanocyathus weberianus* (Alcock, 1902)
- Stephanoxis* spp.** II TROCHILIDAE (Aves)
- Stephanoxis lalandi*** (Vieillot, 1818) II TROCHILIDAE (Aves) (E) Plovercrest (S) Colibrí copetón, Picaflor copetón (F) Colibri de Delalande
- Stereopsammia profunda* (Pourtales, 1867) = *Enallopsammia profunda* (Pourtales, 1867)
- Stereopsammia rostrata* (Pourtales, 1878) = *Enallopsammia rostrata* (Pourtales, 1878)
- Sterlet (E): *Acipenser ruthenus*
- Sterlet (F): *Acipenser ruthenus*
- Sterletus helena* Duméril, 1870 = *Acipenser ruthenus* Linnaeus, 1758
- Sterletus kankreni* Duméril, 1870 = *Acipenser ruthenus* Linnaeus, 1758
- Sterletus macrostomus* Rafinesque, 1820 = *Acipenser fulvescens* Rafinesque, 1817
- Sterletus serotimus* Rafinesque, 1820 = *Acipenser fulvescens* Rafinesque, 1817
- Sternoclyta* spp.** II TROCHILIDAE (Aves)
- Sternoclyta cyanopectus*** (Gould, 1846) II TROCHILIDAE (Aves) (E) Violet-chested Hummingbird (S) Colibrí pechiazul (F) Colibri à poitrine violette
- Sternotherus trifasciatus* Bell, 1825 = *Cuora trifasciata* (Bell, 1825)
- Stichopathes* spp.** Brook 1889 II ANTIPATHIDAE (Anthozoa)
- Stichopathes abyssicola*** Roule, 1902 II ANTIPATHIDAE (Anthozoa)
- Stichopathes aggregata*** (van Pesch, 1914) II ANTIPATHIDAE (Anthozoa)
- Stichopathes alcocki*** Forster Cooper, 1909 II ANTIPATHIDAE (Anthozoa)
- Stichopathes bispinosa*** Summers, 1910 = *Cirripathes flagellum* Brook, 1889
- Stichopathes bournei*** Forster Cooper, 1909 II ANTIPATHIDAE (Anthozoa)
- Stichopathes ceylonensis*** Thomson & Simpson, 1905 II ANTIPATHIDAE (Anthozoa)
- Stichopathes contorta*** Thomson & Simpson, 1905 II ANTIPATHIDAE (Anthozoa)
- Stichopathes densiflora*** (Silberfeld, 1909) = *Cirripathes densiflora* Silberfeld, 1909
- Stichopathes desbonni*** (Duchassaing & Michelotti, 1864) = *Allopathes desbonni* (Duchassaing & Michelotti, 1864)
- Stichopathes dissimilis*** Roule, 1902 II ANTIPATHIDAE (Anthozoa)
- Stichopathes diversa*** (Brook, 1889) = *Cirripathes diversa* Brook, 1889
- Stichopathes echinulata*** Brook, 1889 II ANTIPATHIDAE (Anthozoa)
- Stichopathes euoplos*** Schultze, 1903 II ANTIPATHIDAE (Anthozoa)
- Stichopathes eustropha*** Pax, 1931 II ANTIPATHIDAE (Anthozoa)
- Stichopathes filiformis*** (Gray, 1868) II ANTIPATHIDAE (Anthozoa)
- Stichopathes flagellum*** Roule, 1902 II ANTIPATHIDAE (Anthozoa)
- Stichopathes flagellum*** (Brook, 1889) = *Cirripathes flagellum* Brook, 1889
- Stichopathes gracilis*** (Gray, 1858) II ANTIPATHIDAE (Anthozoa) (E) Orange Wire Coral (S) Coral alambre naranja
- Stichopathes indica*** Schultze, 1903 II ANTIPATHIDAE (Anthozoa)
- Stichopathes japonica*** Silberfeld, 1909 = *Antipathes longibrachiata* van Pesch, 1914
- Stichopathes longispina*** Forster Cooper, 1909 II ANTIPATHIDAE (Anthozoa)
- Stichopathes lutkeni*** Brook, 1889 II ANTIPATHIDAE (Anthozoa) (E) Black Wire Coral (S) Coral alambre negro (F) Corail fil de fer
- Stichopathes maldivensis*** Forster Cooper, 1904 II ANTIPATHIDAE (Anthozoa)
- Stichopathes occidentalis*** (Gray, 1860) II ANTIPATHIDAE (Anthozoa) (E) Green Wire Coral (S) Coral alambre verde
- Stichopathes papillosa*** Thomson & Simpson, 1905 II ANTIPATHIDAE (Anthozoa)
- Stichopathes paucispina*** (Brook, 1889) II ANTIPATHIDAE (Anthozoa)
- Stichopathes pourtalesi*** Brook, 1889 II ANTIPATHIDAE (Anthozoa) (E) Pourtalès' Black Wire Coral (S) Coral alambre de Pourtalès
- Stichopathes regularis*** Forster Cooper, 1909 II ANTIPATHIDAE (Anthozoa)
- Stichopathes richardi*** Roule, 1902 II ANTIPATHIDAE (Anthozoa)
- Stichopathes robusta*** Gravier, 1918 II ANTIPATHIDAE (Anthozoa)

- Stichopathes saccula*** (van Pesch, 1914) II  
ANTIPATHIDAE (Anthozoa)
- Stichopathes semiglabra*** (van Pesch, 1914) II  
ANTIPATHIDAE (Anthozoa)
- Stichopathes setacea*** (Gray, 1860) II ANTIPATHIDAE (Anthozoa)
- Stichopathes seychellensis*** Forster Cooper, 1909 II  
ANTIPATHIDAE (Anthozoa)
- Stichopathes solorensis*** (van Pesch, 1914) II  
ANTIPATHIDAE (Anthozoa)
- Stichopathes spiessi*** Opresco & Genin, 1990 II  
ANTIPATHIDAE (Anthozoa)
- Stichopathes spinosa*** Silberfeld, 1909 II ANTIPATHIDAE (Anthozoa)
- Stichopathes spiralis*** (Pourtales, 1880) = *Stichopathes gracilis* (Gray, 1858)
- Stichopathes variabilis*** (van Pesch, 1914) II  
ANTIPATHIDAE (Anthozoa)
- Stichopathes variabilis lissispina* (van Pesch, 1914) = *Stichopathes variabilis* (van Pesch, 1914)
- Stichopus fuscus*** Ludwig, 1875 = *Isostichopus fuscus* (Ludwig, 1875)
- Stigmochelys* spp. II 46 TESTUDINIDAE (Reptilia)**
- Stigmochelys pardalis*** (Bell, 1828) II 46 TESTUDINIDAE (Reptilia) (E) Leopard Tortoise, Mountain Tortoise (S)  
Tortuga leopardo (F) Tortue-léopard du Cap
- Stoat (E): *Mustela erminea*
- Stolarskicyathus* spp.** Cairns, 2004 II GARDINERIIDAE (Anthozoa)
- Stolarskicyathus pocilliformis*** Cairns, 2004 II  
GARDINERIIDAE (Anthozoa)
- Stork, Black (E): *Ciconia nigra*
- Stork, Japanese White (E): *Ciconia boyciana*
- Stork, Milky (E): *Mycteria cinerea*
- Stork, Oriental (E): *Ciconia boyciana*
- Stork, Oriental White (E): *Ciconia boyciana*
- Stork, Whale-headed (E): *Balaeniceps rex*
- Streamertail (E): *Trochilus polytmus*
- Streamertail, Black-billed (E): *Trochilus scitulus*
- Streptopelia mayeri* (Prévost, 1843) = *Nesoenas mayeri* (Prévost, 1843)
- STRIGIDAE** spp. I/II 30 (Aves) (S) Buhos (F) Chouettes, Petit-Duc Géant
- STRIGIFORMES** spp. I/II/NC 30 (S) Buho (F) Rapaces Nocturnes
- Strigocuscus mimicus* (Thomas, 1922) = *Phalanger mimicus* Thomas, 1922
- Strigops* spp. I/II** 29 PSITTACIDAE (Aves)
- Strigops habroptila*** Gray, 1845 I PSITTACIDAE (Aves)
- Strigops habroptilus* G. R. Gray, 1845 = *Strigops habroptila* Gray, 1845
- Strix* spp. II 30 STRIGIDAE (Aves)**
- Strix acadica* Gmelin, 1788 = *Aegolius acadicus* (Gmelin, 1788)
- Strix africana* Temminck, 1821 = *Bubo africanus* (Temminck, 1821)
- Strix alba* Scopoli, 1769 = *Tyto alba* (Scopoli, 1769)
- Strix albitarsis*** (Bonaparte, 1850) II 30 STRIGIDAE (Aves) (E) Rufous-banded Owl (S) Cárabo patiblanco, Lechuza colilarga, Lechuza patiblanca (F) Chouette fasciée
- Strix aluco*** Linnaeus, 1758 II 30 STRIGIDAE (Aves) (E)  
Tawny Owl, Tawny Wood-Owl (S) Cárabo, Cárabo común (F) Chouette hulotte, Hulotte chat-huant
- Strix asio* Linnaeus, 1758 = *Otus asio* (Linnaeus, 1758)
- Strix atricapilla*** Temminck, 1822 = *Otus atricapilla* (Temminck, 1822)
- Strix aurantia* Salvadori, 1881 = *Tyto aurantia* (Salvadori, 1881)
- Strix badia* Horsfield, 1821 = *Phodilus badius* (Horsfield, 1821)
- Strix boobook* Latham, 1801 = *Ninox boobook* (Latham, 1801)
- Strix brama*** Temminck, 1821 = *Athene brama* (Temminck, 1821)
- Strix brasiliiana* Gmelin, 1788 = *Glaucidium brasiliianum* (Gmelin, 1788)
- Strix bubo* Linnaeus, 1758 = *Bubo bubo* (Linnaeus, 1758)
- Strix butleri*** (Hume, 1878) II 30 STRIGIDAE (Aves) (E)  
Desert Owl, Hume's Owl, Hume's Tawny Owl, Hume's Wood-Owl (S) Cárabo árabe, Cárabo de Hume (F) Chouette de Butler, Chouette hulotte de Hume
- Strix capensis* A. Smith, 1834 = *Tyto capensis* (A. Smith, 1834)
- Strix castanops* Gould, 1837 = *Tyto novaehollandiae* (Stephens, 1826)
- Strix castanoptera* Horsfield, 1821 = *Glaucidium castanopterum* (Horsfield, 1821)
- Strix chacoensis*** Cherrie & Reichenberger, 1921 II 30 STRIGIDAE (Aves) (E) Chaco Owl
- Strix choliba* Vieillot, 1817 = *Otus choliba* (Vieillot, 1817)
- Strix coromanda* Latham, 1790 = *Bubo coromandus* (Latham, 1790)
- Strix cristata* Daudin, 1800 = *Lophostrix cristata* (Daudin, 1800)
- Strix cunicularia* Molina, 1782 = *Athene cunicularia* (Molina, 1782)
- Strix flammea* Pontoppidan, 1763 = *Asio flammeus* (Pontoppidan, 1763)
- Strix fulvescens*** (Sclater & Salvin, 1875) II 30 STRIGIDAE (Aves) (E) Fulvous Owl (S) Búho fulvo, Cárabo guatemalteco (F) Chouette fauve
- Strix funerea* Linnaeus, 1758 = *Aegolius funereus* (Linnaeus, 1758)
- Strix huhula* Daudin, 1800 = *Ciccaba huhula* (Daudin, 1800)
- Strix hylophila*** Temminck, 1825 II 30 STRIGIDAE (Aves) (E) Rusty-barred Owl (S) Cárabo brasileño, Lechuza listada (F) Chouette dryade
- Strix inexpectata* Schlegel, 1879 = *Tyto inexpectata* (Schlegel, 1879)
- Strix ketupu* Horsfield, 1821 = *Ketupa ketupu* (Horsfield, 1821)
- Strix lactea* Temminck, 1820 = *Bubo lacteus* (Temminck, 1820)
- Strix leptogrammica*** Temminck, 1831 II 30 STRIGIDAE (Aves) (E) Brown Wood-Owl (S) Cárabo oriental (F) Chouette leptogramme

- Strix leucotis** Temminck, 1820 = *Ptilopsis leucotis* (Temminck, 1820)
- Strix magica** S. Müller, 1841 = *Otus magicus* (Müller, 1841)
- Strix minutissima** Wied, 1830 = *Glaucidium minutissimum* (Wied, 1830)
- Strix nana** P. P. King, 1828 = *Glaucidium nana* (P. P. King, 1827)
- Strix nebulosa** Forster, 1772 II 30 STRIGIDAE (Aves) (E)  
Great Grey Owl, Grey Owl, Lapland Owl, Lapp Owl (S)  
Cárabo lapón (F) Chouette lapone
- Strix nigrolineata** Sclater, 1859 = *Ciccaba nigrolineata* (Sclater, 1859)
- Strix noctua** Scopoli, 1769 = *Athene noctua* (Scopoli, 1769)
- Strix novaehollandiae** Stephens, 1826 = *Tyto novaehollandiae* (Stephens, 1826)
- Strix novaeseelandiae** Gmelin, 1788 = *Ninox novaeseelandiae* (Gmelin, 1788)
- Strix nudipes** Daudin, 1800 = *Otus nudipes* (Daudin, 1800)
- Strix occidentalis** (Xántus de Vesey, 1860) II 30  
STRIGIDAE (Aves) (E) Spotted Owl (S) Búho manchado, Cárabo californiano (F) Chouette tachetée
- Strix ocellata** (Lesson, 1839) II 30 STRIGIDAE (Aves) (E)  
Mottled Wood-Owl (S) Cárabo ocelado (F) Chouette ocellée
- Strix otus** Linnaeus, 1758 = *Asio otus* (Linnaeus, 1758)
- Strix passerina** Linnaeus, 1758 = *Glaucidium passerinum* (Linnaeus, 1758)
- Strix peli** Bonaparte, 1850 = *Scotopelia peli* (Bonaparte, 1850)
- Strix perlata** Vieillot, 1818 = *Glaucidium perlatum* (Vieillot, 1817)
- Strix perspicillata** Latham, 1790 = *Pulsatrix perspicillata* (Latham, 1790)
- Strix radiata** Tickell, 1833 = *Glaucidium radiatum* (Tickell, 1833)
- Strix rosebergii** Schlegel, 1866 = *Tyto rosebergii* (Schlegel, 1866)
- Strix rufescens** Horsfield, 1821 = *Otus rufescens* (Horsfield, 1821)
- Strix rufipes** King, 1828 II 30 STRIGIDAE (Aves) (E)  
Rufous-legged Owl (S) Cárabo bataraz, Lechuza bataraz (F) Chouette masquée
- Strix scandiaca** Linnaeus, 1758 = *Nyctea scandiaca* (Linnaeus, 1758)
- Strix scops** Linnaeus, 1758 = *Otus scops* (Linnaeus, 1758)
- Strix scutulata** Raffles, 1822 = *Ninox scutulata* (Raffles, 1822)
- Strix seloputo** Horsfield, 1871 II 30 STRIGIDAE (Aves) (E)  
Spotted Wood-Owl (S) Cárabo de las pagodas (F) Chouette des pagodes
- Strix sororcula** P. L. Sclater, 1883 = *Tyto sororcula* (P. L. Sclater, 1883)
- Strix sumatrana** Raffles, 1822 = *Bubo sumatranaus* (Raffles, 1822)
- Strix superciliaris** Vieillot, 1817 = *Ninox superciliaris* (Vieillot, 1817)
- Strix tenebribicosus** Gould, 1845 = *Tyto tenebribcosa* (Gould, 1845)
- Strix ulula** Linnaeus, 1758 = *Surnia ulula* (Linnaeus, 1758)
- Strix uralensis** Pallas, 1771 II 30 STRIGIDAE (Aves) (E)  
Ural Owl (S) Cárabo uralense (F) Chouette de l'Oural
- Strix varia** Barton, 1799 II 30 STRIGIDAE (Aves) (E)  
Barred Owl (S) Búho barrado, Cárabo norteamericano (F) Chouette rayée
- Strix varia fulvescens** Barton, 1799 = *Strix fulvescens* (Sclater & Salvin, 1875)
- Strix virgata** (Cassin, 1850) II 30 STRIGIDAE (Aves) (E)  
Mottled Owl (S) Búho café, Cárabo café, Lechuza colilarga (F) Chouette mouchetée
- Strix virginiana** Gmelin, 1788 = *Bubo virginianus* (Gmelin, 1788)
- Strix woodfordii** (A. Smith, 1834) II 30 STRIGIDAE (Aves) (E) African Wood-Owl, Woodford's Owl (S) Cárabo africano, Lechuzón de Woodford (F) Chouette africaine, Hulotte africaine
- Strix zeylonensis** Gmelin, 1788 = *Ketupa zeylonensis* (Gmelin, 1788)
- Strombe Géant (F): *Strombus gigas*
- Strombus gigas** Linnaeus, 1758 II STROMBIDAE (Gastropoda) (E) Pink Conch, Queen Conch (S) Concha reina del Caribe (F) Lambis, Strombe Géant
- Struthio americanus** Linnaeus, 1758 = *Rhea americana* (Linnaeus, 1758)
- Struthio camelus** Linnaeus, 1758 I/NC 31  
STRUTHIONIDAE (Aves) (E) Ostrich (S) Avestruz (F) Autruche d'Afrique
- Struthio molybdophanes** Reichenow, 1883 = *Struthio camelus* Linnaeus, 1758  
Sturgeon (E): *Acipenser sturio*  
Sturgeon, Adriatic (E): *Acipenser naccarii*  
Sturgeon, Alabama (E): *Scaphirhynchus suttkusi*  
Sturgeon, Amu Darya (E): *Pseudoscaphirhynchus kaufmanni*  
Sturgeon, Amu Darya Shovelnose (E): *Pseudoscaphirhynchus kaufmanni*  
Sturgeon, Amur (E): *Acipenser schrenckii*  
Sturgeon, Atlantic (E): *Acipenser sturio*  
Sturgeon, Atlantic (E): *Acipenser oxyrinchus*  
Sturgeon, Azov-Black Sea (E): *Acipenser gueldenstaedtii*  
Sturgeon, Baltic (E): *Acipenser sturio*  
Sturgeon, Barbel (E): *Acipenser nudiventris*  
Sturgeon, Barbel (E): *Acipenser medirostris*  
Sturgeon, Bastard (E): *Acipenser nudiventris*  
Sturgeon, Chinese (E): *Acipenser sinensis*  
Sturgeon, Columbia (E): *Acipenser transmontanus*  
Sturgeon, Common (E): *Acipenser sturio*  
Sturgeon, Dabry's (E): *Acipenser dabryanus*  
Sturgeon, Danube (E): *Acipenser gueldenstaedtii*  
Sturgeon, Dwarf (E): *Pseudoscaphirhynchus hermanni*  
Sturgeon, European (E): *Huso huso*  
Sturgeon, European (E): *Acipenser sturio*  
Sturgeon, False Shovelnose (E): *Pseudoscaphirhynchus kaufmanni*  
Sturgeon, Fringebarbel (E): *Acipenser nudiventris*  
Sturgeon, Giant (E): *Huso huso*  
Sturgeon, Great (E): *Huso huso*  
Sturgeon, Great Siberian (E): *Huso dauricus*  
Sturgeon, Green (E): *Acipenser medirostris*

Sturgeon, Green Japanese (E): <i>Acipenser medirostris</i>	<b><i>Stylaster amphiheloides</i></b> Kent, 1871 II STYLASTERIDAE
Sturgeon, Huso (E): <i>Huso dauricus</i>	(Hydrozoa)
Sturgeon, Kura (E): <i>Acipenser gueldenstaedtii</i>	<b><i>Stylaster antillarum</i></b> Zibrowius & Cairns, 1982 II
Sturgeon, Lake (E): <i>Acipenser fulvescens</i>	STYLASTERIDAE (Hydrozoa) (E) Antilles Lace Coral
Sturgeon, Large Amu-Dar Shovelnose (E): <i>Pseudoscaphirhynchus kaufmanni</i>	(S) Coral de encaje antillano
Sturgeon, Little Shovelnose (E): <i>Pseudoscaphirhynchus hermanni</i>	<b><i>Stylaster asper</i></b> Kent, 1871 II STYLASTERIDAE
Sturgeon, Oregon (E): <i>Acipenser transmontanus</i>	(Hydrozoa)
Sturgeon, Pacific (E): <i>Acipenser transmontanus</i>	<b><i>Stylaster aurantiacus</i></b> Cairns, 1986 II STYLASTERIDAE
Sturgeon, Pallid (E): <i>Scaphirhynchus albus</i>	(Hydrozoa)
Sturgeon, Persian (E): <i>Acipenser persicus</i>	<b><i>Stylaster bellus</i></b> (Dana, 1846) II STYLASTERIDAE
Sturgeon, Russian (E): <i>Huso huso</i>	(Hydrozoa)
Sturgeon, Russian (E): <i>Acipenser gueldenstaedtii</i>	<b><i>Stylaster bilobatus</i></b> Hickson & England, 1905 II
Sturgeons (E): <i>Acipenseridae</i>	STYLASTERIDAE (Hydrozoa)
Sturgeon, Sacramento (E): <i>Acipenser transmontanus</i>	<b><i>Stylaster bithalamus</i></b> Broch, 1936 II STYLASTERIDAE
Sturgeon, Sakhalin (E): <i>Acipenser mikadoi</i>	(Hydrozoa)
Sturgeon, Sand (E): <i>Scaphirhynchus platorynchus</i>	<b><i>Stylaster blatteus</i></b> (Boschma, 1961) II STYLASTERIDAE
Sturgeon, Sea (E): <i>Acipenser sturio</i>	(Hydrozoa)
Sturgeon, Ship (E): <i>Acipenser nudipectoralis</i>	<b><i>Stylaster bocki</i></b> Broch, 1936 II STYLASTERIDAE
Sturgeon, Shortnose (E): <i>Acipenser brevirostrum</i>	(Hydrozoa)
Sturgeon, Short-nosed Little (E): <i>Acipenser brevirostrum</i>	<b><i>Stylaster boreopacificus</i></b> Broch, 1932 II
Sturgeon, Shovelnose (E): <i>Scaphirhynchus platorynchus</i>	STYLASTERIDAE (Hydrozoa)
Sturgeon, Siberian (E): <i>Acipenser baerii</i>	<b><i>Stylaster boschmai</i></b> (Eguchi, 1965) II STYLASTERIDAE
Sturgeon, Small Amu-Dar Shovelnose (E): <i>Pseudoscaphirhynchus hermanni</i>	(Hydrozoa)
Sturgeons, Paddlefishes, (E): <i>Acipenseriformes</i>	<b><i>Stylaster brochi</i></b> (Fisher, 1938) II STYLASTERIDAE
Sturgeon, Spiny (E): <i>Acipenser nudipectoralis</i>	(Hydrozoa)
Sturgeon, Star (E): <i>Acipenserstellatus</i>	<b><i>Stylaster brunneus</i></b> Boschma, 1970 II STYLASTERIDAE
Sturgeon, Starry (E): <i>Acipenserstellatus</i>	(Hydrozoa)
Sturgeon, Stellate (E): <i>Acipenserstellatus</i>	<b><i>Stylaster californicus</i></b> (Verrill, 1866) II STYLASTERIDAE
Sturgeon, Sterlet (E): <i>Acipenser ruthenus</i>	(Hydrozoa)
Sturgeon, Syr-Dar Shovelnose (E): <i>Pseudoscaphirhynchus fedtschenkoi</i>	<b><i>Stylaster campyleucus</i></b> (Fisher, 1938) II
Sturgeon, Syr Darya (E): <i>Pseudoscaphirhynchus fedtschenkoi</i>	STYLASTERIDAE (Hydrozoa)
Sturgeon, Thorn (E): <i>Acipenser nudipectoralis</i>	<b><i>Stylaster cancellatus</i></b> Fisher, 1938 II STYLASTERIDAE
Sturgeon, White (E): <i>Acipenser transmontanus</i>	(Hydrozoa)
Sturgeon, Yangtze (E): <i>Acipenser dabryanus</i>	<b><i>Stylaster carinatus</i></b> Broch, 1936 II STYLASTERIDAE
<i>Sturio accipenser</i> Strøm, 1784 = <i>Acipenser oxyrinchus</i> Mitchill, 1815	(Hydrozoa)
<i>Sturio vulgaris</i> Rafinesque, 1810 = <i>Acipenser sturio</i> Linnaeus, 1758	<b><i>Stylaster challengerii</i></b> Boschma, 1951 = <i>Stenohelia profunda</i> Moseley, 1881
<b><i>Stylantheca</i></b> spp. Fisher 1931 II STYLASTERIDAE (Hydrozoa)	<b><i>Stylaster cocosensis</i></b> Cairns, 1991 II STYLASTERIDAE
<b><i>Stylantheca papillosa</i></b> (Dall, 1884) II STYLASTERIDAE (Hydrozoa)	(Hydrozoa)
<b><i>Stylantheca petrograpta</i></b> (Fisher, 1938) II STYLASTERIDAE (Hydrozoa)	<b><i>Stylaster complanatus</i></b> Pourtalès, 1867 II
<b><i>Stylantheca porphyra</i></b> Fisher, 1931 II STYLASTERIDAE (Hydrozoa)	STYLASTERIDAE (Hydrozoa) (E) Bladed Lace Coral
<b><i>Stylaraea</i></b> spp. Milne Edwards & Haime 1851 II PORITIDAE (Anthozoa)	(S) Coral de encaje aplastado
<b><i>Stylaraea punctata</i></b> (Linnaeus, 1758) II PORITIDAE (Anthozoa)	<b><i>Stylaster corallium</i></b> Cairns, 1986 II STYLASTERIDAE
<b><i>Stylaster</i></b> spp. Gray 1831 II STYLASTERIDAE (Hydrozoa)	(Hydrozoa)
<b><i>Stylaster alaskanus</i></b> Fisher, 1938 II STYLASTERIDAE (Hydrozoa)	<b><i>Stylaster crassior</i></b> Broch, 1936 II STYLASTERIDAE
	(Hydrozoa)
	<b><i>Stylaster densicaulis</i></b> Moseley, 1879 II STYLASTERIDAE
	(Hydrozoa)
	<b><i>Stylaster dentatus</i></b> Broch, 1936 II STYLASTERIDAE
	(Hydrozoa)
	<b><i>Stylaster divergens</i></b> Marenzeller, 1904 II
	STYLASTERIDAE (Hydrozoa)
	<b><i>Stylaster duchassaingii</i></b> Pourtalès, 1867 II
	STYLASTERIDAE (Hydrozoa) (E) Duchassaing's Lace
	Coral (S) Coral de encaje de Duchassaing
	<b><i>Stylaster echinatus</i></b> Broch, 1936 = <i>Stylaster filogranus</i> Pourtalès, 1871
	<b><i>Stylaster eguchii</i></b> (Boschma, 1966) II STYLASTERIDAE
	(Hydrozoa)

- Stylaster elassotomus*** Fisher, 1938 II STYMASTERIDAE ***Stylaster moseleyanus*** (Fisher, 1938) II  
 (Hydrozoa)  
***Stylaster elegans*** Duchassaing & Michelotti, 1864 = ***Stylaster duchassaingii*** Pourtalès, 1867  
***Stylaster elegans*** Verrill, 1864 = ***Stylaster sanguineus*** Milne Edwards & Haime, 1850  
***Stylaster erubescens*** Pourtalès, 1868 II STYMASTERIDAE (Hydrozoa)  
***Stylaster eximius*** Kent, 1871 II STYMASTERIDAE (Hydrozoa)  
***Stylaster explanatus*** (Kent, 1871) = ***Stylaster nobilis*** (Kent, 1871) ***Stylaster obliquus*** Studer, 1878 = ***Conopora laevis*** (Studer, 1878)  
***Stylaster filogranus*** Pourtalès, 1871 II STYMASTERIDAE ***Stylaster ochraceus*** (Quelch, 1884) = ***Stylaster nobilis*** (Kent, 1871)  
***Stylaster flabelliformis*** (Lamarck, 1816) II STYMASTERIDAE (Hydrozoa)  
***Stylaster galapagensis*** Cairns, 1986 II STYMASTERIDAE (Hydrozoa)  
***Stylaster gemmascens*** (Esper, 1790) II STYMASTERIDAE (Hydrozoa)  
***Stylaster gemmascens alaskanus*** (Esper, 1790) = ***Stylaster alaskanus*** Fisher, 1938  
***Stylaster gracilis*** Milne Edwards & Haime, 1850 II STYMASTERIDAE (Hydrozoa)  
***Stylaster granulosus*** Milne Edwards & Haime, 1850 II STYMASTERIDAE (Hydrozoa)  
***Stylaster griggi*** Cairns, 2005 II STYMASTERIDAE (Hydrozoa)  
***Stylaster hattori*** (Eguchi, 1968) II STYMASTERIDAE (Hydrozoa)  
***Stylaster horologium*** Cairns, 1991 II STYMASTERIDAE (Hydrozoa)  
***Stylaster ibericus*** Zibrowius & Cairns, 1992 II STYMASTERIDAE (Hydrozoa)  
**STYMASTERIDAE spp.** Gray 1847 II (Hydrozoa) (E) Lace Corals (S) Corales De Encaje (F) Autres Coraux  
***Stylaster imbricatus*** Cairns, 1991 II STYMASTERIDAE (Hydrozoa)  
***Stylaster incompletus*** (Tenison-Woods, 1883) II STYMASTERIDAE (Hydrozoa)  
***Stylaster incrassitus*** (Eguchi, 1941) II STYMASTERIDAE (Hydrozoa)  
***Stylaster infundibuliferus*** Cairns, 2005 II STYMASTERIDAE (Hydrozoa)  
***Stylaster inornatus*** Cairns, 1986 II STYMASTERIDAE (Hydrozoa)  
***Stylaster laevigatus*** Cairns, 1986 II STYMASTERIDAE (Hydrozoa)  
***Stylaster ionchitis*** Broch, 1947 II STYMASTERIDAE (Hydrozoa)  
***Stylaster marenzelleri*** Cairns, 1986 II STYMASTERIDAE (Hydrozoa)  
***Stylaster maroccanus*** Zibrowius & Cairns, 1992 II STYMASTERIDAE (Hydrozoa)  
***Stylaster marshae*** Cairns, 1988 II STYMASTERIDAE (Hydrozoa)  
***Stylaster microstriatus*** Broch, 1936 II STYMASTERIDAE (Hydrozoa)  
***Stylaster miniatus*** (Pourtalès, 1868) II STYMASTERIDAE (Hydrozoa)  
***Stylaster moseleyanus*** (Fisher, 1938) II STYMASTERIDAE (Hydrozoa)  
***Stylaster moseleyi*** (Dall, 1884) = ***Stylaster verrillii*** (Dall, 1884)  
***Stylaster multiplex*** Hickson & England, 1905 II STYMASTERIDAE (Hydrozoa)  
***Stylaster nobilis*** (Kent, 1871) II STYMASTERIDAE (Hydrozoa)  
***Stylaster norvegicus*** (Gunnerus, 1768) II STYMASTERIDAE (Hydrozoa)  
***Stylaster papuensis*** Zibrowius, 1981 II STYMASTERIDAE (Hydrozoa)  
***Stylaster petrograpta*** (Fisher, 1938) = ***Stylanthea petrograpta*** (Fisher, 1938)  
***Stylaster polymorphus*** Broch, 1936 II STYMASTERIDAE (Hydrozoa)  
***Stylaster polyorchis*** (Fisher, 1938) II STYMASTERIDAE (Hydrozoa)  
***Stylaster profundiporus*** Broch, 1936 II STYMASTERIDAE (Hydrozoa)  
***Stylaster profundus*** (Moseley, 1879) II STYMASTERIDAE (Hydrozoa)  
***Stylaster pulcher*** Quelch, 1884 II STYMASTERIDAE (Hydrozoa)  
***Stylaster punctatus*** Pourtalès, 1871 = ***Stylaster roseus*** (Pallas, 1766)  
***Stylaster purpuratus*** (Naumov, 1960) II STYMASTERIDAE (Hydrozoa)  
***Stylaster ramosus*** Broch, 1947 II STYMASTERIDAE (Hydrozoa)  
***Stylaster robustus*** (Cairns, 1983) II STYMASTERIDAE (Hydrozoa)  
***Stylaster rosaceus*** (Greeff, 1886) II STYMASTERIDAE (Hydrozoa)  
***Stylaster roseus*** (Pallas, 1766) II STYMASTERIDAE (Hydrozoa) (E) Rose Lace Coral (S) Coral rosado de encaje (F) Corail-dentelle rose  
***Stylaster sanguineus*** Milne Edwards & Haime, 1850 II STYMASTERIDAE (Hydrozoa)  
***Stylaster scabiosus*** Broch, 1935 II STYMASTERIDAE (Hydrozoa)  
***Stylaster solidus*** Broch, 1935 II STYMASTERIDAE (Hydrozoa)  
***Stylaster spatula*** Cairns, 1986 II STYMASTERIDAE (Hydrozoa) (E) Spoon Lace Coral (S) Coral espátula de encaje  
***Stylaster stejnegeri*** (Fisher, 1938) II STYMASTERIDAE (Hydrozoa)  
***Stylaster stellulatus*** Stewart, 1878 II STYMASTERIDAE (Hydrozoa)  
***Stylaster subviolaceus*** (Kent, 1871) II STYMASTERIDAE (Hydrozoa)  
***Stylaster tenisonwoodsi*** Cairns, 1988 II STYMASTERIDAE (Hydrozoa)  
***Stylaster tenuis*** Verrill, 1864 = ***Stylaster sanguineus*** Milne Edwards & Haime, 1850

- Stylaster tiliatus* Hickson & England, 1905 = *Stenohelia tiliata* (Hickson & England, 1905)
- Stylaster umbonatus* Hickson & England, 1905 = *Stenohelia umbonata* (Hickson & England, 1905)
- Stylaster venustus** (Verrill, 1870) II STYLASTERIDAE (Hydrozoa)
- Stylaster verrillii** (Dall, 1884) II STYLASTERIDAE (Hydrozoa)
- Stylaster verrucosus* Studer, 1877 = *Conopora verrucosa* (Studer, 1878)
- Stylaster virginis* (Lindström, 1877) = *Stylaster complanatus* Pourtalès, 1867
- Stylaster yabei* Eguchi, 1941 = *Stenohelia yabei* (Eguchi, 1941)
- Stylocoenia hanzawai* Yabe & Sugiyama, 1933 = *Stylocoeniella armata* (Hemprich & Ehrenberg, 1834)
- Stylocoeniella spp.** Yabe and Sugiyama 1935 II ASTROCOENIIDAE (Anthozoa)
- Stylocoeniella armata** (Hemprich & Ehrenberg, 1834) II ASTROCOENIIDAE (Anthozoa)
- Stylocoeniella cocosensis** Veron, 1990 II ASTROCOENIIDAE (Anthozoa)
- Stylocoeniella guentheri** (Bassett-Smith, 1890) II ASTROCOENIIDAE (Anthozoa) (E) Thorn Coral
- Stylocoeniella niki** Benzoni & Pichon, 2004 II ASTROCOENIIDAE (Anthozoa)
- Stylocoeniella paumotensis* Chevalier, 1976 = *Pavona clavus* (Dana, 1846)
- Stylopatus spp.** Opresco, 2006 II STYLOPATHIDAE (Anthozoa)
- Stylopatus adinocrada** Opresco, 2006 II STYLOPATHIDAE (Anthozoa)
- Stylopatus americana** (Duchassaing & Michelotti, 1860) II STYLOPATHIDAE (Anthozoa) (E) American Black Coral (S) Cepillo de botella occidental
- Stylopatus columnaris** (Duchassaing, 1870) II STYLOPATHIDAE (Anthozoa) (E) Column Bottle-brush Black Coral (S) Cepillo de botella columnar
- Stylopatus litocrada** Opresco, 2006 II STYLOPATHIDAE (Anthozoa)
- Stylopatus tenuispina** (Silberfeld, 1909) II STYLOPATHIDAE (Anthozoa)
- STYLOPATHIDAE spp.** Opresco, 2006 II (Anthozoa)
- Stylophora spp.** Schweigger 1819 II POCILLOPORIDAE (Anthozoa)
- Stylophora armata* (Hemprich & Ehrenberg, 1834) = *Stylocoeniella armata* (Hemprich & Ehrenberg, 1834)
- Stylophora cellulosa* Quelch, 1886 = *Stylophora pistillata* (Esper, 1792)
- Stylophora danae** Milne Edwards & Haime, 1850 II POCILLOPORIDAE (Anthozoa)
- Stylophora dendritica* Nemenzo, 1964 = *Stylophora pistillata* (Esper, 1792)
- Stylophora digitata* (Pallas, 1766) = *Stylophora pistillata* (Esper, 1792)
- Stylophora dumetosa* Duchassaing, 1870 = *Madracis myriaster* (Milne Edwards & Haime, 1849)
- Stylophora elongata* (Lamarck, 1816) = *Stylophora pistillata* (Esper, 1792)
- Stylophora erythraea* Marenzeller, 1907 = *Stylophora pistillata* (Esper, 1792)
- Stylophora expanda* Nemenzo, 1964 = *Stylophora pistillata* (Esper, 1792)
- Stylophora flabellata* Quelch, 1886 = *Stylophora pistillata* (Esper, 1792)
- Stylophora guentheri* Bassett-Smith, 1890 = *Stylocoeniella guentheri* (Bassett-Smith, 1890)
- Stylophora hassi* Scheer, 1967 = *Stylophora wellsi* Scheer, 1964
- Stylophora kuehlmanni** Scheer & Pillai, 1983 II POCILLOPORIDAE (Anthozoa)
- Stylophora madagascariensis** Veron, 2000 II POCILLOPORIDAE (Anthozoa)
- Stylophora mamillata** Scheer & Pillai, 1983 II POCILLOPORIDAE (Anthozoa)
- Stylophora mirabilis* Duchassaing & Michelotti, 1860 = *Madracis myriaster* (Milne Edwards & Haime, 1849)
- Stylophora mordax** (Dana, 1846) II POCILLOPORIDAE (Anthozoa)
- Stylophora nana* Nemenzo, 1964 = *Stylophora pistillata* (Esper, 1792)
- Stylophora palmata* (Blainville, 1830) = *Stylophora pistillata* (Esper, 1792)
- Stylophora pistillata** (Esper, 1792) II POCILLOPORIDAE (Anthozoa) (E) Cluster Coral, Hood Coral
- Stylophora prostrata* Klunzinger, 1879 = *Stylophora pistillata* (Esper, 1792)
- Stylophora septata* Gardiner, 1899 = *Stylophora pistillata* (Esper, 1792)
- Stylophora sinaitica* Brüggemann, 1878 = *Stylophora pistillata* (Esper, 1792)
- Stylophora subseriata** (Hemprich & Ehrenberg, 1834) II POCILLOPORIDAE (Anthozoa)
- Stylophora wellsi** Scheer, 1964 II POCILLOPORIDAE (Anthozoa)
- Sucury (S): *Eunectes murinus*
- Sudis gigas* Cuvier, 1829 = *Arapaima gigas* (Cuvier, 1829)
- Sudis gigas* Schinz, 1822 = *Arapaima gigas* (Cuvier, 1829)
- Sudis pirarucu* Spix & Agassiz, 1829 = *Arapaima gigas* (Cuvier, 1829)
- Suirí bicolor (S): *Dendrocygna bicolor*
- Suirí leonado (S): *Dendrocygna bicolor*
- Suirí piquirrojo (S): *Dendrocygna autumnalis*
- Suirí yaguaza (S): *Dendrocygna arborea*
- Sula abbotti* Ridgway, 1893 = *Papasula abbotti* Ridgway, 1893
- Sulio (S): *Acipenser sturio*
- Sunangel, Amethyst-throated (E): *Heliangelus amethysticollis*
- Sunangel, Bogotá (E): *Heliangelus zusii*
- Sunangel, Gorgeted (E): *Heliangelus strophianus*
- Sunangel, Little (E): *Heliangelus micraster*
- Sunangel, Orange-throated (E): *Heliangelus mavors*
- Sunangel, Purple-throated (E): *Heliangelus viola*
- Sunangel, Royal (E): *Heliangelus regalis*
- Sunangel, Tourmaline (E): *Heliangelus exortis*
- Sunbeam, Black-hooded (E): *Aglaeactis pamela*
- Sunbeam, Purple-backed (E): *Aglaeactis aliciae*
- Sunbeam, Shining (E): *Aglaeactis cupripennis*

- Sunbeam, White-tufted (E): *Aglaeactis castelnaudii*
- Sun-fish (E): *Cetorhinus maximus*
- Sungazer (E): *Cordylus giganteus*
- Sungem, Horned (E): *Heliactin bilophus*
- Surili, Banded (E): *Presbytis femoralis*
- Surili, Javan (E): *Presbytis comata*
- Surili, Natuna Island (E): *Presbytis natunae*
- Surili, Sarawak (E): *Presbytis chrysomelas*
- Surili, Sumatran (E): *Presbytis melalophos*
- Surili, White-thighed (E): *Presbytis siamensis*
- Surnia* spp. II** 30 STRIGIDAE (Aves)
- Surnia ulula*** (Linnaeus, 1758) II 30 STRIGIDAE (Aves)  
(E) Hawk Owl, Northern Hawk Owl (S) Búho gavilán,  
Cárabo gavilán, Lechuza gavilana (F) Chouette  
épervière
- Surucucu (E): *Cyclagras gigas*
- Sus salvanius*** (Hodgson, 1847) I SUIDAE (Mammalia)  
(E) Pygmy Hog (S) Jabalí enano, Jabalí pigmeo (F)  
Sanglier nain, Sanglier pygmée
- Susu, Ganges (E): *Platanista gangetica*
- Swallowtail, Chinese Three-tailed (E): *Bhutanitis thaidina*
- Swallowtail, Corsican (E): *Papilio hospiton*
- Swallowtail, Homerus (E): *Papilio homerus*
- Swallowtail, Ludlow's Bhutan (E): *Bhutanitis ludlowi*
- Swallowtail, Luzon Peacock (E): *Papilio chikae*
- Swallowtail, Mansfield's Three-tailed (E): *Bhutanitis mansfieldi*
- Swan, Black-necked (E): *Cygnus melancoryphus*
- Swan, Coscoroba (E): *Coscoroba coscoroba*
- Swordfish, Chinese (E): *Psephurus gladius*
- Sylphe à queue d'azur (F): *Aglaiocercus kingi*
- Sylphe à queue violette (F): *Aglaiocercus coelestis*
- Sylph, Long-tailed (E): *Aglaiocercus kingi*
- Sylph, Violet-tailed (E): *Aglaiocercus coelestis*
- Symphalangus* spp. I** HYLOBATIDAE (Mammalia)
- Symphalangus syndactylus*** (Raffles, 1821) I  
HYLOBATIDAE (Mammalia) (E) Siamang (S) Siamang  
(F) Siamang
- Syphyllia* spp.** Milne Edwards & Haime 1848 II  
MUSSIDAE (Anthozoa)
- Syphyllia agaricia*** Milne Edwards & Haime, 1849 II  
MUSSIDAE (Anthozoa)
- Syphyllia erythraea*** (Klunzinger, 1879) II MUSSIDAE  
(Anthozoa)
- Syphyllia harttii* Verrill, 1868 = *Mussismilia hispida*  
(Verrill, 1901)
- Syphyllia hassi*** Pillai & Scheer, 1976 II MUSSIDAE  
(Anthozoa)
- Syphyllia nobilis* (Dana, 1846) = *Syphyllia recta* (Dana,  
1846)
- Syphyllia radians*** Milne Edwards & Haime, 1849 II  
MUSSIDAE (Anthozoa) (E) Greater Brain Coral
- Syphyllia recta*** (Dana, 1846) II MUSSIDAE (Anthozoa)
- Syphyllia sinuosa* (Quoy & Gaimard, 1833) = *Syphyllia recta* (Dana, 1846)
- Syphyllia valenciennesii*** Milne Edwards & Haime,  
1849 II MUSSIDAE (Anthozoa)
- Syphyllia wilsoni*** Veron, 1985 II MUSSIDAE  
(Anthozoa)
- Sympodangia* spp.** Cairns & Zibrowius 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Sympodangia albatrossi*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Synaraea convexa* Verrill, 1864 = *Porites rus* (Forskål,  
1775)
- Synaraea irregularis* Verrill, 1864 = *Porites rus* (Forskål,  
1775)
- Synaraea undulata* Klunzinger, 1879 = *Porites undulata*  
(Klunzinger, 1879)
- Syphoetides* spp. II** OTIDIDAE (Aves)
- Syphoetides humilis* Blyth, 1856 = *Eupodotis humilis*  
(Blyth, 1856)
- Syphoetides indica* (Miller, 1782) = *Syphoetides indicus* (J.  
F. Miller, 1782)
- Syphoetides indicus*** (J. F. Miller, 1782) II OTIDIDAE  
(Aves) (E) Lesser Florican, Likh (S) Sisón de penacho,  
Sisón indio (F) Outarde naine de l'Inde, Outarde  
passarage
- Syrmaticus ellioti*** (Swinhoe, 1872) I PHASIANIDAE  
(Aves) (E) Chinese Barred-backed Pheasant, Elliot's  
Pheasant (S) Faisán de Elliot (F) Faisán d'Elliot
- Syrmaticus humiae*** (Hume, 1881) I PHASIANIDAE  
(Aves) (E) Hume's Bar-tailed Pheasant, Hume's  
Pheasant, Mrs Hume's Pheasant (S) Faisán de Hume  
(F) Faisán à queue barrée, Faisán de Birmanie, Faisán  
de Hume
- Syrmaticus mikado*** (Ogilvie-Grant, 1906) I  
PHASIANIDAE (Aves) (E) Mikado Pheasant (S) Faisán  
mikado (F) Faisán mikado
- Syrnium albitorquatum* Bonaparte, 1850 = *Strix albitorquata*  
(Bonaparte, 1850)
- Syrnium koeniswaldianum* M. Bertoni & W. Bertoni, 1901  
= *Pulsatrix koeniswaldiana* (M. Bertoni & W. Bertoni,  
1901)
- Syrnium occidentale* Xantus, 1860 = *Strix occidentalis*  
(Xántus de Vesey, 1860)
- Syrnium ocellatum* Lesson, 1839 = *Strix ocellata* (Lesson,  
1839)
- Syrnium virgatum* Cassin, 1850 = *Strix virgata* (Cassin,  
1850)
- Systemapora* spp.** Cairns 1991 II STYLASTERIDAE  
(Hydrozoa)
- Systemapora ornata*** Cairns, 1991 II STYLASTERIDAE  
(Hydrozoa)
- Tagua (E): *Catagonus wagneri*
- Taira (S): *Lontra longicaudis*
- Taira (S): *Eira barbara*
- Takh (E): *Equus przewalskii*
- Takin (E): *Budorcas taxicolor*
- Takin (F): *Budorcas taxicolor*
- Takin (S): *Budorcas taxicolor*
- Talaphorus chlorocercus* (Gould, 1866) = *Leucippus*  
*chlorocercus* (Gould, 1866)
- Talaphorus hypostictus* (Gould, 1862) = *Taphrospilus*  
*hypostictus* (Gould, 1862)
- Talaphorus tacjanowskii* (Sclater, 1879) = *Leucippus*  
*tacjanowskii* (Sclater, 1879)
- Talapoin (S): *Miopithecus talapoin*
- Talapoin (E): *Miopithecus talapoin*

Talapoin (F): *Miopithecus talapoin*  
 Talapoin, Northern (E): *Miopithecus ogouensis*  
 Talapoin, Southern (E): *Miopithecus talapoin*  
 Talégal maleo (S): *Macrocephalon maleo*  
 Tamandua (E): *Tamandua mexicana*  
 Tamandua (F): *Tamandua mexicana*  
 Tamandúa (S): *Tamandua mexicana*  
**Tamandua mexicana** (Saussure, 1860) III  
     MYRMECOPHAGIDAE (Mammalia) (E) Northern  
         Tamandua, Tamandua (S) Tamandúa (F) Tamandua  
 Tamandua, Northern (E): *Tamandua mexicana*  
 Tamanoir (F): *Myrmecophaga tridactyla*  
 Tamarao (S): *Bubalus mindorensis*  
 Tamarau (F): *Bubalus mindorensis*  
 Tamarau (S): *Bubalus mindorensis*  
 Tamaraw (E): *Bubalus mindorensis*  
 Tamarin à manteau rouge (F): *Saguinus fuscicollis*  
 Tamarin à moustaches (F): *Saguinus mystax*  
 Tamarin à perruque (F): *Saguinus oedipus*  
 Tamarin à pieds blancs (F): *Saguinus leucopus*  
 Tamarin aux mains rousses (F): *Saguinus midas*  
 Tamarin, Bare-faced (E): *Saguinus bicolor*  
 Tamarín bicolor (S): *Saguinus bicolor*  
 Tamarin bicolore (F): *Saguinus bicolor*  
 Tamarin, Black (E): *Saguinus niger*  
 Tamarin, Black-and-red (E): *Saguinus nigricollis*  
 Tamarin, Black-faced Lion (E): *Leontopithecus caissara*  
 Tamarin, Black Lion (E): *Leontopithecus chrysopygus*  
 Tamarin, Black-mantled (E): *Saguinus nigricollis*  
 Tamarin, Brown-headed (E): *Saguinus fuscicollis*  
 Tamarin, Cotton-headed (E): *Saguinus oedipus*  
 Tamarin, Cotton-top (E): *Saguinus oedipus*  
 Tamarin de Geoffroy (F): *Saguinus geoffroyi*  
 Tamarin de Goeldi (F): *Callimico goeldii*  
 Tamarín de Goeldi (S): *Callimico goeldii*  
 Tamarín de manos blancas (S): *Saguinus leucopus*  
 Tamarín de pies blancos (S): *Saguinus leucopus*  
 Tamarin d'Oedipe (F): *Saguinus oedipus*  
 Tamarin, Dusky (E): *Saguinus inustus*  
 Tamarin, Emperor (E): *Saguinus imperator*  
 Tamarin, Geoffroy's (E): *Saguinus geoffroyi*  
 Tamarin, Geoffroy's (E): *Saguinus labiatus*  
 Tamarin, Goeldi's (E): *Callimico goeldii*  
 Tamarin, Golden-headed Lion (E): *Leontopithecus chrysomelas*  
 Tamarin, Golden Lion (E): *Leontopithecus rosalia*  
 Tamarin, Golden-mantled Saddle-back (E): *Saguinus tripartitus*  
 Tamarin, Golden-rumped Lion (E): *Leontopithecus chrysopygus*  
 Tamarin, Graells's Black-mantled (E): *Saguinus graellsi*  
 Tamarin, Martins's Bare-faced (E): *Saguinus martinsi*  
 Tamarin, Mottle-faced (E): *Saguinus inustus*  
 Tamarin, Moustached (E): *Saguinus mystax*  
 Tamarin, Negro (E): *Saguinus midas*  
 Tamarino de caba manchada (S): *Saguinus inustus*  
 Tamarino de espalda dorada (S): *Saguinus tripartitus*  
 Tamarino de Geoffroy (S): *Saguinus geoffroyi*  
 Tamarino de labios blancos (S): *Saguinus labiatus*  
 Tamarino emperador (S): *Saguinus imperator*

Tamarino león de cabeza dorada (S): *Leontopithecus chrysomelas*  
 Tamarin, Pied (E): *Saguinus bicolor*  
 Tamarin pinché (F): *Saguinus oedipus*  
 Tamarin, Red-bellied (E): *Saguinus labiatus*  
 Tamarin, Red-capped Moustached (E): *Saguinus pileatus*  
 Tamarin, Red-chested (E): *Saguinus labiatus*  
 Tamarin, Red-handed (E): *Saguinus midas*  
 Tamarin, Rio Napo (E): *Saguinus fuscicollis*  
 Tamarin rouge et noir (F): *Saguinus nigricollis*  
 Tamarin, Rufous-naped (E): *Saguinus geoffroyi*  
 Tamarin, Saddle-back (E): *Saguinus fuscicollis*  
 Tamarin sauteur (F): *Callimico goeldii*  
 Tamarin soyeux (F): *Leontopithecus rosalia*  
 Tamarin, White-footed (E): *Saguinus leucopus*  
 Tamarin, White-lipped (E): *Saguinus labiatus*  
 Tamarin, White-mantled (E): *Saguinus melanoleucus*  
 Tamarou (E): *Bubalus mindorensis*  
 Tana (F): *Tupaia tana*  
**Tanacetipathes spp.** Opresco, 2001 II MYRIOPATHIDAE  
     (Anthozoa)  
**Tanacetipathes barbadensis** (Brook, 1889) II  
     MYRIOPATHIDAE (Anthozoa) (S) Cepillo de botella  
         áspero (F) Corail noir de barbade  
**Tanacetipathes cavernicola** Opresco, 2001 II  
     MYRIOPATHIDAE (Anthozoa)  
**Tanacetipathes hirta** (Gray, 1858) II MYRIOPATHIDAE  
     (Anthozoa) (E) Bottle-brush Bush Black Coral (S)  
         Matojo de mar arizado (F) Corail noir hérissé  
**Tanacetipathes longipinnula** Loiola & Castro, 2005 II  
     MYRIOPATHIDAE (Anthozoa)  
**Tanacetipathes paula** Pérez, Costa & Opresco, 2005 =  
     **Tanacetipathes thamnea** (Warner, 1981)  
**Tanacetipathes spinescens** (Gray, 1858) II  
     MYRIOPATHIDAE (Anthozoa)  
**Tanacetipathes squamosa** (W. Koch, 1886) II  
     MYRIOPATHIDAE (Anthozoa)  
**Tanacetipathes tanacetum** (Pourtales, 1880) II  
     MYRIOPATHIDAE (Anthozoa) (E) Bottle-brush Black  
         Coral (S) Cepillo de botella (F) Corail noir goupillon  
**Tanacetipathes thalassoros** Loiola & Castro, 2005 II  
     MYRIOPATHIDAE (Anthozoa)  
**Tanacetipathes thamnea** (Warner, 1981) II  
     MYRIOPATHIDAE (Anthozoa) (E) Feathery  
         Bottle-brush Black Coral (S) Cepillo de botella plumoso  
**Tanacetipathes wirtzi** Opresco, 2001 II  
     MYRIOPATHIDAE (Anthozoa)  
 Tanager, Seven-colored (E): *Tangara fastuosa*  
**Tangara fastuosa** Lesson, 1831 II EMBERIZIDAE (Aves)  
     (E) Seven-colored Tanager (S) Tángara fastuosa (F)  
         Calliste superbe  
 Tángara fastuosa (S): *Tangara fastuosa*  
 Tantale blanc (F): *Mycteria cinerea*  
 Tántalo malayo (S): *Mycteria cinerea*  
*Tantalus calvus* Boddaert, 1783 = *Geronticus calvus*  
     (Boddaert, 1783)  
*Tantalus cinereus* Raffles, 1822 = *Mycteria cinerea*  
     (Raffles, 1822)  
**Tanygnathus spp.** II 29 PSITTACIDAE (Aves)

- Tanygnathus gramineus** (Gmelin, 1788) II 29  
 PSITTACIDAE (Aves) (E) Black-lored Parrot (S) Loro de Buru (F) Perruche de Buru
- Tanygnathus heterurus Salvadori*, 1912 = *Tanygnathus sumatranus* (Raffles, 1822)
- Tanygnathus lucionensis** (Linnaeus, 1766) II 29  
 PSITTACIDAE (Aves) (E) Blue-naped Parrot (S) Loro nuquiazul (F) Perroquet à couronne, Perruche à calotte bleue, Perruche de Luçon
- Tanygnathus megalorynchos** (Boddaert, 1783) II 29  
 PSITTACIDAE (Aves) (E) Great-billed Parrot (S) Loro picogrodo (F) Perruche à bec de sang
- Tanygnathus mulleri* (S. Müller, 1841) = *Tanygnathus sumatranus* (Raffles, 1822)
- Tanygnathus sumatranus** (Raffles, 1822) II 29  
 PSITTACIDAE (Aves) (E) Azure-rumped Parrot, Blue-backed Parrot, Müller's Parrot (S) Loro de Müller (F) Perruche de Müller
- Taphrolesbia spp.** II TROCHILIDAE (Aves)
- Taphrolesbia griseiventris** (Taczanowski, 1883) II  
 TROCHILIDAE (Aves) (E) Grey-bellied Comet (S) Colibrí ventigrís (F) Colibri comète
- Taphrospilus spp.** II TROCHILIDAE (Aves)
- Taphrospilus hypostictus** (Gould, 1862) II  
 TROCHILIDAE (Aves) (E) Many-spotted Hummingbird (S) Colibrí moteado, Colibrí multipunteado (F) Colibri grivelé
- Tapir à chabraise (F): *Tapirus indicus*  
 Tapir à dos blanc (F): *Tapirus indicus*  
 Tapir, Andean (E): *Tapirus pinchaque*  
 Tapir andino (S): *Tapirus pinchaque*  
 Tapir, Asian (E): *Tapirus indicus*  
 Tapir, Baird's (E): *Tapirus bairdii*  
 Tapir brasileño (S): *Tapirus terrestris*  
 Tapir, Brazilian (E): *Tapirus terrestris*  
 Tapir, Central American (E): *Tapirus bairdii*  
 Tapir centroamericano (S): *Tapirus bairdii*  
 Tapir d'Amérique (F): *Tapirus terrestris*  
 Tapir de Baird (F): *Tapirus bairdii*  
 Tapir de la India (S): *Tapirus indicus*  
 Tapir de l'Inde (F): *Tapirus indicus*  
 Tapir des Andes (F): *Tapirus pinchaque*  
*Tapirella bairdii* (Gill, 1865) = *Tapirus bairdii* (Gill, 1865)  
 Tapires (S): *Tapiridae*
- TAPIRIDAE spp.** Gray, 1821 I/II (Mammalia) (E) Tapirs (S)  
 Tapires (F) Tapirs
- Tapir, Indian (E): *Tapirus indicus*  
 Tapir, Lowland (E): *Tapirus terrestris*  
 Tapir malais (F): *Tapirus indicus*  
 Tapir, Malayan (E): *Tapirus indicus*  
 Tapir, Mountain (E): *Tapirus pinchaque*  
 Tapir pinchaque (F): *Tapirus pinchaque*  
 Tapirs (E): *Tapiridae*  
 Tapirs (F): *Tapiridae*  
 Tapir, South American (E): *Tapirus terrestris*  
 Tapir terrestre (S): *Tapirus terrestris*  
 Tapir terrestre (F): *Tapirus terrestris*
- Tapirus bairdii** (Gill, 1865) I TAPIRIDAE (Mammalia) (E)  
 Baird's Tapir, Central American Tapir (S) Anteburro, Dante, Tapir centroamericano (F) Tapir de Baird
- Tapirus indicus** Desmarest, 1819 I TAPIRIDAE  
 (Mammalia) (E) Asian Tapir, Indian Tapir, Malayan Tapir (S) Tapir de la India (F) Tapir à chabraise, Tapir à dos blanc, Tapir de l'Inde, Tapir malais
- Tapirus pinchaque** (Roulin, 1829) I TAPIRIDAE  
 (Mammalia) (E) Andean Tapir, Mountain Tapir, Woolly Tapir (S) Danta cordillerana, Danta lanuda, Danta negra, Pinchaque, Tapir andino (F) Tapir des Andes, Tapir pinchaque
- Tapirus roulinii* Fischer, 1830 = *Tapirus pinchaque* (Roulin, 1829)
- Tapirus terrestris** (Linnaeus, 1758) II TAPIRIDAE  
 (Mammalia) (E) Brazilian Tapir, Lowland Tapir, South American Tapir (S) Anta, Anta brasileña, Danta, Sachavaca, Tapir brasileño, Tapir terrestre (F) Tapir d'Amérique, Tapir terrestre  
 Tapir, Woolly (E): *Tapirus pinchaque*  
 Tarantula, Acapulco Lesser Orange (E): *Brachypelma klaasi*  
 Tarantula, Chihuahua Rose-grey (E): *Aphonopelma pallidum*  
 Tarantula, Costa Rican Red (E): *Brachypelma angustum*  
 Tarantula, Curly-hair (E): *Brachypelma albopilosum*  
 Tarantula de pelo crespo (S): *Brachypelma albopilosum*  
 Tarantula, Filadelfia Rusty Brown (E): *Brachypelma fossorium*  
 Tarantula, Florida Golden Chestnut (E): *Brachypelma aureoceph*  
 Tarantula, Guatemalan Red-rumped (E): *Brachypelma sabulosum*  
 Tarantula, Guerrero Orange Legs (E): *Brachypelma boehmei*  
 Tarantula mexicana cadera roja (S): *Brachypelma vagans*  
 Tarantula mexicana gris (S): *Aphonopelma pallidum*  
 Tarantula mexicana naranja (S): *Brachypelma baumgarteni*  
 Tarantula mexicana pierna naranja oscuro (S): *Brachypelma boehmei*  
 Tarantula mexicana pierna roja (S): *Brachypelma emilia*  
 Tarantula mexicana pierna roja (S): *Brachypelma smithi*  
 Tarantula mexicana rodilla de llama (S): *Brachypelma auratum*  
 Tarantula, Mexican Blackcap (E): *Brachypelma emilia*  
 Tarantula, Mexican Fireleg (E): *Brachypelma boehmei*  
 Tarantula, Mexican Flameknee (E): *Brachypelma auratum*  
 Tarantula, Mexican Grey (E): *Aphonopelma pallidum*  
 Tarantula, Mexican Orangebeauty (E): *Brachypelma baumgarteni*  
 Tarantula, Mexican Pink (E): *Brachypelma klaasi*  
 Tarantula, Mexican Redknee (E): *Brachypelma smithi*  
 Tarantula, Mexican Redleg (E): *Brachypelma emilia*  
 Tarantula, Mexican Redrump (E): *Brachypelma vagans*  
 Tarantula, Michoacan Orange (E): *Brachypelma baumgarteni*  
 Tarantula, Orange-knee (E): *Brachypelma emilia*  
 Tarantula roja de Costa Rica (S): *Brachypelma angustum*  
 Tarantula, True Red Leg (E): *Brachypelma emilia*

Tarantula, Yucatan Rusty-rumped (E): <i>Brachypelma epicureanum</i>	<b>Tarsius syrichta</b> (Linnaeus, 1758) II Tarsiidae (Mammalia) (E) Philippine Tarsier (F) Tarsier des Philippines
Tarantule à croupion rouge du Mexique (F): <i>Brachypelma vagans</i>	<b>Tarsius tarsier</b> (Erxleben, 1777) II Tarsiidae (Mammalia) (E) Eastern Tarsier, Spectral Tarsier, Sulawesi Tarsier (F) Tarsier des Célèbes
Tarantule à genoux de feu du Mexique (F): <i>Brachypelma auratum</i>	<b>Tarsius tumpara</b> Shekelle, Groves, Merker & Supriatna, 2010 II Tarsiidae (Mammalia)
Tarantule à genoux rouges du Mexique (F): <i>Brachypelma smithi</i>	Tartaruga (E): <i>Podocnemis expansa</i>
Tarantule du Mexique à pattes rouges (F): <i>Brachypelma emilia</i>	Taruca (E): <i>Hippocamelus antisensis</i>
Tarantule du Mexique à pattes rouille (F): <i>Brachypelma boehmei</i>	Taruca (S): <i>Hippocamelus antisensis</i>
Tarantule frisée (F): <i>Brachypelma albopilosum</i>	Taruka de los Andes septentrionales (S): <i>Hippocamelus antisensis</i>
Tarantule grise du Mexique (F): <i>Aphonopelma pallidum</i>	Tasmacète (F): <i>Tasmacetus shepherdii</i>
Tarantule orange du Mexique (F): <i>Brachypelma baumgarteni</i>	<b>Tasmacetus spp.</b> II 18 Ziphiidae (Mammalia)
Tarantule rouge du Costa Rica (F): <i>Brachypelma angustum</i>	<b>Tasmacetus shepherdii</b> Oliver, 1937 II 18 Ziphiidae (Mammalia) (E) Shepherd's Beaked Whale, Tasman Beaked Whale, Tasman Whale (S) Ballena de Shepherd (F) Tasmacète
Tarin de Yarell (F): <i>Carduelis yarrellii</i>	Tatin de Yarrell (F): <i>Carduelis yarrellii</i>
Tarin rouge du Venezuela (F): <i>Carduelis cucullata</i>	Tatin rouge du Venezuela (F): <i>Carduelis cucullata</i>
Tarsero piemeno (S): <i>Tarsius pumilus</i>	Tatou (F): <i>Cabassous centralis</i>
Tarsier de Bornéo (F): <i>Tarsius bancanus</i>	Tatou à neuf bandes (F): <i>Chaetophractus nationi</i>
Tarsier des Célèbes (F): <i>Tarsius tarsier</i>	Tatou à queue nue (F): <i>Cabassous tatouay</i>
Tarsier des Philippines (F): <i>Tarsius syrichta</i>	Tatou d'Amérique centrale (F): <i>Cabassous centralis</i>
Tarsier, Dian's (E): <i>Tarsius dentatus</i>	Tatou géant (F): <i>Priodontes maximus</i>
Tarsier, Eastern (E): <i>Tarsius tarsier</i>	Tatou gumnure (F): <i>Cabassous tatouay</i>
Tarsier, Horsfield's (E): <i>Tarsius bancanus</i>	Tatú cabasú (S): <i>Cabassous tatouay</i>
Tarsier, Lariang (E): <i>Tarsius lariang</i>	Tatú carreta (S): <i>Priodontes maximus</i>
Tarsier, Lesser Spectral (E): <i>Tarsius pumilus</i>	Tatú de América central (S): <i>Cabassous centralis</i>
Tarsier, Peleng (E): <i>Tarsius pelengensis</i>	Tatú de rabo mol (S): <i>Cabassous tatouay</i>
Tarsier, Philippine (E): <i>Tarsius syrichta</i>	Tatú de rabo molle (S): <i>Cabassous tatouay</i>
Tarsier, Pygmy (E): <i>Tarsius pumilus</i>	Tatú gigante (S): <i>Priodontes maximus</i>
Tarsier, Sangihe (E): <i>Tarsius sangirensis</i>	Tatú guazú (S): <i>Priodontes maximus</i>
Tarsier, Spectral (E): <i>Tarsius tarsier</i>	<b>Tauraco spp.</b> Kluk, 1779 II Musophagidae (Aves)
Tarsier, Sulawesi (E): <i>Tarsius tarsier</i>	<b>Tauraco bannermani</b> (Bates, 1923) II Musophagidae (Aves) (E) Bannerman's Turaco (S) Turaco de Bannerman (F) Touraco de Bannerman, Touraco doré
Tarsier, Western (E): <i>Tarsius bancanus</i>	<b>Tauraco corythaix</b> (Wagler, 1827) II Musophagidae (Aves) (E) Helmeted Turaco, Knysna Turaco (S) Turaco de Knysna, Turaco sudafricano (F) Touraco louri, Touraco lourie, Touraco vert d'Afrique du Sud
<b>Tarsiidae spp.</b> Gray, 1825 II (Mammalia)	<i>Tauraco corythaix fischeri</i> (Wagler, 1827) = Tauraco fischeri (Reichenow, 1878)
<b>Tarsius spp.</b> II Tarsiidae (Mammalia)	<i>Tauraco corythaix livingstonii</i> (Wagler, 1827) = Tauraco livingstonii (G. R. Gray, 1864)
<b>Tarsius bancanus</b> Horsfield, 1821 II Tarsiidae (Mammalia) (E) Horsfield's Tarsier, Western Tarsier (F) Tarsier de Bornéo	<i>Tauraco corythaix persa</i> (Wagler, 1827) = Tauraco persa (Linnaeus, 1758)
<b>Tarsius dentatus</b> Miller & Hollister, 1921 II Tarsiidae (Mammalia) (E) Dian's Tarsier	<i>Tauraco corythaix schalowi</i> (Wagler, 1827) = Tauraco schalowi (Reichenow, 1891)
<i>Tarsius dianae</i> Niemitz, Nietsch, Warter & Rumpler, 1991 = <i>Tarsius dentatus</i> Miller & Hollister, 1921	<i>Tauraco corythaix schuettii</i> (Wagler, 1827) = Tauraco schuettii (Cabanis, 1879)
<b>Tarsius lariang</b> Merker & Groves, 2006 II Tarsiidae (Mammalia) (E) Lariang Tarsier	<b>Tauraco erythrophorus</b> (Vieillot, 1819) II Musophagidae (Aves) (E) Red-crested Turaco (S) Turaco crestirrojo (F) Touraco pauline
<b>Tarsius pelengensis</b> Sody, 1949 II Tarsiidae (Mammalia) (E) Peleng Tarsier	<b>Tauraco fischeri</b> (Reichenow, 1878) II Musophagidae (Aves) (E) Fischer's Turaco (S) Turaco de Fischer (F) Touraco de Fischer
<b>Tarsius pumilus</b> Miller & Hollister, 1921 II Tarsiidae (Mammalia) (E) Lesser Spectral Tarsier, Pygmy Tarsier (S) Tarsero piemeno	
<b>Tarsius sangirensis</b> Meyer, 1897 II Tarsiidae (Mammalia) (E) Sangihe Tarsier	
<i>Tarsius spectrum</i> (Pallas, 1778) = <i>Tarsius tarsier</i> (Erxleben, 1777)	
<i>Tarsius spectrum pumilus</i> (Pallas, 1779) = <i>Tarsius pumilus</i> Miller & Hollister, 1921	

<b>Tauraco hartlaubi</b> (Fischer & Reichenow, 1884) II	Tayra (F): <i>Eira barbara</i>
MUSOPHAGIDAE (Aves) (E) Hartlaub's Turaco (S)	Tchirou (F): <i>Panthalops hodgsonii</i>
Turaco de Hartlaub (F) Touraco de Hartlaub	Tchitreba bourbonnensis (Müller, 1776) = <i>Terpsiphone bourbonnensis</i> (Müller, 1776)
<b>Tauraco leucolophus</b> (Heuglin, 1855) II	Tchitrec des Mascareignes (F): <i>Terpsiphone bourbonnensis</i>
MUSOPHAGIDAE (Aves) (E) White-crested Turaco (S)	Teal, Auckland Islands Flightless (E): <i>Anas aucklandica</i>
Turaco capucha-blanca, Turaco crestiblanco (F)	Teal, Baikal (E): <i>Anas formosa</i>
Touraco à huppe blanche	Teal, Bernier's (E): <i>Anas bernieri</i>
<b>Tauraco leucotis</b> (Rüppell, 1835) II MUSOPHAGIDAE	Teal, Brown (E): <i>Anas aucklandica</i>
(Aves) (E) White-cheeked Turaco (S) Turaco cariblanco	Teal, Campbell Island (E): <i>Anas nesiotis</i>
(F) Touraco à joues blanches	Teal, Campbell Island Flightless (E): <i>Anas nesiotis</i>
<b>Tauraco livingstonii</b> (G. R. Gray, 1864) II	Teal, Flightless (E): <i>Anas aucklandica</i>
MUSOPHAGIDAE (Aves) (E) Livingstone's Turaco (S)	Teal, Laysan (E): <i>Anas laysanensis</i>
Touraco de Livingstone, Turaco de Livingstone (F)	Teal, Madagascar (E): <i>Anas bernieri</i>
Touraco de Livingstone	Teal, New Zealand Brown (E): <i>Anas chlorotis</i>
<i>Tauraco livingstonii schalowi</i> (G. R. Gray, 1864) = <i>Tauraco schalowi</i> (Reichenow, 1891)	Tecolote-abetoro norteño (S): <i>Aegolius acadicus</i>
<b>Tauraco macrorhynchus</b> (Fraser, 1839) II	Tecolote barbudo (S): <i>Otus barbarus</i>
MUSOPHAGIDAE (Aves) (E) Black-tip Crested Turaco,	Tecolote bigotudo (S): <i>Otus trichopsis</i>
Crested Turaco, Verreaux's Turaco, Yellow-billed Turaco	Tecolote flameado (S): <i>Otus flammeolus</i>
(S) Turaco capucha-franjeada, Turaco piquigualdo (F)	Tecolote occidental (S): <i>Otus kennicottii</i>
Touraco à gros bec	Tecolote oriental (S): <i>Otus asio</i>
<b>Tauraco persa</b> (Linnaeus, 1758) II MUSOPHAGIDAE	Tecolotito común (S): <i>Glaucidium brasilianum</i>
(Aves) (E) Guinea Turaco (S) Turaco capucha-verde de	Tecolotito enano (S): <i>Micrathene whitneyi</i>
Guinea, Turaco de Guinea, Turaco persa (F) Touraco	Tecolotito serano (S): <i>Glaucidium gnoma</i>
vert	Tegu, Argentine (E): <i>Tupinambis rufescens</i>
<i>Tauraco persa corythaix</i> (Linnaeus, 1758) = <i>Tauraco corythaix</i> (Wagler, 1827)	Tegu, Argentine Black and White (E): <i>Tupinambis merianae</i>
<b>Tauraco porphyreolophus</b> (Vigors, 1831) II	Tegu, Banded (E): <i>Tupinambis teguixin</i>
MUSOPHAGIDAE (Aves) (E) Purple-crested Turaco,	Tegu, Black (E): <i>Tupinambis teguixin</i>
Violet-crested Turaco (S) Turaco crestimorado, Turaco	Tegu, Brazilian (E): <i>Tupinambis teguixin</i>
crestivioleta (F) Touraco à huppe pourprée, Touraco à	Tegu, Common (E): <i>Tupinambis teguixin</i>
hippe splendide, Touraco à huppe violette, Touraco	Tegu, Crocodile (E): <i>Crocodilurus amazonicus</i>
violet	Tegu, Red (E): <i>Tupinambis rufescens</i>
<b>Tauraco ruspolii</b> (Salvadori, 1896) II MUSOPHAGIDAE	Tegu, Yellow (E): <i>Tupinambis duseni</i>
(Aves) (E) Prince Ruspoli's Turaco, Ruspoli's Turaco	<i>Teinopalpus</i> spp. Hope, 1843 II PAPILIONIDAE (Insecta)
(S) Turaco de Ruspoli (F) Touraco de Ruspoli	<i>Teinopalpus aureus</i> Mell, 1923 II PAPILIONIDAE (Insecta)
<b>Tauraco schalowi</b> (Reichenow, 1891) II	(E) Golden Kaiserhind
MUSOPHAGIDAE (Aves) (E) Schalow's Turaco (S)	<i>Teinopalpus imperialis</i> Hope, 1843 II PAPILIONIDAE
Turaco de Schalow (F) Touraco de Schalow	(Insecta) (E) Kaiserhind
<b>Tauraco schuettii</b> (Cabanis, 1879) = <i>Tauraco schuettii</i> (Cabanis, 1879)	Tejón (S): <i>Galictis vittata</i>
<b>Tauraco schuettii</b> (Cabanis, 1879) II MUSOPHAGIDAE	Tejón (S): <i>Eira barbara</i>
(Aves) (E) Black-billed Turaco (S) Turaco de Schuett,	Tejón marsupial rayado (S): <i>Perameles bougainville</i>
Turaco piquinegro (F) Touraco à bec noir	Tejón melívoro (S): <i>Mellivora capensis</i>
<b>Taxipathes</b> spp. Brook 1889 II SCHIZOPATHIDAE	Téju à taches noires (F): <i>Tupinambis teguixin</i>
(Anthozoa)	Téju-Crocodile (F): <i>Crocodilurus amazonicus</i>
<b>Taxipathes recta</b> Brook, 1889 II SCHIZOPATHIDAE	Téju noir (F): <i>Tupinambis teguixin</i>
(Anthozoa)	Téju rouge (F): <i>Tupinambis rufescens</i>
<b>Tayassu</b> spp. II 8 TAYASSUIDAE (Mammalia)	<i>Teleopus luxatus</i> LeConte, 1854 = <i>Manouria emys</i> (Schlegel & S. Müller, 1844)
<i>Tayassu albirostris</i> (Illiger, 1815) = <i>Tayassu pecari</i> (Link, 1795)	<b>Temnotrochus</b> spp. II GUYNIIDAE (Anthozoa)
<b>TAYASSUIDAE</b> spp. Palmer, 1897 I/II 8 (Mammalia) (E)	<b>Temnotrochus kermadecensis</b> Cairns, 1995 II
Peccaries (S) Pecaries (F) Pécaris	GUYNIIDAE (Anthozoa)
<b>Tayassu pecari</b> (Link, 1795) II 8 TAYASSUIDAE	Temoleh, Ikan (E): <i>Probarbus jullieni</i>
(Mammalia) (E) White-lipped Peccary (S) Pecari de labio blanco (F) Pécari à barbe blanche, Pécari aux babines blanches	Teporingo (S): <i>Romerolagus diazi</i>
<i>Tayassu tajacu</i> (Linnaeus, 1758) = <i>Pecari tajacu</i> (Linnaeus, 1758)	<b>Terathopius</b> spp. II 27 ACCIPITRIDAE (Aves)
Tayra (E): <i>Eira barbara</i>	<b>Terathopius ecaudatus</b> (Daudin, 1800) II 27
	ACCIPITRIDAE (Aves) (E) Bateleur, Bateleur Eagle (S)
	Águila volatinera (F) Bateleur, Bateleur des savanes
	Terecay (S): <i>Podocnemis unifilis</i>

- Terpsiphone bourbonnensis*** (Müller, 1776) III  
 MUSCICAPIDAE (Aves) (E) Mascarene  
 Paradise-Flycatcher (F) Coq de Bois, Tchitrec des  
 Mascareignes
- Terrapene spp.*** Merrem, 1820 I/II EMYDIDAE (Reptilia)  
*Terrapene bauri* Taylor, 1895 = *Terrapene carolina*  
 (Linnaeus, 1758)
- Terrapene bicolor* Bell, 1825 = *Cuora amboinensis*  
 (Daudin, 1801)
- Terrapene carolina*** (Linnaeus, 1758) II EMYDIDAE  
 (Reptilia) (E) Common Box Turtle, Eastern Box Turtle  
 (F) Tortue-boîte de Caroline
- Terrapene coahuila*** K. P. Schmidt & Owens, 1944 I  
 EMYDIDAE (Reptilia) (E) Aquatic Box Turtle, Coahuila  
 Box Turtle, Coahuila Turtle, Water Box Turtle (S)  
 Galápago acuático encajado, Galápago caja mexicano,  
 Tortuga Coahuila (F) Tortue-boîte de Coahuila,  
 Tortue-boîte du Mexique
- Terrapene goldmani* Stejneger, 1933 = *Terrapene carolina*  
 (Linnaeus, 1758)
- Terrapene klauberi* Bogert, 1943 = *Terrapene nelsoni*  
 Stejneger, 1925
- Terrapene maculata* Bell, 1825 = *Terrapene carolina*  
 (Linnaeus, 1758)
- Terrapene mexicana* (Gray, 1849) = *Terrapene carolina*  
 (Linnaeus, 1758)
- Terrapene nebulosa* Bell, 1825 = *Terrapene carolina*  
 (Linnaeus, 1758)
- Terrapene nelsoni*** Stejneger, 1925 II EMYDIDAE  
 (Reptilia) (E) Spotted Box Turtle (F) Tortue-boîte du  
 Mexique
- Terrapene ornata*** (Agassiz, 1857) II EMYDIDAE  
 (Reptilia) (E) Ornate Box Turtle, Western Box Turtle (F)  
 Tortue-boîte ornée commune
- Terrapene yucatana* (Boulenger, 1895) = *Terrapene*  
*carolina* (Linnaeus, 1758)
- Terrapin, Bengal Eyed (E): *Morenia ocellata*  
 Terrapin, Carolina Diamondback (E): *Malaclemys terrapin*  
 Terrapin, Diamondback (E): *Malaclemys terrapin*  
 Terrapin, Four-toed (E): *Batagur baska*  
 Terrapin, Hamilton's (E): *Geoclemys hamiltonii*  
 Terrapin, Malaysian Giant (E): *Orlitia borneensis*  
 Terrapin, Northern Diamondback (E): *Malaclemys terrapin*  
 Terrapin, Painted (E): *Batagur borneoensis*  
 Terrapin, River (E): *Batagur baska*  
 Terrapin, Sail (E): *Batagur kachuga*  
 Terrapin, Southern River (E): *Batagur affinis*  
 Terrapin, Spiny (E): *Heosemys spinosa*  
 Terrapin, Texas Diamondback (E): *Malaclemys terrapin*
- TESTUDINIDAE spp. I/II** 46 (Reptilia) (E) Tortoises (S)  
 Tortugas Terrestres (F) Tortues Terrestres
- Testudo spp.*** Linnaeus, 1758 I/II 46 TESTUDINIDAE  
 (Reptilia)
- Testudo actinoides* Bell, 1828 = *Geochelone elegans*  
 (Schoepff, 1794)
- Testudo agassizii* Cooper, 1861 = *Gopherus morafkai*  
 Murphy, Berry, Edwards, Leviton, Lathrop & Riedle,  
 2011
- Testudo agassizii* (Cooper, 1863) = *Gopherus agassizii*  
 (Cooper, 1863)
- Testudo amboinensis* Daudin, 1802 = *Cuora amboinensis*  
 (Daudin, 1801)
- Testudo anamurensis* Weissinger, 1987 = *Testudo graeca*  
 Linnaeus, 1758
- Testudo angulata* Schweigger, 1812 = *Chersina angulata*  
 (Schweigger, 1812)
- Testudo anonyma* Scheider 1792 (*nomen nudum*) =  
*Clemmys guttata* (Schneider, 1792)
- Testudo antakyensis* Perälä, 1996 = *Testudo graeca*  
 Linnaeus, 1758
- Testudo arcuata* Catesby, 1771 = *Dermochelys coriacea*  
 (Vandelli, 1761)
- Testudo areolata* Thunberg, 1787 = *Homopus areolatus*  
 (Thunberg, 1787)
- Testudo argentina* Sclater, 1870 = *Chelonoidis chilensis*  
 (Gray, 1870)
- Testudo armeniaca* Chkhikvadze & Bakradze, 1991 =  
*Testudo graeca* Linnaeus, 1758
- Testudo arrau* Humboldt, 1819 = *Podocnemis expansa*  
 (Schweigger, 1812)
- Testudo baluchiorum* Annandale, 1906 = *Testudo*  
*horsfieldii* Gray, 1844
- Testudo bellii* Gray, 1828 = *Chersina angulata*  
 (Schweigger, 1812)
- Testudo berlandieri* (Agassiz, 1857) = *Gopherus*  
*berlandieri* (Agassiz, 1857)
- Testudo bicolor* Berlandier 1850 = *Gopherus berlandieri*  
 (Agassiz, 1857)
- Testudo boddarti* Schneider, 1787 = *Amyda cartilaginea*  
 (Boddaert, 1770)
- Testudo boettgeri* Siebenrock, 1904 = *Psammobates*  
*tentorius* (Bell, 1828)
- Testudo boiei* Wagler, 1833 = *Chelonoidis carbonaria*  
 (Spix, 1824)
- Testudo bomarii* Meyer, 1790 = *Lepidochelys kempii*  
 (Garman, 1880)
- Testudo brevicaudata* Lacépède, 1788 = *Terrapene*  
*carolina* (Linnaeus, 1758)
- Testudo cafra* Daudin, 1802 = *Homopus signatus* (Gmelin,  
 1789)
- Testudo cagado* Spix, 1824 = *Chelonoidis denticulata*  
 (Linnaeus, 1766)
- Testudo calcarata* Schneider, 1784 = *Geochelone sulcata*  
 (Miller, 1779)
- Testudo campanulata* Strauch, 1862 = *Testudo marginata*  
 Schoepff, 1792
- Testudo caouana* Lacépède, 1788 = *Caretta caretta*  
 (Linnaeus, 1758)
- Testudo carbonaria* Spix, 1824 = *Chelonoidis carbonaria*  
 (Spix, 1824)
- Testudo caretta* Linnaeus, 1758 = *Caretta caretta*  
 (Linnaeus, 1758)
- Testudo carinata* Linnaeus, 1758 = *Terrapene carolina*  
 (Linnaeus, 1758)
- Testudo carolina* Linnaeus, 1758 = *Terrapene carolina*  
 (Linnaeus, 1758)
- Testudo cepediana* Daudin, 1802 = *Chelonia mydas*  
 (Linnaeus, 1758)
- Testudo cephalo* Schneider, 1783 = *Caretta caretta*  
 (Linnaeus, 1758)

- Testudo chilensis* Gray, 1870 = *Chelonoidis chilensis* (Gray, 1870)
- Testudo chim* Buchanan-Hamilton in Gray, 1831 = *Nilssonia hurum* (Gray, 1831)
- Testudo chitra* Buchanan-Hamilton in Gray, 1831 = *Chitra indica* (Gray, 1831)
- Testudo clausa* Gmelin, 1789 = *Terrapene carolina* (Linnaeus, 1758)
- Testudo clivosa* Garman, 1917 = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Testudo concentrata* (Kuhl 1820) = *Malaclemys terrapin* Schoepff, 1793
- Testudo concentrica* (Gray 1831) = *Malaclemys terrapin* Schoepff, 1793
- Testudo concentrica* (Shaw 1802) = *Malaclemys terrapin* Schoepff, 1793
- Testudo coriacea* Linnaeus, 1766 = *Dermochelys coriacea* (Vandelli, 1761)
- Testudo coui* Daudin, 1802 = *Astrochelys radiata* (Shaw, 1802)
- Testudo cyrenaica* Pieg & Perälä, 2002 = *Testudo graeca* Linnaeus, 1758
- Testudo daudinii* Duméril & Bibron, 1835 = *Aldabrachelys gigantea* (Schweigger, 1812)
- Testudo denticulata* Linnaeus, 1766 = *Chelonoidis denticulata* (Linnaeus, 1766)
- Testudo depressa* Guérin-Méneville, 1829 = *Gopherus polyphemus* (Daudin, 1801)
- Testudo desertorum* Grandidier, 1869 = *Astrochelys radiata* (Shaw, 1802)
- Testudo elegans* Schoepff, 1795 = *Geochelone elegans* (Schoepff, 1794)
- Testudo elephantina* Duméril & Bibron, 1835 = *Aldabrachelys gigantea* (Schweigger, 1812)
- Testudo elephantopus* Harlan, 1827 = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Testudo elongata* Blyth, 1853 = *Indotestudo elongata* (Blyth, 1853)
- Testudo emydoides* Duméril, Bibron & Duméril, 1851 = *Manouria emys* (Schlegel & S. Müller, 1844)
- Testudo emys* Schlegel & S. Müller, 1844 = *Manouria emys* (Schlegel & S. Müller, 1844)
- Testudo enriquesi* Parenzan, 1932 = *Testudo hermanni* Gmelin, 1789
- Testudo erosa* Schweigger, 1812 = *Kinixys erosa* (Schweigger, 1812)
- Testudo falconeri* Gray, 1869 = *Manouria emys* (Schlegel & S. Müller, 1844)
- Testudo fasciata* Daudin, 1802 = *Homopus areolatus* (Thunberg, 1787)
- Testudo femoralis* Boulenger, 1888 = *Homopus femoralis* Boulenger, 1888
- Testudo fiski* Boulenger, 1886 = *Psammobates tentorius* (Bell, 1828)
- Testudo flava* Lacépède 1788 (*nomen oblitum*) = *Emydoidea blandingii* (Holbrook, 1838)
- Testudo flavomimimalaris* Highfield & Martin, 1990 = *Testudo graeca* Linnaeus, 1758
- Testudo forstenii* Schlegel & S. Müller, 1844 = *Indotestudo forstenii* (Schlegel & S. Müller, 1844)
- Testudo foveolata* Schinz, 1833 = *Chelonoidis denticulata* (Linnaeus, 1766)
- Testudo geographica* LeSueur, 1817 = *Graptemys geographica* (LeSueur, 1817)
- Testudo geometrica* Linnaeus, 1758 = *Psammobates geometricus* (Linnaeus, 1758)
- Testudo geometrica* nigiventris Linnaeus, 1758 = *Psammobates tentorius* (Bell, 1828)
- Testudo gigantea* Schweigger, 1812 = *Aldabrachelys gigantea* (Schweigger, 1812)
- Testudo gopher* Gray, 1844 = *Gopherus polyphemus* (Daudin, 1801)
- Testudo gotagholt* Buchanan-Hamilton in Gray, 1831 = *Nilssonia leithii* (Gray, 1872)
- Testudo graeca*** Linnaeus, 1758 II 46 TESTUDINIDAE (Reptilia) (E) Algerian Tortoise, Common Tortoise, Greek Tortoise, Mesopotamian Tortoise, Moorish Tortoise, Spur-thighed Tortoise (S) Tortuga mora (F) Tortue mauresque
- Testudo graeca* bettai Linnaeus, 1758 = *Testudo hermanni* Gmelin, 1789
- Testudo graeca hercegovinensis* Linnaeus, 1758 = *Testudo hermanni* Gmelin, 1789
- Testudo graja* Hermann, 1804 = *Testudo marginata* Schoepff, 1792
- Testudo granosa* Schoepff, 1801 = *Lissemys punctata* (Lacépède, 1788)
- Testudo granulata* Shaw, 1802 = *Lissemys punctata* (Lacépède, 1788)
- Testudo granulosa* Suckow, 1798 = *Lissemys punctata* (Lacépède, 1788)
- Testudo guttata* Schneider 1792 = *Clemmys guttata* (Schneider, 1792)
- Testudo hercegovinensis* Werner, 1899 = *Testudo hermanni* Gmelin, 1789
- Testudo hercules* Spix, 1824 = *Chelonoidis denticulata* (Linnaeus, 1766)
- Testudo hercules* truncata Gray, 1830 = *Chelonoidis carbonaria* (Spix, 1824)
- Testudo hermanni*** Gmelin, 1789 II 46 TESTUDINIDAE (Reptilia) (E) Hermann's Tortoise (S) Tortuga mediterránea (F) Tortue d'Hermann
- Testudo hololissa* Günther, 1877 = *Aldabrachelys gigantea* (Schweigger, 1812)
- Testudo horsfieldii*** Gray, 1844 II 46 TESTUDINIDAE (Reptilia) (E) Afghan Tortoise, Central Asian Tortoise, Four-toed Tortoise, Horsfield's Tortoise, Steppe Tortoise (S) Tortuga terrestre afgana (F) Tortue des steppes, Tortue d'Horsfield
- Testudo hypselonota* Bourret, 1941 = *Astrochelys radiata* (Shaw, 1802)
- Testudo imbricata* Linnaeus, 1766 = *Eretmochelys imbricata* (Linnaeus, 1766)
- Testudo impressa* (Günther, 1882) = *Manouria impressa* (Günther, 1882)
- Testudo incarcerata* Bonnaterre, 1789 = *Terrapene carolina* (Linnaeus, 1758)
- Testudo incarceratostriata* Bonnaterre, 1789 = *Terrapene carolina* (Linnaeus, 1758)

- Testudo insculpta* LeConte, 1830 = *Glyptemys insculpta* (LeConte, 1829)
- Testudo japonica* Thunberg, 1787 = *Chelonia mydas* (Linnaeus, 1758)
- Testudo juvencella* Daudin, 1831 = *Homopus signatus* (Gmelin, 1789)
- Testudo kleinmanni** Lortet, 1883 I TESTUDINIDAE  
(*Reptilia*) (E) Egyptian Tortoise, Kleinmann's Tortoise, Leith's Tortoise (S) Tortuga de plastrón articulado (F) Tortue d'Egypte, Tortue de Kleinmann
- Testudo lamberti* Pieh & Perälä, 2004 = *Testudo graeca* Linnaeus, 1758
- Testudo leithii* Günther, 1869 = *Testudo kleinmanni* Lortet, 1883
- Testudo loveridgii* Boulenger, 1920 = *Malacochersus tornieri* (Siebenrock, 1903)
- Testudo luteola* Daudin, 1802 = *Psammobates geometricus* (Linnaeus, 1758)
- Testudo lyra* Lacépède, 1788 = *Dermochelys coriacea* (Vandelli, 1761)
- Testudo macrophyes* Garman, 1917 = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Testudo marginata** Schoepff, 1792 II 46 TESTUDINIDAE  
(*Reptilia*) (E) Marginated Tortoise, Margined Tortoise (S) Tortuga marginada (F) Tortue bordée, Tortue marginée
- Testudo marokkensis* Pieh & Perälä, 2004 = *Testudo graeca* Linnaeus, 1758
- Testudo mauritanica* Duméril & Bibron, 1835 = *Testudo graeca* Linnaeus, 1758
- Testudo megalopus* Blyth, 1853 = *Geochelone elegans* (Schoepff, 1794)
- Testudo melanocephala* Daudin, 1802 = *Cuora amboinensis* (Daudin, 1801)
- Testudo meleagris* Shaw 1792 (*nomen oblitum*) = *Emydoidea blandingii* (Holbrook, 1838)
- Testudo microphyes* Günther, 1875 = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Testudo miniata* Lacépède, 1788 = *Homopus areolatus* (Thunberg, 1787)
- Testudo muhlenbergii* Schoepff, 1801 = *Glyptemys muhlenbergii* (Schoepff, 1801)
- Testudo mydas* Linnaeus, 1758 = *Chelonia mydas* (Linnaeus, 1758)
- Testudo mydas minor* Suckow, 1798 = *Lepidochelys olivacea* (Eschscholtz, 1829)
- Testudo mydas minor* Suckow, 1798 = *Lepidochelys kempii* (Garman, 1880)
- Testudo nabeulensis* (Highfield, 1990) = *Testudo graeca* Linnaeus, 1758
- Testudo nasicornis* Bonnaterre, 1789 = *Eretmochelys imbricata* (Linnaeus, 1766)
- Testudo nasicornis* Lacépède, 1788 = *Caretta caretta* (Linnaeus, 1758)
- Testudo nemoralis* Schreiber, 1875 = *Testudo marginata* Schoepff, 1792
- Testudo nigra* Quoy & Gaimard, 1824 = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Testudo nutapundi* (Reimann in Wirot, 1979) = *Manouria emys* (Schlegel & S. Müller, 1844)
- Testudo ocellata* (Link 1807) = *Malaclemys terrapin* Schoepff, 1793
- Testudo oculifera* Kuhl, 1820 = *Psammobates oculifer* (Kuhl, 1820)
- Testudo oscarboettgeri* Lindholm, 1929 = *Psammobates tentorius* (Bell, 1828)
- Testudo pallasi* Chikvadze & Bakradze, 2002 = *Testudo graeca* Linnaeus, 1758
- Testudo parallelus* Annandale, 1913 = *Indotestudo elongata* (Blyth, 1853)
- Testudo pardalis* Bell, 1828 = *Stigmochelys pardalis* (Bell, 1828)
- Testudo perses* Perälä, 2002 = *Testudo graeca* Linnaeus, 1758
- Testudo phayrei* Blyth, 1853 = *Manouria emys* (Schlegel & S. Müller, 1844)
- Testudo planata* Gmelin in Gray, 1831 = *Chelonoidis denticulata* (Linnaeus, 1766)
- Testudo planicauda* Granddidier, 1867 = *Pyxis planicauda* (Granddidier, 1867)
- Testudo planiceps* Gray, 1854 = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Testudo planitia* Gmelin, 1789 = *Macrochelys temminckii* (Troost, 1835)
- Testudo platinota* (Bourret 1941) = *Geochelone platynota* (Blyth, 1863)
- Testudo platynota* Blyth, 1863 = *Geochelone platynota* (Blyth, 1863)
- Testudo polyphemus* Daudin, 1802 = *Gopherus polyphemus* (Daudin, 1801)
- Testudo procterae* Loveridge, 1923 = *Malacochersus tornieri* (Siebenrock, 1903)
- Testudo procterae* Loveridge, 1923 = *Kinixys spekii* Gray, 1863
- Testudo pseudemys* Boulenger, 1903 = *Manouria impressa* (Günther, 1882)
- Testudo punctata* Lacépède, 1788 = *Lissemys punctata* (Lacépède, 1788)
- Testudo punctata* Schoepff 1792 = *Clemmys guttata* (Schneider, 1792)
- Testudo pusilla* Linnaeus, 1758 = *Testudo graeca* Linnaeus, 1758
- Testudo radiata senegalensis* Shaw, 1802 = *Geochelone sulcata* (Miller, 1779)
- Testudo radiata* Shaw, 1802 = *Astrochelys radiata* (Shaw, 1802)
- Testudo rostrata* Thunberg, 1787 = *Amyda cartilaginea* (Boddaert, 1770)
- Testudo rugosa* Daudin, 1802 = *Chelonia mydas* (Linnaeus, 1758)
- Testudo sculpta* Spix, 1824 = *Chelonoidis denticulata* (Linnaeus, 1766)
- Testudo seimundi* Boulenger, 1903 = *Psammobates tentorius* (Bell, 1828)
- Testudo semiserrata A*, Smith, 1839 = *Psammobates oculifer* (Kuhl, 1820)
- Testudo serrata* Shaw, 1802 = *Geoemyda spengleri* (Gmelin, 1789)
- Testudo signata* Schoepff, 1801 = *Homopus signatus* (Gmelin, 1789)

- Testudo smithi* Boulenger, 1886 = *Psammobates tentorius* (Bell, 1828)
- Testudo soussensis* Pieh, 2001 = *Testudo graeca* Linnaeus, 1758
- Testudo spengleri* Gmelin, 1789 = *Geoemyda spengleri* (Gmelin, 1789)
- Testudo stellata* Schweigger, 1812 = *Geochelone elegans* (Schoepff, 1794)
- Testudo strauchi* Lidth de Jeude, 1893 = *Psammobates geometricus* (Linnaeus, 1758)
- Testudo sulcata* Miller, 1779 = *Geochelone sulcata* (Miller, 1779)
- Testudo tabulata africana* Schoepff, 1792 = *Chersina angulata* (Schweigger, 1812)
- Testudo tabulata* Schoepff, 1792 = *Chelonoidis denticulata* (Linnaeus, 1766)
- Testudo tentoria* Bell, 1828 = *Psammobates tentorius* (Bell, 1828)
- Testudo terekay* Humboldt, 1819 = *Podocnemis unifilis* Troschel, 1848
- Testudo terrapin* (Schoepff 1793) = *Malaclemys terrapin* Schoepff, 1793
- Testudo terrestris americana* Schweigger, 1812 = *Chelonoidis denticulata* (Linnaeus, 1766)
- Testudo tessellata* Schneider, 1792 = *Chelonoidis denticulata* (Linnaeus, 1766)
- Testudo tornieri* Siebenrock, 1903 = *Malacochersus tornieri* (Siebenrock, 1903)
- Testudo travancorica* Boulenger, 1907 = *Indotestudo travancorica* (Boulenger, 1907)
- Testudo tricarinata* Bory, 1804 = *Geoemyda spengleri* (Gmelin, 1789)
- Testudo trimeni* Boulenger, 1886 = *Psammobates tentorius* (Bell, 1828)
- Testudo tuberculata* Pennant, 1801 = *Dermochelys coriacea* (Vandelli, 1761)
- Testudo typica* Garman, 1917 = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Testudo vandenburghi* De Sola, 1930 = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Testudo verreauxii* (Gray, 1870) = *Psammobates tentorius* (Bell, 1828)
- Testudo verroxii* A. Smith, 1839 = *Psammobates tentorius* (Bell, 1828)
- Testudo vicina* Günther, 1875 = *Chelonoidis nigra* (Quoy & Gaimard, 1824)
- Testudo virgulata* Latreille, 1801 = *Terrapene carolina* (Linnaeus, 1758)
- Testudo viridisquamosa* Bonnaterre, 1789 = *Lepidochelys kempii* (Garman, 1880)
- Testudo viridisquamosa* Lacepède, 1788 = *Lepidochelys kempii* (Garman, 1880)
- Testudo viridis* Schneider, 1783 = *Chelonia mydas* (Linnaeus, 1758)
- Testudo weissingeri* Bour, 1996 = *Testudo marginata* Schoepff, 1792
- Testudo werneri* Perälä, 2001 = *Testudo kleinmanni* Lortet, 1883
- Testudo whitei* Bennett in White, 1836 = *Testudo graeca* Linnaeus, 1758
- Testudo yniphora* Vaillant, 1885 = *Astrochelys yniphora* (Vaillant, 1885)
- Testudo zarudnyi* Nikolsky, 1896 = *Testudo graeca* Linnaeus, 1758
- Tethocyathus* spp.** Kühn 1933 II CARYOPHYLLIIDAE (Anthozoa)
- Tethocyathus cylindraceus*** (Pourtalès, 1868) II CARYOPHYLLIIDAE (Anthozoa)
- Tethocyathus endesa*** Cairns, Häussermann & Försterra, 2005 II CARYOPHYLLIIDAE (Anthozoa)
- Tethocyathus minor*** (Gardiner, 1899) II CARYOPHYLLIIDAE (Anthozoa)
- Tethocyathus prahli*** Lattig & Cairns, 2000 II CARYOPHYLLIIDAE (Anthozoa)
- Tethocyathus recurvatus*** (Pourtalès, 1878) II CARYOPHYLLIIDAE (Anthozoa)
- Tethocyathus variabilis*** Cairns, 1979 II CARYOPHYLLIIDAE (Anthozoa) (E) Variable Cup Coral (S) Coral tazón variado
- Tethocyathus virgatus*** (Alcock, 1902) II CARYOPHYLLIIDAE (Anthozoa)
- Tétracère (F): *Tetracerus quadricornis*
- Tetracerus quadricornis*** (de Blainville, 1816) III BOVIDAE (Mammalia) (E) Chousingha, Four-horned Antelope (S) Antílope de cuatrocuerdos (F) Tétracère
- Tetrao caspius* S. G. Gmelin, 1784 = *Tetraogallus caspius* (Gmelin, 1784)
- Tetrao cupido* Linnaeus, 1758 = *Tympanuchus cupido* (Linnaeus, 1758)
- Tétraogalle de Perse (F): *Tetraogallus caspius*
- Tétraogalle du Tibet (F): *Tetraogallus tibetanus*
- Tetraogallus caspius*** (Gmelin, 1784) I PHASIANIDAE (Aves) (E) Caspian Snowcock (S) Gallo lira del Caspio, Gallo salvaje del Caspio, Perdigallo caspio, Perdigallo del Caspio, Perdiz real del Caspio (F) Perdix des neiges de la Caspienne, Tétraogalle de Perse, Tétras des neiges de la Caspienne, Tétrogalle de la Caspienne
- Tetraogallus tibetanus*** Gould, 1854 I PHASIANIDAE (Aves) (E) Tibetan Snowcock (S) Gallo lira del Tíbet, Gallo salvaje del Tíbet, Perdigallo Tibetano, Perdiz real del Tíbet (F) Perdix des neiges du Tibet, Tétraogalle du Tíbet, Tétras des neiges du Tibet
- Tetraonyx affinis* Cantor, 1847 = *Batagur affinis* (Cantor, 1847)
- Tetraonyx lessonii* Duméril & Bibron, 1835 = *Batagur baska* (Gray, 1831)
- Tetrao virginianus* Linnaeus, 1758 = *Colinus virginianus* (Linnaeus, 1758)
- Tetrapathes* spp.** Opresko, 2004 II APHANIPATHIDAE (Anthozoa)
- Tetrapathes alata*** (Brook, 1889) II APHANIPATHIDAE (Anthozoa)
- Tetrapteryx paradisea* (Lichtenstein, 1793) = *Anthropoides paradiseus* (Lichtenstein, 1793)
- Tétras cupidon d'Attwater (F): *Tympanuchus cupido attwateri*
- Tétras des neiges de la Caspienne (F): *Tetraogallus caspius*
- Tétras des neiges du Tibet (F): *Tetraogallus tibetanus*

- Tétrias des prairies (F): *Tympanuchus cupido*
- Tetrax spp.** II OTIDIDAE (Aves)
- Tetrax tetrix** (Linnaeus, 1758) II OTIDIDAE (Aves) (E)  
 Little Bustard (S) Gallo lira, Sisón, Sisón común (F)  
 Outarde canepetière
- Tétrogalle de la Caspienne (F): *Tetraogallus caspius*
- Tetronyx longicollis* Lesson, 1832 = *Batagur baska* (Gray, 1831)
- Tetroras angiova* Rafinesque, 1809 = *Cetorhinus maximus* (Gunnerus, 1765)
- Tetroras maccoyi* Barrett, 1933 = *Cetorhinus maximus* (Gunnerus, 1765)
- Teyou, Armoured (E): *Dracaena guianensis*
- Thalamophyllia spp.** Duchassaing 1870 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Thalamophyllia gasti** (Döderlein, 1913) II  
 CARYOPHYLLIIDAE (Anthozoa)
- Thalamophyllia gombergi** Cairns, 1979 II  
 CARYOPHYLLIIDAE (Anthozoa)
- Thalamophyllia riisei** (Duchassaing & Michelotti, 1860) II  
 CARYOPHYLLIIDAE (Anthozoa) (E) Baroque Cave  
 Coral (S) Coral barroco de cuevas (F) Corail fleur des grottes
- Thalamophyllia tenuescens** (Gardiner, 1899) II  
 CARYOPHYLLIIDAE (Anthozoa)
- Thalarctos maritimus* (Phipps, 1774) = *Ursus maritimus* Phipps, 1774
- Thalassiochelys tarapacana* Philippi, 1887 = *Lepidochelys olivacea* (Eschscholtz, 1829)
- Thalassiochelys caretta* (Linnaeus, 1758) = *Caretta caretta* (Linnaeus, 1758)
- Thalassiochelys controversa* Philippi, 1899 = *Lepidochelys olivacea* (Eschscholtz, 1829)
- Thalassiochelys corticata* Girard, 1858 = *Caretta caretta* (Linnaeus, 1758)
- Thalassiochelys kempii* (Garman, 1880) = *Lepidochelys kempii* (Garman, 1880)
- Thalurania spp.** II TROCHILIDAE (Aves)
- Thalurania colombica** (Bourcier, 1843) II TROCHILIDAE (Aves) (E) Blue-crowned Woodnymph (S) Ninfa coronada, Zafiro coroniazul (F) Dryade couronnée
- Thalurania colombica* (Bourcier, 1843) = *Thalurania fannyi* (DeLattre & Bourcier, 1846)
- Thalurania colombica fannyi* (Bourcier, 1843) = *Thalurania fannyi* (DeLattre & Bourcier, 1846)
- Thalurania colombica ridgwayi* (Bourcier, 1843) = *Thalurania ridgwayi* Nelson, 1900
- Thalurania fannyi** (DeLattre & Bourcier, 1846) II  
 TROCHILIDAE (Aves) (E) Green-crowned Woodnymph (S) Zafiro coroniverde (F) Dryade de Fanny
- Thalurania fannyi* (DeLattre & Bourcier, 1846) = *Thalurania colombica* (Bourcier, 1843)
- Thalurania furcata** (Gmelin, 1788) II TROCHILIDAE (Aves) (E) Fork-tailed Woodnymph (S) Picaflor gargantiverde, Tucusito moradito, Zafiro golondrina (F) Dryade à queue fourchue
- Thalurania furcata colombica* (Gmelin, 1788) = *Thalurania colombica* (Bourcier, 1843)
- Thalurania furcata fannyi* (Gmelin, 1788) = *Thalurania fannyi* (DeLattre & Bourcier, 1846)
- Thalurania furcata ridgwayi* (Gmelin, 1788) = *Thalurania ridgwayi* Nelson, 1900
- Thalurania glaucopis** (Gmelin, 1788) II TROCHILIDAE (Aves) (E) Violet-capped Woodnymph (S) Picaflor corona azul, Zafiro capirotado (F) Dryade glaucope
- Thalurania hypochlora* Gould, 1871 = *Thalurania fannyi* (DeLattre & Bourcier, 1846)
- Thalurania ridgwayi** Nelson, 1900 II TROCHILIDAE (Aves) (E) Mexican Woodnymph (S) Nifa mexicana, Zafiro Mexicano (F) Dryade du Mexique
- Thalurania watertonii** (Bourcier, 1847) II TROCHILIDAE (Aves) (E) Long-tailed Woodnymph (S) Zafiro colilargo (F) Dryade de Waterton
- Thamin (E): *Rucervus eldii*
- Thaoundella (F): *Anguilla anguilla*
- Thaudelo (F): *Anguilla anguilla*
- Thaumasius taczanowskii* Sclater, 1879 = *Leucippos taczanowskii* (Sclater, 1879)
- Thaumastura spp.** II TROCHILIDAE (Aves)
- Thaumastura cora** (Lesson, 1827) II TROCHILIDAE (Aves) (E) Peruvian Sheartail (S) Colibrí cora (F) Colibri cora
- Thaumatias chionopectus* Gould, 1859 = *Amazilia brevirostris* (Lesson, 1829)
- Thaumatias luciae* Lawrence, 1867 = *Amazilia luciae* (Lawrence, 1867)
- Thecoccyathus cylindraceus* Pourtalès, 1868 = *Tethoccyathus cylindraceus* (Pourtalès, 1868)
- Thecoccyathus laevigatus* Pourtalès, 1871 = *Concentrotheca laevigata* (Pourtalès, 1871)
- Thecoccyathus minor* Gardiner, 1899 = *Tethoccyathus minor* (Gardiner, 1899)
- Thecoccyathus recurvatus* Pourtalès, 1878 = *Tethoccyathus recurvatus* (Pourtalès, 1878)
- Thecopsammia spp.** Pourtalès 1868 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Thecopsammia elongata* Moseley, 1881 = *Balanophyllia elongata* (Moseley, 1881)
- Thecopsammia gemma* Moseley, 1881 = *Balanophyllia gemma* (Moseley, 1881)
- Thecopsammia imperfecta* Gravier, 1915 = *Leptopsammia formosa* (Gravier, 1915)
- Thecopsammia pourtalesi* Duraham & Barnard, 1952 = *Endopsammia pourtalesi* (Durham & Barnard, 1952)
- Thecopsammia regularis* Gardiner, 1899 = *Endopsammia philippensis* Milne Edwards & Haime, 1848
- Thecopsammia socialis** Pourtalès, 1868 II  
 DENDROPHYLLIIDAE (Anthozoa)
- Thecopsammia tintinnabulum* Pourtalès, 1868 = *Bathypsammia tintinnabulum* (Pourtalès, 1868)
- Thectocercus acuticaudatus* (Vieillot, 1818) = *Aratinga acuticaudata* (Vieillot, 1818)
- Theropithecus spp.** II CERCOPITHECIDAE (Mammalia)
- Theropithecus gelada** (Rüppell, 1835) II  
 CERCOPITHECIDAE (Mammalia) (E) Gelada Baboon (F) Gelada
- Thick-knee, Double-striped (E): *Burhinus bistriatus*
- Thornbill, Black-backed (E): *Ramphomicron dorsale*
- Thornbill, Blue-mantled (E): *Chalcostigma stanleyi*
- Thornbill, Bronze-tailed (E): *Chalcostigma heteropogon*

- Thornbill, Olivaceous (E): *Chalcostigma olivaceum*  
 Thornbill, Purple-backed (E): *Ramphomicron microrhynchum*  
 Thornbill, Rainbow-bearded (E): *Chalcostigma herrani*  
 Thornbill, Rufous-capped (E): *Chalcostigma ruficeps*  
 Thorntail, Black-bellied (E): *Discosura langsdorffi*  
 Thorntail, Coppery (E): *Discosura letitiae*  
 Thorntail, Green (E): *Discosura conversii*  
 Thorntail, Wire-crested (E): *Discosura popelairii*  
***Threnetes* spp. II TROCHILIDAE (Aves)**  
*Threnetes cristinae Ruschi, 1975 = Threnetes niger* (Linnaeus, 1758)  
*Threnetes grzimeki Ruschi, 1973 = Glaucis hirsutus* (Gmelin, 1788)  
*Threnetes leucurus* (Linnaeus, 1766) = *Threnetes niger* (Linnaeus, 1758)  
*Threnetes loehkeni Grantsau, 1969 = Threnetes niger* (Linnaeus, 1758)  
***Threnetes niger*** (Linnaeus, 1758) II TROCHILIDAE (Aves) (E) Bronze-tailed Barbthroat, Pale-tailed Barbthroat (S) Barbita colipalida, Garganta lanza coliblanca (F) Ermite à queue blanche  
***Threnetes ruckeri*** (Bourcier, 1847) II TROCHILIDAE (Aves) (E) Band-tailed Barbthroat (S) Barbita colibandeada, Ermitaño barbudo, Ermitaño barbudo colibandeado, Tucuso de Barba (F) Ermite de Rucker  
***Thrypticotrochus* spp.** Cairns 1989 II TURBINOLIIDAE (Anthozoa)  
***Thrypticotrochus multilobatus*** Cairns, 1989 II TURBINOLIIDAE (Anthozoa)  
***Thrypticotrochus petterdi*** (Dennant, 1906) II TURBINOLIIDAE (Anthozoa)  
 Tiburón antropófago (S): *Carcharodon carcharias*  
 Tiburón Ballena (S): *Rhincodon typus*  
 Tiburón blanco (S): *Carcharodon carcharias*  
 Tiburón canasta (S): *Cetorhinus maximus*  
 Tiburón martillo (S): *Sphyraena lewini*  
 Tiburón martillo festoneado (S): *Sphyraena lewini*  
 Tiburón peregrino (S): *Cetorhinus maximus*  
*Tichopora tenella* Quelch, 1886 = *Goniopora tenella* (Quelch, 1886)  
*Tichoseris obtusata* Quelch, 1884 = *Pavona venosa* (Ehrenberg, 1834)  
 Tiger (E): *Panthera tigris*  
 Tiger, Deer (E): *Puma concolor*  
 Tiger-Parrot, Brehm's (E): *Psittacella brehmii*  
 Tiger-Parrot, Madarasz's (E): *Psittacella madaraszi*  
 Tiger-Parrot, Modest (E): *Psittacella modesta*  
 Tiger-Parrot, Painted (E): *Psittacella picta*  
 Tiger, Red (E): *Puma concolor*  
 Tigre (F): *Panthera tigris*  
 Tigre (S): *Panthera tigris*  
 Tigre americano (S): *Panthera onca*  
 Tigre real (S): *Panthera onca*  
 Tigrillo (S): *Puma yagouaroundi*  
 Tigrillo (S): *Leopardus tigrinus*  
 Tigrillo (S): *Leopardus wiedii*  
*Tigrina tigrina* Fei, Ye & Huang, 1990 = *Hoplobatrachus tigerinus* (Daudin, 1802)  
 Tijereta centroamericana (S): *Doricha enicura*  
 Tijereta nortena (S): *Calothorax lucifer*  
 Tijereta oaxaqueña (S): *Calothorax pulcher*  
 Tijereta yucateca (S): *Doricha eliza*  
 Tilingo cuellinegro (S): *Pteroglossus aracari*  
 Tilingo limón (S): *Pteroglossus viridis*  
***Tilmatura* spp. II TROCHILIDAE (Aves)**  
***Tilmatura dupontii*** (Lesson, 1832) II TROCHILIDAE (Aves) (E) Sparkling-tailed Barbthroat, Sparkling-tailed Hummingbird (S) Colibrí colpinto, Colibrí de Dupont (F) Colibri zémès  
 Tinamou Solitaire (F): *Tinamus solitarius*  
 Tinamou, Solitary (E): *Tinamus solitarius*  
 Tinamu grande (S): *Tinamus solitarius*  
 Tinamu macuco (S): *Tinamus solitarius*  
 Tinamú solitario (S): *Tinamus solitarius*  
***Tinamus solitarius*** (Vieillot, 1819) I TINAMIDAE (Aves) (E) Solitary Tinamou (S) Macuco, Tinamu grande, Tinamu macuco, Tinamú solitario (F) Tinamou Solitaire  
 Tinglada (S): *Dermochelys coriacea*  
*Tinnunculus alopex* Heuglin, 1861 = *Falco alopex* (Heuglin, 1861)  
*Tinnunculus moluccensis* Bonaparte, 1850 = *Falco moluccensis* (Bonaparte, 1850)  
*Tinnunculus newtoni* Gurney, 1863 = *Falco newtoni* (Gurney, 1863)  
 Tirica (S): *Leopardus tigrinus*  
 Titi à collier (F): *Callicebus torquatus*  
 Titi à fraise (F): *Callicebus torquatus*  
 Titi à masque (F): *Callicebus personatus*  
 Titi, Andean (E): *Callicebus oenanthe*  
 Titi, Ashy-black (E): *Callicebus cinerascens*  
 Titi, Atlantic (E): *Callicebus personatus*  
 Titi, Baptista Lake (E): *Callicebus baptista*  
 Titi, Barbara Brown's (E): *Callicebus barbarabrownae*  
 Titi, Beni (E): *Callicebus olallae*  
 Titi, Black (E): *Callicebus lugens*  
 Titi, Black-fronted (E): *Callicebus nigrifronts*  
 Titi, Booted (E): *Callicebus caligatus*  
 Titi botté (F): *Callicebus caligatus*  
 Titi, Brown (E): *Callicebus brunneus*  
 Titi brun (F): *Callicebus brunneus*  
 Titi, Chestnut-bellied (E): *Callicebus caligatus*  
 Titi, Coastal Black-handed (E): *Callicebus melanochir*  
 Titi, Coimbra-Filho's (E): *Callicebus coimbrai*  
 Titi, Collared (E): *Callicebus torquatus*  
 Titi, Colombian Black-handed (E): *Callicebus medemi*  
 Titi, Coppery (E): *Callicebus cupreus*  
 Tití de caba blanca (S): *Callithrix geoffroyi*  
 Tití de Coimbra (F): *Callicebus coimbrai*  
 Tití de Goeldi (S): *Callimico goeldii*  
 Titi des montagnes du Pérou (F): *Callicebus oenanthe*  
 Titi d'Herskowitz (F): *Callicebus dubius*  
 Titi d'Hoffman (F): *Callicebus hoffmannsi*  
 Titi d'Olalla (F): *Callicebus olallae*  
 Titi d'Orbigny (F): *Callicebus donacophilus*  
 Titi, Double-browed (E): *Callicebus discolor*  
 Titi, Dubious (E): *Callicebus dubius*  
 Titi du Prince Bernhard (F): *Callicebus bernhardi*  
 Titi, Dusky (E): *Callicebus moloch*  
 Titi gris (F): *Callicebus moloch*

- Titi gris cendré (F): *Callicebus cinerascens*  
 Titi, Herskovitz's (E): *Callicebus dubius*  
 Titi, Hoffmann's (E): *Callicebus hoffmannsi*  
 Titi, Kinglet (E): *Callicebus regulus*  
 Titi, Lucifer (E): *Callicebus lucifer*  
 Titi, Masked (E): *Callicebus personatus*  
 Titi molock (F): *Callicebus moloch*  
 Titi, Mourning (E): *Callicebus lugens*  
 Titi, Northern Bahian Blond (E): *Callicebus barbarabrownae*  
 Titi, Olalla Brothers' (E): *Callicebus olallae*  
 Titi, Ornate (E): *Callicebus ornatus*  
 Titi, Pallid (E): *Callicebus pallescens*  
 Titi, Prince Bernhard's (E): *Callicebus bernhardi*  
 Titi, Red-bellied (E): *Callicebus moloch*  
 Titi, Red-crowned (E): *Callicebus purinus*  
 Titi, Red-headed (E): *Callicebus regulus*  
 Titi, Rio Beni (E): *Callicebus modestus*  
 Titi, Rio Mayo (E): *Callicebus oenanthe*  
 Titi, Rio Purus (E): *Callicebus purinus*  
 Titi roux (F): *Callicebus cupreus*  
 Titi, Southern Bahian Masked (E): *Callicebus melanochir*  
 Titi, Stephen Nash's (E): *Callicebus stephennashi*  
 Titi, White-coated (E): *Callicebus pallescens*  
 Titi, White-eared (E): *Callicebus donacophilus*  
 Titi, White-tailed (E): *Callicebus discolor*  
 Titi, Widow (E): *Callicebus torquatus*  
 Tiueque cordillerano austral (S): *Phalcoboenus australis*  
 Toad, Alajuela (E): *Inciilius periglenes*  
 Toad, Cameroon (E): *Amietophrynxus superciliaris*  
 Toad, Cerro Campana Stubfoot (E): *Atelopus zeteki*  
 toad, Chilean (E): *Calyptocephalella gayi*  
 Toad, Golden (E): *Inciilius periglenes*  
 toad, Helmeted water (E): *Calyptocephalella gayi*  
 Toad, Malcolm's Ethiopian (E): *Altiphrynyoides malcolmi*  
 Toad, Minute Tree (E): *Nectophrynyoides minutus*  
 Toad, Monte Verde (E): *Inciilius periglenes*  
 Toad, Morogoro Tree (E): *Nectophrynyoides viviparus*  
 Toad, Mount Nimba Viviparous (E): *Nimbaphrynyoides occidentalis*  
 Toad, Orange (E): *Inciilius periglenes*  
 Toad, Osgood's Ethiopian (E): *Altiphrynyoides osgoodi*  
 Toad, Rungwe Viviparous (E): *Nectophrynyoides viviparus*  
 Toad, Secret Tree (E): *Nectophrynyoides cryptus*  
 Toad, Tornier's Tree (E): *Nectophrynyoides tornieri*  
 Toad, Usambara Viviparous (E): *Nectophrynyoides tornieri*  
 Toad, Uzungwe Scarp Tree (E): *Nectophrynyoides wendyae*  
 Toad, Western Nimba (E): *Nimbaphrynyoides occidentalis*  
 Toad, Zaire (E): *Amietophrynxus superciliaris*  
 Tococo (S): *Phoenicopterus ruber*  
 Tolumuco (S): *Eira barbara*  
***Tomistoma* spp. I CROCODYLIDAE (Reptilia)**  
 Tomistoma (E): *Tomistoma schlegelii*  
***Tomistoma schlegelii* (S. Müller, 1838) I**  
   CROCODYLIDAE (Reptilia) (E) False Gavial, False  
   Gharial, Malayan Gharial, Tomistoma (S) Falso gavial  
   malayo (F) Faux-gavial malais  
 Tonina (S): *Pontoporia blainvilie*  
 Topacio candela colicanelo (S): *Topaza pella*  
 Topacio candela colimorado (S): *Topaza pyra*  
 Topacio carmesi (S): *Topaza pella*  
 Topacio fuego (S): *Topaza pyra*  
***Topaza* spp. II TROCHILIDAE (Aves)**  
***Topaza pella* (Linnaeus, 1758) II TROCHILIDAE (Aves)**  
   (E) Crimson Topaz (S) Colibrí topacio, Topacio candela  
   colicanelo, Topacio carmesi (F) Colibri topaze  
***Topaza pyra* (Gould, 1846) II TROCHILIDAE (Aves) (E)**  
   Fiery Topaz (S) Topacio candela colimorado, Topacio  
   fuego (F) Colibri flamboyant  
 Topaz, Crimson (E): *Topaza pella*  
 Topaz, Fiery (E): *Topaza pyra*  
 Topi gacela (S): *Damaliscus pygargus pygargus*  
 Tordo amarillo (S): *Xanthopsar flavus*  
 Tordo de cabeza amarilla (S): *Xanthopsar flavus*  
***Torgos* spp. II<sup>27</sup> ACCIPITRIDAE (Aves)**  
*Torgos calvus* (Scopoli, 1786) = *Sarcogyps calvus*  
   (Scopoli, 1786)  
*Torgos tracheliotos* (Forster, 1791) = *Torgos tracheliotus*  
   (Forster, 1791)  
*Torgos tracheliotos* (J. R. Forster, 1796) = *Torgos tracheliotus* (Forster, 1791)  
***Torgos tracheliotus* (Forster, 1791) II<sup>27</sup> ACCIPITRIDAE (Aves) (E)**  
   Lappet-faced Vulture, Nubian Vulture (S)  
   Buitre orejudo (F) Oricou, Vautour oricou  
*Tornierobates vivipara* (Tornier, 1905) = *Nectophrynyoides viviparus* (Tornier, 1905)  
*Tornierobates vivipara* Miranda-Ribeiro, 1926 =  
   *Nectophrynyoides viviparus* (Tornier, 1905)  
 Toro cuprey (S): *Bos sauveti*  
*Toropuku stephensi* (Robb, 1980) = *Hoplodactylus stephensi* Robb, 1980  
 Tortoise, Afghan (E): *Testudo horsfieldii*  
 Tortoise, African Serrated (E): *Psammobates oculifer*  
 Tortoise, African Spurred (E): *Geochelone sulcata*  
 Tortoise, African Tent (E): *Psammobates tentorius*  
 Tortoise, Aldabra Giant (E): *Aldabrachelys gigantea*  
 Tortoise, Algerian (E): *Testudo graeca*  
 Tortoise, Angulated (E): *Chersina angulata*  
 Tortoise, Areolated (E): *Homopus areolatus*  
 Tortoise, Argentine (E): *Chelonoidis chilensis*  
 Tortoise, Asian (E): *Manouria emys*  
 Tortoise, Asian Giant (E): *Manouria emys*  
 Tortoise, Beaked Cape (E): *Homopus areolatus*  
 Tortoise, Bell's Hinged (E): *Kinixys belliana*  
 Tortoise, Bell's Hinged-backed (E): *Kinixys belliana*  
 Tortoise, Berlandier's (E): *Gopherus berlandieri*  
 Tortoise, Black Giant (E): *Manouria emys*  
 Tortoise, Bolson (E): *Gopherus flavomarginatus*  
 Tortoise, Boulenger's Cape (E): *Homopus boulengeri*  
 Tortoise, Bowsprit (E): *Chersina angulata*  
 Tortoise, Brazilian Giant (E): *Chelonoidis denticulata*  
 Tortoise, Burmese Brown (E): *Manouria emys*  
 Tortoise, Burmese Mountain (E): *Manouria emys*  
 Tortoise, Burmese Starred (E): *Geochelone platynota*  
 Tortoise, Celebes (E): *Indotestudo forstenii*  
 Tortoise, Central Asian (E): *Testudo horsfieldii*  
 Tortoise, Chaco (E): *Chelonoidis chilensis*  
 Tortoise, Common (E): *Kinixys erosa*  
 Tortoise, Common (E): *Testudo graeca*

- Tortoise, Crevice (E): *Malacochersus tornieri*  
 Tortoise, Desert (E): *Gopherus agassizii*  
 Tortoise, Egyptian (E): *Testudo kleinmanni*  
 Tortoise, Elongated (E): *Indotestudo elongata*  
 Tortoise, Flatback (E): *Geochelone platynota*  
 Tortoise, Flat-backed Spider (E): *Pyxis planicauda*  
 Tortoise, Flat-shelled Spider (E): *Pyxis planicauda*  
 Tortoise, Forest (E): *Chelonoidis denticulata*  
 Tortoise, Forest Hinged (E): *Kinixys erosa*  
 Tortoise, Forsten's (E): *Indotestudo forstenii*  
 Tortoise, Four-toed (E): *Testudo horsfieldii*  
 Tortoise, Galapagos Giant (E): *Chelonoidis nigra*  
 Tortoise, Geometric (E): *Psammobates geometricus*  
 Tortoise, Gopher (E): *Gopherus polyphemus*  
 Tortoise, Greater Dward (E): *Homopus femoralis*  
 Tortoise, Greek (E): *Testudo graeca*  
 Tortoise, Grooved (E): *Geochelone sulcata*  
 Tortoise, Grooved Mountain (E): *Homopus areolatus*  
 Tortoise, Hermann's (E): *Testudo hermanni*  
 Tortoise, Home's Hinge-back (E): *Kinixys homeana*  
 Tortoise, Home's Hinged (E): *Kinixys homeana*  
 Tortoise, Home's Hinged-backed (E): *Kinixys homeana*  
 Tortoise, Horsfield's (E): *Testudo horsfieldii*  
 Tortoise, Impressed (E): *Manouria impressa*  
 Tortoise, Indian Star (E): *Geochelone elegans*  
 Tortoise, Karoo Cape (E): *Homopus femoralis*  
 Tortoise, Karoo Dwarf (E): *Homopus boulengeri*  
 Tortoise, Kleinmann's (E): *Testudo kleinmanni*  
 Tortoise, Kuhl's (E): *Psammobates oculifer*  
 Tortoise, Leith's (E): *Testudo kleinmanni*  
 Tortoise, Leopard (E): *Stigmochelys pardalis*  
 Tortoise, Lobatse Hinged (E): *Kinixys lobatsiana*  
 Tortoise, Madagascar (E): *Astrochelys yniphora*  
 Tortoise, Madagascar Angulated (E): *Astrochelys yniphora*  
 Tortoise, Madagascar Flat-shelled (E): *Pyxis planicauda*  
 Tortoise, Malagasy Flat-tailed (E): *Pyxis planicauda*  
 Tortoise, Marginated (E): *Testudo marginata*  
 Tortoise, Margined (E): *Testudo marginata*  
 Tortoise, Mesopotamian (E): *Testudo graeca*  
 Tortoise, Mexican Giant (E): *Gopherus flavomarginatus*  
 Tortoise, Moorish (E): *Testudo graeca*  
 Tortoise, Mountain (E): *Stigmochelys pardalis*  
 Tortoise, Nama (E): *Homopus solus*  
 Tortoise, Natal Hinge-back (E): *Kinixys natalensis*  
 Tortoise, Natal Hinge-backed (E): *Kinixys natalensis*  
 Tortoise, Natal Hinged (E): *Kinixys natalensis*  
 Tortoise, Pancake (E): *Malacochersus tornieri*  
 Tortoise, Parrot-beaked (E): *Homopus areolatus*  
 Tortoise, Pineapple (E): *Indotestudo elongata*  
 Tortoise, Radiated (E): *Astrochelys radiata*  
 Tortoise, Red-footed (E): *Chelonoidis carbonaria*  
 Tortoise, Red-nosed (E): *Indotestudo elongata*  
 Tortoises (E): *Testudinidae*  
 Tortoise, Schweigger's (E): *Kinixys erosa*  
 Tortoise, Serrated (E): *Kinixys erosa*  
 Tortoise, Serrated Hinge-back (E): *Kinixys erosa*  
 Tortoise, Serrated Hinge-backed (E): *Kinixys erosa*  
 Tortoise, Serrated Star (E): *Psammobates oculifer*  
 Tortoise, Serrated Tent (E): *Psammobates oculifer*  
 Tortoise, Six-legged (E): *Manouria emys*  
 Tortoise, Softshell (E): *Malacochersus tornieri*  
 Tortoise, South African Bowsprit (E): *Chersina angulata*  
 Tortoise, South African Tent (E): *Psammobates tentorioides*  
 Tortoise, South American (E): *Chelonoidis denticulata*  
 Tortoise, South American Yellow-footed (E): *Chelonoidis denticulata*  
 Tortoise, Southern Wood (E): *Chelonoidis chilensis*  
 Tortoise, Speckled (E): *Homopus signatus*  
 Tortoise, Speckled Cape (E): *Homopus signatus*  
 Tortoise, Speke's Hinged (E): *Kinixys spekii*  
 Tortoise, Spider (E): *Pyxis arachnoides*  
 Tortoise, Spur-thighed (E): *Testudo graeca*  
 Tortoise, Star (E): *Geochelone elegans*  
 Tortoise, Steppe (E): *Testudo horsfieldii*  
 Tortoise, Texas (E): *Gopherus berlandieri*  
 Tortoise, Three-keeled Land (E): *Melanochelys tricarinata*  
 Tortoise, Toothed Cape (E): *Psammobates oculifer*  
 Tortoise, Tornier's (E): *Malacochersus tornieri*  
 Tortoise, Travancore (E): *Indotestudo travancorica*  
 Tortoise, Wood (E): *Chelonoidis carbonaria*  
 Tortoise, Yellow (E): *Indotestudo elongata*  
 Tortoise, Yellow-bordered (E): *Gopherus flavomarginatus*  
 Tortoise, Yellow-footed (E): *Chelonoidis denticulata*  
 Tortoise, Yellow-headed (E): *Indotestudo elongata*  
*Tortrix boa Schlegel, 1837 = Bothrochilus boa (Schlegel, 1837)*  
*Tortrix bottae Blainville, 1835 = Charina bottae (Blainville, 1835)*  
*Tortrix eryx Schlegel, 1837 = Eryx jaculus (Linnaeus, 1758)*  
*Tortrix pseudoeryx Schlegel, 1837 = Bolyeria multocarinata (Boie, 1827)*  
 Tortue à bahut (F): *Caretta caretta*  
 Tortue à bahut (F): *Natator depressus*  
 Tortue à bec de faucon (F): *Eretmochelys imbricata*  
 Tortue à bords jaunes (F): *Gopherus flavomarginatus*  
 Tortue à carapace souple (F): *Malacochersus tornieri*  
 Tortue à col court (F): *Pseudemydura umbrina*  
 Tortue à cou de serpent de Roti (F): *Chelodina mccordi*  
 Tortue à écailles (F): *Eretmochelys imbricata*  
 Tortue à éperon (F): *Astrochelys yniphora*  
 Tortue à grosse tête (F): *Platysternidae*  
 Tortue à nez de cochon (F): *Carettochelys insculpta*  
 Tortue à plastron éperonné (F): *Astrochelys yniphora*  
 Tortue articulée d'Afrique (F): *Kinixys erosa*  
 Tortue à soc (F): *Astrochelys yniphora*  
 Tortue à soc d'Afrique du Sud (F): *Chersina angulata*  
 Tortue à soc de Madagascar (F): *Astrochelys yniphora*  
 Tortue à tête jaune (F): *Indotestudo elongata*  
 Tortue bâtarde (F): *Lepidochelys olivacea*  
 Tortue-boîte à bord jaune (F): *Cuora flavomarginata*  
 Tortue-boîte à front jaune (F): *Cuora galbinifrons*  
 Tortue-boîte à tête jaune (F): *Cuora aurocapitata*  
 Tortue-boîte à trois bandes (F): *Cuora trifasciata*  
 Tortue-boîte d'Asie orientale (F): *Cuora amboinensis*  
 Tortue-boîte de Caroline (F): *Terrapene carolina*  
 Tortue-boîte de Coahuila (F): *Terrapene coahuila*  
 Tortue-boîte de McCord (F): *Cuora mccordi*  
 Tortue-boîte de Pan (F): *Cuora pani*  
 Tortue-boîte du Guangxi (F): *Cuora zhoui*

Tortue-boîte du Mexique (F): <i>Terrapene coahuila</i>	Tortue radiée de Madagascar (F): <i>Astrochelys radiata</i>
Tortue-boîte du Mexique (F): <i>Terrapene nelsoni</i>	Tortue rayonnée (F): <i>Astrochelys radiata</i>
Tortue-boîte du Yunnan (F): <i>Cuora yunnanensis</i>	Tortue sillonnée (F): <i>Geochelone sulcata</i>
Tortue-boîte ornée commune (F): <i>Terrapene ornata</i>	Tortues Marines (F): <i>Cheloniidae</i>
Tortue bordée (F): <i>Testudo marginata</i>	Tortues Terrestres (F): <i>Testudinidae</i>
Tortue bosselée (F): <i>Psammobates tentorius</i>	Tortue tricarénée (F): <i>Melanochelys tricarinata</i>
Tortue brune (F): <i>Manouria emys</i>	Tortue verte (F): <i>Chelonia mydas</i>
Tortue caouanne (F): <i>Caretta caretta</i>	Tortuga araña (S): <i>Pyxis arachnoides</i>
Tortue caret (F): <i>Caretta caretta</i>	Tortuga ariete (S): <i>Chersina angulata</i>
Tortue charbonnière (F): <i>Chelonoidis carbonaria</i>	Tortuga blanca (S): <i>Dermatemys mawii</i>
Tortue comestible (F): <i>Chelonia mydas</i>	Tortuga blanca (S): <i>Chelonia mydas</i>
Tortue d'Agassiz (F): <i>Gopherus agassizii</i>	Tortuga boba (S): <i>Caretta caretta</i>
Tortue de Birmanie (F): <i>Morenia ocellata</i>	Tortuga carey (S): <i>Eretmochelys imbricata</i>
Tortue de cola plana (S): <i>Pyxis planicauda</i>	Tortuga Coahuila (S): <i>Terrapene coahuila</i>
Tortue d'Egypte (F): <i>Testudo kleinmanni</i>	Tortuga con púas (S): <i>Geochelone sulcata</i>
Tortue de Hamilton (F): <i>Geoclemys hamiltonii</i>	Tortuga de agua (S): <i>Podocnemis lewyana</i>
Tortue de Kemp (F): <i>Lepidochelys kempii</i>	Tortuga De Cabeza Ancha (S): <i>Platysternidae</i>
Tortue de Kleinmann (F): <i>Testudo kleinmanni</i>	Tortuga de caja malaya (S): <i>Cuora amboinensis</i>
Tortue de la Floride (F): <i>Gopherus polyphemus</i>	Tortuga de carey (S): <i>Eretmochelys imbricata</i>
Tortue de l'Amérique du sud (F): <i>Chelonoidis denticulata</i>	Tortuga de concha blanda moteada (S): <i>Lissemys punctata</i>
Tortue de la pampa (F): <i>Chelonoidis chilensis</i>	Tortuga de cuña (S): <i>Malacochersus tornieri</i>
Tortue de l'Inde (F): <i>Lissemys punctata</i>	Tortuga de espolones (S): <i>Astrochelys yniphora</i>
Tortue de Madagascar (F): <i>Astrochelys yniphora</i>	Tortuga de las Galápagos (S): <i>Chelonoidis nigra</i>
Tortue de Muhlenberg (F): <i>Glyptemys muhlenbergii</i>	Tortuga del desierto (S): <i>Gopherus agassizii</i>
Tortue dentelée (F): <i>Chelonoidis denticulata</i>	Tortuga del Ganges (S): <i>Nilssonia gangetica</i>
Tortue denticulée (F): <i>Chelonoidis denticulata</i>	Tortuga de Madagascar (S): <i>Astrochelys yniphora</i>
Tortue de Ridley (F): <i>Lepidochelys olivacea</i>	Tortuga de patas amarillas (S): <i>Chelonoidis denticulata</i>
Tortue des Célèbes (F): <i>Indotestudo forstenii</i>	Tortuga de patas rojas (S): <i>Chelonoidis carbonaria</i>
Tortue des étangs de Perth (F): <i>Pseudemydura umbrina</i>	Tortuga de pechera (S): <i>Chersina angulata</i>
Tortue des marécages (F): <i>Glyptemys muhlenbergii</i>	Tortuga de plastrón articulado (S): <i>Testudo kleinmanni</i>
Tortue des steppes (F): <i>Testudo horsfieldii</i>	Tortuga de plastrón articulado (S): <i>Pyxis arachnoides</i>
Tortue De Tabasco (F): <i>Dermatemys mawii</i>	Tortuga de Texas (S): <i>Gopherus berlandieri</i>
Tortue de Tornier (F): <i>Malacochersus tornieri</i>	Tortuga estrellada de Burma (S): <i>Geochelone platynota</i>
Tortue de Travancore (F): <i>Indotestudo travancorica</i>	Tortuga estrellada de la India (S): <i>Geochelone elegans</i>
Tortue d'Hermann (F): <i>Testudo hermanni</i>	Tortuga estrellada de Madagascar (S): <i>Astrochelys radiata</i>
Tortue d'Horsfield (F): <i>Testudo horsfieldii</i>	Tortuga estrellada sudafricana (S): <i>Psammobates tentorius</i>
Tortue du Mexique (F): <i>Gopherus flavomarginatus</i>	Tortuga estrellada sudafricana de caparazón (S): <i>Psammobates oculifer</i>
Tortue du Texas (F): <i>Gopherus berlandieri</i>	Tortuga franca oriental (S): <i>Natator depressus</i>
Tortue éléphantine (F): <i>Chelonoidis nigra</i>	Tortuga geométrica (S): <i>Psammobates geometricus</i>
Tortue étoilée de Birmanie (F): <i>Geochelone platynota</i>	Tortuga gigante de Aldabra (S): <i>Aldabrachelys gigantea</i>
Tortue étoilée de l'Inde (F): <i>Geochelone elegans</i>	Tortuga gigante de las Galápagos (S): <i>Chelonoidis nigra</i>
Tortue fouisseuse du Mexique (F): <i>Gopherus flavomarginatus</i>	Tortuga globulosa malagache (S): <i>Astrochelys yniphora</i>
Tortue franche (F): <i>Chelonia mydas</i>	Tortuga golfina (S): <i>Lepidochelys olivacea</i>
Tortue gaufrée (F): <i>Gopherus polyphemus</i>	Tortuga grande (S): <i>Gopherus flavomarginatus</i>
Tortue géante (F): <i>Aldabrachelys gigantea</i>	Tortuga india de visera (S): <i>Pangshura tecta</i>
Tortue géante d'Aldabra (F): <i>Aldabrachelys gigantea</i>	Tortuga laud (S): <i>Dermochelys coriacea</i>
Tortue géante des Galapagos (F): <i>Chelonoidis nigra</i>	Tortuga leopardo (S): <i>Stigmochelys pardalis</i>
Tortue géométrique (F): <i>Psammobates geometricus</i>	Tortuga llanera (S): <i>Gopherus flavomarginatus</i>
Tortue imbriquée (F): <i>Eretmochelys imbricata</i>	Tortuga lora (S): <i>Lepidochelys kempii</i>
Tortue imprimée (F): <i>Manouria impressa</i>	Tortuga manchada (S): <i>Homopus signatus</i>
Tortue-léopard du Cap (F): <i>Stigmochelys pardalis</i>	Tortuga marginada (S): <i>Testudo marginata</i>
Tortue Luth (F): <i>Dermochelys coriacea</i>	Tortuga marina bastarda (S): <i>Lepidochelys kempii</i>
Tortue marginée (F): <i>Testudo marginata</i>	Tortuga marrón de Burma (S): <i>Manouria impressa</i>
Tortue marine à dos plat (F): <i>Natator depressus</i>	Tortuga marrón de la India (S): <i>Indotestudo travancorica</i>
Tortue mauresque (F): <i>Testudo graeca</i>	Tortuga mediterránea (S): <i>Testudo hermanni</i>
Tortue molle à clapet de l'Inde (F): <i>Lissemys punctata</i>	Tortuga mora (S): <i>Testudo graeca</i>
Tortue molle noire (F): <i>Apalone spinifera atra</i>	Tortuga negra (S): <i>Apalone spinifera atra</i>
Tortue ocelée (F): <i>Psammobates oculifer</i>	
Tortue olivâtre (F): <i>Lepidochelys olivacea</i>	

- Tortuga occidental de cuello de serpiente (S):  
*Pseudemydura umbrina*
- Tortuga olivacea (S): *Lepidochelys olivacea*
- Tortuga pavo (S): *Nilssonia hurum*
- Tortuga pico de loro (S): *Homopus areolatus*
- Tortuga plana india (S): *Lissemys punctata*
- Tortuga rayada (S): *Astrochelys radiata*
- Tortuga serpentina occidental (S): *Pseudemydura umbrina*
- Tortugas Marinas (S): *Cheloniidae*
- Tortuga sombría (S): *Nilssonia nigricans*
- Tortugas Terrestres (S): *Testudinidae*
- Tortuga terrestre (S): *Homopus boulengeri*
- Tortuga terrestre afgana (S): *Testudo horsfieldii*
- Tortuga terrestre argentina (S): *Chelonoidis chilensis*
- Tortuga terrestre de Florida (S): *Gopherus polyphemus*
- Tortuga topo (S): *Gopherus flavomarginatus*
- Tortuga verde (S): *Chelonia mydas*
- Totanus guttifer* Nordmann, 1835 = *Tringa guttifer* (Nordmann, 1835)
- Totoaba (E): *Totoaba macdonaldi*
- Totoaba macdonaldi** (Gilbert, 1890) I SCIAENIDAE  
 (Actinopterygii) (E) MacDonald's Weakfish, Totoaba (S)  
 Totoba (F) Acoupa De Macdonald
- Totoba (S): *Totoaba macdonaldi*
- Toucan à bec rouge (F): *Ramphastos tucanus*
- Toucan à carène (F): *Ramphastos sulfuratus*
- Toucan à gorge jaune et blanche (F): *Ramphastos vitellinus*
- Toucan ariel (F): *Ramphastos vitellinus*
- Toucan à ventre rouge (F): *Ramphastos dicolorus*
- Toucan barbet (F): *Semnornis ramphastinus*
- Toucan, Channel-billed (E): *Ramphastos vitellinus*
- Toucan de Baillon (F): *Baillonius bailloni*
- Toucanet à bec tacheté (F): *Selenidera maculirostris*
- Toucanet, Saffron (E): *Baillonius bailloni*
- Toucanet, Spot-billed (E): *Selenidera maculirostris*
- Toucan, Keel-billed (E): *Ramphastos sulfuratus*
- Toucan, Red-billed (E): *Ramphastos tucanus*
- Toucan, Red-breasted (E): *Ramphastos dicolorus*
- Toucan toco (F): *Ramphastos toco*
- Toucan, Toco (E): *Ramphastos toco*
- Toui à ailes jaunes (F): *Brotogeris chiriri*
- Toui à ailes variées (F): *Brotogeris versicolurus*
- Toui à bandeau jaune (F): *Psilopsiagon aurifrons*
- Toui à dos noir (F): *Touit melanonotus*
- Toui à front bleu (F): *Touit dilectissimus*
- Toui à front d'or (F): *Brotogeris sanctithomae*
- Toui à front roux (F): *Bolborhynchus ferrugineifrons*
- Toui à lunettes (F): *Forpus conspicillatus*
- Toui à menton d'or (F): *Brotogeris jugularis*
- Toui à queue d'or (F): *Touit surdus*
- Toui à queue pourprée (F): *Touit purpuratus*
- Toui à sept couleurs (F): *Touit batavicus*
- Toui à tête jaune (F): *Forpus xanthops*
- Toui aymara (F): *Psilopsiagon aymara*
- Toui catherine (F): *Bolborhynchus lineola*
- Toui céleste (F): *Forpus coelestis*
- Toui de D'Achille (F): *Nannopsittaca dachilleae*
- Toui de Deville (F): *Brotogeris cyanoptera*
- Toui de Huet (F): *Touit huetii*
- Toui de Sclater (F): *Forpus modestus*
- Toui de Spix (F): *Forpus xanthopterygius*
- Toui des tépis (F): *Nannopsittaca panychlora*
- Toui d'Orbigny (F): *Bolborhynchus orbygnesius*
- Toui du Costa Rica (F): *Touit costaricensis*
- Toui du Mexique (F): *Forpus cyanopygius*
- Toui été (F): *Forpus passerinus*
- Toui flamboyant (F): *Brotogeris pyrrhoptera*
- Toui para (F): *Brotogeris chrysoptera*
- Touit spp.** II 29 PSITTACIDAE (Aves)
- Toui tacheté (F): *Touit stictopterus*
- Touit batavica* (Boddaert, 1783) = *Touit batavicus* (Boddaert, 1783)
- Touit batavicus** (Boddaert, 1783) II 29 PSITTACIDAE  
 (Aves) (E) Lilac-tailed Parrotlet, Seven-colored Parrotlet (S) Cotorrita sietecolores, Perico siete colores (F) Toui à sept couleurs
- Touit costaricensis** (Cory, 1913) II 29 PSITTACIDAE  
 (Aves) (E) Red-fronted Parrotlet (S) Cotorrita costarricense (F) Toui du Costa Rica
- Touit dilectissima* (Sclater & Salvin, 1871) = *Touit dilectissimus* (Sclater & Salvin, 1871)
- Touit dilectissimus** (Sclater & Salvin, 1871) II 29 PSITTACIDAE (Aves) (E) Blue-fronted Parrotlet (S) Churiquita, Cotorrita cariazul, Periquito frentiazul (F) Toui à front bleu
- Touit dilectissimus costaricensis* (Sclater & Salvin, 1871) = *Touit costaricensis* (Cory, 1913)
- Touit huetii** (Temminck, 1830) II 29 PSITTACIDAE (Aves) (E) Scarlet-shouldered Parrotlet (S) Cotorrita alirroja, Periquito azul alirrojo (F) Toui de Huet
- Toui tirica (F): *Brotogeris tirica*
- Touit melanonota* (Wied, 1820) = *Touit melanotus* (Wied, 1820)
- Touit melanotus** (Wied, 1820) II 29 PSITTACIDAE  
 (Aves) (E) Black-eared Parrotlet, Brown-backed Parrotlet (S) Cotorrita dorsinegra (F) Toui à dos noir
- Touit purpurata* (Gmelin, 1788) = *Touit purpuratus* (Gmelin, 1788)
- Touit purpuratus** (Gmelin, 1788) II 29 PSITTACIDAE  
 (Aves) (E) Sapphire-rumped Parrotlet (S) Cotorrita purpurada, Periquito rabadilla púrpura (F) Toui à queue pourprée
- Touit stictoptera* (Sclater, 1862) = *Touit stictopterus* (Sclater, 1862)
- Touit stictopterus** (Sclater, 1862) II 29 PSITTACIDAE  
 (Aves) (E) Spot-winged Parrotlet (S) Cotorrita alipinta, Periquito alipunteado (F) Toui tacheté
- Touit surda* (Kuhl, 1820) = *Touit surdus* (Kuhl, 1820)
- Touit surdus** (Kuhl, 1820) II 29 PSITTACIDAE (Aves) (E) Golden-tailed Parrotlet (S) Cotorrita sorda (F) Toui à queue d'or
- Toupaïe commun (F): *Tupaia glis*
- Toupaïe de Java (F): *Tupaia javanica*
- Toupaïe de l'île Palawan (F): *Tupaia palawanensis*
- Toupaïe d'Elliot (F): *Anathana ellioti*
- Toupaïe de Müller (F): *Tupaia minor*
- Toupaïe des îles Nicobar (F): *Tupaia nicobarica*
- Toupaïe des montagnes (F): *Tupaia montana*

- Toupaïe murin (F): *Dendrogale murina*  
 Touraco à bec noir (F): *Tauraco schuetzii*  
 Touraco à gros bec (F): *Tauraco macrorhynchus*  
 Touraco à huppe blanche (F): *Tauraco leucolophus*  
 Touraco à huppe pourprée (F): *Tauraco porphyreolophus*  
 Touraco à huppe splendide (F): *Tauraco porphyreolophus*  
 Touraco à huppe violette (F): *Tauraco porphyreolophus*  
 Touraco à joues blanches (F): *Tauraco leucotis*  
 Touraco de Bannerman (F): *Tauraco bannermani*  
 Touraco de Fischer (F): *Tauraco fischeri*  
 Touraco de Hartlaub (F): *Tauraco hartlaubi*  
 Touraco de Livingstone (S): *Tauraco livingstonii*  
 Touraco de Livingstone (F): *Tauraco livingstonii*  
 Touraco de Ruspoli (F): *Tauraco ruspolii*  
 Touraco de Schalow (F): *Tauraco schalowi*  
 Touraco doré (F): *Tauraco bannermani*  
 Touraco louri (F): *Tauraco corythaix*  
 Touraco lourie (F): *Tauraco corythaix*  
 Touraco pauline (F): *Tauraco erythrophorus*  
 Touraco vert (F): *Tauraco persa*  
 Touraco vert d'Afrique du Sud (F): *Tauraco corythaix*  
 Touraco violet (F): *Tauraco porphyreolophus*  
*Toxolasma cylindrella* (I. Lea, 1868) I UNIONIDAE  
 (Bivalvia) (E) Pale Lilliput, Pale Lilliput Pearly Mussel  
*Toxolasma cylindrellus* (I. Lea, 1868) = *Toxolasma cylindrella* (I. Lea, 1868)  
**Trachyboa** spp. II TROPIDOPHIIDAE (Reptilia)  
**Trachyboa boulengeri** Peracca, 1910 II  
 TROPIDOPHIIDAE (Reptilia) (E) Northern Eyelash Boa, Rough-scaled Boa (S) Boa rugosa (F) Boa nain de Boulenger, Boa rugueux de Boulenger  
**Trachyboa gularis** Peters, 1860 II TROPIDOPHIIDAE (Reptilia) (E) Ecuadorian Eyelash Boa, Southern Eyelash Boa, Spiny Boa (S) Boa rugosa de Ecuador (F) Boa nain de l'Equateur, Boa rugueux de l'Equateur  
**Trachyphyllia** spp. Milne Edwards & Haime 1848 II  
 TRACHYPHYLLIIDAE (Anthozoa)  
*Trachyphyllia amarantum* (Dana, 1846) = *Trachyphyllia geoffroyi* (Audouin, 1826)  
**Trachyphyllia geoffroyi** (Audouin, 1826) II  
 TRACHYPHYLLIIDAE (Anthozoa) (E) Crater Coral, Folded Coral, Puffed Coral  
*Trachyphyllia lelandi* Nemenzo = *Trachyphyllia geoffroyi* (Audouin, 1826)  
*Trachyphyllia radiata* (Pichon, 1980) = *Trachyphyllia geoffroyi* (Audouin, 1826)  
**TRACHYPHYLLIIDAE** spp. Verrill 1901 II (Anthozoa)  
**Trachypithecus** spp. I/II CERCOPITHECIDAE (Mammalia)  
**Trachypithecus auratus** (É. Geoffroy, 1812) II  
 CERCOPITHECIDAE (Mammalia) (E) Ebony Leaf Monkey, Javan Lutung  
**Trachypithecus barbei** (Blyth, 1847) II  
 CERCOPITHECIDAE (Mammalia) (E) Tenasserim Leaf Monkey  
*Trachypithecus cristatus germaini* (Griffith, 1821) = *Trachypithecus germaini* (Milne-Edwards, 1876)  
*Trachypithecus cristatus* (Raffles, 1821) = *Trachypithecus villosus* (Griffith, 1821)  
**Trachypithecus delacouri** (Osgood, 1932) II  
 CERCOPITHECIDAE (Mammalia) (E) Delacour's Langur, Delacour's Leaf Monkey, White-rumped Black Langur (F) Langur Delacouri  
**Trachypithecus ebenus** (Brandon-Jones, 1995) II  
 CERCOPITHECIDAE (Mammalia) (E) Black Leaf Monkey, Indochinese Black Langur  
**Trachypithecus francoisi** (Pousargues, 1898) II  
 CERCOPITHECIDAE (Mammalia) (E) François's Langur, François's Leaf Monkey, Tonkin Leaf Monkey (S) Langur de Francois (F) Langur de François, Semnopithèque de François  
*Trachypithecus francoisi delacouri* (Pousargues, 1898) = *Trachypithecus delacouri* (Osgood, 1932)  
*Trachypithecus francoisi ebenus* (Pousargues, 1898) = *Trachypithecus ebenus* (Brandon-Jones, 1995)  
*Trachypithecus francoisi hatinhensis* (Pousargues, 1898) = *Trachypithecus hatinhensis* (Dao, 1970)  
*Trachypithecus francoisi laotum* (Pousargues, 1898) = *Trachypithecus laotum* (Thomas, 1911)  
*Trachypithecus francoisi poliocephalus* (Pousargues, 1898) = *Trachypithecus poliocephalus* (Pousargues, 1898)  
**Trachypithecus geei** Khajuria, 1956 I  
 CERCOPITHECIDAE (Mammalia) (E) Gee's Golden Langur, Golden Langur, Golden Leaf Monkey (S) Langur dorado (F) Entelle dorée, Langur doré, Semnopithèque de Gee, Semnopithèque doré  
**Trachypithecus germaini** (Milne-Edwards, 1876) II  
 CERCOPITHECIDAE (Mammalia) (E) Indochinese Leaf Monkey, Indochinese Lutung  
**Trachypithecus hatinhensis** (Dao, 1970) II  
 CERCOPITHECIDAE (Mammalia) (E) Hatinh Langur, Hatinh Leaf Monkey  
**Trachypithecus johnii** (J. Fischer, 1829) II  
 CERCOPITHECIDAE (Mammalia) (E) John's Langur, Nilgiri Langur, Nilgiri Leaf Monkey (S) Langur de Nilgiri (F) Langur du Nilgiri, Semnopithèque des Nilgiris  
**Trachypithecus laotum** (Thomas, 1911) II  
 CERCOPITHECIDAE (Mammalia) (E) Laotian Langur, Laotian Leaf Monkey  
**Trachypithecus obscurus** (Reid, 1837) II  
 CERCOPITHECIDAE (Mammalia) (E) Dusky Leaf Monkey, Spectacled Langur, Spectacled Leaf Monkey (S) Langur obscuro (F) Semnopithèque obscur  
**Trachypithecus phayrei** (Blyth, 1847) II  
 CERCOPITHECIDAE (Mammalia) (E) Phayre's Langur, Phayre's Leaf Monkey (F) Semnopithèque de Phayre  
**Trachypithecus pileatus** (Blyth, 1843) I  
 CERCOPITHECIDAE (Mammalia) (E) Bonneted Langur, Capped Langur, Capped Leaf Monkey, Capped Monkey (S) Langur capuchino, Langur de capa (F) Entelle pileuse, Langur à capuchon  
*Trachypithecus pileatus shortridgei* (Blyth, 1843) = *Trachypithecus shortridgei* (Wroughton, 1915)  
**Trachypithecus poliocephalus** (Pousargues, 1898) II  
 CERCOPITHECIDAE (Mammalia) (E) White-headed Langur, White-headed Leaf Monkey  
**Trachypithecus shortridgei** (Wroughton, 1915) I  
 CERCOPITHECIDAE (Mammalia) (E) Shortridge's

Langur, Shortridge's Leaf Monkey	Trainbearer, Green-tailed (E): <i>Lesbia nuna</i>
<b><i>Trachypithecus vetulus</i></b> (Erxleben, 1777) II	Traro (S): <i>Caracara plancus</i>
CERCOPITHECIDAE (Mammalia) (E) Purple-faced Leaf Monkey (S) Langur de cara roja (F)	Tree-Duck, Cuban (E): <i>Dendrocygna arborea</i>
Semnopithèque blanchâtre	Tree-Duck, Fulvous (E): <i>Dendrocygna bicolor</i>
<b><i>Trachypithecus villosus</i></b> (Griffith, 1821) II	Tree-Duck, West Indian (E): <i>Dendrocygna arborea</i>
CERCOPITHECIDAE (Mammalia) (E) Silvered Langur, Silvered Leaf Monkey, Silvery Lutung (S) Langur crestado (F) Budeng	Tree-kangaroo, Black (E): <i>Dendrolagus ursinus</i>
<i>Trachypithecus villosus auratus</i> (Raffles, 1821) = <i>Trachypithecus auratus</i> (É. Geoffroy, 1812)	Tree-kangaroo, Grizzled (E): <i>Dendrolagus inustus</i>
<i>Trachypithecus villosus germaini</i> (Raffles, 1821) = <i>Trachypithecus germaini</i> (Milne-Edwards, 1876)	Tree-kangaroo, Vogelkop (E): <i>Dendrolagus ursinus</i>
<i>Trachypora lacera</i> Verrill, 1864 = <i>Oxypora lacera</i> (Verrill, 1864)	Tree-kangaroo, White-throated (E): <i>Dendrolagus ursinus</i>
Tragopan arlequin (F): <i>Tragopan caboti</i>	Treeshrew, Bornean (E): <i>Tupaia longipes</i>
Tragopán arlequín (S): <i>Tragopan caboti</i>	Treeshrew, Bornean Smooth-tailed (E): <i>Dendrogale melanura</i>
Tragopan à tête noire (F): <i>Tragopan melanocephalus</i>	Treeshrew, Calamian (E): <i>Tupaia moellendorffii</i>
Tragopan, Black-headed (E): <i>Tragopan melanocephalus</i>	Treeshrew, Golden-bellied (E): <i>Tupaia chrysogaster</i>
<b><i>Tragopan blythii</i></b> (Jerdon, 1870) I PHASIANIDAE (Aves)	Treeshrew, Indian (E): <i>Anathana elliotti</i>
(E) Blyth's Tragopan, Grey-bellied Tragopan (S)	Treeshrew, Javan (E): <i>Tupaia javanica</i>
Tragopán de Blyth, Tragopán oriental (F) Tragopan de Blyth, Tragopan de Molesworth, Tragopan oriental	Treeshrew, Large (E): <i>Tupaia tana</i>
Tragopan, Blyth's (E): <i>Tragopan blythii</i>	Treeshrew, Lesser (E): <i>Tupaia minor</i>
<b><i>Tragopan caboti</i></b> (Gould, 1857) I PHASIANIDAE (Aves)	Treeshrew, Long-footed (E): <i>Tupaia longipes</i>
(E) Cabot's Tragopan, Yellow-billed Tragopan (S)	Treeshrew, Madras (E): <i>Anathana elliotti</i>
Tragopán arlequín, Tragopán chino, Tragopán de Cabot (F) Tragopan arlequin, Tragopan de Cabot	Treeshrew, Mainland Slender-tailed (E): <i>Dendrogale murina</i>
Tragopan, Cabot's (E): <i>Tragopan caboti</i>	Treeshrew, Malaysian (E): <i>Tupaia glis</i>
Tragopán chino (S): <i>Tragopan caboti</i>	Treeshrew, Mentawai (E): <i>Tupaia chrysogaster</i>
Tragopan de Blyth (F): <i>Tragopan blythii</i>	Treeshrew, Mindanao (E): <i>Urogale everetti</i>
Tragopán de Blyth (S): <i>Tragopan blythii</i>	Treeshrew, Mountain (E): <i>Tupaia montana</i>
Tragopán de cabeza negra (S): <i>Tragopan melanocephalus</i>	Treeshrew, Nicobar (E): <i>Tupaia nicobarica</i>
Tragopan de Cabot (F): <i>Tragopan caboti</i>	Treeshrew, Northern (E): <i>Tupaia belangeri</i>
Tragopán de Cabot (S): <i>Tragopan caboti</i>	Treeshrew, Northern Smooth-tailed (E): <i>Dendrogale murina</i>
Tragopan de Hastings (F): <i>Tragopan melanocephalus</i>	Treeshrew, Painted (E): <i>Tupaia picta</i>
Tragopan de Molesworth (F): <i>Tragopan blythii</i>	Treeshrew, Palawan (E): <i>Tupaia palawanensis</i>
Tragopán dorsigrís (S): <i>Tragopan melanocephalus</i>	Treeshrew, Pen-tailed (E): <i>Ptilocercus lowii</i>
Tragopan, Grey-bellied (E): <i>Tragopan blythii</i>	Treeshrew, Philippine (E): <i>Urogale everetti</i>
Tragopan, Indian (E): <i>Tragopan satyra</i>	Treeshrew, Pygmy (E): <i>Tupaia minor</i>
<b><i>Tragopan melanocephalus</i></b> (Gray, 1829) I PHASIANIDAE	Treeshrew, Ruddy (E): <i>Tupaia splendidula</i>
(Aves) (E) Black-headed Tragopan, Western Horned-Pheasant, Western Tragopan (S) Tragopán de cabeza negra, Tragopán dorsigrís, Tragopán occidental (F) Tragopan à tête noire, Tragopan de Hastings, Tragopan occidental	Treeshrew, Rufous-tailed (E): <i>Tupaia splendidula</i>
Tragopan occidental (F): <i>Tragopan melanocephalus</i>	Treeshrew, Slender (E): <i>Tupaia gracilis</i>
Tragopán occidental (S): <i>Tragopan melanocephalus</i>	Treeshrew, Striped (E): <i>Tupaia dorsalis</i>
Tragopan oriental (F): <i>Tragopan blythii</i>	<b><i>Tremarctos</i> spp.</b> I URSIDAE (Mammalia)
Tragopán oriental (S): <i>Tragopan blythii</i>	<b><i>Tremarctos ornatus</i></b> (F. G. Cuvier, 1825) I URSIDAE
Tragopán sátiro (S): <i>Tragopan satyra</i>	(Mammalia) (E) Andean Bear, Spectacled Bear (S) Oso andino de anteojos, Oso de anteojos, Oso frontino, Oso real (F) Ours à lunettes, Ours andin
Tragopan, Satyr (E): <i>Tragopan satyra</i>	<b><i>Trematotrochus</i> spp.</b> Tenison-Woods 1877 II
<b><i>Tragopan satyra</i></b> (Linnaeus, 1758) III PHASIANIDAE	TURBINOLIIDAE (Anthozoa)
(Aves) (E) Crimson Horned-Pheasant, Indian Tragopan, Satyr Tragopan (S) Tragopán sátiro (F) Tragopan satyre	<i>Trematotrochus alternans</i> Cairns & Parker, 1992 = <i>Foveolocyathus alternans</i> (Cairns & Parker, 1992)
Tragopan satyre (F): <i>Tragopan satyra</i>	<b><i>Trematotrochus corbicula</i></b> (Pourtalès, 1878) II
Tragopan, Western (E): <i>Tragopan melanocephalus</i>	TURBINOLIIDAE (Anthozoa)
Tragopan, Yellow-billed (E): <i>Tragopan caboti</i>	<b><i>Trematotrochus hedleyi</i></b> Dennant, 1906 II
Trainbearer, Black-tailed (E): <i>Lesbia victoriae</i>	TURBINOLIIDAE (Anthozoa)
	<i>Trematotrochus verconis</i> Dennant, 1904 = <i>Foveolocyathus verconis</i> (Dennant, 1904)
	<i>Trematotrochus zelandiae</i> (Duncan, 1876) = <i>Conocyathus zelandiae</i> Duncan, 1876
	<b><i>Triadopathes</i> spp.</b> Opresko, 2006 II STYLOPATHIDAE
	(Anthozoa)
	<b><i>Triadopathes triadocrada</i></b> (Opresko, 1999) II
	STYLOPATHIDAE (Anthozoa)

- Trichechus inunguis*** (Natterer, 1883) I TRICHECHIDAE  
 (Mammalia) (E) Amazonian Manatee, South American Manatee (S) Lamantino amazónico, Manatí amazónico, Vaca marina amazónica (F) Lamantin d'Amérique du sud, Lamantin de l'Amazone
- Trichechus manatus*** Linnaeus, 1758 I TRICHECHIDAE  
 (Mammalia) (E) American Manatee, Caribbean Manatee, North American Manatee, West Indian Manatee (S) Lamantino norteamericano, Manatí norteamericano (F) Lamantin d'Amérique du nord, Lamantin des Antilles, Lamantin des Caraïbes
- Trichechus senegalensis*** Link, 1795 I TRICHECHIDAE  
 (Mammalia) (E) African Manatee, West African Manatee (S) Manatí de Senegal (F) Lamantin d'Afrique, Lamantin du Sénégal, Lamantin ouest-africain
- Trichoglossus* spp.** Stephens, 1827 II 29 LORIIDAE (Aves)
- Trichoglossus arfaki* A. B. Meyer, 1874 = *Oreopsittacus arfaki* (A. B. Meyer, 1874)
- Trichoglossus aureicinctus* Layard, 1875 = *Charmosyna aureicincta* (E. L. Layard, 1875)
- Trichoglossus capistratus* (Bechstein, 1811) = *Trichoglossus haematodus* (Linnaeus, 1771)
- Trichoglossus chlorolepidotus*** (Kuhl, 1820) II 29 LORIIDAE (Aves) (E) Scaly-breasted Lorikeet (S) Lori escuamiverde (F) Loriquet vert
- Trichoglossus euteles*** (Temminck, 1835) II 29 LORIIDAE (Aves) (E) Olive-headed Lorikeet, Perfect Lorikeet (S) Lori humilde (F) Loriquet eutèle
- Trichoglossus flavoviridis*** Wallace, 1863 II 29 LORIIDAE (Aves) (E) Meyer's Lorikeet, Yellow-and-green Lorikeet (S) Lori verdigualdo (F) Loriquet jaune et vert
- Trichoglossus forsteni* Bonaparte, 1850 = *Trichoglossus haematodus* (Linnaeus, 1771)
- Trichoglossus goldiei* Sharpe, 1882 = *Psitteuteles goldiei* Sharpe, 1882
- Trichoglossus haematodus*** (Linnaeus, 1771) II 29 LORIIDAE (Aves) (E) Green-naped Lorikeet, Rainbow Lorikeet, Rainbow Lory (S) Lori arcoiris (F) Loriquet à tête bleue
- Trichoglossus haematodus rubritorquis* (Linnaeus, 1771) = *Trichoglossus haematodus* (Linnaeus, 1771)
- Trichoglossus iris* (Temminck, 1835) = *Psitteuteles iris* (Temminck, 1835)
- Trichoglossus johnstoniae*** Hartert, 1903 II 29 LORIIDAE (Aves) (E) Johnstone's Lorikeet, Mindanao Lorikeet (S) Lori de Mindanao (F) Loriquet de Johnstone
- Trichoglossus josefinae* Finsch, 1873 = *Charmosyna josefinae* (Finsch, 1873)
- Trichoglossus ornatus*** (Linnaeus, 1758) II 29 LORIIDAE (Aves) (E) Ornate Lorikeet, Ornate Lory (S) Lori adornado (F) Loriquet orné
- Trichoglossus porphyrocephalus* Dietrichsen, 1837 = *Glossopsitta porphyrocephala* (Dietrichsen, 1837)
- Trichoglossus rubiginosus*** (Bonaparte, 1850) II 29 LORIIDAE (Aves) (E) Pohnpei Lorikeet, Pohnpei Lory (S) Lori de Ponapé (F) Loriquet de Ponapé
- Trichoglossus rubrigularis* Sclater, 1881 = *Charmosyna rubrigularis* (Sclater, 1881)
- Trichoglossus rubritorquis* Vigors & Horsfield, 1827 = *Trichoglossus haematodus* (Linnaeus, 1771)
- Trichoglossus versicolor* Lear, 1831 = *Psitteuteles versicolor* (Lear, 1831)
- Trichoglossus weberi* (Büttikofer, 1894) = *Trichoglossus haematodus* (Linnaeus, 1771)
- Trichoglossus wilhelmina* A. B. Meyer, 1874 = *Charmosyna wilhelmina* (A. B. Meyer, 1874)
- Tricholimnas conditicius* Peters & Griscom, 1928 = *Gallirallus sylvestris* (Sclater, 1869)
- Tricholimnas sylvestris* (Sclater, 1869) = *Gallirallus sylvestris* (Sclater, 1869)
- Triclaria* spp.** II 29 PSITTACIDAE (Aves)
- Triclaria malachitacea*** (Spix, 1824) II 29 PSITTACIDAE (Aves) (E) Blue-bellied Parrot, Purple-bellied Parrot (S) Loro ventriazul (F) Crick à ventre bleu, Perruche à ventre bleu
- Tricuspidé (F): *Manis tricuspidis*
- Tridacna* spp. II TRIDACNIDAE (Bivalvia)
- Tridacna crocea* Lamarck, 1819 II TRIDACNIDAE (Bivalvia) (E) Boring Clam, Crocea Clam, Crocus Clam, Saffron-coloured Clam
- Tridacna derasa* (Röding, 1798) II TRIDACNIDAE (Bivalvia) (E) Derasa Clam, Southern Giant Clam
- Tridacna gigas* (Linnaeus, 1758) II TRIDACNIDAE (Bivalvia) (E) Giant Clam, Gigas Clam (F) Bénitier géant
- Tridacna maxima* (Röding, 1798) II TRIDACNIDAE (Bivalvia) (E) Maxima Clam, Small Giant Clam
- Tridacna mbuluana* = *Tridacna tevoroa* Lucas, Ledua & Braley, 1990
- Tridacna rosewateri* Sirehno & Scarlato, 1991 II TRIDACNIDAE (Bivalvia) (F) Bénitier de Rosewater
- Tridacna squamosa* Lamarck, 1819 II TRIDACNIDAE (Bivalvia) (E) Fluted Clam, Fluted Giant Clam, Scaly Clam
- Tridacna tevoroa* Lucas, Ledua & Braley, 1990 II TRIDACNIDAE (Bivalvia) (E) Tevoro Clam (F) Bénitier de Tevoro
- TRIDACNIDAE spp. II (Bivalvia) (E) Giant Clams (S) Almejas Gigantes (F) Bénitiers
- Tridacophyllia alcicornis* Kent, 1871 = *Pectinia alcicornis* (Kent, 1871)
- Tridacophyllia cervicornis* Moseley, 1881 = *Dactylotrochus cervicornis* (Moseley, 1881)
- Tridacophyllia echinata* Kent, 1871 = *Echinophyllia echinata* (Kent, 1871)
- Tridacophyllia elongata* Rehberg, 1892 = *Pectinia elongata* (Rehberg, 1892)
- Tridacophyllia lactuca* (Pallas, 1766) = *Pectinia lactuca* (Pallas, 1766)
- Tridacophyllia paeonia* Dana, 1846 = *Pectinia paeonia* (Dana, 1846)
- Tridacophyllia primordialis* Gardiner, 1899 = *Dactylotrochus cervicornis* (Moseley, 1881)
- Trigonoceps* spp.** II 27 ACCIPITRIDAE (Aves)

- Trigonoceps occipitalis*** (Burchell, 1824) II 27  
ACCIPITRIDAE (Aves) (E) White-headed Vulture (S)  
Buitre cabeciblanco, Buitre piquirrojo (F) Vautour à tête blanche, Vautour huppé
- Trimeresurus mangshanensis*** Zhao, 1990 II VIPERIDAE  
(Reptilia)
- Tringa guttifer*** (Nordmann, 1835) I SCOLOPACIDAE  
(Aves) (E) Nordmann's Greenshank, Spotted Greenshank (S) Archibebe manchado, Archibebe moteado (F) Chevalier à gouttelette, Chevalier tacheté
- Trioceros spp.*** Swainson, 1839 II CHAMAELEONIDAE (Reptilia)
- Trioceros affinis*** (Rüppell, 1845) II CHAMAELEONIDAE (Reptilia) (E) Ethiopian Highland Chameleon, Rüppell's Desert Chameleon
- Trioceros balebicornutus*** (Tilbury, 1998) II  
CHAMAELEONIDAE (Reptilia) (E) Bale Mountains Two-horned Chameleon
- Trioceros bitaeniatus*** (Fischer, 1884) II  
CHAMAELEONIDAE (Reptilia) (E) Montane Chameleon, Side-striped Chameleon, Two-lined Chameleon (S) Camaleón de dos bandas (F) Caméléon à deux bandes
- Trioceros bitaeniatus ellioti*** Fischer, 1884 = ***Trioceros ellioti*** (Günther, 1895)
- Trioceros bitaeniatus kinetensis*** Fischer, 1884 = ***Trioceros kinetensis*** (Schmidt, 1943)
- Trioceros bitaeniatus schoutedeni*** Fischer, 1884 = ***Trioceros schoutedeni*** (Laurent, 1952)
- Trioceros camerunensis*** (Müller, 1909) II  
CHAMAELEONIDAE (Reptilia) (F) Caméléon du Cameroun
- Trioceros chapini*** (Witte, 1964) II CHAMAELEONIDAE (Reptilia) (E) Grey Chameleon (F) Caméléon de Chapin, Caméléon gris
- Trioceros conirostratus*** (Tilbury, 1998) II  
CHAMAELEONIDAE (Reptilia)
- Trioceros cristatus*** (Stutchbury, 1837) II  
CHAMAELEONIDAE (Reptilia) (E) Crested Chameleon (S) Camaleón crestado (F) Caméléon à crête
- Trioceros deremensis*** (Matschie, 1892) II  
CHAMAELEONIDAE (Reptilia) (E) Usambara Three-horned Chameleon, Wavy Chameleon (F) Caméléon ondulé
- Trioceros eisentrauti*** (Mertens, 1968) II  
CHAMAELEONIDAE (Reptilia) (F) Caméléon d'Eisentraut
- Trioceros ellioti*** (Günther, 1895) II CHAMAELEONIDAE (Reptilia) (E) Montane Side-striped Chameleon, Mountain Dwarf Chameleon (S) Camaleón de Elliot (F) Caméléon d'Elliot
- Trioceros feae*** (Boulenger, 1906) II CHAMAELEONIDAE (Reptilia) (F) Caméléon de Fea
- Trioceros fuelleborni*** (Tornier, 1900) II  
CHAMAELEONIDAE (Reptilia) (E) Ngosi Volcano Chameleon, Poroto Three-horned Chameleon (S) Camaleón de Fuelleborn (F) Caméléon du volcan Ngosi
- Trioceros goetzei*** (Tornier, 1899) II CHAMAELEONIDAE (Reptilia) (E) Goetze's Chameleon, Ilolo Chameleon, Tanganyika Chameleon (F) Caméléon de Goetze, Caméléon d'Ilolo
- Trioceros grayii*** Swainson, 1839 = ***Trioceros oweni*** (Gray, 1831)
- Trioceros hanangensis*** Krause & Böhme, 2010 II  
CHAMAELEONIDAE (Reptilia)
- Trioceros harennae*** (Largen, 1995) II  
CHAMAELEONIDAE (Reptilia) (E) Bale Mountains Heather Chameleon, Harena Chameleon
- Trioceros hoehnelii*** (Steindachner, 1891) II  
CHAMAELEONIDAE (Reptilia) (E) Helmeted Chameleon, High-casqued Chameleon, von Höhnel's Chameleon (S) Camaleón de casco (F) Caméléon à casque élevé
- Trioceros incornutus*** (Loveridge, 1932) II  
CHAMAELEONIDAE (Reptilia) (E) Poroto Mountain Chameleon, Ukinga Hornless Chameleon (F) Caméléon du mont Poroto
- Trioceros ituriensis*** (Schmidt, 1919) II  
CHAMAELEONIDAE (Reptilia) (E) Ituri Forest Chameleon
- Trioceros jacksonii*** (Boulenger, 1896) II  
CHAMAELEONIDAE (Reptilia) (E) Jackson's Three-horned Chameleon (S) Camaleón de Jackson (F) Caméléon de Jackson
- Trioceros johnstoni*** (Boulenger, 1901) II  
CHAMAELEONIDAE (Reptilia) (E) Johnston's Chameleon, Ruwenzori Three-horned Chameleon (S) Camaleón de Johnston (F) Caméléon de Johnston
- Trioceros johnstoni ituriensis*** (Boulenger, 1901) = ***Trioceros ituriensis*** (Schmidt, 1919)
- Trioceros kinetensis*** (Schmidt, 1943) II  
CHAMAELEONIDAE (Reptilia)
- Trioceros laterispinis*** (Loveridge, 1932) II  
CHAMAELEONIDAE (Reptilia) (E) Spine-sided Chameleon, Spiny-flanked Chameleon, Uzungwe Mountain Chameleon (F) Caméléon des monts Uzungwe
- Trioceros marsabitensis*** (Tilbury, 1991) II  
CHAMAELEONIDAE (Reptilia) (E) Mount Marsabit Chameleon, Tilbury's Chameleon (F) Caméléon de Tilbury
- Trioceros melleri*** (Gray, 1865) II CHAMAELEONIDAE (Reptilia) (E) Giant One-horned Chameleon, Meller's Chameleon (S) Camaleón de Meller (F) Caméléon de Meller
- Trioceros montium*** (Buchholz, 1874) II  
CHAMAELEONIDAE (Reptilia) (E) Cameroon Sailfin Chameleon, Mountain Chameleon (S) Camaleón de montaña (F) Caméléon à voile du Cameroun
- Trioceros montium camerunensis*** Buchholz, 1874 = ***Trioceros camerunensis*** (Müller, 1909)
- Trioceros montium feae*** Buchholz, 1874 = ***Trioceros feae*** (Boulenger, 1906)
- Trioceros narraioca*** (Necas, Modry & Slapeta, 2003) II  
CHAMAELEONIDAE (Reptilia) (E) Mount Kulal Chameleon
- Trioceros ntunte*** (Necas, Modry & Slapeta, 2005) II  
CHAMAELEONIDAE (Reptilia) (E) Mt Nyiru Chameleon

<b><i>Trioceros nyirit</i></b> Stipala, Lutzmann, Malonza, Borghesio, Wilkinson, Godley & Evans, 2011 II CHAMAELEONIDAE (Reptilia)	<i>Trionyx coromandelicus</i> Geoffroy, 1809 = <i>Lissemys punctata</i> (Lacépède, 1788)
<b><i>Trioceros oweni</i></b> (Gray, 1831) II CHAMAELEONIDAE (Reptilia) (E) Owen's Three-horned Chameleon (S) Camaleón de Owen (F) Caméléon d'Owen	<i>Trionyx cuvieri</i> Gray, 1830 = <i>Batagur baska</i> (Gray, 1831)
<b><i>Trioceros perreti</i></b> (Klaver & Böhme, 1992) II CHAMAELEONIDAE (Reptilia)	<i>Trionyx de l'Inde</i> (F): <i>Lissemys punctata</i>
<b><i>Trioceros pfefferi</i></b> (Tornier, 1900) II CHAMAELEONIDAE (Reptilia) (E) Pfeffer's Chameleon (S) Camaleón de Pfeffer (F) Caméléon de Pfeffer	<i>Trionyx dillwynii</i> Gray, 1873 = <i>Dogania subplana</i> (Geoffroy Saint-Hilaire, 1809)
<b><i>Trioceros quadricornis</i></b> (Tornier, 1899) II CHAMAELEONIDAE (Reptilia) (E) Four-horned Chameleon (S) Camaleón cuadricorne (F) Caméléon à quatre cornes	<i>Trionyx du Gange</i> (F): <i>Nilssonia gangetica</i>
<b><i>Trioceros rudis</i></b> (Boulenger, 1906) II CHAMAELEONIDAE (Reptilia) (E) Coarse Chameleon, Ruwenzori Side-striped Chameleon (F) Caméléon rude	<i>Trionyx ephippium</i> Theobald, 1875 = <i>Amyda cartilaginea</i> (Boddaert, 1770)
<b><i>Trioceros rudis schoutedeni</i></b> (Boulenger, 1906) = <i>Trioceros schoutedeni</i> (Laurent, 1952)	<i>Trionyx formosus</i> Gray, 1869 = <i>Nilssonia formosa</i> (Gray, 1869)
<b><i>Trioceros rudis schubotzi</i></b> (Boulenger, 1906) = <i>Trioceros schubotzi</i> (Sternfeld, 1912)	<i>Trionyx frenatus</i> Gray, 1856 = <i>Dogania subplana</i> (Geoffroy Saint-Hilaire, 1809)
<b><i>Trioceros schoutedeni</i></b> (Laurent, 1952) II CHAMAELEONIDAE (Reptilia) (E) Schouteden's Chameleon (S) Camaleón de Schouteden (F) Caméléon de Schoudeten	<i>Trionyx gangeticus</i> Cuvier, 1825 = <i>Nilssonia gangetica</i> (Cuvier, 1825)
<b><i>Trioceros schubotzi</i></b> (Sternfeld, 1912) II CHAMAELEONIDAE (Reptilia) (E) Mount Kenya Side-striped Chameleon, Schubotz's Chameleon (S) Camaleón de Schubotz (F) Caméléon de Schubotz	<i>Trionyx grayii</i> Theobald, 1875 = <i>Nilssonia formosa</i> (Gray, 1869)
<b><i>Trioceros serratus</i></b> Mertens, 1922 II CHAMAELEONIDAE (Reptilia)	<i>Trionyx hurum</i> Gray, 1831 = <i>Nilssonia hurum</i> (Gray, 1831)
<b><i>Trioceros sternfeldi</i></b> (Rand, 1963) II CHAMAELEONIDAE (Reptilia)	<i>Trionyx indicus</i> Gray, 1831 = <i>Chitra indica</i> (Gray, 1831)
<b><i>Trioceros tempeli</i></b> (Tornier, 1899) II CHAMAELEONIDAE (Reptilia) (E) Tanzania Mountain Chameleon, Tubercl-nosed Chameleon (F) Caméléon des montagnes de Tanzanie	<i>Trionyx javanicus</i> Geoffroy, 1809 = <i>Amyda cartilaginea</i> (Boddaert, 1770)
<b><i>Trioceros werneri</i></b> (Tornier, 1899) II CHAMAELEONIDAE (Reptilia) (E) Uzungwe Three-horned Chameleon, Werner's Chameleon, Werner's Three-horned Chameleon (S) Camaleón de Werner (F) Caméléon de Werner	<i>Trionyx javanicus</i> Gray, 1830 = <i>Nilssonia gangetica</i> (Cuvier, 1825)
<b><i>Trioceros wiedersheimi</i></b> (Nieden, 1910) II CHAMAELEONIDAE (Reptilia) (E) Mount Lefo Chameleon (S) Camaleón de Wiedersheim (F) Caméléon du mont Lefo	<i>Trionyx javanicus</i> Gray, 1830 = <i>Nilssonia leithii</i> (Gray, 1872)
<i>Trionyx ater</i> Webb & Legler, 1960 = <i>Apalone spinifera atra</i>	<i>Trionyx jeudi</i> Gray, 1869 = <i>Amyda cartilaginea</i> (Boddaert, 1770)
<i>Trionyx axenaria</i> Zhou, Zhang & Fang, 1991 = <i>Pelodiscus axenaria</i> (Zhou, Zhang & Fang, 1991)	<i>Trionyx leithii</i> Gray, 1872 = <i>Nilssonia leithii</i> (Gray, 1872)
<i>Trionyx bellii</i> Gray, 1872 = <i>Nilssonia hurum</i> (Gray, 1831)	<i>Trionyx maackii</i> Brandt, 1857 = <i>Pelodiscus maackii</i> (Brandt, 1857)
<i>Trionyx bibroni</i> Owen, 1853 = <i>Pelochelys bibroni</i> (Owen, 1853)	<i>Trionyx nigricans</i> Anderson, 1875 = <i>Nilssonia nigricans</i> (Anderson, 1875)
<i>Trionyx buchanani</i> Theobald, 1874 = <i>Nilssonia hurum</i> (Gray, 1831)	<i>Trionyx ocellatus</i> Gray, 1831 = <i>Nilssonia hurum</i> (Gray, 1831)
<i>Trionyx cariniferus</i> Gray, 1855 = <i>Amyda cartilaginea</i> (Boddaert, 1770)	<i>Trionyx ornatus</i> Gray, 1861 = <i>Amyda cartilaginea</i> (Boddaert, 1770)
<i>Trionyx cartilagineus</i> (Boddaert, 1770) = <i>Amyda cartilaginea</i> (Boddaert, 1770)	<i>Trionyx paon</i> (F): <i>Nilssonia hurum</i>
	<i>Trionyx pecki</i> Bartlett, 1895 = <i>Dogania subplana</i> (Geoffroy Saint-Hilaire, 1809)
	<i>Trionyx peguensis</i> Gray, 1870 = <i>Nilssonia formosa</i> (Gray, 1869)
	<i>Trionyx phayrei</i> Theobald, 1870 = <i>Amyda cartilaginea</i> (Boddaert, 1770)
	<i>Trionyx sewaare</i> Gray, 1872 = <i>Nilssonia hurum</i> (Gray, 1831)
	<i>Trionyx sombre</i> (F): <i>Nilssonia nigricans</i>
	<i>Trionyx spiniferus ater</i> LeSueur, 1827 = <i>Apalone spinifera atra</i>
	<i>Trionyx spiniferus</i> LeSueur, 1827 = <i>Apalone spinifera</i> (LeSueur, 1827)
	<i>Trionyx steindachneri</i> Siebenrock, 1906 = <i>Palea steindachneri</i> (Siebenrock, 1906)
	<i>Trionyx stellatus</i> Geoffroy, 1809 = <i>Amyda cartilaginea</i> (Boddaert, 1770)
	<i>Trionyx subplanus</i> Geoffroy Saint-Hilaire, 1809 = <i>Dogania subplana</i> (Geoffroy Saint-Hilaire, 1809)
	<i>Trionyx sulcifrons</i> Annandale, 1915 = <i>Nilssonia leithii</i> (Gray, 1872)
	<i>Trionyx swinhonis</i> Boulenger, 1889 = <i>Rafetus swinhoei</i> (Gray, 1873)

- Trionyx vertebralis* Strauch, 1890 = *Dogania subplana* (Geoffroy Saint-Hilaire, 1809)
- Trissopathes* spp.** Opresco, 2003 II CLADOPATHIDAE (Anthozoa)
- Trissopathes pseudotristicha*** Opresco, 2003 II CLADOPATHIDAE (Anthozoa)
- Trissopathes tetracrada*** Opresco, 2003 II CLADOPATHIDAE (Anthozoa)
- Trissopathes tristicha*** (van Pesch, 1914) II CLADOPATHIDAE (Anthozoa)
- Tritomegas sieboldii* Duméril, Bibron & Duméril, 1854 = *Andrias japonicus* (Temminck, 1836)
- Tritomegas sieboldii* (Tschudi, 1837) = *Andrias japonicus* (Temminck, 1836)
- Tritomegas sieboldii* Duméril, Bibron & Duméril, 1854 = *Andrias japonicus* (Temminck, 1836)
- Triton alleganiensis* Oppel, 1811 = *Cryptobranchus alleganiensis* (Daudin, 1803)
- Triton alleghaniensis* Gray, 1850 = *Cryptobranchus alleghaniensis* (Daudin, 1803)
- Triton japonicus* Temminck, 1836 = *Andrias japonicus* (Temminck, 1836)
- Triton mexicanus* Oppel, 1811 = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- Triton mexicanus* (Shaw & Nodder, 1798) = *Ambystoma mexicanum* (Shaw & Nodder, 1798)
- TROCHILIDAE** spp. I/II (Aves) (E) Hummingbirds (S) Colibríes (F) Colibris
- Trochilus* spp.** II TROCHILIDAE (Aves)
- Trochilus adela* d'Orbigny & Lafresnaye, 1838 = *Oreotrochilus adela* (d'Orbigny & Lafresnaye, 1838)
- Trochilus aeneo cauda* Gould, 1846 = *Metallura aeneo cauda* (Gould, 1846)
- Trochilus albicollis* Vieillot, 1818 = *Leucochloris albicollis* (Vieillot, 1818)
- Trochilus alexandri* Bourcier & Mulsant, 1846 = *Archilochus alexandri* (Bourcier & Mulsant, 1846)
- Trochilus alice* Bourcier & Mulsant, 1848 = *Chlorostilbon alice* (Bourcier & Mulsant, 1848)
- Trochilus amabilis* Gould, 1853 = *Amazilia amabilis* (Gould, 1853)
- Trochilus amethystinus* Boddaert, 1783 = *Calliphlox amethystina* (Boddaert, 1783)
- Trochilus anthophilus* Bourcier, 1843 = *Phaethornis anthophilus* (Bourcier, 1843)
- Trochilus aquila* Bourcier, 1847 = *Eutoxeres aquila* (Bourcier, 1847)
- Trochilus augusti* Bourcier, 1847 = *Phaethornis augusti* (Bourcier, 1847)
- Trochilus aureliae* Bourcier & Mulsant, 1846 = *Haplophaedia aureliae* (Bourcier & Mulsant, 1846)
- Trochilus aurescens* Gould, 1846 = *Heliodoxa aurescens* (Gould, 1846)
- Trochilus auritus* Gmelin, 1788 = *Heliothryx auritus* (Gmelin, 1788)
- Trochilus barroti* Bourcier, 1843 = *Heliothryx barroti* (Bourcier, 1843)
- Trochilus benjamini* Bourcier, 1851 = *Urosticte benjamini* (Bourcier, 1851)
- Trochilus beryllinus* Lichtenstein, 1830 = *Amazilia beryllina* (Lichtenstein, 1830)
- Trochilus bicolor* Gmelin, 1788 = *Cyanophaia bicolor* (Gmelin, 1788)
- Trochilus bougueri* Bourcier, 1851 = *Urochroa bougueri* (Bourcier, 1851)
- Trochilus bourcieri* Lesson, 1832 = *Phaethornis bourcieri* (Lesson, 1832)
- Trochilus buffonii* Lesson, 1832 = *Chalybura buffonii* (Lesson, 1832)
- Trochilus calliope* Gould, 1847 = *Stellula calliope* (Gould, 1847)
- Trochilus candidus* Bourcier & Mulsant, 1846 = *Amazilia candida* (Bourcier & Mulsant, 1846)
- Trochilus caroli* Bourcier, 1847 = *Polyonymus caroli* (Bourcier, 1847)
- Trochilus castaneoventris* Gould, 1851 = *Lampornis castaneoventris* (Gould, 1851)
- Trochilus castelnau di* Bourcier & Mulsant, 1848 = *Aglaeactis castelnau di* (Bourcier & Mulsant, 1848)
- Trochilus chalybeus* Vieillot, 1823 = *Lophornis chalybeus* (Vieillot, 1823)
- Trochilus chimbороzo* DeLattre & Bourcier, 1846 = *Oreotrochilus chimbороzo* (DeLattre & Bourcier, 1846)
- Trochilus chionogaster* Tschudi, 1845 = *Amazilia chionogaster* (Tschudi, 1846)
- Trochilus chionura* Gould, 1851 = *Elvira chionura* (Gould, 1851)
- Trochilus chrysurus* Shaw, 1812 = *Hylocharis chrysura* (Shaw, 1812)
- Trochilus cirrochloris* Vieillot, 1818 = *Aphantochroa cirrochloris* (Vieillot, 1818)
- Trochilus coeruleogularis* Gould, 1851 = *Lepidopyga coeruleogularis* (Gould, 1851)
- Trochilus colubris* Linnaeus, 1758 = *Archilochus colubris* (Linnaeus, 1758)
- Trochilus condamini* Bourcier, 1851 = *Eutoxeres condamini* (Bourcier, 1851)
- Trochilus conversii* Bourcier, 1846 = *Discosura conversii* (Bourcier & Mulsant, 1846)
- Trochilus cornutus* Wied, 1821 = *Heliactin bilophus* (Temminck, 1820)
- Trochilus coruscans* Gould, 1846 = *Colibri coruscans* (Gould, 1846)
- Trochilus cristatus* Linnaeus, 1758 = *Orthorhyncus cristatus* (Linnaeus, 1758)
- Trochilus cupreoven tris* Fraser, 1840 = *Eriocnemis cupreoven tris* (Fraser, 1840)
- Trochilus cupripennis* Bourcier, 1843 = *Aglaeactis cupripennis* (Bourcier, 1843)
- Trochilus curvipennis* Lichtenstein, 1830 = *Campylopterus curvipennis* (Deppe, 1830)
- Trochilus cuvierii* DeLattre & Bourcier, 1846 = *Campylopterus cuvierii* (DeLattre & Bourcier, 1846)
- Trochilus cyanifrons* Bourcier, 1843 = *Amazilia cyanifrons* (Bourcier, 1843)
- Trochilus cyanopectus* Gould, 1846 = *Sternoclyta cyanopectus* (Gould, 1846)
- Trochilus cyanopterus* Fraser, 1840 = *Pterophanes cyanopterus* (Fraser, 1839)

- Trochilus cyanus* Vieillot, 1818 = *Hylocharis cyanus* (Vieillot, 1818)
- Trochilus derbyi* DeLattre & Bourcier, 1846 = *Eriocnemis derbyi* (DeLattre & Bourcier, 1846)
- Trochilus dohrnii* Bourcier & Mulsant, 1852 = *Glaucis dohrnii* (Bourcier & Mulsant, 1852)
- Trochilus dominicus* Linnaeus, 1766 = *Anthracothorax dominicus* (Linnaeus, 1766)
- Trochilus edward* DeLattre & Bourcier, 1846 = *Amazilia edward* (DeLattre & Bourcier, 1846)
- Trochilus eliciae* Bourcier & Mulsant, 1846 = *Hylocharis eliciae* (Bourcier & Mulsant, 1846)
- Trochilus eliza* Lesson & DeLattre, 1839 = *Doricha eliza* (Lesson & DeLattre, 1839)
- Trochilus enicurus* Vieillot, 1818 = *Doricha enicura* (Vieillot, 1818)
- Trochilus ensipennis* Swainson, 1822 = *Campylopterus ensipennis* (Swainson, 1822)
- Trochilus estella* d'Orbigny & Lafresnaye, 1838 = *Oreotrochilus estella* (d'Orbigny & Lafresnaye, 1838)
- Trochilus eurynome* Lesson, 1832 = *Phaethornis eurynome* (Lesson, 1832)
- Trochilus erythropterus* Loddiges, 1832 = *Opisthoprora eryptera* (Loddiges, 1832)
- Trochilus evelynae* Bourcier, 1847 = *Calliphlox evelynae* (Bourcier, 1847)
- Trochilus exortis* Fraser, 1840 = *Heliangelus exortis* (Fraser, 1840)
- Trochilus falcatus* Swainson, 1821 = *Campylopterus falcatus* (Swainson, 1821)
- Trochilus fallax* Bourcier, 1843 = *Leucippus fallax* (Bourcier, 1843)
- Trochilus fannyi* DeLattre & Bourcier, 1846 = *Thalurania fannyi* (DeLattre & Bourcier, 1846)
- Trochilus fernandensis* King, 1831 = *Sephanoides fernandensis* (King, 1831)
- Trochilus fimbriatus* Gmelin, 1788 = *Amazilia fimbriata* (Gmelin, 1788)
- Trochilus flavescens* Loddiges, 1832 = *Boissonneaua flavescens* (Loddiges, 1832)
- Trochilus floriceps* Gould, 1854 = *Anthocephala floriceps* (Gould, 1854)
- Trochilus franciae* Bourcier & Mulsant, 1846 = *Amazilia franciae* (Bourcier & Mulsant, 1846)
- Trochilus fulgens* Swainson, 1827 = *Eugenes fulgens* (Swainson, 1827)
- Trochilus furcatus* Gmelin, 1788 = *Thalurania furcata* (Gmelin, 1788)
- Trochilus furcifer* Shaw, 1812 = *Heliomaster furcifer* (Shaw, 1812)
- Trochilus fuscus* Vieillot, 1817 = *Florisuga fusca* (Vieillot, 1817)
- Trochilus geoffroyi* Bourcier, 1843 = *Schistes geoffroyi* (Bourcier, 1843)
- Trochilus gibsoni* Fraser, 1840 = *Chlorostilbon mellisugus* (Linnaeus, 1758)
- Trochilus gigas* Vieillot, 1824 = *Patagona gigas* (Vieillot, 1824)
- Trochilus glaucopis* Gmelin, 1788 = *Thalurania glaucopis* (Gmelin, 1788)
- Trochilus godini* Bourcier, 1851 = *Eriocnemis godini* (Bourcier, 1851)
- Trochilus goudoti* Bourcier, 1843 = *Lepidopyga goudoti* (Bourcier, 1843)
- Trochilus grayi* DeLattre & Bourcier, 1846 = *Hylocharis grayi* (DeLattre & Bourcier, 1846)
- Trochilus guainumbi* Pallas, 1764 = *Polytmus guainumbi* (Pallas, 1764)
- Trochilus guimeti* Bourcier, 1843 = *Klais guimeti* (Bourcier, 1843)
- Trochilus guy* Lesson, 1833 = *Phaethornis guy* (Lesson, 1833)
- Trochilus hemileucus* Lichtenstein, 1830 = *Campylopterus hemileucus* (Deppe, 1830)
- Trochilus herrani* DeLattre & Bourcier, 1846 = *Chalcostigma herrani* (DeLattre & Bourcier, 1846)
- Trochilus hirsutus* Gmelin, 1788 = *Glaucis hirsutus* (Gmelin, 1788)
- Trochilus hispidus* Gould, 1846 = *Phaethornis hispidus* (Gould, 1846)
- Trochilus holosericeus* Linnaeus, 1758 = *Eulampis holosericeus* (Linnaeus, 1758)
- Trochilus jardini* Bourcier, 1851 = *Boissonneaua jardini* (Bourcier, 1851)
- Trochilus johannae* Bourcier, 1847 = *Doryfera johannae* (Bourcier, 1847)
- Trochilus jugularis* Linnaeus, 1766 = *Eulampis jugularis* (Linnaeus, 1766)
- Trochilus kingi* Lesson, 1832 = *Aglaiaocercus kingi* (Lesson, 1832)
- Trochilus lafresnayi* Boissonneau, 1840 = *Lafresnaya lafresnayi* (Boissonneau, 1840)
- Trochilus lalandi* Vieillot, 1818 = *Stephanoxis lalandi* (Vieillot, 1818)
- Trochilus langsorffi* Temminck, 1821 = *Discosura langsorffi* (Temminck, 1821)
- Trochilus largipennis* Boddaert, 1783 = *Campylopterus largipennis* (Boddaert, 1783)
- Trochilus leadbeateri* Bourcier, 1843 = *Heliodoxa leadbeateri* (Bourcier, 1843)
- Trochilus letitiae* Bourcier & Mulsant, 1852 = *Discosura letitiae* (Bourcier & Mulsant, 1852)
- Trochilus leucogaster* Gmelin, 1788 = *Amazilia leucogaster* (Gmelin, 1788)
- Trochilus leucotis* Vieillot, 1818 = *Basilinna leucotis* (Vieillot, 1818)
- Trochilus leucurus* Linnaeus, 1766 = *Threnetes niger* (Linnaeus, 1758)
- Trochilus longicaudus* Gmelin, 1788 = *Discosura longicaudus* (Gmelin, 1788)
- Trochilus longirostris* Audebert & Vieillot, 1801 = *Heliomaster longirostris* (Audebert & Vieillot, 1801)
- Trochilus longuemareus* (Lesson, 1832) = *Phaethornis aethopyga* Zimmer, 1950
- Trochilus longuemareus* Lesson, 1832 = *Phaethornis longuemareus* (Lesson, 1832)
- Trochilus lucianii* Bourcier, 1847 = *Eriocnemis luciani* (Bourcier, 1847)
- Trochilus ludovicae* Bourcier & Mulsant, 1847 = *Doryfera ludovicae* (Bourcier & Mulsant, 1847)

- Trochilus lutetiae* DeLattre & Bourcier, 1846 = *Coeligena lutetiae* (DeLattre & Bourcier, 1846)
- Trochilus macrourus* Gmelin, 1788 = *Eupetomena macroura* (Gmelin, 1788)
- Trochilus magnificus* Vieillot, 1817 = *Lophornis magnificus* (Vieillot, 1817)
- Trochilus malaris* Nordmann, 1835 = *Phaethornis malaris* (Nordmann, 1835)
- Trochilus mango* Linnaeus, 1758 = *Anthracothorax mango* (Linnaeus, 1758)
- Trochilus matthewsii* Bourcier, 1847 = *Boissonneaua matthewsii* (Bourcier, 1847)
- Trochilus maugaeus* Audebert & Vieillot, 1801 = *Chlorostilbon maugaeus* (Audebert & Vieillot, 1801)
- Trochilus melanogenys* Fraser, 1840 = *Adelomyia melanogenys* (Fraser, 1840)
- Trochilus mellivorus* Linnaeus, 1758 = *Florisuga mellivora* (Linnaeus, 1758)
- Trochilus minimus* Linnaeus, 1758 = *Mellisuga minima* (Linnaeus, 1758)
- Trochilus mirabilis* Bourcier, 1847 = *Loddigesia mirabilis* (Bourcier, 1847)
- Trochilus mitchellii* Bourcier, 1847 = *Calliphlox mitchellii* (Bourcier, 1847)
- Trochilus mosquera* DeLattre & Bourcier, 1846 = *Eriocnemis mosquera* (DeLattre & Bourcier, 1846)
- Trochilus mosquitus* Linnaeus, 1758 = *Chrysolampis mosquitus* (Linnaeus, 1758)
- Trochilus naevius* Dumont, 1818 = *Ramphodon naevius* (Dumont, 1818)
- Trochilus niger* Linnaeus, 1758 = *Threnetes niger* (Linnaeus, 1758)
- Trochilus nigricollis* Vieillot, 1817 = *Anthracothorax nigricollis* (Vieillot, 1817)
- Trochilus nigrivestis* Bourcier & Mulsant, 1852 = *Eriocnemis nigrivestis* (Bourcier & Mulsant, 1852)
- Trochilus notatus* G. C. Reich, 1795 = *Chlorostilbon notatus* (G. C. Reich, 1795)
- Trochilus ornatus* Boddaert, 1783 = *Lophornis ornatus* (Boddaert, 1783)
- Trochilus pella* Linnaeus, 1758 = *Topaza pella* (Linnaeus, 1758)
- Trochilus philippii* Bourcier, 1847 = *Phaethornis philippii* (Bourcier, 1847)
- Trochilus platycercus* Swainson, 1827 = *Selasphorus platycercus* (Swainson, 1827)
- Trochilus polytmus*** Linnaeus, 1758 II TROCHILIDAE (Aves) (E) Streamertail (S) Colibrí portacintas (F) Colibri à tête noire
- Trochilus polytmus scitulus* Linnaeus, 1758 = *Trochilus scitulus* Brewster & Bangs, 1901
- Trochilus popelairii* DuBus, 1846 = *Discosura popelairii* (DuBus & Gisignies, 1846)
- Trochilus pretrei* Lesson & DeLattre, 1839 = *Phaethornis pretrei* (Lesson & DeLattre, 1839)
- Trochilus prevostii* Lesson, 1832 = *Anthracothorax prevostii* (Lesson, 1832)
- Trochilus prunellei* Bourcier, 1843 = *Coeligena prunellei* (Bourcier, 1843)
- Trochilus pyra* Gould, 1846 = *Topaza pyra* (Gould, 1846)
- Trochilus recurvirostris* Swainson, 1822 = *Anthracothorax recurvirostris* (Swainson, 1822)
- Trochilus ruber* Linnaeus, 1758 = *Phaethornis ruber* (Linnaeus, 1758)
- Trochilus rubinoides* Bourcier & Mulsant, 1846 = *Heliodoxa rubinoides* (Bourcier & Mulsant, 1846)
- Trochilus rubricauda* Boddaert, 1783 = *Clytolaema rubricauda* (Boddaert, 1783)
- Trochilus ruckeri* Bourcier, 1847 = *Threnetes ruckeri* (Bourcier, 1847)
- Trochilus ruficeps* Gould, 1846 = *Chalcostigma ruficeps* (Gould, 1846)
- Trochilus rufus* Gmelin, 1788 = *Selasphorus rufus* (Gmelin, 1788)
- Trochilus sapphirinus* Gmelin, 1788 = *Hylocharis sapphirina* (Gmelin, 1788)
- Trochilus saucerrottei* DeLattre & Bourcier, 1846 = *Amazilia saucerrottei* (DeLattre & Bourcier, 1846)
- Trochilus schreibersii* Bourcier, 1847 = *Heliodoxa schreibersii* (Bourcier, 1847)
- Trochilus scintilla* Gould, 1851 = *Selasphorus scintilla* (Gould, 1851)
- Trochilus scitulus*** Brewster & Bangs, 1901 II  
TROCHILIDAE (Aves) (E) Black-billed Streamertail (S) Colibrí portacintas piquinegro (F) Colibri à bec noir
- Trochilus scutatus* Temminck, 1824 = *Augastes scutatus* (Temminck, 1822)
- Trochilus serrirostris* Vieillot, 1816 = *Colibri serrirostris* (Vieillot, 1816)
- Trochilus sparganurus* Shaw, 1812 = *Sappho sparganura* (Shaw, 1812)
- Trochilus squalidus* Temminck, 1822 = *Phaethornis squalidus* (Temminck, 1822)
- Trochilus squamosus* Temminck, 1823 = *Heliomaster squamosus* (Temminck, 1823)
- Trochilus stanleyi* Bourcier, 1851 = *Chalcostigma stanleyi* (Bourcier, 1851)
- Trochilus strophianus* Gould, 1846 = *Heliangelus strophianus* (Gould, 1846)
- Trochilus superciliosus* Linnaeus, 1766 = *Phaethornis superciliosus* (Linnaeus, 1766)
- Trochilus thalassinus* Swainson, 1827 = *Colibri thalassinus* (Swainson, 1827)
- Trochilus tobaci* Gmelin, 1788 = *Amazilia tobaci* (Gmelin, 1788)
- Trochilus tyrianthinus* Loddiges, 1832 = *Metallura tyrianthina* (Loddiges, 1832)
- Trochilus tzacatl de la Llave*, 1833 = *Amazilia tzacatl* (de la Llave, 1833)
- Trochilus versicolor* Vieillot, 1818 = *Amazilia versicolor* (Vieillot, 1818)
- Trochilus victoriae* Bourcier & Mulsant, 1846 = *Lesbia victoriae* (Bourcier & Mulsant, 1846)
- Trochilus villaviscensio* Bourcier, 1851 = *Campylopterus villaviscensio* (Bourcier, 1851)
- Trochilus violifer* Gould, 1846 = *Coeligena violifer* (Gould, 1846)
- Trochilus viridigaster* Bourcier, 1843 = *Amazilia viridigaster* (Bourcier, 1843)

- Trochilus viridigula* Boddaert, 1783 = *Anthracothorax viridigula* (Boddaert, 1783)
- Trochilus viridipallens* Bourcier & Mulsant, 1846 = *Lampornis viridipallens* (Bourcier & Mulsant, 1846)
- Trochilus viridis* Audebert & Vieillot, 1801 = *Anthracothorax viridis* (Audebert & Vieillot, 1801)
- Trochilus watertonii* Bourcier, 1847 = *Thalurania watertonii* (Bourcier, 1847)
- Trochilus williami* DeLattre & Bourcier, 1846 = *Metallura williami* (DeLattre & Bourcier, 1846)
- Trochilus wilsoni* DeLattre & Bourcier, 1846 = *Coeligena wilsoni* (DeLattre & Bourcier, 1846)
- Trochilus yarrellii* Bourcier, 1847 = *Eulidia yarrellii* (Bourcier, 1847)
- Trochilus yaruqui* Bourcier, 1851 = *Phaethornis yaruqui* (Bourcier, 1851)
- Trochilus yucatanensis* Cabot, 1845 = *Amazilia yucatanensis* (Cabot, 1845)
- Trochocyathus* spp.** Milne Edwards & Haime 1848 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus aithoseptatus*** Cairns, 1984 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus apertus*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus brevispina*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus burchae*** (Cairns, 1984) II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus caryophylloides*** Alcock, 1902 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus cepulla*** Cairns, 1995 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus cooperi*** (Gardiner, 1905) II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus coronatus* (Pourtalès, 1867) = *Stephanocyathus coronatus* (Pourtalès, 1867)
- Trochocyathus decamera*** Cairns, 1994 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus discus*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus efateensis*** Cairns, 1999 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus fasciatus*** Cairns, 1979 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus fossulus*** Cairns, 1979 II  
CARYOPHYLLIIDAE (Anthozoa) (E) Dug-out Cup  
Coral (S) Coral tazón excavado
- Trochocyathus gardineri*** (Vaughan, 1907) II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus gordoni*** Cairns, 1995 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus hastatus*** Bourne, 1903 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus intermedius* Yabe & Eguchi, 1932 = *Cyathotrochus pileus* (Alcock, 1902)
- Trochocyathus japonicus*** Eguchi, 1968 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus laboreli*** Cairns, 2000 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus longispina*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus maculatus*** Cairns, 1995 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus mauliensis*** (Vaughan, 1907) II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus mediterraneus*** Zibrowius, 1980 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus oahensis*** Vaughan, 1907 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus patelliformis*** Cairns, 1999 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus petterdi* Dennant, 1906 = *Thrypticotrochus petterdi* (Dennant, 1906)
- Trochocyathus philippinensis*** Semper, 1872 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus pileus* Alcock, 1902 = *Cyathotrochus pileus* (Alcock, 1902)
- Trochocyathus porphyreus*** (Alcock, 1893) II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus rawsonii*** Pourtalès, 1874 II  
CARYOPHYLLIIDAE (Anthozoa) (E) Rawson's Cup  
Coral (S) Coral tazón de Rawson
- Trochocyathus rhombocolumna*** Alcock, 1902 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus rotulus* Alcock, 1898 = *Deltocyathus rotulus* (Alcock, 1898)
- Trochocyathus semperi*** Cairns & Zibrowius, 1997 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus spinosostatus*** Zibrowius, 1980 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus tenuicalyx* (Vaughan, 1907) = *Trochocyathus rhombocolumna* Alcock, 1902
- Trochocyathus variabilis* (Gravier, 1915) = *Peponocyathus folliculus* (Pourtalès, 1868)
- Trochocyathus vasiformis*** Bourne, 1903 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus virgatus* Alcock, 1902 = *Tethocyathus virgatus* (Alcock, 1902)
- Trochocyathus weberi* Alcock, 1902 = *Trochocyathus cooperi* (Gardiner, 1905)
- Trochocyathus wellsi*** Cairns, 2004 II  
CARYOPHYLLIIDAE (Anthozoa)
- Trochocyathus wellsi* Yabe & Eguchi, 1942 = *Tropidocyathus lessonii* (Michelin, 1842)
- Trochopsammia* spp.** Pourtalès 1878 II  
DENDROPHYLLIIDAE (Anthozoa)
- Trochopsammia infundibulum*** Pourtalès, 1878 II  
DENDROPHYLLIIDAE (Anthozoa)
- Trochopsammia togata*** (van der Horst, 1927) II  
DENDROPHYLLIIDAE (Anthozoa)
- Trogon couroucou (F): *Pharomachrus mocinno*
- Trogonoptera* spp.** Rippon II PAPILIONIDAE (Insecta)
- Trogonoptera brookiana*** (Wallace, 1856) II  
PAPILIONIDAE (Insecta) (E) Rajah Brooke's Birdwing  
(F) Ornithoptère de Brooke
- Trogonoptera trojana*** (Staudinger, 1889) II  
PAPILIONIDAE (Insecta)
- Trogonoptera trojanus* (Rothschild, 1895) = *Trogonoptera trojana* (Staudinger, 1889)

- Troides* spp.** Hübner II PAPILIONIDAE (Insecta)
- Troides aeacus*** (C. & R. Felder, 1860) II PAPILIONIDAE (Insecta) (E) Golden Birdwing, Small Birdwing
- Troides amphimedon*** (Doubleday, 1846 (nec Cramer, 1779)) = ***Troides darsius*** (Gray, 1853)
- Troides amphisrius*** (Godart, 1819 (nec Fabricius, 1787)) = ***Troides minos*** (Cramer, 1779)
- Troides amphrysus*** (Cramer, 1779) II PAPILIONIDAE (Insecta) (E) Golden Birdwing, Malay Birdwing
- Troides andromache*** (Staudinger, 1892) II PAPILIONIDAE (Insecta)
- Troides astenous*** (Fabricius, 1781 (nec Fabricius, 1775)) = ***Troides minos*** (Cramer, 1779)
- Troides bazilanicus*** Fruhstorfer, 1908 = ***Troides rhadamantus*** (Lucas, 1835)
- Troides belzanor*** Fruhstorfer, 1911 = ***Troides rhadamantus*** (Lucas, 1835)
- Troides brookiana*** (Wallace, 1856) = ***Trogonoptera brookiana*** (Wallace, 1856)
- Troides criton*** (C. & R. Felder, 1860) II PAPILIONIDAE (Insecta)
- Troides cuneifera*** (Oberthür, 1879) II PAPILIONIDAE (Insecta) (E) Golden Birdwing
- Troides darsius*** (Gray, 1853) II PAPILIONIDAE (Insecta)
- Troides dohertyi*** (Rippon, 1893) II PAPILIONIDAE (Insecta) (E) Talaud Black Birdwing
- Troides haliphron*** (Boisduval, 1836) II PAPILIONIDAE (Insecta)
- Troides haliphron plato*** (Boisduval, 1836) = ***Troides plato*** Wallace, 1865
- Troides helena*** (Linnaeus, 1758) II PAPILIONIDAE (Insecta) (E) Black-and-gold Birdwing, Common Birdwing
- Troides helena oblongomaculatus*** (Linnaeus, 1758) = ***Troides oblongomaculatus*** (Goeze, 1779)
- Troides heliacon*** (Boisduval, 1836 (nec Fabricius, 1787)) = ***Troides minos*** (Cramer, 1779)
- Troides hypolitus*** (Cramer, 1775) II PAPILIONIDAE (Insecta)
- Troides leyteanus*** Okano & Okano, 1983 = ***Troides magellanus*** (C. & R. Felder, 1862)
- Troides magellanus*** (C. & R. Felder, 1862) II PAPILIONIDAE (Insecta)
- Troides minos*** (Cramer, 1779) II PAPILIONIDAE (Insecta)
- Troides miranda*** (Butler, 1869) II PAPILIONIDAE (Insecta)
- Troides nomis*** Ehrmann, 1921 = ***Troides minos*** (Cramer, 1779)
- Troides oblongomaculatus*** (Goeze, 1779) II PAPILIONIDAE (Insecta)
- Troides plateni*** Staudinger, 1888 = ***Troides rhadamantus*** (Lucas, 1835)
- Troides plato*** Wallace, 1865 II PAPILIONIDAE (Insecta)
- Troides pompeus*** (Doubleday, 1846 (nec Cramer, 1775)) = ***Troides minos*** (Cramer, 1779)
- Troides prattorum*** (Joicey & Talbot, 1922) II PAPILIONIDAE (Insecta) (E) Buru Opalescent Birdwing
- Troides rhadamantus*** (Lucas, 1835) II PAPILIONIDAE (Insecta)
- Troides rhadamantus dohertyi*** (Lucas, 1835) = ***Troides dohertyi*** (Rippon, 1893)
- Troides riedeli*** (Kirsch, 1885) II PAPILIONIDAE (Insecta)
- Troides sonani*** (Matsumura, 1931) = ***Troides magellanus*** (C. & R. Felder, 1862)
- Troides trojana*** Honrath, 1886 = ***Trogonoptera trojana*** (Staudinger, 1889)
- Troides vandepolli*** (Snellen, 1890) II PAPILIONIDAE (Insecta)
- Troides vordermani*** Snellen, 1895 = ***Troides dohertyi*** (Rippon, 1893)
- Tropidocyathus* spp.** Milne Edwards & Haime 1848 II TURBINOLIIDAE (Anthozoa)
- Tropidocyathus cooperi*** Gardiner, 1905 = ***Trochocyathus cooperi*** (Gardiner, 1905)
- Tropidocyathus labidus*** Cairns & Zibrowius, 1997 II TURBINOLIIDAE (Anthozoa)
- Tropidocyathus lessonii*** (Michelin, 1842) II TURBINOLIIDAE (Anthozoa)
- Tropidocyathus nascornatus*** Gardiner & Waugh, 1938 = ***Cyathotrochus nascornatus*** (Gardiner & Waugh, 1938)
- Tropidocyathus pileus*** (Alcock, 1902) = ***Cyathotrochus pileus*** (Alcock, 1902)
- TROPIDOPHIIDAE** spp. Brongersma, 1951 II (Reptilia) (E) Wood Boas (S) Boas, Boas Arborícolas (F) Boas
- Tropidophis* spp.** II TROPIDOPHIIDAE (Reptilia)
- Tropidophis battersbyi*** Laurent, 1949 II TROPIDOPHIIDAE (Reptilia) (E) Battersby's Dwarf Boa, Ecuadorian Dwarf Boa (F) Boa forestier de Battersby, Boa nain de Battersby
- Tropidophis bucculentus*** (Cope, 1868) = ***Tropidophis melanurus*** (Schlegel, 1837)
- Tropidophis canus*** (Cope, 1868) II TROPIDOPHIIDAE (Reptilia) (E) Great Inagua Island Dwarf Boa, Wood Snake (S) Boa enana de las Bahamas (F) Boa forestier de l'île du Grand Inagua, Boa nain de l'île du Grand Inagua
- Tropidophis caymanensis*** Battersby, 1938 II TROPIDOPHIIDAE (Reptilia) (E) Cayman Islands Dwarf Boa, Cayman Islands Ground Boa (S) Boa enana de las islas Caimán (F) Boa forestier des îles Cayman, Boa nain des îles Caïmanes
- Tropidophis celiae*** Hedges, Estrada & Diaz, 1999 II TROPIDOPHIIDAE (Reptilia)
- Tropidophis conjunctus*** Fischer, 1888 = ***Tropidophis haetianus*** (Cope, 1879)
- Tropidophis curtus*** (Garman, 1887) = ***Tropidophis canus*** (Cope, 1868)
- Tropidophis distinctus*** Jan, 1863 = ***Tropidophis maculatus*** (Bibron, 1840)
- Tropidophis feicki*** Schwartz, 1957 II TROPIDOPHIIDAE (Reptilia) (E) Feick's Dwarf Boa (F) Boa forestier de Feick, Boa nain de Feick
- Tropidophis fuscus*** Hedges & Garrido, 1992 II TROPIDOPHIIDAE (Reptilia) (F) Boa forestier brun, Boa nain brun
- Tropidophis galacelidus*** Schwartz & Garrido, 1975 = ***Tropidophis pilosbryi*** Bailey, 1937
- Tropidophis greenwayi*** Barbour & Shreve, 1936 II TROPIDOPHIIDAE (Reptilia) (E) Ambergris Cay Dwarf

- Boa (F) Boa forestier d'Ambergris Cay, Boa nain d'Ambergris Cay
- Tropidophis haetianus** (Cope, 1879) II  
TROPIDOPHIIDAE (Reptilia) (E) Haitian Dwarf Boa, Haitian Ground Boa (F) Boa forestier d'Haïti, Boa nain d'Haïti
- Tropidophis hardyi* Schwartz & Garrido, 1975 = *Tropidophis nigriventris* Bailey, 1937
- Tropidophis hendersoni** Hedges & Garrido, 2002 II  
TROPIDOPHIIDAE (Reptilia)
- Tropidophis jamaicensis* Stull, 1928 = *Tropidophis haetianus* (Cope, 1879)
- Tropidophis maculatus** (Bibron, 1840) II  
TROPIDOPHIIDAE (Reptilia) (E) Spotted Dwarf Boa (F) Boa forestier tacheté, Boa nain tacheté
- Tropidophis maculatus haetianus* (Bibron, 1840) = *Tropidophis haetianus* (Cope, 1879)
- Tropidophis maculatus* (Bibron, 1840) = *Tropidophis haetianus* (Cope, 1879)
- Tropidophis maculatus pilsbryi* (Bibron, 1840) = *Tropidophis pilsbryi* Bailey, 1937
- Tropidophis maculatus stullae* (Bibron, 1840) = *Tropidophis haetianus* (Cope, 1879)
- Tropidophis melanurus** (Schlegel, 1837) II  
TROPIDOPHIIDAE (Reptilia) (E) Cuban Black-tailed Dwarf Boa, Navassa Island Black-tailed Dwarf Boa, Wood Snake (S) Boa de bosque, Culebra boba, Maja chico (F) Boa forestier à queue noire de l'île Navassa, Boa nain à queue noire de l'île Navassa
- Tropidophis melanurus caymanensis* (Schlegel, 1837) = *Tropidophis caymanensis* Battersby, 1938
- Tropidophis moreletii* Bocourt, 1885 = *Tropidophis semicinctus* (Gundlach & Peters, 1864)
- Tropidophis morenoi** Hedges, Garrido & Díaz, 2001 II  
TROPIDOPHIIDAE (Reptilia)
- Tropidophis nigriventris** Bailey, 1937 II  
TROPIDOPHIIDAE (Reptilia) (E) Black-bellied Dwarf Boa (F) Boa forestier à ventre noir, Boa nain à ventre noir
- Tropidophis pardalis** (Gundlach, 1840) II  
TROPIDOPHIIDAE (Reptilia) (E) Leopard Dwarf Boa, Thunder Snake (F) Boa forestier léopard, Boa nain léopard
- Tropidophis pardalis androsi* (Gundlach, 1840) = *Tropidophis canus* (Cope, 1868)
- Tropidophis pardalis barbouri* (Gundlach, 1840) = *Tropidophis canus* (Cope, 1868)
- Tropidophis pardalis curtus* (Gundlach, 1840) = *Tropidophis canus* (Cope, 1868)
- Tropidophis pardalis greenwayi* (Gundlach, 1840) = *Tropidophis greenwayi* Barbour & Shreve, 1936
- Tropidophis pardalis stejnegeri* (Gundlach, 1840) = *Tropidophis haetianus* (Cope, 1879)
- Tropidophis parkeri* Grant, 1940 = *Tropidophis caymanensis* Battersby, 1938
- Tropidophis paucisquamis** (Müller, 1901) II  
TROPIDOPHIIDAE (Reptilia) (E) Brazilian Dwarf Boa (F) Boa forestier du Brésil, Boa nain du Brésil
- Tropidophis pilosbryi** Bailey, 1937 II TROPIDOPHIIDAE (Reptilia) (E) Pilsbry's Dwarf Boa (F) Boa forestier de Pilsbry, Boa nain de Pilsbry
- Tropidophis schwartzi* Thomas, 1963 = *Tropidophis caymanensis* Battersby, 1938
- Tropidophis semicinctus** (Gundlach & Peters, 1864) II  
TROPIDOPHIIDAE (Reptilia) (E) Banded Dwarf Boa (F) Boa forestier annelé, Boa nain annelé
- Tropidophis spiritus** Hedges & Garrido, 1999 II  
TROPIDOPHIIDAE (Reptilia) (S) Sancti Spiritus Trope
- Tropidophis stejnegeri* Grant, 1940 = *Tropidophis haetianus* (Cope, 1879)
- Tropidophis stullae* Grant, 1940 = *Tropidophis haetianus* (Cope, 1879)
- Tropidophis taczanowskyi** (Steindachner, 1880) II  
TROPIDOPHIIDAE (Reptilia) (E) Taczanowsky's Dwarf Boa (F) Boa forestier de Taczanowsky, Boa nain de Taczanowsky
- Tropidophis wrighti** Stull, 1928 II TROPIDOPHIIDAE (Reptilia) (E) Wright's Dwarf Boa (F) Boa forestier de Wright, Boa nain de Wright
- Tropidophis xanthogaster** Domínguez, Moreno & Hedges, 2006 II TROPIDOPHIIDAE (Reptilia)  
Trumpetbird (E): *Phonygammus keraudrenii*
- Truncatoflabellum spp.** Cairns 1989 II FLABELLIDAE (Anthozoa)
- Truncatoflabellum aculeatum** (Milne Edwards & Haime, 1848) II FLABELLIDAE (Anthozoa)
- Truncatoflabellum angostomum** (Folkeson, 1919) II FLABELLIDAE (Anthozoa)
- Truncatoflabellum angustum** Cairns & Zibrowius, 1997 II FLABELLIDAE (Anthozoa)
- Truncatoflabellum arcuatum** Cairns, 1995 II FLABELLIDAE (Anthozoa)
- Truncatoflabellum australiensis** Cairns, 1998 II FLABELLIDAE (Anthozoa)
- Truncatoflabellum bairdi* (Milne Edwards & Haime, 1848) = *Truncatoflabellum spheniscus* (Dana, 1846)
- Truncatoflabellum candeanum** (Milne Edwards & Haime, 1848) II FLABELLIDAE (Anthozoa)
- Truncatoflabellum carinatum** Cairns, 1989 II FLABELLIDAE (Anthozoa)
- Truncatoflabellum crassum** (Milne Edwards & Haime, 1848) II FLABELLIDAE (Anthozoa)
- Truncatoflabellum cumingii** (Milne Edwards & Haime, 1848) II FLABELLIDAE (Anthozoa)
- Truncatoflabellum dens** (Alcock, 1902) II FLABELLIDAE (Anthozoa)
- Truncatoflabellum formosum** Cairns, 1989 II FLABELLIDAE (Anthozoa)
- Truncatoflabellum gardineri** Cairns, 1993 II FLABELLIDAE (Anthozoa)
- Truncatoflabellum inconstans** (Marenzeller, 1904) II FLABELLIDAE (Anthozoa)
- Truncatoflabellum incrustatum** Cairns, 1989 II FLABELLIDAE (Anthozoa)
- Truncatoflabellum irregularare** (Semper, 1872) II FLABELLIDAE (Anthozoa)
- Truncatoflabellum macroeschara** Cairns, 1998 II FLABELLIDAE (Anthozoa)
- Truncatoflabellum martensii** (Studer, 1878) II FLABELLIDAE (Anthozoa)

- Truncatoflabellum mortensenii*** Cairns & Zibrowius, 1997  
II FLABELLIDAE (Anthozoa)
- Truncatoflabellum multispinosum*** Cairns, 1993 II  
FLABELLIDAE (Anthozoa)
- Truncatoflabellum paripavoninum*** (Alcock, 1894) II  
FLABELLIDAE (Anthozoa)
- Truncatoflabellum phoenix*** Cairns, 1995 II  
FLABELLIDAE (Anthozoa)
- Truncatoflabellum profundum*** (Milne Edwards & Haime, 1848) = *Truncatoflabellum spheniscus* (Dana, 1846)
- Truncatoflabellum pusillum*** Cairns, 1989 II  
FLABELLIDAE (Anthozoa)
- Truncatoflabellum spheniscus*** (Dana, 1846) II  
FLABELLIDAE (Anthozoa)
- Truncatoflabellum stabile*** (Marenzeller, 1904) II  
FLABELLIDAE (Anthozoa)
- Truncatoflabellum stokesii*** (Milne Edwards & Haime, 1848) II FLABELLIDAE (Anthozoa)
- Truncatoflabellum trapezoideum*** (Keller, 1981) II  
FLABELLIDAE (Anthozoa)
- Truncatoflabellum truncum*** (Cairns, 1982) II  
FLABELLIDAE (Anthozoa)
- Truncatoflabellum vanuatu*** (Wells, 1984) II  
FLABELLIDAE (Anthozoa)
- Truncatoflabellum veroni*** Cairns, 1998 II FLABELLIDAE (Anthozoa)
- Truncatoflabellum vigintifarium*** Cairns, 1999 II  
FLABELLIDAE (Anthozoa)
- Truncatoflabellum zuluense*** Cairns, 1993 II  
FLABELLIDAE (Anthozoa)
- Truncatoguynia spp.*** Cairns 1989 II GUYNIIDAE (Anthozoa)
- Truncatoguynia irregularis*** Cairns, 1989 II GUYNIIDAE (Anthozoa)
- Tuatara (E): *Sphenodon punctatus*  
Tuátara (S): *Sphenodon punctatus*  
Tuatara, Brother Islands (E): *Sphenodon guntheri*  
Tuatara, Cook Strait (E): *Sphenodon punctatus*
- Tubastraea spp.*** Lesson 1829 II DENDROPHYLLOIDAE (Anthozoa)
- Tubastraea aurea* (Quoy & Gaimard, 1833) = *Tubastraea coccinea* Lesson, 1829
- Tubastraea coccinea*** Lesson, 1829 II  
DENDROPHYLLOIDAE (Anthozoa) (E) Orange Cup Coral, Orange Tube Coral (S) Coral naranja de tubo (F) Tubastrée orange
- Tubastraea diaphana*** (Dana, 1846) II  
DENDROPHYLLOIDAE (Anthozoa)
- Tubastraea faulkneri*** Wells, 1982 II  
DENDROPHYLLOIDAE (Anthozoa) (E) Orange Turret Coral
- Tubastraea floreana*** Wells, 1982 II  
DENDROPHYLLOIDAE (Anthozoa)
- Tubastraea micranthus*** (Ehrenberg, 1834) II  
DENDROPHYLLOIDAE (Anthozoa) (E) Black Turret Coral, Tree Coral
- Tubastraea pedersenii* (Verrill, 1869) = *Tubastraea coccinea* Lesson, 1829
- Tubastraea tagusensis*** Wells, 1982 II  
DENDROPHYLLOIDAE (Anthozoa)
- Tubastraea tenuilamellosa*** (Milne Edwards & Haime, 1848) = *Tubastraea coccinea* Lesson, 1829
- Tubastraea willeyi* (Gardiner, 1899) = *Tubastraea coccinea* Lesson, 1829
- Tubastrée orange (F): *Tubastraea coccinea*
- Tubipora spp.*** Linnaeus 1758 II TUBIPORIDAE (Anthozoa)
- Tubipora musica*** Linnaeus, 1758 II TUBIPORIDAE (Anthozoa) (E) Organ-pipe Coral
- TUBIPORIDAE spp.*** Ehrenberg, 1828 II (Anthozoa) (E) Organ-Pipe Corals (S) Corales Rojos (F) Orgues De Mer
- Tucán bicolor (S): *Ramphastos dicolorus*  
Tucancito picomaculado (S): *Selenidera maculirostris*  
Tucán de pico acanalado (S): *Selenidera maculirostris*  
Tucán de pico verde (S): *Ramphastos toco*  
Tucanete piquimaculado (S): *Selenidera maculirostris*  
Tucán grande (S): *Ramphastos toco*  
Tucán pechiblanco (S): *Ramphastos tucanus*  
Tucán picoacanalado (S): *Ramphastos vitellinus*  
Tucán pico-multicolor (S): *Ramphastos sulfuratus*  
Tucán piquirrojo (S): *Ramphastos vitellinus*  
Tucán piquiverde (S): *Ramphastos sulfuratus*  
Tucán rojo y amarillo (S): *Ramphastos dicolorus*  
Tucán tilingo (S): *Pteroglossus castanotis*  
Tucán-Tilingo verde (S): *Pteroglossus castanotis*  
Tucán toco (S): *Ramphastos toco*  
Tucán verde (S): *Ramphastos dicolorus*  
Tucusito amatista (S): *Calliphlox amethystina*  
Tucusito cabeza azul (S): *Klais guimeti*  
Tucusito garganta rosa (S): *Chaetocercus jourdanii*  
Tucusito moradito (S): *Thalurania furcata*  
Tucusito pico curvo (S): *Lepidopyga goudoti*  
Tucusito rubí (S): *Chrysolampis mosquitus*  
Tucuso de Barba (S): *Threnetes ruckeri*  
Tucuxi (E): *Sotalia fluviatilis*  
*Tukutuku rakiurae* (Thomas, 1981) = *Hoplodactylus rakiurae* Thomas, 1981  
Tunina de Heaviside (S): *Cephalorhynchus heavisidii*  
Tunina de Héctor (S): *Cephalorhynchus hectori*  
Tunina de vientre blanco (S): *Cephalorhynchus eutropis*  
Tunina overa (S): *Cephalorhynchus commersonii*  
Tunina sinaleta (S): *Lissodelphis peronii*  
Tunqui (S): *Rupicola peruvianus*  
***Tupaia spp.*** II TUPAIIDAE (Mammalia)
- Tupaia belangeri*** (Wagner, 1841) II TUPAIIDAE (Mammalia) (E) Northern Treeshrew (S) Tupaya norteña
- Tupaia chrysogaster*** Miller, 1903 II TUPAIIDAE (Mammalia) (E) Golden-bellied Treeshrew, Mentawai Treeshrew (S) Tupaya de vientre dorado
- Tupaia de Bornéo (F): *Tupaia tana*
- Tupaia dorsalis*** Schlegel, 1857 II TUPAIIDAE (Mammalia) (E) Striped Treeshrew (S) Tupaya rayada
- Tupaia glis*** (Diard, 1820) II TUPAIIDAE (Mammalia) (E) Malaysian Treeshrew (S) Musaraña común (F) Toupaï commun
- Tupaia glis belangeri* (Diard, 1820) = *Tupaia belangeri* (Wagner, 1841)

- Tupaia glis chrysogaster* (Diard, 1820) = *Tupaia chrysogaster* Miller, 1903
- Tupaia glis longipes* (Diard, 1820) = *Tupaia longipes* (Thomas, 1893)
- Tupaia glis palawanensis* (Diard, 1820) = *Tupaia palawanensis* Thomas, 1894
- Tupaia gracilis*** Thomas, 1893 II TUPAIIDAE (Mammalia)  
(E) Slender Treeshrew (S) Tupaya esbelta
- Tupaia javanica*** Horsfield, 1822 II TUPAIIDAE  
(Mammalia) (E) Javan Treeshrew (F) Toupaïe de Java
- Tupaia longipes*** (Thomas, 1893) II TUPAIIDAE  
(Mammalia) (E) Bornean Treeshrew, Long-footed Treeshrew (S) Tupaya de pies largos
- Tupaia minor*** Günther, 1876 II TUPAIIDAE (Mammalia)  
(E) Lesser Treeshrew, Pygmy Treeshrew (S) Musaraña pigmea (F) Toupaïe de Müller
- Tupaia moellendorffii*** Matschie, 1898 II TUPAIIDAE  
(Mammalia) (E) Calamian Treeshrew
- Tupaia montana*** Thomas, 1892 II TUPAIIDAE  
(Mammalia) (E) Mountain Treeshrew (F) Toupaïe des montagnes
- Tupaia nicobarica*** (Zelebor, 1869) II TUPAIIDAE  
(Mammalia) (E) Nicobar Treeshrew (F) Toupaïe des îles Nicobar
- Tupaia palawanensis*** Thomas, 1894 II TUPAIIDAE  
(Mammalia) (E) Palawan Treeshrew (F) Toupaïe de l'île Palawan
- Tupaia picta*** Thomas, 1892 II TUPAIIDAE (Mammalia) (E)  
Painted Treeshrew (S) Tupaya pintada
- Tupaia splendidula*** Gray, 1865 II TUPAIIDAE (Mammalia)  
(E) Ruddy Treeshrew, Rufous-tailed Treeshrew (S)  
Tupaya de cola marrón
- Tupaia tana*** Raffles, 1821 II TUPAIIDAE (Mammalia) (E)  
Large Treeshrew (S) Musaraña grande (F) Grande toupaïe, Tana, Tupaya de Bornéo
- Tupaias (F): *Tupaiidae*  
Tupaias (F): *Scandentia*
- TUPAIIDAE spp.** Gray, 1825 II (Mammalia) (E) Tree Shrews (S) Musarañas (F) Tupaias
- Tupaya de Borneo (S): *Dendrogale melanura*
- Tupaya de cola marrón (S): *Tupaia splendidula*
- Tupaya de pies largos (S): *Tupaia longipes*
- Tupaya de vientre dorado (S): *Tupaia chrysogaster*
- Tupaya esbelta (S): *Tupaia gracilis*
- Tupaya norteña (S): *Tupaia belangeri*
- Tupaya pintada (S): *Tupaia picta*
- Tupaya rayada (S): *Tupaia dorsalis*
- Tupinambis* spp. II TEIIDAE (Reptilia)**
- Tupinambis albicularis* Daudin, 1802 = *Varanus albicularis* (Daudin, 1802)
- Tupinambis arenarius* G. Geoffroy, 1827 = *Varanus griseus* (Daudin, 1803)
- Tupinambis bengalensis* Daudin, 1802 = *Varanus bengalensis* (Daudin, 1802)
- Tupinambis cepedianus* Daudin, 1802 = *Varanus bengalensis* (Daudin, 1802)
- Tupinambis cerradensis*** Colli, Péres & Cunha, 1998 II TEIIDAE (Reptilia)
- Tupinambis duseni*** Lönnberg, 1896 II TEIIDAE (Reptilia)  
(E) Yellow Tegu
- Tupinambis griseus* Daudin, 1803 = *Varanus griseus* (Daudin, 1803)
- Tupinambis indicus* Daudin, 1802 = *Varanus indicus* (Daudin, 1802)
- Tupinambis longilineus*** Avila-Pires, 1995 II TEIIDAE (Reptilia)
- Tupinambis merianae*** (Duméril & Bibron, 1839) II TEIIDAE (Reptilia) (E) Argentine Black and White Tegu
- Tupinambis nigropunctatus* (Linnaeus, 1758) = *Tupinambis teguixin* (Linnaeus, 1758)
- Tupinambis nigropunctatus* Spix, 1824 = *Tupinambis teguixin* (Linnaeus, 1758)
- Tupinambis ornatus* Daudin, 1803 = *Varanus ornatus* (Daudin, 1803)
- Tupinambis palustris*** Manzani & Abe, 2002 II TEIIDAE (Reptilia)
- Tupinambis quadrilineatus*** Manzani & Abe, 1997 II TEIIDAE (Reptilia)
- Tupinambis quadrilineatus* Manzani and Abe, 1997 = *Tupinambis cerradensis* Colli, Péres & Cunha, 1998
- Tupinambis rufescens*** (Günther, 1871) II TEIIDAE (Reptilia) (E) Argentine Tegu, Red Tegu (F) Téju rouge
- Tupinambis teguixin*** (Linnaeus, 1758) II TEIIDAE (Reptilia) (E) Banded Tegu, Black Tegu, Brazilian Tegu, Common Tegu (F) Grand téju, Sauvegarde, Téju à taches noires, Téju noir
- Tupinambis variegatus* Daudin, 1802 = *Varanus varius* (Shaw in White, 1790)
- Turaco, Bannerman's (E): *Tauraco bannermani*
- Turaco, Black-billed (E): *Tauraco schuettii*
- Turaco, Black-tip Crested (E): *Tauraco macrorhynchus*
- Turaco capucha-blanca (S): *Tauraco leucolophus*
- Turaco capucha-franjeada (S): *Tauraco macrorhynchus*
- Turaco capucha-verde de Guinea (S): *Tauraco persa*
- Turaco cariblanco (S): *Tauraco leucotis*
- Turaco, Crested (E): *Tauraco macrorhynchus*
- Turaco crestiblanco (S): *Tauraco leucolophus*
- Turaco crestimorado (S): *Tauraco porphyreolophus*
- Turaco crestirrojo (S): *Tauraco erythrophthalmus*
- Turaco crestivioleta (S): *Tauraco porphyreolophus*
- Turaco de Bannerman (S): *Tauraco bannermani*
- Turaco de Fischer (S): *Tauraco fischeri*
- Turaco de Guinea (S): *Tauraco persa*
- Turaco de Hartlaub (S): *Tauraco hartlaubi*
- Turaco de Knysna (S): *Tauraco corythaix*
- Turaco de Livingstone (S): *Tauraco livingstonii*
- Turaco de Ruspoli (S): *Tauraco ruspolii*
- Turaco de Schalow (S): *Tauraco schalowi*
- Turaco de Schuett (S): *Tauraco schuettii*
- Turaco, Fischer's (E): *Tauraco fischeri*
- Turaco, Guinea (E): *Tauraco persa*
- Turaco, Hartlaub's (E): *Tauraco hartlaubi*
- Turaco, Helmeted (E): *Tauraco corythaix*
- Turaco, Knysna (E): *Tauraco corythaix*
- Turaco, Livingstone's (E): *Tauraco livingstonii*
- Turaco persa (S): *Tauraco persa*
- Turaco piquigualdo (S): *Tauraco macrorhynchus*
- Turaco piquinegro (S): *Tauraco schuettii*
- Turaco, Prince Ruspoli's (E): *Tauraco ruspolii*
- Turaco, Purple-crested (E): *Tauraco porphyreolophus*

- Turaco, Red-crested (E): *Tauraco erythrolophus*  
 Turaco, Ruspoli's (E): *Tauraco ruspolii*  
 Turaco, Schalow's (E): *Tauraco schalowi*  
 Turaco sudafricanus (S): *Tauraco corythaix*  
 Turaco, Verreaux's (E): *Tauraco macrorhynchus*  
 Turaco, Violet-crested (E): *Tauraco porphyreolophus*  
 Turaco, White-cheeked (E): *Tauraco leucotis*  
 Turaco, White-crested (E): *Tauraco leucolophus*  
 Turaco, Yellow-billed (E): *Tauraco macrorhynchus*  
*Turacus livingstonii* G. R. Gray, 1864 = *Tauraco livingstonii* (G. R. Gray, 1864)  
*Turacus ruspolii* Salvadori, 1896 = *Tauraco ruspolii* (Salvadori, 1896)
- Turbinaria spp.** Oken 1815 II DENDROPHYLLIIDAE (Anthozoa)
- Turbinaria aspera* Bernard, 1896 = *Turbinaria mesenterina* (Lamarck, 1816)
- Turbinaria bifrons** Brüggemann, 1877 II DENDROPHYLLIIDAE (Anthozoa)
- Turbinaria carcensis* Nemenzo = *Turbinaria frondens* (Dana, 1846)
- Turbinaria carinata* Nemenzo = *Turbinaria stellulata* (Lamarck, 1816)
- Turbinaria conica* Klunzinger, 1879 = *Turbinaria mesenterina* (Lamarck, 1816)
- Turbinaria conspicua** Bernard, 1896 II DENDROPHYLLIIDAE (Anthozoa)
- Turbinaria crassa* Bernard, 1896 = *Turbinaria mesenterina* (Lamarck, 1816)
- Turbinaria crater** (Pallas, 1766) II DENDROPHYLLIIDAE (Anthozoa)
- Turbinaria cylindrica* Nemenzo = *Turbinaria heronensis* Wells, 1958
- Turbinaria dichotoma* Verrill, 1871 = *Turbinaria peltata* (Esper, 1790)
- Turbinaria disparata* Nemenzo, 1980 = *Turbinaria reniformis* Bernard, 1896
- Turbinaria elegans* Bernard, 1896 = *Turbinaria mesenterina* (Lamarck, 1816)
- Turbinaria eminens* Nemenzo = *Turbinaria irregularis* Bernard, 1896
- Turbinaria frondens** (Dana, 1846) II DENDROPHYLLIIDAE (Anthozoa)
- Turbinaria globularis* Bernard, 1896 = *Turbinaria stellulata* (Lamarck, 1816)
- Turbinaria heronensis** Wells, 1958 II DENDROPHYLLIIDAE (Anthozoa)
- Turbinaria irregularis** Bernard, 1896 II DENDROPHYLLIIDAE (Anthozoa)
- Turbinaria maxima* Ortmann, 1888 = *Turbinaria peltata* (Esper, 1790)
- Turbinaria mesenterina** (Lamarck, 1816) II DENDROPHYLLIIDAE (Anthozoa) (E) Pagoda Coral, Vase Coral
- Turbinaria nitida* Nemenzo = *Turbinaria stellulata* (Lamarck, 1816)
- Turbinaria patula** (Dana, 1846) II DENDROPHYLLIIDAE (Anthozoa)
- Turbinaria peltata** (Esper, 1790) II DENDROPHYLLIIDAE (Anthozoa) (E) Bowl Coral, Disk Coral
- Turbinaria quincuncialis* Ortmann, 1889 = *Turbinaria crater* (Pallas, 1766)
- Turbinaria radicalis** Bernard, 1896 II DENDROPHYLLIIDAE (Anthozoa)
- Turbinaria reniformis** Bernard, 1896 II DENDROPHYLLIIDAE (Anthozoa) (E) Yellow Scroll Coral
- Turbinaria stellulata** (Lamarck, 1816) II DENDROPHYLLIIDAE (Anthozoa)
- Turbinaria stephensi* Crossland, 1952 = *Turbinaria stellulata* (Lamarck, 1816)
- Turbinaria veluta* Bernard, 1896 = *Turbinaria reniformis* Bernard, 1896
- Turbinolia spp.** Lamarck 1816 II TURBINOLIIDAE (Anthozoa)
- Turbinolia australiensis* Gardiner, 1939 = *Conocyathus zelandiae* Duncan, 1876
- Turbinolia borealis* Fleming, 1828 = *Caryophyllia smithii* Stokes & Broderip, 1828
- Turbinolia corbicula* Pourtales, 1878 = *Trematotrochus corbicula* (Pourtales, 1878)
- Turbinolia geoffroyi* Audouin, 1826 = *Trachyphyllia geoffroyi* (Audouin, 1826)
- Turbinolia italica* Michelotti, 1838 = *Deltocyathus italicus* (Michelotti, 1838)
- Turbinolia stephensi** (Wells, 1959) II TURBINOLIIDAE (Anthozoa)
- TURBINOLIIDAE spp.** Milne Edwards & Haime 1848 II (Anthozoa)
- Turkey, Ocellated (E): *Meleagris ocellata*
- Turón de patas negras (S): *Mustela nigripes*
- Turón patinegro americano (S): *Mustela nigripes*
- Tursión (S): *Tursiops truncatus*
- Tursiops (F): *Tursiops truncatus*
- Tursiops spp.** II<sup>18</sup> DELPHINIDAE (Mammalia)
- Tursiops aduncus** (Ehrenberg, 1833) II<sup>18</sup> DELPHINIDAE (Mammalia) (E) Indian Ocean
- Bottlenose Dolphin, Indo-Pacific Bottle-nosed Dolphin, Long-beaked Bottlenose Dolphin (S) Delfín mular del Oceano Indico (F) Grand dauphin de l'océan Indien
- Tursiops gilli* Dall, 1873 = *Tursiops truncatus* (Montagu, 1821)
- Tursiops nesarnack* Lacépède, 1804 = *Tursiops truncatus* (Montagu, 1821)
- Tursiops nuuanu* Andrews, 1911 = *Tursiops truncatus* (Montagu, 1821)
- Tursiops truncatus** (Montagu, 1821) II<sup>18</sup> DELPHINIDAE (Mammalia) (E) Bottle-nosed Dolphin, Bottlenose Dolphin, Short-beaked Bottlenose Dolphin (S) Delfín mular, Pez mular, Tursión (F) Grand Dauphin, Souffleur, Tursiops
- Tursiops truncatus aduncus* (Montagu, 1821) = *Tursiops aduncus* (Ehrenberg, 1833)
- Turtle, Alabama Map (E): *Graptemys pulchra*
- Turtle, Alligator Snapping (E): *Macrochelys temminckii*
- Turtle, Annam Leaf (E): *Mauremys annamensis*
- Turtle, Annam Pond (E): *Mauremys annamensis*
- Turtle, Aquatic Box (E): *Terrapene coahuila*
- Turtle, Arakan Forest (E): *Heosemys depressa*
- Turtle, Asian Giant Softshell (E): *Pelochelys cantorii*

- Turtle, Asian Leaf (E): *Cyclemys dentata*  
 Turtle, Asiatic Softshell (E): *Amyda cartilaginea*  
 Turtle, Assam Roofed (E): *Pangshura sylhetensis*  
 Turtle, Barbour's Map (E): *Graptemys barbouri*  
 Turtle, Beale's Eyed (E): *Sacalia bealei*  
 Turtle, Bengal Black (E): *Melanochelys trijuga*  
 Turtle, Bengal Roof (E): *Batagur kachuga*  
 Turtle, Big-Headed (E): *Platysternidae*  
 Turtle, Big-Headed (E): *Platysternon megacephalum*  
 Turtle, Big-headed Amazon River (E): *Peltocephalus dumerilianus*  
 Turtle, Big-headed Pond (E): *Mauremys megalocephala*  
 Turtle, Big-headed Sideneck (E): *Peltocephalus dumerilianus*  
 Turtle, Black-breasted Leaf (E): *Geoemyda spengleri*  
 Turtle, Black-knobbed Map (E): *Graptemys nigrinoda*  
 Turtle, Black Marsh (E): *Siebenrockiella crassicollis*  
 Turtle, Black Pond (E): *Geoclemys hamiltonii*  
 Turtle, Black Softshell (E): *Nilssonia nigricans*  
 Turtle, Black Spiny Softshell (E): *Apalone spinifera atra*  
 Turtle, Black Spotted (E): *Geoclemys hamiltonii*  
 Turtle, Blanding's (E): *Emydoidea blandingii*  
 Turtle, Bog (E): *Glyptemys muhlenbergii*  
 Turtle, Bornean River (E): *Orlitia borneensis*  
 Turtle, Bostami (E): *Nilssonia nigricans*  
 Turtle, Bourret's Box (E): *Cuora galbinifrons*  
 Turtle, Brown River (E): *Pangshura smithii*  
 Turtle, Brown Roofed (E): *Pangshura smithii*  
 Turtle, Burmese Black (E): *Melanochelys trijuga*  
 Turtle, Burmese Eyed (E): *Morenia ocellata*  
 Turtle, Burmese Flapshell (E): *Lissemys scutata*  
 Turtle, Burmese Narrow-headed Softshell (E): *Chitra vandikji*  
 Turtle, Burmese Peacock Softshell (E): *Nilssonia formosa*  
 Turtle, Burmese Roofed (E): *Batagur trivittata*  
 Turtle, Burmese Swamp (E): *Morenia ocellata*  
 Turtle, Cagle's Map (E): *Graptemys caglei*  
 Turtle, Cantor's Giant Softshell (E): *Pelochelys cantorii*  
 Turtle, Central American River (E): *Dermatemys mawii*  
 Turtle, Chinese Box (E): *Cuora flavomarginata*  
 Turtle, Chinese False-eyed (E): *Sacalia pseudocellata*  
 Turtle, Chinese Red-necked Pond (E): *Mauremys nigricans*  
 Turtle, Chinese Stripe-necked (E): *Mauremys sinensis*  
 Turtle, Chinese Three-keeled Pond (E): *Mauremys reevesii*  
 Turtle, Chinese Three-striped Box (E): *Cuora trifasciata*  
 Turtle, Coahuila (E): *Terrapene coahuila*  
 Turtle, Coahuila Box (E): *Terrapene coahuila*  
 Turtle, Cochinchina Black (E): *Melanochelys trijuga*  
 Turtle, Cochinchina Forest Cane (E): *Vijayachelys silvatica*  
 Turtle, Common Box (E): *Terrapene carolina*  
 Turtle, Common Map (E): *Graptemys geographica*  
 Turtle, Crowned River (E): *Hardella thurjii*  
 Turtle, Dhongoka Roofed (E): *Batagur dhongoka*  
 Turtle, Dura (E): *Pangshura tecta*  
 Turtle, Eastern Black-bridged Leaf (E): *Cyclemys pulchristriata*  
 Turtle, Eastern Box (E): *Terrapene carolina*  
 Turtle, Escambia Map (E): *Graptemys ernsti*  
 Turtle, False Map (E): *Graptemys pseudogeographica*  
 Turtle, Fly River (E): *Carettochelys insculpta*  
 Turtle, Four-eyed (E): *Sacalia quadriocellata*  
 Turtle, Frog-faced Giant Softshell (E): *Pelochelys cantorii*  
 Turtle, Fujian Pond (E): *Mauremys iversoni*  
 Turtle, Giant Asian Pond (E): *Heosemys grandis*  
 Turtle, Giant South American (E): *Podocnemis expansa*  
 Turtle, Golden-headed Box (E): *Cuora aurocapitata*  
 Turtle, Green (E): *Chelonia mydas*  
 Turtle, Hawksbill (E): *Eretmochelys imbricata*  
 Turtle, Indian Black (E): *Melanochelys trijuga*  
 Turtle, Indian Eyed (E): *Morenia petersi*  
 Turtle, Indian Flapshell (E): *Lissemys punctata*  
 Turtle, Indian Narrow-headed Softshell (E): *Chitra indica*  
 Turtle, Indian Peacock Softshell (E): *Nilssonia hurum*  
 Turtle, Indian Pond (E): *Pangshura tecta*  
 Turtle, Indian Roofed (E): *Pangshura tecta*  
 Turtle, Indian Sawback (E): *Pangshura tecta*  
 Turtle, Indian Softshell (E): *Nilssonia gangetica*  
 Turtle, Indian Tent (E): *Pangshura tentoria*  
 Turtle, Indochinese Box (E): *Cuora galbinifrons*  
 Turtle, Jagged-shelled (E): *Cuora mouhotii*  
 Turtle, Japanese Pond (E): *Mauremys japonica*  
 Turtle, Keel-backed (E): *Cuora mouhotii*  
 Turtle, Keeled Box (E): *Cuora mouhotii*  
 Turtle, Leatherback (E): *Dermochelys coriacea*  
 Turtle, Leathery (E): *Dermochelys coriacea*  
 Turtle, Leith's Softshell (E): *Nilssonia leithii*  
 Turtle, Lesser Chinese Softshell (E): *Pelodiscus parviformis*  
 Turtle, Leyte Pond (E): *Siebenrockiella leyteensis*  
 Turtle, Llanos Sideneck (E): *Podocnemis vogli*  
 Turtle, Luth (E): *Dermochelys coriacea*  
 Turtle, Madagascar Big-headed (E): *Erymnochelys madagascariensis*  
 Turtle, Madagascar Sideneck (E): *Erymnochelys madagascariensis*  
 Turtle, Magdalena River (E): *Podocnemis lewyana*  
 Turtle, Malayan Flat-shelled (E): *Notochelys platynota*  
 Turtle, Malayan Snail-eating (E): *Malayemys macrocephala*  
 Turtle, Malayan Softshell (E): *Dogania subplana*  
 Turtle, Malaysian Box (E): *Cuora amboinensis*  
 Turtle, Malaysian Giant (E): *Orlitia borneensis*  
 Turtle, McCord's Box (E): *Cuora mccordi*  
 Turtle, Mekong Snail-eating (E): *Malayemys subtrijuga*  
 Turtle, Muhlenberg's (E): *Glyptemys muhlenbergii*  
 Turtle, New Guinea Giant Softshell (E): *Pelochelys bibroni*  
 Turtle, New Guinea Plateless (E): *Carettochelys insculpta*  
 Turtle, Northern Chinese Softshell (E): *Pelodiscus maackii*  
 Turtle, Notch-mouthed Stripe-necked (E): *Ocadia glyphistoma*  
 Turtle, Orange-headed Temple (E): *Heosemys grandis*  
 Turtle, Ornate Box (E): *Terrapene ornata*  
 Turtle, Ouachita Map (E): *Graptemys ouachitensis*  
 Turtle, Palawan Forest (E): *Siebenrockiella leyteensis*  
 Turtle, Pan's Box (E): *Cuora pani*  
 Turtle, Parker's Black (E): *Melanochelys trijuga*  
 Turtle, Pascagoula Map (E): *Graptemys gibbonsi*  
 Turtle, Peacock (E): *Morenia ocellata*

Turtle, Peacock Soft-shell (E): <i>Nilssonia hurum</i>	Turtle, Yellow-headed Temple (E): <i>Heosemys annandalii</i>
Turtle, Pearl River Map (E): <i>Graptemys pearlensis</i>	Turtle, Yellow-margined Box (E): <i>Cuora flavomarginata</i>
Turtle, Philippen's Stripe-necked (E): <i>Ocadia philippeni</i>	Turtle, Yellow Pond (E): <i>Mauremys mutica</i>
Turtle, Philippine Pond (E): <i>Siebenrockiella leytensis</i>	Turtle, Yellow-spotted River (E): <i>Podocnemis unifilis</i>
Turtle, Pig-nosed (E): <i>Carettochelys insculpta</i>	Turtle, Yellow-spotted Sideneck (E): <i>Podocnemis unifilis</i>
Turtle, Pitted-shell (E): <i>Carettochelys insculpta</i>	Turtle, Yunnan Box (E): <i>Cuora yunnanensis</i>
Turtle, Pritchard's Pond (E): <i>Mauremys pritchardi</i>	Turtle, Zhou's Box (E): <i>Cuora zhoui</i>
Turtle, Red-crowned Roofed (E): <i>Batagur kachuga</i>	Turt, Western Black-bridged Leaf (E): <i>Cyclemys atripons</i>
Turtle, Red-headed Amazon River (E): <i>Podocnemis erythrocephala</i>	<b><i>Tylopates</i> spp.</b> Brook, 1889 II STYLOPATHIDAE (Anthozoa)
Turtle, Red-headed River (E): <i>Podocnemis erythrocephala</i>	<i>Tylopates atlantica</i> Roule, 1902 = <i>Antipathes grayi</i> (Roule, 1902)
Turtle, Reeves's (E): <i>Mauremys reevesii</i>	<b><i>Tylopates contorta</i></b> (Brook, 1889) II STYLOPATHIDAE (Anthozoa)
Turtle, Ricefield (E): <i>Malayemys subtrijuga</i>	<b><i>Tylopates crispa</i></b> Brook, 1889 II STYLOPATHIDAE (Anthozoa)
Turtle, Ringed Map (E): <i>Graptemys oculifera</i>	<i>Tylopates dubia</i> Brook, 1889 = <i>Antipathes dubia</i> (Brook, 1889)
Turtle, Rio Magdalena River (E): <i>Podocnemis lewyana</i>	<i>Tylopates elegans</i> Brook, 1889 = <i>Antipathes elegans</i> (Brook, 1889)
Turtle, Roti Snake-necked (E): <i>Chelodina mccordi</i>	<i>Tylopates grayi</i> Roule, 1902 = <i>Antipathes grayi</i> (Roule, 1902)
Turtle, Ryukyu Black-breasted Leaf (E): <i>Geoemyda japonica</i>	<i>Tylopates hypnoides</i> Brook, 1889 = <i>Antipathes hypnoides</i> (Brook, 1889)
Turtle, Savanna Sideneck (E): <i>Podocnemis vogli</i>	<i>Tylopates punctata</i> Roule, 1905 = <i>Stauropathes punctata</i> (Roule, 1905)
Turtle, Saw-jawed (E): <i>Batagur borneoensis</i>	<b><i>Tympanuchus cupido</i></b> (Linnaeus, 1758) II/NC PHASIANIDAE (Aves) (E) Greater Prairie-chicken (S) Gallo de las praderas grande (F) Tétras des prairies
Turtle, Six-tuberclered Amazon River (E): <i>Podocnemis sextuberculata</i>	<b><i>Tympanuchus cupido attwateri</i></b> Bendire, 1893 II PHASIANIDAE (Aves) (E) Attwater's Prairie-chicken (S) Gallito de pradera (F) Poule de prairie d'Attwater, Tétras cupidon d'Attwater
Turtle, Six-tuberclered River (E): <i>Podocnemis sextuberculata</i>	<b><i>Tyto</i> spp. I/II</b> 30 TYTONIDAE (Aves)
Turtles, Marine (E): <i>Cheloniidae</i>	<b><i>Tyto alba</i></b> (Scopoli, 1769) II 30 TYTONIDAE (Aves) (E) Barn Owl, Common Barn-Owl (S) Lechuza común, Lechuza de campanario (F) Chouette effraie, Effraie africaine, Effraie des clochers
Turtle, South American River (E): <i>Podocnemis expansa</i>	<i>Tyto alba glaurops</i> (Scopoli, 1769) = <i>Tyto glaurops</i> (Kaup, 1852)
Turtle, South Asian Box (E): <i>Cuora amboinensis</i>	<b><i>Tyto aurantia</i></b> (Salvadori, 1881) II 30 TYTONIDAE (Aves) (E) Bismarck Masked-Owl, Golden Owl, New Britain Masked-Owl (S) Lechuza dorada (F) Effraie dorée
Turtle, Southeast Asian Leaf (E): <i>Cyclemys oldhamii</i>	<b><i>Tyto capensis</i></b> (A. Smith, 1834) II 30 TYTONIDAE (Aves) (E) African Grass-Owl, Grass Owl (S) Lechuza de El Cabo (F) Effraie du Cap
Turtle, Southeast Asian Narrow-headed Softshell (E): <i>Chitra chitra</i>	<i>Tyto castanops</i> (Gould, 1837) = <i>Tyto novaehollandiae</i> (Stephens, 1826)
Turtle, Spiny (E): <i>Heosemys spinosa</i>	<i>Tyto delicatula</i> (Gould, 1837) = <i>Tyto alba</i> (Scopoli, 1769)
Turtle, Spiny Softshell (E): <i>Apalone spinifera</i>	<i>Tyto deroepstorffi</i> (Hume, 1875) = <i>Tyto alba</i> (Scopoli, 1769)
Turtle, Spotted (E): <i>Clemmys guttata</i>	<i>Tyto detorta</i> Hartert, 1913 = <i>Tyto alba</i> (Scopoli, 1769)
Turtle, Spotted (E): <i>Lissemys punctata</i>	<b><i>Tyto glaurops</i></b> (Kaup, 1852) II 30 TYTONIDAE (Aves) (E) Ashy-faced Owl (S) Lechuza de la Española (F) Effraie d'Hispaniola
Turtle, Spotted Box (E): <i>Terrapene nelsoni</i>	<b><i>Tyto inexpectata</i></b> (Schlegel, 1879) II 30 TYTONIDAE (Aves) (E) Minahassa Barn-Owl, Minahassa Masked-Owl, Minahassa Owl (S) Lechuza de Minahassa (F) Effraie de Minahassa
Turtle, Spotted Pond (E): <i>Geoclemys hamiltonii</i>	
Turtle, Sri Lanka Black (E): <i>Melanochelys trijuga</i>	
Turtle, Sri Lankan Flapshell (E): <i>Lissemys ceylonensis</i>	
turtles, Sea (E): <i>Cheloniidae</i>	
Turtle, Striped Giant Soft-shelled (E): <i>Chitra chitra</i>	
Turtle, Striped Narrow-headed Softshell (E): <i>Chitra chitra</i>	
Turtle, Sulawesi Forest (E): <i>Leucocephalon yuwonoi</i>	
Turtle, Sunburst (E): <i>Heosemys spinosa</i>	
Turtle, Swamp (E): <i>Morenia ocellata</i>	
Turtle, Sylhet Roofed (E): <i>Pangshura sylhetensis</i>	
Turtle, Tent (E): <i>Pangshura tecta</i>	
Turtle, Texas Map (E): <i>Graptemys versa</i>	
Turtle, Three-keeled Land (E): <i>Melanochelys tricarinata</i>	
Turtle, Three-striped Roofed (E): <i>Batagur dhongoka</i>	
Turtle, Tricarinate Hill (E): <i>Melanochelys tricarinata</i>	
Turtle, Trunkback (E): <i>Dermochelys coriacea</i>	
Turtle, Vietnamese Pond (E): <i>Mauremys annamensis</i>	
Turtle, Water Box (E): <i>Terrapene coahuila</i>	
Turtle, Wattle-necked Softshell (E): <i>Palea steindachneri</i>	
Turtle, Western Box (E): <i>Terrapene ornata</i>	
Turtle, Western Short-necked (E): <i>Pseudemydura umbrina</i>	
Turtle, Western Swamp (E): <i>Pseudemydura umbrina</i>	
Turtle, Wood (E): <i>Glyptemys insculpta</i>	
Turtle, Yangtze Softshell (E): <i>Rafetus swinhoei</i>	
Turtle, Yellow-blotched Map (E): <i>Graptemys flavimaculata</i>	
Turtle, Yellow-headed Box (E): <i>Cuora aurocapitata</i>	

- Tyto longimembris* (Jerdon, 1839) = *Tyto capensis* (A. Smith, 1834)
- Tyto manusi*** Rothschild & Hartert, 1914 II<sup>30</sup>  
TYTONIDAE (Aves) (E) Manus Masked-Owl (S)  
Lechuza de la Manus (F) Effraie de Manus
- Tyto multipunctata*** Mathews, 1912 II<sup>30</sup> TYTONIDAE  
(Aves) (E) Lesser Sooty-Owl (S) Lechuza moteada (F)  
Effraie piquetée
- TYTONIDAE spp. I/II** 30 (Aves) (S) Lechuzas (F) Effraie De Soumagne
- Tyto nigrobrunnea*** Neumann, 1939 II<sup>30</sup> TYTONIDAE  
(Aves) (E) Sula Barn-Owl, Taliabu Masked-Owl, Taliabu Owl (S) Lechuza de la Taliabu (F) Effraie de Taliabu
- Tyto novaehollandiae*** (Stephens, 1826) II<sup>30</sup>  
TYTONIDAE (Aves) (E) Australian Masked-Owl, Masked Owl (S) Lechuza australiana (F) Effraie masquée
- Tyto novaehollandiae manusi* (Stephens, 1826) = *Tyto manusi* Rothschild & Hartert, 1914
- Tyto novaehollandiae sororcula* (Stephens, 1826) = *Tyto sororcula* (P. L. Sclater, 1883)
- Tyto prigoginei* (Schouteden, 1952) = *Phodilus prigoginei* Schouteden, 1952
- Tyto rosenbergii*** (Schlegel, 1866) II<sup>30</sup> TYTONIDAE  
(Aves) (E) Sulawesi Owl (S) Lechuza de Célebes (F) Effraie des Célèbes
- Tyto sororcula*** (P. L. Sclater, 1883) II<sup>30</sup> TYTONIDAE  
(Aves) (E) Lesser Masked-Owl, Tanimbar Owl (S) Lechuza de las Tanimbar (F) Effraie des Tanimbar
- Tyto soumaginei*** (Milne Edwards, 1878) I TYTONIDAE  
(Aves) (E) Madagascar Grass Owl, Madagascar Owl, Madagascar Red Owl, Soumagine's Owl (S) Lechuza de Madagascar, Lechuza malgache (F) Effraie De Soumagne, Effraie rousse de Madagascar
- Tyto tenebricosa*** (Gould, 1845) II<sup>30</sup> TYTONIDAE (Aves)  
(E) Greater Sooty-Owl, Sooty Owl (S) Lechuza tenebrosa (F) Effraie ombrée
- Tyto tenebricosa multipunctata* (Gould, 1845) = *Tyto multipunctata* Mathews, 1912
- Uacari, Bald-headed (E): *Cacajao calvus*  
Uacari, Black (E): *Cacajao melanocephalus*  
Uacari, Black-headed (E): *Cacajao melanocephalus*  
Uacari blanco (S): *Cacajao calvus*  
Uacari, Red-and-white (E): *Cacajao calvus*  
Uaddan (E): *Ammotragus lervia*  
Uakaris, Sakis And (E): *Pitheciidae*  
Ucati (S): *Eira barbara*  
Ulamá (S): *Eira barbara*  
*Ulangia bradleyi* Verrill, 1866 = *Oulangia bradleyi* (Verrill, 1866)
- Uloctathus arcticus* Sars, 1851 = *Flabellum macandrewi* Gray, 1849
- Ulophyllia aspera* Quelch, 1886 = *Oulophyllia crispa* (Lamarck, 1816)
- Ulophyllia cellulosa* Quelch, 1886 = *Oulophyllia crispa* (Lamarck, 1816)
- Umba (S): *Speothos venaticus*
- Umbellapathes* spp.** Opresko, 2005 II  
SCHIZOPATHIDAE (Anthozoa)
- Umbellapathes bipinnata*** Opresko, 2005 II  
SCHIZOPATHIDAE (Anthozoa)
- Umbellapathes helioanthes*** Opresko, 2005 II  
SCHIZOPATHIDAE (Anthozoa)
- Umbrellabird, Amazonian (E): *Cephalopterus ornatus*  
Umbrellabird, Long-wattled (E): *Cephalopterus penduliger*  
Umbrellabird, Ornate (E): *Cephalopterus ornatus*  
Unau (S): *Choloepus hoffmanni*  
Unau d'Hoffmann (F): *Choloepus hoffmanni*  
Unau o perezoso de Hoffman (S): *Choloepus hoffmanni*
- Uncia* spp. I** 10 FELIDAE (Mammalia)
- Uncia uncia*** (Schreber, 1775) I FELIDAE (Mammalia) (E)  
Ounce, Snow Leopard (S) Leopardo de las nieves, Leopard nival, Pantera de la nieves (F) Irbis, Léopard des neiges, Once, Panthère des neiges
- Ungalia brasiliensis* Andersson, 1901 = *Tropidophis paucisquamis* (Müller, 1901)
- Ungalia bucculenta* Cope, 1868 = *Tropidophis melanurus* (Schlegel, 1837)
- Ungalia cana* Cope, 1868 = *Tropidophis canus* (Cope, 1868)
- Ungalia conjuncta* (Fischer, 1888) = *Tropidophis haetianus* (Cope, 1879)
- Ungalia curta* Garman, 1887 = *Tropidophis canus* (Cope, 1868)
- Ungalia dipsadina* Cope, 1868 = *Tropidophis maculatus* (Bibron, 1840)
- Ungalia haetiana* Cope, 1879 = *Tropidophis haetianus* (Cope, 1879)
- Ungalia maculata* (Bibron, 1840) = *Tropidophis maculatus* (Bibron, 1840)
- Ungalia melanura* (Schlegel, 1837) = *Tropidophis melanurus* (Schlegel, 1837)
- Ungalia moreletii* (Bocourt, 1885) = *Tropidophis semicinctus* (Gundlach & Peters, 1864)
- Ungalia pardalis* (Gundlach, 1840) = *Tropidophis pardalis* (Gundlach, 1840)
- Ungalia paucisquamis* Müller, 1901 = *Tropidophis paucisquamis* (Müller, 1901)
- Ungalia semicincta* Gundlach & Peters, 1864 = *Tropidophis semicinctus* (Gundlach & Peters, 1864)
- Ungalia taczanowskyi* Steindachner, 1880 = *Tropidophis taczanowskyi* (Steindachner, 1880)
- Ungaliophis* spp. II** TROPIDOPHIIDAE (Reptilia)
- Ungaliophis continentalis*** Müller, 1880 II  
TROPIDOPHIIDAE (Reptilia) (E) Banana Boa, Chiapan Boa, Isthmian Dwarf Boa (S) Boa enana del norte de centroamérica (F) Boa nain d'Amérique centrale
- Ungaliophis danieli* Prado, 1940 = *Ungaliophis panamensis* Schmidt, 1933
- Ungaliophis panamensis*** Schmidt, 1933 II  
TROPIDOPHIIDAE (Reptilia) (E) Central American Dwarf Boa, Panamanian Dwarf Boa (F) Boa nain du Panama
- Ungaliophis paucisquamis* (Müller, 1901) = *Tropidophis paucisquamis* (Müller, 1901)
- Unio nickliniana* I. Lea, 1837 I UNIONIDAE (Bivalvia) (E) Nicklin's Pearly Mussel
- Unio tampicoensis* I. Lea, 1838 I/NC UNIONIDAE (Bivalvia)

- Unio tampicoensis tecomatensis* I. Lea, 1841 I  
 UNIONIDAE (Bivalvia) (E) Tampico Pearly Mussel
- Upupa eremita* Linnaeus, 1758 = *Geronticus eremita* (Linnaeus, 1758)
- Urial (E): *Ovis vignei vignei*  
 Urial (F): *Ovis vignei*  
 Urial (F): *Ovis vignei vignei*  
 Urial (S): *Ovis vignei*  
 Urial (S): *Ovis vignei vignei*  
 Urial (E): *Ovis vignei*  
 Urial, Ladakh (E): *Ovis vignei vignei*
- Urochroa* spp.** II TROCHILIDAE (Aves)
- Urochroa bouguieri*** (Bourcier, 1851) II TROCHILIDAE (Aves) (E) White-tailed Hillstar (S) Colibrí de Bouguer, Estrella coliblanca (F) Colibri de Bouguer
- Urochroma costaricensis* Cory, 1913 = *Touit costaricensis* (Cory, 1913)
- Urochroma dilectissima* Sclater & Salvin, 1871 = *Touit dilectissimus* (Sclater & Salvin, 1871)
- Urochroma stictoptera* Sclater, 1862 = *Touit stictopterus* (Sclater, 1862)
- Urocrotalon durissus* (Linnaeus, 1758) = *Crotalus durissus* Linnaeus, 1758
- Urogale* spp.** II TUPAIIDAE (Mammalia)
- Urogale de Mindanao (F): *Urogale everetti*  
 Urogale d'Everett (F): *Urogale everetti*
- Urogale everetti*** (Thomas, 1892) II TUPAIIDAE (Mammalia) (E) Mindanao Treeshrew, Philippine Treeshrew (S) Musaraña arborícola de Filipinas (F) Urogale de Mindanao, Urogale d'Everett
- Uroglaua* spp.** II 30 STRIGIDAE (Aves)
- Uroglaua dimorpha*** (Salvadori, 1874) II 30 STRIGIDAE (Aves) (E) Papuan Boobook, Papuan Hawk-Owl (S) Nínox halcón (F) Chouette de Nouvelle-Guinée, Ninoxe papoue
- Urolampra eupogon* Cabanis, 1874 = *Metallura eupogon* (Cabanis, 1874)
- Uromanis tetradactyla* (Linnaeus, 1766) = *Manis tetradactyla* Linnaeus, 1766
- Uromastix acanthinurus* Boulenger, 1885 = *Uromastyx acanthinura* Bell, 1825
- Uromastix acanthinurus nigerimmus* Geyr von Schweppenburg, 1917 = *Uromastyx geyri* Müller, 1922
- Uromastix acanthinurus nigerrimus* Hartert, 1913 = *Uromastyx acanthinura* Bell, 1825
- Uromastix acanthinurus nigriventris* Rothschild & Hartert, 1912 = *Uromastyx nigriventris* Rothschild & Hartert, 1912
- Uromastix asmussi* Boulenger, 1885 = *Saara asmussi* (Strauch, 1863)
- Uromastix costatus* Müller, 1885 = *Saara loricata* (Blanford, 1874)
- Uromastix geyri* Müller, 1922 = *Uromastyx geyri* Müller, 1922
- Uromastix griseus* Cuvier, 1829 = *Saara hardwickii* (Gray, 1827)
- Uromastix hardwickii* Gray, 1827 = *Saara hardwickii* (Gray, 1827)
- Uromastix loricatus* Boulenger, 1885 = *Saara loricata* (Blanford, 1874)
- Uromastix macfadyeni* Parker, 1932 = *Uromastyx macfadyeni* Parker, 1932
- Uromastix mutabilis* Fischer, 1885 = *Uromastyx acanthinura* Bell, 1825
- Uromastix ocellatus* Anderson, 1898 = *Uromastyx ocellata* Lichtenstein, 1823
- Uromastix ocellatus* Neumann, 1905 = *Uromastyx macfadyeni* Parker, 1932
- Uromastix ocellatus* Tornier, 1905 = *Uromastyx macfadyeni* Parker, 1932
- Uromastix ornatus* Boulenger, 1885 = *Uromastyx ocellata* Lichtenstein, 1823
- Uromastix philbyi* Haas & Battersby, 1959 = *Uromastyx bentii* (Anderson, 1894)
- Uromastix princeps* scorreccii Cherchi, 1954 = *Uromastyx princeps* O'Shaughnessy, 1880
- Uromastix reticulatus* Cuvier, 1829 = *Saara hardwickii* (Gray, 1827)
- Uromastix simonyi* Steindachner, 1899 = *Uromastyx bentii* (Anderson, 1894)
- Uromastix temporalis* Valenciennes, 1854 = *Uromastyx geyri* Müller, 1922
- Uromastix thomasi* Parker, 1930 = *Uromastyx thomasi* Parker, 1930
- Uromastyx* spp.** Merrem, 1820 II AGAMIDAE (Reptilia)
- Uromastyx acanthinura*** Bell, 1825 II AGAMIDAE (Reptilia) (E) Bell's Dabb Lizard, Black Spiny-tailed Lizard, Dabb's Mastigure (S) Lagarto de cola espinosa común (F) Dob, Fouette-queue épineux
- Uromastyx acanthinura acanthinura* Wilms, 1995 = *Uromastyx acanthinura* Bell, 1825
- Uromastyx acanthinura geyri* Wilms, 1995 = *Uromastyx geyri* Müller, 1922
- Uromastyx acanthinurus acanthinurus* Bons & Geniez, 1996 = *Uromastyx nigriventris* Rothschild & Hartert, 1912
- Uromastyx acanthinurus acanthinurus* Mertens, 1962 = *Uromastyx acanthinura* Bell, 1825
- Uromastyx acanthinurus Bell*, 1825 = *Uromastyx acanthinura* Bell, 1825
- Uromastyx acanthinurus geyri* Mertens, 1962 = *Uromastyx geyri* Müller, 1922
- Uromastyx acanthinurus Joger*, 1981 = *Uromastyx alfredschmidti* Wilms & Böhme, 2001
- Uromastyx acanthinurus werneri* Müller, 1922 = *Uromastyx nigriventris* Rothschild & Hartert, 1912
- Uromastyx aegyptia*** (Forskål, 1775) II AGAMIDAE (Reptilia) (E) Dabb Lizard, Egyptian Mastigure, Egyptian Spiny-tailed Lizard (S) Lagarto egipcio de cola espinosa (F) Fouette-queue d'Egypte
- Uromastyx alfredschmidti*** Wilms & Böhme, 2001 II AGAMIDAE (Reptilia)
- Uromastyx asmussi loricatus* Mertens, 1956 = *Saara loricata* (Blanford, 1874)
- Uromastyx asmussi* (Strauch, 1863) = *Saara asmussi* (Strauch, 1863)
- Uromastyx benti*** (Anderson, 1894) II AGAMIDAE (Reptilia) (E) Bent's Mastigure, Bent's Spiny-tailed Lizard (F) Fouette-queue de Bent

- Uromastyx bentii* Parker, 1938 = *Uromastyx bentii* (Anderson, 1894)
- Uromastyx dispar*** Heyden, 1827 II AGAMIDAE (Reptilia)  
*Uromastyx flavifasciata* Mertens, 1962 = *Uromastyx dispar* Heyden, 1827
- Uromastyx geyri*** Müller, 1922 II AGAMIDAE (Reptilia) (E)  
 Sahara Mastigure, Saharan Spiny-tailed Lizard (S)  
 Lagarto de cola espinosa de Geyr (F) Fouette-queue du Sahara  
*Uromastyx geyri* Joger, 1981 = *Uromastyx geyri* Müller, 1922
- Uromastyx griseus* Gray, 1831 = *Saara hardwickii* (Gray, 1827)
- Uromastyx hardwickii* Gray, 1827 = *Saara hardwickii* (Gray, 1827)
- Uromastyx hardwickii* Kahn, 1980 = *Saara hardwickii* (Gray, 1827)
- Uromastyx hardwickii* Sharma, 1992 = *Saara hardwickii* (Gray, 1827)
- Uromastyx leptieni* Wilms & Böhme, 2000 = *Uromastyx aegyptia* (Forskål, 1775)
- Uromastyx loricata* (Blanford, 1874) = *Saara loricata* (Blanford, 1874)
- Uromastyx loricata* Wilms, 1995 = *Saara loricata* (Blanford, 1874)
- Uromastyx loricatus* Clark, Clark & Anderson, 1966 = *Saara loricata* (Blanford, 1874)
- Uromastyx macfadyeni*** Parker, 1932 II AGAMIDAE (Reptilia) (E) Somali Mastigure, Somali Spiny-tailed Lizard (S) Lagarto de cola espinosa de Macfadyen (F) Fouette-queue de Somalie
- Uromastyx macfadyeni* Lanza, 1983 = *Uromastyx macfadyeni* Parker, 1932
- Uromastyx maliensis* Joger & Lambert, 1996 = *Uromastyx dispar* Heyden, 1827
- Uromastyx maliensis* Joger & Lambert, 1996 = *Uromastyx dispar* Heyden, 1827
- Uromastyx microlepis* Arnold, 1980 = *Uromastyx aegyptia* (Forskål, 1775)
- Uromastyx nigriventris*** Rothschild & Hartert, 1912 II AGAMIDAE (Reptilia) (E) Moroccan Spiny-tailed Lizard
- Uromastyx occidentalis*** Mateo, Geniez, López-Jurado & Bons, 1998 II AGAMIDAE (Reptilia)
- Uromastyx ocellata*** Lichtenstein, 1823 II AGAMIDAE (Reptilia) (E) Eyed Dabb Lizard, Ocellated Mastigure (S) Lagarto de cola espinosa ocelado (F) Fouette-queue ocellé
- Uromastyx ocellata bentii* Schäfti & Gasparetti, 1994 = *Uromastyx shobraki* Wilms & Schmitz, 2007
- Uromastyx ocellata bentii* Schäfti & Gasparetti, 1994 = *Uromastyx yemenensis* Wilms & Schmitz, 2007
- Uromastyx ocellata bentii* Schäfti & Gasparetti, 1994 = *Uromastyx bentii* (Anderson, 1894)
- Uromastyx ocellata macfadyeni* Lanza, 1988 = *Uromastyx macfadyeni* Parker, 1932
- Uromastyx ocellata ocellata* Lanza, 1988 = *Uromastyx ocellata* Lichtenstein, 1823
- Uromastyx ocellata ocellata* Schäfti & Gasparetti, 1994 = *Uromastyx macfadyeni* Parker, 1932
- Uromastyx ocellata* Schäfti & Desvoignes, 1999 = *Uromastyx yemenensis* Wilms & Schmitz, 2007
- Uromastyx ocellata* Schäfti & Desvoignes, 1999 = *Uromastyx bentii* (Anderson, 1894)
- Uromastyx ocellata* Schäfti & Desvoignes, 1999 = *Uromastyx shobraki* Wilms & Schmitz, 2007
- Uromastyx ocellatus* Lichtenstein, 1823 = *Uromastyx ocellata* Lichtenstein, 1823
- Uromastyx ornata*** Heyden, 1827 II AGAMIDAE (Reptilia)
- Uromastyx philbyi* Parker, 1938 = *Uromastyx ornata* Heyden, 1827
- Uromastyx princeps*** O'Shaughnessy, 1880 II AGAMIDAE (Reptilia) (E) Princely Mastigure (F) Fouette-queue d'O'Shaughnessy, Fouette-queue princier
- Uromastyx princeps* Lanza, 1983 = *Uromastyx princeps* O'Shaughnessy, 1880
- Uromastyx scortecci* Moody, 1987 = *Uromastyx princeps* O'Shaughnessy, 1880
- Uromastyx shobraki*** Wilms & Schmitz, 2007 II AGAMIDAE (Reptilia)
- Uromastyx similis* Fitzinger, 1843 = *Saara hardwickii* (Gray, 1827)
- Uromastyx thomasi*** Parker, 1930 II AGAMIDAE (Reptilia) (E) Oman Spiny-tailed Lizard, Thomas's Mastigure (S) Lagarto de cola espinosa de Thomas (F) Fouette-queue de Thomas
- Uromastyx thomasi* Al-Badry & Al-Safadi, 1982 = *Uromastyx bentii* (Anderson, 1894)
- Uromastyx thomasi* Arnold, 1980 = *Uromastyx thomasi* Parker, 1930
- Uromastyx yemenensis*** Wilms & Schmitz, 2007 II AGAMIDAE (Reptilia)
- Uromastyx yemenensis shobraki* Wilms & Schmitz, 2007 = *Uromastyx shobraki* Wilms & Schmitz, 2007
- Uromastyx yemenensis yemenensis* Wilms & Schmitz, 2007 = *Uromastyx yemenensis* Wilms & Schmitz, 2007
- Uroplatus spp.*** II GEKKONIDAE (Reptilia)
- Uroplatus alluaudi*** Mocquard, 1894 II GEKKONIDAE (Reptilia) (E) Northern Flat-tailed Gecko (F) Geckos à queue plate d'Alluaud
- Uroplatus boettgeri* Fischer, 1884 = *Uroplatus ebenaui* Boettger, 1879
- Uroplatus ebenaui*** Boettger, 1879 II GEKKONIDAE (Reptilia) (E) Nosy Bé Flat-tailed Gecko (F) Geckos à queue plate d'Ebenau
- Uroplatus fimbriatus*** (Schneider, 1792) II GEKKONIDAE (Reptilia) (E) Common Flat-tailed Gecko (F) Geckos à queue plate commun
- Uroplatus fimbriatus sikorae* (Schneider, 1792) = *Uroplatus sikorae* Boettger, 1913
- Uroplatus finiavana*** Ratsoavina, Louis, Crottini, Randrianaaina, Glaw & Vences, 2011 II GEKKONIDAE (Reptilia)
- Uroplatus giganteus*** Glaw, Kosuch, Henkel, Sound & Böhme, 2006 II GEKKONIDAE (Reptilia)
- Uroplatus guentheri*** Mocquard, 1908 II GEKKONIDAE (Reptilia) (E) Günther's Flat-tailed Gecko (F) Geckos à queue plate de Günther

<b><i>Uroplatus henkeli</i></b> Böhme & Ibisch, 1990 II	GEKKONIDAE (Reptilia) (E) Henkel's Flat-tailed Gecko (F) Geckos à queue plate de Henkel	polaire
<b><i>Uroplatus lineatus</i></b> (Duméril & Bibron, 1836) II	GEKKONIDAE (Reptilia) (E) Lined Flat-tailed Gecko (F) Geckos à queue plate ligné	<i>Ursus melanoleuca</i> David, 1869 = <i>Ailuropoda melanoleuca</i> (David, 1869)
<b><i>Uroplatus malahelo</i></b> Nussbaum & Raxworthy, 1994 II	GEKKONIDAE (Reptilia) (F) Geckos à queue plate Malahelo	<b><i>Ursus thibetanus</i></b> G. Cuvier, 1823 I URSIDAE (Mammalia) (E) Asian Black Bear, Himalayan Black Bear (S) Oso de collar, Oso negro de Asia (F) Ours à collier, Ours de l'Himalaya, Ours noir d'Asie
<b><i>Uroplatus malama</i></b> Nussbaum & Raxworthy, 1995 II	GEKKONIDAE (Reptilia)	<i>Urubitinga subtilis</i> Thayer & Bangs, 1905 = <i>Buteogallus subtilis</i> (Thayer & Bangs, 1905) Vaca marina amazonica (S): <i>Trichechus inunguis</i>
<b><i>Uroplatus phantasticus</i></b> Boulenger, 1888 II	GEKKONIDAE (Reptilia) (F) Geckos à queue plate de la côte est	<i>Vampyrops lineatus</i> É. Geoffroy, 1810 = <i>Platyrhinus lineatus</i> (É. Geoffroy, 1810)
<b><i>Uroplatus pietschmanni</i></b> Böhle and Schönecker, 2003 II	GEKKONIDAE (Reptilia)	Vaqua (E): <i>Phocoena sinus</i>
<b><i>Uroplatus sameiti</i></b> Böhme & Ibisch, 1990 II	GEKKONIDAE (Reptilia)	Vaqua (S): <i>Phocoena sinus</i>
<b><i>Uroplatus schneideri</i></b> Lamberton, 1913 = <i>Uroplatus phantasticus</i> Boulenger, 1888	(Reptilia) (E) Southern Flat-tailed Gecko (F) Geckos à queue plate à bouche noire	Vaqua (F): <i>Phocoena sinus</i>
<b><i>Uroplatus sikorae</i></b> Boettger, 1913 II GEKKONIDAE	(Reptilia) (E) Southern Flat-tailed Gecko (F) Geckos à queue plate à bouche noire	Varan à deux bandes (F): <i>Varanus salvator</i>
<b><i>Uropsophus durissus</i></b> (Linnaeus, 1758) = <i>Crotalus durissus</i> Linnaeus, 1758	(Linnaeus, 1758)	Varan à gorge blanche (F): <i>Varanus albigularis</i>
<b><i>Urospizias melanochlamys</i></b> Salvadori, 1875 = <i>Accipiter melanochlamys</i> (Salvadori, 1875)	(Salvadori, 1875)	Varan aquatique commun (F): <i>Varanus salvator</i>
<b><i>Urosticte</i> spp. II TROCHILIDAE (Aves)</b>	(Aves) (E) Purple-bibbed Whitetip (S) Colibrí puntablanca occidental, Punta blanca (F) Colibri de Benjamin	Varan aquatique de Mertens (F): <i>Varanus mertensi</i>
<b><i>Urosticte benjamini</i></b> (Bourcier, 1851) II TROCHILIDAE	(Aves) (E) Purple-bibbed Whitetip (S) Colibrí puntablanca occidental, Punta blanca (F) Colibri de Benjamin	Varan aquatique de Mitchell (F): <i>Varanus mitchelli</i>
<b><i>Urosticte ruficrissa</i></b> Lawrence, 1864 = <i>Urosticte benjamini</i> (Bourcier, 1851)	(Bourcier, 1851)	Varan à queue bleue (F): <i>Varanus doreanus</i>
<b><i>Urotriorchis</i> spp. II 27 ACCIPITRIDAE (Aves)</b>	(27)	Varan à queue courte (F): <i>Varanus brevicauda</i>
<b><i>Urotriorchis macrourus</i></b> (Hartlaub, 1855) II 27	ACCIPITRIDAE (Aves) (E) African Long-tailed Hawk, Long-tailed Hawk (S) Azor rabilargo (F) Autour à longue queue	Varan à queue épineuse (F): <i>Varanus primordius</i>
<b><i>Urotropis mucronata</i></b> Rafinesque, 1822 = <i>Cryptobranchus alleganiensis</i> (Daudin, 1803)	(Daudin, 1803)	Varan à queue épineuse (F): <i>Varanus acanthurus</i>
<b>URSIDAE</b> spp. Fischer, 1817 I/II (Mammalia) (E) Bears, Giant Panda (S) Osos, Panda Gigante (F) Ours, Panda Géant	(Mammalia) (E) Bears, Giant Panda (S) Osos, Panda Gigante (F) Ours, Panda Géant	Varan à queue rayée (F): <i>Varanus caudolineatus</i>
<b><i>Ursus</i> spp. I/II URSIDAE (Mammalia)</b>	(Mammalia)	Varan arboricole de l'Ile Rossell (F): <i>Varanus telenesetes</i>
<b><i>Ursus americanus</i></b> Pallas, 1780 II URSIDAE (Mammalia)	(Mammalia) (E) American Black Bear (S) Oso negro americano (F) Baribal, Ours noir américain	Varan arboricole noir (F): <i>Varanus beccarii</i>
<b><i>Ursus arctos</i></b> Linnaeus, 1758 I/II 17 URSIDAE	(Mammalia) (E) Brown Bear, Grizzly Bear (S) Oso pardo (F) Ours brun, Ours grizzly	Varan arboricole tacheté (F): <i>Varanus timorensis</i>
<b><i>Ursus arctos isabellinus</i></b> Horsfield, 1826 I/II 17	(Mammalia) (E) Himalayan Brown Bear, Red Bear, Tien-Shan Brown Bear (S) Oso pardo del Himalaya (F) Ours brun de l'Himalaya, Ours brun isabelle	Varan à tête noire (F): <i>Varanus tristis</i>
<b><i>Ursus malayanus</i></b> Raffles, 1821 = <i>Helarctos malayanus</i> (Raffles, 1821)	(Raffles, 1821)	Varan bigarré (F): <i>Varanus varius</i>
<b><i>Ursus maritimus</i></b> Phipps, 1774 II URSIDAE (Mammalia)	(Mammalia) (E) Polar Bear (S) Oso polar (F) Ours blanc, Ours	Varan brun (F): <i>Varanus primordius</i>
		Varan cou rugueux (F): <i>Varanus rudicollis</i>
		Varan-crocodile (F): <i>Varanus salvadorii</i>
		Varan de Bogert (F): <i>Varanus bogerti</i>
		Varan de Duméril (F): <i>Varanus dumerilii</i>
		Varan de Gillen (F): <i>Varanus gilleni</i>
		Varan de Glauert (F): <i>Varanus glauerti</i>
		Varan de Gould (F): <i>Varanus gouldii</i>
		Varan de Gray (F): <i>Varanus olivaceus</i>
		Varan de Kimberley (F): <i>Varanus panoptes</i>
		Varan de King (F): <i>Varanus kingorum</i>
		Varan de Komodo (F): <i>Varanus komodoensis</i>
		Varan dentelle (F): <i>Varanus varius</i>
		Varan de Papouasie (F): <i>Varanus salvadorii</i>
		Varan de Pilbara (F): <i>Varanus pilbarensis</i>
		Varan de Rosenberg (F): <i>Varanus rosenbergi</i>
		Varan des cavernes (F): <i>Varanus eremius</i>
		Varan de Schlegel (F): <i>Varanus tristis</i>
		Varan de Schmidt (F): <i>Varanus jobiensis</i>
		Varan des crevaces (F): <i>Varanus kingorum</i>
		Varan des Indes (F): <i>Varanus indicus</i>
		Varan des mangroves (F): <i>Varanus semiremex</i>
		Varan des mangroves (F): <i>Varanus indicus</i>
		Varan de Spencer (F): <i>Varanus spenceri</i>
		Varan des rochers à longue queue (F): <i>Varanus gleopalma</i>
		Varan des sables noir (F): <i>Varanus rosenbergi</i>
		Varan des savanes (F): <i>Varanus exanthematicus</i>
		Varan des spinifex (F): <i>Varanus eremius</i>
		Varan des steppes (F): <i>Varanus exanthematicus</i>

- Varan de Storr (F): *Varanus storreri*  
 Varan de Timor (F): *Varanus timorensis*  
 Varan du Bengale (F): *Varanus bengalensis*  
 Varan du désert (F): *Varanus griseus*  
 Varan du Nil (F): *Varanus niloticus*  
 Varan du nord de l'Australie (F): *Varanus similis*  
 Varan du Yémen (F): *Varanus yemenensis*  
 Varan émeraude (F): *Varanus prasinus*  
 Varan épineux des îles Salomon (F): *Varanus spinulosus*  
 Varan gigantesque (F): *Varanus giganteus*  
 Varan gris (F): *Varanus griseus*  
 Varan jaune (F): *Varanus flavescens*  
 Varan nain (F): *Varanus storreri*  
 Varano amarillo (S): *Varanus flavescens*  
 Varano arborícola común (S): *Varanus varius*  
 Varano arborícola manchado (S): *Varanus timorensis*  
 Varano arborícola negro (S): *Varanus beccarii*  
 Varano colicorto (S): *Varanus brevicauda*  
 Varano colilargo de las rocas (S): *Varanus glauerti*  
 Varano cuellirugoso (S): *Varanus rudicollis*  
 Varano de agua de Mertens (S): *Varanus mertensi*  
 Varano de agua de Mitchell (S): *Varanus mitchelli*  
 Varano de arena (S): *Varanus gouldii*  
 Varano de Bengala (S): *Varanus bengalensis*  
 Varano de cabeza negra (S): *Varanus tristis*  
 Varano de cola crestada (S): *Varanus primordius*  
 Varano de cola crestada (S): *Varanus acanthurus*  
 Varano de cola rayada (S): *Varanus caudolineatus*  
 Varano de dos bandas (S): *Varanus salvator*  
 Varano de Dumeril (S): *Varanus dumerilii*  
 Varano de Gillen (S): *Varanus gilleni*  
 Varano de Gould (S): *Varanus gouldii*  
 Varano de King (S): *Varanus kingorum*  
 Varano de Komodo (S): *Varanus komodoensis*  
 Varano del desierto (S): *Varanus griseus*  
 Varano del Nilo (S): *Varanus niloticus*  
 Varano de manglar (S): *Varanus indicus*  
 Varano de Papua (S): *Varanus salvadorii*  
 Varano de Rosenberg (S): *Varanus rosenbergi*  
 Varano de Schmidt (S): *Varanus jobiensis*  
 Varano desértico (S): *Varanus griseus*  
 Varano de Spencer (S): *Varanus spenceri*  
 Varano enano (S): *Varanus storreri*  
 Varano gigante (S): *Varanus giganteus*  
 Varan olivâtre (F): *Varanus olivaceus*  
 Varano pardo (S): *Varanus semiremex*  
 Varano pigmeo del desierto (S): *Varanus eremius*  
 Varano verde (S): *Varanus prasinus*  
 Varan pierre (F): *Varanus baritji*  
 Varan pygmée de Mulga (F): *Varanus gilleni*  
 Varan rouillé (F): *Varanus semiremex*  
**Varanus spp.** Merrem, 1820 I/II VARANIDAE (Reptilia)  
**Varanus acanthurus** Boulenger, 1885 II VARANIDAE  
 (Reptilia) (E) Goanna Monitor, Ridge-tailed Monitor,  
 Spiny-tailed Pygmy Monitor (S) Varano de cola  
 crestada (F) Varan à queue épineuse  
**Varanus acanthurus primordius** Boulenger, 1885 =  
*Varanus primordius* Mertens, 1942  
**Varanus albicularis** (Daudin, 1802) II VARANIDAE  
 (Reptilia) (E) Rock Monitor, Southern Savanna Monitor,  
 White-throated Monitor (F) Varan à gorge blanche  
**Varanus auffenbergi** Sprackland, 1999 II VARANIDAE  
 (Reptilia)  
**Varanus baritji** King & Horner, 1987 II VARANIDAE  
 (Reptilia) (E) Stone Monitor (F) Varan pierre  
**Varanus beccarii** (Schlegel, 1839) II VARANIDAE  
 (Reptilia) (E) Black Tree Monitor (S) Varano arborícola  
 negro (F) Varan arboricole noir  
**Varanus bellii** Duméril & Bibron, 1836 = *Varanus varius*  
 (Shaw in White, 1790)  
**Varanus bengalensis** (Daudin, 1802) I VARANIDAE  
 (Reptilia) (E) Bengal Black Lizard, Bengal Lizard,  
 Bengal Monitor, Common Monitor, Indian Monitor,  
 Indian Small-grain Lizard, Penang Lizard, Talagoya  
 Lizard (S) Varano de Bengala (F) Varan du Bengale  
**Varanus bengalensis nebulosus** (Daudin, 1802) = *Varanus nebulosus* (Gray, 1831)  
**Varanus bibronii** Blyth, 1842 = *Varanus bengalensis*  
 (Daudin, 1802)  
**Varanus bitatawa** Welton, Siler, Bennett, Diesmos, Duya,  
 Dugay, Rico, et al., 2010 II VARANIDAE (Reptilia)  
**Varanus boehmei** Jacobs, 2003 II VARANIDAE (Reptilia)  
**Varanus bogerti** Mertens, 1950 II VARANIDAE (Reptilia)  
 (E) Bogert's Monitor (F) Varan de Bogert  
**Varanus boulengeri** Kinghorn, 1923 = *Varanus semiremex*  
 Peters, 1869  
**Varanus brevicauda** Boulenger, 1898 II VARANIDAE  
 (Reptilia) (E) Short-tailed Pygmy Monitor (S) Varano  
 colicorto (F) Varan à queue courte  
**Varanus bulliwallah** Worrell, 1956 = *Varanus mertensi*  
 Glauert, 1951  
**Varanus bushi** Aplin, Fitch & King, 2006 II VARANIDAE  
 (Reptilia)  
**Varanus caerulivirens** Ziegler, Böhme & Philipp, 1999 II  
 VARANIDAE (Reptilia)  
**Varanus caudolineatus** Boulenger, 1898 II VARANIDAE  
 (Reptilia) (E) Streak-tailed Monitor, Stripe-tailed  
 Monitor (S) Varano de cola rayada (F) Varan à queue  
 rayée  
**Varanus cerambonensis** Philipp, Böhme & Ziegler, 1999  
 II VARANIDAE (Reptilia)  
**Varanus cumingi** Martin, 1838 II VARANIDAE (Reptilia)  
 (E) Mindanao Water Monitor  
**Varanus doreanus** (A. B. Meyer, 1874) II VARANIDAE  
 (Reptilia) (E) Blue-tailed Monitor (F) Varan à queue  
 bleue  
**Varanus doreanus finschi** (A. B. Meyer, 1874) = *Varanus finschi* Böhme, Horn & Ziegler, 1994  
**Varanus dumerili** (Schlegel, 1839) II VARANIDAE  
 (Reptilia) (E) Duméril's Monitor, Fish Lizard (S) Varano  
 de Dumeril (F) Varan de Duméril  
**Varanus eremius** Lucas & Frost, 1895 II VARANIDAE  
 (Reptilia) (E) Desert Pygmy Monitor, Spinifex Monitor  
 (S) Varano pigmeo del desierto (F) Varan des  
 cavernes, Varan des spinifex  
**Varanus exanthematicus** (Bosc, 1792) II VARANIDAE  
 (Reptilia) (E) African Large-grain Lizard, African

- Savanna Monitor, Bosc's Monitor, Northern Savanna Monitor (F) Varan des savanes, Varan des steppes
- Varanus exanthematicus albicularis* (Bosc, 1792) = *Varanus albicularis* (Daudin, 1802)
- Varanus finschi** Böhme, Horn & Ziegler, 1994 II  
VARANIDAE (Reptilia)
- Varanus flavescens** (Hardwicke & Gray, 1827) I  
VARANIDAE (Reptilia) (E) Calcutta Oval-grain Lizard, Indian Oval-grain Lizard, Ruddy Snub-nosed Monitor, Yellow Land Lizard, Yellow Monitor (S) Varano amarillo (F) Varan jaune
- Varanus giganteus** (Gray, 1845) II VARANIDAE (Reptilia) (E) Perentie (S) Varano gigante (F) Perentie, Varan gigantesque
- Varanus gilleni** Lucas & Frost, 1895 II VARANIDAE (Reptilia) (E) Pygmy Mulga Monitor (S) Varano de Gillen (F) Varan de Gillen, Varan pygmée de Mulga
- Varanus gilli* A. Smith, 1831 = *Varanus albicularis* (Daudin, 1802)
- Varanus glauerti** Mertens, 1957 II VARANIDAE (Reptilia) (E) Glauert's Monitor (S) Varano colilargo de las rocas (F) Varan de Glauert
- Varanus glebopalma** Mitchell, 1955 II VARANIDAE (Reptilia) (E) Long-tailed Rock Monitor (F) Varan des rochers à longue queue
- Varanus gouldii** (Gray, 1838) II VARANIDAE (Reptilia) (E) Bungarra, Gould's Monitor, Sand Monitor (S) Varano de arena, Varano de Gould (F) Varan de Gould
- Varanus gouldii rosenbergi* (Gray, 1838) = *Varanus rosenbergi* Mertens, 1957
- Varanus grayi* Boulenger, 1885 = *Varanus olivaceus* Hallowell, 1856
- Varanus griseus** (Daudin, 1803) I VARANIDAE (Reptilia) (E) Agra Lizard, Agra Monitor, Baghdad Small-grain Lizard, Desert Monitor, Grey Monitor (S) Varano del desierto, Varano desértico (F) Varan du désert, Varan gris
- Varanus guttatus* Merrem, 1820 = *Varanus indicus* (Daudin, 1802)
- Varanus heteropholis* Boulenger, 1892 = *Varanus dumerili* (Schlegel, 1839)
- Varanus indicus** (Daudin, 1802) II VARANIDAE (Reptilia) (E) Ambon Lizard, Flower Lizard, Mangrove Monitor, Pacific Monitor (S) Varano de manglar (F) Varan des Indes, Varan des mangroves
- Varanus indicus jobiensis* (Daudin, 1802) = *Varanus jobiensis* Ahl, 1932
- Varanus indicus spinulosus* (Daudin, 1802) = *Varanus spinulosus* Mertens, 1941
- Varanus indicus spinulosus* Mertens, 1941 = *Varanus spinulosus* Mertens, 1941
- Varanus ingrami* Boulenger, 1906 = *Varanus spenceri* Lucas & Frost, 1903
- Varanus irrawadicus* Yang & Li, 1987 = *Varanus bengalensis* (Daudin, 1802)
- Varanus jobiensis** Ahl, 1932 II VARANIDAE (Reptilia) (E) Peachthroat Monitor, Schmidt's Monitor, Sepik Monitor (S) Varano de Schmidt (F) Varan de Schmidt
- Varanus juxtindicus** Böhme, Philipp & Ziegler, 2002 II VARANIDAE (Reptilia)
- Varanus karlschmidtii* Mertens, 1951 = *Varanus jobiensis* Ahl, 1932
- Varanus keithhornei** (Wells & Wellington, 1985) II VARANIDAE (Reptilia)
- Varanus kingorum** Storr, 1980 II VARANIDAE (Reptilia) (E) Crevice Monitor, King's Monitor (S) Varano de King (F) Varan de King, Varan des crevaces
- Varanus komodoensis** Ouwens, 1912 I VARANIDAE (Reptilia) (E) Komodo Dragon, Komodo Monitor, Ora (S) Dragón de Komodo, Varano de Komodo (F) Dragon des Komodos, Varan de Komodo
- Varanus kordensis** (A. B. Meyer, 1874) II VARANIDAE (Reptilia)
- Varanus lirungensis** Koch, Arida, Schmitz, Böhme & Ziegler, 2009 II VARANIDAE (Reptilia)
- Varanus lunatus* Gray, 1845 = *Varanus bengalensis* (Daudin, 1802)
- Varanus mabitang** Gaulke & Curio, 2001 II VARANIDAE (Reptilia)
- Varanus macraei** Böhme & Jacobs, 2001 II VARANIDAE (Reptilia)
- Varanus macrolepis* Blanford, 1881 = *Varanus dumerili* (Schlegel, 1839)
- Varanus manilensis* von Martens, 1876 = *Varanus marmoratus* (Wiegmann 1834)
- Varanus marmoratus** (Wiegmann 1834) II VARANIDAE (Reptilia) (E) Marbled Water Monitor
- Varanus melinus** Böhme & Ziegler, 1997 II VARANIDAE (Reptilia)
- Varanus mertensi** Glauert, 1951 II VARANIDAE (Reptilia) (E) Mertens's Water Monitor (S) Varano de agua de Mertens (F) Varan aquatique de Mertens
- Varanus mitchelli** Mertens, 1958 II VARANIDAE (Reptilia) (E) Mitchell's Water Monitor (S) Varano de agua de Mitchell (F) Varan aquatique de Mitchell
- Varanus mustelinus* de Borre, 1870 = *Varanus varius* (Shaw in White, 1790)
- Varanus nebulosus** (Gray, 1831) I VARANIDAE (Reptilia) (E) Clouded Monitor
- Varanus niloticus** (Linnaeus, 1766) II VARANIDAE (Reptilia) (E) African Small-grain Lizard, Nile Monitor (S) Varano del Nilo (F) Varan du Nil
- Varanus niloticus ornatus* (Linnaeus, 1766) = *Varanus ornatus* (Daudin, 1803)
- Varanus nuchalis** (Gunther 1872) II VARANIDAE (Reptilia) (E) Spiny-necked Water Monitor
- Varanus obor** Weijola & Sweet, 2010 II VARANIDAE (Reptilia)
- Varanus ocellatus* Heyden in Rüppell, 1830 = *Varanus exanthematicus* (Bosc, 1792)
- Varanus olivaceus** Hallowell, 1856 II VARANIDAE (Reptilia) (E) Gray's Monitor (F) Varan de Gray, Varan olivâtre
- Varanus ornatus** (Daudin, 1803) II VARANIDAE (Reptilia)
- Varanus palawanensis** Koch, Gaulke & Böhme, 2010 II VARANIDAE (Reptilia)
- Varanus panoptes** Storr, 1980 II VARANIDAE (Reptilia) (E) Argus Monitor (F) Varan de Kimberley
- Varanus picquotii* Duméril & Bibron, 1836 = *Varanus flavesiensis* (Hardwicke & Gray, 1827)

- Varanus pilbarensis*** Storr, 1980 II VARANIDAE (Reptilia) (E) Pilbara Monitor (F) Varan de Pilbara
- Varanus prasinus*** (Schlegel, 1839) II VARANIDAE (Reptilia) (E) Emerald Monitor (S) Varano verde (F) Varan émeraude
- Varanus prasinus beccarii* (Doria, 1874) = *Varanus beccarii* (Schlegel, 1839)
- Varanus prasinus bogerti* (Schlegel, 1839) = *Varanus bogerti* Mertens, 1950
- Varanus prasinus kordensis* (Schlegel, 1839) = *Varanus kordensis* (A. B. Meyer, 1874)
- Varanus primordius*** Mertens, 1942 II VARANIDAE (Reptilia) (E) Brown Monitor, Ridge-tailed Monitor (S) Varano de cola crestada (F) Varan à queue épineuse, Varan brun
- Varanus punctatus* Merrem, 1820 = *Varanus bengalensis* (Daudin, 1802)
- Varanus rainerguentheri*** Ziegler, Böhme & Schmitz, 2007 II VARANIDAE (Reptilia)
- Varanus rasmussenii*** Koch, Gaulke & Böhme, 2010 II VARANIDAE (Reptilia)
- Varanus reisingeri*** Eidenmüller & Wicker, 2005 II VARANIDAE (Reptilia)
- Varanus rosenbergi*** Mertens, 1957 II VARANIDAE (Reptilia) (E) Black Sand Monitor, Rosenberg's Monitor, Sand Goanna (S) Varano de Rosenberg (F) Varan de Rosenberg, Varan des sables noir
- Varanus rudicollis*** (Gray, 1845) II VARANIDAE (Reptilia) (E) Harlequin Monitor, Rough-necked Monitor, Tree Lizard (S) Varano cuellirugoso (F) Varan cou rugueux
- Varanus russelii* Heyden in Rüppell, 1830 = *Varanus flavescens* (Hardwicke & Gray, 1827)
- Varanus salvadorii*** (Peters & Doria, 1878) II VARANIDAE (Reptilia) (E) Crocodile Monitor, Papuan Monitor, Tree Crocodile (S) Varano de Papua (F) Varan-crocodile, Varan de Papouasie
- Varanus salvator*** (Laurenti, 1768) II VARANIDAE (Reptilia) (E) Common Water Monitor, Malayan Monitor, No-mark Lizard, Plain Lizard, Rice Lizard, Ring Lizard, Two-banded Monitor, Water Monitor (S) Varano de dos bandas (F) Varan à deux bandes, Varan aquatique commun
- Varanus salvator cumingi* (Laurenti, 1768) = *Varanus cumingi* Martin, 1838
- Varanus salvator marmoratus* (Laurenti, 1768) = *Varanus marmoratus* (Wiegmann 1834)
- Varanus salvator nuchalis* (Laurenti, 1768) = *Varanus nuchalis* (Gunther 1872)
- Varanus salvator philippensis* (Laurenti, 1768) = *Varanus marmoratus* (Wiegmann 1834)
- Varanus salvator philippinensis* Deraniyagala, 1944 = *Varanus marmoratus* (Wiegmann 1834)
- Varanus salvator scutigerulus* (Laurenti, 1768) = *Varanus rudicollis* (Gray, 1845)
- Varanus salvator togianus* (Laurenti, 1768) = *Varanus togianus* (Peters, 1872)
- Varanus scalaris*** Mertens, 1941 II VARANIDAE (Reptilia)
- Varanus scincus* Merrem, 1820 = *Varanus griseus* (Daudin, 1803)
- Varanus scutigerulus* Barbour, 1932 = *Varanus rudicollis* (Gray, 1845)
- Varanus semiremex*** Peters, 1869 II VARANIDAE (Reptilia) (E) Mangrove Monitor, Rusty Monitor (S) Varano pardo (F) Varan des mangroves, Varan rouillé
- Varanus similis*** Mertens, 1958 II VARANIDAE (Reptilia) (F) Varan du nord de l'Australie
- Varanus spenceri*** Lucas & Frost, 1903 II VARANIDAE (Reptilia) (E) Spencer's Monitor (S) Varano de Spencer (F) Varan de Spencer
- Varanus spinulosus*** Mertens, 1941 II VARANIDAE (Reptilia) (E) Solomon Islands Spiny Monitor (F) Varan épineux des îles Salomon
- Varanus spinulosus* Sprackland, 1994 = *Varanus spinulosus* Mertens, 1941
- Varanus storri*** Mertens, 1966 II VARANIDAE (Reptilia) (E) Dwarf Monitor (S) Varano enano (F) Varan de Storr, Varan nain
- Varanus swarti* Mangili, 1962 = *Varanus rudicollis* (Gray, 1845)
- Varanus telenesetes*** Sprackland, 1991 II VARANIDAE (Reptilia) (E) Rossell Island Tree Monitor (F) Varan arboricole de l'île Rossell
- Varanus teriae* Sprackland, 1991 = *Varanus keithhornei* (Wells & Wellington, 1985)
- Varanus terrestris* Schinz, 1834 = *Varanus griseus* (Daudin, 1803)
- Varanus timorensis*** (Gray, 1831) II VARANIDAE (Reptilia) (E) Spotted Tree Monitor, Timor Tree Monitor (S) Varano arborícola manchado (F) Varan arboricole tacheté, Varan de Timor
- Varanus timorensis glauerti* (Gray, 1831) = *Varanus glauerti* Mertens, 1957
- Varanus timorensis scalaris* (Gray, 1831) = *Varanus scalaris* Mertens, 1941
- Varanus timorensis similis* (Gray, 1831) = *Varanus similis* Mertens, 1958
- Varanus timorensis tristis* (Gray, 1831) = *Varanus tristis* (Schlegel, 1838)
- Varanus togianus*** (Peters, 1872) II VARANIDAE (Reptilia) (E) Togian Water Monitor
- Varanus tristis*** (Schlegel, 1838) II VARANIDAE (Reptilia) (E) Arid Monitor, Black-headed Monitor, Freckled Monitor, Mourful Tree Monitor (S) Varano de cabeza negra (F) Varan à tête noire, Varan de Schlegel
- Varanus tsukamotoi* Kishida, 1929 = *Varanus indicus* (Daudin, 1802)
- Varanus varius*** (Shaw in White, 1790) II VARANIDAE (Reptilia) (E) Common Tree Monitor, Lace Monitor (S) Varano arborícola común (F) Varan bigarré, Varan dentelle
- Varanus vittatus* Lesson, 1834 = *Varanus salvator* (Laurenti, 1768)
- Varanus yemenensis*** Böhme, Joger & Schatti, 1989 II VARANIDAE (Reptilia) (E) Yemen Monitor (F) Varan du Yémen
- Varanus yuwonoi*** Harvey & Barker, 1998 II VARANIDAE (Reptilia)
- Varanus zugorum*** Böhme & Ziegler, 2005 II VARANIDAE (Reptilia)

<i>Varecia</i> spp. I LEMURIDAE (Mammalia)	<i>Vicugna vicugna</i> (Molina, 1782) I/II <sup>6</sup> CAMELIDAE
<i>Varecia rubra</i> (É. Geoffroy, 1812) I LEMURIDAE (Mammalia) (E) Red Ruffed Lemur	(Mammalia) (E) Vicugna, Vicuña (S) Vicuña (F) Vigogne
<i>Varecia variegata</i> (Kerr, 1792) I LEMURIDAE (Mammalia) (E) Ruffed Lemur (S) Lémur de collar, Lémur de Gola, Lémur de Gorguera (F) Lémur vari, Maki vari	Vicuña (S): <i>Vicugna vicugna</i> Vicuña (E): <i>Vicugna vicugna</i> Vigogne (F): <i>Vicugna vicugna</i>
<i>Varecia variegata rubra</i> (Kerr, 1792) = <i>Varecia rubra</i> (É. Geoffroy, 1812)	<i>Vijayachelys silvatica</i> (Henderson, 1912) II GEOEMYDIDAE (Reptilia) (E) Cochin Forest Cane Turtle
Vasa géant (F): <i>Coracopsis vasa</i>	<i>Villosa trabelsis</i> (Conrad, 1834) I UNIONIDAE (Bivalvia) (E) Cumberland Bean, Cumberland Bean Pearly Mussel
<i>Vastes agassizii</i> Valenciennes, 1847 = <i>Arapaima gigas</i> (Cuvier, 1829)	<i>Vini</i> spp. Lesson, 1833 I/II <sup>29</sup> LORIIDAE (Aves)
<i>Vastes arapaima</i> Valenciennes, 1847 = <i>Arapaima gigas</i> (Cuvier, 1829)	<i>Vini australis</i> (Gmelin, 1788) II <sup>29</sup> LORIIDAE (Aves) (E) Blue-crowned Lorikeet (S) Lori de Samoa (F) Lori fringillaire
<i>Vastes cuvieri</i> Valenciennes, 1847 = <i>Arapaima gigas</i> (Cuvier, 1829)	<i>Vini kuhlii</i> (Vigors, 1824) II <sup>29</sup> LORIIDAE (Aves) (E) Kuhl's Lorikeet, Scarlet-breasted Lorikeet (S) Lori de Rimitara (F) Lori de Kuhl
<i>Vastes mapae</i> Valenciennes, 1847 = <i>Arapaima gigas</i> (Cuvier, 1829)	<i>Vini peruviana</i> (P. L. S. Müller, 1776) II <sup>29</sup> LORIIDAE (Aves) (E) Blue Lorikeet, Tahitian Lorikeet (S) Lori monjita (F) Lori nonnette
<i>Vaughanella</i> spp. Gravier 1915 II CARYOPHYLLIIDAE (Anthozoa)	<i>Vini stepheni</i> (North, 1908) II <sup>29</sup> LORIIDAE (Aves) (E) Henderson Lorikeet, Stephen's Lorikeet (S) Lori de Stephen (F) Lori de Stephen
<i>Vaughanella concinna</i> Gravier, 1915 II CARYOPHYLLIIDAE (Anthozoa)	<i>Vini ultramarina</i> (Kuhl, 1820) I LORIIDAE (Aves) (E) Ultramarine Lorikeet, Ultramarine Lory (S) Lori ultramar (F) Lori ultramarin
<i>Vaughanella margaritata</i> (Jourdan, 1895) II CARYOPHYLLIIDAE (Anthozoa)	Violet-ear, Brown (E): <i>Colibri delphinae</i> Violet-ear, Green (E): <i>Colibri thalassinus</i> Violet-ear, Sparkling (E): <i>Colibri coruscans</i> Violet-ear, White-vented (E): <i>Colibri serrirostris</i>
<i>Vaughanella multipalifera</i> Cairns, 1995 II CARYOPHYLLIIDAE (Anthozoa)	<i>Vipera</i> <i>bitis</i> Laurenti, 1768 = <i>Corallus hortulanus</i> (Linnaeus, 1758)
<i>Vaughanella oreophila</i> Keller, 1981 II CARYOPHYLLIIDAE (Anthozoa)	<i>Vipera</i> <i>daboya</i> Daudin, 1803 = <i>Daboia russelii</i> (Shaw & Nodder, 1797)
Vautour africain (F): <i>Gyps africanus</i>	<i>Vipera</i> <i>elegans</i> Daudin, 1803 = <i>Daboia russelii</i> (Shaw & Nodder, 1797)
Vautour à tête blanche (F): <i>Trigonoceps occipitalis</i>	<i>Vipera</i> <i>eriwanensis</i> Reuss, 1933 = <i>Vipera ursinii</i> (Bonaparte, 1835)
Vautour charognard (F): <i>Necrosyrtes monachus</i>	<i>Vipera</i> <i>lebetina russelii</i> (Linnaeus, 1758) = <i>Daboia russelii</i> (Shaw & Nodder, 1797)
Vautour chassefiente (F): <i>Gyps coprotheres</i>	<i>Vipera</i> <i>macrops</i> Méhely, 1911 = <i>Vipera ursinii</i> (Bonaparte, 1835)
Vautour chaugoun (F): <i>Gyps bengalensis</i>	<i>Vipera</i> <i>madarensis</i> Laurenti, 1768 = <i>Corallus hortulanus</i> (Linnaeus, 1758)
Vautour de l'Himalaya (F): <i>Gyps himalayensis</i>	<i>Vipera</i> <i>russelii</i> (Shaw & Nodder, 1797) = <i>Daboia russelii</i> (Shaw & Nodder, 1797)
Vautour de Rüppell (F): <i>Gyps rueppellii</i>	<i>Vipera</i> <i>ursinii</i> (Bonaparte, 1835) I/NC <sup>37</sup> VIPERIDAE (Reptilia) (E) Field Adder, Meadow Viper, Orsini's Viper (S) Vibora del Orsini, Víbora de los Orsini (F) Vipère des steppes, Vipère d'Orsini
Vautour fauve (F): <i>Gyps fulvus</i>	<i>Vipera</i> <i>wagneri</i> Nilson & Andrén, 1984 II VIPERIDAE (Reptilia) (E) Wagner's Viper (S) Vibora de Wagner (F) Vipère de Wagner
Vautour huppé (F): <i>Trigonoceps occipitalis</i>	Vipère de Russell (F): <i>Daboia russelii</i>
Vautour indien (F): <i>Gyps indicus</i>	Vipère des steppes (F): <i>Vipera ursinii</i>
Vautour moine (F): <i>Aegypius monachus</i>	Vipère de Wagner (F): <i>Vipera wagneri</i>
Vautour oricou (F): <i>Torgos tracheliotus</i>	Vipère d'Orsini (F): <i>Vipera ursinii</i>
Vautour page (F): <i>Sarcorampus papa</i>	Viper, Meadow (E): <i>Vipera ursinii</i>
Vautour percnoptère (F): <i>Neophron percnopterus</i>	Viper, Orsini's (E): <i>Vipera ursinii</i>
Vautour royal (F): <i>Sarcogyps calvus</i>	
Vautour royal (F): <i>Sarcorampus papa</i>	
Vautours Du Nouveau Monde (F): <i>Cathartidae</i>	
Velvetbreast, Mountain (E): <i>Lafresnaya lafresnayi</i>	
Venadito (S): <i>Pudu puda</i>	
Venadito de los páramos (S): <i>Pudu mephistophiles</i>	
Venado campero (S): <i>Ozotoceros bezoarticus</i>	
Venado conejo (S): <i>Pudu mephistophiles</i>	
Venado de campo (S): <i>Ozotoceros bezoarticus</i>	
Venado de las pampas (S): <i>Ozotoceros bezoarticus</i>	
Verniau (F): <i>Anguilla anguilla</i>	
Ver nota pie de página (S): <i>Pseudoryx nghetinhensis</i>	
<i>Verrillofungia repanda</i> (Dana, 1846) = <i>Fungia repanda</i> Dana, 1848	
Vervet, Bale Mountains (E): <i>Chlorocebus djamdamensis</i>	
Vibora del Orsini (S): <i>Vipera ursinii</i>	
Víbora de los Orsini (S): <i>Vipera ursinii</i>	
Vibora de Wagner (S): <i>Vipera wagneri</i>	
Vicugna (E): <i>Vicugna vicugna</i>	

Viper, Russell's (E): <i>Daboia russelii</i>	Vulture, Black (E): <i>Aegypius monachus</i>
Viper, Wagner's (E): <i>Vipera wagneri</i>	Vulture, Cape (E): <i>Gyps coprotheres</i>
Vison sibérien (F): <i>Mustela sibirica</i>	Vulture, Cinereous (E): <i>Aegypius monachus</i>
Visorbearer, Hooded (E): <i>Augastes lumachella</i>	Vulture, Egyptian (E): <i>Neophron percnopterus</i>
Visorbearer, Hyacinth (E): <i>Augastes scutatus</i>	Vulture, Eurasian Griffon (E): <i>Gyps fulvus</i>
<i>Viverra civetta</i> Schreber, 1776 = <i>Civettictis civetta</i> (Schreber, 1776)	Vulture, Griffon (E): <i>Gyps fulvus</i>
<b><i>Viverra civettina</i></b> Blyth, 1862 <b>III</b> VIVERRIDAE	Vulture, Himalayan Griffon (E): <i>Gyps himalayensis</i>
(Mammalia) (E) Malabar Civet, Malabar Large-spotted Civet (F) Civette à grandes taches	Vulture, Hooded (E): <i>Necrosyrtes monachus</i>
<i>Viverra lutra</i> Linnaeus, 1758 = <i>Lutra lutra</i> (Linnaeus, 1758)	Vulture, Indian Black (E): <i>Sarcogyps calvus</i>
<i>Viverra megaspila</i> civettina Blyth, 1862 = <i>Viverra civettina</i> Blyth, 1862	Vulture, Indian King (E): <i>Sarcogyps calvus</i>
<i>Viverra tainguensis</i> Sokolov, Rozhnov & Anh, 1997 = <i>Viverra zibetha</i> Linnaeus, 1758	Vulture, King (E): <i>Sarcoramphus papa</i>
<b><i>Viverra zibetha</i></b> Linnaeus, 1758 <b>III</b> VIVERRIDAE	Vulture, Lappet-faced (E): <i>Torgos tracheliotus</i>
(Mammalia) (E) Large Indian Civet (S) Gran civeta de la India (F) Grande civette de l'Inde	Vulture, Long-billed (E): <i>Gyps indicus</i>
<b><i>Viverricula indica</i></b> (É. Geoffroy Saint-Hilaire, 1803) <b>III</b> VIVERRIDAE (Mammalia) (E) Small Indian Civet (S) Pequeña civeta de la India (F) Petite civette de l'Inde	Vulture, Nubian (E): <i>Torgos tracheliotus</i>
Vombat de Queensland (S): <i>Lasiorhinus krefftii</i>	Vulture, Oriental White-backed (E): <i>Gyps bengalensis</i>
<b><i>Vulpes bengalensis</i></b> (Shaw, 1800) <b>III</b> CANIDAE	Vulture, Palm-nut (E): <i>Gypohierax angolensis</i>
(Mammalia) (E) Bengal Fox (S) Zorro de Bengala (F) Renard du Bengale	Vulture, Pondicherry (E): <i>Sarcogyps calvus</i>
<b><i>Vulpes cana</i></b> Blanford, 1877 <b>II</b> CANIDAE (Mammalia) (E) Afghan Fox, Blanford's Fox, Corsac, Dog Fox, Hoary Fox, Steppe Fox (S) Zorro de Blanford (F) Renard de Blanford	Vulture, Red-headed (E): <i>Sarcogyps calvus</i>
<b><i>Vulpes vulpes</i></b> (Linnaeus, 1758) <b>III/NC</b> CANIDAE	Vulture, Rüppell's (E): <i>Gyps rueppellii</i>
(Mammalia) (E) Red Fox (S) Zorro rojo (F) Renard roux	Vulture, Rüppell's Griffon (E): <i>Gyps rueppellii</i>
<b><i>Vulpes vulpes griffithi</i></b> Blyth, 1854 <b>III</b> CANIDAE	Vultures, Eagles, Falcons, Hawks, (E): <i>Falconiformes</i>
(Mammalia)	Vulture, Slender-billed (E): <i>Gyps tenuirostris</i>
<i>Vulpes vulpes leucopus</i> (Linnaeus, 1758) = <i>Vulpes vulpes pusilla</i> Blyth, 1854	Vultures, New World (E): <i>Cathartidae</i>
<b><i>Vulpes vulpes montana</i></b> Pearson, 1836 <b>III</b> CANIDAE	Vulture, White-backed (E): <i>Gyps africanus</i>
(Mammalia)	Vulture, White-backed (E): <i>Gyps bengalensis</i>
<b><i>Vulpes vulpes pusilla</i></b> Blyth, 1854 <b>III</b> CANIDAE	Vulture, White-headed (E): <i>Trigonoceps occipitalis</i>
(Mammalia)	Vulture, White-rumped (E): <i>Gyps bengalensis</i>
<b><i>Vulpes zerda</i></b> (Zimmermann, 1780) <b>II</b> CANIDAE	<i>Vultur fulvus</i> Hablizl, 1783 = <i>Gyps fulvus</i> (Hablizl, 1783)
(Mammalia) (E) Fennec Fox (S) Fennec, Zorro del Sahara (F) Fennec	<b><i>Vultur graphus</i></b> Linnaeus, 1758 <b>I</b> CATHARTIDAE (Aves)
<b><i>Vultur</i> spp. <b>I/NC</b> CATHARTIDAE (Aves)</b>	(E) Andean Condor (S) Cóndor, Cóndor andino, Cóndor de los Andes (F) Condor des Andes
<i>Vultur audax</i> Latham, 1801 = <i>Aquila audax</i> (Latham, 1801)	<i>Vultur harpyja</i> Linnaeus, 1758 = <i>Harpia harpyja</i> (Linnaeus, 1758)
<i>Vultur barbatus</i> Linnaeus, 1758 = <i>Gypaetus barbatus</i> (Linnaeus, 1758)	<i>Vultur indicus</i> Scopoli, 1786 = <i>Gyps indicus</i> (Scopoli, 1786)
<i>Vultur bengalensis</i> Gmelin, 1788 = <i>Gyps bengalensis</i> (Gmelin, 1788)	<i>Vultur monachus</i> Linnaeus, 1766 = <i>Aegypius monachus</i> (Linnaeus, 1766)
<i>Vultur californianus</i> Shaw, 1798 = <i>Gymnogyps californianus</i> (Shaw, 1898)	<i>Vultur occipitalis</i> Burchell, 1824 = <i>Trigonoceps occipitalis</i> (Burchell, 1824)
<i>Vultur calvus</i> Scopoli, 1786 = <i>Sarcogyps calvus</i> (Scopoli, 1786)	<i>Vultur papa</i> Linnaeus, 1758 = <i>Sarcoramphus papa</i> (Linnaeus, 1758)
<i>Vultur coprotheres</i> J. R. Forster, 1798 = <i>Gyps coprotheres</i> (Forster, 1798)	<i>Vultur percnopterus</i> Linnaeus, 1758 = <i>Neophron percnopterus</i> (Linnaeus, 1758)
Vulture, African White-backed (E): <i>Gyps africanus</i>	<i>Vultur radiatus</i> Scopoli, 1786 = <i>Polyboroides radiatus</i> (Scopoli, 1786)
Vulture, Asian Black (E): <i>Sarcogyps calvus</i>	<i>Vultur rueppellii</i> A. E. Brehm, 1852 = <i>Gyps rueppellii</i> (Brehm, 1852)
Vulture, Asian King (E): <i>Sarcogyps calvus</i>	<i>Vultur tracheliotus</i> J. R. Forster, 1791 = <i>Torgos tracheliotus</i> (Forster, 1791)
Vulture, Asian White-backed (E): <i>Gyps bengalensis</i>	Waldrapp (E): <i>Geronticus eremita</i>
Vulture, Bearded (E): <i>Gypaetus barbatus</i>	<i>Waldronia milleri</i> Chapman, 1929 = <i>Polytmus milleri</i> (Chapman, 1929)
	Wallabi rayado (S): <i>Lagostrophus fasciatus</i>
	Wallabi rojo (S): <i>Lagorchestes hirsutus</i>
	Wallaby, Bridled (E): <i>Onychogalea fraenata</i>
	Wallaby, Bridled Nailtail (E): <i>Onychogalea fraenata</i>
	Wallaby-lièvre à bandes (F): <i>Lagostrophus fasciatus</i>
	Wallaby-lièvre de l'ouest (F): <i>Lagorchestes hirsutus</i>
	Wallaby-lièvre rayé (F): <i>Lagostrophus fasciatus</i>
	Wallaby-lièvre roux (F): <i>Lagorchestes hirsutus</i>

Walrus (E): <i>Odobenus rosmarus</i>	Whale, Narwhal, Unicorn (E): <i>Monodontidae</i>
Wanderoo (E): <i>Macaca silenus</i>	Whale, Northern Bottlenose (E): <i>Hyperoodon ampullatus</i>
Wapiti (E): <i>Cervus elaphus</i>	Whale, Northern Four-toothed (E): <i>Berardius bairdii</i>
Wapiti, Bactrian (E): <i>Cervus elaphus bactrianus</i>	Whale, Northern Minke (E): <i>Balaenoptera acutorostrata</i>
Warbler, Rodrigues (E): <i>Acrocephalus rodericanus</i>	Whale, Northern Right (E): <i>Eubalaena glacialis</i>
Wartyback, White (E): <i>Plethobasus cicatricosus</i>	Whale, North Pacific Right (E): <i>Eubalaena japonica</i>
Weakfish, MacDonald's (E): <i>Totoaba macdonaldi</i>	whale, Omura's (E): <i>Balaenoptera omurai</i>
Weasel, Alpine (E): <i>Mustela altaica</i>	Whale, Owen's Pygmy Sperm (E): <i>Kogia sima</i>
Weasel, Mountain (E): <i>Mustela altaica</i>	Whale, Pacific Pilot (E): <i>Globicephala macrorhynchus</i>
Weasel, Siberian (E): <i>Mustela sibirica</i>	Whale, Perrin's Beaked (E): <i>Mesoplodon perrini</i>
Weasel, Yellow-bellied (E): <i>Mustela kathiah</i>	Whale, Pollack (E): <i>Balaenoptera borealis</i>
Wellsophyllia geoffroyi (Audouin, 1826) = <i>Trachyphyllia geoffroyi</i> (Audouin, 1826)	Whale, Pot (E): <i>Physeter macrocephalus</i>
Wellsophyllia radiata Pichon, 1980 = <i>Trachyphyllia geoffroyi</i> (Audouin, 1826)	Whale, Pygmy Beaked (E): <i>Mesoplodon peruvianus</i>
Wenona isabella Baird & Girard, 1852 = <i>Charina bottae</i> (Blainville, 1835)	Whale, Pygmy Killer (E): <i>Feresa attenuata</i>
Wenona plumbea Baird & Girard, 1852 = <i>Charina bottae</i> (Blainville, 1835)	Whale, Pygmy Right (E): <i>Neobalaenidae</i>
Whale, Andrews's Beaked (E): <i>Mesoplodon bowdoini</i>	Whale, Pygmy Right (E): <i>Caperea marginata</i>
Whale, Antarctic Minke (E): <i>Balaenoptera bonaerensis</i>	Whale, Pygmy Sperm (E): <i>Kogia breviceps</i>
Whale, Arch-beaked (E): <i>Mesoplodon carlhubbsi</i>	Whale, Right (E): <i>Eubalaena glacialis</i>
Whale, Arnoux's Beaked (E): <i>Berardius arnuxii</i>	Whales, Beaked Whales, Bottle-Nosed (E): <i>Ziphiidae</i>
Whale, Baird's Beaked (E): <i>Berardius bairdii</i>	Whales, Dolphins, Porpoises, (E): <i>Cetacea</i>
Whale, Black Right (E): <i>Eubalaena glacialis</i>	Whale, Sei (E): <i>Balaenoptera borealis</i>
Whale, Blainville's Beaked (E): <i>Mesoplodon densirostris</i>	Whale, Shepherd's Beaked (E): <i>Tasmacetus shepherdi</i>
Whale, Blue (E): <i>Balaenoptera musculus</i>	Whale, Short-finned Pilot (E): <i>Globicephala macrorhynchus</i>
Whale, Bowhead (E): <i>Balaena mysticetus</i>	Whale, Skew-beaked (E): <i>Mesoplodon hectori</i>
Whale, Bryde's (E): <i>Balaenoptera edeni</i>	Whale, Southern Beaked (E): <i>Mesoplodon grayi</i>
Whale, Coalfish (E): <i>Balaenoptera borealis</i>	Whale, Southern Bottlenose (E): <i>Hyperoodon planifrons</i>
Whale, Cuvier's Beaked (E): <i>Ziphius cavirostris</i>	Whale, Southern Four-toothed (E): <i>Berardius arnuxii</i>
Whale, Dwarf Sperm (E): <i>Kogia sima</i>	Whale, Southern Minke (E): <i>Balaenoptera bonaerensis</i>
Whale, False Killer (E): <i>Pseudorca crassidens</i>	Whale, Southern Right (E): <i>Eubalaena australis</i>
Whale, Fin (E): <i>Balaenoptera physalus</i>	Whale, Sowerby's Beaked (E): <i>Mesoplodon bidens</i>
Whale, Fin-backed (E): <i>Balaenoptera physalus</i>	Whale, Spade-toothed (E): <i>Mesoplodon traversii</i>
Whale, Gervais's Beaked (E): <i>Mesoplodon europaeus</i>	Whale, Sperm (E): <i>Physeter macrocephalus</i>
Whale, Giant Bottle-nosed (E): <i>Berardius bairdii</i>	Whale, Spermacet (E): <i>Physeter macrocephalus</i>
Whale, Ginkgo-toothed Beaked (E): <i>Mesoplodon ginkgodens</i>	Whale, Splaytooth Beaked (E): <i>Mesoplodon bowdoini</i>
Whale, Goose-beaked (E): <i>Ziphius cavirostris</i>	Whales, Sperm (E): <i>Physeteridae</i>
Whale, Gray's Beaked (E): <i>Mesoplodon grayi</i>	Whale, Stejneger's Beaked (E): <i>Mesoplodon stejnegeri</i>
Whale, Greenland Right (E): <i>Balaena mysticetus</i>	Whale, Strap-toothed (E): <i>Mesoplodon layardii</i>
Whale, Grey (E): <i>Eschrichtiidae</i>	Whale, Sulphur-bottom (E): <i>Balaenoptera musculus</i>
Whale, Grey (E): <i>Eschrichtius robustus</i>	Whale, Tasman (E): <i>Tasmacetus shepherdi</i>
Whale, Gulf Stream Beaked (E): <i>Mesoplodon europaeus</i>	Whale, Tasman Beaked (E): <i>Tasmacetus shepherdi</i>
Whale, Hector's Beaked (E): <i>Mesoplodon hectori</i>	Whale, Tropical (E): <i>Balaenoptera edeni</i>
Whale, Herring (E): <i>Balaenoptera physalus</i>	Whale, True's Beaked (E): <i>Mesoplodon mirus</i>
Whale, Hubbs's Beaked (E): <i>Mesoplodon carlhubbsi</i>	Whale, Unicorn (E): <i>Monodon monoceros</i>
Whale, Hump (E): <i>Megaptera novaeangliae</i>	Whale, White (E): <i>Delphinapterus leucas</i>
Whale, Humpback (E): <i>Megaptera novaeangliae</i>	Whistling-Duck, Black-bellied (E): <i>Dendrocygna autumnalis</i>
Whale, Hunchbacked (E): <i>Megaptera novaeangliae</i>	Whistling-Duck, Fulvous (E): <i>Dendrocygna bicolor</i>
Whale, Indo-pacific Beaked (E): <i>Indopacetus pacificus</i>	Whistling-Duck, Red-billed (E): <i>Dendrocygna autumnalis</i>
Whale, Killer (E): <i>Orcinus orca</i>	Whistling-Duck, West Indian (E): <i>Dendrocygna arborea</i>
Whale, Layard's Beaked (E): <i>Mesoplodon layardii</i>	White-death (E): <i>Carcharodon carcharias</i>
Whale, Lesser Beaked (E): <i>Mesoplodon peruvianus</i>	White-eye, White-breasted (E): <i>Zosterops albogularis</i>
Whale, Little Piked (E): <i>Balaenoptera acutorostrata</i>	White-eye, White-chested (E): <i>Zosterops albogularis</i>
Whale, Long-finned Pilot (E): <i>Globicephala melas</i>	Whitetip, Purple-bibbed (E): <i>Urosticte benjamini</i>
Whale, Longman's Beaked (E): <i>Indopacetus pacificus</i>	Wildcat (E): <i>Felis silvestris</i>
Whale, Melon-headed (E): <i>Peponocephala electra</i>	Wolf (E): <i>Canis lupus</i>
Whale, Minke (E): <i>Balaenoptera acutorostrata</i>	Wolf, Andean (E): <i>Lycalopex culpaeus</i>
	Wolf, Common (E): <i>Canis lupus</i>
	Wolf, Grey (E): <i>Canis lupus</i>
	Wolf, Maned (E): <i>Chrysocyon brachyurus</i>

- Wolf, Timber (E): *Canis lupus*  
 Woma (E): *Aspidites ramsayi*  
 Woma (F): *Aspidites melanocephalus*  
 Woma (F): *Aspidites ramsayi*  
 Woma (E): *Aspidites melanocephalus*  
 Wombat à nez poilu du Queensland (F): *Lasiorhinus krefftii*  
 Wombat, Northern Hairy-nosed (E): *Lasiorhinus krefftii*  
 Wombat, Queensland Hairy-nosed (E): *Lasiorhinus krefftii*  
 Wood-Duck, Black-billed (E): *Dendrocygna arborea*  
 Woodhen, Lord Howe Island (E): *Gallirallus sylvestris*  
 Woodnymph, Blue-crowned (E): *Thalurania colombica*  
 Woodnymph, Fork-tailed (E): *Thalurania furcata*  
 Woodnymph, Green-crowned (E): *Thalurania fannyi*  
 Woodnymph, Long-tailed (E): *Thalurania watertonii*  
 Woodnymph, Mexican (E): *Thalurania ridgwayi*  
 Woodnymph, Violet-capped (E): *Thalurania glaukopis*  
 Wood-Owl, African (E): *Strix woodfordii*  
 Wood-Owl, Brown (E): *Strix leptogrammica*  
 Wood-Owl, Hume's (E): *Strix butleri*  
 Wood-Owl, Mottled (E): *Strix ocellata*  
 Wood-Owl, Spotted (E): *Strix seloputo*  
 Wood-Owl, Tawny (E): *Strix aluco*  
 Woodpecker, Tristram's (E): *Dryocopus javensis richardsi*  
 Woodpecker, White-bellied (E): *Dryocopus javensis*  
 Woodstar, Amethyst (E): *Calliphlox amethystina*  
 Woodstar, Bahama (E): *Calliphlox evelynae*  
 Woodstar, Chilean (E): *Eulidia yarrellii*  
 Woodstar, Esmeraldas (E): *Chaetocercus berlepschi*  
 Woodstar, Gorgeted (E): *Chaetocercus heliodor*  
 Woodstar, Little (E): *Chaetocercus bombus*  
 Woodstar, Magenta-throated (E): *Calliphlox bryantae*  
 Woodstar, Purple-collared (E): *Myrtis fanny*  
 Woodstar, Purple-throated (E): *Calliphlox mitchellii*  
 Woodstar, Rufous-shafted (E): *Chaetocercus jourdanii*  
 Woodstar, Santa Marta (E): *Chaetocercus astreans*  
 Woodstar, Short-tailed (E): *Myrmia micrura*  
 Woodstar, Slender-tailed (E): *Microstilbon burmeisteri*  
 Woodstar, White-bellied (E): *Chaetocercus mulsanti*  
*Woodworthia brunneus* (Cope, 1869) = *Hoplodactylus pacificus* (Gray, 1842)  
*Woodworthia chrysosireticus* (Robb, 1980) = *Hoplodactylus chrysosireticus* Robb, 1980  
*Woodworthia maculatus* (Gray, 1845) = *Hoplodactylus maculatus* (Gray, 1845)  
 Woylie (E): *Bettongia penicillata*  
 Wrasse, Giant Humphead (E): *Cheilinus undulatus*  
 Wrasse, Giant Maori (E): *Cheilinus undulatus*  
 wrasse, Humphead (E): *Cheilinus undulatus*  
 Wrasse, Humphead Maori (E): *Cheilinus undulatus*  
 Wrasse, Maori (E): *Cheilinus undulatus*  
 Wrasse, Napoleon (E): *Cheilinus undulatus*  
 Wurrup (E): *Lagorchestes hirsutus*  
**Xanthopsar flavus** (Gmelin, 1788) | ICTERIDAE (Aves)  
 (E) Saffron-cowled Blackbird (S) Dragón, Mirlo americano pechiamarillo, Tordo amarillo, Tordo de cabeza amarilla (F) Carouge safran, Ictéride à tête jaune  
*Xenoboaa cropanii* Hoge, 1953 = *Corallus cropanii* (Hoge, 1953)  
*Xenochrophis flavipunctatum* (Hallowell, 1860) = *Xenochrophis piscator* (Schneider, 1799)  
**Xenochrophis piscator** (Schneider, 1799) III  
 COLUBRIDAE (Reptilia) (E) Asiatic Water Snake, Chequered Keelback, Common Scaled Water Snake, Fishing Snake, Rice Paddy Snake (F) Couleuvre à damier, Couleuvre aquatique, Couleuvre d'eau asiatique, Couleuvre pêcheuse, Serpent aquatique caréné à damier  
*Xenochrophis schnurrenbergeri* Kramer, 1977 = *Xenochrophis piscator* (Schneider, 1799)  
*Xenochrophis tytleri* (Blyth, 1863) = *Xenochrophis piscator* (Schneider, 1799)  
**Xenoglaux** spp. II<sup>30</sup> STRIGIDAE (Aves)  
**Xenoglaux loweryi** O'Neill & Graves, 1977 II<sup>30</sup>  
 STRIGIDAE (Aves) (E) Long-whiskered Owl (S) Búho pequeño de bigotes alargados, Mochuelo peludo (F) Chevêchette nimbée  
 Xenosaur, Chinese (E): *Shinisaurus crocodilurus*  
*Xerobates agassizii* Cooper, 1861 = *Gopherus morafkai* Murphy, Berry, Edwards, Leviton, Lathrop & Riedle, 2011  
*Xerobates agassizii* (Cooper, 1863) = *Gopherus agassizii* (Cooper, 1863)  
*Xerobates berlandieri* (Agassiz, 1857) = *Gopherus berlandieri* (Agassiz, 1857)  
*Xerobates leptocephalus* Ottley and Velázquez Solis, 1989 = *Gopherus agassizii* (Cooper, 1863)  
*Xerobates leptocephalus* Ottley et Velázquez Solis, 1989 = *Gopherus morafkai* Murphy, Berry, Edwards, Leviton, Lathrop & Riedle, 2011  
**Xeromys myoides** Thomas, 1889 | MURIDAE  
 (Mammalia) (E) False Swamp Rat, False Water Rat (S) Falsa rata de agua, Rata bastarda de agua (F) Faux rat d'eau  
**Xipholena atropurpurea** (Wied, 1820) | COTINGIDAE  
 (Aves) (E) White-winged Cotinga (S) Cotinga aliblanca (F) Cotinga à ailes blanches, Cotinga porphyron  
*Xiphosoma annulatum* Cope, 1875 = *Corallus annulatus* (Cope, 1875)  
*Xiphosoma araramboya* Wagler, 1824 = *Corallus caninus* (Linnaeus, 1758)  
*Xiphosoma canina* (Linnaeus, 1758) = *Corallus caninus* (Linnaeus, 1758)  
*Xiphosoma dorsuale* Wagler, 1824 = *Corallus hortulanus* (Linnaeus, 1758)  
*Xiphosoma hortulanum* (Linnaeus, 1758) = *Corallus hortulanus* (Linnaeus, 1758)  
*Xiphosoma madagascariense* Duméril & Bibron, 1844 = *Sanzinia madagascariensis* (Duméril & Bibron, 1844)  
*Xiphosoma merremi* (Schneider, 1801) = *Corallus hortulanus* (Linnaeus, 1758)  
*Xiphosoma ornatum* Wagler, 1824 = *Corallus hortulanus* (Linnaeus, 1758)  
*Xiphosoma ruschenbergerii* Cope, 1876 = *Corallus ruschenbergerii* (Cope, 1876)  
 Yacaré de hocico ancho (S): *Caiman latirostris*  
 Yacaré overo (S): *Caiman latirostris*  
 Yack sauvage (F): *Bos mutus*  
 Yaco (S): *Psittacus erithacus*

- Yacutinga cariazul (S): *Pipile pipile*  
 Yacutingá frentinegra (S): *Pipile jacutinga*  
 Yaguar (S): *Panthera onca*  
 Yaguarete (S): *Panthera onca*  
 Yaguarundi (S): *Puma yagouaroundi*  
 Yaguaso colorado (S): *Dendrocygna bicolor*  
 Yak (S): *Bos mutus*  
 Yak salvaje (S): *Bos mutus*  
 Yak, Wild (E): *Bos mutus*  
 Youyou (F): *Poicephalus senegalus*  
*Yuen leprosus* Heude, 1880 = *Rafetus swinhoei* (Gray, 1873)  
*Yuen pallens* Heude, 1880 = *Rafetus swinhoei* (Gray, 1873)  
*Yuen viridis* Heude, 1880 = *Rafetus swinhoei* (Gray, 1873)  
 Zacamuche (S): *Romerolagus diazi*  
 Zafiro barbiaszul (S): *Chlorostilbon notatus*  
 Zafiro bronceado (S): *Hylocharis chrysura*  
 Zafiro cabeciazul (S): *Hylocharis grayi*  
 Zafiro cabecimorado (S): *Hylocharis cyanus*  
 Zafiro capirotado (S): *Thalurania glaukopis*  
 Zafiro colidorado (S): *Chrysuronia oenone*  
 Zafiro colilargo (S): *Thalurania watertoni*  
 Zafiro coroniazul (S): *Thalurania colombica*  
 Zafiro coroniverde (S): *Thalurania fannyi*  
 Zafiro de Elicia (S): *Hylocharis eliciae*  
 Zafiro gargantirrufo (S): *Hylocharis sapphirina*  
 Zafiro golondrina (S): *Thalurania furcata*  
 Zafiro gorgiblanco (S): *Hylocharis cyanus*  
 Zafiro gorgirrojo (S): *Hylocharis sapphirina*  
 Zafiro gorjazul (S): *Hylocharis eliciae*  
 Zafiro Mexicano (S): *Thalurania ridgwayi*  
**Zaglossus spp. II** TACHYGLOSSIDAE (Mammalia)  
**Zaglossus attenboroughi** Flannery & Groves, 1998 II  
 TACHYGLOSSIDAE (Mammalia) (E) Attenborough's Echidna  
**Zaglossus bartoni** (Thomas, 1907) II  
 TACHYGLOSSIDAE (Mammalia) (E) Barton's Echidna  
**Zaglossus bruijni** (Peters & Doria, 1876) II  
 TACHYGLOSSIDAE (Mammalia) (E) Long-beaked Echidna, Long-nosed Echidna, Long-nosed Spiny Anteater, New Guinea Long-nosed Echidna (S)  
 Echidnos narilargos, Equidna de Nueva Guinea (F)  
 Echidné à bec courbe, Echidné de Bruijn, Echidné de Nouvelle-Guinée  
*Zaglossus bruijnii* (Peters & Doria, 1876) = *Zaglossus bruijni* (Peters & Doria, 1876)  
 Zaino javelina (S): *Pecari tajacu*  
 Zamarrito canoso (S): *Haplophaedia lugens*  
 Zamarrito colilargo (S): *Eriocnemis luciani*  
 Zamarrito gorjiturquesa (S): *Eriocnemis godini*  
 Zamarrito luciente (S): *Eriocnemis vestita*  
 Zamarrito muslinegro (S): *Eriocnemis derbyi*  
 Zamarrito pechiblanco (S): *Eriocnemis alinae*  
 Zamarrito pechidorado (S): *Eriocnemis mosquera*  
 Zamarrito pechinegro (S): *Eriocnemis nigrivestis*  
 Zamarrito verdoso (S): *Haplophaedia aureliae*  
 Zambullidor de Atitlán (S): *Podilymbus gigas*  
 Zampullín del Atitlán (S): *Podilymbus gigas*  
*Zanda baudinii* (Lear, 1832) = *Calyptorhynchus baudinii* Lear, 1832  
*Zanda funerea* (Shaw, 1794) = *Calyptorhynchus funereus* (Shaw, 1794)  
*Zanda latirostris* (Carnaby, 1948) = *Calyptorhynchus latirostris* Carnaby, 1948  
 Zaragueate (S): *Alouatta palliata*  
 Zarapito boreal (S): *Numenius borealis*  
 Zarapito esquimal (S): *Numenius borealis*  
 Zarapito fino (S): *Numenius tenuirostris*  
 Zarapito polar (S): *Numenius borealis*  
 Zebra, Cape Mountain (E): *Equus zebra zebra*  
 Zebra, Grevy's (E): *Equus grevyi*  
 Zebra, Hartmann's Mountain (E): *Equus zebra hartmannae*  
 Zebra, Mountain (E): *Equus zebra*  
 Zèbre de Grévy (F): *Equus grevyi*  
 Zèbre de Hartmann (F): *Equus zebra hartmannae*  
 Zèbre de montagne de Hartmann (F): *Equus zebra hartmannae*  
 Zèbre de montagne du Cap (F): *Equus zebra zebra*  
*Zeunera alexandrae* (Rothschild, 1907) = *Ornithoptera alexandrae* (Rothschild, 1907)  
 Zifio peruano (S): *Mesoplodon peruvianus*  
 Zimbador centroamericano (S): *Atthis ellioti*  
 Zimbador mexicano (S): *Atthis heloisa*  
**ZIPHIIDAE spp.** Gray, 1865 I/II<sup>18</sup> (Mammalia) (E)  
 Beaked Whales, Bottle-Nosed Whales (S) Ballenas Hocico De Botella (F) *Ziphius*, Hyperoodons  
 Ziphio de Cuvier (S): *Ziphius cavirostris*  
**Ziphius spp. II**<sup>18</sup> ZIPHIIDAE (Mammalia)  
*Ziphius* (F): *Ziphius cavirostris*  
**Ziphius cavirostris** G. Cuvier, 1823 II<sup>18</sup> ZIPHIIDAE (Mammalia) (E) Cuvier's Beaked Whale, Goose-beaked Whale (S) Ballena de Cuvier, Ziphio de Cuvier (F) *Ziphius*  
*Ziphius*, Hyperoodons (F): *Ziphiidae*  
 Zonure, Giant (E): *Cordylus giganteus*  
*Zonurus angolensis* Bocage, 1895 = *Cordylus angolensis* (Bocage, 1895)  
*Zonurus barbertonensis depressus* van Dam, 1921 = *Cordylus depressus* (FitzSimons, 1930)  
*Zonurus barbertonensis* van Dam, 1921 = *Cordylus barbertonensis* (van Dam, 1921)  
*Zonurus breyeri* van Dam, 1921 = *Cordylus breyeri* (van Dam, 1921)  
*Zonurus campbelli* FitzSimons, 1938 = *Cordylus campbelli* (FitzSimons, 1938)  
*Zonurus cordylus atrus* (Linnaeus, 1758) = *Cordylus niger* Cuvier, 1829  
*Zonurus cordylus flavus* (Linnaeus, 1758) = *Cordylus cordylus* (Linnaeus, 1758)  
*Zonurus cordylus rhodesianus* (Linnaeus, 1758) = *Cordylus rhodesianus* (Hewitt, 1933)  
*Zonurus cordylus tasmani* (Linnaeus, 1758) = *Cordylus tasmani* (Power, 1930)  
*Zonurus derbianus* Gray, 1845 = *Cordylus giganteus* A. Smith, 1844  
*Zonurus frenatus* Pfeffer, 1889 = *Cordylus tropidosternum* (Cope, 1869)

- Zonurus jonesii* Boulenger, 1891 = *Cordylus jonesii* (Boulenger, 1891)
- Zonurus jordani* Parker, 1936 = *Cordylus jordani* (Parker, 1936)
- Zonurus laevigatus* FitzSimons, 1933 = *Cordylus depressus* (FitzSimons, 1930)
- Zonurus lawrenci* FitzSimons, 1939 = *Cordylus lawrenci* (FitzSimons, 1939)
- Zonurus macropholis* Boulenger, 1910 = *Cordylus macropholis* (Boulenger, 1910)
- Zonurus namaquensis* Methuen & Hewitt, 1914 = *Cordylus namaquensis* (Methuen & Hewitt, 1914)
- Zonurus parkeri* Cott, 1934 = *Cordylus tropidosternum* (Cope, 1869)
- Zonurus peersi* Hewitt, 1932 = *Cordylus peersi* (Hewitt, 1932)
- Zonurus pustulatus* Peters, 1862 = *Cordylus pustulatus* (Peters, 1862)
- Zonurus rivae* Boulenger, 1896 = *Cordylus rivae* (Boulenger, 1896)
- Zonurus robertsi* van Dam, 1921 = *Cordylus capensis* A. Smith, 1838
- Zonurus tropidogaster* Boulenger, 1910 = *Cordylus vittifer* (Reichenow, 1887)
- Zonurus tropidosternum* Cope, 1869 = *Cordylus tropidosternum* (Cope, 1869)
- Zonurus ukingensis* Loveridge, 1932 = *Cordylus ukingensis* (Loveridge, 1932)
- Zonurus vandami* FitzSimons, 1930 = *Cordylus vandami* FitzSimons, 1930
- Zonurus vertebralis* Gray, 1838 = *Cordylus cordylus* (Linnaeus, 1758)
- Zonurus vittifer* Reichenow, 1887 = *Cordylus vittifer* (Reichenow, 1887)
- Zonurus warreni* Boulenger, 1908 = *Cordylus warreni* (Boulenger, 1908)
- Zonurus wittei* Schlegel, 1834 = *Cordylus microlepidotus* Cuvier, 1829
- Zoopilus spp.** Dana 1848 II FUNGIIDAE (Anthozoa)
- Zoopilus echinatus** Dana, 1846 II FUNGIIDAE (Anthozoa) (E) Chinaman's Hat
- Zoopilus gomezae* Nemenzo, 1980 = *Zoopilus echinatus* Dana, 1846
- Zopilote rey (S): *Sarcoramphus papa*
- Zorrillo (S): *Conepatus humboldtii*
- Zorrino de la Patagonia (S): *Conepatus humboldtii*
- Zorro andino (S): *Lycalopex culpaeus*
- Zorro, Azara's (E): *Lycalopex gymnocercus*
- Zorro cangrejero (S): *Cerdocyon thous*
- Zorro chico (S): *Lycalopex griseus*
- Zorro colorado (S): *Lycalopex culpaeus*
- Zorro, Common (E): *Cerdocyon thous*
- Zorro, Crab-eating (E): *Cerdocyon thous*
- Zorro de Bengala (S): *Vulpes bengalensis*
- Zorro de Blanford (S): *Vulpes cana*
- Zorro de la Isla Chiloe (S): *Lycalopex griseus*
- Zorro de la Pampa (S): *Lycalopex gymnocercus*
- Zorro del Sahara (S): *Vulpes zerda*
- Zorro de monte (S): *Cerdocyon thous*
- Zorro, Grey (E): *Lycalopex griseus*
- Zorro gris argentino (S): *Lycalopex griseus*
- Zorro rojo (S): *Vulpes vulpes*
- Zorro vinagre (S): *Speothos venaticus*
- Zorro volador de Aldabra (S): *Pteropus aldabrensis*
- Zorro volador de Amboina (S): *Pteropus chrysoproctus*
- Zorro volador de Andaman (S): *Pteropus melanotus*
- Zorro volador de anteojos (S): *Pteropus conspicillatus*
- Zorro volador de barba negra (S): *Pteropus melanopogon*
- Zorro volador de Bismarck (S): *Pteropus neohibernicus*
- Zorro volador de Bougainville (S): *Pteropus mahaganus*
- Zorro volador de cabeza cenicienta (S): *Pteropus caniceps*
- Zorro volador de cabeza gris (S): *Pteropus poliocephalus*
- Zorro volador de Calamian (S): *Acerodon leucotis*
- Zorro volador de cuello rojo (S): *Pteropus vampyrus*
- Zorro volador de Gilliard (S): *Pteropus gilliardorum*
- Zorro volador de Howens (S): *Pteropus howensis*
- Zorro volador de la India (S): *Pteropus giganteus*
- Zorro volador de la isla Ceram (S): *Pteropus ocularis*
- Zorro volador de la isla Japen (S): *Pteropus pohlei*
- Zorro volador de la isla Jawi (S): *Pteropus tuberculatus*
- Zorro volador de la isla Malawi (S): *Pteropus speciosus*
- Zorro volador de la isla Ndeni (S): *Pteropus nitendiensis*
- Zorro volador de la isla Rodrígues (S): *Pteropus rodricensis*
- Zorro volador de las Célebes (S): *Acerodon celebensis*
- Zorro volador de las islas Banks (S): *Pteropus fundatus*
- Zorro volador de las islas Bonin (S): *Pteropus pselaphon*
- Zorro volador de las islas de la Leal (S): *Pteropus ornatus*
- Zorro volador de las islas del almirantazgo (S): *Pteropus admiraltatum*
- Zorro volador de las islas Palau (S): *Pteropus pilosus*
- Zorro volador de las islas Percy (S): *Pteropus brunneus*
- Zorro volador de las Salomón (S): *Pteropus rayneri*
- Zorro volador de las Seychelles (S): *Pteropus seychellensis*
- Zorro volador de Livingston (S): *Pteropus livingstonii*
- Zorro volador de Lombok (S): *Pteropus lombocensis*
- Zorro volador de Luzón (S): *Pteropus leucopterus*
- Zorro volador de Lyle (S): *Pteropus lylei*
- Zorro volador de Macklot (S): *Acerodon mackloti*
- Zorro volador de Madagascar (S): *Pteropus rufus*
- Zorro volador de Nueva Caledonia (S): *Pteropus vetulus*
- Zorro volador de orejas grandes (S): *Pteropus macrotis*
- Zorro volador de Queensland (S): *Pteropus scapulatus*
- Zorro volador de Ryu-Kyu (S): *Pteropus dasymallus*
- Zorro volador de Talaud (S): *Acerodon humilis*
- Zorro volador de Taylor (S): *Pteropus pumilus*
- Zorro volador de Temminck (S): *Pteropus temminckii*
- Zorro volador de Tokuda (S): *Pteropus tokudae*
- Zorro volador de Voeltzkow (S): *Pteropus voeltzkowi*
- Zorro volador de Woodford (S): *Pteropus woodfordi*
- Zorro volador enmascarado (S): *Pteropus personatus*
- Zorro volador filipino (S): *Acerodon jubatus*
- Zorro volador gris (S): *Pteropus griseus*
- Zorro volador negro (S): *Pteropus alecto*
- Zorro volador negro de Mauricio (S): *Pteropus niger*
- Zorro volador oscuro de Mauricio (S): *Pteropus subniger*
- Zorro volador pequeño (S): *Pteropus hypomelanus*

Zostérops à gorge blanche de l'île de Norfolk (F):

*Zosterops albogularis*

***Zosterops albogularis*** Gould, 1837 | ZOSTEROPIDAE

(Aves) (E) White-breasted Silvereye, White-breasted White-eye, White-chested White-eye (S) Ave de anteojos de pecho blanco, Gafudo gorgiblanco (F)

Zostérops à gorge blanche de l'île de Norfolk,

Zostérops à poitrine blanche, Zostérops de l'île de

Norfolk

Zostérops à poitrine blanche (F): *Zosterops albogularis*

Zostérops de l'île de Norfolk (F): *Zosterops albogularis*

Zumbador (S): *Chlorostilbon swainsonii*

Zumbadorcito (S): *Mellisuga minima*

Zumbador coliancho (S): *Selasphorus platycercus*

Zumbador de Allen (S): *Selasphorus sasin*

Zumbador grande (S): *Anthracothorax dominicus*

Zumbador rufo (S): *Selasphorus rufus*

*Zygaena erythraea* (Klunzinger 1871) = *Sphyraea lewini*

(Griffith & Smith, 1834)

***Zyzomys pedunculatus*** (Waite, 1896) | MURIDAE

(Mammalia) (E) Central Rock Rat, Central Thick-tailed Rock Rat, Macdonnell Range Rock-rat (S) Rata coligorda (F) Rat à grosse queue

# FLORA

- Aa spp.** Reichb. f. #4 II 64 ORCHIDACEAE  
*Aa nervosa* (Kranzlin) Schltr. #4 II 64 ORCHIDACEAE  
**Abdominea spp.** J.J. Smith #4 II 64 ORCHIDACEAE  
*Abdominea minimiflora* (Hook.f.) J.J. Smith #4 II 64  
ORCHIDACEAE  
 Abeto (S): *Abies guatemalensis*  
 Abeto Mexicano (S): *Abies guatemalensis*  
*Abies columbaria* Desf. = *Araucaria araucana* (Molina)  
K.Koch  
*Abies guatemalensis* Rehder I PINACEAE (E)  
 Gautemalan Fir, Mexican Fir (S) Abeto, Abeto  
 Mexicano, Pinabete  
 Acajou (F): *Cedrela odorata*  
 Acajou (F): *Swietenia macrophylla*  
 Acajou d' Amérique (F): *Swietenia macrophylla*  
 Acajou de Cuba (S): *Swietenia mahagoni*  
 Acajou des Antilles (F): *Swietenia macrophylla*  
 Acajou de Santo Domingo (S): *Swietenia mahagoni*  
**Acampe spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Acampe congesta* #4 II 64 ORCHIDACEAE  
*Acampe multiflora* (Lindl.) Lindl #4 II 64 ORCHIDACEAE  
*Acampe papillosa* #4 II 64 ORCHIDACEAE  
*Acampe praemorsa* (Roxb.) Blatter & Mccann #4 II 64  
ORCHIDACEAE  
*Acampe rigida* Buch-Harn. ex J.E.Sm. P.F.Hunt #4 II 64  
ORCHIDACEAE (E) Banana Orchid  
*Acampe wightiana* #4 II 64 ORCHIDACEAE  
**Acanthephippium spp.** Blume #4 II 64 ORCHIDACEAE  
*Acanthephippium bicolor* Lindley #4 II 64 ORCHIDACEAE  
*Acanthephippium curtisii* Reichb.f. #4 II 64  
ORCHIDACEAE  
*Acanthephippium gougaense* #4 II 64 ORCHIDACEAE  
*Acanthephippium javanicum* Blume #4 II 64  
ORCHIDACEAE  
*Acanthephippium lycaste* Ridley #4 II 64 ORCHIDACEAE  
*Acanthephippium parviflorum* Hassk. #4 II 64  
ORCHIDACEAE  
*Acanthephippium sinense* Rolfe #4 II 64 ORCHIDACEAE  
 (E) Jug Orchid  
*Acanthephippium striatum* Lindley #4 II 64  
ORCHIDACEAE  
*Acanthephippium sylhetnese* Lindley #4 II 64  
ORCHIDACEAE  
*Acanthephippium unguiculatum* (Hayata) Fuk. #4 II 64  
ORCHIDACEAE  
*Acanthephippium vitiense* L.O. Williams #4 II 64  
ORCHIDACEAE  
*Acanthephippium yamamotoi* Hayata #4 II 64  
ORCHIDACEAE  
**Acanthocalycium spp.** Backeb. #4 II 49 CACTACEAE  
*Acanthocalycium andreaeanum* (Backeberg) Donald =  
*Eriosyce andreaeana* Kattermann  
*Acanthocalycium aurantiacum* Rausch = *Echinopsis*  
*glaucina* Friedrich & Rowley  
*Acanthocalycium brevispinum* Ritter = *Echinopsis*  
*thionantha* (Spegazzini) Werdermann  
*Acanthocalycium catamarcense* Ritter = *Echinopsis*  
*thionantha* (Spegazzini) Werdermann  
*Acanthocalycium chionanthum* (Spegazzini) Backeberg =  
*Echinopsis thionantha* (Spegazzini) Werdermann  
**Acanthocalycium ferrarii** Rausch #4 II 49 CACTACEAE  
*Acanthocalycium glaucum* Ritter = *Echinopsis glauca*  
Friedrich & Rowley  
*Acanthocalycium griseum* Backeberg = *Echinopsis*  
*thionantha* (Spegazzini) Werdermann  
**Acanthocalycium klimpelianum** (Wiedlich &  
Werdermann) Backeberg #4 II 49 CACTACEAE  
*Acanthocalycium peitscherianum* Backeberg =  
*Acanthocalycium klimpelianum* (Wiedlich &  
Werdermann) Backeberg  
**Acanthocalycium spiniflorum** (Schumann) Backeberg  
#4 II 49 CACTACEAE  
*Acanthocalycium thionanthum* (Spegazzini) Backeberg =  
*Echinopsis thionantha* (Spegazzini) Werdermann  
*Acanthocalycium variiflorum* Backeberg =  
*Acanthocalycium ferrarii* Rausch  
*Acanthocalycium violaceum* (Werdermann) Backeberg =  
*Acanthocalycium spiniflorum* (Schumann) Backeberg  
**Acanthocereus spp.** (A. Berger) Britton & Rose #4 II 49  
CACTACEAE  
*Acanthocereus albicaulis* Britton & Rose = *Cereus*  
*albicaulis* (Britton & Rose) Luetzburg  
**Acanthocereus baxaniensis** (Karwinsky ex Pfeiffer) Borg  
#4 II 49 CACTACEAE  
*Acanthocereus brasiliensis* Britton & Rose =  
*Pseudoacanthocereus brasiliensis* (Britton & Rose)  
Ritter  
**Acanthocereus colombianus** Britton & Rose #4 II 49  
CACTACEAE  
*Acanthocereus floridanus* Small ex Britton & Rose =  
*Acanthocereus tetragonus* (Linnaeus) Hummelinck  
**Acanthocereus horridus** Britton & Rose #4 II 49  
CACTACEAE  
*Acanthocereus maculatus* (Weingart) F.Knuth =  
*Peniocereus maculatus* (Weingart) Cutak  
**Acanthocereus occidentalis** Britton & Rose #4 II 49  
CACTACEAE  
*Acanthocereus pentagonus* (Linnaeus) Britton & Rose =  
*Acanthocereus tetragonus* (Linnaeus) Hummelinck  
*Acanthocereus sicariguensis* Croizat & Tamayo =  
*Pseudoacanthocereus sicariguensis* (Croizat &  
Tamayo) Taylor  
**Acanthocereus subinermis** Britton & Rose #4 II 49  
CACTACEAE  
**Acanthocereus tetragonus** (Linnaeus) Hummelinck #4 II  
49 CACTACEAE (E) Barbwire Apple-cactus (F)  
Liane-raquette  
*Acanthocereus undulosus* (De Candolle) Croizat =  
*Dendrocereus undulosus* (De Candolle) Britton & Rose

- Acantholobivia incuiensis* (Rauh & Backeberg) Rauh & Backeberg = *Echinopsis tegeleriana* (Backeberg) Hunt  
*Acantholobivia tegeleriana* (Backeberg) Backeberg =  
*Echinopsis tegeleriana* (Backeberg) Hunt  
*Acanthorhipsalis brevispina* Ritter = *Lepismium brevispinum* Barthlott  
*Acanthorhipsalis crenata* Britton & Rose = *Lepismium crenatum* (Britton) Barthlott  
*Acanthorhipsalis houilletiana* (Lemaire) Volgin =  
*Lepismium houilletianum* (Lemaire) Barthlott  
*Acanthorhipsalis incachacana* (Cardenas) Volgin =  
*Lepismium incachacanum* (Cardenas) Barthlott  
*Acanthorhipsalis incahuasina* Cardenas = *Lepismium monacanthum* (Grisebach) Barthlott  
*Acanthorhipsalis micrantha* (Vaupel) Britton & Rose =  
*Lepismium micranthum* (Vaupel) Barthlott  
*Acanthorhipsalis monacantha* (Grisebach) Britton & Rose = *Lepismium monacanthum* (Grisebach) Barthlott  
*Acanthorhipsalis paranganiensis* Cardenas = *Lepismium paranganiense* (Cardenas) Barthlott  
*Acanthorhipsalis samaipatana* (Cardenas) Ritter =  
*Lepismium monacanthum* (Grisebach) Barthlott  
***Aceras*** spp. R. Br. #4 II 64 ORCHIDACEAE  
*Aceras anthropophorum* (L.) W.T.Aiton #4 II 64  
 ORCHIDACEAE (E) Man Orchid (S) Flor del Hombre Ahorcado  
*Aceras densiflorum* (Brot.) Boiss. = *Neotinea maculata* (Desf.) Stearn  
*Aceras hircinum* (L.) Lindl. = *Himantoglossum hircinum* (L.) Spreng.  
*Aceras longibracteatum* Rchb.f. = *Barlia robertiana* (Loisel.) Greuter  
*Aceras pyramidale* (L.) Rchb.f. = *Anacamptis pyramidalis* (L.) Rich.  
***Aceratorchis*** spp. Schlechter #4 II 64 ORCHIDACEAE  
*Aceratorchis albiflora* Schl. #4 II 64 ORCHIDACEAE  
*Acharagma aguirreana* (Glass & Foster) Glass =  
*Escobaria aguirreana* (Glass & Foster) Taylor  
*Achroanthes monophyllum* (L.) Greene = *Microstylis monophyllum* (L.) Lindl.  
*Acianthera* spp. Scheidw., 1842 #4 II 64 ORCHIDACEAE  
*Acianthera alligatorifera* (Rchb.f.) Pridgeon & M.W.Chase  
 #4 II 64 ORCHIDACEAE  
*Acianthera aveniformis* (Hoehne, 2004) #4 II 64  
 ORCHIDACEAE  
*Acianthera bragae* (Ruschi) F.Barros #4 II 64  
 ORCHIDACEAE  
*Acianthera fenestrata* (Barb.Rodr.) Pridgeon & M.W.Chase  
 #4 II 64 ORCHIDACEAE  
***Acianthus*** spp. R. Br. #4 II 64 ORCHIDACEAE  
*Acianthus aegeridantennatus* Hallé #4 II 64  
 ORCHIDACEAE  
*Acianthus amplexicaulis* (Bailey) Rolfe #4 II 64  
 ORCHIDACEAE  
*Acianthus apprimus* D.L.Jones #4 II 64 ORCHIDACEAE  
*Acianthus atepalus* Reichb.f. #4 II 64 ORCHIDACEAE  
*Acianthus bracteatus* Rendle #4 II 64 ORCHIDACEAE  
*Acianthus confusus* Guillaumin #4 II 64 ORCHIDACEAE  
*Acianthus corniculatus* Rendle #4 II 64 ORCHIDACEAE  
*Acianthus cymbalariaifolius* F. Muell & Kranzlin #4 II 64  
 ORCHIDACEAE  
*Acianthus elegans* Reichb.f. #4 II 64 ORCHIDACEAE  
*Acianthus exiguum* D.L.Jones #4 II 64 ORCHIDACEAE  
*Acianthus grandiflorus* Schltr. #4 II 64 ORCHIDACEAE  
*Acianthus heptadactylus* Kranzlin #4 II 64 ORCHIDACEAE  
*Acianthus ledwardii* Rupp #4 II 64 ORCHIDACEAE  
*Acianthus macroglossus* Schltr. #4 II 64 ORCHIDACEAE  
*Acianthus oxyglossus* Schltr. #4 II 64 ORCHIDACEAE  
*Acianthus sublestus* Dockr. #4 II 64 ORCHIDACEAE  
*Acianthus tenellus* Schltr. #4 II 64 ORCHIDACEAE  
*Acianthus tenuilabris* Schltr. #4 II 64 ORCHIDACEAE  
*Acianthus tenuissimus* Nicholls & Goadby #4 II 64  
 ORCHIDACEAE  
*Acianthus uvarius* Halle #4 II 64 ORCHIDACEAE  
*Acianthus veillonis* Halle #4 II 64 ORCHIDACEAE  
***Acineta*** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Acineta alticola* C.Schweinf. #4 II 64 ORCHIDACEAE  
*Acineta antioquiae* Schltr. #4 II 64 ORCHIDACEAE  
*Acineta barkeri* (Bateman) Lindley #4 II 64  
 ORCHIDACEAE  
*Acineta beyrodtiana* Schltr. #4 II 64 ORCHIDACEAE  
*Acineta chrysanthia* (C.Morren) Lindl. & Paxton #4 II 64  
 ORCHIDACEAE  
*Acineta collosa* Sander 1898 = *Acineta superba* (Humboldt, Bonpl. & Kunth) Rchb.f.  
*Acineta colmanii* auct. 1904 = *Acineta superba* (Humboldt, Bonpl. & Kunth) Rchb.f.  
*Acineta confusa* Schltr. 1917 #4 II 64 ORCHIDACEAE  
*Acineta cryptodonta* Rchb.f. #4 II 64 ORCHIDACEAE  
*Acineta dalessandroi* Dodson 1984 #4 II 64  
 ORCHIDACEAE  
*Acineta densa* Lindl. & Paxton 1850-1 #4 II 64  
 ORCHIDACEAE  
*Acineta erythroxantha* Rchb.f. #4 II 64 ORCHIDACEAE  
*Acineta fulva* (Hook.) Klotzsch 1852 = *Acineta superba* (Humboldt, Bonpl. & Kunth) Rchb.f.  
*Acineta glauca* Linden ex Lindl. = *Lueddemannia pescatorei* (Lindl.) Linden & Rchb.f.  
*Acineta gymnostele* Schltr. 1917 = *Acineta densa* Lindl. & Paxton 1850-1  
*Acineta hennisiiana* Schltr. #4 II 64 ORCHIDACEAE  
*Acineta hrubyana* Rchb.f. (1882) #4 II 64 ORCHIDACEAE  
*Acineta hrubyana* Hort. 1907 = *Lacaena bicolor* Lindl. (1843)  
*Acineta humboldtii* (Lindl. ) Lindl. 1843 = *Acineta superba* (Humboldt, Bonpl. & Kunth) Rchb.f.  
*Acineta longiscapa* (A.Rich. & Galeotti) Rchb.f. (1852) =  
*Lacaena bicolor* Lindl. (1843)  
*Acineta moorei* Rolfe = *Acineta hrubyana* Rchb.f. (1882)  
*Acineta sella-turcica* Rchb.f. 1852 #4 II 64  
 ORCHIDACEAE  
*Acineta sulcata* Rchb.f. 1879 #4 II 64 ORCHIDACEAE  
*Acineta superba* (Humboldt, Bonpl. & Kunth) Rchb.f. #4 II 64 ORCHIDACEAE  
*Acineta volteriana* Schltr. 1917 = *Acineta erythroxantha* Rchb.f.

- Acineta warscewiczii* Klotzsch 1852 = *Acineta chrysantha* (C.Morren) Lindl. & Paxton  
*Acineta wrightii* Fraser (1889) = *Lacaena bicolor* Lindl. (1843)
- Acostaea spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Acostaea trilobata* Luer #4 II 64 ORCHIDACEAE
- Acriopsis spp.** Reinw. ex Blume #4 II 64 ORCHIDACEAE  
*Acriopsis carrii* Holttum #4 II 64 ORCHIDACEAE  
*Acriopsis densiflora* Lindley #4 II 64 ORCHIDACEAE  
*Acriopsis gracilis* M.E. Minderhoud & de Vogel #4 II 64 ORCHIDACEAE  
*Acriopsis indica* Wight #4 II 64 ORCHIDACEAE  
*Acriopsis javanica* Reinw. ex Blume #4 II 64 ORCHIDACEAE
- Acrochaene* spp. Lindl. #4 II 64 ORCHIDACEAE  
*Acrochaene punctata* Lindl. #4 II 64 ORCHIDACEAE  
*Acrochaene rimanni* Rchb.f. = *Sunipia rimannii* (Rchb.f.) Seidenf.
- Acrolophia spp.** Pfitzer #4 II 64 ORCHIDACEAE  
*Acrolophia barbata* (Thunb.) H.P.Linder #4 II 64 ORCHIDACEAE  
*Acrolophia bolusii* Rolfe #4 II 64 ORCHIDACEAE  
*Acrolophia cochlearis* (L.) W.T.Aiton #4 II 64 ORCHIDACEAE  
*Acrolophia micrantha* (Lindl.) Schltr. & Bolus #4 II 64 ORCHIDACEAE  
*Acrolophia ustulata* (Bolus) Schltr. & Bolus #4 II 64 ORCHIDACEAE
- Acropora armeniaca* Lindl. & Paxton 1850-1 = *Gongora armeniaca* (Lindl.) Rchb.f. 1854  
*Acropora atropurpurea* Heynh. 1846 = *Gongora galeata* (Lindl.) Rchb.f. 1854  
*Acropora batemannii* Lindl. ex Rchb.f. 1874 = *Gongora cassidea* Rchb.f. (1864)  
*Acropora citrina* Rchb.f. 1854 = *Gongora galeata* (Lindl.) Rchb.f. 1854  
*Acropora cornuta* Klotzsch 1852 = *Gongora armeniaca* (Lindl.) Rchb.f. 1854  
*Acropora flava* Klotzsch 1851 = *Gongora galeata* (Lindl.) Rchb.f. 1854  
*Acropora loddigesii* Lindl. 1833 = *Gongora galeata* (Lindl.) Rchb.f. 1854  
*Acropora luteola* Drapiez 1840 = *Gongora galeata* (Lindl.) Rchb.f. 1854  
*Acropora pallida* Heynh. 1846 = *Gongora galeata* (Lindl.) Rchb.f. 1854  
*Acropora purpurea* Heynh. 1846 = *Gongora galeata* (Lindl.) Rchb.f. 1854
- Acrorchis spp.** Dressler #4 II 64 ORCHIDACEAE  
*Acrorchis roseola* Dressler 1990 #4 II 64 ORCHIDACEAE
- Ada spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Ada allenii* (C. Schweinf.) N.H. Williams #4 II 64 ORCHIDACEAE  
*Ada elegantula* (Rchb.f.) N.H.Williams 1972 #4 II 64 ORCHIDACEAE  
*Ada glumacea* (Lindl.) N.H.Williams 1972 #4 II 64 ORCHIDACEAE  
*Ada keiliana* (Rchb.f. ex Lindl.) N.H.Williams 1972 #4 II 64 ORCHIDACEAE
- Ada ocanensis* (Lindl.) N.H.Williams 1972 #4 II 64  
 ORCHIDACEAE  
 Adder's-mouth, Huachuca Mountain (E): *Malaxis corymbosa*  
*Adelopetalum argyropum* (Endl.) D.L.Jones et M.A.Clem. = *Bulbophyllum argyropus* (Endl.) H.G.Reichb.  
*Adelopetalum boonjee* (B.Gray & D.L.Jones) D.L.Jones & M.A.Clem. = *Bulbophyllum boonjee* B.Gray & D.L.Jones  
*Adelopetalum bracteatum* Fitzg. = *Bulbophyllum bracteatum* F.M.Bailey  
*Adelopetalum elisae* (F.Muell.) D.L.Jones & M.A.Clem. = *Bulbophyllum elizae* (F. Muell.) Benth.  
*Adelopetalum exiguum* (F.Muell.) D.L.Jones & M.A.Clem. = *Bulbophyllum exiguum* F.Muell.  
*Adelopetalum lageniforme* (F.M.Bailey) D.L.Jones & M.A.Clem. = *Bulbophyllum lageniforme* F.M.Bailey  
*Adelopetalum lilianae* (Rendle) D.L.Jones & M.A.Clem. = *Bulbophyllum lilianae* Rendle  
*Adelopetalum newportii* (F.M.Bailey) D.L.Jones & M.A.Clem. = *Bulbophyllum newportii* (F.M.Bailey) Rolfe  
*Adelopetalum tuberculatum* (Colenso) D.L.Jones, M.A.Clem & Molloy = *Bulbophyllum tuberculatum* Colenso  
*Adelopetalum weinthalii* (R.Rogers) D.L.Jones & M.A.Clem. = *Bulbophyllum weinthalii* R.Rogers  
*Adelopetalum wilkianum* (T.E.Hunt) M.A.Clem. = *Bulbophyllum wilkianum* T.E.Hunt  
*Adenia firingalavensis* Harms II PASSIFLORACEAE  
*Adenia olaboensis* Claverie II PASSIFLORACEAE  
*Adenia subsessifolia* Perrier (1940) II PASSIFLORACEAE  
*Adenium namaquanum* Wiley ex Harv. 1863 = *Pachypodium namaquanum* (Wiley ex Harv.) Welw. 1869
- Adenochilus spp.** Hook.f. #4 II 64 ORCHIDACEAE  
*Adenochilus nortonii* W. Fitzg. #4 II 64 ORCHIDACEAE
- Adenoncos spp.** Blume #4 II 64 ORCHIDACEAE  
*Adenoncos major* Ridley #4 II 64 ORCHIDACEAE  
*Adenoncos sumatrana* J.J. Sm #4 II 64 ORCHIDACEAE  
*Adenoncos virens* Blume #4 II 64 ORCHIDACEAE  
*Adipe aureofulva* (Lindl.) M.Wolff 1990 = *Bifrenaria secunda* (Hoehne) Pabst 1967  
*Adipe charlesworthii* (Rolfe) M.Wolff 1990 = *Bifrenaria charlesworthii* Rolfe  
*Adipe clavigera* (Rchb.f.) M.Wolff 1990 = *Bifrenaria clavigera* Rchb.f. (1865)  
*Adipe fulva* Raf. (1936) = *Bifrenaria racemosa* (Hook.) Lindl. (1843)  
*Adipe leucorrhoda* (Rchb.f.) M.Wolff 1990 = *Bifrenaria leucorrhoda* Rchb.f. (1859)  
*Adipe longicornis* (Lindl.) M.Wolff = *Bifrenaria longicornis* Lindl. (1855)  
*Adipe melanopoda* (Klotzsch) M.Wolff 1990 = *Bifrenaria melanopoda* Klotzsch (1855)  
*Adipe racemosa* (Hook.) Raf. 1837 = *Bifrenaria racemosa* (Hook.) Lindl. (1843)  
*Adipe silvana* (Castro) Senghas 1994 = *Bifrenaria silvana* V.P.Castro (1991)  
*Adipe stefanae* (Castro) Senghas 1994 = *Bifrenaria stefanae* V.P.Castro 1991

- Adipe villosula* (Brade) M.Wolff 1990 = *Bifrenaria villosula* Brade 1949  
*Adipe vitellina* (Lindl.) M.Wolff 1990 = *Bifrenaria vitellina* (Lindl.) Lindl. (1843)  
*Adipe wendlandiana* (Kraenzl.) M.Wolff 1990 = *Bifrenaria wendlandiana* (Kraenzl.) Cogn (1902)
- Adonide du printemps (F): *Adonis vernalis*  
*Adonis appennina* L. = *Adonis vernalis* L.  
*Adonis davurica* Rchb. = *Adonis vernalis* L.  
*Adonis helleborus* Crantz. = *Adonis vernalis* L.  
*Adonis ircutiana* Fisch. = *Adonis vernalis* L.  
*Adonis parviflora* Janka = *Adonis vernalis* L.  
*Adonis*, Spring (E): *Adonis vernalis*  
*Adonis*, Spring Pheasant's-eye (E): *Adonis vernalis*  
*Adonis vernalis* L. #2 II RANUNCULACEAE (E) Spring  
 Adonis, Spring Pheasant's-eye Adonis, Yellow Adonis (S) Sello de oro, Yerba de Adonis (F) Adonide du printemps  
*Adonis*, Yellow (E): *Adonis vernalis*
- Adrorhizon spp.** Hook.f. #4 II 64 ORCHIDACEAE  
*Adrorhizon purpurascens* (Thwaites.) Hook.f. #4 II 64 ORCHIDACEAE
- Aerangis spp.** Reichb.f. #4 I/II 64 ORCHIDACEAE  
*Aerangis alata* H.Perrier = *Aerangis ellisii* (B.S.Williams) Schltr.
- Aerangis alcicornis** (Rchb.f.) Garay #4 II 64  
 ORCHIDACEAE  
*Aerangis anjoanensis* H.Perrier = *Aerangis mooreana* (Rolfe ex Sander) P.J.Cribb & J.Stewart
- Aerangis arachnopus** (Rchb.f.) Schltr. #4 II 64  
 ORCHIDACEAE
- Aerangis articulata** (Reichb.f.) Schltr. #4 II 64  
 ORCHIDACEAE
- Aerangis avicularia* (Rchb.f.) Schltr. = *Aerangis rostellaris* (Rchb.f.) H.Perrier
- Aerangis batesii* (Rolfe) Schltr. = *Aerangis arachnopus* (Rchb.f.) Schltr.
- Aerangis biloba** (Lindl.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis biloba kirkii* (Rchb.f.) Hawkes = *Aerangis kirkii* (Rchb.f.) Schltr.
- Aerangis biloboides* (De Wild.) Schltr. = *Aerangis arachnopus* (Rchb.f.) Schltr.
- Aerangis bouarensis** Chiron #4 II 64 ORCHIDACEAE  
**Aerangis brachycarpa** (A.Rich.) Dur. & Schinz. #4 II 64  
 ORCHIDACEAE
- Aerangis buissonii* God-Leb = *Aerangis ellisii* (B.S.Williams) Schltr.
- Aerangis calantha** (Schltr.) Schltr. #4 II 64  
 ORCHIDACEAE
- Aerangis calligera* (Rchb.f.) Garay = *Aerangis articulata* (Reichb.f.) Schltr.
- Aerangis calodictyon* Summerh. = *Aerangis alcicornis* (Rchb.f.) Garay
- Aerangis campyloplectron* (Rchb.f.) Garay = *Aerangis biloba* (Lindl.) Schltr.
- Aerangis carnea** J.Stewart #4 II 64 ORCHIDACEAE
- Aerangis carusiana* (Severino) Garay = *Aerangis brachycarpa* (A.Rich.) Dur. & Schinz.  
*Aerangis caulescens* Schltr. = *Aerangis ellisii* (B.S.Williams) Schltr.
- Aerangis citrata** (Thouars) Schltr. #4 II 64  
 ORCHIDACEAE
- Aerangis clavigera* H.Perrier = *Aerangis macrocentra* (Schltr.) Schltr.
- Aerangis colum-cygni** Summerh. #4 II 64  
 ORCHIDACEAE
- Aerangis compta* Summerh. = *Aerangis colum-cygni* Summerh.
- Aerangis concavipetala** H.Perrier #4 II 64  
 ORCHIDACEAE
- Aerangis confusa** J.Stewart #4 II 64 ORCHIDACEAE
- Aerangis coriacea** Summerh. #4 II 64 ORCHIDACEAE
- Aerangis crassipes* Schltr. = *Aerangis modesta* (Hook.f.) Schltr.
- Aerangis cryptodon** (Rchb.f.) Schltr. #4 II 64  
 ORCHIDACEAE
- Aerangis cryptodon* sensu H.Perrier = *Aerangis ellisii* (B.S.Williams) Schltr.
- Aerangis curnowiana** (Finet) H.Perrier #4 II 64  
 ORCHIDACEAE
- Aerangis decaryana** H.Perrier #4 II 64 ORCHIDACEAE
- Aerangis distincta** J.Stewart & La Croix #4 II 64  
 ORCHIDACEAE
- Aerangis elegans* (Rolfe) Dandy = *Aerangis flexuosa* (Ridley) Schltr.
- Aerangis ellisii** (B.S.Williams) Schltr. I 65  
 ORCHIDACEAE
- Aerangis erythrurum* nomen Mansf. = *Aerangis verdickii* (De Wild.) Schltr.
- Aerangis fastuosa** (Reichb.f.) Schltr. #4 II 64  
 ORCHIDACEAE
- Aerangis fastuosa angustifolia* H.Perrier = *Aerangis modesta* (Hook.f.) Schltr.
- Aerangis fastuosa francoisii* H.Perrier = *Aerangis fastuosa* (Reichb.f.) Schltr.
- Aerangis fastuosa grandidieri* H.Perrier = *Aerangis fastuosa* (Reichb.f.) Schltr.
- Aerangis fastuosa maculata* H.Perrier = *Aerangis fastuosa* (Reichb.f.) Schltr.
- Aerangis fastuosa rotundifolia* H.Perrier = *Aerangis fastuosa* (Reichb.f.) Schltr.
- Aerangis fastuosa vondrozensis* H.Perrier = *Aerangis fastuosa* (Reichb.f.) Schltr.
- Aerangis flabellifolia* Rchb.f. = *Aerangis brachycarpa* (A.Rich.) Dur. & Schinz.
- Aerangis flexuosa** (Ridley) Schltr. #4 II 64  
 ORCHIDACEAE
- Aerangis friesiorum* Schltr. = *Aerangis thomsonii* (Rolfe) Schltr.
- Aerangis friesiorum* sensu Tweedie non Schltr. = *Aerangis brachycarpa* (A.Rich.) Dur. & Schinz.
- Aerangis fuscata** (Rchb.f.) Schltr. #4 II 64  
 ORCHIDACEAE
- Aerangis fuscata* sensu H.Perrier = *Aerangis stylosa* (Rolfe) Schltr.

- Aerangis gracillima** (Kraenzl.) J.C.Arends & J.Stewart #4 II 64 ORCHIDACEAE  
*Aerangis grantii* (Baker) Schltr. = *Aerangis kotschyana* (Rchb.f.) Schltr.
- Aerangis gravenreuthii** (Kraenzl.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis henriquesiana* (Rolfe) Schltr. = *Aerangis flexuosa* (Ridley) Schltr.
- Aerangis hologlottis** (Schltr.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis hyalooides* (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis ikopana* Schltr. = *Aerangis mooreana* (Rolfe ex Sander) P.J.Cribb & J.Stewart
- Aerangis jacksonii** J.Stewart #4 II 64 ORCHIDACEAE  
*Aerangis kirkii* (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis kotschyana* (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis kotschyana* Kraenzl. = *Aerangis verdickii* (De Wild.) Schltr.
- Aerangis kotschyana sensu Morris non Schltr.* = *Aerangis splendida* J.Stewart & la Croix
- Aerangis kotschyi* (Rchb.f.) Rchb.f. = *Aerangis kotschyana* (Rchb.f.) Schltr.
- Aerangis lutambae* Mansf. = *Aerangis alcicornis* (Rchb.f.) Garay
- Aerangis luteo-alba** (Kraenzl.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis macrocentra* (Schltr.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis maireae* la Croix & J.Stewart #4 II 64 ORCHIDACEAE  
*Aerangis malmquistiana* Schltr. = *Aerangis cryptodon* (Rchb.f.) Schltr.
- Aerangis megaphylla** Summerh. #4 II 64 ORCHIDACEAE  
*Aerangis moandensis* (De Wild.) Schltr. = *Angraecum moandense* De Wild
- Aerangis modesta** (Hook.f.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis monantha* Schltr. = *Aerangis fuscata* (Rchb.f.) Schltr.
- Aerangis montana** J.Stewart #4 II 64 ORCHIDACEAE  
*Aerangis mooreana* (Rolfe ex Sander) P.J.Cribb & J.Stewart #4 II 64 ORCHIDACEAE  
*Aerangis mystacidii* (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis mystacidii kraenzl* = *Aerangis mystacidii* (Rchb.f.) Schltr.
- Aerangis mystacioides* Schltr. = *Aerangis mystacioides* (Rchb.f.) Schltr.
- Aerangis oligantha** Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis pachyura* Rchb.f. = *Aerangis mystacidii* (Rchb.f.) Schltr.
- Aerangis pallida** (W.Watson) Garay #4 II 64 ORCHIDACEAE  
*Aerangis pallidiflora* H.Perrier #4 II 64 ORCHIDACEAE  
*Aerangis parvula* Schltr. = *Aerangis calantha* (Schltr.) Schltr.
- Aerangis phalaenopsis* Schltr. = *Aerangis megaphylla* Summerh.  
*Aerangis platyphyllea* Schltr. = *Aerangis ellisia* (B.S.Williams) Schltr.  
*Aerangis potamophila* (Schltr.) Schltr. = *Angraecum potamophilum* Schltr.  
*Aerangis primulina* (Rolfe.) H.Perrier #4 II 64 ORCHIDACEAE  
*Aerangis pulchella* (Schltr.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis pumilio* Schltr. = *Aerangis hyalooides* (Rchb.f.) Schltr.
- Aerangis punctata** J.Stewart #4 II 64 ORCHIDACEAE  
*Aerangis rohrlsiana* (Kraenzl.) Schltr. = *Aerangis brachycarpa* (A.Rich.) Dur. & Schinz.  
*Aerangis roseocalcarata* (De Wild.) Schltr. = *Aerangis calantha* (Schltr.) Schltr.
- Aerangis rostellaris** (Rchb.f.) H.Perrier #4 II 64 ORCHIDACEAE  
*Aerangis sankuruensis* (De Wild.) Schltr. = *Aerangis calantha* (Schltr.) Schltr.  
*Aerangis schliebenii* De Wild. = *Aerangis verdickii* (De Wild.) Schltr.
- Aerangis seegeri* Senghas = *Aerangis pallidiflora* H.Perrier
- Aerangis somalensis** (Schltr.) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis spiculata* (Finet) Senghas #4 II 64 ORCHIDACEAE  
*Aerangis splendida* J.Stewart & la Croix #4 II 64 ORCHIDACEAE  
*Aerangis stelligera* Summerh. #4 II 64 ORCHIDACEAE  
*Aerangis stylosa* (Rolfe) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis stylosa sensu Perrier* = *Aerangis articulata* (Reichb.f.) Schltr.
- Aerangis thomsonii** (Rolfe) Schltr. #4 II 64 ORCHIDACEAE  
*Aerangis ugandensis* Summerh. #4 II 64 ORCHIDACEAE  
*Aerangis umbonata* (Finet) Schltr. = *Aerangis fuscata* (Rchb.f.) Schltr.
- Aerangis venusta* Schltr. = *Aerangis articulata* (Reichb.f.) Schltr.
- Aerangis verdickii** (De Wild.) Schltr. #4 II 64 ORCHIDACEAE  
*Aeranthes* spp. Lindl. #4 II 64 ORCHIDACEAE  
*Aeranthes arachnites* (Thou) Lindl. #4 II 64 ORCHIDACEAE  
*Aeranthes englerianus* Kraenzl. = *Angraecum kraenzlinianum* H.Perrier  
*Aeranthes funalis* (Sw.) Rchb.f. 1864 = *Dendrophylax funalis* (Sw.) Benth. ex Rolfe (1888)  
*Aeranthes gladiifolius* (Thouars) Rchb.f. = *Angraecum mauritianum* (Poir.) Frapp.  
*Aeranthes gravenreuthii* Kraenzl. = *Aerangis gravenreuthii* (Kraenzl.) Schltr.  
*Aeranthes henrici* Schltr. = *Erasanthe henrici* (Schltr.) P.J.Cribb  
*Aeranthes hymenanthus* (Rchb.f.) Griseb. 1866 = *Dendrophylax varius* (Gmel.) Urb. 1918

- Aeranthes leonis* Rchb.f. = *Angraecum leonis* (Rchb.f.) Andre  
*Aeranthes lindenii* (Lindl.) Rchb.f. 1864 = *Dendrophylax lindenii* (Lindl.) Benth. ex Rolfe 1888  
*Aeranthes monteverdi* Rchb.f. 1865 = *Dendrophylax filiformis* (Sw.) Carlward & Whitten 2003  
*Aeranthes pectinatus* (Thouars) Rchb.f. = *Angraecum pectinatum* Thouars  
*Aeranthes porrectus* Rchb.f. 1865 = *Dendrophylax porrectus* (Rchb.f.) Carlward & Whitten 2003  
*Aeranthes sallei* Rchb.f. 1864 = *Dendrophylax sallei* (Rchb.f.) Benth. ex Rolfe 1888  
*Aeranthes sesquipedalis* (Thouars) Lindl. = *Angraecum sesquipedale* Thouars  
*Aeranthes thouarsii* S.Moore = *Angraecum filicornu* Thouars  
*Aeranthes trichoplectron* Rchb.f. = *Angraecum trichoplectron* (Rchb.f.) Schltr.  
**Aeranthus** spp. #4 II 64 ORCHIDACEAE  
*Aeranthus calceolus* (Thouars) Baker = *Angraecum calceolus* Thouars  
*Aeranthus curnowianus* Rchb.f. = *Angraecum curnowianum* (Rchb.f.) Dur. & Schltr.  
*Aeranthus gladiolifolius* (Thouars) Rchb.f. = *Angraecum mauritianum* (Poir.) Frapp.  
*Aeranthus grandiflorus* #4 II 64 ORCHIDACEAE  
*Aeranthus leonis* Rchb.f. = *Angraecum leonis* (Rchb.f.) Andre  
*Aeranthus meirax* Rchb.f. = *Angraecum meirax* (Rchb.f.) H.Perrier  
**Aerides** spp. Lour. #4 II 64 ORCHIDACEAE  
*Aerides acuminatissima* (Blume) Lindl. = *Thrixspermum acuminatissimum* (Blume) Reichb.f.  
*Aerides acuminatissimum* Rchb.f. = *Thrixspermum acuminatissimum* (Blume) Reichb.f.  
*Aerides affine* Wall. ex Lindl. = *Aerides multiflora* Roxb.  
*Aerides affinis* Wall. ex Lindl. = *Aerides multiflora* Roxb.  
*Aerides alba* Sander ex Stein = *Aerides quinquevulnera* Lindl.  
*Aerides album* Sander ex Stein = *Aerides quinquevulnera* Lindl.  
*Aerides amplexicaule* = *Thrixspermum amplexicaule* (Blume) Rchb.f.  
*Aerides amplexicaulis* (Blume) Lindl. = *Thrixspermum amplexicaule* (Blume) Rchb.f.  
*Aerides ampullacea* Roxb. = *Ascocentrum ampullaceum* (Lindl.) Schltr.  
*Aerides ampullaceum* Roxb. = *Ascocentrum ampullaceum* (Lindl.) Schltr.  
*Aerides anceps* (Blume) Lindl. = *Thrixspermum anceps* Rchb.f.  
*Aerides angustifolia* (Blume) Lindl. non Hook.f. = *Thrixspermum angustifolium* Rchb.f.  
*Aerides angustifolia* Hook.f. = *Renanthera matutina* Lindley  
*Aerides angustifolium* (Blume) Lindl. non Hook.f. = *Thrixspermum angustifolium* Rchb.f.  
*Aerides angustifolium* Hook.f. = *Renanthera matutina* Lindley  
*Aerides appendiculata* Wall. = *Cleisostoma appendiculatum* Benth. Hook.f.  
*Aerides appendiculatum* Wall. = *Cleisostoma appendiculatum* Benth. Hook.f.  
*Aerides arachnites* = *Arachnis flos-aeris* (L.) Reichb.f.  
*Aerides arachnites* (Blume) Lindl. non Sw. = *Thrixspermum centipeda* Lour.  
**Aerides augustiana** Rolfe #4 II 64 ORCHIDACEAE  
*Aerides augustianum* Rolfe = *Aerides augustiana* Rolfe  
*Aerides ballantiniana* Rchb.F = *Aerides odorata* Lour.  
*Aerides ballantinianum* Rchb.f. = *Aerides odorata* Lour.  
*Aerides bernhardiana* Rchb.f. = *Aerides inflexa* Teijsm. & Binn.  
*Aerides bernhardianum* Rchb.f. = *Aerides inflexa* Teijsm. & Binn.  
*Aerides bicolor* Reinw. ex Lindl. = *Vanda limbata* Blume  
*Aerides biswasiana* Ghose & Mukerjee = *Papilionanthe biswasiana* (Ghose & Mukerjee) Garay  
*Aerides biswasianum* Ghose & Mukerjee = *Papilionanthe biswasiana* (Ghose & Mukerjee) Garay  
*Aerides borassii* Buch. Ham. ex Sm. = *Cymbidium aloifolium* (L.) Sw.  
*Aerides brockessii* Heynh. = *Aerides crispa* Lindl.  
*Aerides brookei* Bateman ex Lindl. = *Aerides crispa* Lindl.  
*Aerides calceolare* Buch-Ham. ex J.E.Sm. = *Gastrochilus calceolaris* D.Don.  
*Aerides calceolare* Teijsm. & Binn. non Buch-Ham. ex Smith = *Ascochilus calceolaris* (Tiej & Binn.) Garay  
*Aerides calceolaris* = *Gastrochilus calceolaris* D.Don.  
*Aerides calceolaris* Teijsm. & Binn. non Buch-Ham. ex Smith = *Ascochilus calceolaris* (Tiej & Binn.) Garay  
*Aerides carnosa* Griff. = *Phalaenopsis taenialis* (Lindl) Christenson  
*Aerides carnosum* Griff. = *Phalaenopsis taenialis* (Lindl) Christenson  
*Aerides compressa* (Blume) Lindl. = *Pteroceras compressum* (Blume) Holttum  
*Aerides compressum* (Blume) Lindl. = *Pteroceras compressum* (Blume) Holttum  
*Aerides coriacea* Thunb. ex Sw. = *Angraecum coriaceum* (Thunb. ex Sw.) Schltr.  
*Aerides coriaceum* Thunb. ex Sw. = *Angraecum coriaceum* (Thunb. ex Sw.) Schltr.  
*Aerides cornuta* Roxb. = *Aerides odorata* Lour.  
*Aerides cornutum* Roxb. = *Aerides odorata* Lour.  
**Aerides crassifolia** C.S.Parish ex Burb. #4 II 64 ORCHIDACEAE  
*Aerides crassifolium* C.S.Parish ex Burb. = *Aerides crassifolia* C.S.Parish ex Burb.  
**Aerides crispa** Lindl. #4 II 64 ORCHIDACEAE  
*Aerides crispum* Lindl. = *Aerides crispa* Lindl.  
*Aerides cristata* (Wall ex Lindl.) Wall ex Hook.f. = *Vanda cristata* Lindl.  
*Aerides cristatum* Wall ex Hook.f. = *Vanda cristata* Lindl.  
*Aerides cylindrica* Hook. = *Papilionanthe vandarum* (Rchb.f.) Garay  
*Aerides cylindrica* Lindl. ex Trimen non Hook. = *Papilionanthe subulata* (Koen.) Garay  
*Aerides cylindricum* Hook. = *Papilionanthe vandarum* (Rchb.f.) Garay  
*Aerides cylindricum* Lindl. ex Trimen non Hook. = *Papilionanthe subulata* (Koen.) Garay

- Aerides dalzelliana* (Santapau) Garay = *Smithsonia viridiflora* (Dalzell) C.J.Saldanha  
*Aerides dalzellianum* (Santapau) Garay = *Smithsonia viridiflora* (Dalzell) C.J.Saldanha  
*Aerides dasypogon* hort. ex Bateman non Sm. = *Stereochilus erinaceus* (Rchb.f.) Garay  
*Aerides dasypogon* Sm. = *Gastrochilus dasypogon* (Lindl.) Kuntze  
*Aerides dayana* Hort, ex Guillaumin = *Aerides odorata* Lour.  
*Aerides dayanum* Hort, ex Guillaumin = *Aerides odorata* Lour.  
*Aerides decumbens* Griff. = *Phalaenopsis parishii* Rchb.f.  
*Aerides densiflora* (Lindl.) Wall. ex Hook.f. = *Robiquetia spathulata* (Blume) J.J. Smith  
*Aerides densiflorum* (Lindl.) Wall. ex Hook.f. = *Robiquetia spathulata* (Blume) J.J. Smith  
*Aerides difforme* Wall ex Lindl. = *Ornithochilus difformis* Schltr.  
*Aerides difformis* Wall ex Lindl. = *Ornithochilus difformis* Schltr.  
*Aerides diurna* Teijsm. & Binn. = *Pteroceras unguiculatum* Lindl. & Pedersen  
*Aerides diurnum* Teijsm. & Binn. = *Pteroceras unguiculatum* Lindl. & Pedersen  
*Aerides duquesnei* Regnier ex Costantin = *Aerides odorata* Lour.  
*Aerides ellisii* J.Anderson = *Aerides houilletiana* Rchb.f.  
*Aerides elongata* (Blume) Lindley = *Renanthera elongata* (Blume) Lindley  
*Aerides elongatum* (Blume) Lindley = *Renanthera elongata* (Blume) Lindley  
*Aerides emarginata* (Blume) Lindl. = *Ascochilus emarginatus* (Blume) Schltr.  
*Aerides emarginatum* (Blume) Lindl. = *Ascochilus emarginatus* (Blume) Schltr.  
***Aerides emergicci*** Reichb.f. #4 II 64 ORCHIDACEAE  
*Aerides expansa* Rchb.f. = *Aerides crassifolia* C.S.Parish ex Burb.  
*Aerides expansum* Rchb.f. = *Aerides crassifolia* C.S.Parish ex Burb.  
***Aerides falcata*** Lindl. & Paxton #4 II 64 ORCHIDACEAE  
*Aerides falcatum* Lindl. & Paxton = *Aerides falcata* Lindl. & Paxton  
*Aerides farmeri* Boxall ex Náves = *Aerides quinquevulnera* Lindl.  
*Aerides fenzliana* Rchb.f. = *Aerides quinquevulnera* Lindl.  
*Aerides fenzlianum* Rchb.f. = *Aerides quinquevulnera* Lindl.  
***Aerides fieldingii*** Williams #4 II 64 ORCHIDACEAE  
*Aerides fieldingii* Lodd. ex E.Morren = *Aerides rosea* Lodd. ex Lindl. & Paxton  
***Aerides flabellata*** Rolfe ex Downie #4 II 64 ORCHIDACEAE  
*Aerides flabellatum* Rolfe ex Downie = *Aerides flabellata* Rolfe ex Downie  
*Aerides flavescens* Schltr. = *Holcoglossum flavescens* (Shltr.) Z.H.Tsi.  
*Aerides flavidia* Lindl. = *Aerides odorata* Lour.  
*Aerides flavidum* Lindl. = *Aerides odorata* Lour.  
*Aerides flos-aeris* Willd. = *Arachnis flos-aeris* (L.) Reichb.f.  
*Aerides godefroyana* Rchb.f. = *Aerides multiflora* Roxb.  
*Aerides godefroyanum* Rchb.f. = *Aerides multiflora* Roxb.  
*Aerides greenii* W.W.Smith = *Papilionanthe greenii* (W.W.Smith) Garay  
*Aerides guttata* (Lindl.) Roxb. = *Rhynchostylis retusa* Blume  
*Aerides guttatum* (Lindl.) Roxb. = *Rhynchostylis retusa* Blume  
***Aerides houilletiana*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Aerides houilletianum* Rchb.f. = *Aerides houilletiana* Rchb.f.  
*Aerides huttonii* (Hooh.f.) H.J.Veitch = *Aerides thibautiana* Rchb.f.  
*Aerides hystrix* (Blume) Lindl. = *Thrixspermum hystrix* Rchb.f.  
*Aerides hystrix* Lindl. non (Blume) Lindl. = *Ornithochilus difformis* Schltr.  
*Aerides illustre* Rchb.f. = *Aerides maculosa* Lindley  
*Aerides illustris* Rchb.f. = *Aerides maculosa* Lindley  
***Aerides inflexa*** Teijsm. & Binn. #4 II 64 ORCHIDACEAE  
*Aerides inflexum* Teijsm. & Binn. = *Aerides inflexa* Teijsm. & Binn.  
***Aerides jansonii*** Rolfe #4 II 64 ORCHIDACEAE  
*Aerides japonica* Linden ex Reichb.f. = *Sedirea japonica* Garay & Sweet  
*Aerides japonicum* Linden ex Reichb.f. = *Sedirea japonica* Garay & Sweet  
*Aerides jarckiana* Schltr. = *Aerides leeana* Rchb.f.  
*Aerides jarckianum* Schltr. = *Aerides leeana* Rchb.f.  
*Aerides jucunda* Rchb.F = *Aerides odorata* Lour.  
*Aerides juncundum* Rchb.f = *Aerides odorata* Lour.  
*Aerides krabiense* Seidenf. = *Aerides krabiensis* Seidenf.  
***Aerides krabiensis*** Seidenf. #4 II 64 ORCHIDACEAE  
*Aerides larpentae* Rchb.f. = *Aerides falcata* Lindl. & Paxton  
*Aerides lasiopetala* Willd. = *Eria lasiopetala* (Willd.) Ormerod  
*Aerides lasiopetalum* Willd. = *Eria lasiopetala* (Willd.) Ormerod  
*Aerides latifolia* (Thunb. ex Sw.) Sw. = *Aerides odorata* Lour.  
*Aerides latifolia* Thwaites non (Thunb. ex Sw.) Sw. = *Phalaenopsis deliciosa* Rchb.f.  
*Aerides latifolium* (Thunb. ex Sw.) Sw. = *Aerides odorata* Lour.  
*Aerides latifolium* Thwaites non (Thunb. ex Sw.) Sw. = *Phalaenopsis deliciosa* Rchb.f.  
***Aerides lawrenceae*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Aerides lawrenciae* Rchb.f. = *Aerides lawrenceae* Rchb.f.  
***Aerides leeana*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Aerides leeanum* Rchb.f. = *Aerides leeana* Rchb.f.  
*Aerides leopardina* = *Gastrochilus calceolaris* D.Don.  
*Aerides leopardinum* Buch-Ham. ex J.E.Sm. = *Gastrochilus calceolaris* D.Don.  
*Aerides leopardorum* Wall. ex Hook. = *Gastrochilus calceolaris* D.Don.  
*Aerides lindleyana* Wight = *Aerides crispa* Lindl.  
*Aerides lindleyanum* Wight = *Aerides crispa* Lindl.  
*Aerides lineare* Hook.f. = *Aerides ringens* (Lindley) Fischer

- Aerides linearis* Hook.f. = *Aerides ringens* (Lindley)  
Fischer
- Aerides lobbii* Lem. non Teijism. & Binn. = *Aerides multiflora* Roxb.
- Aerides lobbii* Teijsm. & Binn. = *Thrixspermum calceolus* Rchb.f.
- Aerides longicornu* Hook.f. = *Papilionanthe uniflora* (Lindl.) Garay
- Aerides macrostachya* (Thouars) Spreng = *Beclardia macrostachya* (Thouars) A.Rich
- Aerides macrostachyon* (Thouars) Spreng = *Beclardia macrostachya* (Thouars) A.Rich
- Aerides maculata* Buch-Ham. ex Sm. = *Vanda spathulata* (L.) Spreng.
- Aerides maculata* Llanos non Buch-Ham. ex Sm. = *Aerides quinquevulnera* Lindl.
- Aerides maculatum* Buch.-Ham. ex Sm. = *Vanda spathulata* (L.) Spreng.
- Aerides maculatum* Llanos non Buch-Ham. ex Sm. = *Aerides quinquevulnera* Lindl.
- Aerides maculosa*** Lindley #4 II 64 ORCHIDACEAE  
*Aerides maculosum* Lindl. = *Aerides maculosa* Lindley  
*Aerides margaritacea* hort. nom nud. = *Aerides maculosa* Lindley  
*Aerides margaritaceum* hort. nom nud. = *Aerides maculosa* Lindley  
*Aerides marginata* Rchb.f. = *Aerides quinquevulnera* Lindl.  
*Aerides marginatum* Rchb.f. = *Aerides quinquevulnera* Lindl.
- Aerides matutina* Blume (non Wild) = *Renanthera matutina* Lindley
- Aerides matutina* Sw. = *Arachnis flos-aeris* (L.) Reichb.f.
- Aerides matutinum* Blume (non Wild) = *Renanthera matutina* Lindley
- Aerides matutinum* Willd. = *Arachnis flos-aeris* (L.) Reichb.f.
- Aerides memorlandii*** B.S.Williams #4 II 64  
ORCHIDACEAE  
*Aerides mendelii* E.Morren = *Aerides falcata* Lindl. & Paxton
- Aerides micholitzii* Rolfe = *Aerides odorata* Lour.
- Aerides minima* Lindl. = *Chroniochilus minimus* (Blume) J.J. Smith
- Aerides minimum* Lindl. = *Chroniochilus minimus* (Blume) J.J. Smith
- Aerides mitrata* Reichb.f. = *Seidenfadenia mitrata* (Reichb.f.) Schltr.
- Aerides mitratum* Rchb.f. = *Seidenfadenia mitrata* (Reichb.f.) Schltr.
- Aerides moshifera* Sw. = *Arachnis flos-aeris* (L.) Reichb.f.
- Aerides multiflora*** Roxb. #4 II 64 ORCHIDACEAE  
*Aerides multiflora* auct. non Roxb. = *Aerides krabiensis* Seidenf.
- Aerides multiflorum* auct. non Roxb. = *Aerides krabiensis* Seidenf.
- Aerides multiflorum* Roxb. = *Aerides multiflora* Roxb.
- Aerides nobile* R.Warner = *Aerides odorata* Lour.
- Aerides nobilis* R.Warner = *Aerides odorata* Lour.
- Aerides obtusa* Lindl. = *Thrixspermum obtusum* Rchb.f.
- Aerides obtusum* Lindl. = *Thrixspermum obtusum* Rchb.f.
- Aerides odorata*** Lour. #4 II 64 ORCHIDACEAE  
*Aerides odorata* Reinw. ex non Lour. = *Aerides odorata* Lour.
- Aerides odoratum* Lour. = *Aerides odorata* Lour.
- Aerides odoratum* Reinw. ex non Lour. = *Aerides odorata* Lour.
- Aerides ortgiesiana* Rchb.f. = *Aerides quinquevulnera* Lindl.
- Aerides ortgiesianum* Rchb.f. = *Aerides quinquevulnera* Lindl.
- Aerides orthocentra* Hand-Mazz. = *Vanda testacea* (Lindl.) Rchb.f.
- Aerides orthocentrum* Hand-Mazz. = *Vanda testacea* (Lindl.) Rchb.f.
- Aerides pachyphylla* Rchb.f. = *Robiquetia pachyphylla* (Rchb.f.) Garay
- Aerides pachyphyllum* Rchb.f. = *Robiquetia pachyphylla* (Rchb.f.) Garay
- Aerides pallida* (Blume) Lindl. non Roxb. = *Pteroceras pallidum* (Blume) Holtum
- Aerides pallida* non Roxb.. nee (Blume) Lindl. = *Aerides timorana* Miq.
- Aerides pallida* Roxb. = *Micropera pallida* Lindl.
- Aerides pallidum* (Blume) Lindl. non Roxb. = *Pteroceras pallidum* (Blume) Holtum
- Aerides pallidum* non Roxb.. nee (Blume) Lindl. = *Aerides timorana* Miq.
- Aerides pallidum* Roxb. = *Micropera pallida* Lindl.
- Aerides paniculata* = *Cleisostoma paniculatum* (Ker Gawl.) Garay
- Aerides paniculatum* Ker Gawl. = *Cleisostoma paniculatum* (Ker Gawl.) Garay
- Aerides pedunculata* Kerr. = *Papilionanthe pedunculata* (Kerr.) Garay
- Aerides pedunculatum* = *Papilionanthe pedunculata* (Kerr.) Garay
- Aerides picotiana* hort. ex Rchb.f. = *Aerides houilletiana* Rchb.f.
- Aerides picotianum* hort. ex Rchb.f. = *Aerides houilletiana* Rchb.f.
- Aerides platychila* Rolfe = *Aerides houilletiana* Rchb.f.
- Aerides platychilum* Rolfe = *Aerides houilletiana* Rchb.f.
- Aerides praemorsa* Willd. = *Rhynchostylis retusa* Blume
- Aerides praemorsum* Willd. = *Rhynchostylis retusa* Blume
- Aerides purpurascens* Lindl. = *Thrixspermum purpurascens* Rchb.f.
- Aerides pusilla* Lindl. = *Grosourdya appendiculata* (Bl.) Reichb. f.
- Aerides pusillum* Lindl. = *Grosourdya appendiculata* (Bl.) Reichb. f.
- Aerides quinquevulnera*** Lindl. #4 II 64 ORCHIDACEAE  
*Aerides quinquevulnerum* Lindl. = *Aerides quinquevulnera* Lindl.
- Aerides racemifera* Wall ex Hook. = *Cleisostoma racemiferum* Lindl. Garay
- Aerides racemiferum* Wall ex Hook. = *Cleisostoma racemiferum* Lindl. Garay
- Aerides raddicosa* A.Rich. = *Aerides ringens* (Lindley) Fischer

- Aerides raddicosum* A.Rich. = *Aerides ringens* (Lindley)  
 Fischer  
*Aerides radiatum* Roxb. ex Lindl. = *Bulbophyllum roxburghii* (Lindl.) Rchb.f.  
*Aerides ramosa* Wall ex Hook. = *Staurochilus ramosus* Lindl. Seidn.  
*Aerides ramosum* Wall ex Hook. = *Staurochilus ramosus* Lindl. Seidn.  
*Aerides recurvipes* J.J.Smith = *Aerides leeana* Rchb.f.  
*Aerides reichenbachii* Linden = *Aerides odorata* Lour.  
*Aerides retrofracta* Wall. ex Hook.f. nom.nud. = *Aerides falcata* Lindl. & Paxton  
*Aerides retrofractum* Wall. ex Hook.f. nom.nud. = *Aerides falcata* Lindl. & Paxton  
*Aerides retusa* (L.) Sw. = *Rhynchostylis retusa* Blume  
*Aerides retusum* (L.) Sw. = *Rhynchostylis retusa* Blume  
*Aerides reversa* J.J.Smith = *Aerides quinquevulnera* Lindl.  
*Aerides reversum* J.J.Smith = *Aerides quinquevulnera* Lindl.  
*Aerides rigida* = *Acampe rigida* Buch-Harn. ex J.E.Sm. P.F.Hunt  
*Aerides rigidum* Lindl. = *Acampe rigida* Buch-Harn. ex J.E.Sm. P.F.Hunt  
***Aerides ringens*** (Lindley) Fischer #4 II 64  
 ORCHIDACEAE  
*Aerides roebelenii* Rchb.f. = *Aerides quinquevulnera* Lindl.  
*Aerides rohaniana* Rchb.f. = *Aerides odorata* Lour.  
*Aerides rohanianum* Rchb.F = *Aerides odorata* Lour.  
***Aerides rosea*** Lodd. ex Lindl. & Paxton #4 II 64  
 ORCHIDACEAE  
*Aerides roseum* Lodd. ex Lindl. & Paxton = *Aerides rosea* Lodd. ex Lindl. & Paxton  
*Aerides rostrata* Rchb.f. = *Micropora rostrata* (Roxb) N.P.Balakr.  
*Aerides rostratum* Rchb.f. = *Micropora rostrata* (Roxb) N.P.Balakr.  
***Aerides rubescens*** (Rolfe) Schltr. #4 II 64  
 ORCHIDACEAE  
*Aerides sanderiana* Rchb.f. = *Aerides lawrenceae* Rchb.f.  
*Aerides sanderianum* Rchb.f. = *Aerides lawrenceae* Rchb.f.  
*Aerides sauvissima* Lindl. = *Aerides odorata* Lour.  
*Aerides sauvissimum* Lindl. = *Aerides odorata* Lour.  
*Aerides savageana* Sander ex H.J.Veitch = *Aerides quinquevulnera* Lindl.  
*Aerides savageanum* Sander ex H.J.Veitch = *Aerides quinquevulnera* Lindl.  
*Aerides schroederi* hort. ex Rchb.f. = *Aerides maculosa* Lindley  
*Aerides shibatiana* Boxall ex Náves (sphalm) = *Aerides thibautiana* Rchb.f.  
*Aerides shibatianum* Boxall ex Náves (sphalm) = *Aerides thibautiana* Rchb.f.  
*Aerides siamense* Klinge = *Aerides falcata* Lindl. & Paxton  
*Aerides siamensis* Klinge = *Aerides falcata* Lindl. & Paxton  
*Aerides sillemiana* (Rcbb.f) Garay = *Papilionanthe sillemiana* Rchb.f. Garay  
*Aerides sillemianum* (Rcbb.f) Garay = *Papilionanthe sillemiana* Rchb.f. Garay  
*Aerides spicata* D.Don = *Rhynchostylis retusa* Blume  
*Aerides spicatum* D.Don = *Rhynchostylis retusa* Blume  
*Aerides spuria* Lindl. = *Dendrobium spurium* (Blume) J.J. Smith  
*Aerides spurium* Lindl. = *Dendrobium spurium* (Blume) J.J. Smith  
*Aerides suaveolens* Blume non Roxb. = *Aerides odorata* Lour.  
*Aerides suaveolens* Roxb. = *Pteroceras teres* (Blume) Bakh.f.  
*Aerides subulata* (Blume) Lindl. = *Thrixspermum subulatum* Rchb.F  
*Aerides subulata* (J.Koenig) Schltr. = *Papilionanthe teres* (Lindley) Garay  
*Aerides subulata* (Sw.) Schltr. non (Blume) Lindl. = *Leucohyle subulata* (Sw.) Schltr. 1914  
*Aerides subulatum* (Blume) Lindl. = *Thrixspermum subulatum* Rchb.F  
*Aerides subulatum* (J.Koenig) Schltr. = *Papilionanthe subulata* (Koen.) Garay  
*Aerides subulatum* (Sw.) Schltr. non (Blume) Lindl. = *Leucohyle subulata* (Sw.) Schltr. 1914  
*Aerides sukauense* Shim = *Aerides sukauensis* Shim  
***Aerides sukauensis*** Shim #4 II 64 ORCHIDACEAE  
*Aerides sulingi* Blume = *Renanthera sulingi* Lindl.  
*Aerides sulingii* A.Blume Bijdr. = *Armodorum sulingii* Shltr.  
*Aerides taeniale* Lindl. = *Phalaenopsis taenialis* (Lindl) Christenson  
*Aerides taenialis* Lindl. = *Phalaenopsis taenialis* (Lindl) Christenson  
*Aerides tenuifolia* Moon. = *Cleisostoma tenuifolium* (L.) Garay  
*Aerides tenuifolium* Moon. = *Cleisostoma tenuifolium* (L.) Garay  
*Aerides teres* Lindl. = *Pteroceras teres* (Blume) Bakh.f.  
*Aerides tessellata* (Roxb.) Wight = *Vanda tessellata* (Roxb.) Hook. ex G.Don  
*Aerides tessellatum* Thw. non Wight. = *Vanda thwaitesii* Hook.f.  
*Aerides tessellata* Thwaites non (Roxb.) Wight = *Vanda thwaitesii* Hook.f.  
*Aerides tessellatum* \* (Roxb.) Wight. = *Vanda spathulata* (L.) Spreng.  
*Aerides tessellatum* \* (Roxb.) Wight. = *Vanda tessellata* (Roxb.) Hook. ex G.Don  
*Aerides testacea* Lindl. = *Vanda testacea* (Lindl.) Rchb.f.  
*Aerides testaceum* Lindl. = *Vanda testacea* (Lindl.) Rchb.f.  
*Aerides teysmannii* Miq. = *Macropodanthus teysmannii* (Miq.) H.A.Pedersen  
***Aerides thibautiana*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Aerides thibautianum* Rchb.f. = *Aerides thibautiana* Rchb.f.  
*Aerides thunbergii* Miq. = *Neofinetia falcata* (Thunb.) Hu  
***Aerides timorana*** Miq. #4 II 64 ORCHIDACEAE  
*Aerides timoranum* Miq. = *Aerides timorana* Miq.  
*Aerides trigona* Klotzsch = *Aerides rosea* Lodd. ex Lindl. & Paxton  
*Aerides trigonum* Klotzsch = *Aerides rosea* Lodd. ex Lindl. & Paxton  
*Aerides umbellata* Wall. = *Gastrochilus acutifolius* Kuntze  
*Aerides umbellatum* Wall = *Gastrochilus acutifolius* Kuntze

- Aerides uncinata* Tiejs. & Binn. = *Micropora uncinata* (Tiejs. & Binn) Garay  
*Aerides uncinatum* Tiejs. & Binn. = *Micropora uncinata* (Tiejs. & Binn) Garay  
*Aerides undulata* Sm. = *Rhynchostylis retusa* Blume  
*Aerides undulatum* Sm. = *Rhynchostylis retusa* Blume  
*Aerides uniflora* (Lindl.) Summerth = *Papilionanthe uniflora* (Lindl.) Garay  
*Aerides uniflorum* (Lindl.) Summerth = *Papilionanthe uniflora* (Lindl.) Garay  
***Aerides vandara*** Reichb. #4 II 64 ORCHIDACEAE  
*Aerides vandarum* Rchb.f. = *Papilionanthe vandarum* (Rchb.f.) Garay  
*Aerides veitchii* hort. ex B.S.Williams = *Aerides multiflora* Roxb.  
*Aerides virens* Lindl. = *Aerides odorata* Lour.  
*Aerides viridiflora* Thwaites = *Pteroceras viridiflorum* (Thw.) Holttum  
*Aerides viridiflorum* Thwaites = *Pteroceras viridiflorum* (Thw.) Holttum  
*Aerides warneri* Hook.f. = *Aerides crispa* Lindl.  
*Aerides wightiana* auct. non Lindl. = *Vanda lilacina* Teijsm. & Binn..  
*Aerides wightiana* Lindl. = *Vanda testacea* (Lindl.) Rchb.f.  
*Aerides wightianum* Lindl. = *Vanda testacea* (Lindl.) Rchb.f.  
*Aerides williamsii* R.Warner = *Aerides rosea* Lodd. ex Lindl. & Paxton  
*Aerides wilsoniana* hort = *Aerides odorata* Lour.  
*Aerides wilsonianum* hort. = *Aerides odorata* Lour.  
*Aeridium odoratum* Salisb = *Aerides odorata* Lour.  
*Aerobion calceolus* Spreng. = *Angraecum calceolus* Thouars  
*Aerobion caulescens* (Thouars) Spreng = *Angraecum caulescens* Thouars  
*Aerobion citratum* (Thouars) Spreng. = *Aerangis citrata* (Thouars) Schltr.  
*Aerobion crassum* (Thouars) Spreng. = *Angraecum crassum* Thouars  
*Aerobion cucullatum* Spreng. = *Angraecum cucullatum* Thouars  
*Aerobion filicornu* (Thouars) Spreng. = *Angraecum filicornu* Thouars  
*Aerobion gladiifolium* (Thouars) Spreng. = *Angraecum mauritianum* (Poir.) Frapp.  
*Aerobion implicatum* (Thouars) Spreng. = *Angraecum implicatum* Thouars  
*Aerobion inapertum* (Thouars) Spreng. = *Angraecum inapertum* Thouars  
*Aerobion multiflorum* (Thouars) Spreng. = *Angraecum multiflorum* Thouars  
*Aerobion palmiforme* Spreng. = *Angraecum palmiforme* Thouars  
*Aerobion pectinatum* (Thouars) Spreng. = *Angraecum pectinatum* Thouars  
*Aerobion striatum* (Thouars) Spreng. = *Angraecum striatum* Thouars  
*Aerobion triquetrum* Spreng. = *Angraecum triquetrum* Thouars  
*Afrormosia* (S): *Pericopsis elata*
- Afrormosia elata* Harms. = *Pericopsis elata* (Harms) van Meeuwen  
*Agallochum malaccense* (Lam.) Kuntze = *Aquilaria malaccensis* Lamk.  
 Agalwood (E): *Aquilaria malaccensis*  
***Aganisia* spp.** Lindl. #4 II 64 ORCHIDACEAE  
 Agar (E): *Aquilaria malaccensis*  
 Agaru (E): *Aquilaria malaccensis*  
 Agaru (E): *Pterocarpus santalinus*  
 Agarwood (E): *Aquilaria malaccensis*  
*Agave ferdinandi-regis* A. Berger = *Agave victoriae-reginae* T. Moore  
*Agave parviflora* Torr. I AGAVACEAE (E) Santa Cruz Striped Agave  
 Agave, Queen (E): *Agave victoriae-reginae*  
 Agave, Queen Victoria (E): *Agave victoriae-reginae*  
 Agave, Santa Cruz Striped (E): *Agave parviflora*  
*Agave victoriae-reginae* T. Moore #4 II AGAVACEAE (E) Queen Agave, Queen Victoria Agave  
*Aggeianthus marchantioides* Wight = *Porpax reticulata* Lindl.  
***Aglossorhyncha* spp.** Schltr. #4 II 64 ORCHIDACEAE  
***Agrostophyllum* spp.** Blume #4 II 64 ORCHIDACEAE  
*Agrostophyllum cyathiforme* J.J. Smith #4 II 64 ORCHIDACEAE  
*Agrostophyllum denbergeri* J.J. Smith #4 II 64 ORCHIDACEAE  
*Agrostophyllum hasseltii* (Blume) Reichb.f. #4 II 64 ORCHIDACEAE  
*Agrostophyllum javanicum* Blume #4 II 64 ORCHIDACEAE  
*Agrostophyllum latilobum* J.J. Smith #4 II 64 ORCHIDACEAE  
*Agrostophyllum laxum* J.J. Smith #4 II 64 ORCHIDACEAE  
*Agrostophyllum longifolium* (Blume) Reichb.f. #4 II 64 ORCHIDACEAE  
*Agrostophyllum majus* Hook.f. #4 II 64 ORCHIDACEAE  
*Agrostophyllum megalurum* Reichb.f. #4 II 64 ORCHIDACEAE  
*Agrostophyllum occidentale* Schltr. #4 II 64 ORCHIDACEAE  
*Agrostophyllum tenue* J.J. Smith #4 II 64 ORCHIDACEAE  
*Agrostophyllum zeylanicum* Hook.f. #4 II 64 ORCHIDACEAE  
 Aguano (S): *Swietenia macrophylla*  
 Ahuano (S): *Swietenia macrophylla*  
 Ajillo (S): *Caryocar costaricense*  
 Ajo (E): *Caryocar costaricense*  
 Ajo (S): *Caryocar costaricense*  
***Alamania* spp.** Lex. #4 II 64 ORCHIDACEAE  
*Alamania punicea* Llave & Lex. #4 II 64 ORCHIDACEAE  
 Alerce (S): *Fitzroya cupressoides*  
*Alismorchis abbreviata* D.Kuntze = *Calanthe abbreviata* (Blume) Lindley  
*Alismorchis angusta* (Lindl.) D.Kuntze = *Calanthe angusta* Lindl.  
*Alismorchis masuca* (D.Don) Kuntze = *Calanthe sylvatica* (Thouars) Lindl.  
*Alismorchis parviflora* Kuntze = *Calanthe flava* (Blume) Morren

<i>Alismorchis zollingeri</i> Miq. (non Rchb.f.) = <i>Calanthe ceciliae</i> Reichb. f.	<i>Aloe acuminata</i> (Haw.) Haw. = <i>Aloe humilis</i> (L.) Mill.
<i>Alismorkis angusta</i> (Lindl.) Kuntze = <i>Calanthe odora</i> Griff.	<i>Aloe acutissima</i> H. Perrier #4 II 58 LILIACEAE
<i>Alismorkis angustifolia</i> (Blume) Kuntze = <i>Calanthe angustifolia</i> (Blume) Lindley	<i>Aloe adigratana</i> G. Reyn. #4 II 58 LILIACEAE
<i>Alismorkis centrosis</i> Steud. = <i>Calanthe sylvatica</i> (Thouars) Lindl.	<i>Aloe aethiopica</i> (Schweinf.) A.Berger = <i>Aloe elegans</i> Tod.
<i>Alismorkis diploxyphion</i> (Hook.f.) Kuntze = <i>Calanthe triplicata</i> (Willeme.) Ames	<i>Aloe affinis</i> A. Berger #4 II 58 LILIACEAE
<i>Alismorkis foerstermannii</i> (Rchb.f.) Kuntze. = <i>Calanthe lyroglossa</i> Reichb.f.	<i>Aloe africana</i> Mill. #4 II 58 LILIACEAE
<i>Alismorkis furcata</i> (Bateman) Kuntze = <i>Calanthe triplicata</i> (Willeme.) Ames	<i>Aloe agrophila</i> Reynolds = <i>Aloe boylei</i> Baker
<i>Alismorkis gracillima</i> (Lindl.) Kuntze = <i>Calanthe triplicata</i> (Willeme.) Ames	<i>Aloe ahmarenensis</i> Favell, M.B.Mill. & Al-Gifri #4 II 58 LILIACEAE
<i>Alismorkis japonica</i> (Blume ex Miq.) Kuntze = <i>Calanthe alismaefolia</i> Lindley	<i>Aloe albida</i> (Stapf) Reynolds 1947 I LILIACEAE
<i>Alismorkis lyroglossa</i> (Rchb.f.) Kuntze. = <i>Calanthe lyroglossa</i> Reichb.f.	<i>Aloe albiflora</i> Guillaumin 11940 I LILIACEAE
<i>Alismorkis phajoides</i> (Rchb.f.) Kuntze = <i>Calanthe angustifolia</i> (Blume) Lindley	<i>Aloe albopicta</i> hort ex A. Berger = <i>Aloe camperi</i> Schweinf.
<i>Alismorkis pleichroma</i> (Rchb.f.) Kuntze = <i>Calanthe sylvatica</i> (Thouars) Lindl.	<i>Aloe albovestita</i> S. Carter & Brandham #4 II 58 LILIACEAE
<i>Alismorkis pulchra</i> (Blume) Kuntze = <i>Calanthe pulchra</i> (Blume) Lindley	<i>Aloe aldabrensis</i> (Marais) L.E.Newton & G.D. Rowley #4 II 58 LILIACEAE
<i>Alismorkis reflexa</i> (Maxim.) Kuntze = <i>Calanthe reflexa</i> Maxim.	<i>Aloe alexandrei</i> Ellert #4 II 58 LILIACEAE
<i>Alismorkis rosea</i> (Lindl.) Kuntze = <i>Calanthe rosea</i> (Lindl.) Benth.	<i>Aloe alfredii</i> Rauh 1990 I LILIACEAE
<i>Alismorkis textori</i> (Miq.) Kuntze = <i>Calanthe sylvatica</i> (Thouars) Lindl.	<i>Aloe alooides</i> (Bolus) van Druten #4 II 58 LILIACEAE
<i>Alismorkis veratrifolia</i> (Willd.) Kuntze = <i>Calanthe triplicata</i> (Willeme.) Ames	<i>Aloe ambigens</i> Chiov. #4 II 58 LILIACEAE
<i>Allochilus</i> spp. Gagnep. #4 II 64 ORCHIDACEAE	<i>Aloe amicorum</i> Newton #4 II 58 LILIACEAE
<i>Allochilus eberhardtii</i> Gagnepain #4 II 64 ORCHIDACEAE	<i>Aloe ammophila</i> SchÖnland = <i>Aloe zebrina</i> Baker
<b>Alluaudia</b> spp. Drake #4 II DIDIERACEAE	<i>Aloe amoena</i> Pillans = <i>Aloe framesii</i> L. Bolus
<i>Alluaudia ascendens</i> Drake #4 II DIDIERACEAE	<i>Aloe amudatensis</i> Reynolds. #4 II 58 LILIACEAE
<i>Alluaudia comosa</i> Drake #4 II DIDIERACEAE	<i>Aloe andohahelensis</i> Castillon 2002 #4 II 58 LILIACEAE
<i>Alluaudia dumosa</i> Drake #4 II DIDIERACEAE	<i>Aloe andongensis</i> Baker #4 II 58 LILIACEAE
<i>Alluaudia geayi</i> Choux #4 II DIDIERACEAE	<i>Aloe andringitrensis</i> H. Perrier #4 II 58 LILIACEAE
<i>Alluaudia humbertii</i> Choux #4 II DIDIERACEAE	<i>Aloe angelica</i> Pole-Evans #4 II 58 LILIACEAE
<i>Alluaudia montagnacii</i> Rauh #4 II DIDIERACEAE	<i>Aloe angiensis</i> De Wild. = <i>Aloe wollastonii</i> Rendle
<i>Alluaudia procera</i> Drake #4 II DIDIERACEAE (F) Arbre pieuvre	<i>Aloe angolensis</i> Baker #4 II 58 LILIACEAE
<b>Alluaudiopsis</b> spp. Humbert & Choux #4 II DIDIERACEAE	<i>Aloe angustifolia</i> Groenew = <i>Aloe zebrina</i> Baker
<i>Alluaudiopsis fiherenensis</i> Humbert & Choux #4 II DIDIERACEAE	<i>Aloe angustifolia</i> Haw = <i>Aloe africana</i> Mill.
<i>Alluaudiopsis marnieriana</i> Rauh #4 II DIDIERACEAE	<i>Aloe anivoranoensis</i> (Rauh & Hebding) L.E.Newton & G.D.Rowley #4 II 58 LILIACEAE
Almendrillo (S): <i>Caryocar costaricense</i>	<i>Aloe ankaranensis</i> Rauh & Mangelsdorff #4 II 58 LILIACEAE
Almendrón (S): <i>Caryocar costaricense</i>	<i>Aloe ankoberensis</i> M.G.Gilbert & Sebsebe #4 II 58 LILIACEAE
Aloe (S): <i>Aloe ferox</i>	<i>Aloe antandroi</i> (Decary) H. Perrier #4 II 58 LILIACEAE
Aloe spp. L. #4 I/II/NC 58 LILIACEAE	<i>Aloe antsingyensis</i> (Léandri) L.E.Newton & G.D.Rowley #4 II 58 LILIACEAE
Aloe (E): <i>Aloe ferox</i>	<i>Aloe arabica</i> Lam. = <i>Aloe pendens</i> Forssk.
<i>Aloe aageodonta</i> L.E.Newton #4 II 58 LILIACEAE	<i>Aloe arborea</i> Medik. = <i>Aloe arborescens</i> Mill.
<i>Aloe abyssicola</i> Lavranos & Bilaidi #4 II 58 LILIACEAE	<i>Aloe arborescens</i> Mill. #4 II 58 LILIACEAE (E)
<i>Aloe abyssinica</i> A.Berger = <i>Aloe elegans</i> Tod.	Candelabra Aloe, Octopus Plant Aloe, Torch Plant Aloe
<i>Aloe abyssinica</i> Hook.f. = <i>Aloe adigratana</i> G. Reyn.	<i>Aloe archeri</i> Lavranos #4 II 58 LILIACEAE
<i>Aloe abyssinica</i> Salm-Dyck. = <i>Aloe camperi</i> Schweinf.	<i>Aloe arenicola</i> Reynolds #4 II 58 LILIACEAE
<i>Aloe aculeata</i> Pole-Evans #4 II 58 LILIACEAE	<i>Aloe argenticauda</i> Merxmuller & Giess #4 II 58 LILIACEAE

- Aloe bainesii* Dyer = *Aloe barberae* Dyer  
*Aloe bakeri* Scott Elliot 1891 | LILIACEAE  
*Aloe ballii* Reynolds #4 || 58 LILIACEAE  
*Aloe ballyi* Reynolds #4 || 58 LILIACEAE (E) Rat Aloe  
*Aloe bamangwatensis* = *Aloe zebrina* Baker  
*Aloe barbadensis* Mill. = *Aloe vera* (L.) Burm.f.  
*Aloe barberae* Dyer #4 || 58 LILIACEAE  
*Aloe barbertoniae* Pole-Evans #4 || 58 LILIACEAE  
*Aloe bargalensis* Lavranos #4 || 58 LILIACEAE  
*Aloe barteri* Baker = *Aloe buettneri* A. Berger  
*Aloe barteri* Schnell = *Aloe macrocarpa* Tod.  
*Aloe*, Bastard Quiver Tree (E): *Aloe pillansii*  
*Aloe belavenokensis* (Rauh & Gerold) L.E.Newton &  
 G.D.Rowley #4 || 58 LILIACEAE  
*Aloe bella* G. Rowley #4 || 58 LILIACEAE  
*Aloe bellatula* Reynolds 1956 | LILIACEAE  
*Aloe beniensis* De.Wild = *Aloe dawei* A. Berger  
*Aloe bequaertii* De.Wild = *Aloe wollastonii* Rendle  
*Aloe berevoana* Lavranos #4 || 58 LILIACEAE  
*Aloe berhana* Reynolds = *Aloe debrana* Christian  
*Aloe bernadettae* J.-B.Castillon #4 || 58 LILIACEAE  
*Aloe bertemariae* Sebsebe & Dioli #4 || 58 LILIACEAE  
*Aloe betsileensis* H. Perrier #4 || 58 LILIACEAE  
*Aloe bicomitum* Leach #4 || 58 LILIACEAE  
*Aloe boiteaui* Guillaumin #4 || 58 LILIACEAE  
*Aloe bolusii* Baker = *Aloe africana* Mill.  
*Aloe boranensis* Cufod. = *Aloe otallensis* Baker  
*Aloe boscawenii* Christian #4 || 58 LILIACEAE  
*Aloe bosseri* J.-B.Castillon #4 || 58 LILIACEAE  
*Aloe bowiea* Schult. & Schult.f. #4 || 58 LILIACEAE  
*Aloe boylei* Baker #4 || 58 LILIACEAE  
*Aloe brachystachys* Baker #4 || 58 LILIACEAE  
*Aloe branddraaiensis* Groenew. #4 || 58 LILIACEAE  
*Aloe brandhamii* S. Carter #4 || 58 LILIACEAE  
*Aloe brevifolia* Mill. #4 || 58 LILIACEAE  
*Aloe brevifolia* Haw. = *Aloe distans* Haw.  
*Aloe breviscapa* Reynolds & Bally #4 || 58 LILIACEAE  
*Aloe broomii* Schönland #4 || 58 LILIACEAE  
*Aloe brunneodentata* Lavranos & Collen. #4 || 58  
 LILIACEAE  
*Aloe brunneo-punctata* Engl. & Gilg. = *Aloe nuttii* Baker  
*Aloe brunneostriata* Lavranos & S. Carter #4 || 58  
 LILIACEAE  
*Aloe brunnthaleri* A.Berger ex Cammerl. = *Aloe*  
*microstigma* Salm-Dyck  
*Aloe bruynsii* P.I.Forster 2003 #4 || 58 LILIACEAE  
*Aloe buchananii* Baker #4 || 58 LILIACEAE  
*Aloe buchlohii* Rauh #4 || 58 LILIACEAE  
*Aloe buettneri* A. Berger #4 || 58 LILIACEAE  
*Aloe buhrii* Lavranos #4 || 58 LILIACEAE  
*Aloe bukobana* Reynolds #4 || 58 LILIACEAE  
*Aloe bulbicaulis* Christian #4 || 58 LILIACEAE  
*Aloe bulbillifera* H. Perrier #4 || 58 LILIACEAE  
*Aloe bullockii* G. Reyn. #4 || 58 LILIACEAE  
*Aloe burgersfortensis* G. Reyn. #4 || 58 LILIACEAE  
*Aloe bussei* A. Berger #4 || 58 LILIACEAE  
*Aloe calcairophila* Reynolds 1961 | LILIACEAE  
*Aloe calcariophylla* hort. = *Aloe calcariophila* Reynolds  
 1961  
*Aloe calidophila* G. Reyn. #4 || 58 LILIACEAE  
*Aloe cameronii* Hemsl. #4 || 58 LILIACEAE  
*Aloe camperi* Schweinf. #4 || 58 LILIACEAE  
*Aloe canarina* S. Carter #4 || 58 LILIACEAE  
*Aloe*, Candelabra (E): *Aloe arborescens*  
*Aloe candelabrum* A.Berger = *Aloe ferox* Mill.  
*Aloe candelabrum* Engl. & Drude = *Aloe thraskii* Baker  
*Aloe canis* S.Lane 2002 #4 || 58 LILIACEAE  
*Aloe cannelli* Leach #4 || 58 LILIACEAE  
*Aloe*, Cape (E): *Aloe ferox*  
*Aloe capitata* Baker #4 || 58 LILIACEAE  
*Aloe capmanambatoensis* Rauh & Gerold #4 || 58  
 LILIACEAE  
*Aloe caricina* A.Berger = *Aloe myriacantha* (Haw.)  
 Schult.& Schult  
*Aloe carnea* S.Carter #4 || 58 LILIACEAE  
*Aloe carolineae* L.E.Newton 2002 #4 || 58 LILIACEAE  
*Aloe carowii* Reynolds = *Aloe sladeniana* Pole-Evans  
*Aloe castanea* Schönland #4 || 58 LILIACEAE  
*Aloe castellorum* J.R.I. Wood #4 || 58 LILIACEAE  
*Aloe catengiana* G. Reyn. #4 || 58 LILIACEAE  
*Aloe cephalophora* Lavranos & Collen. #4 || 58  
 LILIACEAE  
*Aloe chabaudii* Schönland #4 || 58 LILIACEAE  
*Aloe charlotteae* J.-B.Castillon #4 || 58 LILIACEAE  
*Aloe cheranganiensis* S. Carter & Brandham #4 || 58  
 LILIACEAE  
*Aloe chimanimaniensis* Christian = *Aloe swynnertonii*  
 Rendle  
*Aloe chinensis* (Haw) Baker = *Aloe vera* (L.) Burm.f.  
*Aloe chlorantha* Lavranos #4 || 58 LILIACEAE  
*Aloe chortoliriodes* A. Berger #4 || 58 LILIACEAE  
*Aloe christianii* G. Reyn. #4 || 58 LILIACEAE  
*Aloe chrysostachys* Lavranos & Newton #4 || 58  
 LILIACEAE  
*Aloe ciliaris* Haw. #4 || 58 LILIACEAE  
*Aloe citrea* (Guillaumin) L.E.Newton & G.D.Rowley #4 ||  
 58 LILIACEAE  
*Aloe citrina* S. Carter & Brandham #4 || 58 LILIACEAE  
*Aloe*, Clanwilliam (E): *Aloe comosa*  
*Aloe clarkei* L.E.Newton 2003 #4 || 58 LILIACEAE  
*Aloe classenii* G. Reyn. #4 || 58 LILIACEAE  
*Aloe claviflora* Burchell #4 || 58 LILIACEAE  
*Aloe collenetteae* Lavranos #4 || 58 LILIACEAE  
*Aloe collina* S.Carter #4 || 58 LILIACEAE  
*Aloe commixta* A. Berger #4 || 58 LILIACEAE  
*Aloe commutata* Engl. = *Aloe macrocarpa* Tod.  
*Aloe comosa* Marloth & A.Berger #4 || 58 LILIACEAE (E)  
 Clanwilliamalwyn, Clanwilliam Aloe  
*Aloe compacta* Reynolds = *Aloe macrosiphon* Baker  
*Aloe compressa* H. Perrier 1926 | 59 LILIACEAE  
*Aloe comptonii* G. Reyn. #4 || 58 LILIACEAE  
*Aloe concinna* Baker = *Aloe squarrosa* Baker  
*Aloe confusa* Engl. #4 || 58 LILIACEAE  
*Aloe congdonii* S. Carter #4 || 58 LILIACEAE  
*Aloe conifera* H. Perrier #4 || 58 LILIACEAE

- Aloe contigua* (H.Perrier)Reynolds = *Aloe imalotensis* Reynolds  
*Aloe cooperi* Baker #4 II 58 LILIACEAE  
*Aloe corallina* I.Verdi. #4 II 58 LILIACEAE  
*Aloe corbisieri* De Wild. = *Aloe nuttii* Baker  
*Aloe craibii* G.F.Smith 2003 #4 II 58 LILIACEAE  
*Aloe crassipes* Baker #4 II 58 LILIACEAE  
*Aloe cremersii* Lavranos #4 II 58 LILIACEAE  
*Aloe cremnophila* G. Reyn. & Bally #4 II 58 LILIACEAE  
*Aloe cryptocephala* G. Reyn. #4 II 58 LILIACEAE  
*Aloe cryptopoda* Baker #4 II 58 LILIACEAE  
*Aloe cyrillei* Castillon 2004 #4 II 58 LILIACEAE  
*Aloe cyrtophylla* Lavranos #4 II 58 LILIACEAE  
*Aloe dabenorisana* Van Jaarsv. #4 II 58 LILIACEAE  
*Aloe dawei* A. Berger #4 II 58 LILIACEAE  
*Aloe debrana* Christian #4 II 58 LILIACEAE  
*Aloe decora* Schönland = *Aloe claviflora* Burchell  
*Aloe decorsei* H. Perrier #4 II 58 LILIACEAE  
*Aloe decurva* G. Reyn. #4 II 58 LILIACEAE  
*Aloe decurvidens* Groenew. = *Aloe parvibracteata* Schönland  
*Aloe delphinensis* Rauh 1990 I LILIACEAE  
***Aloe deltoidea*** Hook.f. #4 II 58 LILIACEAE  
*Aloe deltoideodonta* Baker #4 II 58 LILIACEAE  
*Aloe deltoideodonta* var. *contigua* Perrier = *Aloe imalotensis* Reynolds  
*Aloe dependens* Steud. = *Aloe pendens* Forssk.  
*Aloe descoingsii* G. Reyn. 1958 I LILIACEAE  
*Aloe descoingsii augustina* Lavranos 1995 = *Aloe descoingsii* G. Reyn. 1958  
*Aloe deserti* A.Berger #4 II 58 LILIACEAE  
*Aloe dewetii* G. Reyn. #4 II 58 LILIACEAE  
*Aloe dewinteri* Giess #4 II 58 LILIACEAE  
*Aloe dhalensis* Lavr. = *Aloe vacillans* Forssk.  
*Aloe dhufarensis* Lavranos #4 II 58 LILIACEAE  
*Aloe dichotoma* Masson #4 II 58 LILIACEAE  
*Aloe dichotoma pillansii* (L.Guthrie) Zonneveld 22 = *Aloe pillansii* L.Guthrie  
*Aloe dinteri* A.Berger #4 II 58 LILIACEAE  
*Aloe diolii* L.E.Newton #4 II 58 LILIACEAE  
*Aloe distans* Haw. #4 II 58 LILIACEAE  
*Aloe disticha* Mill. = *Aloe maculata* All.  
*Aloe divaricata* A. Berger #4 II 58 LILIACEAE  
*Aloe doe* Lavranos #4 II 58 LILIACEAE  
*Aloe dolomitica* Groenew. = *Aloe vryheidensis* Groenew.  
*Aloe dominella* Reynolds #4 II 58 LILIACEAE  
*Aloe dorothaeae* A. Berger #4 II 58 LILIACEAE  
*Aloe droseroides* Lavranos & T.A.McCoy 2003 #4 II 58 LILIACEAE  
 Aloë du Cap (F): *Aloe ferox*  
*Aloe duckeri* Christian #4 II 58 LILIACEAE  
*Aloe dumetorum* B. Mathew & Brandham = *Aloe ellenbeckii* A. Berger  
*Aloe dyeri* Schnöland #4 II 58 LILIACEAE  
*Aloe echinata* Willd. = *Aloe humilis* (L.) Mill.  
*Aloe ecklonis* Salm-Dyck #4 II 58 LILIACEAE  
*Aloe edentata* Lavranos & Collen. #4 II 58 LILIACEAE  
*Aloe edulis* A.Chev. = *Aloe macrocarpa* Tod.  
*Aloe elata* S. Carter & L.E. Newton #4 II 58 LILIACEAE  
*Aloe elegans* Tod. #4 II 58 LILIACEAE  
*Aloe elgonica* Bullock #4 II 58 LILIACEAE  
*Aloe ellenbeckii* A. Berger #4 II 58 LILIACEAE  
*Aloe ellenbergeri* Guillaumin = *Aloe aristata* Haw.  
*Aloe elongata* Murray = *Aloe vera* (L.) Burm.f.  
*Aloe eminens* Reynolds & Bally #4 II 58 LILIACEAE  
*Aloe enotata* Leach #4 II 58 LILIACEAE  
*Aloe eremophila* Lavranos #4 II 58 LILIACEAE  
*Aloe erensi* Christian #4 II 58 LILIACEAE  
*Aloe ericetorum* Bosser #4 II 58 LILIACEAE  
*Aloe eru* A. Berger = *Aloe camperi* Schweinf.  
*Aloe erythrophylla* Bosser #4 II 58 LILIACEAE  
*Aloe esculenta* Leach #4 II 58 LILIACEAE  
*Aloe eumassawana* S.Carter & al. #4 II 58 LILIACEAE  
*Aloe excelsa* A. Berger #4 II 58 LILIACEAE  
*Aloe eylesii* Christian = *Aloe rhodesiana* Rendle  
*Aloe falcata* Baker #4 II 58 LILIACEAE  
*Aloe ferox* Mill. #4 II 58 LILIACEAE (E) Aloe, Cape Aloe,  
 Lucid Aloe (S) Aloë du Cap  
*Aloe ferox* A. Berger = *Aloe marlothii* A. Berger  
*Aloe fibrosa* Lavranos & Newton #4 II 58 LILIACEAE  
*Aloe fivetii* G. Reyn. #4 II 58 LILIACEAE  
*Aloe fimbrialis* S.Carter #4 II 58 LILIACEAE  
*Aloe flabelliformis* Salisb. = *Aloe plicatilis* (L.) Mill.  
*Aloe flava* Pers. = *Aloe vera* (L.) Burm.f.  
*Aloe fleurentinorum* Lavranos & Newton #4 II 58 LILIACEAE  
*Aloe fleuretteana* Rauh & Gerold #4 II 58 LILIACEAE  
*Aloe flexilifolia* Christian #4 II 58 LILIACEAE  
*Aloe florenceae* Lavranos & T.A.McCoy 2004 #4 II 58 LILIACEAE  
*Aloe forbesii* Balf. f. #4 II 58 LILIACEAE  
*Aloe fosteri* Pill. #4 II 58 LILIACEAE  
*Aloe fouriei* D.S.Hardy & Glen #4 II 58 LILIACEAE  
*Aloe fragilis* Lavranos & Roosli 1994 I LILIACEAE  
*Aloe framesii* L. Bolus #4 II 58 LILIACEAE  
*Aloe francoisii* L.E. Newton #4 II 58 LILIACEAE  
*Aloe friisii* Sebsebe & M.G.Gilbert #4 II 58 LILIACEAE  
*Aloe frutescens* (Salm-Dyck) = *Aloe arborescens* Mill.  
*Aloe fruticosa* Lam. = *Aloe arborescens* Mill.  
*Aloe fulleri* Lavranos #4 II 58 LILIACEAE  
*Aloe galpinii* Baker = *Aloe ferox* Mill.  
*Aloe gariepensis* Pill. #4 II 58 LILIACEAE  
*Aloe gariusiana* Dinter = *Aloe gariepensis* Pill.  
*Aloe gerstneri* Reynolds #4 II 58 LILIACEAE  
*Aloe gilbertii* T.Reynolds ex Sebsebs & Brandham #4 II 58 LILIACEAE  
*Aloe gilletii* S.Carter #4 II 58 LILIACEAE  
*Aloe gillilandii* Reynolds = *Aloe sabaea* Schweinf.  
*Aloe glabrescens* (Reynolds & Bally) S.Carter &  
 Brandham #4 II 58 LILIACEAE  
*Aloe glauca* Mill. #4 II 58 LILIACEAE  
*Aloe globuligemma* Pole-Evans #4 II 58 LILIACEAE  
*Aloe gloveri* Reynolds & Bally = *Aloe hildebrandtii* Baker  
*Aloe gossweileri* Reynolds #4 II 58 LILIACEAE

- Aloe gracilicaulis* Reynolds & Bally #4 II 58 LILIACEAE  
*Aloe gracilis* Haw. #4 II 58 LILIACEAE  
*Aloe gracilis* Baker = *Aloe commixta* A. Berger  
*Aloe graminifolia* A. Berger = *Aloe myriacantha* (Haw.) Schult. & Schult.  
*Aloe grandidentata* Salm-Dyck #4 II 58 LILIACEAE  
*Aloe grata* G. Reyn. #4 II 58 LILIACEAE  
*Aloe greatheadii* Schönland #4 II 58 LILIACEAE  
*Aloe greenii* Baker #4 II 58 LILIACEAE  
*Aloe greenwayi* Reynolds = *Aloe leptosiphon* A. Berger  
*Aloe grisea* S. Carter & Brandham #4 II 58 LILIACEAE  
*Aloe guerrae* Reynolds #4 II 58 LILIACEAE  
*Aloe guillaumetii* Cremers #4 II 58 LILIACEAE  
*Aloe haemanthifolia* A. Berger & Marloth #4 II 58 LILIACEAE  
*Aloe hardyi* Glen #4 II 58 LILIACEAE  
*Aloe harlana* Reynolds #4 II 58 LILIACEAE  
*Aloe harmsii* Berger = *Aloe dorothae* A. Berger  
*Aloe haworthioides* Baker 1886 I 60 LILIACEAE  
*Aloe hazeliana* G. Reyn. #4 II 58 LILIACEAE  
*Aloe helenae* Danguy 1929 I LILIACEAE  
*Aloe heliderana* Lavranos #4 II 58 LILIACEAE  
*Aloe hemmingii* Reyn. & Bally #4 II 58 LILIACEAE  
*Aloe hendrickxii* G. Reyn. #4 II 58 LILIACEAE  
*Aloe hereroensis* Engl. #4 II 58 LILIACEAE  
*Aloe heybensis* Lavranos #4 II 58 LILIACEAE  
*Aloe hijazensis* Lavranos & Collen. #4 II 58 LILIACEAE  
*Aloe hildebrandtii* Baker #4 II 58 LILIACEAE  
*Aloe hlangapensis* Groenew. = *Aloe hlangapies* Groenew.  
*Aloe hlangapies* Groenew. #4 II 58 LILIACEAE  
*Aloe hlangapitis* Groenew. = *Aloe hlangapies* Groenew.  
*Aloe hoffmannii* Lavranos 2002 #4 II 58 LILIACEAE  
*Aloe horrida* Haw. = *Aloe ferox* Mill.  
*Aloe howmanii* Reynolds #4 II 58 LILIACEAE  
*Aloe humbertii* H. Perrier #4 II 58 LILIACEAE  
*Aloe humilis* (L.) Mill. #4 II 58 LILIACEAE  
*Aloe humilis* Ker Gawl. = *Aloe humilis* (L.) Mill.  
*Aloe ibitiensis* H. Perrier #4 II 58 LILIACEAE  
*Aloe ibityensis* hort. = *Aloe ibitiensis* H. Perrier  
*Aloe imalotensis* Reynolds #4 II 58 LILIACEAE  
*Aloe imerinensis* Bosser #4 II 58 LILIACEAE  
*Aloe immaculata* Pill. #4 II 58 LILIACEAE  
*Aloe inamara* Leach #4 II 58 LILIACEAE  
*Aloe inconspicua* Plowes #4 II 58 LILIACEAE  
*Aloe incurva* (Haw.) Haw. = *Aloe humilis* (L.) Mill.  
*Aloe indica* Royle = *Aloe vera* (L.) Burm.f.  
*Aloe inermis* Forsk. #4 II 58 LILIACEAE  
*Aloe inexpectata* Lavranos & T.A. McCoy 2003 #4 II 58 LILIACEAE  
*Aloe integra* G. Reyn. #4 II 58 LILIACEAE  
*Aloe intermedia* (H. Perrier) Reynolds = *Aloe subacutissima* G. Rowley  
*Aloe inyangensis* Christian #4 II 58 LILIACEAE  
*Aloe irafensis* Lavranos & al. 2004 #4 II 58 LILIACEAE  
*Aloe isaloensis* H. Perrier #4 II 58 LILIACEAE  
*Aloe itremensis* G. Reyn. #4 II 58 LILIACEAE  
*Aloe jacksonii* G. Reyn. #4 II 58 LILIACEAE  
*Aloe jawiyon* Christie & al. 2004 #4 II 58 LILIACEAE  
*Aloe jex-blakeae* Christian = *Aloe ruspoliana* Baker  
*Aloe johannis* J.-B. Castillon #4 II 58 LILIACEAE  
*Aloe johnstonii* Baker = *Aloe myriacantha* (Haw.) Schult. & Schult.  
*Aloe jucunda* Reynolds #4 II 58 LILIACEAE  
*Aloe juttae* Dinter = *Aloe microstigma* Salm-Dyck  
*Aloe juvenna* Brandham & S. Carter #4 II 58 LILIACEAE  
*Aloe keayi* Reynolds #4 II 58 LILIACEAE  
*Aloe kedongensis* Reynolds #4 II 58 LILIACEAE  
*Aloe kefaensis* M.G. Gilbert & Sebsebe #4 II 58 LILIACEAE  
*Aloe keithii* Reynolds #4 II 58 LILIACEAE  
*Aloe katabrowniorum* L.E. Newton #4 II 58 LILIACEAE  
*Aloe khamiesensis* Pillans #4 II 58 LILIACEAE (E)  
    Namaqua Aloe  
*Aloe kilifiensis* Christian #4 II 58 LILIACEAE  
*Aloe kirkii* Baker = *Aloe massawana* Reynolds.  
*Aloe kniphofioides* Baker #4 II 58 LILIACEAE  
*Aloe komatiensis* Reynolds = *Aloe parvibracteata* Schönland  
*Aloe kouebokkeveldensis* Van Jaarsveld & A.B. Low 2004 #4 II 58 LILIACEAE  
*Aloe krapohliana* Marloth #4 II 58 LILIACEAE  
*Aloe krausii* Baker #4 II 58 LILIACEAE  
*Aloe kraussii* Schönland 1903 = *Aloe albida* (Stapf) Reynolds 1947  
*Aloe kulalensis* Newton & Beentje #4 II 58 LILIACEAE  
*Aloe labworana* (Reynolds) S. Carter #4 II 58 LILIACEAE  
*Aloe laeta* A. Berger 1908 I 61 LILIACEAE  
*Aloe lanuriensis* De Wild = *Aloe wollastonii* Rendle  
*Aloe lanzae* Tod. = *Aloe vera* (L.) Burm.f.  
*Aloe lastii* Baker = *Aloe brachystachys* Baker  
*Aloe lateritia* Engler #4 II 58 LILIACEAE  
*Aloe latifolia* Haw. = *Aloe maculata* All.  
*Aloe lavranosii* Reynolds #4 II 58 LILIACEAE  
*Aloe laxissima* Reynolds = *Aloe zebrina* Baker  
*Aloe leachii* Reynolds #4 II 58 LILIACEAE  
*Aloe leandrii* Bosser #4 II 58 LILIACEAE  
*Aloe leedalii* S. Carter #4 II 58 LILIACEAE  
*Aloe lensayuensis* Lavranos & Newton #4 II 58 LILIACEAE  
*Aloe lepida* Leach #4 II 58 LILIACEAE  
*Aloe leptocaulon* Bojer = *Aloe antandroi* (Decary) H. Perrier  
*Aloe leptophylla* N.E. Br. ex Bak. = *Aloe maculata* All.  
*Aloe leptosiphon* A. Berger #4 II 58 LILIACEAE  
*Aloe lettyae* G. Reyn. #4 II 58 LILIACEAE  
*Aloe lindenii* Lavranos #4 II 58 LILIACEAE  
*Aloe linearifolia* A. Berger #4 II 58 LILIACEAE  
*Aloe lineata* (Ait) Haw #4 II 58 LILIACEAE  
*Aloe linguaeformis* L.F. = *Aloe plicatilis* (L.) Mill.  
*Aloe lingua* Thunb. = *Aloe plicatilis* (L.) Mill.  
*Aloe littoralis* Baker #4 II 58 LILIACEAE  
*Aloe lolwensis* L.E. Newton #4 II 58 LILIACEAE  
*Aloe lomatophylloides* Balf.f. #4 II 58 LILIACEAE  
*Aloe longiaristata* Schult. & Schult.f. = *Aloe aristata* Haw.

- Aloe longistyla* Baker #4 II 58 LILIACEAE  
*Aloe luapulana* Leach #4 II 58 LILIACEAE  
*Aloe*, Lucid (E): *Aloe ferox*  
*Aloe lucile-allorgeae* Rauh #4 II 58 LILIACEAE  
*Aloe lugardiana* Baker = *Aloe zebrina* Baker  
*Aloe luntii* Baker #4 II 58 LILIACEAE  
*Aloe lusitanica* Groenew. = *Aloe parvibracteata* Schönland  
*Aloe lutescens* Groenew. #4 II 58 LILIACEAE  
*Aloe macloughlinii* Christian hort. = *Aloe mcloughlinii* Christian  
*Aloe macleayi* G. Reyn. #4 II 58 LILIACEAE  
*Aloe macra* Haw. #4 II 58 LILIACEAE  
*Aloe macrocarpa* Tod. #4 II 58 LILIACEAE  
*Aloe macroclada* Baker #4 II 58 LILIACEAE  
*Aloe macrosiphon* Baker #4 II 58 LILIACEAE  
*Aloe maculata* All. #4 II 58 LILIACEAE  
*Aloe maculata* Forssk. = *Aloe officinalis* Forsk.  
*Aloe maculata* Medik = *Aloe maculata* All.  
*Aloe maculosa* Lam. = *Aloe maculata* All.  
*Aloe madecassa* H. Perrier #4 II 58 LILIACEAE  
*Aloe mahraensis* Lavranos & T.A.McCoy 2002 #4 II 58 LILIACEAE  
*Aloe*, Maiden's Quiver Tree (E): *Aloe ramosissima*  
*Aloe mandotoensis* Castillon 2003 #4 II 58 LILIACEAE  
*Aloe marginalis* DC. = *Aloe purpurea* Lam.  
*Aloe marginata* (Aiton) Willd. = *Aloe purpurea* Lam.  
*Aloe marlothii* A. Berger #4 II 58 LILIACEAE  
*Aloe marlothii* J.M. Wood = *Aloe marlothii* A. Berger  
*Aloe marshalli* J.M.Wood & M.S.Evans = *Aloe kniphofiooides* Baker  
*Aloe massawana* Reynolds. #4 II 58 LILIACEAE  
*Aloe mawii* Christian #4 II 58 LILIACEAE  
*Aloe mayottensis* A. Berger #4 II 58 LILIACEAE  
*Aloe mccoyi* Lavranos & Mies 2001 #4 II 58 LILIACEAE  
*Aloe mcloughlinii* Christian #4 II 58 LILIACEAE  
*Aloe medishiana* Reynolds & Bally #4 II 58 LILIACEAE  
*Aloe megalantha* Baker #4 II 58 LILIACEAE  
*Aloe megalocarpa* Lavranos #4 II 58 LILIACEAE  
*Aloe melanacantha* A. Berger #4 II 58 LILIACEAE  
*Aloe melsetterensis* Christian = *Aloe swynnertonii* Rendle  
*Aloe menachensis* (Schweinf.) Blatter #4 II 58 LILIACEAE  
*Aloe mendesii* G. Reyn. #4 II 58 LILIACEAE  
*Aloe menyharthii* Baker #4 II 58 LILIACEAE  
*Aloe meruana* Lavranos = *Aloe chrysostachys* Lavranos & Newton  
*Aloe metallica* Engl. & Gilg. #4 II 58 LILIACEAE  
*Aloe meyeri* Van Jaarsv. #4 II 58 LILIACEAE  
*Aloe micracantha* Haw. #4 II 58 LILIACEAE  
*Aloe micracantha* Link & Otto = *Aloe micracantha* Haw.  
*Aloe micracantha* Pole-Evans = *Aloe boylei* Baker  
*Aloe microdonta* Chiov. #4 II 58 LILIACEAE  
*Aloe microstigma* Salm-Dyck #4 II 58 LILIACEAE  
*Aloe microstigma framesii* (L.Bolus)Glen & D.S.Hardy = *Aloe framesii* L. Bolus  
*Aloe millotii* G. Reynolds #4 II 58 LILIACEAE  
*Aloe milne-redheadii* Christian #4 II 58 LILIACEAE  
*Aloe minima* Baker #4 II 58 LILIACEAE  
*Aloe mitriformis* Mill. #4 II 58 LILIACEAE  
***Aloe mitsioana*** Castillon 2006 #4 II 58 LILIACEAE  
*Aloe mketiensis* Christian = *Aloe nuttii* Baker  
*Aloe modesta* Reynolds #4 II 58 LILIACEAE  
*Aloe molederana* Lavranos & Glen #4 II 58 LILIACEAE  
*Aloe monotropa* I.Verdi. #4 II 58 LILIACEAE  
*Aloe montana* Schinz = *Aloe dichotoma* Masson  
*Aloe monticola* G. Reyn. #4 II 58 LILIACEAE  
*Aloe morijensis* S. Carter & Brandham #4 II 58 LILIACEAE  
*Aloe morogoroensis* Christian = *Aloe bussei* A. Berger  
*Aloe mubendiensis* Christian #4 II 58 LILIACEAE  
*Aloe mudenensis* G. Reyn. #4 II 58 LILIACEAE  
*Aloe multicolor* L.E. Newton #4 II 58 LILIACEAE  
*Aloe munchii* Christian #4 II 58 LILIACEAE  
*Aloe muricata* Haw. = *Aloe ferox* Mill.  
*Aloe murina* L.E. Newton #4 II 58 LILIACEAE  
*Aloe musapana* G. Reyn. #4 II 58 LILIACEAE  
*Aloe mutabilis* Pill. #4 II 58 LILIACEAE  
*Aloe mwanzana* Christian = *Aloe macrosiphon* Baker  
*Aloe myriacantha* (Haw.) Schult.& Schult #4 II 58 LILIACEAE  
*Aloe mzimbana* Christian #4 II 58 LILIACEAE  
*Aloe*, Namaqua (E): *Aloe khamiesensis*  
*Aloe namibensis* Giess #4 II 58 LILIACEAE  
*Aloe namorokaensis* (Rauh) L.E.Newton & G.D.Rowley #4 II 58 LILIACEAE  
*Aloe natalensis* J.M.Wood & M.S.Evans = *Aloe arborescens* Mill.  
*Aloe ngobitensis* Reyn. = *Aloe nyeriensis* Christian ex I.Verdi.  
*Aloe ngongensis* Christian #4 II 58 LILIACEAE  
*Aloe niebuhriana* Lavranos #4 II 58 LILIACEAE  
*Aloe nitens* Baker = *Aloe rupestris* Baker  
*Aloe nubigena* Groenew. #4 II 58 LILIACEAE  
*Aloe nuttii* Baker #4 II 58 LILIACEAE  
*Aloe nyeriensis* Christian ex I.Verdi. #4 II 58 LILIACEAE  
*Aloe nyeriensis kedongensis* (G. Reyn.) S. Carter = *Aloe kedongensis* Reynolds  
*Aloe occidentalis* (H.Perrier) L.E.Newton & G.D.Rowley #4 II 58 LILIACEAE  
*Aloe*, Octopus Plant (E): *Aloe arborescens*  
*Aloe officinalis* Forsk. #4 II 58 LILIACEAE  
*Aloe oligophylla* Baker #4 II 58 LILIACEAE  
*Aloe oligospila* Baker = *Aloe percrassa* Tod.  
*Aloe omavandae* Van Jaarsveld 2004 #4 II 58 LILIACEAE  
*Aloe orientalis* (H.Perrier) L.E.Newton & G.D.Rowley #4 II 58 LILIACEAE  
***Aloe orlandoii*** Lavranos 2006 #4 II 58 LILIACEAE  
*Aloe ortholopha* Christian & Milne-Redh. #4 II 58 LILIACEAE  
*Aloe otallensis* Baker #4 II 58 LILIACEAE  
*Aloe pachygaster* Dinter #4 II 58 LILIACEAE  
*Aloe paedogona* A.Berger #4 II 58 LILIACEAE  
*Aloe palmiformis* Baker #4 II 58 LILIACEAE  
*Aloe paludicola* Chev. = *Aloe buettneri* A. Berger  
*Aloe parallelifolia* H. Perrier 1926 I LILIACEAE  
*Aloe*, Partridge-breasted (E): *Aloe variegata*  
*Aloe parvibracteata* Schönland #4 II 58 LILIACEAE

- Aloe parvicaulis* Lavranos & Collen. #4 II 58 LILIACEAE  
*Aloe parvicoma* Lavranos & Collen. #4 II 58 LILIACEAE  
*Aloe parvidens* M.G. Gilbert & Sebsebe Demissew #4 II 58 LILIACEAE  
*Aloe parvispina* Schönlund = *Aloe mitriformis* Mill.  
*Aloe parvula* A. Berger 1908 I LILIACEAE  
*Aloe parvula* H. Perrier = *Aloe perrieri* Reynolds  
*Aloe patersonii* B. Mathew #4 II 58 LILIACEAE  
*Aloe peacockii* A. Berger = *Aloe elegans* Tod.  
*Aloe pearsonii* Schönlund #4 II 58 LILIACEAE  
*Aloe peckii* Bally & Verdoorn #4 II 58 LILIACEAE  
*Aloe peglerae* Schönlund #4 II 58 LILIACEAE  
*Aloe pembana* L.E. Newton #4 II 58 LILIACEAE  
*Aloe pendens* Forssk. #4 II 58 LILIACEAE  
*Aloe penduliflora* Baker #4 II 58 LILIACEAE  
*Aloe percrassa* Tod. #4 II 58 LILIACEAE  
*Aloe perfoliata* Thunb. = *Aloe ferox* Mill.  
*Aloe perrieri* Reynolds #4 II 58 LILIACEAE  
*Aloe perryi* Baker #4 II 58 LILIACEAE  
*Aloe petricola* Pole Evans #4 II 58 LILIACEAE  
*Aloe petrophila* Pillans #4 II 58 LILIACEAE  
*Aloe peyrierasii* Cremers #4 II 58 LILIACEAE  
***Aloe philippaei*** Castillon 2005 #4 II 58 LILIACEAE  
*Aloe pictifolia* D.S. Hardy #4 II 58 LILIACEAE  
*Aloe pienaarii* Pole-Evans = *Aloe cryptopoda* Baker  
*Aloe pillansii* L. Guthrie I LILIACEAE (E) Bastard Quiver Tree Aloe  
*Aloe pirottae* A. Berger #4 II 58 LILIACEAE  
*Aloe platyphylla* Reynolds = *Aloe zebrina* Baker  
*Aloe plicatilis* (L.) Mill. #4 II 58 LILIACEAE  
*Aloe plowesii* G. Reyn. #4 II 58 LILIACEAE  
*Aloe pluridens* Haw. #4 II 58 LILIACEAE  
*Aloe pole-evansii* Christian = *Aloe dawei* A. Berger  
*Aloe polyphylla* Schönlund ex Pillans 1934 I LILIACEAE (E) Spiral Aloe  
*Aloe pongolensis* Reynolds = *Aloe parvibracteata* Schönlund  
*Aloe porphyrostachys* Lavranos & Collen. #4 II 58 LILIACEAE  
*Aloe powysiorum* Newton & Beentje #4 II 58 LILIACEAE  
*Aloe praetermissa* T.A. McCoy & Lavranos 2002 #4 II 58 LILIACEAE  
*Aloe pratensis* Baker #4 II 58 LILIACEAE  
*Aloe pretoriensis* Pole-Evans #4 II 58 LILIACEAE  
*Aloe prinslooii* I. Verd. & D.S. Hardy #4 II 58 LILIACEAE  
*Aloe procera* Leach #4 II 58 LILIACEAE  
*Aloe pronkii* Lavranos & al. 2006 #4 II 58 LILIACEAE  
*Aloe propagulifera* (Rauh & Razaf.) L.E. Newton & G.D. Rowley #4 II 58 LILIACEAE  
*Aloe prostrata* (H. Perrier) L.E. Newton & G.D. Rowley #4 II 58 LILIACEAE  
*Aloe pruinosa* Reynolds #4 II 58 LILIACEAE  
*Aloe pseudoafricana* Salm-Dyck = *Aloe africana* Mill.  
*Aloe pseudoferox* Salm-Dyck = *Aloe ferox* Mill.  
*Aloe pseudoparvula* Castillon 2004 #4 II 58 LILIACEAE  
*Aloe pseudorubroviolacea* Lavranos & Collen. #4 II 58 LILIACEAE  
*Aloe pubescens* G. Reyn. #4 II 58 LILIACEAE  
*Aloe pulcherrima* M.G. Gilbert & Sebsebe #4 II 58 LILIACEAE  
*Aloe pulchra* Lavranos = *Aloe bella* G. Rowley  
*Aloe punctata* Haw. = *Aloe variegata* L.  
*Aloe purpurascens* (Aiton) Haw. = *Aloe succotrina* All.  
*Aloe purpurea* Lam. #4 II 58 LILIACEAE  
*Aloe pustuligemma* L.E. Newton #4 II 58 LILIACEAE  
*Aloe pycnacantha* MacOwan = *Aloe rupestris* Baker  
*Aloe qaharensis* Lavranos & Collen. #4 II 58 LILIACEAE  
*Aloe rabaiensis* Rendle #4 II 58 LILIACEAE  
*Aloe ramosa* Haw. = *Aloe dichotoma* Masson  
*Aloe ramosissima* Pillans #4 II 58 LILIACEAE (E) Maiden's Quiver Tree Aloe  
*Aloe Rat* (E): *Aloe ballyi*  
*Aloe rauhii* G. Reynolds 1963 I LILIACEAE  
*Aloe rebmannii* Lavranos 2002 #4 II 58 LILIACEAE  
*Aloe recurvifolia* Groenew = *Aloe alooides* (Bolus) van Druten  
*Aloe reitzii* G. Reyn. #4 II 58 LILIACEAE  
***Aloe rendilliorum*** L. E. Newton 2006 #4 II 58 LILIACEAE  
*Aloe retrospiciens* Reynolds & Bally #4 II 58 LILIACEAE  
*Aloe reynoldsii* Letty #4 II 58 LILIACEAE  
*Aloe rhodesiana* Rendle #4 II 58 LILIACEAE  
*Aloe richardsiae* Reynolds #4 II 58 LILIACEAE  
*Aloe richtersveldensis* H.J.T. Venter & Beukes = *Aloe meyeri* Van Jaarsv.  
*Aloe rigens* G. Reyn & Bally #4 II 58 LILIACEAE  
*Aloe rivae* Baker #4 II 58 LILIACEAE  
*Aloe rivierei* Lavranos & Newton #4 II 58 LILIACEAE  
*Aloe rooeeslii* Lavranos & T.A. McCoy 2005 #4 II 58 LILIACEAE  
*Aloe rosea* (H. Perrier) L.E. Newton & G.D. Rowley #4 II 58 LILIACEAE  
*Aloe rubriflora* (L. Bolus) G.D. Rowley #4 II 58 LILIACEAE  
*Aloe rubrolutea* Schinz. = *Aloe littoralis* Baker  
*Aloe rubroviolacea* Schweinf. #4 II 58 LILIACEAE  
*Aloe ruffingiana* Rauh & Petignat #4 II 58 LILIACEAE  
*Aloe rufocincta* Haw. = *Aloe purpurea* Lam.  
*Aloe rugosifolia* M.G. Gilbert & Sebsebe Demissew #4 II 58 LILIACEAE  
*Aloe rupestris* Baker #4 II 58 LILIACEAE  
*Aloe rupicola* G. Reyn. #4 II 58 LILIACEAE  
*Aloe ruspoliana* Baker #4 II 58 LILIACEAE  
*Aloes* (E): *Aloe vera*  
*Aloes* (S): *Aloe vera*  
*Aloe sabaea* Schweinf. #4 II 58 LILIACEAE  
*Aloe sakarahensis* Lavranos & M. Teissier 2004 #4 II 58 LILIACEAE  
*Aloe sakoankenke* Castillon 2004 #4 II 58 LILIACEAE  
*Aloe saponaria* (Ait.) Haw. = *Aloe maculata* All.  
*Aloe saronarae* Lavranos & T.A. McCoy 2006 #4 II 58 LILIACEAE  
*Aloe saundersiae* (Reynolds) Reynolds #4 II 58 LILIACEAE  
*Aloe scabrifolia* Newton & Lavranos #4 II 58 LILIACEAE

- Aloe schelpei* G. Reyn. #4 II 58 LILIACEAE  
*Aloe schilliana* L.E.Newton & G.D.Rowley #4 II 58 LILIACEAE  
*Aloe schimperi* G.Karst & Schenk = *Aloe percrassa* Tod.  
*Aloe schimperi* Schweinf. = *Aloe percrassa* Tod.  
*Aloe schinzii* Baker = *Aloe littoralis* Baker  
*Aloe schlechteri* Schönland = *Aloe claviflora* Burchell  
*Aloe schliebenii* Lavranos = *Aloe brachystachys* Baker  
*Aloe schoelleri* Schweinf. #4 II 58 LILIACEAE  
*Aloe schomeri* Rauh #4 II 58 LILIACEAE  
*Aloe schweinfurthii* Baker #4 II 58 LILIACEAE  
*Aloe schweinfurthii* Hook.f. = *Aloe elegans* Tod.  
*Aloe scobinifolia* Reynolds & Bally #4 II 58 LILIACEAE  
*Aloe scorpioides* Leach #4 II 58 LILIACEAE  
*Aloe secundiflora* Engl. #4 II 58 LILIACEAE  
*Aloe sempervivoides* H. Perrier 1926 = *Aloe parvula* A. Berger 1908  
*Aloe seretii* De Wild. #4 II 58 LILIACEAE  
*Aloe serriyensis* Lavranos #4 II 58 LILIACEAE  
*Aloe sessiliflora* Pole-Evans = *Aloe spicata* L.f.  
*Aloe shadensis* Lavranos & Collen. #4 II 58 LILIACEAE  
*Aloe sheilae* Lavranos #4 II 58 LILIACEAE  
*Aloe silicicola* H. Perrier #4 II 58 LILIACEAE  
*Aloe simii* Pole-Evans #4 II 58 LILIACEAE  
*Aloe sinana* Reynolds #4 II 58 LILIACEAE  
*Aloe sinkatana* Reynolds #4 II 58 LILIACEAE  
*Aloe sinuata* Thunb. = *Aloe succotrina* All.  
*Aloe sladeniana* Pole-Evans #4 II 58 LILIACEAE  
*Aloe soccochorina* Schult & Schult = *Aloe succotrina* All.  
*Aloe soccotrina* Garsault 1767 = *Aloe succotrina* All.  
*Aloe socialis* (H.Perrier) L.E.Newton & G.D.Rowley #4 II 58 LILIACEAE  
*Aloe socotrina* Masson = *Aloe ferox* Mill.  
*Aloe somaliensis* W. Watson #4 II 58 LILIACEAE  
*Aloe soutpansbergensis* I.Verdi. #4 II 58 LILIACEAE  
*Aloe speciosa* Baker #4 II 58 LILIACEAE  
*Aloe spicata* L.f. #4 II 58 LILIACEAE  
*Aloe spicata* Baker = *Aloe camperi* Schweinf.  
*Aloe*, Spiral (E): *Aloe polyphylla*  
*Aloe splendens* Lavranos #4 II 58 LILIACEAE  
*Aloe squarrosa* Baker #4 II 58 LILIACEAE  
*Aloe steffanieana* Rauh #4 II 58 LILIACEAE  
*Aloe stephaninii* Chiov. = *Aloe ruspoliana* Baker  
*Aloe steudneri* Schweinf. #4 II 58 LILIACEAE  
*Aloe striata* Haw. #4 II 58 LILIACEAE  
*Aloe striatula* Haw. #4 II 58 LILIACEAE  
*Aloe suarezensis* H. Perrier #4 II 58 LILIACEAE  
*Aloe subacutissima* G. Rowley #4 II 58 LILIACEAE  
*Aloe suberecta* Haw. = *Aloe humilis* (L.) Mill.  
*Aloe suberex* Spreng = *Aloe ferox* Mill.  
*Aloe subfulta* hort = *Aloe suffulta* G. Reyn.  
*Aloe subtuberculata* Haw. = *Aloe humilis* (L.) Mill.  
*Aloe succotrina* All. #4 II 58 LILIACEAE  
*Aloe succotrina* Lam.. = *Aloe succotrina* All.  
*Aloe suffulta* G. Reyn. #4 II 58 LILIACEAE  
*Aloe suprafoliata* Pole-Evans #4 II 58 LILIACEAE  
*Aloe suprafoliolata* hort. = *Aloe suprafoliata* Pole-Evans  
*Aloe supralaevis* Haw = *Aloe ferox* Mill.  
*Aloe suzannae* Decary 1921 I LILIACEAE  
*Aloe swynnertonii* Rendle #4 II 58 LILIACEAE  
*Aloe tauri* Leach = *Aloe spicata* L.f.  
*Aloe teissieri* Lavranos 2002 #4 II 58 LILIACEAE  
*Aloe tenuior* Haw. #4 II 58 LILIACEAE  
*Aloe tewoldei* M.G.Gilbert & Sebsebe #4 II 58 LILIACEAE  
*Aloe thompsoniae* Groenew. #4 II 58 LILIACEAE  
*Aloe thornicroftii* Pole-Evans #4 II 58 LILIACEAE  
*Aloe thraskii* Baker #4 II 58 LILIACEAE  
*Aloe tomentosa* Defl. #4 II 58 LILIACEAE  
*Aloe*, Torch Plant (E): *Aloe arborescens*  
*Aloe tormentorii* (Marais) L.E.Newton & G.D.Rowley #4 II 58 LILIACEAE  
*Aloe tororoana* Reynolds #4 II 58 LILIACEAE  
*Aloe torrei* Verdoorn & Christian #4 II 58 LILIACEAE  
*Aloe trachyticola* (H. Perrier) G. Reyn. #4 II 58 LILIACEAE  
*Aloe transvaalensis* Kuntze = *Aloe zebrina* Baker  
*Aloe trichosantha* A. Berger #4 II 58 LILIACEAE  
*Aloe trigonantha* Leach #4 II 58 LILIACEAE  
*Aloe tripetala* Medik. = *Aloe plicatilis* (L.) Mill.  
*Aloe trivialis* A.Chev. = *Aloe schweinfurthii* Baker  
*Aloe trothae* A. Berger = *Aloe bulbicaulis* Christian  
*Aloe tuberculata* Haw. = *Aloe humilis* (L.) Mill.  
*Aloe tugenensis* Newton & Lavranos #4 II 58 LILIACEAE  
*Aloe turkanensis* Christian #4 II 58 LILIACEAE  
*Aloe tweediae* Christian #4 II 58 LILIACEAE  
*Aloe ukambensis* Reynolds #4 II 58 LILIACEAE  
*Aloe umbellata* DC. = *Aloe maculata* All.  
*Aloe umfoloziensis* Reynolds #4 II 58 LILIACEAE  
*Aloe vacillans* Forssk. #4 II 58 LILIACEAE  
*Aloe vallaris* Leach #4 II 58 LILIACEAE  
*Aloe vanbalenii* Pill. #4 II 58 LILIACEAE  
*Aloe vandermerwei* Reynolds #4 II 58 LILIACEAE  
*Aloe vaombe* Decorse & L. Poisson #4 II 58 LILIACEAE  
*Aloe vaotsanda* Decary #4 II 58 LILIACEAE  
*Aloe variegata* L. #4 II 58 LILIACEAE (E)  
 Partridge-breasted Aloe  
*Aloe venusta* Reynolds = *Aloe bicomitum* Leach  
*Aloe vera* (L.) Burm.f. NC LILIACEAE (E) Aloes (S) Aloes  
*Aloe vera* Mill. = *Aloe succotrina* All.  
*Aloe verecunda* Pole-Evans #4 II 58 LILIACEAE  
*Aloe versicolor* Guillaumin 1950 I LILIACEAE  
*Aloe veseyi* G. Reyn. #4 II 58 LILIACEAE  
*Aloe viguieri* H. Perrier #4 II 58 LILIACEAE  
*Aloe viridiflora* Reynolds #4 II 58 LILIACEAE  
*Aloe vituensis* Baker #4 II 58 LILIACEAE  
*Aloe vogtsii* Reynolds #4 II 58 LILIACEAE  
*Aloe volvensii* Engl. #4 II 58 LILIACEAE  
*Aloe vossii* Reynolds 1936 I LILIACEAE  
*Aloe vryheidensis* Groenew. #4 II 58 LILIACEAE  
*Aloe vulgaris* Lam. = *Aloe vera* (L.) Burm.f.  
*Aloe whitcombei* Lavaranos #4 II 58 LILIACEAE  
*Aloe wickensii* Pole-Evans = *Aloe cryptopoda* Baker  
*Aloe wildii* (Reynolds) Reynolds #4 II 58 LILIACEAE  
*Aloe wilsonii* G. Reyn. #4 II 58 LILIACEAE  
*Aloe wollastonii* Rendle #4 II 58 LILIACEAE  
*Aloewood* (E): *Aquilaria malaccensis*

- Aloe woodii* Lavranos & Collen. #4 II 58 LILIACEAE  
*Aloe wrefordii* G. Reyn. #4 II 58 LILIACEAE  
*Aloe xanthacantha* Salm-Dyck = *Aloe mitriformis* Mill.  
*Aloe yavellana* Reynolds #4 II 58 LILIACEAE  
*Aloe yemenica* J.R.I. Wood #4 II 58 LILIACEAE  
*Aloe zanzibarica* Milne-Redh. = *Aloe squarrosa* Baker  
*Aloe zebrina* Baker #4 II 58 LILIACEAE  
*Aloe zombitsiensis* Rauh & M.Teissier #4 II 58 LILIACEAE  
*Aloinella haworthioides* (Baker) Lemée 1939 = *Aloe haworthioides* Baker 1886  
 Alpargata (S): *Opuntia macracantha*  
*Alsophila* spp. R. Br. #4 II CYATHEACEAE  
*Alsophila abbottii* (Maxon 1924) Tryon 1970 #4 II CYATHEACEAE  
*Alsophila acantha* Sehnem 1978 #4 II CYATHEACEAE  
*Alsophila acanthodes* Sehnem 1977 = *Alsophila acantha* Sehnem 1978  
*Alsophila acanthophora* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila acaulis* Mark. 1914 = *Cyathea hancockii* Copel. 1909  
*Alsophila acrostichoides* Alderw. 1918 #4 II CYATHEACEAE  
*Alsophila aculeata* Hook. 1844 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Alsophila aculeata* (Raddi 1819) J.Sm. 1842 = *Cyathea microdonta* (Desv. 1811) Domin. 1929  
*Alsophila aculeata* (Willd. ex Kaulf. 1824) Klotzsch 1844 = *Cyathea armata* (Swartz. 1788) Domin 1930  
*Alsophila acuminata* (Copel. 1952) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila acuta* C.Presl. 1848 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970  
*Alsophila acutidens* Christ 1906 = *Cyathea acutidens* (Christ 1906) Domin 1929  
*Alsophila acutula* R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila adspersa* Kaulf. ex Kunze 1844 #4 II CYATHEACEAE  
*Alsophila aenifolia* Alderw. 1924 = *Sphaeropteris aeneifolia* (Alderw. 1924) R. Tryon 1970  
*Alsophila alata* Fourn. 1873 #4 II CYATHEACEAE  
*Alsophila alata* Kunze ex Féé 1850-52 (Nomen) = *Cyathea phalerata* Martius 1822  
*Alsophila albida* (Tardieu) 1941) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila albopaleata* (Copel. 1932) C.Chr. 1934 = *Cyathea axillaris* (Féé 1850-52) Lelliinger 1988  
*Alsophila albopaleata* (Copel. 1932) C.Chr. 1934 = *Cyathea albopaleata* Copel. 1932  
*Alsophila albosetacea* Bedd. 1876 = *Sphaeropteris albosetacea* (Bedd. 1876) R.Tryon 1970  
*Alsophila alderwereltii* (Copel. 1909) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila alleniae* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila allocota* Alderw. 1922 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970  
*Alsophila alpina* Alderw. 1915 = *Cyathea trachypoda* Alderw. 1929  
*Alsophila alta* (Copel. 1936) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila alternans* (Wall. ex Hook. 1844) Hook. 1866 = *Sphaeropteris alternans* (Wallich ex Hook. 1844) R.Tryon 1970  
*Alsophila alticola* (Tardieu 1951) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila alutacea* Kunze 1844 = *Cyathea phalerata* Martius 1822  
*Alsophila amaiambensis* Alderw. 1918 = *Cyathea ramispina* (Hook. in Hook. & Baker 1866) Copel. 1909  
*Alsophila amboinensis* Alderw. 1916 #4 II CYATHEACEAE  
*Alsophila amintae* D.S.Conant 1981 #4 II CYATHEACEAE  
*Alsophila andersonii* Scott ex Bedd. 1869 = *Cyathea andersonii* (Beddome 1869) Copel 1909  
*Alsophila andohalelensis* Tardieu 1941 #4 II CYATHEACEAE  
*Alsophila aneitensis* (Hook 1865) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila angiensis* Gepp. 1917 = *Sphaeropteris angiensis* (Gepp 1917) R.Tryon 1970  
*Alsophila annae* Alderw 1916 #4 II CYATHEACEAE  
*Alsophila aperta* Féé 1869 #4 II CYATHEACEAE  
*Alsophila apiculata* Ros 1914 #4 II CYATHEACEAE  
*Alsophila apoensis* (Copel 1910) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila appendiculata* (Baker 1876) R. Tryon #4 II CYATHEACEAE  
*Alsophila approximata* (Bonap. 1917) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila aquilina* Christ 1897 #4 II CYATHEACEAE  
*Alsophila aquilina* Christ, Engl 1897. = *Cyathea parvula* (Jenm.) Proctor 1953  
*Alsophila aramaganensis* (Kanehira 1934) Hosk. 1936 = *Sphaeropteris aramaganensis* (Kanehira 1934) R.Tryon 1970  
*Alsophila arbuscula* Kunze #4 II CYATHEACEAE  
*Alsophila arbuscula* C.Presl. 1836 = *Cyathea arbuscula* (C.Presl. 1836) Domin 1929  
*Alsophila archboldii* (C.Chr. 1937) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila arfakensis* Gepp 1917 = *Alsophila liliariae* R.Tryon 1970  
*Alsophila armata* C. Martius 1834 = *Cyathea microdonta* (Desv. 1811) Domin. 1929  
*Alsophila armata* (Sw. 1788) C.Presl.1836 = *Cyathea armata* (Swartz.1788) Domin 1930  
*Alsophila armigera* Kunze 1834 = *Cyathea pungens* (Willd. 1869) Domin 1929  
*Alsophila articulata* J.Sm. ex Moore 1852 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Alsophila aspera* (L. 1753) Br et Spr. 1827 #4 II CYATHEACEAE  
*Alsophila aterrima* Hook 1866 = *Sphaeropteris aterrima* (Hook. 1866) R.Tryon 1970  
*Alsophila atropurpurea* (Copel. 1909) C.Chr. 1913 = *Cyathea atropurpurea* Copel. 1909  
*Alsophila atrovirens* André 1893 #4 II CYATHEACEAE

- Alsophila atrovirens* (Langsd. & Fisch. 1810) C.Presl.  
 1836 = *Cyathea atrovirens* (Langsd. & Fisch. 1810)  
 Domin 1929
- Alsophila auneae* Conant 1883 #4 II CYATHEACEAE
- Alsophila aurea* Féé 1857 = *Cyathea myosuroides*  
 (Liebm. 1849) Domin 1929
- Alsophila auriculata* (Tardieu 1951) R.Tryon 1970 #4 II  
 CYATHEACEAE
- Alsophila australis* R.Br. 1810 #4 II CYATHEACEAE (E)  
 Rough Tree Fern
- Alsophila australis australis* R.Br 181. = *Cyathea australis*  
 (R.Br.) Domin 1929
- Alsophila axillaris* (Raddi 1819) Moore 1857 = *Cyathea*  
*axillaris* (Fée 1850-52) Lellinger 1988
- Alsophila baileyana* Domin 1913 #4 II CYATHEACEAE (E)  
 Tree Fern Wig
- Alsophila bakeri* Zeiller 1885 = *Alsophila lurida* (Blume  
 1828) Hook. 1844
- Alsophila balakrishnanii* (R.D.Dixit & A.K.Tripathi.) Dixit =  
*Alsophila gigantea* Wall. ex Hook. 1844
- Alsophila balanocarpa* (D.C.Eaton 1860) Conant 1983 #4  
 II CYATHEACEAE
- Alsophila ballardii* (Tardieu 1951) R.Tryon #4 II  
 CYATHEACEAE
- Alsophila baroumba* L.Linden 1900 #4 II CYATHEACEAE
- Alsophila bartlettii* (Copel. 1929) C.Chr. 1934 =  
*Sphaeropteris obscura* (Scortech. ex Bedd. 1887)  
 R.Tryon 1970
- Alsophila batjanensis* Christ ex Diels 1899 #4 II  
 CYATHEACEAE
- Alsophila batjanensis* Christ. ex Warb. 1900 = *Alsophila*  
*batjanensis* Christ ex Diels 1899
- Alsophila bellisquamata* (Bonap. 1925) R.Tryon 1970 #4 II  
 CYATHEACEAE
- Alsophila benculensis* Alderw. 1916 = *Alsophila javanica*  
 (Blume 1828) R.Tryon 1970
- Alsophila beyrichiana* J.Sm. 1875 = *Alsophila setosa* Kaulf  
 1824
- Alsophila bicrenata* (Liebm. 1849) Fourn. 1872 = *Cyathea*  
*bicrenata* Liebm. 1849
- Alsophila biformis* Ros. 1911 #4 II CYATHEACEAE
- Alsophila bipinnatifida* Baker = *Cyathea pubens*  
 Domin 1929
- Alsophila blanchetiana* C.Presl. 1849 = *Cyathea phalerata*  
 Martius 1822
- Alsophila blancheti* Trevis 1851 = *Cyathea phalerata*  
 Martius 1822
- Alsophila boivinii* Mett. ex Ettingsh. 1865 = *Cyathea*  
*bullata* (Baker 1876) F.Rakotondrainibe
- Alsophila boninsimensis* (Christ ex Diels 1899) Christ in  
 Warb. 1900 = *Cyathea spinulosa* Wallich ex. Hook.  
 1844
- Alsophila borbonica* (Desv. 1811) R.Tryon 1970 #4 II  
 CYATHEACEAE
- Alsophila boringuena* Maxon 1925 #4 II CYATHEACEAE
- Alsophila borneensis* (Copel. 1911) R.Tryon 1970 #4 II  
 CYATHEACEAE
- Alsophila brausei* R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila brevifoliolata* Alderw. 1915 = *Cyathea raciborskii*  
 Copel. 1909
- Alsophila brevipinna* (Baker ex Benth. 1878) R.Tryon 1970  
 #4 II CYATHEACEAE
- Alsophila*, Brooks' (E): *Alsophila brooksi*
- Alsophila brooksi* (Maxon 1909) R.Tryon 1970 #4 II  
 CYATHEACEAE (E) Brooks' Alsophila
- Alsophila brunnea* Brause 1920 = *Cyathea hornei* (Baker  
 1879) Copel. 1929
- Alsophila brunoniana* Bed. 1866 = *Sphaeropteris glauca*  
 (Blume 1828) R.Tryon 1970
- Alsophila bryophila* R.Tryon 1972 #4 II CYATHEACEAE
- Alsophila buennemeijeri* (Alderw. 1922) R. Tryon 1970 #4  
 II CYATHEACEAE
- Alsophila bullata* Baker 1876 = *Cyathea bullata* (Baker  
 1876) F.Rakotondrainibe
- Alsophila bulligera* Ros. 1928 = *Cyathea bulligera*  
 (Rosenst. 1928) Domin 1930
- Alsophila burbridgei* Baker 1879 = *Sphaeropteris wallacei*  
 (Mett. ex Kuhn 1869) R.Tryon 1970
- Alsophila burbridgei* Christ 1906 non Baker = *Cyathea*  
*ramispina* (Hook. in Hook. & Baker 1866) Copel. 1909
- Alsophila buruensis* Ros. 1917 = *Sphaeropteris felina*  
 (Roxb.) Pic.Serm. 1991
- Alsophila callosa* (Christ 1906) R. Tryon 1970 #4 II  
 CYATHEACEAE
- Alsophila calocoma* Christ 1907 = *Sphaeropteris lepifera*  
 (Hook. 1844) R.Tryon 1970
- Alsophila camerooniana* (Hook 1865) R.Tryon 1970 =  
*Cyathea camerooniana* Hook.
- Alsophila campanulata* R.M.Tryon = *Alsophila*  
*mossambicensis* (Baker 1891) R.Tryon 1970
- Alsophila campestris* Sehnem 1977 = *Alsophila*  
*campestrium* Sehnem 1978
- Alsophila campestrium* Sehnem 1978 #4 II  
 CYATHEACEAE
- Alsophila capensis* (L.f. 1781) J.Sm. 1842 #4 II  
 CYATHEACEAE
- Alsophila caracasana* KL. (1844) = *Cyathea caracasana*  
 (Klotzsch) Domin
- Alsophila castanea* Baker 1891 = *Cyathea bullata* (Baker  
 1876) F.Rakotondrainibe
- Alsophila catillifera* (Holttum 1962) R.Tryon #4 II  
 CYATHEACEAE
- Alsophila caudata* J.Sm. 1844 = *Cyathea caudata* (J.  
 Smith 1841) Copel. 1906
- Alsophila celebica* (Blume 1828) Mett. 1863 =  
*Sphaeropteris celebica* (Blume 1828) R.Tryon 1970
- Alsophila celsa* R.Tryon #4 II CYATHEACEAE
- Alsophila ceropteris* Féé 1869 = *Cyathea arbuscula*  
 (C.Presl. 1836) Domin 1929
- Alsophila chamaedendron* (Copel. 1932) C.Chr. 1934 #4 II  
 CYATHEACEAE
- Alsophila chnoodes* Christ 1904 = *Cyathea schiedeana*  
 (C.Presl 1836) Domin 1939
- Alsophila christiana* Sehnem 1977 = *Alsophila serrae*  
 Sehnem 1978
- Alsophila christii* Alderw. 1909 = *Sphaeropteris elmeri*  
 (Copel. 1908) R.Tryon 1970
- Alsophila cicatricosa* (Holttum) R.Tryon #4 II  
 CYATHEACEAE

- Alsophila cincinnata* (Brause 1920) R.Tryon #4 II  
CYATHEACEAE
- Alsophila cinerea* (Copel. 1913) R.Tryon #4 II  
CYATHEACEAE
- Alsophila cipoensis* Sehnem 1978 #4 II CYATHEACEAE
- Alsophila clementis* Copel. 1906 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970
- Alsophila coactilis* (Holttum 1962) R.Tryon #4 II  
CYATHEACEAE
- Alsophila colensoi* Hook.f. 1854 #4 II CYATHEACEAE (E)  
Tree Fern Golden, Tree Fern Mountain
- Alsophila commutata* Mett. 1863 = *Cyathea recommutata* Copel. 1909
- Alsophila comosa* Christ (non Wall.) 1897 = *Sphaeropteris elmeri* (Copel. 1908) R.Tryon 1970
- Alsophila comosa* Scott 1874 = *Cyathea khasyana* (Moore ex Kuhn 1869) Domin 1929
- Alsophila comosa* Wall. 1829 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Alsophila compta* (C.Martius 1822) C.Martius 1934 = *Cyathea compta* C.Martius 1822
- Alsophila concinna* Baker 1874 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Alsophila confinis* (C.Chr. 1937) R.Tryon 1970 #4 II  
CYATHEACEAE
- Alsophila confucii* Christ 1906 = *Cyathea spinulosa* Wallich ex. Hook. 1844
- Alsophila congoensis* Bonap. 1924 non hort. = *Cyathea camerooniana* Hook.
- Alsophila conjugata* Spruce ex Hook 1866 = *Cyathea conjugata* (Hook. 1866) Domin
- Alsophila contaminans* Wall 1829 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970
- Alsophila contaminans* Wall ex Hook 1844 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970
- Alsophila contracta* Féé 1869 #4 II CYATHEACEAE
- Alsophila contracta* Hieron 1906 = *Cyathea revoluta* (C.Chr. 1913) Domn. 1929
- Alsophila cooperi* F. Muell. = *Sphaeropteris cooperi* (Hook. F.v. Muell 1866) R.Tryon 1970
- Alsophila cooperi* Hook & Baker 1874 = *Sphaeropteris cooperi* (Hook. F.v. Muell 1866) R.Tryon 1970
- Alsophila corcovadensis* (Raddi 1819) C.Chr. 1905 #4 II  
CYATHEACEAE
- Alsophila corcovadensis* Féé 1869 = *Cyathea glaziovii* Domin
- Alsophila cordata* Klotzsch 1846 = *Cyathea barringtonii* A. Reid Smith ex Lellinger 1988
- Alsophila costalis* Christ 1904 = *Alsophila firma* (Baker 1877) Conant 1983
- Alsophila costalisora* (Copel. 1942) R.Tryon #4 II  
CYATHEACEAE
- Alsophila costularis* Baker 1906 non Bonap. 1917 = *Cyathea chinensis* Copel. 1909
- Alsophila coursii* Tardieu 1941 #4 II CYATHEACEAE
- Alsophila crassa* Karst. 1869 = *Cyathea crassa* (Karst.) comb. ined.
- Alsophila crassicaula* R.Tryon 1970 = *Sphaeropteris ledermannii* (Brause 1920) R.Tryon 1970
- Alsophila crassifolia* Wercklé ex Christ 1906 = *Cyathea schiedeana* (C.Presl 1836) Domin 1939
- Alsophila crenulata* (Mett. 1863) Mett. ex Hook. 1895 = *Cyathea raciborskii* Copel. 1909
- Alsophila crinita* Alderw. 1908 non Hook. = *Sphaeropteris tomentosa* (Blume 1828) R.Tryon 1970
- Alsophila crinita* Hook. 1844 = *Sphaeropteris crinita* (Hook. 1844) R.Tryon 1970
- Alsophila cubensis* (Maxon) comb.ined. #4 II  
CYATHEACEAE
- Alsophila cucullifera* (Holttum 1962) R.Tryon 1970 #4 II  
CYATHEACEAE
- Alsophila cunninghamii* (Hook.f. in Hook. 1854) R.Tryon 1970 #4 II CYATHEACEAE (E) Tree Fern Gully, Tree Fern Slender
- Alsophila curranii* (Copel. 1909) C.Chr. 1913 = *Sphaeropteris curranii* (Copel. 1909) R.Tryon 1970
- Alsophila cuspidata* (Kunze 1834) Conant 1983 #4 II  
CYATHEACEAE
- Alsophila cyclodonta* Christ 1905 = *Sphaeropteris leucotricha* (Christ 1905) R.Tryon 1970
- Alsophila damazioi* Brade 1951 #4 II CYATHEACEAE
- Alsophila dealbata* C.Presl. 1848 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970
- Alsophila debilis* de Vriese ex Jungh 1852 = *Cyathea junghuhniana* (Kunze) Copel.
- Alsophila decepiens* Scott ex Bedd. 1869 = *Cyathea spinulosa* Wallich ex. Hook. 1844
- Alsophila decipiens* Féé 1872-73 #4 II CYATHEACEAE
- Alsophila deckenii* (Kuhn 1879) R.Tryon 1970 = *Alsophila manniana* (Hook.) R.M.Tryon
- Alsophila decomposita* Karst. 1869 = *Cyathea decomposita* (Karsten 1869) Domin 1929
- Alsophila decrescens* (Mett ex Kuhn 1868) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila decurrens* Hook. 1844 #4 II CYATHEACEAE
- Alsophila decussata* Christ 1901 = *Cyathea multiflora* Smith 1793
- Alsophila demissa* C.Morton in Steyermark et al. 1951 = *Cyathea demissa* (C. Morton) A.R. Smith ex Lell.
- Alsophila denticulata* Baker 1885 = *Cyathea hancockii* Copel. 1909
- Alsophila dichromatolepis* Féé 1869 = *Cyathea dichromatolepis* (Féé 1869) Domin 1929
- Alsophila dicksonioides* (Holttum 1962) R.Tryon 1970 #4 II  
CYATHEACEAE
- Alsophila dimorpha* Christ 1904 #4 II CYATHEACEAE
- Alsophila dimorphotricha* Alderw. = *Sphaeropteris elmeri* (Copel. 1908) R.Tryon 1970
- Alsophila dissitifolia* Baker 1886 = *Cyathea hornei* (Baker 1879) Copel. 1929
- Alsophila doctersii* (Alderw. 1920) R. Tryon 1970 #4 II  
CYATHEACEAE
- Alsophila dombeyi* Desv. 1827 = *Cyathea pungens* (Willd. 1869) Domin 1929
- Alsophila dorsalis* (Féé 1869) Christ 1902 = *Alsophila setosa* Kaulf 1824
- Alsophila dregei* (Kunze 1834) R.Tryon 1970 #4 II  
CYATHEACEAE (E) Tree Fern Common

<i>Alsophila dryopteroides</i> Domin 1929 (Non Brause) =	<i>Alsophila ferruginea</i> (Christ 1907) R.Tryon 1970 #4 II
<i>Alsophila mesocarpa</i> (Domin 1930) C.Chr. 1934	CYATHEACEAE
<i>Alsophila dryopteroides</i> (Maxon 1925) R.Tryon = <i>Alsophila amintae</i> D.S.Conant 1981	<i>Alsophila firma</i> (Baker 1877) Conant 1983 #4 II
<i>Alsophila dubia</i> Bedd. 1888 = <i>Alsophila glabra</i> (Blume 1828) Hook 1844	CYATHEACEAE
<i>Alsophila eatoni</i> Jenman 1887 = <i>Cyathea eatoni</i> (Jenm. 1887) Domin 1930	<i>Alsophila flexuosa</i> Féé 1869 #4 II CYATHEACEAE
<i>Alsophila echinata</i> Moore 1857 = <i>Alsophila aspera</i> (L. 1753) Br et Spr. 1827	<i>Alsophila floribunda</i> Hook. ex Baker 1874 = <i>Cyathea pungens</i> (Willd. 1869) Domin 1929
<i>Alsophila edanoi</i> (Copel. 1931) R. Tryon 1970 #4 II	<i>Alsophila foersteri</i> (Rosenst. 1912) R.Tryon 1970 #4 II
CYATHEACEAE	CYATHEACEAE
<i>Alsophila elegans</i> Mart. 1834 #4 II CYATHEACEAE	<i>Alsophila formosana</i> Baker 1891 = <i>Alsophila metteniana</i> Hance 1868
<i>Alsophila elegantissima</i> Linden 1883 = <i>Cyathea hortuleana</i> Domin 1930	<i>Alsophila fragilis</i> Zoll. & Moritz 1844 #4 II CYATHEACEAE
<i>Alsophila elliotii</i> Baker 1892 = <i>Cyathea ellottii</i> (Baker 1892) Domin 1930	<i>Alsophila francii</i> Ros. 1911 = <i>Sphaeropteris intermedia</i> (Mett. 1861) R.Tryon 1970
<i>Alsophila elmeri</i> Copel. 1908 = <i>Sphaeropteris elmeri</i> (Copel. 1908) R.Tryon 1970	<i>Alsophila frigida</i> Karst. 1859 = <i>Cyathea frigida</i> (Karsten 1859) Domin. 1929
<i>Alsophila elongata</i> Hook. 1844 = <i>Cyathea poeppigii</i> (Hook. 1844) Domin. 1929	<i>Alsophila fujiiiana</i> Nakai 1972 = <i>Alsophila fenicis</i> (Copel. 1909) C.Chr. 1913
<i>Alsophila engelii</i> R. Tryon 1970 #4 II CYATHEACEAE	<i>Alsophila fulgens</i> (C.Chr. 1937) Conant 1983 #4 II
<i>Alsophila erinacea</i> (Karsten 1856) Conant 1983 #4 II	CYATHEACEAE
CYATHEACEAE	<i>Alsophila fuliginosa</i> Christ 1898 = <i>Cyathea fuliginosa</i> (Christ 1898) Copel. 1909
<i>Alsophila eriocarpa</i> Féé 1869 = <i>Alsophila paleolata</i> C.Martius 1834	<i>Alsophila fulva</i> C.Martius & Galeottii 1842 = <i>Cyathea fulva</i> (Martius & Galeotti) Féé
<i>Alsophila eriophora</i> (Holttum 1962) R Tryon 1970 #4 II	<i>Alsophila fumata</i> Klotzsch 1883 Hook = <i>Cyathea phalerata</i> Martius 1822
CYATHEACEAE	<i>Alsophila furcinervia</i> (Domin 1930) C.Chr. 1934 #4 II
<i>Alsophila esmeraldensis</i> R.C.Moran 1995 #4 II	CYATHEACEAE
CYATHEACEAE	<i>Alsophila fusagasuga</i> Trevis 1851 = <i>Cyathea armata</i> (Swartz. 1788) Domin 1930
<i>Alsophila estelae</i> Riba 1967 = <i>Cyathea estelae</i> (Riba 1967) Proctor	<i>Alsophila gardneri</i> Hook. 1844 = <i>Cyathea gardneri</i> (Hook. 1844) D.B.Lellinger 1988
<i>Alsophila everta</i> (Copel. 1942) R.Tryon 1970 #4 II	<i>Alsophila geluensis</i> (Rosenst. 1908) R.Tryon 1970 #4 II
CYATHEACEAE	CYATHEACEAE
<i>Alsophila excavata</i> (Holttum 1935) R Tryon 1970 #4 II	<i>Alsophila gibbosa</i> Klotsch 1844 = <i>Cyathea gibbosa</i> (Klotzsch 1844) Domin. 1929
CYATHEACEAE	<i>Alsophila giganea</i> Wall. ex Hook. 1844 = <i>Alsophila gigantea</i> Wall. ex Hook. 1844
<i>Alsophila excelsa</i> Endl. #4 II CYATHEACEAE	<i>Alsophila gigantea</i> Wall. ex Hook. 1844 #4 II
<i>Alsophila excelsa</i> (C.Presl 1822) C.Martius 1834 =	<i>Alsophila gigantea</i> Wall. 1829 = <i>Alsophila gigantea</i> Wall. ex Hook. 1844
<i>Alsophila corcovadensis</i> (Raddi 1819) C.Chr. 1905	<i>Alsophila glaberrima</i> (Holttum 1962) R.Tryon 1970 #4 II
<i>Alsophila excelsa</i> R.Br. 1810, ex Endl. = <i>Sphaeropteris excelsa</i> (R.Br. ex Endl. 1833) R.Tryon 1970	CYATHEACEAE
<i>Alsophila extensa</i> Blume 1828 non (Forst) Spreng =	<i>Alsophila glabra</i> (Blume 1828) Hook 1844 #4 II
<i>Cyathea junghuhniana</i> (Kunze) Copel.	CYATHEACEAE
<i>Alsophila extensa</i> Desv. = <i>Sphaeropteris medullaris</i> (Forst. 1786) Bernh. 1801	<i>Alsophila glabrescens</i> Alderw. 1922 = <i>Sphaeropteris squamulata</i> (Blume 1828) R.Tryon 1970
<i>Alsophila falcata</i> Mett. ex Kuhn 1869 = <i>Cyathea falcata</i> (Mett. ex Kuhn 1869) Domin 1929	<i>Alsophila glauca</i> (Sw.) Urb. #4 II CYATHEACEAE
<i>Alsophila fallacina</i> (Domn 1929) Domn 1929 #4 II	<i>Alsophila glauca</i> (Blume 1828) J.Sm. 1841 =
CYATHEACEAE	<i>Sphaeropteris glauca</i> (Blume 1828) R.Tryon 1970
<i>Alsophila fauriei</i> Christ 1901 = <i>Cyathea spinulosa</i> Wallich ex. Hook. 1844	<i>Alsophila glaucescens</i> Wall. 1829 = <i>Sphaeropteris glauca</i> (Blume 1828) R.Tryon 1970
<i>Alsophila feeana</i> C.Chr. 1905 #4 II CYATHEACEAE	<i>Alsophila glaucifolia</i> R.Tryon 1970 #4 II CYATHEACEAE
<i>Alsophila fenicis</i> (Copel. 1909) C.Chr. 1913 #4 II	<i>Alsophila glaziovii</i> Baker (non Féé) = <i>Alsophila feeana</i> C.Chr. 1905
CYATHEACEAE	<i>Alsophila glaziovii</i> Féé 1869 = <i>Cyathea glaziovii</i> Domin 1869
<i>Alsophila fenicis</i> Posth. (non Copel) 1942 = <i>Sphaeropteris elmeri</i> (Copel. 1908) R.Tryon 1970	<i>Alsophila gleasoni</i> Maxon 1925 = <i>Cyathea pungens</i> (Willd. 1869) Domin 1929
<i>Alsophila ferinandii</i> R.Tryon 1970 #4 II CYATHEACEAE	
<i>Alsophila ferox</i> C.Presl. 1836 = <i>Cyathea microdonta</i> (Desv. 1811) Domin. 1929	

- Alsophila gleichenioides* (C.Chr. 1937) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila glumacea* Féé 1869 = *Cyathea axillaris* (Féé 1850-52) Lellinger 1988
- Alsophila godmanii* Hook. 1866 = *Cyathea valdecrenata* Domin 1929
- Alsophila goyazensis* Christ 1900 #4 II CYATHEACEAE
- Alsophila graciis* Underw. & Maxon 1902 = *Cyathea parvula* (Jenm.) Proctor 1953
- Alsophila gregaria* Brause 1920 #4 II CYATHEACEAE
- Alsophila grevilleana* (C.Mart. 1834) Conant 1983 #4 II CYATHEACEAE
- Alsophila guimaraensis* Féé & Glaz. 1872-73 #4 II CYATHEACEAE
- Alsophila guinleorum* Brade & Ros. 1931 #4 II CYATHEACEAE
- Alsophila halconensis* (Chris 1908) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila hallieri* Alderw. 1918 = *Cyathea ramispina* (Hook. in Hook. & Baker 1866) Copel. 1909
- Alsophila haughtii* Maxon 1944 = *Cyathea haughtii* (Maxon 1944) R. Tryon 1976
- Alsophila havilandii* (Baker 1894) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila helferiana* C.Presl. 1848 = *Alsophila gigantea* Wall. ex Hook. 1844
- Alsophila henryi* Baker 1898 #4 II CYATHEACEAE
- Alsophila hermannii* R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila heterochlamydea* (Copel. 1908) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila heteromorpha* Alderw. 1914 = *Cyathea recommutata* Copel. 1909
- Alsophila heterophylla* Alderw. 1914 = *Alsophila lurida* (Blume 1828) Hook. 1844
- Alsophila hewittii* Alderw. 1914 = *Cyathea recommutata* Copel. 1909
- Alsophila hieronymi* Brause 1912 #4 II CYATHEACEAE
- Alsophila hildebrandtii* (Kuhn 1875) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila hilleana* F.v.Muell. 1866 = *Sphaeropteris cooperi* (Hook. F. v. Muell 1866) R.Tryon 1970
- Alsophila hirsuta* Kunze 1834 = *Cyathea hirsuta* C. Presl. 1822 non Baker
- Alsophila hirsutissima* Féé 1886 #4 II CYATHEACEAE
- Alsophila hirta* Kaulf. 1824 = *Cyathea armata* (Swartz. 1788) Domin 1930
- Alsophila hispida* Baker 1881 = *Cyathea hispida* (Baker 1881) Domin 1929
- Alsophila hoehneana* Brade 1951 #4 II CYATHEACEAE
- Alsophila hooglandii* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila hookeri* (Thwaites 1864) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila hookeriana* Klotzsch ex Hook. 1844 = *Cyathea atrovirens* (Langsd. & Fisch. 1810) Domin 1929
- Alsophila hornei* Baker 1879 = *Cyathea hornei* (Baker 1879) Copel. 1929
- Alsophila horridula* (Copel. 1942) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila hostmanni* J.Sm. 1846 = *Cyathea surinamensis* (Miq. 1843) Domin 1929
- Alsophila hotteana* (C.Chr. & E.Ekman 1937) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila humbertiana* (C.Chr. 1928) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila humboldtii* (Kaulf. 1824) Klotzsch ex Kunze 1850 = *Cyathea villosa* (Humb. & Bonpl.) Willd. 1810
- Alsophila humilis* (Hieron. in Engl. 1895) Pichi-Serm. 1973 = *Alsophila mossambicensis* (Baker 1891) R.Tryon 1970
- Alsophila humilis* J.Sm. 1842 = *Cyathea villosa* (Humb. & Bonpl.) Willd. 1810
- Alsophila hunsteiniana* Brause 1920 = *Alsophila rubiginosa* Brause 1920
- Alsophila hyacinthei* R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila hymenodes* (Mett. 1863) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila ichtyolepis* Christ 1906 = *Cyathea bicrenata* Liebm. 1849
- Alsophila imbricata* (Alderw. 1924) R. Tryon 1970 #4 II CYATHEACEAE
- Alsophila impressa* Féé 1896 #4 II CYATHEACEAE
- Alsophila imrayana* (Hook.) D.S.Conant #4 II CYATHEACEAE
- Alsophila incana* (H.Karst) D.S.Conant 1983 #4 II CYATHEACEAE
- Alsophila inciso-serrata* (Copel. 1911) C.Chr. 1913 #4 II CYATHEACEAE
- Alsophila indrapurae* Alderw. 1915 = *Alsophila apiculata* Ros 1914
- Alsophila infesta* Kunze 1834 = *Cyathea pungens* (Willd. 1869) Domin 1929
- Alsophila inquinans* (Christ 1896) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila insulana* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila intermedia* Mett. 1861 = *Sphaeropteris intermedia* (Mett. 1861) R.Tryon 1970
- Alsophila isaloensis* (C.Chr. 1932) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila janseniana* Alderw. 1922 = *Sphaeropteris alternans* (Wallich ex Hook. 1844) R.Tryon 1970
- Alsophila javanica* (Blume 1828) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila jimeneziana* Conant 1983 #4 II CYATHEACEAE
- Alsophila junghuhniana* Kunze 1848 = *Cyathea junghuhniana* (Kunze) Copel.
- Alsophila kalbreyeri* Baker 1892 = *Cyathea intramarginalis* (Wind. 1973) Lellinger
- Alsophila kalbreyeri* Baker ex C.Chr. 1905 = *Cyathea intramarginalis* (Wind. 1973) Lellinger
- Alsophila kemberangana* (Copel. 1917) C.Chr. 1934 = *Sphaeropteris polypoda* (Baker 1894) R.Tryon 1970
- Alsophila kenepaiana* Alderw. 1920 = *Cyathea ramispina* (Hook. in Hook. & Baker 1866) Copel. 1909
- Alsophila kermadecensis* (Oliver 1910) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila khasyana* Moore ex Kuhn 1869 = *Cyathea khasyana* (Moore ex Kuhn 1869) Domin 1929

- Alsophila killipii* Maxon 1942 = *Cyathea lasiosora* (Kuhn 1869) Domin. 1929  
*Alsophila kingi* Clarke ex Bedd. 1883 = *Alsophila lurida* (Blume 1828) Hook. 1844  
*Alsophila kirkii* (Hook. 1865) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila kleinii* Sehnem #4 II CYATHEACEAE  
*Alsophila klossi* (Ridley 1916) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila kochangensis* C.Chr. 1916 = *Cyathea podophylla* (Hook. 1857) Copel. 1909  
*Alsophila kuhnii* (Hieron. 1904) C.Chr. 1911 = *Cyathea falcata* (Mett. ex Kuhn 1869) Domin 1929  
*Alsophila laeta* Kunze 1846 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970  
*Alsophila laevis* J.Sm. 1842 = *Cyathea surinamensis* (Miq. 1843) Domin 1929  
*Alsophila lamprocaulis* (Christ) Ching 1931 = *Cyathea lamprocaulis* (Christ 1909) Ching 1949  
*Alsophila lanuginosa* (Jungh. 1841) C.Presl. 1849 = *Sphaeropteris tomentosa* (Blume 1828) R.Tryon 1970  
*Alsophila lasiosora* Mett. ex Kuhn 1869 = *Cyathea lasiosora* (Kuhn 1869) Domin 1929  
*Alsophila lastii* (Baker 1891) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila lastreoides* Alderw. 1916 = *Alsophila latebrosa* Wall. ex Hook. 1844  
*Alsophila latebrosa* Wall. ex Hook. 1844 #4 II CYATHEACEAE  
*Alsophila latebrosa* Hook. = *Alsophila nilgirensis* (Holttum 1965) R.Tryon 1970  
*Alsophila latevagans* Baker 1881 = *Cyathea latevagans* (Baker 1881) Domin 1929  
*Alsophila latipinnula* (Copel. 1911) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila latisecta* Christ 1906 = *Cyathea wendlandii* (Mett. ex Kuhn 1869) Domin 1929  
*Alsophila lechleri* Mett. 1859 = *Cyathea ulei* (Christ 1905) Domin 1930  
*Alsophila lechia* Tryon 1960 #4 II CYATHEACEAE  
*Alsophila ledermannii* Brause 1920 = *Cyathea hornei* (Baker 1879) Copel. 1929  
*Alsophila leichhardtiana* F.v.Muell. 1865 #4 II CYATHEACEAE (E) Tree Fern Prickly  
*Alsophila leichhardtii* F.M.Bailey #4 II CYATHEACEAE  
*Alsophila lepidoclada* Christ 1905 #4 II CYATHEACEAE  
*Alsophila lepidophora* Kunze 1844 = *Sphaeropteris tomentosa* (Blume 1828) R.Tryon 1970  
*Alsophila lepidotricha* (Fourn. 1873) Diels in Engl. & Prantl. 1899 = *Sphaeropteris novae-caledoniae* (Mett. 1861) R.Tryon 1970  
*Alsophila lepifera* J. Sm. ex Hook. 1844 = *Sphaeropteris lepifera* (Hook. 1844) R.Tryon 1970  
*Alsophila leprieuriana* Kunze 1848 = *Cyathea surinamensis* (Miq. 1843) Domin 1929  
*Alsophila leptochlamys* (Baker 1887) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila leptocladia* Féé 1869 #4 II CYATHEACEAE  
*Alsophila leucocarpa* (Copel. 1911) C.Chr. 1913 = *Alsophila latebrosa* Wall. ex Hook. 1844  
*Alsophila leucolepis* Mart. 1834 = *Cyathea axillaris* (Fée 1850-52) Lellinger 1988  
*Alsophila ligulata* (Baker 1884) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila lilianiae* R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila loddigesii* Kunze 1847 = *Cyathea australis* (R.Br.) Domin 1929  
*Alsophila loerzingii* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila loheri* (Christ 1906) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila longipes* (Copel. 1917) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila longipinna* (Copel. 1911) C.Chr. 1913 = *Alsophila latebrosa* Wall. ex Hook. 1844  
*Alsophila longipinnata* (Bonap. 1917) R.Tryon #4 II CYATHEACEAE  
*Alsophila loubetiana* L.Linden 1900 #4 II CYATHEACEAE  
*Alsophila ludoviciana* Féé 1869 = *Cyathea axillaris* (Fée 1850-52) Lellinger 1988  
*Alsophila lunulata* Blume 1828 non (Forst) R.Br. 1810 = *Cyathea junghuhniana* (Kunze) Copel.  
*Alsophila lurida* (Blume 1828) Hook. 1844 #4 II CYATHEACEAE  
*Alsophila macarenensis* (Alston 1952) R. Tryon 1970 #4 II CYATHEACEAE  
*Alsophila macarthurii* Hook. 1866 = *Alsophila leichhardtiana* F.v.Muell. 1865  
*Alsophila macgillivrayi* Baker 1874 #4 II CYATHEACEAE  
*Alsophila macgregorii* (F.v Muell. 1889) R.Tryon #4 II CYATHEACEAE  
*Alsophila macropoda* (Domin 1930) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila macrosora* Baker 1887 Tr. = *Cyathea macrosora* (Baker 1887) Domin 1929  
*Alsophila macrosora* Baker Thurn. 1886 = *Cyathea macrosora* (Baker 1887) Domin 1929  
*Alsophila magnifolia* (Alderw. 1920) R. Tryon #4 II CYATHEACEAE  
*Alsophila manilensis* C.Presl. 1836 = *Cyathea caudata* (J. Smith 1841) Copel. 1906  
*Alsophila manniana* (Hook.) R.M.Tryon #4 II CYATHEACEAE  
*Alsophila mapiriensis* Ros. 1928 #4 II CYATHEACEAE  
*Alsophila marattioides* (Willd. ex Kaulf. 1824) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila marcescens* (N.A.Wakef. 1942) R.Tryon 1970 #4 II CYATHEACEAE (E) Tree Fern Skirted  
*Alsophila margarethae* Schroeter ex Christ 1905 = *Sphaeropteris trichodesma* (Scortech. ex Bedd. 1887) R.Tryon 1970  
*Alsophila marginalis* Klotzsch 1844 = *Cyathea marginalis* (Klotzsch 1844) Domin 1929  
*Alsophila marginata* Brause 1920 = *Sphaeropteris marginata* (Brause 1920) R.Tryon 1970  
*Alsophila marshalliana* L.Linden 1894 = *Cyathea marshalliana* (L.Linden 1894) Domin 1930  
*Alsophila masapilidensis* (Copel. 1952) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila matitanensis* R.Tryon 1970 #4 II CYATHEACEAE

- Alsophila matthewii* Christ 1909 #4 II CYATHEACEAE  
*Alsophila media* (Wagn. & Grether 1948) R.Tryon. #4 II CYATHEACEAE  
*Alsophila melanocaulos* Alderw. 1924 = *Cyathea hornei* (Baker 1879) Copel. 1929  
*Alsophila melanopus* Hassk. 1855 #4 II CYATHEACEAE  
*Alsophila melanopus* . Hassk, Hook. 1855 = *Cyathea junghuhniana* (Kunze) Copel.  
*Alsophila melanopus* Hook 1866 non Hassk = *Cyathea nigripes* (Presl.) Domin.  
*Alsophila melanorhachis* Copel. 1907 = *Alsophila lurida* (Blume 1828) Hook. 1844  
*Alsophila melanotricha* Tardieu 1941 = *Cyathea bullata* (Baker 1876) F.Rakotondrainibe  
*Alsophila melleri* (Baker 1874) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila mello-barretoi* Brade 1951 = *Cyathea mello-barretoi* (Brade) comb.ined.  
*Alsophila mertensiana* Kunze 1848 = *Sphaeropteris mertensiana* (Kunze 1848) R.Tryon 1970  
*Alsophila mertensii* Trevis. 1851 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970  
*Alsophila mesocarpa* (Domin 1930) C.Chr. 1934 #4 II CYATHEACEAE  
*Alsophila mesosora* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila metteniana* Hance 1868 #4 II CYATHEACEAE  
*Alsophila mexiae* (Copel. 1932) C.Chr. 1934 = *Cyathea mexiae* Copel. 1932  
*Alsophila mexicana* C.Martius 1834 = *Cyathea valdecrenata* Domin 1929  
*Alsophila micra* R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila microchlamys* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila microdonta* (Desv. 1811) Desv. 1827 = *Cyathea microdonta* (Desv. 1811) Domin. 1929  
*Alsophila microphylla* Klotzsch 1844 = *Cyathea microphyllodes* Domin 1929  
*Alsophila microphylloides* (Rosenst. 1913) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila mildbraedii* Brause 1910 #4 II CYATHEACEAE  
*Alsophila milnei* (Hook. ex Hook.f 1864) R. Tryon 1970 #4 II CYATHEACEAE  
*Alsophila mindanensis* Christ 1900 Warb. = *Cyathea fuliginosa* (Christ 1898) Copel. 1909  
*Alsophila mindanensis* Christ ex Diels 1869 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909  
*Alsophila minor* (D. Eaton) Tryon #4 II CYATHEACEAE  
*Alsophila miquelii* Kunze 1850 ex Rosenst. #4 II CYATHEACEAE  
*Alsophila modesta* Baker 1880 #4 II CYATHEACEAE  
*Alsophila mollicula* Maxon 1946 = *Sphaeropteris mollicula* (Maxon 1946) R.Tryon 1970  
*Alsophila mollissima* Kunze 1844 = *Cyathea villosa* (Humb. & Bonpl.) Willd. 1810  
*Alsophila mollissima* Moore 1857 = *Cyathea armata* (Swartz. 1788) Domin 1930  
*Alsophila monosticha* Christ 1894 #4 II CYATHEACEAE  
*Alsophila montana* (Alderw. 1920) R. Tryon 1970 #4 II CYATHEACEAE  
*Alsophila moorei* (Baker 1872) J.Sm. 1875 = *Cyathea howeana* Domin 1929  
*Alsophila moorei* J.Sm. 1866 = *Alsophila leichhardtiana* F.v.Muell. 1865  
*Alsophila mossambicensis* (Baker 1891) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila mucronata* Christ 1896 = *Alsophila polystichoides* Christ 1896  
*Alsophila muelleri* (Baker 1890) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila multiflora* (Sm.) C.Presl. 1836 = *Cyathea multiflora* Smith 1793  
*Alsophila munchii* Christ 1905 = *Alsophila salvinii* Hooker 1866  
*Alsophila munita* Kaulf ex C.Presl. 1836 = *Alsophila paleolata* C.Martius 1834  
*Alsophila muricata* (Willd. 1810) Desv. 1827 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Alsophila myosuroides* Liebm. 1849 = *Cyathea myosuroides* (Liebm. 1849) Domin 1929  
*Alsophila negrosiana* (Christ 1907) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila nesiotica* Maxon 1922 = *Cyathea nesiotica* (Maxon 1922) Domin. 1930  
*Alsophila nicklesii* (Tardieu & Ballard 1953) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila nigra* Jenman #4 II CYATHEACEAE  
*Alsophila nigra* C.Martius 1843 = *Cyathea lasiosora* (Kuhn 1869) Domin. 1929  
*Alsophila nigrescens* (Hook.) Sehnem. 1978 #4 II CYATHEACEAE  
*Alsophila nigrescens* (Baker) Sehnem #4 II CYATHEACEAE  
*Alsophila nigrescens* Fée 1869 = *Cyathea axillaris* (Fée 1850-52) Lellinger 1988  
*Alsophila nigripes* C.Chr. 1905 = *Cyathea nigripes* (Presl.) Domin.  
*Alsophila nigrolineata* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila nigropaleata* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila nilgirensis* (Holttum 1965) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila nilgirensis* (Holtt.) B.Nayar & Kaur. 1974 = *Alsophila nilgirensis* (Holttum 1965) R.Tryon 1970  
*Alsophila nitens* J.Sm ex Griseb. = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Alsophila nitida* Kunze ex Ettingsh. 1865 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Alsophila nockii* (Jenman 1879) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila notabilis* Maxon 1922 #4 II CYATHEACEAE  
*Alsophila novae-caledoniae* Mett. 1861 = *Sphaeropteris novae-caledoniae* (Mett. 1861) R.Tryon 1970  
*Alsophila obliqua* (Copel. 1911) C.Chr. 1913 = *Sphaeropteris obliqua* (Copel. 1911) R.Tryon 1970  
*Alsophila oblonga* Klotzsch 1844 = *Cyathea oblonga* (Klotzsch. 1844) Domin. 1929  
*Alsophila obscura* Scort. ex Bedd. 1887 = *Sphaeropteris obscura* (Scortech. ex Bedd. 1887) R.Tryon 1970

<i>Alsophila obtusata</i> Sehnem 1977 = <i>Alsophila kleinii</i> Sehnem	<i>Alsophila pauciflora</i> Kuhn 1869 = <i>Cyathea pauciflora</i> (Kuhn 1869) D.B.Lellinger 1988
<i>Alsophila ochroleuca</i> Christ 1909 = <i>Cyathea birenata</i> Liebm. 1849	<i>Alsophila paucifolia</i> Baker 1874 #4 II CYATHEACEAE
<i>Alsophila ogurae</i> Hayata 1925 = <i>Cyathea ogurae</i> (Hayata 1925) Domin 1930	<i>Alsophila paulistana</i> Ros. 1906 #4 II CYATHEACEAE
<i>Alsophila oinops</i> (Hassk. 1855) R.Tryon 1970 #4 II CYATHEACEAE	<i>Alsophila pectinata</i> Féé 1869 = <i>Cyathea axillaris</i> (Féé 1850-52) Lellinger 1988
<i>Alsophila okiana</i> Alderw. 1916 = <i>Sphaeropteris felina</i> (Roxb.) Pic.Serm. 1991	<i>Alsophila peladensis</i> Hieron. 1906 = <i>Cyathea peladensis</i> (Hieron.) Domin
<i>Alsophila oldhami</i> Bedd. 1870 = <i>Cyathea khasyana</i> (Moore ex Kuhn 1869) Domin 1929	<i>Alsophila percrassa</i> (C.Chr. 1937) R.Tryon 1970 #4 II CYATHEACEAE
<i>Alsophila oligocarpa</i> Féé 1850-52 = <i>Cyathea decomposita</i> (Karsten 1869) Domin 1929	<i>Alsophila perpelvigera</i> (Alderw. 1924) R. Tryon 1970 #4 II CYATHEACEAE
<i>Alsophila oligosora</i> Miq. ex Kunze 1850 = <i>Sphaeropteris squamulata</i> (Blume 1828) R.Tryon 1970	<i>Alsophila perpunctulata</i> (Alderw. 1918) R. Tryon 1970 #4 II CYATHEACEAE
<i>Alsophila olivacea</i> Brause 1920 = <i>Cyathea hornei</i> (Baker 1879) Copel. 1929	<i>Alsophila perrieriana</i> (C.Chr. 1932) R.Tryon 1970 #4 II CYATHEACEAE
<i>Alsophila oosora</i> (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE	<i>Alsophila persquamulata</i> Alderw. 1918 = <i>Alsophila subdubia</i> Alderw. 1915
<i>Alsophila orientalis</i> (Kunze 1848) R.Tryon 1970 #4 II CYATHEACEAE	<i>Alsophila persquamulifera</i> Alderw. 1920 = <i>Sphaeropteris persquamulifera</i> (Alderw. 1920) R. Tryon 1970
<i>Alsophila ornata</i> Bedd. 1909 non Scott = <i>Alsophila inciso-serrata</i> (Copel. 1911) C.Chr. 1913	<i>Alsophila peruviana</i> Klotzsch 1847 = <i>Cyathea pungens</i> (Willd. 1869) Domin 1929
<i>Alsophila ornata</i> Scott ex Bed 1870 = <i>Cyathea khasyana</i> (Moore ex Kuhn 1869) Domin 1929	<i>Alsophila petiolulata</i> Karst ex Mett. 1864 = <i>Cyathea divergens</i> Kunze
<i>Alsophila orthogonalis</i> (Bonap. 1917) R.Tryon 1970 #4 II CYATHEACEAE	<i>Alsophila phalaenolepis</i> C.Chr. 1911 = <i>Cyathea phalaenolepis</i> (C. Chr. 1911) Domin 1929
<i>Alsophila pabstii</i> Brade 1965 #4 II CYATHEACEAE	<i>Alsophila phalerata</i> (C.Martius 1822) C.Martius 1834 = <i>Cyathea phalerata</i> Martius 1822
<i>Alsophila pachyrrhachis</i> (Copel. 1942) R.Tryon 1970 #4 II CYATHEACEAE	<i>Alsophila phegopteroides</i> Hook. 1865 = <i>Cyathea phegopteroides</i> (Hook.1865) Domin 1929
<i>Alsophila palembanica</i> Alderw. 1916 = <i>Alsophila javanica</i> (Blume 1828) R.Tryon 1970	<i>Alsophila philippinense</i> ht. Vietch 1875 = <i>Cyathea veitchiana</i> Domin 1930
<i>Alsophila paleolata</i> C.Martius 1834 #4 II CYATHEACEAE	<i>Alsophila physolepidota</i> (Alston 1956) R. Tryon 1970 #4 II CYATHEACEAE
<i>Alsophila pallescens</i> Sodiro 1883 = <i>Cyathea pallescens</i> (Sodiro 1883) Domin. 1929	<i>Alsophila pilgera</i> Hieron. 1906 #4 II CYATHEACEAE
<i>Alsophila pallida</i> Ros. 1915 #4 II CYATHEACEAE	<i>Alsophila pilosissima</i> Baker 1874 = <i>Cyathea pilosissima</i> (Baker 1874) Domin 1929
<i>Alsophila pallidipaleata</i> (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE	<i>Alsophila pilosula</i> (Tardieu 1941) R.Tryon 1970 #4 II CYATHEACEAE
<i>Alsophila pansamalana</i> Maxon 1922 = <i>Cyathea birenata</i> Liebm. 1849	<i>Alsophila pinnula</i> Christ 1901 = <i>Cyathea pinnula</i> (Christ 1901) Domin 1929
<i>Alsophila papuana</i> Ridley 1916 = <i>Sphaeropteris papuana</i> (Ridley 1916) R.Tryon 1970	<i>Alsophila plagiopteris</i> C.Martius 1834 #4 II CYATHEACEAE
<i>Alsophila paraphysata</i> (Copel. 1911) Alderw. 1917 = <i>Sphaeropteris squamulata</i> (Blume 1828) R.Tryon 1970	<i>Alsophila plagiostegia</i> (Copel. 1929) R.Tryon 1970 #4 II CYATHEACEAE
<i>Alsophila parkeri</i> J.Sm. 1875 = <i>Cyathea surinamensis</i> (Miq.1843) Domin 1929	<i>Alsophila podophylla</i> Baker 1881 = <i>Cyathea intramarginalis</i> (Wind.1973) Lellinger
<i>Alsophila parva</i> Maxon 1944 = <i>Cyathea parva</i> (Maxon 1944) R.Tryon 1976	<i>Alsophila podophylla</i> Hook 1857 = <i>Cyathea podophylla</i> (Hook. 1857 ) Copel. 1909
<i>Alsophila parvifolia</i> Holttum 1928 = <i>Sphaeropteris parvifolia</i> (Holttum 1928) R.Tryon 1970	<i>Alsophila poeppigii</i> Hook. 1844 = <i>Cyathea poeppigii</i> (Hook.1844) Domin. 1929
<i>Alsophila parvula</i> Jenm. 1879 = <i>Cyathea parvula</i> (Jenm.) Proctor 1953	<i>Alsophila pohlii</i> C.Presl. 1836 = <i>Cyathea armata</i> (Swartz.1788) Domin 1930
<i>Alsophila pastazensis</i> Hieron. 1906 = <i>Cyathea pungens</i> (Willd. 1869) Domin 1929	<i>Alsophila poiensis</i> (Copel. 1911) Alderw. 1917 = <i>Sphaeropteris trichophora</i> (Copel. 1911) R.Tryon 1970
<i>Alsophila patellifera</i> (Alderw. 1914) R. Tryon 1970 #4 II CYATHEACEAE	<i>Alsophila polycampta</i> Kunze 1846 = <i>Alsophila gigantea</i> Wall. ex Hook. 1844
<i>Alsophila pauciflora</i> C.Presl = <i>Cyathea pauciflora</i> (Kuhn 1869) D.B.Lellinger 1988	<i>Alsophila polycarpa</i> (Jungh. 1845) R.Tryon 1970 = <i>Cyathea crenulata</i> Blume 1828

- Alsophila polyphlebia* Baker 1876 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Alsophila polyphlebia* Baker 1876 = *Alsophila furcinervia* (Domin 1930) C.Chr. 1934
- Alsophila polystichoides* Christ 1896 #4 II CYATHEACEAE
- Alsophila ponapeana* Hosok. 1936 #4 II CYATHEACEAE
- Alsophila poolii* C.Chr. 1905 #4 II CYATHEACEAE
- Alsophila portoana* Brade 1935 = *Cyathea portoana* (Brade) comb.ined.
- Alsophila portoricensis* (Sprengel ex Kuhn 1869) Conant 1983 #4 II CYATHEACEAE
- Alsophila praecincta* Kunze 1839 = *Cyathea praecincta* (Kunze 1839) Domin 1929
- Alsophila proceroides* Ros. 1915 #4 II CYATHEACEAE
- Alsophila pruinosa* (Rosenst. 1913) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila pseudomuellieri* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila pterorachis* Baker 1874 = *Cyathea pungens* (Willd. 1869) Domin 1929
- Alsophila pubescens* Baker 1868 = *Cyathea pubens* Domin 1929
- Alsophila pulchra* (Copel. 1929) C.Chr. 1934 = *Sphaeropteris obscura* (Scortech. ex Bedd. 1887) R.Tryon 1970
- Alsophila punctulata* Alderw. 1915 = *Cyathea punctulata* (Alderw. 1915) Alderw. 1918
- Alsophila pungens* (Willd. 1810) Presl. 1836 = *Cyathea pungens* (Willd. 1869) Domin 1929
- Alsophila pustulosa* Christ 1901 = *Sphaeropteris lepifera* (Hook. 1844) R.Tryon 1970
- Alsophila pycnocarpa* Kunze 1834 = *Cyathea pungens* (Willd. 1869) Domin 1929
- Alsophila pycnoneura* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila quadrata* (Baker 1876) R. Tryon 1970 #4 II CYATHEACEAE
- Alsophila radens* Kaulf. 1824 #4 II CYATHEACEAE
- Alsophila radens* Mett. 1856 = *Alsophila verruculosa* Ros. 1906
- Alsophila ramisora* Domin 1929 = *Cyathea ramisora* (Domin 1929) Domin 1930
- Alsophila ramispina* Hook. (in Hook. & Baker) = *Cyathea ramispina* (Hook. in Hook. & Baker 1866) Copel. 1909
- Alsophila ramosii* (Copel. 1926) C.Chr. 1933 = *Sphaeropteris trichophora* (Copel. 1911) R.Tryon 1970
- Alsophila rebecca* F.v.Muell. 1865 #4 II CYATHEACEAE
- Alsophila recurvata* Brause, Engl. 1920 #4 II CYATHEACEAE
- Alsophila recurvata* Brause 1920 = *Alsophila recurvata* Brause, Engl. 1920
- Alsophila reducta* Alderw. 1918 = *Alsophila glabra* (Blume 1828) Hook 1844
- Alsophila reitzii* Sehnem #4 II CYATHEACEAE
- Alsophila revoluta* C.Chr. 1913 = *Cyathea revoluta* (C.Chr. 1913) Domn. 1929
- Alsophila rheosora* Baker 1890 = *Cyathea podophylla* (Hook. 1857) Copel. 1909
- Alsophila rheosora* Christ 1898 = *Alsophila henryi* Baker 1898
- Alsophila ridleyi* Baker 1891 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Alsophila rigens* (Rosents. 1913) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila rigidula* C.Martius 1834 = *Cyathea villosa* (Humb. & Bonpl.) Willd. 1810
- Alsophila robertsiana* F.Muell. 1865 #4 II CYATHEACEAE
- Alsophila robusta* C.Moore 1983 = *Sphaeropteris robusta* (C.Moore ex Watts 1914) R.Tryon 1970
- Alsophila robusta* C.Moore ex Watts 1914 = *Sphaeropteris robusta* (C.Moore ex Watts 1914) R.Tryon 1970
- Alsophila robusta de Vriese* ex Jungh. 1852 = *Cyathea junghuhniana* (Kunze) Copel.
- Alsophila robusta* Moore ex Maiden 1898 = *Sphaeropteris robusta* (C.Moore ex Watts 1914) R.Tryon 1970
- Alsophila rolandii* R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila roquettei* Brade & Ros. 1931 #4 II CYATHEACEAE
- Alsophila rosenstockii* Brause 1920 #4 II CYATHEACEAE
- Alsophila rostrata* (Kunth 1815) C.Martius 1843 = *Cyathea blechnoides* Domin
- Alsophila rubella* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila rubiginosa* Brause 1920 #4 II CYATHEACEAE
- Alsophila rufa* Féé 1869 = *Cyathea rufa* (Féé 1869) Lellinger 1988
- Alsophila rufopannosa* (Christ 1907) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila rumphiana* Alderw. 1916 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Alsophila rupestris* (Maxon 1946) Gastony & R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila saccata* (Christ 1904) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila sagittifolia* Hook. 1866 = *Cyathea sagittifolia* (Hook. 1866) Domin 1929
- Alsophila salletii* (Tardieu & C.Chr. ex C.Chr. & Tardieu 1934) R.Tryon 1970 #4 II CYATHEACEAE
- Alsophila salvinii* Hooker 1866 #4 II CYATHEACEAE
- Alsophila samoensis* Brackenr. = *Alsophila plagiostegia* (Copel. 1929) R.Tryon 1970
- Alsophila sangirensis* Christ ex Diels 1899 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Alsophila saparuensis* Alderw. 1908 = *Alsophila batjanensis* Christ ex Diels 1899
- Alsophila sarawakensis* C.Chr. 1913 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Alsophila scaberula* Christ in Schum. & Laut. 1901 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Alsophila scaberulipes* Alderw. 1924 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Alsophila scabriseta* (Copel. 1914) Alderw. 1917 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Alsophila scabriuscula* Maxon 1919 = *Cyathea birenata* Liebm. 1849
- Alsophila scandens* Brause 1910 #4 II CYATHEACEAE
- Alsophila schaffneriana* Féé 1827 #4 II CYATHEACEAE
- Alsophila schiedeana* C.Presl. 1836 = *Cyathea schiedeana* (C.Presl 1836) Domin 1939

- Alsophila schlechteri* Brause 1912 = *Cyathea schlechteri* (Brause 1912) Domin 1929  
*Alsophila schliebenii* Reimers 1933 = *Cyathea fadenii* Holttum  
*Alsophila schlimii* Mett. ex Kuhn #4 II CYATHEACEAE  
*Alsophila schlimii* Kuhn 1859 = *Cyathea schlimii* (Kuhn 1859) Domin 1929  
*Alsophila schlimii* Mett 1864 nomen ex Kuhn 1859 = *Cyathea schlimii* (Kuhn 1859) Domin 1929  
*Alsophila scopulina* Tryon 1960 #4 II CYATHEACEAE  
*Alsophila scottiana* Baker 1872 = *Cyathea khasyana* (Moore ex Kuhn 1869) Domin 1929  
*Alsophila scrobiculata* Fée 1869 = *Alsophila paleolata* C.Martius 1834  
*Alsophila sechellarum* (Mett. 1863) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila semiamplectens* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila senilis* Klotzsch 1846 = *Cyathea senilis* (Klotzsch 1846) Domin 1929  
*Alsophila serra* Sehnem 1978 #4 II CYATHEACEAE  
*Alsophila serrata* J.Sm. 1842 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Alsophila serratifolia* (Baker 1884) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila sessilifolia* Jenm. 1882 = *Cyathea sessifolia* (Jenm. 1882) Proctor 1953  
*Alsophila setosa* Kaulf 1824 #4 II CYATHEACEAE  
*Alsophila setulosa* (Copel. 1952) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila sikkimensis* Clarke & Baker 1888 = *Cyathea khasyana* (Moore ex Kuhn 1869) Domin 1929  
*Alsophila similis* (C. Chr. 1905) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila sinuata* (Hook. & Grev. 1828) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila smithiana* C.Presl. 1848 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970  
*Alsophila smithii* (Hook.f. 1854) R.Tryon 1970 #4 II CYATHEACEAE (E) Tree Fern Soft  
*Alsophila smithii* Trevis 1851 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970  
*Alsophila sollyana* Griff. 1849 = *Sphaeropteris brunoniania* (Wall. ex Hook. 1844) R.Tryon 1970  
*Alsophila solomonensis* (Holttum 1964) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila speciosa* (Meyen 1834) C.Presl. 1836 #4 II CYATHEACEAE  
*Alsophila spinifera* Alderw. 1922 = *Alsophila alderwereltii* (Copel. 1909) R.Tryon 1970  
*Alsophila spinulosa* (Wallich ex Hook. 1844) R.Tryon 1970 = *Cyathea spinulosa* Wallich ex. Hook. 1844  
*Alsophila sprengeliana* C.Martius 1834 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Alsophila sprucei* Hook. 1866 = *Cyathea poeppigii* (Hook. 1844) Domin. 1929  
*Alsophila squamata* Klotzsch 1844 = *Cyathea microphyllodes* Domin 1929  
*Alsophila squamulata* (Blume 1828) Hook. 1844 (pt) = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Alsophila squamulata* Hook. 1844 (pt) = *Cyathea recommutata* Copel. 1909  
*Alsophila stelligera* (Holttum 1964) R. Tryon 1970 #4 II CYATHEACEAE  
*Alsophila sternbergii* (Pohl. ex Sternb. 1820) Conant 1983 #4 II CYATHEACEAE  
*Alsophila stipularis* Christ 1904 = *Cyathea bicrenata* Liebm. 1849  
*Alsophila stokesii* (E.Brown 1931) R. Tryon 1970 #4 II CYATHEACEAE  
*Alsophila straminea* Gepp in Gibbs 1917 = *Alsophila batjanensis* Christ ex Diels 1899  
*Alsophila strigillosa* Maxon 1922 = *Cyathea strigillosa* (Maxon 1922) Domin 1930  
*Alsophila strigosa* J. Sm. 1842 = *Cyathea surinamensis* (Miq. 1843) Domin 1929  
*Alsophila stuebelii* Hieron. 1906 = *Cyathea wolfii* Domin 1929  
*Alsophila stuhlmannii* (Hieron. ex Engl. 1899) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila subaculaeata* Splitgb. 1840 = *Cyathea surinamensis* (Miq. 1843) Domin 1929  
*Alsophila subaspera* Christ 1901 = *Cyathea divergens* Kunze  
*Alsophila subcomosa* C.Chr. 1913 = *Sphaeropteris elmeri* (Copel. 1908) R.Tryon 1970  
*Alsophila subdimorpha* (Copel. 1913) Alderw. 1914 = *Alsophila lurida* (Blume 1828) Hook. 1844  
*Alsophila subdubia* Alderw. 1915 #4 II CYATHEACEAE  
*Alsophila subglandulosa* Hance 1866 = *Cyathea subglandulosa* (Hance 1866) Copel. 1909  
*Alsophila submarginalis* Domin 1929 = *Cyathea submarginalis* (Domin 1929) Domin 1930  
*Alsophila subobscura* Alderw. 1915 = *Sphaeropteris obscura* (Scortech. ex Bedd. 1887) R.Tryon 1970  
*Alsophila subtripinnata* (Holttum 1962) R. Tryon 1970 #4 II CYATHEACEAE  
*Alsophila subulata* Alderw. 1918 = *Cyathea recommutata* Copel. 1909  
*Alsophila sumatrana* (Baker 1880) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila surinamensis* J.Sm. 1866 = *Cyathea surinamensis* (Miq. 1843) Domin 1929  
*Alsophila swartziana* C.Martius 1834 = *Cyathea armata* (Swartz. 1788) Domin 1930  
*Alsophila taenitis* Kunze 1834 = *Alsophila corcovadensis* (Raddi 1819) C.Chr. 1905  
*Alsophila tahitensis* Brack. 1854 = *Cyathea tahitensis* (Brackenr.) Copel 1929  
*Alsophila taiwaniana* Nakai 1927 = *Cyathea spinulosa* Wallich ex. Hook. 1844  
*Alsophila tanzaniana* R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila tarapotensis* Ros. 1909 = *Cyathea lasiosora* (Kuhn 1869) Domin. 1929  
*Alsophila telfairiana* Wall. ex Hook. 1844 = *Alsophila borbonica* (Desv. 1811) R.Tryon 1970  
*Alsophila tenera* J.Sm. ex Hook. 1844 = *Cyathea tenera* (J.Smith ex Hook. 1844) T.Moore 1861  
*Alsophila tenerifrons* Christ 1904 = *Alsophila firma* (Baker 1877) Conant 1983

- Alsophila tenggerensis* Ros. 1917 = *Sphaeropteris tenggerensis* (Rosenst. 1917) R.Tryon 1970  
*Alsophila tenius* Brause 1920 = *Alsophila tenuis* Brause, Engl. 1920  
*Alsophila tenuis* Brause, Engl. 1920 #4 II CYATHEACEAE  
*Alsophila ternatea* (Alderw. 1932) R. Tryon 1970 #4 II CYATHEACEAE  
*Alsophila thomsonii* (Baker 1881) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila tijucensis* Fée 1869 = *Cyathea poeppigii* (Hook.1844) Domin. 1929  
*Alsophila tomenosa* (Blume) Hook. 1844 = *Sphaeropteris tomentosa* (Blume 1828) R.Tryon 1970  
*Alsophila tomentosa* C.Presl. 1836 = *Cyathea villosa* (Humb. & Bonpl.) Willd. 1810  
*Alsophila trichiana* Maxon (1922) = *Cyathea bicrenata* Liebm. 1849  
*Alsophila trichodesma* Scort. ex Bedd. 1887 = *Sphaeropteris trichodesma* (Scortech. ex Bedd. 1887) R.Tryon 1970  
*Alsophila trichophlebia* Baker 1891 = *Cyathea atrovirens* (Langsd. & Fisch. 1810) Domin 1929  
*Alsophila trichophora* (Copel. 1911) Alderw. 1917 = *Sphaeropteris trichophora* (Copel. 1911) R.Tryon 1970  
*Alsophila tricolor* (Colenso 1833) R.Tryon 1970 = *Cyathea dealbata* (Forst. 1786) Sw. 1801  
*Alsophila truncata* Brackenr 1854 = *Sphaeropteris truncata* (Brackenr. 1854) R.Tryon 1970  
*Alsophila tryoniana* (Gastony) Conant #4 II CYATHEACEAE  
*Alsophila tryonorum* Riba 1967 = *Cyathea tryonorum* (Riba 1967) Lellinger 1988  
*Alsophila tsaratananensis* (Chr. 1934) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila tsilotsilensis* (Tardieu 1941) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila tumacensis* J.Sm. 1842 = *Cyathea poeppigii* (Hook.1844) Domin. 1929  
*Alsophila tussacii* (Desv. 1827) Conant 1983 #4 II CYATHEACEAE  
*Alsophila ulei* Christ 1905 = *Cyathea ulei* (Christ 1905) Domin 1930  
*Alsophila umbrosa* Wall. ex Ridl. 1926 = *Alsophila gigantea* Wall. ex Hook. 1844  
*Alsophila unguis-cati* Fée 1869 = *Alsophila paleolata* C.Martius 1834  
*Alsophila urbanii* (Brause 1911) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila ursina* Maxon 1944 = *Cyathea ursina* (Maxon 1944) D.B.Lellinger 1988  
*Alsophila vandeusenii* (Holttum 1962) R. Tryon 1970 #4 II CYATHEACEAE  
*Alsophila van-gaerdii* van Houtte ex Salom. 1883 = *Cyathea van-gaerdii* (Van Houtte ex Salom. 1883) Domin 1930  
*Alsophila veitchii* Baker 1874 #4 II CYATHEACEAE  
*Alsophila vernicosa* Mett. ex Kuhn 1869 = *Cyathea vernicosa* (Mett. ex Kuhn 1869) Domin 1929  
*Alsophila verruculosa* Ros. 1906 #4 II CYATHEACEAE  
*Alsophila vestita* C.Presl. 1849 #4 II CYATHEACEAE
- Alsophila vestita* Baker 1876 non Presl. = *Alsophila poolii* C.Chr. 1905  
*Alsophila vestita* J.Sm. 1842 = *Cyathea armata* (Swartz.1788) Domin 1930  
*Alsophila vexans* Cesati 1876 = *Alsophila glabra* (Blume 1828) Hook 1844  
*Alsophila vieillardii* (Mett. 1861) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila viguieri* (Tardieu 1941) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila villosa* (Humb. & Bonpl..ex Willd. 1810) Desv. 1827 = *Cyathea villosa* (Humb. & Bonpl.) Willd. 1810  
*Alsophila villosa* Kunze 1834 = *Cyathea poeppigii* (Hook.1844) Domin. 1929  
*Alsophila virens* Sehnem 1997 = *Alsophila reitzii* Sehnem  
*Alsophila walkerae* (Hook. 1844) J.Sm. 1875 = *Cyathea walkerae* Hook. 1844  
*Alsophila wallacei* Mett. ex Kuhn 1869 = *Sphaeropteris wallacei* (Mett. ex Kuhn 1869) R.Tryon 1970  
*Alsophila wallichiana* C.Presl. 1836 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970  
*Alsophila warihon* C.Christ 1917 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909  
*Alsophila weigeltii* Roem. ex C.Presl. 1836 = *Cyathea surinamensis* (Miq.1843) Domin 1929  
*Alsophila welwitschii* (Hook. 1865) R.Tryon 1970 #4 II CYATHEACEAE  
*Alsophila wendlandi* Mett. ex Kuhn 1869 = *Cyathea wendlandii* (Mett. ex Kuhn 1869) Domin 1929  
*Alsophila wengiensis* Brause 1912 #4 II CYATHEACEAE  
*Alsophila williamsi* Maxon 1922 = *Cyathea williamsii* (Maxon 1922) Domin 1929  
*Alsophila woodlarkensis* = *Cyathea woodlarkensis* Copel. 1914  
*Alsophila woodwardioides* (Kaulf. 1824) Conant 1983 #4 II CYATHEACEAE  
*Alsophila woollsiana* F.Muell. 1874 #4 II CYATHEACEAE  
*Alsophila wrightii* Underw. ex Maxon 1920 = *Cyathea myosuroides* (Liebm.1849) Domin 1929  
*Alsophila xantholepia* Alderw. 1915 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970  
*Alsophila xantholepis* Christ ex Diels 1899 = *Cyathea xantholepis* (Christ ex Diels 1899) Domin 1929  
*Alsophila zakamenensis* (Tardieu 1941) R.Tryon 1970 #4 II CYATHEACEAE  
***Altensteinia* spp.** Kunth #4 II <sup>64</sup> ORCHIDACEAE  
*Amalias anceps* (Lindl.) Hoffmanns. = *Laelia anceps* Lindl.  
*Amalias cinnabarinia* (Bateman ex Lindl.) Hoffmanns. = *Laelia cinnabarinia* Bateman ex Lindl.  
*Amaryllis citrina* Sibth. & Sm. = *Sternbergia colchiciflora* Waldst. & Kit.  
*Amaryllis clusiana* Ker Gawl. = *Sternbergia clusiana* (Ker Gawl.) Ker Gawl. ex Spreng  
*Amaryllis colchiciflora* (Waldst. & Kit.) Ker Gawl. = *Sternbergia colchiciflora* Waldst. & Kit.  
*Amaryllis lutea* L. = *Sternbergia lutea* (L.) Ker Gawl. ex Spreng.  
*Amaryllis lutea* M.Bieb. = *Sternbergia fischeriana* (Herb.) M.Roem.

- Amaryllis vernalis* Mill., nom. reg. prop. = *Sternbergia fischeriana* (Herb.) M.Roem.
- Amblostoma* spp. Scheidw. #4 II 64 ORCHIDACEAE
- Amblostoma armeniacum* (Lindl.) Brieg. ex Pabst #4 II 64 ORCHIDACEAE
- Amblyglottis abbreviata* Blume = *Calanthe abbreviata* (Blume) Lindley
- Amblyglottis angustifolia* Blume = *Calanthe angustifolia* (Blume) Lindley
- Amblyglottis emarginata* Blume = *Calanthe sylvatica* (Thouars) Lindl.
- Amblyglottis flava* Blume = *Calanthe flava* (Blume) Morren
- Amblyglottis pilosa* de Vries ex Lindl. = *Calanthe vestita* Lindl.
- Amblyglottis pulchra* Blume = *Calanthe pulchra* (Blume) Lindley
- Amblyglottis speciosa* Blume = *Calanthe speciosa* (Blume) Lindley
- Amblyglottis veratrifolia* Blume = *Calanthe ceciliae* Reichb. f.
- Amblyglottis veratrifolia* (Willd.) Blume = *Calanthe triplicata* (Willeme.) Ames
- Ambrella** spp. H.Perrier #4 II 64 ORCHIDACEAE
- Amerimnon lineatum* (Pittier) Standl. = *Dalbergia retusa* Hemsl.
- Amerimnon retusum* (Hemsl.) Standl. = *Dalbergia retusa* Hemsl.
- Amerorchis** spp. Hulten #4 II 64 ORCHIDACEAE
- Amesiella** spp. Schlechter ex Garay #4 II 64 ORCHIDACEAE
- Amesiella monticola* J.E.Cootes & D.P.Banks #4 II 64 ORCHIDACEAE
- Amesiella philippinensis* (Ames) Garay #4 II 64 ORCHIDACEAE
- Amitostigma** spp. Schlechter #4 II 64 ORCHIDACEAE
- Amitostigma bifoliatum* T.Tang & F.T.Wang #4 II 64 ORCHIDACEAE
- Amitostigma capitatum* T.Tang & F.T.Wang #4 II 64 ORCHIDACEAE
- Amitostigma gracile* (Blume) Schltr. #4 II 64 ORCHIDACEAE
- Amitostigma hemipilioides* (Finet) T.Tang & F.T.Wang #4 II 64 ORCHIDACEAE
- Amitostigma keiskei* (Maxim.) Schltr. #4 II 64 ORCHIDACEAE
- Amitostigma simplex* T.Tang & F.T.Wang #4 II 64 ORCHIDACEAE
- Amitostigma tetalobum* (Finet) Schltr. #4 II 64 ORCHIDACEAE
- Amitostigma yuanum* T.Tang & F.T.Wang #4 II 64 ORCHIDACEAE
- Amparoa** spp. Schlechter #4 II 64 ORCHIDACEAE
- Amparoa beloglossa* (Reichb.f.) Schltr. #4 II 64 ORCHIDACEAE
- Amparoa costaricensis* Schltr. #4 II 64 ORCHIDACEAE
- Amphicosmia alternans* (Wallich ex Hook. 1844) Moore 1857 = *Sphaeropteris alternans* (Wallich ex Hook. 1844) R.Tryon 1970
- Amphicosmia australis* (C.Presl. 1849) Moore 1857 = *Cyathea australis* (R.Br.) Domin 1929
- Amphicosmia beyrichiana* Moore 1857 = *Alsophila setosa* Kaulf 1824
- Amphicosmia brunonianana* (Wall. ex Hook. 1844) Bedd. 1883 = *Sphaeropteris brunonianana* (Wall. ex Hook. 1844) R.Tryon 1970
- Amphicosmia cummingii* (Trevis. 1851) Moore 1857 = *Cyathea pacifica* Domin 1929
- Amphicosmia decipiens* (Scott 1869) Bedd. 1876 = *Cyathea spinulosa* Wallich ex. Hook. 1844
- Amphicosmia hostmanni* (Hook. 1844) Moore 1867 = *Cyathea surinamensis* (Miq.1843) Domin 1929
- Amphicosmia javanica* (C.C.Presl. 1849) Moore 1857 = *Cyathea junghuhniana* (Kunze) Copel.
- Amphicosmia laevis* Moore 1857 = *Cyathea surinamensis* (Miq.1843) Domin 1929
- Amphicosmia lingulata* (C.C.Presl.1849) Moore 1857 = *Cyathea surinamensis* (Miq.1843) Domin 1929
- Amphicosmia macrocarpa* (C.C.Presl.1848) Moore 1857 = *Cyathea macrocarpa* C. Presl 1848 Domin 1929
- Amphicosmia manilensis* (C.C.Presl.1848) Moore 1857 = *Cyathea caudata* (J. Smith 1841) Copel. 1906
- Amphicosmia multiflora* (Sm. 1793) Gardn. 1842 = *Cyathea multiflora* Smith 1793
- Amphicosmia nigricans* (C.C.Presl 1849) Moore 1857 = *Cyathea multiflora* Smith 1793
- Amphicosmia parkeri* (Hook. 1844) Moore 1857 = *Cyathea surinamensis* (Miq.1843) Domin 1929
- Amphicosmia strigosa* Moore 1857 = *Cyathea surinamensis* (Miq.1843) Domin 1929
- Amphicosmia tahitensis* (Brack. 1854) Moore 1857 = *Cyathea tahitensis* (Brackenr.) Copel 1929
- Amphidesmium urolepsis* (Kunze 1848) Moore 1857 = *Cyathea surinamensis* (Miq.1843) Domin 1929
- Amphicosmia walkerae* (Hook. 1844) Moore 1857 = *Cyathea walkerae* Hook. 1844
- Amphidesmium blechnoides* (Rich. 1791) Klotzsch 1847 = *Cyathea blechnoides* Domin
- Amphidesmium parkeri* Schott 1834 = *Cyathea blechnoides* Domin
- Amphidesmium rostrata* (C.Martius 1834) J.Sm. 1842 = *Cyathea blechnoides* Domin
- Amphigena leptostachya* (Sond.) Rolfe = *Disa tenuis* Lindl.
- Amphigena tenuis* (Lindl.) Rolfe = *Disa tenuis* Lindl.
- Anacampseros** spp. L. #4 II PORTULACACEAE
- Anacampseros albiflora* Poelln. #4 II PORTULACACEAE
- Anacampseros albissima* Marloth = *Avonia albissima* (Marloth)Rowl. n.comb.
- Anacampseros angustifolia* (Haw.) Sweet = *Anacampseros lanceolata* (Haw.)Sweet
- Anacampseros arachnoides* (Haw.) Sims #4 II PORTULACACEAE
- Anacampseros baeseckeae* Dinter #4 II PORTULACACEAE
- Anacampseros bayeriana* Hammer #4 II PORTULACACEAE
- Anacampseros comptonii* Pillans #4 II PORTULACACEAE
- Anacampseros decipiens* Poelln. = *Avonia rhodesica* (N.E.Br.)Rowl.

- Anacampseros depauperata* (A.Berger) Poelln. =  
*Anacampseros arachnoides* (Haw.) Sims  
*Anacampseros dielsiana* Dinter #4 II PORTULACACEAE  
*Anacampseros dinteri* Schinz = *Avonia dinteri* (Schinz)  
Rowl. n.comb.  
*Anacampseros filamentosa* (Haw.) Sims #4 II  
PORTULACACEAE  
*Anacampseros fissa* Poelln. = *Avonia rhodesica*  
(N.E.Br.) Rowl.  
*Anacampseros gracilis* Poelln. = *Anacampseros*  
*arachnoides* (Haw.) Sims  
*Anacampseros herreana* Poelln. = *Avonia herreana*  
(Poelln.) Rowl. n.comb.  
*Anacampseros karasmontana* Dinter = *Anacampseros*  
*dielsiana* Dinter  
*Anacampseros lanceolata* (Haw.) Sweet #4 II  
PORTULACACEAE  
*Anacampseros lanigera* Burchell. = *Anacampseros*  
*filamentosa* (Haw.) Sims  
*Anacampseros marlothii* Poelln. #4 II PORTULACACEAE  
*Anacampseros nitida* Poelln. = *Anacampseros retusa*  
Poelln.  
*Anacampseros ombonensis* Dinter & Poelln. = *Avonia*  
*dinteri* (Schinz) Rowl. n.comb.  
*Anacampseros papyracea* E.Meyer ex Fenzl = *Avonia*  
*papyracea* (E.Meyer ex Fenzl) Rowl. n.comb.  
*Anacampseros parviflora* Poelln. = *Anacampseros*  
*baeseckei* Dinter  
*Anacampseros quinaria* E.Mey. ex Fenzl = *Avonia quinaria*  
(E.Meyer ex Fenzl) Rowl.  
*Anacampseros retusa* Poelln. #4 II PORTULACACEAE  
*Anacampseros rhodesica* N.E.Br. = *Avonia rhodesica*  
(N.E.Br.) Rowl.  
*Anacampseros rubens* (Haw.) Sweet = *Anacampseros*  
*arachnoides* (Haw.) Sims  
*Anacampseros rubroviridis* Poelln. = *Anacampseros*  
*arachnoides* (Haw.) Sims  
*Anacampseros rufescens* (Haw.) Sweet #4 II  
PORTULACACEAE  
*Anacampseros ruschii* Dinter ex Poelln. = *Avonia ruschii*  
(Dinter & Poelln.) Rowl.  
*Anacampseros schoenlandii* Poelln. = *Anacampseros*  
*arachnoides* (Haw.) Sims  
*Anacampseros scopata* Williamson #4 II  
PORTULACACEAE  
*Anacampseros starkiana* Poelln. = *Anacampseros*  
*subnuda* Poelln.  
*Anacampseros subnuda* Poelln. #4 II PORTULACACEAE  
*Anacampseros telephiastrum* DC. #4 II  
PORTULACACEAE  
*Anacampseros trigona* (Thunb.) DC. = *Anacampseros*  
*lanceolata* (Haw.) Sweet  
*Anacampseros truncata* Poelln. = *Anacampseros retusa*  
Poelln.  
*Anacampseros ustulata* E.Meyer ex Fenzl. = *Avonia*  
*ustulata* (E.Meyer ex Fenzl) Rowl.  
*Anacampseros varians* (Haw.) Sweet. = *Anacampseros*  
*telephiastrum* DC.  
*Anacampseros wischkonii* Dinter & Poelln. = *Avonia dinteri* *Anicstrocaactus scheeri* (Salm-Dyck) Britt. & Rose =  
(Schinz) Rowl. n.comb.
- Anacamptis* spp.** Rich. #4 II 64 ORCHIDACEAE  
*Anacamptis morio* (L) R.M.Bateman, Prigeon & M.W.  
Chase #4 II 64 ORCHIDACEAE  
*Anacamptis pyramidalis* (L.) Rich. #4 II 64  
ORCHIDACEAE (E) Common Pyramidal Orchid  
*Anacamptis urvilleana* Sommier & Caruana #4 II 64  
ORCHIDACEAE (E) Maltese Pyramidal Orchid  
*Anacheilium alagoense* (Pabst.) Pabst., Moutinho & Pinto  
= *Encyclia alagoensis* (Pabst) Pabst  
*Anacheilium allemanii* (Barb.Rodr.) Pabst., Moutinho &  
Pinto = *Encyclia allemanii* (Barb.Rodr.) Pabst  
*Anacheilium allemanoides* (Hoehne) Pabst., Moutinho &  
Pinto = *Encyclia allemanoides* (Hoehne) Pabst  
*Anacheilium caetense* (Bicalho) Pabst, Moutinho & Pinto =  
*Encyclia caetensis* (Bicalho) Pabst  
*Anacheilium calamarium* (Lindl.) Pabst, Moutinhno &  
Pinyo = *Encyclia calamaria* (Lindl.) Pabst  
*Anacheilium campos-portoi* (Pabst) Pabst, Moutinho &  
Pinto = *Encyclia campos-portoi* Pabst  
*Anacheilium cochleatum arrogans* (Ames) Small =  
*Encyclia cochleata* (L.) Lemée  
*Anacheilium cochleatum* (L.) Hoffmanns = *Encyclia*  
*cochleata* (L.) Lemée  
*Anacheilium faresianum* (Bicalho) Pabst = *Encyclia*  
*faresiana* (Bicalho) Pabst  
*Anacheilium faustum* (Rchb.f. ex Cogn.) Pabst, Moutinho & Pinto = *Encyclia fausta* (Rchb.f. ex Cogn.) Pabst  
*Anacheilium fragrans* (Sw.) Acuña = *Encyclia fragrans* (Sw.) Lemée  
*Anacheilium glumaceum* (Lindl.) Pabst, Moutinho & Pinto =  
*Encyclia glumacea* (Lindl.) Pabst  
*Anacheilium grammaglossum* (Rchb.f.) Pabst, Moutinho & A.V.Pinto = *Encyclia grammaglossa* (Rchb.f.) Dressler  
*Anacheilium hartwegii* (Lindl.) Pabst, Moutinho & Pinto =  
*Encyclia hartwegii* (Lindl.) Vásquez & Dodson  
*Anacheilium inversum* (Lindl.) Pabst, Moutinho & Pinto =  
*Encyclia inversa* (Lindl.) Pabst  
*Anacheilium kautskyi* (Pabst) Pabst, Moutinho & Pinto =  
*Encyclia kautskyi* Pabst  
*Anacheilium lividum* Lindl. = *Encyclia livida* (Lindl.) Dressler  
*Anacheilium moojenii* (Pabst) Pabst, Moutinhno & Pinto =  
*Encyclia moojenii* (Pabst) Pabst  
*Anacheilium papilio* (Vell.) Pabst, Moutinho & Pinto =  
*Encyclia papilio* (Vell.) Pabst  
*Anacheilium radiatum* Lindl. = *Encyclia radiata* (Lindl.) Dressler  
*Anacheilium suzanense* (Hoehne) Pabst, Moutinho & Pabst = *Encyclia suzanensis* (Hoehne) Pabst  
*Anacheilium vespa* Vell. = *Encyclia vespa* (Vell.) Dressler  
*Anacheilium widgrenii* (Lindl.) Pabst, Moutinho & Pinto =  
*Encyclia widgrenii* (Lindl.) Pabst  
*Anathallis* spp. Barb.Rodr., 1877 #4 II 64 ORCHIDACEAE  
*Anathallis linearifolia* (Cogn., 2001) #4 II 64  
ORCHIDACEAE  
*Ancistrocactus megarhizus* (Rose) Britton & Rose =  
*Sclerocactus scheeri* (Salm-Dyck) Taylor  
*Anacampseros wischkonii* Dinter & Poelln. = *Avonia dinteri* *Ancistrocactus scheeri* (Salm-Dyck) Britt. & Rose =  
*Sclerocactus scheeri* (Salm-Dyck) Taylor

- Ancistrocactus tobuschii* (W.T. Marsh.) W.T. Marsh. ex Backeberg = *Sclerocactus brevihamatus* (Engelmann) Hunt
- Ancistrocactus tobuschii* (W.T. Marsh.) W.T. Marsh. ex Backeberg = *Sclerocactus brevihamatus tobuschii* (Marshall) Taylor
- Ancistrocactus uncinatus* (Galeotti) L. Benson = *Sclerocactus uncinatus* (Galeotti) Taylor
- Ancistrochilus* spp.** Rolfe #4 II 64 ORCHIDACEAE
- Ancistrorhynchus* spp.** Finet #4 II 64 ORCHIDACEAE
- Ancistrorhynchus capitatus* #4 II 64 ORCHIDACEAE
- Ancistrorhynchus cephalotes* #4 II 64 ORCHIDACEAE
- Ancistrorhynchus clandestinus* #4 II 64 ORCHIDACEAE
- Ancistrorhynchus mettemiae* #4 II 64 ORCHIDACEAE
- Ancistrorhynchus schumannii* #4 II 64 ORCHIDACEAE
- Ancistrorhynchus straussii* #4 II 64 ORCHIDACEAE
- Androchilus* spp.** Liebm. #4 II 64 ORCHIDACEAE
- Androcorys* spp.** Schlechter #4 II 64 ORCHIDACEAE
- Androcorys japonensis* F. Maek. #4 II 64 ORCHIDACEAE
- Angorchis alcicornis* (Rchb.f.) Kuntze = *Aerangis alcicornis* (Rchb.f.) Garay
- Angorchis arachnopus* (Rchb.f.) Kuntze = *Aerangis arachnopus* (Rchb.f.) Schltr.
- Angorchis articulata* (Rchb.f.) Kuntze = *Aerangis articulata* (Reichb.f.) Schltr.
- Angorchis biloba* (Lindl.) Kuntze = *Aerangis biloba* (Lindl.) Schltr.
- Angorchis campyloplectron* (Rchb.f.) Kuntze = *Aerangis biloba* (Lindl.) Schltr.
- Angorchis citrata* (Thouars) Kuntze = *Aerangis citrata* (Thouars) Schltr.
- Angorchis clavigera* (Ridl.) Kuntze = *Angraecum clavigerum* Ridl.
- Angorchis conchifera* (Lindl.) Kuntze = *Angraecum conchiferum* Lindl.
- Angorchis crassa* (Thouars) Kuntze = *Angraecum crassum* Thouars
- Angorchis cryptodon* (Rchb.f.) Kuntze = *Aerangis cryptodon* (Rchb.f.) Schltr.
- Angorchis cucullata* Kuntze = *Angraecum cucullatum* Thouars
- Angorchis curnowiana* (Rchb.f.) Kuntze = *Angraecum curnowianum* (Rchb.f.) Dur. & Schltr.
- Angorchis eburnea* (Bory) Kuntze = *Angraecum eburneum* Bory
- Angorchis ellisii* (B.S.Williams) Kuntze = *Aerangis ellisii* (B.S.Williams) Schltr.
- Angorchis fastuosa* Reichb.f. Kuntze = *Aerangis fastuosa* (Reichb.f.) Schltr.
- Angorchis flabellifolia* (Rchb.f.) Kuntze = *Aerangis brachycarpa* (A.Rich.) Dur. & Schinz.
- Angorchis fragrans* Kuntze = *Angraecum cucullatum* Thouars
- Angorchis funalis* (Sw.) Kuntze = *Dendrophylax funalis* (Sw.) Benth. ex Rolfe (1888)
- Angorchis gladiifolia* (Thouars) Kuntze = *Angraecum mauritianum* (Poir.) Frapp.
- Angorchis hyaloïdes* (Rchb.f.) Kuntze = *Aerangis hyaloïdes* (Rchb.f.) Schltr.
- Angorchis implicata* (Thouars) Kuntze = *Angraecum implicatum* Thouars
- Angorchis infundibularis* (Lindl.) Kuntze = *Angraecum infundibulare* Lindl.
- Angorchis modesta* (Hook.f.) Kuntze = *Aerangis modesta* (Hook.f.) Schltr.
- Angorchis palmiformis* Kuntze = *Angraecum palmiforme* Thouars
- Angorchis parvula* Kuntze = *Angraecum parvulum* Ayres ex Baker
- Angorchis pectangis* (Thouars) Kuntze = *Angraecum pectinatum* Thouars
- Angorchis pectinata* (Thouars) Kuntze = *Angraecum pectinatum* Thouars
- Angorchis pusilla* (Lindl.) Kuntze = *Angraecum pusillum* Lindl.
- Angorchis rostrata* Kuntze = *Angraecum rostratum* Ridl.
- Angorchis scottiana* (Rchb.f.) Kuntze. = *Angraecum scottianum* Rchb.f.
- Angorchis sesquipedalis* (Thouars) Kuntze. = *Angraecum sesquipedale* Thouars
- Angorchis striata* (Thouars) Kuntze = *Angraecum striatum* Thouars
- Angorchis teretifolia* (Ridl.) Kuntze = *Angraecum teretifolium* Ridl.
- Angraecopsis* spp.** Kraenzl. #4 II 64 ORCHIDACEAE
- Angraecopsis cryptantha* P.J.Cribb #4 II 64 ORCHIDACEAE
- Angraecopsis dolabriformis* (Rolfe) Schltr. #4 II 64 ORCHIDACEAE
- Angraecopsis ischnopodus* #4 II 64 ORCHIDACEAE
- Angraecopsis parviflora* #4 II 64 ORCHIDACEAE
- Angraecopsis pobeguinii* #4 II 64 ORCHIDACEAE
- Angraecopsis tenerima* #4 II 64 ORCHIDACEAE
- Angraecopsis tridens* (Lindl.) Schltr. #4 II 64 ORCHIDACEAE
- Angraecum* spp.** Bory #4 II 64 ORCHIDACEAE
- Angraecum abietinum* Schltr. = *Angraecum humblotianum* (Finet) Schltr.
- Angraecum acutimarginatum* = *Tridactyle inaequilonga*
- Angraecum acutipetalum*** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum acuto-emarginatum* = *Tridactyle inaequilonga*
- Angraecum acutum* = *Diaphananthe acuta* (Ridley) Schltr.
- Angraecum affine*** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum album-majus* Rumph. = *Phalaenopsis amabilis* (L.) Blume
- Angraecum alcicorne* Rchb.f. = *Aerangis alcicornis* (Rchb.f.) Garay
- Angraecum alleizettei*** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum aloifolium*** Hermans & P.J.Cribb #4 II 64 ORCHIDACEAE
- Angraecum althoffii* = *Diaphananthe pellucida*
- Angraecum amanicense* = *Angraecopsis tenerima*
- Angraecum ambongoense* = *Lemurella ambongensis*
- Angraecum ambrense*** H.Perrier #4 II 64 ORCHIDACEAE
- Angraecum amplexicaule*** Toill.-Gen. & Bosser #4 II 64 ORCHIDACEAE

- Angraecum ampullaceum** Bosser #4 II 64  
ORCHIDACEAE
- Angraecum andasibeense** H.Perrier #4 II 64  
ORCHIDACEAE
- Angraecum andersonii* = *Microcoelia caespitosa*
- Angraecum andringitranum** Schltr. #4 II 64  
ORCHIDACEAE
- Angraecum angustifolium* = *Cyrtorchis aschersonii*
- Angraecum angustipetalum** Rendle #4 II 64  
ORCHIDACEAE
- Angraecum angustum** (Rolfe) Summerh. #4 II 64  
ORCHIDACEAE
- Angraecum angustum sensu Schelpe non Schltr.* =  
*Aerangis verdickii* (De Wild.) Schltr.
- Angraecum anjouanense* = *Jumellea anjouanensis* Finet
- Angraecum ankeranense** H.Perrier #4 II 64  
ORCHIDACEAE
- Angraecum anocentrum* Schltr. = *Angraecum calceolus*  
Thouars
- Angraecum antennatum* = *Cyrtorchis monteiroae*
- Angraecum aphyllum* = *Solenangis aphylla*
- Angraecum apiculatum* Hook.f. = *Aerangis biloba* (Lindl.)  
Schltr.
- Angraecum apiculatum kirkii* (Rchb.f.) Rchb.f. = *Aerangis kirkii* (Rchb.f.) Schltr.
- Angraecum aporooides** Summerh. #4 II 64  
ORCHIDACEAE
- Angraecum appendiculatum* = *Bonniera appendiculata*
- Angraecum appendiculoides** Schltr. #4 II 64  
ORCHIDACEAE
- Angraecum arachnites* Schltr. = *Angraecum germinyanum*  
Hook.f.
- Angraecum arachnopus* Rchb.f. = *Aerangis arachnopus*  
(Rchb.f.) Schltr.
- Angraecum armeniacum* = *Tridactyle armeniaca*
- Angraecum arnoldianum* De Wild. = *Angraecum eichlerianum* Kraenzl.
- Angraecum arthrophyllum* (Kranzlin) Schltr. = *Angraecum pungens* Schltr.
- Angraecum articulatum* Rchb.f. = *Aerangis articulata*  
(Reichb.f.) Schltr.
- Angraecum aschersonii* = *Cyrtorchis monteiroae*
- Angraecum ashantense* = *Listrostachys ashautensis*
- Angraecum astroarche** Ridley #4 II 64 ORCHIDACEAE
- Angraecum augustum* (Kraenzl.) Garay = *Aerangis verdickii* (De Wild.) Schltr.
- Angraecum aviceps** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum avicularium* Rchb.f. = *Aerangis rostellaris*  
(Rchb.f.) H.Perrier
- Angraecum bakeri* = *Diaphananthe bidens*
- Angraecum bancoense** Van der Burg #4 II 64  
ORCHIDACEAE
- Angraecum baronii** (Finet) Schltr. #4 II 64  
ORCHIDACEAE
- Angraecum batesii* Rolfe = *Aerangis arachnopus* (Rchb.f.)  
Schltr.
- Angraecum bathiei peracuminatum* H.Perrier =  
*Angraecum germinyanum* Hook.f.
- Angraecum bathiei* Schltr. = *Angraecum germinyanum*  
Hook.f.
- Angraecum bemarivoense** Schltr. #4 II 64  
ORCHIDACEAE
- Angraecum bicallousum** H.Perrier #4 II 64  
ORCHIDACEAE
- Angraecum bicaudatum* = *Tridactyle bicaudata*
- Angraecum bidens* = *Diaphananthe bidens*
- Angraecum bieleri* = *Microcoelia bieleri*
- Angraecum biloboides* De Wild. = *Aerangis arachnopus*  
(Rchb.f.) Schltr.
- Angraecum bilobum kirkii* Rchb.f. = *Aerangis kirkii*  
(Rchb.f.) Schltr.
- Angraecum bilobum Lindl.* = *Aerangis biloba* (Lindl.)  
Schltr.
- Angraecum bilobum sensu Eng. non Lindl.* = *Aerangis brachycarpa* (A.Rich.) Dur. & Schinz.
- Angraecum bilobum sensu Schweinf. non Lindl.* =  
*Aerangis brachycarpa* (A.Rich.) Dur. & Schinz.
- Angraecum birrimense** Rolfe #4 II 64 ORCHIDACEAE
- Angraecum bistortum* = *Cyrtorchis ringens*
- Angraecum bokoyense* = *Calyptrochilum christyanum*
- Angraecum bolusii* = *Tridactyle tridentata*
- Angraecum boonei* De Wild. = *Angraecum angustipetalum*  
Rendle
- Angraecum borbonicum** Bosser #4 II 64  
ORCHIDACEAE
- Angraecum boutoni* = *Angraecopsis pobeguinii*
- Angraecum brachycarpum* (A.Rich.) Rchb.f. = *Aerangis brachycarpa* (A.Rich.) Dur. & Schinz.
- Angraecum brachyrhopalon** Schltr. #4 II 64  
ORCHIDACEAE
- Angraecum bracteosum** Balf.f. & S.Moore #4 II 64  
ORCHIDACEAE
- Angraecum braunii* Schltr. = *Angraecum viride* Kraenzl.
- Angraecum breve** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum brevicornu** Summerh. #4 II 64  
ORCHIDACEAE
- Angraecum brevifolium* = *Campylocentrum micranthum*
- Angraecum brunneo-maculatum* = *Ancistrorhynchus clandestinus*
- Angraecum buchholzianum* = *Cyrtorchis ringens*
- Angraecum bueae* = *Diaphananthe bueae* (Schltr.) Schltr.
- Angraecum burchellii* Rchb.f. = *Angraecum pusillum* Lindl.
- Angraecum buyssonii* God.-Leb. = *Aerangis ellisiae*  
(B.S.Williams) Schltr.
- Angraecum cadetii** Bosser #4 II 64 ORCHIDACEAE
- Angraecum caespitosum* = *Microcoelia caespitosa*
- Angraecum caffrum* = *Margelliantha caffra*
- Angraecum calanthum* Schltr. = *Aerangis calantha*  
(Schltr.) Schltr.
- Angraecum calceolus** Thouars #4 II 64 ORCHIDACEAE
- Angraecum calligerum* Rchb.f. = *Aerangis articulata*  
(Reichb.f.) Schltr.
- Angraecum campyloplectron* Rchb.f. = *Ascocentrum ampullaceum* (Lindl.) Schltr.
- Angraecum campyloplectron* Rchb.f. Garay = *Aerangis biloba* (Lindl.) Schltr.
- Angraecum canaliculatum* De Wild. = *Angraecum subulatum* Lindl.

- Angraecum capense* = *Mystacidium capense* (L.f.) Schltr.  
*Angraecum capitatum* = *Ancistrorhynchus capitatus*
- Angraecum caricifolium** H.Perrier #4 II 64  
 ORCHIDACEAE
- Angraecum carifolium* H.Perrier (*sphalm*) = *Angraecum caricifolium* H.Perrier
- Angraecum carinatum* = *Eulophia virens*
- Angraecum carpophorum* Thouars = *Angraecum calceolus* Thouars
- Angraecum carusianum* Severino = *Aerangis brachycarpa* (A.Rich.) Dur. & Schinz.
- Angraecum catati* Baill. ex H.Perrier = *Angraecum rutenbergianum* Kraenzl.
- Angraecum caudatum* = *Plectrelminthus caudatus*
- Angraecum caulescens** Thouars #4 II 64  
 ORCHIDACEAE
- Angraecum cephalotes* = *Ancistrorhynchus mettemiae*
- Angraecum chaetopodium** Schltr. #4 II 64  
 ORCHIDACEAE
- Angraecum chailluanum* = *Cyrtorchis chailluana*
- Angraecum chamaeanthus** Schlechter #4 II 64  
 ORCHIDACEAE
- Angraecum chermezoni** H.Perrier #4 II 64  
 ORCHIDACEAE
- Angraecum chevalieri* Summerh. = *Angraecum moandense* De Wild
- Angraecum chiloschistae* = *Microcoelia exilis*
- Angraecum chimanmaniense** G.Will. #4 II 64  
 ORCHIDACEAE
- Angraecum chloranthum** Schltr. #4 II 64  
 ORCHIDACEAE
- Angraecum christyanum* = *Calyptrochilum christyanum*
- Angraecum cilaosianum** (Cordem) Schltr. #4 II 64  
 ORCHIDACEAE
- Angraecum citratum* Thouars = *Aerangis citrata* (Thouars) Schltr.
- Angraecum claessensii** De Wild. #4 II 64  
 ORCHIDACEAE
- Angraecum clandestinum* = *Ancistrorhynchus clandestinus*
- Angraecum clandestinum* *clandestinum* = *Ancistrorhynchus clandestinus*
- Angraecum clavatum* = *Solenangis clavata*
- Angraecum clavatum* (Rendle) Schltr. = *Angraecum multinominatum* Rendle
- Angraecum clavigerum** Ridl. #4 II 64 ORCHIDACEAE
- Angraecum comorense* fide Rice = *Jumellea comorensis* (Rchb.f.) Schltr.
- Angraecum compactum** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum compressicaule** H.Perrier #4 II 64  
 ORCHIDACEAE
- Angraecum conchiferum** Lindl. #4 II 64 ORCHIDACEAE
- Angraecum conchoglossum* Schltr. = *Angraecum germinyanum* Hook.f.
- Angraecum confusa* = *Jumellea confusa* Schltr.
- Angraecum conicum* = *Solenangis conica*
- Angraecum cordatiglandulum* = *Rangaeris rhipsalisocia*
- Angraecum cordemoyi** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum coriaceum** (Thunb. ex Sw.) Schltr. #4 II 64  
 ORCHIDACEAE
- Angraecum cornigerum** Cordem. #4 II 64  
 ORCHIDACEAE
- Angraecum cornucopiae** H.Perrier #4 II 64  
 ORCHIDACEAE
- Angraecum cornutum* = *Solenangis cornuta*
- Angraecum corynoceras** Schltr. #4 II 64  
 ORCHIDACEAE
- Angraecum costatum** Frapp. ex Cordem #4 II 64  
 ORCHIDACEAE
- Angraecum coutrixii** Bosser #4 II 64 ORCHIDACEAE
- Angraecum cowanii* = *Jumellea cowanii*
- Angraecum crassiflorum* H.Perrier = *Angraecum crassum* Thouars
- Angraecum crassifolia* G.Will. = *Angraecum sacciferum* Lindl.
- Angraecum crassifolium** (Cordem.) Schltr. #4 II 64  
 ORCHIDACEAE
- Angraecum crassum** Thouars #4 II 64 ORCHIDACEAE
- Angraecum crenatum* = *Cyrtorchis crenata*
- Angraecum cribbianum** Szl. & Olzs. #4 II 64  
 ORCHIDACEAE
- Angraecum crinale* = *Microcoelia caespitosa*
- Angraecum crumenatum* Rumph. = *Dendrobium papilioniferum* J.J.Sm.
- Angraecum crumenatum* Rumph. = *Dendrobium crumenatum* Sw.
- Angraecum cryptodon* Rchb.f. = *Aerangis cryptodon* (Rchb.f.) Schltr.
- Angraecum crystallinum* = *Diaphananthe bidens*
- Angraecum cucullatum** Thouars #4 II 64  
 ORCHIDACEAE
- Angraecum cufodontii* = *Rangaeris amaniensis*
- Angraecum culicferum* = *Lemurella culicifera*
- Angraecum cultriforme** Summerh. #4 II 64  
 ORCHIDACEAE
- Angraecum curnowianum** (Rchb.f.) Dur. & Schltr. #4 II 64  
 ORCHIDACEAE
- Angraecum curvatum* = *Diaphananthe curvata*
- Angraecum curvicalcar** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum curvicaule** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum curvipes** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum dactyloceras* = *Podangis dactyloceras*
- Angraecum danguyanum** H.Perrier #4 II 64  
 ORCHIDACEAE
- Angraecum dasycarpum** Schltr. #4 II 64  
 ORCHIDACEAE
- Angraecum dauphinense** (Rolfe) Schltr. #4 II 64  
 ORCHIDACEAE
- Angraecum decaryanum** H.Perrier #4 II 64  
 ORCHIDACEAE
- Angraecum decipiens** Summerh. #4 II 64  
 ORCHIDACEAE
- Angraecum deflexicalcaratum* = *Chauliodon deflexicalcarata*
- Angraecum defoliatum* = *Solenangis aphylla*
- Angraecum dendrobiopsis** Schltr. #4 II 64  
 ORCHIDACEAE
- Angraecum descendens* Rchb.f. = *Aerangis articulata* (Reichb.f.) Schltr.

- Angraecum dichaeoides* Schltr. = *Angraecum baronii* (Finet) Schltr.  
**Angraecum didieri** (Baill.) ex Finet) Schltr. #4 II 64 ORCHIDACEAE  
*Angraecum distichophyllum* (A.Rich. ex Finet) Schltr. = *Angraecum striatum* Thouars  
**Angraecum distichum** Lindl. #4 II 64 ORCHIDACEAE  
*Angraecum distichum grandifolium* (De Wild.) Summerh. = *Angraecum aporooides* Summerh.  
**Angraecum divaricatum** Frapp. #4 II 64 ORCHIDACEAE  
**Angraecum dives** Rolfe #4 II 64 ORCHIDACEAE  
*Angraecum divitiflorum* = *Microterangis boutonii*  
*Angraecum dolabriforme* = *Angraecopsis dolabriformis* (Rolfe) Schltr.  
*Angraecum dolichorrhizum* = *Microcoelia dolichorrhiza*  
**Angraecum dollii** Senghas #4 II 64 ORCHIDACEAE  
**Angraecum doratophyllum** Summerh. #4 II 64 ORCHIDACEAE  
*Angraecum dorotheae* = *Diaphananthe dorotheae* (Rendle) Summerh.  
**Angraecum drouhardii** H.Perrier #4 II 64 ORCHIDACEAE  
**Angraecum dryadum** Schltr. #4 II 64 ORCHIDACEAE  
*Angraecum dubuyssonii* God.-Leb. = *Aerangis ellisii* (B.S.Williams) Schltr.  
*Angraecum durandinum* = *Ancistrorhynchus clandestinus*  
*Angraecum ealaense* = *Cyrtorchis injoloensis*  
**Angraecum eburneum** Bory #4 II 64 ORCHIDACEAE  
*Angraecum eburneum typicum* H.Perrier = *Angraecum eburneum* Bory  
*Angraecum eburneum virens* Hook. = *Angraecum eburneum* Bory  
**Angraecum egertonii** Rendle #4 II 64 ORCHIDACEAE  
**Angraecum eichlerianum** Kraenzl. #4 II 64 ORCHIDACEAE  
*Angraecum eigeltii* = *Campylocentrum fasciola*  
*Angraecum elatum* = *Cryptopus elatus*  
*Angraecum elegans* Rolfe = *Aerangis flexuosa* (Ridley) Schltr.  
**Angraecum elephantinum** Schltr. #4 II 64 ORCHIDACEAE  
**Angraecum elliotii** Rolfe #4 II 64 ORCHIDACEAE  
*Angraecum ellisii* B.S.Williams = *Aerangis ellisii* (B.S.Williams) Schltr.  
*Angraecum emarginatum* = *Calyptrochilum emarginatum*  
*Angraecum englerianum* (Kraenzl.) Schltr. non Kraenzl. = *Angraecum kraenzlinianum* H.Perrier  
*Angraecum englerianum sensu Summerh* = *Rangaeris muscicola*  
**Angraecum equitans** Schltr. #4 II 64 ORCHIDACEAE  
*Angraecum erecto-calcaratum* = *Diaphananthe rutila*  
**Angraecum erectum** Summerh. #4 II 64 ORCHIDACEAE  
*Angraecum erythrurum* Rolfe = *Aerangis verdickii* (De Wild.) Schltr.  
**Angraecum evrardianum** Geerinck #4 II 64 ORCHIDACEAE  
*Angraecum exile* = *Jumellea exilis*  
**Angraecum expansum** Thouars #4 II 64 ORCHIDACEAE
- Angraecum falcatum* = *Neofinetia falcata*  
**Angraecum falcifolium** Bosser #4 II 64 ORCHIDACEAE  
*Angraecum fasciola* = *Campylocentrum fasciola*  
*Angraecum fastuosum* Rchb.F = *Aerangis fastuosa* (Reichb.f.) Schltr.  
**Angraecum ferkoanum** Schltr. #4 II 64 ORCHIDACEAE  
*Angraecum filicornoides* = *Jumellea filicornoides*  
**Angraecum filicornu** Thouars #4 II 64 ORCHIDACEAE  
*Angraecum filicornu* sensu Kraenzl. non Thours = *Angraecum sterophyllum* Schltr.  
*Angraecum filifolium* = *Tridactyle tridentata*  
*Angraecum filiforme* Lindl. = *Campylocentrum filiforme* (Sw.) Cogn. ex Kuntze 1898  
*Angraecum filiforme* Schltr. = *Nephrangis filiformis*  
*Angraecum filipes* = *Rhipidoglossum curvatum*  
*Angraecum fimbriatum* = *Tridactyle bicaudata*  
*Angraecum fimbritipetalum* = *Tridactyle fimbritipetalum*  
*Angraecum finetianum* Schltr. = *Angraecum humblotianum* (Finet) Schltr.  
**Angraecum firthii** Summerh. #4 II 64 ORCHIDACEAE  
*Angraecum flabellifolium* (Rchb.f.) Rolfe = *Aerangis brachycarpa* (A.Rich.) Dur. & Schinz.  
*Angraecum flanaganii* = *Mystacidium flanaganii*  
**Angraecum flavidum** Bosser #4 II 64 ORCHIDACEAE  
*Angraecum flexuosum* (Ridl) Rolfe = *Aerangis flexuosa* (Ridley) Schltr.  
**Angraecum floribundum** Bosser #4 II 64 ORCHIDACEAE  
**Angraecum florulentum** Rchb.f. #4 II 64 ORCHIDACEAE  
*Angraecum forcipatum* = *Podangis dactyloceras*  
*Angraecum fournerianum* = *Sobennikoffia fourneriana*  
*Angraecum fourniera* Andre = *Aerangis stylosa* (Rolfe) Schltr.  
*Angraecum foxii* Summerh. = *Angraecum rhynchoglossum* Schltr.  
*Angraecum fragrans* = *Jumellea fragrans* (Thouars) Schltr.  
*Angraecum frommianum* = *Tridactyle tricuspidis*  
*Angraecum funale* (Sw.) Lindl. 1846 = *Dendrophylax finalis* (Sw.) Benth. ex Rolfe (1888)  
*Angraecum furvum* Rumph. = *Vanda concolor* Blume  
*Angraecum fuscatum* Rchb.f. = *Aerangis fuscata* (Rchb.f.) Schltr.  
*Angraecum fuscatum* sensu Carriere = *Aerangis spiculata* (Finet) Senghas  
**Angraecum gabonense** Summerh. #4 II 64 ORCHIDACEAE  
*Angraecum galeandreae* = *Eurychone galeandreae*  
**Angraecum geniculatum** G.Williamson #4 II 64 ORCHIDACEAE  
*Angraecum gentili* = *Tridactyle gentili*  
**Angraecum germinyanum** Hook.f. #4 II 64 ORCHIDACEAE  
*Angraecum gerrardii* = *Diaphananthe xanthopollinia*  
*Angraecum gilpiniae* = *Microcoelia gilpiniae*  
*Angraecum gladiifolium* Thouars = *Angraecum mauritianum* (Poir.) Frapp.  
*Angraecum globuloso-calcaratum* = *Diaphananthe globulosocalcara*  
*Angraecum globulosum* = *Microcoelia globulosa*

- Angraecum glomeratum* = *Ancistrorhynchus cephalotes*  
*Angraecum goetzanum* = *Tridactyle tridentata*  
*Angraecum gracilis* = *Chamaeangis gracilis*  
*Angraecum gracillimum* Kraenzl. = *Aerangis gracillima* (Kraenzl.) J.C.Arends & J.Stewart  
*Angraecum gracillipes* = *Jumellea sagittata* H.Perr.  
*Angraecum gradidieranum* = *Neobathiea grandidierana*  
*Angraecum graminifolium* (Kraenzl.) Engl. = *Ypsilopus longifolius*  
*Angraecum graminifolium* (Ridl.) Schltr. = *Angraecum pauciramosum* Schltr.  
*Angraecum grandiflorum* = *Aeranthus grandiflorus*  
*Angraecum grantii* Baker = *Aerangis kotschyana* (Rchb.f.) Schltr.  
*Angraecum gravenreutii* Kraenzl. = *Aerangis gravenreuthii* (Kraenzl.) Schltr.  
**Angraecum guillauminii** H.Perrier #4 II 64  
ORCHIDACEAE  
*Angraecum guyonianum* = *Microcoelia globulosa*  
*Angraecum henriquesianum* Ridl. = *Cyrtorchis henriquesiana* (Ridley) Schltr.  
*Angraecum henriquesianum* Rolfe = *Aerangis flexuosa* (Ridley) Schltr.  
**Angraecum hermannii** (Cordem.) Schltr. #4 II 64  
ORCHIDACEAE  
*Angraecum hildebrandtii* = *Microterangis hildebrandtii*  
*Angraecum hislopii* = *Tridactyle tridentata*  
*Angraecum hologlottis* Schltr. = *Aerangis hologlottis* (Schltr.) Schltr.  
**Angraecum humbertii** H.Perrier #4 II 64 ORCHIDACEAE  
**Angraecum humblotianum** (Finet) Schltr #4 II 64  
ORCHIDACEAE  
*Angraecum humblotii* Rchb.f. ex Rolfe = *Angraecum leonis* (Rchb.f.) Andre  
*Angraecum humblotti* (Finet) Summerh. = *Angraecum humblotianum* (Finet) Schltr.  
**Angraecum humile** Summerh. #4 II 64 ORCHIDACEAE  
**Angraecum huntleyoides** Schltr. #4 II 64  
ORCHIDACEAE  
*Angraecum hyalooides* Rchb.f. = *Aerangis hyalooides* (Rchb.f.) Schltr.  
*Angraecum ichneumoneum* = *Chamaeangis ichneumonea*  
*Angraecum imbricatum* Lindl. = *Calyptrochilum emarginatum*  
*Angraecum imbricatum* Schltr. = *Epidendrum imbricatum*  
*Angraecum imbricatum* (Sw.) Schltr. = *Angraecum distichum* Lindl.  
**Angraecum imerinense** Schltr. #4 II 64 ORCHIDACEAE  
**Angraecum implicatum** Thouars #4 II 64  
ORCHIDACEAE  
*Angraecum inaequilongum* = *Tridactyle inaequilonga*  
**Angraecum inapertum** Thouars #4 II 64 ORCHIDACEAE  
**Angraecum infundibulare** Lindl. #4 II 64  
ORCHIDACEAE  
*Angraecum injoloense* = *Cyrtorchis injoloensis*  
*Angraecum ischnopus* Schltr. = *Angraecum tenuipes* Summerh.  
*Angraecum ischnopus* Schltr. 1916 = *Angraecopsis ischnopus*  
*Angraecum ivorense* = *Calyptrochilum christyanum*  
*Angraecum jamaicense* = *Campylocentrum micranthum*  
*Angraecum jumelleanum* = *Jumellea jumelleana*  
*Angraecum kamerunense* = *Diaphananthe kamerunensis*  
**Angraecum keniae** Kranzlin #4 II 64 ORCHIDACEAE  
*Angraecum kimballianum* = *Oeoniella polystachys* Schltr.  
*Angraecum kindtianum* = *Tridactyle tridactylites*  
*Angraecum kirkii* (Rchb.f.) Rolfe = *Aerangis kirkii* (Rchb.f.) Schltr.  
*Angraecum koehleri* = *Microcoelia koehleri*  
*Angraecum konduense* = *Microcoelia konduensis*  
*Angraecum kotschyana* Rchb.f. = *Aerangis kotschyana* (Rchb.f.) Schltr.  
*Angraecum kotschyana* Rchb.f. = *Aerangis kotschyana* (Rchb.f.) Schltr.  
**Angraecum kraenzlinianum** H.Perrier #4 II 64  
ORCHIDACEAE  
*Angraecum laciniatum* = *Tridactyle bicaudata*  
**Angraecum laggiaiae** Schltr. #4 II 64 ORCHIDACEAE  
*Angraecum lagosense* = *Tridactyle lagosensis* (Rolfe) Schltr.  
*Angraecum lansbergii* = *Campylocentrum micranthum*  
*Angraecum latibracteatum* = *Cyrtorchis brownii*  
*Angraecum laurentii* = *Summerhayesia laurentii*  
**Angraecum lecomtei** H.Perrier #4 II 64 ORCHIDACEAE  
*Angraecum ledermannianum* = *Diaphananthe vandaformis*  
*Angraecum leonii* Andre = *Angraecum leonis* (Rchb.f.) Andre  
**Angraecum leonis** (Rchb.f.) Andre #4 II 64  
ORCHIDACEAE  
*Angraecum lepidotum* = *Tridactyle anthomaniaca*  
**Angraecum letouzeyi** Bosser #4 II 64 ORCHIDACEAE  
*Angraecum lignosum* = *Jumellea lignosa*  
*Angraecum ligulatum* Summerh. = *Angraecum affine* Schltr.  
*Angraecum liliiodorum* = *Jumellea liliodora*  
*Angraecum lindenii* Lindl. 1846 = *Dendrophylax lindenii* (Lindl.) Benth. ex Rolfe 1888  
*Angraecum lindenii* (Lindl.) Cogn. 1910 = *Dendrophylax lindenii* (Lindl.) Benth. ex Rolfe 1888  
**Angraecum linearifolium** Garay #4 II 64 ORCHIDACEAE  
*Angraecum linearifolium* P.J.Cribb non Garay = *Angraecum umbrosum* P.J.Cribb  
**Angraecum lisowskianum** Szl. & Olzs. #4 II 64  
ORCHIDACEAE  
**Angraecum litorale** Schltr. #4 II 64 ORCHIDACEAE  
**Angraecum longicaule** H.Perrier #4 II 64  
ORCHIDACEAE  
**Angraecum longinode** Frapp. ex Cordem. #4 II 64  
ORCHIDACEAE  
*Angraecum lujaei* = *Eurychone galeandrae*  
*Angraecum luridum* = *Graphorkis lurida*  
*Angraecum luteo-alba* Kraenzl. = *Aerangis luteo-alba* (Kraenzl.) Schltr.  
**Angraecum macilentum** Frapp. #4 II 64 ORCHIDACEAE  
*Angraecum macrocentrum* Schltr. = *Aerangis macrocentra* (Schltr.) Schltr.

- Angraecum macrorrhynchium* Schltr. = *Microcoelia macrorrhynchia*  
*Angraecum maculatum* = *Oeceoclades maculata*  
**Angraecum madagascariense** (Finet) Schltr. #4 II 64  
 ORCHIDACEAE  
**Angraecum magdalenaе** Schltr. #4 II 64 ORCHIDACEAE  
**Angraecum mahavavense** H.Perrier #4 II 64  
 ORCHIDACEAE  
*Angraecum maheense* Schltr. = *Angraecum zeylanicum* Lindley  
*Angraecum majale* = *Jumellea majalis*  
*Angraecum malangeanum* = *Calyptrochilum christyanum*  
**Angraecum marii** Geerinck #4 II 64 ORCHIDACEAE  
*Angraecum marsupio-calcaratum* = *Calyptrochilum christyanum*  
*Angraecum maudae* = *Bolusiella maudiae* (Bolus) Schltr.  
**Angraecum mauritianum** (Poir.) Frapp. #4 II 64  
 ORCHIDACEAE  
*Angraecum maxillarioides* = *Jumellea maxillarioides*  
*Angraecum megalorrhizum* = *Microcoelia megalorrhiza*  
**Angraecum meirax** (Rchb.f.) H.Perrier #4 II 64  
 ORCHIDACEAE  
**Angraecum melanostictum** Schltr. #4 II 64  
 ORCHIDACEAE  
**Angraecum metallicum** Sander #4 II 64 ORCHIDACEAE  
*Angraecum micranthum* = *Campylocentrum micranthum*  
**Angraecum microcharis** Schltr. #4 II 64 ORCHIDACEAE  
*Angraecum micropetalum* = *Microcoelia caespitosa*  
*Angraecum microphyton* (Frapp.) Schltr. = *Angraecum tenellum* (Ridl.) Schltr.  
**Angraecum minus** Summerh. #4 II 64 ORCHIDACEAE  
**Angraecum minutissimum** A.Chev. #4 II 64  
 ORCHIDACEAE  
**Angraecum minutum** Frapp. ex Cordem. #4 II 64  
 ORCHIDACEAE  
*Angraecum minutum* A.Chev. = *Angraecum minutum* Frapp. ex Cordem.  
*Angraecum minutum* A.Chev. ex Summerh. = *Diaphananthe curvata*  
**Angraecum mirabile** Schltr. #4 II 64 ORCHIDACEAE  
**Angraecum moandense** De Wild #4 II 64  
 ORCHIDACEAE  
*Angraecum modestum* Hook.f. = *Aerangis modesta* (Hook.f.) Schltr.  
**Angraecum modicum** Summerh. #4 II 64  
 ORCHIDACEAE  
**Angraecum mofakoko** De Wild. #4 II 64 ORCHIDACEAE  
*Angraecum moloneyi* = *Calyptrochilum christyanum*  
*Angraecum mombasense* = *Calyptrochilum christyanum*  
*Angraecum monodon* = *Diaphananthe bidens*  
*Angraecum monophyllum* = *Oeceoclades maculata*  
*Angraecum montanum* = *Diaphananthe montana* (Piers) P.J.Cribb & J.Stewart  
*Angraecum mooreanum* Rolfe ex Sander = *Aerangis mooreana* (Rolfe ex Sander) P.J.Cribb & J.Stewart  
**Angraecum moratii** Bosser #4 II 64 ORCHIDACEAE  
*Angraecum muanse* = *Diaphananthe fragrantissima*
- Angraecum multiflorum** Thouars #4 II 64  
 ORCHIDACEAE  
**Angraecum multinominatum** Rendle #4 II 64  
 ORCHIDACEAE  
*Angraecum muriculatum* = *Tridactyle muriculatum*  
**Angraecum muscicolum** H.Perrier #4 II 64  
 ORCHIDACEAE  
**Angraecum musculiferum** H.Perrier #4 II 64  
 ORCHIDACEAE  
**Angraecum myrianthum** Schltr. #4 II 64 ORCHIDACEAE  
*Angraecum mystacidii* (Rolle) Schltr. = *Aerangis mystacidii* (Rchb.f.) Schltr.  
*Angraecum nalaense* = *Tridactyle nalaensis*  
**Angraecum nanum** Frapp. ex Cordem. #4 II 64  
 ORCHIDACEAE  
**Angraecum nasutum** Schltr. #4 II 64 ORCHIDACEAE  
*Angraecum neglectum* curtum Cordem. = *Angraecum triquetrum* Thouars  
*Angraecum neglectum* Frapp. ex Cordem. = *Angraecum triquetrum* Thouars  
*Angraecum neglectum* genuinum Cordem. = *Angraecum triquetrum* Thouars  
*Angraecum neglectum* longifolium Cordem. = *Angraecum triquetrum* Thouars  
*Angraecum nervosum* Rumph. = *Coelogyne rumphii* Lindl.  
*Angraecum nutans* = *Jumellea nutans*  
**Angraecum nzoanum** A.Chev. #4 II 64 ORCHIDACEAE  
*Angraecum obanense* = *Diaphananthe obanensis*  
**Angraecum oberonia** Finet #4 II 64 ORCHIDACEAE  
**Angraecum obesum** H.Perrier #4 II 64 ORCHIDACEAE  
**Angraecum oblongifolium** Toill.-Gen. & Bosser #4 II 64  
 ORCHIDACEAE  
**Angraecum obversifolium** Frapp. #4 II 64  
 ORCHIDACEAE  
*Angraecum occidentale* = *Angraecopsis tridens* (Lindl.) Schltr.  
**Angraecum ochraceum** (Ridl.) Schltr. #4 II 64  
 ORCHIDACEAE  
*Angraecum odoratissimum* = *Chamaeangis odoratissima*  
*Angraecum oeniooides* sensu Orstom = *Solenangis clavata*  
*Angraecum oliganthum* = *Microterangis oligantha*  
**Angraecum onivense** H.Perrier #4 II 64 ORCHIDACEAE  
*Angraecum ophioplectron* = *Jumellea ophioplectron*  
*Angraecum organense* = *Campylocentrum organense*  
*Angraecum ornithorrhynchium* = *Campylocentrum ornithorrhynchium*  
*Angraecum ovalifolium* = *Calyptrochilum christyanum*  
*Angraecum pachyurum* = *Aerangis mystacidii* (Rchb.f.) Schltr.  
*Angraecum pachyurum* kraenzl = *Jumellea pachyra*  
*Angraecum pachyurum* kraenzl = *Aerangis mystacidii* (Rchb.f.) Schltr.  
*Angraecum pachyurum* Rolfe = *Aerangis mystacidii* (Rchb.f.) Schltr.  
*Angraecum pallidum* W.Watson = *Aerangis pallida* (W.Watson) Garay  
*Angraecum palmatum* Thouars = *Angraecum palmiforme* Thouars

- Angraecum palmicolum** Bosser #4 II 64 ORCHIDACEAE  
**Angraecum palmiforme** Thouars #4 II 64  
 ORCHIDACEAE  
*Angraecum palmiforme* H.Perrier = *Angraecum linearifolium* Garay  
**Angraecum panicifolium** H.Perrier #4 II 64  
 ORCHIDACEAE  
*Angraecum paniculatum* Frapp. ex Cordem = *Angraecum calceolus* Thouars  
*Angraecum parcum* Schltr. = *Angraecum sacciferum* Lindl.  
*Angraecum parviflorum* = *Angraecopsis parviflora*  
**Angraecum parvulum** Ayres ex Baker #4 II 64  
 ORCHIDACEAE  
*Angraecum patens* Frapp. = *Angraecum calceolus*  
 Thouars  
**Angraecum pauciramosum** Schltr. #4 II 64  
 ORCHIDACEAE  
**Angraecum pectinatum** Thouars #4 II 64  
 ORCHIDACEAE  
*Angraecum pellucidum* = *Diaphananthe pellucida*  
*Angraecum penicillatum* = *Jumellea penicillata*  
**Angraecum penziganum** Schltr. #4 II 64  
 ORCHIDACEAE  
**Angraecum pergracile** Schltr. #4 II 64 ORCHIDACEAE  
**Angraecum perhumile** H.Perrier #4 II 64  
 ORCHIDACEAE  
**Angraecum perparvulum** H.Perrier #4 II 64  
 ORCHIDACEAE  
*Angraecum perrieri* = *Microcoelia perrieri*  
*Angraecum pertusum* = *Listrostachys pertusa*  
*Angraecum pescatorianum* = *Listrostachys pertusa*  
**Angraecum petterssonianum** Geerinck #4 II 64  
 ORCHIDACEAE  
**Angraecum peyrotii** Bosser #4 II 64 ORCHIDACEAE  
*Angraecum philippinense* = *Amesiella philippinensis*  
 (Ames) Garay  
*Angraecum physophorum* = *Microcoelia physophora*  
**Angraecum pingue** Frapp. #4 II 64 ORCHIDACEAE  
**Angraecum pinifolium** Bosser #4 II 64 ORCHIDACEAE  
**Angraecum podochiloides** Schltr. #4 II 64  
 ORCHIDACEAE  
*Angraecum poeppigii* = *Campylocentrum poeppigii*  
*Angraecum polystachyum* A.Rich. = *Oeoniella polystachys*  
 Schltr.  
*Angraecum polystachyum* Lindl. = *Oeoniella polystachys*  
 Schltr.  
*Angraecum polystachyum* Lindl. = *Campylocentrum polystachyum*  
*Angraecum poophyllum* Summerh. = *Angraecum pauciramosum* Schltr.  
**Angraecum popowii** Braem #4 II 64 ORCHIDACEAE  
**Angraecum potamophilum** Schltr. #4 II 64  
 ORCHIDACEAE  
**Angraecum praestans** Schltr. #4 II 64 ORCHIDACEAE  
*Angraecum primulinum* Rolfe = *Aerangis primulina* (Rolfe.)  
 H.Perrier  
**Angraecum protensum** Schltr. #4 II 64 ORCHIDACEAE  
**Angraecum pseudodidieri** H.Perrier #4 II 64  
 ORCHIDACEAE  
**Angraecum pseudofilicornu** H.Perrier #4 II 64  
 ORCHIDACEAE  
**Angraecum pseudopetiolatum** Frapp. #4 II 64  
 ORCHIDACEAE  
**Angraecum pterophyllum** H.Perrier #4 II 64  
 ORCHIDACEAE  
*Angraecum pugioniforme* = *Cleisostoma pugioniforme*  
*Angraecum pulchellum* Schltr. = *Aerangis pulchella*  
 (Schltr.) Schltr.  
**Angraecum pumilio** Schltr. #4 II 64 ORCHIDACEAE  
**Angraecum pungens** Schltr. #4 II 64 ORCHIDACEAE  
*Angraecum purpureum* Rumph. = *Dendrobium capituliflorum* Rolfe  
**Angraecum pusillum** Lindl. #4 II 64 ORCHIDACEAE  
**Angraecum pygmaeum** Linden #4 II 64 ORCHIDACEAE  
*Angraecum pynaertii* = *Calyptrochilum christyanum*  
**Angraecum pyriforme** Summerh. #4 II 64  
 ORCHIDACEAE  
*Angraecum quintasii* = *Diaphananthe rohrii*  
**Angraecum ramosum** Thouars #4 II 64 ORCHIDACEAE  
*Angraecum ramosum* auct. non Thouars, H.Perrier =  
*Angraecum germinyanum* Hook.f.  
*Angraecum ramosum bidentatum* H.Perrier = *Angraecum germinyanum* Hook.f.  
*Angraecum ramosum typicum* H.Perrier = *Angraecum germinyanum* Hook.f.  
**Angraecum ramulicolum** H.Perrier #4 II 64  
 ORCHIDACEAE  
*Angraecum rectum* = *Jumellea recta* (Thouars) Schltr.  
*Angraecum recurvum* = *Jumellea recurva*  
*Angraecum reichenbachianum* Kraenzl. = *Angraecum scottianum* Rchb.f.  
**Angraecum reygaertii** De Wild. #4 II 64 ORCHIDACEAE  
*Angraecum rhipsalisocium* = *Rangaeris ripsalisocia*  
**Angraecum rhizanthium** H.Perrier #4 II 64  
 ORCHIDACEAE  
**Angraecum rhizomaniacum** Schltr. #4 II 64  
 ORCHIDACEAE  
*Angraecum rhodesianum* = *Tridactyle tricuspis*  
*Angraecum rhopaloceras* Schltr. = *Angraecum calceolus*  
 Thouars  
**Angraecum rhynchoglossum** Schltr. #4 II 64  
 ORCHIDACEAE  
**Angraecum rigidifolium** H.Perrier #4 II 64  
 ORCHIDACEAE  
*Angraecum ringens* = *Cyrtorchis ringens*  
*Angraecum robustum* = *Sobennikoffia robusta* Schltr.  
*Angraecum robustum* Kraenzl. non Schltr. = *Angraecum kraenzlinianum* H.Perrier  
*Angraecum rohlfianum* Kraenzl. = *Aerangis brachycarpa*  
 (A.Rich.) Dur. & Schinz.  
*Angraecum rohrii* = *Diaphananthe rohrii*  
*Angraecum roseocalcaratum* De Wild. = *Aerangis calantha* (Schltr.) Schltr.  
*Angraecum rostellare* Rchb.f. = *Aerangis rostellaris*  
 (Rchb.f.) H.Perrier  
**Angraecum rostratum** Ridl. #4 II 64 ORCHIDACEAE  
*Angraecum rothschildianum* = *Eurychone rothschildiana*  
**Angraecum rubellum** Bosser #4 II 64 ORCHIDACEAE

<i>Angraecum rubrum</i> Rumph. = <i>Renanthera moluccana</i> Blume	<i>Angraecum spicatum</i> (Cordem) Schltr. #4 II 64 ORCHIDACEAE
<b><i>Angraecum rutenbergianum</i></b> Kraenzl. #4 II 64 ORCHIDACEAE	<b><i>Angraecum stella-africæ</i></b> P.J.Cribb #4 II 64 ORCHIDACEAE
<b><i>Angraecum sacciferum</i></b> Lindl. #4 II 64 ORCHIDACEAE	<i>Angraecum stella</i> Schltr. = <i>Aerangis gravenreuthii</i> (Kraenzl.) Schltr.
<i>Angraecum saccolabioides</i> = <i>Microterangis humblotii</i>	<i>Angraecum stenophyllum</i> = <i>Jumellea stenophylla</i>
<b><i>Angraecum sacculatum</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Angraecum sterrophyllum</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Angraecum salazianum</i></b> (Cordem) Schltr. #4 II 64 ORCHIDACEAE	<i>Angraecum stipitatum</i> = <i>Jumellea stipitata</i>
<b><i>Angraecum sambiranoense</i></b> Schltr. #4 II 64 ORCHIDACEAE	<i>Angraecum stipulatum</i> = <i>Tridactyle stipulata</i>
<i>Angraecum sanderianum</i> Rchb.f. = <i>Aerangis modesta</i> (Hook.f.) Schltr.	<b><i>Angraecum stolzii</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Angraecum sanfordii</i></b> P.J.Cribb & B.J.Pollard #4 II 64 ORCHIDACEAE	<i>Angraecum straussii</i> = <i>Ancistrorhynchus straussii</i>
<i>Angraecum sankruense</i> De Wild. = <i>Aerangis calantha</i> (Schltr.) Schltr.	<b><i>Angraecum striatum</i></b> Thouars #4 II 64 ORCHIDACEAE
<i>Angraecum sarcodanthum</i> Schltr. = <i>Angraecum crassum</i> Thouars	<i>Angraecum stylosum</i> Rolfe = <i>Aerangis stylosa</i> (Rolfe) Schltr.
<i>Angraecum saundersiae</i> Bolus = <i>Aerangis mystacidii</i> (Rchb.f.) Schltr.	<i>Angraecum suarezense</i> Toill.-Gen. & Bosser = <i>Angraecum curnowianum</i> (Rchb.f.) Dur. & Schltr.
<i>Angraecum scabripes</i> Kraenzl. = <i>Angraecum conchiferum</i> Lindl.	<i>Angraecum subclavatum</i> = <i>Diaphananthe subclavata</i>
<b><i>Angraecum scalariforme</i></b> H.Perrier #4 II 64 ORCHIDACEAE	<i>Angraecum subcordatum</i> (H.Perrier) Bosser = <i>Angraecum curnowianum</i> (Rchb.f.) Dur. & Schltr.
<i>Angraecum scandens</i> = <i>Solenangis scandens</i>	<i>Angraecum subcylindrifolium</i> = <i>Cyrtorchis ascerhsonii</i>
<i>Angraecum scandens scandens</i> = <i>Solenangis scandens</i>	<i>Angraecum subfalcifolium</i> = <i>Diaphananthe bidens</i>
<i>Angraecum schiedei</i> = <i>Campylocentrum schiedei</i>	<b><i>Angraecum subulatum</i></b> Lindl. #4 II 64 ORCHIDACEAE
<i>Angraecum schimperianum</i> Rchb.f. = <i>Diaphananthe schimperiana</i>	<i>Angraecum talbotii</i> = <i>Bolusiella talbotii</i>
<i>Angraecum schimperianum</i> Rchb.f. = <i>Cyrtorchis erythraea</i>	<b><i>Angraecum tamarindicolum</i></b> Schltr. #4 II 64 ORCHIDACEAE
<i>Angraecum schimperianum</i> Schweinf. non Rchb. f. = <i>Cyrtorchis erythraea</i>	<b><i>Angraecum tenellum</i></b> (Ridl.) Schltr. #4 II 64 ORCHIDACEAE
<i>Angraecum schoellerianum</i> = <i>Calyptrochilum christyanum</i>	<i>Angraecum tenerimum</i> = <i>Angraecopsis tenerima</i>
<i>Angraecum schumannii</i> = <i>Ancistrorhynchus schumannii</i>	<i>Angraecum tenue</i> = <i>Campylocentrum tenue</i>
<i>Angraecum scottellii</i> = <i>Tridactyle scottellii</i>	<b><i>Angraecum tenuifolium</i></b> Frapp. ex Corden #4 II 64 ORCHIDACEAE
<b><i>Angraecum scottianum</i></b> Rchb.f. #4 II 64 ORCHIDACEAE	<b><i>Angraecum tenuipes</i></b> Summerh. #4 II 64 ORCHIDACEAE
<b><i>Angraecum sedifolium</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Angraecum tenuispica</i></b> Schltr. #4 II 64 ORCHIDACEAE
<i>Angraecum sellowii</i> = <i>Campylocentrum sellowii</i>	<b><i>Angraecum teres</i></b> Summerh. #4 II 64 ORCHIDACEAE
<i>Angraecum semipedale</i> Rendle = <i>Aerangis kotschyana</i> (Rchb.f.) Schltr.	<b><i>Angraecum teretifolium</i></b> Ridl. #4 II 64 ORCHIDACEAE
<b><i>Angraecum serpens</i></b> (H.Perrier) Bosser #4 II 64 ORCHIDACEAE	<i>Angraecum thomense</i> = <i>Chamaeangis thomensis</i> (Rolfe) Schltr.
<b><i>Angraecum sesquipedale</i></b> Thouars #4 II 64 ORCHIDACEAE	<i>Angraecum thomsonii</i> Rolfe = <i>Aerangis thomsonii</i> (Rolfe) Schltr.
<b><i>Angraecum sesquisectangulum</i></b> Kraenzl. #4 II 64 ORCHIDACEAE	<i>Angraecum trachyrrhizum</i> = <i>Tridactyle anthomaniaca</i>
<b><i>Angraecum setipes</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Angraecum triangulifolium</i></b> Senghas #4 II 64 ORCHIDACEAE
<b><i>Angraecum sinuatiflorum</i></b> H.Perrier #4 II 64 ORCHIDACEAE	<b><i>Angraecum trichoplectron</i></b> (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE
<i>Angraecum smithii</i> = <i>Microcoelia smithii</i>	<i>Angraecum tricuspidatum</i> = <i>Tridactyle tricuspidis</i>
<i>Angraecum solheidii</i> = <i>Rangaeris muscicola</i>	<i>Angraecum tridactylites</i> = <i>Tridactyle tridactylites</i>
<i>Angraecum somalense</i> Schltr. = <i>Aerangis somalensis</i> (Schltr.) Schltr.	<i>Angraecum tridens</i> = <i>Angraecopsis tridens</i> (Lindl.) Schltr.
<b><i>Angraecum sororium</i></b> Schltr. #4 II 64 ORCHIDACEAE	<i>Angraecum tridentatum</i> = <i>Tridactyle tridentata</i>
<i>Angraecum spathulatum</i> = <i>Jumellea spathulata</i>	<b><i>Angraecum triquetrum</i></b> Thouars #4 II 64 ORCHIDACEAE
<b><i>Angraecum spectabile</i></b> Summerh. #4 II 64 ORCHIDACEAE	<i>Angraecum tsaratananae</i> Schltr. ex H.Perrier = <i>Angraecum zaratananae</i> Schltr.
	<b><i>Angraecum umbrosum</i></b> P.J.Cribb #4 II 64 ORCHIDACEAE
	<b><i>Angraecum undulatum</i></b> (Cordem.) Schltr. #4 II 64 ORCHIDACEAE
	<i>Angraecum urostachyum</i> = <i>Chamaeangis odoratissima</i>

- Angraecum urschianum** Tioll.-Gen. & Bosser #4 II 64  
ORCHIDACEAE
- Angraecum vagans* = *Chamaeangis vagans* (Lindl.) Schltr.
- Angraecum venustum* Schltr. = *Aerangis articulata* (Reichb.f.) Schltr.
- Angraecum verdickii* = *Aerangis verdickii* (De Wild.) Schltr.
- Angraecum verecundum** Schltr. #4 II 64  
ORCHIDACEAE
- Angraecum verrucosum* Rendle = *Angraecum conchiferum* Lindl.
- Angraecum verruculosum* Frapp. ex Cordem. = *Angraecum ramosum* Thouars
- Angraecum verruculosum* sensu du Puy = *Angraecum implicatum* Thouars
- Angraecum vesicatum* = *Chamaeangis vesicata*
- Angraecum vesiculatum** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum vesiculiferum** Schltr. #4 II 64  
ORCHIDACEAE
- Angraecum viguieri** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum virens* Lindl. = *Angraecum eburneum* Bory
- Angraecum virgula* = *Tridactyle virgula*
- Angraecum viride** Kraenzl. #4 II 64 ORCHIDACEAE
- Angraecum viride* (Ridl.) Schltr. = *Angraecum rhynchoglossum* Schltr.
- Angraecum viridescens* = *Tridactyle laurentii*
- Angraecum viridiflorum** Cordem #4 II 64  
ORCHIDACEAE
- Angraecum wakefieldii* = *Solenangis wakefieldii*
- Angraecum waterlotii* H.Perrier = *Angraecum tenellum* (Ridl.) Schltr.
- Angraecum whitfieldii* = *Tridactyle anthomaniaca*
- Angraecum woodianum* = *Diaphananthe rutila*
- Angraecum xanthopollinium* = *Diaphananthe xanthopollinia*
- Angraecum xylopus** Rchb.f. #4 II 64 ORCHIDACEAE
- Angraecum yuccae folium** Bojer #4 II 64  
ORCHIDACEAE
- Angraecum zaratananae** Schltr. #4 II 64 ORCHIDACEAE
- Angraecum zenkeri* = *Bolusiella zenkeri*
- Angraecum zeylanicum** Lindley #4 II 64 ORCHIDACEAE
- Angraecum zigzag* = *Calyptrochilum christyanum*
- Anguloa spp.** Ruiz & Pav. #4 II 64 ORCHIDACEAE
- Anguloa acostae* Oakeley #4 II 64 ORCHIDACEAE
- Anguloa brevilabris* Rolfe 1915 #4 II 64 ORCHIDACEAE
- Anguloa cliftonii* Rolfe 1910 #4 II 64 ORCHIDACEAE
- Anguloa clowesii* Lindl. 1844 #4 II 64 ORCHIDACEAE
- Anguloa clowesii* var. *clowesii* B.S.Williams 1885 = *Anguloa uniflora* Ruiz & Pav. 1798
- Anguloa clowesii* var. *ruckeri* (Lindl.) Foldats = *Anguloa brevilabris* Rolfe 1915
- Anguloa dubia* Rchb.f. 1882 #4 II 64 ORCHIDACEAE
- Anguloa eburnea* = *Anguloa uniflora* Ruiz & Pav. 1798
- Anguloa goldschmidtiana* Schltr. 1916 = *Anguloa brevilabris* Rolfe 1915
- Anguloa grandiflora* = *Stanhopea graveolens* Lindl. (1840)
- Anguloa grandiflora* (Humb. & Bonpl.) Humb., Bonpl. & Kunth = *Stanhopea jenishiana* Kramer & Rchb.f. 1852
- Anguloa grandiflora* (Humb. & Bonpl.) Humb., Bonpl. & Kunth = *Stanhopea graveolens* (Lodd.) Lindl. 1832
- Anguloa grandiflora* (Humb. & Bonpl.) Humb., Bonpl. & Kunth = *Stanhopea graveolens* Lindl. (1840)
- Anguloa grandiflora* Rchb.f. 1855 non Lodd. = *Stanhopea graveolens* Lindl. (1840)
- Anguloa hernandezii* Kunth = *Stanhopea tigrina* Bateman ex Lindl. 1838
- Anguloa hernandezii* Kunth = *Stanhopea hernandezii* (Kunth) Schltr.
- Anguloa hohenlohii* C.Morren 1853 #4 II 64  
ORCHIDACEAE
- Anguloa lurida* Link = *Catasetum luridum* (Link) Lindl.
- Anguloa macroglossa* Schltr. 1916 = *Anguloa hohenlohii* C.Morren 1853
- Anguloa mantinii* hort. 1895 = *Anguloa uniflora* Ruiz & Pav. 1798
- Anguloa media* Rchb.f. = *Anguloa ruckeri* Lindl. 1846
- Anguloa purpurea* Linden ex B.S.Williams 1881 #4 II 64  
ORCHIDACEAE
- Anguloa ruckeri* Lindl. 1846 #4 II 64 ORCHIDACEAE
- Anguloa ruckeri* Lindl. = *Anguloa brevilabris* Rolfe 1915
- Anguloa sagittata* Summerh. 1931 #4 II 64  
ORCHIDACEAE
- Anguloa squalida* Poepp. & Endl. = *Lycomormium squalidum* (P. & E.) Rchb.f.
- Anguloa superba* Humboldt, Bonpl. & Kunth 1816 = *Acineta superba* (Humboldt, Bonpl. & Kunth) Rchb.f.
- Anguloa tognettiae* Oakeley 1999 #4 II 64 ORCHIDACEAE
- Anguloa turneri* B.S.Williams 1885 = *Anguloa uniflora* Ruiz & Pav. 1798
- Anguloa turneri* B.S.Williams 1885 = *Anguloa virginialis* Lindl. ex B.S.Williams 1872
- Anguloa turneri* Linden = *Anguloa uniflora* Ruiz & Pav. 1798
- Anguloa uniflora* Ruiz & Pav. 1798 #4 II 64  
ORCHIDACEAE
- Anguloa uniflora* (Rolfe) Oakeley = *Anguloa uniflora* Ruiz & Pav. 1798
- Anguloa uniflora* var. *eburnea* B.S.Williams 1868? 1884? = *Anguloa uniflora* Ruiz & Pav. 1798
- Anguloa virginialis* Lindl. ex B.S.Williams 1872 #4 II 64 ORCHIDACEAE
- Anguloa virginialis* var. *turneri* (B.S.Williams) Oakeley = *Anguloa virginialis* Lindl. ex B.S.Williams 1872
- Anguloa virginialis* var. *turneri* (B.S.Williams) Oakeley = *Anguloa uniflora* Ruiz & Pav. 1798
- Ania* spp. Lindl. #4 II 64 ORCHIDACEAE
- Ania*, Hong Kong (E): *Tainia hongkongensis*
- Ania hongkongensis* (Rolfe) Tang & Wang = *Tainia hongkongensis* Rolfe
- Ania penangiana* (Hook. f.) Summerhayes #4 II 64 ORCHIDACEAE
- Ania viridifusca* #4 II 64 ORCHIDACEAE
- Aniba duckei* Kosterm. = *Aniba rosaeodora* Ducke
- Aniba rosaeodora* Ducke #12 II LAURACEAE (E) Brazilian rosewood, Rosewood tree (S) Palo de rosa, Palo de rose (F) Bois de Rose, bois-de-rose-femelle, Carcara

- Anisocereus foetidus* (*Macdougal & Miranda*) W.T. Marshall = *Pachycereus gaumeri* Britton & Rose  
*Anisocereus gaumeri* (*Britton & Rose*) Backeberg = *Pachycereus gaumeri* Britton & Rose  
*Anisocereus lepidanthus* (*Eichlam*) Backeberg = *Pachycereus lepidanthus* (*Eichlam*) Britton & Rose  
*Anisopetalum careyanum* Hook.f. = *Bulbophyllum careyanum* (Hook.f.) Sprengel  
*Anisopetalum lasianthum* Kuhl. ex Hook.f. = *Bulbophyllum lasianthum* Lindl.  
*Anisophyllum atoto* (*G. Forster*) Klotzsch & Garcke = *Euphorbia atoto* Forster  
*Anneliesia* spp. Brieger & Luckel #4 II 64 ORCHIDACEAE  
*Anneliesia candida* #4 II 64 ORCHIDACEAE  
*Anneliesia cuneata* #4 II 64 ORCHIDACEAE  
*Anneliesia kayasimae* #4 II 64 ORCHIDACEAE  
*Anneliesia russelliana* #4 II 64 ORCHIDACEAE  
*Anochilus flanaganii* Rolfe = *Corycium flanaganii* (Bolus) Kurzweil & H.P.Linder  
***Anoectochilus* spp.** Blume #4 II 64 ORCHIDACEAE  
*Anoectochilus apiculatus* L.O. Williams & Fosb. = *Anoectochilus sandvicensis* Lindl.  
*Anoectochilus brevistylus* (Hook.f.) Ridley #4 II 64 ORCHIDACEAE  
*Anoectochilus calcaratus* (Hook.f.) Ridley #4 II 64 ORCHIDACEAE  
*Anoectochilus chapaensis* Gagnepain #4 II 64 ORCHIDACEAE  
*Anoectochilus duplex* Holtttum #4 II 64 ORCHIDACEAE  
*Anoectochilus elwesii* (Cl. ex Hook.f.) King & Pantl. #4 II 64 ORCHIDACEAE  
*Anoectochilus geniculatus* Ridley #4 II 64 ORCHIDACEAE  
*Anoectochilus imitans* Schltr. #4 II 64 ORCHIDACEAE  
*Anoectochilus monicae* J.J.Wood #4 II 64 ORCHIDACEAE  
*Anoectochilus nicobaricus* Balakr. & Chakrab. #4 II 64 ORCHIDACEAE  
*Anoectochilus pectinatus* (Hook.f.) Ridley #4 II 64 ORCHIDACEAE  
*Anoectochilus reinwardtii* Blume #4 II 64 ORCHIDACEAE  
*Anoectochilus rotundifolius* (Blatter) Balakr. #4 II 64 ORCHIDACEAE  
*Anoectochilus roxburghii* (Wallich) Lindley #4 II 64 ORCHIDACEAE  
*Anoectochilus sandvicensis* Lindl. #4 II 64 ORCHIDACEAE (E) Hawaii Jewel Orchid  
*Anoectochilus setaceus* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Anoectochilus sikkimensis* King & Pantl. #4 II 64 ORCHIDACEAE  
*Anoectochilus tetapterus* Hook.f. #4 II 64 ORCHIDACEAE  
*Anoectochilus tridentatus* Seidenf. #4 II 64 ORCHIDACEAE  
*Anoectochilus yatesae* Bailey #4 II 64 ORCHIDACEAE  
*Anoectochilus yunganus* S. Y. Hu #4 II 64 ORCHIDACEAE (E) Copper-glint Orchid, Hong Kong Jewel Orchid  
*Anoectochilus zhejiangensis* Z.Wei & Y.B.Chang #4 II 64 ORCHIDACEAE
- Anota densiflora* (Lindl.) Schltr. = *Rhynchostylis gigantea* (Lindl.) Ridl.  
*Anota gigantea* (Lindl.) Fukuy. = *Rhynchostylis gigantea* (Lindl.) Ridl.  
*Anota hainanensis* (Rolfe) Schltr. = *Rhynchostylis gigantea* (Lindl.) Ridl.  
*Anota harrisoniana* (Hook.) Schltr. = *Rhynchostylis gigantea* (Lindl.) Ridl.  
***Ansella* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Ansella africana* Lindl. #4 II 64 ORCHIDACEAE  
*Ansella gigantea* Reichb. f. #4 II 64 ORCHIDACEAE  
*Anthacantha mamillosa* Lemaire = *Euphorbia squarrosa* Haw.  
***Anthogonium* spp.** Wall. ex Lindl. #4 II 64 ORCHIDACEAE  
***Anthosiphon* spp.** Schltr. #4 II 64 ORCHIDACEAE  
***Antillanorchis* spp.** Garary #4 II 64 ORCHIDACEAE  
*Anurosperma pervillei* (Blume) Hallier = *Nepenthes pervillei* Blume  
***Aorchis* spp.** Vermeulen #4 II 64 ORCHIDACEAE  
*Apatostelis* spp. Garay #4 II 64 ORCHIDACEAE  
*Apatostelis atrorubens* (L.O. Williams) Garay #4 II 64 ORCHIDACEAE  
*Apatostelis gracilifolia* (C. Schweinf.) Garay #4 II 64 ORCHIDACEAE  
*Apatostelis latipetala* (Ames) Garay #4 II 64 ORCHIDACEAE  
*Apatostelis montana* (L.O. Williams) Garay #4 II 64 ORCHIDACEAE  
*Apatostelis pendulispica* (Ames) Garay #4 II 64 ORCHIDACEAE  
*Apatostelis persimilis* (Ames) Garay #4 II 64 ORCHIDACEAE  
*Apatostelis standleyi* (Ames) Garay #4 II 64 ORCHIDACEAE  
*Apatostelis tonduziana* (Schltr.) Garay #4 II 64 ORCHIDACEAE  
***Aphyllorchis* spp.** Blume #4 II 64 ORCHIDACEAE  
*Aphyllorchis aberrans* (Finet) Schltr. = *Cymbidium macrorhizon* Lindl.  
*Aphyllorchis anomala* Dockr. #4 II 64 ORCHIDACEAE  
*Aphyllorchis gollani* Duthie #4 II 64 ORCHIDACEAE  
*Aphyllorchis montana* (Thwaites) Reichb.f. #4 II 64 ORCHIDACEAE  
*Aphyllorchis pallida* Blume #4 II 64 ORCHIDACEAE  
*Aphyllorchis parviflora* King & Pantl. #4 II 64 ORCHIDACEAE  
*Aphyllorchis queenslandica* Dockr. #4 II 64 ORCHIDACEAE  
*Aphyllorchis vaginata* Hook.f. #4 II 64 ORCHIDACEAE  
***Aplectrum* spp.** (Nutt.) Torr. #4 II 64 ORCHIDACEAE  
*Aplectrum hyemale* (muhl. ex Willd.) Torr. #4 II 64 ORCHIDACEAE  
*Aplotaxis lappa* Decne. = *Saussurea costus* (Falc.) Lipsch.  
*Aporocactus conzattii* Britton & Rose = *Disocactus martianus* (Zuccarini) Barthlott  
*Aporocactus flagelliformis* (*Linnaeus*) Lemaire = *Disocactus flagelliformis* (*Linnaeus*) Barthlott

- Aporocactus flagriformis* (Pfeiffer) Lemaire = *Disocactus flagelliformis* (Linnaeus) Barthlott  
*Aporocactus leptophis* (De Candolle) Britton & Rose = *Disocactus flagelliformis* (Linnaeus) Barthlott  
*Aporocactus martianus* (Zuccarini) Britton & Rose = *Disocactus martianus* (Zuccarini) Barthlott  
***Aporostylis* spp.** Rupp. & Hatch #4 II 64 ORCHIDACEAE  
*Aporum aciculare* Lindl. = *Dendrobium aciculare* Lindl.  
*Aporum acinaciforme* (Roxb.) Griff. = *Dendrobium acinaciforme* Roxb.  
*Aporum aloifolium* (Blume) Brieger = *Dendrobium aloifolium* (Blume) Rchb.f.  
*Aporum anceps* (Sw.) Lindl. = *Dendrobium nathanielis* Rchb.f.  
*Aporum anceps* (Sw.) Lindl. = *Dendrobium anceps* Sw.  
*Aporum babiense* (J.J.Sm.) Rauschert = *Dendrobium babiense* J.J.Sm.  
*Aporum banaense* (Gagnep.) Rauschert = *Dendrobium acinaciforme* Roxb.  
*Aporum bicornutum* (Schltr.) Rauschert = *Dendrobium bicornutum* Schltr.  
*Aporum blumei* (Lindley) Rauschert = *Dendrobium blumei* Lindley  
*Aporum calceolum* (Roxb.) Rauschert = *Dendrobium calceolum* Roxb.  
*Aporum chalandei* (Finet) Rauschert = *Dendrobium bowmanii* Benth.  
*Aporum cinnabarinum* (Rchb.f.) Rauschert = *Dendrobium cinnabarinum* Rchb.f.  
*Aporum clavator* (Ridl.) Rauschert = *Dendrobium clavator* Ridley  
*Aporum cochinchinense* (Ridl.) Brieger = *Dendrobium aloifolium* (Blume) Rchb.f.  
*Aporum compressimentum* (J.J.Sm.) Rauschert = *Dendrobium compressimentum* J.J.Sm.  
*Aporum crucilabre* (J.J.Sm.) Rauschert = *Dendrobium crucilabre* J.J.Sm.  
*Aporum crumenatum* (Sw.) Brieger = *Dendrobium crumenatum* Sw.  
*Aporum cuspidatum* Wall. ex Lindl. = *Dendrobium nathanielis* Rchb.f.  
*Aporum cymbulipes* (J.J.Sm) Rauschert = *Dendrobium cymbulipes* J.J.Sm.  
*Aporum dalatense* (Gagnep.) Rauschert = *Dendrobium dalatense* Gagnep.  
*Aporum eboracense* (Kraenzl.) Rauschert = *Dendrobium eboracense* Kraenzl  
*Aporum equitans* (Kraenzl.) Brieger = *Dendrobium ventricosum* Kraenzl.  
*Aporum goldfinchii* (F. Muell.) Brieger = *Dendrobium goldfinchii* F. Muell.  
*Aporum gracile* (Blume) Brieger = *Dendrobium gracile* (Blume) Lindley  
*Aporum grande* (Hook.f.) Rauschert = *Dendrobium grande* Hook.f.  
*Aporum grootingsii* (J.J.Sm.) Rauschert = *Dendrobium grootingsii* J.J.Sm.  
*Aporum hainanense* (Rolfe) Rauschert = *Dendrobium hainanense* Rolfe  
*Aporum hendersonii* (A.D.Hawkes & A.H.Heller) Rauschert = *Dendrobium hendersonii* A.D.Hawkes & A.H.Heller  
*Aporum heterocaulon* (Guill.) Rauschert = *Dendrobium exile* Schltr.  
*Aporum hymenocentrum* (Schltr.) Rauschert = *Dendrobium hymenocentrum* Schltr.  
*Aporum incrassatum* Blume = *Dendrobium indivisum* (Blume) Miq.  
*Aporum incurvociliatum* (J.J.Sm.) Rauschert = *Dendrobium incurvociliatum* J.J.Sm.  
*Aporum indivisum* Blume = *Dendrobium indivisum* (Blume) Miq.  
*Aporum jenkinsii* Griff. = *Dendrobium parciflorum* Rchb.f. ex Lindley  
*Aporum junceum* (Lindl.) Rauschert = *Dendrobium junceum* Lindl.  
*Aporum koeteianum* (Schltr.) Rauschert = *Dendrobium aciculare* Lindl.  
*Aporum korthalsii* (J.J.Sm.) Rauschert = *Dendrobium korthalsii* J.J.Sm.  
*Aporum kwashotense* (Hayata) Rauschert = *Dendrobium crumenatum* Sw.  
*Aporum lawiense* (J.J.Sm.) Rauschert = *Dendrobium lawiense* J.J.Sm.  
*Aporum leonis* Lindl. = *Dendrobium leonis* (Lindl.) Rchb.f.  
*Aporum litorale* (Schltr.) Rauschert = *Dendrobium litorale* Schltr.  
*Aporum lobatum* Blume = *Dendrobium lobatum* (Blume) Miq.  
*Aporum lobulatum* (Rolfe & J.J. Smith) Brieger = *Dendrobium lobulatum* Rolfe & J.J. Smith  
*Aporum mannii* (Ridl.) Rauschert = *Dendrobium mannii* Ridley  
*Aporum micranthum* Griff. = *Dendrobium aloifolium* (Blume) Rchb.f.  
*Aporum nycteridoglossum* (Rchb.f.) Rauschert = *Dendrobium nycteridoglossum* Rchb.f.  
*Aporum obcordatum* (J.J.Sm.) Rauschert = *Dendrobium obcordatum* J.J.Sm.  
*Aporum papilio* (Loher) Rauschert = *Dendrobium papilio* Loher  
*Aporum peculiare* (J.J.Sm.) Rauschert = *Dendrobium setifolium* Ridl.  
*Aporum planibulbe* (Lindl.) Rauschert = *Dendrobium planibulbe* Lindl.  
*Aporum platyphyllum* (Schltr.) Rauschert = *Dendrobium nycteridoglossum* Rchb.f.  
*Aporum prostratum* (Ridl.) Rauschert = *Dendrobium prostratum* Ridl.  
*Aporum pseudocalceolum* (J.J.Sm.) Rauschert = *Dendrobium pseudocalceolum* J.J.Sm.  
*Aporum reflexitepalum* (J.J.Sm) Rauschert = *Dendrobium reflexitepalum* J.J. Smith  
*Aporum rhodostelete* (Ridl.) Rauschert = *Dendrobium rhodostelete* Ridl.  
*Aporum rivesii* (Gagnep.) Rauschert = *Dendrobium chryseum* Rolfe  
*Aporum rosellum* (Ridl.) Rauschert = *Dendrobium rosellum* Ridl.

<i>Aporum roxburghii</i> Griff. = <i>Dendrobium calceolum</i> Roxb.	<i>Appendicula purpurascens</i> Blume #4 II 64 ORCHIDACEAE
<i>Aporum sagittatum</i> (J.J. Smith) Rauschert = <i>Dendrobium sagittatum</i> J.J. Smith	<i>Appendicula ramosa</i> Blume #4 II 64 ORCHIDACEAE
<i>Aporum serra</i> auct. non Lindl. = <i>Dendrobium acinaciforme</i> Roxb.	<i>Appendicula rupestris</i> Ridley #4 II 64 ORCHIDACEAE
<i>Aporum serra</i> Lindl. = <i>Dendrobium aloifolium</i> (Blume) Rchb.f.	<i>Appendicula tenuifolia</i> J.J. Wood #4 II 64 ORCHIDACEAE
<i>Aporum setifolium</i> (Ridl.) Rauschert = <i>Dendrobium setifolium</i> Ridl.	<i>Appendicula torta</i> Blume #4 II 64 ORCHIDACEAE
<i>Aporum smithianum</i> (Schltr.) Rauschert = <i>Dendrobium smithianum</i> Schltr.	<i>Appendicula undulata</i> Blume #4 II 64 ORCHIDACEAE
<i>Aporum strigosum</i> Blume = <i>Dendrobium tetraedre</i> (Blume) Lindley	Apple-cactus, Barbwire (E): <i>Acanthocereus tetragonus</i>
<i>Aporum subulatoides</i> (Schltr.) Rauschert = <i>Dendrobium subulatoides</i> Schltr.	<b><i>Aquilaria</i> spp.</b> Lam. #14 II THYMELAEACEAE
<i>Aporum tenellum</i> (Blume) Rauschert = <i>Dendrobium tenellum</i> (Blume) Lindley	<i>Aquilaria acuminata</i> (Merr.) Quis. #14 II THYMELAEACEAE
<i>Aporum tenue</i> (J.J. Sm.) Rauschert = <i>Dendrobium tenue</i> J.J. Sm.	<i>Aquilaria agallocha</i> Roxb. = <i>Aquilaria malaccensis</i> Lamk.
<i>Aporum tetraedre</i> = <i>Dendrobium tetraedre</i> (Blume) Lindley	<i>Aquilaria apiculata</i> Merr. #14 II THYMELAEACEAE
<i>Aporum tetralobum</i> (Schltr.) Rauschert = <i>Dendrobium tetralobum</i> Schltr.	<i>Aquilaria apiculata</i> Elmer #14 II THYMELAEACEAE
<i>Aporum tricuspid</i> (Blume) Rauschert = <i>Dendrobium tricuspe</i> (Blume) Lindley	<i>Aquilaria audata</i> (Oken) Merr. #14 II THYMELAEACEAE
<i>Aporum truncatum</i> (Lindley) Brieger = <i>Dendrobium truncatum</i> Lindley	<i>Aquilaria audata</i> Quis. J. = <i>Aquilaria audata</i> (Oken) Merr.
<i>Aporum uncatum</i> (Lindl.) Brieger = <i>Dendrobium uncatum</i> Lindley	<i>Aquilaria baillonii</i> Pierre ex Lecomte #14 II THYMELAEACEAE
<i>Aporum verlaquii</i> (Costantin) Rauschert = <i>Dendrobium terminale</i> Parish & Rchb.f.	<i>Aquilaria banaense</i> Phamhoang Ho #14 II THYMELAEACEAE
<b><i>Apostasia</i> spp.</b> Blume #4 II 64 ORCHIDACEAE	<i>Aquilaria beccariana</i> van Tiegh. #14 II THYMELAEACEAE
<i>Apostasia latifolia</i> Rolfe #4 II 64 ORCHIDACEAE	<i>Aquilaria brachyantha</i> (Merr.) Hall.f. #14 II THYMELAEACEAE
<i>Apostasia nuda</i> R.Br. #4 II 64 ORCHIDACEAE	<i>Aquilaria citrinaecarpa</i> (Elmer) Hall. f #14 II THYMELAEACEAE
<i>Apostasia parvula</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Aquilaria crassna</i> Pierre ex Lecomte #14 II THYMELAEACEAE (E) Agar Wood, Eagle Wood
<i>Apostasia wallichii</i> R.Br. #4 II 64 ORCHIDACEAE	<i>Aquilaria cumingiana</i> (Decne) Ridley #14 II THYMELAEACEAE
<b><i>Appendicula</i> spp.</b> Blume #4 II 64 ORCHIDACEAE	<i>Aquilaria filaria</i> (Oken) Merr. #14 II THYMELAEACEAE
<i>Appendicula alba</i> Blume #4 II 64 ORCHIDACEAE	<i>Aquilaria grandiflora</i> Bth. #14 II THYMELAEACEAE
<i>Appendicula anceps</i> Blume #4 II 64 ORCHIDACEAE	<i>Aquilaria grandifolia</i> Domke = <i>Aquilaria beccariana</i> van Tiegh.
<i>Appendicula angustifolia</i> Blume #4 II 64 ORCHIDACEAE	<i>Aquilaria hirta</i> Ridl. #14 II THYMELAEACEAE
<i>Appendicula australiensis</i> (Bailey) M.A.Clements & D.L.Jones #4 II 64 ORCHIDACEAE	<i>Aquilaria khasiana</i> H.Hall #14 II THYMELAEACEAE
<i>Appendicula bifaria</i> Lindl. = <i>Podochilus cornutus</i> (Blume) Sch.	<i>Aquilaria malaccensis</i> Lamk. #14 II THYMELAEACEAE (E) Agalwood, Agar, Agaru, Agarwood, Aloewood, Eaglewood, Malayan Eaglewood Tree, Paradise Wood (S) Madera de Agar (F) Bois d'Aigle, Bois d'aigle de Malacca, Bois d'Aloes
<i>Appendicula buxifolia</i> Blume #4 II 64 ORCHIDACEAE	<i>Aquilaria microcarpa</i> Baill. #14 II THYMELAEACEAE
<i>Appendicula carnosia</i> Blume #4 II 64 ORCHIDACEAE	<i>Aquilaria moluccana</i> Hall.f. = <i>Gyrinops moluccana</i> (Miq.) Baill.
<i>Appendicula congener</i> Blume #4 II 64 ORCHIDACEAE	<i>Aquilaria moszkowskii</i> Gilg #14 II THYMELAEACEAE
<i>Appendicula cornuta</i> Blume #4 II 64 ORCHIDACEAE (E) Fern-leaf Orchid, Ladder Orchid	<i>Aquilaria parvifolia</i> (Quis.) Ding Hou #14 II THYMELAEACEAE
<i>Appendicula cristata</i> Blume #4 II 64 ORCHIDACEAE	<i>Aquilaria podocarpus</i> Hall. f. = <i>Gyrinops podocarpus</i> (Gilg.) Domke
<i>Appendicula densifolia</i> Ridley #4 II 64 ORCHIDACEAE	<i>Aquilaria rostrata</i> Ridley #14 II THYMELAEACEAE
<i>Appendicula elegans</i> Reichb.f. #4 II 64 ORCHIDACEAE	<i>Aquilaria secundana</i> D.C. #14 II THYMELAEACEAE
<i>Appendicula imbricata</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Aquilaria secundaria</i> DC. #14 II THYMELAEACEAE
<i>Appendicula longa</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Aquilaria sinensis</i> Merr. #14 II THYMELAEACEAE
<i>Appendicula lucida</i> Ridl. #4 II 64 ORCHIDACEAE	<i>Aquilaria subintegra</i> Ding Hou #14 II THYMELAEACEAE
<i>Appendicula ovalis</i> (Schltr.) J.J. Smith #4 II 64 ORCHIDACEAE	<i>Aquilaria tomentosa</i> Gilg #14 II THYMELAEACEAE
<i>Appendicula pauciflora</i> Blume #4 II 64 ORCHIDACEAE	<i>Aquilaria urdanetensis</i> (Elmer) Hall #14 II THYMELAEACEAE
<i>Appendicula pendula</i> Blume #4 II 64 ORCHIDACEAE	<i>Aquilaria versteegii</i> Hall. = <i>Gyrinops versteegii</i> (Gilg) Domke
	<i>Aquilaria versteegii</i> Hall. = <i>Gyrinops audata</i> (Gilg) Domke

- Aquilaria yunnanensis** S.C.Huang #14 II  
THYMELAEACEAE
- Aquilaria borneensis** Boerl = *Aquilaria microcarpa* Baill.
- Aquilaria borneensis van Tiegh** = *Aquilaria microcarpa* Baill.
- Aquilaria malaccense** Lamk. (Tiegh) = *Aquilaria malaccensis* Lamk.
- Aquilaria microcara van Tiegh** = *Aquilaria microcarpa* Baill.
- Aracamunia spp.** Carnevali & RamYrez #4 II 64  
ORCHIDACEAE
- Arachnis spp.** Blume #4 II 64 ORCHIDACEAE
- Arachnis alba** #4 II 64 ORCHIDACEAE
- Arachnis annamensis** #4 II 64 ORCHIDACEAE
- Arachnis beccarii** (Rchb.f.) J.J.Sm. = *Vandopsis muelleri* (Kraenzl.) Schltr.
- Arachnis breviscapa** J.J. Smith #4 II 64 ORCHIDACEAE
- Arachnis calcarata** Holttum #4 II 64 ORCHIDACEAE
- Arachnis celebica** #4 II 64 ORCHIDACEAE
- Arachnis clarkei** (Reichb. f.) J.J. Smith #4 II 64  
ORCHIDACEAE
- Arachnis flos-aeris** (L.) Reichb.f. #4 II 64 ORCHIDACEAE
- Arachnis grandisepala** J.J. Wood #4 II 64 ORCHIDACEAE
- Arachnis hookeriana** Reichb. F. #4 II 64 ORCHIDACEAE
- Arachnis labrosa** #4 II 64 ORCHIDACEAE
- Arachnis longicaulis** #4 II 64 ORCHIDACEAE
- Arachnis longisepala** (J.J. Wood) Shim Phyan Soon & A. Lamb #4 II 64 ORCHIDACEAE
- Arachnis lowei** #4 II 64 ORCHIDACEAE
- Arachnis lowii** Reichb.f. #4 II 64 ORCHIDACEAE
- Arachnis maingayi** Schltr. #4 II 64 ORCHIDACEAE
- Arachnis muelleri** (Kraenzl.) J.J.Sm. = *Vandopsis muelleri* (Kraenzl.) Schltr.
- Arachnis sulingi** (Blume) Reichb.f. #4 II 64  
ORCHIDACEAE
- Aralia canadensis** Tourn = *Panax quinquefolius* L.
- Aralia ginseng** Baill. = *Panax ginseng* C. Meyer
- Aralia ginseng** (C.A. Meyer) Baill. = *Panax ginseng* C. Meyer
- Aralia quinquefolia** Decne. & Planch. = *Panax quinquefolius* L.
- Araucana** (S): *Araucaria araucana*
- Araucaria** (S): *Araucaria araucana*
- Araucaria araucana** (Molina) K.Koch I ARAUCARIACEAE  
(E) Chilean Pine, Chile Pine, Monkey Puzzle, Parana Pine (S) Araucana, Araucaria, Araucaria de Neuquén, Araucaria Imbricada, Chilean Pine, Gúillo, Pino, Pino araucana, Pino Araucaria, Pino Chileno, Pino de Chile, Pino de Neuquén, Pino hachado, Pino Piñonero, Pino Solo (F) Désespoir des singes, Pin du Chili
- Araucaria chilensis** Mirb. = *Araucaria araucana* (Molina) K.Koch
- Araucaria de Neuquén** (S): *Araucaria araucana*
- Araucaria dombeyi** Rich. = *Araucaria araucana* (Molina) K.Koch
- Araucaria Imbricada** (S): *Araucaria araucana*
- Araucaria imbricata** Pavàn = *Araucaria araucana* (Molina) K.Koch
- Arbol del barril** (S): *Fouquieria fasciculata*
- Arbreaux Serpents** (F): *Rauvolfia serpentina*
- Arbre pieuvre** (F): *Alluaudia procera*
- Archineottia** spp. S.C. Chen #4 II 64 ORCHIDACEAE
- Archineottia gaudissartii** (Hand.-Mazz.) S.C. Chen #4 II 64 ORCHIDACEAE
- Archineottia microglottis** (Duthie) S.C. Chen #4 II 64 ORCHIDACEAE
- Arequipa australis** Ritter = *Oreocereus hempelianus* (Guerke) Hunt
- Arequipa erectocylindrica** Rauh & Backeberg = *Oreocereus hempelianus* (Guerke) Hunt
- Arequipa hempeliana** (Guerke) Oehme = *Oreocereus hempelianus* (Guerke) Hunt
- Arequipa leucotricha** (Philippi) Britton & Rose = *Oreocereus leucotrichus* (Philippi) Wagenknecht
- Arequipa mirabilis** (Buining) Backeberg = *Cleistocanna mirabilis* (Buining) Hunt
- Arequipa rettigii** (Quehl) Oehme = *Oreocereus hempelianus* (Guerke) Hunt
- Arequipa soehrensi** (Kreuzinger) Backeberg = *Oreocereus hempelianus* (Guerke) Hunt
- Arequipa spinosissima** Ritter = *Oreocereus hempelianus* (Guerke) Hunt
- Arequipa weingartiana** Backeberg = *Oreocereus hempelianus* (Guerke) Hunt
- Arethusa spp.** L. #4 II 64 ORCHIDACEAE
- Arethusantha bletioides** Finet = *Cymbidium elegans* Lindl.
- Arethusa sinensis** Rolfe = *Bletilla sinensis* (Rolfe) Schltr.
- Arietinum americanum** Beck = *Cypripedium arietinum* R.Br.
- Ariocarpus spp.** Scheidw. I CACTACEAE
- Ariocarpus agavooides** (Castañeda) Anderson I CACTACEAE (E) Tamaulipas Living -rock Cactus
- Ariocarpus aselliformis** (Ehrenb.) A.Weber = *Pelecyphora aselliformis* Ehrenberg
- Ariocarpus bravoanus** Hernandez & Anderson I CACTACEAE
- Ariocarpus elongatus** (Salm Dyck) M.H.Lee = *Ariocarpus retusus* Scheidweiler
- Ariocarpus fissuratus** (Engelmann) Schumann I CACTACEAE (E) Chautle Living-rock Cactus
- Ariocarpus kotschoubeyanus** (Lemaire) Schumann I CACTACEAE (S) Pezuña de venado
- Ariocarpus kotschoubeyanus albiflorus** (Backeberg) Glass = *Ariocarpus kotschoubeyanus* (Lemaire) Schumann
- Ariocarpus retusus** Scheidweiler I CACTACEAE
- Ariocarpus retusus scapharostroides** Halda & Horacek = *Ariocarpus retusus* Scheidweiler
- Ariocarpus scapharostrus** Boedeker = *Ariocarpus scaphirostris* Boedeker
- Ariocarpus scaphirostris** Boedeker I CACTACEAE (E) Nuevo Leon Living-rock Cactus (S) Orejas de Conejo, Orejitas
- Armatocereus spp.** Backeb. #4 II 49 CACTACEAE
- Armatocereus arboreus** Rauh & Backeberg = *Armatocereus matucanensis* Backeberg ex A.W.Hill
- Armatocereus arduus** Ritter #4 II 49 CACTACEAE
- Armatocereus brevispinus** Madsen #4 II 49 CACTACEAE

- Armatocereus cartwrightianus** (Britton & Rose)  
Backeberg ex A.W.Hill #4 II 49 CACTACEAE
- Armatocereus churinensis** Rauh & Backeberg =  
*Armatocereus matucanensis* Backeberg ex A.W.Hill
- Armatocereus godingianus** (Britton & Rose) Backeberg  
ex E.Salisbury #4 II 49 CACTACEAE
- Armatocereus humilis** (Britton & Rose) Backeberg #4 II  
49 CACTACEAE
- Armatocereus laetus** (Kunth) Backeberg ex A.W.Hill #4 II  
49 CACTACEAE
- Armatocereus mataranus** Ritter #4 II 49 CACTACEAE
- Armatocereus matucanensis** Backeberg ex A.W.Hill #4 II  
49 CACTACEAE
- Armatocereus oligogonus** Rauh & Backeberg #4 II 49  
CACTACEAE
- Armatocereus procerus** Rauh & Backeberg, 1957 #4 II  
49 CACTACEAE
- Armatocereus rauhii** Backeberg #4 II 49 CACTACEAE
- Armatocereus riomajensis** Rauh & Backeberg #4 II 49  
CACTACEAE
- Armatocereus rupicola** Ritter #4 II 49 CACTACEAE
- Armodorum spp.** Breda #4 II 64 ORCHIDACEAE
- Armodorum distichum* #4 II 64 ORCHIDACEAE
- Armodorum sulingi* (Blume) Schltr. = *Renanthera sulingi* Lindl.
- Armodorum sulingii* Schltr. #4 II 64 ORCHIDACEAE
- Arnottia spp.** A. Rich. #4 II 64 ORCHIDACEAE
- Arnottia mauritiana* A. Rich. #4 II 64 ORCHIDACEAE
- Arpón (S): *Opuntia decumbens*
- Arpophyllum spp.** La Llave & Lex. #4 II 64  
ORCHIDACEAE
- Arpophyllum jamaicense* Schltr. #4 II 64 ORCHIDACEAE
- Arrojadoa spp.** Britton & Rose #4 II 49 CACTACEAE
- Arrojadoa albiflora** Buining & Brederoo #4 II 49  
CACTACEAE
- Arrojadoa aureispina* Buining & Brederoo = *Arrojadoa rhodantha* (Guerke) Britton & Rose
- Arrojadoa bahiensis** (Braun & Esteves Pereira) Taylor & Eggi #4 II 49 CACTACEAE
- Arrojadoa canudosensis* Buining & Brederoo = *Arrojadoa rhodantha* (Guerke) Britton & Rose
- Arrojadoa dinae** Buining & Brederoo #4 II 49  
CACTACEAE
- Arrojadoa horstiana* Braun & Heimen = *Arrojadoa rhodantha* (Guerke) Britton & Rose
- Arrojadoa penicillata** (Guerke) Britton & Rose #4 II 49  
CACTACEAE
- Arrojadoa polyantha* (Werdermann) Hunt =  
*Micranthocereus polyanthus* (Werdermann) Backeberg
- Arrojadoa rhodantha** (Guerke) Britton & Rose #4 II 49  
CACTACEAE
- Arrojadoa rhodantha aureispina* (Buining & Brederoo)  
Braun & Esteves Pereira = *Arrojadoa rhodantha* (Guerke) Britton & Rose
- Arrojadoa rhodantha canudosensis* (Buining & Brederoo)  
Braun = *Arrojadoa rhodantha* (Guerke) Britton & Rose
- Arrojadoa rhodantha reflexa* Braun = *Arrojadoa rhodantha* (Guerke) Britton & Rose
- Arrojadoa theunisseniana* Buining & Brederoo = *Arrojadoa rhodantha* (Guerke) Britton & Rose  
Arrowroot, Florida (E): *Zamia integrifolia*
- Arthrocereus spp.** A. Berger & F. Knuth #4 II 49  
CACTACEAE
- Arthrocereus campos-portoi* (Werdermann) Backeberg =  
*Arthrocereus glaziovii* (Schumann) Taylor & Zappi
- Arthrocereus damazioi* P.V.Heath = *Arthrocereus glaziovii* (Schumann) Taylor & Zappi
- Arthrocereus glaziovii** (Schumann) Taylor & Zappi #4 II  
49 CACTACEAE
- Arthrocereus itabiriticola* Braun = *Arthrocereus glaziovii* (Schumann) Taylor & Zappi
- Arthrocereus melanurus** (Schumann) Diers et al. #4 II  
49 CACTACEAE
- Arthrocereus microsphaericus* (Schumann) Berger =  
*Schlumbergera microsphaerica* (Schumann) Hoevel
- Arthrocereus rondonianus** Backeberg & Voll #4 II 49  
CACTACEAE
- Arthrocereus rowleyanus* (Backeberg) Buxbaum =  
*Pygmaeocereus bylesianus* Andreea & Backeberg
- Arthrocereus spinosissimus** (Buining & Brederoo) Ritter  
#4 II 49 CACTACEAE
- Arthrochilus spp.** F. Muell. #4 II 64 ORCHIDACEAE
- Arthrochilus byrnesii* Blaxell #4 II 64 ORCHIDACEAE
- Arthrochilus prolixus* D.L.Jones #4 II 64 ORCHIDACEAE
- Arthothamnus brachiatus* Klotzsch = *Euphorbia brachiata* (Klotzsch) Boiss.
- Arthothamnus burmannii* Klotzsch = *Euphorbia burmannii* E. Mey. ex Boiss.
- Arthothamnus cassythoides* (Boissier) Millspaugh =  
*Euphorbia cassythoides* Boiss
- Arthothamnus densiflorus* Klotzsch & Garcke = *Euphorbia mundtii* N.E. Br.
- Arthothamnus schimperi* (Presl) Balfour = *Euphorbia schimperi* Presl.
- Arthothamnus scopiformis* Klotzsch = *Euphorbia arceuthobioioides* Boiss.
- Arthothamnus tirucalli* (L.) Klotzsch & Garcke =  
*Euphorbia tirucalli* L.
- Artorima spp.** Dressler & Pollard #4 II 64  
ORCHIDACEAE
- Artorima erubescens* (Lindley) Dressler & Pollard #4 II 64  
ORCHIDACEAE
- Arundina spp.** Blume #4 II 64 ORCHIDACEAE
- Arundina bambusifolia* Lindl. #4 II 64 ORCHIDACEAE
- Arundina chinensis* Blume #4 II 64 ORCHIDACEAE (E)  
Bamboo Orchid
- Arundina graminifolia* (D. Don) Hochr. #4 II 64  
ORCHIDACEAE
- Arundina minor* Lindley #4 II 64 ORCHIDACEAE
- Ascidieria spp.** Siedenf. #4 II 64 ORCHIDACEAE
- Ascocentropsis pusillum* (Aver) Senghas & Schildh =  
*Ascocentrum pusillum* Aver.
- Ascocentrum spp.** Schlechter #4 II 64 ORCHIDACEAE
- Ascocentrum ampullaceum** (Lindl.) Schltr. #4 II 64  
ORCHIDACEAE
- Ascocentrum aurantiacum** (Schltr) Schltr. #4 II 64  
ORCHIDACEAE

<i>Ascocentrum aureum</i> J.J. Sm. #4 II 64 ORCHIDACEAE	<i>Aspasia lyrata</i> (Vell.) Rchb.f. 1852 #4 II 64 ORCHIDACEAE
<i>Ascocentrum christensonianum</i> Haager #4 II 64 ORCHIDACEAE	<i>Aspasia odorata</i> Hort. ex Sander 1901 = <i>Aspasia lunata</i> Lindl. 1836
<i>Ascocentrum curvifolium</i> (Lindl.) Schltr. #4 II 64 ORCHIDACEAE	<i>Aspasia papilionacea</i> Rchb.f. 1876 = <i>Aspasia lunata</i> Lindl. 1836
<i>Ascocentrum garayi</i> Christenson #4 II 64 ORCHIDACEAE	<i>Aspasia principissa</i> Rchb.f. 1852 #4 II 64 ORCHIDACEAE
<i>Ascocentrum hendersoniana</i> (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE	<i>Aspasia psittacina</i> (Rchb.f.) Rchb.f. 1878 #4 II 64 ORCHIDACEAE
<i>Ascocentrum himalaicum</i> (Deb. Sengupta & Malick) Christenson. #4 II 64 ORCHIDACEAE	<i>Aspasia pusilla</i> Schweinf. = <i>Cischweinfia pusilla</i> (C. Schweinf.) Dressler & N.H. Williams
<i>Ascocentrum insularum</i> Christenson #4 II 64 ORCHIDACEAE	<i>Aspasia rousseauae</i> Schltr. 1922 = <i>Aspasia principissa</i> Rchb.f. 1852
<i>Ascocentrum micranthum</i> (Lindl.) Holttum = <i>Smitinandia</i> <i>micrantha</i> (Lindl.) Holttum	<i>Aspasia silvana</i> F.Barros 1988 #4 II 64 ORCHIDACEAE
<i>Ascocentrum minutum</i> (Lindley) Schltr. #4 II 64 ORCHIDACEAE	<i>Aspasia variegata</i> Lindl. 1836 #4 II 64 ORCHIDACEAE
<i>Ascocentrum pumilum</i> (Hayata) Schltr. #4 II 64 ORCHIDACEAE	<i>Aspidium lamprocaulon</i> Christ = <i>Cyathea lamprocaulis</i> (Christ 1909) Ching 1949
<i>Ascocentrum pusillum</i> Aver. #4 II 64 ORCHIDACEAE	<i>Aspidium telefairianum</i> Wall. = <i>Alsophila borbonica</i> (Desv. 1811) R.Tryon 1970
<i>Ascocentrum rubescens</i> (Rolfe) P.E.Hunt = <i>Aerides</i> <i>rubescens</i> (Rolfe) Schltr.	<i>Aspidogyne</i> spp. Garay #4 II 64 ORCHIDACEAE
<i>Ascocentrum rubrum</i> (Lindl.) Seidenf. #4 II 64 ORCHIDACEAE	<i>Aspidogyne stictophylla</i> (Schltr.) Garay = <i>Erythrodess</i> <i>stictophylla</i> (Schltr.) Ames
<i>Ascocentrum semiteretifolium</i> Seidenf. #4 II 64 ORCHIDACEAE	<i>Assamela</i> (F): <i>Pericopsis elata</i>
<i>Ascochilopsis</i> spp. C.E.Carr #4 II 64 ORCHIDACEAE	<i>Astrophytum</i> spp. Lem. #4 I/II 49 CACTACEAE
<i>Ascochilus</i> spp. Ridl. #4 II 64 ORCHIDACEAE	<i>Astrophytum asterias</i> (Karwinski ex Zuccarini) Lemaire I CACTACEAE (E) Star Cactus (S) Cacto Estrella
<i>Ascochilus calceolaris</i> (Tieb & Binn.) Garay #4 II 64 ORCHIDACEAE	<i>Astrophytum capricorne</i> (Dietrich) Britton & Rose #4 II 49 CACTACEAE
<i>Ascochilus capricornis</i> Ridley = <i>Cleisostoma capricorne</i> (Ridley) Garay	<i>Astrophytum coahuilense</i> (Moeller) Kayser = <i>Astrophytum</i> <i>myriostigma</i> Lemaire
<i>Ascochilus emarginatus</i> (Blume) Schltr. #4 II 64 ORCHIDACEAE	<i>Astrophytum columnare</i> (Schumann) Sadovsky & Schuetz = <i>Astrophytum myriostigma</i> Lemaire
<i>Ascoglossum</i> spp. Schlechter #4 II 64 ORCHIDACEAE	<i>Astrophytum myriostigma</i> Lemaire #4 II 49 CACTACEAE
<i>Ascoglossum calopterum</i> (Rchb.f) Schltr. #4 II 64 ORCHIDACEAE	<i>Astrophytum myriostigma potosinum</i> (Moeller) Kayser = <i>Astrophytum myriostigma</i> Lemaire
<i>Ascolabium pumilum</i> (Hayata) S.S.Ying = <i>Ascocentrum</i> <i>pumilum</i> (Hayata) Schltr.	<i>Astrophytum myriostigma tulense</i> Kayser = <i>Astrophytum</i> <i>myriostigma</i> Lemaire
<i>Ascolabium pusillum</i> (Aver.) Aver. = <i>Ascocentrum pusillum</i> Aver.	<i>Astrophytum ornatum</i> (De Candolle) Britton & Rose #4 II 49 CACTACEAE
ash, Manchurian (E): <i>Fraxinus mandshurica</i>	<i>Astrophytum senile</i> Fric = <i>Astrophytum capricorne</i> (Dietrich) Britton & Rose
<i>Aspasia</i> spp. Lindl. #4 II 64 ORCHIDACEAE	<i>Astrophytum tulense</i> (Kayser) Sadovsky & Schuetz = <i>Astrophytum myriostigma</i> Lemaire
<i>Aspasia barclayi</i> Rolfe = <i>Aspasia epidendroides</i> Lindl. 1832	<i>Athyrium comosum</i> Presl. 1836 = <i>Sphaeropteris</i> <i>squamulata</i> (Blume 1828) R.Tryon 1970
<i>Aspasia biberiana</i> Rchb.f. 1864? = <i>Aspasia principissa</i> Rchb.f. 1852	<i>Atrapmoscas</i> (S): <i>Dionaea muscipula</i>
<i>Aspasia bibriana</i> Rchb.f. 1854 = <i>Aspasia principissa</i> Rchb.f. 1852	Aucklandia (E): <i>Saussurea costus</i>
<i>Aspasia epidendroides</i> Lindl. 1832 #4 II 64 ORCHIDACEAE	<i>Aucklandia costus</i> Falc. = <i>Saussurea costus</i> (Falc.) Lipsch.
<i>Aspasia fragrans</i> Klotzsch 1853 = <i>Aspasia epidendroides</i> Lindl. 1832	<i>Aucklandia lappa</i> Decne. = <i>Saussurea costus</i> (Falc.) Lipsch.
<i>Aspasia interrupta</i> Hoffmanns. 1844 = <i>Aspasia variegata</i> Lindl. 1836	<i>Aulacophyllum lindenii</i> Regel ex Andre = <i>Zamia</i> <i>poeppigiana</i> Mart. & Eichler
<i>Aspasia liturata</i> Link ex Rchbf. 1855 = <i>Aspasia variegata</i> Lindl. 1836	<i>Aulacophyllum montanum</i> (A.Braun) Regel = <i>Zamia</i> <i>montana</i> A.Braun.
<i>Aspasia lunata</i> Lindl. 1836 #4 II 64 ORCHIDACEAE	<i>Aulacophyllum ortgiesi</i> Regel = <i>Zamia chigua</i> Seem. <i>Aulacophyllum roezli</i> (Linden) Regel = <i>Zamia roezlii</i> Linden

- Aulacophyllum skinneri* (Wareszewicz ex A.Dietrich) Regel = *Zamia skinneri* Warsz. ex A.Dietrich  
*Aulacophyllum wallisii* (Hort. Veitch ex A.Braun) Regel = *Zamia wallisii* hort. Veitch ex A.Braun  
*Aulizeum cochleatum* (L.) Lindl. ex Stein = *Encyclia cochleata* (L.) Lemée  
*Aulizeum pygmaeum* Hook. = *Encyclia pygmaea* (Hook.) Dressler  
*Aulizeum variegatum* (Vell.) Pabst, Moutinho & Pinto = *Encyclia vespa* (Vell.) Dressler  
***Aulosepalum* spp.** Garay #4 II 64 ORCHIDACEAE  
***Aulostylis* spp.** Schltr. #4 II 64 ORCHIDACEAE  
*Aulostylis papuana* Schltr. = *Calanthe vestita* Lindl.  
*Aureliana canadensis* Laft. = *Panax quinquefolius* L.  
*Australorchis monophylla* (F.Muell.) Kuntze = *Dendrobium monophyllum* F. Muell.  
*Australorchis schneiderae* (F.M.Bailey) Brieger = *Dendrobium schneiderae* Bailey  
***Austrocactus* spp.** Britton & Rose #4 II 49 CACTACEAE  
***Austrocactus bertinii*** (Cels ex Henricq) Britton & Rose #4 II 49 CACTACEAE  
***Austrocactus coxii*** (Schumann) Backeberg #4 II 49 CACTACEAE  
*Austrocactus dusenii* (Weber) Spegazzini = *Austrocactus bertinii* (Cels ex Henricq) Britton & Rose  
*Austrocactus gracilis* Backeberg = *Austrocactus bertinii* (Cels ex Henricq) Britton & Rose  
*Austrocactus hibernus* Ritter = *Austrocactus philippii* (Regel & Schmidt) Buxbaum & Ritter  
***Austrocactus patagonicus*** (Weber ex Spegazzini) Hosseus #4 II 49 CACTACEAE  
***Austrocactus philippii*** (Regel & Schmidt) Buxbaum & Ritter #4 II 49 CACTACEAE  
***Austrocactus spiniflorus*** (Philippi) Ritter #4 II 49 CACTACEAE  
*Astrocephalocereus albicephalus* Buining & Brederoo = *Micranthocereus albicephalus* (Buining & Brederoo) Ritter  
*Astrocephalocereus dolichospermaticus* Buining & Brederoo = *Micranthocereus dolichospermaticus* (Buining & Brederoo) Ritter  
*Astrocephalocereus dybowskii* (Roland-Gosselin) Backeberg = *Epsotoopsis dybowskii* (Roland-Gosselin) Buxbaum  
*Astrocephalocereus estevesii* Buining & Brederoo = *Micranthocereus estevesii* (Buining & Brederoo) Ritter  
*Astrocephalocereus estevesii grandiflorus* Diers & Esteves Pereira = *Micranthocereus estevesii* (Buining & Brederoo) Ritter  
*Astrocephalocereus estevesii insigniflorus* Diers & Esteves Pereira = *Micranthocereus estevesii* (Buining & Brederoo) Ritter  
*Astrocephalocereus fluminensis* (Miquel) Buxbaum = *Coleocephalocereus fluminensis* (Miquel) Backeberg  
*Astrocephalocereus lemannianus* (Werdermann) Backeberg = *Micranthocereus purpureus* (Guerke) Ritter  
*Astrocephalocereus purpureus* (Guerke) Backeberg = *Micranthocereus purpureus* (Guerke) Ritter  
*Astrocytropuntia chuquicacana* (Cardenas) Ritter = *Opuntia vestita* Salm-Dyck  
*Astrocytropuntia clavarioides* (Pfeiffer) Backeberg = *Opuntia clavarioides* Pfeiffer  
*Astrocytropuntia colubrina* (Castellanos) Backeberg = *Opuntia colubrina* Castellanos  
*Astrocytropuntia cylindrica* (Lamarck) Backeberg = *Opuntia cylindrica* (Lamarck) De Candolle  
*Astrocytropuntia exaltata* (Berger) Bleckeberg = *Opuntia subulata* (Muehlenpfordt) Engelmann  
*Astrocytropuntia floccosa* (Salm-Dyck) Ritter = *Opuntia floccosa* Salm-Dyck ex Winterfield  
*Astrocytropuntia haematacantha* (Backeberg) Backeberg = *Opuntia verschaffeltii* Cels ex Weber  
*Astrocytropuntia humahuacana* (Backeberg) Backeberg = *Opuntia shaferi* Britton & Rose  
*Astrocytropuntia inarmata* Backeberg = *Opuntia verschaffeltii* Cels ex Weber  
*Astrocytropuntia intermedia* Rauh & Backeberg = *Opuntia cylindrica* (Lamarck) De Candolle  
*Astrocytropuntia ipatiana* (Cardenas) Backeberg = *Opuntia salmiana* Parmentier ex Pfeiffer  
*Astrocytropuntia lagopus* (Schumann) Ritter = *Opuntia lagopus* Schumann  
*Astrocytropuntia lauliacoana* Ritter = *Opuntia floccosa* Salm-Dyck ex Winterfield  
*Astrocytropuntia machacana* Ritter = *Opuntia floccosa* Salm-Dyck ex Winterfield  
*Astrocytropuntia malyana* (Rausch) Ritter = *Opuntia lagopus* Schumann  
*Astrocytropuntia miquelii* (Monville) Backeberg = *Opuntia miquelii* Monville  
*Astrocytropuntia pachypus* (Schuman) Backeberg = *Opuntia pachypus* Schumann  
*Astrocytropuntia salmiana* (Parmentier ex Pfeiffer) Backeberg = *Opuntia salmiana* Parmentier ex Pfeiffer  
*Astrocytropuntia schickendantzii* (Weber) Backeberg = *Opuntia schickendantzii* Weber  
*Astrocytropuntia shaferi* (Britton & Rose) Backeberg = *Opuntia shaferi* Britton & Rose  
*Astrocytropuntia subulata* (Muehlenpfordt) Backeberg = *Opuntia subulata* (Muehlenpfordt) Engelmann  
*Astrocytropuntia tephrocactoides* Rauh & Backeberg = *Opuntia floccosa* Salm-Dyck ex Winterfield  
*Astrocytropuntia teres* (Cels ex Weber) Backeberg = *Opuntia vestita* Salm-Dyck  
*Astrocytropuntia verschaffeltii* (Cels ex Weber) Backeberg = *Opuntia verschaffeltii* Cels ex Weber  
*Astrocytropuntia vestita* (salm-dyck) Backeberg = *Opuntia vestita* Salm-Dyck  
*Astrocytropuntia weingartiana* (Backeberg) Backeberg = *Opuntia shaferi* Britton & Rose  
***Auxopus* spp.** Schltr. #4 II 64 ORCHIDACEAE  
*Avonia* spp. (E.Mey ex Fenzl.) G.D.Rowley #4 II PORTULACACEAE  
*Avonia albissima* (Marloth) Rowl. n.comb. #4 II PORTULACACEAE  
*Avonia dinteri* (Schinz) Rowl. n.comb. #4 II PORTULACACEAE

<i>Avonia herreana</i> (Poelln.) Rowl. n.comb. #4 II PORTULACACEAE	<i>Azureocereus deflexispinus</i> Backeberg ex Rauh = <i>Echinopsis knuthiana</i> (Backeberg) Friedrich & Rowley
<i>Avonia mallei</i> G.Will. #4 II PORTULACACEAE	<i>Azureocereus hertlingianus</i> (Backeberg) Backeberg = <i>Browningia hertlingiana</i> (Backeberg) Buxbaum
<i>Avonia papyracea</i> (E.Meyer ex Fenzl) Rowl. n.comb. #4 II PORTULACACEAE	<i>Azureocereus viridis</i> Rauh & Backeberg = <i>Browningia viridis</i> (Rauh & Backeberg) Buxbaum
<i>Avonia quinaria</i> (E.Meyer ex Fenzl) Rowl. #4 II PORTULACACEAE	<i>Backebergia militaris</i> (Audot) Sanchez-Mejorada = <i>Pachycereus militaris</i> (Audot) Hunt
<i>Avonia recurvata</i> (Schönl.) Rowl. #4 II PORTULACACEAE	<i>Baiji</i> (F): <i>Bletilla striata</i>
<i>Avonia rhodesica</i> (N.E.Br.) Rowl. #4 II PORTULACACEAE	<i>Baiji</i> (S): <i>Bletilla striata</i>
<i>Avonia ruschii</i> (Dinter & Poelln.) Rowl. #4 II PORTULACACEAE	<i>Baiji</i> (E): <i>Bletilla striata</i>
<i>Avonia ustulata</i> (E.Meyer ex Fenzl) Rowl. #4 II PORTULACACEAE	<i>Balanitum arborescens</i> (L' Hér. 1788) Hook 1838 = <i>Dicksonia arborescens</i> (L'Hérit. 1788)
<i>Aylostera albiflora</i> (Ritter & Buining) Backeberg = <i>Rebutia albiflora</i> Ritter & Buining	<i>Balanitum auricomum</i> Kaulf. 1824 = <i>Dicksonia arborescens</i> (L'Hérit. 1788)
<i>Aylostera albipilosa</i> (Ritter) Backeberg = <i>Rebutia fiebrigii</i> (Guerke) Britton & Rose ex Bailey	<i>Balanitum berteriana</i> (Colla 1836) Kunze 1837 = <i>Dicksonia berteriana</i> (Colla) Hook.
<i>Aylostera deminuta</i> (Weber) Backeberg = <i>Rebutia deminuta</i> (Weber) Britton & Rose	<i>Balanitum blumei</i> Kunze 1848 = <i>Dicksonia blumei</i> (Kunze 1848) Moore 1860
<i>Aylostera fiebrigii</i> (Guerke) Backeberg = <i>Rebutia fiebrigii</i> (Guerke) Britton & Rose ex Bailey	<i>Balanitum karstenianum</i> Klotzsch 1847 = <i>Dicksonia sellowiana</i> Hook.
<i>Aylostera fulviseta</i> (Rausch) W.Haage = <i>Rebutia fulviseta</i> Rausch	<i>Balanitum squarrosa</i> (G.Forst.) Kze. = <i>Dicksonia squarrosa</i> (G.Forst.) SW.
<i>Aylostera heliosa</i> (Rausch) W.Haage = <i>Rebutia heliosa</i> Rausch	<i>Balanitum thyrsopteroides</i> (Mett. 1861) Fourn. 1876 = <i>Dicksonia thyrsopteroides</i> Mett. 1861
<i>Aylostera jujuyana</i> (Rausch) W.Haage = <i>Rebutia fiebrigii</i> (Guerke) Britton & Rose ex Bailey	<i>Balantium antarcticum</i> (Labill 1806) C.Presl. 1836 = <i>Dicksonia antarctica</i> Labill. 1806
<i>Aylostera kupperiana</i> (Beodeker) Backeberg = <i>Rebutia pseudodeminuta</i> Backeberg	<i>Balantium chrysotrichum</i> Hassk. 1856 = <i>Dicksonia blumei</i> (Kunze 1848) Moore 1860
<i>Aylostera muscula</i> (Ritter & Thiele) Backeberg = <i>Rebutia fiebrigii</i> (Guerke) Britton & Rose ex Bailey	<i>Balantium fibrosum</i> (Colla 1844) Fée 1850-52 = <i>Dicksonia fibrosa</i> Colenso 1844
<i>Aylostera narvaecensis</i> Cardenas = <i>Rebutia narvaecensis</i> (Cardenas) Donald	<i>Balantium glaucescens</i> Link 1841 = <i>Cibotium barometz</i> (L.1753) J. Smith 1842
<i>Aylostera padcayensis</i> (Rausch) W. Haag = <i>Rebutia padcayensis</i> Rausch	<i>Balantium lanatum</i> (Colla 1844) Fée 1850-52 = <i>Dicksonia lanata</i> Colenso 1844
<i>Aylostera pseudodeminuta</i> (Backeberg) Backeberg = <i>Rebutia pseudodeminuta</i> Backeberg	<i>Balantium magnificum</i> de Vriese 1852 = <i>Dicksonia blumei</i> (Kunze 1848) Moore 1860
<i>Aylostera pseudominuscula</i> (Spegazzini) Spegazzini = <i>Rebutia deminuta</i> (Weber) Britton & Rose	<i>Balantium sellowianum</i> C.Presl. 1836 = <i>Dicksonia sellowiana</i> Hook.
<i>Aylostera pulchella</i> (Rausch) W.Haage = <i>Rebutia fiebrigii</i> (Guerke) Britton & Rose ex Bailey	<i>Balantium squarrosum</i> (Forst. 1786) Kunze 1850 = <i>Dicksonia squarrosa</i> (G.Forst.) SW.
<i>Aylostera pulvinosa</i> (Ritter & Buining) Backeberg = <i>Rebutia pulvinosa</i> Ritter & Buining	<i>Balmea stormae</i> Martínez = <i>Balmea stormiae</i> Martínez
<i>Aylostera rubiginosa</i> (Ritter) Backeberg = <i>Rebutia spegazziniana</i> Backeberg	<i>Balmea stormiae</i> Martínez I RUBIACEAE
<i>Aylostera spegazziniana</i> (Backeberg) Backeberg = <i>Rebutia spegazziniana</i> Backeberg	<i>Bandura zeylanica</i> Burm. ex Brongn. nom. illeg. = <i>Nepenthes distillatoria</i> L.
<i>Aylostera spinosissima</i> (Backeberg) Backeberg = <i>Rebutia spinosissima</i> Backeberg	<b>Barbosella</b> spp. Schlechter #4 II 64 ORCHIDACEAE
<i>Aylostera steinmannii</i> (Solms-Laubach) Backeberg = <i>Rebutia steinmannii</i> (Solms-Laubach) Britton & Rose	<i>Barbosella anaristella</i> (Kranzlin) Garay #4 II 64 ORCHIDACEAE
<i>Aylostera tuberosa</i> (Ritter) Backeberg = <i>Rebutia spegazziniana</i> Backeberg	<i>Barbosella circinata</i> Luer #4 II 64 ORCHIDACEAE
<i>Aylostera zavaletae</i> Cardenas = <i>Rebutia canigueralii</i> Cardenas	<i>Barbosella culcullata</i> (Lindl.) Schltr. #4 II 64 ORCHIDACEAE
<b>Aztekium</b> spp. Bodeker #4 I/II 49 CACTACEAE	<i>Barbosella geminata</i> Luer #4 II 64 ORCHIDACEAE
<b>Aztekium hintonii</b> Glass & Fitz Maurice #4 II 49 CACTACEAE	<i>Barbosella monstrabilis</i> (Ames) Garay #4 II 64 ORCHIDACEAE
<b>Aztekium ritteri</b> (Boedeker) Boedeker I CACTACEAE (E) Aztec Cactus (S) Cacto Azteca	<i>Barbosella orbicularis</i> Luer #4 II 64 ORCHIDACEAE
	<i>Barbosella prorepens</i> Schltr. #4 II 64 ORCHIDACEAE
	<i>Barbosella reichenbachiana</i> (Endres & Reichb.f.) Schltr. #4 II 64 ORCHIDACEAE
	<b>Barbrodria</b> spp. Luer #4 II 64 ORCHIDACEAE

- Barkeria** spp. Knowles & Westc. #4 II 64  
ORCHIDACEAE
- Barkeria barkeriola* Rchb.f. 1884 #4 II 64 ORCHIDACEAE
- Barkeria chinensis chinensis* (Lindl.) Lindl. ex Rchb.f.  
1882 = *Barkeria obovata* (Presley) Christenson 1988
- Barkeria chinensis* (Lindl.) Thien 1966 = *Barkeria obovata* (Presley) Christenson 1988
- Barkeria chinensis naevosa* (Lindl.) Thien = *Barkeria naevosa* (Lindl.) Schltr.
- Barkeria chinensis palmeri* (Rolle) Thien 197 = *Barkeria palmeri* (Rolle) Schltr. 1918
- Barkeria cyclotella* Rchb.f. = *Barkeria scandens* (La Llave & Lex.) Dressler & Halb.
- Barkeria dorotheae* Halb. 1976 #4 II 64 ORCHIDACEAE
- Barkeria elegans* Knowles & Westc. 1838 = *Barkeria uniflora* (La Llave & Lex.) Dressler & Halb. 1977
- Barkeria fritz-halbingeriana* Soto Arenas #4 II 64  
ORCHIDACEAE
- Barkeria halbingeri* Thien = *Barkeria melanocaulon* A.Rich. & Galeotti
- Barkeria lindleyana* Bateman ex Lindl. 1842 #4 II 64  
ORCHIDACEAE
- Barkeria lindleyana cyclotella* (Rchb.f.) Thien = *Barkeria scandens* (La Llave & Lex.) Dressler & Halb.
- Barkeria lindleyana spectabilis* (Bateman ex Lindl.) Thien = *Barkeria spectabilis* Bateman ex Lindl. 1842
- Barkeria melanocaulon* A.Rich. & Galeotti #4 II 64  
ORCHIDACEAE
- Barkeria naevosa* (Lindl.) Schltr. #4 II 64 ORCHIDACEAE
- Barkeria naevosa strophinx* (Rchb.f.) Halb. = *Barkeria strophinx* (Reichb.f.) Halbinger
- Barkeria obovata* (Presley) Christenson 1988 #4 II 64  
ORCHIDACEAE
- Barkeria palmeri* (Rolle) Schltr. 1918 #4 II 64  
ORCHIDACEAE
- Barkeria scandens* (La Llave & Lex.) Dressler & Halb. #4 II 64 ORCHIDACEAE
- Barkeria shoemakeri* Halb. #4 II 64 ORCHIDACEAE
- Barkeria skinneri* (Bateman ex Lindl.) Paxton #4 II 64  
ORCHIDACEAE
- Barkeria spectabilis* Bateman ex Lindl. 1842 #4 II 64  
ORCHIDACEAE
- Barkeria strophinx* (Reichb.f.) Halbinger #4 II 64  
ORCHIDACEAE
- Barkeria uniflora* (La Llave & Lex.) Dressler & Halb. 1977 #4 II 64 ORCHIDACEAE
- Barkeria whartoniana* (C. Schweinf.) Soto Arenas #4 II 64  
ORCHIDACEAE
- Barlia** spp. Parl. #4 II 64 ORCHIDACEAE
- Barlia* spp. Schltr. #4 II 64 ORCHIDACEAE
- Barlia longibracteata* Parl. = *Barlia robertiana* (Loisel.) Greuter
- Barlia metlesicsiana* Teschner #4 II 64 ORCHIDACEAE
- Barlia robertiana* (Loisel.) Greuter #4 II 64  
ORCHIDACEAE (E) Giant Orchid (F) Orchis à longues Bractées
- Barombia gracillima* (Kraenzl.) Schltr. = *Aerangis gracillima* (Kraenzl.) J.C.Arends & J.Stewart
- Bartholina** spp. R. Br. #4 II 64 ORCHIDACEAE
- Bartholina etheliae* Bolus #4 II 64 ORCHIDACEAE
- Bartschella schumannii* (Hildmann) Britton & Rose = *Mammillaria schumannii* Hildmann
- Basigyne** spp. J.J.Smith #4 II 64 ORCHIDACEAE
- Basiphylla** spp. Schlechter #4 II 64 ORCHIDACEAE
- Basiphylla angustifolia* Schlechter #4 II 64  
ORCHIDACEAE
- Basiphylla corallicola* (Small) Ames = *Basiphylla angustifolia* Schlechter
- Baskerville** spp. Lindl. #4 II 64 ORCHIDACEAE
- Batemannia** spp. Lindl. #4 II 64 ORCHIDACEAE
- Batemannia apiculata* Rchb.f. 1877 = *Huntleya apiculata* (Rchb.f.) Schltr. 1920
- Batemannia burtii* Endres & Rchb.f. 1872 = *Huntleya burtii* (Endres & Rchb.f.) Pfitzer 1889
- Batemannia gustavi* Rchb.f. 1877 = *Huntleya gustavi* (Rchb.f.) Rolfe 1916
- Batemannia meleagris* (Lindl.) Rchb.f. 1855 = *Huntleya meleagris* Lindl. 1837
- Batemannia wallisii* Rchb.f. 1880 = *Huntleya wallisii* (Reichb.f.) Rolfe 1916
- Beadlea* spp. Small #4 II 64 ORCHIDACEAE
- Beadlea saccata* (A. Rich. & Galeotti) Garay #4 II 64  
ORCHIDACEAE
- Bear-grass, Dehesa (E): *Nolina interrata*
- Bear-grass, San Diego (E): *Nolina interrata*
- Beccariophoenix madagascariensis* Jum. & H. Perrier #4 II PALMACE
- Beclardia** spp. A. Rich. #4 II 64 ORCHIDACEAE
- Beclardia macrostachya* (Thouars) A.Rich #4 II 64  
ORCHIDACEAE
- Beloglottis** spp. Schlechter #4 II 64 ORCHIDACEAE
- Beloglottis ecallosa* (Ames & C. Schweinf.) Hamer & Garay #4 II 64 ORCHIDACEAE
- Beloglottis laxispica* Catling #4 II 64 ORCHIDACEAE
- Belonites bispinosa* (L.f.) E.Mey 1837 = *Pachypodium bispinosum* (L.) A.DC 1844
- Belonites succulenta* (L.f.) E.Mey 1837 = *Pachypodium succulentum* (L.f.) Sweet 1830
- Benthamia** spp. A.Rich #4 II 64 ORCHIDACEAE
- Benzingia** spp. Dodson #4 II 64 ORCHIDACEAE
- Bergerocactus** spp. Britton & Rose #4 II 49  
CACTACEAE
- Bergerocactus emoryi* (Engelmann) Britton & Rose #4 II 49 CACTACEAE (E) Golden-spine Cereus
- Berry, Red (E): *Panax quinquefolius*
- Bicchia albida* (L.) Parl. = *Pseudorchis albida* (L.) A.Löve & D.Löve
- Biermannia** spp. King & Pantling #4 II 64  
ORCHIDACEAE
- Biermannia jainiana* S.N. Hegde & A. Nageswara Rao #4 II 64 ORCHIDACEAE
- Biermannia laciniata* Carr (Garay) #4 II 64  
ORCHIDACEAE
- Biermannia sarcanthoides* (Ridl.) Garay #4 II 64  
ORCHIDACEAE
- Biermannia sigaldii* Seidenf. #4 II 64 ORCHIDACEAE
- Bifrenaria** spp. Lindl. #4 II 64 ORCHIDACEAE

- Bifrenaria atropurpurea* (Lodd.) Lindl. (1833) #4 II 64  
ORCHIDACEAE
- Bifrenaria aurantiaca* Lindl. 1836 = *Rudolfiella aurantiaca* (Lindl.) Hoehne
- Bifrenaria aurantiaca* Williams \_non\_ Lindl. (1894) = *Bifrenaria inodora* Lindl. (1843)
- Bifrenaria aurea* Barb.Rodr. (1882) #4 II 64  
ORCHIDACEAE
- Bifrenaria aureofulva* Lindl. (1843) = *Bifrenaria secunda* (Hoehne) Pabst 1967
- Bifrenaria barbosae* (Barb.Rodr.) V.P.Castro (1998) = *Bifrenaria calcarata* Barb.Rodr. 1882
- Bifrenaria bella* Lem. 1853 = *Coelia bella* (Lem.) Rchb.f. (1861)
- Bifrenaria bicornaria* Rchb.f. = *Rudolfiella bicornaria* (Rchb.f.) Hoehne
- Bifrenaria calcarata* Barb.Rodr. 1882 #4 II 64  
ORCHIDACEAE
- Bifrenaria calcarata* (Vell.) V.P.Castro (1996) = *Cydoniorchis tetragona* (Lindl.) Senghas (1994)
- Bifrenaria charlesworthii* Rolfe #4 II 64 ORCHIDACEAE
- Bifrenaria clavigera* Rchb.f. (1865) #4 II 64  
ORCHIDACEAE
- Bifrenaria floribunda* (Schltr.) C.Schweinf. = *Rudolfiella floribunda* (Schltr.) Hoehne
- Bifrenaria fragrans* Barb.Rodr. (1882) = *Bifrenaria inodora* Lindl. (1843)
- Bifrenaria fuerstenbergiana* Schltr. (1906) = *Bifrenaria inodora* Lindl. (1843)
- Bifrenaria grandis* (Kraenzl.) Garay 1958 #4 II 64  
ORCHIDACEAE
- Bifrenaria hadwenii* Lindl. = *Scuticaria hadwenii* (Lindl.) Planch
- Bifrenaria harrisoniae* (Hook.) Rchb.f. (1854) #4 II 64  
ORCHIDACEAE
- Bifrenaria inodora* Lindl. (1843) #4 II 64 ORCHIDACEAE
- Bifrenaria leucorrhoda* Rchb.f. (1859) #4 II 64  
ORCHIDACEAE
- Bifrenaria longicornis* Lindl. (1855) #4 II 64  
ORCHIDACEAE
- Bifrenaria magnicalcarata* (Hoehne) Pabst (1976) = *Bifrenaria tyrianthina* (Lodd. ex Loudon) Rchb.f. (1858)
- Bifrenaria maguirei* C.Schweinf. #4 II 64 ORCHIDACEAE
- Bifrenaria melanopoda* Klotzsch (1855) #4 II 64  
ORCHIDACEAE
- Bifrenaria mellicolor* Rchb.f. (1878) #4 II 64  
ORCHIDACEAE
- Bifrenaria minuta* Garay = *Hylaeorchis petiolaris* (Schltr.) G.Carnevali & G.A.Romero
- Bifrenaria parvula* (Hook.) Rchb.f. 1862 #4 II 64  
ORCHIDACEAE
- Bifrenaria petiolaris* (Schltr.) G.A.Romero & Carnevali = *Hylaeorchis petiolaris* (Schltr.) G.Carnevali & G.A.Romero
- Bifrenaria pickiana* Schltr. = *Teuscheria pickiana* (Schltr.) Garay
- Bifrenaria picta* (Schltr.) C.Schweinf. = *Rudolfiella picta* (Schltr.) Hoehne
- Bifrenaria racemosa* (Hook.) Lindl. (1843) #4 II 64  
ORCHIDACEAE
- Bifrenaria rudolfii* Carnevali & G.A.Romero = *Hylaeorchis petiolaris* (Schltr.) G.Carnevali & G.A.Romero
- Bifrenaria sabulosa* Barb.Rodr. (1877) = *Bifrenaria longicornis* Lindl. (1855)
- Bifrenaria saxicola* (Schltr.) C.Schweinf. 1944 = *Rudolfiella floribunda* (Schltr.) Hoehne
- Bifrenaria secunda* (Hoehne) Pabst 1967 #4 II 64  
ORCHIDACEAE
- Bifrenaria silvana* V.P.Castro (1991) #4 II 64  
ORCHIDACEAE
- Bifrenaria stefanae* V.P.Castro 1991 #4 II 64  
ORCHIDACEAE
- Bifrenaria steyermarkii* (Foldats) Garay & Dunsterv. 1976 #4 II 64 ORCHIDACEAE
- Bifrenaria tetragona* (Lindl.) Schltr. (1914) = *Cydoniorchis tetragona* (Lindl.) Senghas (1994)
- Bifrenaria tetragona* var. *rupicola* Hoehne = *Cydoniorchis tetragona* (Lindl.) Senghas (1994)
- Bifrenaria tetragona* var. *umbrophila* Hoehne = *Cydoniorchis tetragona* (Lindl.) Senghas (1994)
- Bifrenaria tyrianthina* (Lodd. ex Loudon) Rchb.f. (1858) #4 II 64 ORCHIDACEAE
- Bifrenaria tyrianthina* var. *magnicalcarata* Hoehne (1950) = *Bifrenaria tyrianthina* (Lodd. ex Loudon) Rchb.f. (1858)
- Bifrenaria venezuelana* C.Schweinf. 1965 #4 II 64  
ORCHIDACEAE
- Bifrenaria verboonenii* G.A.Romero & V.P.Castro (2000) #4 II 64 ORCHIDACEAE
- Bifrenaria villosula* Brade 1949 #4 II 64 ORCHIDACEAE
- Bifrenaria vitellina* (Lindl.) Lindl. (1843) #4 II 64  
ORCHIDACEAE
- Bifrenaria wageneri* Rchb.f. = *Teuscheria wageneri* (Rchb.f.) Garay
- Bifrenaria wendlandiana* (Kraenzl.) Cogn (1902) #4 II 64  
ORCHIDACEAE
- Bifrenaria wittigii* (Rchb.f.) Hoehne (1953) #4 II 64  
ORCHIDACEAE
- Binotia** spp. Rolfe #4 II 64 ORCHIDACEAE
- Bipinnula** spp. Comm. ex Juss. #4 II 64 ORCHIDACEAE
- Bipinnula biplumata* (L.) Reichenbach f. #4 II 64  
ORCHIDACEAE
- Black, Tree Fern (E): *Sphaeropteris medullaris*
- Blepharochilum macphersoni* (Rupp) M.A.Clem. & D.L.Jones = *Bulbophyllum macphersoni* Rupp
- Bletia** spp. Ruiz & Pav. #4 II 64 ORCHIDACEAE
- Bletia acaulis* (Lindl.) Rchb.f. = *Brassavola acaulis* Lindl. & Paxton
- Bletia acuminata* (Lindl.) Rchb.f. = *Laelia rubescens* Lindl.
- Bletia adenocarpa* Reichb.f. #4 II 64 ORCHIDACEAE
- Bletia albida* (Bateman ex Lindl.) Rchb.f. = *Laelia albida* Bateman ex Lindl.
- Bletia amabilis* C. Schweinf. #4 II 64 ORCHIDACEAE
- Bletia amazonica* Rchb.f. = *Brassavola martiana* Lindl.
- Bletia anceps* (Lindl.) Rchb.f. = *Laelia anceps* Lindl.
- Bletia angustata* (Lindl.) Reichb.f. = *Brassavola angustata* Lindl.

- Bletia attenuata* Rchb.f. = *Brassavola angustata* Lindl.  
*Bletia autumnalis* La Llave & Lexarza = *Laelia autumnalis* (La Llave & Lex.) Lindl.  
*Bletia boothiana* (Rchb.f.) Rchb.f. = *Laelia lobata* (Lindl.) Veitch  
*Bletia campanulata* Llave & Lex. #4 II 64 ORCHIDACEAE  
*Bletia catenulata* R. & P. #4 II 64 ORCHIDACEAE  
*Bletia caulescens* (Lindl.) Rchb.f. = *Laelia caulescens* Lindl.  
*Bletia cebolleta* Rchb.f. = *Brassavola cebolleta* Rchb.f.  
*Bletia cinnabarinia* (Bateman ex Lindl.) Rchb.f. = *Laelia cinnabarinia* Bateman ex Lindl.  
*Bletia coccinea* Llave & Lex. #4 II 64 ORCHIDACEAE  
*Bletia cordata* (Lindl.) Rchb.f. = *Brassavola cordata* Lindl.  
*Bletia crispa* (Lindl.) Rchb.f. = *Laelia crispa* (Lindl.) Rchb.f.  
*Bletia crispilabia* Rchb.f. = *Laelia crispilabia* (A.Rich. ex Rchb.f.) Warner  
*Bletia crispina* Rchb.f. 1861 = *Schomburgkia crispia* Lindl.  
*Bletia cucullata* (L.) Rchb.f. = *Brassavola cucullata* (L.) R. Br  
*Bletia digbyana* (Lindl.) Rchb.f. 1862 = *Rhyncholaelia digbyana* (Lindl.) Schltr. (1918)  
*Bletia domingensis* (Lindl.) Rchb.f. 1861 = *Broughtonia domingensis* (Lindl.) Rolfe 1889  
*Bletia elegans* (C.Morren) Rchb.f. = *Laelia elegans* (C.Morren) Rchb.f.  
*Bletia ensifolia* L.O. Williams #4 II 64 ORCHIDACEAE  
*Bletia ensiformis* Ruiz & Pavon = *Encyclia ensiformis* (Ruiz & Pavon) Mansf.  
*Bletia ensiformis* Ruiz & Pavon = *Encyclia cyperifolia* (C.Sweinf.) Carnevali & Ramírez  
*Bletia excelsa* Bradford 1846 = *Schomburgkia undulata* Lindl. 1844  
*Bletia flabellata* Rchb.f. = *Laelia xanthina* Lindl.  
*Bletia flava* (Lindl.) Rchb.f. = *Laelia flava* Lindl.  
*Bletia florida* (Salisb.) R.Br. #4 II 64 ORCHIDACEAE  
*Bletia formosana* Hayata = *Bletilla formosana* (Hayata) Schltr.  
*Bletia furfuracea* (Lindl.) Rchb.f. = *Laelia furfuracea* Lindl.  
*Bletia gebina* Lindl. = *Bletilla striata* (Thunb. ex A.Murray) Rchb.f.  
*Bletia glauca* (Lindl.) Rchb.f. = *Rhyncholaelia glauca* (Lindl.) Schltr. (1918)  
*Bletia gloriosa* (Rchb.f.) Rchb.f. 1861 = *Schomburgkia crispa* Lindl.  
*Bletia gracilis* Lodd. #4 II 64 ORCHIDACEAE  
*Bletia grandiflora* La Llave & Lexarza = *Laelia speciosa* (Kunth) Schltr.  
*Bletia grandis* (Lindl. & Paxton) Rchb.f. = *Laelia grandis* Lindl. & Paxton  
*Bletia greenmaniana* L.O. Williams #4 II 64 ORCHIDACEAE  
*Bletia harpophylla* (Rchb.f.) Rchb.f. = *Laelia harpophylla* Rchb.f.  
*Bletia humboldtii* (Rchb.f.) Rchb.f. 1861 = *Myrmecophila humboldtii* (Rchb.f.) Rolfe 1917  
*Bletia hyacinthina* (Sm.) R.Br. = *Bletilla striata* (Thunb. ex A.Murray) Rchb.f.  
*Bletia jongheana* Rchb.f. = *Laelia jongheana* Rchb.f.
- Bletia kotoensis* Hayata = *Bletilla formosana* (Hayata) Schltr.  
*Bletia lepidissima* Rchb.f. 1889 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917  
*Bletia lineata* (Hook) Rchb.f. = *Brassavola acaulis* Lindl. & Paxton  
*Bletia lobata* (Lindl.) Rchb.f. = *Laelia lobata* (Lindl.) Veitch  
*Bletia longipes* Rchb.f. = *Laelia longipes* Rchb.f.  
*Bletia lucasiana* (Rolfe) Rchb.f. = *Laelia lucasiana* Rolfe  
*Bletia lundii* Rchb.f. & Warm. = *Laelia lundii* Rchb.f. ex Withner  
*Bletia lyonsii* (Lindl.) Rchb.f. 1861 = *Schomburgkia lyonsii* Lindl. 1853  
*Bletia macristhmochila* Greenman #4 II 64 ORCHIDACEAE  
*Bletia marginata* (Lindl.) Rchb.f. = *Schomburgkia marginata* Lindl. 1838  
*Bletia masuca* D.Don = *Calanthe sylvatica* (Thouars) Lindl.  
*Bletia montana* (Sw.) Rchb.f. 1862 = *Dilomilis montana* (Sw.) Summerh. 1961  
*Bletia morrisonicola* Hayata = *Bletilla formosana* (Hayata) Schltr.  
*Bletia nelsonii* Ames #4 II 64 ORCHIDACEAE  
*Bletia nipponica* Franch. & Sav. = *Cymbidium macrorhizon* Lindl.  
*Bletia nodosa* (L.) Rchb.f. = *Brassavola nodosa* (L.) Lindley  
*Bletia ortgiesiana* Rchb.f. 1860 = *Cattleyopsis ortgiesiana* (Rchb.f.) Cogn. 1910  
*Bletia parkinsonii* Hook. #4 II 64 ORCHIDACEAE  
*Bletia peduncularis* (Lindl.) Rchb.f. = *Laelia rubescens* Lindl.  
*Bletia perrinii* (Lindl.) Rchb.f. = *Brassavola perrinii* Lindl.  
*Bletia praestans* (Rchb.f.) Rchb.f. = *Laelia spectabilis* (Paxton) Withner  
*Bletia pumila* (Hook.) Rchb.f. = *Laelia pumila* (Hook.) Rchb.f.  
*Bletia pumilio* (Rchb.f.) Rchb.f. 1862 = *Homalopetalum pumilio* (Rchb.f.) Schltr. 1923  
*Bletia punctata* Llave & Lex. #4 II 64 ORCHIDACEAE  
*Bletia purpurata* (Lindl.) Rchb.f. = *Laelia purpurata* Lindl.  
*Bletia rosea* (Linden ex Lindl.) Rchb.f. 1861 = *Schomburgkia rosea* Linden ex Lindl. 1845  
*Bletia rubescens* (Lindl.) Rchb.f. = *Laelia rubescens* Lindl.  
*Bletia rupestris* (Lindl.) Rchb.f. = *Laelia crispata* (Thunb.) Garay  
*Bletia sylvatica* (Thouars) Spreng. = *Calanthe sylvatica* (Thouars) Lindl.  
*Bletia speciosa* Kunth = *Laelia speciosa* (Kunth) Schltr.  
*Bletia striata* (Thunb. ex A. Murray) Druce = *Bletilla striata* (Thunb. ex A.Murray) Rchb.f.  
*Bletia superbiens* (Lindl.) Rchb.f. 1862 = *Schomburgkia superbiens* (Lindl.) Rolfe 1917  
*Bletia tenuifolia* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Bletia thomsonia* (Rchb.f.) Rchb.f. 1887 = *Myrmecophila thomsoniana* (Rchb.f.) Rolfe 1917  
*Bletia tibicinis* (Bateman ex Lindl.) Rchb.f. 1863 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917

<i>Bletia undulata</i> Rchb.f. 1862 = <i>Schomburgkia undulata</i> Lindl. 1844	Bois d'Aigle (F): <i>Aquilaria malaccensis</i>
<i>Bletia urbana</i> Dressler #4 II 64 ORCHIDACEAE	Bois d'aigle de Malacca (F): <i>Aquilaria malaccensis</i>
<i>Bletia venosa</i> (Lindl.) Rchb.f. = <i>Brassavola venosa</i> Lindl.	Bois d'Alerce (F): <i>Fitzroya cupressoides</i>
<i>Bletia violacea</i> (Rchb.f.) Rchb.f. = <i>Laelia rubescens</i> Lindl.	Bois d'Aloes (F): <i>Aquilaria malaccensis</i>
<i>Bletia wallisii</i> Rchb.f. 1877 = <i>Schomburgkia wallisii</i> Rchb.f. 1877	Bois de Gaïac (F): <i>Guaiacum sanctum</i>
<i>Bletia wendlandii</i> Rchb.f. (1862) = <i>Myrmecophila wendlandii</i> (Rchb.f.) G.C.Kenn (1979)	Bois de Gaïac (F): <i>Guaiacum officinale</i>
<i>Bletia xanthina</i> (Lindl. ex Hook.) Rchb.f. = <i>Laelia xanthina</i> Lindl.	bois de pernambouc (F): <i>Caesalpinia echinata</i>
<b><i>Bletilla</i> spp.</b> Reichb.f. #4 II 64 ORCHIDACEAE	Bois de Rose (F): <i>Aniba rosaeodora</i>
<i>Bletilla burmanica</i> Rolfe = <i>Bletilla chartacea</i> (King & Pantl.) Tang & Wang	bois-de-rose-femelle (F): <i>Aniba rosaeodora</i>
<b><i>Bletilla chartacea</i></b> (King & Pantl.) Tang & Wang #4 II 64 ORCHIDACEAE	Bois de saint (F): <i>Guaiacum officinale</i>
<i>Bletilla chinensis</i> Schltr. = <i>Bletilla sinensis</i> (Rolfe) Schltr.	Bois de Santal Rouge (F): <i>Pterocarpus santalinus</i>
<i>Bletilla cotonensis</i> Schltr. = <i>Bletilla formosana</i> (Hayata) Schltr.	Bois de vie (F): <i>Guaiacum officinale</i>
<b><i>Bletilla foliosa</i></b> (King & Paul) Tang & F.T. Wang #4 II 64 ORCHIDACEAE	<i>Bolbophyllum aristata</i> Rchb.f. = <i>Bulbophyllum aristatum</i> (Rchb.f.) Hemsl.
<b><i>Bletilla formosana</i></b> (Hayata) Schltr. #4 II 64 ORCHIDACEAE	<i>Bolbophyllum biseta</i> (Lindl.) Rchb.f. = <i>Bulbophyllum bisetum</i> Lindl.
<i>Bletilla gebina</i> (Lindl.) Rchb.f. = <i>Bletilla striata</i> (Thunb. ex A.Murray) Rchb.f.	<i>Bolbophyllum bracteolata</i> (Lindl.) Rchb.f. = <i>Bulbophyllum bracteolatum</i> Lindl.
<i>Bletilla hyacinthina</i> (Sm.) Rchb.f. = <i>Bletilla striata</i> (Thunb. ex A.Murray) Rchb.f.	<i>Bolbophyllum clavata</i> S.Moore = <i>Bulbophyllum clavatum</i> Thouars
<i>Bletilla japonica</i> (A.Gray) Schltr. = <i>Eleorchis japonica</i> (A.Gray) F. Maek.	<i>Bolbophyllum oerstedii</i> Rchb.f. = <i>Bulbophyllum oerstedii</i> (Reichb.f.) Hemsl.
<i>Bletilla kotoensis</i> (Hayata) Schltr. = <i>Bletilla formosana</i> (Hayata) Schltr.	<i>Bolbophyllum pachyrhachis</i> (A. Rich.) Rchb.f. = <i>Bulbophyllum pachyrachis</i> (A. Rich.) Griseb.
<i>Bletilla morrisinicola</i> (Hayata) Schltr. = <i>Bletilla formosana</i> (Hayata) Schltr.	<i>Bolbophyllum sordida</i> (Lindl.) Rchb.f. = <i>Bulbophyllum sordidum</i> Lindl.
<i>Bletilla morrisonensis</i> (Hayata) Schltr. = <i>Bletilla formosana</i> (Hayata) Schltr.	<i>Bolivicereus brevicaulis</i> Ritter = <i>Cleistocactus samaipatanus</i> (Cardenas) Hunt
<b><i>Bletilla ochracea</i></b> Schltr. #4 II 64 ORCHIDACEAE	<i>Bolivicereus croceus</i> Ritter = <i>Cleistocactus samaipatanus</i> (Cardenas) Hunt
<i>Bletilla scopulorum</i> (W.W.Sm.) Schltr. = <i>Pleione scopulorum</i> W.W.Smith	<i>Bolivicereus pisacensis</i> Knize = <i>Corryocactus erectus</i> (Backeberg) Ritter
<b><i>Bletilla sinensis</i></b> (Rolfe) Schltr. #4 II 64 ORCHIDACEAE	<i>Bolivicereus rufus</i> Ritter = <i>Cleistocactus samaipatanus</i> (Cardenas) Hunt
<b><i>Bletilla striata</i></b> (Thunb. ex A.Murray) Rchb.f. #4 II 64 ORCHIDACEAE (E) Baiji, Bletilla Tuber, Purple Ground Orchid (S) Baiji (F) Baiji	<i>Bolivicereus samaipatanus</i> Cardenas = <i>Cleistocactus samaipatanus</i> (Cardenas) Hunt
<i>Bletilla szetschuanica</i> Schltr. ex Limpr. = <i>Bletilla formosana</i> (Hayata) Schltr.	<i>Bolivicereus serpens</i> (Kunth) Backeberg = <i>Cleistocactus serpens</i> (Kunth) Weber ex Roland-Gosselin
<i>Bletilla yuannanensis</i> Schltr. ex Limpr. = <i>Bletilla formosana</i> (Hayata) Schltr.	<i>Bolivicereus soukupii</i> Knize = <i>Corryocactus erectus</i> (Backeberg) Ritter
<b><i>Blossfeldia</i> spp.</b> Werderm. #4 II 49 CACTACEAE	<i>Bolivicereus tenuiserpens</i> (Rauh & Backeberg) Backeberg = <i>Cleistocactus tenuiserpens</i> Rauh & Backeberg
<i>Blossfeldia atroviridis</i> Ritter = <i>Blossfeldia liliputana</i> Werdermann	<b><i>Bollea</i> spp.</b> Reichb.f. #4 II 64 ORCHIDACEAE
<i>Blossfeldia campaniflora</i> Backeberg = <i>Blossfeldia liliputana</i> Werdermann	<i>Bollea hirtzii</i> Waldvogel #4 II 64 ORCHIDACEAE
<i>Blossfeldia fechseri</i> Backeberg = <i>Blossfeldia liliputana</i> Werdermann	<i>Bollea lawrenciana</i> Rchb.f. #4 II 64 ORCHIDACEAE
<b><i>Blossfeldia liliputana</i></b> Werdermann #4 II 49 CACTACEAE	<i>Bollea violacea</i> (Lindl.) Rchb.f. 1852 #4 II 64 ORCHIDACEAE
<i>Blossfeldia minima</i> Ritter = <i>Blossfeldia liliputana</i> Werdermann	<i>Bollea wendlandiana</i> hort. Sand. 1888 = <i>Cochleanthes aromaticata</i> (Rchb.f.) Schult. & Garay
<i>Blossfeldia pedicellata</i> Ritter = <i>Blossfeldia liliputana</i> Werdermann	<b><i>Bolusiella</i> spp.</b> Schlechter #4 II 64 ORCHIDACEAE
<b><i>Bogoria</i> spp.</b> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Bolusiella maudiae</i> (Bolus) Schltr. #4 II 64 ORCHIDACEAE
<i>Bogoria raciborskii</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Bolusiella talbotii</i> #4 II 64 ORCHIDACEAE
	<i>Bolusiella zenkeri</i> #4 II 64 ORCHIDACEAE
	<b><i>Bonatea</i> spp.</b> Willd. #4 II 64 ORCHIDACEAE
	<i>Bonatea lamprophylla</i> J.L.Stewart #4 II 64 ORCHIDACEAE
	<i>Bonatea pulchella</i> Summerh. #4 II 64 ORCHIDACEAE

- Bonatea saundersiae* (Harv.) T.Durand & Schinz #4 II 64  
ORCHIDACEAE
- Bonatea volkensiana* (Kraenzlin) Rolfe #4 II 64  
ORCHIDACEAE
- Bonniera* spp.** Cordemoy #4 II 64 ORCHIDACEAE
- Bonniera appendiculata* #4 II 64 ORCHIDACEAE
- Borzicactus aequatorialis* Backeberg = *Cleistocactus sepium* (Kunth) Weber ex Roland-Gosselin
- Borzicactus aurivillus* (Schumann) Britton & Rose = *Cleistocactus icosagonus* (Kunth) Weber ex Roland-Gosselin
- Borzicactus celsianus* (Lemaire ex Salm-dyck) Kimnach = *Oreocereus celsianus* (Salm-Dyck) Riccobono
- Borzicactus decumbens* (Vaupel) Britton & Rose = *Haageocereus decumbens* (Vaupel) Backeberg
- Borzicactus doelzianus* (Backeberg) Kimnach = *Oreocereus doelzianus* (Backeberg) Borg
- Borzicactus formosus* (Ritter) Donald = *Matucana formosa* Ritter
- Borzicactus fossulatus* (Labouret) Kimnach = *Oreocereus celsianus* (Salm-Dyck) Riccobono
- Borzicactus fruticosus* (Ritter) Donald = *Matucana fruticosa* Ritter
- Borzicactus hendriksenianus* (Backeberg) Kimnach = *Oreocereus leucotrichus* (Philippi) Wagenknecht
- Borzicactus huagalensis* Donald & Lau = *Matucana huagalensis* (Donald & Lau) Bregman et Al.
- Borzicactus icosagonus* (Kunth) Britton & Rose = *Cleistocactus icosagonus* (Kunth) Weber ex Roland-Gosselin
- Borzicactus intertextus* (Ritter) Donald = *Matucana intertexta* Ritter
- Borzicactus krahni* Donald = *Matucana krahni* (Donald) Bregman
- Borzicactus leucotrichus* (Philippi) Kimnach = *Oreocereus leucotrichus* (Philippi) Wagenknecht
- Borzicactus madisoniorum* Hutchison = *Matucana madisoniorum* (Hutchinson) Rowley
- Borzicactus mirabilis* (Buining) Donald = *Cleistocanna mirabilis* (Buining) Hunt
- Borzicactus morleyanus* Britton & Rose = *Cleistocactus sepium* (Kunth) Weber ex Roland-Gosselin
- Borzicactus neoroezlii* Ritter = *Cleistocactus neoroezlii* (Ritter) Buxbaum
- Borzicactus oreodoxus* (Ritter) Donald = *Matucana oreodoxa* (Ritter) Slaba
- Borzicactus paucicostatus* (Ritter) Donald = *Matucana paucicostata* Ritter
- Borzicactus pisacensis* (Knize) Rowley = *Corryocactus erectus* (Backeberg) Ritter
- Borzicactus plagiostoma* (Vaupel) Britton & Rose = *Cleistocactus plagiostoma* (Vaupel) Hunt
- Borzicactus psuedothelegonus* (Rauh & Backeberg) Rauh & Backeberg = *Cleistocactus serpens* (Kunth) Weber ex Roland-Gosselin
- Borzicactus purpureus* Ritter = *Cleistocactus plagiostoma* (Vaupel) Hunt
- Borzicactus ritteri* (Buining) Donald = *Matucana ritteri* Buining
- Borzicactus samaipatanus* (Cardenas) Kimnach = *Cleistocactus samaipatanus* (Cardenas) Hunt
- Borzicactus sepium* (Kunth) Britton & Rose = *Cleistocactus sepium* (Kunth) Weber ex Roland-Gosselin
- Borzicactus serpens* (Kunth) Kimnach = *Cleistocactus serpens* (Kunth) Weber ex Roland-Gosselin
- Borzicactus sextonianus* (Backeberg) Kimnach = *Cleistocactus sextonianus* (Backeberg) Hunt
- Borzicactus soukupii* (Knize) Rowley = *Corryocactus erectus* (Backeberg) Ritter
- Borzicactus sulcifer* (Rauh & Backeberg) Kimnach = *Cleistocactus serpens* (Kunth) Weber ex Roland-Gosselin
- Borzicactus tenuiserpens* (Rauh & Backeberg) Kimnach = *Cleistocactus tenuiserpens* Rauh & Backeberg
- Borzicactus trollii* (Kupper) Kimnach = *Oreocereus trollii* (Kupper) Backeberg
- Borzicactus tuberculatus* Donald = *Matucana tuberculata* (Donald) Bregman et al.
- Borzicactus ventimigliae* Riccobono = *Cleistocactus sepium* (Kunth) Weber ex Roland-Gosselin
- Borzicactus weberbaueri* (Vaupel) Donald = *Matucana weberbaueri* (Vaupel) Backeberg
- Borzicactus websterianus* Backeberg = *Cleistocactus sepium* (Kunth) Weber ex Roland-Gosselin
- Bothriochilus* spp.** Lem. #4 II 64 ORCHIDACEAE
- Bothriochilus bellus* (Lem.) Lem. (1856) = *Coelia bella* (Lem.) Rchb.f. (1861)
- Bothriochilus densiflorus* (Rolfe) Ames & Correll (1942) #4 II 64 ORCHIDACEAE
- Bothriochilus guatemalensis* (Rchb.f.) L.O.Williams 1940 #4 II 64 ORCHIDACEAE
- Bothriochilus macrostachyus* (Lindl.) L.O.Williams 1940 #4 II 64 ORCHIDACEAE
- Bowenia* spp.** Hook. #4 II STANGERIACEAE
- Bowenia serrulata*** (W.Bull) Chamb. #4 II STANGERIACEAE
- Bowenia spectabilis*** Hook. ex Hook.f. #4 II STANGERIACEAE
- Bowiea africana* Haw. = *Aloe bowiea* Schult. & Schult.f.
- Bowiea myriacantha* Haw = *Aloe myriacantha* (Haw.) Schult.& Schult
- Brachionidium* spp.** Lindl. #4 II 64 ORCHIDACEAE
- Brachionidium ballatrix* Luer & Hirtz #4 II 64 ORCHIDACEAE
- Brachionidium ciliolatum* Garay #4 II 64 ORCHIDACEAE
- Brachionidium folsomii* Luer #4 II 64 ORCHIDACEAE
- Brachionidium kuhnianum* Luer #4 II 64 ORCHIDACEAE
- Brachionidium operosum* Luer & Hirtz #4 II 64 ORCHIDACEAE
- Brachionidium parvifolium* (Lindl.) Lindl. #4 II 64 ORCHIDACEAE
- Brachionidium pteroglossum* Luer #4 II 64 ORCHIDACEAE
- Brachionidium pusillum* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE
- Brachionidium sherringii* Rolfe #4 II 64 ORCHIDACEAE
- Brachionidium simplex* Garay #4 II 64 ORCHIDACEAE

- Brachionidium uxorioides* Luer & Vásquez #4 II 64  
ORCHIDACEAE
- Brachionidium zunagense* Luer & Hirtz #4 II 64  
ORCHIDACEAE
- Brachitia*** spp. Reichb.f. #4 II 64 ORCHIDACEAE
- Brachycereus*** spp. Britton & Rose #4 II 49 CACTACEAE
- Brachycereus nesioticus*** (Schumann ex Robinson) Backeberg #4 II 49 CACTACEAE
- Brachycorythis*** spp. Lindl. #4 II 64 ORCHIDACEAE
- Brachycorythis basifoliata* Summerh. #4 II 64  
ORCHIDACEAE
- Brachycorythis conica* (Summerh.) Summerh. #4 II 64  
ORCHIDACEAE
- Brachycorythis galeandra* (Rchb. f.) Summ. #4 II 64  
ORCHIDACEAE (E) Little Big-lip Orchid
- Brachycorythis macowaniana* Rchb.f. #4 II 64  
ORCHIDACEAE
- Brachycorythis mixta* Summerh. #4 II 64 ORCHIDACEAE
- Brachypeza*** spp. Schltr. ex Garay #4 II 64  
ORCHIDACEAE
- Brachypeza archytas* (Ridley) Garay #4 II 64  
ORCHIDACEAE
- Brachypeza zamboangensis* (Ames) Garay #4 II 64  
ORCHIDACEAE
- Brachystele*** spp. Schlechter #4 II 64 ORCHIDACEAE
- Brachystele affinis* (C. Schweinf.) Balogh & Gonzalez #4 II 64 ORCHIDACEAE
- Brachystele dilatata* (Lindl.) Schltr. #4 II 64  
ORCHIDACEAE
- Brachystele polyantha* (Reichb.f.) Balogh #4 II 64  
ORCHIDACEAE
- Brachystele tenuissima* (L.O. Williams) Burns-Balogh #4 II 64 ORCHIDACEAE
- Brachythalamus podocarpus* Gilg = *Gyrinops podocarpus* (Gilg.) Domke
- Brachythalamus versteegii* Gilg = *Gyrinops versteegii* (Gilg.) Domke
- Bracisepalum*** spp. J.J. Smith #4 II 64 ORCHIDACEAE  
brasil (S): *Caesalpinia echinata*
- Basilicereus*** spp. Backeb. #4 II 49 CACTACEAE
- Basilicereus breviflorus* Ritter = *Basilicereus phaeacanthus* (Guerke) Backeberg
- Basilicereus markgrafii*** Backeberg & Voll #4 II 49 CACTACEAE
- Basilicereus phaeacanthus*** (Guerke) Backeberg #4 II 49 CACTACEAE
- Basilicereus phaeacanthus breviflorus* (Ritter) Braun & Esteves Pereira = *Basilicereus phaeacanthus* (Guerke) Backeberg
- Brasiliopuntia bahiensis* (Britton & Rose) Berger = *Opuntia brasiliensis* (Willdenow) Haworth
- Brasiliopuntia brasiliensis* (Willdenow) Berger = *Opuntia brasiliensis* (Willdenow) Haworth
- Brasiliopuntia neoargentina* Backeberg = *Opuntia brasiliensis* (Willdenow) Haworth
- Brasiliopuntia schulzii* (Castellanos & Lelong) Backeberg = *Opuntia brasiliensis* (Willdenow) Haworth
- Brasiliopuntia subacarpa* Rizzini & Mattos = *Opuntia brasiliensis* (Willdenow) Haworth
- Brasiliparodia rechensis* (Buining) Ritter = *Parodia rechensis* (Buining) Brandt
- Brassavola*** spp. R. Br. #4 II 64 ORCHIDACEAE
- Brassavola acaulis*** Lindl. & Paxton #4 II 64  
ORCHIDACEAE
- Brassavola amazonica* Poepp. & Endl. = *Brassavola martiana* Lindl.
- Brassavola angustata*** Lindl. #4 II 64 ORCHIDACEAE
- Brassavola appendiculata* A.Rich. & Galeotti = *Brassavola cucullata* (L.) R. Br
- Brassavola cebolleta*** Rchb.f. #4 II 64 ORCHIDACEAE
- Brassavola chacoensis*** Kraenzl. #4 II 64  
ORCHIDACEAE
- Brassavola cordata*** Lindl. #4 II 64 ORCHIDACEAE
- Brassavola cucullata*** (L.) R. Br #4 II 64 ORCHIDACEAE
- Brassavola cuspidata* Hook = *Brassavola cucullata* (L.) R. Br
- Brassavola digbyana* Benth. = *Rhyncholaelia digbyana* (Lindl.) Schltr. (1918)
- Brassavola digbyana* Lindl. (1846) = *Rhyncholaelia digbyana* (Lindl.) Schltr. (1918)
- Brassavola duckeana* Horta = *Brassavola martiana* Lindl.
- Brassavola elegans* (Lindl.) Boldingh. = *Tetramicra canaliculata*
- Brassavola elongata* A.D.Hawkes = *Brassavola cucullata* (L.) R. Br
- Brassavola fasciculata* Pabst. = *Brassavola chacoensis* Kraenzl.
- Brassavola filifolia*** Lindl. #4 II 64 ORCHIDACEAE
- Brassavola flagellaris*** Barb.Rodr. #4 II 64  
ORCHIDACEAE
- Brassavola fragrans* Barb.Rodr. = *Brassavola gardneri* Cogn.
- Brassavola fragrans* Lem. = *Brassavola tuberculata* Hook
- Brassavola gardneri*** Cogn. #4 II 64 ORCHIDACEAE
- Brassavola gibbsiana* Hort ex Nichols = *Brassavola tuberculata* Hook
- Brassavola gillettei* H.G.Jones = *Brassavola nodosa* (L.) Lindley
- Brassavola glauca* Lindl. (1839) = *Rhyncholaelia glauca* (Lindl.) Schltr. (1918)
- Brassavola grandiflora*** Lindl. #4 II 64 ORCHIDACEAE
- Brassavola harrissii* H.G.Jones = *Brassavola cordata* Lindl.
- Brassavola lineata* Hook = *Brassavola acaulis* Lindl. & Paxton
- Brassavola martiana*** Lindl. #4 II 64 ORCHIDACEAE
- Brassavola mathieuana* Klotzsch = *Brassavola acaulis* Lindl. & Paxton
- Brassavola multiflora* Schltr. = *Brassavola martiana* Lindl.
- Brassavola nodosa*** (L.) Lindley #4 II 64 ORCHIDACEAE
- Brassavola nodosa* Hook = *Brassavola cordata* Lindl.
- Brassavola odoratissima* Regel = *Brassavola cucullata* (L.) R. Br
- Brassavola ovaliformis* C.Schweinf. sensu Withner = *Brassavola chacoensis* Kraenzl.
- Brassavola paraensis* Huber = *Brassavola martiana* Lindl.
- Brassavola perrinii*** Lindl. #4 II 64 ORCHIDACEAE
- Brassavola pescatoria* hort. ex Rchb.f. = *Epidendrum parkinsonianum* Hooker

- Brassavola pumilio* Rchb.f. 1844 = *Homalopetalum pumilio* Brassia *cowanii* Hort. ex Lindl. 1853 = *Brassia verrucosa* Lindl. 1840  
 (Rchb.f.) Schltr. 1923
- Brassavola reginae* Pabst. = *Brassavola cebolleta* Rchb.f.
- Brassavola retusa** Lindl. #4 II 64 ORCHIDACEAE
- Brassavola revoluta* Barb. Rodr. = *Brassavola tuberculata* Hook
- Brassavola revoluta senu* Withner = *Brassavola cebolleta* Rchb.f.
- Brassavola rhomboglossa* Pabst. = *Brassavola perrinii* Lindl.
- Brassavola rhopalorrhachis* Rchb.f. = *Brassavola nodosa* (L.) Lindley
- Brassavola rigida* = *Tetramicra canaliculata*
- Brassavola sauveolens* Gal ex Hemsl. = *Epidendrum parkinsonianum* Hooker
- Brassavola scaposa* Schltr. = *Brassavola nodosa* (L.) Lindley
- Brassavola sloanei* Griseb. = *Brassavola cordata* Lindl.
- Brassavola sloanei* Lindl. ex Heynh. = *Brassavola nodosa* (L.) Lindley
- Brassavola stricta* C.Kad. = *Brassavola nodosa* (L.) Lindley
- Brassavola subulifolia* Lindl. = *Brassavola cordata* Lindl.
- Brassavola surinamensis* Focke = *Brassavola angustata* Lindl.
- Brassavola tuberculata** Hook #4 II 64 ORCHIDACEAE
- Brassavola venosa** Lindl. #4 II 64 ORCHIDACEAE
- Brassavola vomeriformis* Rchb.f. ex Griseb. = *Homalopetalum vomeriforme* (Sw.) Fawc. & Rendle (1910)
- Brassia** spp. R. Br. #4 II 64 ORCHIDACEAE
- Brassia allenii* L.O. Williams ex C. Schweinf. 1948 = *Ada allenii* (C. Schweinf.) N.H. Williams
- Brassia angusta* Lindl. = *Brassia lawrenceana* Lindl. 1841
- Brassia angustilabia* Schltr. 1925 #4 II 64 ORCHIDACEAE
- Brassia antherotes* Rchb.f. 1879 #4 II 64 ORCHIDACEAE
- Brassia arachnoidea* Barb.Rodr. 1877 #4 II 64 ORCHIDACEAE
- Brassia arcuigera* Rchb.f. 1869 #4 II 64 ORCHIDACEAE
- Brassia aristata* Lindl. 1844 = *Brassia verrucosa* Lindl. 1840
- Brassia attenuata* = *Brassia chloroleuca* Barb.Rodr.
- Brassia aurorae* D.E.Benn. 1992 #4 II 64 ORCHIDACEAE
- Brassia bicolor* Rolfe 1892 = *Brassia wageneri* Rchb.f.
- Brassia bidens* Lindl. 1844 #4 II 64 ORCHIDACEAE
- Brassia boliviensis* Schltr. 1913 #4 II 64 ORCHIDACEAE
- Brassia brachiata* Lindl. 1842 = *Brassia verrucosa* Lindl. 1840
- Brassia caudata* (L.) Lindl. 1824 #4 II 64 ORCHIDACEAE (E) Cricket Orchid, Spider Orchid, Tailed Spider Orchid
- Brassia cauliformis* C.Schweinf. 1946 #4 II 64 ORCHIDACEAE
- Brassia chloroleuca* Barb.Rodr. #4 II 64 ORCHIDACEAE
- Brassia cinnamomea* Linden ex Lindl. 1854 = *Ada keiliana* (Rchb.f. ex Lindl.) N.H.Williams 1972
- Brassia clowesii* Lindl. = *Miltonia clowesii* Lindley
- Brassia cochleata* Knowles & Westc. 1838 = *Brassia lawrenceana* Lindl. 1841
- Brassia coryandra* C.Morren 1848 = *Brassia verrucosa* Lindl. 1840
- Brassia cowanii* Hort. ex Lindl. 1853 = *Brassia verrucosa* Lindl. 1840
- Brassia cryptopalma* Rchb.f. 1879 = *Brassia wageneri* Rchb.f.
- Brassia cyrtopetala* Schltr. 1912 #4 II 64 ORCHIDACEAE
- Brassia elegantula* Rchb.f. 1885 #4 II 64 ORCHIDACEAE
- Brassia escobariana* Garay 1973 #4 II 64 ORCHIDACEAE
- Brassia euodes* Rchb.f. = *Ada elegantula* (Rchb.f.) N.H.Williams 1972
- Brassia filomenoi* Schltr. 1921 #4 II 64 ORCHIDACEAE
- Brassia forgetiana* Hort. ex Gard 1910 = *Brassia lanceana* Lindl. 1836
- Brassia gireoudiana* Rchb.f. & Warsc. 1854 #4 II 64 ORCHIDACEAE
- Brassia glumacea* Lindl. 1846 = *Ada glumacea* (Lindl.) N.H.Williams 1972
- Brassia guttata* Lindl. 1842 = *Brassia maculata* R. Br (1813)
- Brassia havanensis* hort. ex Lindl. 1854 = *Ada keiliana* (Rchb.f. ex Lindl.) N.H.Williams 1972
- Brassia helenae* Rchb.f. ex Linden. 1881 = *Brassia warscewiczii* Rchb.f.
- Brassia hexodontia* Rchb.f. & Warsz. 1854 = *Brassia villosa* Lindl. 1853
- Brassia hinksoniana* H.G.Jones 1974 = *Brassia arcuigera* Rchb.f. 1869
- Brassia huebneri* Schltr. 1925 #4 II 64 ORCHIDACEAE
- Brassia ignapuana* Schltr. 1925 #4 II 64 ORCHIDACEAE
- Brassia imbricata* Lindl. 1854 = *Ada glumacea* (Lindl.) N.H.Williams 1972
- Brassia jipijapensis* Dodson & N.H.Williams 1980 #4 II 64 ORCHIDACEAE
- Brassia josstiana* Rchb.f. 1854 #4 II 64 ORCHIDACEAE
- Brassia juinensis* C.Schweinf. 1945 = *Brassia koehlerorum* Schltr. 1921
- Brassia keiliana* Rchb.f. ex Lindl. 1852 = *Ada keiliana* (Rchb.f. ex Lindl.) N.H.Williams 1972
- Brassia keiliana* var. *tristis* Rchb.f. 1855 = *Ada keiliana* (Rchb.f. ex Lindl.) N.H.Williams 1972
- Brassia koehlerorum* Schltr. 1921 #4 II 64 ORCHIDACEAE
- Brassia lanceana* Lindl. 1836 #4 II 64 ORCHIDACEAE
- Brassia lawrenceana* Lindl. 1841 #4 II 64 ORCHIDACEAE
- Brassia lewisii* Rolfe 1893 = *Brassia caudata* (L.) Lindl. 1824
- Brassia linksoniana* H.G.Jones 1974 = *Brassia arcuigera* Rchb.f. 1869
- Brassia longiloba* DC. 1848 = *Brassia verrucosa* Lindl. 1840
- Brassia longissima* (Rchb.f.) Nash 1914 = *Brassia arcuigera* Rchb.f. 1869
- Brassia longissima* (Rchb.f.) Schltr 1863 = *Brassia caudata* (L.) Lindl. 1824
- Brassia longissima* (Rchb.f.) Schltr 1914 = *Brassia arcuigera* Rchb.f. 1869
- Brassia macrostachya* Lindl. 1836 = *Brassia lanceana* Lindl. 1836
- Brassia maculata* R. Br (1813) #4 II 64 ORCHIDACEAE (E) Spotted Spider Orchid

- Brassia mexicana* C.Schwient. 1950 = *Brassia signata* Rchb.f. 1881  
*Brassia neglecta* Rchb.f. 1856 #4 II 64 ORCHIDACEAE  
*Brassia oceanensis* Lindl. 1854 = *Ada oceanensis* (Lindl.) N.H.Williams 1972  
*Brassia ochraleuca* H.G.Jones = *Brassia chloroleuca* Barb.Rodr.  
*Brassia odontoglossoides* Klotzsch & H.Karst. 1847 = *Brassia verrucosa* Lindl. 1840  
*Brassia oestlundiana* L.O.Williams 1951 = *Rhynchosetele maculata* (La Llave & Lex.) Soto Arenas & Salazar 1993  
*Brassia pascoensis* D.S.Benn. & Christenson 2001 #4 II 64 ORCHIDACEAE  
*Brassia peruviana* Poepp. & Endl. 1838 #4 II 64 ORCHIDACEAE  
*Brassia pumila* Lindl. 1845 = *Brassia lanceana* Lindl. 1836  
*Brassia rhizomatosa* Garay & Dunsterv. 1965 #4 II 64 ORCHIDACEAE  
*Brassia signata* Rchb.f. 1881 #4 II 64 ORCHIDACEAE  
*Brassia spathacea* Linden & Rchb.f. 1854 = *Ada oceanensis* (Lindl.) N.H.Williams 1972  
*Brassia thyrsodes* Rchb.f. (1868) #4 II 64 ORCHIDACEAE  
*Brassia verrucosa* Lindl. 1840 #4 II 64 ORCHIDACEAE  
*Brassia villosa* Lindl. 1853 #4 II 64 ORCHIDACEAE  
*Brassia wageneri* Rchb.f. #4 II 64 ORCHIDACEAE  
*Brassia warscewiczii* Rchb.f. #4 II 64 ORCHIDACEAE  
*Brassia wrayae* Skinner ex Hook. 1843 = *Brassia maculata* R. Br (1813)  
*Briegeria* spp. Senghas #4 II 64 ORCHIDACEAE  
*Briegeria cernua* (Lindl.) Senghas #4 II 64 ORCHIDACEAE  
*Briegeria teretifolia* (Sw.) Senghas #4 II 64 ORCHIDACEAE  
**Bromheadia** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Bromheadia alticola* Ridley #4 II 64 ORCHIDACEAE  
*Bromheadia aporoidea* Rchb.f. #4 II 64 ORCHIDACEAE  
*Bromheadia brevifolia* Ridley #4 II 64 ORCHIDACEAE  
*Bromheadia finlaysoniana* Rchb.f. #4 II 64 ORCHIDACEAE  
*Bromheadia pungens* Ridley #4 II 64 ORCHIDACEAE  
*Bromheadia rupestris* Ridley #4 II 64 ORCHIDACEAE  
**Broughtonia** spp. R. Br. #4 II 64 ORCHIDACEAE  
*Broughtonia amoena* Wall. ex Lindl. = *Otochilus fuscus* Lindl.  
*Broughtonia amoena* Wall. ex Lindl. = *Cattleya aurantiaca* (Bateman ex Lindl.) P.N.Don.  
*Broughtonia aurea* Lindl. = *Otochilus fuscus* Lindl.  
*Broughtonia aurea* Lindl. = *Cattleya aurantiaca* (Bateman ex Lindl.) P.N.Don.  
*Broughtonia chinensis* = *Barkeria obovata* (Presley) Christenson 1988  
*Broughtonia coccinea* Hook. 1836 = *Broughtonia sanguinea* (Sw.) R.Br. (1813)  
*Broughtonia cubensis* (Lindl.) Cogn. 1910 = *Barkeria palmeri* (Rolle) Schltr. 1918  
*Broughtonia dominicensis* (Lindl.) Rolfe 1889 #4 II 64 ORCHIDACEAE  
*Broughtonia domingensis* Fawc. & Rendle 1910 =  
*Broughtonia negrilensis* Fowlie (1961)  
*Broughtonia fusca* (Lindl.) Wall. ex Hook.f. = *Otochilus fuscus* Lindl.  
*Broughtonia jamaicensis* Sauleda & Adams #4 II 64 ORCHIDACEAE  
*Broughtonia lilacina* Henrard 1851 = *Broughtonia dominicensis* (Lindl.) Rolfe 1889  
*Broughtonia lindenii* (Lindl.) Dressler 1966 #4 II 64 ORCHIDACEAE  
*Broughtonia linearis* Wall. ex Lindl. = *Coelogynne ovalis* Lindl.  
*Broughtonia maculata* (Kunth) Spreng. = *Zygopetalum maculatum*  
*Broughtonia negrilensis* Fowlie (1961) #4 II 64 ORCHIDACEAE  
*Broughtonia nonchinensis?* (Rchb.f.) Schltr. 1914 =  
*Barkeria obovata* (Presley) Christenson 1988  
*Broughtonia ortgiesiana* (Rchb.f.) Dressler 1966 =  
*Cattleyopsis ortgiesiana* (Rchb.f.) Cogn. 1910  
*Broughtonia pendula* Wall. ex Hook.f. = *Otochilus albus* Lindl.  
*Broughtonia pendula* Wall. ex Lindl. = *Otochilus albus* Lindl.  
*Broughtonia rosea* (Mansf.) Dressler (1966) = *Quisqueya rosea* (Maust.) Dod 1979  
*Broughtonia sanguinea* (Sw.) R.Br. (1813) #4 II 64 ORCHIDACEAE  
*Broughtonia tetragona* (Thouars) Spreng. = *Phaius tetragonos* (Thouars) Rchb.f.  
*Broughtonia violacea* S.Moore & Ayres = *Broughtonia dominicensis* (Lindl.) Rolfe 1889  
**Browningia** spp. Britton & Rose #4 II 49 CACTACEAE  
**Browningia albiceps** Ritter #4 II 49 CACTACEAE  
**Browningia altissima** (Ritter) Buxbaum #4 II 49 CACTACEAE  
**Browningia amstutziae** (Rauh & Backeberg) Hutchinson ex Krainz #4 II 49 CACTACEAE  
**Browningia caineana** (Cardenas) Hunt #4 II 49 CACTACEAE  
**Browningia candelaris** (Meyen) Britton & Rose #4 II 49 CACTACEAE  
**Browningia chlorocarpa** (Kunth) Marshall #4 II 49 CACTACEAE  
**Browningia columnaris** Ritter #4 II 49 CACTACEAE  
**Browningia hertlingiana** (Backeberg) Buxbaum #4 II 49 CACTACEAE  
*Browningia icaensis* Ritter = *Browningia candelaris* (Meyen) Britton & Rose  
**Browningia microsperma** (Werdermann & Backeberg) Marshall #4 II 49 CACTACEAE  
**Browningia pilleifera** (Ritter) Hutchinson #4 II 49 CACTACEAE  
**Browningia viridis** (Rauh & Backeberg) Buxbaum #4 II 49 CACTACEAE  
**Brownleea** spp. Harv. ex Lindl. #4 II 64 ORCHIDACEAE  
**Buchtienia** spp. Schltr. #4 II 64 ORCHIDACEAE  
*Buiningia aurea* (Ritter) Buxbaum = *Coleocephalocereus aureus* Ritter

- Buiningia brevicylindrica* Buining = *Coleocephalocereus aureus* Ritter  
*Buiningia purpurea* Buining & Brederoo =  
*Coleocephalocereus purpureus* (Buining & Brederoo)  
Ritter  
*Bulbophyllaria pentasticha* Pfitzer ex Kraenzl. =  
*Bulbophyllum pentasticha* (Pfitzer ex Kraenzl.)  
H.Perrier  
*Bulbophyllopsis maculosa* (Lindl.) Rchb.f. = *Bulbophyllum umbellatum* Lindl.  
*Bulbophyllopsis morphologorum* Rchb.f. = *Bulbophyllum umbellatum* Lindl.  
***Bulbophyllum* spp.** Thouars #4 II 64 ORCHIDACEAE  
***Bulbophyllum abbreviatum*** Rchb.f. #4 II 64  
ORCHIDACEAE  
*Bulbophyllum abbreviatum* Schltr. = *Bulbophyllum vöhii* Sieder  
***Bulbophyllum abbrevilabium*** Carr #4 II 64  
ORCHIDACEAE  
***Bulbophyllum aberrans*** Schltr. #4 II 64 ORCHIDACEAE  
***Bulbophyllum ablepharon*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum absconditum*** J.J. Smith #4 II 64  
ORCHIDACEAE  
***Bulbophyllum acanthoglossum*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum acropogon*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum acuminatifolium*** J.J.Sm. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum acuminatum*** (Ridley) Ridley #4 II 64  
ORCHIDACEAE  
*Bulbophyllum acuminatum* Schltr. = *Bulbophyllum andreeae* A.D.Hawkes  
***Bulbophyllum acutebracteatum*** De Wild. #4 II 64  
ORCHIDACEAE  
*Bulbophyllum acutibrachium* J.J.Sm. = *Bulbophyllum cylindrobulbum* Schltr.  
***Bulbophyllum acutiflorum*** A. Rich. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum acutilingue*** J.J.Sm #4 II 64  
ORCHIDACEAE  
*Bulbophyllum acutisepalum* De Wild. = *Bulbophyllum schimperianum* Kraenzl.  
***Bulbophyllum acutispicatum*** H.Perrier #4 II 64  
ORCHIDACEAE  
*Bulbophyllum acutum* J.J. Smith = *Bulbophyllum deppressum* King & Pantl.  
***Bulbophyllum adangense*** Seidenf. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum adelphidium*** J.J.Verm. #4 II 64  
ORCHIDACEAE  
*Bulbophyllum adenambon* Schltr. = *Bulbophyllum quadrangulare* J.J.Sm.  
***Bulbophyllum adenoblepharon*** Schltr. #4 II 64  
ORCHIDACEAE  
*Bulbophyllum adenocarpum* Schltr. = *Bulbophyllum lageniforme* F.M.Bailey  
*Bulbophyllum adenopetalum* Lindl. = *Bulbophyllum flavesens* (Blume) Lindley  
*Bulbophyllum adenophorum* (Schltr.) J.J.Sm. =  
*Bulbophyllum brienianum* (Rolfe) Ames  
***Bulbophyllum adiamantinum*** Brade #4 II 64  
ORCHIDACEAE  
***Bulbophyllum adjungens*** Seienf. #4 II 64  
ORCHIDACEAE  
***Bulbophyllumadolphi*** Schltr. #4 II 64 ORCHIDACEAE  
*Bulbophyllum adpressiscapum* J.J.Sm. = *Bulbophyllum ochroleucum* Schltr.  
***Bulbophyllum aechmophorum*** J.J.Verm. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum aerulum*** Schltr. #4 II 64 ORCHIDACEAE  
***Bulbophyllum aeolium*** Ames #4 II 64 ORCHIDACEAE  
***Bulbophyllum aestivale*** Ames #4 II 64 ORCHIDACEAE  
***Bulbophyllum affine*** Lindley #4 II 64 ORCHIDACEAE  
*Bulbophyllum affinoides* Guillaumin = *Bulbophyllum psittacoglossum* Rchb.f.  
*Bulbophyllum africanum* A.D.Hawkes = *Bulbophyllum nigriritianum* Rendle  
***Bulbophyllum afzelii*** Schltr. #4 II 64 ORCHIDACEAE  
***Bulbophyllum agapethoides*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum agastor*** Garay, Hamer & Siegerist #4 II 64  
ORCHIDACEAE  
*Bulbophyllum agastymalayanum* R.Gopalan & A.N.Henry  
= *Bulbophyllum xylophyllum* C.S.P.Parish & Rchb.f.  
***Bulbophyllum aggregatum*** Bosser #4 II 64  
ORCHIDACEAE  
***Bulbophyllum aithorhachis*** J.J.Verm. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum alabastraceus*** P.Royen #4 II 64  
ORCHIDACEAE  
***Bulbophyllum alagense*** Ames #4 II 64 ORCHIDACEAE  
***Bulbophyllum alatum*** J.J.Verm. #4 II 64 ORCHIDACEAE  
***Bulbophyllum albibracteatum*** Seidenf. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum albostylidium*** Seidenf. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum albidum*** (Wight) Hook.f. #4 II 64  
ORCHIDACEAE  
*Bulbophyllum albidum* De Wild. = *Bulbophyllum nigriritianum* Rendle  
***Bulbophyllum albociliatum*** (Liu & Su) Nakajima #4 II 64  
ORCHIDACEAE  
*Bulbophyllum albociliatum* (Liu & Su) Seidenf. =  
*Bulbophyllum albociliatum* (Liu & Su) Nakajima  
***Bulbophyllum albo-roseum*** Ames #4 II 64  
ORCHIDACEAE  
***Bulbophyllum album*** Jum. & H.Perrier = *Bulbophyllum humblottii* Rolfe  
***Bulbophyllum alcicorne*** C.S.P.Parish & Rchb.f. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum alexandrae*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum algidum*** Ridl. #4 II 64 ORCHIDACEAE  
***Bulbophyllum alinae*** Szlach. & Olszewski #4 II 64  
ORCHIDACEAE  
***Bulbophyllum alkmaarense*** J.J.Sm. #4 II 64  
ORCHIDACEAE

<i>Bulbophyllum alleizettei</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum andersonii</i> (Hook.f.) J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum allenkerrii</i> Seidenf. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum andersonii</i> Kurz = <i>Bulbophyllum flabellum-veneris</i> (J.Koenig) Seidenf. & Ormerod ex Aver.
<i>Bulbophyllum alliifolium</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Bulbophyllum andohahelense</i> H.Perrier #4 II 64 ORCHIDACEAE
<i>Bulbophyllum alopecurum</i> Rchb.f. = <i>Bulbophyllum triste</i> Rchb.f.	<i>Bulbophyllum andongense</i> Rchb.f. = <i>Bulbophyllum cocominum</i> Bateman ex Lindl.
<i>Bulbophyllum alsiosum</i> Ames #4 II 64 ORCHIDACEAE	<i>Bulbophyllum andreeae</i> A.D.Hawkes #4 II 64 ORCHIDACEAE
<i>Bulbophyllum alticaule</i> Ridl. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum andringitranum</i> Schltr. = <i>Bulbophyllum nutans</i> (Thouars) Thouars
<i>Bulbophyllum alticola</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum angicense</i> J.J.Sm. = <i>Bulbophyllum cylindrobulbum</i> Schltr.
<i>Bulbophyllum altispex</i> Ridl. ex Stapf. = <i>Bulbophyllum mutabile</i> (Blume) Lindley	<i>Bulbophyllum anguipes</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum alveatum</i> J.J.Verm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum angulatum</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum amanicum</i> Kraenzl. = <i>Bulbophyllum josephi</i> (Kuntze) Summerh.	<i>Bulbophyllum anguliferum</i> Ames & C.Schweinf #4 II 64 ORCHIDACEAE
<i>Bulbophyllum amauryae</i> Rendle = <i>Bulbophyllum intertextum</i> Lindley	<i>Bulbophyllum angustatifolium</i> J.J.Sm. = <i>Bulbophyllum deltoideum</i> Ames & C.Schweinf.
<i>Bulbophyllum amazonicum</i> L.O.Williams #4 II 64 ORCHIDACEAE	<i>Bulbophyllum anguste-ellipticum</i> Seidenf. = <i>Bulbophyllum nigrescens</i> Rolfe
<i>Bulbophyllum ambatoavense</i> Bosser #4 II 64 ORCHIDACEAE	<i>Bulbophyllum angusteoatum</i> Seidenf. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum amblyacron</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum angustifolium</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Bulbophyllum amblyanthum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum anisopterum</i> J.J.Verm. & P.O'Byrne #4 II 64 ORCHIDACEAE
<i>Bulbophyllum amblyoglossum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum anjozorobeense</i> Bosser #4 II 64 ORCHIDACEAE
<i>Bulbophyllum ambongense</i> Schltr. = <i>Bulbophyllum rubrum</i> Jum. & H.Perrier	<i>Bulbophyllum ankaizinense</i> (Jum. & H.Perrier) Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum ambraeae</i> H.Perrier = <i>Bulbophyllum septatum</i> Schltr.	<i>Bulbophyllum ankaratranum</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum ambrense</i> H.Perrier #4 II 64 ORCHIDACEAE	<i>Bulbophyllum ankylochele</i> J.J.Verm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum ambrosia</i> (Hance) Schltr. #4 II 64 ORCHIDACEAE (E) Ambrosia Orchid	<i>Bulbophyllum ankylorhinon</i> J.J.Verm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum amesianum</i> (Rolfe) J.J.Sm. = <i>Bulbophyllum cumingii</i> (Lindl.) Rchb.f.	<i>Bulbophyllum annamense</i> (Gary) Sieder #4 II 64 ORCHIDACEAE
<i>Bulbophyllum amoenum</i> Bosser #4 II 64 ORCHIDACEAE	<i>Bulbophyllum annamicum</i> (Finet & Gagnep.) Bân & D.H.Duong = <i>Bulbophyllum umbellatum</i> Lindl.
<i>Bulbophyllum amphorimorphum</i> H.Perrier #4 II 64 ORCHIDACEAE	<i>Bulbophyllum annandalei</i> Ridley #4 II 64 ORCHIDACEAE
<i>Bulbophyllum amplebracteatum</i> Teijsm. & Binn. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum antennatum</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum amplifolium</i> (Rolfe) Balakr. & Sud.Chowdhury #4 II 64 ORCHIDACEAE	<i>Bulbophyllum antenniferum</i> (Lindley) Reichb.f. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum amplistigmaticum</i> Kores #4 II 64 ORCHIDACEAE	<i>Bulbophyllum antenniferum</i> (Lindl) Rchb.f. = <i>Bulbophyllum geraense</i> Rchb.f.
<i>Bulbophyllum amplum</i> (Lindl.) Rchb.f. = <i>Epigeneium amplum</i> Lindl. Summerh.	<i>Bulbophyllum antioquiense</i> Kraenzl. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum amygdalinum</i> Aver = <i>Bulbophyllum ambrosia</i> (Hance) Schltr.	<i>Bulbophyllum antongilense</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum anaclastum</i> J.J.Verm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum apertum</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum anakbaruppu</i> J.J.Verm. & P.O'Bryne #4 II 64 ORCHIDACEAE	<i>Bulbophyllum aphanopetalum</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum analamazoatrae</i> Schltr. #4 II 64 ORCHIDACEAE	
<i>Bulbophyllum anceps</i> Rolfe #4 II 64 ORCHIDACEAE	

- Bulbophyllum aphelos** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum apiculatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum apiferum** Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum apodium** Hook.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum apoense** Schuit & De Vogel #4 II 64  
ORCHIDACEAE
- Bulbophyllum appendiculatum** (Rolfe) J.J.Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum appressicaule** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum appressum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum approximatum** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum arachnidium** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum arachnites* Ridley = *Bulbophyllum korthalsii* Schltr.
- Bulbophyllum arachnoideum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum araniferum* Ridley = *Bulbophyllum stormii* J.J. Smith
- Bulbophyllum arcaniflorum* Ridl. = *Bulbophyllum arachnoideum* Schltr.
- Bulbophyllum arcuatum* Schltr. = *Bulbophyllum chloranthum* Schltr.
- Bulbophyllum arcutilabium** Aver. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ardjunense** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum arfakense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum arfakianum** Kraenzl #4 II 64  
ORCHIDACEAE
- Bulbophyllum argyropus** (Endl.) H.G.Reichb. #4 II 64  
ORCHIDACEAE
- Bulbophyllum arianeae** Fraga & E.C.Smidt #4 II 64  
ORCHIDACEAE
- Bulbophyllum ariel** Ridley #4 II 64 ORCHIDACEAE
- Bulbophyllum aristatum** (Rchb.f.) Hemsl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum aristilabre** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum aristopetalum** Kores #4 II 64  
ORCHIDACEAE
- Bulbophyllum armeniacum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum arminii** Sieder #4 II 64 ORCHIDACEAE
- Bulbophyllum arrectum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum arsoanum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum artostigma** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ascohioides** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum asperilingue** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum aspersum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum asperulum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum astelidum** Aver. #4 II 64 ORCHIDACEAE
- Bulbophyllum atratum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum atrolabium** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum atropurpureum** Barb. Rodr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum atrorubens** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum atrosanguineum** Aver. #4 II 64  
ORCHIDACEAE
- Bulbophyllum atroviolaceum* Fleichm. & Rchb.f. = *Bulbophyllum betchei* F. Muell.
- Bulbophyllum attenuatum* Rolfe = *Bulbophyllum pugioniforme* J.J.Sm.
- Bulbophyllum aubrevillei** Bosser #4 II 64  
ORCHIDACEAE
- Bulbophyllum aundense** Ormerod #4 II 64  
ORCHIDACEAE
- Bulbophyllum aurantiacum* F.Muell. = *Bulbophyllum schillerianum* Rchb.f.
- Bulbophyllum aurantiacum* Hook.f. = *Bulbophyllum josephi* (Kuntze) Summerh.
- Bulbophyllum auratum** (Lindl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum aureoapex** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum aureobrunneum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum aureolabellum** T.P.Lin #4 II 64  
ORCHIDACEAE
- Bulbophyllum aureum** (Hook.f.) J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum auricomum** Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum auriculatum** J.J.Verm. & P. O'Byrne #4 II 64  
ORCHIDACEAE
- Bulbophyllum auriflorum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum auoreum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum averyanovii** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum avicella* Ridl. = *Bulbophyllum membranaceum* Teijsm. & Binn.
- Bulbophyllum bacilliferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum baculiferum** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum badium* Ridl. = *Bulbophyllum membranifolium* Hook.f.
- Bulbophyllum baileyi** F.Muell. #4 II 64 ORCHIDACEAE
- Bulbophyllum bakhuizenii** van Steenis #4 II 64  
ORCHIDACEAE
- Bulbophyllum baladeanum** J.J. Smith #4 II 64  
ORCHIDACEAE

- Bulbophyllum balaeniceps* Rchb.f. = *Bulbophyllum elegans* Gardner ex Thwaites  
ORCHIDACEAE
- Bulbophyllum balapiuense* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum balfourianum* Hort. = *Bulbophyllum macrobulbum* J.J.Sm.
- Bulbophyllum ballii* P.J.Cribb #4 II 64 ORCHIDACEAE
- Bulbophyllum bambiliense* De Wild. = *Bulbophyllum scaberulum* (Rolfe) Bolus
- Bulbophyllum bambusifolium* J.J.Sm. = *Bulbophyllum piestobulbon* Schltr.
- Bulbophyllum bandischii* Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum barbatum* Barb.Rodr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum barbatum* P.Royer = *Bulbophyllum aundense* Ormerod
- Bulbophyllum barbellatum* Schltr. = *Bulbophyllum toranum* J.J.Sm.
- Bulbophyllum barbigerum* Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum barbilabium* Schltr. = *Bulbophyllum bulliferum* J.J.Sm.
- Bulbophyllum bariense* Gagnep. #4 II 64  
ORCHIDACEAE
- Bulbophyllum baronii* Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum barrinum* Ridl. = *Bulbophyllum flavesrens* (Blume) Lindley
- Bulbophyllum basisetum* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bataanense* Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum bathieanum* Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum batukauense* J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum baucoense* Ames = *Bulbophyllum weberi* Ames
- Bulbophyllum bavonis* J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum beccarii* Reich.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum berenicis* Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum betchei* F. Muell. #4 II 64 ORCHIDACEAE
- Bulbophyllum biantennatum* Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bibundiense* Schltr. = *Bulbophyllum sandersonii* (Hook.f.) Rchb.f.
- Bulbophyllum bicaudatum* Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bicolor* Lindl. #4 II 64 ORCHIDACEAE
- Bulbophyllum bicoloratum* Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bicolor* Jum. & H.Perrier = *Bulbophyllum bicoloratum* Schltr.
- Bulbophyllum bicolor* (Lindl.) Hook.f. = *Sunipia bicolor* Lindl.
- Bulbophyllum bicornutum* Schltr. = *Bulbophyllum posticum* J.J.Sm.
- Bulbophyllum bidentatum* (Barb. Rodr.) Cogn. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bidenticulatum* J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bidi* Govaerts #4 II 64 ORCHIDACEAE
- Bulbophyllum bifarium* Hook.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum biflorum* Teijsm. & Binnend. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bigibbosum* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bigibbum* Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum bilobipetalum* J.J.Sm. = *Bulbophyllum schefferi* (Kuntze) Schltr.
- Bulbophyllum binnendijkii* J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum birmense* Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum birugatum* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bisepalum* Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum biserialle* Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum bisetoides* Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bisetum* Lindl. #4 II 64 ORCHIDACEAE
- Bulbophyllum bismarckense* Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bittnerianum* Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bivalve* J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum blepharadenium* Schltr. = *Bulbophyllum minutipetalum* Schltr.
- Bulbophyllum blepharicardium* Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum blephariglossum* Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum blepharistes* Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum blepharochilum* Garay #4 II 64  
ORCHIDACEAE
- Bulbophyllum blepharopetalum* Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum blepharosepalum* Schltr. = *Bulbophyllum limbatum* Lindley
- Bulbophyllum bliteum* J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum blumei* (Lindley) J.J.Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum boiteaui* H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum bokorense* Gagnep = *Plocoglottis bokorensis* (Gagnep) Seidenf.
- Bulbophyllum boliviannum* Schlr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bolovenense* Guillaumin = *Bulbophyllum clandestinum* Lindl.
- Bulbophyllum bolsteri* Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum bomiense* Z.H.Tsi #4 II 64  
ORCHIDACEAE

- Bulbophyllum boninense** (Schltr.) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum boninense* Makino = *Bulbophyllum macraei* (Lindley) Reichb.f.
- Bulbophyllum bontocense** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum boonjee** B.Gray & D.L.Jones #4 II 64  
ORCHIDACEAE
- Bulbophyllum bootanense** C.S.P.Parrish & Reichb.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum bootanoides* (Guill.) Seidenf. = *Bulbophyllum frostii* Summerh.
- Bulbophyllum borneense* (Schltr.) J.J.Sm. = *Bulbophyllum auratum* (Lindl.) Rchb.f.
- Bulbophyllum bosseri* Lemcke = *Bulbophyllum reflexiflorum* H.Perrier
- Bulbophyllum botryophorum** Ridley #4 II 64  
ORCHIDACEAE
- Bulbophyllum boudetiana** Fraga #4 II 64  
ORCHIDACEAE
- Bulbophyllum boulbetii** Tixier #4 II 64 ORCHIDACEAE
- Bulbophyllum bowkettae** F.M.Bailey #4 II 64  
ORCHIDACEAE
- Bulbophyllum bowringianum* Rchb.f. = *Bulbophyllum khasyanum* Griff.
- Bulbophyllum braccatum* Rchb.f. = *Bulbophyllum odoratum* (Blume) Lindley
- Bulbophyllum brachychilum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum brachypetalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum brachyphton** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum brachypodium* A.S.Rao & Balakr. = *Bulbophyllum yoksunense* J.J.Sm.
- Bulbophyllum brachystachyum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bracteatum** F.M.Bailey #4 II 64  
ORCHIDACEAE
- Bulbophyllum bracteolatum** Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum bracteosum* C.Schweinf. = *Bulbophyllum steyermarkii* Foldats
- Bulbophyllum bractescens** Rolfe ex Kerr #4 II 64  
ORCHIDACEAE
- Bulbophyllum brassii** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum brastagiense** Carr #4 II 64  
ORCHIDACEAE
- Bulbophyllum brauni* Kraenzl. = *Bulbophyllum falcipetalum* Lindl.
- Bulbophyllum breve** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum brevibrachiatum** (Schltr) J.J.Sm.. #4 II 64  
ORCHIDACEAE
- Bulbophyllum brevicolumna** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum brevidenticulatum* De Wild. = *Bulbophyllum cocoinum* Bateman ex Lindl.
- Bulbophyllum breviflorum** Ridl. ex Stapf #4 II 64  
ORCHIDACEAE
- Bulbophyllum brevilabium** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum brevipes** Ridley #4 II 64 ORCHIDACEAE
- Bulbophyllum brevipetalum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum breviscapum* J.J.Sm. = *Bulbophyllum desmotrichoides* Schltr.
- Bulbophyllum breviscapum* (Rolle) J.J.Sm. = *Bulbophyllum lasiochilum* C.S.P.Parish & Rchb.f.
- Bulbophyllum breviscapum* (Rolle) Ridley = *Bulbophyllum lasiochilum* C.S.P.Parish & Rchb.f.
- Bulbophyllum brevispicatum** Z.H. Tsi & H.C.Chen #4 II 64 ORCHIDACEAE
- Bulbophyllum brevistylidium** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum brienianum** (Rolle) Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum brienianum* (Rolle) J.J.Sm. = *Bulbophyllum brienianum* (Rolle) Ames
- Bulbophyllum brookeanum* Kraenzl. = *Bulbophyllum vermiculare* Hook.f.
- Bulbophyllum brookesii* Ridl. = *Bulbophyllum odoratum* (Blume) Lindley
- Bulbophyllum brunnescens* (Ridl.) J.J.Sm. = *Bulbophyllum brienianum* (Rolle) Ames
- Bulbophyllum bryoides** Guillaumin #4 II 64  
ORCHIDACEAE
- Bulbophyllum buchenavianum* (Kraenzl.) De Wild. = *Bulbophyllum calypratum* Kraenzl.
- Bulbophyllum bulhartii** Sieder #4 II 64 ORCHIDACEAE
- Bulbophyllum bulliferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum buntingii* Rendle = *Bulbophyllum oxychilum* Schltr.
- Bulbophyllum burfordiense** Hort. ex Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum burfordiense* Hook.f. = *Bulbophyllum grandiflorum* Blume
- Bulbophyllum burkilli** Gage #4 II 64 ORCHIDACEAE
- Bulbophyllum burttii** Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum caetidiodes** Schltrt. #4 II 64  
ORCHIDACEAE
- Bulbophyllum caecilii** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum caecum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum caesariatum* Ridl. = *Bulbophyllum lindleyanum* Griff.
- Bulbophyllum caespitosum** Thouars #4 II 64  
ORCHIDACEAE
- Bulbophyllum calabaricum* Rolfe = *Bulbophyllum pumilum* (Sw.) Lindl.
- Bulbophyllum calamarioides* Schltr. = *Bulbophyllum erectum* Thouars
- Bulbophyllum calceilabium** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum calceolus** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum caldericola** G.F.Walsh #4 II 64  
ORCHIDACEAE

- Bulbophyllum callichroma** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum callipes** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum callosum** Bosser #4 II 64 ORCHIDACEAE
- Bulbophyllum calodictyon* Schltr. = *Bulbophyllum griffithii* (Lindl.) Rchb.f.
- Bulbophyllum caloglossum** Schltr #4 II 64  
ORCHIDACEAE
- Bulbophyllum calophyllum** L.O.Williams #4 II 64  
ORCHIDACEAE
- Bulbophyllum calothrysus* Schltr. = *Bulbophyllum callichroma* Schltr.
- Bulbophyllum calviventer** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum calvum** Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum calypratum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum calyptropus** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cameronense** Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum campanulatum** Rolfe #4 II 64  
ORCHIDACEAE
- Bulbophyllum campos-portoi** Brade #4 II 64  
ORCHIDACEAE
- Bulbophyllum camptochilum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum candidum** Hook.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum canlaonense** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum cantagallense** (Barb.Rodr.) Cong. #4 II 64 ORCHIDACEAE
- Bulbophyllum capilligerum** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum capillipes** C.S.P.Parish & Rchb.f #4 II 64  
ORCHIDACEAE
- Bulbophyllum capillipes* (Guillaumin) N.Halle = *Bulbophyllum aphanopetalum* Schltr.
- Bulbophyllum capitatum** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum capituliflorum** Rolfe #4 II 64  
ORCHIDACEAE
- Bulbophyllum capuronii** Bosser #4 II 64  
ORCHIDACEAE
- Bulbophyllum caputgnomonis** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cardiobulbum** Bosser #4 II 64  
ORCHIDACEAE
- Bulbophyllum cardiophyllum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum careyanum** (Hook.f.) Sprengel #4 II 64  
ORCHIDACEAE
- Bulbophyllum carinatum** (Teijsm. & Binn.) Naves #4 II 64 ORCHIDACEAE
- Bulbophyllum carinatum* Ames = *Bulbophyllum mearnsii* Ames
- Bulbophyllum carinatum* Cogn. = *Bulbophyllum reticulatum* Bateman
- Bulbophyllum cariniflorum** Reichb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum carinilabium** J.J.Verm #4 II 64  
ORCHIDACEAE
- Bulbophyllum carnosilabium** Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum carnosisepalum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum carrianum** J.J.Verm #4 II 64  
ORCHIDACEAE
- Bulbophyllum carunculaelabrum** Carr #4 II 64  
ORCHIDACEAE
- Bulbophyllum carunculatum** Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum carunculilabrum** Carr #4 II 64  
ORCHIDACEAE
- Bulbophyllum caryophyllum* J.J.Sm. = *Bulbophyllum baileyi* F.Muell.
- Bulbophyllum cataractarum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum catenarium** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum catenulatum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cateorum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum catillus** J.J.Verm. & P.O'Byrne #4 II 64  
ORCHIDACEAE
- Bulbophyllum caudatisepalum** Ames & Schweinf #4 II 64 ORCHIDACEAE
- Bulbophyllum caudatum* Lindl. = *Bulbophyllum sterile* (Lam.) Suresh
- Bulbophyllum caudatum* L.O.Williams = *Bulbophyllum williamsii* A.D.Hawkes
- Bulbophyllum caudipetalum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cauliflorum** Hook.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cavibulbum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cavipes** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cavistigma* J.J.Sm. = *Bulbophyllum trifilum* J.J.Sm.
- Bulbophyllum centrosemiflorum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cephalophorum** Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum cerambyx** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ceratostylis** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ceratostyloides** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ceratostyloides* (Schltr.) Schltr. = *Bulbophyllum mutabile* (Blume) Lindley
- Bulbophyllum cercanthum** (Garay, Hamer & Siegerist) Sieder #4 II 64 ORCHIDACEAE
- Bulbophyllum cercoglossum* Summerh. = *Bulbophyllum renkinianum* (Laurent) De Wild.

- Bulbophyllum cerebellum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cerinum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum ceriodorum** Bioteau #4 II 64  
ORCHIDACEAE
- Bulbophyllum cernuum** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum chaetopus** Schltr. = *Bulbophyllum oreodoxa* Schltr.
- Bulbophyllum chaetostroma** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum chanii** J.J.Verm. & A.L.Lamb #4 II 64  
ORCHIDACEAE
- Bulbophyllum chaunobulbon** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cheiri** Lindley #4 II 64 ORCHIDACEAE
- Bulbophyllum cheiropetalum** Ridley #4 II 64  
ORCHIDACEAE
- Bulbophyllum chekaense* Carr = *Bulbophyllum puguahaanense* Ames
- Bulbophyllum chevalieri* De Wild. = *Bulbophyllum scaberulum* (Rolfe) Bolus
- Bulbophyllum chimaera** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum chinense** (Lindl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum chloranthum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum chlorascens** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum chloroglossum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum chloropterum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum chlororhopalon** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum chlorostachys* Schltr. = *Bulbophyllum propinquum* Kraenzl.
- Bulbophyllum chondriophorum** (Gagnep.) Seidenf. #4 II 64 ORCHIDACEAE
- Bulbophyllum christophersenii* L.O.Williams = *Bulbophyllum samoanum* Schltr.
- Bulbophyllum chrysodetum** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum chryseum** (Kraenzl.) Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum chryseum* (Kraenzl.) J.J.Sm. = *Bulbophyllum chryseum* (Kraenzl.) Ames
- Bulbophyllum chrysobulbon* H.Perrier = *Bulbophyllum nutans* (Thouars) Thouars
- Bulbophyllum chrysocephalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum chrysochilum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum chrysoglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum chrysotes** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ciliatilabrum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum ciliatoides* Seidenf. = *Bulbophyllum membranaceum* Teijsm. & Binn.
- Bulbophyllum ciliatum** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum ciliipetalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cilioglossum* R.S.Rogers & Nicholls = *Bulbophyllum radicans* F.M.Bailey
- Bulbophyllum ciliolatum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum ciluliae** Bianch. & J.A.N.Bat. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cimicinum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cincinnatum* Ridley = *Bulbophyllum hirtulum* Ridley
- Bulbophyllum cirrhatum** Hook.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cirrhoglossum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum cirrhopetaloides* Griff. = *Bulbophyllum bisetum* Lindl.
- Bulbophyllum cirrhosum** L.O. Williams #4 II 64  
ORCHIDACEAE
- Bulbophyllum citrellum** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum citrellum* J.J.Sm. = *Bulbophyllum citricolor* J.J.Sm.
- Bulbophyllum citricolor** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum citrinilabre** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum citrinum* (Ridl.) Ridl. = *Bulbophyllum purpurascens* Teijsm. & Binn..
- Bulbophyllum clandestinum** Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum claptionense* Rolfe = *Bulbophyllum lobbii* Lindley
- Bulbophyllum clarkeanum* King & Pantl. = *Bulbophyllum stenobulbon* C.S.Parish & Rchb.f.
- Bulbophyllum clarkei* Rchb.f. = *Bulbophyllum reptans* (Lindl.) Lindl.
- Bulbophyllum clarkei* (Rolfe) Schltr. = *Bulbophyllum scaberulum* (Rolfe) Bolus
- Bulbophyllum clauseni** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum clavatum** Thouars #4 II 64  
ORCHIDACEAE
- Bulbophyllum clavigerum* (Fitzg.) Dockr. = *Bulbophyllum longiflorum* Thouars
- Bulbophyllum clavigerum* (Fitzg.) F.Muell. = *Bulbophyllum longiflorum* Thouars
- Bulbophyllum clavigerum* H.Perrier = *Bulbophyllum lemurensis* Bosscher & P.J.Cribb
- Bulbophyllum cleistogamum** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum clemensiae** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum clipeibulbum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum coccinatum** H.Perrier #4 II 64  
ORCHIDACEAE

- Bulbophyllum cochinchinense* Gagnep. = *Bulbophyllum macranthum* Lindley  
ORCHIDACEAE
- Bulbophyllum cochleatum* Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cochlia* Garay, Hamer & Siegerist #4 II 64  
ORCHIDACEAE
- Bulbophyllum cochlodes* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cocoicum* Bateman ex Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum codonanthum* Schltr. = *Codonosiphon codonanthum* (Schltr.) Schltr.  
ORCHIDACEAE
- Bulbophyllum coelochilum* J.J.Vern. #4 II 64  
ORCHIDACEAE
- Bulbophyllum coeruleum* H.Perrier = *Bulbophyllum bicoloratum* Schltr.  
ORCHIDACEAE
- Bulbophyllum cogniauxianum* (Kraenzl.) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum coiloglossum* Schltr. = *Pedilochilus coiloglossum* (Schltr.) Schltr.  
ORCHIDACEAE
- Bulbophyllum collettii* King & Pantl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum colliferum* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum collinum* Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum colomaculosum* Z.H.Tsi & H.C.Chen #4 II 64 ORCHIDACEAE
- Bulbophyllum coloratum* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum columbrimodum* Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum columbrinum* (Rchb.f.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum comatum* Lindl. #4 II 64 ORCHIDACEAE
- Bulbophyllum comberi* J.J.Vern. #4 II 64  
ORCHIDACEAE
- Bulbophyllum comberipictum* J.J.Vern. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cominsii* Rolfe #4 II 64 ORCHIDACEAE
- Bulbophyllum commersonii* Thouars #4 II 64  
ORCHIDACEAE
- Bulbophyllum commissibulbum* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum commocardium* Garay, Hamer & Siegerist =  
*Bulbophyllum discolor* Schltr.  
ORCHIDACEAE
- Bulbophyllum comorianum* H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum comosum* Collett & Hemsl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum compactum* Kraenzl. = *Bulbophyllum coriophorum* Ridl.  
ORCHIDACEAE
- Bulbophyllum complanatum* H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum compressilabellatum* P.Royen #4 II 64  
ORCHIDACEAE
- Bulbophyllum compressum* Teijsm. & Binnend. #4 II 64  
ORCHIDACEAE
- Bulbophyllum compressum* Frapp. ex Cordem. =  
*Bulbophyllum frappieri* Schltr.  
ORCHIDACEAE
- Bulbophyllum comptonii* Rendle #4 II 64  
ORCHIDACEAE
- Bulbophyllum concatenatum* P.J.Cribb P.Taylor #4 II 64  
ORCHIDACEAE
- Bulbophyllum concavibasalis* P.Royen #4 II 64  
ORCHIDACEAE
- Bulbophyllum concavum* Ames & Schweinf. =  
*Bulbophyllum cornutum* (Blume) Reichb.f.  
ORCHIDACEAE
- Bulbophyllum conchidioides* Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum conchiferum* Rchb.f. = *Bulbophyllum khasyanum* Griff.  
ORCHIDACEAE
- Bulbophyllum conchophyllum* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum concinnum* Hook.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum concolor* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum confertum* Hook.f. = *Bulbophyllum scabratum* Rchb.f.  
ORCHIDACEAE
- Bulbophyllum confusum* (Garay, Hamer & Siegerist)  
Sieder #4 II 64 ORCHIDACEAE
- Bulbophyllum congestiflorum* Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum congestum* Rolfe #4 II 64  
ORCHIDACEAE
- Bulbophyllum congolanum* Schltr. = *Bulbophyllum scaberulum* (Rolle) Bolus  
ORCHIDACEAE
- Bulbophyllum congolense* (De Wild.) De Wild. =  
*Bulbophyllum imbricatum* Lindl..  
ORCHIDACEAE
- Bulbophyllum conicum* Thouars = *Bulbophyllum clavatum* Thouars  
ORCHIDACEAE
- Bulbophyllum coniferum* Ridley #4 II 64  
ORCHIDACEAE
- Bulbophyllum connatum* Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum conspectum* J.J. Sm. = *Bulbophyllum sopoetanense* Schltr.  
ORCHIDACEAE
- Bulbophyllum conspersum* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum constrictilabre* J.J.Sm. = *Bulbophyllum cylindrobulbum* Schltr.  
ORCHIDACEAE
- Bulbophyllum contortisepalum* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cootesii* Clements #4 II 64  
ORCHIDACEAE
- Bulbophyllum copelandii* Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum copelandii* F.M.Bailey = *Diplocaulobium copelandii* (F.M.Bailey) P.F.Hunt  
ORCHIDACEAE
- Bulbophyllum corallinum* Tixier & Guillaumin #4 II 64  
ORCHIDACEAE
- Bulbophyllum cordemoyi* Frapp. ex Cordem. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cordilabium* P.Royen = *Bulbophyllum cylindrobulbum* Schltr.  
ORCHIDACEAE
- Bulbophyllum coriaceum* Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum coriophorum* Ridl. #4 II 64  
ORCHIDACEAE

- Bulbophyllum coriscense** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum corneri* Carr = *Bulbophyllum vesiculosum* J.J.Sm.
- Bulbophyllum cornu-cervi** King & Pantl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cornutum** (Blume) Reichb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cornutum* Ridl. = *Bulbophyllum forbesii* Schltr.
- Bulbophyllum corolliferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum correae** Pabst. #4 II 64 ORCHIDACEAE
- Bulbophyllum corticicola* Schltr. = *Bulbophyllum scheffleri* (Kuntze) Schltr.
- Bulbophyllum corythium* N.Halle = *Bulbophyllum argyropus* (Endl.) H.G.Reichb.
- Bulbophyllum costatum** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum coursianum* H.Perrier = *Bulbophyllum rutenbergianum* Schltr.
- Bulbophyllum coweniorum** J.J.Verm. & P.O'Byrne #4 II 64 ORCHIDACEAE
- Bulbophyllum craibianum* Kerr. = *Bulbophyllum shweliense* W.W.Sm.
- Bulbophyllum crassicaudatum* Ames & C.Schweinf = *Bulbophyllum odoratum* (Blume) Lindley
- Bulbophyllum crassifolioides* Aver = *Bulbophyllum osyricera* Schltr.
- Bulbophyllum crassifolium** Thwaites ex Trimen #4 II 64  
ORCHIDACEAE
- Bulbophyllum crassifolium* (Blume) J.J.Sm. = *Bulbophyllum osyricera* Schltr.
- Bulbophyllum crassinervium** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum crassipes** Hook. f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum crassipetalum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum crassissimum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum crassiusculifolium** Aver. #4 II 64  
ORCHIDACEAE
- Bulbophyllum crassulifolium* (A.Cunn.) Rupp.. = *Dendrobium crassulifolium* A.Cunn.
- Bulbophyllum crenilabium** W.Kittr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum crenulatum* Rolfe = *Bulbophyllum coriophorum* Ridl.
- Bulbophyllum crepidiferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cribbianum** Toscano #4 II 64  
ORCHIDACEAE
- Bulbophyllum crispatisepalum** P.Royen #4 II 64  
ORCHIDACEAE
- Bulbophyllum crista-galli* Kraenzl. = *Bulbophyllum membranifolium* Hook.f.
- Bulbophyllum croceum** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum crocodilus** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cruciatum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cruciferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cruentum** Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum cruttwellii** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cryptanthoides** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cryptanthum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cryptanthum* Cogn. = *Bulbophyllum clandestinum* Lindl.
- Bulbophyllum cryptophranthoides* Garay = *Bulbophyllum cryptophranthus* Garay
- Bulbophyllum cryptophranthoides* Kraenzl. = *Bulbophyllum membranifolium* Hook.f.
- Bulbophyllum cryptophranthus** Garay #4 II 64  
ORCHIDACEAE
- Bulbophyllum cryptostachyum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cubicum** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum cucullatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum culex** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum cumingii** (Lindl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cuneatum** Rolfe #4 II 64 ORCHIDACEAE
- Bulbophyllum cuneifolium* Ames & Schweinf. = *Bulbophyllum caudatisepalum* Ames & Schweinf
- Bulbophyllum cuniculiforme** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cupreum** Lindl. #4 II 64 ORCHIDACEAE
- Bulbophyllum cupreum* Hook.f. = *Bulbophyllum careyanum* (Hook.f.) Sprengel
- Bulbophyllum cupuligerum* Kraenzl. = *Stolzia cupuligera* (Kraenzl.) Summerh.
- Bulbophyllum curranii** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum curtisii* (Hook.f.) J.J.Sm. = *Bulbophyllum corolliferum* J.J.Sm.
- Bulbophyllum curtisii* (Hook.f.) Ridl. = *Bulbophyllum purpurascens* Teijsm. & Binn..
- Bulbophyllum curvibulbum** Frapp. ex Cordem. #4 II 64  
ORCHIDACEAE
- Bulbophyllum curvicaule** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum curvifolium** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum curvimentatum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cuspidilingue* Rchb.f. = *Bulbophyllum blumei* (Lindley) J.J.Smith
- Bulbophyllum cuspidipetalum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cuspidipetalum* Schltr. = *Bulbophyllum sepikense* W.Kittr.
- Bulbophyllum cyanotricha** J.J.Verm. #4 II 64  
ORCHIDACEAE

- Bulbophyllum cyclanthum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cycloglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cyclopense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cyclophoroides** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cyclophyllum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cyclosepalon** Carr #4 II 64  
ORCHIDACEAE
- Bulbophyllum cylindraceum** Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cylindricum** King & Pantl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cylindrobulbum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cylindrocarpum** Frapp ex Cordem. #4 II 64  
ORCHIDACEAE
- Bulbophyllum cylindrocarpum* Schltr. = *Bulbophyllum densibulbum* W.Kittr.
- Bulbophyllum cyrtopetalum* Schltr. = *Bulbophyllum maximum* (Lindl.) Rchb.f.
- Bulbophyllum dagamense** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum dahlemense* Schltr. = *Bulbophyllum falcatum* (Lindl.) Rcb.f.
- Bulbophyllum dalatense** Gagnep. #4 II 64  
ORCHIDACEAE
- Bulbophyllum dalatensis* Seidenf. = *Bulbophyllum vietnamense* Seidenf.
- Bulbophyllum danii** Pérez-Vera #4 II 64 ORCHIDACEAE
- Bulbophyllum dasypetalum** Rolfe ex Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum dasypyllum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum dawongense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum dayanum** Rchb.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum dearei** (Hort.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum dearei* Veitch = *Bulbophyllum dearei* (Hort.) Rchb.f.
- Bulbophyllum debile** Bosser #4 II 64 ORCHIDACEAE
- Bulbophyllum debrincatiae** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum debruynii** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum decarhopalon** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum decaryanum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum decatrache** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum deceptum** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum decipiens** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum decumbens** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum decurrentilobum** J.J.Verm. & P.O'Byrne  
#4 II 64 ORCHIDACEAE
- Bulbophyllum decurviscapum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum decurvulum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum decockii** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum delicatulum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum delitescens** Hance #4 II 64  
ORCHIDACEAE
- Bulbophyllum deltaideum** Ames & C.Schweinf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum diminutum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum demissum* Ridl. = *Bulbophyllum smithianum* Schltr.
- Bulbophyllum dempoense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum dendrobiodes** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum dendrochiloides** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum dennisii** J.J. Wood #4 II 64  
ORCHIDACEAE
- Bulbophyllum densibulbum** W.Kittr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum densiflorum* Ridl. = *Bulbophyllum singaporenum* Schltr.
- Bulbophyllum densiflorum* Rolfe. = *Bulbophyllum cariniflorum* Reichb.f.
- Bulbophyllum densifolium** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum densum** Thouars #4 II 64 ORCHIDACEAE
- Bulbophyllum denticulatum** Rolfe #4 II 64  
ORCHIDACEAE
- Bulbophyllum dentiferum** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum dependens** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum depressum** King & Pantl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum derchianum* S.S.Ying = *Bulbophyllum tokioi* Fukuyama
- Bulbophyllum desmantum** Tuyama #4 II 64  
ORCHIDACEAE
- Bulbophyllum desmotrichoides** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum devangiriense* N.P.Balakr. = *Bulbophyllum monanthum* (Kuntze) J.J.Sm.
- Bulbophyllum devium** J.B.Comber #4 II 64  
ORCHIDACEAE
- Bulbophyllum devogelii** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum dewildei** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum dhaninivatii** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum dianthum** Schltr. #4 II 64 ORCHIDACEAE

<i>Bulbophyllum dibothron</i> J.J.Verm. & A.L.Lamb #4 II 64 ORCHIDACEAE	<i>Bulbophyllum dolichoglossis</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum diceras</i> Schltr. = <i>Bulbophyllum posticum</i> J.J.Sm.	<i>Bulbophyllum dorothaeae</i> Rendle = <i>Bulbophyllum pumilum</i> (Sw.) Lindl.
<i>Bulbophyllum dichaeoides</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum doryphoroide</i> Ames #4 II 64 ORCHIDACEAE
<i>Bulbophyllum dichilus</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum dracunculus</i> J.J.Verm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum dichotomum</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Bulbophyllum drallei</i> Rchb.f. = <i>Bulbophyllum pumilum</i> (Sw.) Lindl.
<i>Bulbophyllum dichromum</i> Rolfe = <i>Sunipia dichroma</i> (Rolfe) Bân & .H.Duong	<i>Bulbophyllum dransfieldii</i> J.J.Verm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum dickasonii</i> Siedenf. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum drepanosepalum</i> J.J.Verm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum dictyoneuron</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum dryadum</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum didymotropis</i> Seidenf. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum dryas</i> Ridley #4 II 64 ORCHIDACEAE
<i>Bulbophyllum digitatum</i> J.J.Sm. = <i>Drymoda digitata</i> (J.J.Sm.) Garay, Hamer & Siegerist	<i>Bulbophyllum drymoglossum</i> Maxim. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum digoelense</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum dschischungarensis</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum diplantherum</i> Carr #4 II 64 ORCHIDACEAE	<i>Bulbophyllum dubium</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum diplocos</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum dulitense</i> Carr = <i>Bulbophyllum caudatisepalum</i> Ames & Schweinf
<i>Bulbophyllum dischidiifolium</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum dunstervillei</i> Garay #4 II 64 ORCHIDACEAE
<i>Bulbophyllum dischorense</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum dusenii</i> Kraenzl. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum disciflorum</i> Rolfe = <i>Trias disciflora</i> (Rolfe) Rolfe	<i>Bulbophyllum dyeranum</i> (King & Pantl.) Seidenf. = <i>Bulbophyllum rolfei</i> (Kuntze) Seidenf.
<i>Bulbophyllum discilabium</i> H.Perrier #4 II 64 ORCHIDACEAE	<i>Bulbophyllum dyphoniae</i> Tixier = <i>Bulbophyllum dayanum</i> Rchb.f.
<i>Bulbophyllum discolor</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum ealaense</i> De Wild. = <i>Bulbophyllum scaberulum</i> (Rolfe) Bolus
<i>Bulbophyllum disjunctibulbum</i> J.J.Sm. = <i>Bulbophyllum cylindrobulbum</i> Schltr.	<i>Bulbophyllum eberhardtii</i> Gagnep. Seidenf. = <i>Bulbophyllum picturatum</i> (Lodd.) Rchb.f.
<i>Bulbophyllum disjunctum</i> Ames & Schweinf. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum ebracteolatum</i> Kraenzl. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum dispersum</i> Schltr. = <i>Bulbophyllum kaniense</i> Schltr.	<i>Bulbophyllum ebulbe</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum dissitiflorum</i> Seidenf. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum ebulbum</i> King & Pantl. = <i>Bulbophyllum apodium</i> Hook.f.
<i>Bulbophyllum dissolutum</i> Ames #4 II 64 ORCHIDACEAE	<i>Bulbophyllum eburneum</i> (Pfitzer) De Wild. = <i>Bulbophyllum scaberulum</i> (Rolfe) Bolus
<i>Bulbophyllum distichobulbum</i> P.J.Cribb #4 II 64 ORCHIDACEAE	<i>Bulbophyllum echinochilum</i> Kraenzl. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum distichum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum echinolabium</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum divaricatum</i> H.Perrier #4 II 64 ORCHIDACEAE	<i>Bulbophyllum echinulus</i> Seidenf. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum dixoni</i> Rolfe = <i>Bulbophyllum morphologorum</i> Kraenzl.	<i>Bulbophyllum eciliatum</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum djamuense</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum ecornutum</i> (J.J. Smith) J.J. Smith #4 II 64 ORCHIDACEAE
<i>Bulbophyllum djumaense</i> (De Wild.) De Wild. = <i>Bulbophyllum maximum</i> (Lindl.) Rchb.f.	<i>Bulbophyllum ecuadorensis</i> Schltr. = <i>Bulbophyllum sordidum</i> Lindl.
<i>Bulbophyllum dolabriforme</i> J.J.Verm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum ecuadoriensis</i> (Schltr.) Gilli = <i>Bulbophyllum sordidum</i> Lindl.
<i>Bulbophyllum dolichoblepharon</i> (Schltr.) J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum edentatum</i> H.Perrier #4 II 64 ORCHIDACEAE
	<i>Bulbophyllum effusum</i> Schltr. = <i>Bulbophyllum tractiflexum</i> J.J.Sm.

- Bulbophyllum elachanthe** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elachon** J.J.Verm. = **Bulbophyllum pumilum** (Sw.) Lindl.
- Bulbophyllum elaidium** Lindl. = **Stolzia elaidum** (Lindl.) Summerh.
- Bulbophyllum elaphoglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elasmatopus** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elassoglossum** Siegerist #4 II 64  
ORCHIDACEAE
- Bulbophyllum elassonotum** Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elatius** Ridl. = **Bulbophyllum odoratum** (Blume) Lindley
- Bulbophyllum elatum** (Hook.f.) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elbertii** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum electrinum** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elegans** Gardner ex Thwaites #4 II 64  
ORCHIDACEAE
- Bulbophyllum elegans** (Teijsm. & Binn.) J.J.Sm. = **Bulbophyllum pulchrum** (N.E.Br.) J.J.Sm.
- Bulbophyllum elegantius** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elegantulum** (Rolfe) J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum elephantinum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elevatopunctatum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elizae** (F. Muell.) Benth. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elliae** Reichb.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum elliotii** Rolfe #4 II 64 ORCHIDACEAE
- Bulbophyllum ellipticifolium** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ellipticum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum ellipticum** De Wild. = **Bulbophyllum oxychilum** Schltr.
- Bulbophyllum elmeri** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum elodeiflorum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elongatum** (Blume) Hassk. #4 II 64  
ORCHIDACEAE
- Bulbophyllum elongatum** (De Wild.) De Wild. = **Bulbophyllum ivorensis** Cribb & Perez-Vera
- Bulbophyllum emarginatum** (Finet) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum emiliorum** Ames & Quisumb. #4 II 64  
ORCHIDACEAE
- Bulbophyllum encephalodes** Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum endotrachys** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ensiculiferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum entomonopsis** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum epapillosum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ephippium** Ridl. = **Bulbophyllum blumei** (Lindley) J.J.Smith
- Bulbophyllum epibulbon** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum epicriantches** Hook.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum epiphytum** Barb. Rodr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum equvestigium** Gilli = **Bulbophyllum cylindrobulbum** Schltr.
- Bulbophyllum erectum** Thouars #4 II 64  
ORCHIDACEAE
- Bulbophyllum erectum** Ridl. = **Bulbophyllum gracilicaule** W.Kittr.
- Bulbophyllum ericsonii** Kraenzl. = **Bulbophyllum binnendijkii** J.J. Smith
- Bulbophyllum erinaceum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum erioides** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum erosipetalum** C.Schweinf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum erratum** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum erythrochilum** Schltr. = **Bulbophyllum simile** Schltr.
- Bulbophyllum erythroglossum** J.Bosser #4 II 64  
ORCHIDACEAE
- Bulbophyllum erythrostachyum** Rolfe #4 II 64  
ORCHIDACEAE
- Bulbophyllum erythrostictum** Ormerod #4 II 64  
ORCHIDACEAE
- Bulbophyllum escritorii** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum eublepharum** Schltr. = **Bulbophyllum ligulatum** W.Kittr.
- Bulbophyllum euplepharum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum evansii** M.R. Henderson #4 II 64  
ORCHIDACEAE
- Bulbophyllum evasum** Hunt & Rupp. #4 II 64  
ORCHIDACEAE
- Bulbophyllum evvardii** Gagnepain #4 II 64  
ORCHIDACEAE
- Bulbophyllum exaltatum** Lindl. #4 II 64 ORCHIDACEAE
- Bulbophyllum exasperatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum exiguiflorum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum exiguum** F.Muell. #4 II 64  
ORCHIDACEAE
- Bulbophyllum exile** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum exilipes** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum exiliscapum** J.J.Sm. = **Bulbophyllum flavescens** (Blume) Lindley
- Bulbophyllum eximium** Ames & Schweinf. = **Bulbophyllum ceratostylis** J.J.Sm.

- Bulbophyllum expallidum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum exquisitum** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum extensum* Schltr. = *Bulbophyllum kaniense* Schltr.
- Bulbophyllum facetum** Garay, Hamer & Siegerist #4 II 64  
ORCHIDACEAE
- Bulbophyllum falcatacaudatum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum falcatum** (Lindl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum falcibracteum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum falciferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum falcifolium** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum falcipetalum** Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum falcicorne** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fallax** Rolfe #4 II 64 ORCHIDACEAE
- Bulbophyllum farinulentum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum farreri** (W.W.Sm.) Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fasciatum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum fasciculatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fasciculiferum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fascinator* (Rolfe) Rolfe = *Bulbophyllum putidum* (Teijsm. & Binn) J.J.Smith
- Bulbophyllum fatuum* J.J.Sm. = *Bulbophyllum trifilum* J.J.Sm.
- Bulbophyllum faunula** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum fayi** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum fenestratum* J.J.Sm. = *Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.
- Bulbophyllum fenixii** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum ferkoanum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ferruginescens* Schltr. = *Bulbophyllum cylindrobulbum* Schltr.
- Bulbophyllum fibratum** (Gagnep.) Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fibratum* (Gagnep.) Bân & D.H.Duong = *Bulbophyllum fibratum* (Gagnep.) Seidenf.
- Bulbophyllum fibrinum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum fibrosum* J.J.Sm. = *Bulbophyllum pileatum* Lindley
- Bulbophyllum filamentosum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum filicaule** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum filicooides** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum filifolium** Borba & E.C.Smidt #4 II 64  
ORCHIDACEAE
- Bulbophyllum filovagans** Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum fimbriatum** (Lindl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fimbriatum* H.Perrier = *Bulbophyllum peyrotii* Bosser
- Bulbophyllum finetianum* Schltr. = *Bulbophyllum betchei* F. Muell.
- Bulbophyllum finetii** Szlach. & Olszewski #4 II 64  
ORCHIDACEAE
- Bulbophyllum finisterrae** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fischeri** Seidenf. #4 II 64 ORCHIDACEAE
- Bulbophyllum fissibrachium** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fissipetalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fissipetalum* Kraenzl. = *Genoplesium calopterum* (Rchb.f.) D.L.Jones & M.A.Chen
- Bulbophyllum flabellum-veneris** (J.Koenig) Seidenf. & Ormerod ex Aver. #4 II 64 ORCHIDACEAE
- Bulbophyllum flagellare** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum flammuliferum** Ridley #4 II 64  
ORCHIDACEAE
- Bulbophyllum flavescens** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum flavicolor** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum flavidiflorum** Carr #4 II 64  
ORCHIDACEAE
- Bulbophyllum flavidum* Lindl. = *Bulbophyllum pumilum* (Sw.) Lindl.
- Bulbophyllum flavidum* S.Z.Lucksom = *Bulbophyllum pantlingii* S.Z.Luckson
- Bulbophyllum flaviflorum** (Liu & Su) Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum flavisepalum* Hayata = *Bulbophyllum retusiusculum* Rchb.f.
- Bulbophyllum flavisepalum* (Hayata) Masamune = *Bulbophyllum retusiusculum* Rchb.f.
- Bulbophyllum flavofimbriatum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum flavorubellum** J.J.Verm. & P. O'Byrne #4 II 64 ORCHIDACEAE
- Bulbophyllum flavum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum fletcherianum** Rolfe #4 II 64  
ORCHIDACEAE
- Bulbophyllum fletcherianum* Hort. = *Bulbophyllum fletcherianum* Rolfe
- Bulbophyllum fletcherianum* Pearson = *Bulbophyllum fletcherianum* Rolfe
- Bulbophyllum flexuosum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum flickingerianum* A.D.Hawkes = *Bulbophyllum peyrotii* Bosser
- Bulbophyllum floribundum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum florulentum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum foeniseccii* C.S.P.Parish & Rchb.f. = *Bulbophyllum auricomum* Lindl.

- Bulbophyllum foetidilabrum** Ormerod #4 II 64  
ORCHIDACEAE
- Bulbophyllum foetidolens** Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum foetidum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum folliculiferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fonsflorum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum foraminiferum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum forbesii** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum fordii** (Rolfe) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum formosanum** (Rolfe) Nakajima #4 II 64  
ORCHIDACEAE
- Bulbophyllum formosanum* (Rolfe) Seidenf. =  
*Bulbophyllum formosanum* (Rolfe) Nakajima
- Bulbophyllum formosanum* (Rolfe) S.S. Ying =  
*Bulbophyllum formosanum* (Rolfe) Nakajima
- Bulbophyllum formosum** Schltr.. #4 II 64  
ORCHIDACEAE
- Bulbophyllum forresti** Seidenf. #4 II 64 ORCHIDACEAE
- Bulbophyllum forsythianum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fractiflexoides* Schltr. = *Bulbophyllum fractiflexum* J.J.Sm.
- Bulbophyllum fractiflexum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fractiflexum* Pabst. = *Bulbophyllum pabstii* Garay
- Bulbophyllum francoisii** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum frappieri** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum frappieri* A.D.Hawkes = *Bulbophyllum frappieri* Schltr.
- Bulbophyllum fraudulentum** Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum fritillariiflorum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum frostii** Summerh. #4 II 64 ORCHIDACEAE
- Bulbophyllum frustrans** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fruticicola** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fukuyamae** Tuyama #4 II 64  
ORCHIDACEAE
- Bulbophyllum fulgens** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fulvibulbum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum funingense** Z.H.Tsi & H.C.Chen #4 II 64  
ORCHIDACEAE
- Bulbophyllum furcatum** Aver #4 II 64 ORCHIDACEAE
- Bulbophyllum furciferum* J.J.Sm. = *Bulbophyllum ochroleucum* Schltr.
- Bulbophyllum furcillatum** J.J.Verm. & P.O' Byrne #4 II 64 ORCHIDACEAE
- Bulbophyllum fuscatum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum fuscescens* (Griff.) Rchb.f. = *Epigeneium fuscescens* (Griff.) Summerh.
- Bulbophyllum fusciflorum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum fusco-purpureum** Wight #4 II 64  
ORCHIDACEAE
- Bulbophyllum fuscum** Lindl. #4 II 64 ORCHIDACEAE
- Bulbophyllum futile** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum gabonis* Lindl. & Rchb.f. = *Bulbophyllum pumilum* (Sw.) Lindl.
- Bulbophyllum gabunense* Schltr. = *Bulbophyllum colubrinum* (Rchb.f.) Rchb.f.
- Bulbophyllum gadgarrense** Rupp #4 II 64  
ORCHIDACEAE
- Bulbophyllum gajoense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum galactanthum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum galbinum* Ridl. = *Bulbophyllum uniflorum* (Blume) Hassk.
- Bulbophyllum galeatum* (Sw.) Lindl. = *Polystachya galeata* (Sw) Rchb.f.
- Bulbophyllum galliaheneum** P.Royen #4 II 64  
ORCHIDACEAE
- Bulbophyllum gamblei* (Hook.f.) J.J.Sm. = *Bulbophyllum fischeri* Seidenf.
- Bulbophyllum gamosepalum* (Griff.) J.J.Sm. =  
*Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.
- Bulbophyllum garupinum* Schltr. = *Bulbophyllum infundibuliforme* J.J.Sm.
- Bulbophyllum gautierense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum geminatum* Carr = *Bulbophyllum biflorum* Teijsm. & Binnend.
- Bulbophyllum geminum* Schltr. = *Bulbophyllum pachytelos* Schltr.
- Bulbophyllum gemma-reginae** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum geniculiferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum gentilii* Rolfe = *Bulbophyllum schinzianum* Kraenzl.
- Bulbophyllum genybrachyum* Schltr. = *Bulbophyllum fractiflexum* J.J.Sm.
- Bulbophyllum geraense** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum gerlandianum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum gibbingue* J.J.Sm. = *Bulbophyllum cernuum* (Blume) Lindley
- Bulbophyllum gibbolabium** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum gibbonianum* Schltr. = *Bulbophyllum membranaceum* Teijsm. & Binn.
- Bulbophyllum gibbosum** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum gibbsiae** Rolfe #4 II 64 ORCHIDACEAE
- Bulbophyllum gibsonii* Lindl. ex Rchb.f. = *Bulbophyllum khasyanum* Griff.

- Bulbophyllum gigas* Ridl. = *Bulbophyllum elongatum* (Blume) Hassk.  
*Bulbophyllum gilgianum* Kraenzl. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gilletii* (De Wild.) De Wild. = *Bulbophyllum imbricatum* Lindl..  
*Bulbophyllum gilvum* J.J.Verm. & A.L.Lamb #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gimagaanense* Ames #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum giriwoense* J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gjellerupii* J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum glabrilabre* J.J.Sm. = *Bulbophyllum orbiculare* J.J.Sm.  
*Bulbophyllum glabrum* Schltr. #4 II 64 ORCHIDACEAE  
*Bulbophyllum gladiatum* Lindl. #4 II 64 ORCHIDACEAE  
*Bulbophyllum glanduliferum* Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum glandulosum* Ames #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum glaucifolium* J.J.Verm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum glaucum* Schltr. #4 II 64 ORCHIDACEAE  
*Bulbophyllum globiceps* Schltr. #4 II 64 ORCHIDACEAE  
*Bulbophyllum globuliforme* Nicholls #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum globulosum* (Ridl.) Schuit & de Vogel #4 II 64 ORCHIDACEAE  
*Bulbophyllum globulus* Hook.f. #4 II 64 ORCHIDACEAE  
*Bulbophyllum glutinosum* (Barb. Rodr.) Cogn. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gnomoniferum* Ames #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gobiense* Schltr. #4 II 64 ORCHIDACEAE  
*Bulbophyllum godseffianum* Weathers = *Bulbophyllum dearei* (Hort.) Rchb.f.  
*Bulbophyllum goebelianum* Kraenzl. = *Bulbophyllum dearei* (Hort.) Rchb.f.  
*Bulbophyllum goliathense* J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gomesii* Fraga #4 II 64 ORCHIDACEAE  
*Bulbophyllum gomphreniflorum* J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gongshanense* Z.H.Tsi #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum govidjoae* Schltr. = *Bulbophyllum cylindrobulbum* Schltr.  
*Bulbophyllum gracile* Thouars #4 II 64 ORCHIDACEAE  
*Bulbophyllum gracile* (Blume) Lindley = *Bulbophyllum schefferi* (Kuntze) Schltr.  
*Bulbophyllum gracile* C.S.P.Parish & Rchb.f. = *Bulbophyllum reichenbachii* (Kuntze) Schltr.  
*Bulbophyllum gracilicaule* W.Kitt. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gracilipes* King & Pantl. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum graciliscapum* Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum graciliscapum* Ames & Rolfe = *Bulbophyllum apoense* Schuit & De Vogel  
*Bulbophyllum graciliscapum* H.Perrier = *Bulbophyllum oertlei* Sieder.  
*Bulbophyllum gracillimum* (Rolfe) Rolfe #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gracillimum* Hayata = *Bulbophyllum aureolabellum* T.P.Lin  
*Bulbophyllum gramineum* Ridl. #4 II 64 ORCHIDACEAE  
*Bulbophyllum grammopoma* J.J.Verm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum grandiflorum* Blume #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum grandiflorum* Griff. = *Bulbophyllum reptans* (Lindl.) Lindl.  
*Bulbophyllum grandifolium* Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum grandilabre* Carr #4 II 64 ORCHIDACEAE  
*Bulbophyllum grandimesense* B.Gray & D.L.Jones #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum granulosum* Barb. Rodr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum graveolens* (F.M.Baill.) J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gravidum* Lindl. #4 II 64 ORCHIDACEAE  
*Bulbophyllum griffithianum* C.S.P.Parish & Rchb.f. = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.  
*Bulbophyllum griffithii* (Lindl.) Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum groeneveldtii* J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum grotianum* J.J.Verm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum grudense* J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum guamense* Ames #4 II 64 ORCHIDACEAE  
*Bulbophyllum gusdorfii* J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gustavii* Schltr. = *Bulbophyllum josephi* (Kuntze) Summerh.  
*Bulbophyllum guttatum* Schltr. #4 II 64 ORCHIDACEAE  
*Bulbophyllum guttifulm* Seidenf #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum guttulatum* (Hook.f.) Balakr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gyaloglossum* J.J.Verm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gymnopous* Hook.f. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum gyrochilum* Seidenf. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum habbemense* P.Royen #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum habropus* Schltr. = *Bulbophyllum orbiculare* J.J.Sm.

- Bulbophyllum habrotinum** J.J.Verm. & A.L.Lamb #4 II  
64 ORCHIDACEAE
- Bulbophyllum hahlianum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hainanense** Z.H.Tsi #4 II 64  
ORCHIDACEAE
- Bulbophyllum halconense** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum hamadryas** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hamatifolium** J.J.Sm. = *Bulbophyllum prianganensis* J.J. Smith  
ORCHIDACEAE
- Bulbophyllum hamatipes** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum hamelini** W.Watson #4 II 64  
ORCHIDACEAE
- Bulbophyllum hamelinii* Hort ex Rolfe = *Bulbophyllum hamelini* W.Watson  
ORCHIDACEAE
- Bulbophyllum hanifii** Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum hans-meyeri** J.J.Wood #4 II 64  
ORCHIDACEAE
- Bulbophyllum hapalanthos** Garay #4 II 64  
ORCHIDACEAE
- Bulbophyllum harposepalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hashimotoi* Yukawa & Karasawa =  
*Bulbophyllum orthosepalum* J.J.Verm.  
**Bulbophyllum hassalli** Kores #4 II 64 ORCHIDACEAE
- Bulbophyllum hastatum* T.Tang & F.T.Wang =  
*Bulbophyllum depressum* King & Pantl.  
**Bulbophyllum hastiferum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hatusimanum** Tuyama #4 II 64  
ORCHIDACEAE
- Bulbophyllum hedyothrysus* Schltr. = *Bulbophyllum chloranthum* Schltr.  
**Bulbophyllum heldiorum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum helenae** (Kuntze) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum heliophilum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum helix** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum hellwigianum** Kraenzl. ex Warb. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hemiprionotum** J.J.Verm. & A.L. Lamb #4 II 64 ORCHIDACEAE
- Bulbophyllum hemirhachis* (Pfitzer) De Wild. =  
*Bulbophyllum falcatum* (Lindl.) Rcb.f.  
**Bulbophyllum henanense** J.L.Lu #4 II 64  
ORCHIDACEAE
- Bulbophyllum henrici** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum henryi* (Rolfe) J.J.Sm. = *Bulbophyllum andersonii* (Hook.f.) J.J.Sm.  
Lindley
- Bulbophyllum henshallii* Lindl. = *Bulbophyllum lobbii*  
Lindley
- Bulbophyllum herbula** Frapp. ex Cordem. #4 II 64  
ORCHIDACEAE
- Bulbophyllum herminiostachys* (Rchb.f.) Rchb.f. =  
*Bulbophyllum pumilum* (Sw.) Lindl.  
**Bulbophyllum heteroblepharon** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum heterorhopalon** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum heterosepalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hewetii* Ridl. = *Bulbophyllum uniflorum* (Blume) Hassk.
- Bulbophyllum hexarhopalos** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hexurum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum hians** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum hiepii** Aver. #4 II 64 ORCHIDACEAE
- Bulbophyllum hildebrandtii** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hiljeae** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum hirsutissimum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hirsutiusculum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum hirsutum** (Blume) Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hirtulum** Ridley #4 II 64 ORCHIDACEAE
- Bulbophyllum hirtum** (J.E.Sm.) Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hirudiniferum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hirundinis** (Gagnep.) Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hispidum* Ridley = *Bulbophyllum dayanum* Rchb.f.  
**Bulbophyllum hodgsoni** M.R. Henderson #4 II 64  
ORCHIDACEAE
- Bulbophyllum hollandianum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum holochilum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum holtumii* A.D.Hawkes = *Bulbophyllum apiferum* Carr  
**Bulbophyllum hookeri** (Duthie) J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum hookerianum* Kraenzl = *Bulbophyllum oreonastes* Rchb.f.  
**Bulbophyllum horizontale** Bosser #4 II 64  
ORCHIDACEAE
- Bulbophyllum hornense* Govaerts = *Bulbophyllum stenobulbon* C.S.Parish & Rchb.f.  
**Bulbophyllum horridulum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum hortense* J.J.Sm. = *Bulbophyllum odoratum* (Blume) Lindley  
*Bulbophyllum hortenosoides* Ames = *Bulbophyllum odoratum* (Blume) Lindley
- Bulbophyllum hovarum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum howcroftii** Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum hoyifolium** J.J.Verm. #4 II 64  
ORCHIDACEAE

<i>Bulbophyllum humbertii</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum impar</i> Ridl. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum humblotianum</i> Kraenzl. = <i>Bulbophyllum leoni</i> Kraenzl.	<i>Bulbophyllum implexum</i> Jum. & H.Perrier = <i>Bulbophyllum minutum</i> Thouars
<i>Bulbophyllum humblottii</i> Rolfe #4 II 64 ORCHIDACEAE	<i>Bulbophyllum imschootianum</i> (Rolfe) De Wild. = <i>Bulbophyllum colubrinum</i> (Rchb.f.) Rchb.f.
<i>Bulbophyllum humile</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum inabai</i> Hayata = <i>Bulbophyllum japonicum</i> (Makino) Makino
<i>Bulbophyllum humiligium</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum inaequale</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Bulbophyllum hyacinthiodorum</i> W.W.Sm. = <i>Bulbophyllum odoratissimum</i> (J.E.Sm.) Lindl.	<i>Bulbophyllum inaequale</i> Rchb.f. = <i>Bulbophyllum colubrinum</i> (Rchb.f.) Rchb.f.
<i>Bulbophyllum hyalinum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum inaequisepalum</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum hydrophilum</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Bulbophyllum inauditum</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum hydrophilum</i> Schltr. = <i>Bulbophyllum kenejiense</i> W.Kittr.	<i>Bulbophyllum incarum</i> Kraenzl. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum hymenanthurum</i> Hook.f. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum inciferum</i> J.J.Verm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum hymenobracteum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum incisilabrum</i> J.J.Verm. & P. O' Byrne #4 II 64 ORCHIDACEAE
<i>Bulbophyllum hymenochilum</i> Kraenzl. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum inclinatum</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum hystricinum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum incommodum</i> Kores #4 II 64 ORCHIDACEAE
<i>Bulbophyllum ialibuense</i> Ormerod #4 II 64 ORCHIDACEAE	<i>Bulbophyllum inconspicuum</i> Max. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum iboense</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum incumbens</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum ichthyostomum</i> Colenso = <i>Bulbophyllum pygmaeum</i> (Sm.) Lindl.	<i>Bulbophyllum incurvum</i> Thouars #4 II 64 ORCHIDACEAE
<i>Bulbophyllum icteranthum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum indragirens</i> Schltr. = <i>Bulbophyllum tortuosum</i> (Blume) Lindley
<i>Bulbophyllum idenburgense</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum iners</i> Rchb.f. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum ignecentrum</i> J.J.Sm. = <i>Bulbophyllum gibbosum</i> (Blume) Lindley	<i>Bulbophyllum infundibuliflorum</i> J.B.Petersen = <i>Bulbophyllum oreonastes</i> Rchb.f.
<i>Bulbophyllum igneum</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Bulbophyllum infundibuliforme</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum ignevenosum</i> Carr #4 II 64 ORCHIDACEAE	<i>Bulbophyllum injoloense</i> De Wild. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum ignobile</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum inopinatum</i> W.W.Sm. = <i>Bulbophyllum penicillium</i> C.S.P.Parish & Rchb.f.
<i>Bulbophyllum ikongoense</i> H.Perrier #4 II 64 ORCHIDACEAE	<i>Bulbophyllum inornatum</i> J.J.Verm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum illecebrense</i> J.J.Verm. & P. O' Byrne #4 II 64 ORCHIDACEAE	<i>Bulbophyllum inquirendum</i> J.J.Verm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum illudens</i> Ridl. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum insectiferum</i> Barb. Rodr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum imbricans</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum insigne</i> Ridl. = <i>Bulbophyllum membranifolium</i> Hook.f.
<i>Bulbophyllum imbricatum</i> Lindl.. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum insolitum</i> Bosser #4 II 64 ORCHIDACEAE
<i>Bulbophyllum imbricatum</i> Griff. = <i>Bulbophyllum cylindraceum</i> Lindl.	<i>Bulbophyllum insulare</i> J.J.Sm. = <i>Bulbophyllum pulchrum</i> (N.E.Br.) J.J.Sm.
<i>Bulbophyllum imerinense</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum insulsoides</i> Seidenf. = <i>Bulbophyllum insulsum</i> (Gagnep.) Seidenf.
<i>Bulbophyllum imitans</i> Schltr. = <i>Bulbophyllum cylindrobulbum</i> Schltr.	<i>Bulbophyllum insulsum</i> (Gagnep.) Seidenf. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum imitator</i> J.J.Verm. #4 II 64 ORCHIDACEAE	
<i>Bulbophyllum immobile</i> Schltr. = <i>Bulbophyllum cruciatum</i> J.J.Sm.	
<i>Bulbophyllum imogeniae</i> Hamilton = <i>Bulbophyllum pumilum</i> (Sw.) Lindl.	

- Bulbophyllum intermedium** F.M.Bailey #4 II 64  
ORCHIDACEAE
- Bulbophyllum intersitum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum intertextum** Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum intervallatum** J.J.Sm. = *Bulbophyllum macrochilum* Rolfe
- Bulbophyllum intricatum** Seidenf #4 II 64  
ORCHIDACEAE
- Bulbophyllum inunctum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum inversum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum invisum** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum involutum** L.E.Borba & J.Semir #4 II 64  
ORCHIDACEAE
- Bulbophyllum ionophyllum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ipanemense** Hoehne #4 II 64  
ORCHIDACEAE
- Bulbophyllum ischnopodus** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum iterans** J.J.Verm. & P.O'Byrne #4 II 64  
ORCHIDACEAE
- Bulbophyllum ituriense* De Wild. = *Bulbophyllum lupulinum* Lindl.
- Bulbophyllum ivorensis** Cribb & Perez-Vera #4 II 64  
ORCHIDACEAE
- Bulbophyllum jaapii** Szlach. & Olszw. #4 II 64  
ORCHIDACEAE
- Bulbophyllum jacobi* Frapp. = *Bulbophyllum cordemoyi* Frapp. ex Cordem.
- Bulbophyllum jacobsonii** J.J.Sm. = *Bulbophyllum plumatum* Ames
- Bulbophyllum jacquettii* Gagnep. = *Sunipia dichroma* (Rolfe) Bân & .H.Duong
- Bulbophyllumjadunae** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum jaguariahyvae** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum jamaicense** Cogn. #4 II 64  
ORCHIDACEAE
- Bulbophyllum janus** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum japonicum** (Makino) Makino #4 II 64  
ORCHIDACEAE
- Bulbophyllum japonicum* (Makino) J.J.Sm. = *Bulbophyllum japonicum* (Makino) Makino
- Bulbophyllum jarensse** Ames = *Bulbophyllum penduliscapum* J.J.Sm.
- Bulbophyllum javanicum* (Blume) J.J.Sm. = *Bulbophyllum epicrianthes* Hook.f.
- Bulbophyllum javanicum* Miq. = *Bulbophyllum pahudii* (De Vries) Reichb.f.
- Bulbophyllum jensenii** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum jesperseni* De Wild. = *Bulbophyllum scaberulum* (Rolfe) Bolus
- Bulbophyllum johannis** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum johannis-winkleri* J.J.Sm = *Bulbophyllum nematocaulon* Ridley
- Bulbophyllum johannulii** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum johannum* H.Perrier = *Bulbophyllum hildebrandtii* Rchb.f.
- Bulbophyllum johnsonii** T.E.Hunt #4 II 64  
ORCHIDACEAE
- Bulbophyllum jolandae** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum josephi** (Kuntze) Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum josephi* M.Kumar & Sequiera = *Bulbophyllum orezii* Sath.Kumar
- Bulbophyllum jugicola* P.Royer = *Bulbophyllum dekockii* J.J.Sm.
- Bulbophyllum jumellatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum jungwirthianum* Schltr. = *Bulbophyllum cochleatum* Lindl.
- Bulbophyllum kainochilooides** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum kaitense** Reichb. f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum kamerunense* Schltr. = *Bulbophyllum imbricatum* Lindl..
- Bulbophyllum kanburicense** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum kaniense** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum katherinae* A.D.Hawkes = *Bulbophyllum reticulatum* Bateman
- Bulbophyllum kauloense** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum kautskyi** Toscano #4 II 64  
ORCHIDACEAE
- Bulbophyllum keekee** Halle #4 II 64 ORCHIDACEAE
- Bulbophyllum kegelii** Hamer & Garay #4 II 64  
ORCHIDACEAE
- Bulbophyllum kelelense** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum kempfii** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum kempterianum* Schltr. = *Bulbophyllum cylindrobulbum* Schltr.
- Bulbophyllum kemulense** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum kenae** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum kenejianum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum kenejiense** W.Kittr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum keralensis** Muktesh & Stephen #4 II 64  
ORCHIDACEAE
- Bulbophyllum kermesinum** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum kerri* Rolfe = *Bulbophyllum hirtum* (J.E.Sm.) Lindl.
- Bulbophyllum kestron** J.J.Verm. & A.L.Lamb #4 II 64  
ORCHIDACEAE
- Bulbophyllum ketridgei** (Garay, Hamer & Siegerist) J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum khaoyaiense** Seidenf. #4 II 64  
ORCHIDACEAE

<i>Bulbophyllum khasyanum</i> Griff. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lamprobulbon</i> Schltr. = <i>Bulbophyllum fractiflexum</i> J.J.Sm.
<i>Bulbophyllum kieneri</i> Bosser #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lamprochlamys</i> Schltr. = <i>Bulbophyllum xanthochlamys</i> Schltr.
<i>Bulbophyllum kinabaluense</i> Rolfe = <i>Bulbophyllum coriaceum</i> Ridl.	<i>Bulbophyllum lanceolatum</i> Ames & Schweinf. = <i>Bulbophyllum flavescens</i> (Blume) Lindley
<i>Bulbophyllum kingii</i> Hook.f. = <i>Acrochaene punctata</i> Lindl.	
<i>Bulbophyllum kirkwoodae</i> T.E.Hunt #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lancifolium</i> Ames #4 II 64 ORCHIDACEAE
<i>Bulbophyllum kirroanthum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lancilabium</i> Ames #4 II 64 ORCHIDACEAE
<i>Bulbophyllum kittredgei</i> (Garay, Hamer & Siegerist) J.J.Verm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lancipetalum</i> Ames #4 II 64 ORCHIDACEAE
<i>Bulbophyllum kivuense</i> J.J.Verm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lancisepalum</i> H.Perrier #4 II 64 ORCHIDACEAE
<i>Bulbophyllum kjelbergii</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum langbianense</i> Seidenf. & Smitinand = <i>Bulbophyllum retusiusculum</i> Rchb.f.
<i>Bulbophyllum klabatense</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum languidum</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum klossii</i> Ridl. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lanuginosum</i> J.J.Verm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum kontumense</i> Gagnep. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum laoticum</i> Gagnep. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum koordersii</i> (Rolfe) J.J.Sm. = <i>Bulbophyllum pulchrum</i> (N.E.Br.) J.J.Sm.	Bulbophyllum, Large Flowered (E): <i>Bulbophyllum macranthum</i>
<i>Bulbophyllum korimense</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lasianthum</i> Lindl. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum korinchense</i> Ridl. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lasiochilum</i> C.S.P.Parish & Rchb.f. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum korthalsii</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lasioglossum</i> Rolfe ex Ames #4 II 64 ORCHIDACEAE
<i>Bulbophyllum koyanense</i> Carr = <i>Bulbophyllum caudatisepalum</i> Ames & Schweinf	<i>Bulbophyllum lasiopetalum</i> Kraenzl. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum kraenzlinianum</i> De Wild. = <i>Bulbophyllum hirsutissimum</i> Kraenzl.	<i>Bulbophyllum latibrachiatum</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum kupense</i> P.J.Cribb & B.J.Pollard #4 II 64 ORCHIDACEAE	<i>Bulbophyllum latipes</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum kusaiense</i> Tuyama #4 II 64 ORCHIDACEAE	<i>Bulbophyllum latipetalum</i> H.Perrier #4 II 64 ORCHIDACEAE
<i>Bulbophyllum kusukusense</i> Hayata = <i>Bulbophyllum affine</i> Lindley	<i>Bulbophyllum latisepalum</i> Ames & Schweinf. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum kwangtungense</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum laurentianum</i> Kraenzl. = <i>Bulbophyllum imbricatum</i> Lindl..
<i>Bulbophyllum labatii</i> Bosser #4 II 64 ORCHIDACEAE	<i>Bulbophyllum laxiflorum</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Bulbophyllum laciniatum</i> (Barb. Rodr.) Cogn. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum laxum</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum lacinulosum</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum layardii</i> (F.Muell & Kraenzl.) J.J.Sm. = <i>Bulbophyllum longiflorum</i> Thouars
<i>Bulbophyllum laetum</i> J.J.Verm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum leandrianum</i> H.Perrier #4 II 64 ORCHIDACEAE
<i>Bulbophyllum lageniforme</i> F.M.Bailey #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lecouflei</i> Bosser #4 II 64 ORCHIDACEAE
<i>Bulbophyllum laggiaiae</i> Schltr. = <i>Bulbophyllum humblottii</i> Rolfe	<i>Bulbophyllum ledermannii</i> (Kraenzl.) De Wild. = <i>Bulbophyllum imbricatum</i> Lindl..
<i>Bulbophyllum lakatoense</i> Bosser #4 II 64 ORCHIDACEAE	<i>Bulbophyllum ledungense</i> T.Tang & F.T.Wang #4 II 64 ORCHIDACEAE
<i>Bulbophyllum lambii</i> J.J.Verm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lehmannianum</i> Kraenzl. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum lamelluliferum</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum leibergii</i> Ames & Rolfe #4 II 64 ORCHIDACEAE
<i>Bulbophyllum lamii</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum lemniifolium</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum lamingtonense</i> D.L.Jones #4 II 64 ORCHIDACEAE	

- Bulbophyllum lemnickatoides** Rolfe #4 II 64  
ORCHIDACEAE
- Bulbophyllum lemnickatum** C.S.Parish ex Hook.f. #4 II  
64 ORCHIDACEAE
- Bulbophyllum lemuraeoides** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum lemurensse** Bosser & P.J.Cribb #4 II 64  
ORCHIDACEAE
- Bulbophyllum leniae** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum leoni** Kraenzl. #4 II 64 ORCHIDACEAE
- Bulbophyllum leontoglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum leopardinum** (Wall.) Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum lepantense** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum lepanthiflorum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum lepidum* (Blume) J.J. Smith = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.
- Bulbophyllum leproglossum** J.J.Verm. & A.L. Lamb #4 II 64 ORCHIDACEAE
- Bulbophyllum leptanthum** Hook.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum leptobulbon** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum leptocaulon** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum leptochlamys** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum leptoleucum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum leptophyllum** W.Kittr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum leptopus** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum leptorrhachis* Schltr. = *Bulbophyllum falcatum* (Lindl.) Rcb.f.
- Bulbophyllum leptosepalum** Hook.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum leptostachyum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum leratiae* (Kranzlin.) Seidenf. = *Bulbophyllum baladeanum* J.J. Smith
- Bulbophyllum leratii* (Schltr.) J.J. Smith = *Bulbophyllum gracillimum* (Rolfe) Rolfe
- Bulbophyllum leucopogon* Kraenzl. = *Bulbophyllum pumilum* (Sw.) Lindl.
- Bulbophyllum leucorrhachis* (Rolfe) Schltr. = *Bulbophyllum imbricatum* Lindl..
- Bulbophyllum leucorhodum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum leucothyrsus** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum levanae** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum levatii** Kraenzl. #4 II 64 ORCHIDACEAE
- Bulbophyllum leve** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum levidense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum levinei** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum levyae** Garay, Hamer & Siegerist #4 II 64  
ORCHIDACEAE
- Bulbophyllum lewisense** B.Gray & D.L.Jones #4 II 64  
ORCHIDACEAE
- Bulbophyllum leysenianum** Burb. #4 II 64  
ORCHIDACEAE
- Bulbophyllum leytense** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum lichenastrum* F.Muell. = *Dendrobium lichenastrum* (Muell.) Nicholls
- Bulbophyllum lichenoides** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum lichenophylax** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ligulatum** W.Kittr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ligulifolium** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum liliacinum** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum lilianae** Rendle #4 II 64 ORCHIDACEAE
- Bulbophyllum limbatum** Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum linchianum* S.S.Ying = *Bulbophyllum melanoglossum* Hayata
- Bulbophyllum linderi* Summerh. = *Bulbophyllum imbricatum* Lindl..
- Bulbophyllum lindleyanum** Griff. #4 II 64  
ORCHIDACEAE
- Bulbophyllum lindleyi* (Rolfe) Schltr. = *Bulbophyllum calypratum* Kraenzl.
- Bulbophyllum lineare** Frapp. & Cordem. #4 II 64  
ORCHIDACEAE
- Bulbophyllum lineariflorum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum linearifolium** King & Prantl #4 II 64  
ORCHIDACEAE
- Bulbophyllum linearilabium** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum lineariligulatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum linearipetalum* J.J.Sm. = *Bulbophyllum fractiflexum* J.J.Sm.
- Bulbophyllum lineatum** (Teijsm. & Binn.) J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum lineolatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum linggense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum linguiforme* P.J.Cribb = *Bulbophyllum humblottii* Rolfe
- Bulbophyllum lingulatum** Rendle #4 II 64  
ORCHIDACEAE
- Bulbophyllum liparidiooides** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum lipense** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum lissoglossum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum listeri* King & Pantl. = *Bulbophyllum tortuosum* (Blume) Lindley

- Bulbophyllum lizae** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum lobbi** Lindley #4 II 64 ORCHIDACEAE
- Bulbophyllum lobulatum** Schltr. = *Bulbophyllum erectum* Thouars
- Bulbophyllum loherianum** (Kraenzl.) Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum lohokii** J.J.Verm. & A.L.Lamb #4 II 64 ORCHIDACEAE
- Bulbophyllum lokonense** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum lonchophyllum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum longibracteatum** Seidenf. #4 II 64 ORCHIDACEAE
- Bulbophyllum longerepens** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum longihutense** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum longibrachiatum** Z.H.Tsi #4 II 64 ORCHIDACEAE
- Bulbophyllum longibracteatum** Seidenf. #4 II 64 ORCHIDACEAE
- Bulbophyllum longicaudatum** (J.J.Sm.) J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum longidens** (Rolfe) Seidenf. #4 II 64 ORCHIDACEAE
- Bulbophyllum longiflorum** Thouars #4 II 64 ORCHIDACEAE
- Bulbophyllum longiflorum* Ridl. = *Bulbophyllum inunctum* J.J.Sm.
- Bulbophyllum longilabre** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum longimucronatum** Ames & C.Schweinf. #4 II 64 ORCHIDACEAE
- Bulbophyllum longipedicellatum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum longipes* Rchb.f. = *Monomeria longipes* (Rchb.f.) Aver.
- Bulbophyllum longipetalum** Pabst. #4 II 64 ORCHIDACEAE
- Bulbophyllum longipetiolatum** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum longipiliferum* J.J.Sm. = *Bulbophyllum octarrhenipetalum* J.J.Sm.
- Bulbophyllum longirostre** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum longiscapum** Rolfe #4 II 64 ORCHIDACEAE
- Bulbophyllum longisepalum** Rolfe #4 II 64 ORCHIDACEAE
- Bulbophyllum longiserpens* Schltr. = *Bulbophyllum cylindrobulbum* Schltr.
- Bulbophyllum longispicatum** Cong. #4 II 64 ORCHIDACEAE
- Bulbophyllum longissimum** (Ridl.) Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum longissimum* (Ridl.) J.J.Sm. = *Bulbophyllum longissimum* (Ridl.) Ridl.
- Bulbophyllum longistelidium* Ridley = *Bulbophyllum stormii* J.J. Smith
- Bulbophyllum longivagans** Carr. #4 II 64 ORCHIDACEAE
- Bulbophyllum longivaginans** H.Perrier #4 II 64 ORCHIDACEAE
- Bulbophyllum lophoglossis** (Guillaumin) Halle #4 II 64 ORCHIDACEAE
- Bulbophyllum lophotom** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum lordoglossum** J.J.Verm. & A.L.Lamb #4 II 64 ORCHIDACEAE
- Bulbophyllum lorentzianum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum loroglossum** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum louisiadum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum loxophyllum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum luanii** Tixier #4 II 64 ORCHIDACEAE
- Bulbophyllum lucidum** Schltr #4 II 64 ORCHIDACEAE
- Bulbophyllum luciphilum** Stevart #4 II 64 ORCHIDACEAE
- Bulbophyllum luckraftii** F.Muell. #4 II 64 ORCHIDACEAE
- Bulbophyllum luederwaldtii** Hoehne & Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum lumbriciforme** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllumlundianum** Rchb.f. & Warm. #4 II 64 ORCHIDACEAE
- Bulbophyllum lupulinum** Lindl. #4 II 64 ORCHIDACEAE
- Bulbophyllum luteobracteatum** Jum. & H.Perrier #4 II 64 ORCHIDACEAE
- Bulbophyllum luteolabium* H.Perrier = *Bulbophyllum humblottii* Rolfe
- Bulbophyllum luteopurpureum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum lutescens* (Rolfe) De Wild. = *Bulbophyllum falcipetalum* Lindl.
- Bulbophyllum luzonense* Ames = *Bulbophyllum laxiflorum* (Blume) Lindley
- Bulbophyllum lygeron** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum lyperocephalum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum hyperostachyum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum lyriiforme** J.J.Verm. & P.O'Byrne #4 II 64 ORCHIDACEAE
- Bulbophyllum maboroense** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum macgregorii* Ames = *Bulbophyllum exquisitum* Ames
- Bulbophyllum macgregorii* Schltr. = *Bulbophyllum chloranthum* Schltr.
- Bulbophyllum machupicchuense** D.E.Benn. & Christenson #4 II 64 ORCHIDACEAE
- Bulbophyllum macilentum** J.J.Verm. #4 II 64 ORCHIDACEAE

- Bulbophyllum mackeeanum* Guillaumin = *Bulbophyllum triste* Rchb.f.  
***Bulbophyllum macneicea*** Shuit & De Vogel #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum macphersoni*** Rupp #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum macraei*** (Lindley) Reichb.f. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum macranthoides*** Kraenzl. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum macranthum*** Lindley #4 II 64  
 ORCHIDACEAE (E) Large Flowered *Bulbophyllum*  
***Bulbophyllum macrobulbum*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum macrocarpum*** Frapp. ex Cordem. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum macroceras*** Barb. Rodr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum macrochilum*** Rolfe #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum macrocoleum*** Seidenf. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum macrolepis* L.O. Williams = *Bulbophyllum longiscapum* Rolfe  
*Bulbophyllum macrophyllum* Kraenzl. = *Bulbophyllum penduliscapum* J.J.Sm.  
***Bulbophyllum macrorhopalon*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum macrourum*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum maculatum*** Boxall ex Naves #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum maculatum* Jum. & H.Perrier =  
*Bulbophyllum hildebrandtii* Rchb.f.  
***Bulbophyllum maculosum*** Ames #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum maculosum* (Lindl.) Rchb.f. = *Bulbophyllum umbellatum* Lindl.  
*Bulbophyllum madagascariense* Schltr. = *Bulbophyllum hildebrandtii* Rchb.f.  
***Bulbophyllum magnibracteatum*** Summerh. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum magnivaginatum* Ames & Schweinf. =  
*Bulbophyllum gibbosum* (Blume) Lindley  
***Bulbophyllum mahakamense*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum maijenense*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum major*** (Ridl.) van Royen #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum makakense* J. Hansen = *Bulbophyllum colubrinum* (Rchb.f.) Rchb.f.  
*Bulbophyllum makinoanum* (Schltr.) Masam =  
*Bulbophyllum macraei* (Lindley) Reichb.f.  
***Bulbophyllum makoyanum*** (Reichb.f.) Ridley #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum malachadenia*** Cogn. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum malawiense* B.Morris = *Bulbophyllum ellottii*  
 Rolfe  
*Bulbophyllum malayanum* J.J.Sm. = *Bulbophyllum blepharistes* Rchb.f.  
***Bulbophyllum maleolens*** Kraenzl. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum malleolabrum*** Carr #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum mamberamense*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum mananjarensis*** Poiss. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum manarae*** Foldats #4 II 64 ORCHIDACEAE  
***Bulbophyllum mandibulare*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum mandrakanum* Schltr. = *Bulbophyllum coriophorum* Ridl.  
***Bulbophyllum mangenotii*** Bosser #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum mangoroanum* Schltr. = *Bulbophyllum ophiuchus* Ridl.  
*Bulbophyllum manifestans* J.J.Sm. = *Bulbophyllum callichroma* Schltr.  
*Bulbophyllum manipetalum* J.J.Sm. = *Bulbophyllum cheiropetalum* Ridley  
*Bulbophyllum mannii* Hook.f. = *Bulbophyllum cochleatum* Lindl.  
***Bulbophyllum manobulbum*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum maquilinguense*** Ames & Quisumb. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum marcidum* Ames = *Bulbophyllum schefferi* (Kuntze) Schltr.  
***Bulbophyllum marginatum*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum marivelense*** Ames #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum marojejiense*** H.Perrier #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum maromanganum*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum marovoense*** H.Perrier #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum marudiense*** Carr #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum masaganapense*** Ames #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum masarangicum*** Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum masdevalliaeum* Kranzlin = *Bulbophyllum blumei* (Lindley) J.J.Smith  
***Bulbophyllum maskeliyense*** Livera #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum masoalanum*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum masonii*** (Senghas) J.J.Wood #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum mastersianum*** (Rolfe) J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum matitanense*** H.Perrier #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum mattesii*** Sieder #4 II 64 ORCHIDACEAE

- Bulbophyllum maudeae** A.D.Hawkes #4 II 64  
ORCHIDACEAE
- Bulbophyllum mauritianum** P.E.Hunt = *Hederorkis scandens* Thouars
- Bulbophyllum maxillare** (Lindl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum maxillarioides** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum maximum** (Lindl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum maximum** (Ridl.) Ridl. = *Bulbophyllum viresens* J.J.Sm.
- Bulbophyllum mayae** A.D.Hawkes = *Bulbophyllum peyrotii* Bosser
- Bulbophyllum mayombeense** Garay #4 II 64  
ORCHIDACEAE
- Bulbophyllum mayrii** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum mearnsii** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum mediocre** Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum medusae** (Lindl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum medusella** Ridl.. = *Bulbophyllum croceum* (Blume) Lindley
- Bulbophyllum megalanthum** Griffith = *Bulbophyllum cheiri* Lindley
- Bulbophyllum megalonyx** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum melanoglossum** Hayata #4 II 64  
ORCHIDACEAE
- Bulbophyllum melanoglossum** Kraenzl. = *Bulbophyllum mona-lisae* Seider
- Bulbophyllum melanopogon** Schltr. = *Bulbophyllum hildebrandtii* Rchb.f.
- Bulbophyllum melanoxanthum** J.J.Verm. & B.A.Lewis #4 II 64 ORCHIDACEAE
- Bulbophyllum melilotus** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum melinanthum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum melinoglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum meliphagirostrum** P.Royen #4 II 64  
ORCHIDACEAE
- Bulbophyllum melleri** (Hook.f.) Rchb.f. = *Bulbophyllum sandersonii* (Hook.f.) Rchb.f.
- Bulbophyllum melleum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum melliferum** J.J.Sm. = *Bulbophyllum rugosum* Ridley
- Bulbophyllum melloi** Pabst. #4 II 64 ORCHIDACEAE
- Bulbophyllum membranaceum** Teijsm. & Binn. #4 II 64  
ORCHIDACEAE
- Bulbophyllum membranifolium** Hook.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum menghaiense** Z.H.Tsi #4 II 64  
ORCHIDACEAE
- Bulbophyllum menglunense** Z.H.Tsi & Y.Z.Ma #4 II 64  
ORCHIDACEAE
- Bulbophyllum mentiferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum mentosum** Barb. Rodr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum merguense** C.S.P.Parish & Rchb.f. = *Bulbophyllum lineatum* (Teijsm. & Binn.) J.J.Sm.
- Bulbophyllum meridense** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum meristorhachis** Garay & Dunst. #4 II 64  
ORCHIDACEAE
- Bulbophyllum merrittii** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum mesodon** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum metonymon** Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum micholitzianum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum micholitzii** Rolfe #4 II 64 ORCHIDACEAE
- Bulbophyllum micholitzii* (Rolfe) Ho = *Bulbophyllum retusiusculum* Rchb.f.
- Bulbophyllum micholitzii* (Rolfe) J.J.Sm. = *Bulbophyllum retusiusculum* Rchb.f.
- Bulbophyllum micholitzii* (Rolfe) Seidenf. & Smitinand = *Bulbophyllum retusiusculum* Rchb.f.
- Bulbophyllum micranthum** Barb.Rodr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum micranthum* Hook.f. = *Bulbophyllum triste* Rchb.f.
- Bulbophyllum microblepharon** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum microbulbon** Schltr #4 II 64  
ORCHIDACEAE
- Bulbophyllum microbulbon* (Ridley) Ridley = *Bulbophyllum ruficaudatum* Ridl.
- Bulbophyllum microcala** P.F.Hunt #4 II 64  
ORCHIDACEAE
- Bulbophyllum microcharis* Schltr. = *Bulbophyllum cylindrobulbum* Schltr.
- Bulbophyllum microdendron** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum microglossum** Ridley #4 II 64  
ORCHIDACEAE
- Bulbophyllum microglossum* H.Perrier = *Bulbophyllum moldenkeanum* A.D.Hawkes
- Bulbophyllum microlabium** W.Kittr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum micronesiacum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum micropetaliforme** Leite #4 II 64  
ORCHIDACEAE
- Bulbophyllum micropetalum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum micropetalum* Barb.Rodr. = *Bulbophyllum cribbianum* Toscano
- Bulbophyllum micropetalum* Lindl. = *Genyorchis micropetala* (Lindl) Schltr.
- Bulbophyllum microphyton* Guillaumin = *Bulbophyllum lingulatum* Rendle
- Bulbophyllum microrhombos** Schltr. #4 II 64  
ORCHIDACEAE

- Bulbophyllum microsphaerum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum microstele** Schltr. = *Bulbophyllum tenuifolium* (Blume) Lindley
- Bulbophyllum microtepalum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum microtes** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum microthamnus** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum milesii** Summerh. = *Bulbophyllum pipio* Rchb.f.
- Bulbophyllum mimiense** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum minahassae** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum minax** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum mindanaense** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum mindorense** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum minimibulbum* Carr = *Bulbophyllum rhizomatosum* Ames & C.Schweinf.
- Bulbophyllum minutibulbum** W.Kittr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum minutiflorum* Ames & C.Schweinf. = *Bulbophyllum gibbsiae* Rolfe
- Bulbophyllum minutilabrum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum minutipetalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum minutissimum** (F.Muell.) F.Muell. #4 II 64  
ORCHIDACEAE
- Bulbophyllum minutulum** Ridley #4 II 64  
ORCHIDACEAE
- Bulbophyllum minutum** Thouars #4 II 64  
ORCHIDACEAE
- Bulbophyllum mirabile** Hallier f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum mirandaianum** Hoehne #4 II 64  
ORCHIDACEAE
- Bulbophyllum mirandum* Kraenzl. = *Bulbophyllum macrochilum* Rolfe
- Bulbophyllum mirificum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum mirum** J.J. Smith #4 II 64 ORCHIDACEAE
- Bulbophyllum mischobulbon** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum mishmeense* Hook.f. = *Sunipia cirrhata* (Lindl.) P.F.Hunt
- Bulbophyllum mobilifilum** Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum modestum* Hook.f. = *Bulbophyllum sulcatum* (BLume) Lindley
- Bulbophyllum moorianum* A.D.Hawkes = *Bulbophyllum maximum* (Lindl.) Rchb.f.
- Bulbophyllum moldenkeanum** A.D.Hawkes #4 II 64  
ORCHIDACEAE
- Bulbophyllum moliwense* Schltr. = *Bulbophyllum pumilum* (Sw.) Lindl.
- Bulbophyllum molossus** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum mona-lisae** Seider #4 II 64  
ORCHIDACEAE
- Bulbophyllum monanthos** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum monanthum** (Kuntze) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum moniliforme** C.S.P.Parish & Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum moniliforme* F.Muell. = *Bulbophyllum minutissimum* (F.Muell.) F.Muell.
- Bulbophyllum moniliforme* R.King = *Bulbophyllum minutissimum* (F.Muell.) F.Muell.
- Bulbophyllum monosema** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum monosepalum* Barb.Rodr. = *Bulbophyllum napelli* Lindl.
- Bulbophyllum monstrabile** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum montanum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum montense** Ridley #4 II 64 ORCHIDACEAE
- Bulbophyllum monteroi** J.E.Leite #4 II 64  
ORCHIDACEAE
- Bulbophyllum monticolum* Hook.f. = *Bulbophyllum gravidum* Lindl.
- Bulbophyllum montigenum* Ridl. = *Bulbophyllum flavescentes* (Blume) Lindley
- Bulbophyllum mooreanum* Robyns & Tournay = *Bulbophyllum sandersonii* (Hook.f.) Rchb.f.
- Bulbophyllum moramanganum* Schltr. = *Bulbophyllum maromanganum* Schltr.
- Bulbophyllum moratii** Bosser #4 II 64 ORCHIDACEAE
- Bulbophyllum morenoi** Dodson & Vasquez #4 II 64  
ORCHIDACEAE
- Bulbophyllum moroides** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum morotaiense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum morphogorum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum moulmeinense* Rchb.f. = *Trias oblonga* Lindl.
- Bulbophyllum mucronatum** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum mucronifolium** Rchb.f. & Warm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum mulderae** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum multiflexum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum multiflorum** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum multiflorum* (Breda) Kranzlin = *Bulbophyllum bakhuisenii* van Steenis
- Bulbophyllum multiligulatum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum multivaginatum** Jum. & H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum muluense* J.J. Wood = *Bulbophyllum anguliferum* Ames & C.Schweinf.

<i>Bulbophyllum mundulum</i> (W.Bull) J.J.Sm. = <i>Bulbophyllum taeniophyllum</i> C.S.P.Parish & Reichb.f.	<i>Bulbophyllum nasutum</i> Rchb.f. = <i>Trias nasuta</i> (Rchb.f.) Stapf.
<i>Bulbophyllum muricatum</i> J.J.Sm. = <i>Monosepalum muricatum</i> (J.J.Sm.) Schltr.	<i>Bulbophyllum navicula</i> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum muriceum</i></b> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum navigoliferum</i> J.J.Sm. = <i>Bulbophyllum antennatum</i> Schltr.
<b><i>Bulbophyllum murkelense</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nebulosum</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum muscarirubrum</i></b> Seidenf. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum neglectum</i></b> Bosser #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum muscicola</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum negrosianum</i></b> Ames #4 II 64 ORCHIDACEAE
<i>Bulbophyllum muscicolum</i> Rchb.f. = <i>Bulbophyllum retusiusculum</i> Rchb.f.	<b><i>Bulbophyllum neilgherrense</i></b> Wight #4 II 64 ORCHIDACEAE
<i>Bulbophyllum musciferum</i> Ridley = <i>Bulbophyllum coniferum</i> Ridley	<b><i>Bulbophyllum nematocaule</i></b> Ridley #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum muscohaerens</i></b> J.J.Verm. & A.L.Lamb #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nematopodium</i></b> F. Muell. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum mutabile</i></b> (Blume) Lindley #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nematorhiza</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum mutatum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nemorale</i></b> L.O.Williams #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum myolaense</i></b> Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nemorosum</i></b> (Barb. Rodr.) Cogn. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum myon</i></b> J.J.Verm. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum nemorosum</i> Schltr. = <i>Bulbophyllum singuliflorum</i> W.Kittr.
<i>Bulbophyllum myrianthum</i> Schltr. = <i>Bulbophyllum clandestinum</i> Lindl.	<b><i>Bulbophyllum neobudicus</i></b> (Garay, Hamer & Siegerist) Sieder #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum myrmecochilum</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum neo-caledonicum</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum myrtillus</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum neoguinense</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum mysorensis</i></b> (Rolfe) J.J. Smith #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum neo-pommeranicum</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum mystax</i></b> Schuit. & De Vogel #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nephropetalum</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum mystrochilum</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nervulosum</i></b> Frapp. ex Cordem. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum mystrophyllum</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nesiotes</i></b> Seidenf. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum nabawanense</i></b> J.J.Wood & A.L.Lamb. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum newportii</i></b> (F.M.Bailey) Rolfe #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum nagelii</i></b> L.O. Williams #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum ngoclinensis</i></b> Aver. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum namororae</i></b> Bosser #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum ngoyense</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum nannodes</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nieuwenhuisii</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum nanobulbon</i> Seidenf. = <i>Bulbophyllum ruficaudatum</i> Ridl.	<b><i>Bulbophyllum nigericum</i></b> Summerh. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum nanopetalum</i></b> Seidenf. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nigrescens</i></b> Rolfe #4 II 64 ORCHIDACEAE
<i>Bulbophyllum nanum</i> De Wild. = <i>Bulbophyllum pumilum</i> (Sw.) Lindl.	<i>Bulbophyllum nigrescens</i> Schltr. = <i>Bulbophyllum rubromaculatum</i> W.Kittr.
<b><i>Bulbophyllum napelli</i></b> Lindl. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nigriflorum</i></b> H.Perrier #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum napelloides</i></b> Kraenzl. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nigrilabium</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum nasica</i></b> Schltr. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum nigrilabium</i> H.Perrier = <i>Bulbophyllum maudeae</i> A.D.Hawkes
<b><i>Bulbophyllum nasilabium</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum nigripetalum</i></b> Rolfe #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum nasseri</i></b> Garay #4 II 64 ORCHIDACEAE	

- Bulbophyllum nigrititianum** Rendle #4 II 64  
ORCHIDACEAE
- Bulbophyllum nigromaculatum* Holttum = *Bulbophyllum tenuifolium* (Blume) Lindley
- Bulbophyllum nigropurpureum** Carr #4 II 64  
ORCHIDACEAE
- Bulbophyllum nigroscapum* Ames = *Bulbophyllum ebulbe* Schltr.
- Bulbophyllum nipondhii** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum nitens** Jum. & H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum nitidum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum niveo-sulphureum* Schltr. = *Bulbophyllum colliferum* J.J.Sm.
- Bulbophyllum niveum* (J.J.Sm.) J.J.Sm. = *Bulbophyllum odoratum* (Blume) Lindley
- Bulbophyllum nodosum** (Rolfe) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum noeatum* Kerr = *Bulbophyllum farinulentum* J.J.Sm.
- Bulbophyllum notabilipetalum** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum novaciae** J.J.Verm. & P.O'Byrne #4 II 64  
ORCHIDACEAE
- Bulbophyllum novae-hiberniae** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum nubigenum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum nubinatum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum nummularia** (Wendl. & Kraenzl.) Rolfe #4 II 64 ORCHIDACEAE
- Bulbophyllum nummularioides** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum nuruanum* Schltr. = *Bulbophyllum membranaceum* Teijsm. & Binn.
- Bulbophyllum nutans** (Thouars) Thouars #4 II 64  
ORCHIDACEAE
- Bulbophyllum nutans* (Lindl.) Rchb.f. = *Bulbophyllum othonis* (Kuntze) J.J.Sm.
- Bulbophyllum nyassanum* Schltr. = *Bulbophyllum maximum* (Lindl.) Rchb.f.
- Bulbophyllum nymphopolitanum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum oblanceolatum** King & Pantl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum oblanceolatum* Schltr.. = *Bulbophyllum mattesii* Sieder
- Bulbophyllum obliquum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum oblongum* (Lindl.) Rchb.f. = *Trias oblonga* Lindl.
- Bulbophyllum obovatifolium** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum obrienianum* Rolfe = *Bulbophyllum brienianum* (Rolfe) Ames
- Bulbophyllum obscuriflorum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum obscurum* J.J. Smith = *Bulbophyllum coniferum* Ridley
- Bulbophyllum obtusatum** (Jum. & H.Perrier) Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum obtusiangularum** Z.H.Tsi. #4 II 64  
ORCHIDACEAE
- Bulbophyllum obtusilabium** W.Kittr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum obtusipetalum** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum obtusum** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum obtusum* Jum. & H.Perrier = *Bulbophyllum obtusatum* (Jum. & H.Perrier) Schltr.
- Bulbophyllum obyrnei** Garay, Hamer & Siegerist #4 II 64  
ORCHIDACEAE
- Bulbophyllum occidentale* Spreng. = *Encyclia polybulbon* (Sw.) Dressler
- Bulbophyllum occlusum** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum occultum** Thouars #4 II 64  
ORCHIDACEAE
- Bulbophyllum ochraceum** (Barb. Rodr.) Cogn. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ochraceum* (Ridley) Ridl. = *Bulbophyllum serratotruncatum* Seidenf.
- Bulbophyllum ochranthum* Ridl. = *Bulbophyllum sulcatum* (BLume) Lindley
- Bulbophyllum ochrochlamys** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ochroleucum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ochthochilum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ochthodes** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum octarrhenipetalum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum octorhopalon** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum oculatum* Teijsm. & Binn. = *Bulbophyllum cochlia* Garay, Hamer & Siegerist
- Bulbophyllum odoardi** Pfitzer #4 II 64 ORCHIDACEAE
- Bulbophyllum odontoglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum odontopetalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum odoratissimum** (J.E.Sm.) Lindl. #4 II 64  
ORCHIDACEAE (E) Pom-pom Orchid
- Bulbophyllum odoratum** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum oeneum* Burkill ex Ridley = *Bulbophyllum grudense* J.J. Smith
- Bulbophyllum oerstedii** (Reichb.f.) Hemsley #4 II 64  
ORCHIDACEAE
- Bulbophyllum oertlei** Sieder. #4 II 64 ORCHIDACEAE
- Bulbophyllum ogouense* Guillaumin = *Bulbophyllum fuscum* Lindl.
- Bulbophyllum oliganthum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum oligoblepharon** Schltr. #4 II 64  
ORCHIDACEAE

- Bulbophyllum oligochaete** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum oligoglossum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum olivinum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum olorinum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum omphrophilum** Gagnep. = *Bulbophyllum reptans* (Lindl.) Lindl.
- Bulbophyllum omerandrum** Hayata #4 II 64  
ORCHIDACEAE
- Bulbophyllum onicense** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum oobulbum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ophiuchus** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum orbiculare** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum oreas** Ridley = *Bulbophyllum nematocaulon* Ridley
- Bulbophyllum oreopetalum** Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum oreocharis** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum oreodorum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum oreodoxa** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum oreogenum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum oreonastes** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum orezii** Sath.Kumar #4 II 64  
ORCHIDACEAE
- Bulbophyllum orientale** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum origami** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ornatissimum** (Rchb.f.) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ornatum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum ornithoglossum** Schltr. = *Bulbophyllum zebrinum* J.J.Sm.
- Bulbophyllum ornithorhynchum** (J.J.Sm.) Garay, Hamer & Siegerist. #4 II 64 ORCHIDACEAE
- Bulbophyllum orohense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum orsidice** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum ortalis** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum orthoglossum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum orthosepalum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum osyricera** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum osyriceroides** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum othonis** (Kuntze) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum otochilum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum otoglossum** Tuyama #4 II 64  
ORCHIDACEAE
- Bulbophyllum ovale** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum ovalifolium** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum ovalifolium** (Wight) C.P.S.Parish = *Bulbophyllum clandestinum* Lindl.
- Bulbophyllum ovalitepalum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ovatilabellum** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ovatolanceatum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ovatum** Seidenf. #4 II 64 ORCHIDACEAE
- Bulbophyllum oxyanthum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum oxycalyx** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum oxychilum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum oxyodon** Rchb.f. = *Bulbophyllum falcatum* (Lindl.) Rcb.f.
- Bulbophyllum oxysepaloides** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pabstii** Garay #4 II 64 ORCHIDACEAE
- Bulbophyllum pachyacris** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pachyanthum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pachybulbum** (Schltr.) Seidenfaden = *Bulbophyllum graveolens* (F.M.Baill.) J.J.Sm.
- Bulbophyllum pachyglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pachyneuron** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pachyphyllum** J.J. Smith = *Bulbophyllum wrayi* Hook.f.
- Bulbophyllum pachypus** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum pachyrachis** (A. Rich.) Griseb. #4 II 64  
ORCHIDACEAE (E) Rat-tail Orchid
- Bulbophyllum pachytelos** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pahudii** (De Vries) Reichb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum paleaceum** Benth & Hook.f. = *Sunipia cirrhata* (Lindl.) P.F.Hunt
- Bulbophyllum paleiferum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum palilabre** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum pallens** (Jum.& H.Perrier) Schltr #4 II 64  
ORCHIDACEAE
- Bulbophyllum pallescens** Kraenzl. = *Bulbophyllum bifarium* Hook.f.
- Bulbophyllum pallidiflavum** Schltr. = *Bulbophyllum cylindrobulbum* Schltr.
- Bulbophyllum pallidiflorum** Schltr. #4 II 64  
ORCHIDACEAE

- Bulbophyllum pallidum** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pampangense** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum pan** Ridley #4 II 64 ORCHIDACEAE
- Bulbophyllum pandanetorum** Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pandurella** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pangerangi* Rchb.f. = *Bulbophyllum gibbosum* (Blume) Lindley
- Bulbophyllum paniculatum* Ridl. = *Ridleyella paniculata* (Ridl.) Schltr.
- Bulbophyllum panigraphianum* S.Misra = *Bulbophyllum sarcophyllum* (King & Pantl.) J.J.Sm.
- Bulbophyllum paniscus** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum pantlingii** S.Z.Luckson #4 II 64  
ORCHIDACEAE
- Bulbophyllum pantolepharon** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum papangense** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum papilio** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum papillatum** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum papillipetalum** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum papillosetifum** Carr #4 II 64  
ORCHIDACEAE
- Bulbophyllum papillosum* Finet = *Bulbophyllum pumilum* (Sw.) Lindl.
- Bulbophyllum papillosum* J.J.Sm. = *Bulbophyllum papillatum* J.J. Smith
- Bulbophyllum papillosum* (Rolfe) Seidenf.. & Smitinand = *Bulbophyllum thaiorum* J.J.Sm.
- Bulbophyllum papuliferum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum papuliglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum papulilabium* Shltr. = *Bulbophyllum colliferum* J.J.Sm.
- Bulbophyllum papulipetalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum papulosum** Garay #4 II 64  
ORCHIDACEAE
- Bulbophyllum parabates** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum paranaense** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pardalinum** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum pardalotum** Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum parryae* Summerh. ex Rolfe = *Bulbophyllum suavissimum* Rolfe
- Bulbophyllum parviflorum** C.S.P.Parish & Rchb.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum parvilabium* Schltr. = *Bulbophyllum microlabium* W.Kittr.
- Bulbophyllum parvimentatum** Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum parvulum* (Hook.f.) J.J.Sm. = *Bulbophyllum rolfei* (Kuntze) Seidenf.
- Bulbophyllum parvulum* Lindl. = *Bulbophyllum ovalifolium* (Blume) Lindley
- Bulbophyllum parvum** Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum patella** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum patens** King ex Hook.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pauciflorum* Ames = *Bulbophyllum mutable* (Blume) Lindley
- Bulbophyllum paucisetum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum paullum* Ridl. = *Bulbophyllum sulcatum* (BLume) Lindley
- Bulbophyllum paululum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum pavimentatum* Lindl. = *Bulbophyllum pumilum* (Sw.) Lindl.
- Bulbophyllum pechei* W.Bull = *Bulbophyllum cupreum* Lindl.
- Bulbophyllum pectenvenoris** (Gagnep.) Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pectinatum** Finet #4 II 64  
ORCHIDACEAE
- Bulbophyllum pedicellatum* Ridl. = *Bulbophyllum laxiflorum* (Blume) Lindley
- Bulbophyllum pelicanopsis** J.J.Verm. & A.L. Lamb #4 II 64 ORCHIDACEAE
- Bulbophyllum pelma* J.J.Sm. = *Bulbophyllum stipulaceum* Schltr.
- Bulbophyllum peltopus** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum pemae** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum penduliscapum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pendulum** Thouars #4 II 64  
ORCHIDACEAE
- Bulbophyllum penicillum** C.S.P.Parish & Rchb.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum peniculus* Schltr. = *Bulbophyllum rutenbergianum* Schltr.
- Bulbophyllum peninsulare** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pensile* Schltr. = *Bulbophyllum macrourum* Schltr.
- Bulbophyllum pentaneurum** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pentasticha** (Pfitzer ex Kraenzl.) H.Perrier #4 II 64 ORCHIDACEAE
- Bulbophyllum peperomiifolium** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum peperomioides* Kraenzl. = *Stolzia peperomioides* (Kraenzl.) Summerh.
- Bulbophyllum perakense* Ridley = *Bulbophyllum purpurascens* Teijsm. & Binn..
- Bulbophyllum peramoenum** Ames #4 II 64  
ORCHIDACEAE

- Bulbophyllum percorniculatum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum perductum** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum perexiguum** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum perforans** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pergracile* Ames & Schweinf. =  
*Bulbophyllum caudatisepalum* Ames & Schweinf
- Bulbophyllum perii** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum perlóngum* Schltr. = *Bulbophyllum cylindrobulbum* Schltr.
- Bulbophyllum perparvulum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum perpendicularare** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum perpusillum** Wendl. & Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum perpusillum* Ridl. = *Bulbophyllum perparvulum* Schltr.
- Bulbophyllum perreflexum** Bosser & P.J.Cribb #4 II 64  
ORCHIDACEAE
- Bulbophyllum perrieri** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum pertenue* Kraenzl. = *Bulbophyllum intertextum* Lindley
- Bulbophyllum pervillei** Rolfe ex Elliot #4 II 64  
ORCHIDACEAE
- Bulbophyllum petiolare** Thwaites #4 II 64  
ORCHIDACEAE
- Bulbophyllum petiolatum** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum peyerianum** (Kraenzlin) Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum peyrotii** Bosser #4 II 64 ORCHIDACEAE
- Bulbophyllum phaeanthum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum phaeoglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum phaeoneuron** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum phaeorhabdos** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum phalaenopsis** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum phayamense** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum philippinense** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum phillipsianum** Kores #4 II 64  
ORCHIDACEAE
- Bulbophyllum pholidotoides* Kraenzl. = *Bulbophyllum cochleatum* Lindl.
- Bulbophyllum phormion** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum phreatiopse** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum phymatum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum physocoryphum** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pictum* C.S.P.Parish & Rchb.f. = *Trias picta* (C.S.P.Parish & Rchb.f.) C.S.P.Parish ex Hemsl.
- Bulbophyllum pictum* Schltr. = *Bulbophyllum crenilabium* W.Kittr.
- Bulbophyllum picturatum** (Lodd.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pidacanthum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum piestobulbon** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum piestoglossum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pileatum** Lindley #4 II 64 ORCHIDACEAE
- Bulbophyllum pileolatum* (Klinge) J.J.Sm. = *Bulbophyllum elegantulum* (Rolfe) J.J. Smith
- Bulbophyllum piliferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pilosum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum piluliferum** King & Pantl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pingtungense* S.S.Ying & Chen =  
*Bulbophyllum wightii* Reichb.f.
- Bulbophyllum pinicolum** Gagnep. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pipio** Rchb.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum pisibulbum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum piundensis* P.Royer = *Bulbophyllum ochroleucum* Schltr.
- Bulbophyllum placochilum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum plagiatum** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum plagiopetalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum planiaxe* J.B.Petersen = *Bulbophyllum oreonastes* Rchb.f.
- Bulbophyllum planibulbe** (Ridley) Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum planifolium* W.Kittr. = *Bulbophyllum desmotrichoides* Schltr.
- Bulbophyllum planilabre* Schltr. = *Bulbophyllum peltopus* Schltr.
- Bulbophyllum planitiae** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum platirachis* De Wild. = *Bulbophyllum acutebracteatum* De Wild.
- Bulbophyllum platypodium** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum platyrhachis* (Rolfe) Schltr. = *Bulbophyllum maximum* (Lindl.) Rchb.f.
- Bulbophyllum platyrrhachis* Ridl. = *Bulbophyllum janus* J.J.Verm.
- Bulbophyllum pleiopterum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pleurothallianthum** Garay #4 II 64  
ORCHIDACEAE
- Bulbophyllum pleurothalloides** Ames #4 II 64  
ORCHIDACEAE

- Bulbophyllum pleurothalloides* Schltr. = *Bulbophyllum conchidioides* Ridl.  
***Bulbophyllum pleurothalloopsis*** Schltr. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum plicatum*** J.J.Verm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum plumatum*** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum plumosum*** (Barb. Rodr.) Cogn. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum plumula*** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum pobeguennii* (Finet) De Wild. = *Bulbophyllum scaberulum* (Rolfe) Bolus  
***Bulbophyllum pocillum*** J.J.Verm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum poekilon*** Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum poilanei*** Gagnep #4 II 64 ORCHIDACEAE
- Bulbophyllum pokapindjangense* J.J.Sm. = *Bulbophyllum mutabile* (Blume) Lindley  
***Bulbophyllum polliculosum*** Seidenf. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum polyarachne* Ridl. = *Bulbophyllum odoratum* (Blume) Lindley  
***Bulbophyllum polyblepharon*** Schltr. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum polycyclum*** J.J.Verm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum polygaliflorum*** J.J. Wood #4 II 64  
 ORCHIDACEAE
- Bulbophyllum polyphyllum*** Schltr. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum polypodioides* Schltr. = *Bulbophyllum ebulbe* Schltr.
- Bulbophyllum polyrhizum*** Lindley #4 II 64  
 ORCHIDACEAE
- Bulbophyllum polystichum*** Ridley #4 II 64  
 ORCHIDACEAE
- Bulbophyllum polystictum* Ridl. = *Bulbophyllum lobbii* Lindley  
*Bulbophyllum polystictum* Schltr. = *Bulbophyllum erythrostictum* Ormerod  
*Bulbophyllum ponapense* Schltr. = *Bulbophyllum betchei* F. Muell.
- Bulbophyllum popayanense*** Leme & Kraenzl. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum porphyroglossum* Kraenzl. = *Bulbophyllum pumilum* (Sw.) Lindl.
- Bulbophyllum porphyrostachys*** Summerh. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum porphyrotriche*** J.J.Verm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum posticum*** J.J.Sm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum potamophila*** Schltr. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum praearatum*** Kraenzl. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum praestans*** Kraenzl. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum praetervisum*** J.J.Verm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum prenticei* F.Muell. = *Dendrobium lichenastrum* (Muell.) Nicholls  
***Bulbophyllum prianganensis*** J.J. Smith #4 II 64  
 ORCHIDACEAE
- Bulbophyllum prismaticum*** Thouars #4 II 64  
 ORCHIDACEAE
- Bulbophyllum pristis*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum proboscideum*** (Gagnep.) Seidenf. & Smitinand #4 II 64 ORCHIDACEAE
- Bulbophyllum procerum*** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum proculcastris*** J.J.Verm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum proencai*** Leite #4 II 64 ORCHIDACEAE
- Bulbophyllum profusum*** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum propinquum*** Kraenzl. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum prorepens*** Summerh. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum protectum*** H.Perrier #4 II 64  
 ORCHIDACEAE
- Bulbophyllum proteranthum* (Seidenf.) Seidenf. = *Dendrobium proteranthum* Seidenf.
- Bulbophyllum protractum*** Hook.f. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum proudlockii*** (King& Pantl.) J.J.Sm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum proximum* Schltr. = *Bulbophyllum pachytelos* Schltr.
- Bulbophyllum pseudofilicaule*** J.J.Sm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum pseudonutans* H.Perrier = *Bulbophyllum brachystachyum* Schltr.
- Bulbophyllum pseudopelma*** J.J.Verm. & P.O'Byrne #4 II 64  
 ORCHIDACEAE
- Bulbophyllum pseudopicturatum*** (Garay) Sieder #4 II 64  
 ORCHIDACEAE
- Bulbophyllum pseudoserrulatum*** J.J.Sm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum pseudotriias*** J.J.Verm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum psilorhopalon*** Schltr. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum psittacoglossum*** Rchb.f. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum psittacoides* (Ridl.) J.J.Sm. = *Bulbophyllum gracillimum* (Rolfe) Rolfe
- Bulbophyllum psychoon*** Rchb.f. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum pteriphilum* Rolfe = *Dendrobium pallidiflavens* Blume
- Bulbophyllum pteroglossum* Schltr. = *Bulbophyllum monanthum* (Kuntze) J.J.Sm.
- Bulbophyllum ptiloglossum*** Wendl. & Kraenzl. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum ptilotes*** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum ptychantyx*** J.J.Verm. #4 II 64  
 ORCHIDACEAE
- Bulbophyllum puberulum* Ridl. = *Bulbophyllum flavescens* (Blume) Lindley

- Bulbophyllum pubiflorum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pugilanthon** J.J.Wood #4 II 64  
ORCHIDACEAE
- Bulbophyllum pugioniforme** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum puguahaanense** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum pulchellum** Ridley #4 II 64  
ORCHIDACEAE
- Bulbophyllum pulchrum** (N.E.Br.) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pulchrum* Schltr. = *Bulbophyllum bulhartii* Sieder
- Bulbophyllum pulvinatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pumilio** C.S.P.Parish & Rhch.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pumilio* Ridl. = *Bulbophyllum bidi* Govaerts
- Bulbophyllum pumilum** (Sw.) Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum punamense** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum punctatissimum* Ridl. = *Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.
- Bulbophyllum punctatum** Barb. Rodr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum punctatum* Fitzg. = *Bulbophyllum baileyi* F.Muell.
- Bulbophyllum punctatum* Ridl. = *Bulbophyllum dearei* (Hort.) Rchb.f.
- Bulbophyllum pungens** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum puntjakense** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum purpurascens** Teijsm. & Binn.. #4 II 64  
ORCHIDACEAE
- Bulbophyllum purpurascens* F.M.Bailey = *Bulbophyllum macphersoni* Rupp
- Bulbophyllum pureifolium** Aver. #4 II 64  
ORCHIDACEAE
- Bulbophyllum purpurellum** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pureorhachis** (De Wild.) Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum purpureum** Thwaites #4 II 64  
ORCHIDACEAE
- Bulbophyllum purpureum* Naves = *Bulbophyllum macranthum* Lindley
- Bulbophyllum pusillum** Thouars #4 II 64  
ORCHIDACEAE
- Bulbophyllum pusillum* (Rolle) De Wild. = *Bulbophyllum sandersonii* (Hook.f.) Rchb.f.
- Bulbophyllum pustulatum** Ridley #4 II 64  
ORCHIDACEAE
- Bulbophyllum putidum** (Teijsm. & Binn) J.J.Smith #4 II 64 ORCHIDACEAE
- Bulbophyllum putii** Seidenf. #4 II 64 ORCHIDACEAE
- Bulbophyllum pygmaeum** (Sm.) Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pyridion** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum pyroglossum** Schuit. & De Vogel #4 II 64  
ORCHIDACEAE
- Bulbophyllum quadrangulare** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum quadrangulum** Z.H.Tsi. #4 II 64  
ORCHIDACEAE
- Bulbophyllum quadrans* J.J.Sm. = *Bulbophyllum octarrhenipetalum* J.J.Sm.
- Bulbophyllum quadrialatum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum quadricarinum** Kores #4 II 64  
ORCHIDACEAE
- Bulbophyllum quadricaudatum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum quadrichaete** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum quadricolor** (Barb. Rodr.) Cogn. #4 II 64  
ORCHIDACEAE
- Bulbophyllum quadrifalciculatum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum quadrifarrium** Rolfe #4 II 64  
ORCHIDACEAE
- Bulbophyllum quadrisetum** Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum quadrisubulatum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum quasimodo** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum quinquecornutum* H.Perrier = *Bulbophyllum lichenophylax* Schltr.
- Bulbophyllum quinquelobum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum quintasii* Rolfe = *Bulbophyllum intertextum* Lindley
- Bulbophyllum racemosum** Rolfe #4 II 64  
ORCHIDACEAE
- Bulbophyllum racemosum* Hayata = *Bulbophyllum insulsum* (Gagnep.) Seidenf.
- Bulbophyllum radiatum* Lindl. = *Bulbophyllum laxiflorum* (Blume) Lindley
- Bulbophyllum radicans** F.M.Bailey #4 II 64  
ORCHIDACEAE
- Bulbophyllum rajanum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum ramosii* Ames = *Bulbophyllum flavescentis* (Blume) Lindley
- Bulbophyllum ramosum* Schltr. = *Bulbophyllum ochroleucum* Schltr.
- Bulbophyllum ramulicola** Schuit. & De Vogel #4 II 64  
ORCHIDACEAE
- Bulbophyllum ranomafanae** Bosser & P.J.Cribb #4 II 64  
ORCHIDACEAE
- Bulbophyllum rariflorum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rarum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum rauhii** Toill.-Gen. & Bosser #4 II 64  
ORCHIDACEAE
- Bulbophyllum rau** Arora #4 II 64 ORCHIDACEAE

- Bulbophyllum reclusum** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rectilabre** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum recurviflorum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum recurvilabre** Garay #4 II 64  
ORCHIDACEAE
- Bulbophyllum recurviflorum* J.J.Sm. = *Bulbophyllum trifidum* J.J.Sm.
- Bulbophyllum recurvum* Lindl. = *Bulbophyllum pumilum* (Sw.) Lindl.
- Bulbophyllum reductum** J.J.Verm. & P.O'Byrne #4 II 64  
ORCHIDACEAE
- Bulbophyllum reevei** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum reflexiflorum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum reflexum** Ames & C.Schweinf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum refractilingue** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum refractoides* Seidenf. = *Bulbophyllum wallichii* Rchb.f.
- Bulbophyllum refractum** (Zoll.) Reichb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum regnelli** Rchb.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum reichenbachianum** Kraenzl #4 II 64  
ORCHIDACEAE
- Bulbophyllum reichenbachii** (Kuntze) Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum reiffii** Sieder. #4 II 64 ORCHIDACEAE
- Bulbophyllum reilloi** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum reinwardtii* (Lindl.) Rchb.f. = *Bulbophyllum uniflorum* (Blume) Hassk.
- Bulbophyllum remiferum** Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum remotifolium* (Fukuyama) Nakajima =  
*Bulbophyllum hirundinis* (Gagnep.) Seidenf.
- Bulbophyllum remotifolium* (Fukuyama) S.S.Ying =  
*Bulbophyllum hirundinis* (Gagnep.) Seidenf.
- Bulbophyllum remotum* J.J.Sm. = *Bulbophyllum cylindrobulbum* Schltr.
- Bulbophyllum renipetalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum renkinianum** (Laurent) De Wild. #4 II 64  
ORCHIDACEAE
- Bulbophyllum repens** Griff. #4 II 64 ORCHIDACEAE
- Bulbophyllum reptans** (Lindl.) Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum restrepia** (Ridley) Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum resupinatum** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum reticosum* Ridl. = *Bulbophyllum dearei* (Hort.) Rchb.f.
- Bulbophyllum reticulatum** Bateman #4 II 64  
ORCHIDACEAE
- Bulbophyllum retusiusculum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum revolutum* Dockrill & St Cloud =  
*Bulbophyllum lilianae* Rendle
- Bulbophyllum rheedei** Manilal & Sath. Kumar. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rhizomatosum** Ames & C.Schweinf. #4 II 64 ORCHIDACEAE
- Bulbophyllum rhizomatosum* Schltr. = *Bulbophyllum obtusilabium* W.Kittr.
- Bulbophyllum rhizophoreti* Ridl. = *Bulbophyllum purpurascens* Teijsm. & Binn..
- Bulbophyllum rhodoglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rhodoleucum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rhodoneuron** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rhodosepalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rhodostachys** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rhodostictum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rhomboglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rhopaloblepharon** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rhopalochilum* Kraenzl. = *Bulbophyllum oreonastes* Rchb.f.
- Bulbophyllum rhopalophorum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rhynchoglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ricaldonei** Leite #4 II 64 ORCHIDACEAE
- Bulbophyllum rictorium* Schltr. = *Bulbophyllum lucidum* Schltr
- Bulbophyllum ridleyanum* Garay, Hamer & Siegerist =  
*Bulbophyllum viresens* J.J.Sm.
- Bulbophyllum ridleyi* Kraenzl. = *Bulbophyllum multiflorum* Ridl.
- Bulbophyllum rienanense** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum rigidifolium** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rigidipes** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum rigidum** King & Pantl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ringens* Rchb.f. = *Bulbophyllum lindleyanum* Griff.
- Bulbophyllum riparium** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum rivulare** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum ryanum** Fukuyama #4 II 64  
ORCHIDACEAE
- Bulbophyllum robustum* Rolfe = *Bulbophyllum coriophorum* Ridl.
- Bulbophyllum rojasii** L.O.Williams #4 II 64  
ORCHIDACEAE
- Bulbophyllum rolfeanum** Seidenf. & Smitinand #4 II 64  
ORCHIDACEAE

- Bulbophyllum rolfei** (Kuntze) Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum romburghii** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum roraimense** Rolfe #4 II 64  
ORCHIDACEAE
- Bulbophyllum rose Marianum** C.S.Kumar, P.C.S.Kumar & Saleem #4 II 64 ORCHIDACEAE
- Bulbophyllum roseopunctatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum roseum* Ridl. = *Trias rosea* (Ridl.) Seidenf.  
*Bulbophyllum rostratum* J.J.Sm. = *Bulbophyllum ochroleucum* Schltr.
- Bulbophyllum rostriceps** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rothschildianum** (O'Brien) J.J. Smith #4 II 64 ORCHIDACEAE
- Bulbophyllum rotundatum* (Lindl.) Rchb.f. = *Epigeneium rotundatum* (Lindl.) Summerh.
- Bulbophyllum roxburghii** (Lindl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rubiferum** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum rubiginosum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rubipetalum** P. Royen #4 II 64  
ORCHIDACEAE
- Bulbophyllum rubroguttatum** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rubrolabellum** T.P.Lin #4 II 64  
ORCHIDACEAE
- Bulbophyllum rubrolabium** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rubrolineatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rubromaculatum** W.Kittr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rubropunctatum* S.S.Ying = *Bulbophyllum melanoglossum* Hayata
- Bulbophyllum rubrum** Jum. & H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum ruficaudatum** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rufilabrum** C.S.P.Parish ex Hook.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rufinum** Rchb.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum ruginosum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum rugosibulbum** Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rugosisepalum** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rugosum** Ridley #4 II 64 ORCHIDACEAE
- Bulbophyllum rugulosum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rupestre** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum rupicola** Barb. Rodr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum rupicolum* Ridl. = *Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.
- Bulbophyllum rutenbergianum** Schltr #4 II 64  
ORCHIDACEAE
- Bulbophyllum saccatum* Kraenzl. = *Bulbophyllum apodium* Hook.f.
- Bulbophyllum saccolabioides** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum salaccense** Reichb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum salebrosum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum saltatorium** Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sambiranense** Jum. & H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum samoanum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sanderianum** Rolfe #4 II 64  
ORCHIDACEAE
- Bulbophyllum sandersonii** (Hook.f.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sandrangatense** Bosser #4 II 64  
ORCHIDACEAE
- Bulbophyllum sangae** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum sanguineomaculatum* Ridl. = *Bulbophyllum membranifolium* Hook.f.
- Bulbophyllum sanguineopunctatum** Seidenf. & A.D.Kerr #4 II 64 ORCHIDACEAE
- Bulbophyllum sanguineum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum sanitii** Seidenf. #4 II 64 ORCHIDACEAE
- Bulbophyllum santoense** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum santosii** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum sapphirinum** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum sarasinorum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum saranthiforme** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sarcanthoides* Ridl. = *Biermannia sarcanthoides* (Ridl.) Garay
- Bulbophyllum sarcodanthum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sarcophylloides** Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum sarcophyllum** (King & Pantl.) J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum sarcorrhachis** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sarcoscapum** Teijsm. & Binnend. #4 II 64 ORCHIDACEAE
- Bulbophyllum saronae** Garay #4 II 64 ORCHIDACEAE
- Bulbophyllum saruwatarii* Hayata = *Bulbophyllum umbellatum* Lindl.
- Bulbophyllum sauguetiense** Schltr. #4 II 64  
ORCHIDACEAE

- Bulbophyllum saurocephalum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum savaiense** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sawiense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum scaberulum** (Rolfe) Bolus #4 II 64  
ORCHIDACEAE
- Bulbophyllum scabratum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum scabrum** J.J.Verm. & A.L. Lamb #4 II 64  
ORCHIDACEAE
- Bulbophyllum scandens* Kraenzl. = *Bulbophyllum membranifolium* Hook.f.
- Bulbophyllum scandens* Rolfe = *Hederorkis seychellensis* Bosser
- Bulbophyllum scaphiforme** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum scaphosepalum** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum scariosum** Summerh. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sceliphron** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sceptrum* Rchb.f. = *Bulbophyllum elongatum* (Blume) Hassk.
- Bulbophyllum schefferi** (Kuntze) Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum schillerianum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum schimperianum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum schinzianum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum schistopetalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum schizopetalum** L.O.Williams #4 II 64  
ORCHIDACEAE
- Bulbophyllum schlechteri* De Wild. = *Bulbophyllum josephi* (Kuntze) Summerh.
- Bulbophyllum schlechteri* H.Perrier = *Bulbophyllum metonymon* Summerh.
- Bulbophyllum schlechteri* Kraenzl. = *Bulbophyllum metonymon* Summerh.
- Bulbophyllum schmidii** Garay #4 II 64 ORCHIDACEAE
- Bulbophyllum schmidtianum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum schultzeanum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum schwarpii** Sieder #4 II 64 ORCHIDACEAE
- Bulbophyllum sciadanthus* F.Muell. = *Epiblastus sciadanthus* (Muell.) Schltr.
- Bulbophyllum sciaphile** Bosser #4 II 64 ORCHIDACEAE
- Bulbophyllum scintilla** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum scitulum** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum scopo** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum scopula** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum scotiifolium** J.J. Smith #4 II 64  
ORCHIDACEAE
- Bulbophyllum scotinochiton** J.J.Verm. & P.O 'Byrne #4 II 64  
ORCHIDACEAE
- Bulbophyllum scrobiculilabre** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sculptum* J.J.Sm. = *Bulbophyllum cylindrobulbulm* Schltr.
- Bulbophyllum scutiferum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum scyphochilus** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum secundum** Hook.f. #4 II 64  
ORCHIDACEAE
- Bulbophyllum seidenfadenii** A.D.Kerr #4 II 64  
ORCHIDACEAE
- Bulbophyllum selangorense* Ridley = *Bulbophyllum gibbosum* (Blume) Lindley
- Bulbophyllum semiasperum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum semibifidum* (Ridl.) Ridl. = *Bulbophyllum acuminatum* (Ridley) Ridley
- Bulbophyllum semipellucidum* J.J.Sm. = *Bulbophyllum mutabile* (Blume) Lindley
- Bulbophyllum semiteres** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum semiteretifolium** Gagnepain #4 II 64  
ORCHIDACEAE
- Bulbophyllum semperflorens* J.J. Smith = *Bulbophyllum flavescent* (Blume) Lindley
- Bulbophyllum sempiternum** Ames #4 II 64  
ORCHIDACEAE
- Bulbophyllum sennii* Chiov. = *Bulbophyllum josephi* (Kuntze) Summerh.
- Bulbophyllum sensile** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum sepikense** W.Kittr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum septatum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum septemtrionale** (J.J.Sm.) J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum serpens* Lindl. = *Bulbophyllum nutans* (Thouars) Thouars
- Bulbophyllum serpens* Schltr. = *Bulbophyllum minutibulbum* W.Kittr.
- Bulbophyllum serra** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum serratotruncatum** Seidenf. #4 II 64  
ORCHIDACEAE
- Bulbophyllum serratum* H.Perrier = *Bulbophyllum septatum* Schltr.
- Bulbophyllum serripetalum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum serrulatifolium** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum serrulatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sessile* Hochr. = *Bulbophyllum clandestinum* Lindl.
- Bulbophyllum sessile* (J.Koenig) J.J.Sm. = *Bulbophyllum clandestinum* Lindl.
- Bulbophyllum sessiliflorum* Kraenzl. = *Bulbophyllum molossus* Rchb.f.
- Bulbophyllum setaceum** T.P.Lin #4 II 64 ORCHIDACEAE

- Bulbophyllum setiferum* (Rolfe) J.J.Sm. = *Bulbophyllum reichenbachianum* Kraenzl  
*Bulbophyllum setigerum* Lindl. #4 II 64 ORCHIDACEAE  
*Bulbophyllum setipes* Schltr. = *Bulbophyllum graciliscapum* Schltr.  
*Bulbophyllum setuliferum* Verm. J.J. & Saw L.G. #4 II  
 64 ORCHIDACEAE  
*Bulbophyllum seychellarum* Rchb.f. = *Bulbophyllum intertextum* Lindley  
*Bulbophyllum shanicum* King & Pantl. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum shepherdii* (F.Muell.) Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum shweliense* W.W.Sm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum siamense* Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum sibuyanense* Ames #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum sicyobulbon* C.S.P.Parish & Rchb.f. #4 II  
 64 ORCHIDACEAE  
*Bulbophyllum siederi* Garay #4 II 64 ORCHIDACEAE  
*Bulbophyllum sigaldiae* Guillaumin #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum sigilliforme* H.Perrier = *Bulbophyllum complanatum* H.Perrier  
*Bulbophyllum sigmoideum* Ames & C.Schweinf. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum signatum* J.J.Verm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum sikapingense* J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum sikkimense* (King & Pantl.) J.J.Sm. #4 II  
 64 ORCHIDACEAE  
*Bulbophyllum silentvalliensis* M.P.Sharma & S.K.  
 Srivastava #4 II 64 ORCHIDACEAE  
*Bulbophyllum sillemianum* Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum similare* Garay, Hamer & Siegerist #4 II  
 64 ORCHIDACEAE  
*Bulbophyllum simile* Schltr. #4 II 64 ORCHIDACEAE  
*Bulbophyllum similissimum* J.J.Verm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum simillimum* C.S.P.Parish & Rchb.f. =  
*Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.  
*Bulbophyllum simmondsii* Kores #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum simondii* Gagnep. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum simplex* J.J.Verm. & P.O' Byrne #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum simplicilabellum* Seidenf. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum simulacrum* Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum simulacrum* Ames = *Bulbophyllum flavescens* (Blume) Lindley  
*Bulbophyllum sinapis* J.J.Verm. & P.O' Byrne #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum singaporenum* Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum singulare* Schltr. #4 II 64 ORCHIDACEAE  
*Bulbophyllum singuliflorum* W.Kittr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum skeatianum* Ridley #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum smithianum* Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum smitinandii* Seidenf. & Thorut #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum sociale* Rolfe #4 II 64 ORCHIDACEAE  
*Bulbophyllum solteroii* R.G.Tamayo #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum solutisepalum* J.J.Sm. = *Bulbophyllum chloranthum* Schltr.  
*Bulbophyllum somai* Hayata = *Bulbophyllum drymoglossum* Maxim.  
*Bulbophyllum sopoetanense* Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum sordidum* Lindl. #4 II 64 ORCHIDACEAE  
*Bulbophyllum sororcolum* J.J.Verm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum spadiciflorum* Tixier #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum spaerobulbum* H.Perrier #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum sparsifolium* Schltr. = *Bulbophyllum clandestinum* Lindl.  
*Bulbophyllum spathaceum* Rolfe #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum spathilingue* J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum spathipetalum* J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum spathulatum* (Rolfe ex E.Cooper) Seidenf.  
 #4 II 64 ORCHIDACEAE  
*Bulbophyllum spathulifolium* H.Perrier = *Bulbophyllum rutenbergianum* Schltr  
*Bulbophyllum speciosum* Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum spectabile* Rolfe = *Bulbophyllum pectinatum* Finet  
*Bulbophyllum sphaeracron* Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum sphaericum* Z.H.Tsi & H.Li #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum sphaerobulbum* H.Perrier #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum spiesii* Garay, Hamer & Siegerist #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum spinulipes* J.J.Sm. = *Bulbophyllum obtusipetalum* J.J. Smith  
*Bulbophyllum spissum* J.J.Verm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum spongiola* J.J.Verm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum squamiferum* J.J.Sm. = *Bulbophyllum chloranthum* Schltr.

- Bulbophyllum squamipetalum* Schltr. = *Bulbophyllum minutipetalum* Schltr.  
***Bulbophyllum stabile*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Bulbophyllum staintonii*** Tuyama #4 II 64  
ORCHIDACEAE  
***Bulbophyllum steffensii*** Schltr. #4 II 64 ORCHIDACEAE  
***Bulbophyllum stelis*** J.J. Smith #4 II 64 ORCHIDACEAE  
*Bulbophyllum stella* Ridley = *Bulbophyllum macrochilum* Rolfe  
***Bulbophyllum stellatum*** Ames #4 II 64 ORCHIDACEAE  
***Bulbophyllum stellula*** Ridl. #4 II 64 ORCHIDACEAE  
***Bulbophyllum stenobulbon*** C.S.Parish & Rchb.f. #4 II 64 ORCHIDACEAE  
***Bulbophyllum stenohilum*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum stenophyllum*** Schltr. #4 II 64  
ORCHIDACEAE  
*Bulbophyllum stenophyllum* Ridl. = *Bulbophyllum acuminatum* (Ridley) Ridley  
*Bulbophyllum stenorhachis* Kraenzl. = *Bulbophyllum imbricatum* Lindl..  
***Bulbophyllum stenorhopalos*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum stenurum*** J.J.Verm. & P. O 'Byrne #4 II 64  
ORCHIDACEAE  
***Bulbophyllum sterile*** (Lam.) Suresh #4 II 64  
ORCHIDACEAE  
***Bulbophyllum steyermarkii*** Foldats #4 II 64  
ORCHIDACEAE  
***Bulbophyllum stictanthum*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum stictosepalum*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum stipitatibulbum*** J.J.Sm. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum stipulaceum*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum stolleanum*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum stolzii*** Schltr. #4 II 64 ORCHIDACEAE  
***Bulbophyllum stormii*** J.J. Smith #4 II 64  
ORCHIDACEAE  
*Bulbophyllum stramineum* Ames = *Bulbophyllum cumingii* (Lindl.) Rchb.f.  
*Bulbophyllum strangularium* (Rchb.f.) J.J.Sm. =  
*Bulbophyllum pulchrum* (N.E.Br.) J.J.Sm.  
*Bulbophyllum streptosepalum* Schltr. = *Bulbophyllum falcibracteum* Schltr.  
***Bulbophyllum streptotriche*** J.J.Verm. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum striatellum*** Ridley #4 II 64  
ORCHIDACEAE  
*Bulbophyllum striatitepalum* Seidenf. = *Bulbophyllum striatum* (Griff.) Rchb.f.  
***Bulbophyllum striatum*** (Griff.) Rchb.f. #4 II 64  
ORCHIDACEAE  
*Bulbophyllum striatum* (Liu & Su) Nakajima =  
*Bulbophyllum melanoglossum* Hayata  
***Bulbophyllum strigosum*** (Garay) Sieder #4 II 64  
ORCHIDACEAE  
*Bulbophyllum strobiliferum* Kraenzl. = *Bulbophyllum imbricatum* Lindl..  
***Bulbophyllum sturmhoefelii*** Hoehne #4 II 64  
ORCHIDACEAE  
*Bulbophyllum suave* Griff. = *Bulbophyllum hirtum* (J.E.Sm.) Lindl.  
***Bulbophyllum suavissimum*** Rolfe #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subaequale*** Ames #4 II 64  
ORCHIDACEAE  
*Bulbophyllum subalpinum* P.Royen = *Bulbophyllum cylindrobolbium* Schltr.  
***Bulbophyllum subapetalum*** J.J.Sm. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subapproximatum*** H.Perrier #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subbullatum*** J.J.Verm. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subclausum*** J.J.Sm. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subclavatum*** Schltr. #4 II 64  
ORCHIDACEAE  
*Bulbophyllum subcoriaceum* De Wild. = *Bulbophyllum maximum* (Lindl.) Rchb.f.  
***Bulbophyllum subcrenulatum*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subebulbum*** Gagnep. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subligaculiferum*** J.J.Verm. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum submarmoratum*** J.J. Smith #4 II 64  
ORCHIDACEAE  
*Bulbophyllum subparviflorum* Z.H.Tsi & S.C.Chen =  
*Bulbophyllum secundum* Hook.f.  
***Bulbophyllum subpatulum*** J.J.Verm. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subsecundum*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subsessile*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subtenellum*** Seidenf. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subtrilobatum*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subuliferum*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subulifolium*** Schltr. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subumbellatum*** Ridl. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum subverticillatum*** Ridl. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum succedaneum*** J.J.Sm. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum sukhakulii*** Seidenf. #4 II 64  
ORCHIDACEAE  
***Bulbophyllum sulawesii*** Garay, Hamer & Siegerist #4 II 64  
ORCHIDACEAE

- Bulbophyllum sulcatum** (BLume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum sulfureum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sumatranum** Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Bulbophyllum summerhayesii** A.D.Hawkes = *Bulbophyllum scaberulum* (Rolfe) Bolus
- Bulbophyllum superfluum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum superpositum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum supervcaenum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum surigaense** Ames & Quisumb. #4 II 64  
ORCHIDACEAE
- Bulbophyllum sutepense** (Rolfe ex Downie) Seidenf. & Smitinand #4 II 64 ORCHIDACEAE
- Bulbophyllum syllectum* Kraenzl. = *Bulbophyllum laxiflorum* (Blume) Lindley
- Bulbophyllum systemochilum** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum tacitum* Carr = *Bulbophyllum trifolium* Ridley
- Bulbophyllum taeniophyllum** C.S.P.Parish & Reichb.f.  
#4 II 64 ORCHIDACEAE
- Bulbophyllum taeter** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum tahanense** Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum tahitense** Nadeud #4 II 64  
ORCHIDACEAE
- Bulbophyllum taichungianum* S.S.Ying = *Bulbophyllum albociliatum* (Liu & Su) Nakajima
- Bulbophyllum taiwanense** (Fukuyama) Nakajima #4 II 64 ORCHIDACEAE
- Bulbophyllum taiwanense* (Fukuyama) Seidenf. = *Bulbophyllum taiwanense* (Fukuyama) Nakajima
- Bulbophyllum taiwanense* (Fukuyama) S.S.Ying = *Bulbophyllum taiwanense* (Fukuyama) Nakajima
- Bulbophyllum talauense** (J.J.Sm.) Carr #4 II 64  
ORCHIDACEAE
- Bulbophyllum talbothi* Rendle = *Bulbophyllum cochleatum* Lindl.
- Bulbophyllum tampoketsense** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum tanegasimense* Masam = *Bulbophyllum macraei* (Lindley) Reichb.f.
- Bulbophyllum tanystiche** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum tapirus* J.J.Sm. = *Bulbophyllum stormii* J.J. Smith
- Bulbophyllum tarantula** Shuit. & De Vogel #4 II 64  
ORCHIDACEAE
- Bulbophyllum tardeflorens** Ridl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum taylori* F.Muell. = *Cadetia taylori* (F.Muell.) Schltr.
- Bulbophyllum tectipes** J.J.Verm. & P.O'Byrne #4 II 64  
ORCHIDACEAE
- Bulbophyllum tectipetalum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum tekuense** Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum tenasserimense* J.J.Sm. = *Bulbophyllum purpurascens* Teijsm. & Binn..
- Bulbophyllum tenegasimense* Masam = *Bulbophyllum macraei* (Lindley) Reichb.f.
- Bulbophyllum tenellum** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum tenerum* Ridley = *Bulbophyllum planibulbe* (Ridley) Ridl.
- Bulbophyllum tengchongense** Z.H.Tsi #4 II 64  
ORCHIDACEAE
- Bulbophyllum tenompokense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum tentaculatum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum tentaculiferum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum tentaculigerum* Rchb.f. = *Bulbophyllum sandersonii* (Hook.f) Rchb.f.
- Bulbophyllum tenue** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum tenuifolium** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Bulbophyllum tenuipes** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum teres** Carr #4 II 64 ORCHIDACEAE
- Bulbophyllum teresense** Ruschi #4 II 64  
ORCHIDACEAE
- Bulbophyllum teretibulbum** H.Perrier #4 II 64  
ORCHIDACEAE
- Bulbophyllum teretifolium** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum teretilabre** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum ternatense** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum tetragonum** Lindl. #4 II 64  
ORCHIDACEAE
- Bulbophyllum teysmannii** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum thailandicum* Seidenf.. & Smitinand = *Bulbophyllum thaiorum* J.J.Sm.
- Bulbophyllum thaiorum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum theiochlamys* Schltr. = *Bulbophyllum bicoloratum* Schltr.
- Bulbophyllum theioglossum** Schltr. #4 II 64  
ORCHIDACEAE
- Bulbophyllum thelantxy** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum therezienii** Bosser #4 II 64  
ORCHIDACEAE
- Bulbophyllum thersites** J.J.Verm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum theunissenii** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Bulbophyllum thiurum** J.J.Verm. & P. O' Byrne #4 II 64  
ORCHIDACEAE
- Bulbophyllum thompsonii** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum thomsonii* Hook.f. = *Bulbophyllum parviflorum* C.S.P.Parish & Rchb.f.

<i>Bulbophyllum thomsonii</i> (Hook.f.) J.J.Sm. = <i>Bulbophyllum fischeri</i> Seidenf.	<i>Bulbophyllum transarisanense</i> Hayata = <i>Bulbophyllum pectinatum</i> Finet
<i>Bulbophyllum thouarsii</i> Steud. = <i>Bulbophyllum gracile</i> Thouars	<i>Bulbophyllum tremulum</i> Wight #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum thrixspermiflorum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum triadenium</i></b> (Lindl) Rchb.f. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum thrixspermoides</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum triandrum</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum thwaitesii</i></b> Reichb.f. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum triaristella</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum thymophorum</i></b> J.J.Verm. & A.L.Lamb #4 II 64 ORCHIDACEAE	<i>Bulbophyllum triaristellum</i> Kraenzl. & Schltr. = <i>Bulbophyllum intertextum</i> Lindley
<i>Bulbophyllum tiagii</i> A.S.Chauhan = <i>Bulbophyllum monanthum</i> (Kuntze) J.J.Sm.	<b><i>Bulbophyllum tricanaliferum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum tibeticum</i> Rolfe = <i>Bulbophyllum umbellatum</i> Lindl.	<b><i>Bulbophyllum tricarinatum</i></b> Petch #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum tigridium</i></b> Hance #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum trichaete</i></b> Schltr. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum tinea</i> Ridley = <i>Bulbophyllum ovalifolium</i> (Blume) Lindley	<b><i>Bulbophyllum trichambon</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum tinekeae</i></b> Shuit. & De Vogel #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum trichocephalum</i></b> (Schltr.) T.Tang & F.T. Wang #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum tingabarinum</i></b> Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum trichochlamys</i></b> H.Perrier #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum titania</i></b> Ridley #4 II 64 ORCHIDACEAE	<i>Bulbophyllum trichoglottis</i> Ridley = <i>Bulbophyllum hirtulum</i> Ridley
<b><i>Bulbophyllum tixieri</i></b> Seidenf. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum trichopus</i> Schltr. = <i>Bulbophyllum laxum</i> Schltr.
<b><i>Bulbophyllum tjadasmalangense</i></b> J.J. Smith #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum trichorhachis</i></b> J.J.Verm. & P.O' Byrne #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum toilliezae</i></b> Bosser #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum trichromum</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum tokioi</i></b> Fukuyama #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum triclavigerum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum tolleroniferum</i> J.J. Smith = <i>Bulbophyllum macranthoides</i> Kraenzl.	<b><i>Bulbophyllum tricolor</i></b> L.B.Sm. & S.K.Harris #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum toppingii</i></b> Ames #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum tricorne</i></b> Seidenf. & Smitinand #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum toranum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum tricornoides</i></b> Seidenf. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum toressae</i> Bailey = <i>Dendrobium toressae</i> (Bailey) Dockrill	<b><i>Bulbophyllum tridentatum</i></b> Kraenzl. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum toressae</i> F.Muell = <i>Dendrobium toressae</i> (Bailey) Dockrill	<i>Bulbophyllum tridentatum</i> Rolfe = <i>Bulbophyllum tristelidium</i> W.Kittr.
<b><i>Bulbophyllum torquatum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum trifarium</i></b> Rolfe #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum torricellense</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum trifilum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum tortisepalum</i></b> Guillaumin #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum triflorum</i></b> (Breda) Blume #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum tortum</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum trifolium</i></b> Ridley #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum tortuosum</i></b> (Blume) Lindley #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum trigonidioides</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum tothastes</i> J.J.Verm. = <i>Trias tothastes</i> (J.J.Verm.) J.J.Wood	<b><i>Bulbophyllum trigonobulbum</i></b> Schltr. & J.J.Sm.. #4 II 64 ORCHIDACEAE
<i>Bulbophyllum touranense</i> (Gagnep.) Ho = <i>Bulbophyllum retusiusculum</i> Rchb.f.	<b><i>Bulbophyllum trigonocarpum</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum trachyanthum</i></b> Kraenzl. #4 II 64 ORCHIDACEAE	<i>Bulbophyllum trigonopus</i> Rchb.f. = <i>Bulbophyllum abbreviatum</i> Rchb.f.
<b><i>Bulbophyllum trachybracteum</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum trigonosepalum</i></b> Kraenzl. #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum trachyglossum</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Bulbophyllum trilineatum</i></b> H.Perrier #4 II 64 ORCHIDACEAE
<b><i>Bulbophyllum trachypus</i></b> Schltr. #4 II 64 ORCHIDACEAE	

- Bulbophyllum trilobum* Schltr. = *Bulbophyllum lingulatum* Rendle  
***Bulbophyllum trimeni*** (Hook.f.) J.J. Smith #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum trinervium*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum tripaleum*** Seidenf. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum tripetaloides* (Roxb.) & Rchb.f. =  
*Bulbophyllum auricomum* Lindl.  
***Bulbophyllum tripetalum*** Lindl. #4 II 64 ORCHIDACEAE  
***Bulbophyllum tripudians*** C.S.P.Parish & Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum trirhopalon*** Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum trisetosum* Griff. = *Bulbophyllum clandestinum* Lindl.  
*Bulbophyllum trisetum* Ames = *Bulbophyllum longiflorum* Thouars  
***Bulbophyllum triste*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Bulbophyllum tristelidium*** W.Kittr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum triste* (Rolfe) Schltr. = *Bulbophyllum imbricatum* Lindl..  
*Bulbophyllum tristriatum* Carr = *Bulbophyllum stormii* J.J. Smith  
***Bulbophyllum triurum*** Kraenzl. #4 II 64 ORCHIDACEAE  
***Bulbophyllum triviale*** Seidenf. #4 II 64 ORCHIDACEAE  
***Bulbophyllum trulliferum*** J.J.Verm. & A.L.Lamb #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum truncatum*** J.J. Smith #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum truncicola*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum tryssum*** J.J.Verm. & A.L.Lamb #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum tsaratananae*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum tseanum*** (S.Y.Hu & Barreto) Z.H.Tsi #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum tsinjoarivense* H.Perrier = *Bulbophyllum nutans* (Thouars)  
*Bulbophyllum tuberculatum* Colenso #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum tubilabrum*** J.J.Verm. & P.O' Byrne #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum tumidum*** J.J.Verm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum tumoriferum*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum turgidum*** J.J.Verm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum turkii*** Bosser & P.J.Cribb #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum turpis*** J.J.Verm. & P.O' Byrne #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum tylophorum*** Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum uduense* Schltr. = *Bulbophyllum cylindrobolbum* Schltr.  
*Bulbophyllum ugandae* (Rolfe) De Wild. = *Bulbophyllum falcatum* (Lindl.) Rcb.f.  
***Bulbophyllum ulcerosum*** J.J. Smith #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum umbellatum*** Lindl. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum umbellatum* J.J.Sm. = *Bulbophyllum longiflorum* Thouars  
***Bulbophyllum umbonatum*** Kraenzl. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum umbraticola*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum uncinatum*** J.J.Verm & P.O'Bryne #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum unciniferum*** Seidenf. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum undatilabre*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum undecifilum*** J.J. Smith #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum unguiculatum*** Reichb.f. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum unguilabium*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum unicaudatum*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum uniflorum*** (Blume) Hassk. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum uniflorum* Griff. = *Bulbophyllum monanthum* (Kuntze) J.J.Sm.  
***Bulbophyllum unifoliatum*** De Wild. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum unigibbum* J.J.Sm. = *Bulbophyllum xanthochlamys* Schltr.  
***Bulbophyllum unitubum*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum univenum*** J.J.Verm. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum uraiense* Hayata = *Bulbophyllum macraei* (Lindley) Reichb.f.  
*Bulbophyllum urbanianum* Kraenzl. = *Bulbophyllum lupulinum* Lindl.  
***Bulbophyllum uroglossum*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum urosepalum*** Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum usambarae* Kraenzl. = *Bulbophyllum intertextum* Lindley  
***Bulbophyllum ustusfortiter*** J.J.Verm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum uviflorum*** O' Byrne #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum vaccinoides*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum vagans*** Ames & Rolfe #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum vaginatum*** (Lindley) Reichb.f. #4 II 64  
 ORCHIDACEAE

- Bulbophyllum vaginulosum* Carr = *Bulbophyllum apodium* Hook.f.  
***Bulbophyllum valeryi*** J.J.Verm. & P.O' Byrne #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum validum*** Carr #4 II 64 ORCHIDACEAE  
*Bulbophyllum vanessa* King & Pantl. = *Bulbophyllum macrochilum* Rolfe  
*Bulbophyllum vanoverberghii* Ames = *Bulbophyllum dasypetalum* Rolfe ex Ames  
***Bulbophyllum vanum*** J.J.Verm. #4 II 64 ORCHIDACEAE  
***Bulbophyllum vanvuurenii*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum vareschii*** Foldats #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum variabile*** Ridl. #4 II 64 ORCHIDACEAE  
***Bulbophyllum variegatum*** Thouars #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum vaughanii*** Brade #4 II 64 ORCHIDACEAE  
***Bulbophyllum ventriosum*** H.Perrier #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum venustum* Ames & Schweinf. =  
*Bulbophyllum coriaceum* Ridl.  
*Bulbophyllum verecundum* Summerh. = *Bulbophyllum pumilum* (Sw.) Lindl.  
***Bulbophyllum vermiculare*** Hook.f. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum verrucibracteum* J.J.Sm. = *Bulbophyllum bulliferum* J.J.Sm.  
***Bulbophyllum verruciferum*** Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum verrucirhachis* Schltr. = *Bulbophyllum orbiculare* J.J.Sm.  
***Bulbophyllum verruculatum*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum verruculiferum*** H.Perrier #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum versteegii*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum vesiculosum*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum vestitum*** Bosser #4 II 64 ORCHIDACEAE  
***Bulbophyllum vexillarium*** Ridl. #4 II 64 ORCHIDACEAE  
*Bulbophyllum vidalii* Tixier = *Bulbophyllum apodium* Hook.f.  
***Bulbophyllum vietnamense*** Seidenf. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum viguieri*** Schltr. #4 II 64 ORCHIDACEAE  
***Bulbophyllum vinaceum*** Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum vincibulbum* Ames & C.Schweinf. =  
*Bulbophyllum montense* Ridley  
*Bulbophyllum vinosum* Schltr. = *Bulbophyllum pachyrachis*  
 (A. Rich.) Griseb.  
***Bulbophyllum violaceolabellum*** Seidenf. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum violaceum*** (Blume) Lindley #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum violaceum* (Blume) Rchb.f. = *Bulbophyllum cochlia* Garay, Hamer & Siegerist  
***Bulbophyllum virens*** Hook.f. = *Sunipia virens* (Lindl.)  
 P.F.Hunt  
***Bulbophyllum viresens*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Bulbophyllum viride* Rolfe = *Bulbophyllum intertextum*  
 Lindley  
***Bulbophyllum viridescens*** Ridley #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum viridiflorum*** (Hook.f.) Schltr. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum viridiflorum* Hayata = *Bulbophyllum pectinatum* Finet  
*Bulbophyllum viridiflorum* (Hook.f.) J.J.Sm. =  
*Bulbophyllum viridiflorum* (Hook.f.) Schltr.  
*Bulbophyllum viscidum* J.J.Sm. = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex  
 Aver.  
***Bulbophyllum vitellinum*** Ridl. #4 II 64 ORCHIDACEAE  
*Bulbophyllum vitiense* Rolfe = *Bulbophyllum coccinum*  
 Bateman ex Lindl.  
*Bulbophyllum vittatum* Rchb.f. & Warm. = *Bulbophyllum warmingianum* Cogn.  
***Bulbophyllum volkensii*** Schltr. #4 II 64 ORCHIDACEAE  
***Bulbophyllum vöthii*** Sieder #4 II 64 ORCHIDACEAE  
***Bulbophyllum vulcanicum*** Kraenzl. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum vulcanorum*** H. Perrier #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum vutimenaense*** B. Lewis #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum wadsworthii*** Dockr. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum wagneri*** Schltr. #4 II 64 ORCHIDACEAE  
***Bulbophyllum wakoi*** Howcroft #4 II 64 ORCHIDACEAE  
***Bulbophyllum wallichii*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Bulbophyllum wangkaense*** Seidenf. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum wanjurum* T.E.Hunt = *Bulbophyllum newportii* (F.M.Bailey) Rolfe  
***Bulbophyllum warianum*** Schltr. #4 II 64 ORCHIDACEAE  
***Bulbophyllum warmingianum*** Cogn. #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum watsonianum* Rchb.f. = *Bulbophyllum ambrosia* (Hance) Schltr.  
*Bulbophyllum waughense* Rupp = *Bulbophyllum bowkettae* F.M.Bailey  
***Bulbophyllum weberbauerianum*** Kraenzl. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum weberi*** Ames #4 II 64 ORCHIDACEAE  
***Bulbophyllum wechsbergerii*** Sieder #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum weddelii*** (Lindl.) Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum weinthalii*** R.Rogers #4 II 64  
 ORCHIDACEAE  
***Bulbophyllum wendlandianum*** (Kraenzl.) Dammer #4 II 64  
 ORCHIDACEAE  
*Bulbophyllum wendlandianum* (Kraenzl.) J.J.Sm. =  
*Bulbophyllum wendlandianum* (Kraenzl.) Dammer  
***Bulbophyllum wenzelii*** Ames #4 II 64 ORCHIDACEAE

- Bulbophyllum wernerii** Schltr #4 II 64 ORCHIDACEAE  
*Bulbophyllum whiteanum* (Rolle) J.J.Sm. = *Bulbophyllum vaginatum* (Lindley) Reichb.f.
- Bulbophyllum whitei** T.E.Hunt & Rupp #4 II 64 ORCHIDACEAE
- Bulbophyllum whitfordii** Rolfe ex Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum wightii** Reichb.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum wilkianum** T.E.Hunt #4 II 64 ORCHIDACEAE
- Bulbophyllum williamsii** A.D.Hawkes #4 II 64 ORCHIDACEAE
- Bulbophyllum windsorensis** B.Gray & D.L.Jones #4 II 64 ORCHIDACEAE
- Bulbophyllum winkleri* Schltr. = *Bulbophyllum josephi* (Kuntze) Summerh.
- Bulbophyllum woelffliae** Garay, Senghas & Lemcke #4 II 64 ORCHIDACEAE
- Bulbophyllum wolfei** B.Gray & D.L.Jones #4 II 64 ORCHIDACEAE
- Bulbophyllum wollastonii** Ridl. #4 II 64 ORCHIDACEAE
- Bulbophyllum wrayi** Hook.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum wrightii* Summerh. = *Bulbophyllum tetragonum* Lindl.
- Bulbophyllum wuzhishanensis** X.H.Jin #4 II 64 ORCHIDACEAE
- Bulbophyllum xanthanthum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum xanthoacron** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum xanthobulbum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum xanthochlamys** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum xanthoglossum* Schltr. = *Bulbophyllum schimperianum* Kraenzl.
- Bulbophyllum xanthophaeum** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum xanthornis** Schuit & De Vogel #4 II 64 ORCHIDACEAE
- Bulbophyllum xanthes** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum xanthum** Ridley #4 II 64 ORCHIDACEAE
- Bulbophyllum xenosum** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum xiphion** J.J.Verm. #4 II 64 ORCHIDACEAE
- Bulbophyllum xylocarpi** J.J. Smith #4 II 64 ORCHIDACEAE
- Bulbophyllum xylophyllum** C.S.P.Parish & Rchb.f. #4 II 64 ORCHIDACEAE
- Bulbophyllum yangambiense* Louis & Mullenders ex Geerink = *Bulbophyllum pumilum* (Sw.) Lindl.
- Bulbophyllum yoksunense** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum youngsayeanum* S.Y.Hu & Barretto = *Bulbophyllum stenobulbon* C.S.Parish & Rchb.f.
- Bulbophyllum yuanyangense** Z.H.Tsi #4 II 64 ORCHIDACEAE
- Bulbophyllum yunnanense** Rolfe #4 II 64 ORCHIDACEAE
- Bulbophyllum zambalense** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum zamboangense** Ames #4 II 64 ORCHIDACEAE
- Bulbophyllum zaratananae** Schltr. #4 II 64 ORCHIDACEAE
- Bulbophyllum zebrinum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Bulbophyllum zenkerianum* Kraenzl. = *Bulbophyllum oreonastes* Rchb.f.
- Bulbophyllum zobiaense* De Wild. = *Bulbophyllum scaberulum* (Rolle) Bolus
- Bulleyia spp.** Schlechter #4 II 64 ORCHIDACEAE
- Bulleyia yunnanensis* Schltr. #4 II 64 ORCHIDACEAE
- Bulnesia gancedoi* Rojas Acosta = *Bulnesia sarmientoi* Lorentz & Griseb.
- Bulnesia sarmientoi* Lorentz & Griseb. #11 II ZYGOPHYLLACEAE (E) Holy wood (S) Guayacan, Palo Santo
- Burlingtonia amoena* Planch. 1852 = *Rodriguezia decora* (Lem.) Rchb.f.
- Burlingtonia caloplectron* (Rchb.f.) B.S.Williams 1887 = *Rodriguezia granadensis* (Lindl.) Rchb.f. 1852
- Burlingtonia candida* Lindl. = *Rodriguezia candida* Batem. ex Lindl.
- Burlingtonia carnea* Lindl. ex Linden 1881 = *Rodriguezia carnea* Lindl. 1843
- Burlingtonia decora* Lem. 1852 = *Rodriguezia decora* (Lem.) Rchb.f.
- Burlingtonia farmeri* Hortus ex Williams = *Rodriguezia candida* Batem. ex Lindl.
- Burlingtonia fragrans* Lindl. 1837 = *Rodriguezia venusta* (Lindl.) Rchb.f. 1852
- Burlingtonia granadensis* Lindl. 1846 = *Rodriguezia granadensis* (Lindl.) Rchb.f. 1852
- Burlingtonia knowlesii* B.S.Williams 1894 = *Rodriguezia venusta* (Lindl.) Rchb.f. 1852
- Burlingtonia leeana* (Rchb.f.) B.S.Williams 1894 = *Rodriguezia leeana* Rchb.f. 1883
- Burlingtonia maculata* Lindl. 1839 = *Rodriguezia sticta* M.W.Chase. 1987
- Burlingtonia negrensis* Barb.Rodr. 1891 = *Rodriguezia negrensis* (Barb.Rodr.) Cogn. 1904-1906
- Burlingtonia negrensis* Barb.Rodr. 1891 = *Rodriguezia batemanii* Poepp. & Endl. 1836
- Burlingtonia obtusifolia* (Lindl.) Rchb.f. 1852 = *Rodriguezia obtusifolia* (Lindl.) Rchb.f. 1852
- Burlingtonia pubescens* Lindl. 1851 = *Rodriguezia venusta* (Lindl.) Rchb.f. 1852
- Burlingtonia pubescens* Lindl. 1851 = *Rodriguezia pubescens* Rchb.f. 1852
- Burlingtonia refracta* Lindl. 1853 = *Rodriguezia refracta* (Lindl.) Rchb.f. 1854
- Burlingtonia rigida* Lindl. 1837 = *Rodriguezia rigida* (Lindl.) Rchb.f. 1852
- Burlingtonia rosea* Hortus ex Rand = *Rodriguezia lanceolata* Ruiz. & Pav.

<i>Burlingtonia rubescens</i> Lindl. 1837 = <i>Rodriguezia batemanii</i> Poepp. & Endl. 1836	Cactus, Fragrant Woolly (E): <i>Harrisia eriophora</i>
<i>Burlingtonia venusta</i> Lindl. 1837 = <i>Rodriguezia venusta</i> (Lindl.) Rchb.f. 1852	Cactus, French Prickle (E): <i>Opuntia elatior</i>
<b>Burnettia spp.</b> Lindl. #4 II 64 ORCHIDACEAE	Cactus, Golden-cheested Beehive (E): <i>Coryphantha recurvata</i>
<i>Burnettia cuneata</i> Lindley #4 II 64 ORCHIDACEAE	Cactus, Golden-spined Prickly-pear (E): <i>Opuntia aureispina</i>
<b>Burnsbaloghia spp.</b> Szalchetko #4 II 64 ORCHIDACEAE	Cactus, Graham's Nipple (E): <i>Mammillaria grahamii</i>
Cachimbo (S): <i>Platymiscium pleiostachyum</i>	Cactus, Grama-grass (E): <i>Sclerocactus papyracanthus</i>
<b>CACTACEAE spp.</b> Juss. #4 I/II/NC 49 (E) Cacti (S)	Cactus, Green-fruit Nipple (E): <i>Mammillaria longimamma</i>
Cactus (F) Cactus	Cactus, Grenadier's Cap (E): <i>Pachycereus militaris</i>
Cacti (E): <i>Cactaceae</i>	Cactus, Hatchet (E): <i>Pelecyphora aselliformis</i>
Cacto alcachofa (S): <i>Obregonia denegrii</i>	Cactus, Horse Crippler (E): <i>Echinocactus texensis</i>
Cacto Azteca (S): <i>Aztekium ritteri</i>	Cactus, Houserock Valley (E): <i>Pediocactus paradisei</i>
Cacto de Lindsay (S): <i>Echinocereus ferreiranus lindsayi</i>	Cactus, Indian Fig (E): <i>Opuntia ficus-indica</i>
Cacto Estrella (S): <i>Astrophytum asterias</i>	Cactus, Jabali Pincushion (E): <i>Coryphantha werdermannii</i>
Cactus (S): <i>Cactaceae</i>	Cactus, Johnson's Butterfly (E): <i>Sclerocactus johnsonii</i>
Cactus (F): <i>Cactaceae</i>	Cactus, Jumping Prickly Apple (E): <i>Opuntia triacantha</i>
Cactus, Aboriginal Prickly-apple (E): <i>Harrisia aboriginum</i>	Cactus, Jumping Prickly-pear (E): <i>Opuntia cubensis</i>
Cactus, Agave (E): <i>Leuchtenbergia principis</i>	Cactus, Kaibab Pincushion (E): <i>Pediocactus paradisei</i>
Cactus, Alverson's Pincushion (E): <i>Escobaria vivipara</i>	Cactus, Kingman's Prickly-pear (E): <i>Opuntia superbispina</i>
Cactus, Arizona Hedgehog (E): <i>Echinocereus coccineus</i>	Cactus, Knowlton's (E): <i>Pediocactus knowltonii</i>
Cactus, Artichoke (E): <i>Obregonia denegrii</i>	Cactus, Knowlton's Miniature (E): <i>Pediocactus knowltonii</i>
Cactus, Aztec (E): <i>Aztekium ritteri</i>	Cactus, Knowlton's Pincushion (E): <i>Pediocactus knowltonii</i>
Cactus, Bakersfield Beavertail (E): <i>Opuntia treleasei</i>	Cactus, Lace-spine Nipple (E): <i>Mammillaria lasiacantha</i>
Cactus, Ball Pricky-pear (E): <i>Escobaria vivipara</i>	Cactus, Lamb's-tail (E): <i>Echinocereus schmollii</i>
Cactus, Big Pine Key Prickly-pear (E): <i>Opuntia triacantha</i>	Cactus, Leding's Hedgehog (E): <i>Echinocereus ledingii</i>
Cactus, Bisbee Pincushion (E): <i>Escobaria vivipara</i>	Cactus, Lee Pincushion (E): <i>Escobaria sneedii</i>
Cactus, Blind Prickly-pear (E): <i>Opuntia rufida</i>	Cactus, Lindsay's (E): <i>Echinocereus ferreiranus lindsayi</i>
Cactus, Border Prickly-pear (E): <i>Opuntia atrispina</i>	Cactus, Lindsay's Hedgehog (E): <i>Echinocereus ferreiranus lindsayi</i>
Cactus, Brady's Pincushion (E): <i>Pediocactus bradyi</i>	Cactus, Little Nipple (E): <i>Mammillaria heyderi</i>
Cactus, Bunched Cory (E): <i>Coryphantha ramillosa</i>	Cactus, Little Prickly-pear (E): <i>Opuntia pusilla</i>
Cactus, Button (E): <i>Epithelantha bokei</i>	Cactus, Lloyd's Mariposa (E): <i>Sclerocactus mariposensis</i>
Cactus, Cane Prickly-pear (E): <i>Opuntia spinosior</i>	Cactus, Long Mamma Foxtail (E): <i>Coryphantha macromeris</i>
Cactus, Caribbean Apple (E): <i>Harrisia eriophora</i>	Cactus, Main's Nipple (E): <i>Mammillaria mainiae</i>
Cactus, Chaparral Prickly-pear (E): <i>Opuntia oricola</i>	Cactus, Marble-fruit Prickly-pear (E): <i>Opuntia strigil</i>
Cactus, Chautle Living-rock (E): <i>Ariocarpus fissuratus</i>	Cactus, Mariposa (E): <i>Sclerocactus mariposensis</i>
Cactus, Chihuahuan Desert Butterfly (E): <i>Neolloydia conoidea</i>	Cactus, McDougal's (E): <i>Disocactus macdougallii</i>
Cactus, Chihuahuan Fishhook (E): <i>Sclerocactus uncinatus</i>	Cactus, Mesa-Verde (E): <i>Sclerocactus mesae-verdae</i>
Cactus, Chihuahuan Foxtail (E): <i>Coryphantha cornifera</i>	Cactus, Miniature Barrel (E): <i>Thelocactus setispinus</i>
Cactus, Coastal Prickly-pear (E): <i>Opuntia littoralis</i>	Cactus, Mistletoe (E): <i>Rhipsalis baccifera</i>
Cactus, Coast Barrel (E): <i>Ferocactus viridescens</i>	Cactus, Mohave Fishhook (E): <i>Sclerocactus polyancistrus</i>
Cactus, Cob (E): <i>Leuchtenbergia principis</i>	Cactus, Nash's Prickly-pear (E): <i>Opuntia nashii</i>
Cactus, Cochineal (E): <i>Opuntia cochenillifera</i>	Cactus, Nelle's (E): <i>Escobaria minima</i>
Cactus, Conelike Turl's-cap (E): <i>Melocactus conoideus</i>	Cactus, Nellie's Cory (E): <i>Escobaria minima</i>
Cactus, Cotton-top (E): <i>Echinocactus polycephalus</i>	Cactus, Nuevo Leon Living-rock (E): <i>Ariocarpus scaphirostris</i>
Cactus, Covill's Barrel (E): <i>Ferocactus emoryi</i>	Cactus, Organ (E): <i>Pilosocereus royenii</i>
Cactus, Cuba Prickly-pear (E): <i>Opuntia cubensis</i>	Cactus, Organ Mountain Foxtail (E): <i>Escobaria organensis</i>
Cactus, Dahlia's Apple (E): <i>Echinocereus poselgeri</i>	Cactus, Paper-spine Pincushion (E): <i>Sclerocactus papyracanthus</i>
Cactus, Desert Valley Fishhook (E): <i>Sclerocactus spinosior</i>	Cactus, Park Pincushion (E): <i>Pediocactus paradisei</i>
Cactus, Devil's Prickly-pear (E): <i>Opuntia emoryi</i>	Cactus, Peebles' Navajo (E): <i>Pediocactus peeblesianus</i>
Cactus, Disc (E): <i>Strombocactus disciformis</i>	Cactus, Pin-cushion (E): <i>Opuntia curassavica</i>
Cactus, Duncan's Cory (E): <i>Escobaria duncanii</i>	Cactus, Pine-cone (E): <i>Pelecyphora strobiliformis</i>
Cactus, Eastwood's Barrel (E): <i>Ferocactus eastwoodiae</i>	Cactus, Pope's Head (E): <i>Melocactus intortus</i>
Cactus, Few-spined Turk's-cap (E): <i>Melocactus paucispinus</i>	Cactus, Potts' Nipple (E): <i>Mammillaria pottsii</i>
Cactus, Fragrant Prickly-apple (E): <i>Harrisia fragrans</i>	Cactus, Prickly Pear (E): <i>Opuntia ficus-indica</i>
Cactus, Fragrant Prickly-apple (E): <i>Harrisia eriophora</i>	Cactus, Prickly Pear Tree (E): <i>Opuntia spinosissima</i>
Cactus, Fragrant Woolly (E): <i>Harrisia fragrans</i>	

- Cactus, Prism (E): *Leuchtenbergia principis*  
 Cactus, Puerto Rico Apple (E): *Leptocereus grantianus*  
 Cactus, Queen of the Night (E): *Selenicereus grandiflorus*  
 Cactus, Recurved Cory (E): *Coryphantha recurvata*  
 Cactus, Red-topped Barrel (E): *Melocactus intortus*  
 Cactus, Roast Pork (E): *Opuntia cochenillifera*  
 Cactus, Ruby Ball (E): *Gymnocalycium mihanovichii*  
 Cactus, Rusty Hedgehog (E): *Echinocereus russanthus*  
 Cactus, San Diego Barrel (E): *Ferocactus viridescens*  
 Cactus, Sand Prickly-pear (E): *Opuntia polyacantha*  
 Cactus, Scheer's Fishhook (E): *Sclerocactus scheeri*  
 Cactus, Schott's Prickly-pear (E): *Opuntia schottii*  
 Cactus, Semaphore (E): *Opuntia spinosissima*  
 Cactus, Siler's Pincushion (E): *Pediocactus sileri*  
 Cactus, Simpson's Prickly-apple (E): *Harrisia simpsonii*  
 Cactus, Smooth Pear (E): *Opuntia cochenillifera*  
 Cactus, Sneed's Cory (E): *Escobaria sneedii*  
 Cactus, Sneed's Pincushion (E): *Escobaria sneedii*  
 Cactus, Southwestern Prickly-pear (E): *Mammillaria tetrancistra*  
 Cactus, Star (E): *Astrophytum asterias*  
 Cactus, Strawberry (E): *Gymnocalycium mihanovichii*  
 Cactus, Strawberry (E): *Mammillaria dioica*  
 Cactus, Suckers (E): *Opuntia curassavica*  
 Cactus, Tamaulipas Living -rock (E): *Ariocarpus agavoides*  
 Cactus, Teddy-bear (E): *Opuntia bigelovii*  
 Cactus, Teddy-bear (E): *Pachycereus militaris*  
 Cactus, Thornber's Fishhook (E): *Mammillaria thornberi*  
 Cactus, Tobusch Fishhook (E): *Sclerocactus brevihamatus*  
 Cactus, Tonopah Fishhook (E): *Sclerocactus nyensis*  
 Cactus, Tree (E): *Opuntia rubescens*  
 Cactus, Turk's Cap (E): *Melocactus intortus*  
 Cactus, Turk's Head (E): *Melocactus intortus*  
 Cactus, Turk's-head (E): *Echinocactus horizonthalonius*  
 Cactus, Turk's Island Prickly-pear (E): *Opuntia lucayana*  
 Cactus, Vinta Basin Hookless (E): *Sclerocactus glaucus*  
 Cactus, Viparous Foxtail (E): *Escobaria vivipara*  
 Cactus, Warnock's Butterfly (E): *Sclerocactus warnockii*  
 Cactus, Whipple's (E): *Opuntia whipplei*  
 Cactus, White Butterfly (E): *Sclerocactus intertextus*  
 Cactus, White Column Escobaria (E): *Escobaria albicolumnaria*  
 Cactus, Wonderfully-bristled Turk's-cap (E): *Melocactus deinacanthus*  
 Cactus, Woodlouse (E): *Pelecyphora aselliformis*  
 Cactus, Woolly Waxy-stemmed Turk's-cap (E): *Melocactus glaucescens*  
 Cactus, Wright's Fishhook (E): *Sclerocactus wrightiae*  
 Cactus, Wright's Fishhook (E): *Mammillaria wrightii*  
 Cactus, Yellow Prickly -apple (E): *Harrisia aboriginum*  
***Cadetia* spp.** Gaudich. #4 II 64 ORCHIDACEAE  
*Cadetia collinsii* Lavarack #4 II 64 ORCHIDACEAE  
*Cadetia quadrangularis* Cribb & B. Lewis #4 II 64 ORCHIDACEAE  
*Cadetia taylori* (F.Muell.) Schltr. #4 II 64 ORCHIDACEAE  
*Cadetia wariana* Schltr. #4 II 64 ORCHIDACEAE  
*Caesalpinia echinata* Lam. #10 II LEGUMINOSAE (E)  
 Brazil Wood, pernambuco wood (S) brasil, palo brasil,  
 palo pernambuco, palo rosado, pernambuco (F) bois  
 de pernambouc
- Caesalpinia obliqua* Vog. = *Caesalpinia echinata* Lam.  
***Caladenia* spp.** R. Br. #4 II 64 ORCHIDACEAE  
*Caladenia abbreviata* Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE  
*Caladenia amoena* D.L.Jones #4 II 64 ORCHIDACEAE  
*Caladenia argocalla* D.L.Jones #4 II 64 ORCHIDACEAE  
*Caladenia arrecta* Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE  
*Caladenia atkinsonii* Rodway = *Caladenia carneae* R. Br.  
*Caladenia atroclavia* D.L.Jones & M.A.Clements #4 II 64 ORCHIDACEAE  
*Caladenia audasii* R.Rogers #4 II 64 ORCHIDACEAE  
*Caladenia behrii* Schldl. #4 II 64 ORCHIDACEAE  
*Caladenia bicallitata* R.Rogers #4 II 64 ORCHIDACEAE  
*Caladenia brachyscapa* G.W.Carr #4 II 64 ORCHIDACEAE  
*Caladenia brumalis* D.L.Jones #4 II 64 ORCHIDACEAE  
*Caladenia busselliana* Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE  
*Caladenia calcicola* G.W.Carr #4 II 64 ORCHIDACEAE  
*Caladenia carneae* R. Br. #4 II 64 ORCHIDACEAE  
*Caladenia caudata* Nicholls #4 II 64 ORCHIDACEAE  
*Caladenia christineae* Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE  
*Caladenia clarkiae* D.L.Jones #4 II 64 ORCHIDACEAE  
*Caladenia colorata* D.L.Jones #4 II 64 ORCHIDACEAE  
*Caladenia concolor* Fitzg. #4 II 64 ORCHIDACEAE  
*Caladenia conferta* D.L.Jones #4 II 64 ORCHIDACEAE  
*Caladenia corynephora* A.S. George #4 II 64 ORCHIDACEAE  
*Caladenia crebra* A.S. George #4 II 64 ORCHIDACEAE  
*Caladenia cristata* R.Rogers #4 II 64 ORCHIDACEAE  
*Caladenia curtisepala* D.L.Jones #4 II 64 ORCHIDACEAE  
*Caladenia dorrienii* Domin #4 II 64 ORCHIDACEAE  
*Caladenia drummondii* Benth. #4 II 64 ORCHIDACEAE  
*Caladenia echidnachila* Nicholls #4 II 64 ORCHIDACEAE  
*Caladenia elegans* Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE  
*Caladenia ericksonae* Nicholls #4 II 64 ORCHIDACEAE  
*Caladenia evanescens* Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE  
*Caladenia excelsa* Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE  
*Caladenia exstans* Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE  
*Caladenia formosa* G.W.Carr #4 II 64 ORCHIDACEAE  
*Caladenia fulva* G.W.Carr #4 II 64 ORCHIDACEAE  
*Caladenia gladiolata* R.Rogers #4 II 64 ORCHIDACEAE  
*Caladenia granitora* Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE  
*Caladenia harringtoniae* Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE  
*Caladenia hastata* (Nicholls) Rupp #4 II 64 ORCHIDACEAE  
*Caladenia helvina* D.L.Jones #4 II 64 ORCHIDACEAE  
*Caladenia hoffmannii* Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE  
*Caladenia holmesii* Rupp #4 II 64 ORCHIDACEAE

- Caladenia huegelii* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Caladenia insularis* G.W.Carr #4 II 64 ORCHIDACEAE
- Caladenia integra* E.Coleman #4 II 64 ORCHIDACEAE
- Caladenia interjacens* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Caladenia lavandulacea* R. Rogers #4 II 64  
ORCHIDACEAE
- Caladenia leptochila* Fitzg. #4 II 64 ORCHIDACEAE
- Caladenia lindleyana* (H.G.Reichb.) M.A.Clements &  
D.L.Jones #4 II 64 ORCHIDACEAE
- Caladenia longii* R. Rogers #4 II 64 ORCHIDACEAE
- Caladenia lowanensis* G.W.Carr #4 II 64 ORCHIDACEAE
- Caladenia macroclavia* D.L.Jones #4 II 64  
ORCHIDACEAE
- Caladenia magnifica* (Nicholls) D.L.Jones & G.Carr #4 II  
64 ORCHIDACEAE
- Caladenia melanema* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Caladenia multiclavia* Reichb.f. #4 II 64 ORCHIDACEAE
- Caladenia necrophylla* D.L.Jones #4 II 64 ORCHIDACEAE
- Caladenia ovata* R.Rogers #4 II 64 ORCHIDACEAE
- Caladenia plicata* Fitzg. #4 II 64 ORCHIDACEAE
- Caladenia pumila* R.Rogers #4 II 64 ORCHIDACEAE
- Caladenia radialis* R. Rogers #4 II 64 ORCHIDACEAE
- Caladenia richardsiorum* D.L.Jones #4 II 64  
ORCHIDACEAE
- Caladenia rigida* R.Rogers #4 II 64 ORCHIDACEAE
- Caladenia robinsonii* G.W.Carr #4 II 64 ORCHIDACEAE
- Caladenia rosella* G.W.Carr #4 II 64 ORCHIDACEAE
- Caladenia speciosa* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Caladenia tensa* G.W.Carr #4 II 64 ORCHIDACEAE
- Caladenia tessellata* Fitzg. #4 II 64 ORCHIDACEAE
- Caladenia thysanochila* G.W.Carr #4 II 64 ORCHIDACEAE
- Caladenia triangularis* R. Rogers #4 II 64 ORCHIDACEAE
- Caladenia tutelata* R. Rogers #4 II 64 ORCHIDACEAE
- Caladenia valida* (Nicholls) M.A.Clements & D.L.Jones #4  
II 64 ORCHIDACEAE
- Caladenia venusta* G.W.Carr #4 II 64 ORCHIDACEAE
- Caladenia versicolor* G.W.Carr #4 II 64 ORCHIDACEAE
- Caladenia viridescens* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Caladenia voigtii* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Caladenia vulgaris* D.L.Jones #4 II 64 ORCHIDACEAE
- Caladenia wanosa* A.S.George #4 II 64 ORCHIDACEAE
- Caladenia williamsonii* D.L.Jones ms. #4 II 64  
ORCHIDACEAE
- Caladenia winfieldii* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Caladenia woolcockiorum* D.L.Jones #4 II 64  
ORCHIDACEAE
- Caladenia xanthochila* D. & C.Beardsell #4 II 64  
ORCHIDACEAE
- Caladenia xantholeuca* D.L.Jones #4 II 64  
ORCHIDACEAE
- Calanthe spp.* Ker-Gawl. #4 II 64 ORCHIDACEAE
- Calanthe abbreviata* (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Calanthe aceras* Schltr. #4 II 64 ORCHIDACEAE
- Calanthe actinomorpha* Fukuy #4 II 64 ORCHIDACEAE
- Calanthe albolilacina* J.J.Sm. #4 II 64 ORCHIDACEAE
- Calanthe albo-longicalcarata* S.S.Ying #4 II 64  
ORCHIDACEAE
- Calanthe albolutea* Ridley #4 II 64 ORCHIDACEAE
- Calanthe aleizettii* Gagnep #4 II 64 ORCHIDACEAE
- Calanthe alismaefolia* Lindley #4 II 64 ORCHIDACEAE
- Calanthe alpina* Hook.f. #4 II 64 ORCHIDACEAE
- Calanthe alpina fimbriata* (Fr.) F.Maek. = *Calanthe alpina*  
Hook.f.
- Calanthe alpina fimbriatomarginata* (Fukuy.) F.Maek. =  
*Calanthe alpina* Hook.f.
- Calanthe alta* Rchb.f. #4 II 64 ORCHIDACEAE
- Calanthe amoena* W.W.Sm. = *Calanthe puberula* Lindley
- Calanthe anchorifera* Rchb.f. = *Calanthe triplicata*  
(Willeme.) Ames
- Calanthe angraeciflora* Rchb.f. = *Calanthe triplicata*  
(Willeme.) Ames
- Calanthe angusta* Lindl. #4 II 64 ORCHIDACEAE
- Calanthe angustifolia* (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Calanthe anjanea* Lucksom #4 II 64 ORCHIDACEAE
- Calanthe anocentrum* Schltr. = *Calanthe alta* Rchb.f.
- Calanthe antropophora* Ridl. #4 II 64 ORCHIDACEAE
- Calanthe apostasiooides* Schltr. = *Calanthe caulescens*  
J.J.Sm.
- Calanthe arcuata* Rolfe #4 II 64 ORCHIDACEAE
- Calanthe arfakana* J.J.Sm. #4 II 64 ORCHIDACEAE
- Calanthe argenteostriata* C.Z.Tang & S.J.Cheng #4 II 64  
ORCHIDACEAE
- Calanthe arisanensis* Hayata #4 II 64 ORCHIDACEAE
- Calanthe aristulifera* Reichb.f. #4 II 64 ORCHIDACEAE
- Calanthe aristulifera izu-insularis* Satomi = *Calanthe*  
*izu-insularis* (Satomi) Ohwi & Satomi
- Calanthe aruank* P.Royen #4 II 64 ORCHIDACEAE
- Calanthe arundinoides* J.J.Sm. = *Calanthe versteegii*  
J.J.Sm.
- Calanthe atjehensis* J.J.Sm. #4 II 64 ORCHIDACEAE
- Calanthe augusti-reignerii* Rchb.f. = *Calanthe vestita* Lindl.
- Calanthe aurantiaca* Ridley #4 II 64 ORCHIDACEAE
- Calanthe aurantimacula* P. van Royen #4 II 64  
ORCHIDACEAE
- Calanthe aureiflora* J.J.Sm. #4 II 64 ORCHIDACEAE
- Calanthe austrokiusiensis* Ohwi. = *Calanthe alismaefolia*  
Lindley
- Calanthe balansae* Finet #4 II 64 ORCHIDACEAE
- Calanthe baliensis* J.J.Wood & J.B.Comber #4 II 64  
ORCHIDACEAE
- Calanthe bicalcarata* J.J.Sm. #4 II 64 ORCHIDACEAE
- Calanthe bicolor* Lindl. = *Calanthe striata* R. Br. ex Lindl.
- Calanthe bigibba* Schltr. = *Calanthe ventilabrum* Rchb.f.
- Calanthe biloba* Lindl. #4 II 64 ORCHIDACEAE
- Calanthe biloba* auct non Lindl. = *Calanthe cardioglossa*  
Schltr.
- Calanthe biloba obtusa* Rchb.f. = *Calanthe biloba* Lindl.

- Calanthe brachychila*** Gagnep #4 II 64 ORCHIDACEAE  
*Calanthe bracteosa* Rchb.f. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe bracteosa* Schltr. = *Calanthe rhodochila* Schltr.  
*Calanthe brevicolumna* Hayata = *Calanthe triplicata* (Willeme.) Ames  
***Calanthe brevicornu*** Lindley #4 II 64 ORCHIDACEAE  
***Calanthe breviflos*** Ridley #4 II 64 ORCHIDACEAE  
*Calanthe breviscapa* J.J.Sm. = *Calanthe rhodochila* Schltr.  
***Calanthe buccinifera*** Rolfe ex Hemsl. #4 II 64 ORCHIDACEAE  
*Calanthe bungoana* Ohwi = *Calanthe davidii* Franch.  
*Calanthe burmanica* Rolfe = *Calanthe ceciliae* Reichb. f.  
***Calanthe calanthoides*** (A.Rich & Galeottii) Hamer & Garay #4 II 64 ORCHIDACEAE  
***Calanthe camptoceras*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe candida*** Bosser #4 II 64 ORCHIDACEAE  
***Calanthe cardioglossa*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe carrii*** Seidenf. & J.J.Wood #4 II 64 ORCHIDACEAE  
*Calanthe catilligera* Rchb.f. = *Calanthe triplicata* (Willeme.) Ames  
***Calanthe caudatilabella*** Hayata #4 II 64 ORCHIDACEAE  
***Calanthe caulescens*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe caulodes*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe ceciliae*** Reichb. f. #4 II 64 ORCHIDACEAE  
*Calanthe celebica* Rolfe = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe cheniana* Hand.-Mazz. = *Calanthe discolor* Lindley  
***Calanthe chevalieri*** Gagnep. #4 II 64 ORCHIDACEAE  
***Calanthe chloroleuca*** Lindl. #4 II 64 ORCHIDACEAE  
*Calanthe chrysantha* Schltr. = *Calanthe ventilabrum* Rchb.f.  
***Calanthe chrysoglossoides*** J.J. Sm. #4 II 64 ORCHIDACEAE  
***Calanthe chrysoleuca*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe citrina* Scheidw. = *Calanthe striata* R. Br. ex Lindl.  
***Calanthe clavata*** Lindl. #4 II 64 ORCHIDACEAE  
***Calanthe clavicalcar*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe cleistogama*** Holttum #4 II 64 ORCHIDACEAE  
*Calanthe coelogyniformis* Kraenzl. = *Calanthe delavayi* Finet  
***Calanthe coiloglossa*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe comosa* Rchb.f. = *Calanthe triplicata* (Willeme.) Ames  
***Calanthe conspicua*** Lindl. #4 II 64 ORCHIDACEAE  
***Calanthe coreana*** Nakai #4 II 64 ORCHIDACEAE  
*Calanthe corymbosa* Lindl. = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe cremeoviridis*** J.J.Wood #4 II 64 ORCHIDACEAE  
***Calanthe crenulata*** J.J. Sm. #4 II 64 ORCHIDACEAE  
***Calanthe cruciata*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe crumenata*** Ridl. #4 II 64 ORCHIDACEAE  
*Calanthe cubensis* Linden & Rchb.f. = *Calanthe calanthoides* (A.Rich & Galeottii) Hamer & Garay  
*Calanthe cuneata* Ames & C.Schweinf. = *Calanthe kinabaluensis* Rolfe  
*Calanthe curantigoides* Kuntze = *Calanthe pulchra* (Blume) Lindley  
*Calanthe curculigooides* Lindl. = *Calanthe pulchra* (Blume) Lindley  
*Calanthe curtisiae* Rchb.f. = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe curvato-ascendens*** Gilli #4 II 64 ORCHIDACEAE  
***Calanthe davaensis*** Ames #4 II 64 ORCHIDACEAE  
***Calanthe davidii*** Franch. #4 II 64 ORCHIDACEAE  
***Calanthe delavayi*** Finet #4 II 64 ORCHIDACEAE  
*Calanthe delphiniooides* Kraenzl. = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe densiflora*** Lindl. #4 II 64 ORCHIDACEAE  
*Calanthe densiflora* sensu King & Pantling non Lindl. = *Calanthe clavata* Lindl.  
*Calanthe diploxyphion* Hook.f. = *Calanthe triplicata* (Willeme.) Ames  
***Calanthe dipteryx*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Calanthe discolor*** Lindley #4 II 64 ORCHIDACEAE  
*Calanthe discolor bicolor* (Lindl.) Makino = *Calanthe striata* R. Br. ex Lindl.  
*Calanthe discolor flava* Yatabe = *Calanthe striata* R. Br. ex Lindl.  
*Calanthe disticha* Tang & F.T.Wang = *Calanthe formosana* Rolfe  
***Calanthe dulongensis*** H.Li #4 II 64 ORCHIDACEAE  
*Calanthe durani* Ursch & Toill.-Gen. = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe eberhardtii*** Gagnep. #4 II 64 ORCHIDACEAE  
***Calanthe ecallosa*** J.J. Smith #4 II 64 ORCHIDACEAE  
***Calanthe ecarinata*** Rolfe #4 II 64 ORCHIDACEAE  
*Calanthe elliptica* Hayata = *Calanthe aristulifera* Reichb.f.  
*Calanthe elmeri* Ames = *Calanthe rubens* Ridley  
*Calanthe elytroglossa* Rchb.f. ex Hook.f. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe emarginata* (Blume) Lindley = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe emeishanica*** Z.H.Tsi & K.Y.Lang #4 II 64 ORCHIDACEAE  
***Calanthe engleriana*** Kraenzl. #4 II 64 ORCHIDACEAE  
*Calanthe englishii* Rolfe = *Calanthe ventilabrum* Rchb.f.  
*Calanthe ensifolia* Rolfe = *Calanthe davidii* Franch.  
***Calanthe epiphytica*** Carr #4 II 64 ORCHIDACEAE  
*Calanthe esquirolii* Schltr. = *Calanthe discolor* Lindley  
***Calanthe fargesii*** Finet #4 II 64 ORCHIDACEAE  
*Calanthe fauriei* Schltr. = *Calanthe alismaefolia* Lindley  
***Calanthe finisterreae*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe fissa*** L.O.Williams #4 II 64 ORCHIDACEAE  
*Calanthe flabelliformis* Rogers = *Calanthe ventilabrum* Rchb.f.  
***Calanthe flava*** (Blume) Morren #4 II 64 ORCHIDACEAE  
*Calanthe foerstermannii* Rchb.f. = *Calanthe lyroglossa* Reichb.f.  
***Calanthe forbesii*** Ridl. #4 II 64 ORCHIDACEAE  
***Calanthe formosana*** Rolfe #4 II 64 ORCHIDACEAE

- Calanthe forsythiiiflora* Hayata = *Calanthe lyroglossa* Reichb.f.  
*Calanthe fragilis* R.Govaerts = *Calanthe tenuis* Ames & C.Schweinf.  
*Calanthe fragrans* P.Royen = *Calanthe micrantha* Schltr.  
*Calanthe frimbriata* Fr. = *Calanthe alpina* Hook.f.  
*Calanthe frimbriatomarginata* Fukuy. = *Calanthe alpina* Hook.f.  
*Calanthe fuerstenbergiana* Kraenzl. ex Schltr. = *Calanthe cardioglossa* Schltr.  
***Calanthe fulgens*** Lindl. #4 II 64 ORCHIDACEAE  
*Calanthe furcata* Bateman ex Lindley = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe galeata* Lindl. = *Calanthe chloroleuca* Lindl.  
*Calanthe gebina* Lodd = *Bletilla striata* (Thunb. ex A.Murray) Rchb.f.  
***Calanthe geelvinkensis*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe gibbsiae*** Rolfe #4 II 64 ORCHIDACEAE  
*Calanthe gigantea* = *Plocoglottis gigantea* (Hook. f.) J.J. Smith  
*Calanthe gougaensis* = *Acanthephippium gougaense*  
***Calanthe graciliflora*** Hayata #4 II 64 ORCHIDACEAE  
*Calanthe gracilis* = *Cephalantheropsis obcordata*  
***Calanthe graciliscapa*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe gracillima* Lindl. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe granatensis* Rchb.f. = *Calanthe calanthoides* (A.Rich & Galeottii) Hamer & Garay  
*Calanthe grandiflora* Rolfe = *Calanthe vestita* Lindl.  
***Calanthe griffithii*** Lindl. #4 II 64 ORCHIDACEAE  
***Calanthe halconensis*** Ames #4 II 64 ORCHIDACEAE  
*Calanthe hamata* Hand-Mazz. = *Calanthe graciliflora* Hayata  
***Calanthe hancockii*** Rolfe #4 II 64 ORCHIDACEAE  
***Calanthe hattori*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe hennisi*** Loher #4 II 64 ORCHIDACEAE  
***Calanthe henryi*** Rolfe #4 II 64 ORCHIDACEAE  
***Calanthe herbacea*** Lindley #4 II 64 ORCHIDACEAE  
***Calanthe hirsuta*** Seidenf. #4 II 64 ORCHIDACEAE  
***Calanthe hololeuca*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Calanthe hoshii*** S.Kobay. #4 II 64 ORCHIDACEAE  
*Calanthe hosseusiana* Kraenzl. = *Calanthe cardioglossa* Schltr.  
***Calanthe humbertii*** H.Perrier #4 II 64 ORCHIDACEAE  
***Calanthe hyacinthina*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe imthurnii*** Kores #4 II 64 ORCHIDACEAE  
***Calanthe inflata*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe inquinalax* Rolfe = *Calanthe vestita* Lindl.  
*Calanthe integrilabris* Gagnep. = *Calanthe velutina* Ridl.  
***Calanthe izu-insularis*** (Satomi) Ohwi & Satomi #4 II 64 ORCHIDACEAE  
*Calanthe japonica* Blume ex Miq. = *Calanthe alismaefolia* Lindley  
***Calanthe johorensis*** Holttum #4 II 64 ORCHIDACEAE  
***Calanthe jusnerii*** Boxall ex Náves #4 II 64 ORCHIDACEAE  
***Calanthe kaniensis*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe kawakamii* Hayata = *Calanthe striata* R. Br. ex Lindl.  
*Calanthe kazuoi* Yamam. = *Calanthe densiflora* Lindl.  
***Calanthe kemulense*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Calanthe keshabii* S.Z.Lucksom = *Calanthe alpina* Hook.f.  
***Calanthe kinabaluensis*** Rolfe #4 II 64 ORCHIDACEAE  
*Calanthe kintaroi* Yamam. = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe kirishimensis* Yatabe = *Calanthe aristulifera* Reichb.f.  
***Calanthe labellicauda*** Gilli #4 II 64 ORCHIDACEAE  
***Calanthe labrosa*** (Rchb.f.) Rchb.f. #4 II 64 ORCHIDACEAE  
***Calanthe lacerata*** Ames #4 II 64 ORCHIDACEAE  
*Calanthe lamellata* Hayata = *Calanthe tricarinata* Lindley  
*Calanthe lamellosa* Rolfe = *Calanthe brevicornu* Lindley  
*Calanthe langei* F. Muell. = *Calanthe ventilabrum* Rchb.f.  
*Calanthe latissimifolia* R.S.Rogers = *Calanthe engleriana* Kraenzl.  
***Calanthe laxiflora*** Makino #4 II 64 ORCHIDACEAE  
***Calanthe lechangensis*** Z.H.Tsi #4 II 64 ORCHIDACEAE  
*Calanthe lepida* W.W.Sm. = *Calanthe puberula* Lindley  
***Calanthe leucosceptrum*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe lilacina* Loher = *Calanthe conspicua* Lindl.  
***Calanthe limprichtii*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe liukiuensis* Schltr. = *Calanthe lyroglossa* Reichb.f.  
***Calanthe longibracteata*** Ridl. #4 II 64 ORCHIDACEAE  
*Calanthe longicalcarata* Hayata ex Yamam. = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe longifolia*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe longipes* = *Cephalantheropsis longipes*  
*Calanthe lutescens* Flieschm. & Rech. = *Calanthe alta* Rchb.f.  
***Calanthe lutiviridis*** P.Royen #4 II 64 ORCHIDACEAE  
***Calanthe lyroglossa*** Reichb.f. #4 II 64 ORCHIDACEAE  
***Calanthe madagascariensis*** W.Watson ex Rolfe #4 II 64 ORCHIDACEAE  
***Calanthe mannii*** Hook.f. #4 II 64 ORCHIDACEAE  
***Calanthe maquilingensis*** Ames #4 II 64 ORCHIDACEAE  
*Calanthe masuca* (D.Don) Lindl. = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe matsudai* Hayata = *Calanthe davidii* Franch.  
*Calanthe matsumurana* Schltr. = *Calanthe triplicata* (Willeme.) Ames  
***Calanthe mcgregorii*** Ames #4 II 64 ORCHIDACEAE  
*Calanthe megalophla* Fr. = *Calanthe tricarinata* Lindley  
***Calanthe melinosema*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe metoensis*** Z.H.Tsi #4 II 64 ORCHIDACEAE  
*Calanthe mexicana* Rchb. f. = *Calanthe calanthoides* (A.Rich & Galeottii) Hamer & Garay  
***Calanthe micrantha*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe microglossa*** Ridl. #4 II 64 ORCHIDACEAE  
***Calanthe millotae*** Ursch & Toill.-Gen. ex Bosser #4 II 64 ORCHIDACEAE  
***Calanthe mindorenensis*** Ames #4 II 64 ORCHIDACEAE  
***Calanthe moluccensis*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe monophylla*** Ridley #4 II 64 ORCHIDACEAE

- Calanthe muelleri* Kraenzl. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe mutabilis* Ridl. = *Calanthe zollingeri* Rchb.f.  
***Calanthe nankuensis*** Z.H.Tsi #4 II 64 ORCHIDACEAE  
*Calanthe natalensis* (Rchb.f.) Rchb.f. = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe neglecta* Schltr. = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe neocaledonica* Rendle = *Calanthe hololeuca* Rchb.f.  
*Calanthe neohibernica* Schltr. = *Calanthe hololeuca* Rchb.f.  
***Calanthe nephroglossa*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe nephroidea* Gagnep. = *Calanthe lyroglossa* Reichb.f.  
***Calanthe nicolae*** P.O'Byrne #4 II 64 ORCHIDACEAE  
*Calanthe nigropuncticulata* Fukuy. = *Calanthe alismaefolia* Lindley  
***Calanthe nipponica*** Makino #4 II 64 ORCHIDACEAE  
***Calanthe nivalis*** Boxall ex Náves #4 II 64 ORCHIDACEAE  
*Calanthe oblaceolata* Ohwi & T. Koyama = *Calanthe mannii* Hook.f.  
***Calanthe obreniformis*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Calanthe occidentalis* Lindl. = *Calanthe tricarinata* Lindley  
***Calanthe odora*** Griff. #4 II 64 ORCHIDACEAE  
*Calanthe okinawensis* Hayata = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe okushirensis* Miyabe & Tatew. = *Calanthe reflexa* Maxim.  
*Calanthe ombrophila* P.Royen = *Calanthe micrantha* Schltr.  
***Calanthe oodaruma*** Maekawa #4 II 64 ORCHIDACEAE  
***Calanthe oreadum*** Rendle #4 II 64 ORCHIDACEAE  
*Calanthe orthocentron* Schltr. = *Calanthe triplicata* (Willeme.) Ames  
***Calanthe otuhanica*** C.L.Chan & T.J.Barkman #4 II 64 ORCHIDACEAE  
***Calanthe ovalifolia*** Ridl. #4 II 64 ORCHIDACEAE  
***Calanthe ovata*** Ridley #4 II 64 ORCHIDACEAE  
***Calanthe pachystalix*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Calanthe pachystalix* Gagnep. = *Calanthe angusta* Lindl.  
*Calanthe padangensis* Schltr. ex Mansf. = *Calanthe vestita* Lindl.  
*Calanthe pantlingii* Schltr. = *Calanthe tricarinata* Lindley  
*Calanthe papuana* (Schltr.) J.J.Sm. = *Calanthe vestita* Lindl.  
*Calanthe parviflora* Lindl. = *Calanthe flava* (Blume) Morren  
***Calanthe parvilabris*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe patsinensis* S. Y. Hu = *Calanthe formosana* Rolfe  
***Calanthe pauciverrucosa*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe pavaiensis*** P.Ormerod #4 II 64 ORCHIDACEAE  
*Calanthe perrieri* Ursch & Toill.-Gen = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe perrottetii* A.Rich. = *Calanthe triplicata* (Willeme.) Ames  
***Calanthe petelotiana*** Gagnep. #4 II 64 ORCHIDACEAE  
*Calanthe petri* Rchb.f. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe phajooides* Rchb.f. = *Calanthe angustifolia* (Blume) Lindley  
*Calanthe pilosa* (de Vriese) Miq. = *Calanthe vestita* Lindl.  
***Calanthe plantaginea*** Lindley #4 II 64 ORCHIDACEAE  
*Calanthe plantaginea* Griff. (non Lindl.) = *Calanthe griffithii* Lindl.  
*Calanthe pleiochroma* Rchb.f. = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe poilanei*** Gagnep. #4 II 64 ORCHIDACEAE  
***Calanthe polyantha*** Gilli #4 II 64 ORCHIDACEAE  
*Calanthe proboscidea* Rchb.f. = *Calanthe triplicata* (Willeme.) Ames  
***Calanthe puberula*** Lindley #4 II 64 ORCHIDACEAE  
***Calanthe pubescens*** Ridley #4 II 64 ORCHIDACEAE  
***Calanthe pulchra*** (Blume) Lindley #4 II 64 ORCHIDACEAE  
***Calanthe pullei*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe pumila*** Fukuy. #4 II 64 ORCHIDACEAE  
*Calanthe purpurea* Lindley = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe pusilla* Carr = *Calanthe carrii* Seidenf. & J.J.Wood  
*Calanthe pusilla* Finet = *Calanthe mannii* Hook.f.  
*Calanthe raishaensis* Hayata = *Calanthe aristulifera* Reichb.f.  
***Calanthe rajana*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Calanthe ramosa* = *Phaius mishmensis* Reichb.f.  
*Calanthe ramosii* = *Cephalantheropsis obcordata*  
***Calanthe reflexa*** Maxim. #4 II 64 ORCHIDACEAE  
*Calanthe reflexa okushirensis* (Miyabe & Tatewaki) Ohwi = *Calanthe reflexa* Maxim.  
***Calanthe reflexilabris*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Calanthe regnieri* Rchb.f. = *Calanthe vestita* Lindl.  
***Calanthe repens*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe repens pauliani* Ursch & Toill.-Gen = *Calanthe repens* Schltr.  
***Calanthe rhodochila*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe rigida*** Carr #4 II 64 ORCHIDACEAE  
***Calanthe rosea*** (Lindl.) Benth. #4 II 64 ORCHIDACEAE  
***Calanthe rubens*** Ridley #4 II 64 ORCHIDACEAE  
*Calanthe rubicallosa* Masam. = *Calanthe triplicata* (Willeme.) Ames  
***Calanthe ruttenii*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe saccata*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Calanthe saccifera* Kraenzl. = *Calanthe balansae* Finet  
***Calanthe sacculata*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe salaccensis*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Calanthe salmoniviridis* P.Royen = *Calanthe caulescens* J.J.Sm.  
*Calanthe sanderiana* B.S.Williams = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe sanderiana* Rolfe = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe sasakii* Hayata = *Calanthe arisanensis* Hayata  
*Calanthe scaposa* Z.H.Tsi & K.Y.Lang = *Calanthe caulescens* J.J.Sm.

- Calanthe scaposa* Z.H.Tsi & K.Y.Lang = *Calanthe brevicornu* Lindley  
*Calanthe schlechteri* Hara = *Calanthe alpina* Hook.f.  
*Calanthe schliebenii* = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe schweliensis* W.W.Smith = *Calanthe odora* Griff.  
*Calanthe scortechinii* Hook.f. = *Calanthe ceciliae* Reichb. f.  
*Calanthe scortechinii* Hook.f. = *Calanthe lyroglossa* Reichb.f.  
*Calanthe seikooensis* Yamam. = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe seranica*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe shelfordii*** Ridl. #4 II 64 ORCHIDACEAE  
*Calanthe sieboldii* Decne. = *Calanthe striata* R. Br. ex Lindl.  
*Calanthe similis* Schltr. = *Calanthe reflexa* Maxim.  
***Calanthe simplex*** Seidenf. #4 II 64 ORCHIDACEAE  
***Calanthe sinica*** Z.H.Tsi #4 II 64 ORCHIDACEAE  
*Calanthe*, Slender (E): *Cephalantheropsis gracilis*  
*Calanthe spathoglottoides* Schltr. = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe speciosa*** (Blume) Lindley #4 II 64  
 ORCHIDACEAE  
*Calanthe speciosa* Vieill. = *Calanthe speciosa* (Blume) Lindley  
***Calanthe stenophylla*** Schltr. #4 II 64 ORCHIDACEAE  
*Calanthe stevensiana* Regnier ex Rchb.f. = *Calanthe vestita* Lindl.  
*Calanthe stevensii* Hort. ex Will. = *Calanthe vestita* Lindl.  
*Calanthe stolzii* Schltr. = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe striata*** R. Br. ex Lindl. #4 II 64 ORCHIDACEAE  
*Calanthe striata bicolor* (Lindl.) Maxim = *Calanthe striata* R. Br. ex Lindl.  
*Calanthe striata* Lindl. = *Calanthe striata* R. Br. ex Lindl.  
***Calanthe subhamata*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe succedanea*** Gagnep. #4 II 64 ORCHIDACEAE  
*Calanthe sumatrana* Blanco ex Boerl. = *Calanthe ceciliae* Reichb. f.  
***Calanthe sylvatica*** (Thouars) Lindl. #4 II 64  
 ORCHIDACEAE  
*Calanthe sylvatica natalensis* Rchb.f. = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe sylvatica sensu Rolfe* = *Calanthe madagascariensis* W.Watson ex Rolfe  
*Calanthe sylvestris* Lindl. ex Steud. = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe taenioides*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe tahitensis*** Nadeaud #4 II 64 ORCHIDACEAE  
*Calanthe takeoi* Hayata = *Calanthe striata* R. Br. ex Lindl.  
***Calanthe tangmaiensis*** K.Y.Lang & Tateishi #4 II 64  
 ORCHIDACEAE  
***Calanthe tenuis*** Ames & C.Schweinf. #4 II 64  
 ORCHIDACEAE  
*Calanthe textori alba* Maxim. = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe textori longicalcarata* (Hayata ex Yamam.) Garay & Sweet = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe textori Miq.* = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe textori textori* Buch-Ham = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe textori violacea* Maxim. = *Calanthe sylvatica* (Thouars) Lindl.  
*Calanthe torifera* Schltr. = *Calanthe tricarinata* Lindley  
***Calanthe torricellensis*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe transiens*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe triantherifera*** Nadeaud #4 II 64  
 ORCHIDACEAE  
***Calanthe tricarinata*** Lindley #4 II 64 ORCHIDACEAE  
***Calanthe trifida*** Tang & F.T.Wang #4 II 64  
 ORCHIDACEAE  
***Calanthe triplicata*** (Willeme.) Ames #4 II 64  
 ORCHIDACEAE (E) White Calanthe  
***Calanthe trulliformis*** King & Pantl. #4 II 64  
 ORCHIDACEAE  
*Calanthe trulliformis hastata* Finet = *Calanthe nipponica* Makino  
***Calanthe truncata*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe truncicola*** Schltr. #4 II 64 ORCHIDACEAE  
***Calanthe tsoongiana*** Tang & F.T.Wang #4 II 64  
 ORCHIDACEAE  
*Calanthe tunensis* J.J.Sm. = *Calanthe ventilabrum* Rchb.f.  
*Calanthe turneri* Rchb.f. = *Calanthe vestita* Lindl.  
***Calanthe tyoh-harai*** Makino #4 II 64 ORCHIDACEAE  
***Calanthe uncata*** Lindl. #4 II 64 ORCHIDACEAE  
***Calanthe undulata*** J.J. Sm. #4 II 64 ORCHIDACEAE  
*Calanthe undulata* Schltr. = *Calanthe tricarinata* Lindley  
***Calanthe unifolia*** Ridl. #4 II 64 ORCHIDACEAE  
*Calanthe vaginata* Lindl. = *Calanthe odora* Griff.  
***Calanthe varians*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Calanthe vaupeliana* Kraenzl. = *Calanthe hololeuca* Rchb.f.  
***Calanthe velutina*** Ridl. #4 II 64 ORCHIDACEAE  
***Calanthe ventilabrum*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Calanthe venusta* = *Cephalantheropsis obcordata*  
*Calanthe veratrifolia denissima* J.J.Sm. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe veratrifolia duplicitoba* J.J.Sm. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe veratrifolia Hook.*.. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe veratrifolia incurvicalca* J.J.Sm. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe veratrifolia incurvicalcar* J.J.Sm. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe veratrifolia lancipetala* J.J.Sm. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe veratrifolia Miq. non R.Br.* = *Calanthe flava* (Blume) Morren  
*Calanthe veratrifolia timorensis* J.J.Sm. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe veratrifolia* (Willd.) Ker Gawl. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe veratrifolia* (Willd.) R. Br. = *Calanthe triplicata* (Willeme.) Ames  
*Calanthe versicolor* Lindl. = *Calanthe sylvatica* (Thouars) Lindl.  
***Calanthe versteegii*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Calanthe vestita*** Lindl. #4 II 64 ORCHIDACEAE  
*Calanthe vestita fournieri* Rolfe = *Calanthe vestita* Lindl.

<i>Calanthe vestita igneo-oculata</i> Hort. ex Rchb.f. = <i>Calanthe vestita</i> Lindl.	<i>Callista amabilis</i> Lour. = <i>Dendrobium amabile</i> (Lour.) O'Brian
<i>Calanthe vestita oculata-gigantea</i> Rchb.f. ex Williams = <i>Calanthe vestita</i> Lindl.	<i>Callista amethystoglossa</i> (Rchb.f.) Kuntze = <i>Dendrobium amethystoglossum</i> Rchb.f.
<b><i>Calanthe villosa</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Callista amoena</i> (Wall. ex Lindl.) Kuntze = <i>Dendrobium amoenum</i> Wallich ex Lindley
<i>Calanthe violacea</i> Rolfe = <i>Calanthe sylvatica</i> (Thouars) Lindl.	<i>Callista anceps</i> (Sw.) Kuntze = <i>Dendrobium anceps</i> Sw.
<i>Calanthe viridifusca</i> = <i>Ania viridifusca</i>	<i>Callista angulata</i> (Lindl.) Kuntze = <i>Dendrobium podagraria</i> Hook.f.
<i>Calanthe volkensii</i> Rolfe = <i>Calanthe sylvatica</i> (Thouars) Lindl.	<i>Callista annamensis</i> Kraenzl. = <i>Dendrobium hercoglossum</i> Rchb.f.
<i>Calanthe wardii</i> W.W.Sm. = <i>Calanthe whiteana</i> King & Pantl.	<i>Callista anosma</i> (Lindl.) Kuntze = <i>Dendrobium anosmum</i> Lindl.
<i>Calanthe warpuri</i> W.Watson ex Rolfe = <i>Calanthe madagascariensis</i> W.Watson ex Rolfe	<i>Callista antennata</i> (Lindl.) Kuntze = <i>Dendrobium antennatum</i> Lindley
Calanthe, White (E): <i>Calanthe triplicata</i>	<i>Callista aphylla</i> (Roxb.) Kuntze = <i>Dendrobium aphyllum</i> (Roxb.) C. Fischer
<b><i>Calanthe whiteana</i></b> King & Pantl. #4 II 64 ORCHIDACEAE	<i>Callista aqua</i> (Lindl.) Kuntze = <i>Dendrobium aqueum</i> Lindley
<i>Calanthe wightii</i> Rchb.f. = <i>Calanthe sylvatica</i> (Thouars) Lindl.	<i>Callista arachnites</i> (Rchb.f.) Kuntze = <i>Dendrobium dickasonii</i> L.O.Williams
<i>Calanthe wrayi</i> Hook.f. = <i>Calanthe ceciliae</i> Reichb. f.	<i>Callista aurantiaca</i> (Rchb.f.) Kuntze. = <i>Dendrobium chryseum</i> Rolfe
<b><i>Calanthe yoksomnensis</i></b> Lucksom #4 II 64 ORCHIDACEAE	<i>Callista aurea</i> (Lindl.) Kuntze = <i>Dendrobium heterocarpum</i> Lindley
<b><i>Calanthe yuana</i></b> T.Tang & F.T.Wang #4 II 64 ORCHIDACEAE	<i>Callista aurorosea</i> (Rchb.f.) Kuntze = <i>Dendrobium nudum</i> (Blume) Lindley
<i>Calanthe yunnanensis</i> Rolfe = <i>Calanthe caulescens</i> J.J.Sm.	<i>Callista bairdiana</i> (F.M.Bailey) Kuntze = <i>Dendrobium fellowsii</i> F.Muell.
<i>Calanthe yunnanensis</i> Rolfe = <i>Calanthe brevicornu</i> Lindley	<i>Callista barbatula</i> (Lindl.) Kuntze = <i>Dendrobium barbatulum</i> Lindley
<i>Calanthe yushunii</i> Mori & Yaman = <i>Calanthe formosana</i> Rolfe	<i>Callista beckleri</i> (F.Muell.) Kuntze = <i>Dendrobium schoeninum</i> Lindl.
<b><i>Calanthe zollingeri</i></b> Rchb.f. #4 II 64 ORCHIDACEAE	<i>Callista bensoniae</i> (Rchb.f.) Kuntze = <i>Dendrobium bensoniae</i> Reichb.f.
<i>Calanthe zollingeri</i> Miq. (non Rchb.f.) = <i>Calanthe ceciliae</i> Reichb. f.	<i>Callista bicamerata</i> (Lindley) Kuntze = <i>Dendrobium bicameratum</i> Lindley
<i>Calanthidium labrosum</i> (Rchb.f.) Pfitzer = <i>Calanthe labrosa</i> (Rchb.f.) Rchb.f.	<i>Callista bicaudata</i> (Reinw ex Lindl.) = <i>Dendrobium bicaudatum</i> Reinw ex Lindl.
<i>Calceolus candidus</i> (Muhl. ex Willd.) Nieuwl. = <i>Cypripedium candidum</i> Muhl. ex Willd.	<i>Callista bifalcis</i> (Lindl.) Kuntze = <i>Dendrobium bifalce</i> Lindley
<i>Calceolus reginae</i> (Walter) Newton = <i>Cypripedium reginae</i> Walter	<i>Callista biflora</i> (Blume) Kuntze = <i>Dendrobium gemellum</i> Lindley
<b><i>Caleana</i> spp.</b> R.Br. #4 II 64 ORCHIDACEAE	<i>Callista biggiba</i> (Lindley) Kuntze = <i>Dendrobium bigibbum</i> Lindley
<i>Callista acicularis</i> (Lindl.) Kuntze = <i>Dendrobium aciculare</i> Lindl.	<i>Callista bolboflora</i> (Falc. ex Hook.f.) Kuntze = <i>Dendrobium bicameratum</i> Lindley
<i>Callista acinaciformis</i> (Roxb.) Kuntze = <i>Dendrobium acinaciforme</i> Roxb.	<i>Callista boothii</i> (Teijsm. & Binn.) Kuntze = <i>Dendrobium blumei</i> Lindley
<i>Callista acrobatica</i> (Rchb.f.) Kuntze = <i>Dendrobium capillipes</i> Rchb.f.	<i>Callista borneoensis</i> Kuntze = <i>Dendrobium aloifolium</i> (Blume) Rchb.f.
<i>Callista adae</i> (F.M.Bailey) Kuntze = <i>Dendrobium adae</i> F.M.Bailey	<i>Callista boxallii</i> (Rchb.f.) Kuntze = <i>Dendrobium gratiosissimum</i> Rchb.f.
<i>Callista aemula</i> (R.Br.) Kuntze = <i>Dendrobium aemulum</i> R. Br.	<i>Callista brachypetala</i> (Lindl.) Kuntze = <i>Bulbophyllum mutabile</i> (Blume) Lindley
<i>Callista aggregata</i> ((Roxb.) Kuntze. = <i>Dendrobium lindleyi</i> Steud.	<i>Callista brachypus</i> (Rchb.f.) Kunze = <i>Dendrobium brachypus</i> (Endl.) Rchb.f.
<i>Callista albosanguinea</i> (Lindl. & Paxt.) Kuntze = <i>Dendrobium albosanguineum</i> Lindl.	<i>Callista breviflora</i> (Lindl.) Kuntze = <i>Dendrobium bicameratum</i> Lindley
<i>Callista aloefolia</i> (Blume) Kuntze = <i>Dendrobium aloifolium</i> (Blume) Rchb.f.	
<i>Callista alpestris</i> (Royle) Kuntze = <i>Dendrobium monticola</i> P.Hunt & Summerh.	
<i>Callista amabilis</i> auct. non Lour. = <i>Dendrobium hercoglossum</i> Rchb.f.	

- Callista brymeriana* (Rchb.f.) Kuntze = *Dendrobium brymerianum* Rchb.f.
- Callista bursigera* (Lindl.) Kuntze = *Dendrobium secundum* (Blume) Lindley ex Wall.
- Callista calceolum* (Roxb.) Kuntze = *Dendrobium calceolum* Roxb.
- Callista calophylla* (Rchb.f.) Kuntze = *Dendrobium calophyllum* Rchb.f.
- Callista canaliculata* (R.Br.) Kuntze = *Dendrobium canaliculatum* R.Br.
- Callista capillipes* (Rchb.f.) Kuntze = *Dendrobium capillipes* Rchb.f.
- Callista carinifera* (Rchb.f.) Kuntze = *Dendrobium cariniferum* Rchb.f.
- Callista chrysantha* (Lindl.) Kuntze = *Dendrobium chrysanthum* Wall.
- Callista chrysotoxa* (Lindl.) Kuntze = *Dendrobium chrysotoxum* Lindley
- Callista chrysocrepis* (Par. & Rchb.f.) Kuntze = *Dendrobium chrysocrepis* Parish & Rchb.f.
- Callista ciliata* (Parish ex Hook.f.) Kuntze = *Dendrobium venustum* Teijsm. & Binn
- Callista clavata* (Lindl.) Kuntze = *Dendrobium chryseum* Rolfe
- Callista clavipes* (Hook.f.) Kuntze = *Dendrobium truncatum* Lindley
- Callista cornuta* (Hook.f.) Kuntze = *Dendrobium hasseltii* (Blume) Lindley
- Callista crassinodis* (Benson & Rchb.f.) Kuntze = *Dendrobium pendulum* Roxb.
- Callista crepidata* (Lindley & Paxton) Kuntze = *Dendrobium crepidatum* Lindley & Paxton
- Callista cretacea* (Lindl.) Kuntze = *Dendrobium cretaceum* Lindley
- Callista crocata* (Hook.f.) Kuntze = *Dendrobium crocatum* Hook.f.
- Callista cruenta* (Rchb.f.) Kuntze = *Dendrobium cruentum* Rchb.f.
- Callista crumenata* (Sw.) Kuntze = *Dendrobium crumenatum* Sw.
- Callista crystallina* (Reichb.f.) Kuntze = *Dendrobium crystallinum* Rchb.f.
- Callista cucumerinum* (W. Macleay ex Lindley) Kuntze = *Dendrobium cucumerinum* W. Macleay ex Lindley
- Callista cumulata* (Lindley) Kuntze = *Dendrobium cumulatum* Lindley
- Callista cunninghamii* (Lindl.) Kuntze = *Dendrobium cunninghamii* Lindl.
- Callista cuspidata* (Lindl.) Kuntze = *Dendrobium cuspidatum* Lindl.
- Callista cymbidioides* (Blume) Kuntze = *Epigeneium cymbidioides* (Blume) Summerh.
- Callista dearei* (Rchb.f.) Kuntze = *Dendrobium dearei* Rchb.f.
- Callista densiflora* (Lindl.) Kuntze = *Dendrobium densiflorum* Wallich ex Lindley
- Callista denudans* (D.Don) Kuntze = *Dendrobium denudans* D. Don
- Callista devonianana* (Paxt.) Kuntze = *Dendrobium devonianum* Paxton
- Callista dicupha* (F.Muell.) Kuntze = *Dendrobium affine* (Decne) Steud
- Callista dixantha* (Rchb.f.) Kuntze = *Dendrobium dixanthum* Rchb.f
- Callista draconis* (Rchb.f.) Kuntze = *Dendrobium draconis* Rchb.f.
- Callista eriaeflora* (Griff.) Kuntze = *Dendrobium eriiflorum* Griffith
- Callista erosa* (Blume) Kuntze = *Dendrobium erosum* (Blume) Lindl.
- Callista euplophota* (Lindl.) Kraenzl. = *Dendrobium indivisum* (Blume) Miq.
- Callista fairfaxii* (F.Muell. & Fitzg.) Kuntze = *Dendrobium fairfaxii* F.Muell. & Fitzg.
- Callista falconeri* (Hook.) Kuntze = *Dendrobium falconeri* Hook.
- Callista falcorostris* (Fitzg.) Kuntze = *Dendrobium falcorostrum* Fitzg.
- Callista farmeri* (Paxt.) Kuntze = *Dendrobium farmeri* Paxton
- Callista fimbriata* (Blume) Kuntze = *Dendrobium blumei* Lindley
- Callista findlayana* (Parish & Rchb.f.) Kuntze = *Dendrobium findlayanum* Parish & Rchb.f.
- Callista fitzgeraldii* (F.Muell.) Kuntze = *Dendrobium superbiens* Rchb.f.
- Callista flavescens* (Lindl.) Kuntze = *Polystachya concreta* (Jacq.) Garay & Sweet
- Callista flavidula* (Ridl. ex Hook.f.) Kuntze = *Dendrobium spegidoglossum* Rchb.f.
- Callista foelschei* (F.Muell.) Kuntze = *Dendrobium foelschei* F.Muell.
- Callista formosa* (Roxb. ex Lindl.) Kuntze = *Dendrobium formosum* Roxb. ex Lindl.
- Callista fytchiana* (Bateman) Kuntze = *Dendrobium fytchanum* Bateman
- Callista geminata* (Blume) Kuntze = *Epigeneium geminatum* (Blume) Summerh.
- Callista gibsonii* (Lindl.) Kuntze = *Dendrobium gibsonii* Lindley
- Callista glossotis* (Rchb.f.) Kuntze = *Dendrobium catillare* Rchb.f.
- Callista gordoni* (S.Moore) Kuntze = *Dendrobium macrophyllum* A.Rich
- Callista gouldii* (Reichb.f.) Kuntze = *Dendrobium gouldii* Rchb.f.
- Callista gracilicaulis* (F.Muell.) Kuntze = *Dendrobium gracilicaule* F.Muell.
- Callista gracilis* (Blume) Kuntze = *Dendrobium gracile* (Blume) Lindley
- Callista graminifolia* (Wight) Kuntze = *Dendrobium graminifolium* Lindl.
- Callista grandis* (Hook.f.) Kuntze = *Dendrobium grande* Hook.f.
- Callista gratiosissima* (Rchb.f.) Kuntze = *Dendrobium gratiosissimum* Rchb.f.
- Callista griffithiana* (Lindl.) Kuntze = *Dendrobium griffithianum* Lindl.
- Callista harveyana* (Rchb.f.) Kuntze = *Dendrobium harveyanum* Rchb.f.

- Callista hasseltii* (Blume) Kuntze = *Dendrobium hasseltii* (Blume) Lindley  
*Callista herbacea* (Lindl.) Kuntze = *Dendrobium herbaceum* Lindley  
*Callista hercoglossa* (Rchb.f.) Kuntze = *Dendrobium hercoglossum* Rchb.f.  
*Callista heterocarpa* (Wall. ex Lindl.) Kuntze = *Dendrobium heterocarpum* Lindley  
*Callista heyneana* (Lindley) Kuntze = *Dendrobium heyneanum* Lindley  
*Callista hookeriana* (Lindley) Kuntze = *Dendrobium hookerianum* Lindley  
*Callista hornei* (S. Moore ex Baker) Kuntze = *Dendrobium hornei* S. Moore & Baker  
*Callista hymenophylla* (Lindley) Kuntze = *Dendrobium hymenophyllum* Lindley  
*Callista hymenoptera* (Hook.f.) Kuntze = *Dendrobium hymenopterum* Hook.f.  
*Callista incrassata* (Blume) Kuntze = *Dendrobium indivisum* (Blume) Miq.  
*Callista incurva* (Lindl.) Kuntze = *Dendrobium incurvum* Lindl.  
*Callista indivisa* (Blume) Kraenzl. = *Dendrobium indivisum* (Blume) Miq.  
*Callista infundibulum* (Lindley) Kuntze = *Dendrobium infundibulum* Lindley  
*Callista japonica* (Blume) Kuntze = *Dendrobium moniliforme* (L.) Sw.  
*Callista jenkinsii* (Griff.) Kuntze = *Dendrobium parciflorum* Rchb.f. ex Lindley  
*Callista johannis* (Rchb.f.) Kuntze = *Dendrobium johannis* H.G.Rchb.  
*Callista juncea* (Lindl.) Kuntze = *Dendrobium juncatum* Lindl.  
*Callista kingiana* (Bidwill ex Lindl.) Kuntze = *Dendrobium kingianum* Bidwill ex Lindl.  
*Callista kuhlii* (Blume) Kuntze = *Dendrobium hasseltii* (Blume) Lindley  
*Callista lamellata* (Blume) Kuntze = *Dendrobium lamellatum* (Blume) Lindley  
*Callista lancifolia* (A. Rich.) Kuntze = *Dendrobium lancifolium* A. Rich  
*Callista lasioglossa* (Rchb.f.) Kuntze = *Dendrobium lasioglossum* Rchb.f.  
*Callista lawana* (Lindl.) Kuntze = *Dendrobium crepidatum* Lindley & Paxton  
*Callista leonis* (Lindl.) Kuntze = *Dendrobium leonis* (Lindl.) Rchb.f.  
*Callista leucochlora* (Rchb.f.) Kuntze = *Dendrobium leucochlorum* Rchb.f.  
*Callista leucolophota* (Rchb.f.) Kuntze = *Dendrobium affine* (Decne) Steud  
*Callista lilacina* (Rchb.f.) Kuntze = *Dendrobium swartzii* A.D.Hawkes & A.H.Heller  
*Callista linawiana* (Rchb.f.) Kuntze = *Dendrobium linawanum* Rchb.f.  
*Callista linguiformis* (Sw.) Kuntze = *Dendrobium linguiforme* Sw.  
*Callista lituiflora* (Lindley) Kuntze. = *Dendrobium lituiflorum* Lindley
- Callista lobata* (Blume) Kuntze = *Dendrobium lobatum* (Blume) Miq.  
*Callista loddigesii* (Rolfe) Kuntze = *Dendrobium loddigesii* Rolfe  
*Callista longicornis* (Lindl.) Kuntze = *Dendrobium longicorne* Wall. ex Lindl.  
*Callista lowii* (Lindley) Kuntze = *Dendrobium lowii* Lindley  
*Callista lubbersiana* (Rchb.f.) Kuntze = *Dendrobium williamsonii* Day & Rchb.f.  
*Callista lucens* (Rchb.f.) Kuntze = *Dendrobium lucens* Rchb.f.  
*Callista lunata* (Lindl.) Kuntze = *Dendrobium lunatum* Lindley  
*Callista macarthiae* (Thwaites) Kuntze = *Dendrobium macarthiae* Thwaites  
*Callista macfarlanei* (Rchb.f.) Kuntze = *Dendrobium johnsoniae* F. Muell.  
*Callista macrantha* (A. Rich.) Kuntze = *Dendrobium macranthum* A. Rich.  
*Callista macrophylla* (Lindl.) Kuntze = *Dendrobium anosmum* Lindl.  
*Callista macropus* (Benth. & Bhok.f.) Kuntze = *Dendrobium macropus* (Endl.) Rchb.f. ex Lindl.  
*Callista macrostachya* (Lindley) Kuntze = *Dendrobium macrostachyum* Lindley  
*Callista marginata* (Lindl.) Kraenzl. = *Dendrobium xanthophlebium* Lindl.  
*Callista marmorata* (Rchb.f.) Kuntze. = *Dendrobium marmoratum* Rchb.f.  
*Callista micrantha* (Griff.) Kuntze = *Dendrobium aloifolium* (Blume) Rchb.f.  
*Callista microbolbon* (A. Rich) Kuntze = *Dendrobium microbolbon* A. Rich.  
*Callista mirbeliana* (Gaudich.) Kuntze = *Dendrobium mirbelianum* Gaudich.  
*Callista moniliformis* Rolfe = *Dendrobium moniliforme* (L.) Sw.  
*Callista monophylla* (F. Muell.) Kuntze = *Dendrobium monophyllum* F. Muell.  
*Callista moorei* (F. Muell.) Kuntze = *Dendrobium moorei* F. Muell.  
*Callista mortii* (F. Muell.) Kuntze = *Dendrobium mortii* F. Muell.  
*Callista moschata* (Buch.-Ham.) Kuntze = *Dendrobium moschatum* (Buch.-Ham.) Sw.  
*Callista moulmeinensis* (Par. & Rchb.f.) Kuntze = *Dendrobium moulmeinense* Rchb.f.  
*Callista mutabilis* (Blume) Kuntze = *Dendrobium mutabile* (Blume) Lindley  
*Callista nathanielis* (Rchb.f.) Kuntze = *Dendrobium nathanielis* Rchb.f.  
*Callista nobilis* (Lindl.) Kuntze = *Dendrobium nobile* Lindley  
*Callista nuda* (Blume) Kuntze = *Dendrobium nudum* (Blume) Lindley  
*Callista ochreata* (Lindl.) Kuntze = *Dendrobium ochreatum* Lindley  
*Callista oculata* (Hook.) Kuntze = *Dendrobium fimbriatum* Hook.

- Callista ophioglossa* (Rchb.f.) Kuntze = *Dendrobium smilliae* F. Muell.
- Callista ovata* (Willd.) Kuntze = *Dendrobium ovatum* (Willd.) Kraenzl.
- Callista pachyglossa* (Par. & Rchb.f.) Kuntze = *Dendrobium pachyglossum* Par. & Rchb.f.
- Callista palpebrae* (Lindl.) Kuntze = *Dendrobium palpebrae* Lindley
- Callista pandurifera* (Hook.f.) Kuntze = *Dendrobium panduriferum* Hook.f.
- Callista parca* (Rchb.f.) Kraenzl. = *Dendrobium parcum* Rchb.f.
- Callista parishii* (Rchb.f.) Kuntze = *Dendrobium parishii* Rchb.f.
- Callista pendula* (Roxb.) Kuntze = *Dendrobium pendulum* Roxb.
- Callista phalaenopsis* (Fitzg.) Kuntze = *Dendrobium phalaenopsis* Fitzg.
- Callista porphyrochila* (Lindl.) Kuntze = *Dendrobium porphyrochilum* Lindley
- Callista primulina* (Lindl.) Kuntze = *Dendrobium primulinum* Lindley
- Callista pugioniformis* (A.Cunn.) Kuntze. = *Dendrobium pugioniforme* A.Cunn.
- Callista pulchella* (Roxb. ex Lindl.) Kuntze = *Dendrobium pulchellum* Roxb. ex Lindley
- Callista purpurea* (Roxb.) Kuntze = *Dendrobium purpureum* Roxb.
- Callista pychnostachya* (Lindl.) Kuntze = *Dendrobium pychnostachyum* Lindl.
- Callista pygmaea* (Lindl.) Kuntze = *Dendrobium peguanum* (Lindley) Lindley
- Callista radians* (Rchb.f.) Kuntze = *Dendrobium radians* Rchb.f.
- Callista ramosa* (Lindl.) Kuntze = *Dendrobium ramosii* Ames
- Callista reinwardtii* (Lindl.) Kuntze = *Dendrobium purpureum* Roxb.
- Callista rhodopterygia* (Rchb.f.) Kuntze = *Dendrobium rhodopterygium* Rchb.f.
- Callista rigida* (R.Br.) Kuntze = *Dendrobium rigidum* R.Br.
- Callista sanguinolenta* (Lindl.) Kuntze = *Dendrobium sanguinolentum* Lindl.
- Callista sarcantha* (Lindl.) Kuntze = *Dendrobium cuspidatum* Lindl.
- Callista scabrilinguis* (Lindley) Kuntze = *Dendrobium scabrilinguie* Lindley
- Callista scortechinii* (Hook.f.) Kuntze = *Dendrobium anosmum* Lindl.
- Callista sculpta* (Rchb.f.) Kuntze = *Dendrobium sculptum* Rchb.f.
- Callista secunda* (Blume) Kuntze = *Dendrobium secundum* (Blume) Lindley ex Wall.
- Callista senilis* (Parish, ex Reichb.f.) Kuntze = *Dendrobium senile* Parish, ex Rchb.f.
- Callista smilliae* (F.Muell.) Kuntze = *Dendrobium smilliae* F. Muell.
- Callista spatella* (Rchb.f.) Kuntze = *Dendrobium acinaciforme* Roxb.
- Callista speciosa* (J.J.Sm) Kuntze = *Dendrobium speciosum* Sm.
- Callista spectabilis* (Blume) Kuntze = *Dendrobium spectabile* (Blume) Miq.
- Callista stratiotes* (Rchb.f.) Kuntze = *Dendrobium stratiotes* Rchb.f.
- Callista stebloceras* (Rchb.f.) Kuntze = *Dendrobium stebloceras* Rchb.f.
- Callista striolata* (Reichb. F.) Kuntze = *Dendrobium striolatum* Rchb. f.
- Callista strongylantha* (Reichb.f.) Kuntze = *Dendrobium strongylanthum* Reichb.f.
- Callista stuartii* (F.M.Bailey) Kuntze = *Dendrobium stuartii* F.M.Bailey
- Callista stuposa* (Lindl.) Kuntze = *Dendrobium stuposum* Lindley
- Callista suavissima* (Rchb.f.) Kuntze = *Dendrobium chrysotoxum* Lindley
- Callista subacaulis* (Reinw. ex Lindley) Kuntze = *Dendrobium subacaule* Reinw. ex Lindley
- Callista sulcata* (Lindl.) Kuntze = *Dendrobium sulcatum* Lindley
- Callista superbiens* (Rchb.f.) Kuntze = *Dendrobium superbiens* Rchb.f.
- Callista tattorianum* (Rchb.f.) Kuntze = *Dendrobium tattorianum* Bateman ex Rchb.f.
- Callista taurina* (Lindl.) Kuntze = *Dendrobium taurinum* Lindl.
- Callista tenella* (Blume) Kuntze = *Dendrobium tenellum* (Blume) Lindley
- Callista teretifolia* (R.Br.) Kuntze = *Dendrobium teretifolium* R.Br.
- Callista terminalis* (Parish & Rchb.f.) Kuntze = *Dendrobium terminale* Parish & Rchb.f.
- Callista tetraedris* (Schltr.) Rauschert = *Dendrobium tetraedre* (Blume) Lindley
- Callista tetragona* (Cunn.) Kuntze = *Dendrobium tetragonum* Cunn.
- Callista tetrodon* (Reichb.f. ex Lindl.) Kuntze = *Dendrobium tetrodon* Rchb.f. ex Lindl.
- Callista thrysodes* (Rchb.f.) Kuntze = *Dendrobium thrysodes* Rchb.f.
- Callista tortilis* (Lindley) Kuntze = *Dendrobium tortile* Lindley
- Callista transparens* (Wall. ex Lindl.) Kuntze = *Dendrobium transparens* Wallich ex Lindley
- Callista tricuspis* (Blume) Kuntze = *Dendrobium tricuspe* (Blume) Lindley
- Callista trigonopus* (Rchb.f.) Kuntze = *Dendrobium trigonopus* Rchb.f.
- Callista truncata* (Lindl.) Kuntze = *Dendrobium truncatum* Lindley
- Callista tuberifera* (Hook.f.) Kuntze = *Dendrobium planibulbe* Lindl.
- Callista uncata* (Lindl.) Kuntze = *Dendrobium uncatum* Lindley
- Callista undulata* (R.Br.) Kuntze = *Dendrobium discolor* Lindl.
- Callista veitchiana* (Lindl.) Kunzze = *Dendrobium macrophyllum* A.Rich

- Callista veratrifolia* (Lindl.) Kuntze = *Dendrobium lineale* Rolfe  
*Callista vexans* (Dammer) Kraenzl. = *Dendrobium hercoglossum* Rchb.f.  
*Callista virginea* (Reichenb.f.) Kraenzl. = *Dendrobium virginium* Rchb.f.  
*Callista wardiana* (Warner) Kuntze = *Dendrobium wardianum* Warner  
*Callista wattii* (Hook.f.) Kraenzl. = *Dendrobium wattii* (Hook.f.) Reichb.f.  
*Callista williamsonii* (Day & Rchb.f.) Kuntze = *Dendrobium williamsonii* Day & Rchb.f.  
*Callista xanthophlebia* (Lindl.) Kuntze = *Dendrobium xanthophlebium* Lindl.  
***Calochilus*** spp. R. Br. #4 II 64 ORCHIDACEAE  
*Calochilus campestris* R. Br. #4 II 64 ORCHIDACEAE  
*Calochilus neocaledonicus* Schltr. #4 II 64 ORCHIDACEAE  
*Calochilus psednus* D.L.Jones #4 II 64 ORCHIDACEAE  
*Calochilus richiae* Nicholls #4 II 64 ORCHIDACEAE  
*Calochilus robertsonii* Benth. #4 II 64 ORCHIDACEAE  
***Calopogon*** spp. R.Br. #4 II 64 ORCHIDACEAE  
***Caluera*** spp. Dodson & Determann #4 II 64 ORCHIDACEAE  
***Calymmanthera*** spp. Schltr. #4 II 64 ORCHIDACEAE  
***Calymmanthium*** spp. Ritter #4 II 49 CACTACEAE  
*Calymmanthium fertile* Ritter = *Calymmanthium substerile* Ritter  
*Calymmanthium substerile* Ritter #4 II 49 CACTACEAE  
***Calypso*** spp. Salisb. #4 II 64 ORCHIDACEAE  
*Calypso borealis* Salisb. = *Calypso bulbosa* (L.) Oakes  
*Calypso bulbosa* (L.) Oakes #4 II 64 ORCHIDACEAE (E)  
     Calypso Orchid  
***Calyptrochilum*** spp. Kraenzl. #4 II 64 ORCHIDACEAE  
*Calyptrochilum christyanum* #4 II 64 ORCHIDACEAE  
*Calyptrochilum emarginatum* #4 II 64 ORCHIDACEAE  
*Camaridium* spp. Lindl. #4 II 64 ORCHIDACEAE  
*Camaridium aurantiacum* (Schltr.) M.A.Blanco #4 II 64 ORCHIDACEAE  
*Camaridium inauditum* (Rchb.f.) M.A.Blanco #4 II 64 ORCHIDACEAE  
*Camarotis* spp. Lindl. #4 II 64 ORCHIDACEAE  
*Camarotis apiculata* Reichb.f. = *Micropora apiculata* (Rchb.f.) Garay  
*Camarotis callosa* (Blume) J.J. Smith #4 II 64 ORCHIDACEAE  
*Campanulorchis* spp. Brieger in F.R.R.Schlechter #4 II 64 ORCHIDACEAE  
*Campanulorchis thao* (Gagnep.) S.C.Chen & J.J.Wood #4 II 64 ORCHIDACEAE  
***Campylocentrum*** spp. Benth. #4 II 64 ORCHIDACEAE  
*Campylocentrum arizae-juliae* Ames 1938 #4 II 64 ORCHIDACEAE  
*Campylocentrum constanzense* Garay 1969 = *Dendrophylax constanzensis* (Garay) M.A.Nir (2000)  
*Campylocentrum fasciola* #4 II 64 ORCHIDACEAE  
*Campylocentrum filiforme* (Sw.) Cogn. ex Kuntze 1898 #4 II 64 ORCHIDACEAE  
*Campylocentrum helorrhizum* (Dod) Nir 2000 #4 II 64 ORCHIDACEAE  
*Campylocentrum hirtzii* Dodson #4 II 64 ORCHIDACEAE  
*Campylocentrum hondurensse* Ames #4 II 64 ORCHIDACEAE  
*Campylocentrum longicalcaratum* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Campylocentrum macrocarpum* Dod 1977 = *Dendrophylax macrocarpa* (Dod) Carlsward & Whitten 2003  
*Campylocentrum madisonii* Dodson #4 II 64 ORCHIDACEAE  
*Campylocentrum mattogrossense* Hoehne #4 II 64 ORCHIDACEAE  
*Campylocentrum micranthum* #4 II 64 ORCHIDACEAE  
*Campylocentrum microphyllum* Ames & Correll #4 II 64 ORCHIDACEAE  
*Campylocentrum monteverdii* (Rchb.f.) Rolfe 1903 = *Dendrophylax filiformis* (Sw.) Carlsward & Whitten 2003  
*Campylocentrum organense* #4 II 64 ORCHIDACEAE  
*Campylocentrum ornithorrhynchium* #4 II 64 ORCHIDACEAE  
*Campylocentrum parvulum* Schltr. #4 II 64 ORCHIDACEAE  
*Campylocentrum poeppigii* #4 II 64 ORCHIDACEAE  
*Campylocentrum polystachyum* #4 II 64 ORCHIDACEAE  
*Campylocentrum porrectum* (Rhb.f.) Rolfe 1903 = *Dendrophylax porrectus* (Rchb.f.) Carlsward & Whitten 2003  
*Campylocentrum schiedei* #4 II 64 ORCHIDACEAE  
*Campylocentrum sellowii* #4 II 64 ORCHIDACEAE  
*Campylocentrum serpentilingua* Dod 1978 = *Dendrophylax serpentilingua* (Dod) M.A.Nir (2000)  
*Campylocentrum tenellum* Todzia #4 II 64 ORCHIDACEAE  
*Campylocentrum tenuie* #4 II 64 ORCHIDACEAE  
*Canacorchis lophoglottis* Guillaumin = *Bulbophyllum lophoglottis* (Guillaumin) Halle  
     Candelilla (E): *Euphorbia antisiphilitica*  
     Cántaro de India (S): *Nepenthes khasiana*  
     Cántaro tropical gigante (S): *Nepenthes rajah*  
     Caoba (S): *Swietenia macrophylla*  
     Caoba de Honduras (S): *Swietenia humilis*  
     Caoba de Pacífico (S): *Swietenia humilis*  
     Caoba Española (S): *Swietenia mahagoni*  
***Capanemia*** spp. Barb.Rodr. #4 II 64 ORCHIDACEAE  
     Carcara (F): *Aniba rosaeodora*  
     Cardón (S): *Selenicereus grandiflorus*  
***Carnegiea*** spp. B. & R. #4 II 49 CACTACEAE  
*Carnegiea euphorbioides* (Haworth) Backeberg = *Neobuxbaumia euphorbioides* (Haworth) Buxbaum ex Bravo  
*Carnegiea fulviceps* (Schumann) P.V. Heath = *Pachycereus fulviceps* (Lemaire) Hunt  
***Carnegiea gigantea*** (Engelmann) Britton & Rose #4 II 49 CACTACEAE (S) Saguaro  
*Carnegiea laui* P.V.Heath = *Neobuxbaumia laui* (Heath) Hunt

- Carnegiea macrocephala* (Schumann) P.V.Heath =  
*Neobuxbaumia macrocephala* (Weber ex Schumann)  
Dawson
- Carnegiea mezcalensis* (Bravo) P.V.Heath =  
*Neobuxbaumia mezcalensis* (Bravo) Backeberg
- Carnegiea nova* P.V.Heath = *Neobuxbaumia mezcalensis*  
(Bravo) Backeberg
- Carnegiea polylopha* (De Candolle) Hunt = *Neobuxbaumia polylopha* (De Candolle) Backeberg
- Carnegiea scoparia* (Poselger) P.V.Heath =  
*Neobuxbaumia scoparia* (Poselger) Backeberg
- Carnegiea squamulosa* (Scheinvar & Sanchez-mejorada)  
P.V.Heath = *Neobuxbaumia squamulosa* Scheinvar &  
Sanchez-Mejorada
- Carnegiea tetetzo* (Coulter) P.V.Heath = *Neobuxbaumia tetetzo* (Weber ex Coulter) Backeberg
- Carparomorphis baileyi* (F.Muell.) M.A.Clem. & D.L.Jones  
= *Bulbophyllum baileyi* F.Muell.
- Carparomorphis macracantha* (Lindl.) M.A.Clem &  
D.L.Jones = *Bulbophyllum macranthum* Lindley
- Caryocar costaricense* J.D. Sm. #4 II CARYOCARACEAE  
(E) Ajo, Costus (S) Ajillo, Ajo, Almendrillo, Almendrón,  
Manú, Plomillo, Swari
- Cassia meridionalis* R. Vig. (1939) = *Senna meridionalis*  
Du Puy (1995)
- Cassis viguierella* var. *meridionalis* R. Vig. (1935) = *Senna meridionalis* Du Puy (1995)
- Cassytha** spp. L. #4 II 49 CACTACEAE
- Castellanosia caineana* Cardenas = *Browningia caineana*  
(Cardenas) Hunt
- Catachaetum craniomorphum* Hoffmgg. = *Catasetum luridum* (Link) Lindl.
- Catachaetum lituratum* Hoffmgg. = *Catasetum luridum* (Link) Lindl.
- Catachaetum purpurascens* Hoffmgg. = *Catasetum luridum* (Link) Lindl.
- Catachaetum purum* (Nees & Sinning) Hoffmanns. =  
*Catasetum purum* Nees & Sinning
- Catachaetum recurvatum* (Lindl.) Hoffmanns. = *Catasetum planiceps* Lindl.
- Catachaetum semiapertum* (Hook.) Hoffmanns. =  
*Catasetum purum* Nees & Sinning
- Catachaetum squalidum* Hoffmgg. = *Catasetum luridum* (Link) Lindl.
- Catachaetum turbinatum* Hoffmgg. = *Catasetum luridum* (Link) Lindl.
- Catakidozamia hopei* W.Hill = *Lepidozamia hopei* Regel
- Catasetum** spp. Rich. #4 II 64 ORCHIDACEAE
- Catasetum abruptum* Hook. = *Catasetum luridum* (Link)  
Lindl.
- Catasetum acallosum* Lindl. ex Rchb.f. = *Catasetum callosum* Lindl.
- Catasetum aculeatum** F.E.L.Miranda & K.G.Lacerda #4 II  
64 ORCHIDACEAE
- Catasetum adnatum* Steud. = *Catasetum atratum* Lindl.
- Catasetum adremedium** D.E.Benn. & Christenson #4 II  
64 ORCHIDACEAE
- Catasetum albopurpureum* L.Linden = *Catasetum tapiriceps* Rchb.f.
- Catasetum albovirens** Barb.Rodr. #4 II 64  
ORCHIDACEAE
- Catasetum apertum* Rolfe = *Catasetum tapiriceps* Rchb.f.
- Catasetum appendiculatum* Schltr. = *Catasetum gladiatorium* K.G.Lacerda
- Catasetum appendiculatum* Schltr. sensu Dunst. =  
*Catasetum barbatum* (Lindl.) Lindl.
- Catasetum appendiculatum* Schltr. sensu K.G.Lacerda =  
*Catasetum lanciferum* Lindl.
- Catasetum arachnoides* Ames = *Catasetum callosum*  
Lindl.
- Catasetum aripuanense** Bicalho #4 II 64  
ORCHIDACEAE
- Catasetum atratum** Lindl. #4 II 64 ORCHIDACEAE
- Catasetum baraquinianum* Lem. = *Catasetum saccatum*  
Lindl.
- Catasetum barbatum** (Lindl.) Lindl. #4 II 64  
ORCHIDACEAE
- Catasetum bergoldianum** Foldats #4 II 64  
ORCHIDACEAE
- Catasetum bicallosum** Cogn. #4 II 64 ORCHIDACEAE
- Catasetum bicolor** Klotzsch #4 II 64 ORCHIDACEAE
- Catasetum bicornutum* Hort. ex Planchon = *Catasetum cornutum* Lindl.
- Catasetum blackii** Pabst #4 II 64 ORCHIDACEAE
- Catasetum blepharochilum* Schltr. = *Catasetum maculatum* Kunth
- Catasetum boyi** Mansf. #4 II 64 ORCHIDACEAE
- Catasetum brachybulbon** Schltr. #4 II 64  
ORCHIDACEAE
- Catasetum brachybulbon* Schltr. sensu Dunst. =  
*Catasetum barbatum* (Lindl.) Lindl.
- Catasetum brenesii* Schltr. = *Catasetum maculatum* Kunth
- Catasetum brichtiae* Bicalho = *Catasetum ferox* Kraenzl.
- Catasetum buchtienii** Kraenzl. #4 II 64 ORCHIDACEAE
- Catasetum buchtienii* Kraenzl. sensu Dunst. = *Catasetum barbatum* (Lindl.) Lindl.
- Catasetum bungerothi* N.E.Br. = *Catasetum pileatum*  
Rchb.f.
- Catasetum cabratae* Schnee = *Catasetum tapiriceps*  
Rchb.f.
- Catasetum calceolatum* Lem. (1851) = *Clowesia russelliana* (Hook.) Dodson (1975)
- Catasetum callosum** Lindl. #4 II 64 ORCHIDACEAE
- Catasetum caputinum** da Silva #4 II 64 ORCHIDACEAE
- Catasetum carolinianum** F.E.Miranda & K.G.Lacerda #4  
II 64 ORCHIDACEAE
- Catasetum carunculatum* Rchb.f. & Warz. = *Catasetum callosum* Lindl.
- Catasetum cassideum* Linden & Rchb.f. = *Catasetum discolor* (Lindl.) Lindl.
- Catasetum caucanum* Schltr. = *Catasetum tabulare* Lindl.
- Catasetum cernuum** (Lindl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Catasetum charlesworthii** (Mansfield) R.Jenny #4 II 64  
ORCHIDACEAE
- Catasetum chloranthum* Cogn. = *Catasetum sodiroi*  
Schltr.
- Catasetum christyanum* Rchb.f. = *Catasetum saccatum*  
Lindl.

- Catasetum ciliatum* Barb.Rodr. = *Catasetum roseo-album* (Hook.) Lindl.  
*Catasetum cirraeoides* Hoehne = *Catasetum pulchrum* N.E.Br.  
*Catasetum claesianum* L.Lind & Cogn. = *Catasetum discolor* (Lindl.) Lindl.  
*Catasetum claveringii* Lindl. = *Catasetum macrocarpum* Rich. ex Kunth  
*Catasetum cliftonii* Hort = *Catasetum expansum* Rchb.f.  
***Catasetum cochabambanum*** Dodson & Vasquez #4 II 64 ORCHIDACEAE  
*Catasetum cogniauxii* L.Linden = *Catasetum fimbriatum* (Morren) Lindl. & Paxton  
***Catasetum collare*** Cogn. #4 II 64 ORCHIDACEAE  
*Catasetum colossus* Schltr. = *Catasetum saccatum* Lindl.  
*Catasetum comosum* Cogn. = *Catasetum barbatum* (Lindl.) Lindl.  
***Catasetum complanatum*** F.E.Miranda & K.G.Lacerda #4 II 64 ORCHIDACEAE  
***Catasetum confusum*** G.A.Romero #4 II 64 ORCHIDACEAE  
***Catasetum coniforme*** C.Schweinf. #4 II 64 ORCHIDACEAE  
***Catasetum cornutum*** Lindl. #4 II 64 ORCHIDACEAE  
***Catasetum costatum*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Catasetum cotylicheilum*** D.E.Benn. & Christenson #4 II 64 ORCHIDACEAE  
*Catasetum craniomorphum* Hoffm. ex Heynh. = *Catasetum barbatum* (Lindl.) Lindl.  
*Catasetum crashleyanum* St. Leger = *Catasetum barbatum* (Lindl.) Lindl.  
*Catasetum crinitum* Linden = *Catasetum barbatum* (Lindl.) Lindl.  
***Catasetum cristatum*** Lindl. #4 II 64 ORCHIDACEAE  
*Catasetum cruciatum* Schltr. = *Catasetum saccatum* Lindl.  
***Catasetum cucullatum*** A.T.Oliveira & da Silva #4 II 64 ORCHIDACEAE  
*Catasetum cupuliforme* Hort = *Catasetum tapiriceps* Rchb.f.  
*Catasetum darwinianum* Rolfe = *Catasetum callosum* Lindl.  
***Catasetum decipiens*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Catasetum deltoideum*** (Lindl.) Mutel #4 II 64 ORCHIDACEAE  
***Catasetum denticulatum*** Miranda #4 II 64 ORCHIDACEAE  
*Catasetum dilectum* = *Dressleria dilecta*  
***Catasetum discolor*** (Lindl.) Lindl. #4 II 64 ORCHIDACEAE  
*Catasetum dodsonianum* (E. Aguirre) P.F.Hunt (1998) = *Clowesia dodsoniana* E.Aguirre 1986  
***Catasetum dunstervillei*** G.A.Romero & Carnevali #4 II 64 ORCHIDACEAE  
***Catasetum duplocirculatum*** Senghas #4 II 64 ORCHIDACEAE  
*Catasetum eburneum* = *Dressleria eburnea*  
***Catasetum expansum*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Catasetum faustii*** Hort. ex da Silva #4 II 64 ORCHIDACEAE  
***Catasetum fernandezii*** D.E.Benn. & Christenson #4 II 64 ORCHIDACEAE  
***Catasetum ferox*** Kraenzl. #4 II 64 ORCHIDACEAE  
***Catasetum fimbriatum*** (Morren) Lindl. & Paxton #4 II 64 ORCHIDACEAE  
*Catasetum fimbriatum* Rchb.f. non Lindl. = *Catasetum roseo-album* (Hook.) Lindl.  
*Catasetum finetianum* L.Lind & Cogn. = *Catasetum tabulare* Lindl.  
*Catasetum floribundum* Hook. = *Catasetum macrocarpum* Rich. ex Kunth  
***Catasetum franchinianum*** K.G.Lacerda #4 II 64 ORCHIDACEAE  
***Catasetum fuchsii*** Dodson & Vasquez #4 II 64 ORCHIDACEAE  
*Catasetum fuliginosum* Rolfe non Lindl. = *Catasetum callosum* Lindl.  
***Catasetum galeatum*** K.G.Lacerda #4 II 64 ORCHIDACEAE  
***Catasetum galeritum*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Catasetum gardneri* Schltr. = *Catasetum discolor* (Lindl.) Lindl.  
***Catasetum garnettianum*** Rolfe #4 II 64 ORCHIDACEAE  
*Catasetum garnettianum* Rolfe sensu Dust. = *Catasetum barbatum* (Lindl.) Lindl.  
***Catasetum georgii*** Mansf. #4 II 64 ORCHIDACEAE  
***Catasetum gladiatorium*** K.G.Lacerda #4 II 64 ORCHIDACEAE  
*Catasetum glaucoglossum* Rchb.f. 1885 = *Clowesia glaucoglossa* (Reichb.f.) Dodson 1975  
*Catasetum globiferum* Beer (*sphalm*) = *Catasetum globiflorum* Hook.  
***Catasetum globiflorum*** Hook. #4 II 64 ORCHIDACEAE  
***Catasetum gnomus*** Lindl. & Rchb.f. #4 II 64 ORCHIDACEAE  
***Catasetum gomezii*** G.A.Romero & Carnevali #4 II 64 ORCHIDACEAE  
*Catasetum gongoroides* Kraenzl. = *Catasetum bicolor* Klotzsch  
*Catasetum grandis* Hort ex Planchon = *Catasetum macrocarpum* Rich. ex Kunth  
*Catasetum guentherianum* = *Mormodes guentheriana*  
***Catasetum guianense*** G.A.Romero & Jenny #4 II 64 ORCHIDACEAE  
*Catasetum heteranthum* Barb.Rodr. = *Catasetum gnomus* Lindl. & Rchb.f.  
***Catasetum hillsii*** D.E.Benn. & Christenson #4 II 64 ORCHIDACEAE  
*Catasetum histrio* Klotzsch ex Rchb.f. = *Catasetum saccatum* Lindl.  
*Catasetum hoehnei* Mansf. = *Catasetum tigrinum* Rchb.f.  
***Catasetum hookeri*** Lindl. #4 II 64 ORCHIDACEAE  
***Catasetum huebneri*** Schltr. #4 II 64 ORCHIDACEAE  
*Catasetum huebneri* Mansf. non Schltr. = *Catasetum georgii* Mansf.  
*Catasetum huebneri* sensu Romero & Jenny = *Catasetum gnomus* Lindl. & Rchb.f.  
*Catasetum hymenophorum* Cogn. = *Catasetum planiceps* Lindl.

- Catasetum immaculatum* Hort ex Planchon = *Catasetum purum* Nees & Sinning  
*Catasetum imperiale* L.Lind & Cogn. #4 II 64  
 ORCHIDACEAE  
*Catasetum imschootianum* L.Lind & Cogn. = *Catasetum hookeri* Lindl.  
*Catasetum inapertum* Steud = *Catasetum purum* Nees & Sinning  
*Catasetum inconstans* Hoehne = *Catasetum fimbriatum* (Morren) Lindl. & Paxton  
***Catasetum incurvum*** Klotzsch #4 II 64 ORCHIDACEAE  
*Catasetum inornatum* Schltr. = *Catasetum ochraceum* Lindl.  
***Catasetum integerrimum*** Hook. #4 II 64 ORCHIDACEAE  
*Catasetum integrinum* Beer (sphalm) = *Catasetum integerrimum* Hook.  
***Catasetum intermedium*** L.C.Menezes & Braem #4 II 64  
 ORCHIDACEAE  
***Catasetum issanensis*** Pabst #4 II 64 ORCHIDACEAE  
*Catasetum japurense* Mansf. = *Catasetum saccatum* Lindl.  
*Catasetum jarae* Dodson & D.E.Benn. = *Catasetum pulchrum* N.E.Br.  
***Catasetum juruense*** Hoehne #4 II 64 ORCHIDACEAE  
***Catasetum justinianum*** Vasquez & Dodson #4 II 64  
 ORCHIDACEAE  
***Catasetum kempfii*** Vasquez & Dodson #4 II 64  
 ORCHIDACEAE  
***Catasetum kleberianum*** Braga #4 II 64 ORCHIDACEAE  
***Catasetum kraenzlinianum*** Mansf. #4 II 64  
 ORCHIDACEAE  
*Catasetum labiatum* Barb.Rodr. = *Catasetum hookeri* Lindl.  
*Catasetum lamilatum* Beer (sphalm) = *Catasetum laminatum* Lindley  
***Catasetum laminatum*** Lindley #4 II 64 ORCHIDACEAE  
***Catasetum lanceanum*** Miranda #4 II 64 ORCHIDACEAE  
***Catasetum lanciferum*** Lindl. #4 II 64 ORCHIDACEAE  
*Catasetum landsbergii* (Reinw. & de Vriese) Lindl. & Paxton = *Catasetum callosum* Lindl.  
***Catasetum lanxiforme*** Senghas #4 II 64 ORCHIDACEAE  
*Catasetum lehmannii* Regel = *Catasetum ochraceum* Lindl.  
***Catasetum lemosii*** Rolfe #4 II 64 ORCHIDACEAE  
*Catasetum liechtensteinii* Kraenzl. = *Catasetum trulla* Lindl.  
*Catasetum lindenii* Cogn. = *Catasetum tapiriceps* Rchb.f.  
***Catasetum lindleyanum*** Mansf. #4 II 64 ORCHIDACEAE  
***Catasetum linguiferum*** Schltr. #4 II 64 ORCHIDACEAE  
*Catasetum lituratum* Hoffm. = *Catasetum luridum* (Link) Lindl.  
***Catasetum longifolium*** Lindl. #4 II 64 ORCHIDACEAE  
***Catasetum longipes*** F.E.Miranda & K.G.Lacerda #4 II 64  
 ORCHIDACEAE  
*Catasetum lucianii* Cogn. = *Catasetum tapiriceps* Rchb.f.  
***Catasetum lucis*** P.Ortiz & Arango #4 II 64  
 ORCHIDACEAE  
*Catasetum luridum* (Link) Lindl. #4 II 64 ORCHIDACEAE
- Catasetum macrocarpum*** Rich. ex Kunth #4 II 64  
 ORCHIDACEAE  
*Catasetum macrocarpum* Stein non Rich. ex Kunth = *Catasetum barbatum* (Lindl.) Lindl.  
***Catasetum macroglossum*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Catasetum maculatum*** Kunth #4 II 64 ORCHIDACEAE  
*Catasetum maculatum* auct. non Kunth = *Catasetum integerrimum* Hook.  
*Catasetum magnificum* Hort. = *Catasetum tapiriceps* Rchb.f.  
***Catasetum maranhense*** K.G.Lacerda & de Silva #4 II 64  
 ORCHIDACEAE  
***Catasetum maroaense*** G.A.Romero & C.Gomez #4 II 64  
 ORCHIDACEAE  
***Catasetum mattogrossense*** Bicalho #4 II 64  
 ORCHIDACEAE  
***Catasetum mattosianum*** Bicalho #4 II 64  
 ORCHIDACEAE  
***Catasetum meeae*** Pabst #4 II 64 ORCHIDACEAE  
*Catasetum menthaeodorum* Hort. ex Planchon = *Catasetum macrocarpum* Rich. ex Kunth  
*Catasetum mentosum* Lem. = *Catasetum atratum* Lindl.  
***Catasetum merchaе*** G.A.Romero #4 II 64  
 ORCHIDACEAE  
***Catasetum micranthum*** Barb.Rodr. #4 II 64  
 ORCHIDACEAE  
*Catasetum micranthum* Kraenzl. non Barb.Rodr. = *Catasetum kraenzlinianum* Mansf.  
***Catasetum microglossum*** Rolfe. #4 II 64  
 ORCHIDACEAE  
*Catasetum milleri* Lodd. ex Lindl. = *Catasetum hookeri* Lindl.  
*Catasetum mirabile* Cogn. = *Catasetum tapiriceps* Rchb.f.  
***Catasetum mocruranum*** Schltr. #4 II 64 ORCHIDACEAE  
***Catasetum mojuense*** A.T.Oliveira & da Silva #4 II 64  
 ORCHIDACEAE  
*Catasetum monodon* Kraenzl. = *Catasetum triodon* Rchb.f.  
***Catasetum monzonensis*** D.E.Benn. & Christenson #4 II 64  
 ORCHIDACEAE  
***Catasetum moorei*** C.Schweinf. #4 II 64 ORCHIDACEAE  
***Catasetum multifidum*** Miranda #4 II 64 ORCHIDACEAE  
***Catasetum multifissum*** Senghas #4 II 64  
 ORCHIDACEAE  
***Catasetum nanayanum*** Dodson & D.E.Benn. #4 II 64  
 ORCHIDACEAE  
***Catasetum napoense*** Dodson #4 II 64 ORCHIDACEAE  
***Catasetum naso*** Lindl. #4 II 64 ORCHIDACEAE  
*Catasetum naso* Hook. non Lindl. = *Catasetum sanguineum* Lindl. & Paxton  
*Catasetum negrense* Schltr. = *Catasetum fimbriatum* (Morren) Lindl. & Paxton  
*Catasetum o'brienianum* Hort. ex Gardner = *Catasetum tapiriceps* Rchb.f.  
***Catasetum ochraceum*** Lindl. #4 II 64 ORCHIDACEAE  
*Catasetum oerstedii* Rchb.f. = *Catasetum maculatum* Kunth  
***Catasetum ollare*** L.Linden #4 II 64 ORCHIDACEAE  
***Catasetum ornithoides*** Pabst #4 II 64 ORCHIDACEAE

- Catasetum ornithorhynchum* Porsch = *Catasetum fimbriatum* (Morren) Lindl. & Paxton
- Catasetum osculatum*** K.G.Lacerda & V.P.Castro #4 II 64  
ORCHIDACEAE
- Catasetum pallidiflorum* Schltr. = *Catasetum tabulare* Lindl.
- Catasetum pallidum* Klotzsch = *Catasetum atratum* Lindl.
- Catasetum paraguazense*** G.A.Romero & Carnevali #4 II 64  
ORCHIDACEAE
- Catasetum pendulum*** Dodson #4 II 64 ORCHIDACEAE
- Catasetum peruvianum*** Dodson & D.E.Benn. #4 II 64  
ORCHIDACEAE
- Catasetum pflanzii* Schltr. = *Catasetum fimbriatum* (Morren) Lindl. & Paxton
- Catasetum phasma* Rchb.f. = *Catasetum gnomus* Lindl. & Rchb.f.
- Catasetum pileatum*** Rchb.f. #4 II 64 ORCHIDACEAE
- Catasetum planiceps*** Lindl. #4 II 64 ORCHIDACEAE
- Catasetum platyglossum* Schltr. = *Catasetum expansum* Rchb.f.
- Catasetum pleiodactylon*** D.E.Benn. & Christenson #4 II 64 ORCHIDACEAE
- Catasetum pohlianum*** G.Castro & Campacci #4 II 64  
ORCHIDACEAE
- Catasetum polydactylon*** Schltr. #4 II 64 ORCHIDACEAE
- Catasetum polydactylon* Schltr. *sensu* Dunst. = *Catasetum barbatum* (Lindl.) Lindl.
- Catasetum poriferum*** Lindl. #4 II 64 ORCHIDACEAE
- Catasetum proboscideum* Lindl. = *Catasetum barbatum* (Lindl.) Lindl.
- Catasetum pulchrum*** N.E.Br. #4 II 64 ORCHIDACEAE
- Catasetum punctatum*** Rolfe #4 II 64 ORCHIDACEAE
- Catasetum purpurascens* Hoffmogg. ex Heynh. = *Catasetum luridum* (Link) Lindl.
- Catasetum purum*** Nees & Sinning #4 II 64  
ORCHIDACEAE
- Catasetum purusense*** D.E.Benn. & Christenson #4 II 64  
ORCHIDACEAE
- Catasetum pusillum*** C.Schwienf. #4 II 64  
ORCHIDACEAE
- Catasetum pusillum* C.Schweinf. *fide* Brako, L.& J.L.Zarucchi = *Catasetum roseo-album* (Hook.) Lindl.
- Catasetum quadricolor* Cogn. = *Catasetum tapiriceps* Rchb.f.
- Catasetum quadridens*** Rolfe #4 II 64 ORCHIDACEAE
- Catasetum randii*** Rolfe #4 II 64 ORCHIDACEAE
- Catasetum randii* Rolfe *sensu* Dunst. = *Catasetum barbatum* (Lindl.) Lindl.
- Catasetum recurvatum* Link, Klotzsch & Otto = *Catasetum planiceps* Lindl.
- Catasetum regnelli*** Barb.Rodr. #4 II 64 ORCHIDACEAE
- Catasetum reichenbachianum*** Mansf. #4 II 64  
ORCHIDACEAE
- Catasetum revolutum* Cogn. = *Catasetum tapiriceps* Rchb.f.
- Catasetum rhamphastos* Kraenzl. = *Catasetum tabulare* Lindl.
- Catasetum richteri*** Bicalho #4 II 64 ORCHIDACEAE
- Catasetum ricci*** Vasquez & Dodson #4 II 64  
ORCHIDACEAE
- Catasetum rivularium*** Barb.Rodr. #4 II 64  
ORCHIDACEAE
- Catasetum rivularium* Barb.Rodr. *sensu* Dunst. = *Catasetum barbatum* (Lindl.) Lindl.
- Catasetum rodigasianum* Rolfe = *Catasetum cernuum* (Lindl.) Rchb.f.
- Catasetum rohrii* Pabst = *Catasetum cernuum* (Lindl.) Rchb.f.
- Catasetum rolfeanum*** Mansf. #4 II 64 ORCHIDACEAE
- Catasetum rondonense*** Pabst #4 II 64 ORCHIDACEAE
- Catasetum rooseveltianum*** Hoehne #4 II 64  
ORCHIDACEAE
- Catasetum roseo-album*** (Hook.) Lindl. #4 II 64  
ORCHIDACEAE
- Catasetum roseum* Barb.Rodr. *non* (Lindl.) Rchb.f. = *Catasetum lemosii* Rolfe
- Catasetum roseum* (Lindl.) Rchb.f. 1872 = *Clowesia rosea* Lindl. 1848
- Catasetum rostratum* Klinge = *Catasetum maculatum* Kunth
- Catasetum russelianum* Hook. (1840) = *Clowesia russelliana* (Hook.) Dodson (1975)
- Catasetum saccatum*** Lindl. #4 II 64 ORCHIDACEAE
- Catasetum samaniegoi*** Dodson #4 II 64 ORCHIDACEAE
- Catasetum sanguineum*** Lindl. & Paxton #4 II 64  
ORCHIDACEAE
- Catasetum schmidtianum*** F.E.L.Miranda & K.G.Lacerda #4 II 64 ORCHIDACEAE
- Catasetum schunkei*** Dodson & D.E.Benn. #4 II 64  
ORCHIDACEAE
- Catasetum schweinfurthii*** D.E.Benn. & Christenson #4 II 64 ORCHIDACEAE
- Catasetum scurra* Rchb.f. 1872 = *Clowesia warscewiczzii* (Lindl. & Paxt.) Dodson 1975
- Catasetum semiapertum* Hook. = *Catasetum purum* Nees & Sinning
- Catasetum semicirculatum*** Miranda #4 II 64  
ORCHIDACEAE
- Catasetum semiroseum* Beck = *Catasetum tapiriceps* Rchb.f.
- Catasetum serratum* Lindl. = *Catasetum viridiflavum* Hook.
- Catasetum socco* (Vell.) Hoehne = *Catasetum trulla* Lindl.
- Catasetum sodiroi*** Schltr. #4 II 64 ORCHIDACEAE
- Catasetum spinosum*** (Hook.) Lindl. #4 II 64  
ORCHIDACEAE
- Catasetum spinosum* Lindl. *sensu* Dunst. = *Catasetum barbatum* (Lindl.) Lindl.
- Catasetum spitzii*** Hoehne #4 II 64 ORCHIDACEAE
- Catasetum splendens* Cogn. = *Catasetum tapiriceps* Rchb.f.
- Catasetum stenochilum* Kraenzl. = *Catasetum rolfeanum* Mansf.
- Catasetum stenoglossum* Pabst = *Catasetum bicallosum* Cogn.
- Catasetum stevensonii*** Dodson #4 II 64 ORCHIDACEAE
- Catasetum stupendum* Cogn. = *Catasetum incurvum* Klotzsch
- Catasetum tabulare*** Lindl. #4 II 64 ORCHIDACEAE

- Catasetum taguariense** L.C.Menezes & G.J.Braem #4 II  
64 ORCHIDACEAE
- Catasetum tapiriceps** Rchb.f. #4 II 64 ORCHIDACEAE
- Catasetum taquariense** Bicalho, Barros & Moutinho #4 II  
64 ORCHIDACEAE
- Catasetum tenebrosum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Catasetum tenuiglossum** Senghas #4 II 64  
ORCHIDACEAE
- Catasetum thompsonii** Dodson #4 II 64 ORCHIDACEAE  
Catasetum thylaciochilum Lem. 1856 = *Clowesia thylaciochila* (Lem.) Dodson 1975
- Catasetum tigrinum** Rchb.f. #4 II 64 ORCHIDACEAE
- Catasetum transversicallosum** D.E.Benn. &  
Christenson #4 II 64 ORCHIDACEAE
- Catasetum trautmannii** Senghas = *Catasetum incurvum*  
Klotzsch
- Catasetum tricolor** Hort ex Planchon = *Catasetum macrocarpum* Rich. ex Kunth
- Catasetum tricolor** Rchb.f. (*sphalm*) = *Catasetum triodon* Rchb.f.
- Catasetum tricorne** P.Ortiz #4 II 64 ORCHIDACEAE
- Catasetum tridentatum** Hook. = *Catasetum macrocarpum* Rich. ex Kunth
- Catasetum tridentatum** Pfitzer non Hook. = *Catasetum barbatum* (Lindl.) Lindl.
- Catasetum trifidum** Hook. = *Catasetum cernuum* (Lindl.) Rchb.f.
- Catasetum trilobatum** Senghas = *Catasetum sodiroi* Schltr.
- Catasetum trimerochilum** = *Mormodes lineata*
- Catasetum triodon** Rchb.f. #4 II 64 ORCHIDACEAE
- Catasetum triste** Rchb.f. = *Catasetum hookeri* Lindl.
- Catasetum trulla** Lindl. #4 II 64 ORCHIDACEAE
- Catasetum trulla vinaceum** Hoehne = *Catasetum vinaceum* Hoehne
- Catasetum tuberculatum** Dodson #4 II 64  
ORCHIDACEAE
- Catasetum turbinatum** Hoffmgg. & Heynh. #4 II 64  
ORCHIDACEAE
- Catasetum tururuense** A.T.Oliveira & da Silva #4 II 64  
ORCHIDACEAE
- Catasetum umbrosum** Barb.Rodr. = *Catasetum cernuum* (Lindl.) Rchb.f.
- Catasetum uncatum** Rolfe #4 II 64 ORCHIDACEAE
- Catasetum variable** Rodrig. = *Catasetum barbatum* (Lindl.) Lindl.
- Catasetum vibratile** (Bass.) Cpm. #4 II 64  
ORCHIDACEAE
- Catasetum vinaceum** Hoehne #4 II 64 ORCHIDACEAE
- Catasetum violascens** Rchb.f. & Warz. #4 II 64  
ORCHIDACEAE
- Catasetum viride** Lindl. = *Catasetum cernuum* (Lindl.) Rchb.f.
- Catasetum viridiflavum** Hook. #4 II 64 ORCHIDACEAE
- Catasetum wailesii** Hook. = *Catasetum integerrimum* Hook.
- Catasetum warczewitzii** Lindl. & Paxt. (1850-1) = *Clowesia warscewiczii* (Lindl. & Paxt.) Dodson 1975
- Catasetum warszewiczii** Lindl. & Paxt. (1850-1) =  
*Clowesia warscewiczii* (Lindl. & Paxt.) Dodson 1975
- Catasetum wendlingeri** Foldats #4 II 64 ORCHIDACEAE
- Catasetum wredeanum** Schltr. = *Catasetum fimbriatum* (Morren) Lindl. & Paxton
- Catasetum yavitaense** G.A.Romero & C.Gomez #4 II 64  
ORCHIDACEAE
- Catevala arborescens** Medik. = *Aloe arborescens* Mill.
- Catevala humilis** (L.) Medik = *Aloe humilis* (L.) Mill.
- Cathea woollsiana** (F.v.Muel) Wakef 1949 = *Alsophila woollsiana* F.Muell. 1874
- Catlaelia elegans** (Rchb.f.) G.Hansen = *Laelia elegans* (C.Morren) Rchb.f.
- Cattleya spp.** Lindl. #4 II 64 ORCHIDACEAE
- Cattleya aclandiae** Lindl. #4 II 64 ORCHIDACEAE
- Cattleya acuminata** (Lindl.) Beer = *Laelia rubescens* Lindl.
- Cattleya albida** (Bateman ex Lindl.) Beer = *Laelia albida* Bateman ex Lindl.
- Cattleya alexandrae** L.Linden & Rolfe = *Cattleya elongata* Barb. Rodr.
- Cattleya aliciae** L.Linden = *Cattleya mossiae* Hook.
- Cattleya amabilis** hort. ex B.S.Williams = *Cattleya intermedia* Graham ex Hook.
- Cattleya amethystina** C.Morren = *Cattleya intermedia* Graham ex Hook.
- Cattleya amethystoglossa** Linden & Rchb.f. ex Warner #4 II 64 ORCHIDACEAE
- Cattleya anceps** (Lindl.) Beer = *Laelia anceps* Lindl.
- Cattleya aquinii** Barb.Rodr. = *Cattleya intermedia* Graham ex Hook.
- Cattleya araguaiensis** Pabst #4 II 64 ORCHIDACEAE
- Cattleya aremburgii** Scheidw. = *Cattleya loddigesii* Lindl.
- Cattleya aurantiaca** (Bateman ex Lindl.) P.N.Don. #4 II 64 ORCHIDACEAE
- Cattleya aurea** (T.Moore, R.Warner & B.S.Williams)  
Rodigas #4 II 64 ORCHIDACEAE
- Cattleya autumnalis** hort. ex O'Brien = *Cattleya bowringiana* O'Brien
- Cattleya autumnalis** (La Llave & Lexarza) Beer = *Laelia autumnalis* (La Llave & Lex.) Lindl.
- Cattleya bassetii** hort. ex Veitch = *Cattleya lueddemanniana* Rchb.f.
- Cattleya batalinii** Sander & Kraenzl. = *Cattleya porphyroglossa* Linden & Rchb.f.
- Cattleya bicolor** Lindl. #4 II 64 ORCHIDACEAE
- Cattleya bogotensis** Linden = *Cattleya trianaei* Linden & Rchb.f.
- Cattleya bowringiana** O'Brien #4 II 64 ORCHIDACEAE
- Cattleya brasiliensis** Klinge = *Cattleya bicolor* Lindl.
- Cattleya brownii** Rolfe = *Cattleya harrisoniana* Bateman ex Lindl.
- Cattleya brysiana** Lem. = *Laelia purpurata* Lindl.
- Cattleya bulbosa** Lindl. = *Cattleya walkeriana* Gardner
- Cattleya candida** (Kunth) Lehm. #4 II 64 ORCHIDACEAE
- Cattleya carrierei** Houllet = *Cattleya mossiae* Hook.
- Cattleya caucaensis** Roezl. ex Ballif. = *Cattleya candida* (Kunth) Lehm.
- Cattleya chocoensis** Linden = *Cattleya candida* (Kunth) Lehm.

- Cattleya chrysotoxa* (Sander) God.-Lebeuf = *Cattleya aurea* (T.Moore, R.Warner & B.S.Williams) Rodigas  
*Cattleya cinnabrina* (Bateman ex Lindl.) Beer = *Laelia cinnabrina* Bateman ex Lindl.  
*Cattleya citrina* (La Lieve & Lex.) Lindl. = *Encyclia citrina* (Llave & Lex.) Dressler  
***Cattleya claesiana*** Rolfe #4 II 64 ORCHIDACEAE  
*Cattleya coccinea* Lindl. = *Sophronitis coccinea* (Lindl.) Rchb.f.  
*Cattleya crispa* Lindl. = *Laelia crispa* (Lindl.) Rchb.f.  
*Cattleya crispa* (Lindl.) Beer = *Schomburgkia crispa* Lindl.  
*Cattleya crocata* Rchb.f. = *Cattleya eldorado* Linden ex Van Houtte  
*Cattleya cupidon* hort. ex L.Linden et Rodigas = *Cattleya mendelii* Backh.f. ex B.S.Williams  
*Cattleya dawsonii* hort. ex R.Warner = *Cattleya lueddemanniana* Rchb.f.  
***Cattleya dayana*** Rolfe #4 II 64 ORCHIDACEAE  
***Cattleya deckeri*** Klotzsch #4 II 64 ORCHIDACEAE  
*Cattleya del Dr. Triana* (S): *Cattleya trianaei*  
*Cattleya digbyana* (Lindl.) Gentil 1907 = *Rhyncholaelia digbyana* (Lindl.) Schltr. (1918)  
*Cattleya dijanceana* hort. ex Rolfe = *Cattleya porphyroglossa* Linden & Rchb.f.  
***Cattleya dolosa*** (Rchb.f.) Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Cattleya domingensis* Lindl. 1831 = *Broughtonia domingensis* (Lindl.) Rolfe 1889  
***Cattleya dormaniana*** (Rchb.f.) Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Cattleya dowiana*** Bateman #4 II 64 ORCHIDACEAE  
*Cattleya*, Dr. Triana's (E): *Cattleya trianaei*  
*Cattleya edithiana* R.Warner ex B.S.Williams = *Cattleya mossiae* Hook.  
*Cattleya elatior* Lindl. = *Cattleya guttata* Lindl.  
***Cattleya eldorado*** Linden ex Van Houtte #4 II 64  
 ORCHIDACEAE  
*Cattleya elegans* C.Morren = *Laelia elegans* (C.Morren) Rchb.f.  
***Cattleya elongata*** Barb. Rodr. #4 II 64 ORCHIDACEAE  
*Cattleya epidendroides* hort. ex Rchb.f. = *Cattleya luteola* Lindl.  
*Cattleya eximia* Barb.Rodr. = *Cattleya dolosa* (Rchb.f.) Rchb.f.  
*Cattleya flava* (Lindl.) Beer = *Laelia flava* Lindl.  
*Cattleya flava* Klotzsch = *Cattleya luteola* Lindl.  
***Cattleya forbesii*** Lindl. #4 II 64 ORCHIDACEAE  
*Cattleya fragrans* Barb.Rodr. = *Cattleya velutina* Rchb.f.  
*Cattleya fulva* Beer = *Cattleya forbesii* Lindl.  
*Cattleya furfuracea* (Lindl.) Beer = *Laelia furfuracea* Lindl.  
*Cattleya gardneriana* Rchb.f. = *Cattleya walkeriana* Gardner  
***Cattleya gaskelliana*** (hort. ex N.E.Br.) Withner #4 II 64  
 ORCHIDACEAE  
*Cattleya gigas* Linden ex Andre = *Cattleya warscewiczii* Rchb.f.  
*Cattleya gloriosa* Carriere = *Cattleya warscewiczii* Rchb.f.  
*Cattleya grahamii* Lindl. = *Laelia speciosa* (Kunth) Schltr.  
*Cattleya grandiflora* (Lindl.) Beer = *Sophronitis coccinea* (Lindl.) Rchb.f.
- Cattleya granulosa*** Lindl. #4 II 64 ORCHIDACEAE  
*Cattleya grossii* Kraenzl. = *Cattleya bicolor* Lindl.  
*Cattleya grosvenorii* Ruschi = *Laelia sincorana* Schltr.  
***Cattleya guatemalensis*** T.Moore #4 II 64  
 ORCHIDACEAE  
***Cattleya guttata*** Lindl. #4 II 64 ORCHIDACEAE  
***Cattleya hardyana*** Hardy ex B.S.Williams #4 II 64  
 ORCHIDACEAE  
*Cattleya harrisoniae* Paxton = *Cattleya harrisoniana* Bateman ex Lindl.  
***Cattleya harrisoniana*** Bateman ex Lindl. #4 II 64  
 ORCHIDACEAE  
*Cattleya harrisonii* Duchartre = *Cattleya harrisoniana* Bateman ex Lindl.  
*Cattleya holfordii* hort. ex Rchb.f. = *Cattleya luteola* Lindl.  
*Cattleya imperialis* hort. ex Veitch = *Cattleya warscewiczii* Rchb.f.  
***Cattleya intermedia*** Graham ex Hook. #4 II 64  
 ORCHIDACEAE  
***Cattleya iricolor*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Cattleya isopetala* Beer = *Cattleya forbesii* Lindl.  
***Cattleya jenmanii*** Rolfe #4 II 64 ORCHIDACEAE  
*Cattleya karwinskii* Mart. = *Encyclia citrina* (Llave & Lex.) Dressler  
***Cattleya kerrii*** F.G.Brieger & Bicalho #4 II 64  
 ORCHIDACEAE  
*Cattleya kimballiana* L.Linden & Rodigas = *Cattleya trianaei* Linden & Rchb.f.  
***Cattleya labiata*** Lindl. #4 II 64 ORCHIDACEAE  
***Cattleya lawrenceana*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Cattleya lemoniana* Lindl. = *Cattleya labiata* Lindl.  
***Cattleya leopoldii*** Verschaffelt ex Lem. #4 II 64  
 ORCHIDACEAE  
*Cattleya lobata* Lindl. = *Laelia lobata* (Lindl.) Veitch  
***Cattleya loddigesii*** Lindl. #4 II 64 ORCHIDACEAE  
***Cattleya lueddemanniana*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Cattleya luteola*** Lindl. #4 II 64 ORCHIDACEAE  
*Cattleya macmorlandii* Nicholson = *Cattleya eldorado* Linden ex Van Houtte  
*Cattleya majalis* (Lindl.) Beer = *Laelia speciosa* (Kunth) Schltr.  
*Cattleya malouana* Linden = *Cattleya lueddemanniana* Rchb.f.  
*Cattleya malouana* L.Linden ex Linden & Rodigas = *Cattleya maxima* Lindl.  
*Cattleya marginata* (Lindl.) Beer = *Schomburgkia marginata* Lindl. 1838  
*Cattleya marginata* Paxton = *Laelia pumila* (Hook.) Rchb.f.  
*Cattleya maritima* Lindl. = *Cattleya intermedia* Graham ex Hook.  
***Cattleya maxima*** Lindl. #4 II 64 ORCHIDACEAE  
***Cattleya mendelii*** Backh.f. ex B.S.Williams #4 II 64  
 ORCHIDACEAE  
*Cattleya meyeri* Regel = *Cattleya luteola* Lindl.  
*Cattleya modesta* Meyer ex Regel = *Cattleya luteola* Lindl.  
***Cattleya mooreana*** Withner, Allison & Guenard #4 II 64  
 ORCHIDACEAE  
***Cattleya mossiae*** Hook. #4 II 64 ORCHIDACEAE

- Cattleya nobilior** Rchb.f. #4 II 64 ORCHIDACEAE  
*Cattleya odoratissima* P.N.Don = *Cattleya violacea* (Kunth) Rolfe  
*Cattleya ovata* Lindl. = *Cattleya intermedia* Graham ex Hook.  
*Cattleya pachecoi* Ames & Correll = *Cattleya guatemalensis* T.Moore  
*Cattleya papeiansiana* C.Morren = *Cattleya harrisoniana* Bateman ex Lindl.  
*Cattleya patinii* hort ex Cogn. = *Cattleya deckeri* Klotzsch  
**Cattleya patrocinii** St Leger #4 II 64 ORCHIDACEAE  
*Cattleya pauper* (Vell.) Stellfeld = *Cattleya forbesii* Lindl.  
*Cattleya peduncularis* (Lindl.) Beer = *Laelia rubescens* Lindl.  
**Cattleya percivaliana** (Rchb.f.) O'Brien #4 II 64  
 ORCHIDACEAE  
*Cattleya perrinii* Lindl. = *Laelia perrinii* (Lindl.) Bateman  
*Cattleya pinellii* hort. ex Lindl. = *Laelia pumila* (Hook.) Rchb.f.  
**Cattleya porphyroglossa** Linden & Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Cattleya princeps* Barb.Rodr. = *Cattleya walkeriana* Gardner  
*Cattleya pterocarpa* (Lindl. & Paxt.) Beer = *Sophronitis pterocarpa* Lindl. & Paxt.  
*Cattleya pumila* auct. non Hook.; M.R.Schomb. = *Cattleya lawrenceana* Rchb.f.  
*Cattleya pumila* Hook. = *Laelia pumila* (Hook.) Rchb.f.  
*Cattleya purpurata* (Lindl. & Paxton) Beer = *Laelia purpurata* Lindl.  
*Cattleya purpurina* Barb.Rodr. = *Cattleya amethystoglossa* Linden & Rchb.f. ex Warner  
*Cattleya quadricolor* Bateman = *Cattleya candida* (Kunth) Lehm.  
*Cattleya reflexa* Parmentier ex Rchb.f. = *Laelia crispa* (Lindl.) Rchb.f.  
*Cattleya regnellii* hort. ex R.Warner = *Cattleya schilleriana* Rchb.f.  
*Cattleya reineckiana* Rchb.f. = *Cattleya mossiae* Hook.  
**Cattleya rex** O'Brien #4 II 64 ORCHIDACEAE  
*Cattleya roezlii* (Rchb.f.) Rchb.f. = *Cattleya lueddemanniana* Rchb.f.  
*Cattleya rubescens* (Lindl.) Beer = *Laelia rubescens* Lindl.  
*Cattleya sanderiana* Rchb.f. = *Cattleya warscewiczzii* Rchb.f.  
**Cattleya schilleriana** Rchb.f. #4 II 64 ORCHIDACEAE  
**Cattleya schofieldiana** Rchb.f. #4 II 64 ORCHIDACEAE  
*Cattleya schomburgkii* Lodd. ex Lindl. = *Cattleya violacea* (Kunth) Rolfe  
**Cattleya schroderae** (Rchb.f.) Sander #4 II 64  
 ORCHIDACEAE  
*Cattleya schroederiana* Rchb.f. = *Cattleya walkeriana* Gardner  
**Cattleya skinneri** Bateman #4 II 64 ORCHIDACEAE  
*Cattleya speciosissima* hort. = *Cattleya lueddemanniana* Rchb.f.  
*Cattleya spectabilis* Paxton = *Laelia spectabilis* (Paxton) Withner  
*Cattleya sphenophora* C.Morren = *Cattleya guttata* Lindl.  
*Cattleya sulphurea* hort. = *Cattleya luteola* Lindl.
- Cattleya superba* R.H.Schomb. ex Lindl. = *Cattleya violacea* (Kunth) Rolfe  
*Cattleya superbiens* (Lindl.) Beer 1854 = *Schomburgkia superbiens* (Lindl.) Rolfe 1917  
**Cattleya tenuis** Campacci & Vedovello #4 II 64  
 ORCHIDACEAE  
*Cattleya tetraploidea* F.G.Brieger = *Cattleya bicolor* Lindl.  
*Cattleya tibicinis* (Bateman ex Lindl.) Beer 1854 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917  
*Cattleya tigrina* A. Rich. ex Beer = *Cattleya guttata* Lindl.  
**Cattleya trianaei** Linden & Rchb.f. #4 II 64  
 ORCHIDACEAE (E) Christmas Orchid, Dr. Triana's Cattleya, Winter Cattleya (S) Cattleya del Dr. Triana, Flor de mayo, Orquidea de invierno, Orquidea de navidad  
*Cattleya trichpiliochila* Barb.Rodr. = *Cattleya eldorado* Linden ex Van Houtte  
*Cattleya trilabiata* Barb.Rodr. = *Cattleya warneri* T.Moore ex R.Warner  
*Cattleya undulata* Beer, Prakt 1854 = *Schomburgkia undulata* Lindl. 1844  
**Cattleya velutina** Rchb.f. #4 II 64 ORCHIDACEAE  
*Cattleya vestalis* Hoffmanns. = *Cattleya forbesii* Lindl.  
**Cattleya violacea** (Kunth) Rolfe #4 II 64 ORCHIDACEAE  
*Cattleya violacea* (Lindl.) Beer = *Sophronitella violacea* (Lindl.) Schltr.  
*Cattleya violaceum* Kunth = *Cattleya violacea* (Kunth) Rolfe  
*Cattleya virginalis* Linden & Andre ex Devos = *Cattleya eldorado* Linden ex Van Houtte  
*Cattleya wageneri* Rchb.f. = *Cattleya mossiae* Hook.  
**Cattleya walkeriana** Gardner #4 II 64 ORCHIDACEAE  
*Cattleya wallisii* Linden ex Rchb.f. = *Cattleya eldorado* Linden ex Van Houtte  
**Cattleya warneri** T.Moore ex R.Warner #4 II 64  
 ORCHIDACEAE  
*Cattleya warocqueana* Linden ex Kerchove = *Cattleya labiata* Lindl.  
**Cattleya warscewiczzii** Rchb.f. #4 II 64 ORCHIDACEAE  
*Cattleya*, Winter (E): *Cattleya trianaei*  
*Cattleyopsis* spp. Lem. #4 II 64 ORCHIDACEAE  
*Cattleyopsis cubensis* (Lindl.) Sauleda & Adams 1984 = *Barkeria palmeri* (Rolle) Schltr. 1918  
*Cattleyopsis holdridgei* L.O.Williams (1946) = *Quisqueya rosea* (Maust.) Dod 1979  
*Cattleyopsis northropiorum* Cogn. 1910 = *Broughtonia lindenii* (Lindl.) Dressler 1966  
*Cattleyopsis ortgiesiana* (Rchb.f.) Cogn. 1910 #4 II 64  
 ORCHIDACEAE  
*Cattleyopsis rosea* (Schltr.) Mansf. (1926) = *Quisqueya rosea* (Maust.) Dod 1979  
**Caucea** spp. Schltr. #4 II 64 ORCHIDACEAE  
**Caularthon** spp. Rafin. #4 II 64 ORCHIDACEAE  
*Caularthon amazonicum* (Schltr.) H.G.Jones 1968 #4 II 64 ORCHIDACEAE  
*Caularthon bicornutum* (Hook.) Raf. 1836 #4 II 64  
 ORCHIDACEAE (E) Virgin Mary Orchid, Virgin Orchid  
*Caularthon bilamellata* (Rchb.f.) Hemsl. = *Caularthon bilamellatum* (Rchb.f.) R.E.Schult. 1958

- Caularthon bilamellatum* (Rchb.f.) R.E.Schult. 1958 #4 II  
64 ORCHIDACEAE (E) Little Virgin Orchid
- Caularthon bivalvatulum* (Schltr.) H.G.Jones =  
*Caularthon bilamellatum* (Rchb.f.) R.E.Schult. 1958
- Caularthon indivisum* (Bradford ex Griseb.) Garay &  
Dunst. 1979 = *Caularthon bilamellatum* (Rchb.f.)  
R.E.Schult. 1958
- Caularthon kraenzlinianum* H.G.Jones 1981 #4 II 64  
ORCHIDACEAE
- Caularthon umbellatum* Raf. = *Dimerandra emarginata*  
(G.mey) Hoehne
- Cedar (E): *Cedrela odorata*
- Cedar, Cigar-box (E): *Cedrela odorata*
- Cedar, Red (E): *Cedrela odorata*
- Cedar, Spanish (E): *Cedrela odorata*
- Cedar, West Indian (E): *Cedrela odorata*
- Cederwood (E): *Cedrela odorata*
- Cedrat (F): *Cedrela odorata*
- Cedrela (S): *Cedrela odorata*
- Cedrela (F): *Cedrela odorata*
- Cedrela adenophylla* Mart. = *Cedrela odorata* L.
- Cedrela brachystachya* (C.DC.) C.DC. = *Cedrela odorata* L.
- Cedrela caldasana* C.DC. = *Cedrela odorata* L.
- Cedrela cubensis* Bisse = *Cedrela odorata* L.
- Cedrela fissilis* Vellozo #5 III MELIACEAE (S) Cedro,  
Cedro Blanco, Cedro Colorado, Cedro Diamantina,  
Cedro Pinta
- Cedrela glaziovii* C.DC = *Cedrela odorata* L.
- Cedrela guianensis* A.Juss. = *Cedrela odorata* L.
- Cedrela hassleri* (C.DC.) C.DC. = *Cedrela odorata* L.
- Cedrela huberi* Ducke = *Cedrela odorata* L.
- Cedrela imparipinnata* C. DC. = *Cedrela odorata* L.
- Cedrela lilloi* C. de Candolle #5 III MELIACEAE
- Cedrela longipes* Blake = *Cedrela odorata* L.
- Cedrela mexicana* M.J. Roem = *Cedrela odorata* L.
- Cedrela mourae* C.DC. = *Cedrela odorata* L.
- Cedrela occidentalis* C.DC. & Rose in Rose = *Cedrela*  
odorata L.
- Cedrela odorata* L. #5 III 62 MELIACEAE (E) Cedar,  
Cederwood, Cigar-box Cedar, Cigar-box Wood, Red  
Cedar, Spanish Cedar, Stinking Mahogany, West  
Indian Cedar (S) Cedrela, Cedro Rojo, Cedro rosado  
(F) Acajou, Cedrat, Cedrela
- Cedrela palustris* Handro = *Cedrela odorata* L.
- Cedrela paraguariensis* Mart. = *Cedrela odorata* L.
- Cedrela rotunda* S.F.Blake = *Cedrela odorata* L.
- Cedrela sintenisii* C.DC. = *Cedrela odorata* L.
- Cedrela velloziana* M.Roem. = *Cedrela odorata* L.
- Cedrela whitfordii* Blake = *Cedrela odorata* L.
- Cedrela yucatana* Blake = *Cedrela odorata* L.
- Cedro (S): *Pilgerodendron uviferum*
- Cedro (S): *Cedrela fissilis*
- Cedro Blanco (S): *Cedrela fissilis*
- Cedro Colorado (S): *Cedrela fissilis*
- Cedro Diamantina (S): *Cedrela fissilis*
- Cedro Pinta (S): *Cedrela fissilis*
- Cedro Rojo (S): *Cedrela odorata*
- Cedro rosado (S): *Cedrela odorata*
- Centrogenium kuhlmannianum* Hoehne 1944 =  
*Stenorrhynchos kuhlmannianum* (Hoehne) ined.
- Centroglossa* spp.** Barb.Rodr. #4 II 64 ORCHIDACEAE  
*Centroglossa castellensis* Brade #4 II 64 ORCHIDACEAE  
*Centroglossa geeniana* #4 II 64 ORCHIDACEAE  
*Centrosia auberti* Mansf. = *Calanthe sylvatica* (Thouars)  
Lindl.
- Centrosis abortiva* (L.) Sw. = *Limodorum abortivum* (L.)  
Sw.
- Centrosis sylvatica* Thouars = *Calanthe sylvatica*  
(Thouars) Lindl.
- Centrostigma* spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Centrostigma clavatum* Summerh. #4 II 64  
ORCHIDACEAE
- Centrostigma papillosum* Summerh. #4 II 64  
ORCHIDACEAE
- Cephalanthera* spp.** Rich. #4 II 64 ORCHIDACEAE  
*Cephalanthera alba* (Crantz) Simonk. = *Cephalanthera*  
*damasonium* (Mill.) Druce
- Cephalanthera austiniiae* Gray = *Europhyton austiniiae*  
(Gray) Heller
- Cephalanthera chartacea* King & Pantl. = *Bletilla*  
*chartacea* (King & Pantl.) Tang & Wang
- Cephalanthera comosa* (L.) Simonk. = *Cephalanthera*  
*rubra* (L.) Rich.
- Cephalanthera cucullata* Boiss. & Heldr. #4 II 64  
ORCHIDACEAE (E) Cretan Helleborine
- Cephalanthera damasonium* (Mill.) Druce #4 II 64  
ORCHIDACEAE
- Cephalanthera ensifolia* Rich. = *Cephalanthera longifolia*  
(L.) Fritsch
- Cephalanthera epipactoides* Fisch. & C.A.Mey. #4 II 64  
ORCHIDACEAE
- Cephalanthera grandiflora* Gray = *Cephalanthera*  
*damasonium* (Mill.) Druce
- Cephalanthera kotschyana* Renz & Taub. #4 II 64  
ORCHIDACEAE
- Cephalanthera latifolia* Janch. = *Cephalanthera*  
*damasonium* (Mill.) Druce
- Cephalanthera lonchophylla* (L.) Mansf. = *Cephalanthera*  
*damasonium* (Mill.) Druce
- Cephalanthera longibracteata* Blume #4 II 64  
ORCHIDACEAE
- Cephalanthera longifolia* (L.) Fritsch #4 II 64  
ORCHIDACEAE (E) Narrow-leaved Helleborine
- Cephalanthera maravignae* Tineo = *Cephalanthera rubra*  
(L.) Rich.
- Cephalanthera pallens* Rich. = *Cephalanthera*  
*damasonium* (Mill.) Druce
- Cephalanthera rubra* (L.) Rich. #4 II 64 ORCHIDACEAE  
(E) Red Helleborine (F) Céphalanthère Rouge  
Céphalanthère Rouge (F): *Cephalanthera rubra*
- Cephalantheropsis* spp.** Guillaumin #4 II 64  
ORCHIDACEAE
- Cephalantheropsis gracilis* (Lindl.) S.Y.Hu #4 II 64  
ORCHIDACEAE (E) Slender Calanthe
- Cephalantheropsis longipes* #4 II 64 ORCHIDACEAE
- Cephalantheropsis obcordata* #4 II 64 ORCHIDACEAE
- Cephalocereus* spp.** Pfeiffer #4 II 49 CACTACEAE

- Cephalocereus alensis* A. Weber = *Pilosocereus alensis* (Weber ex Gosselin) Byles & Rowley  
*Cephalocereus apicicephalium* Dawson #4 II 49  
 CACTACEAE  
*Cephalocereus arrabidae* (Lemaire) Britton & Rose =  
*Pilosocereus arrabidae* (Lemaire) Byles & Rowley  
*Cephalocereus bahamensis* Britton & Rose =  
*Pilosocereus polygonus* (Lamarck) Byles & Rowley  
*Cephalocereus barbadensis* Britton & Rose =  
*Pilosocereus royenii* (L.) Byles & Rowley  
*Cephalocereus brasiliensis* Britton & Rose = *Pilosocereus brasiliensis* (Britton & Rose) Backeberg  
*Cephalocereus brooksianus* (Britton & Rose) =  
*Pilosocereus royenii* (L.) Byles & Rowley  
*Cephalocereus chrysacanthus* A. Weber = *Pilosocereus chrysacanthus* (Weber) Byles & Rowley  
*Cephalocereus collinsii* Britton & Rose = *Pilosocereus purpusii* (Britton & Rose) Byles & Rowley  
*Cephalocereus columbianus* Britton & Rose =  
*Pilosocereus lanuginosus* (L.) Byles & Rowley  
***Cephalocereus column-trajani*** (Karwinsky ex Pfeiffer)  
 Schumann #4 II 49 CACTACEAE  
*Cephalocereus cometes* Scheidw. = *Pilosocereus leucocephalus* (Poselger) Byles & Rowley  
*Cephalocereus dybowskii* (Roland-Gosselin) Britton & Rose = *Epsotoopsis dybowskii* (Roland-Gosselin) Buxbaum  
*Cephalocereus fluminensis* (Miquel) Britton & Rose = *Coleocephalocereus fluminensis* (Miquel) Backeberg  
*Cephalocereus fulviceps* (Weber) H.E. Moore =  
*Pachycereus fulviceps* (Lemaire) Hunt  
*Cephalocereus gaumeri* (Britton & Rose) = *Pilosocereus royenii* (L.) Byles & Rowley  
*Cephalocereus guentheri* Kupper = *Epsotoa guentheri* (Kupper) Buxbaum  
*Cephalocereus guerreronis* Backeb. = *Pilosocereus alensis* (Weber ex Gosselin) Byles & Rowley  
*Cephalocereus hoppenstedtii* (Roezl ex Ruempler) Schumann = *Cephalocereus column-trajani* (Karwinsky ex Pfeiffer) Schumann  
*Cephalocereus keyensis* Britton & Rose = *Pilosocereus polygonus* (Lamarck) Byles & Rowley  
*Cephalocereus leucocephalus* Britton & Rose =  
*Pilosocereus leucocephalus* (Poselger) Byles & Rowley  
*Cephalocereus leucostele* (Guerke) Britton & Rose =  
*Stephanocereus leucostele* (Guerke) Berger  
*Cephalocereus macrocephalus* (Weber) Schumann =  
*Neobuxbaumia macrocephala* (Weber ex Schumann) Dawson  
*Cephalocereus maxonii* Rose = *Pilosocereus leucocephalus* (Poselger) Byles & Rowley  
*Cephalocereus militaris* (Audot) H.E. Moore =  
*Pachycereus militaris* (Audot) Hunt  
*Cephalocereus millspaughii* Britton = *Pilosocereus royenii* (L.) Byles & Rowley  
*Cephalocereus monoclonos* (De Candolle) Britton & Rose = *Pilosocereus royenii* (L.) Byles & Rowley  
*Cephalocereus moritzianus* (Otto ex Pfeiffer) Britton & Rose = *Pilosocereus lanuginosus* (L.) Byles & Rowley
- Cephalocereus nizandensis*** (Bravo & Macdougall)  
 Buxbaum #4 II 49 CACTACEAE  
*Cephalocereus nobilis* (Haw.) Britton & Rose =  
*Pilosocereus royenii* (L.) Byles & Rowley  
*Cephalocereus palmeri* (Weing.) Byles & Rowl. =  
*Pilosocereus leucocephalus* (Poselger) Byles & Rowley  
*Cephalocereus phaeacanthus* (Guerke) Britton & Rose =  
*Brasilicereus phaeacanthus* (Guerke) Backeberg  
*Cephalocereus piauhyensis* (Guerke) Britton & Rose =  
*Pilosocereus piauhyensis* (Guerke) Byles & Rowley  
*Cephalocereus polygonus* (Lam.) Britton & Rose =  
*Pilosocereus polygonus* (Lamarck) Byles & Rowley  
*Cephalocereus polylophus* (De Candolle) Britton & Rose =  
*Neobuxbaumia polylopha* (De Candolle) Backeberg  
*Cephalocereus purpusii* Britton & Rose = *Pilosocereus purpusii* (Britton & Rose) Byles & Rowley  
*Cephalocereus quadricentralis* E. Dawson = *Pilosocereus quadricentralis* (Dawson) Backeberg  
*Cephalocereus robinii* (Lem.) Britt. et Wils. = *Pilosocereus polygonus* (Lamarck) Byles & Rowley  
*Cephalocereus robustus* Britton & Rose = *Pilosocereus ulei* (Schumann) Byles & Rowley  
*Cephalocereus royenii* Britton & Rose = *Pilosocereus royenii* (L.) Byles & Rowley  
*Cephalocereus russelianus* Rose ex Bailey = *Cereus fricii* Backeberg  
*Cephalocereus sartorianus* = *Pilosocereus leucocephalus* (Poselger) Byles & Rowley  
*Cephalocereus scoparius* (Poselger) Britton & Rose =  
*Neobuxbaumia scoparia* (Poselger) Backeberg  
***Cephalocereus senilis*** (Haworth) Pfeiffer #4 II 49  
 CACTACEAE  
*Cephalocereus swartzii* (Griseb.) Britton & Rose =  
*Pilosocereus royenii* (L.) Byles & Rowley  
***Cephalocereus totolapensis*** (Bravo & MacDougall)  
 Buxbaum #4 II 49 CACTACEAE  
*Cephalocereus tweedyanus* Britton & Rose =  
*Pilosocereus lanuginosus* (L.) Byles & Rowley  
***Cephalocleistocactus*** spp. Ritter #4 II 49 CACTACEAE  
***Cephalocleistocactus chrysocephalus*** Ritter #4 II 49  
 CACTACEAE  
*Cephalocleistocactus pallidus* Backeberg = *Cleistocactus palhuayensis* Ritter & Shahori  
*Cephalocleistocactus ritteri* (Backeberg) Backeberg =  
*Cleistocactus ritteri* Backeberg  
*Cephalocleistocactus schattianus* Backeberg =  
*Cleistocactus varispinus* Ritter  
*Ceraia simplicissima* Lour = *Dendrobium crumenatum* Sw.  
***Ceratandra*** spp. Eckl. ex Bauer #4 II 64 ORCHIDACEAE  
*Ceratandra venosa* (Lindl.) Schltr. #4 II 64  
 ORCHIDACEAE  
***Ceratocentron*** spp. Senghas #4 II 64 ORCHIDACEAE  
*Ceratocentron fesselii* Senghas #4 II 64 ORCHIDACEAE  
***Ceratochilus*** spp. Blume #4 II 64 ORCHIDACEAE  
*Ceratochilus grandiflorus* Lodd. = *Stanhopea jenishiana* Kramer & Rchb.f. 1852  
*Ceratochilus grandiflorus* Lodd. = *Stanhopea grandiflora* (Lodd.) Lindl. 1832

- Ceratochilus insignis* (Frost) Lindl. ex G.Don 1830 =  
*Stanhopea insignis* Frost ex Hook. 1829
- Ceratochilus oculatus* Lodd. (1831) = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Ceratostylis* spp.** Blume #4 II 64 ORCHIDACEAE
- Ceratostylis anceps* Blume #4 II 64 ORCHIDACEAE
- Ceratostylis arjunensis* J.J. Wood #4 II 64 ORCHIDACEAE
- Ceratostylis backeri* J.J. Smith #4 II 64 ORCHIDACEAE
- Ceratostylis braccata* Reichb.f. #4 II 64 ORCHIDACEAE
- Ceratostylis brevibrachiata* J.J. Smith #4 II 64  
ORCHIDACEAE
- Ceratostylis capitata* Zoll. & Moritz #4 II 64  
ORCHIDACEAE
- Ceratostylis clathrata* Hook.f. #4 II 64 ORCHIDACEAE
- Ceratostylis crassifolia* J.J. Smith #4 II 64 ORCHIDACEAE
- Ceratostylis eriaeoides* Hook.f. #4 II 64 ORCHIDACEAE
- Ceratostylis evrardii* Gagnepain #4 II 64 ORCHIDACEAE
- Ceratostylis gracilis* Blume #4 II 64 ORCHIDACEAE
- Ceratostylis graminea* Blume #4 II 64 ORCHIDACEAE
- Ceratostylis lancifolia* Hook.f. #4 II 64 ORCHIDACEAE
- Ceratostylis latifolia* Blume #4 II 64 ORCHIDACEAE
- Ceratostylis micrantha* Schltr. #4 II 64 ORCHIDACEAE
- Ceratostylis pendula* Hook.f. #4 II 64 ORCHIDACEAE
- Ceratostylis pulchella* Holttum #4 II 64 ORCHIDACEAE
- Ceratostylis puncticulata* Ridley #4 II 64 ORCHIDACEAE
- Ceratostylis pygmaea* Evrard #4 II 64 ORCHIDACEAE
- Ceratostylis radiata* J.J. Smith #4 II 64 ORCHIDACEAE
- Ceratostylis robusta* Hook.f. #4 II 64 ORCHIDACEAE
- Ceratostylis senilis* Rchb.f. #4 II 64 ORCHIDACEAE
- Ceratostylis simplex* Blume #4 II 64 ORCHIDACEAE
- Ceratostylis subulata* Blume #4 II 64 ORCHIDACEAE
- Ceratostylis thailandica* Seidenf. #4 II 64 ORCHIDACEAE
- Ceratozamia* spp.** Brongn. I ZAMIACEAE
- Ceratozamia alvarezii*** Pérez-Farrera, A.P.Vovides & Iglesias I ZAMIACEAE
- Ceratozamia boliviiana* Brongn. = *Zamia boliviiana* (Brongn.) A.DC.
- Ceratozamia brevifrons* Miq. = *Ceratozamia mexicana* Brongn.
- Ceratozamia euryphyllidia*** Vazq.-Torres, Sabato & D. Stevenson I ZAMIACEAE
- Ceratozamia hildae*** G.P.Landry & M.C.Wilson I ZAMIACEAE
- Ceratozamia intermedia* Miq. = *Ceratozamia mexicana* Brongn.
- Ceratozamia katzeriana* Regel = *Zamia splendens* Schutzman
- Ceratozamia kuesteriana*** Regel I ZAMIACEAE
- Ceratozamia latifolia*** Miq. I ZAMIACEAE
- Ceratozamia longifolia* Miq. = *Ceratozamia mexicana* Brongn.
- Ceratozamia matudae*** Lundell I ZAMIACEAE
- Ceratozamia mexicana*** Brongn. I ZAMIACEAE
- Ceratozamia microstrobila*** A.P.Vovides & J.D.Rees I ZAMIACEAE
- Ceratozamia miquelianiana*** H.Wendl. I ZAMIACEAE
- Ceratozamia mirandae*** I ZAMIACEAE
- Ceratozamia mixeorum*** J.Chemnick, T.J.Gregory & S.Salas-Morales I ZAMIACEAE
- Ceratozamia moretti*** M.Vazques Torres & A.P.Vovides I ZAMIACEAE
- Ceratozamia norstogii*** D.W.Stev. I ZAMIACEAE
- Ceratozamia robusta*** Miq. I ZAMIACEAE
- Ceratozamia sabatoi*** A.P.Vovides, M.Vazques Torres, B. Schutzman & Iglesias I ZAMIACEAE
- Ceratozamia whitelockiana*** J.Chemnick & T.J.Gregory I ZAMIACEAE
- Ceratozamia zaragozae*** Medellin-Leal I ZAMIACEAE
- Ceratozamia zoquensis*** M.A.Perez-Farrera, A.P.Vovides & C.Iglesias I ZAMIACEAE
- Cereus* spp.** Mill. #4 II 49 CACTACEAE
- Cereus adelmarii*** (Rizzini & Mattos) Braun #4 II 49 CACTACEAE
- Cereus aethiops*** Haworth #4 II 49 CACTACEAE
- Cereus albicaulis*** (Britton & Rose) Luetzlbburg #4 II 49 CACTACEAE
- Cereus anisitsii* Schumann = *Cereus spegazzinii* Weber
- Cereus argentinensis*** Britton & Rose #4 II 49 CACTACEAE
- Cereus atroviridis* Backeberg = *Cereus repandus* (Linnaeus) Miller
- Cereus azureus* Parmentier ex Pfeiffer = *Cereus aethiops* Haworth
- Cereus bertinii* Cels ex Henricq = *Austrocactus bertinii* (Cels ex Henricq) Britton & Rose
- Cereus bicolor*** Rizzini & Mattos #4 II 49 CACTACEAE
- Cereus boeckmannii* Otto ex Salm-Dyck = *Selenicereus boeckmannii* (Otto ex Salm-Dyck) Britton & Rose
- Cereus braunii*** Cardenas #4 II 49 CACTACEAE
- Cereus chacoanus* Vaupel = *Stetsonia coryne* (Foerster) Britton & Rose
- Cereus chalybaeus* Otto ex Walpers = *Cereus aethiops* Haworth
- Cereus cochabambensis*** Cardenas #4 II 49 CACTACEAE
- Cereus comarapanus*** Cardenas #4 II 49 CACTACEAE
- Cereus costaricensis* (A. Weber) A. Berger = *Hylocereus costaricensis* (Weber) Britton & Rose
- Cereus crassisepalus* Buining & Brederoo = *Cipocereus crassisepalus* (Buining & Brederoo) Zappi & Taylor
- Cereus dayami* Spegazzini = *Cereus stenogonus* Schumann
- Cereus emoryi* Engelmann = *Bergerocactus emoryi* (Engelmann) Britton & Rose
- Cereus eriophorus* Pfeiffer = *Harrisia eriophora* (Pfeiffer) Britton
- Cereus euchlorus rhodoleucanthus* (Schumann) Braun & Esteves Pereira = *Praecereus saxicola* (Morong) Taylor
- Cereus extensus* Hooker = *Hylocereus lemairei* (Hooker) Britton & Rose
- Cereus extenus* Salm-Dyck ex De Candolle = *Selenicereus setaceus* (Salm-Dyck ex De Candolle) Werdermann
- Cereus fernambucensis*** Lemaire #4 II 49 CACTACEAE
- Cereus forbesii* Hort. Berol. ex Foerster = *Cereus validus* Haworth
- Cereus fricii*** Backeberg #4 II 49 CACTACEAE

- Cereus giganteus* Engelmann = *Carnegiea gigantea* (Engelmann) Britton & Rose  
*Cereus*, Golden-spine (E): *Bergerocactus emoryi*  
*Cereus gracilis* Miller = *Harrisia gracilis* (Miller) Britton  
*Cereus grandiflorus* (Linnaeus) Miller = *Selenicereus grandiflorus* (L.) Britton & Rose  
*Cereus greggii* Engelm. = *Peniocereus greggii* (Engelmann) Britton & Rose  
*Cereus grenadensis* Britton & Rose = *Cereus repandus* (Linnaeus) Miller  
***Cereus haageanus*** (Backeberg) Taylor #4 II 49  
CACTACEAE  
***Cereus hankeanus*** Weber ex Schumann #4 II 49  
CACTACEAE  
*Cereus hassleri* Schumann = *Selenicereus setaceus* (Salm-Dyck ex De Candolle) Werdermann  
***Cereus hexagonus*** (L.) Miller #4 II 49 CACTACEAE  
***Cereus hildmannianus*** Schumann #4 II 49 CACTACEAE  
*Cereus hildmannianus xanthocarpus* (Schumann) Braun & Esteves Pereira = *Cereus hildmannianus* Schumann  
***Cereus horrispinus*** Backeberg #4 II 49 CACTACEAE  
***Cereus huilunchu*** Cardenas #4 II 49 CACTACEAE  
***Cereus insularis*** Hemsley #4 II 49 CACTACEAE  
***Cereus jamacaru*** De Candolle #4 II 49 CACTACEAE  
***Cereus kroenleinii*** Taylor #4 II 49 CACTACEAE  
***Cereus lamprospermus*** Schumann #4 II 49  
CACTACEAE  
*Cereus lamprospermus colosseus* Ritter = *Cereus lamprospermus* Schumann  
***Cereus lanosus*** (Ritter) Braun #4 II 49 CACTACEAE  
*Cereus lindbergianus* Weber ex Schumann = *Selenicereus setaceus* (Salm-Dyck ex De Candolle) Werdermann  
*Cereus lindmanii* Weber ex Schumann = *Selenicereus setaceus* (Salm-Dyck ex De Candolle) Werdermann  
*Cereus longiflorus* Alexander = *Cereus hexagonus* (L.) Miller  
*Cereus margaritensis* J.R.Johnston = *Cereus repandus* (Linnaeus) Miller  
*Cereus markgrafii* (Backeberg & Voll) Braun = *Basilicereus markgrafii* Backeberg & Voll  
*Cereus martinii* Labouret = *Harrisia martinii* (Labouret) Britton  
***Cereus mirabella*** Taylor #4 II 49 CACTACEAE  
***Cereus mortensenii*** (Croizat) Hunt & Taylor #4 II 49  
CACTACEAE  
*Cereus neonesioticus* (Ritter) Braun = *Cereus hildmannianus* Schumann  
*Cereus*, Night Blooming (E): *Hylocereus trigonus*  
*Cereus*, Night-blooming (E): *Selenicereus grandiflorus*  
*Cereus nudiflorus* Engelmann ex Sauvalle = *Dendrocereus nudiflorus* (Engelmann ex Sauvalle) Britton & Rose  
*Cereus orcuttii* K. Brandegee = *Pachycereus orcuttii* (K.Brandegee) Rowley  
***Cereus pachyrrhizus*** Schumann #4 II 49 CACTACEAE  
*Cereus pentagonus* (Linnaeus) Haworth = *Acanthocereus tetragonus* (Linnaeus) Hummeling  
*Cereus perlucens* Schumann = *Cereus hexagonus* (L.) Miller  
*Cereus peruvianus* auctt non (Linnaeus) Miller = *Cereus hildmannianus* Schumann  
*Cereus peruvianus* (Linnaeus) Miller = *Cereus repandus* (Linnaeus) Miller  
***Cereus phatnospermus*** Schumann #4 II 49  
CACTACEAE  
*Cereus phatnospermus adelmarii* (Rizzini & Mattos) Braun & Esteves Pereira = *Cereus adelmarii* (Rizzini & Mattos) Braun  
*Cereus phatnospermus kroenleinii* (Taylor) Braun & Esteves Pereira = *Cereus kroenleinii* Taylor  
*Cereus pomifer* Weingart = *Hylocereus trigonus* (Haworth) Safford  
*Cereus portoricensis* Urb. = *Harrisia portoricensis* Britton  
*Cereus poselgeri* (Lemaire) Coulter = *Echinocereus poselgeri* Lemaire  
*Cereus pteranthus* Link & Otto = *Selenicereus pteranthus* (Link & Otto) Britton & Rose  
***Cereus repandus*** (Linnaeus) Miller #4 II 49 CACTACEAE  
*Cereus rhodoleucanthus* Schumann = *Praecereus saxicola* (Morong) Taylor  
***Cereus ridleii*** Andrade-Lima ex Backeberg #4 II 49  
CACTACEAE  
*Cereus ritteri* Braun & Esteves Pereira = *Praecereus saxicola* (Morong) Taylor  
*Cereus ritteri parapetiensis* (Ritter) Braun & Esteves Pereira = *Praecereus saxicola* (Morong) Taylor  
*Cereus robinii* (Lemaire) L.Benson = *Pilosocereus polygonus* (Lamarck) Byles & Rowley  
***Cereus roseiflorus*** Spegazzini #4 II 49 CACTACEAE  
*Cereus russelianus* Hort. Berol. ex Salm-Dyck = *Cereus fricii* Backeberg  
***Cereus saddianus*** (Rizzini & Mattos) Braun #4 II 49  
CACTACEAE  
*Cereus saxicola* Morong = *Praecereus saxicola* (Morong) Taylor  
*Cereus schotti* Engelmann = *Pachycereus schottii* (Engelmann) Hunt  
*Cereus spachianus* Lemaire = *Echinopsis spachiana* (Lemaire) Friedrich & Rowley  
***Cereus spegazzinii*** Weber #4 II 49 CACTACEAE  
*Cereus spinulosus* De Candolle = *Selenicereus spinulosus* (De Candolle) Britton & Rose  
***Cereus stenogonus*** Schumann #4 II 49 CACTACEAE  
*Cereus striatus* T.Brandegee = *Peniocereus striatus* (Brandegee) Bauxbaum  
*Cereus tacaquirensis* Vaupel = *Echinopsis tacaquirensis* (Vaupel) Friedrich & Rowley  
***Cereus tacuaralensis*** Cardenas #4 II 49 CACTACEAE  
*Cereus tortuosus* Forbes ex Otto & Dietrich = *Harrisia tortuosa* (Forbes) Britton & Rose  
***Cereus trigonodendron*** Schumann ex Vaupel #4 II 49  
CACTACEAE  
*Cereus undatus* Haworth = *Hylocereus undatus* (Haworth) Britton & Rose  
***Cereus validus*** Haworth #4 II 49 CACTACEAE  
***Cereus vargasianus*** Cardenas #4 II 49 CACTACEAE  
*Cereus variabilis* Engelmann = *Acanthocereus tetragonus* (Linnaeus) Hummeling

- Cereus xanthocarpus* Schumann = *Cereus hildmannianus* Schumann  
*Cereus yunckeri* Standley = *Stenocereus yunckeri* (Standley) Bravo & Sanchez-Mejorada  
*Chamaelaoe africana* (Haw.) A.Berger = *Aloe bowiea* Schult. & Schult.f.  
***Chamaeangis*** spp. Schlechter #4 II 64 ORCHIDACEAE  
*Chamaeangis gabonensis* Summerh. #4 II 64 ORCHIDACEAE  
*Chamaeangis gracilis* #4 II 64 ORCHIDACEAE  
*Chamaeangis ichneumonea* #4 II 64 ORCHIDACEAE  
*Chamaeangis lanceolata* Summerh. #4 II 64 ORCHIDACEAE  
*Chamaeangis odoratissima* #4 II 64 ORCHIDACEAE  
*Chamaeangis thomensis* (Rolfe) Schltr. #4 II 64 ORCHIDACEAE  
*Chamaeangis vagans* (Lindl.) Schltr. #4 II 64 ORCHIDACEAE  
*Chamaeangis vesicata* #4 II 64 ORCHIDACEAE  
***Chamaanthus*** spp. Schlechter ex J.J. Sm. #4 II 64 ORCHIDACEAE  
*Chamaanthus aymardii* Halle #4 II 64 ORCHIDACEAE  
*Chamaanthus begaudii* Halle #4 II 64 ORCHIDACEAE  
*Chamaanthus brachystachys* Schltr. #4 II 64 ORCHIDACEAE  
*Chamaanthus flavus* Carr #4 II 64 ORCHIDACEAE  
*Chamaanthus laciniatus* Carr #4 II 64 ORCHIDACEAE  
*Chamaanthus neocaldonicus* (Rendle) Halle #4 II 64 ORCHIDACEAE  
*Chamaanthus sarcaanthoides* (Ridley) Carr #4 II 64 ORCHIDACEAE  
*Chamaanthus sarcaanthoides* (Ridl.) Carr = *Biermannia sarcaanthoides* (Ridl.) Garay  
*Chamaecereus* = *Echinopsis* Zucc.  
*Chamaecereus silvestrii* (Spegazzini) Britton & Rose = *Echinopsis chamaecereus* H.Friedrich & Glaetzel  
***Chamaegastrodia*** spp. Mak. & Maekawa #4 II 64 ORCHIDACEAE  
***Chamelophyton*** spp. Garay #4 II 64 ORCHIDACEAE  
*Chaméorchis des Alpes* (F): *Chamorchis alpina*  
***Chamorchis*** spp. Rich. #4 II 64 ORCHIDACEAE  
*Chamorchis alpina* (L.) Rich. #4 II 64 ORCHIDACEAE (F)  
*Chaméorchis des Alpes*  
***Changnienia*** spp. Chien #4 II 64 ORCHIDACEAE  
*Changnienia amoena* Chien #4 II 64 ORCHIDACEAE  
***Chaseella*** spp. Summerh. #4 II 64 ORCHIDACEAE  
*Chaseella pseudohydra* Summerh. #4 II 64 ORCHIDACEAE  
***Chaubardia*** spp. Reichb.f. #4 II 64 ORCHIDACEAE  
*Chaubardia heteroclita* (Poepp. & Endl.) Dodson & Bennett #4 II 64 ORCHIDACEAE  
*Chaubardia klugii* (C. Schweinf.) Garay #4 II 64 ORCHIDACEAE  
***Chaubardiella*** spp. Garay #4 II 64 ORCHIDACEAE  
*Chaubardiella dalassandroi* Dodson & Dalstroem #4 II 64 ORCHIDACEAE  
*Chaubardiella hirtzii* Dodson #4 II 64 ORCHIDACEAE  
***Chauliodon*** spp. Summerh. #4 II 64 ORCHIDACEAE  
*Chauliodon deflexicalcarata* #4 II 64 ORCHIDACEAE  
***Cheiradenia*** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Cheirochris* spp. C.E. Carr #4 II 64 ORCHIDACEAE  
*Cheirochris breviscapa* Carr #4 II 64 ORCHIDACEAE  
*Cheirochris filiformis* (Hook.f.) Carr #4 II 64 ORCHIDACEAE  
*Cheirochris major* Carr #4 II 64 ORCHIDACEAE  
*Cheirochris pulverulenta* Carr #4 II 64 ORCHIDACEAE  
***Cheirostylis*** spp. Blume #4 II 64 ORCHIDACEAE  
*Cheirostylis chinensis* Rolfe #4 II 64 ORCHIDACEAE (E)  
 Large Caterpillar Orchid  
*Cheirostylis gymnochilooides* (Ridley) Rchb.f. #4 II 64 ORCHIDACEAE  
*Cheirostylis inabai* Hayata #4 II 64 ORCHIDACEAE  
*Cheirostylis javanica* J.J. Smith #4 II 64 ORCHIDACEAE  
*Cheirostylis kanran* Makino #4 II 64 ORCHIDACEAE  
*Cheirostylis lancifolium* Hook. #4 II 64 ORCHIDACEAE  
*Cheirostylis liukiuensis* Masum. #4 II 64 ORCHIDACEAE  
*Cheirostylis montana* Blume #4 II 64 ORCHIDACEAE  
*Cheirostylis sinense* Willd. #4 II 64 ORCHIDACEAE  
*Cheirostylis spathulata* J.J. Smith #4 II 64 ORCHIDACEAE  
*Chelonanthera convallariifolia* Blume = *Coelogynne rochussenii* de Vries  
*Chelonanthera incrassata* Blume = *Coelogynne incrassata* (Blume) Lindley  
*Chelonanthera longifolia* Blume = *Coelogynne longifolia* (Blume) Lindley  
*Chelonanthera miniata* Blume = *Coelogynne miniata* (Blume) Lindley  
*Chelonanthera speciosa* Blume = *Coelogynne speciosa* (Blume) Lindl.  
***Chelonistele*** spp. Pfitzer #4 II 64 ORCHIDACEAE  
*Chelonistele amplissima* (Ames & Schweinf.) Carr #4 II 64 ORCHIDACEAE  
*Chelonistele brevilamellata* #4 II 64 ORCHIDACEAE  
*Chelonistele ingloria* #4 II 64 ORCHIDACEAE  
*Chelonistele lamellulifera* Carr #4 II 64 ORCHIDACEAE  
*Chelonistele lurida* (Ames & C. Schweinf.) Pfitzer #4 II 64 ORCHIDACEAE  
*Chelonistele perakensis* (Rolfe) Ridley #4 II 64 ORCHIDACEAE  
*Chelonistele pusilla* Ridley #4 II 64 ORCHIDACEAE  
*Chelonistele ramentacea* J.J. Wood #4 II 64 ORCHIDACEAE  
*Chelonistele richardsii* Carr #4 II 64 ORCHIDACEAE  
*Chelonistele sulphurea* (Blume) Pfitzer #4 II 64 ORCHIDACEAE  
*Chelonistele unguiculata* Carr. #4 II 64 ORCHIDACEAE  
*Chelonistele vermicularis* (J.J.Smith.) Kraenzl. = *Coelogynne vermicularis* J.J.Smith  
*Cherry, African* (E): *Prunus africana*  
*Chianthemum elwesii* (Hook.f.) Kuntze = *Galanthus elwesii* Hook.f.  
*Chianthemum graecum* (Orph. ex Boiss.) Kuntze. = *Galanthus elwesii* Hook.f.  
*Chianthemum nivale* (L.) Kuntze = *Galanthus nivalis* L.  
*Chiapasia nelsonii* (Britton & Rose) Britton & Rose = *Disocactus nelsonii* (Britton & Rose) Lindinger

- Chigua* spp.** D.W. Stev. I ZAMIACEAE  
***Chigua bernalii*** D.W. Stev. I ZAMIACEAE  
***Chigua restrepoi*** D.W. Stev. I ZAMIACEAE  
 Chilean Pine (S): *Araucaria araucana*  
*Chileorebutia esmeraldana* Ritter = *Eriosyce esmeraldana* (Ritter) Kattermann  
*Chileorebutia malleolata* Ritter = *Eriosyce krausii* (Ritter) Kattermann  
***Chiloglottis* spp.** R. Br. #4 II 64 ORCHIDACEAE  
*Chiloglottis anaticeps* D.L.Jones #4 II 64 ORCHIDACEAE  
*Chiloglottis dockrillii* Rupp #4 II 64 ORCHIDACEAE  
*Chiloglottis formicifera* Fitzg. #4 II 64 ORCHIDACEAE  
*Chiloglottis longiclavata* D.L.Jones #4 II 64 ORCHIDACEAE  
*Chiloglottis palachila* D.L.Jones #4 II 64 ORCHIDACEAE  
*Chiloglottis platyptera* D.L.Jones #4 II 64 ORCHIDACEAE  
*Chiloglottis sphaeroides* D.L.Jones #4 II 64 ORCHIDACEAE  
*Chiloglottis trullata* D.L.Jones #4 II 64 ORCHIDACEAE  
*Chiloglottis turfosa* D.L.Jones #4 II 64 ORCHIDACEAE  
***Chiloschista* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Chiloschista javanica* Schltr. #4 II 64 ORCHIDACEAE  
*Chiloschista usneoides* (D. Don) Lindley #4 II 64 ORCHIDACEAE  
***Chloraea* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Chloraea subpandurata* Hauman #4 II 64 ORCHIDACEAE  
*Chloraea venosa* Griseb. #4 II 64 ORCHIDACEAE  
*Chnoophora excelsa* (C.Presl. 1822) C.Martius 1834 = *Alsophila corcovadensis* (Raddi 1819) C.Chr. 1905  
*Chnoophora glauca* Blume 1828 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970  
*Chnoophora humboldtii* Kaulf. 1824 = *Cyathea villosa* (Humb. & Bonpl.) Willd. 1810  
*Chnoophora lanuginosa* Jungh. 1841 = *Sphaeropteris tomentosa* (Blume 1828) R.Tryon 1970  
*Chnoophora lurida* Blume 1828 = *Alsophila lurida* (Blume 1828) Hook. 1844  
*Chnoophora tomentosa* Blume 1828 = *Sphaeropteris tomentosa* (Blume 1828) R.Tryon 1970  
*Chnoophora villosa* (Willd. 1810) Link 1833 = *Cyathea villosa* (Humb. & Bonpl.) Willd. 1810  
 Cholla, Candle (E): *Opuntia kleiniae*  
 Cholla, Club (E): *Opuntia clavata*  
 Cholla, Coastal (E): *Opuntia prolifera*  
 Cholla, Kelvin (E): *Opuntia kelvinensis*  
 Cholla, Lead-pencil (E): *Opuntia ramosissima*  
 Cholla, Munz (E): *Opuntia munizii*  
 Cholla, Pencil (E): *Opuntia arbuscula*  
 Cholla, Sand (E): *Opuntia pulchella*  
 Cholla, Sonoran Jumping (E): *Opuntia fulgida*  
 Cholla, Stag-horn (E): *Opuntia versicolor*  
 Cholla, Straw-top (E): *Opuntia echinocarpa*  
 Cholla, Tuna (E): *Opuntia tunicata*  
 Cholla, Wiggins' (E): *Opuntia wigginsii*  
***Chondrorhyncha* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Chondrorhyncha albicans* Rolfe #4 II 64 ORCHIDACEAE  
*Chondrorhyncha amazonica* (Rchb.f. & Warsz. ex Rchb.f.) Hawkes 1965 = *Cochleanthes amazonica* (Rchb.f. & Warsz. ex Rchb.f.) Schult. & Garay 1959  
*Chondrorhyncha anatona* (Dressler) Senghas 1990 #4 II 64 ORCHIDACEAE  
*Chondrorhyncha andreettae* Jenny #4 II 64 ORCHIDACEAE  
*Chondrorhyncha aromatica* (Rchb.f.) P.H.Allen 1949 = *Cochleanthes aromatica* (Rchb.f.) Schult. & Garay #4 II 64 ORCHIDACEAE  
*Chondrorhyncha bicolor* Rolfe #4 II 64 ORCHIDACEAE  
*Chondrorhyncha discolor* (Lindl.) P.H.Allen 1949 = *Cochleanthes discolor* (Lindl.) R.E.Schult. & Garay  
*Chondrorhyncha ecuadorensis* Dodson #4 II 64 ORCHIDACEAE  
*Chondrorhyncha endresii* Schltr. #4 II 64 ORCHIDACEAE  
*Chondrorhyncha flabelliformis* (Sw.) Alain 1962 = *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay (1959)  
*Chondrorhyncha helleri* Fowlie #4 II 64 ORCHIDACEAE  
*Chondrorhyncha hirtzii* Dodson #4 II 64 ORCHIDACEAE  
*Chondrorhyncha lendencyana* Rchb.f. #4 II 64 ORCHIDACEAE  
*Chondrorhyncha lipscombiae* Rolfe 1912 = *Cochleanthes marginata* (Rchb.f.) Schult. & Garay 1959  
*Chondrorhyncha lipscombiae* Rolfe 1912 = *Cochleanthes amazonica* (Rchb.f. & Warsz. ex Rchb.f.) Schult. & Garay 1959  
*Chondrorhyncha marginata* (Rchb.f.) P.H.Allen 1949 = *Cochleanthes marginata* (Rchb.f.) Schult. & Garay 1959  
*Chondrorhyncha picta* (Rchb.f.) Senghas 1990 #4 II 64 ORCHIDACEAE  
*Chondrorhyncha reichenbachiana* Schltr. #4 II 64 ORCHIDACEAE  
*Chondrorhyncha suarezii* Dodson #4 II 64 ORCHIDACEAE  
*Chondrorhyncha thienii* (Dodson) Dodson = *Cochleanthes thienii* Dodson 1980  
*Chondrorhyncha velastiguii* Dodson #4 II 64 ORCHIDACEAE  
*Chondrorhyncha wercklei* (Schltr.) C. Schweinf. #4 II 64 ORCHIDACEAE  
***Christensonia* spp.** Haager 1993 #4 II 64 ORCHIDACEAE  
*Christensonia vietnamica* Haager 1993 #4 II 64 ORCHIDACEAE  
***Chroniochilus* spp.** J.J. Smith #4 II 64 ORCHIDACEAE  
*Chroniochilus minimus* (Blume) J.J. Smith #4 II 64 ORCHIDACEAE  
*Chroniochilus virescens* (Ridley) Holtum #4 II 64 ORCHIDACEAE  
*Chrysalidocarpus decipiens* Becc. I PALMAE (E) Butterfly Palm  
***Chrysocycnis* spp.** Linden & Reichb.f. #4 II 64 ORCHIDACEAE  
*Chrysocycnis ecuadorensis* Dodson & Garay #4 II 64 ORCHIDACEAE  
***Chrysoglossum* spp.** Blume #4 II 64 ORCHIDACEAE  
*Chrysoglossum chapaensis* (Gagnepain) Tang & Wang #4 II 64 ORCHIDACEAE

- Chrysoglossum erraticum* Hook.f. #4 II 64  
ORCHIDACEAE
- Chrysoglossum hallbergii* Blatter #4 II 64 ORCHIDACEAE
- Chrysoglossum nebulosum* (Blume) J.J. Smith #4 II 64  
ORCHIDACEAE
- Chrysoglossum neocaledonicum* Schltr. #4 II 64  
ORCHIDACEAE
- Chrysoglossum ornatum* Blume #4 II 64 ORCHIDACEAE
- Chrysoglossum simplex* (Reichb. f.) J.J. Smith #4 II 64  
ORCHIDACEAE
- Chusua* spp. Nevski #4 II 64 ORCHIDACEAE
- Chusua roborowskyi* (Maxim.) P. Hunt #4 II 64  
ORCHIDACEAE
- Chysis* spp. Lindl. #4 II 64 ORCHIDACEAE
- Chysis addita* Dressler 2000 #4 II 64 ORCHIDACEAE
- Chysis aurea* Lindl. 1837? 1937? #4 II 64  
ORCHIDACEAE
- Chysis bractescens* Lindl. (1840) #4 II 64 ORCHIDACEAE
- Chysis bruennowiana* Rchb.f. & Warsc. 1857 #4 II 64  
ORCHIDACEAE
- Chysis costaricensis* Schltr. 1923 = *Chysis bruennowiana* Rchb.f. & Warsc. 1857
- Chysis laevis* Lindl. 1840 #4 II 64 ORCHIDACEAE
- Chysis limminghei* Linden & Reichb.f. #4 II 64  
ORCHIDACEAE
- Chysis maculata* (Hook.) Fowlie 1971 = *Chysis bruennowiana* Rchb.f. & Warsc. 1857
- Chysis makoyi* Heynh. 1846 = *Schomburgkia weberbaueriana* Kraenzl. 1906
- Chysis nietana* Gojon Sánchez 1930 = *Schomburgkia weberbaueriana* Kraenzl. 1906
- Chysis orichalcea* Dressler 2000 #4 II 64 ORCHIDACEAE
- Chysis tricostata* Schltr. 1923 #4 II 64 ORCHIDACEAE
- Chytroglossa* spp. Reichb.f. #4 II 64 ORCHIDACEAE
- Cibota (E): *Cibotium barometz*
- Cibotium assamicum* Hook. 1844 = *Cibotium barometz* (L.1753) J. Smith 1842
- Cibotium baranetz* Christ 1907 = *Cibotium barometz* (L.1753) J. Smith 1842
- Cibotium barometz* (L.1753) J. Smith 1842 #4 II DICKSONIACEAE (E) Chain Fern Rhizome, Cibota, Cibot Rhizome, Cibotum, Lamb of Tartary
- Cibotium billardieri* Kaulf. 1824 = *Dicksonia fibrosa* Colenso 1844
- Cibotium djambianum* Hassk. 1856 = *Cibotium barometz* (L.1753) J. Smith 1842
- Cibotium glaucescens* (Link 1841) Kunze 1841 = *Cibotium barometz* (L.1753) J. Smith 1842
- Cibotium glaucophyllum* C.Presl. 1836 = *Cibotium barometz* (L.1753) J. Smith 1842
- Cibotium glaucum* J.Smith 1841 = *Cibotium barometz* (L.1753) J. Smith 1842
- Cibotium horridum* Liebm. 1849 = *Sphaeropteris horrida* (Liebm.1849) R.Tryon 1970
- Cibotium princeps* Linden ex J.Smith = *Sphaeropteris horrida* (Liebm.1849) R.Tryon 1970
- Cibotum (E): *Cibotium barometz*
- Cícadas (S): Zamiaceae
- Cintia* spp. K.Kníže & J.?íha #4 II 49 CACTACEAE
- Cintia knizei* Riha #4 II 49 CACTACEAE
- Cipocereus* spp. Ritter #4 II 49 CACTACEAE
- Cipocereus bradei* (Backeberg & Voll) Zappi & Taylor #4 II 49 CACTACEAE
- Cipocereus crassisepalus* (Buining & Brederoo) Zappi & Taylor #4 II 49 CACTACEAE
- Cipocereus laniflorus* Taylor & Zappi #4 II 49 CACTACEAE
- Cipocereus minensis* (Werdermann) Ritter #4 II 49 CACTACEAE
- Cipocereus pusilliflorus* (Ritter) Zappi & Taylor #4 II 49 CACTACEAE
- Ciprés (F): *Pilgerodendron uviferum*
- Ciprés chileno (S): *Pilgerodendron uviferum*
- Ciprés de la Patagonia (S): *Fitzroya cupressoides*
- Ciprés de las Guaitecas (S): *Pilgerodendron uviferum*
- Ciprés de las Guayatecas (S): *Pilgerodendron uviferum*
- Ciprés de las Islas Len (S): *Pilgerodendron uviferum*
- Cirio (S): *Fouquieria columnaris*
- Cirrhaea* spp. Lindl. #4 II 64 ORCHIDACEAE
- Cirrhaea atropurpurea* (Hook.) hortus ex Stein = *Gongora atropurpurea* Hook. (1827)
- Cirrhopetalum* spp. Lindl. #4 II 64 ORCHIDACEAE
- Cirrhopetalum acuminatum* Ridl. = *Bulbophyllum acuminatum* (Ridley) Ridley
- Cirrhopetalum acutiflorum* (A.Rich) Hook.f. = *Bulbophyllum acutiflorum* A. Rich.
- Cirrhopetalum aemulum* W.W.Sm. = *Bulbophyllum forrestii* Seidenf.
- Cirrhopetalum africanum* Schltr. = *Bulbophyllum longiflorum* Thouars
- Cirrhopetalum albidum* Hook.f. = *Bulbophyllum albidum* (Wight) Hook.f.
- Cirrhopetalum albociliatum* Liu & Su = *Bulbophyllum albociliatum* (Liu & Su) Nakajima
- Cirrhopetalum amesianum* Rolfe = *Bulbophyllum cumingii* (Lindl.) Rchb.f.
- Cirrhopetalum amplifolium* Rolfe = *Bulbophyllum amplifolium* (Rolfe) Balakr. & Sud.Chowdhury
- Cirrhopetalum andersonii* Hook.f. = *Bulbophyllum andersonii* (Hook.f.) J.J.Sm.
- Cirrhopetalum andersonii* Kurz = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.
- Cirrhopetalum annamense* Garay = *Bulbophyllum annamense* (Gary) Sieder
- Cirrhopetalum annamicum* (Finet & Gagnep.) T.Tang & F.T.Wang = *Bulbophyllum umbellatum* Lindl.
- Cirrhopetalum antenniferum* Lindl. = *Bulbophyllum antenniferum* (Lindley) Reichb.f.
- Cirrhopetalum appendiculatum* Rolfe = *Bulbophyllum putidum* (Teijsm. & Binn) J.J.Smith
- Cirrhopetalum appendiculatum* Rolfe = *Bulbophyllum appendiculatum* (Rolfe) J.J.Smith
- Cirrhopetalum asperulum* (J.J.Sm.) Garay, Hamer & Siegrist = *Bulbophyllum asperulum* J.J.Sm.
- Cirrhopetalum aurantiacum* W.W.Sm. = *Bulbophyllum electrinum* Seidenf.
- Cirrhopetalum auratum* Lindl. = *Bulbophyllum auratum* (Lindl.) Rchb.f.

- Cirrhopetalum aureum* Hook.f. = *Bulbophyllum aureum* (Hook.f.) J.J. Smith
- Cirrhopetalum autumnale* Fukuyama = *Bulbophyllum macraei* (Lindley) Reichb.f.
- Cirrhopetalum baucoense* (Ames) Garay, Hamer & Siegerist = *Bulbophyllum weberi* Ames
- Cirrhopetalum bicolor* Rolfe = *Bulbophyllum bicolor* Lindl.
- Cirrhopetalum biflorum* (Teijsm. & Binn) J.J.Sm. = *Bulbophyllum biflorum* Teijsm. & Binnend.
- Cirrhopetalum blepharistes* (Rchb.f.) Hook.f. = *Bulbophyllum blepharistes* Rchb.f.
- Cirrhopetalum blumii* Lindl. = *Bulbophyllum blumei* (Lindley) J.J. Smith
- Cirrhopetalum boninense* Makino = *Bulbophyllum macraei* (Lindley) Reichb.f.
- Cirrhopetalum boninense* Schltr. = *Bulbophyllum boninense* (Schltr.) J.J. Sm.
- Cirrhopetalum bootanensis* Griff. = *Bulbophyllum umbellatum* Lindl.
- Cirrhopetalum bootanoides* Guillaumin = *Bulbophyllum frostii* Summerh.
- Cirrhopetalum borneense* Schltr. = *Bulbophyllum auratum* (Lindl.) Rchb.f.
- Cirrhopetalum brevibrachiatum* Schltr. = *Bulbophyllum brevibrachiatum* (Schltr) J.J. Sm..
- Cirrhopetalum brevipes* Hook.f. = *Bulbophyllum yoksunense* J.J. Sm.
- Cirrhopetalum breviscapum* Rolfe = *Bulbophyllum lasiochilum* C.S.P. Parish & Rchb.f.
- Cirrhopetalum briesianum* Rolfe = *Bulbophyllum briesianum* (Rolfe) Ames
- Cirrhopetalum brunnescens* Ridl. = *Bulbophyllum briesianum* (Rolfe) Ames
- Cirrhopetalum caespitosum* Wall. ex Lindl. = *Bulbophyllum scabratum* Rchb.f.
- Cirrhopetalum campanulatum* (Rolfe) Rolfe = *Bulbophyllum campanulatum* Rolfe
- Cirrhopetalum capillipes* Guillaumin = *Bulbophyllum aphanopetalum* Schltr.
- Cirrhopetalum capitatum* (Blume) Lindl. = *Bulbophyllum pahudii* (De Vries) Reichb.f.
- Cirrhopetalum carinatum* Teijsm. & Binn. = *Bulbophyllum carinatum* (Teijsm. & Binn.) Naves
- Cirrhopetalum caudatum* (Lindl.) King & Pantl. = *Bulbophyllum sterile* (Lam.) Suresh
- Cirrhopetalum caudatum* Wight = *Bulbophyllum vaginatum* (Lindley) Reichb.f.
- Cirrhopetalum cercanthum* Garay, Hamer & Siegerist = *Bulbophyllum cercanthum* (Garay, Hamer & Siegerist) Sieder
- Cirrhopetalum chinense* Lindl. = *Bulbophyllum chinense* (Lindl.) Rchb.f.
- Cirrhopetalum chondriophorum* Gagnep. = *Bulbophyllum chondriophorum* (Gagnep.) Seidenf.
- Cirrhopetalum chryseum* Kraenzl. = *Bulbophyllum chryseum* (Kraenzl.) Ames
- Cirrhopetalum ciliatum* Klinge = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.
- Cirrhopetalum citrinum* Ridl. = *Bulbophyllum purpurascens* Teijsm. & Binn..
- Cirrhopetalum clavigerum* Fitzg. = *Bulbophyllum longiflorum* Thouars
- Cirrhopetalum cogniauxianum* Kraenzl. = *Bulbophyllum cogniauxianum* (Kraenzl.) J.J. Sm.
- Cirrhopetalum collettianum* Hemsl. ex Collet & Hemsl. = *Bulbophyllum wendlandianum* (Kraenzl.) Dammer
- Cirrhopetalum collettii* Hemsl. = *Bulbophyllum wendlandianum* (Kraenzl.) Dammer
- Cirrhopetalum compactum* Rolfe = *Bulbophyllum purpurascens* Teijsm. & Binn..
- Cirrhopetalum compressum* Lindl. = *Bulbophyllum uniflorum* (Blume) Hassk.
- Cirrhopetalum concinnum* Hook.f. = *Bulbophyllum pulchellum* Ridley
- Cirrhopetalum confusum* Garay, Hamer & Siegerist = *Bulbophyllum confusum* (Garay, Hamer & Siegerist) Sieder
- Cirrhopetalum cornutum* Lindl. = *Bulbophyllum helenae* (Kuntze) J.J. Sm.
- Cirrhopetalum cumingii* Lindl. = *Bulbophyllum cumingii* (Lindl.) Rchb.f.
- Cirrhopetalum curtisii* Hook.f. = *Bulbophyllum corolliferum* J.J. Sm.
- Cirrhopetalum cyclosepalon* (Carr) Garay, Hamer & Siegerist = *Bulbophyllum cyclosepalon* Carr
- Cirrhopetalum delitescens* (Hance) Rolfe = *Bulbophyllum delitescens* Hance
- Cirrhopetalum dentiferum* (Ridl) Garay, Hamer & Siegerist. = *Bulbophyllum dentiferum* Ridl.
- Cirrhopetalum distans* Rchb.f. = *Bulbophyllum blepharistes* Rchb.f.
- Cirrhopetalum dolichoblepharon* Schltr. = *Bulbophyllum dolichoblepharon* (Schltr.) J.J. Sm.
- Cirrhopetalum dyerianum* King & Pantl. = *Bulbophyllum rolfei* (Kuntze) Seidenf.
- Cirrhopetalum eberhardtii* Gagnep. = *Bulbophyllum picturatum* (Lodd.) Rchb.f.
- Cirrhopetalum elatum* Hook.f. = *Bulbophyllum elatum* (Hook.f.) J.J. Sm.
- Cirrhopetalum elegans* Teijsm. & Binn. = *Bulbophyllum pulchrum* (N.E.Br.) J.J. Sm.
- Cirrhopetalum elegantulum* Rolfe = *Bulbophyllum elegantulum* (Rolfe) J.J. Smith
- Cirrhopetalum elisae* F.Muell. = *Bulbophyllum elizae* (F. Muell.) Benth.
- Cirrhopetalum elliae* (Rchb.f.) Trimen = *Bulbophyllum elliae* Reichb.f.
- Cirrhopetalum elongatum* (Blume) Lindl. = *Bulbophyllum elongatum* (Blume) Hassk.
- Cirrhopetalum emarginatum* Finet = *Bulbophyllum emarginatum* (Finet) J.J. Sm.
- Cirrhopetalum farreri* W.W. Sm. = *Bulbophyllum farreri* (W.W. Sm.) Seidenf.
- Cirrhopetalum fascinator* Rolfe = *Bulbophyllum putidum* (Teijsm. & Binn) J.J. Smith
- Cirrhopetalum fastuosum* Rchb.f. = *Bulbophyllum wendlandianum* (Kraenzl.) Dammer

- Cirrhopetalum fenestratum* (J.J.Sm.) Garay, Hamer & Siegerist = *Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.
- Cirrhopetalum fibratum* Gagnep. = *Bulbophyllum fibratum* (Gagnep.) Seidenf.
- Cirrhopetalum fimbriatum* Lindl. = *Bulbophyllum fimbriatum* (Lindl.) Rchb.f.
- Cirrhopetalum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.
- Cirrhopetalum flagelliforme* Teijsm & Binn. ex Rchb.f. = *Bulbophyllum pahudii* (De Vries) Reichb.f.
- Cirrhopetalum flaviflorum* Liu & Su = *Bulbophyllum flaviflorum* (Liu & Su) Seidenf.
- Cirrhopetalum flavisepalum* (Hayata) Hayata = *Bulbophyllum retusiusculum* Rchb.f.
- Cirrhopetalum fletcheranum* (Pearson) Rolfe = *Bulbophyllum fletcherianum* Rolfe
- Cirrhopetalum fordii* Rolfe = *Bulbophyllum fordii* (Rolfe) J.J.Sm.
- Cirrhopetalum formosanum* Rolfe = *Bulbophyllum formosanum* (Rolfe) Nakajima
- Cirrhopetalum frostii* (Summerh.) Garay, Hamer & W.Kittr. = *Bulbophyllum frostii* Summerh.
- Cirrhopetalum gagnepainii* Guillaumin = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.
- Cirrhopetalum gamblei* Hook.f. = *Bulbophyllum fischeri* Seidenf.
- Cirrhopetalum gamosepalum* Griff. = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.
- Cirrhopetalum gonshanense* (Z.H.Tsi) Garay, Hamer & Siegrist = *Bulbophyllum gongshanense* Z.H.Tsi
- Cirrhopetalum gracillimum* Rolfe = *Bulbophyllum gracillimum* (Rolfe) Rolfe
- Cirrhopetalum grandiflorum* Wight = *Bulbophyllum wightii* Reichb.f.
- Cirrhopetalum graveolens* F.M.Bailey = *Bulbophyllum graveolens* (F.M.Baill.) J.J.Sm.
- Cirrhopetalum gusdorfii* (J.J. Smith) Garay, Hamer & Siegerist = *Bulbophyllum gusdorfii* J.J. Smith
- Cirrhopetalum guttulatum* Hook.f. = *Bulbophyllum guttulatum* (Hook.f.) Balakr.
- Cirrhopetalum habrotinum* (J.J.Verm.& A.L.Lamb) Garay, Hamer & Siegerist = *Bulbophyllum habrotinum* J.J.Verm. & A.L.Lamb
- Cirrhopetalum henryi* Rolfe = *Bulbophyllum andersonii* (Hook.f.) J.J.Sm.
- Cirrhopetalum hirundinis* Gagnep. = *Bulbophyllum hirundinis* (Gagnep.) Seidenf.
- Cirrhopetalum hookeri* Duthie = *Bulbophyllum hookeri* (Duthie) J.J. Smith
- Cirrhopetalum inabai* (Hayata) Hayata = *Bulbophyllum japonicum* (Makino) Makino
- Cirrhopetalum insulsum* Gagnep. = *Bulbophyllum insulsum* (Gagnep.) Seidenf.
- Cirrhopetalum japonicum* Makino = *Bulbophyllum japonicum* (Makino) Makino
- Cirrhopetalum kenejianum* Schltr. = *Bulbophyllum longiflorum* Thouars
- Cirrhopetalum koordersii* Rolfe = *Bulbophyllum pulchrum* (N.E.Br.) J.J.Sm.
- Cirrhopetalum lasiochilum* (C.S.P.Parish & Rchb.f.) Hook.f. = *Bulbophyllum lasiochilum* C.S.P.Parish & Rchb.f.
- Cirrhopetalum lendyanum* Rchb.f. = *Bulbophyllum purpurascens* Teijsm. & Binn..
- Cirrhopetalum leopardinum* Tiejsm. & Binn. = *Bulbophyllum binnendijkii* J.J. Smith
- Cirrhopetalum lepidum* (Blume) Schltr. = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.
- Cirrhopetalum leratii* Kraenzl. = *Bulbophyllum baladeanum* J.J. Smith
- Cirrhopetalum leratii* Schltr. = *Bulbophyllum gracillimum* (Rolfe) Rolfe
- Cirrhopetalum linchianum* (Ying) Garay, Hamer & Siegerist = *Bulbophyllum melanoglossum* Hayata
- Cirrhopetalum linearifolium* Ridl. = *Bulbophyllum acuminatum* (Ridley) Ridley
- Cirrhopetalum lineatum* Teijsm. & Binn. = *Bulbophyllum lineatum* (Teijsm. & Binn.) J.J.Sm.
- Cirrhopetalum loherianum* Kraenzl. = *Bulbophyllum loherianum* (Kraenzl.) Ames
- Cirrhopetalum longescapum* Teijsm & Binn. = *Bulbophyllum blepharistes* Rchb.f.
- Cirrhopetalum longibrachiatum* (Z.H.Tsi) Garay, Hamer & Siegerist = *Bulbophyllum longibrachiatum* Z.H.Tsi
- Cirrhopetalum longidens* Rolfe = *Bulbophyllum longidens* (Rolfe) Seidenf.
- Cirrhopetalum longiflorum* (Thouars) Schltr. = *Bulbophyllum longiflorum* Thouars
- Cirrhopetalum longissimum* Ridl. = *Bulbophyllum longissimum* (Ridl.) Ridl.
- Cirrhopetalum macgregorii* (Schltr.) Schltr. = *Bulbophyllum chloranthum* Schltr.
- Cirrhopetalum macraei* Lindl. = *Bulbophyllum macraei* (Lindley) Reichb.f.
- Cirrhopetalum maculosum* Lindl. = *Bulbophyllum umbellatum* Lindl.
- Cirrhopetalum makinoanum* (Makino) Schltr. = *Bulbophyllum macraei* (Lindley) Reichb.f.
- Cirrhopetalum makoyanum* Rchb.f. = *Bulbophyllum makoyanum* (Reichb.f.) Ridley
- Cirrhopetalum manni* (Rchb.f.) Mukerjee = *Bulbophyllum reichenbachianum* Kraenzl
- Cirrhopetalum masonii* Senghas = *Bulbophyllum masonii* (Senghas) J.J.Wood
- Cirrhopetalum mastersianum* Rolfe = *Bulbophyllum mastersianum* (Rolfe) J.J.Sm.
- Cirrhopetalum maxillare* Lindl. = *Bulbophyllum maxillare* (Lindl.) Rchb.f.
- Cirrhopetalum maximum* Ridl. = *Bulbophyllum viresens* J.J.Sm.
- Cirrhopetalum medusae* Lindl. = *Bulbophyllum medusae* (Lindl.) Rchb.f.
- Cirrhopetalum melanoglossum* (Hayata) Hayata = *Bulbophyllum melanoglossum* Hayata

- Cirrhopetalum melianthum* Schltr. = *Bulbophyllum electrinum* Seidenf.
- Cirrhopetalum merguense* (C.S.P.Parish & Rchb.f.) Hook.f. = *Bulbophyllum lineatum* (Teijsm. & Binn.) J.J.Sm.
- Cirrhopetalum micholitzii* Rolfe = *Bulbophyllum retusiusculum* Rchb.f.
- Cirrhopetalum microbulbon* Ridl. = *Bulbophyllum ruficaudatum* Ridl.
- Cirrhopetalum miniatum* Rolfe = *Bulbophyllum pectenveneरis* (Gagnep.) Seidenf.
- Cirrhopetalum minutiflorum* Garay, Hamer & Siegerist = *Bulbophyllum puguahaanense* Ames
- Cirrhopetalum mirificum* Gagnep. = *Bulbophyllum delitescens* Hance
- Cirrhopetalum mirum* (J.J.Sm.) Schltr. = *Bulbophyllum mirum* J.J. Smith
- Cirrhopetalum morotaiense* (J.J.Sm.) Garay, Hamer & Siegerist = *Bulbophyllum morotaiense* J.J.Sm.
- Cirrhopetalum mundulum* W.Bull = *Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.
- Cirrhopetalum mysorense* Rolfe = *Bulbophyllum mysorense* (Rolfe) J.J. Smith
- Cirrhopetalum neilgherrense* Wight = *Bulbophyllum kaitiense* Reichb. f.
- Cirrhopetalum nodosum* Rolfe = *Bulbophyllum nodosum* (Rolfe) J.J.Sm.
- Cirrhopetalum nutans* Lindl. = *Bulbophyllum othonis* (Kuntze) J.J.Sm.
- Cirrhopetalum ochraceum* Ridley = *Bulbophyllum serratotruncatum* Seidenf.
- Cirrhopetalum omerandrum* (Hayata) Hayata = *Bulbophyllum omerandrum* Hayata
- Cirrhopetalum ornatissimum* Rchb.f. = *Bulbophyllum ornatissimum* (Rchb.f.) J.J.Sm.
- Cirrhopetalum ornithorhynchus* J.J.Sm. = *Bulbophyllum ornithorhynchum* (J.J.Sm.) Garay, Hamer & Siegerist.
- Cirrhopetalum pachybulbum* Schltr. = *Bulbophyllum graveolens* (F.M.Baill.) J.J.Sm.
- Cirrhopetalum pahudi* De Vriese = *Bulbophyllum pahudii* (De Vries) Reichb.f.
- Cirrhopetalum pallidum* Schltr. = *Bulbophyllum purpurascens* Teijsm. & Binn..
- Cirrhopetalum panigraphianum* (S.Misra) S.Misra = *Bulbophyllum sarcophyllum* (King & Pantl.) J.J.Sm.
- Cirrhopetalum papillosum* Rolfe = *Bulbophyllum thaiorum* J.J.Sm.
- Cirrhopetalum parvulum* Hook.f. = *Bulbophyllum rolfei* (Kuntze) Seidenf.
- Cirrhopetalum pectenveneरis* Gagnep. = *Bulbophyllum pectenveneरis* (Gagnep.) Seidenf.
- Cirrhopetalum peyerianum* Kraenzl. = *Bulbophyllum peyerianum* (Kraenzlin) Seidenf.
- Cirrhopetalum picturatum* Lodd. = *Bulbophyllum picturatum* (Lodd.) Rchb.f.
- Cirrhopetalum pileolatum* Klinge = *Bulbophyllum elegantulum* (Rolfe) J.J. Smith
- Cirrhopetalum pingtungense* (Ying & Chen) Garay Hamer & Siegerist = *Bulbophyllum wightii* Reichb.f.
- Cirrhopetalum planibulbe* Ridl. = *Bulbophyllum planibulbe* (Ridley) Ridl.
- Cirrhopetalum polliculosum* (Seidenf.) Garay, Hamer & Siegerist = *Bulbophyllum polliculosum* Seidenf.
- Cirrhopetalum proboscideum* Gagnep. = *Bulbophyllum proboscideum* (Gagnep.) Seidenf. & Smitinand
- Cirrhopetalum proliferum* Hort. = *Bulbophyllum wendlandianum* (Kraenzl.) Dammer
- Cirrhopetalum proudlockii* King& Pantl. = *Bulbophyllum proudlockii* (King& Pantl.) J.J.Sm.
- Cirrhopetalum pseudopicturatum* Garay = *Bulbophyllum pseudopicturatum* (Garay) Sieder
- Cirrhopetalum psittacoides* Ridl. = *Bulbophyllum gracillimum* (Rolfe) Rolfe
- Cirrhopetalum puguahaanense* (Ames) Garay, Hamer & Siegerist = *Bulbophyllum puguahaanense* Ames
- Cirrhopetalum pulchrum* N.E.Br. = *Bulbophyllum pulchrum* (N.E.Br.) J.J.Sm.
- Cirrhopetalum pumilio* (C.S.P.Parish & Rchb.f.) Hook.f. = *Bulbophyllum pumilio* C.S.P.Parish & Rhcb.f.
- Cirrhopetalum punctatissimum* Rolfe ex Ridl. = *Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.
- Cirrhopetalum putidum* Teijsm. & Binn. = *Bulbophyllum putidum* (Teijsm. & Binn) J.J.Smith
- Cirrhopetalum racemosum* (Hayata) Hayata = *Bulbophyllum insulsum* (Gagnep.) Seidenf.
- Cirrhopetalum refractum* Zoll. = *Bulbophyllum refractum* (Zoll.) Reichb.f.
- Cirrhopetalum remotifolium* Fukuyama = *Bulbophyllum hirundinis* (Gagnep.) Seidenf.
- Cirrhopetalum restrepia* Ridl. = *Bulbophyllum restrepia* (Ridley) Ridl.
- Cirrhopetalum retusiusculum* (Rchb.f.) Hemsl. = *Bulbophyllum retusiusculum* Rchb.f.
- Cirrhopetalum rhombifolium* Carr. = *Bulbophyllum hymenochilum* Kraenzl.
- Cirrhopetalum rivesii* Gagnep. = *Bulbophyllum andersonii* (Hook.f.) J.J.Sm.
- Cirrhopetalum robustum* Rolfe = *Bulbophyllum graveolens* (F.M.Baill.) J.J.Sm.
- Cirrhopetalum roseopunctatum* Garay, Hamer & Siegerist = *Bulbophyllum schwarzii* Sieder
- Cirrhopetalum roseum* Jayaw = *Bulbophyllum elliae* Reichb.f.
- Cirrhopetalum rothschildianum* O' Brien = *Bulbophyllum rothschildianum* (O'Brien) J.J. Smith
- Cirrhopetalum roxburghii* Lindl. = *Bulbophyllum roxburghii* (Lindl.) Rchb.f.
- Cirrhopetalum rubroguttatum* (Seidenf.) Garay, Hamer & Siegerist = *Bulbophyllum rubroguttatum* Seidenf.
- Cirrhopetalum sarcophyllum* King & Pantl. = *Bulbophyllum sarcophyllum* (King & Pantl.) J.J.Sm.
- Cirrhopetalum saruwatarii* (Hayata) Hayata = *Bulbophyllum umbellatum* Lindl.
- Cirrhopetalum semibifidum* Ridl. = *Bulbophyllum acuminatum* (Ridley) Ridley
- Cirrhopetalum setiferum* Rolfe = *Bulbophyllum reichenbachianum* Kraenzl
- Cirrhopetalum siamense* Rolfe ex Downie = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.

- Cirrhopetalum sibuyanense* (Ames) Garay, Hamer &  
 Siegerist = *Bulbophyllum sibuyanense* Ames  
*Cirrhopetalum sigaldii* Guillaumin = *Bulbophyllum vietnamense* Seidenf.  
*Cirrhopetalum sikkimense* King & Pantl. = *Bulbophyllum sikkimense* (King & Pantl.) J.J.Sm.  
*Cirrhopetalum simillimum* Rchb.f. = *Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.  
*Cirrhopetalum simillimum* (C.S.P.Parish Rchb.f.) Hook.f. =  
*Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.  
*Cirrhopetalum skeatianum* (Ridley) Garay, Hamer &  
 Siegerist = *Bulbophyllum skeatianum* Ridley  
*Cirrhopetalum spathulatum* Rolfe ex E.Cooper =  
*Bulbophyllum spathulatum* (Rolfe ex E.Cooper)  
 Seidenf.  
*Cirrhopetalum spicatum* Gagnep. = *Bulbophyllum blepharistes* Rchb.f.  
*Cirrhopetalum strigularium* Rchb.f. = *Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.  
*Cirrhopetalum stramineum* Teijsm. & Binn. =  
*Bulbophyllum vaginatum* (Lindley) Reichb.f.  
*Cirrhopetalum strangularium* Rchb.f. = *Bulbophyllum pulchrum* (N.E.Br.) J.J.Sm.  
*Cirrhopetalum striatum* Liu & Su = *Bulbophyllum melanoglossum* Hayata  
*Cirrhopetalum sutepense* Rolfe ex Downie = *Bulbophyllum sutepense* (Rolfe ex Downie) Seidenf. & Smitinand  
*Cirrhopetalum taeniophyllum* (C.S.P.Parish & Rchb.f.)  
 Hook.f. = *Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.  
*Cirrhopetalum taiwanense* Fukuyama = *Bulbophyllum taiwanense* (Fukuyama) Nakajima  
*Cirrhopetalum tanegasimense* (Masam.) Masam. =  
*Bulbophyllum macraei* (Lindley) Reichb.f.  
*Cirrhopetalum tenuicaule* Rolfe = *Bulbophyllum flabellum-veneris* (J.Koenig)  
 Seidenf. & Ormerod ex Aver.  
*Cirrhopetalum thomsonii* Hook.f. = *Bulbophyllum fischeri*  
 Seidenf.  
*Cirrhopetalum thouarsii* Lindl. = *Bulbophyllum longiflorum*  
 Thouars  
*Cirrhopetalum thwaitesii* (Reichb.f.) Hook.f. =  
*Bulbophyllum thwaitesii* Reichb.f.  
*Cirrhopetalum tigridum* Rolfe #4 II 64 ORCHIDACEAE (E)  
 Little Tiger, Yellow Fan Orchid  
*Cirrhopetalum tigridum* (Hance) Rolfe = *Bulbophyllum tigridium* Hance  
*Cirrhopetalum touranense* Gagnep. = *Bulbophyllum retusiusculum* Rchb.f.  
*Cirrhopetalum trichocephalum* Schltr. = *Bulbophyllum trichocephalum* (Schltr.) T.Tang & F.T. Wang  
*Cirrhopetalum trigonopus* Rchb.f. = *Bulbophyllum abbreviatum* Rchb.f.  
*Cirrhopetalum trimeni* Hook.f. = *Bulbophyllum trimeni* (Hook.f.) J.J. Smith  
*Cirrhopetalum tripudians* (C.S.P.Parish & Rchb.f.)  
 C.S.Parish & Rchb.f. = *Bulbophyllum tripudians*  
 C.S.P.Parish & Rchb.f.  
*Cirrhopetalum trisetum* (Ames) Garay, Hamer & Seigerist  
 = *Bulbophyllum longiflorum* Thouars  
*Cirrhopetalum tseanum* S.Y.Hu & G.Barretto =  
*Bulbophyllum tseanum* (S.Y.Hu & Barretto) Z.H.Tsi  
*Cirrhopetalum umbellatum* (G.Forst) Frappier ex Cordem  
 = *Bulbophyllum longiflorum* Thouars  
*Cirrhopetalum umbellatum* (G.Forst) Hook. & Arn. =  
*Bulbophyllum longiflorum* Thouars  
*Cirrhopetalum umbellatum* (Lindl.) Linden = *Bulbophyllum umbellatum* Lindl.  
*Cirrhopetalum umbellatum* Schltr. = *Bulbophyllum longiflorum* Thouars  
*Cirrhopetalum unciniferum* (Seidenf.) Senghas =  
*Bulbophyllum unciniferum* Seidenf.  
*Cirrhopetalum uniflorum* Schltr. = *Bulbophyllum baladeanum* J.J. Smith  
*Cirrhopetalum uraiense* (Hayata) Hayata = *Bulbophyllum macraei* (Lindley) Reichb.f.  
*Cirrhopetalum vaginatum* Lindl. = *Bulbophyllum vaginatum* (Lindley) Reichb.f.  
*Cirrhopetalum viridiflorum* Hook.f. = *Bulbophyllum viridiflorum* (Hook.f.) Schltr.  
*Cirrhopetalum viscidum* (J.J.Sm.) Garay, Hamer &  
 Siegerist = *Bulbophyllum flabellum-veneris* (J.Koenig)  
 Seidenf. & Ormerod ex Aver.  
*Cirrhopetalum walkerianum* Wight = *Bulbophyllum macraei* (Lindley) Reichb.f.  
*Cirrhopetalum wallichii* J.Graham = *Bulbophyllum fibratum* (Gagnep.) Seidenf.  
*Cirrhopetalum wallichii* Lindl. = *Bulbophyllum retusiusculum* Rchb.f.  
*Cirrhopetalum warianum* Schltr. = *Bulbophyllum gracillimum* (Rolfe) Rolfe  
*Cirrhopetalum weberi* (Ames) Senghas = *Bulbophyllum weberi* Ames  
*Cirrhopetalum wendlandianum* Kraenzl. = *Bulbophyllum wendlandianum* (Kraenzl.) Dammer  
*Cirrhopetalum whiteanum* Rolfe = *Bulbophyllum vaginatum* (Lindley) Reichb.f.  
*Cirrhopetalum wightii* Thwaites = *Bulbophyllum elliae* Reichb.f.  
*Cirrhopetalum zamboangense* (Ames) Garay, Hamer &  
 Siegerist = *Bulbophyllum zamboangense* Ames  
*Cirrhopetalum zygoglossum* Garay, Hamer & Siegerist =  
*Bulbophyllum pulchrum* (N.E.Br.) J.J.Sm.  
 Ciruelo africano (S): *Prunus africana*  
***Cischweinfia* spp.** Dressler & N.H. Williams #4 II 64  
 ORCHIDACEAE  
*Cischweinfia parva* (C. Schw.) Dressler & N. Wms. #4 II 64  
 ORCHIDACEAE  
*Cischweinfia pusilla* (C. Schweinf.) Dressler & N.H.  
 Williams #4 II 64 ORCHIDACEAE  
*Cischweinfia rostrata* Dressler & N. Williams #4 II 64  
 ORCHIDACEAE  
 Cistanche, Desert (E): *Cistanche deserticola*  
*Cistanche deserticola* Ma #4 II OROBANCHACEAE (E)  
 Desert Cistanche, Desert Living Cistanche  
 Cistanche, Desert Living (E): *Cistanche deserticola*  
***Claderia* spp.** Hook.f. #4 II 64 ORCHIDACEAE  
 Clanwilliamaalwyn (E): *Aloe comosa*  
 Clavel del aire (S): *Tillandsia mauryana*  
 Clavel del aire (S): *Tillandsia xerographica*

- Clavel del aire (S): *Tillandsia kammii*  
 Clavel del aire (S): *Tillandsia harrisii*  
**Cleisocentron spp.** Brühl #4 II 64 ORCHIDACEAE  
*Cleisocentron gokusingii* J.J.Wood & A.L.Lamb #4 II 64  
 ORCHIDACEAE  
*Cleisocentron merrillianum* (Ames) Christenson #4 II 64  
 ORCHIDACEAE  
**Cleisomeria spp.** Lindl. ex G.Don #4 II 64  
 ORCHIDACEAE  
**Cleisostoma spp.** Blume #4 II 64 ORCHIDACEAE  
*Cleisostoma appendiculatum* Benth. Hook.f. #4 II 64  
 ORCHIDACEAE  
*Cleisostoma capricorne* (Ridley) Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma comberi* J.J. Wood #4 II 64 ORCHIDACEAE  
*Cleisostoma crassifolium* Lindl. & Paxton #4 II 64  
 ORCHIDACEAE  
*Cleisostoma discolor* Lindley #4 II 64 ORCHIDACEAE  
*Cleisostoma duplicitolum* (J.J. Smith) Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma equestre* Seindef. #4 II 64 ORCHIDACEAE  
*Cleisostoma fordii* Hance = *Sarcanthus fordii* Hance  
*Cleisostoma*, Ford's (E): *Sarcanthus fordii*  
*Cleisostoma halophilum* (Ridl.) Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma javanicum* (Blume) Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma montanum* (J.J. Smith) Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma muticum* (Reichb.f.) Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma paniculatum* (Ker Gawl.) Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma parishii* (Hook.f.) Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma pugioniforme* #4 II 64 ORCHIDACEAE  
*Cleisostoma racemiferum* Lindl. Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma rostratum* #4 II 64 ORCHIDACEAE  
*Cleisostoma sagittatum* Blume #4 II 64 ORCHIDACEAE  
*Cleisostoma scortechinii* (Hook. f.) Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma simondii* (Gagnep.) Seidenfaden #4 II 64  
 ORCHIDACEAE  
*Cleisostoma striatum* (Reichb.f.) Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma suaveolens* Blume #4 II 64 ORCHIDACEAE  
*Cleisostoma subulatum* Blume #4 II 64 ORCHIDACEAE  
*Cleisostoma tenuifolium* (L.) Garay #4 II 64  
 ORCHIDACEAE  
*Cleisostoma teres* Garay #4 II 64 ORCHIDACEAE (E) Bee  
 Orchid, Terete-leaf Orchid  
*Cleisostoma uraiense* (Hayata) Garay & Sweet #4 II 64  
 ORCHIDACEAE  
*Cleisostoma vacherotiana* Guillm. = *Aerides multiflora*  
 Roxb.  
*Cleisostoma williamsonii* (Reichb.f.) Garay #4 II 64  
 ORCHIDACEAE
- Cleisostomopsis* spp. Seidenfaden 1992 #4 II 64  
 ORCHIDACEAE  
*Cleisostomopsis eberhardtii* (Fin.) Seidenf #4 II 64  
 ORCHIDACEAE  
**Cleistes spp.** Rich. ex Lindl. #4 II 64 ORCHIDACEAE  
*Cleistes grandiflora* (Aubl.) Schltr. #4 II 64  
 ORCHIDACEAE  
*Cleistes unifoliata* (C. Schweinf.) Carnevali & I. Ramírez  
 #4 II 64 ORCHIDACEAE  
**Cleistocactus spp.** Lem. #4 II 49 CACTACEAE  
**Cleistocactus acanthurus** (Vaupel) Hunt #4 II 49  
 CACTACEAE  
*Cleistocactus angosturensis* Cardenas = *Cleistocactus buchtienii* Backeberg  
*Cleistocactus apurimacensis* Johnson ex Backeberg =  
*Cleistocactus morawetzianus* Backeberg  
*Cleistocactus areolatus* (Muehlenpfört ex Schumann)  
 Riccobono = *Cleistocactus parviflorus* (Schumann)  
 Roland-Gosselin  
*Cleistocactus ayopayanus* Cardenas = *Cleistocactus buchtienii* Backeberg  
*Cleistocactus azerensis* Cardenas = *Cleistocactus parapetiensis* Cardenas  
**Cleistocactus baumannii** (Lemaire) Lemaire #4 II 49  
 CACTACEAE  
*Cleistocactus brevispinus* Ritter = *Cleistocactus peculiaris*  
 (Rauh & Backeberg) Ostolaza  
**Cleistocactus brookeae** Cardenas #4 II 49 CACTACEAE  
**Cleistocactus buchtienii** Backeberg #4 II 49  
 CACTACEAE  
**Cleistocactus candelilla** Cardenas #4 II 49 CACTACEAE  
*Cleistocactus capadalensis* Ritter = *Cleistocactus tominensis* (Weingart) Backeberg  
**Cleistocactus chotaensis** Weber ex Roland-Gosselin #4  
 II 49 CACTACEAE  
*Cleistocactus clavicaulis* Cardenas = *Cleistocactus tominensis* (Weingart) Backeberg  
**Cleistocactus clavispinus** (Rauh & Backeberg) Ostolaza  
 #4 II 49 CACTACEAE  
*Cleistocactus compactus* Backeberg = *Cleistocactus taricensis* Cardenas  
*Cleistocactus crassicaulis* Cardenas = *Cleistocactus tominensis* (Weingart) Backeberg  
**Cleistocactus crassiserpens** Rauh & Backeberg #4 II 49  
 CACTACEAE  
**Cleistocactus dependens** Cardenas #4 II 49  
 CACTACEAE  
**Cleistocactus ferrarii** Kiesling #4 II 49 CACTACEAE  
**Cleistocactus fieldianus** (Britton & Rose) Hunt #4 II 49  
 CACTACEAE  
*Cleistocactus fossulatus* Mottram = *Oreocereus pseudofossulatus* Hunt  
*Cleistocactus fusilorus* Cardenas = *Cleistocactus parviflorus* (Schumann) Roland-Gosselin  
*Cleistocactus glaucus* Ritter = *Cleistocactus luribayensis* Cardenas  
*Cleistocactus granjaensis* Ritter = *Cleistocactus luribayensis* Cardenas

- Cleistocactus grossei** (Weingart) Backeberg #4 II 49  
CACTACEAE
- Cleistocactus herzogianus* Backeberg = *Cleistocactus parviflorus* (Schumann) Roland-Gosselin
- Cleistocactus hildegardiae** Ritter #4 II 49 CACTACEAE
- Cleistocactus humboldtii* (Kunth) Weber ex Roland-Gosselin = *Cleistocactus icosagonus* (Kunth)  
Weber ex Roland-Gosselin
- Cleistocactus hyalacanthus** (Schumann)  
Roland-Gosselin #4 II 49 CACTACEAE
- Cleistocactus hystrix** (Rauh & Backeberg) Ostolaza #4 II 49 CACTACEAE
- Cleistocactus ianthinus* Cardenas = *Cleistocactus candelilla* Cardenas
- Cleistocactus icosagonus** (Kunth) Weber ex Roland-Gosselin #4 II 49 CACTACEAE
- Cleistocactus jujuyensis* (Backeberg) Backeberg = *Cleistocactus hyalacanthus* (Schumann)  
Roland-Gosselin
- Cleistocactus laniceps** (Schumann) Roland-Gosselin #4 II 49 CACTACEAE
- Cleistocactus leonensis* Madsen = *Cleistocactus serpens* (Kunth) Weber ex Roland-Gosselin
- Cleistocactus luminosus* Johnson ex Backeberg = *Cleistocactus morawetzianus* Backeberg
- Cleistocactus luribayensis** Cardenas #4 II 49 CACTACEAE
- Cleistocactus mendozae* Cardenas = *Cleistocactus tominensis* (Weingart) Backeberg
- Cleistocactus micropetalus** Ritter #4 II 49 CACTACEAE
- Cleistocactus morawetzianus** Backeberg #4 II 49 CACTACEAE
- Cleistocactus mucurinensis** Ritter #4 II 49 CACTACEAE
- Cleistocactus neoroezlii** (Ritter) Buxbaum #4 II 49 CACTACEAE
- Cleistocactus orthogonus** Cardenas #4 II 49 CACTACEAE
- Cleistocactus pachycladus** (Rauh & Backeberg)  
Ostolaza #4 II 49 CACTACEAE
- Cleistocactus palhuayensis** Ritter & Shahori #4 II 49 CACTACEAE
- Cleistocactus paraguariensis** Ritter #4 II 49 CACTACEAE
- Cleistocactus parapetiensis** Cardenas #4 II 49 CACTACEAE
- Cleistocactus parviflorus** (Schumann) Roland-Gosselin #4 II 49 CACTACEAE
- Cleistocactus peculiaris** (Rauh & Backeberg) Ostolaza #4 II 49 CACTACEAE
- Cleistocactus piraymirensis** Cardenas #4 II 49 CACTACEAE
- Cleistocactus plagiostoma** (Vaupel) Hunt #4 II 49 CACTACEAE
- Cleistocactus pojoensis* (Cardenas) Backeberg = *Cleistocactus candelilla* Cardenas
- Cleistocactus pungens** Ritter #4 II 49 CACTACEAE
- Cleistocactus pycnacanthus* (Rauh & Backeberg)  
Backeberg = *Cleistocactus morawetzianus* Backeberg
- Cleistocactus reae** Cardenas #4 II 49 CACTACEAE
- Cleistocactus ressinianus* Cardenas = *Cleistocactus buchtienii* Backeberg
- Cleistocactus ritteri** Backeberg #4 II 49 CACTACEAE
- Cleistocactus roezlii** (Haage ex Schumann) Backeberg #4 II 49 CACTACEAE
- Cleistocactus samaipatanus** (Cardenas) Hunt #4 II 49 CACTACEAE
- Cleistocactus sepium** (Kunth) Weber ex Roland-Gosselin #4 II 49 CACTACEAE
- Cleistocactus serpens** (Kunth) Weber ex Roland-Gosselin #4 II 49 CACTACEAE
- Cleistocactus sextonianus** (Backeberg) Hunt #4 II 49 CACTACEAE
- Cleistocactus smaragdiflorus** (Weber) Britton & Rose #4 II 49 CACTACEAE
- Cleistocactus strausii** (Heese) Backeberg #4 II 49 CACTACEAE
- Cleistocactus sucrensis* Cardenas = *Cleistocactus buchtienii* Backeberg
- Cleistocactus tarijensis** Cardenas #4 II 49 CACTACEAE
- Cleistocactus tenuiserpens** Rauh & Backeberg #4 II 49 CACTACEAE
- Cleistocactus tominensis** (Weingart) Backeberg #4 II 49 CACTACEAE
- Cleistocactus tupizensis** (Vaupel) Backeberg #4 II 49 CACTACEAE
- Cleistocactus vallegrandensis* Cardenas = *Cleistocactus candelilla* Cardenas
- Cleistocactus varispinus** Ritter #4 II 49 CACTACEAE
- Cleistocactus villaazulensis* Ritter = *Cleistocactus morawetzianus* Backeberg
- Cleistocactus viridialabastri* Cardenas = *Cleistocactus tominensis* (Weingart) Backeberg
- Cleistocactus viridiflorus* Backeberg = *Cleistocactus palhuayensis* Ritter & Shahori
- Cleistocactus vulpis-cauda** Ritter & Cullmann #4 II 49 CACTACEAE
- Cleistocactus wendlandiorum* Backeberg = *Cleistocactus brookeae* Cardenas
- Cleistocactus winteri** Hunt #4 II 49 CACTACEAE
- Cleistocactus xylorhizus** (Ritter) Ostolaza #4 II 49 CACTACEAE
- Cleistocana** spp. #4 II 49 CACTACEAE
- Cleistocana mirabilis** (Buining) Hunt #4 II 49 CACTACEAE
- Clematepistephium** spp. N. Halle #4 II 64 ORCHIDACEAE
- Clematepistephium smilacifolium* (Reichb.f.) Halle #4 II 64 ORCHIDACEAE
- Clinhymenia pallidiflora* A.Rich. & Galeotti 1844 = *Cryptarrhena lunata* R.Br. in Edw. (1816)
- Clowesia** spp. Lindl. #4 II 64 ORCHIDACEAE
- Clowesia amazonica* K.G.Lacerda & V.P.Castro 1995 #4 II 64 ORCHIDACEAE
- Clowesia dodsoniana* E.Aguirre 1986 #4 II 64 ORCHIDACEAE
- Clowesia glaucoglossa* (Reichb.f.) Dodson 1975 #4 II 64 ORCHIDACEAE

- Clowesia rosea* Lindl. 1848 #4 II 64 ORCHIDACEAE  
*Clowesia russelliana* (Hook.) Dodson (1975) #4 II 64  
 ORCHIDACEAE  
*Clowesia thylaciochila* (Lem.) Dodson 1975 #4 II 64  
 ORCHIDACEAE  
*Clowesia warczewitzii* (Lindl. & Paxt.) Dodson 1975 #4 II  
 64 ORCHIDACEAE  
*Clowesia warscewiczii* (Lindl. & Paxt.) Dodson 1975 #4 II  
 64 ORCHIDACEAE  
*Cnemidaria dissimilis* (C.Morton 1951) R.Tryon 1970 =  
*Cyathea dissimilis* (C. Morton 1951) Stolze 1974  
*Cnemidaria munita* C.Presl. 1836 = *Cyathea munita* Willd.  
 ex Hook. 1844  
*Cnemidaria petiolata* (Hook. 1844) Copel. 1947 = *Cyathea petiolata* (Hook. 1844) R.Tryon 1976  
 Cobano (S): *Swietenia humilis*  
*Coccineorchis* spp. Schlechter #4 II 64 ORCHIDACEAE  
*Coccineorchis bracteosa* (Ames & C. Schweinf.) Garay #4  
 II 64 ORCHIDACEAE  
*Coccineorchis cernua* (Lindl.) Garay #4 II 64  
 ORCHIDACEAE  
*Coccineorchis navarrensis* (Ames) Garay #4 II 64  
 ORCHIDACEAE  
*Coccineorchis standleyi* (Ames) Garay #4 II 64  
 ORCHIDACEAE  
*Cochemiea halei* (T.Brandegee) Walton = *Mammillaria halei* T.Brandegee  
*Cochemiea poselgeri* (Hildmann) Britton & Rose =  
*Mammillaria poselgeri* Hildmann  
***Cochleanthes*** spp. Rafin. #4 II 64 ORCHIDACEAE  
*Cochleanthes amazonica* (Rchb.f. & Warsz. ex Rchb.f.)  
 Schult. & Garay 1959 #4 II 64 ORCHIDACEAE  
*Cochleanthes anatona* Dressler 1983 = *Chondrorhyncha anatona* (Dressler) Senghas 1990  
*Cochleanthes aromatica* (Rchb.f.) Schult. & Garay #4 II 64  
 ORCHIDACEAE  
*Cochleanthes bidentata* (Rchb.f. ex Hemsl.) R.E.Schult. &  
 Garay = *Chondrorhyncha lendencyana* Rchb.f.  
*Cochleanthes candida* (Lindl.) R.E.Schult. & Garay #4 II  
 64 ORCHIDACEAE  
*Cochleanthes digitata* (Lem.) R.E.Schult. & Garay 1959  
 #4 II 64 ORCHIDACEAE  
*Cochleanthes discolor* (Lindl.) R.E.Schult. & Garay #4 II  
 64 ORCHIDACEAE  
*Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay  
 (1959) #4 II 64 ORCHIDACEAE  
*Cochleanthes fragrans* Raf. 1836 = *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay (1959)  
*Cochleanthes guianensis* Laf., Gerlach & Senghas #4 II  
 64 ORCHIDACEAE  
*Cochleanthes heteroclita* (Poepp. & Endl.) R.E.Schult. &  
 Garay = *Chaubardia heteroclita* (Poepp. & Endl.)  
 Dodson & Bennett  
*Cochleanthes ionoleuca* (Rchb.f.) Schult. & Garay 1959  
 #4 II 64 ORCHIDACEAE  
*Cochleanthes klugii* (C.Schweinf.) R.E.Schult. & Garay =  
*Chaubardia klugii* (C. Schweinf.) Garay  
*Cochleanthes lipscomiae* (Rolfe) Garay 1969 =  
*Cochleanthes marginata* (Rchb.f.) Schult. & Garay  
 1959  
*Cochleanthes lipscomiae* (Rolfe) Garay 1969 =  
*Cochleanthes amazonica* (Rchb.f. & Warsz. ex Rchb.f.)  
 Schult. & Garay 1959  
*Cochleanthes lobata* Garay 1969 #4 II 64 ORCHIDACEAE  
*Cochleanthes lueddemanniana* (Rchb.f.) R.E.Schult. &  
 Garay 1959 #4 II 64 ORCHIDACEAE  
*Cochleanthes marginata* (Rchb.f.) Schult. & Garay 1959  
 #4 II 64 ORCHIDACEAE  
*Cochleanthes palatina* Senghas (1990) #4 II 64  
 ORCHIDACEAE  
*Cochleanthes picta* (Rchb.f.) Garay = *Chondrorhyncha picta* (Rchb.f.) Senghas 1990  
*Cochleanthes rhombilabia* (C.Schweinf.) Senghas =  
*Chaubardia heteroclita* (Poepp. & Endl.) Dodson &  
 Bennett  
*Cochleanthes thienii* Dodson 1980 #4 II 64  
 ORCHIDACEAE  
*Cochleanthes trinitatis* (Ames) R.E.Schultes & Garay 1959  
 #4 II 64 ORCHIDACEAE  
*Cochleanthes walesiana* (Lindl.) R.E.Schult. & Garay  
 1959 #4 II 64 ORCHIDACEAE  
*Cochlia violacea* Blume = *Bulbophyllum cochlia* Garay,  
 Hamer & Siegerist  
***Cochlioda*** spp. Lindl. #4 II 64 ORCHIDACEAE  
 Cocobolo (S): *Dalbergia retusa*  
 Cocobolo Prieto (S): *Dalbergia retusa*  
 Coco de Mer (F): *Lodoicea maldivica*  
 Coconut, Double (E): *Lodoicea maldivica*  
***Codonorchis*** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Codonosiphon* spp. Schlechter #4 II 64 ORCHIDACEAE  
*Codonosiphon campanulatum* Schltr. #4 II 64  
 ORCHIDACEAE  
*Codonosiphon codonanthum* (Schltr.) Schltr. #4 II 64  
 ORCHIDACEAE  
*Codonosiphon papuanum* Schltr. #4 II 64 ORCHIDACEAE  
*Coelandria smilliaeae* (F.Muell.) Fitzg. = *Dendrobium smilliaeae* F. Muell.  
***Coelia*** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Coelia baueriana* Lindl. 1830 = *Coelia triptera* (Sm.)  
 G.Don ex Steud. (1840)  
*Coelia bella* (Lem.) Rchb.f. (1861) #4 II 64  
 ORCHIDACEAE  
*Coelia densiflora* Rolfe 1906 = *Bothriochilus densiflorus*  
 (Rolfe) Ames & Correll (1942)  
*Coelia galeottiana* Van Houtte ex Heynh. 1846 = *Coelia triptera* (Sm.) G.Don ex Steud. (1840)  
*Coelia glacialis* Van Houtte ex Heynh. 1846 = *Coelia triptera* (Sm.) G.Don ex Steud. (1840)  
*Coelia guatemalensis* Rchb.f. 1861 = *Bothriochilus guatemalensis* (Rchb.f.) L.O.Williams 1940  
*Coelia macrostachya* Lindl. = *Bothriochilus macrostachyus* (Lindl.) L.O.Williams 1940  
*Coelia macrostachya* var. *genuina* Rchb.f. 1866 =  
*Bothriochilus macrostachyus* (Lindl.) L.O.Williams  
 1940

- Coelia macrostachya* var. *integrilabia* Rchb.f. 1866 = *Bothriochilus macrostachyus* (Lindl.) L.O.Williams 1940  
*Coelia picta* Bateman ex Hook. = *Coelia bella* (Lem.) Rchb.f. (1861)  
*Coelia triptera* (Sm.) G.Don ex Steud. (1840) #4 II 64 ORCHIDACEAE  
***Coeliopsis*** spp. Reichb.f. #4 II 64 ORCHIDACEAE  
*Coeliopsis hyacinthosma* Rchb.f. 1872 #4 II 64 ORCHIDACEAE  
***Coeloglossum*** spp. Hartm. #4 II 64 ORCHIDACEAE  
*Coeloglossum coreanum* (Nakai) Schltr. ex Nakai #4 II 64 ORCHIDACEAE  
*Coeloglossum diphyllyum* (Link) Fiori & Paol. = *Gennaria diphyllea* (Link) Parl.  
*Coeloglossum purpureum* Schur = *Coeloglossum viride* (L.) Hartm.  
*Coeloglossum viride* (L.) Hartm. #4 II 64 ORCHIDACEAE (E) Frog Orchid  
***Coelogyne*** spp. Lindl. #4 II 64 ORCHIDACEAE  
***Coelogyne acutilabium*** de Vogel #4 II 64 ORCHIDACEAE  
*Coelogyne advena* C.S.P.Parish & Rchb.f. = *Pholidota advena* (C.S.P.Parish & Rchb.f.) Hook.f.  
*Coelogyne alata* A.Millar = *Coelogyne carinata* Rolfe  
***Coelogyne albobrunnea*** J.J.Sm #4 II 64 ORCHIDACEAE  
***Coelogyne albolutea*** Rolfe #4 II 64 ORCHIDACEAE  
*Coelogyne amplissima* Ames & Schweinf. = *Chelonistele amplissima* (Ames & Schweinf.) Carr  
***Coelogyne anceps*** Hook.f. #4 II 64 ORCHIDACEAE  
*Coelogyne angustifolia* A.Rich = *Coelogyne odoratissima* Lindl.  
*Coelogyne angustifolia* Ridl. non A.Rich nee Wight = *Coelogyne trinervis* Lindley  
*Coelogyne angustifolia* Wight non A.Rich. = *Coelogyne breviflora* Lindley  
*Coelogyne annamensis* (Lindl. & Rchb.f.) Rolfe = *Coelogyne assamica* Linden & Rchb.f.  
*Coelogyne annamensis* Ridl.non (Lindl. & Rchb.f.) Rolfe = *Coelogyne sanderae* Kraenzl. ex O'Brien  
*Coelogyne apiculata* (Rchb.f.) Lindl. = *Panisea apiculata* Lindl.  
*Coelogyne arthuriana* Rchb.f. = *Pleione maculata* (Lindl.) Lindl.  
*Coelogyne articulata* (Lindl.) Rchb.f. = *Pholidota articulata* Lindley  
*Coelogyne arunachalensis* H.J.Chowdhery & G.D.Pal = *Coelogyne fimbriata* Lindl.  
***Coelogyne asperata*** Lindl. #4 II 64 ORCHIDACEAE  
***Coelogyne assamica*** Linden & Rchb.f. #4 II 64 ORCHIDACEAE  
***Coelogyne barbata*** Griff. #4 II 64 ORCHIDACEAE  
***Coelogyne beccariei*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Coelogyne bella* Schltr. = *Coelogyne salmonicolor* Rchb.f.  
*Coelogyne beyrodtiana* Schltr. = *Chelonistele sulphurea* (Blume) Pfitzer  
***Coelogyne bicamerata*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Coelogyne biflora* C.S.P.Parish & Rchb.f. = *Panisea uniflora* Lindl.  
*Coelogyne bihamata* J.J.Smith = *Coelogyne tensuis* Rolfe  
***Coelogyne bilamellata*** Lindl. #4 II 64 ORCHIDACEAE  
*Coelogyne bimaculata* Ridl. = *Coelogyne flexuosa* Rolfe  
*Coelogyne birmanica* Rchb.f. = *Pleione praecox* (J.E.Sm.) D.Don  
***Coelogyne borneensis*** Rolfe #4 II 64 ORCHIDACEAE  
***Coelogyne brachygyno*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Coelogyne brachyptera*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Coelogyne brevifolia* Lindl. = *Coelogyne punctulata* Lindl.  
*Coelogyne brevilamellata* J.J.Smith = *Chelonistele brevilamellata*  
***Coelogyne breviflora*** Lindley #4 II 64 ORCHIDACEAE  
***Coelogyne bruneiensis*** de Vogel #4 II 64 ORCHIDACEAE  
*Coelogyne brunnea* Lindl. = *Coelogyne fuscescens* Lindl.  
***Coelogyne buennemeyeri*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Coelogyne bulbocodioides* Franch. = *Pleione bulbocodioides* (Franch.) Rolfe  
***Coelogyne calcarata*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Coelogyne calceata* Rchb.f. = *Pholidota pallida* Lindley  
***Coelogyne calcicola*** Kerr #4 II 64 ORCHIDACEAE  
***Coelogyne calloglossa*** Schltr. #4 II 64 ORCHIDACEAE  
*Coelogyne camelostalix* (Rchb.f.) Rchb.f. = *Pholidota camelostalix* Reichb.f.  
***Coelogyne candoonensis*** Ames #4 II 64 ORCHIDACEAE  
***Coelogyne carinata*** Rolfe #4 II 64 ORCHIDACEAE  
*Coelogyne carnea* (Blume) Rchb.f. = *Pholidota carnea* (Blume) Lindley  
*Coelogyne carnea* Hook.f. non (Blume) Rchb.f. = *Coelogyne radicans* Ridl.  
*Coelogyne casta* Ridl. = *Coelogyne cumingii* Lindley  
*Coelogyne caulescens* Griff. = *Bromheadia finlaysoniana* Rchb.f.  
***Coelogyne celebensis*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Coelogyne chanii*** Gravend. & de Vogel #4 II 64 ORCHIDACEAE  
*Coelogyne chinensis* (Lindl.) Rchb.f. = *Pholidota chinensis* Lindl.  
***Coelogyne chlorophaea*** Schltr. #4 II 64 ORCHIDACEAE  
***Coelogyne chloroptera*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Coelogyne chrysotropis*** Schltr. #4 II 64 ORCHIDACEAE  
*Coelogyne cinnamomea* Lindl. = *Coelogyne trinervis* Lindley  
*Coelogyne clarkei* Kraenzl. = *Coelogyne micrantha* Lindl.  
***Coelogyne clemensii*** Ames & C.Schweinf. #4 II 64 ORCHIDACEAE  
*Coelogyne clypeata* (Lindl.) Rchb.f. = *Pholidota gibbosa* (Blume) Vries  
***Coelogyne compressicaulis*** Ames & C.Schweinf. #4 II 64 ORCHIDACEAE  
*Coelogyne conchoidea* Lindl. Rchb.f. = *Pholidota imbricata* Lindley  
***Coelogyne concinna*** Ridl. #4 II 64 ORCHIDACEAE

- Coelogyné conferta* Hort. = *Coelogyné nitida* (Wallich ex Don) Lindley
- Coelogyné confusa*** Ames #4 II 64 ORCHIDACEAE
- Coelogyné coniculata* Rchb.f. = *Pholidota chinensis* Lindl.
- Coelogyné convallariea* C.S.P.Parish & Rchb.f. = *Pholidota convallariae* Hook.f.
- Coelogyné convallariifolia* (Blume) Zoernig = *Coelogyné rochussenii* de Vries
- Coelogyné coronaria* Lindl. = *Eria coronaria* Rchb.f.
- Coelogyné corrugata* Wight = *Coelogyné nervosa* A.Rich
- Coelogyné corymbosa*** Lindl. #4 II 64 ORCHIDACEAE
- Coelogyné corymbosa* auct. non Lindl. = *Coelogyné nitida* (Wallich ex Don) Lindley
- Coelogyné crassifolia* J.J.Smith = *Chelonistele sulphurea* (Blume) Pfitzer
- Coelogyné crassiloba*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Coelogyné craticulaelabris*** Carr. #4 II 64 ORCHIDACEAE
- Coelogyné crista*** Lindl. #4 II 64 ORCHIDACEAE
- Coelogyné croockewitii* (Carr) Masam. = *Chelonistele sulphurea* (Blume) Pfitzer
- Coelogyné crotalina* (Rchb.f.) Rchb.f. = *Pholidota imbricata* Lindley
- Coelogyné cumingii*** Lindley #4 II 64 ORCHIDACEAE
- Coelogyné cuneata* J.Smith = *Chelonistele sulphurea* (Blume) Pfitzer
- Coelogyné cuprea*** H.Wendl. & Kraenzl. #4 II 64 ORCHIDACEAE
- Coelogyné cycnoches* C.S.P.Parish & Rchb.f. = *Coelogyné fuscescens* Lindl.
- Coelogyné cymbidioides* Rchb.f. = *Gynoglottis cymbidioides* (Rchb.f.) J.J.Smith
- Coelogyné cymbidoides* sensu Ridl. non Rhb.f. = *Coelogyné tomentosa* Lindl.
- Coelogyné dalatensis* Gagnep. = *Coelogyné assamica* Linden & Rchb.f.
- Coelogyné darlacensis* Gagnep. = *Coelogyné sanderae* Kraenzl. ex O'Brien
- Coelogyné dayana* Rchb.f. = *Coelogyné pulverula* Teijsm. & Binn.
- Coelogyné decora* Wall. ex Voight = *Coelogyné ovalis* Lindl.
- Coelogyné deiapiens* Teijsm & Binn = *Chelonistele sulphurea* (Blume) Pfitzer
- Coelogyné delavayi* Rolfe = *Pleione bulbocodioides* (Franch.) Rolfe
- Coelogyné densiflora* Ridl. = *Coelogyné tomentosa* Lindl.
- Coelogyné dichroanttha*** Gagnep. #4 II 64 ORCHIDACEAE
- Coelogyné diphylla* (Lindl.) Lindl. = *Pleione maculata* (Lindl.) Lindl.
- Coelogyné distans*** J.J. Smith #4 II 64 ORCHIDACEAE
- Coelogyné dulitensis*** Carr #4 II 64 ORCHIDACEAE
- Coelogyné eberhardtii*** Gagnep. #4 II 64 ORCHIDACEAE
- Coelogyné ecarinata*** C.Schweinf. #4 II 64 ORCHIDACEAE
- Coelogyné echinolabium*** de Vogel #4 II 64 ORCHIDACEAE
- Coelogyné edefeldtii* F.Muell. & Kraenzl. = *Coelogyné asperata* Lindl.
- Coelogyné elata* Lindl. = *Coelogyné stricta* (D.Don) Schltr.
- Coelogyné elata* sensu Hook. non Lindl. = *Coelogyné holochila* P.F.Hunt & Summerh.
- Coelogyné elegans* = *Cypripedium elegans* Rchb.f.
- Coelogyné elegantula* Kraenzl. = *Bletilla formosana* (Hayata) Schltr.
- Coelogyné elmeri*** Ames #4 II 64 ORCHIDACEAE
- Coelogyné endertii*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Coelogyné esquirolei* Schltr. = *Coelogyné esquirolii* Schltr.
- Coelogyné esquirolii*** Schltr. #4 II 64 ORCHIDACEAE
- Coelogyné exalata*** Ridl. #4 II 64 ORCHIDACEAE
- Coelogyné falcata* Lindl. = *Panisea uniflora* Lindl.
- Coelogyné filipeda*** Gagnep. #4 II 64 ORCHIDACEAE
- Coelogyné fimbriata*** Lindl. #4 II 64 ORCHIDACEAE (E) Brown Rock Orchid
- Coelogyné flaccida*** Lindley #4 II 64 ORCHIDACEAE
- Coelogyné flava* Hook.f. ex Lindl. = *Coelogyné prolifera* Lindley
- Coelogyné flava* sensu Seidenf. non Hook.f. ex Lindl. = *Coelogyné schultesii* S.K.Jain & S.Das
- Coelogyné fleuryi* gagnep. = *Coelogyné lawrenceana* Rolfe
- Coelogyné flexuosa*** Rolfe #4 II 64 ORCHIDACEAE
- Coelogyné foerstermannii*** Rchb.f. #4 II 64 ORCHIDACEAE
- Coelogyné fonstenebrarum*** P.O'Byrne #4 II 64 ORCHIDACEAE
- Coelogyné formosa*** Schltr. #4 II 64 ORCHIDACEAE
- Coelogyné fuerstenbergiana*** Schltr. #4 II 64 ORCHIDACEAE
- Coelogyné fuliginosa*** Lodd. ex Hook. #4 II 64 ORCHIDACEAE
- Coelogyné fusca* (Lindl.) Rchb.f. = *Otochilus fuscus* Lindl.
- Coelogyné fuscescens*** Lindl. #4 II 64 ORCHIDACEAE
- Coelogyné fuscescens* Hook.f. non Lindl. = *Coelogyné assamica* Linden & Rchb.f.
- Coelogyné gardneriana* Lindl. = *Neogyna gardneriana* Rchb.f.
- Coelogyné ghatakii*** T.K.Paul, S.K.Basu & M.C.Biswas #4 II 64 ORCHIDACEAE
- Coelogyné gibbifera*** J.J.Smith #4 II 64 ORCHIDACEAE
- Coelogyné gibbosa* (Blume) Rchb.f. = *Pholidota gibbosa* (Blume) Vries
- Coelogyné glandulosa*** Lindl. #4 II 64 ORCHIDACEAE
- Coelogyné globosa* (Blume) Rchb.f. = *Pholidota globosa* (Blume) Lindley
- Coelogyné gongshanensis*** H.Li ex S.C.Chen #4 II 64 ORCHIDACEAE
- Coelogyné goweri* Rchb.f. = *Coelogyné punctulata* Lindl.
- Coelogyné graminifolia* C.S.P.Parish & Rchb.f. = *Coelogyné viscosa* Rchb.f.
- Coelogyné grandiflora* Rolfe = *Pleione grandiflora* (Rolfe) Rolfe
- Coelogyné griffithii*** Hook.f. #4 II 64 ORCHIDACEAE
- Coelogyné guamensis*** Ames #4 II 64 ORCHIDACEAE
- Coelogyné hajrae*** Phukan #4 II 64 ORCHIDACEAE

- Coelogyne harana*** J.J.Smith #4 II 64 ORCHIDACEAE  
*Coelogyne henryi* Rolfe = *Pleione bulbocodioides* (Franch.) Rolfe
- Coelogyne hirendrae*** S.Das & S.K.Jain #4 II 64 ORCHIDACEAE
- Coelogyne hirtella*** J.J.Smith #4 II 64 ORCHIDACEAE
- Coelogyne holochila*** P.F.Hunt & Summerh. #4 II 64 ORCHIDACEAE
- Coelogyne hookeriana* Lindl. = *Pleione hookeriana* (Lindl.) B.S.Williams
- Coelogyne huettneriana*** Rchb.f. #4 II 64 ORCHIDACEAE
- Coelogyne huettneriana* sensu Hook.f. non Rchb.f. = *Coelogyne flaccida* Lindley
- Coelogyne humilis* (J.E.Sm.) Lindl. = *Pleione humilis* (J.E.Sm.) D.Don
- Coelogyne imbricans*** J.J.Smith #4 II 64 ORCHIDACEAE  
*Coelogyne imbricata* (Lindl.) Rchb.f. = *Pholidota imbricata* Lindley
- Coelogyne incrassata*** (Blume) Lindley #4 II 64 ORCHIDACEAE
- Coelogyne ingloria* J.J.Smith = *Otochilus porrecta* Lindl.
- Coelogyne ingloria* J.J.Smith = *Chelonistele ingloria*
- Coelogyne integerrima*** Ames #4 II 64 ORCHIDACEAE
- Coelogyne integra*** Schltr. #4 II 64 ORCHIDACEAE  
*Coelogyne integrilabia* (Pfitzer) Schltr. = *Coelogyne fuscescens* Lindl.
- Coelogyne javanica* Lindl. = *Nervilia crociformis* (Zoll. & Moritzi) Seidenf.
- Coelogyne judithiae*** P.Taylor #4 II 64 ORCHIDACEAE
- Coelogyne kaliana*** P.J.Cribb #4 II 64 ORCHIDACEAE
- Coelogyne kelamensis*** J.J.Smith #4 II 64 ORCHIDACEAE
- Coelogyne kemiriensis*** J.J.Smith #4 II 64 ORCHIDACEAE
- Coelogyne khasiyana* = *Pholidota articulata* Lindley
- Coelogyne kinabaluensis*** Ames & C.Schweinf. #4 II 64 ORCHIDACEAE
- Coelogyne kingii* Hook.f. = *Coelogyne foerstermannii* Rchb.f.
- Coelogyne kutaiensis* = *Chelonistele sulphurea* (Blume) Pfitzer
- Coelogyne lacinulosa*** J.J.Smith #4 II 64 ORCHIDACEAE
- Coelogyne lactea* Rchb.f. = *Coelogyne flaccida* Lindley
- Coelogyne lagenaria* (Lindl.) Lindl. = *Pleione lagenaria* Lindley
- Coelogyne lamellata* Rolfe = *Coelogyne macdonaldii* F.Muell. & Kraenzl.
- Coelogyne lamellulifera* (Carr) Masam = *Chelonistele lamellulifera* Carr
- Coelogyne laotica* Gagnep. = *Coelogyne fimbriata* Lindl.
- Coelogyne latiloba*** de Vogel #4 II 64 ORCHIDACEAE
- Coelogyne lauterbachiana* Kraenzl. = *Coelogyne miniata* (Blume) Lindley
- Coelogyne lawrenceana*** Rolfe #4 II 64 ORCHIDACEAE
- Coelogyne lentiginosa*** Lindl. #4 II 64 ORCHIDACEAE
- Coelogyne leucantha*** W.W.Smith #4 II 64 ORCHIDACEAE
- Coelogyne leungiana* S.Y.Hu = *Coelogyne fimbriata* Lindl.
- Coelogyne lockii*** Aver. #4 II 64 ORCHIDACEAE
- Coelogyne loheri*** Rolfe #4 II 64 ORCHIDACEAE
- Coelogyne longeciliata*** Tijsm & Binn. #4 II 64 ORCHIDACEAE
- Coelogyne longiana* Aver. = *Coelogyne filipeda* Gagnep.
- Coelogyne longibracteata* Hook.f. = *Coelogyne cumingii* Lindley
- Coelogyne longibulbosa*** Ames & Schweinf. #4 II 64 ORCHIDACEAE
- Coelogyne longifolia*** (Blume) Lindley #4 II 64 ORCHIDACEAE
- Coelogyne longipes*** Lindl. #4 II 64 ORCHIDACEAE
- Coelogyne longipes* sensu Hook.f. non Lindl. = *Coelogyne raizadae* S.K.Jain & S.Das
- Coelogyne longirachis*** Ames #4 II 64 ORCHIDACEAE
- Coelogyne longipasiaensis*** J.J.Wood & C.L.Chan #4 II 64 ORCHIDACEAE
- Coelogyne loricata* Rchb.f.. = *Pholidota imbricata* Lindley
- Coelogyne lowii* Paxton = *Coelogyne asperata* Lindl.
- Coelogyne lurida* Ames & C.Schweinf. = *Chelonistele lurida* (Ames & C. Schweinf.) Pfitzer
- Coelogyne lycastoides*** F.Muell. & Kraenzl. #4 II 64 ORCHIDACEAE
- Coelogyne macdonaldii*** F.Muell. & Kraenzl. #4 II 64 ORCHIDACEAE
- Coelogyne macrobulbon* Hook.f. = *Coelogyne rochussenii* de Vries
- Coelogyne macroloba* J.J. Sm. = *Coelogyne gibbifera* J.J.Smith
- Coelogyne macrophylla* Teijsm. & Binn. = *Coelogyne asperata* Lindl.
- Coelogyne maculata* Lindl. = *Pleione maculata* (Lindl.) Lindl.
- Coelogyne maingayi* Hook.f. = *Coelogyne foerstermannii* Rchb.f.
- Coelogyne malintangensis*** J.J.Smith #4 II 64 ORCHIDACEAE
- Coelogyne malipoensis*** Z.H.Tsi #4 II 64 ORCHIDACEAE
- Coelogyne mandarinorum* Kraenzl. = *Ischnogynne mandarinorum* (Kraenzl.) Schltr.
- Coelogyne marmorata*** Rchb.f. #4 II 64 ORCHIDACEAE
- Coelogyne marthae*** S.E.C.Sierra #4 II 64 ORCHIDACEAE
- Coelogyne massangeana* auct non Rchb.f. = *Coelogyne kaliana* P.J.Cribb
- Coelogyne massangeana* Reichb.f. = *Coelogyne tomentosa* Lindl.
- Coelogyne mayeriana*** Reichb.f. #4 II 64 ORCHIDACEAE
- Coelogyne membranifolia* Carr = *Coelogyne septemcostata* J.J. Smith
- Coelogyne merrillii*** Ames #4 II 64 ORCHIDACEAE
- Coelogyne micholitziana* Kraenzl. = *Coelogyne beccarii* Rchb.f.
- Coelogyne micrantha*** Lindl. #4 II 64 ORCHIDACEAE
- Coelogyne miniata*** (Blume) Lindley #4 II 64 ORCHIDACEAE
- Coelogyne modesta* J.J. Smith = *Coelogyne prasina* Ridley

- Coelogyne monilirachis*** Carr. #4 II 64 ORCHIDACEAE  
***Coelogyne monticola*** J.J.Smith #4 II 64 ORCHIDACEAE  
***Coelogyne mooreana*** Rolfe #4 II 64 ORCHIDACEAE  
***Coelogyne mossiae*** Rolfe #4 II 64 ORCHIDACEAE  
***Coelogyne motleyi*** Rolfe ex J.J.Wood, D.A.Clayton & C.L.Chan #4 II 64 ORCHIDACEAE  
***Coelogyne moultonii*** J.J.Smith #4 II 64 ORCHIDACEAE  
***Coelogyne multiflora*** Schltr. #4 II 64 ORCHIDACEAE  
***Coelogyne muluensis*** J.J.Wood #4 II 64 ORCHIDACEAE  
***Coelogyne naja*** J.J.Smith #4 II 64 ORCHIDACEAE  
*Coelogyne nervillosa* (Blume) Rchb.f. = *Pholidota nervosa* Reichb.f.  
***Coelogyne nervosa*** A.Rich #4 II 64 ORCHIDACEAE  
*Coelogyne nigrofurfuracea* Guillaumin = *Eriodes barbata* (Lindl.) Rolfe  
***Coelogyne nitida*** (Wallich ex Don) Lindley #4 II 64 ORCHIDACEAE  
*Coelogyne nitida* (Roxb.) Hook.f. non (Wall. ex D.Don) Lindl. = *Coelogyne punctulata* Lindl.  
***Coelogyne obtusifolia*** Carr #4 II 64 ORCHIDACEAE  
***Coelogyne occultata*** Hook.f. #4 II 64 ORCHIDACEAE  
*Coelogyne ocellata* Lindl. = *Coelogyne punctulata* Lindl.  
*Coelogyne ochracea* Lindl. = *Coelogyne nitida* (Wallich ex Don) Lindley  
***Coelogyne odoardii*** Schltr. #4 II 64 ORCHIDACEAE  
***Coelogyne odoratissima*** Lindl. #4 II 64 ORCHIDACEAE  
*Coelogyne oligantha* Schltr. = *Coelogyne carinata* Rolfe  
***Coelogyne ovalis*** Lindl. #4 II 64 ORCHIDACEAE  
*Coelogyne ovalis* auct. non Lindl. = *Coelogyne pallens* Ridley  
*Coelogyne ovalis* sensu Pfitzer & Kraenzl. non Lindl. = *Coelogyne fimbriata* Lindl.  
*Coelogyne pachybulbon* Ridl. = *Coelogyne trinervis* Lindley  
***Coelogyne padangensis*** J.J.Smith & Schltr. #4 II 64 ORCHIDACEAE  
*Coelogyne palaelbellata* Gilli = *Calanthe aceras* Schltr.  
***Coelogyne palawanense*** Ames #4 II 64 ORCHIDACEAE  
*Coelogyne palawensis* Tuyama = *Coelogyne guamensis* Ames  
***Coelogyne pallens*** Ridley #4 II 64 ORCHIDACEAE  
*Coelogyne pallida* (Lindl.) Rchb.f. = *Pholidota pallida* Lindley  
***Coelogyne pandurata*** Lindley #4 II 64 ORCHIDACEAE  
*Coelogyne papagena* Rchb.f. = *Coelogyne micrantha* Lindl.  
***Coelogyne papillosa*** Ridl. ex Stapf. #4 II 64 ORCHIDACEAE  
***Coelogyne parishii*** Hook. #4 II 64 ORCHIDACEAE  
*Coelogyne parviflora* Lindl. = *Panisea demissa* (D.Don) Pfitzer  
***Coelogyne pedula*** Summerh. ex Parry #4 II 64 ORCHIDACEAE  
***Coelogyne peltastes*** Reichb. F. #4 II 64 ORCHIDACEAE  
*Coelogyne perakensis* Rolfe = *Chelonistele sulphurea* (Blume) Pfitzer  
*Coelogyne phaoistele* Ridl. = *Geesinkorchis phaiostele* (Ridl.) de Vogel  
*Coelogyne pholas* Rchb.f. = *Pholidota chinensis* Lindl.  
***Coelogyne pholidotooides*** J.J.Smith #4 II 64 ORCHIDACEAE  
***Coelogyne picta*** Schltr. #4 II 64 ORCHIDACEAE  
*Coelogyne pilosissima* Planch. = *Coelogyne ovalis* Lindl.  
*Coelogyne pinniloba* J.J.Smith = *Chelonistele sulphurea* (Blume) Pfitzer  
***Coelogyne planiscapa*** Carr. #4 II 64 ORCHIDACEAE  
*Coelogyne plantaginea* Lindl. = *Coelogyne rochussenii* de Vries  
*Coelogyne platyphylla* Schltr. = *Coelogyne celebensis* J.J.Sm.  
***Coelogyne plicatissima*** Ames & C.Schweinf. #4 II 64 ORCHIDACEAE  
*Coelogyne pogonioides* Rolfe = *Pleione speciosa* Ames & Schltr.  
*Coelogyne porrecta* (Lindl.) Rchb.f. = *Otochilus porrecta* Lindl.  
*Coelogyne praecox* (J.E.Sm.) Lindl. = *Pleione praecox* (J.E.Sm.) D.Don  
***Coelogyne prasina*** Ridley #4 II 64 ORCHIDACEAE  
*Coelogyne primulina* Barretto = *Coelogyne fimbriata* Lindl.  
***Coelogyne prolifera*** Lindley #4 II 64 ORCHIDACEAE  
*Coelogyne prolifera* sensu Gagnep. non Lindl. = *Coelogyne filipeda* Gagnep.  
*Coelogyne prolifera* sensu Lindl. = *Coelogyne schultesii* S.K.Jain & S.Das  
*Coelogyne pseocrintha* Gagnep. = *Coelogyne mooreana* Rolfe  
*Coelogyne psittacina* Rchb.f. = *Coelogyne rumphii* Lindl.  
***Coelogyne pulchella*** Rolfe #4 II 64 ORCHIDACEAE  
***Coelogyne pulverula*** Teijsm. & Binn. #4 II 64 ORCHIDACEAE  
*Coelogyne pulverula* sensu Lamb & C.L.Chan non Teijsm. & Binn = *Coelogyne rhabdobilbon* Schltr.  
*Coelogyne pumila* (Rchb.f.) Rchb.f. = *Dendrochilum pumilum* Rchb.f.  
***Coelogyne punctulata*** Lindl. #4 II 64 ORCHIDACEAE  
*Coelogyne purpurascens* (Thwaites) Hook.f. = *Adrorhizon purpurascens* (Thwaites.) Hook.f.  
*Coelogyne pusilla* Ridl. = *Chelonistele sulphurea* (Blume) Pfitzer  
*Coelogyne pustulosa* Ridl. = *Coelogyne asperata* Lindl.  
*Coelogyne quadrangularis* Ridl. = *Coelogyne swaniana* Rolfe  
***Coelogyne quadratiloba*** Gagnep. #4 II 64 ORCHIDACEAE  
***Coelogyne quinquelamellata*** Ames #4 II 64 ORCHIDACEAE  
***Coelogyne radicans*** Ridl. #4 II 64 ORCHIDACEAE  
*Coelogyne radicosus* Ridl. = *Coelogyne radicans* Ridl.  
***Coelogyne radioferens*** Ames & C.Schweinf. #4 II 64 ORCHIDACEAE  
*Coelogyne radioferens* sensu J.J.Smith non Ames & C.schweinf. = *Coelogyne hirtella* J.J.Smith  
*Coelogyne radiosha* J.J.Smith = *Coelogyne hirtella* J.J.Smith  
***Coelogyne raizadæ*** S.K.Jain & S.Das #4 II 64 ORCHIDACEAE

- Coelogyné ramosii* Ames = *Chelonistele sulphurea* (Blume) Pfitzer  
*Coelogyné recurva* (Lindl.) Rchb.f. = *Pholidota recurva* Lindl.  
*Coelogyné reichenbachiana* T.Moore & Veitch = *Pleione praecox* (J.E.Sm.) D.Don  
*Coelogyné remediosae* Ames & Quisumb. = *Coelogyné remediosiae* Ames & Quisumb.  
***Coelogyné remediosiae*** Ames & Quisumb. #4 II 64  
 ORCHIDACEAE  
***Coelogyné renae*** Gravend. & de Vogel #4 II 64  
 ORCHIDACEAE  
***Coelogyné rhabdobulbon*** Schltr. #4 II 64  
 ORCHIDACEAE  
*Coelogyné rhizomatosa* J.J. Smith = *Coelogyné prasina* Ridley  
*Coelogyné rhodeana* Rchb.f. = *Coelogyné trinervis* Lindley  
*Coelogyné rhombophora* Rchb.f. = *Dendrochilum rhombophorum* (Rchb.f.) Ames  
*Coelogyné richardsii* (Carr) Masam. = *Chelonistele richardsii* Carr  
*Coelogyné ridleyana* Schltr. = *Geesinkorchis phaiostele* (Ridl.) de Vogel  
*Coelogyné ridleyi* Gagnep. = *Coelogyné sanderae* Kraenzl. ex O'Brien  
***Coelogyné rigida*** C.S.Parish & Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Coelogyné rigidiformis*** Ames & C.Schweinf. #4 II 64  
 ORCHIDACEAE  
***Coelogyné rochussenii*** de Vries #4 II 64  
 ORCHIDACEAE  
*Coelogyné rossiana* Reich. f. = *Coelogyné trinervis* Lindley  
*Coelogyné rubens* Ridl. = *Calanthe rubens* Ridley  
*Coelogyné rubra* (Lindl.) Rchb.f. = *Pholidota rubra* Lindl.  
***Coelogyné rumphii*** Lindl. #4 II 64 ORCHIDACEAE  
***Coelogyné rupicola*** Carr #4 II 64 ORCHIDACEAE  
*Coelogyné saigonensis* Gagnep. = *Coelogyné assamica* Linden & Rchb.f.  
***Coelogyné salmonicolor*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Coelogyné sanderae*** Kraenzl. ex O'Brien #4 II 64  
 ORCHIDACEAE  
***Coelogyné sanderiana*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Coelogyné sarasinorum* Kraenzl. = *Coelogyné carinata* Rolfe  
***Coelogyné sauveolens*** (Lindl.) Hook.f. #4 II 64  
 ORCHIDACEAE  
***Coelogyné schilleriana*** Rchb.f. & K.Koch #4 II 64  
 ORCHIDACEAE  
***Coelogyné schultesii*** S.K.Jain & S.Das #4 II 64  
 ORCHIDACEAE  
***Coelogyné septemcostata*** J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Coelogyné siamensis* Rolfe = *Coelogyné assamica* Linden & Rchb.f.  
***Coelogyné simplex*** Lindley #4 II 64 ORCHIDACEAE  
*Coelogyné simplex* Lindl. = *Coelogyné miniata* (Blume) Lindley  
***Coelogyné sparsa*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Coelogyné speciosa*** (Blume) Lindl. #4 II 64  
 ORCHIDACEAE  
*Coelogyné speciosa* sensu Ridl. non (Blume) Lindl. nec Lindl. = *Coelogyné septemcostata* J.J. Smith  
***Coelogyné squamulosa*** J.J.Smith #4 II 64  
 ORCHIDACEAE  
***Coelogyné steenisii*** J.J.Smith #4 II 64 ORCHIDACEAE  
*Coelogyné steffensii* Schltr. = *Coelogyné rochussenii* de Vries  
*Coelogyné stellaris* Rchb.f. = *Coelogyné rochussenii* de Vries  
***Coelogyné stenobulbon*** Schltr. #4 II 64 ORCHIDACEAE  
***Coelogyné stenochila*** Hook.f. #4 II 64 ORCHIDACEAE  
*Coelogyné stenophylla* Ridl. = *Coelogyné trinervis* Lindley  
*Coelogyné stipitibulbum* Holttum = *Coelogyné radicosa* Ridl.  
***Coelogyné stricta*** (D.Don) Schltr. #4 II 64  
 ORCHIDACEAE  
*Coelogyné subinterga* J.J.Smith. = *Coelogyné exalata* Ridl.  
*Coelogyné sulphurea* (Blume) Rchb.f. = *Chelonistele sulphurea* (Blume) Pfitzer  
*Coelogyné sumatrana* J.J.Smith = *Coelogyné testacea* Lindley  
***Coelogyné susanae*** Cribb & B. Lewis #4 II 64  
 ORCHIDACEAE  
***Coelogyné swaniana*** Rolfe #4 II 64 ORCHIDACEAE  
***Coelogyné taronensis*** Hand-Mazz. #4 II 64  
 ORCHIDACEAE  
***Coelogyné tenasserimensis*** Seidenf. #4 II 64  
 ORCHIDACEAE  
***Coelogyné tenompokensis*** Carr #4 II 64  
 ORCHIDACEAE  
***Coelogyné tensuis*** Rolfe #4 II 64 ORCHIDACEAE  
*Coelogyné tenuiflora* Ridl. = *Pholidota gibbosa* (Blume) Vries  
***Coelogyné testacea*** Lindley #4 II 64 ORCHIDACEAE  
*Coelogyné thailandica* Seidenf. = *Coelogyné quadratiloba* Gagnep.  
*Coelogyné thuniana* = *Panisea uniflora* Lindl.  
***Coelogyné tiomanensis*** M.R. Henderson #4 II 64  
 ORCHIDACEAE  
***Coelogyné tomentosa*** Lindl. #4 II 64 ORCHIDACEAE  
*Coelogyné tomiensis* P.O'Byrne = *Coelogyné tommii* Gravend. & P.O'Byrne  
***Coelogyné tommii*** Gravend. & P.O'Byrne #4 II 64  
 ORCHIDACEAE  
*Coelogyné treutleri* Hook.f. = *Epigeneium treutleri* (Hook.f.) Ormerod  
*Coelogyné tricarinata* Ridl. = *Coelogyné rigida* C.S.Parish & Rchb.f.  
*Coelogyné trifida* Rchb.f. = *Coelogyné odoratissima* Lindl.  
***Coelogyné trilobulata*** J.J.Smith #4 II 64 ORCHIDACEAE  
***Coelogyné trinervis*** Lindley #4 II 64 ORCHIDACEAE  
*Coelogyné triotos* (Rchb.f.) Rchb.f. = *Pholidota imbricata* Lindley  
***Coelogyné triplicatula*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Coelogyné triptera* Brongn. = *Encyclia pygmaea* (Hook.) Dressler

- Coelogyné trisaccata* Griff. = *Neogyna gardneriana* Rchb.f.
- Coelogyné triuncialis*** P.O'Byrne & J.J.Verm. #4 II 64  
ORCHIDACEAE
- Coelogyné truncicola* Schltr. = *Coelogyné carinata* Rolfe
- Coelogyné tumida*** J.J. Smith #4 II 64 ORCHIDACEAE
- Coelogyné undatialata*** J.J.Smith #4 II 64  
ORCHIDACEAE
- Coelogyné undulata* (Wall. ex Lindl.) Rchb.f. = *Pholidota rubra* Lindl.
- Coelogyné undulata* Wall ex Pfitzer & Kraenzl. non Rhb.f.  
= *Coelogyné sauveolens* (Lindl.) Hook.f.
- Coelogyné unguiculata* (Carr.) Masam. = *Chelonistele unguiculata* Carr.
- Coelogyné uniflora* Rchb.b. = *Panisea uniflora* Lindl.
- Coelogyné usitana*** Roeth & O.Gruss #4 II 64  
ORCHIDACEAE
- Coelogyné ustulata*** C.S.P.Parish & Rchb.f. #4 II 64  
ORCHIDACEAE
- Coelogyné vagans* Schltr. = *Coelogyné prasina* Ridley
- Coelogyné vanoverberghii*** Ames #4 II 64  
ORCHIDACEAE
- Coelogyné veitchii*** Rolfe #4 II 64 ORCHIDACEAE
- Coelogyné velutina*** de Vogel #4 II 64 ORCHIDACEAE
- Coelogyné ventricosa* (Blume) Rchb.f. = *Pholidota ventricosa* (Blume) Reich.f.
- Coelogyné venusta*** Rolfe #4 II 64 ORCHIDACEAE
- Coelogyné vermicularis*** J.J.Smith #4 II 64  
ORCHIDACEAE
- Coelogyné verrucosa*** S.E.C.Siera #4 II 64  
ORCHIDACEAE
- Coelogyné virescens*** Rolfe #4 II 64 ORCHIDACEAE
- Coelogyné viscosa*** Rchb.f. #4 II 64 ORCHIDACEAE
- Coelogyné wallichiana* Lindl. = *Pleione praecox* (J.E.Sm.) D.Don
- Coelogyné wallichii* Hook. = *Pleione praecox* (J.E.Sm.) D.Don
- Coelogyné wettsteiniana* Schltr. = *Coelogyné trinervis* Lindley
- Coelogyné whitmeei* Schltr. = *Coelogyné lycastoides* F.Muell. & Kraenzl.
- Coelogyné xanthoglossa* Ridley = *Coelogyné xyrekes* Ridl.
- Coelogyné xerophyta* Hand-Mazz. = *Coelogyné fimbriata* Lindl.
- Coelogyné xylobioides* Kraenzl. = *Gynoglottis cymbidioides* (Rchb.f) J.J.Smith
- Coelogyné xyrekes*** Ridl. #4 II 64 ORCHIDACEAE
- Coelogyné yiii*** Shuit. & de Vogel #4 II 64  
ORCHIDACEAE
- Coelogyné yunnanensis* Rolfe = *Pleione yunnanensis* (Rolle) Rolfe
- Coelogyné zahlbrücknerae* Kraenzl. = *Coelogyné marmorata* Rchb.f.
- Coelogyné zeylanica*** Hook.f. #4 II 64 ORCHIDACEAE
- Coelogyné zhenkangensis*** S.C.Chen & K.Y.Lang #4 II 64 ORCHIDACEAE
- Coelogyné zurowetzii*** Carr #4 II 64 ORCHIDACEAE
- Cohniella* spp.** Pfitzer #4 II 64 ORCHIDACEAE
- Coilochilus* spp.** Schlechter #4 II 64 ORCHIDACEAE
- Coilochilus neocaledonicus* Schltr. #4 II 64  
ORCHIDACEAE
- Colax aromaticus* Spreng. 1827 = *Lycaste aromatica* (Graham) Lindl. (1843)
- Colax barringtoniae* (Sm.) Lindl. ex Spreng. 1826 = *Lycaste barringtoniae* (Sm.) Lindl. (1844)
- Colax grandiflorus* Raf. (1835) = *Bifrenaria harrisoniae* (Hook.) Rchb.f. (1854)
- Colax harrisoniae* Lindl. (1825) = *Bifrenaria harrisoniae* (Hook.) Rchb.f. (1854)
- Colax parvulus* (Hook.) Spreng. 1827 = *Bifrenaria parvula* (Hook.) Rchb.f. 1862
- Colax racemosus* (Hook.) Spreng.f. 1828 = *Bifrenaria racemosa* (Hook.) Lindl. (1843)
- Coleocephalocereus* spp.** Backeb. #4 II 49  
CACTACEAE
- Coleocephalocereus albicephalus* (Buining & Brederoo) Brandt = *Micranthocereus albicephalus* (Buining & Brederoo) Ritter
- Coleocephalocereus aureispinus* Buining & Brederoo = *Pilosocereus aureispinus* (Buining & Brederoo) Ritter
- Coleocephalocereus aureus*** Ritter #4 II 49 CACTACEAE
- Coleocephalocereus aureus brevicylindricus* (Buining) Braun = *Coleocephalocereus aureus* Ritter
- Coleocephalocereus aureus elongatus* (Buining) Braun = *Coleocephalocereus aureus* Ritter
- Coleocephalocereus aureus longispinus* (Buining) Braun = *Coleocephalocereus aureus* Ritter
- Coleocephalocereus brevicylindricus* (Buining) Ritter = *Coleocephalocereus aureus* Ritter
- Coleocephalocereus buxbaumianus*** Buining #4 II 49  
CACTACEAE
- Coleocephalocereus dybowskii* (Roland-Gosselin) Brandt = *Epsotoopsis dybowskii* (Roland-Gosselin) Buxbaum
- Coleocephalocereus elongatus* (Buining) Braun = *Coleocephalocereus aureus* Ritter
- Coleocephalocereus fluminensis*** (Miquel) Backeberg #4 II 49 CACTACEAE
- Coleocephalocereus goebelianus*** (Vaupel) Buining #4 II 49 CACTACEAE
- Coleocephalocereus lehmannianus* (Werdermann) Brandt = *Micranthocereus purpureus* (Guerke) Ritter
- Coleocephalocereus luetzelburgii* (Vaupel) Buxbaum = *Stephanocereus luetzelburgii* (Vaupel) Taylor & Eggi
- Coleocephalocereus pachystele* Ritter = *Coleocephalocereus goebelianus* (Vaupel) Buining
- Coleocephalocereus pluricostatus*** Buining & Brederoo #4 II 49 CACTACEAE
- Coleocephalocereus pluricostatus uebelmanniorum* Braun & Esteves Pereira = *Coleocephalocereus pluricostatus* Buining & Brederoo
- Coleocephalocereus purpureus*** (Buining & Brederoo) Ritter #4 II 49 CACTACEAE
- Collabium* spp.** Blume #4 II 64 ORCHIDACEAE
- Collabium chinense* (Rolle) Tang & F.T.Wang #4 II 64  
ORCHIDACEAE
- Collabium simplex* Reichb.f. #4 II 64 ORCHIDACEAE

- Coloradoa mesae-verdae* Boissevain & Davidson ex Marshall & Bock = *Sclerocactus mesae-verdae* (Boissevain & Davidson ex Marshall & Bock) Benson  
*Columbea quadrifaria* Salish. = *Araucaria araucana* (Molina) K.Koch  
 Common, Tree Fern (E): *Alsophila dregei*  
**Comparettia spp.** Poepp. & Endl. #4 II 64  
 ORCHIDACEAE  
**Comparettia coccinea** Lindl. 1838 #4 II 64  
 ORCHIDACEAE  
*Comparettia cryptocera* Morren 1852 = *Comparettia falcata* Poepp. & Endl. 1836  
*Comparettia erecta* Schltr. 1920 = *Comparettia falcata* Poepp. & Endl. 1836  
**Comparettia falcata** Poepp. & Endl. 1836 #4 II 64  
 ORCHIDACEAE  
**Comparettia ignea** P.Ortiz #4 II 64 ORCHIDACEAE  
**Comparettia macroplectron** Rchb.f. & Triana 1878 #4 II 64 ORCHIDACEAE  
**Comparettia maloi** I.Bock 1986 #4 II 64 ORCHIDACEAE  
*Comparettia peruviana* Schltr. (1912) = *Comparettia coccinea* Lindl. 1838  
*Comparettia pulchella* Schltr. = *Comparettia falcata* Poepp. & Endl. 1836  
*Comparettia rosea* Lindl. 1840 = *Comparettia falcata* Poepp. & Endl. 1836  
*Comparettia saccata* Poepp. & Endl. = *Scelochilus saccatus* (Poepp. & Endl.) Rchb.f.  
**Comparettia speciosa** Rchb. f. (1887) #4 II 64  
 ORCHIDACEAE  
*Comparettia splendens* Schltr. in Fedde 1922 =  
*Comparettia macroplectron* Rchb.f. & Triana 1878  
*Comparettia venezuelana* Schltr. 1919 = *Comparettia falcata* Poepp. & Endl. 1836  
**Comperia spp.** K. Koch #4 II 64 ORCHIDACEAE  
*Comperia comperiana* (Steven) Asch. & Graebn. #4 II 64  
 ORCHIDACEAE (E) Komper's Orchid  
*Comperia taurica* K.Koch = *Comperia comperiana* (Steven) Asch. & Graebn.  
*Conchidium* spp. Griff. #4 II 64 ORCHIDACEAE  
*Conchidium muscicola* (Lindl.) Rauschert #4 II 64  
 ORCHIDACEAE  
**Condylago spp.** Luer #4 II 64 ORCHIDACEAE  
*Consolea corallicola* Small = *Opuntia spinosissima* Miller  
*Consolea falcata* (Ekman & Werdermann) F.Knuth =  
*Opuntia falcata* Ekman & Werdermann  
*Consolea macracantha* (Grisebach) Berger = *Opuntia macracantha* Grisebach  
*Consolea millspaughii* (Britton) Berg = *Opuntia millspaughii* Britton  
*Consolea moniliformis guantanamana* Areces = *Opuntia moniliformis* (L.) Haworth ex Steudel  
*Consolea moniliformis* (L.) Berger = *Opuntia moniliformis* (L.) Haworth ex Steudel  
*Consolea nashii* (Britton) Berger = *Opuntia nashii* Britton  
*Consolea nashii gibarensis* A.E.Areces-Kallea = *Opuntia nashii* Britton  
*Consolea rubescens* (Salm-Dyck) Lemaire = *Opuntia rubescens* Salm-Dyck ex De Candolle  
*Consolea spinosissima* (Miller) Lemaire = *Opuntia spinosissima* Miller  
**Constantia spp.** Barb.Rodr. #4 II 64 ORCHIDACEAE  
**Constantia australis** (Cogn.) Porto & Brade #4 II 64  
 ORCHIDACEAE  
**Constantia cipoensis** Porto & Brade #4 II 64  
 ORCHIDACEAE  
**Constantia cristinae** F.Miranda #4 II 64 ORCHIDACEAE  
**Constantia microscopica** F.Miranda #4 II 64  
 ORCHIDACEAE  
**Constantia rupestris** Barb.Rodr. #4 II 64  
 ORCHIDACEAE  
 Coontie, Florida (E): *Zamia integrifolia*  
**Copiapoa spp.** Britton & Rose #4 II 49 CACTACEAE  
*Copiapoa alticostata* Ritter = *Copiapoa coquimbana* (Karwinski ex Ruempler) Britton & Rose  
*Copiapoa applanata* Backeberg = *Copiapoa cinerascens* (Salm-Dyck) Britton & Rose  
*Copiapoa barquitensis* Ritter = *Copiapoa hypogaea* Ritter  
**Copiapoa bridgesii** (Pfeiffer) Backeberg #4 II 49  
 CACTACEAE  
*Copiapoa brunnescens* Backeberg = *Copiapoa megarhiza* Britton & Rose  
**Copiapoa calderana** Ritter #4 II 49 CACTACEAE  
*Copiapoa carrizalensis* Ritter = *Copiapoa malletiana* (Lemaire ex Salm-Dyck) Backeberg  
*Copiapoa castanea* Ritter = *Copiapoa serpentisulcata* Ritter  
**Copiapoa chanaralensis** Ritter #4 II 49 CACTACEAE  
*Copiapoa chaniaralensis* Ritter = *Copiapoa chanaralensis* Ritter  
**Copiapoa cinerascens** (Salm-Dyck) Britton & Rose #4 II 49 CACTACEAE  
**Copiapoa cinerea** (Philippi) Britton & Rose #4 II 49  
 CACTACEAE  
*Copiapoa cinerea dealbata* (Ritter) Slaba = *Copiapoa malletiana* (Lemaire ex Salm-Dyck) Backeberg  
*Copiapoa conglomerata* (Philippi) Lembecke = *Copiapoa solaris* (Ritter) Ritter  
**Copiapoa coquimbana** (Karwinski ex Ruempler) Britton & Rose #4 II 49 CACTACEAE  
*Copiapoa cuprea* Ritter = *Copiapoa echinoides* (Salm-Dyck) Britton & Rose  
*Copiapoa cupreata* (Poselger ex Ruempler) Backeberg = *Copiapoa echinoides* (Salm-Dyck) Britton & Rose  
*Copiapoa dealbata* Ritter = *Copiapoa malletiana* (Lemaire ex Salm-Dyck) Backeberg  
**Copiapoa desertorum** Ritter #4 II 49 CACTACEAE  
*Copiapoa dura* Ritter = *Copiapoa echinoides* (Salm-Dyck) Britton & Rose  
*Copiapoa echinata* Ritter = *Copiapoa fiedleriana* (Schumann) Backeberg  
**Copiapoa echinoides** (Salm-Dyck) Britton & Rose #4 II 49 CACTACEAE  
*Copiapoa esmeraldana* Ritter = *Copiapoa humilis* (Philippi) Hutchison  
*Copiapoa ferox* Lembcke & Backeberg = *Copiapoa solaris* (Ritter) Ritter

- Copiapoa fiedleriana*** (Schumann) Backeberg #4 II 49  
CACTACEAE
- Copiapoa hornilloensis*** Ritter #4 II 49 CACTACEAE
- Copiapoa humilis*** (Philippi) Hutchison #4 II 49  
CACTACEAE
- Copiapoa hypogaea*** Ritter #4 II 49 CACTACEAE
- Copiapoa intermedia* Ritter ex Backeberg = *Copiapoa fiedleriana* (Schumann) Backeberg
- Copiapoa laui*** Diers & Esteves Pereira #4 II 49  
CACTACEAE
- Copiapoa longispina* Ritter = *Copiapoa humilis* (Philippi)  
Hutchison
- Copiapoa macracantha*** (Salm-Dyck) Meregalli #4 II 49  
CACTACEAE
- Copiapoa malletiana*** (Lemaire ex Salm-Dyck) Backeberg #4 II 49 CACTACEAE
- Copiapoa marginata*** (Salm-Dyck) Britton & Rose #4 II 49  
CACTACEAE
- Copiapoa megarhiza*** Britton & Rose #4 II 49  
CACTACEAE
- Copiapoa montana*** Ritter #4 II 49 CACTACEAE
- Copiapoa paposoensis* Ritter = *Copiapoa humilis* (Philippi)  
Hutchison
- Copiapoa pendulina* Ritter = *Copiapoa coquimbana*  
(Karwinski ex Ruempler) Britton & Rose
- Copiapoa pepiniana* (Lemaire ex Salm-Dyck) Backeberg =  
*Copiapoa coquimbana* (Karwinski ex Ruempler) Britton & Rose
- Copiapoa psuedocoquimbana* Ritter = *Copiapoa fiedleriana* (Schumann) Backeberg
- Copiapoa rubriflora* Ritter = *Copiapoa rupestris* Ritter
- Copiapoa rupestris*** Ritter #4 II 49 CACTACEAE
- Copiapoa serenana* Voldan = *Copiapoa coquimbana*  
(Karwinski ex Ruempler) Britton & Rose
- Copiapoa serpentisulcata*** Ritter #4 II 49 CACTACEAE
- Copiapoa solaris*** (Ritter) Ritter #4 II 49 CACTACEAE
- Copiapoa streptocaulon* (Hooker) Ritter = *Copiapoa marginata* (Salm-Dyck) Britton & Rose
- Copiapoa taltalensis* (Werdermann) Looser = *Copiapoa humilis* (Philippi) Hutchison
- Copiapoa tenuissima*** Ritter #4 II 49 CACTACEAE
- Copiapoa tocopillana*** Ritter #4 II 49 CACTACEAE
- Copiapoa totoralensis* Ritter = *Copiapoa fiedleriana* (Schumann) Backeberg
- Copiapoa vallenarensis* Ritter = *Copiapoa coquimbana*  
(Karwinski ex Ruempler) Britton & Rose
- Copiapoa varispinata*** Ritter #4 II 49 CACTACEAE
- Copiapoa wagenknechtii* Ritter ex Backeberg = *Copiapoa coquimbana* (Karwinski ex Ruempler) Britton & Rose
- Corallorrhiza spp.*** Châtel. #4 II 64 ORCHIDACEAE
- Corallorrhiza innata* R.Br. = *Corallorrhiza trifida* Châtel.
- Corallorrhiza neottia* Scop. = *Corallorrhiza trifida* Châtel.
- Corallorrhiza trifida* Châtel. #4 II 64 ORCHIDACEAE
- Corallorrhiza spp.*** Gagnebin #4 II 64 ORCHIDACEAE
- Corallorrhiza ehrenbergii* Reichb.f. #4 II 64  
ORCHIDACEAE
- Corallorrhiza elliptica* Schltr. #4 II 64 ORCHIDACEAE
- Corallorrhiza fimbriata* Schltr. #4 II 64 ORCHIDACEAE
- Corallorrhiza macrantha* Schltr. #4 II 64 ORCHIDACEAE
- Corallorrhiza odontorhiza* (Willd.) Nutt. #4 II 64  
ORCHIDACEAE
- Corcho, Palm (E): Microcycas calocoma*
- Cordanthera spp.*** L.O.Williams #4 II 64 ORCHIDACEAE
- Cordiglottis spp.*** J.J. Smith #4 II 64 ORCHIDACEAE
- Cordiglottis filiformis* (Hook.f.) Garay #4 II 64  
ORCHIDACEAE
- Cordiglottis major* (Carr) Garay #4 II 64 ORCHIDACEAE
- Cordula amabilis* (Hallier) Merr. = *Paphiopedilum bullenianum* (Reichb.f.)Pfitzer
- Cordula appletoniana* Kraenzl. = *Paphiopedilum appletonianum* (Gower) Rolfe
- Cordula argus* (Reichb.f.) Rolfe = *Paphiopedilum argus* (Reichb.f.) Stein
- Cordula barbata* (Lindl.) Rolfe = *Paphiopedilum barbatum* (Lindl.) Pfitzer
- Cordula bellatula* (Reichb.f) Rolfe = *Paphiopedilum bellatum* (Reichb. f.)Stein
- Cordula bulleniana* Ridl. = *Paphiopedilum bullenianum* (Reichb.f.)Pfitzer
- Cordula callosa* (Reichb.f.) Rolfe = *Paphiopedilum callosum* (Reichb.f.) Stein
- Cordula charlesworthii* (Rolfe) Rolfe = *Paphiopedilum charlesworthii* (Rolfe) Pfitzer
- Cordula ciliolaris* (Reichb.f) Rolfe = *Paphiopedilum ciliolare* (Reichb. f.) Stein
- Cordula concolor* (Lindl.) Rolfe = *Paphiopedilum concolor* (Lindl.) Pfitzer
- Cordula dayana* (Lindl.) Rolfe = *Paphiopedilum dayanum* (Lindl.) Stein
- Cordula druryi* (Bedd.) Rolfe = *Paphiopedilum druryi* (Bedd.) Stein
- Cordula fairrieana* (Lindl.) Rolfe = *Paphiopedilum fairrieanum* (Lindl.) Stein
- Cordula glandulifera* (Blume) Rolfe = *Paphiopedilum glanduliferum* (Blume) Stein
- Cordula glaucophylla* (J. J. Sm.) Rolfe = *Paphiopedilum glaucophyllum* J.J.Sm.
- Cordula godefroyae* (God.-Leb.) Rolfe = *Paphiopedilum godefroyae* (God.-Leb.) Stein
- Cordula haynaldiana* (Reichb.f) Rolfe = *Paphiopedilum haynaldianum* (Reichb.f.) Stein
- Cordula hirsutissima* (Lindl. ex Hook.) Rolfe =  
*Paphiopedilum hirsutissimum* (Lindl. ex Hook.) Stein
- Cordula hookerae* (Reichb.f) Rolfe = *Paphiopedilum hookerae* (Reichb. f.) Stein
- Cordula insignis* (Lindl.) Raf. = *Paphiopedilum insigne* (W.Wall ex Lindl.) Pfitzer
- Cordula javanica* (Reinw. ex Lindl.) Rolfe = *Paphiopedilum javanicum* (Reinw. ex Lindl.) Pfitzer
- Cordula lawrenceana* (Reichb.f) Merr. = *Paphiopedilum lawrenceanum* (Reichb.f.) Pfitzer
- Cordula lowii* (Lindl.) Rolfe = *Paphiopedilum lowii* (Lindl.) Stein
- Cordula mastersiana* (Reichb.f.) Rolfe = *Paphiopedilum mastersianum* (Reichb.f.) Stein
- Cordula nigrita* (Reichb.f) Merr. = *Paphiopedilum barbatum* (Lindl.) Pfitzer

- Cordula nivea* (Reichb.f.) Rolfe = *Paphiopedilum niveum* (Reichb. f.) Stein  
*Cordula parishii* (Reichb.f.) Rolfe = *Paphiopedilum parishii* (Reichb.f.) Stein  
*Cordula petri* (Reichb.f.) Rolfe = *Paphiopedilum dayanum* (Lindl.) Stein  
*Cordula philippinensis* (Reichb.f.) Rolfe = *Paphiopedilum philippinense* (Reichb.f.) Stein  
*Cordula purpurata* (Lindl.) Rolfe = *Paphiopedilum purpuratum* (Lindl.) Stein  
*Cordula rothschildiana* (Reichb.f.) Merr. = *Paphiopedilum rothschildianum* (Reichb.f.) Stein  
*Cordula sanderiana* Rolfe = *Paphiopedilum sanderianum* (Reichb. f.) Stein  
*Cordula spiceriana* (Reichb.f ex Masters & T. Moore) Rolfe = *Paphiopedilum spicerianum* (Reichb.f. ex Masters & T.Moore) Pfitzer  
*Cordula stonei* (Hook.) Merr. = *Paphiopedilum stonei* (Hook.) Stein  
*Cordula superbiens* (Reichb.f) Rolfe = *Paphiopedilum superbiens* (Reichb.f.) Stein  
*Cordula tonsa* (Reichb.f.) Rolfe = *Paphiopedilum tonsum* (Reichb.f.) Stein  
*Cordula venusta* (Wall.) Rolfe = *Paphiopedilum venustum* (Wall. ex Sims) Pfitzer ex Stein  
*Cordula victoria-mariae* (Sander ex Mast.) Rolfe = *Paphiopedilum victoria-mariae* (Sander ex Mast.) Rolfe  
*Cordula villosa* (Lindl.) Rolfe = *Paphiopedilum villosum* (Lindl.) Stein  
*Cordula violascens* (Schltr) Rolfe = *Paphiopedilum violascens* Schltr.  
*Cormiophyllum arboreum* (L.) Newm. 1854 = *Cyathea arborea* (L. 1753) Smith 1793  
***Corryocactus* spp.** Britton & Rose #4 II 49 CACTACEAE  
***Corryocactus acervatus*** Ritter #4 II 49 CACTACEAE  
***Corryocactus apiciflorus*** (Vaupel) Hutchison ex Buxbaum #4 II 49 CACTACEAE  
***Corryocactus aureus*** (Meyen) Hutchison ex Buxbaum #4 II 49 CACTACEAE  
***Corryocactus ayacuchoensis*** Rauh & Backeberg #4 II 49 CACTACEAE  
***Corryocactus ayopayanus*** Cardenas #4 II 49 CACTACEAE  
***Corryocactus brachycladus*** Ritter #4 II 49 CACTACEAE  
***Corryocactus brachypetalus*** (Vaupel) Britton & Rose #4 II 49 CACTACEAE  
***Corryocactus brevispinus*** Rauh & Backeberg #4 II 49 CACTACEAE  
***Corryocactus brevistylus*** (Schumann) Britton & Rose #4 II 49 CACTACEAE  
***Corryocactus chachapoyensis*** Ochoa & Backeberg #4 II 49 CACTACEAE  
***Corryocactus charazanensis*** Cardenas #4 II 49 CACTACEAE  
***Corryocactus chavinilloensis*** Ritter #4 II 49 CACTACEAE  
***Corryocactus cuajonesensis*** Ritter #4 II 49 CACTACEAE  
***Corryocactus erectus*** (Backeberg) Ritter #4 II 49 CACTACEAE  
***Corryocactus gracilis*** Ritter #4 II 49 CACTACEAE  
***Corryocactus heteracanthus*** Backeberg #4 II 49 CACTACEAE  
***Corryocactus huincoensis*** Ritter #4 II 49 CACTACEAE  
*Corryocactus matucanensis* Ritter = *Corryocactus huincoensis* Ritter  
*Corryocactus maximus* (Backeberg) Hutchison ex Buxbaum = *Corryocactus apiciflorus* (Vaupel) Hutchison ex Buxbaum  
***Corryocactus megarhizus*** Ritter #4 II 49 CACTACEAE  
***Corryocactus melaleucus*** Ritter #4 II 49 CACTACEAE  
***Corryocactus melanotrichus*** (Scumann) Britton & Rose #4 II 49 CACTACEAE  
***Corryocactus odoratus*** Ritter #4 II 49 CACTACEAE  
***Corryocactus otuyensis*** Cardenas #4 II 49 CACTACEAE  
*Corryocactus pachycladus* Rauh & Backeberg = *Corryocactus pulquinensis* Cardenas  
***Corryocactus perezianus*** Cardenas #4 II 49 CACTACEAE  
***Corryocactus pilispinus*** Ritter #4 II 49 CACTACEAE  
***Corryocactus prostratus*** Ritter #4 II 49 CACTACEAE  
***Corryocactus pulquinensis*** Cardenas #4 II 49 CACTACEAE  
***Corryocactus pyroporphyranthus*** Ritter #4 II 49 CACTACEAE  
***Corryocactus quadrangularis*** (Rauh & Backeberg) Ritter #4 II 49 CACTACEAE  
***Corryocactus quivillanus*** Ritter #4 II 49 CACTACEAE  
***Corryocactus serpens*** Ritter #4 II 49 CACTACEAE  
***Corryocactus solitarius*** Ritter #4 II 49 CACTACEAE  
*Corryocactus spiniflorus* (Philippi) Hutchinson = *Austrocactus spiniflorus* (Philippi) Ritter  
***Corryocactus squarrosus*** (Vaupel) Hutchison ex Buxbaum #4 II 49 CACTACEAE  
***Corryocactus tarijensis*** Cardenas #4 II 49 CACTACEAE  
***Corryocactus tenuiculus*** (Backeberg) Hutchison ex Buxbaum #4 II 49 CACTACEAE  
***Coryanthes* spp.** Hook. #4 II 64 ORCHIDACEAE  
*Coryanthes elegantium* Linden & Reichb. f. #4 II 64 ORCHIDACEAE  
*Coryanthes gerlachiana* Senghas #4 II 64 ORCHIDACEAE  
*Coryanthes speciosa* (Lodd.) Lindley #4 II 64 ORCHIDACEAE  
*Coryanthes thivii* Kropf & Seeger #4 II 64 ORCHIDACEAE  
*Coryanthes vieirae* G.Gerlach #4 II 64 ORCHIDACEAE  
***Corybas* spp.** Salisb. #4 II 64 ORCHIDACEAE  
*Corybas abditus* D.L.Jones #4 II 64 ORCHIDACEAE  
*Corybas abellianus* Dockr. #4 II 64 ORCHIDACEAE  
*Corybas acutus* Dransf. & Comber #4 II 64 ORCHIDACEAE  
*Corybas bancanus* (J.J. Smith) Schltr. #4 II 64 ORCHIDACEAE  
*Corybas bryophilus* J.J. Smith #4 II 64 ORCHIDACEAE  
*Corybas calciculus* Dransf. & G. Smith #4 II 64 ORCHIDACEAE

- Corybas calopeplos* Dransf. & G. Smith #4 II 64  
ORCHIDACEAE
- Corybas carinatus* (J.J. Smith) Schltr. #4 II 64  
ORCHIDACEAE
- Corybas caudatus* Holttum #4 II 64 ORCHIDACEAE
- Corybas comptus* Dransf. & G. Smith #4 II 64  
ORCHIDACEAE
- Corybas crenulatus* J.J. Smith #4 II 64 ORCHIDACEAE
- Corybas dentatus* D.L.Jones #4 II 64 ORCHIDACEAE
- Corybas fornicateus* (Blume) Kuntze #4 II 64  
ORCHIDACEAE
- Corybas geminigibbus* J.J. Smith #4 II 64 ORCHIDACEAE
- Corybas gemmatus* Cribb & B. Lewis #4 II 64  
ORCHIDACEAE
- Corybas himalaicus* (King & Pantl.) Schltr. #4 II 64  
ORCHIDACEAE
- Corybas holttumii* Dransf. & G. Smith #4 II 64  
ORCHIDACEAE
- Corybas imperatorius* (J.J. Smith) Schltr. #4 II 64  
ORCHIDACEAE
- Corybas kinabaluensis* Carr #4 II 64 ORCHIDACEAE
- Corybas laceratus* Williams #4 II 64 ORCHIDACEAE
- Corybas limpidus* D.L.Jones #4 II 64 ORCHIDACEAE
- Corybas merrillii* (Ames) Ames #4 II 64 ORCHIDACEAE
- Corybas montanus* D.L.Jones #4 II 64 ORCHIDACEAE
- Corybas muluensis* Dransf. #4 II 64 ORCHIDACEAE
- Corybas neocaldonicus* (Schltr.) Schltr. #4 II 64  
ORCHIDACEAE
- Corybas pictus* (Blume) Reichb.f. #4 II 64 ORCHIDACEAE
- Corybas piliferus* Dransf. #4 II 64 ORCHIDACEAE
- Corybas ponapensis* Hosok. & Fukuyama #4 II 64  
ORCHIDACEAE
- Corybas praetermissus* Dransf. & Comber #4 II 64  
ORCHIDACEAE
- Corybas purpureus* Joseph & Yoganarasimhan = *Corybas himalaicus* (King & Pantl.) Schltr.
- Corybas ramosianus* Dransf. #4 II 64 ORCHIDACEAE
- Corybas ridleyanus* Schltr. #4 II 64 ORCHIDACEAE
- Corybas royenii* Kores #4 II 64 ORCHIDACEAE
- Corybas selangorensis* Dransf. & G. Smith #4 II 64  
ORCHIDACEAE
- Corybas serpentinus* Dransf. #4 II 64 ORCHIDACEAE
- Corybas taiwanensis* T.P. Lin & S.Y. Lu #4 II 64  
ORCHIDACEAE
- Corybas umbrosus* Dransf. & Comber #4 II 64  
ORCHIDACEAE
- Corybas undulatus* (Cunn.) Rupp #4 II 64 ORCHIDACEAE
- Corybas unguiculatus* (R. Br.) Reichb.f. #4 II 64  
ORCHIDACEAE
- Corybas villosus* Dransf. & G. Smith #4 II 64  
ORCHIDACEAE
- Corybas vinosus* (J.J. Smith) Schltr. #4 II 64  
ORCHIDACEAE
- Corycium* spp.** Sw. #4 II 64 ORCHIDACEAE
- Corycium bifidum* Sond. #4 II 64 ORCHIDACEAE
- Corycium flanaganii* (Bolus) Kurzweil & H.P.Linder #4 II 64  
ORCHIDACEAE
- Corycium ingeanum* E.G.H.Oliv. #4 II 64 ORCHIDACEAE
- Corycium microglossum* Lindl. #4 II 64 ORCHIDACEAE
- Corycium tricuspidatum* (Schlechter) Bolus #4 II 64  
ORCHIDACEAE
- Corycium vestitum* Sweet #4 II 64 ORCHIDACEAE
- Corymborkis* spp.** Thouars #4 II 64 ORCHIDACEAE
- Corymborkis brevistylis* (Hook.f.) Holttum #4 II 64  
ORCHIDACEAE
- Corymborkis corymbosa* Thouars #4 II 64  
ORCHIDACEAE
- Corymborkis flava* (Sw.) Kuntze. #4 II 64 ORCHIDACEAE
- Corymborkis subdensa* (Schltr.) Masam. #4 II 64  
ORCHIDACEAE
- Corynopuntia agglomerata* (Berger) F.Knuth = *Opuntia agglomerata* Berger
- Corynopuntia bulbispina* (Engelmann) F.Knuth = *Opuntia bulbispina* Engelmann
- Corynopuntia clavata* (Engelmann) F.Knuth = *Opuntia clavata* Engelmann
- Corynopuntia dumetorum* (Berger) F.Knuth = *Opuntia dumetorum* Berger
- Corynopuntia grahamii* (Engelmann) F.Knuth = *Opuntia grahamii* Engelmann
- Corynopuntia moelleriana* (Berger ex Y.Wright) F.Knuth = *Opuntia moelleri* Berger
- Corynopuntia pulchella* (Engelmann) f. Knuth = *Opuntia pulchella* Engelmann
- Corynopuntia reflexispina* (Wiggins & Rollins) backeberg = *Opuntia reflexispina* Wiggins & Rollins
- Corynopuntia schottii* (Engelmann) F.Knuth = *Opuntia schottii* Engelmann
- Corynopuntia stanlyi* (Engelmann) F.Knuth = *Opuntia emoryi* Engelmann
- Corynopuntia vilis* (Rose) F. Knuth = *Opuntia vilis* Rose
- Coryphantha* spp.** (Engelm.) Lem. #4 I/II 49  
CACTACEAE
- Coryphantha aggregata* Britton & Rose = *Escobaria vivipara* (Nuttall) Buxbaum
- Coryphantha albicolumnaria* (Hester) D.Zimmerman = *Escobaria albicolumnaria* Hester
- Coryphantha alversonii* (J.Coulter) Orcutt = *Escobaria alversonii* (J.Coulter) Taylor
- Coryphantha andreae* (J.Purpus & Boedeker) Berger = *Coryphantha pycnacantha* (Martius) Lemaire
- Coryphantha arizonica* (Engelmann) Britton & Rose = *Escobaria vivipara* (Nuttall) Buxbaum
- Coryphantha asterias* (Cels ex Salm-Dyck) Hubner = *Coryphantha ottonis* (Pfeiffer) Lemaire
- Coryphantha bergeriana* Boedeker = *Coryphantha glanduligera* (Otto ex Dietrich) Lemaire
- Coryphantha bernalensis* Bremer = *Coryphantha radians* (De Candolle) Britton & Rose
- Coryphantha borwigii* (J.Purpus) Berger = *Coryphantha salinensis* (Poselger) A.Zimmerman ex Dicht & A.Luethy
- Coryphantha bumamma* (Ehrenberg) Britton & Rose = *Coryphantha elephantidens* (Lemaire) Lemaire
- Coryphantha bussleri* (Mundt) Scheinvar = *Coryphantha ottonis* (Pfeiffer) Lemaire

- Coryphantha calipensis** Bravo #4 II 49 CACTACEAE
- Coryphantha calochlora** Boedeker #4 II 49 CACTACEAE
- Coryphantha chlorantha* (Engelmann) Britton & Rose =  
*Escobaria deserti* (Engelmann) Buxbaum
- Coryphantha clava* (Pfeiffer) Lemaire = *Coryphantha octacantha* (De Candolle) Britton & Rose
- Coryphantha clavata** (Scheidweiler) Backeberg #4 II 49  
CACTACEAE
- Coryphantha columnaris* Lahman = *Escobaria vivipara* (Nuttall) Buxbaum
- Coryphantha compacta** (Engelmann) Britton & Rose #4 II 49 CACTACEAE
- Coryphantha conimamma* (Linke) Berger = *Coryphantha sulcolanata* (Lemaire) Lemaire
- Coryphantha connivens* Britton & Rose = *Coryphantha pycnacantha* (Martius) Lemaire
- Coryphantha cornifera** (De Candolle) Lemaire #4 II 49  
CACTACEAE (E) Chihuahuan Foxtail Cactus
- Coryphantha cornuta** (Hildmann) Berger #4 II 49  
CACTACEAE
- Coryphantha cubensis* Britton & Rose = *Escobaria cubensis* (Britton & Rose) Hunt
- Coryphantha cuencamensis* Bremer = *Coryphantha delaetiana* (Quehl) Berger
- Coryphantha daimonoceras* (Lemaire) Lemaire =  
*Coryphantha radians* (De Candolle) Britton & Rose
- Coryphantha delaetiana** (Quehl) Berger #4 II 49  
CACTACEAE
- Coryphantha delicata* Bremer = *Coryphantha radians* (De Candolle) Britton & Rose
- Coryphantha densispina* Werdermann = *Coryphantha werdermannii* Boedeker
- Coryphantha deserti* (Engelmann) Britton & Rose =  
*Escobaria deserti* (Engelmann) Buxbaum
- Coryphantha difficilis** (Quehl) Orcutt #4 II 49  
CACTACEAE
- Coryphantha duncanii* (Hester) L.Benson = *Escobaria duncanii* (Hester) Buxbaum
- Coryphantha durangensis** (Schumann) Britton & Rose #4 II 49 CACTACEAE
- Coryphantha echinoidea** (Quehl) Britton & Rose #4 II 49  
CACTACEAE
- Coryphantha echinus** (Engelmann) Orcutt #4 II 49  
CACTACEAE
- Coryphantha elephantidens** (Lemaire) Lemaire #4 II 49  
CACTACEAE
- Coryphantha erecta** (Pfeiffer) Lemaire #4 II 49  
CACTACEAE
- Coryphantha exsudans* (Zuccarini) Lemaire =  
*Coryphantha ottonis* (Pfeiffer) Lemaire
- Coryphantha garessii* Bremer = *Coryphantha elephantidens* (Lemaire) Lemaire
- Coryphantha georgii** Boedeker #4 II 49 CACTACEAE
- Coryphantha gladiispina* (Boedeker) Berger =  
*Coryphantha delaetiana* (Quehl) Berger
- Coryphantha glanduligera** (Otto ex Dietrich) Lemaire #4 II 49 CACTACEAE
- Coryphantha gracilis** Bremer & Lau #4 II 49  
CACTACEAE
- Coryphantha grandis* Bremer = *Coryphantha longicornis* Boedeker
- Coryphantha grata** Bremer #4 II 49 CACTACEAE
- Coryphantha greenwoodii* Bravo = *Coryphantha elephantidens* (Lemaire) Lemaire
- Coryphantha guerkeana** (Boedeker) Britton & Rose #4 II 49 CACTACEAE
- Coryphantha indensis** Bremer #4 II 49 CACTACEAE
- Coryphantha jalpanensis** F.Buchenau #4 II 49  
CACTACEAE
- Coryphantha jaumavei** Fric #4 II 49 CACTACEAE
- Coryphantha laredoi* Glass & Foster = *Escobaria laredoi* (Glass & Foster) Taylor
- Coryphantha laui* Bremer = *Coryphantha delaetiana* (Quehl) Berger
- Coryphantha longicornis** Boedeker #4 II 49  
CACTACEAE
- Coryphantha macromeris** (Engelmann) Lemaire #4 II 49  
CACTACEAE (E) Long Mamma Foxtail Cactus
- Coryphantha maiz-tablasensis** Schwarz ex Backeberg #4 II 49 CACTACEAE
- Coryphantha maliterrarum** Bremer #4 II 49  
CACTACEAE
- Coryphantha melleospina** Bravo #4 II 49 CACTACEAE
- Coryphantha minima* Baird = *Escobaria minima* (Baird) Hunt
- Coryphantha neglecta** Bremer #4 II 49 CACTACEAE
- Coryphantha nickelsiae** (K.Brandegee) Britton & Rose #4 II 49 CACTACEAE
- Coryphantha obscura* Boedeker = *Coryphantha sulcata* (Engelmann) Britton & Rose
- Coryphantha octacantha** (De Candolle) Britton & Rose #4 II 49 CACTACEAE
- Coryphantha odorata** Boedeker #4 II 49 CACTACEAE
- Coryphantha orcuttii* (Rose ex Orcutt) D.Zimmerman = *Escobaria orcuttii* Boedeker
- Coryphantha organensis* D.Zimmerman = *Escobaria organensis* (D.Zimmerman) Castetter et al.
- Coryphantha ottonis** (Pfeiffer) Lemaire #4 II 49  
CACTACEAE
- Coryphantha pallida** Britton & Rose #4 II 49  
CACTACEAE
- Coryphantha palmeri* auctt = *Coryphantha jaumavei* Fric
- Coryphantha palmeri* Britton & Rose = *Coryphantha compacta* (Engelmann) Britton & Rose
- Coryphantha pectinata* (Engelmann) Britton & Rose = *Coryphantha echinus* (Engelmann) Orcutt
- Coryphantha pirtlei* Werdermann = *Coryphantha macromeris* (Engelmann) Lemaire
- Coryphantha poselgeriana** (Dietrich) Britton & Rose #4 II 49 CACTACEAE
- Coryphantha potosiana** (Jacobi) Glass & Foster #4 II 49  
CACTACEAE
- Coryphantha pseudoechinus** Boedeker #4 II 49  
CACTACEAE
- Coryphantha pseudnickelsiae* Backeberg = *Coryphantha delaetiana* (Quehl) Berger
- Coryphantha pseudoradians** Bravo #4 II 49  
CACTACEAE

- Coryphantha pulleineana** (Backeberg) Glass #4 II 49  
CACTACEAE
- Coryphantha pusilliflora** Bremer #4 II 49 CACTACEAE
- Coryphantha pycnacantha** (Martius) Lemaire #4 II 49  
CACTACEAE
- Coryphantha radians** (De Candolle) Britton & Rose #4 II 49 CACTACEAE
- Coryphantha ramillosa** Cutak #4 II 49 CACTACEAE (E)  
Bunched Cory Cactus
- Coryphantha recurvata** (Engelmann) Britton & Rose #4 II 49 CACTACEAE (E) Golden-chested Beehive  
Cactus, Recurved Cory Cactus
- Coryphantha recurvispina* (Engelmann) Bremer =  
*Coryphantha elephantidens* (Lemaire) Lemaire
- Coryphantha reduncispina** Boedeker #4 II 49  
CACTACEAE
- Coryphantha retusa** (Pfeiffer) Britton & Rose #4 II 49  
CACTACEAE
- Coryphantha robbinsorum* (Earle) A.Zimmermann =  
*Escobaria robbinsorum* (Earle) Hunt
- Coryphantha robustispina** (Schott ex Engelmann)  
Britton & Rose #4 II 49 CACTACEAE
- Coryphantha roederiana** Boedeker = *Coryphantha salinensis* (Poselger) A.Zimmerman ex Dicht &  
A.Luethy
- Coryphantha salinensis** (Poselger) A.Zimmerman ex  
Dicht & A.Luethy #4 II 49 CACTACEAE
- Coryphantha salm-dyckiana* (Scheer ex Salm-Dyck)  
Britton & Rose = *Coryphantha delaetiana* (Quehl)  
Berger
- Coryphantha schwarziana* Boedeker = *Coryphantha echinoidea* (Quehl) Britton & Rose
- Coryphantha sneedii* (Britton & Rose) Berger = *Escobaria sneedii* Britton & Rose
- Coryphantha speciosa* Boedeker = *Coryphantha sulcata* (Engelmann) Britton & Rose
- Coryphantha sulcata** (Engelmann) Britton & Rose #4 II 49 CACTACEAE
- Coryphantha sulcolonata** (Lemaire) Lemaire #4 II 49  
CACTACEAE
- Coryphantha tripugionacantha** Lau #4 II 49  
CACTACEAE
- Coryphantha unicornis** Boedeker #4 II 49 CACTACEAE
- Coryphantha valida* (Purpus) Bremer = *Coryphantha poselgeriana* (Dietrich) Britton & Rose
- Coryphantha vaupeliana** Boedeker #4 II 49  
CACTACEAE
- Coryphantha villarensis* Backeberg = *Coryphantha georgii* Boedeker
- Coryphantha vivipara* (Nuttall) Britton & Rose = *Escobaria vivipara* (Nuttall) Buxbaum
- Coryphantha vogtherriana** Werdermann & Boedeker #4 II 49 CACTACEAE
- Coryphantha werdermannii** Boedeker I CACTACEAE  
(E) Jabali Pincushion Cactus
- Coryphantha wohlschlageri** Holzeis #4 II 49  
CACTACEAE
- Costus (E): *Caryocar costaricense*
- Cottonia spp.** Wight #4 II 64 ORCHIDACEAE
- Cottonia peduncularis** #4 II 64 ORCHIDACEAE
- Cranichis spp.** Sw. #4 II 64 ORCHIDACEAE
- Cranichis acuminatissima** Ames & C. Schweinf. #4 II 64  
ORCHIDACEAE
- Cranichis aphylla* Sw. 1788 = *Wullschlaegelia aphylla* (Sw.) Rchb. f. (1863)
- Cranichis ciliata** (Kunth) Kunth #4 II 64 ORCHIDACEAE
- Cranichis ciliolabia** C. Schweinf. #4 II 64 ORCHIDACEAE
- Cranichis diphylla** Sw. #4 II 64 ORCHIDACEAE
- Cranichis gracilis** L.O. Williams #4 II 64 ORCHIDACEAE
- Cranichis lankesteri** Ames #4 II 64 ORCHIDACEAE
- Cranichis mexicana** (A. Rich. & Galeotti) Schltr. #4 II 64  
ORCHIDACEAE
- Cranichis muscosa** Sw. #4 II 64 ORCHIDACEAE
- Cranichis reticulata** Reichb.f. #4 II 64 ORCHIDACEAE
- Cranichis ricartii** Ackerman #4 II 64 ORCHIDACEAE
- Cranichis saccata** Ames #4 II 64 ORCHIDACEAE
- Cranichis schaffneri** Reichb.f. #4 II 64 ORCHIDACEAE
- Cranichis schlimii** Reichb.f. #4 II 64 ORCHIDACEAE
- Cranichis subumbellata** A. Rich. & Galeotti #4 II 64  
ORCHIDACEAE
- Cremastra spp.** Lindl. #4 II 64 ORCHIDACEAE
- Cremastra variabilis** (Blume) Nakai #4 II 64  
ORCHIDACEAE
- Crepidium spp.** Blume #4 II 64 ORCHIDACEAE
- Crepidium lowii** (E.Morren) Szlach. #4 II 64  
ORCHIDACEAE
- Cribbia spp.** Senghas #4 II 64 ORCHIDACEAE
- Crimson, Pitcher-plant (E): *Sarracenia leucophylla*
- Criosanthes arietina* (R.Br.) House = *Cypripedium arietinum* R.Br.
- Criosanthes borealis* Raf. = *Cypripedium arietinum* R.Br.
- Criosanthes parviflora* Raf. = *Cypripedium arietinum* R.Br.
- Cristóbal (S): *Platymiscium pleiostachyum*
- Crybe spp.** Lindl. #4 II 64 ORCHIDACEAE
- Cryptanthemis spp.** Rupp #4 II 64 ORCHIDACEAE
- Cryptanthemis slateri** Rupp #4 II 64 ORCHIDACEAE
- Cryptarrhena spp.** R. Br. #4 II 64 ORCHIDACEAE
- Cryptarrhena acrensis* Schltr. 1914 = *Cryptarrhena guatemalensis* Schltr. 1911
- Cryptarrhena brasiliensis* Brade 1935 #4 II 64  
ORCHIDACEAE
- Cryptarrhena ghillanyi* Pabst 1971 = *Cryptarrhena guatemalensis* Schltr. 1911
- Cryptarrhena guatemalensis* Schltr. 1911 #4 II 64  
ORCHIDACEAE
- Cryptarrhena kegelii* Rchb.f. (1852) #4 II 64  
ORCHIDACEAE
- Cryptarrhena lunata* R.Br. in Edw. (1816) #4 II 64  
ORCHIDACEAE
- Cryptarrhena lunata* Auctt. *non* R.Br. = *Cryptarrhena kegelii* Rchb.f. (1852)
- Cryptarrhena pallidiflora* (A.Rich. & Galeotti) Rchb.f. 1852  
= *Cryptarrhena lunata* R.Br. in Edw. (1816)
- Cryptarrhena quadricornu* Kraenzl. 1922 = *Cryptarrhena guatemalensis* Schltr. 1911
- Cryptarrhena unguiculata* Schltr. 1921 = *Cryptarrhena lunata* R.Br. in Edw. (1816)

- Cryptarrhena unguiculata* Schltr. 1921 = *Cryptarrhena kegelii* Rchb.f. (1852)  
*Cryptarrhena unguiculata* Schltr. 1921 = *Cryptarrhena guatemalensis* Schltr. 1911  
***Cryptocentrum*** spp. Benth. #4 II 64 ORCHIDACEAE  
*Cryptocentrum calcaratum* Schltr. #4 II 64  
 ORCHIDACEAE  
*Cryptocentrum gracilipes* Schltr. #4 II 64 ORCHIDACEAE  
*Cryptocentrum gracillimum* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Cryptocentrum pseudobulbosum* C. Schw. #4 II 64  
 ORCHIDACEAE  
*Cryptocentrum standleyi* Ames #4 II 64 ORCHIDACEAE  
*Cryptocereus anthonyanus* Alexander = *Selenicereus anthonyanus* (Alexander) Hunt  
*Cryptocereus imitans* (Kimnach & Hutchison) Backeberg = *Weberocereus imitans* (Kimnach & Hutchison) Buxbaum  
*Cryptocereus rosei* (Kimnach) Backeberg = *Weberocereus rosei* (Kimnach) Buxbaum  
***Cryptochilus*** spp. Wall. #4 II 64 ORCHIDACEAE  
*Cryptochilus petelotii* Gagnepain #4 II 64 ORCHIDACEAE  
*Cryptophoranthus* spp. Barb.Rodr. #4 II 64  
 ORCHIDACEAE  
*Cryptophoranthus dayana* (Reichb.f.) L.O. Williams #4 II 64 ORCHIDACEAE  
*Cryptophoranthus dodsonii* Luer #4 II 64 ORCHIDACEAE  
*Cryptophoranthus lepidotus* L.O. Wms. = *Zootrophion hypodiscus* (Reichb.f.) Luer  
***Cryptopus*** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Cryptopus elatus* #4 II 64 ORCHIDACEAE  
***Cryptopylos*** spp. Garay #4 II 64 ORCHIDACEAE  
***Cryptostylis*** spp. R. Br. #4 II 64 ORCHIDACEAE  
*Cryptostylis acutata* J.J. Smith #4 II 64 ORCHIDACEAE  
*Cryptostylis alismifolia* F. Muell. #4 II 64 ORCHIDACEAE  
*Cryptostylis arachnites* (Blume) Hassk. #4 II 64  
 ORCHIDACEAE (E) Lily-leaf Orchid, Little Spider Orchid  
*Cryptostylis conspicua* J.J. Smith #4 II 64 ORCHIDACEAE  
*Cryptostylis filiformis* Blume #4 II 64 ORCHIDACEAE  
*Cryptostylis hunteriana* Nicholls #4 II 64 ORCHIDACEAE  
*Cryptostylis javanica* J.J. Smith #4 II 64 ORCHIDACEAE  
*Cryptostylis subulata* (Labill.) Reichenb.f. #4 II 64  
 ORCHIDACEAE  
*Ctenitis subglandulosa* = *Cyathea subglandulosa* (Hance 1866) Copel. 1909  
*Ctenorchis pectinata* (Thouars) K.Schum. = *Angraecum pectinatum* Thouars  
*Cuitlauzina* spp. La Llave & Lex. #4 II 64 ORCHIDACEAE  
*Cuitlauzina pendula* Llave & Lex. #4 II 64 ORCHIDACEAE  
*Cumarinia odorata* (Boedeker) Buxbaum = *Coryphantha odorata* Boedeker  
*Cumulopuntia alboareolata* (Ritter) Ritter = *Opuntia zehnderi* (Rauh & Backeberg) Rowley  
*Cumulopuntia berteri* Werdermann & Backeberg = *Opuntia sphaerica* Foerster  
*Cumulopuntia boliviiana* (Salm-Dyck) Ritter = *Opuntia chichensis* (Cardenas) Rowley  
*Cumulopuntia boliviiana* (Salm-Dyck) Ritter = *Opuntia boldinghii* Britton & Rose  
*Cumulopuntia crassicylindrica* (Rauh & Backeberg) Ritter = *Opuntia crassicylindrica* (Rauh & Backeberg) Rowley  
*Cumulopuntia echinacea* (Ritter) Ritter = *Opuntia boldinghii* Britton & Rose  
*Cumulopuntia famatinenesis* Ritter = *Opuntia boldinghii* Britton & Rose  
*Cumulopuntia frigida* Ritter = *Opuntia frigida* (Ritter) G.Navarro  
*Cumulopuntia galerasensis* Ritter = *Opuntia galerasensis* (Ritter) Hunt  
*Cumulopuntia hystrix* Ritter = *Opuntia sanctae-barbarae* Hunt  
*Cumulopuntia ignescens* (Vaupel) Ritter = *Opuntia ignescens* Vaupel  
*Cumulopuntia ignota* (Britton & Rose) Ritter = *Opuntia corotilla* Schumann ex Vaupel  
*Cumulopuntia kuehnrichiana* Ritter = *Opuntia sphaerica* Foerster  
*Cumulopuntia multiareolata* Rauh & Backeberg = *Opuntia sphaerica* Foerster  
*Cumulopuntia pampana* Ritter = *Opuntia boldinghii* Britton & Rose  
*Cumulopuntia pentlandii* (Salm-Dyck) Ritter = *Opuntia pentlandii* Salm-Dyck  
*Cumulopuntia pyrrhocantha* (Schumann) Ritter = *Opuntia pyrrhocantha* Schumann  
*Cumulopuntia raupiana* = *Opuntia sphaerica* Foerster  
*Cumulopuntia rossiana* (Hienrich & Backeberg) Ritter = *Opuntia rossiana* (Heinrich & Backeberg) Ritter  
*Cumulopuntia subterranea* (R.Fries) Ritter = *Opuntia subterranea* R.Fries  
*Cumulopuntia ticanmarensis* Ritter = *Opuntia ticanmarensis* (Ritter) Hunt  
*Cumulopuntia tortispina* Ritter = *Opuntia guatinensis* Hunt  
*Cumulopuntia tuberculata* (Colla) A.Hoffmann = *Opuntia sphaerica* Foerster  
*Cumulopuntia tumida* Ritter = *Opuntia tumida* (Ritter) Hunt  
*Cumulopuntia unguispina* (Blackberg) Ritter = *Opuntia unguispina* Backeberg  
*Cumulopuntia zehnderi* (Rauh & Backeberg) Ritter = *Opuntia zehnderi* (Rauh & Backeberg) Rowley  
 Cup, Hairy-fruited Monkey (E): *Nepenthes trichocarpa*  
*Cupressstellata patagonica* (Hook.F) J.Nelson = *Fitzroya cupressoides* (Molina) I. M. Johnston  
***Cyanaeorchis*** spp. Barb.Rodr. #4 II 64 ORCHIDACEAE  
*Cyanaeorchis arundinae* (Reich. f.) Barbosa Rodrigues #4 II 64 ORCHIDACEAE  
***Cyathea*** spp. J.E. Smith #4 II CYATHEACEAE  
*Cyathea abbottii* Maxon 1924 = *Alsophila abbottii* (Maxon 1924) Tryon 1970  
*Cyathea abrupteaudata* Féé 1869 = *Cyathea delgadii* Pohl ex Sternb. 1820  
*Cyathea acanthophora* Holttum 1962 = *Alsophila acanthophora* (Holttum 1962) R.Tryon 1970  
*Cyathea acanthopoda* Alderw. 1922 = *Alsophila magnifolia* (Alderw. 1920) R. Tryon

- Cyathea acaulis* (Mak. 1914) Domin 1929 = *Cyathea hancockii* Copel. 1909
- Cyathea aciculosa* Copel. 1936 = *Sphaeropteris aciculosa* (Copel. 1936) R.Tryon 1970
- Cyathea acrostichoides* (Alderw. 1918) Domin 1930 = *Alsophila acrostichoides* Alderw. 1918
- Cyathea aculeata* Willd. ex Kaulf. 1824 = *Cyathea armata* (Swartz. 1788) Domin 1930
- Cyathea acuminata* Copel. 1952 = *Alsophila acuminata* (Copel. 1952) R.Tryon 1970
- Cyathea acutidens* (Christ 1906) Domin 1929 #4 II CYATHEACEAE
- Cyathea aeneifolia* (Alderw. 1924) Domin 1930 = *Sphaeropteris aeneifolia* (Alderw. 1924) R. Tryon 1970
- Cyathea affinis* (G.Forster 1786) O.Swartz 1801 #4 II CYATHEACEAE
- Cyathea affinis* Brack. 1854 non Sw. = *Sphaeropteris propinqua* (Mett. 1863) R.Tryon 1970
- Cyathea agatheti* Holttum 1962 = *Sphaeropteris agatheti* (Holttum 1962) R.Tryon 1970
- Cyathea akawaiorum* P.J.Edwards 1983 #4 II CYATHEACEAE
- Cyathea alata* (Fourn. 1873) Copel. 1931 = *Alsophila alata* Fourn. 1873
- Cyathea albida* Tard. 1941 = *Alsophila albida* (Tardieu) 1941 R.Tryon 1970
- Cyathea albopaleata* Copel. 1932 #4 II CYATHEACEAE
- Cyathea albidosquamata* Rosenstock 1913 = *Sphaeropteris albidosquamata* (Rosenst. 1913) R.Tryon 1970
- Cyathea albidula* Domin 1930 = *Alsophila rubiginosa* Brause 1920
- Cyathea albifrons* Vieill. ex Fourn. 1873 = *Sphaeropteris albifrons* (Vieill. ex Fourn. 1873) R.Tryon 1970
- Cyathea albomarginata* R.C. Moran 1991 #4 II CYATHEACEAE
- Cyathea albosetacea* (Beddome 1876) Copel. 1909 = *Sphaeropteris albosetacea* (Bedd. 1876) R.Tryon 1970
- Cyathea alderwereltii* Copel. 1909 = *Alsophila alderwereltii* (Copel. 1909) R.Tryon 1970
- Cyathea alfonsiana* L.D.Gómez 1971 = *Cyathea multiflora* Smith 1793
- Cyathea alleniae* Holttum 1962 = *Alsophila alleniae* (Holttum 1962) R.Tryon 1970
- Cyathea allocota* (Alderw. 1922) Domin 1929 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Cyathea alpicola* Domin 1930 = *Cyathea trachypoda* Alderw. 1929
- Cyathea alpina* (Alderw. 1915) Alderw. 1918 non Roth 1800. = *Cyathea trachypoda* Alderw. 1929
- Cyathea alsophiliformis* (Alderw. 1914) Domin 1929 = *Cyathea junghuhniana* (Kunze) Copel.
- Cyathea alsophilum* Domin 1929 = *Alsophila paleolata* C.Martius 1834
- Cyathea alstonii* R. Tryon #4 II CYATHEACEAE
- Cyathea alta* Copel. 1936 = *Alsophila alta* (Copel. 1936) R.Tryon 1970
- Cyathea alternans* (Wall, ex Hook.) Presl. = *Sphaeropteris alternans* (Wallich ex Hook. 1844) R.Tryon 1970
- Cyathea alticola* (Tardieu 1951) Tindale 1956 = *Alsophila alticola* (Tardieu 1951) R.Tryon 1970
- Cyathea alutacea* (Kunze 1844) Domin 1930 = *Cyathea phalerata* Martius 1822
- Cyathea amaiambensis* Domin 1930 = *Cyathea ramispina* (Hook. in Hook. & Baker 1866) Copel. 1909
- Cyathea amazonica* R.C.Moran #4 II CYATHEACEAE
- Cyathea amboinensis* (Alderw. 1916) Merr. 1917 = *Alsophila amboinensis* Alderw. 1916
- Cyathea amboinensis* Domon 1929 = *Alsophila amboinensis* Alderw. 1916
- Cyathea ameristoneura* (Fée 1857) Domin 1929 #4 II CYATHEACEAE
- Cyathea amphicosmioides* Alderw. 1920 = *Alsophila hymenodes* (Mett. 1863) R.Tryon 1970
- Cyathea ampla* Copel. 1911 = *Sphaeropteris assimilis* (Hook. 1865) R.Tryon 1970
- Cyathea ampla* Holt non Copel = *Sphaeropteris polypoda* (Baker 1894) R.Tryon 1970
- Cyathea anacampa* Alston 1958 #4 II CYATHEACEAE
- Cyathea andersonii* (Beddome 1869) Copel 1909 #4 II CYATHEACEAE
- Cyathea andina* (Karsten 1856) Domin 1930 #4 II CYATHEACEAE
- Cyathea andohahelensis* (Tardieu 1941) Tindale 1956 = *Alsophila andohahelensis* Tardieu 1941
- Cyathea aneitensis* Hook. 1865 = *Alsophila aneitensis* (Hook 1865) R.Tryon 1970
- Cyathea angiensis* (Gepp 1917) Domin 1930 = *Sphaeropteris angiensis* (Gepp 1917) R.Tryon 1970
- Cyathea angolensis* Welw. ex Hook. 1865 = *Alsophila dregei* (Kunze 1834) R.Tryon 1970
- Cyathea angustipinna* Holttum 1962 = *Sphaeropteris angustipinna* (Holttum 1962) R.Tryon 1970
- Cyathea annae* (Alderw. 1916) Domin 1930 = *Alsophila annae* Alderw 1916
- Cyathea aperta* (Fée 1869) Domin 1929 = *Alsophila aperta* Fée 1869
- Cyathea aphleboides* Christ 1906 = *Cyathea birenata* Liebm. 1849
- Cyathea apiculata* Domin. 1929 = *Alsophila apiculata* Ros 1914
- Cyathea apiculata* (Rosenstock 1914) Domin 1929 = *Alsophila apiculata* Ros 1914
- Cyathea apoensis* Copel 1910 = *Alsophila apoensis* (Copel 1910) R.Tryon 1970
- Cyathea appendiculata* Baker 1876 = *Alsophila appendiculata* (Baker 1876) R. Tryon
- Cyathea approximata* Bonap. 1917 = *Alsophila approximata* (Bonap. 1917) R.Tryon 1970
- Cyathea aquilina* (Christ 1897) Domin 1929 = *Cyathea parvula* (Jenm.) Proctor 1953
- Cyathea arachnoidea* Greth. & Wagn. 1948 non Hook. = *Sphaeropteris aciculosa* (Copel. 1936) R.Tryon 1970
- Cyathea arachnoidea* Hook. 1865 = *Sphaeropteris celebica* (Blume 1828) R.Tryon 1970
- Cyathea aramaganensis* Kanehira 1934 = *Sphaeropteris aramaganensis* (Kanehira 1934) R.Tryon 1970
- Cyathea araneosa* Maxon 1909 = *Alsophila woodwardioides* (Kaulf. 1824) Conant 1983

- Cyathea arborea* (L. 1753) Smith 1793 #4 II  
CYATHEACEAE (E) West Indian Tree Fern
- Cyathea arborescens* Copel. 1955 = *Cyathea caudata* (J. Smith 1841) Copel. 1906
- Cyathea arbuscula* (C.Presl. 1836) Domin 1929 #4 II  
CYATHEACEAE
- Cyathea arbuscula* (Kunze) Domin = *Alsophila arbuscula* Kunze
- Cyathea archboldii* C. Chr. 1937 = *Alsophila archboldii* (C.Chr. 1937) R.Tryon 1970
- Cyathea arfakensis* Gepp 1917 = *Alsophila biformis* Ros. 1911
- Cyathea arguta* Copel. 1929 = *Sphaeropteris integra* (J.Sm. ex Hook. 1844) R.Tryon 1970
- Cyathea argyrolepis* Copel. 1952 = *Sphaeropteris elmeri* (Copel. 1908) R.Tryon 1970
- Cyathea arida* Christ 1906 = *Alsophila firma* (Baker 1877) Conant 1983
- Cyathea armata* (Swartz.1788) Domin 1930 #4 II  
CYATHEACEAE
- Cyathea arthropoda* Copel. 1911 = *Sphaeropteris arthropoda* (Copel. 1911) R.Tryon 1970
- Cyathea arthropterygia* Alderw. 1922 = *Alsophila hymenodes* (Mett. 1863) R.Tryon 1970
- Cyathea articulata* Fée 1857 = *Alsophila firma* (Baker 1877) Conant 1983
- Cyathea ascendens* Domin 1930 = *Alsophila rosenstockii* Brause 1920
- Cyathea asperata* Sodiro 1908 = *Cyathea pallescens* (Sodiro 1883) Domin. 1929
- Cyathea asperula* Maxon 1913 = *Cyathea fulva* (Martius & Galeotti) Fée
- Cyathea aspidiiformis* Domin 1930 = *Cyathea corallifera* Sodiro 1883
- Cyathea aspidioides* Sodiro 1883 = *Cyathea corallifera* Sodiro 1883
- Cyathea assimilis* Christ. (non Hook.) = *Alsophila oosora* (Holttum 1962) R.Tryon 1970
- Cyathea assimilis* Hook. 1865 = *Sphaeropteris assimilis* (Hook. 1865) R.Tryon 1970
- Cyathea assurgens* R. Tryon #4 II CYATHEACEAE
- Cyathea atahuallpa* (R. Tryon 1972) Lellinger #4 II  
CYATHEACEAE
- Cyathea aterrima* (Hook 1866) Domin 1929 = *Sphaeropteris aterrima* (Hook. 1866) R.Tryon 1970
- Cyathea atropurpurea* Copel. 1909 #4 II CYATHEACEAE
- Cyathea atrospinosa* Holttum 1962 = *Sphaeropteris atrospinosa* (Holttum 1962) R.Tryon 1970
- Cyathea atrovirens* (Langsd. & Fisch. 1810) Domin 1929 #4 II CYATHEACEAE
- Cyathea atrox* C. Chr. 1937 = *Sphaeropteris atrox* (C.Chr. 1937) R.Tryon 1970
- Cyathea attenuata* Fée 1869 = *Cyathea gardneri* (Hook. 1844) D.B.Lellinger 1988
- Cyathea aurea* Klotzsch 1846 ex Karst. = *Cyathea fulva* (Martius & Galeotti) Fée
- Cyathea aureonitens* Christ 1904 = *Alsophila erinacea* (Karsten 1856) Conant 1983
- Cyathea auriculata* Tard. 1951 = *Alsophila auriculata* (Tardieu 1951) R.Tryon 1970
- Cyathea auriculifera* Copel. 1911 = *Sphaeropteris auriculifera* (Copel. 1911) R.Tryon 1970
- Cyathea australis* (R.Br.) Domin 1929 #4 II  
CYATHEACEAE
- Cyathea austroamericana* Domin 1929 = *Cyathea multiflora* Smith 1793
- Cyathea austrosinica* Christ 1910 = *Cyathea spinulosa* Wallich ex. Hook. 1844
- Cyathea axillaris* (Fée 1850-52) Lellinger 1988 #4 II  
CYATHEACEAE
- Cyathea azuayensis* Sodiro 1893 #4 II CYATHEACEAE
- Cyathea badia* Domin 1929 = *Cyathea bullata* (Baker 1876) F.Rakotondrainibe
- Cyathea bahiensis* Ros. 1924 #4 II CYATHEACEAE
- Cyathea baileyana* (Domin 12707) Domin 1929 = *Alsophila baileyana* Domin 1913
- Cyathea bakeriana* Domin 1930 = *Cyathea cyatheoides* (Desv.1827) Kramer
- Cyathea balakrishnanii* R.D.Dixit & A.K.Tripathi. 1984. fide Fraser-Jenkins 1997 = *Alsophila gigantea* Wall. ex Hook. 1844
- Cyathea balanocarpa* D. Eaton 1860 = *Alsophila balanocarpa* (D.C.Eaton 1860) Conant 1983
- Cyathea ballardii* Tard. 1951 = *Alsophila ballardii* (Tardieu 1951) R.Tryon
- Cyathea barbata* Bory ex Kuhn 1869 = *Cyathea tenera* (J.Smith ex Hook. 1844) T.Moore 1861
- Cyathea barisanica* (Alderw. 1915) Domin 1929 = *Alsophila javanica* (Blume 1828) R.Tryon 1970 Cyathea barotu Copel. 1936 #4 II CYATHEACEAE
- Cyathea baroumba* (L.Linden 1900) Domin 1929 = *Alsophila baroumba* L.Linden 1900
- Cyathea barringtonii* A. Reid Smith ex Lellinger 1988 #4 II  
CYATHEACEAE
- Cyathea bartlettii* Copel. 1929 = *Sphaeropteris obscura* (Scortech. ex Bedd. 1887) R.Tryon 1970
- Cyathea batjanensis* (Christ ex Diels 1899) Copel. 1909 = *Alsophila batjanensis* Christ ex Diels 1899
- Cyathea beccariana* Ces. 1876 = *Sphaeropteris assimilis* (Hook. 1865) R.Tryon 1970
- Cyathea bellisquamata* Bonap. 1925 = *Alsophila bellisquamata* (Bonap. 1925) R.Tryon 1970
- Cyathea benculensis* (Alderw. 1916) Alderw. 1918 = *Alsophila javanica* (Blume 1828) R.Tryon 1970
- Cyathea bernardii* Proctor 1982 #4 II CYATHEACEAE
- Cyathea betchei* Copel. 1911 = *Sphaeropteris samoensis* (Brack. 1854) R.Tryon 1970
- Cyathea beyrichiana* C.Presl. 1836 = *Alsophila setosa* Kaulf 1824
- Cyathea bicolana* Copel. 1920 = *Sphaeropteris philippinensis* (Baker 1891) R.Tryon 1970
- Cyathea bicolor* Copel. 1910 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909
- Cyathea birenata* Liebm. 1849 #4 II CYATHEACEAE (S) Palo de la vida, Pelma
- Cyathea bidentata* Copel. 1942 = *Alsophila archboldii* (C.Chr. 1937) R.Tryon 1970
- Cyathea biformis* (Rosenstock 1911) Copel. 1911 = *Alsophila biformis* Ros. 1911

- Cyathea biliranensis* Copel. 1955 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909  
*Cyathea binuangensis* Alderw. 1920 = *Sphaeropteris binuangensis* (Alderw. 1920) R. Tryon 1970  
*Cyathea bipinnata* (R. Tryon 1986) R.C. Moran 1995 #4 II CYATHEACEAE  
*Cyathea bipinnatifida* (Baker & Baker 1874) Domin 1929 = *Cyathea pubens* Domin 1929  
*Cyathea bipinnatifida* Copel. 1935 (non Baker) Domin. = *Sphaeropteris trichophora* (Copel. 1911) R. Tryon 1970  
*Cyathea bisquamata* M.Kato 1990 #4 II CYATHEACEAE  
*Cyathea bisulca* Schkuhr. 1809 = *Cyathea affinis* (G.Forster 1786) O.Swartz 1801  
*Cyathea blanchetiana* (C.Presl. 1849) Domin 1930 = *Cyathea phalerata* Martius 1822  
*Cyathea blechnoides* Domin #4 II CYATHEACEAE  
*Cyathea boconensis* Karst. 1856 = *Cyathea caracasana* (Klotzsch) Domin  
*Cyathea boivini* Mett. ex Kuhn = *Alsophila hyacinthei* R.Tryon 1970  
*Cyathea boliviaca* R. Tryon #4 II CYATHEACEAE  
*Cyathea bonapartii* Rosenst. 1909 = *Sphaeropteris quindiuensis* (Karsten 1856) R.Tryon 1970  
*Cyathea bonii* Christ 1890 = *Cyathea podophylla* (Hook. 1857) Copel. 1909  
*Cyathea bontocensis* Copel. 1931 = *Sphaeropteris philippinensis* (Baker 1891) R.Tryon 1970  
*Cyathea borbonica* Desv. 1811 = *Alsophila borbonica* (Desv. 1811) R.Tryon 1970  
*Cyathea borinquena* (Maxon) Domin = *Alsophila borinquena* Maxon 1925  
*Cyathea borjae* Sodiro 1893 = *Cyathea pallescens* (Sodiro 1883) Domin. 1929  
*Cyathea borneensis* Copel. 1911 = *Alsophila borneensis* (Copel. 1911) R.Tryon 1970  
*Cyathea boryana* (Mett 1869) Domin 1929 = *Cyathea andina* (Karsten 1856) Domin 1930  
*Cyathea bourgaei* Fourn. 1872 = *Sphaeropteris horrida* (Liebm. 1849) R.Tryon 1970  
*Cyathea boylei* F.Muell. 1881 = *Alsophila cunninghamii* (Hook.f. in Hook. 1854) R.Tryon 1970  
*Cyathea brachyphylla* Holtt. 1974 #4 II CYATHEACEAE  
*Cyathea brackenridgei* Mett. 1863 = *Sphaeropteris brackenridgei* (Mett. 1863) R.Tryon 1970  
*Cyathea braudei* (Wind. 1973) Lellinger #4 II CYATHEACEAE  
*Cyathea brassii* Copel. 1929 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991  
*Cyathea brauseana* Domin 1929 = *Alsophila wengiensis* Brause 1912  
*Cyathea brevifoliolata* (Alderw. 1915) Alderw. 1918 = *Cyathea raciborskii* Copel. 1909  
*Cyathea breviloba* Copel. 1952 = *Sphaeropteris integra* (J.Sm. ex Hook. 1844) R.Tryon 1970  
*Cyathea brevipes* Copel. 1952 = *Cyathea caudata* (J. Smith 1841) Copel. 1906  
*Cyathea brevipinna* Baker = *Alsophila brevipinna* (Baker ex Benth. 1878) R.Tryon 1970  
*Cyathea brevistipes* R.C. Moran #4 II CYATHEACEAE  
*Cyathea brittoniana* Maxon 1924 = *Cyathea tenera* (J.Smith ex Hook. 1844) T.Moore 1861  
*Cyathea brooksi* Copel. 1911 non Maxon 1909 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970  
*Cyathea brooksi* Maxon 1909 = *Alsophila brooksi* (Maxon 1909) R.Tryon 1970  
*Cyathea brownii* Domin 1929 = *Sphaeropteris excelsa* (R.Br. ex Endl. 1833) R.Tryon 1970  
*Cyathea brunei* (Christ 1904) R. Tryon 1970 #4 II CYATHEACEAE  
*Cyathea brunnea* (Brause 1920) Domin 1930 = *Cyathea hornei* (Baker 1879) Copel. 1929  
*Cyathea brunnescens* (Barnington 1976) R.C. Moran 1991 #4 II CYATHEACEAE  
*Cyathea brunonian* (Wall. ex Hook. 1844) C.B. Clarke & Baker 1888 = *Sphaeropteris brunonian* (Wall. ex Hook. 1844) R.Tryon 1970  
*Cyathea brunonian* Wallich ex Hook. 1844 = *Sphaeropteris brunonian* (Wall. ex Hook. 1844) R.Tryon 1970  
*Cyathea brunonis* Wall. ex Hook. 1844 = *Sphaeropteris moluccana* (R.Br. ex Desv. 1827) R.Tryon 1970  
*Cyathea bryophila* (Tryon 1972) Proctor = *Alsophila bryophila* R.Tryon 1972  
*Cyathea buennemeijeri* Alderw. = *Alsophila buennemeijeri* (Alderw. 1922) R. Tryon 1970  
*Cyathea bullata* (Baker 1876) F.Rakotondrainibe #4 II CYATHEACEAE  
*Cyathea bullata* Domn. 1929 = *Cyathea bullata* (Baker 1876) F.Rakotondrainibe  
*Cyathea bulligera* (Rosenst. 1928) Domin 1930 #4 II CYATHEACEAE  
*Cyathea bulusanensis* Copel. 1920 = *Sphaeropteris integra* (J.Sm. ex Hook. 1844) R.Tryon 1970  
*Cyathea burbridgei* (Baker 1879) Copel. 1909 non Holt. = *Sphaeropteris wallacei* (Mett. ex Kuhn 1869) R.Tryon 1970  
*Cyathea burbridgei* Holt. non (Baker) Copel. = *Sphaeropteris trichodesma* (Scortech. ex Bedd. 1887) R.Tryon 1970  
*Cyathea burkei* Hook. 1844 = *Alsophila dregei* (Kunze 1834) R.Tryon 1970  
*Cyathea buruensis* (Ros. 1917) Domin 1930 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991  
*Cyathea caduca* Christ 1907 = *Alsophila polystichoides* Christ 1896  
*Cyathea caesariana* Christ 1907 = *Alsophila sternbergii* (Pohl. ex Sternb. 1820) Conant 1983  
*Cyathea caesia* Christ 1907 = *Cyathea brunei* (Christ 1904) R. Tryon 1970  
*Cyathea callosa* Christ 1906 = *Alsophila callosa* (Christ 1906) R. Tryon 1970  
*Cyathea calocoma* (Christ 1907) Copel. 1909 = *Sphaeropteris lepifera* (Hook. 1844) R.Tryon 1970  
*Cyathea calolepis* (Hook. 1865) Domin 1929 #4 II CYATHEACEAE  
*Cyathea calva* Karst. 1869 = *Cyathea divergens* Kunze  
*Cyathea camaguiensis* Copel. 1952 = *Alsophila callosa* (Christ 1906) R. Tryon 1970  
*Cyathea camerooniana* Hook. #4 II CYATHEACEAE

- Cyathea campbellii* Copel. 1929 = *Alsophila loheri* (Christ 1906) R.Tryon 1970
- Cyathea canaliculata* Willd. ex Kaulf. 1824 = *Alsophila borbonica* (Desv. 1811) R.Tryon 1970
- Cyathea canescens* Sodiro 1908 = *Alsophila incana* (H.Karst) D.S.Conant 1983
- Cyathea capitata* Copel. 1917 = *Sphaeropteris capitata* (Copel. 1917) R.Tryon 1970
- Cyathea caracasana* (Klotzsch) Domin #4 II CYATHEACEAE
- Cyathea caribaea* Jenm. 1898 = *Alsophila imrayana* (Hook.) D.S.Conant
- Cyathea carrii* Holttum 1962 = *Sphaeropteris carrii* (Holttum 1962) R.Tryon 1970
- Cyathea castanea* Baker 1874 = *Cyathea lechleri* Mett. 1859
- Cyathea catacampia* Alston 1958 #4 II CYATHEACEAE
- Cyathea catillifera* Holttum 1962 = *Alsophila catillifera* (Holttum 1962) R.Tryon
- Cyathea caudata* (J. Smith 1841) Copel. 1906 #4 II CYATHEACEAE
- Cyathea caudiculata* (Rosenst. 1917) Domin 1930 = *Alsophila heterochlamydea* (Copel. 1908) R.Tryon 1970
- Cyathea caudipinnula* (Alderw. 1912) Domin 1929 = *Alsophila javanica* (Blume 1828) R.Tryon 1970
- Cyathea celebica* Alderw. 1908 non Blume = *Sphaeropteris teysmannii* (Copel. 1909) R.Tryon 1970
- Cyathea celebica* Blume 1828 not Alderw. = *Sphaeropteris celebica* (Blume 1828) R.Tryon 1970
- Cyathea chamaedendron* Copel. 1932 = *Alsophila chamaedendron* (Copel. 1932) C.Chr. 1934
- Cyathea cheilanthoides* Copel. 1942 = *Alsophila macgregorii* (F.v Muell. 1889) R.Tryon
- Cyathea chinensis* Copel. 1909 #4 II CYATHEACEAE
- Cyathea chnoodes* (Christ 1904) Domin 1929 = *Cyathea schiedeana* (C.Presl 1836) Domin 1939
- Cyathea christii* Copel. 1906 = *Alsophila hermannii* R.Tryon 1970
- Cyathea cicatricosa* Holttum = *Alsophila cicatricosa* (Holttum) R.Tryon
- Cyathea cincinnata* Brause 1920 = *Alsophila cincinnata* (Brause 1920) R.Tryon
- Cyathea cinerea* Copel. = *Alsophila cinerea* (Copel. 1913) R.Tryon
- Cyathea circumdentata* Kramer 1954 = *Cyathea andina* (Karsten 1856) Domin 1930
- Cyathea clementis* (Copel. 1906) Copel. 1909 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970
- Cyathea coactilis* Holttum 1962 = *Alsophila coactilis* (Holttum 1962) R.Tryon
- Cyathea colensoi* (Hook.f. 1854) Domin 1929 = *Alsophila colensoi* Hook.f. 1854
- Cyathea columbiana* Domin 1929 = *Cyathea multiflora* Smith 1793
- Cyathea compta* C.Martius 1822 #4 II CYATHEACEAE
- Cyathea concava* Bonap. 1917 = *Alsophila hyacinthei* R.Tryon 1970
- Cyathea concinna* (Baker ex Jenman 1881) Jenman 1891 #4 II CYATHEACEAE
- Cyathea concordia* B.Leon & R.C.Moran #4 II CYATHEACEAE
- Cyathea confinis* C.Chr. 1937 = *Alsophila confinis* (C.Chr. 1937) R.Tryon 1970
- Cyathea confluens* (Alderw. 1914) Domin 1929 = *Alsophila modesta* Baker 1880
- Cyathea confucii* (Christ 1906) Copel. 1909 = *Cyathea spinulosa* Wallich ex. Hook. 1844
- Cyathea congoensis* (Bonap. 1924) Domin 1930 = *Cyathea camerooniana* Hook.
- Cyathea conjugata* (Hook. 1866) Domin #4 II CYATHEACEAE
- Cyathea conquisita* Jenm. 1882 #4 II CYATHEACEAE
- Cyathea conspersa* Christ 1905 = *Cyathea fulva* (Martius & Galeotti) Fée
- Cyathea conspicua* Christ 1906 = *Cyathea suprastrigosa* (Christ 1901) Maxon 1909
- Cyathea contaminans* Copel 1909 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970
- Cyathea contaminans* (Wallich ex Hook. 1844) Copel. 1909 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970
- Cyathea contracta* (Fée 1869) Domin 1929 = *Alsophila contracta* Fée 1869
- Cyathea cooperi* (Hook. & F. v.Muell. 1866) Domin 1914 = *Sphaeropteris cooperi* (Hook. F.v. Muell 1866) R.Tryon 1970
- Cyathea copelandii* kuhn & Luerss. ex Luerss. 1882 #4 II CYATHEACEAE
- Cyathea corallifera* Sodiro 1883 #4 II CYATHEACEAE
- Cyathea corcovadensis* (Raddi 1819) Domin 1929 = *Alsophila corcovadensis* (Raddi 1819) C.Chr. 1905
- Cyathea cordata* (Desv. 1827) Mett. ex Diels 1899 = *Alsophila marattioides* (Willd. ex Kaulf. 1824) R.Tryon 1970
- Cyathea coriacea* M.Kato 1990 #4 II CYATHEACEAE
- Cyathea costalis* (Christ 1904) Domin 1929 = *Alsophila firma* (Baker 1877) Conant 1983
- Cyathea costalisora* Copel. = *Alsophila costalisora* (Copel. 1942) R.Tryon
- Cyathea costaricensis* (Kuhn 1869) Domin 1930 #4 II CYATHEACEAE (S) Palmita de terra fría
- Cyathea costularis* Bonap. 1917 = *Alsophila rolandii* R.Tryon 1970
- Cyathea costularis* Domin 1929 = *Sphaeropteris brunoniana* (Wall. ex Hook. 1844) R.Tryon 1970
- Cyathea costulisora* Domin. 1930 = *Alsophila montana* (Alderw. 1920) R. Tryon 1970
- Cyathea coursii* (Tardieu 1941) Tindale 1956 = *Alsophila coursii* Tardieu 1941
- Cyathea crassa* (Karst.) comb. ined. #4 II CYATHEACEAE
- Cyathea crassa* Maxon 1909 = *Alsophila jimeneziana* Conant 1983
- Cyathea crassifolia* (Wercklé ex Christ 1906) Domin 1929 = *Cyathea schiedeana* (C.Presl 1836) Domin 1939
- Cyathea crassipes* Sodiro 1883 = *Sphaeropteris quindiuensis* (Karsten 1856) R.Tryon 1970
- Cyathea crenata* (Sodiro 1883) Christ 1897 = *Cyathea caracasana* (Klotzsch) Domin
- Cyathea crenulata* Blume 1828 #4 II CYATHEACEAE

- Cyathea crinita* (Hook. 1844) Copel. = *Sphaeropteris crinita* (Hook. 1844) R.Tryon 1970
- Cyathea croftii* Holttum #4 II CYATHEACEAE
- Cyathea cubensis* Und. ex Maxon 1909 = *Alsophila cubensis* (Maxon) comb.ined.
- Cyathea cucullifera* Holttum 1962 = *Alsophila cucullifera* (Holttum 1962) R.Tryon 1970
- Cyathea cumingii* Baker 1874 #4 II CYATHEACEAE
- Cyathea cunninghamii* Hook.f. = *Alsophila cunninghamii* (Hook.f. in Hook. 1854) R.Tryon 1970
- Cyathea curranii* Copel. 1909 = *Sphaeropteris curranii* (Copel. 1909) R.Tryon 1970
- Cyathea curvipinnula* C.Chr. 1937 = *Sphaeropteris aeneifolia* (Alderw. 1924) R. Tryon 1970
- Cyathea cuspidata* Kunze 1934 = *Alsophila cuspidata* (Kunze 1834) Conant 1983
- Cyathea cyatheoides* (Desv. 1827) Kramer #4 II CYATHEACEAE
- Cyathea cyclodium* (R.Tryon 1972) D.B.Lellinger 1988 #4 II CYATHEACEAE
- Cyathea cyclodonta* (Christ 1905) Alderw. 1908 = *Sphaeropteris leucotricha* (Christ 1905) R.Tryon 1970
- Cyathea cystolepis* Sodiro 1883 = *Cyathea pallescens* (Sodiro 1883) Domin. 1929
- Cyathea darienensis* R.C. Moran #4 II CYATHEACEAE
- Cyathea dealbata* (Forst. 1786) Sw. 1801 #4 II CYATHEACEAE (E) Silver Tree Fern
- Cyathea decipiens* (Scott 1869) Clarke & Baker 1888 = *Cyathea spinulosa* Wallich ex. Hook. 1844
- Cyathea deckenii* Kuhn 1879 = *Alsophila manniana* (Hook.) R.M.Tryon
- Cyathea decomposita* (Karsten 1869) Domin 1929 #4 II CYATHEACEAE
- Cyathea decorata* (Maxon) R. Tryon 1970 #4 II CYATHEACEAE
- Cyathea decrescens* Mett. ex Kuhn. = *Alsophila decrescens* (Mett ex Kuhn 1868) R.Tryon 1970
- Cyathea decurrens epaleata* Holttum 1964 = *Cyathea epaleata* Holttum 1982
- Cyathea decurrens* (Hook.) Copel. = *Alsophila decurrens* Hook. 1844
- Cyathea delgadii* Pohl ex Sternb. 1820 #4 II CYATHEACEAE
- Cyathea delicatula* Maxon 1909 = *Cyathea fulva* (Martius & Galeotti) Fée
- Cyathea deminuens* Holttum = *Sphaeropteris parvifolia* (Holttum 1928) R.Tryon 1970
- Cyathea demissa* (C. Morton) A.R. Smith ex Lell. #4 II CYATHEACEAE
- Cyathea densisora* Alderw. 1920 = *Sphaeropteris tripinnata* (Copel. 1906) R.Tryon 1970
- Cyathea denticulata* Goldm. 1843 #4 II CYATHEACEAE
- Cyathea denudans* Kunze 1844 = *Alsophila firma* (Baker 1877) Conant 1983
- Cyathea deorsilobata* Copel. 1911 = *Cyathea scabra* Baker 1876
- Cyathea deuterobrooksii* Copel. 1929 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Cyathea dichromatolepis* (Fée 1869) Domin 1929 #4 II CYATHEACEAE
- Cyathea dicksonioides* Holttum 1962 = *Alsophila dicksonioides* (Holttum 1962) R.Tryon 1970
- Cyathea dimorpha* (Christ 1904) Copel. 1909 = *Alsophila dimorpha* Christ 1904
- Cyathea dimorphotricha* Copel. 1913 = *Sphaeropteris elmeri* (Copel. 1908) R.Tryon 1970
- Cyathea discolor* Baker 1876 non Bory 1828 = *Alsophila similis* (C. Chr. 1905) R.Tryon 1970
- Cyathea discolor* Fée 1850-1852 = *Alsophila borbonica* (Desv. 1811) R.Tryon 1970
- Cyathea discophora* Holttum 1962 = *Sphaeropteris discophora* (Holttum 1962) R.Tryon 1970
- Cyathea dissimilis* (C. Morton 1951) Stolze 1974 #4 II CYATHEACEAE
- Cyathea dissitifolia* (Baker 1886) Domin 1929 = *Cyathea hornei* (Baker 1879) Copel. 1929
- Cyathea dissoluta* Baker ex Jenman #4 II CYATHEACEAE
- Cyathea distans* Rosenst. 1917 = *Cyathea crenulata* Blume 1828
- Cyathea divergens* Kunze #4 II CYATHEACEAE
- Cyathea doctersii* Alderw. 1920 = *Alsophila doctersii* (Alderw. 1920) R. Tryon 1970
- Cyathea dombeyi* (Desv. 1827) Lellinger 1988 = *Cyathea pungens* (Willd. 1869) Domin 1929
- Cyathea domingensis* Brause 1911 = *Alsophila jimeneziana* Conant 1983
- Cyathea dorsalis* Domin 1929 = *Alsophila setosa* Kaulf 1824
- Cyathea dregei* Kunze = *Alsophila dregei* (Kunze 1834) R.Tryon 1970
- Cyathea dryopteroides* Maxon 1925 = *Alsophila amintae* D.S.Conant 1981
- Cyathea dubia* Copel. 1917 = *Alsophila glabra* (Blume 1828) Hook 1844
- Cyathea dudleyi* R. Tryon #4 II CYATHEACEAE
- Cyathea dulitensis* Baker 1896 = *Sphaeropteris assimilis* (Hook. 1865) R.Tryon 1970
- Cyathea dupaxiensis* Copel. 1931 = *Cyathea caudata* (J. Smith 1841) Copel. 1906
- Cyathea dura* Copel. 1952 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909
- Cyathea dyeri* Sodiro 1893 #4 II CYATHEACEAE
- Cyathea eatoni* (Jenm. 1887) Domin 1930 #4 II CYATHEACEAE
- Cyathea ebenina* Karsten #4 II CYATHEACEAE
- Cyathea edanoi* Copel. 1931 = *Alsophila edanoi* (Copel. 1931) R. Tryon 1970
- Cyathea eggersii* Hier. 1904 #4 II CYATHEACEAE
- Cyathea elegans* Hedw. 1838 = *Alsophila grevilleana* (C.Mart. 1834) Conant 1983
- Cyathea elegantula* Domin 1930 = *Alsophila elegans* Mart. 1834
- Cyathea elliottii* (Baker 1892) Domin 1930 #4 II CYATHEACEAE
- Cyathea elliptica* Copel. 1917 = *Sphaeropteris elliptica* (Copel. 1971) R.Tryon 1970
- Cyathea elmeri* Copel. 1908 = *Sphaeropteris elmeri* (Copel. 1908) R.Tryon 1970
- Cyathea elongata* Mett. ex Karsten 1869 = *Alsophila engelii* R. Tryon 1970

- Cyathea eminens* Domin 1929 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991  
*Cyathea engleri* Hieron. 1910 = *Alsophila manniana* (Hook.) R.M.Tryon  
*Cyathea epaleata* Holttum 1982 #4 II CYATHEACEAE  
*Cyathea equestris* Kunze 1834 = *Cyathea divergens* Kunze  
*Cyathea erinacea* Karsten 1856 = *Alsophila erinacea* (Karsten 1856) Conant 1983  
*Cyathea eriophora* Holttum 1962 = *Alsophila eriophora* (Holttum 1962) R Tryon 1970  
*Cyathea escuquensis* (Karst. 1869) Domin 1929 = *Cyathea andina* (Karsten 1856) Domin 1930  
*Cyathea estelae* (Riba 1967) Proctor #4 II CYATHEACEAE  
*Cyathea everta* Copel. 1942 = *Alsophila everta* (Copel. 1942) R.Tryon 1970  
*Cyathea excavata* Holttum 1935 = *Alsophila excavata* (Holttum 1935) R Tryon 1970  
*Cyathea excelsa* Kunze 1848 non Sw. = *Cyathea crenulata* Blume 1828  
*Cyathea excelsa* O. Swartz 1801 = *Alsophila celsa* R.Tryon  
*Cyathea exilis* Holttum #4 II CYATHEACEAE  
*Cyathea faberiana* Domin 1930 = *Alsophila oinops* (Hassk. 1855) R.Tryon 1970  
*Cyathea fadenii* Holttum #4 II CYATHEACEAE  
*Cyathea falcata* (Mett. ex Kuhn 1869) Domin 1929 #4 II CYATHEACEAE  
*Cyathea falculoba* Domin 1929 = *Cyathea dealbata* (Forst. 1786) Sw. 1801  
*Cyathea fallacina* (Domin 1929) Domin 1930 = *Alsophila fallacina* (Domin 1929) Domin 1929  
*Cyathea fallax* (Alderw. 1920) Domin 1930 = *Cyathea junghuhniana* (Kunze) Copel.  
*Cyathea fauriei* (Christ 1901) Copel. 1909 = *Cyathea spinulosa* Wallich ex. Hook. 1844  
*Cyathea feani* E. Brown 1931 = *Sphaeropteris feani* (E.Brown 1931) R.Tryon 1970  
*Cyathea feeana* (C.Chr. 1905) Domin 1929 = *Alsophila feeana* C.Chr. 1905  
*Cyathea feei* Glaziou ex Féé 1869 #4 II CYATHEACEAE  
*Cyathea felina* (Roxb.) Morton = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991  
*Cyathea fenicis* Copel. 1909 = *Alsophila fenicis* (Copel. 1909) C.Chr. 1913  
*Cyathea ferruginea* Christ 1907 = *Alsophila ferruginea* (Christ 1907) R.Tryon 1970  
*Cyathea ferrugineoides* Copel. 1952 = *Alsophila ferruginea* (Christ 1907) R.Tryon 1970  
*Cyathea firma* (Baker 1877) Domin 1929 = *Alsophila firma* (Baker 1877) Conant 1983  
*Cyathea firma* Mett. ex kuhn 1869 = *Cyathea divergens* Kunze  
*Cyathea firmula* Domin 1930 = *Alsophila firma* (Baker 1877) Conant 1983  
*Cyathea flava* (R.M.Tryon) comb.ined. #4 II CYATHEACEAE  
*Cyathea flavovirens* Kuhn ex Diels 1899 = *Alsophila dregei* Cyathea glaberrima Holttum 1962 = *Alsophila glaberrima* (Holttum 1962) R.Tryon 1970  
*Cyathea flexuosa* (Féé 1869) Domin 1929 = *Alsophila flexuosa* Féé 1869  
*Cyathea floribunda* (Hook. ex Baker 1874) Domin 1929 = *Cyathea pungens* (Willd. 1869) Domin 1929  
*Cyathea foersteri* Rosenst. 1912 = *Alsophila foersteri* (Rosenst. 1912) R.Tryon 1970  
*Cyathea formosana* (Baker 1891) Copel. 1909 = *Alsophila metteniana* Hance 1868  
*Cyathea foxworthyi* Copel. 1909 = *Alsophila callosa* (Christ 1906) R. Tryon 1970  
*Cyathea francii* (Ros. 1911) Domin 1929 = *Sphaeropteris intermedia* (Mett. 1861) R.Tryon 1970  
*Cyathea frigida* (Karsten 1859) Domin. 1929 #4 II CYATHEACEAE  
*Cyathea frondosa* Rosenst. 1913 non Karst. = *Cyathea grata* Domin 1930  
*Cyathea fructuosa* Copel. 1908 = *Alsophila loheri* (Christ 1906) R.Tryon 1970  
*Cyathea fugax* Alderw. 1912. = *Sphaeropteris fugax* (Alderw. 1912) R. Tryon 1970  
*Cyathea fujiiiana* Domin 1930 = *Alsophila fenicis* (Copel. 1909) C.Chr. 1913  
*Cyathea fujiiiana* (Nakai) Tagawa 1951 = *Alsophila fenicis* (Copel. 1909) C.Chr. 1913  
*Cyathea fulgens* C. Chr. 1937 = *Alsophila fulgens* (C.Chr. 1937) Conant 1983  
*Cyathea fuliginosa* (Christ 1898) Copel. 1909 #4 II CYATHEACEAE  
*Cyathea fulva* (Martius & Galeotti) Féé #4 II CYATHEACEAE  
*Cyathea fulva* .Sodiro 1883 non Féé 1887 = *Cyathea caracasana* (Klotzsch) Domin  
*Cyathea funebris* Linden 1873 = *Sphaeropteris novae-caledoniae* (Mett. 1861) R.Tryon 1970  
*Cyathea furcinervia* Domin 1930 = *Alsophila furcinervia* (Domin 1930) C.Chr. 1934  
*Cyathea furfuracea* Baker 1874 = *Cyathea tenera* (J.Smith ex Hook. 1844) T.Moore 1861  
*Cyathea furfuracea* Christ 1904 = *Cyathea fulva* (Martius & Galeotti) Féé  
*Cyathea fuscopaleata* Copel. 1917 = *Sphaeropteris moluccana* (R.Br. ex Desv. 1827) R.Tryon 1970  
*Cyathea gardneri* (Hook. 1844) D.B.Lellinger 1988 #4 II CYATHEACEAE  
*Cyathea gardneri* Hook 1844 = *Cyathea gardneri* (Hook. 1844) D.B.Lellinger 1988  
*Cyathea geluensis* Rosenstock 1908 = *Alsophila geluensis* (Rosenst. 1908) R.Tryon 1970  
*Cyathea gemmifera* Christ ex Jiménez 1913 = *Alsophila firma* (Baker 1877) Conant 1983  
*Cyathea geppiana* Domin 1930 = *Alsophila batjanensis* Christ ex Diels 1899  
*Cyathea gibbosa* (Klotzsch 1844) Domin. 1929 #4 II CYATHEACEAE  
*Cyathea gibbsiae* Copel. 1929 = *Alsophila biformis* Ros. 1911  
*Cyathea gigantea* (Wallich ex Hook. 1844) Holttum 1935 = *Alsophila gigantea* Wall. ex Hook. 1844

- Cyathea glabra* (Blume 1828) Copel. 1909 = *Alsophila glabra* (Blume 1828) Hook 1844
- Cyathea glabrescens* (Alderw. 1922) Domin 1930 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Cyathea glandulosa* Domin 1929 = *Alsophila melleri* (Baker 1874) R.Tryon 1970
- Cyathea glauca* Bory 1804 = *Alsophila glaucifolia* R.Tryon 1970
- Cyathea glauca* Fourn. 1872 non Bory = *Sphaeropteris horrida* (Liebm. 1849) R.Tryon 1970
- Cyathea glaucophylla* (Alderw. 1912) Domin 1929 = *Cyathea junghuhniana* (Kunze) Copel.
- Cyathea glaziovii* Domin #4 II CYATHEACEAE
- Cyathea gleasoni* (Maxon 1925) Domin 1930 = *Cyathea pungens* (Willd. 1869) Domin 1929
- Cyathea gleichenioides* C. Chr. 1937 = *Alsophila gleichenioides* (C.Chr. 1937) R.Tryon 1970
- Cyathea globosora* Copel. 1942 = *Alsophila everta* (Copel. 1942) R.Tryon 1970
- Cyathea globularis* C.Presl. 1849 = *Cyathea divergens* Kunze
- Cyathea godmanni* Domn 1929 = *Cyathea valdecrenata* Domin 1929
- Cyathea goudeyi* D.L.Jones 1996 #4 II CYATHEACEAE
- Cyathea goudotii* Kunze 1844 = *Alsophila hyacinthei* R.Tryon 1970
- Cyathea gracilescens* Domin 1929 = *Cyathea parvula* (Jenm.) Proctor 1953
- Cyathea gracilis* Griseb. #4 II CYATHEACEAE
- Cyathea gracillima* Copel. 1942 = *Alsophila macgillivrayi* Baker 1874
- Cyathea grantii* Copel. 1932 #4 II CYATHEACEAE
- Cyathea grata* Domin 1930 #4 II CYATHEACEAE
- Cyathea gregaria* (Brause 1920) Domin. 1930 = *Alsophila gregaria* Brause 1920
- Cyathea grenadensis* Trevis. 1851 = *Alsophila scandens* Brause 1910
- Cyathea grevilleana* Martius 1834 = *Alsophila grevilleana* (C.Mart. 1834) Conant 1983
- Cyathea guadalupensis* Spr. 1821 = *Cyathea arborea* (L. 1753) Smith 1793
- Cyathea guimaraensis* (Fée & Glaz. 1872-73) Domin 1929 = *Alsophila guimaraensis* Fée & Glaz. 1872-73
- Cyathea hainanensis* Ching ex Ching & Wang 1959 = *Sphaeropteris hainanensis* (Ching ex Ching & Wang 1959) R.Tryon 1970
- Cyathea halconensis* Christ 1908 = *Alsophila halconensis* (Chris 1908) R.Tryon 1970
- Cyathea halonata* R.C.Moran & B.Ollg. #4 II CYATHEACEAE
- Cyathea hancockii* Copel. 1909 #4 II CYATHEACEAE
- Cyathea harrisii* L. Underw. ex Maxon 1909 #4 II CYATHEACEAE
- Cyathea hartii* (Baker 1866) Domin 1929 = *Cyathea multiflora* Smith 1793
- Cyathea hassleriana* H.Christ 1907 #4 II CYATHEACEAE
- Cyathea hastulata* Christ 1904 = *Alsophila polystichoides* Christ 1896
- Cyathea haughtii* (Maxon 1944) R. Tryon 1976 #4 II CYATHEACEAE
- Cyathea havilandii* Baker = *Alsophila havilandii* (Baker 1894) R.Tryon 1970
- Cyathea heliophila* R. Tryon 1986 #4 II CYATHEACEAE
- Cyathea hemichlamydea* Copel. 1911 = *Alsophila borneensis* (Copel. 1911) R.Tryon 1970
- Cyathea hemiepiphytica* R.C.Moran #4 II CYATHEACEAE
- Cyathea hemiotis* Christ 1906 = *Alsophila polystichoides* Christ 1896
- Cyathea henryi* (Baker 1898) Copel. 1909 = *Alsophila henryi* Baker 1898
- Cyathea herzogii* Ros. 1913 #4 II CYATHEACEAE
- Cyathea heterochlamydea* Copel. 1908 = *Alsophila heterochlamydea* (Copel. 1908) R.Tryon 1970
- Cyathea heteroloba* Copel. 1929 = *Sphaeropteris philippinensis* (Baker 1891) R.Tryon 1970
- Cyathea heteromorpha* (Alderw. 1914) Domin 1929 = *Cyathea recommutata* Copel. 1909
- Cyathea heterophylla* (Alderw. 1914) Domin 1929 = *Alsophila lurida* (Blume 1828) Hook. 1844
- Cyathea hewittii* Copel. 1911 = *Cyathea recommutata* Copel. 1909
- Cyathea hieronymi* Brause 1911 = *Alsophila hieronymi* Brause 1912
- Cyathea hildebrandtii* Kuhn = *Alsophila hildebrandtii* (Kuhn 1875) R.Tryon 1970
- Cyathea hirsuta* C. Presl. 1822 non Baker #4 II CYATHEACEAE
- Cyathea hirsuta* Baker 1844 non Presl. 1822 = *Alsophila decrescens* (Mett ex Kuhn 1868) R.Tryon 1970
- Cyathea hirsuta* (Desv.) Tyron = *Cyathea surinamensis* (Miq. 1843) Domin 1929
- Cyathea hirsutissima* (Fée 1866) Domin 1929 = *Alsophila hirsutissima* Fée 1886
- Cyathea hirtula* C.Martius 1834 = *Cyathea delgadii* Pohl ex Sternb. 1820
- Cyathea hispida* (Baker 1881) Domin 1929 #4 II CYATHEACEAE
- Cyathea hodgeana* Proctor 1961 #4 II CYATHEACEAE
- Cyathea holdridgeana* Nisman & L.Gómez 1971 #4 II CYATHEACEAE
- Cyathea holstii* Hier. 1895 = *Alsophila mossambicensis* (Baker 1891) R.Tryon 1970
- Cyathea holttumiana* Rao & Jamir 1985 = *Sphaeropteris brunoniana* (Wall. ex Hook. 1844) R.Tryon 1970
- Cyathea holttumii* Copel. 1935 = *Sphaeropteris elliptica* (Copel. 1971) R.Tryon 1970
- Cyathea hombersleyii* (Maxon) Stolze 1974 #4 II CYATHEACEAE
- Cyathea hooglandii* Holttum 1962 = *Alsophila hooglandii* (Holttum 1962) R.Tryon 1970
- Cyathea hookeri* Thwaites 1864 = *Alsophila hookeri* (Thwaites 1864) R.Tryon 1970
- Cyathea hornei* (Baker 1879) Copel. 1929 #4 II CYATHEACEAE
- Cyathea horridipes* (Alderw. 1914) Domin 1929 = *Alsophila alderwereltii* (Copel. 1909) R.Tryon 1970
- Cyathea horridula* Copel. 1942 = *Alsophila horridula* (Copel. 1942) R.Tryon 1970
- Cyathea hortuleana* Domin 1930 #4 II CYATHEACEAE

- Cyathea hotteana* C.Chr. & Ekman ex C.Christ 1937 = *Alsophila hotteana* (C.Chr. & E.Ekman 1937) R.Tryon 1970  
*Cyathea howeana* Domin 1929 #4 II CYATHEACEAE  
*Cyathea humbertiana* (C.Chr. 1928) Domin 1930 = *Alsophila humbertiana* (C.Chr. 1928) R.Tryon 1970  
*Cyathea humblotii* Baker 1884 = *Alsophila hyacinthei* R.Tryon 1970  
*Cyathea humilis* Hieron. in Engl. 1895 = *Alsophila mossambicensis* (Baker 1891) R.Tryon 1970  
*Cyathea hunsteiniana* Brause 1920 = *Alsophila brausei* R.Tryon 1970  
*Cyathea hymenodes* Mett. 1863 = *Alsophila hymenodes* (Mett. 1863) R.Tryon 1970  
*Cyathea hypercrateriformis* Alderw. 1912 = *Sphaeropteris integra* (J.Sm. ex Hook. 1844) R.Tryon 1970  
*Cyathea hypotricha* Christ. 1904 = *Cyathea delgadii* Pohl ex Sternb. 1820  
*Cyathea hystricosa* C.Morton 1965 = *Alsophila woodwardioides* (Kaulf. 1824) Conant 1983  
*Cyathea ichtyolepis* Domin 1929 = *Cyathea bicrenata* Liebm. 1849  
*Cyathea imbricata* Alderw. 1924 = *Alsophila imbricata* (Alderw. 1924) R. Tryon 1970  
*Cyathea impar* R. Tryon 1976 #4 II CYATHEACEAE  
*Cyathea impressa* (Fée 1869) Domin 1929 = *Alsophila impressa* Fée 1896  
*Cyathea imrayana* Hooker 1844 = *Alsophila imrayana* (Hook.) D.S.Conant  
*Cyathea inaequalis* Holttum 1962 = *Sphaeropteris inaequalis* (Holttum 1962) R.Tryon 1970  
*Cyathea incana* Karsten 1860 = *Alsophila incana* (H.Karst) D.S.Conant 1983  
*Cyathea incanescens* Domin 1930 = *Alsophila incana* (H.Karst) D.S.Conant 1983  
*Cyathea inciso-crenata* Baker 1874 = *Alsophila vieillardii* (Mett. 1861) R.Tryon 1970  
*Cyathea incisoserrata* Copel. 1911 = *Alsophila inciso-serrata* (Copel. 1911) C.Chr. 1913  
*Cyathea incurvata* Kunze 1849 = *Cyathea gardneri* (Hook. 1844) D.B.Lellinger 1988  
*Cyathea indrapuriae* (Alderw. 1915) Alderw. 1918 = *Alsophila apiculata* Ros 1914  
*Cyathea indusiosa* Copel. 1952 = *Alsophila loheri* (Christ 1906) R.Tryon 1970  
*Cyathea infesta* (Kunze 1834) Domin 1930 #4 II CYATHEACEAE  
*Cyathea inquinans* Christ = *Alsophila inquinans* (Christ 1896) R.Tryon 1970  
*Cyathea insignis* D.Eaton 1860 #4 II CYATHEACEAE  
*Cyathea insulana* Holttum 1962 = *Alsophila insulana* (Holttum 1962) R.Tryon 1970  
*Cyathea insularis* Donin. 1929 = *Cyathea bullata* (Baker 1876) F.Rakotondrainibe  
*Cyathea insularum* Holttum 1962 = *Sphaeropteris insularum* (Holttum 1962) R.Tryon 1970  
*Cyathea integra* Alderw. non J.Smith ex Hook = *Sphaeropteris zamboangana* (Copel. 1926) R.Tryon 1970  
*Cyathea integra* J.Smith ex Hook. 1844 = *Sphaeropteris integra* (J.Sm. ex Hook. 1844) R.Tryon 1970  
*Cyathea interjecta* Baker 1874 = *Sphaeropteris albifrons* (Vieill. ex Fourn. 1873) R.Tryon 1970  
*Cyathea intermedia* (Mett. 1861) Copel. 1929 = *Sphaeropteris intermedia* (Mett. 1861) R.Tryon 1970  
*Cyathea intramarginalis* (Wind.1973) Lellinger #4 II CYATHEACEAE  
*Cyathea irregularis* Brause 1911 #4 II CYATHEACEAE  
*Cyathea isaloensis* C.Chr. 1932 = *Alsophila isaloensis* (C.Chr. 1932) R.Tryon 1970  
*Cyathea jacobsii* Holttum 1974 #4 II CYATHEACEAE  
*Cyathea jamaicensis* Jenm. 1882 #4 II CYATHEACEAE  
*Cyathea jamaicensis* Baker 1891 non Jenm 1882 = *Cyathea concinna* (Baker ex Jenman 1881) Jenman 1891  
*Cyathea janseniana* (Alderw. 1922) Domin 1930 = *Sphaeropteris alternans* (Wallich ex Hook. 1844) R.Tryon 1970  
*Cyathea javanica* Blume 1828 = *Alsophila javanica* (Blume 1828) R.Tryon 1970  
*Cyathea joadii* (Baker 1891) Domin 1929 = *Cyathea andina* (Karsten 1856) Domin 1930  
*Cyathea junghuhniana* (Kunze) Copel. #4 II CYATHEACEAE  
*Cyathea kalbreyeri* (Baker 1892) Domin. 1929 = *Cyathea intramarginalis* (Wind.1973) Lellinger  
*Cyathea kanehirae* Holttum = *Alsophila lilianiae* R.Tryon 1970  
*Cyathea kemberangana* Copel. 1917 = *Sphaeropteris polypoda* (Baker 1894) R.Tryon 1970  
*Cyathea kenepaiana* Domin 1930 = *Cyathea ramispina* (Hook. in Hook. & Baker 1866) Copel. 1909  
*Cyathea kermadecensis* Oliver 1910 = *Alsophila kermadecensis* (Oliver 1910) R.Tryon 1970  
*Cyathea keysseri* Ros. 1913 = *Alsophila macgregorii* (F.v Muell. 1889) R.Tryon  
*Cyathea khasyana* (Moore ex Kuhn 1869) Domin 1929 #4 II CYATHEACEAE  
*Cyathea kinabaluensis* Copel. 1917 = *Sphaeropteris moluccana* (R.Br. ex Desv. 1827) R.Tryon 1970  
*Cyathea kingii* (Clarke ex Bedd. 1883) Copel. 1909 non Ros. 1911 = *Alsophila lurida* (Blume 1828) Hook. 1844  
*Cyathea kingii* Ros. 1911 non (Clark) Copel 1909 = *Sphaeropteris wernerii* (Rosenst. 1908) R.Tryon 1970  
*Cyathea kirkii* Hook. 1865 = *Alsophila kirkii* (Hook. 1865) R.Tryon 1970  
*Cyathea klossii* Ridley 1916 = *Alsophila klossii* (Ridley 1916) R.Tryon 1970  
*Cyathea kohchangensis* (C.Chr. 1916) Domin 1929 = *Cyathea podophylla* (Hook. 1857 ) Copel. 1909  
*Cyathea korthalsii* C.Cr. 1934 (non Mett.) = *Alsophila loheri* (Christ 1906) R.Tryon 1970  
*Cyathea korthalsii* Mett. 1863 = *Alsophila hymenodes* (Mett. 1863) R.Tryon 1970  
*Cyathea kuhnii* (Hieron. 1904) Domin 1929 = *Cyathea falcata* (Mett. ex Kuhn 1869) Domin 1929  
*Cyathea laciniata* Copel. 1931 #4 II CYATHEACEAE  
*Cyathea lamprocaulis* (Christ 1909) Ching 1949 #4 II CYATHEACEAE

- Cyathea lanaensis* Christ 1908 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909
- Cyathea lanuginosa* Jungh. 1845 = *Sphaeropteris tomentosa* (Blume 1828) R.Tryon 1970
- Cyathea lasiosora* (Kuhn 1869) Domin. 1929 #4 II CYATHEACEAE
- Cyathea lastii* Baker 1891 = *Alsophila lastii* (Baker 1891) R.Tryon 1970
- Cyathea lastreoides* (Alderw. 1916) Domin 1930 = *Alsophila latebrosa* Wall. ex Hook. 1844
- Cyathea latebrosa* Copel 1909 = *Alsophila latebrosa* Wall. ex Hook. 1844
- Cyathea latebrosa* (Wallich ex Hook. 1844) Copel. 1909 = *Alsophila latebrosa* Wall. ex Hook. 1844
- Cyathea latevagans* (Baker 1881) Domin 1929 #4 II CYATHEACEAE
- Cyathea lathamii* Holtt. #4 II CYATHEACEAE
- Cyathea latipinnula* Copel. 1911 = *Alsophila latipinnula* (Copel. 1911) R.Tryon 1970
- Cyathea latisecta* (Christ 1906) Domin 1929 = *Cyathea wendlandii* (Mett. ex Kuhn 1869) Domin 1929
- Cyathea laurentiorum* Christ 1905 = *Alsophila manniana* (Hook.) R.M.Tryon
- Cyathea lechleri* Mett. 1859 #4 II CYATHEACEAE
- Cyathea ledermannii* Brause 1920 = *Sphaeropteris ledermannii* (Brause 1920) R.Tryon 1970
- Cyathea leichhardtiana* (F. Muell. 1865) Copel. 1912 = *Alsophila leichhardtiana* F.v.Muell. 1865
- Cyathea lenormandi* Vieill. ex Baker 1874 = *Sphaeropteris albifrons* (Vieill. ex Fourn. 1873) R.Tryon 1970
- Cyathea lepidigera* Copel. 1952 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909
- Cyathea lepidoclada* (Christ 1905) Domin 1930 = *Alsophila lepidoclada* Christ 1905
- Cyathea lepidotricha* Domin 1929 = *Sphaeropteris novae-caledoniae* (Mett. 1861) R.Tryon 1970
- Cyathea lepifera* (J. Smith ex Hook 1844) Copel. 1909 = *Sphaeropteris lepifera* (Hook. 1844) R.Tryon 1970
- Cyathea leprieurii* (Kunze) Domin 1929 #4 II CYATHEACEAE
- Cyathea leptochlamys* Baker 1887 = *Alsophila leptochlamys* (Baker 1887) R.Tryon 1970
- Cyathea leptocladia* (Fée 1869) Domin 1929 = *Alsophila leptocladia* Fée 1869
- Cyathea leptolepia* (Alderw. 1916) Domin 1930 = *Alsophila latebrosa* Wall. ex Hook. 1844
- Cyathea leucocarpa* Copel. 1911 = *Alsophila latebrosa* Wall. ex Hook. 1844
- Cyathea leucolepismata* Alston 1958 #4 II CYATHEACEAE
- Cyathea leucolepis* Mett. 1863 = *Sphaeropteris leucolepis* (Mett. 1863) R.Tryon 1970
- Cyathea leucophaes* Hassk. 1855 = *Cyathea crenulata* Blume 1828
- Cyathea leucostegia* Copel. 1929 = *Sphaeropteris tripinnata* (Copel. 1906) R.Tryon 1970
- Cyathea leucosticta* Fée 1869 = *Alsophila setosa* Kaulf 1824
- Cyathea leucotricha* Christ 1905 = *Sphaeropteris leucotricha* (Christ 1905) R.Tryon 1970
- Cyathea lewisii* (Morton & Proctor 1951) Proctor 1953 #4 II CYATHEACEAE
- Cyathea leytenensis* Copel. 1929 = *Sphaeropteris tripinnata* (Copel. 1906) R.Tryon 1970
- Cyathea liesneri* A.R.Sm. 1990 #4 II CYATHEACEAE
- Cyathea ligulata* Baker 1884 = *Alsophila ligulata* (Baker 1884) R.Tryon 1970
- Cyathea lindeniana* C.Presl. 1849 = *Cyathea delgadii* Pohl ex Sternb. 1820
- Cyathea lobata* Copel. 1952 = *Alsophila apoensis* (Copel 1910) R.Tryon 1970
- Cyathea lobbiana* Hook. 1865 = *Sphaeropteris alternans* (Wallich ex Hook. 1844) R.Tryon 1970
- Cyathea lockwoodiana* (Windisch 1976) Lellinger 1984 #4 II CYATHEACEAE
- Cyathea loddigesii* (Kunze 1847) Domin 1929 = *Cyathea australis* (R.Br.) Domin 1929
- Cyathea loerzingii* Holttum 1962 = *Alsophila loerzingii* (Holttum 1962) R.Tryon 1970
- Cyathea loheri* Christ 1906 = *Alsophila loheri* (Christ 1906) R.Tryon 1970
- Cyathea longipaleata* Alston 1940 = *Alsophila muelleri* (Baker 1890) R.Tryon 1970
- Cyathea longipes* Alderw. 1922 non Copel. 1917 = *Alsophila macropoda* (Domin 1930) R.Tryon 1970
- Cyathea longipes* Copel. 1917 = *Alsophila longipes* (Copel. 1917) R.Tryon 1970
- Cyathea longipinna* Copel. 1911 = *Alsophila latebrosa* Wall. ex Hook. 1844
- Cyathea longipinnata* Bonap. 1917 = *Alsophila longipinnata* (Bonap. 1917) R.Tryon
- Cyathea loubetiana* (L.Linden 1900) Domin 1929 = *Alsophila loubetiana* L.Linden 1900
- Cyathea lunulata* (G. Forster 1786) Copel. #4 II CYATHEACEAE
- Cyathea lurida* (Blume 1928) Copel. 1909 = *Alsophila lurida* (Blume 1828) Hook. 1844
- Cyathea lurida* Copel. 1909 = *Alsophila lurida* (Blume 1828) Hook. 1844
- Cyathea macarthurii* (F. Muell. 1874) Baker 1874 = *Alsophila ferinandii* R.Tryon 1970
- Cyathea macgillivrayi* (Baker 1874) Domin 1929 = *Alsophila macgillivrayi* Baker 1874
- Cyathea macgregorii* F. Muell. 1889 = *Alsophila macgregorii* (F.v Muell. 1889) R.Tryon
- Cyathea macrocarpa* C. Presl 1848 Domin 1929 #4 II CYATHEACEAE
- Cyathea macrophylla* Domin 1930 = *Sphaeropteris ledermannii* (Brause 1920) R.Tryon 1970
- Cyathea macropoda* Domin 7975 = *Alsophila macropoda* (Domin 1930) R.Tryon 1970
- Cyathea macrosora* (Baker 1887) Domin 1929 #4 II CYATHEACEAE
- Cyathea madagascariaca* Bonap. 1917 = *Alsophila matitanensis* R.Tryon 1970
- Cyathea madagascariensis* Kaulf. 1824 = *Alsophila borbonica* (Desv. 1811) R.Tryon 1970
- Cyathea magna* Copel. 1942 = *Sphaeropteris magna* (Copel. 1942) R.Tryon 1970

- Cyathea magnifolia* Alderw. 1920 = *Alsophila magnifolia* (Alderw. 1920) R. Tryon
- Cyathea mamillata* Fée 1869 = *Cyathea gardneri* (Hook. 1844) D.B.Lellinger 1988
- Cyathea manilensis* (C.Presl. 1848) Domin 1929 = *Cyathea caudata* (J. Smith 1841) Copel. 1906
- Cyathea manniana* Hook. 1865 = *Alsophila manniana* (Hook.) R.M.Tryon
- Cyathea mapahuensis* M.Kato 1990 #4 II  
CYATHEACEAE
- Cyathea mapiriensis* (Ros. 1928) Domin 1930 = *Alsophila mapiriensis* Ros. 1928
- Cyathea marattoides* Willd. ex Kaulf. 1824 = *Alsophila marattoides* (Willd. ex Kaulf. 1824) R.Tryon 1970
- Cyathea marcescens* N.A.Wakefield 1942 = *Alsophila marcescens* (N.A.Wakef. 1942) R.Tryon 1970
- Cyathea margaretha* (Schroeter ex Christ 1905) Copel. 1909 = *Sphaeropteris trichodesma* (Scortech. ex Bedd. 1887) R.Tryon 1970
- Cyathea marginalis* (Klotzsch 1844) Domin 1929 #4 II  
CYATHEACEAE
- Cyathea marginata* (Brause 1920) Domin 1930 = *Sphaeropteris marginata* (Brause 1920) R.Tryon 1970
- Cyathea marshalliana* (L.Linden 1894) Domin 1930 #4 II  
CYATHEACEAE
- Cyathea masapilidensis* Copel. 1952 = *Alsophila masapilidensis* (Copel. 1952) R.Tryon 1970
- Cyathea mascarena* Desv. 1827 = *Alsophila borbonica* (Desv. 1811) R.Tryon 1970
- Cyathea mastersiana* L.Linden 1894 #4 II CYATHEACEAE
- Cyathea matthewii* (Christ 1909) Domin 1929 = *Alsophila matthewii* Christ 1909
- Cyathea mearnsii* Copel. 1909 = *Alsophila halconensis* (Chris 1908) R.Tryon 1970
- Cyathea media* Wagn. & Grether 1948 = *Alsophila media* (Wagn. & Grether 1948) R.Tryon.
- Cyathea medullaris* (G. Forster 1786) Swartz 1801 = *Sphaeropteris medullaris* (Forst. 1786) Bernh. 1801
- Cyathea megalosora* Copel. 1917 = *Sphaeropteris megalosora* (Copel. 1917) R.Tryon 1970
- Cyathea melanocaula* Desv. 1827 = *Alsophila borbonica* (Desv. 1811) R.Tryon 1970
- Cyathea melanoclada* Domin 1930 = *Cyathea hornei* (Baker 1879) Copel. 1929
- Cyathea melanophlebia* Copel. 1929 = *Alsophila halconensis* (Chris 1908) R.Tryon 1970
- Cyathea melanopus* Copel 1909 = *Cyathea junghuhniana* (Kunze) Copel.
- Cyathea melanorrhachis* (Copel. 1907) Copel. 1909 = *Alsophila lurida* (Blume 1828) Hook. 1844
- Cyathea melanotricha* (Tardieu 1941) Tindale 1956 = *Cyathea bullata* (Baker 1876) F.Rakotondrainibe
- Cyathea melleri* (Baker 1874) Domin. 1929 = *Alsophila melleri* (Baker 1874) R.Tryon 1970
- Cyathea mello-baroetoi* (Brade) comb.ined. #4 II  
CYATHEACEAE
- Cyathea membranulosa* Christ 1907 = *Cyathea fulva* (Martius & Galeotti) Fée
- Cyathea merrillii* Copel. 1931 = *Alsophila heterochlamydea* (Copel. 1908) R.Tryon 1970
- Cyathea mertensiana* (Kunze 1848) Copel. = *Sphaeropteris mertensiana* (Kunze 1848) R.Tryon 1970
- Cyathea mesocarpa* Domin 1930 = *Alsophila mesocarpa* (Domin 1930) C.Chr. 1934
- Cyathea mesosora* Holttum 1962 = *Alsophila mesosora* (Holttum 1962) R.Tryon 1970
- Cyathea metteniana* (Hance) C.Chr. & Tard. = *Alsophila metteniana* Hance 1868
- Cyathea mexiae* Copel. 1932 #4 II CYATHEACEAE
- Cyathea mexicana* Schltr. & Cham. 1803 = *Alsophila firma* (Baker 1877) Conant 1983
- Cyathea microchlamys* Holttum = *Alsophila microchlamys* (Holttum 1962) R.Tryon 1970
- Cyathea microdonta* (Desv. 1811) Domin. 1929 #4 II  
CYATHEACEAE
- Cyathea microlepidota* Copel. 1949 = *Sphaeropteris microlepidota* (Copel. 1949) R.Tryon 1970
- Cyathea micromera* Ros. 1924 #4 II CYATHEACEAE
- Cyathea microphylla* Mett. #4 II CYATHEACEAE
- Cyathea microphyllodes* Domin 1929 #4 II  
CYATHEACEAE
- Cyathea microphyloides* Rosenstock 1913 = *Alsophila microphyloides* (Rosenst. 1913) R.Tryon 1970
- Cyathea mildbraedii* (Brause 1910) Domin 1929 = *Alsophila mildbraedii* Brause 1910
- Cyathea milnei* Hook. ex Hook.f. 1864 = *Alsophila milnei* (Hook. ex Hook.f 1864) R. Tryon 1970
- Cyathea mindanensis* (Christ ex Diels 1899) Copel. 1909 = *Dicksonia blumei* (Kunze 1848) Moore 1860
- Cyathea mindanensis* Copel 1909 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909
- Cyathea minor* D. Eaton = *Alsophila minor* (D. Eaton) Tryon
- Cyathea mitrata* Copel. 1909 = *Alsophila loheri* (Christ 1906) R.Tryon 1970
- Cyathea modesta* (Baker) Copel. = *Alsophila modesta* Baker 1880
- Cyathea mollis* Copel. 1917 = *Sphaeropteris trichophora* (Copel. 1911) R.Tryon 1970
- Cyathea mollis* Rosenst. 1925 non Copel 1917 = *Cyathea fulva* (Martius & Galeotti) Fée
- Cyathea molliuscula* Domin 1930 = *Cyathea fulva* (Martius & Galeotti) Fée
- Cyathea moluccana* R.Br. ex Desv. 1827 = *Sphaeropteris moluccana* (R.Br. ex Desv. 1827) R.Tryon 1970
- Cyathea monilifera* (J.Sm.) comb.ined. #4 II  
CYATHEACEAE
- Cyathea moniliformis* Jenm. 1898 = *Cyathea insignis* D.Eaton 1860
- Cyathea monosticha* (Christ 1894) Domin 1929 #4 II  
CYATHEACEAE
- Cyathea monstrabilis* Jenm. 1881 = *Cyathea dissoluta* Baker ex Jenman
- Cyathea montana* Smith 1793 = *Alsophila montana* (Alderw. 1920) R. Tryon 1970
- Cyathea moorei* Baker 1874 = *Alsophila ferinandii* R.Tryon 1970
- Cyathea moorei* F.Muell. 1882 non Baker 1874 = *Cyathea howeana* Domin 1929

- Cyathea moricandiana* Kunze ex Moore 1861 = *Cyathea macrocarpa* C. Presl 1848 Domin 1929  
*Cyathea moseleyi* Baker 1876 = *Sphaeropteris moseleyi* (Baker 1876) R. Tryon 1970  
*Cyathea mossambicensis* Baker 1891 = *Alsophila mossambicensis* (Baker 1891) R. Tryon 1970  
*Cyathea mucilagina* R.C. Moran #4 II CYATHEACEAE  
*Cyathea mucronata* (Christ 1896) Domin 1929 = *Alsophila polystichoides* Christ 1896  
*Cyathea muelleri* Baker 1890 = *Alsophila muelleri* (Baker 1890) R. Tryon 1970  
*Cyathea multiflora* Smith 1793 #4 II CYATHEACEAE  
*Cyathea multisegmenta* R. Tryon #4 II CYATHEACEAE  
*Cyathea munchii* Christ 1907 = *Sphaeropteris horrida* (Liebm. 1849) R. Tryon 1970  
*Cyathea munita* Willd. ex Hook. 1844 #4 II CYATHEACEAE  
*Cyathea muricata* Gris. 1864 (Part) non Willd. = *Cyathea tenera* (J. Smith ex Hook. 1844) T. Moore 1861  
*Cyathea muricata* Willd. 1810 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Cyathea muriculata* Sodiro 1908 = *Cyathea pallescens* (Sodiro 1883) Domin. 1929  
*Cyathea murkelensis* M. Kato 1990 #4 II CYATHEACEAE  
*Cyathea myosuroides* (Liebm. 1849) Domin 1929 #4 II CYATHEACEAE  
*Cyathea nanna* (D. Barrington 1976) Lellinger 1988 #4 II CYATHEACEAE  
*Cyathea neblinae* A.R. Sm. 1990 #4 II CYATHEACEAE  
*Cyathea negrosiana* Christ 1907 = *Alsophila negrosiana* (Christ 1907) R. Tryon 1970  
*Cyathea neocalledonica* Compton 1923 = *Alsophila vieillardii* (Mett. 1861) R. Tryon 1970  
*Cyathea nesiotica* (Maxon 1922) Domin. 1930 #4 II CYATHEACEAE  
*Cyathea nicklesii* (Tard. & Ballard 1953) Tind. 1956 = *Alsophila nicklesii* (Tardieu & Ballard 1953) R. Tryon 1970  
*Cyathea nicobarica* Balakrishnan & Dixit = *Sphaeropteris albosetacea* (Bedd. 1876) R. Tryon 1970  
*Cyathea nigra* E. Fourn 1876 = *Cyathea lasiosora* (Kuhn 1869) Domin. 1929  
*Cyathea nigrescens* (Hook. 1844) J. Sm. 1886 = *Alsophila woodwardioides* (Kaulf. 1824) Conant 1983  
*Cyathea nigricans* Mett. 1863 #4 II CYATHEACEAE  
*Cyathea nigripes* (Presl.) Domin. #4 II CYATHEACEAE  
*Cyathea nigrolineata* Holttum 1962 = *Alsophila nigrolineata* (Holttum 1962) R. Tryon 1970  
*Cyathea nigropaleata* Holttum 1962 = *Alsophila nigropaleata* (Holttum 1962) R. Tryon 1970  
*Cyathea nigrospinulosa* Alderw. 1918 = *Sphaeropteris tripinnatifida* (Wall. ex Roxb. 1844) R. Tryon 1970  
*Cyathea nilgirensis* Holttum = *Alsophila nilgirensis* (Holttum 1965) R. Tryon 1970  
*Cyathea nitens* Sodiro 1908 = *Cyathea pallescens* (Sodiro 1883) Domin. 1929  
*Cyathea nitidula* Domin 1929 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Cyathea nockii* Jenman 1879 = *Alsophila nockii* (Jenman 1879) R. Tryon 1970
- Cyathea nodulifera* R.C. Moran 1991 #4 II CYATHEACEAE  
*Cyathea notabilis* Domin 1930 = *Alsophila notabilis* Maxon 1922  
*Cyathea nothofagorum* Holttum 1967 #4 II CYATHEACEAE  
*Cyathea novae-caledoniae* (Mett. 1861) Copel. 1929 = *Sphaeropteris novae-caledoniae* (Mett. 1861) R. Tryon 1970  
*Cyathea novae-zelandiae* Domin 1929 = *Alsophila smithii* (Hook.f. 1854) R. Tryon 1970  
*Cyathea novoguineensis* Brause 1912 = *Alsophila geluensis* (Rosenst. 1908) R. Tryon 1970  
*Cyathea obliqua* Copel 1911. = *Sphaeropteris obliqua* (Copel. 1911) R. Tryon 1970  
*Cyathea oblonga* (Klotzsch. 1844) Domin. 1929 #4 II CYATHEACEAE  
*Cyathea obscura* (Scortech. ex Bedd. 1887) Copel. 1909 = *Sphaeropteris obscura* (Scortech. ex Bedd. 1887) R. Tryon 1970  
*Cyathea obtusata* Rosenst. 1917 = *Alsophila borneensis* (Copel. 1911) R. Tryon 1970  
*Cyathea ochroleuca* Sodiro 1908 = *Cyathea pallescens* (Sodiro 1883) Domin. 1929  
*Cyathea o'donelliana* Alston 1960 = *Alsophila incana* (H. Karst) D.S. Conant 1983  
*Cyathea ogurae* (Hayata 1925) Domin 1930 #4 II CYATHEACEAE  
*Cyathea ohaensis* M. Kato 1990 #4 II CYATHEACEAE  
*Cyathea oinops* Hassk. 1855 = *Alsophila oinops* (Hassk. 1855) R. Tryon 1970  
*Cyathea oinops* Racib. non Hassk. = *Cyathea crenulata* Blume 1828  
*Cyathea okiana* (Alderw. 1916) Alderw. 1918 = *Sphaeropteris felina* (Roxb.) Pic. Serm. 1991  
*Cyathea oldhami* (Bedd. 1870) Domin 1930 = *Cyathea khasiana* (Moore ex Kuhn 1869) Domin 1929  
*Cyathea oligocarpa* Kunze 1834 = *Cyathea delgadii* Pohl ex Sternb. 1820  
*Cyathea oligocarpia* Jungh. (non Kunze) = *Alsophila oinops* (Hassk. 1855) R. Tryon 1970  
*Cyathea olivacea* (Brause 1920) Domin 1930 = *Cyathea hornei* (Baker 1879) Copel. 1929  
*Cyathea onusta* Christ 1904 = *Cyathea fulva* (Martius & Galeotti) Fée  
*Cyathea oosora* Holttum 1962 = *Alsophila oosora* (Holttum 1962) R. Tryon 1970  
*Cyathea ordinata* Copel. 1948 = *Sphaeropteris magna* (Copel. 1942) R. Tryon 1970  
*Cyathea oreites* Domin 1929 = *Cyathea poeppigii* (Hook. 1844) Domin. 1929  
*Cyathea orientalis* (Kunze 1848) Moore 1861 = *Alsophila orientalis* (Kunze 1848) R. Tryon 1970  
*Cyathea ornata* (Scott ex Bedd. 1870) Copel. 1909 = *Cyathea khasiana* (Moore ex Kuhn 1869) Domin 1929  
*Cyathea orthogonialis* Bonap. 1917 = *Alsophila orthogonialis* (Bonap. 1917) R. Tryon 1970  
*Cyathea oxyacantha* Sodiro 1908 = *Alsophila cuspidata* (Kunze 1834) Conant 1983  
*Cyathea oyapoka* Jenm. 1898 = *Alsophila cuspidata* (Kunze 1834) Conant 1983

- Cyathea pachyrhachis* Copel. 1942 = *Alsophila pachyrhachis* (Copel. 1942) R.Tryon 1970  
*Cyathea pacifica* Domin 1929 #4 II CYATHEACEAE  
*Cyathea palaciosii* R.C.Moran 1995 #4 II CYATHEACEAE  
*Cyathea paleacea* Copel. 1917 = *Alsophila havilandii* (Baker 1894) R.Tryon 1970  
*Cyathea paleata* Copel. 1929 = *Alsophila apiculata* Ros 1914  
*Cyathea palembanica* (Alderw. 1916) Alderw. 1918 = *Alsophila javanica* (Blume 1828) R.Tryon 1970  
*Cyathea paleolata* (C.Martius 1834) Copel. 1932 = *Alsophila paleolata* C.Martius 1834  
*Cyathea pallescens* (Sodiro 1883) Domin. 1929 #4 II CYATHEACEAE  
*Cyathea pallida* (Ros. 1915) Domin 1929 = *Alsophila pallida* Ros. 1915  
*Cyathea pallidipaleata* Holttum 1962 = *Alsophila pallidipaleata* (Holttum 1962) R.Tryon 1970  
*Cyathea panamensis* Domin 1929 = *Cyathea petiolata* (Hook. 1844) R.Tryon 1976  
*Cyathea pansamalana* (Maxon 1922) Domin 1930 = *Cyathea birenata* Liebm. 1849  
*Cyathea papuana* (Ridley 1916) Alderw. 1917 = *Sphaeropteris papuana* (Ridley 1916) R.Tryon 1970  
*Cyathea papyracea* Christ 1904 = *Cyathea fulva* (Martius & Galeotti) Fée  
*Cyathea paraphysata* Copel. 1911 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970  
*Cyathea paraphysophora* (Alderw. 1920) Domin 1930 = *Alsophila alderwereltii* (Copel. 1909) R.Tryon 1970  
*Cyathea parianensis* (Wind. 1976) Lellinger #4 II CYATHEACEAE  
*Cyathea parksiae* Copel. 1931 = *Sphaeropteris parksiae* (Copel. 1931) R.Tryon 1970  
*Cyathea parva* (Maxon 1944) R.Tryon 1976 #4 II CYATHEACEAE  
*Cyathea parva* Copel. 1942 = *Alsophila micra* R.Tryon 1970  
*Cyathea parvifolia* Sodiro 1908 = *Cyathea caracasana* (Klotzsch) Domin  
*Cyathea parvipinna* Holttum 1962 = *Sphaeropteris parvipinna* (Holttum 1962) R.Tryon 1970  
*Cyathea parvula* (Jenm.) Proctor 1953 #4 II CYATHEACEAE  
*Cyathea parvula* (Jenman 1879) Domin 1929 = *Cyathea pungens* (Willd. 1869) Domin 1929  
*Cyathea pastazensis* Domin 1929 = *Cyathea pungens* (Willd. 1869) Domin 1929  
*Cyathea pastoensis* Kuhn 1904 #4 II CYATHEACEAE  
*Cyathea patellaris* Christ 1900 = *Alsophila firma* (Baker 1877) Conant 1983  
*Cyathea patellifera* Alderw. 1914 = *Alsophila patellifera* (Alderw. 1914) R. Tryon 1970  
*Cyathea pauciflora* (Kuhn 1869) D.B.Lellinger 1988 #4 II CYATHEACEAE  
*Cyathea pauciflora* Kze. 1846 = *Cyathea pauciflora* (Kuhn 1869) D.B.Lellinger 1988  
*Cyathea paucifolia* Domin = *Alsophila paucifolia* Baker 1874  
*Cyathea paulistana* (Ros. 1906) Domin 1929 = *Alsophila paulistana* Ros. 1906  
*Cyathea pectinata* Ching & S.H.Wu in Ching & Wang 1964 #4 II CYATHEACEAE  
*Cyathea peladensis* (Hieron.) Domin #4 II CYATHEACEAE  
*Cyathea pelliculosa* Christ 1904 = *Cyathea divergens* Kunze  
*Cyathea pendula* Jenm. 1882 #4 II CYATHEACEAE  
*Cyathea peranemiformis* C.Chr. 1937 = *Alsophila microphyloides* (Rosenst. 1913) R.Tryon 1970  
*Cyathea percrassa* C.Chr. 1937 = *Alsophila percrassa* (C.Chr. 1937) R.Tryon 1970  
*Cyathea perpelvigera* Alderw. 1924 = *Alsophila perpelvigera* (Alderw. 1924) R. Tryon 1970  
*Cyathea perpunctulata* (Alderw. 1918) Domin 1930 = *Alsophila perpunctulata* (Alderw. 1918) R. Tryon 1970  
*Cyathea perrieriana* C.Chr. 1932 = *Alsophila perrieriana* (C.Chr. 1932) R.Tryon 1970  
*Cyathea persquamulata* (Alderw. 1918) Domin 1930 = *Alsophila subdubia* Alderw. 1915  
*Cyathea persquamulifera* (Alderw. 1920) Domin 1930 = *Sphaeropteris persquamulifera* (Alderw. 1920) R. Tryon 1970  
*Cyathea petiolata* (Hook. 1844) R.Tryon 1976 #4 II CYATHEACEAE  
*Cyathea petiolata* J.Sm. 1841 = *Sphaeropteris integra* (J.Sm. ex Hook. 1844) R.Tryon 1970  
*Cyathea petiolulata* Ching & S.H.Wu in 1964 #4 II CYATHEACEAE  
*Cyathea phalaenolepis* (C. Chr. 1911) Domin 1929 #4 II CYATHEACEAE  
*Cyathea phalerata* Martius 1822 #4 II CYATHEACEAE  
*Cyathea phalerata* var. *crassa* (Karsten 1869) ?? = *Cyathea crassa* (Karst.) comb. ined.  
*Cyathea phanerophlebia* Baker 1894 = *Alsophila marattiooides* (Willd. ex Kaulf. 1824) R.Tryon 1970  
*Cyathea phegopteroides* (Hook. 1865) Domin 1929 #4 II CYATHEACEAE  
*Cyathea philippinensis* Baker 1891 = *Sphaeropteris philippinensis* (Baker 1891) R.Tryon 1970  
*Cyathea physolepidota* Alston 1956 = *Alsophila physolepidota* (Alston 1956) R. Tryon 1970  
*Cyathea piligera* (Hieron. 1906) Domin 1929 = *Alsophila piligera* Hieron. 1906  
*Cyathea pilosa* Baker 1874 = *Cyathea delgadii* Pohl ex Sternb. 1820  
*Cyathea pilosissima* (Baker 1874) Domin 1929 #4 II CYATHEACEAE  
*Cyathea pilosula* Tard. 1941 = *Alsophila pilosula* (Tardieu 1941) R.Tryon 1970  
*Cyathea pilulifera* Copel. 1942 = *Sphaeropteris pilulifera* (Copel. 1942) R.Tryon 1970  
*Cyathea pinnata* Roxb. 1844 = *Sphaeropteris moluccana* (R.Br. ex Desv. 1827) R.Tryon 1970  
*Cyathea pinnula* (Christ 1901) Domin 1929 #4 II CYATHEACEAE  
*Cyathea pinnula* R. C. Moran 1991 = *Cyathea pinnula* (Christ 1901) Domin 1929  
*Cyathea plagiopteris* (C.Martius 1834) Domin. 1929 = *Alsophila plagiopteris* C.Martius 1834

- Cyathea plagiostegia* Copel. 1929 = *Alsophila plagiostegia* (Copel. 1929) R.Tryon 1970  
*Cyathea planadae* N.C.Arens & A.R.Sm. 1998 #4 II CYATHEACEAE  
*Cyathea platylepis* (Hook. 1861) Domin 1929 #4 II CYATHEACEAE  
*Cyathea podophylla* (Hook. 1857) Copel. 1909 #4 II CYATHEACEAE  
*Cyathea poeppigii* (Hook. 1844) Domin. 1929 #4 II CYATHEACEAE  
*Cyathea poiensis* Copel. 1911 = *Sphaeropteris trichophora* (Copel. 1911) R.Tryon 1970  
*Cyathea polyneuron* Col. 1879 = *Sphaeropteris medullaris* (Forst. 1786) Bernh. 1801  
*Cyathea polyodonta* Domin 1929 = *Cyathea hancockii* Copel. 1909  
*Cyathea polypoda* Baker 1894 = *Sphaeropteris polypoda* (Baker 1894) R.Tryon 1970  
*Cyathea polystichoides* (Christ 1896) Domn 1929 = *Alsophila polystichoides* Christ 1896  
*Cyathea ponapeana* (Hosok. 1936) Glassm. 1952 = *Alsophila ponapeana* Hosok. 1936  
*Cyathea poolii* (C.Chr. 1905) Domin 1929 = *Alsophila poolii* C.Chr. 1905  
*Cyathea poolii* (C.Chr.) Rakotondr 1999 = *Alsophila poolii* C.Chr. 1905  
*Cyathea portoana* (Brade) comb.ined. #4 II CYATHEACEAE  
*Cyathea portoricensis* Christ 1901 = *Alsophila erinacea* (Karsten 1856) Conant 1983  
*Cyathea portoricensis* Sprengel ex Kuhn = *Alsophila portoricensis* (Sprengel ex Kuhn 1869) Conant 1983  
*Cyathea praeceps* A.R.Sm. 1990 #4 II CYATHEACEAE  
*Cyathea praecincta* (Kunze 1839) Domin 1929 #4 II CYATHEACEAE  
*Cyathea presliana* Domin 1929 = *Alsophila vestita* C.Presl. 1849  
*Cyathea preussii* Diels 1899 = *Alsophila manniana* (Hook.) R.M.Tryon  
*Cyathea primaeva* Domin 1929 = *Cyathea lasiosora* (Kuhn 1869) Domin. 1929  
*Cyathea princeps* J.Sm. 1866 non Mayer 1868. = *Cyathea insignis* D.Eaton 1860  
*Cyathea princeps* (Linden) E.Mayer 1868 = *Sphaeropteris horrida* (Liebm. 1849) R.Tryon 1970  
*Cyathea principis* Domin 1930 = *Cyathea camerooniana* Hook.  
*Cyathea procera* Brause 1920 = *Sphaeropteris procera* (Brause 1920) R.Tryon 1970  
*Cyathea procera* (Willd.) Domn. 1930 = *Cyathea pungens* (Willd. 1869) Domin 1929  
*Cyathea proceroides* (Ros. 1915) Domin 1929 = *Alsophila proceroides* Ros. 1915  
*Cyathea producta* Maxon 1922 = *Cyathea caracasana* (Klotzsch) Domin  
*Cyathea propinqua* Mett. 1863 = *Sphaeropteris propinqua* (Mett. 1863) R.Tryon 1970  
*Cyathea pruinosa* Rosenstock 1913 = *Alsophila pruinosa* (Rosenst. 1913) R.Tryon 1970  
*Cyathea pseudalbizzia* Copel. 1929 = *Sphaeropteris robinsonii* (Copel. 1911) R.Tryon 1970  
*Cyathea pseudobrunonis* Copel. 1929 = *Sphaeropteris moluccana* (R.Br. ex Desv. 1827) R.Tryon 1970  
*Cyathea pseudogigantea* Ching & S.H.Wu in Ching & Wang 1964 #4 II CYATHEACEAE  
*Cyathea pseudomuelleri* Holttum 1962 = *Alsophila pseudomuelleri* (Holttum 1962) R.Tryon 1970  
*Cyathea pseudonanna* (L.D. Gómez 1981) Lellinger 1985 #4 II CYATHEACEAE  
*Cyathea pteridioides* Copel. 1935 = *Sphaeropteris lepifera* (Hook. 1844) R.Tryon 1970  
*Cyathea pterorachis* (Baker 1874) Domin 1929 = *Cyathea pungens* (Willd. 1869) Domin 1929  
*Cyathea pubens* Domin 1929 #4 II CYATHEACEAE  
*Cyathea puberula* Sodiro 1883 #4 II CYATHEACEAE  
*Cyathea pubescens* Mett. ex Kuhn 1869 = *Alsophila auneae* Conant 1883  
*Cyathea pukuana* M.Kato 1990 #4 II CYATHEACEAE  
*Cyathea pulcherrima* Copel. 1942 = *Sphaeropteris pulcherrima* (Copel. 1942) R.Tryon 1970  
*Cyathea pulchra* Copel. 1929 = *Sphaeropteris obscura* (Scortech. ex Bedd. 1887) R.Tryon 1970  
*Cyathea pumilio* Alderw. 1918 = *Sphaeropteris albidosquamata* (Rosenst. 1913) R.Tryon 1970  
*Cyathea punctata* R.C.Moran & B.Ollg. 1998 #4 II CYATHEACEAE  
*Cyathea punctifera* Christ 1901 = *Alsophila cuspidata* (Kunze 1834) Conant 1983  
*Cyathea punctulata* (Alderw. 1915) Alderw. 1918 #4 II CYATHEACEAE  
*Cyathea pungens* (Willd. 1869) Domin 1929 #4 II CYATHEACEAE  
*Cyathea purdiaei* Jenm. 1898 = *Alsophila imrayana* (Hook.) D.S.Conant  
*Cyathea purpurascens* Sod. ex Sod 1908 = *Alsophila erinacea* (Karsten 1856) Conant 1983  
*Cyathea purpurascens* Sodiro 1893 = *Alsophila erinacea* (Karsten 1856) Conant 1983  
*Cyathea purpurea* Morton 1951 = *Cyathea lechleri* Mett. 1859  
*Cyathea pustulosa* (Christ 1901) Copel. 1909 = *Sphaeropteris lepifera* (Hook. 1844) R.Tryon 1970  
*Cyathea pycnocarpa* (Kunze 1834) Domin 1929 = *Cyathea pungens* (Willd. 1869) Domin 1929  
*Cyathea pycnoneura* Holttum 1962 = *Alsophila pycnoneura* (Holttum 1962) R.Tryon 1970  
*Cyathea pygmaea* L.Linden 1894 #4 II CYATHEACEAE  
*Cyathea quadrata* Baker 1876 = *Alsophila quadrata* (Baker 1876) R. Tryon 1970  
*Cyathea quadripinnatifida* Copel. 1942 = *Sphaeropteris celebica* (Blume 1828) R.Tryon 1970  
*Cyathea quindiuensis* Karsten 1856 = *Sphaeropteris quindiuensis* (Karsten 1856) R.Tryon 1970  
*Cyathea raciborskii* Copel. 1909 #4 II CYATHEACEAE  
*Cyathea radens* (Kaulf. 1824) Domin 1929 = *Alsophila radens* Kaulf. 1824  
*Cyathea raiateensis* (J.W.Moore) comb.ined. #4 II CYATHEACEAE

- Cyathea ramisora* (Domin 1929) Domin 1930 #4 II  
CYATHEACEAE
- Cyathea ramispina* (Hook. in Hook. & Baker 1866) Copel. 1909 #4 II CYATHEACEAE
- Cyathea ramispinoides* M.Kato #4 II CYATHEACEAE
- Cyathea ramosiana* Alderw. 1920 = *Sphaeropteris philippinensis* (Baker 1891) R.Tryon 1970
- Cyathea ramosii* Copel. 1926 = *Sphaeropteris trichophora* (Copel. 1911) R.Tryon 1970
- Cyathea rapaensis* Copel. 1938 #4 II CYATHEACEAE
- Cyathea rebecca* (F.Muell. 1865) Domin 1929 = *Alsophila rebecca* F.v.Muell. 1865
- Cyathea recommutata* Copel. 1909 #4 II CYATHEACEAE
- Cyathea recurvata* (Brause 1920) Domin 1930 = *Alsophila recurvata* Brause, Engl. 1920
- Cyathea reducta* (Alderw. 1918) Domin 1930 = *Alsophila glabra* (Blume 1828) Hook 1844
- Cyathea regularis* Baker 1889 = *Alsophila serratifolia* (Baker 1884) R.Tryon 1970
- Cyathea revoluta* (C.Chr. 1913) Domn. 1929 #4 II CYATHEACEAE
- Cyathea rheosora* (Christ 1898) Copel. 1909 = *Cyathea podophylla* (Hook. 1857) Copel. 1909
- Cyathea ridleyi* (Baker 1891) Copel. 1909 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Cyathea rigens* Rosenstock 1913 = *Alsophila rigens* (Rosents. 1913) R.Tryon 1970
- Cyathea rigida* Copel. 1917 = *Alsophila havilandii* (Baker 1894) R.Tryon 1970
- Cyathea rigidula* Baker 1887 = *Alsophila hyacinthei* R.Tryon 1970
- Cyathea robertsiana* (F.v. Muell. 1865) Domin 1929 = *Alsophila robertsiana* F.Muell. 1865
- Cyathea robinsonii* Copel. 1911 = *Sphaeropteris robinsonii* (Copel. 1911) R.Tryon 1970
- Cyathea robusta* Boj. ex Wall. 1828 = *Alsophila borbonica* (Desv. 1811) R.Tryon 1970
- Cyathea robusta* (C.Moore ex Maiden) Holt 1964 = *Sphaeropteris robusta* (C.Moore ex Watts 1914) R.Tryon 1970
- Cyathea rojasii* Christ 1909 #4 II CYATHEACEAE
- Cyathea roroka* P.H.Hovenkamp #4 II CYATHEACEAE
- Cyathea rosenstockii* Brause 1920 = *Sphaeropteris rosenstockii* (Brause 1920) R.Tryon 1970
- Cyathea rubella* Holttum 1962 = *Alsophila rubella* (Holttum 1962) R.Tryon 1970
- Cyathea rubiginosa* (Brause 1920) Domin 1930 = *Alsophila rubiginosa* Brause 1920
- Cyathea rudimentaris* (Alderw. 1922) Domin 1930 = *Alsophila latebrosa* Wall. ex Hook. 1844
- Cyathea rufa* (Fée 1869) Lellinger 1988 #4 II CYATHEACEAE
- Cyathea rufescens* (Mett ex Kuhn 1869) Domin 1929 = *Sphaeropteris rufescens* (Mett. ex Kuhn 1869) Wind. 1973
- Cyathea rufopannosa* Christ 1907 = *Alsophila rufopannosa* (Christ 1907) R.Tryon 1970
- Cyathea ruiziana* Klotzsch 1847 #4 II CYATHEACEAE
- Cyathea rumphiana* (Alderw. 1916) Domin 1929 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Cyathea rumphiana* Merrill 1917 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Cyathea rumphii* Desv. 1827 #4 II CYATHEACEAE
- Cyathea runensis* Alderw. 1908 = *Sphaeropteris runensis* (Alderw. 1908) R. Tryon 1970
- Cyathea rupestris* Maxon 1946 = *Alsophila rupestris* (Maxon 1946) Gastony & R.Tryon 1970
- Cyathea saccata* Christ 1904 = *Alsophila saccata* (Christ 1904) R.Tryon 1970
- Cyathea sagittifolia* (Hook. 1866) Domin 1929 #4 II CYATHEACEAE
- Cyathea salletii* Tard. & C.Chr. ex C.Chr. & Tard. 1934 = *Alsophila salletii* (Tardieu & C.Chr. ex C.Chr. & Tardieu 1934) R.Tryon 1970
- Cyathea salticola* (Alderw. 1915) Domin 1929 = *Alsophila alderwereltii* (Copel. 1909) R.Tryon 1970
- Cyathea salvinii* (Hook.) Domin = *Alsophila salvinii* Hooker 1866
- Cyathea samoensis* Baker 1876 #4 II CYATHEACEAE
- Cyathea samoensis* Domn. 1929 = *Sphaeropteris samoensis* (Brack. 1854) R.Tryon 1970
- Cyathea sangirensis* (Christ ex Diels 1899) Copel. 1909 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Cyathea saparuensis* (Alderw. 1909) Alderw. 1918 = *Alsophila batjanensis* Christ ex Diels 1899
- Cyathea sarasinorum* Holttum 1962 = *Sphaeropteris sarasinorum* (Holttum 1962) R.Tryon 1970
- Cyathea sarawakensis* (C.Chr. 1913) Domin 1929 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Cyathea scaberula* (Christ 1901) Domin 1929 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Cyathea scaberulipes* (Alderw. 1924) Domin 1930 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Cyathea scabra* Baker 1876 #4 II CYATHEACEAE
- Cyathea scabrieta* Copel. 1914 = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Cyathea scandens* (Brause 1920) Domin 1930 = *Alsophila scandens* Brause 1910
- Cyathea schaffneriana* (Fée 1827) Domin 1929 = *Alsophila schaffneriana* Fée 1827
- Cyathea schanschin* Mart 1843 = *Cyathea delgadii* Pohl ex Sternb. 1820
- Cyathea schenckii* Christ 1896 #4 II CYATHEACEAE
- Cyathea schiedeana* (C.Presl 1836) Domin 1939 #4 II CYATHEACEAE
- Cyathea schizophlamys* Baker 1880 = *Alsophila sumatrana* (Baker 1880) R.Tryon 1970
- Cyathea schizolepis* Copel. 1932 = *Alsophila sternbergii* (Pohl. ex Sternb. 1820) Conant 1983
- Cyathea schlechteri* (Brause 1912) Domin 1929 #4 II CYATHEACEAE
- Cyathea schliebenii* Reim. 1933 = *Alsophila tanzaniana* R.Tryon 1970
- Cyathea schlimii* (Kuhn 1859) Domin 1929 #4 II CYATHEACEAE
- Cyathea schmidiana* (Kunze 1851) Nair 1968 = *Alsophila nilgirensis* (Holttum 1965) R.Tryon 1970
- Cyathea sclerolepis* Baker 1874 = *Alsophila vieillardii* (Mett. 1861) R.Tryon 1970

- Cyathea sechellarum* Mett. 1863 = *Alsophila sechellarum* (Mett. 1863) R.Tryon 1970
- Cyathea sellae* Pirotta 1908 = *Alsophila manniana* (Hook.) R.M.Tryon
- Cyathea sellowiana* C.Presl. 1836 = *Alsophila paleolata* C.Martius 1834
- Cyathea semiamplectens* Holttum 1962 = *Alsophila semiamplectens* (Holttum 1962) R.Tryon 1970
- Cyathea senex* Alderw. 1914 = *Sphaeropteris senex* (Alderw. 1914) R. Tryon 1970
- Cyathea senilis* (Klotzsch 1846) Domin 1929 #4 II CYATHEACEAE
- Cyathea sepikensis* Brause 1920 = *Alsophila geluensis* (Rosenst. 1908) R.Tryon 1970
- Cyathea serpens* (R.M.Tryon) nom. ined. #4 II CYATHEACEAE
- Cyathea serratifolia* Baker 1884 = *Alsophila serratifolia* (Baker 1884) R.Tryon 1970
- Cyathea serra* Willd. 1810 = *Cyathea arborea* (L. 1753) Smith 1793
- Cyathea sessifolia* (Jenm. 1882) Proctor 1953 #4 II CYATHEACEAE
- Cyathea sessilifolia* Domin. 1929 = *Cyathea sessifolia* (Jenm. 1882) Proctor 1953
- Cyathea sessilipinnula* Copel. 1929 = *Sphaeropteris suluensis* (Baker 1879) R.Tryon 1970
- Cyathea setchellii* Copel. 1931 #4 II CYATHEACEAE
- Cyathea setifera* Holttum 1962 = *Sphaeropteris setifera* (Holttum 1962) R.Tryon 1970
- Cyathea setosa* Domin 1929 = *Alsophila setosa* Kaulf 1824
- Cyathea setulosa* Copel. 1952 = *Alsophila setulosa* (Copel. 1952) R.Tryon 1970
- Cyathea sherringii* Domin. 1929 = *Cyathea caracasana* (Klotzsch) Domin
- Cyathea sherringii* (Jenm.) Proctor 1953 = *Cyathea caracasana* (Klotzsch) Domin
- Cyathea sibuyanensis* Copel. 1911 = *Sphaeropteris sibuyanensis* (Copel. 1911) R.Tryon 1970
- Cyathea sikkimensis* (Clarke & Baker 1888) Cretz. 1941 = *Cyathea khasiana* (Moore ex Kuhn 1869) Domin 1929
- Cyathea similis* C.Chr. 1905 = *Alsophila similis* (C. Chr. 1905) R.Tryon 1970
- Cyathea simplex* R. Tryon #4 II CYATHEACEAE
- Cyathea singalanensis* (Alderw. 1914) Domin 1929 = *Alsophila modesta* Baker 1880
- Cyathea sinops* Racib. 1898 #4 II CYATHEACEAE
- Cyathea sinuata* Hook. & Grev. 1828 = *Alsophila sinuata* (Hook. & Grev. 1828) R.Tryon 1970
- Cyathea sipapoensis* (R. Tryon 1972) Lellinger #4 II CYATHEACEAE
- Cyathea smithii* Hook.f. 1854 = *Alsophila smithii* (Hook.f. 1854) R.Tryon 1970
- Cyathea societarum* Baker 1874 #4 II CYATHEACEAE
- Cyathea sodiroi* C.Chr. 1905 = *Cyathea caracasana* (Klotzsch) Domin
- Cyathea solomonensis* Holttum 1964 = *Alsophila solomonensis* (Holttum 1964) R.Tryon 1970
- Cyathea speciosa* Humb. & Bonpl. ex Willd 1810 #4 II CYATHEACEAE
- Cyathea sphaerocarpa* Féé 1869 = *Cyathea delgadii* Pohl ex Sternb. 1820
- Cyathea spinifera* (Alderw. 1922) Domin. 1930 = *Alsophila alderwereltii* (Copel. 1909) R.Tryon 1970
- Cyathea spinulosa* Wallich ex. Hook. 1844 #4 II CYATHEACEAE
- Cyathea spinulosa* Wall. 1828 = *Cyathea spinulosa* Wallich ex. Hook. 1844
- Cyathea sprucei* Hook. 1865 = *Alsophila incana* (H.Karst) D.S.Conant 1983
- Cyathea squamata* (Klotzsch 1844) Domin. 1930 = *Cyathea microphyllodes* Domin 1929
- Cyathea squamicosta* Copel. 1931 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909
- Cyathea squamipes* Klotzsch ex Karst. 1861 = *Cyathea caracasana* (Klotzsch) Domin
- Cyathea squamulata* (Blume 1828) Copel. 1909 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Cyathea squamulosa* (Losch) R.C. Moran #4 II CYATHEACEAE
- Cyathea squarrosa* (Ros. 1925) Domin 1930 = *Cyathea multiflora* Smith 1793
- Cyathea stelligera* Holttum 1964 = *Alsophila stelligera* (Holttum 1964) R. Tryon 1970
- Cyathea sternbergii* Domin 1929 = *Alsophila elegans* Mart. 1834
- Cyathea sternbergii* Pohl ex Sternb. 1820 = *Alsophila sternbergii* (Pohl. ex Sternb. 1820) Conant 1983
- Cyathea steyermarkii* R. Tryon #4 II CYATHEACEAE
- Cyathea stipitipinnula* Holttum 1962 = *Sphaeropteris stipitipinnula* (Holttum 1962) R.Tryon 1970
- Cyathea stipitulata* Copel. 1911 = *Sphaeropteris assimilis* (Hook. 1865) R.Tryon 1970
- Cyathea stipularis* (Christ 1904) Domin 1929 = *Cyathea bicrenata* Liebm. 1849
- Cyathea stokesii* E.Brown 1931 = *Alsophila stokesii* (E.Brown 1931) R. Tryon 1970
- Cyathea stolzei* A. Reid Smith ex Lellinger 1988 #4 II CYATHEACEAE
- Cyathea straminea* Karsten #4 II CYATHEACEAE
- Cyathea straminea* (Gepp 1917) Alderw. 1918 non Karst 1856 = *Alsophila batjanensis* Christ ex Diels 1899
- Cyathea strigillosa* (Maxon 1922) Domin 1930 #4 II CYATHEACEAE
- Cyathea strigosa* Christ 1897 = *Sphaeropteris strigosa* (Christ 1897) R.Tryon 1970
- Cyathea stuhlmannii* Hier. ex Engl. 1899 = *Alsophila stuhlmannii* (Hieron. ex Engl. 1899) R.Tryon 1970
- Cyathea subarborescens* Domin. 1930 #4 II CYATHEACEAE
- Cyathea subaspera* (Christ 1901) Domin 1929 = *Cyathea divergens* Kunze
- Cyathea subbipinnata* Copel. 1935 = *Sphaeropteris elliptica* (Copel. 1971) R.Tryon 1970
- Cyathea subbulata* Copel. 1939 = *Alsophila decurrens* Hook. 1844
- Cyathea subcomosa* (C.Chr. 1913) Domin 1929 = *Sphaeropteris elmeri* (Copel. 1908) R.Tryon 1970
- Cyathea subconfluens* (Alderw. 1918) Domin 1930 = *Alsophila modesta* Baker 1880

- Cyathea subdimorpha* Copel. 1913 = *Alsophila lurida* (Blume 1828) Hook. 1844
- Cyathea subdubia* (Alderw. 1915) Domin. 1929 = *Alsophila subdubia* Alderw. 1915
- Cyathea subglandulosa* (Hance 1866) Copel. 1909 #4 II CYATHEACEAE
- Cyathea subincisa* (Kunze 1844) Domin 1929 #4 II CYATHEACEAE
- Cyathea subincisa* C.Chr. 1931 non Domin 1929 = *Alsophila tsaratananensis* (Chr. 1934) R.Tryon 1970
- Cyathea subindusiata* Domin 1929 #4 II CYATHEACEAE
- Cyathea submarginalis* (Domin 1929) Domin 1930 #4 II CYATHEACEAE
- Cyathea subobscura* (Alderw. 1915) Domin 1929 = *Sphaeropteris obscura* (Scortech. ex Bedd. 1887) R.Tryon 1970
- Cyathea subochroleuca* Domin 1929 = *Cyathea birenata* Liebm. 1849
- Cyathea subsessilis* Copel. 1911 = *Sphaeropteris subsessilis* (Copel. 1911) R.Tryon 1970
- Cyathea subspathulata* Brause 1920 = *Alsophila geluensis* (Rosenst. 1908) R.Tryon 1970
- Cyathea subtripinnata* Holttum 1962 = *Alsophila subtripinnata* (Holttum 1962) R. Tryon 1970
- Cyathea subtropica* Domin 1929 = *Cyathea ulei* (Christ 1905) Domin 1930
- Cyathea subulata* (Alderw. 1918) Domin 1930 #4 II CYATHEACEAE
- Cyathea subulata* Domin 1930 = *Cyathea recommutata* Copel. 1909
- Cyathea subuliformis* Alderw. 1913 #4 II CYATHEACEAE
- Cyathea suluensis* Baker 1879 = *Sphaeropteris suluensis* (Baker 1879) R.Tryon 1970
- Cyathea sumatrana* Baker 1880 = *Alsophila sumatrana* (Baker 1880) R.Tryon 1970
- Cyathea superba* (Jenm. 1898) Domin 1930 #4 II CYATHEACEAE
- Cyathea superfusa* Kunze ex Ettingsh. 1865 = *Cyathea gardneri* (Hook. 1844) D.B.Lellinger 1988
- Cyathea suprastrigosa* (Christ 1901) Maxon 1909 #4 II CYATHEACEAE
- Cyathea surinamensis* (Miq.1843) Domin 1929 #4 II CYATHEACEAE
- Cyathea surukunesis* V.Marcano 1989 = *Cyathea intramarginalis* (Wind.1973) Lellinger
- Cyathea tahitensis* (Brackenr.) Copel 1929 #4 II CYATHEACEAE
- Cyathea tahitensis* Domn. 1929 = *Cyathea tahitensis* (Brackenr.) Copel 1929
- Cyathea taiwaniana* Nakai 1927 = *Cyathea spinulosa* Wallich ex. Hook. 1844
- Cyathea taunaysiana* Glaz. & Féé 1869 = *Cyathea gardneri* (Hook. 1844) D.B.Lellinger 1988
- Cyathea tenera* (J.Smith ex Hook. 1844) T.Moore 1861 #4 II CYATHEACEAE
- Cyathea tenerifrons* (Christ 1904) Domin 1929 = *Alsophila firma* (Baker 1877) Conant 1983
- Cyathea tenggerensis* (Rosenstock 1917) Domin 1930 = *Sphaeropteris tenggerensis* (Rosenst. 1917) R.Tryon 1970
- Cyathea tenuicaulis* Domin 1930 = *Alsophila tenuis* Brause, Engl. 1920
- Cyathea tenuis* Brause 1911 #4 II CYATHEACEAE
- Cyathea ternata* Alderw. 1932 = *Alsophila ternata* (Alderw. 1932) R. Tryon 1970
- Cyathea teysmannii* Copel. 1909 = *Sphaeropteris teysmannii* (Copel. 1909) R.Tryon 1970
- Cyathea thomsonii* Baker 1881 = *Alsophila thomsonii* (Baker 1881) R.Tryon 1970
- Cyatheathurstoni* Baker 1886 = *Cyathea affinis* (G.Forster 1786) O.Swartz 1801
- Cyathea thysanolepis* (Barrington) A.R.Sm. #4 II CYATHEACEAE
- Cyathea tijucensis* (Fée 1869) Domin 1929 = *Cyathea poeppigii* (Hook.1844) Domin. 1929
- Cyathea tinganensis* Ching & S.H.Wu in Ching & Wang 1964 #4 II CYATHEACEAE
- Cyathea tomentosa* (Blume 1828) H.Zollinger ex Moritz 1845-6 = *Sphaeropteris tomentosa* (Blume 1828) R.Tryon 1970
- Cyathea tomentosissima* Copel. 1942 = *Sphaeropteris tomentosissima* (Copel. 1942) R.Tryon 1970
- Cyathea tonglonensis* (Christ 1907) Domin 1929 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909
- Cyathea toppingii* Copel. 1917 = *Cyathea recommutata* Copel. 1909
- Cyathea tortuosa* R.C.Moran 1991 #4 II CYATHEACEAE
- Cyathea trachypoda* Alderw. 1929 #4 II CYATHEACEAE
- Cyathea traillii* (Baker 1891) Domin 1929 #4 II CYATHEACEAE
- Cyathea trejoi* Christ 1905 = *Alsophila firma* (Baker 1877) Conant 1983
- Cyathea trichiata* (Maxon 1922) Domin 1930 = *Cyathea birenata* Liebm. 1849
- Cyathea trichodesma* (Scortech. ex Bedd. 1887) Copel. 1909 = *Sphaeropteris trichodesma* (Scortech. ex Bedd. 1887) R.Tryon 1970
- Cyathea trichophlebia* (Baker 1891) Domin 1929 = *Cyathea atrovirens* (Langsd. & Fisch. 1810) Domin 1929
- Cyathea trichophora* Copel. 1911 = *Sphaeropteris trichophora* (Copel. 1911) R.Tryon 1970
- Cyathea tricolor* Col. 1883 = *Cyathea dealbata* (Forst. 1786) Sw. 1801
- Cyathea trindadensis* Brade 1936 #4 II CYATHEACEAE
- Cyathea trinitensis* (Jenm. 1898) Domin 1929 #4 II CYATHEACEAE
- Cyathea tripinnata* Copel. 1906 = *Sphaeropteris tripinnata* (Copel. 1906) R.Tryon 1970
- Cyathea tripinnatifida* Wall ex Roxb. 1844 = *Sphaeropteris tripinnatifida* (Wall. ex Roxb. 1844) R.Tryon 1970
- Cyathea truncata* (Brackenr. 1854) Copel. 1909 = *Sphaeropteris truncata* (Brackenr. 1854) R.Tryon 1970
- Cyathea tryonorum* (Riba 1967) Lellinger 1988 #4 II CYATHEACEAE
- Cyathea tsangii* Ching & S.H.Wu in Ching & Wang 1964 #4 II CYATHEACEAE
- Cyathea tsaratananensis* C.Chr. 1934 = *Alsophila tsaratananensis* (Chr. 1934) R.Tryon 1970

- Cyathea tsaratananensis* Tard. 1941 non Christ. 1934 = *Alsophila acutula* R.Tryon 1970
- Cyathea tsilotsilensis* Tard. 1941 = *Alsophila tsilotsilensis* (Tardieu 1941) R.Tryon 1970
- Cyathea tuberculata* Alderw. 1918 = *Alsophila sumatrana* (Baker 1880) R.Tryon 1970
- Cyathea tungurahuae* Sodiro 1908 = *Cyathea pallescens* (Sodiro 1883) Domin. 1929
- Cyathea tussacii* Desv. 1827 = *Alsophila tussacii* (Desv. 1827) Conant 1983
- Cyathea tuyamae* H.Ohba #4 II CYATHEACEAE
- Cyathea ulei* (Christ 1905) Domin 1930 #4 II CYATHEACEAE
- Cyathea umbrosa* Copel. 1935 = *Sphaeropteris lepifera* (Hook. 1844) R.Tryon 1970
- Cyathea underwoodii* Christ 1906 = *Cyathea fulva* (Martius & Galeotti) Féé
- Cyathea urbanii* Brause 1911 = *Alsophila urbanii* (Brause 1911) R.Tryon 1970
- Cyathea urdanetensis* Copel. 1929 = *Sphaeropteris zamboangana* (Copel. 1926) R.Tryon 1970
- Cyathea ursina* (Maxon 1944) D.B.Lellinger 1988 #4 II CYATHEACEAE
- Cyathea usambarensis* Hieron. = *Alsophila manniana* (Hook.) R.M.Tryon
- Cyathea valdecrenata* Domin 1929 #4 II CYATHEACEAE
- Cyathea vandeusenii* Holttum 1962 = *Alsophila vandeusenii* (Holttum 1962) R. Tryon 1970
- Cyathea van-gaerdii* (Van Houtte ex Salom. 1883) Domin 1930 #4 II CYATHEACEAE
- Cyathea vaupelii* Copel. 1911 = *Sphaeropteris vaupelii* (Copel. 1911) R.Tryon 1970
- Cyathea veitchiana* Domin 1930 #4 II CYATHEACEAE
- Cyathea veitchii* (Baker 1874) Domin 1929 = *Alsophila veitchii* Baker 1874
- Cyathea venezuelensis* A.Reid Smith ex D.B.Lellinger 1988 #4 II CYATHEACEAE
- Cyathea venosa* (Reichb. ex Kuhn 1896) Domin 1929 #4 II CYATHEACEAE
- Cyathea venulosa* Wall. 1828 = *Alsophila glabra* (Blume 1828) Hook 1844
- Cyathea vernicosa* (Mett. ex Kuhn 1869) Domin 1929 #4 II CYATHEACEAE
- Cyathea verrucosa* Holttum 1962 = *Sphaeropteris verrucosa* (Holttum 1962) R.Tryon 1970
- Cyathea verruculosa* (Ros. 1906) Domin 1929 = *Alsophila verruculosa* Ros. 1906
- Cyathea versteegii* Christ 1909 = *Sphaeropteris runensis* (Alderw. 1908) R. Tryon 1970
- Cyathea vestita* C.Martius 1822 = *Cyathea delgadii* Pohl ex Sternb. 1820
- Cyathea vexans* (Cesati 1876) C.Chr. 1934 = *Alsophila glabra* (Blume 1828) Hook 1844
- Cyathea vieillardii* Mett. 1861 = *Alsophila vieillardii* (Mett. 1861) R.Tryon 1970
- Cyathea viguieri* Tard. 1941 = *Alsophila viguieri* (Tardieu 1941) R.Tryon 1970
- Cyathea vilhelmii* Domin. 1929 #4 II CYATHEACEAE
- Cyathea villosa* (Humb. & Bonpl.) Willd. 1810 #4 II CYATHEACEAE
- Cyathea virescens* C.Chr. 1931 = *Alsophila melleri* (Baker 1874) R.Tryon 1970
- Cyathea vittata* Copel. 1936 = *Sphaeropteris vittata* (Copel. 1936) R.Tryon 1970
- Cyathea walkerae* Hook. 1844 #4 II CYATHEACEAE
- Cyathea wallacei* (Mett. ex Kuhn 1869) Copel. 1909 = *Sphaeropteris wallacei* (Mett. ex Kuhn 1869) R.Tryon 1970
- Cyathea warihon* Copel. 1913 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909
- Cyathea weatherbyana* (C.V.Morton) C.V.Morton #4 II CYATHEACEAE
- Cyathea welwitschii* Hook. 1865 = *Alsophila welwitschii* (Hook. 1865) R.Tryon 1970
- Cyathea wendlandii* (Mett. ex Kuhn 1869) Domin 1929 #4 II CYATHEACEAE
- Cyathea wengiensis* (Brause 1912) Domin 1929 = *Alsophila wengiensis* Brause 1912
- Cyathea werckleana* Christ 1906 = *Alsophila polystichoides* Christ 1896
- Cyathea werffii* R.C. Moran 1991 #4 II CYATHEACEAE
- Cyathea wernerii* Rosenstock 1908 = *Sphaeropteris wernerii* (Rosenst. 1908) R.Tryon 1970
- Cyathea whitmeei* Baker 1876 = *Sphaeropteris samoensis* (Brack. 1854) R.Tryon 1970
- Cyathea wilkesiana* Domin 1930 = *Alsophila plagiostegia* (Copel. 1929) R.Tryon 1970
- Cyathea willdenowiana* Domin 1930 = *Cyathea pungens* (Willd. 1869) Domin 1929
- Cyathea williamsii* (Maxon 1922) Domin 1929 #4 II CYATHEACEAE
- Cyathea wolfii* Domin 1929 #4 II CYATHEACEAE
- Cyathea womersleyi* Holttum 1962 = *Sphaeropteris womersleyi* (Holttum 1962) R.Tryon 1970
- Cyathea woodlarkensis* Copel. 1914 #4 II CYATHEACEAE
- Cyathea woodwardioides* Kaulf. = *Alsophila woodwardioides* (Kaulf. 1824) Conant 1983
- Cyathea woollsiana* (F.Muell. 1874) Domin 1929 = *Alsophila woollsiana* F.Muell. 1874
- Cyathea woronovii* (Maxon & C.Morton 1946) Stolze 1974 = *Cyathea petiolata* (Hook. 1844) R.Tryon 1976
- Cyathea xanthina* Domin 1930 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Cyathea xantholepis* (Christ ex Diels 1899) Domin 1929 #4 II CYATHEACEAE
- Cyathea yungensis* C.Chr. 1926 #4 II CYATHEACEAE
- Cyathea yunnanensis* Domin 1930 = *Sphaeropteris brunoniana* (Wall. ex Hook. 1844) R.Tryon 1970
- Cyathea zakamenensis* Tard. 1941 = *Alsophila zakamenensis* (Tardieu 1941) R.Tryon 1970
- Cyathea zambesiaca* Baker 1894 = *Alsophila thomsonii* (Baker 1881) R.Tryon 1970
- Cyathea zamboangana* Copel. 1926 = *Sphaeropteris zamboangana* (Copel. 1926) R.Tryon 1970
- Cyathea zollingeriana* Mett. 1863 #4 II CYATHEACEAE
- Cyathea zollingeriana* Alderw. (non Mett.) = *Alsophila oinops* (Hassk. 1855) R.Tryon 1970
- Cyathea zollingeriana* Mett. = *Cyathea crenulata* Blume 1828
- Cybebus spp.** Garay #4 II<sup>64</sup> ORCHIDACEAE

- CYCADACEAE spp.** Pers. #4 I/II (E) Cycads (S) Cycas (F) Cycadales  
 Cycadales (F): Zamiaceae  
 Cycadales (F): Cycadaceae  
 Cycads (E): Zamiaceae  
 Cycads (E): Cycadaceae  
 Cycas (S): Cycadaceae  
**Cycas spp.** L. #4 I/II CYCADACEAE  
**Cycas aculeata** K.D.Hill & H.T.Nguyen #4 II CYCADACEAE  
*Cycas acuminatissima* H.T. Chang, Y.C. Zhong & Z.F. Lu.  
 = *Cycas sexseminifera* F.N.Wei  
**Cycas angulata** R.Br. #4 II CYCADACEAE  
**Cycas apoa** K.D.Hill #4 II CYCADACEAE  
**Cycas arenicola** K.D.Hill #4 II CYCADACEAE  
**Cycas armstrongii** Miq. #4 II CYCADACEAE  
**Cycas arnhemica** K.D.Hill #4 II CYCADACEAE  
*Cycas aurea* hort. Verschaffelt ex Dyer = *Cycas siamensis* Miq.  
**Cycas badensis** K.D.Hill #4 II CYCADACEAE  
*Cycas baguanheensis* L.K.Fu & S.Z.Cheng = *Cycas panzhihuaensis* L.Zhou & S.Y.Yang  
**Cycas balansae** Warb. #4 II CYCADACEAE  
**Cycas basaltica** C.A.Gardner #4 II CYCADACEAE  
**Cycas beddomei** Dyer I CYCADACEAE  
**Cycas bifida** (Dyer) K.D.Hill #4 II CYCADACEAE  
**Cycas bougainvilleana** K.D.Hill #4 II CYCADACEAE  
**Cycas brachycantha** K.D.Hill, H.T.Nguyen & L.K.Phan #4 II CYCADACEAE  
*Cycas brevipinnata* H.T.Chang, Y.Y.Huang & Y.C. Zhong =  
*Cycas sexseminifera* F.N.Wei  
**Cycas brunnea** K.D.Hill #4 II CYCADACEAE  
*Cycas caffra* Thunb. = *Encephalartos caffer* (Thunb.) Lehm.  
**Cycas cairnsiana** F.Muell. #4 II CYCADACEAE  
**Cycas calcicola** Maconochie,J #4 II CYCADACEAE  
**Cycas campestris** K.D.Hill #4 II CYCADACEAE  
**Cycas canalis** K.D.Hill #4 II CYCADACEAE  
**Cycas candida** #4 II CYCADACEAE  
*Cycas celebica* Miq. = *Cycas rumpfii* Miq.  
**Cycas chamaoensis** K.D.Hill #4 II CYCADACEAE  
*Cycas chamberlainii* W.H.Brown & Kienholz = *Cycas riuminiana* Porte ex Regel  
**Cycas changjiangens** N.Liu #4 II CYCADACEAE  
**Cycas chevalieri** Leandri #4 II CYCADACEAE  
**Cycas circinalis** L. #4 II CYCADACEAE (E) Sago-palm  
*Cycas circinalis papuana* (F.Muel) J.Schust = *Cycas papuana* F.Muell.  
*Cycas circinalis ruiminiana* (Porte ex Regel) J. Schust.J.Schust = *Cycas riuminiana* Porte ex Regel  
*Cycas circinalis seemannii* (A.Braun) J. Shust. = *Cycas seemannii* A.Braun  
*Cycas circinalis thouarsii* (R. Br. ex Gaudich) Engl. =  
*Cycas thouarsii* R.Br ex Gaudich.  
**Cycas clivicola** K.D.Hill #4 II CYCADACEAE  
**Cycas collina** K.D.Hill, H.T.Nguyen & L.K.Phan #4 II CYCADACEAE  
*Cycas comorensis* Bruant = *Cycas thouarsii* R.Br ex Gaudich.  
**Cycas condaoensis** K.D.Hill & S.L.Yang #4 II CYCADACEAE  
**Cycas conferta** Chirgwin ex Chirgwin & Wigston #4 II CYCADACEAE  
**Cycas couttsiana** K.D.Hill #4 II CYCADACEAE  
*Cycas crassipes* Hung T.Chang, Y.C.Zhong & Z.F.Lu =  
*Cycas sexseminifera* F.N.Wei  
**Cycas curranii** (J.Schust.) K.D.Hill #4 II CYCADACEAE  
**Cycas debaoensis** Y.C.Zhong & C.J.Chen #4 II CYCADACEAE  
**Cycas desolata** P.I.Forst. #4 II CYCADACEAE  
**Cycas diannanensis** Z.T.Guan & G.D.Tao #4 II CYCADACEAE  
**Cycas dolichophylla** K.D.Hill, H.T.Nguyen & L.K.Phan #4 II CYCADACEAE  
**Cycas edentata** de Laub. #4 II CYCADACEAE  
**Cycas elephantipes** A.Lindstrom & K.D.Hill #4 II CYCADACEAE  
**Cycas elongata** (Leandri) D.Y.Yang #4 II CYCADACEAE  
**Cycas fairylakea** D.Y.Yang #4 II CYCADACEAE  
**Cycas falcata** K.D.Hill #4 II CYCADACEAE  
**Cycas ferruginea** F.N.Wei #4 II CYCADACEAE  
**Cycas fugax** K.D.Hill, T.H.Nguyễn & P.K.Lôc #4 II CYCADACEAE  
**Cycas furfuracea** W.V.Fitzg. #4 II CYCADACEAE  
*Cycas gracilis* Miq. = *Cycas media* R.Br.  
**Cycas guizhouensis** K.M.Lan & R.F.Zou #4 II CYCADACEAE  
**Cycas hainanensis** C.J.Chen #4 II CYCADACEAE  
**Cycas hoabinhensis** P.K.Lôc & T.H.Nguyễn #4 II CYCADACEAE  
**Cycas hongheensis** S.Y.Yang & S.L.Yang ex D.Yue Wang #4 II CYCADACEAE  
*Cycas immersa* Craib = *Cycas siamensis* Miq.  
**Cycas inermis** Lour. #4 II CYCADACEAE  
**Cycas javana** (Miq.) de Laub. #4 II CYCADACEAE  
*Cycas jenkinsiana* Griff. = *Cycas pectinata* Buch.-Ham.  
*Cycas kennedyana* F.Muell. = *Cycas media* R.Br.  
**Cycas lane-poolei** C.A.Gardner #4 II CYCADACEAE  
**Cycas lindstromii** S.L.Yang, K.D.Hill & T.H.Nguyễn #4 II CYCADACEAE  
*Cycas lingshuiensis* G.A. Fu = *Cycas hainanensis* C.J.Chen  
**Cycas littoralis** K.D. Hill #4 II CYCADACEAE  
*Cycas littoralis* K.D. Hill = *Cycas edentata* de Laub.  
*Cycas longiconifera* H.T. Chang, C.Zhong & Y.Y.Huang =  
*Cycas segmentifida* D.Y.Wang & C.Y.Deng  
*Cycas longipetiolula* D.Y.Wang = *Cycas bifida* (Dyer) K.D.Hill  
*Cycas longisporophylla* F.N. Wei = *Cycas sexseminifera* F.N.Wei  
*Cycas longlinensis* H.T.Chang & Y.C.Zhong = *Cycas guizhouensis* K.M.Lan & R.F.Zou  
*Cycas longlinensis* Hung T. Chang & Y.C. Zhong = *Cycas segmentifida* D.Y.Wang & C.Y.Deng  
**Cycas maconochiei** Chirgwin & K.D.Hill #4 II CYCADACEAE  
*Cycas maconochiei* = *Cycas maconochiei* Chirgwin & K.D.Hill  
**Cycas macrocarpa** Griff. #4 II CYCADACEAE

- Cycas madagascariensis* Miq. = *Cycas thouarsii* R.Br ex Gaudich.
- Cycas media*** R.Br. #4 II CYCADACEAE
- Cycas megacarpa*** K.D.Hill #4 II CYCADACEAE
- Cycas micholitzii*** Dyer #4 II CYCADACEAE
- Cycas micronesica*** K.D.Hill #4 II CYCADACEAE
- Cycas miquelii* Warb. = *Cycas revoluta* Thunb.
- Cycas multifida* H.T.Chang & Y.C. Zhong. = *Cycas segmentifida* D.Y.Wang & C.Y.Deng
- Cycas multifrondis* D.Y.Wang = *Cycas bifida* (Dyer) K.D.Hill
- Cycas multiovula* D.Y.Wang = *Cycas guizhouensis* K.M.Lan & R.F.Zou
- Cycas multipinnata*** C.J.Chen & S.Y.Yang #4 II CYCADACEAE
- Cycas natherstii*** J.Schust. #4 II CYCADACEAE
- Cycas nongnoochiae*** K.D.Hill #4 II CYCADACEAE
- Cycas normanbyana*** F.Muell. #4 II CYCADACEAE
- Cycas ophiolitica*** K.D.Hill #4 II CYCADACEAE
- Cycas orientis*** K.D.Hill #4 II CYCADACEAE
- Cycas pachypoda*** K.D.Hill #4 II CYCADACEAE
- Cycas palmatifida* H.T.Chang, Y.Y.Huang & Y.C.Zhong. = *Cycas balansae* Warb.
- Cycas panzhihuaensis*** L.Zhou & S.Y.Yang #4 II CYCADACEAE
- Cycas papuana*** F.Muell. #4 II CYCADACEAE
- Cycas parvulus* S.L.Yang = *Cycas diannanensis* Z.T.Guan & G.D.Tao
- Cycas pectinata*** Buch.-Ham. #4 II CYCADACEAE
- Cycas pectinata* Griff. = *Cycas pectinata* Buch.-Ham.
- Cycas petraea*** A.Lindstrom & K.D.Hill #4 II CYCADACEAE
- Cycas platyphylla*** K.D.Hill #4 II CYCADACEAE
- Cycas pranburiensis*** S.L.Yang, K.D.Hill, W.Tang & P.Vatcharakorn #4 II CYCADACEAE
- Cycas pruinosa*** Maconochie. #4 II CYCADACEAE
- Cycas revoluta*** Thunb. #4 II CYCADACEAE
- Cycas riedlei* Fisch. ex Gaudich. = *Macrozamia riedlei* (Fisch. ex Gaudich.) C.A.Gardner
- Cycas riuminiana*** Porte ex Regel #4 II CYCADACEAE
- Cycas rumphii*** Miq. #4 II CYCADACEAE (E) Malayan Fern Palm
- Cycas rumphii normanbyana* (F.Muell.) J.Schust. = *Cycas media* R.Br.
- Cycas rumphii zeylanica* J. Schust. = *Cycas zeylanica* (J.Schust.) A.Lindstr. & K.D.Hill
- Cycas schumanniana*** Lauterb. #4 II CYCADACEAE
- Cycas scratchleyana*** F.Muell. #4 II CYCADACEAE
- Cycas seemannii*** A.Braun #4 II CYCADACEAE
- Cycas segmentifida*** D.Y.Wang & C.Y.Deng #4 II CYCADACEAE
- Cycas semota*** K.D.Hill #4 II CYCADACEAE
- Cycas septemsperma* H.T.Chang, Y.Y.Huang & H.X. Zheng. = *Cycas sexseminifera* F.N.Wei
- Cycas sexseminifera*** F.N.Wei #4 II CYCADACEAE
- Cycas shiwardashanica* H.T.Chang & Y.C.Zhong = *Cycas balansae* Warb.
- Cycas siamensis*** Miq. #4 II CYCADACEAE
- Cycas siamensis balansae* (Warb.) J.Schust. = *Cycas balansae* Warb.
- Cycas siamensis inermis* (Lour) J.Schust. = *Cycas inermis* Lour.
- Cycas silvestris*** K.D.Hill #4 II CYCADACEAE
- Cycas simplicipinna*** (Smitinand) K.D.Hill #4 II CYCADACEAE
- Cycas sphaerica*** Roxb. #4 II CYCADACEAE
- Cycas spiniformis* J.Y.Liang = *Cycas sexseminifera* F.N.Wei
- Cycas szechuanensis*** Cheng & L.K.Fu #4 II CYCADACEAE
- Cycas taitungensis*** C.F.Shen, K.D.Hill, C.H.Tsou & C.J.Chen #4 II CYCADACEAE
- Cycas taiwaniana*** Carruth. #4 II CYCADACEAE
- Cycas tanqingii*** D.Y.Wang #4 II CYCADACEAE
- Cycas tansachana*** K.D.Hill & S.L.Yang #4 II CYCADACEAE
- Cycas thouarsii* R.Br ex Gaudich. #4 II CYCADACEAE
- Cycas tropophylla*** K.D.Hill & S.L.Yang. #4 II CYCADACEAE
- Cycas truncatade* Laub. = *Cycas riuminiana* Porte ex Regel
- Cycas tuckeri*** K.D.Hill #4 II CYCADACEAE
- Cycas undulata* Desf. ex Gaudich. = *Cycas circinalis* L.
- Cycas wadei*** Merrill #4 II CYCADACEAE
- Cycas wallichii* Miq. = *Cycas circinalis* L.
- Cycas xilingensis* H.T.Chang & Y.C.Zhong. = *Cycas segmentifida* D.Y.Wang & C.Y.Deng
- Cycas xipholepis*** K.D.Hill #4 II CYCADACEAE
- Cycas yorkiana*** K.D.Hill #4 II CYCADACEAE
- Cycas yunnanensis*** Cheng, Fu & Cheng #4 II CYCADACEAE
- Cycas zeylanica*** (J.Schust.) A.Lindstr. & K.D.Hill #4 II CYCADACEAE
- Cyclamen* spp. L. #4 II 73 PRIMULACEAE**
- Cyclamen africanum*** Boiss. & Reut. #4 II 73 PRIMULACEAE
- Cyclamen algeriense* Jord. = *Cyclamen africanum* Boiss. & Reut.
- Cyclamen ambiguum* O. Schwarz = *Cyclamen africanum* Boiss. & Reut.
- Cyclamen balearicum*** Willk. #4 II 73 PRIMULACEAE (S) Pa porcí (F) Cyclamen des Baléares
- Cyclamen cilicicum* = *Cyclamen cilicum* Boiss. & Heldr.
- Cyclamen cilicum*** Boiss. & Heldr. #4 II 73 PRIMULACEAE
- Cyclamen colchicum*** (Albov) Albov #4 II 73 PRIMULACEAE
- Cyclamen commutatum* O. Schwarz & Lepper = *Cyclamen africanum* Boiss. & Reut.
- Cyclamen coum*** Mill. #4 II 73 PRIMULACEAE
- Cyclamen creticum*** (Dörfl.) Hidebr. #4 II 73 PRIMULACEAE
- Cyclamen cyprium*** Kotschy #4 II 73 PRIMULACEAE
- Cyclamen des Baléares (F): *Cyclamen balearicum*
- Cyclamen drydeniae*** Grey-Wilson #4 II 73 PRIMULACEAE
- Cyclamen étalé (F): *Cyclamen repandum*
- Cyclamen europaeum ponticum* (Albov) O. Schwarz = *Cyclamen colchicum* (Albov) Albov

<i>Cyclamen europaeum</i> sens. Albov = <i>Cyclamen colchicum</i> (Albov) Albov	<i>Cyclamen whiteae</i> Grey-Wilson #4 II 73 PRIMULACEAE
<i>Cyclamen graecum</i> Link #4 II 73 PRIMULACEAE	<i>Cyclopogon</i> spp. C. Presl #4 II 64 ORCHIDACEAE
<i>Cyclamen hederifolium</i> Aiton #4 II 73 PRIMULACEAE (E) Sowbread Cyclamen	<i>Cyclopogon hennisanus</i> (Sandt.) Szlach. #4 II 64 ORCHIDACEAE
<i>Cyclamen hederifolium balearicum</i> O. Schwarz = <i>Cyclamen balearicum</i> Willk.	<i>Cyclopogon venustus</i> (Barb.Rodr.) Schltr. #4 II 64 ORCHIDACEAE
<i>Cyclamen hildebrandii</i> O.Schwarz #4 II 73 PRIMULACEAE	<i>Cycnoches</i> spp. Lindl. #4 II 64 ORCHIDACEAE
<i>Cyclamen intaminatum</i> (Meikle) Grey-Wilson #4 II 73 PRIMULACEAE	<i>Cycnoches albidum</i> Kraenzl. 1909 #4 II 64 ORCHIDACEAE
<i>Cyclamen libanoticum</i> Hildebr. #4 II 73 PRIMULACEAE	<i>Cycnoches amesianum</i> J.Saunders 1902 = <i>Cycnoches pentadactylon</i> Lindl. 1843
<i>Cyclamen meiklei</i> Grey-Wilson #4 II 73 PRIMULACEAE	<i>Cycnoches amparoanum</i> Schltr. 1923 #4 II 64 ORCHIDACEAE
<i>Cyclamen mirabile</i> Hildebr. #4 II 73 PRIMULACEAE	<i>Cycnoches aureum</i> Lindl. & Paxton #4 II 64 ORCHIDACEAE
<i>Cyclamen neapolitanum</i> sens. Boiss = <i>Cyclamen cyprium</i> Kotschy	<i>Cycnoches barthiorum</i> G.F.Carr & Christenson 1999 #4 II 64 ORCHIDACEAE
<i>Cyclamen neapolitanum</i> Sens. Duby = <i>Cyclamen africanum</i> Boiss. & Reut.	<i>Cycnoches bennetti</i> Dodson 1989 #4 II 64 ORCHIDACEAE
<i>Cyclamen numidicum</i> Glasau = <i>Cyclamen africanum</i> Boiss. & Reut.	<i>Cycnoches brachydactylon</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Cyclamen pachylobum</i> Jord. = <i>Cyclamen africanum</i> Boiss. & Reut.	<i>Cycnoches carrii</i> Christenson 1999 #4 II 64 ORCHIDACEAE
<i>Cyclamen parviflorum</i> Pobed. #4 II 73 PRIMULACEAE	<i>Cycnoches chlorochilon</i> Klotzsch #4 II 64 ORCHIDACEAE
<i>Cyclamen persicum</i> Mill. #4 II 73 PRIMULACEAE	<i>Cycnoches christensonii</i> D.E.Benn. in D.E.Benn & Christenson (1998) #4 II 64 ORCHIDACEAE
<i>Cyclamen ponticum</i> (Albov) Poped. = <i>Cyclamen colchicum</i> (Albov) Albov	<i>Cycnoches cooperi</i> Rolfe 1913 #4 II 64 ORCHIDACEAE
<i>Cyclamen pseudibericum</i> Hildebr. #4 II 73 PRIMULACEAE	<i>Cycnoches cucullatum</i> Lindl. 1837 = <i>Cycnoches loddigesii</i> Lindl.
<i>Cyclamen purpurascens</i> Miller #4 II 73 PRIMULACEAE (F) Cyclamen Rouge Pourpre	<i>Cycnoches densiflorum</i> Rolfe #4 II 64 ORCHIDACEAE
<i>Cyclamen purpurascens ponticum</i> (Albov) Grey-Wilson = <i>Cyclamen colchicum</i> (Albov) Albov	<i>Cycnoches dianae</i> Rchb.f. #4 II 64 ORCHIDACEAE
<i>Cyclamen repandum</i> Sibth. & Sm. #4 II 73 PRIMULACEAE (F) Cyclamen étalé	<i>Cycnoches egertonianum</i> Bateman #4 II 64 ORCHIDACEAE
<i>Cyclamen repandum balearicum</i> (Willk.) Malag. = <i>Cyclamen balearicum</i> Willk.	<i>Cycnoches egertonianum</i> auct. non Bateman = <i>Cycnoches amparoanum</i> Schltr. 1923
<i>Cyclamen repandum</i> sens. ex R.Knuth = <i>Cyclamen balearicum</i> Willk.	<i>Cycnoches espiritosantense</i> Brade 1942 #4 II 64 ORCHIDACEAE
<i>Cyclamen rohlfsianum</i> Aschers. #4 II 73 PRIMULACEAE	<i>Cycnoches farnsworthianum</i> D.E.Benn & Christenson (2001) #4 II 64 ORCHIDACEAE
Cyclamen Rouge Pourpre (F): <i>Cyclamen purpurascens</i>	<i>Cycnoches glanduliferum</i> Rolfe 1892 = <i>Cycnoches egertonianum</i> Bateman
<i>Cyclamen saldense</i> Pomel = <i>Cyclamen africanum</i> Boiss. & Reut.	<i>Cycnoches guttulatum</i> Schltr. 1922 #4 II 64 ORCHIDACEAE
<i>Cyclamen saundersiae</i> Grey-Wilson #4 II 73 PRIMULACEAE	<i>Cycnoches haagii</i> Barb.Rodr. 1882 #4 II 64 ORCHIDACEAE
<i>Cyclamen schwarpii</i> Grey-Wilson #4 II 73 PRIMULACEAE	<i>Cycnoches herrenhusanum</i> Jenny & Romero #4 II 64 ORCHIDACEAE
<i>Cyclamen somalense</i> M. Thulin & A.M. Warfa #4 II 73 PRIMULACEAE	<i>Cycnoches jarae</i> Dodson & Benn. 1989 #4 II 64 ORCHIDACEAE
Cyclamen, Sowbread (E): <i>Cyclamen hederifolium</i>	<i>Cycnoches lehmanni</i> Rchb.f. 1878 = <i>Lueddemannia pescatorei</i> (Lindl.) Linden & Rchb.f.
<i>Cyclamen subtrotundum</i> Jord. = <i>Cyclamen africanum</i> Boiss. & Reut.	<i>Cycnoches loddigesii</i> Lindl. #4 II 64 ORCHIDACEAE
<i>Cyclamen trochopteranthum</i> O.Schwarz #4 II 73 PRIMULACEAE	<i>Cycnoches lusiae</i> G.A.Romero-Gonzalez & Garay (1999) #4 II 64 ORCHIDACEAE
<i>Cyclamen venustum</i> Jord. = <i>Cyclamen africanum</i> Boiss. & Reut.	<i>Cycnoches maculatum</i> Lindl. #4 II 64 ORCHIDACEAE
<i>Cyclamen vernum</i> Lobel ex Cambess. = <i>Cyclamen balearicum</i> Willk.	<i>Cycnoches manaelae</i> V.P.Castro & Campacci (1993) #4 II 64 ORCHIDACEAE
<i>Cyclamen wellensiekii</i> lets. #4 II 73 PRIMULACEAE	<i>Cycnoches pachydactylon</i> Schltr. #4 II 64 ORCHIDACEAE

- Cycnoches pachydactylum* Schltr. = *Cycnoches egertonianum* Bateman  
*Cycnoches pauciflorum* Schltr. 1923 #4 II 64  
 ORCHIDACEAE  
*Cycnoches pentadactylon* Lindl. 1843 #4 II 64  
 ORCHIDACEAE  
*Cycnoches peruvianum* Rolfe 1891 #4 II 64  
 ORCHIDACEAE  
*Cycnoches powellii* Schltr. 1922 = *Cycnoches dianae* Rchb.f.  
*Cycnoches quatuorcrisis* D.E.Benn. 1992 #4 II 64  
 ORCHIDACEAE  
*Cycnoches rossianum* Rolfe 1891 = *Cycnoches egertonianum* Bateman  
*Cycnoches schmidtianum* Christenson & G.E.Carr (2001) #4 II 64 ORCHIDACEAE  
*Cycnoches stelliferum* Lodd. 1844 = *Cycnoches egertonianum* Bateman  
*Cycnoches stenodactylon* Schltr. #4 II 64 ORCHIDACEAE  
*Cycnoches suarezii* Dodson 1989 #4 II 64  
 ORCHIDACEAE  
*Cycnoches thurstoniorum* Dodson 1989 = *Cycnoches peruvianum* Rolfe 1891  
*Cycnoches thurstonorum* Dodson & Dodson 1989 = *Cycnoches peruvianum* Rolfe 1891  
*Cycnoches tonduzii* Schltr. = *Cycnoches ventricosum* Bateman  
*Cycnoches tonduzii* Schltr. = *Cycnoches chlorochilon* Klotzsch  
*Cycnoches tonduzii* Schltr. = *Cycnoches aureum* Lindl. & Paxton  
*Cycnoches ventricosum* Bateman #4 II 64  
 ORCHIDACEAE  
*Cycnoches versicolor* Rchb.f. = *Cycnoches haagii* Barb.Rodr. 1882  
*Cycnoches viride* K.Koch (1857) = *Clowesia russelliana* (Hook.) Dodson (1975)  
*Cycnoches warszewiczii* Rchb.f. 1852 = *Cycnoches ventricosum* Bateman  
*Cycnoches warszewiczii* Rchb.f. 1852 = *Cycnoches chlorochilon* Klotzsch  
*Cycnoches warszewiczii* Rchb.f. 1852 = *Cycnoches aureum* Lindl. & Paxton  
*Cydoniorchis* spp. #4 II 64 ORCHIDACEAE  
*Cydoniorchis tetragona* (Lindl.) Senghas (1994) #4 II 64  
 ORCHIDACEAE  
*Cydoniorchis wittigii* (Rchb.f.) Senghas (1996) = *Bifrenaria wittigii* (Rchb.f.) Hoehne (1953)  
*Cylindropuntia abyssi* (Hester) Backeberg = *Opuntia abyssi* Hester  
*Cylindropuntia acanthocarpa* (Engelmann & Bigelow F.Knuth) = *Opuntia acanthocarpa* Engelmann & Bigelow  
*Cylindropuntia alamosensis* (Britton & Rose) Backeberg = *Opuntia thurberi* Engelmann  
*Cylindropuntia alcahes* (Weber) Knuth = *Opuntia prolifera* Engelmann  
*Cylindropuntia arbuscula* (Engelmann) F.Knuth = *Opuntia arbuscula* Engelmann  
*Cylindropuntia bigelovii* (Engelmann) F.Knuth = *Opuntia bigelovii* Engelmann  
*Cylindropuntia brevispina* (Gates) Backeberg = *Opuntia alcahes* Weber  
*Cylindropuntia brittonii* (J.G.Ortega) Backeberg = *Opuntia leptocaulis* De Candolle  
*Cylindropuntia burrageana* (Britton & Rose) Backeberg = *Opuntia burrageana* Britton & Rose  
*Cylindropuntia californica* (Torrey & Gray) F.Knuth = *Opuntia californica* Torrey & Gray  
*Cylindropuntia calmalliana* (Coulter) F.Knuth = *Opuntia molesta* T.Brandegee  
*Cylindropuntia caribaea* (Britton & Rose) F.Knuth = *Opuntia caribaea* Britton & Rose  
*Cylindropuntia cholla* (Weber) F.Knuth = *Opuntia cholla* Weber  
*Cylindropuntia ciribe* (Engelmann ex Coulter) F.Knuth = *Opuntia bigelovii* Engelmann  
*Cylindropuntia clavellina* (Engelmann ex Coluter) F.Knuth = *Opuntia molesta* T.Brandegee  
*Cylindropuntia davisii* (Engelmann & Bigelow) F.Knuth = *Opuntia davisii* Engelmann & Bigelow  
*Cylindropuntia echinocarpa* (Engelmann & Bigelow) F.Knuth = *Opuntia echinocarpa* Engelmann & Bigelow  
*Cylindropuntia fulgida* Ritter = *Opuntia fulgida* Engelmann  
*Cylindropuntia haematacantha* Backeberg = *Opuntia verschaffeltii* Cels ex Weber  
*Cylindropuntia hualpaensis* (Hester) Backeberg = *Opuntia whipplei* Engelmann & Bigelow  
*Cylindropuntia humahuacana* Backeberg = *Opuntia shaferi* Britton & Rose  
*Cylindropuntia imbricata* (Haworth) F.Knuth = *Opuntia imbricata* (Haworth) De Candolle  
*Cylindropuntia intermedia* (Rauh & Backeberg) Rauh & Backeberg = *Opuntia cylindrica* (Lamarck) De Candolle  
*Cylindropuntia kleiniae* (De Candolle) F.Knuth = *Opuntia kleiniae* De Candolle  
*Cylindropuntia leptocaulis* (De Candolle) F.Knuth = *Opuntia leptocaulis* De Candolle  
*Cylindropuntia lloydii* (Rose) F.Knuth = *Opuntia lloydii* Rose  
*Cylindropuntia metuenda* (Pittier) Backeberg = *Opuntia caribaea* Britton & Rose  
*Cylindropuntia molesta* (T.Brandegee) F.Knuth = *Opuntia molesta* T.Brandegee  
*Cylindropuntia multigeniculata* (Clokey) Backeberg = *Opuntia munzii* C.B. Wolf  
*Cylindropuntia multigeniculata* (Clokey) Backeberg = *Opuntia multigeniculata* Clokey  
*Cylindropuntia parryi* (Engelman) F.Knuth = *Opuntia parryi* Engelman  
*Cylindropuntia prolifera* (Engleman) F.Knuth = *Opuntia prolifera* Engelmann  
*Cylindropuntia recondita* (Griffiths) F.Knuth = *Opuntia kleiniae* De Candolle  
*Cylindropuntia rosarica* (Lindsay) Backeberg = *Opuntia rosarica* Lindsay  
*Cylindropuntia rosea* (De Candolle) Backeberg = *Opuntia rosea* De Candolle  
*Cylindropuntia teres* (Cels ex Weber) Backeberg = *Opuntia vestita* Salm-Dyck

- Cylindropuntia tetracantha* (Toumey) F. Knuth = *Opuntia tetracantha* Toumey  
*Cylindropuntia thurberi* (Engelmann) F. Knuth = *Opuntia thurberi* Engelmann  
*Cylindropuntia tunicata* (Lehmann) F. Knuth = *Opuntia tunicata* (Lehmann) Link & Otto ex Pfeiffer  
*Cylindropuntia versicolor* (Engelmann) F. Knuth = *Opuntia versicolor* Engelmann ex Toumey  
*Cylindropuntia viridiflora* (Britton & Rose) F. Knuth = *Opuntia viridiflora* Britton & Rose  
*Cylindropuntia vivipara* (Rose) F. Knuth = *Opuntia arbuscula* Engelmann  
*Cylindropuntia weingartiana* (Backeberg) Backeberg = *Opuntia shaferi* Britton & Rose  
*Cylindropuntia whipplei* (Engelmann & Bigelow) F. Knuth = *Opuntia whipplei* Engelmann & Bigelow  
*Cylindropuntia wigginsii* (L. Benson) H. Robinson = *Opuntia wigginsii* L. Benson  
***Cymbidiella*** spp. Rolfe #4 II 64 ORCHIDACEAE  
*Cymbidiella pardalina* (Rchb.f.) Garay #4 II 64 ORCHIDACEAE  
***Cymbidium*** spp. Sw. #4 II 64 ORCHIDACEAE  
*Cymbidium aberrans* (Finet) Schltr. = *Cymbidium macrorhizon* Lindl.  
*Cymbidium acutum* Ridl. = *Cymbidium dayanum* Rchb.f.  
*Cymbidium affine* Griff. = *Cymbidium mastersii* Griff. ex Lindl.  
*Cymbidium albo-jucundissimum* Hayata = *Cymbidium sinense* (G.Jacks. & H.C.Andr.) De Wild.  
*Cymbidium albo-marginatum* Makino = *Cymbidium ensifolium* (L.) Sw.  
*Cymbidium alborubens* Makino = *Cymbidium dayanum* Rchb.f.  
*Cymbidium albuciflorum* F.Muell. = *Cymbidium madidum* Lindl.  
*Cymbidium aliciae* Quis. = *Cymbidium cyperifolium* Wall. ex Lindl.  
*Cymbidium allagnata* Buch.-Ham. ex Wall. = *Vanda spathulata* (L.) Spreng.  
***Cymbidium aloifolium*** (L.) Sw. #4 II 64 ORCHIDACEAE  
*Cymbidium aloifolium* sensu Guillaumin = *Cymbidium finlaysonianum* Lindl.  
*Cymbidium aloifolium* sensu Jayaw. = *Cymbidium bicolor* Lindl.  
*Cymbidium amabile* (L.) Roxb. = *Phalaenopsis amabilis* (L.) Blume  
*Cymbidium angustifolium* Ames & C. Schweinf. = *Cymbidium dayanum* Rchb.f.  
*Cymbidium aphyllum* Ames & Schltr. = *Cymbidium macrorhizon* Lindl.  
*Cymbidium aphyllum* (Roxb.) Sw. = *Dendrobium aphyllum* (Roxb.) C. Fischer  
*Cymbidium arrogans* Hayata = *Cymbidium ensifolium* (L.) Sw.  
*Cymbidium aspidistrifolium* Fukuy. = *Cymbidium lancifolium* Hook.  
***Cymbidium atropurpureum*** (Lindl.) Rolfe #4 II 64 ORCHIDACEAE  
*Cymbidium atropurpureum* sensu T.K.Yen = *Cymbidium aloifolium* (L.) Sw.  
*Cymbidium babae* (Kudo ex Masam.) Masam. = *Cymbidium cochleare* Lindl.  
*Cymbidium bambusifolium* Fowlie, Mark & H.S.Ho = *Cymbidium lancifolium* Hook.  
***Cymbidium banense*** Gagnep. #4 II 64 ORCHIDACEAE  
***Cymbidium bicolor*** Lindl. #4 II 64 ORCHIDACEAE  
***Cymbidium borneense*** J.J.Wood #4 II 64 ORCHIDACEAE  
***Cymbidium canaliculatum*** R.Br. #4 II 64 ORCHIDACEAE  
*Cymbidium candidum* Kunth = *Cattleya candida* (Kunth) Lehm.  
*Cymbidium carnosum* Griff. = *Cymbidium cyperifolium* Wall. ex Lindl.  
*Cymbidium caulescens* Ridl. = *Cymbidium lancifolium* Hook.  
*Cymbidium cerinum* Schltr. = *Cymbidium faberi* Rolfe  
*Cymbidium chinense* Heynh. = *Cymbidium sinense* (G.Jacks. & H.C.Andr.) De Wild.  
***Cymbidium chloranthum*** Lindl. #4 II 64 ORCHIDACEAE  
*Cymbidium chuen-lan* C.Chow = *Cymbidium goeringii* (Rchb.f.) Rchb.f.  
***Cymbidium cochleare*** Lindl. #4 II 64 ORCHIDACEAE  
*Cymbidium*, Common Fragrant (E): *Cymbidium ensifolium*  
*Cymbidium cordigerum* Kunth = *Encyclia cordigera* (Kunth) Dressler  
*Cymbidium crispatum* Thunb. = *Laelia crispata* (Thunb.) Garay  
*Cymbidium cullatum* (L.) Sw. = *Brassavola cucullata* (L.) R. Br  
*Cymbidium cuspidatum* Blume = *Cymbidium lancifolium* Hook.  
***Cymbidium cyperifolium*** Wall. ex Lindl. #4 II 64 ORCHIDACEAE  
***Cymbidium dayanum*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Cymbidium defoliatum*** Y.S.Wu & S.C.Chen #4 II 64 ORCHIDACEAE  
*Cymbidium densiflorum* Griff. = *Cymbidium elegans* Lindl.  
***Cymbidium devonianum*** Paxton #4 II 64 ORCHIDACEAE  
*Cymbidium diurnum* (Jacq.) Sw. = *Encyclia diurna* (Jacq.) Schltr.  
***Cymbidium eburneum*** Lindl. #4 II 64 ORCHIDACEAE  
*Cymbidium ecristatum* Steud. = *Cymbidium ensifolium* (L.) Sw.  
***Cymbidium elegans*** Lindl. #4 II 64 ORCHIDACEAE  
***Cymbidium elongatum*** J.J.Wood, Du Puy & Shim #4 II 64 ORCHIDACEAE  
***Cymbidium ensifolium*** (L.) Sw. #4 II 64 ORCHIDACEAE  
(E) Common Fragrant Cymbidium  
*Cymbidium ensifolium* auct. non Sw. Hook.f. = *Cymbidium sinense* (G.Jacks. & H.C.Andr.) De Wild.  
*Cymbidium erectum* Wight = *Cymbidium aloifolium* (L.) Sw.  
***Cymbidium erythraeum*** Lindl. #4 II 64 ORCHIDACEAE  
***Cymbidium erythrostylum*** Rolfe #4 II 64 ORCHIDACEAE  
*Cymbidium evrardii* Guillaumin = *Coelogyne assamica* Linden & Rchb.f.

- Cymbidium faberi** Rolfe #4 II 64 ORCHIDACEAE  
**Cymbidium finlaysonianum** Lindl. #4 II 64  
 ORCHIDACEAE  
*Cymbidium flabellifolium* SW. ex Griseb. 1864 =  
*Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay  
 (1959)  
*Cymbidium flabelliforme* (Sw.) Sw. 1799 = *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay (1959)  
**Cymbidium floribundum** Lindl. #4 II 64 ORCHIDACEAE  
*Cymbidium formosanum* Hayata = *Cymbidium goeringii* (Rchb.f.) Rchb.f.  
*Cymbidium forrestii* Rolfe = *Cymbidium goeringii* (Rchb.f.) Rchb.f.  
*Cymbidium fragrans* Salisb. = *Cymbidium sinense* (G.Jacks. & H.C.Andr.) De Wild.  
*Cymbidium fukienense* T.K.Yen = *Cymbidium faberi* Rolfe  
*Cymbidium furvum* Willd. = *Vanda concolor* Blume  
**Cymbidium gammieanum** King & Pantl. #4 II 64  
 ORCHIDACEAE  
*Cymbidium gibsonii* Lindl. = *Cymbidium lancifolium* Hook.  
*Cymbidium giganteum* Wallich ex Lindley = *Cymbidium iridioides* D.Don  
**Cymbidium goeringii** (Rchb.f.) Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Cymbidium gomphocarpum* Fitzg. = *Cymbidium suave* R.Br.  
**Cymbidium gongshanense** H.Li & G.H.Feng #4 II 64  
 ORCHIDACEAE  
*Cymbidium gonzalesii* Quis. = *Cymbidium ensifolium* (L.) Sw.  
*Cymbidium grandiflorum* Griff. = *Cymbidium hookerianum* Rchb.f.  
*Cymbidium gyokuchin* Makino = *Cymbidium ensifolium* (L.) Sw.  
**Cymbidium hartnahanianum** Comber & Nasution #4 II 64  
 ORCHIDACEAE  
*Cymbidium hennisanum* Schltr. = *Cymbidium erythraeum* Lindl.  
*Cymbidium hillii* F.Muell. = *Cymbidium canaliculatum* R.Br.  
**Cymbidium hookerianum** Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Cymbidium hoosai* Makino = *Cymbidium sinense* (G.Jacks. & H.C.Andr.) De Wild.  
*Cymbidium hyacinthinum* Sm. = *Bletilla striata* (Thunb. ex A.Murray) Rchb.f.  
*Cymbidium illeberale* Hayata = *Cymbidium floribundum* Lindl.  
*Cymbidium illiberale* Hayata = *Cymbidium floribundum* Lindl.  
**Cymbidium insigne** Rolfe #4 II 64 ORCHIDACEAE  
*Cymbidium intermedium* H.G.Jones = *Cymbidium aloifolium* (L.) Sw.  
*Cymbidium iridifolium* A.Cunn. = *Cymbidium madidum* Lindl.  
**Cymbidium iridioides** D.Don #4 II 64 ORCHIDACEAE  
*Cymbidium javanicum* Blume = *Cymbidium lancifolium* Hook.  
**Cymbidium kanran** Makino #4 II 64 ORCHIDACEAE  
*Cymbidium kerrii* Rolfe = *Cymbidium lancifolium* Hook.  
**Cymbidium kinabaluense** K.M.Wong & C.L.Chen #4 II 64 ORCHIDACEAE  
*Cymbidium koran* Makino = *Cymbidium ensifolium* (L.) Sw.  
**Cymbidium lancifolium** Hook. #4 II 64 ORCHIDACEAE  
*Cymbidium leachianum* Rchb.f. = *Cymbidium dayanum* Rchb.f.  
*Cymbidium leai* Rendle = *Cymbidium madidum* Lindl.  
*Cymbidium leroyi* St.Cloud = *Cymbidium madidum* Lindl.  
*Cymbidium lineare* Heyne ex Wall. = *Aerides ringens* (Lindley) Fischer  
*Cymbidium lineare* (Jacq.) Sw. 1799 = *Isochilus linearis* (Jacq.) R. Br. 1813  
*Cymbidium linearisepalum* Yamam. = *Cymbidium kanran* Makino  
*Cymbidium longifolium* D. Don = *Cymbidium elegans* Lindl.  
*Cymbidium longifolium* sensu Lindl. = *Cymbidium erythraeum* Lindl.  
**Cymbidium lowianum** (Rchb.f.) Rchb. f. #4 II 64  
 ORCHIDACEAE  
*Cymbidium mackinnoni* Duthie = *Cymbidium goeringii* (Rchb.f.) Rchb.f.  
*Cymbidium macleholeseae* S.Y. Hu = *Cymbidium lancifolium* Hook.  
**Cymbidium macrorhizon** Lindl. #4 II 64 ORCHIDACEAE  
**Cymbidium madidum** Lindl. #4 II 64 ORCHIDACEAE  
**Cymbidium maguanense** F.Y.Liu #4 II 64  
 ORCHIDACEAE  
**Cymbidium mastersii** Griff. ex Lindl. #4 II 64  
 ORCHIDACEAE  
*Cymbidium micans* Schauer = *Cymbidium ensifolium* (L.) Sw.  
*Cymbidium micromeson* Lindl. = *Cymbidium mastersii* Griff. ex Lindl.  
*Cymbidium misericors* Hayata = *Cymbidium ensifolium* (L.) Sw.  
*Cymbidium montanum* Sw. 1799 = *Dilomilis montana* (Sw.) Summerh. 1961  
*Cymbidium moschatatum* (Buch.-Ham.) Wild. = *Dendrobium moschatum* (Buch.-Ham.) Sw.  
**Cymbidium munronianum** King & Pantl. #4 II 64  
 ORCHIDACEAE  
*Cymbidium nagifolium* Masam. = *Cymbidium lancifolium* Hook.  
**Cymbidium nanulum** Y.S.Wu & S.C.Chen #4 II 64  
 ORCHIDACEAE  
*Cymbidium nipponicum* (Franch. & Sav.) Rolfe = *Cymbidium macrorhizon* Lindl.  
*Cymbidium nitidum* Wall. ex D.Don non Roxb. = *Coelogyne nitida* (Wallich ex Don) Lindley  
*Cymbidium nitidum* Roxb. non Wall. ex D.Don = *Coelogyne punctulata* Lindl.  
*Cymbidium niveo-marginatum* Makino = *Cymbidium ensifolium* (L.) Sw.  
*Cymbidium nodosum* Sw. = *Brassavola nodosa* (L.) Lindley  
*Cymbidium oiwakensis* Hayata = *Cymbidium faberi* Rolfe  
*Cymbidium omeiense* Y.S.Wu & S.C.Chen = *Cymbidium kanran* Makino  
*Cymbidium oreophyllum* Hayata = *Cymbidium kanran* Makino

- Cymbidium ovatum* Willd. = *Dendrobium ovatum* (Willd.) Kraenzl.
- Cymbidium papuanum* Schltr. = *Cymbidium lancifolium* Hook.
- Cymbidium parishii*** Rchb.f. #4 II 64 ORCHIDACEAE
- Cymbidium pedicellatum* Finet = *Cymbidium macrorhizon* Lindl.
- Cymbidium*, Pendant (E): *Cymbidium pendulum*
- Cymbidium pendulum*** (Roxb.) Sw. #4 II 64  
ORCHIDACEAE (E) Pendant Cymbidium
- Cymbidium pendulum* Ridl. = *Cymbidium dayanum* Rchb.f.
- Cymbidium pendulum sensu Blume* = *Cymbidium finlaysonianum* Lindl.
- Cymbidium pendulum sensu Lindl.* = *Cymbidium finlaysonianum* Lindl.
- Cymbidium pendulum sensu S.Vidal* = *Cymbidium finlaysonianum* Lindl.
- Cymbidium poilanei* Gagnepain = *Cymbidium dayanum* Rchb.f.
- Cymbidium pseudovirens* Schltr. = *Cymbidium goeringii* (Rchb.f.) Rchb.f.
- Cymbidium pulchellum* F.Muell. = *Cymbidium madidum* Lindl.
- Cymbidium pulchellum* Schltr. = *Cymbidium chloranthum* Lindl.
- Cymbidium pulcherrimum* Sander = *Cymbidium dayanum* Rchb.f.
- Cymbidium pumilum* Rolfe = *Cymbidium floribundum* Lindl.
- Cymbidium purpureo-hiemale* Hayata = *Cymbidium kanran* Makino
- Cymbidium pusillum* (L.) Sw. = *Erycina pusilla* (L.) N.H.Williams & M.W.Chase 2001
- Cymbidium qiubeiense*** K.M.Feng & H.Li #4 II 64  
ORCHIDACEAE
- Cymbidium queeneanum* Klinge = *Cymbidium madidum* Lindl.
- Cymbidium rectum*** Ridl. #4 II 64 ORCHIDACEAE
- Cymbidium reptans* Sw. = *Bulbophyllum nutans* (Thouars) Thouars
- Cymbidium robustum* Gilli = *Cymbidium lancifolium* Hook.
- Cymbidium robustum* Gilli = *Coelogyne asperata* Lindl.
- Cymbidium roseum*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Cymbidium rubrigemmum* Hayata = *Cymbidium ensifolium* (L.) Sw.
- Cymbidium sagamiense* (Nakai) Makino & Nemoto = *Cymbidium macrorhizon* Lindl.
- Cymbidium sanderae*** (Rolfe) Cribb & Du Puy #4 II 64  
ORCHIDACEAE
- Cymbidium sanderi* O'Brien = *Cymbidium insigne* Rolfe
- Cymbidium sanguineolentum* Teijsm. & Binn. = *Cymbidium chloranthum* Lindl.
- Cymbidium sanguineum* Teijsm. & Binn. = *Cymbidium chloranthum* Lindl.
- Cymbidium scabroserrulatum* Makino = *Cymbidium faberi* Rolfe
- Cymbidium schroederi*** Rolfe #4 II 64 ORCHIDACEAE
- Cymbidium shimaran* Makino = *Cymbidium ensifolium* (L.) Sw.
- Cymbidium siamense* Rolfe ex Downie = *Cymbidium ensifolium* (L.) Sw.
- Cymbidium sigmoideum*** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Cymbidium sikkimense* Hook.f. = *Cymbidium devonianum* Paxton
- Cymbidium simonsianum* King & Pantl. = *Cymbidium dayanum* Rchb.f.
- Cymbidium simulans* Rolfe = *Cymbidium aloifolium* (L.) Sw.
- Cymbidium sinense*** (G.Jacks. & H.C.Andr.) De Wild. #4 II 64 ORCHIDACEAE (E) Ink Orchid
- Cymbidium sinokanran* T.K.Yen = *Cymbidium kanran* Makino
- Cymbidium sparkesii* Rendle = *Cymbidium canaliculatum* R.Br.
- Cymbidium spatulatum* Moon = *Vanda spathulata* (L.) Spreng.
- Cymbidium speciosissimum* D.Don = *Coelogyne crista* Lindl.
- Cymbidium stenopetalum* Reinw. ex Lindl. = *Coelogyne longifolia* (Blume) Lindley
- Cymbidium strictum* D.Don = *Coelogyne stricta* (D.Don) Schltr.
- Cymbidium suave*** R.Br. #4 II 64 ORCHIDACEAE
- Cymbidium suavissimum*** hort. ex C.H.Curtis #4 II 64  
ORCHIDACEAE
- Cymbidium subulatum* Sw. 1799 = *Leucohyle subulata* (Sw.) Schltr. 1914
- Cymbidium sutepense* Rolfe ex Downie = *Cymbidium dayanum* Rchb.f.
- Cymbidium syringodorum* Griff. = *Cymbidium eburneum* Lindl.
- Cymbidium syunitianum* Fukuy. = *Cymbidium lancifolium* Hook.
- Cymbidium szechuanensis* S.Y.Hu = *Cymbidium macrorhizon* Lindl.
- Cymbidium tentyozanense* Masam. = *Cymbidium goeringii* (Rchb.f.) Rchb.f.
- Cymbidium tentyozanense* T.P.Lin = *Cymbidium kanran* Makino
- Cymbidium tessellatum* (Roxb.) Sw. = *Vanda tessellata* (Roxb.) Hook. ex G.Don
- Cymbidium tesselloides* Roxb. = *Vanda tessellata* (Roxb.) Hook. ex G.Don
- Cymbidium tigrinum*** Parish ex Hook. #4 II 64  
ORCHIDACEAE
- Cymbidium tosyaense* Masam. = *Cymbidium kanran* Makino
- Cymbidium tracyanum*** L.Castle #4 II 64 ORCHIDACEAE
- Cymbidium tricolor* Miq. = *Cymbidium finlaysonianum* Lindl.
- Cymbidium tripterum* (Sm.) Sw. 1799 = *Coelia triptera* (Sm.) G.Don ex Steud. (1840)
- Cymbidium umbellatum* (G.Forst) Spreng. = *Bulbophyllum longiflorum* Thouars
- Cymbidium uniflorum* T.K.Yen = *Cymbidium goeringii* (Rchb.f.) Rchb.f.
- Cymbidium variciferum* Rchb.f. = *Cymbidium chloranthum* Lindl.
- Cymbidium virens* Rchb.f. = *Cymbidium goeringii* (Rchb.f.) Rchb.f.

- Cymbidium viridiflorum* Griff. = *Cymbidium cyperifolium* Wall. ex Lindl.
- Cymbidium wallichii* Lindl. = *Cymbidium finlaysonianum* Lindl.
- Cymbidium wenshanense*** Y.S.Wu & F.Y.Liu #4 II 64  
ORCHIDACEAE
- Cymbidium whiteae*** King & Pantl. #4 II 64  
ORCHIDACEAE
- Cymbidium wilsonii*** (Rolfe) Rolfe #4 II 64  
ORCHIDACEAE
- Cymbidium xiphifolium* Lindl. = *Cymbidium ensifolium* (L.) Sw.
- Cymbidium yakibaran* Makino = *Cymbidium ensifolium* (L.) Sw.
- Cymbidium yunnanense* Schltr. = *Cymbidium goeringii* (Rchb.f.) Rchb.f.
- Cymbidium zaleskianum*** L. Linden #4 II 64  
ORCHIDACEAE
- Cymbiglossum apterum* (La Llave & Lex.) Halb. 1983 = *Rhynchostele aptera* (La Llave & Lex.) Soto Arenas & Salazar 1993
- Cymbiglossum biconiense* (Bateman) Halb. 1983 = *Rhynchostele biconiensis* (Bateman) Soto Arenas & Salazar 1993
- Cymbiglossum candidulum* (Rchb.f.) Halb. 1983 = *Rhynchostele candidula* (Rchb.f.) Soto Arenas & Salazar 1993
- Cymbiglossum cervantesii* (La Llave & Lex.) Halb. 1983 = *Rhynchostele cervantesii* (La Llave & Lex.) Soto Arenas & Salazar 1993
- Cymbiglossum cordatum* (Lindl.) Halb. 1983 = *Rhynchostele cordata* (Lindl.) Soto Arenas & Salazar 1993
- Cymbiglossum ehrenbergii* (Link, Klotzsch & Otto) Halb. 1983 = *Rhynchostele ehrenbergii* (Link, Klotzsch & Otto) Soto Arenas & Salazar 1993
- Cymbiglossum galeottianum* (A.Rich.) Halb. 1983 = *Rhynchostele galeottiana* (A.Rich. & Galeotti) Soto Arenas & Salazar 1993
- Cymbiglossum hortensiae* (R.Rodr.) Halb. 1983 = *Rhynchostele hortensiae* (R.Rodr.) Soto Arenas & Salazar 1993
- Cymbiglossum maculatum* (La Llave & Lex.) Halb. 1983 = *Rhynchostele maculata* (La Llave & Lex.) Soto Arenas & Salazar 1993
- Cymbiglossum majale* (Rchb.f.) Halb. 1983 = *Rhynchostele majalis* (Rchb.f.) Soto Arenas & Salazar 1993
- Cymbiglossum rossii* (Lindl.) Halb. 1983 = *Rhynchostele rossii* (Lindl.) Soto Arenas & Salazar 1993
- Cymbiglossum stellatum* (Lindl.) Halb. 1983 = *Rhynchostele stellata* (Lindl.) Soto Arenas & Salazar 1993
- Cymbiglossum uroskinneri* (Lindl.) Halb. 1983 = *Rhynchostele uroskinneri* (Lindl.) Soto Arenas & Salazar 1993
- Cynorkis* spp.** Thouars #4 II 64 ORCHIDACEAE
- Cynorkis anisoloba* Summerh. #4 II 64 ORCHIDACEAE
- Cynorkis compacta* (Rchb.f.) Rolfe #4 II 64  
ORCHIDACEAE
- Cynorkis squamosa* Lindl. #4 II 64 ORCHIDACEAE
- Cyperorchis babae* Kudo ex Masam. = *Cymbidium cochleare* Lindl.
- Cyperorchis cochlearis* (Lindl.) Benth. = *Cymbidium cochleare* Lindl.
- Cyperorchis eburnea* (Lindl.) Schltr. = *Cymbidium eburneum* Lindl.
- Cyperorchis elegans* (Lindl.) Blume = *Cymbidium elegans* Lindl.
- Cyperorchis erythrostyla* (Rolfe) Schltr. = *Cymbidium erythrostylum* Rolfe
- Cyperorchis grandiflora* (Griff.) Schltr. = *Cymbidium hookerianum* Rchb.f.
- Cyperorchis hennisiana* (Schltr.) Schltr. = *Cymbidium erythraeum* Lindl.
- Cyperorchis insignis* (Rolfe) Schltr. = *Cymbidium insigne* Rolfe
- Cyperorchis longifolia* (D.Don) Schltr. = *Cymbidium erythraeum* Lindl.
- Cyperorchis lowiana* (Rchb.f.) Schltr. = *Cymbidium lowianum* (Rchb.f.) Rchb. f.
- Cyperorchis mastersii* Benth. = *Cymbidium mastersii* Griff. ex Lindl.
- Cyperorchis parishii* (Rchb.f.) Schltr. = *Cymbidium parishii* Rchb.f.
- Cyperorchis rosea* (J.J.Sm.) Schltr. = *Cymbidium roseum* J.J.Sm.
- Cyperorchis schroederi* (Rolfe) Schltr. = *Cymbidium schroederi* Rolfe
- Cyperorchis sigmoidea* (J.J.Sm.) J.J.Sm. = *Cymbidium sigmoideum* J.J.Sm.
- Cyperorchis tigrina* (Parish ex Hook.) Schltr. = *Cymbidium tigrinum* Parish ex Hook.
- Cyperorchis traceyana* (L.Castle) Schltr. = *Cymbidium tracyanum* L.Castle
- Cyperorchis wallichii* Blume = *Cymbidium cyperifolium* Wall. ex Lindl.
- Cyperorchis whiteae* (King & Pantl.) Schltr. = *Cymbidium whiteae* King & Pantl.
- Cyperorchis wilsonii* (Rolfe) Schltr. = *Cymbidium wilsonii* (Rolfe) Rolfe
- Cypholoron* spp.** Dodson & Dressler #4 II 64  
ORCHIDACEAE
- Cyphostemma elephantopus* Descoings 1962 II  
VITACEAE
- Cyphostemma laza* Descoings (1931) II VITACEAE
- Cyphostemma montagnacii* Descoings II VITACEAE
- Cyprès de Patagonie (F): *Fitzroya cupressoides*  
Cypress, Patagonian (E): *Fitzroya cupressoides*
- Cypripedium* spp.** L. #4 II 64 ORCHIDACEAE
- Cypripedium acaule*** Aiton #4 II 64 ORCHIDACEAE
- Cypripedium album* Aiton = *Cypripedium reginae* Walter
- Cypripedium alternifolius* St.-Leg. = *Cypripedium calceolus* L.
- Cypripedium amesianum* Williams = *Cypripedium tibeticum* King. ex Hemsl.
- Cypripedium andrewsii*** Fuller #4 II 64 ORCHIDACEAE
- Cypripedium appletonianum* Gower = *Paphiopedilum appletonianum* (Gower) Rolfe

- Cypripedium argus* Reichb.f. = *Paphiopedilum argus* (Reichb.f.) Stein
- Cypripedium arietinum*** R.Br. #4 II 64 ORCHIDACEAE (E) Ram's-head Lady's-slipper Orchid
- Cypripedium arietinum* auct. non. R.Br. = *Cypripedium plectrochilum* Franch.
- Cypripedium atsmori* Morren = *Cypripedium calceolus* L.
- Cypripedium barbatum* Lindl. = *Paphiopedilum barbatum* (Lindl.) Pfitzer
- Cypripedium bardolphianum*** W.W.Sm. & Farrer #4 II 64 ORCHIDACEAE
- Cypripedium bellatulum* Reichb.f. = *Paphiopedilum bellatulum* (Reichb. f.) Stein
- Cypripedium bifidum* Raf. = *Cypripedium parviflorum* E.Salisb.
- Cypripedium biflorum* Williams = *Paphiopedilum barbatum* (Lindl.) Pfitzer
- Cypripedium binoti* hort. = *Phragmipedium vittatum* (Vell.) Rolfe
- Cypripedium boreale* E.Salisb. = *Cypripedium calceolus* L.
- Cypripedium bullenianum* Reichb.f. = *Paphiopedilum bullenianum* (Reichb.f.) Pfitzer
- Cypripedium burbridgei* Reichb.f. = *Paphiopedilum dayanum* (Lindl.) Stein
- Cypripedium calceolus*** L. #4 II 64 ORCHIDACEAE (E) Ladies Slipper Orchid, Yellow Ladies Slipper Orchid (F) Sabot de vénus
- Cypripedium californicum*** A.Gray #4 II 64 ORCHIDACEAE (E) California Lady's-slipper Orchid
- Cypripedium callosum* Reichb.f. = *Paphiopedilum callosum* (Reichb.f.) Stein
- Cypripedium canadense* F.Michx. = *Cypripedium reginae* Walter
- Cypripedium candidum*** Muhl. ex Willd. #4 II 64 ORCHIDACEAE (E) Small White Lady's-slipper Orchid, White Lady's-slipper Orchid
- Cypripedium cannartianum* Linden = *Paphiopedilum philippinense* (Reichb.f.) Stein
- Cypripedium cardiophyllum* Franch. & Sav. = *Cypripedium debile* Rchb.f.
- Cypripedium caricinum* Bateman = *Phragmipedium pearcei* (Rchb.f.) Rauh & Senghas
- Cypripedium caricinum* Lindl. & Paxton = *Phragmipedium carycinum* (Lindl. & Paxton) Rolfe
- Cypripedium cathayanum* S.S.Chien = *Cypripedium japonicum* Thunb.
- Cypripedium caudatum* Lindl. = *Phragmipedium caudatum* (Lindl.) Rolfe
- Cypripedium chamberlainianum* Sander = *Paphiopedilum victoria-regina* (Sander) M.W.Wood
- Cypripedium charlesworthii* Rolfe = *Paphiopedilum charlesworthii* (Rolfe) Pfitzer
- Cypripedium chinense* Franch. = *Cypripedium henryi* Rolfe
- Cypripedium ciliolare* Reichb.f. = *Paphiopedilum ciliolare* (Reichb. f.) Stein
- Cypripedium colombianum*** Sheviak #4 II 64 ORCHIDACEAE
- Cypripedium compactum* Schltr. ex Limpr. = *Cypripedium tibeticum* King. ex Hemsl.
- Cypripedium concolor* Lindl. = *Paphiopedilum concolor* (Lindl.) Pfitzer
- Cypripedium cordigerum*** D.Don #4 II 64 ORCHIDACEAE
- Cypripedium corrugatum* Franch. = *Cypripedium tibeticum* King. ex Hemsl.
- Cypripedium cothurnum* Vell. = *Catasetum trulla* Lindl.
- Cypripedium crossii* Morren = *Paphiopedilum callosum* (Reichb.f.) Stein
- Cypripedium cruciforme* Zoll & Morren = *Paphiopedilum lowii* (Lindl.) Stein
- Cypripedium cruriatum* Dulac = *Cypripedium calceolus* L.
- Cypripedium daliense* Chen & Wu = *Cypripedium margaritaceum* Franch.
- Cypripedium dawsonii* Soukup = *Cypripedium kentuckiense* C.F.Reed
- Cypripedium dayanum* (Lindl.) Reichb.f. = *Paphiopedilum dayanum* (Lindl.) Stein
- Cypripedium dayi* Stone = *Paphiopedilum dayanum* (Lindl.) Stein
- Cypripedium debile*** Rchb.f. #4 II 64 ORCHIDACEAE
- Cypripedium delenatii* (Guillaumin) C.H.Curtis = *Paphiopedilum delenatii* Guillaumin
- Cypripedium dicksonianum*** Hágsater #4 II 64 ORCHIDACEAE
- Cypripedium druryi* Bedd. = *Paphiopedilum druryi* (Bedd.) Stein
- Cypripedium ebracteatum* Rolfe = *Cypripedium fargesii* Franch.
- Cypripedium elegans*** Rchb.f. #4 II 64 ORCHIDACEAE
- Cypripedium ellottianum* O'Brien = *Paphiopedilum rothschildianum* (Reichb.f.) Stein
- Cypripedium ernestianum* hort. = *Paphiopedilum dayanum* (Lindl.) Stein
- Cypripedium exul* (Ridl.) Rolfe = *Paphiopedilum exul* (Ridl.) Rolfe
- Cypripedium fairrieanum* Lindl. = *Paphiopedilum fairrieanum* (Lindl.) Stein
- Cypripedium fargesii*** Franch. #4 II 64 ORCHIDACEAE
- Cypripedium farreri*** W.W.Sm. #4 II 64 ORCHIDACEAE
- Cypripedium fasciculatum*** Kellogg ex S.Watson #4 II 64 ORCHIDACEAE (E) Clustered Lady's-slipper Orchid
- Cypripedium fasciolatum*** Franch. #4 II 64 ORCHIDACEAE
- Cypripedium favillianum* Curtis = *Cypripedium andrewsii* Fuller
- Cypripedium ferrugineum* Gray = *Cypripedium calceolus* L.
- Cypripedium flavum*** Hunt & Summerh. #4 II 64 ORCHIDACEAE
- Cypripedium formosanum*** Hayata #4 II 64 ORCHIDACEAE
- Cypripedium forrestii*** P.J.Cribb #4 II 64 ORCHIDACEAE
- Cypripedium franchetii*** Rolfe #4 II 64 ORCHIDACEAE
- Cypripedium gardineri* Guillemaud = *Paphiopedilum glanduliferum* (Blume) Stein
- Cypripedium glanduliferum* Blume = *Paphiopedilum glanduliferum* (Blume) Stein

- Cypripedium glaucophyllum* (J.J. Sm.) Masters =  
*Paphiopedilum glaucophyllum* J.J.Sm.
- Cypripedium godefroyae* God.-Leb. = *Paphiopedilum godefroyae* (God.-Leb.) Stein
- Cypripedium grandiflorum* Pav. = *Phragmipedium boissierianum* (Rchb.f.) Rolfe
- Cypripedium gratrixianum* Masters = *Paphiopedilum gratrixianum* (Masters) Guillaumin
- Cypripedium guttatum*** Sw. #4 II 64 ORCHIDACEAE
- Cypripedium guttatum yatabeanum* (Makino) Hulten =  
*Cypripedium yatabeanum* Makino
- Cypripedium haynaldianum* Reichb.f. = *Paphiopedilum haynaldianum* (Reichb.f.) Stein
- Cypripedium henryi*** Rolfe #4 II 64 ORCHIDACEAE
- Cypripedium himalaicum*** Rolfe ex Hemsl. #4 II 64  
ORCHIDACEAE
- Cypripedium hincksonianum* Reichb.f. = *Phragmipedium longifolium* (Rchb.f. & Warsz.) Rolfe
- Cypripedium hirsutissimum* Lindl. ex Hook. =  
*Paphiopedilum hirsutissimum* (Lindl. ex Hook.) Stein
- Cypripedium hirsutum* (Farw.) Hiller = *Cypripedium acaule* Aiton
- Cypripedium hookerae* Reichb.f. = *Paphiopedilum hookerae* (Reichb. f.) Stein
- Cypripedium humboldtii* Warsz. = *Phragmipedium caudatum* (Lindl.) Rolfe
- Cypripedium humile* Salisb. = *Cypripedium acaule* Aiton
- Cypripedium insigne* W.Wall ex Lindl. = *Paphiopedilum insigne* (W.Wall ex Lindl.) Pfitzer
- Cypripedium irapeanum*** La Llave & Lex. #4 II 64  
ORCHIDACEAE
- Cypripedium japonicum*** Thunb. #4 II 64  
ORCHIDACEAE
- Cypripedium javanicum* Reinw. ex Lindl. = *Paphiopedilum javanicum* (Reinw. ex Lindl.) Pfitzer
- Cypripedium kentuckiense*** C.F.Reed #4 II 64  
ORCHIDACEAE (E) Southern Lady's-slipper Orchid
- Cypripedium klotzschianum* Reichb.f. ex M.R.Schomb. =  
*Phragmipedium klotzschianum* (Rchb.f.) Rolfe
- Cypripedium knightae* A.Nelson = *Cypripedium fasciculatum* Kellogg ex S.Watson
- Cypripedium laevigatum* Bateman = *Paphiopedilum philippinense* (Reichb.f.) Stein
- Cypripedium lawrenceanum* Reichb.f. = *Paphiopedilum lawrenceanum* (Reichb.f.) Pfitzer
- Cypripedium lexarzae* Scheidw. = *Cypripedium irapeanum* La Llave & Lex.
- Cypripedium lichiangense*** P.J.Cribb & S.C.Chen #4 II 64  
ORCHIDACEAE
- Cypripedium lindenii* (Lindl.) Van Houtte = *Phragmipedium lindenii* (Lindl.) Dressler & N.H.Williams
- Cypripedium lindleyanum* M.R.Schomb. ex Lindl. =  
*Phragmipedium lindleyanum* (Lindl.) Rolfe
- Cypripedium longifolium* Warsz. & Reichb.f. =  
*Phragmipedium longifolium* (Rchb.f. & Warsz.) Rolfe
- Cypripedium lowii* Lindl. = *Paphiopedilum lowii* (Lindl.) Stein
- Cypripedium luteum* Aiton ex Raf. = *Cypripedium parviflorum* E.Salisb.
- Cypripedium luteum* Franch. = *Cypripedium flavum* Hunt & Summerh.
- Cypripedium luzmarianum* R.Gonzalez & R.Ramirez =  
*Cypripedium irapeanum* La Llave & Lex.
- Cypripedium macranthos*** Sw. #4 II 64 ORCHIDACEAE
- Cypripedium macranthum* auct. non. Sw.; Hook.f. =  
*Cypripedium himalaicum* Rolfe ex Hemsl.
- Cypripedium macranthum* Sw. = *Cypripedium himalaicum* Rolfe ex Hemsl.
- Cypripedium margaritaceum*** Franch. #4 II 64  
ORCHIDACEAE
- Cypripedium marianus* Crantz = *Cypripedium calceolus* L.
- Cypripedium marianus* Rouy = *Cypripedium calceolus* L.
- Cypripedium mastersianum* Reichb.f. = *Paphiopedilum mastersianum* (Reichb.f.) Stein
- Cypripedium micranthum*** Franch. #4 II 64  
ORCHIDACEAE
- Cypripedium microsaccos* Kraenzl. = *Cypripedium calceolus* L.
- Cypripedium miteuanum* Linden = *Paphiopedilum ciliolare* (Reichb. f.) Stein
- Cypripedium molle*** Lindl. #4 II 64 ORCHIDACEAE
- Cypripedium montanum*** Douglas ex Lindl. #4 II 64  
ORCHIDACEAE (E) Mountain Lady's-slipper Orchid
- Cypripedium neo-guineense* Linden = *Paphiopedilum rothschildianum* (Reichb.f.) Stein
- Cypripedium nigritum* Reichb.f. = *Paphiopedilum barbatum* (Lindl.) Pfitzer
- Cypripedium niveum* Reichb.f. = *Paphiopedilum niveum* (Reichb. f.) Stein
- Cypripedium nutans* Schltr. = *Cypripedium bardolphianum* W.W.Sm. & Farrer
- Cypripedium occidentale* S.Watson = *Cypripedium montanum* Douglas ex Lindl.
- Cypripedium orientale* Spreng. = *Cypripedium guttatum* Sw.
- Cypripedium palangshanense*** Tang & Wang #4 II 64  
ORCHIDACEAE
- Cypripedium papuanum* Ridl. = *Paphiopedilum papuanum* (Ridl.) Ridl.
- Cypripedium pardinum* Reichb.f. = *Paphiopedilum venustum* (Wall. ex Sims) Pfitzer ex Stein
- Cypripedium parishii* Reichb.f. = *Paphiopedilum parishii* (Reichb.f.) Stein
- Cypripedium parviflorum*** E.Salisb. #4 II 64  
ORCHIDACEAE
- Cypripedium passerinum*** Richardson #4 II 64  
ORCHIDACEAE
- Cypripedium paulistanum* Barb. Rodr. = *Phragmipedium vittatum* (Vell.) Rolfe
- Cypripedium peteri* D. Dean = *Paphiopedilum dayanum* (Lindl.) Stein
- Cypripedium petri* Reichb.f. = *Paphiopedilum dayanum* (Lindl.) Stein
- Cypripedium petri* (Reichb.f.) Rolfe = *Paphiopedilum dayanum* (Lindl.) Stein
- Cypripedium philippinense* Reichb.f. = *Paphiopedilum philippinense* (Reichb.f.) Stein
- Cypripedium pitcherianum* Manda = *Paphiopedilum argus* (Reichb.f.) Stein

- Cypripedium planipetalum** (Fern.) Morris & Eames #4 II  
64 ORCHIDACEAE (E) Flat-petal Lady's-slipper Orchid
- Cypripedium plectrochilum** Franch. #4 II 64  
ORCHIDACEAE
- Cypripedium poyntzianum* O'Brien = *Paphiopedilum appletonianum* (Gower) Rolfe
- Cypripedium praestans* Reichb.f. = *Paphiopedilum glanduliferum* (Blume) Stein
- Cypripedium pubescens* Willd. = *Cypripedium parviflorum* E.Salisb.
- Cypripedium pulchrum* Ames & Schltr. = *Cypripedium smithii* Schltr.
- Cypripedium purpuratum* Lindl. = *Paphiopedilum purpuratum* (Lindl.) Stein
- Cypripedium pusillum* Rolfe = *Cypripedium fasciculatum* Kellogg ex S.Watson
- Cypripedium reginae** Walter #4 II 64 ORCHIDACEAE
- Cypripedium robinsonii* = *Paphiopedilum bullenianum* (Reichb.f.)Pfitzer
- Cypripedium rothschildianum* Reichb.f. = *Paphiopedilum rothschildianum* (Reichb.f.) Stein
- Cypripedium sanderianum* Reichb.f. = *Paphiopedilum sanderianum* (Reichb. f.) Stein
- Cypripedium sargentianum* (Rolfe) Kraenzl. = *Phragmipedium sargentianum* (Rolfe) Rolfe
- Cypripedium schlimii* (Reichb.f.) Bateman = *Phragmipedium schlimii* (Linden & Rchb.f.) Rolfe
- Cypripedium schmidianum* Kraenzl. = *Paphiopedilum callosum* (Reichb.f.) Stein
- Cypripedium schomburgkianum* Klotzsch = *Phragmipedium klotzschianum* (Rchb.f.) Rolfe
- Cypripedium segawai** Masam. #4 II 64 ORCHIDACEAE
- Cypripedium shanxiense** S.C.Chen #4 II 64  
ORCHIDACEAE
- Cypripedium sinicum* Hance ex Reichb.f. = *Paphiopedilum purpuratum* (Lindl.) Stein
- Cypripedium smithii** Schltr. #4 II 64 ORCHIDACEAE
- Cypripedium socco* Vell. = *Catasetum trulla* Lindl.
- Cypripedium speciosum* Rolfe. = *Cypripedium macranthos* Sw.
- Cypripedium spectabile* E. Salisb. = *Cypripedium reginae* Walter
- Cypripedium spicerianum* Reichb.f. ex Masters & T. Moore = *Paphiopedilum spicerianum* (Reichb.f. ex Masters & T.Moore) Pfitzer
- Cypripedium splendidum* Scheidw. = *Cypripedium irapeanum* La Llave & Lex.
- Cypripedium stonei* Hook. = *Paphiopedilum stonei* (Hook.) Stein
- Cypripedium subtropicum** S.C.Chen & K.Y.Lang #4 II 64  
ORCHIDACEAE
- Cypripedium superbiens* Reichb.f. = *Paphiopedilum superbiens* (Reichb.f.) Stein
- Cypripedium taiwanianum* Masam. = *Cypripedium macranthos* Sw.
- Cypripedium thunbergii** Blume #4 II 64 ORCHIDACEAE
- Cypripedium tibeticum** King. ex Hemsl. #4 II 64  
ORCHIDACEAE
- Cypripedium tonkinense* Godefroy = *Paphiopedilum concolor* (Lindl.) Pfitzer
- Cypripedium tonsum* Reichb.f. = *Paphiopedilum tonsum* (Reichb.f.) Stein
- Cypripedium turgidum* Sesse & Mocino = *Cypripedium irapeanum* La Llave & Lex.
- Cypripedium variegatum* Georgi = *Cypripedium guttatum* Sw.
- Cypripedium veitchianum* hort. ex Lem. = *Paphiopedilum superbiens* (Reichb.f.) Stein
- Cypripedium ventricosum* Sw. = *Cypripedium macranthos* Sw.
- Cypripedium venustum* Wall. = *Paphiopedilum venustum* (Wall. ex Sims) Pfitzer ex Stein
- Cypripedium venustum* Wall. ex Sims = *Paphiopedilum venustum* (Wall. ex Sims) Pfitzer ex Stein
- Cypripedium victoria-mariae* Sander ex Mast. = *Paphiopedilum victoria-mariae* (Sander ex Mast.) Rolfe
- Cypripedium victoria-regina* Sander = *Paphiopedilum victoria-regina* (Sander) M.W.Wood
- Cypripedium villosum* Lindl. = *Paphiopedilum villosum* (Lindl.) Stein
- Cypripedium vittatum* Vell. = *Phragmipedium vittatum* (Vell.) Rolfe
- Cypripedium waltersianum* Kraenzl. = *Paphiopedilum appletonianum* (Gower) Rolfe
- Cypripedium wardii** Rolfe #4 II 64 ORCHIDACEAE
- Cypripedium wardii* (Summerh.) C.H.Curtis = *Paphiopedilum wardii* Summerh.
- Cypripedium wilsonii* Rolfe = *Cypripedium fasciolatum* Franch.
- Cypripedium wolterianum* = *Paphiopedilum appletonianum* (Gower) Rolfe
- Cypripedium wumengense** S.C.Chen #4 II 64  
ORCHIDACEAE
- Cypripedium yatabeanum** Makino #4 II 64  
ORCHIDACEAE
- Cypripedium yunnanense** Franch. #4 II 64  
ORCHIDACEAE
- Cyrtidiorchis** spp. Rauschert #4 II 64 ORCHIDACEAE
- Cyrtidiorchis alata* (Lindl.) S. Rauschert #4 II 64  
ORCHIDACEAE
- Cyrtochilum bictoniense* Bateman 1840 = *Rhynchostele bictoniensis* (Bateman) Soto Arenas & Salazar 1993
- Cyrtochilum flavescens* Lindl. = *Miltonia flavescens* (Lindl.) Lindl.
- Cyrtochilum karwinskii* Lindl. = *Miltonioides karwinskii* (Lindl.) Brieger & Luckel
- Cyrtochilum stellatum* Lindl. = *Miltonia flavescens* (Lindl.) Lindl.
- Cyrtoglottis gracilipes* Schltr. 1920 = *Mormolyca gracilipes* (Schltr.) Garay & Wirth 1959
- Cyrtoglottis peruviana* C.Schweinf. 1945 = *Mormolyca schweinfurthiana* Wirth & Garay 1959
- Cyrtopodium** spp. R.Br. #4 II 64 ORCHIDACEAE
- Cyrtorchis** spp. Schlechter #4 II 64 ORCHIDACEAE
- Cyrtorchis arcuata* (Lindl.) #4 II 64 ORCHIDACEAE
- Cyrtorchis ascerhsonii* #4 II 64 ORCHIDACEAE
- Cyrtorchis aschersonii* #4 II 64 ORCHIDACEAE

- Cyrtorchis brownii* #4 II 64 ORCHIDACEAE  
*Cyrtorchis chailluana* #4 II 64 ORCHIDACEAE  
*Cyrtorchis crenata* #4 II 64 ORCHIDACEAE  
*Cyrtorchis erythraeae* #4 II 64 ORCHIDACEAE  
*Cyrtorchis glaucifolia* Summerh. #4 II 64 ORCHIDACEAE  
*Cyrtorchis henriquesiana* (Ridley) Schltr. #4 II 64  
ORCHIDACEAE  
*Cyrtorchis injoloensis* #4 II 64 ORCHIDACEAE  
*Cyrtorchis monteiroae* #4 II 64 ORCHIDACEAE  
*Cyrtorchis ringens* #4 II 64 ORCHIDACEAE  
**Cyrtosia spp.** Blume. #4 II 64 ORCHIDACEAE  
**Cyrtostylis spp.** R.Br. #4 II 64 ORCHIDACEAE  
*Cystopteris comosa* Presl. 1836 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970  
*Cystopus* spp. Blume #4 II 64 ORCHIDACEAE  
*Cystopus macranthus* (Hook.f.) Holttum #4 II 64  
ORCHIDACEAE  
**Cystorchis spp.** Blume #4 II 64 ORCHIDACEAE  
*Cystorchis aphylla* Ridley #4 II 64 ORCHIDACEAE  
*Cystorchis gracilis* (Hook.f.) Holttum #4 II 64  
ORCHIDACEAE  
*Cystorchis javanica* Blume #4 II 64 ORCHIDACEAE  
*Cystorchis luzonensis* Ames #4 II 64 ORCHIDACEAE  
*Cytheris griffithii* Wight = *Calanthe vestita* Lindl.  
*Dactylanthes anacantha* (Aiton) Haworth = *Euphorbia tridentata* Lam.  
*Dactylanthes globosa* Haworth = *Euphorbia globosa* (Haw.) Sims  
*Dactylanthes hamata* Haworth = *Euphorbia hamata* (Haw.) Sweet  
*Dactylanthes patula* Haworth = *Euphorbia tridentata* Lam.  
*Dactylanthes tuberculata* (Jacquin) Haworth = *Euphorbia tuberculata* Jacq.  
*Dactylorhiz fuchsii fuchsii* (Druce) Verm. = *Dactylorhiza fuchsii* (Druce) Soó  
*Dactylorhiz fuchsii* (Rchb.f.) Tournay = *Dactylorhiza fuchsii* (Druce) Soó  
*Dactylorhiz latifolia latifolia* Rchb. = *Dactylorhiza majalis* (Rchb.) P.F.Hunt & Summerh.  
*Dactylorhiz maculata maculata* = *Platanthera chlorantha* (Custer) Rchb.  
*Dactylorhiz maculata maculata* auct., vix F.W.Schmidt = *Platanthera chlorantha* (Custer) Rchb.  
*Dactylorhiz maculata maculata* L. = *Dactylorhiza maculata* (L.) Soó  
*Dactylorhiz maculata maculata* Pugsley = *Dactylorhiza maculata* (L.) Soó  
*Dactylorhiz majalis majalis* = *Dactylorhiza majalis* (Rchb.) P.F.Hunt & Summerh.  
**Dactylorhiza spp.** Neck. ex Nevski #4 II 64  
ORCHIDACEAE  
*Dactylorhiza alpestris* (Pugsley) Aver. #4 II 64  
ORCHIDACEAE  
*Dactylorhiza baltica* (Klinge) N.I.Orlova #4 II 64  
ORCHIDACEAE  
*Dactylorhiza chuhensis* Renz & Taub. #4 II 64  
ORCHIDACEAE  
*Dactylorhiza cordigera* (Fr.) Soó #4 II 64 ORCHIDACEAE  
*Dactylorhiza elata* (Poir.) Soó #4 II 64 ORCHIDACEAE  
*Dactylorhiza foliosa* (Verm.) Soó #4 II 64 ORCHIDACEAE  
*Dactylorhiza fuchsii* (Druce) Soó #4 II 64 ORCHIDACEAE  
*Dactylorhiza iberica* (M.Bieb.) Soó #4 II 64  
ORCHIDACEAE  
*Dactylorhiza incarnata* (L.) Soó #4 II 64 ORCHIDACEAE  
*Dactylorhiza kalopissii* Erich Nelson #4 II 64  
ORCHIDACEAE  
*Dactylorhiza latifolia* (L.) Soó #4 II 64 ORCHIDACEAE  
*Dactylorhiza latifolia latifolia* = *Dactylorhiza majalis* (Rchb.) P.F.Hunt & Summerh.  
*Dactylorhiza maculata* (L.) Soó #4 II 64 ORCHIDACEAE  
*Dactylorhiza maculata fuchsii* = *Dactylorhiza fuchsii* (Druce) Soó  
*Dactylorhiza maculata macrostachys* (Tineo) Hayek =  
*Dactylorhiza saccifera* (Brongn.) Soó  
*Dactylorhiza maculata meyeri* Druce = *Dactylorhiza fuchsii* (Druce) Soó  
*Dactylorhiza majalis* (Rchb.) P.F.Hunt & Summerh. #4 II 64  
ORCHIDACEAE  
*Dactylorhiza nieschalkiorum* H. Bauumann & Kunk. #4 II 64  
ORCHIDACEAE  
*Dactylorhiza pseudocordigera* (Neuman) Soó #4 II 64  
ORCHIDACEAE  
*Dactylorhiza romana* (Sebast. & Mauri) Soó #4 II 64  
ORCHIDACEAE  
*Dactylorhiza russowii* (Klinge) Holub #4 II 64  
ORCHIDACEAE  
*Dactylorhiza ruthei* (M. Schulze) Soó #4 II 64  
ORCHIDACEAE (S) Ruthe sörmkäpp  
*Dactylorhiza saccifera* (Brongn.) Soó #4 II 64  
ORCHIDACEAE  
*Dactylorhiza sambucina* (L.) Soó #4 II 64 ORCHIDACEAE  
*Dactylorhiza sulphurea* (Link) Franco #4 II 64  
ORCHIDACEAE  
*Dactylorhiza traunsteineri* (Saut. ex Rchb.) Soó #4 II 64  
ORCHIDACEAE  
*Dactylorhynchus flavescentis* Schltr. = *Bulbophyllum latipes* J.J.Sm.  
**Dactylostalix spp.** Reichb.f. #4 II 64 ORCHIDACEAE  
*Dactylostylis fimbrata* Scheidw. 1839 = *Zygostates lunata* Lindl. 1837  
**Dalbergia spp.** L.f. #5 I/II/III/NC 57 LEGUMINOSAE  
*Dalbergia abrahamii* #5 II 57 LEGUMINOSAE (E)  
Rosewood  
*Dalbergia ambongoensis* Baill. = *Dalbergia greveana* Baillon  
*Dalbergia andapensis* Bosser & Rabevohitra #5 II 57  
LEGUMINOSAE  
*Dalbergia aurea* Bosser & Rabevohitra #5 II 57  
LEGUMINOSAE  
*Dalbergia baronii* Baker. #5 II 57 LEGUMINOSAE  
*Dalbergia bathiei* R. Viguer #5 II 57 LEGUMINOSAE  
*Dalbergia bernieri* Baill. = *Dalbergia suaresensis* Baillon.  
*Dalbergia boinensis* Jum. = *Dalbergia trichocarpa* Baker  
*Dalbergia boivinii* Baill. = *Dalbergia hildebrandtii* Vatke.  
*Dalbergia bojeri* Drake #5 II 57 LEGUMINOSAE  
*Dalbergia brachystachya* Bosser & Rabevohitra #5 II 57  
LEGUMINOSAE

- Dalbergia bracteolata* Bak. #5 II 57 LEGUMINOSAE  
*Dalbergia cambodiana* Pierre = *Dalbergia cochinchinensis* Pierre 1898  
*Dalbergia campenonii* Drake #5 II 57 LEGUMINOSAE  
*Dalbergia capuronii* Bosser & Rabevohitra #5 II 57 LEGUMINOSAE  
*Dalbergia catipenonii* Drake #5 II 57 LEGUMINOSAE  
*Dalbergia chapelieri* Baillon. #5 II 57 LEGUMINOSAE  
*Dalbergia chermezonii* R. Vig = *Dalbergia mollis* Bosser & Rabevohitra  
*Dalbergia chlorocarpa* R. viguier #5 II 57 LEGUMINOSAE  
*Dalbergia cochinchensis* Pierre 1898 #5 II LEGUMINOSAE  
*Dalbergia cuscatlantica* (Standl.) Standl. = *Dalbergia retusa* Hemsl.  
*Dalbergia darienensis* Rudd III LEGUMINOSAE  
*Dalbergia davidii* Bosser & Rabevohitra #5 II 57 LEGUMINOSAE  
*Dalbergia delphinensis* Bosser & Rabevohitra. #5 II 57 LEGUMINOSAE  
*Dalbergia densicoma* Baill. = *Dalbergia pervillei* Vatke.  
*Dalbergia emirnensis* Bosser & Rabevohitra #5 II 57 LEGUMINOSAE  
*Dalbergia erubescens* Bosser & Rabevohitra. #5 II 57 LEGUMINOSAE  
*Dalbergia eurybothrya* Drake. = *Dalbergia greveana* Baillon  
*Dalbergia gautieri* Bosser & R. Rabev. #5 II 57 LEGUMINOSAE  
*Dalbergia glaberrima* Bosser & Rabevohitra #5 II 57 LEGUMINOSAE  
*Dalbergia glaucocarpa* Bosser & Rabevohitra. #5 II 57 LEGUMINOSAE  
*Dalbergia granadillo* Pittier #6 II LEGUMINOSAE (S) Granadillo, Granadillo morado  
*Dalbergia grandidieri* Baill. = *Dalbergia bracteolata* Bak.  
*Dalbergia greveana* Baillon #5 II 57 LEGUMINOSAE  
*Dalbergia hildebrandtii* Vatke. #5 II 57 LEGUMINOSAE  
*Dalbergia hirticalyx* Bosser & Rabevohitra #5 II 57 LEGUMINOSAE  
*Dalbergia humbertii* #5 II 57 LEGUMINOSAE  
*Dalbergia hutibertii* R. Vig. #5 II 57 LEGUMINOSAE  
*Dalbergia hypoleuca* Pittier = *Dalbergia retusa* Hemsl.  
*Dalbergia ikopensis* Jum. = *Dalbergia greveana* Baillon  
*Dalbergia isaloensis* R. Vig. = *Dalbergia greveana* Baillon  
*Dalbergia lemurica* Bosser & Rabevohitra #5 II 57 LEGUMINOSAE  
*Dalbergia lineata* Pittier = *Dalbergia retusa* Hemsl.  
*Dalbergia louvelii* R. Vig. II LEGUMINOSAE  
*Dalbergia madagascariensis* Vatke. #5 II 57 LEGUMINOSAE  
*Dalbergia malacophylla* #5 II 57 LEGUMINOSAE (E) Palisandre, Rosewood (F) Palisandre  
*Dalbergia manongarivensis* Bosser & R. Rabev. #5 II 57 LEGUMINOSAE  
*Dalbergia maritima* R. Vig. #5 II 57 LEGUMINOSAE  
*Dalbergia masoalensis* Bosser & R. Rabev. #5 II 57 LEGUMINOSAE  
*Dalbergia microcarpa* R. Vig = *Dalbergia peltieri* Bosser & R. Rabev  
*Dalbergia mollis* Bosser & Rabevohitra #5 II 57 LEGUMINOSAE  
*Dalbergia monticola* Bosser & Rabevohitra II LEGUMINOSAE  
*Dalbergia myriabotrys* Baker = *Dalbergia greveana* Baillon  
*Dalbergia neoperrieri* Bosser & Rabevohitra. #5 II 57 LEGUMINOSAE  
*Dalbergia nigra* (Vell.) Allem. ex Benth. I LEGUMINOSAE (E) Bahia Rosewood, Brazilian rosewood, Jacaranda, Pianowood, Rio Rosewood, Rosewood (S) Jacaranda, Jacarandá de Bahía, Jacarandá de Brasil, Palisandro de Brasil, Palisandro del Brasil (F) Palissandre du Brésil  
*Dalbergia normandii* Bosser & Rabevohitra II LEGUMINOSAE  
*Dalbergia obtusa* Lecomte = *Dalbergia pervillei* Vatke.  
*Dalbergia occulta* Bosser & R. Rabev. #5 II 57 LEGUMINOSAE  
*Dalbergia orientalis* Bosser & Rabevohitra #5 II 57 LEGUMINOSAE  
*Dalbergia pacifica* Standl. & Steyerl = *Dalbergia retusa* Hemsl.  
*Dalbergia peltieri* Bosser & R. Rabev #5 II 57 LEGUMINOSAE  
*Dalbergia perrieri* Drake = *Dalbergia trichocarpa* Baker  
*Dalbergia pervillei* Vatke. #5 II 57 LEGUMINOSAE  
*Dalbergia pseudobaronii* R. Vig. #5 II 57 LEGUMINOSAE  
*Dalbergia pseudoviguieri* Bosser & R. Rabev. #5 II 57 LEGUMINOSAE  
*Dalbergia pterocarpiflora* Baker. = *Dalbergia chapelieri* Baillon.  
*Dalbergia purpurascens* Baill. II LEGUMINOSAE  
*Dalbergia retusa* Hemsl. #6 II LEGUMINOSAE (S) Cocobolo, Cocobolo Prieto  
*Dalbergia retusa* var. *hypoleuca* (Pittier) Rudd = *Dalbergia retusa* Hemsl.  
*Dalbergia retusa* var. *lineata* (Pittier) Rudd. = *Dalbergia retusa* Hemsl.  
*Dalbergia richardii* Baill. = *Dalbergia bracteolata* Bak.  
*Dalbergia scorpioides* Baker = *Dalbergia hildebrandtii* Vatke.  
*Dalbergia stevensonii* Standley #6 II LEGUMINOSAE (E) Honduras Rosewood, Nagaed, Nogaed (S) Palisandro de Honduras, Rosul (F) Palissandre du Honduras  
*Dalbergia suaresensis* Baillon. #5 II 57 LEGUMINOSAE  
*Dalbergia trichocarpa* Baker #5 II 57 LEGUMINOSAE (E) Palisandre, Rosewood (F) Palisandre  
*Dalbergia tricolor* Drake. #5 II 57 LEGUMINOSAE  
*Dalbergia tsaratananensis* Bosser & Rabevohitra #5 II 57 LEGUMINOSAE  
*Dalbergia tsiandalana* R. Vig. #5 II 57 LEGUMINOSAE  
*Dalbergia tucurensis* Donn. Sm. #6 III LEGUMINOSAE  
*Dalbergia urschii* Bosser & Rabevohitra. #5 II 57 LEGUMINOSAE  
*Dalbergia viguieri* Bosser & Rabevohitra #5 II 57 LEGUMINOSAE

- Dalbergia xerophila* II LEGUMINOSAE (E) Palisandre, Rosewood (F) Palisandre
- Darwiniera* spp.** Braas & Luckel #4 II 64 ORCHIDACEAE
- Davallia berteriana* Colla = *Dicksonia berteriana* (Colla) Hook.
- Deamia diabolica* Clover = *Selenicereus testudo* (Karwinski ex Zuccarini) Buxbaum
- Deamia testudo* (Karwinski ex Zuccarini) Briton & Rose = *Selenicereus testudo* (Karwinski ex Zuccarini) Buxbaum
- Decarya* spp.** Choux #4 II DIDIEREACEAE
- Decarya madagascariensis* Choux #4 II DIDIEREACEAE
- Deceptor* spp. Seidenfaden 1992 #4 II 64 ORCHIDACEAE
- Deceptor bidoupensis* (Tixier et Guillaum.) Seidenf #4 II 64 ORCHIDACEAE
- Degranvillea* spp.** Determann #4 II 64 ORCHIDACEAE
- Deiregyne* spp.** Schlechter #4 II 64 ORCHIDACEAE
- Deiregyne hondurensis* (Schltr.) Schltr. #4 II 64 ORCHIDACEAE
- Deiregyne ramentacea* (Lindley) Schltr. #4 II 64 ORCHIDACEAE
- Deiregyne rhombilabia* Garay #4 II 64 ORCHIDACEAE
- Deiregyne tenuiflora* (Greenman) Burns-Balogh #4 II 64 ORCHIDACEAE
- Dendrobe, Anemone (E): *Dendrobium loddigesii*
- Dendrobe, Angel-fish (E): *Dendrobium aduncum*
- Dendrobe, Scimitar-leaf (E): *Dendrobium acinaciforme*
- Dendrobium (E): *Dendrobium nobile*
- Dendrobium* spp.** Sw. #4 I/II 64 ORCHIDACEAE
- Dendrobium aberrans*** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium acerosum*** Lindl. #4 II 64 ORCHIDACEAE
- Dendrobium achillis* Rchb.f. = *Dendrobium calcaratum* A.Rich.
- Dendrobium aciculare*** Lindl. #4 II 64 ORCHIDACEAE
- Dendrobium acinaciforme*** Roxb. #4 II 64 ORCHIDACEAE (E) Scimitar-leaf Dendrobe
- Dendrobium acclinia* Lindl. = *Dendrobium incurvum* Lindl.
- Dendrobium actinomorphum* Blatter & Hallb. = *Dendrobium crepidatum* Lindley & Paxton
- Dendrobium acuminatissimum*** (Blume) Lindley #4 II 64 ORCHIDACEAE
- Dendrobium acutimentum*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium acutisepalum*** J.J. Smith #4 II 64 ORCHIDACEAE
- Dendrobium adae*** F.M.Bailey #4 II 64 ORCHIDACEAE
- Dendrobium adolphi* Schltr. = *Dendrobium puniceum* Ridl.
- Dendrobium aduncum*** Wall.ex Lindl. #4 II 64 ORCHIDACEAE (E) Angel-fish Dendrobe
- Dendrobium aduncum* auct non Lindl. = *Dendrobium faulhaberianum* Schltr.
- Dendrobium aegle* Ridl. = *Dendrobium erosum* (Blume) Lindl.
- Dendrobium aemulans* Schltr. = *Dendrobium erosum* (Blume) Lindl.
- Dendrobium aemulum*** R. Br. #4 II 64 ORCHIDACEAE
- Dendrobium affine*** (Decne) Steud #4 II 64 ORCHIDACEAE
- Dendrobium agathodaemonis* J.J.Sm. = *Dendrobium cuthbertsonii* F. Muell.
- Dendrobium aggregatum*** Roxb. #4 II 64 ORCHIDACEAE
- Dendrobium agrostophyllum*** F. Muell. #4 II 64 ORCHIDACEAE
- Dendrobium alabense*** J.J.Wood #4 II 64 ORCHIDACEAE
- Dendrobium alaticaulinum*** P.Royen #4 II 64 ORCHIDACEAE
- Dendrobium albayense*** Ames #4 II 64 ORCHIDACEAE
- Dendrobium albayense* auct non Ames = *Dendrobium terminale* Parish & Rchb.f.
- Dendrobium albosanguineum*** Lindl. #4 II 64 ORCHIDACEAE
- Dendrobium alboviride*** Hayata #4 II 64 ORCHIDACEAE
- Dendrobium album* Wt. = *Dendrobium aqueum* Lindley
- Dendrobium alderwereltianum*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium alexandrae*** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium aloifolium*** (Blume) Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrobium alpestre* auct. non Royle = *Dendrobium gregulus* Seidenf.
- Dendrobium alpestre* Royle = *Dendrobium monticola* P.Hunt & Summerh.
- Dendrobium alpinum* P.Royen = *Dendrobium rigidifolium* Rolfe
- Dendrobium alterum* Seidenf. = *Dendrobium dantaniense* Guill.
- Dendrobium altomontanum* Gilli = *Dendrobium caliculimentum* R.S. Rogers
- Dendrobium amabile*** (Lour.) O'Brian #4 II 64 ORCHIDACEAE
- Dendrobium amblyogenium*** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium amesianum*** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium amethystoglossum*** Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrobium amoenum*** Wallich ex Lindley #4 II 64 ORCHIDACEAE
- Dendrobium amphigenyum*** Ridley #4 II 64 ORCHIDACEAE
- Dendrobium amplum* Lindl. = *Epigeneium amplum* Lindl. Summerh.
- Dendrobium anceps*** Sw. #4 II 64 ORCHIDACEAE
- Dendrobium anceps* auct non Lindl. = *Dendrobium terminale* Parish & Rchb.f.
- Dendrobium anceps* auct. non Sw. = *Dendrobium leonis* (Lindl.) Rchb.f.
- Dendrobium anceps* auct. non Sw. = *Dendrobium keithii* Ridl.
- Dendrobium ancorarium* Rupp = *Dendrobium adae* F.M.Bailey
- Dendrobium andersonii* Scott. = *Dendrobium draconis* Rchb.f.
- Dendrobium andreemillarae*** T.M.Reeve #4 II 64 ORCHIDACEAE
- Dendrobium angicense*** J.J.Sm. #4 II 64 ORCHIDACEAE

- Dendrobium angulatum* Wall. ex Lindl. = *Dendrobium podagraria* Hook.f.
- Dendrobium angustiflorum*** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium annae*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium annamense*** Rolfe #4 II 64 ORCHIDACEAE
- Dendrobium anosmum*** Lindl. #4 II 64 ORCHIDACEAE
- Dendrobium antelope* Rchb.f. = *Dendrobium bicaudatum* Reinw ex Lindl.
- Dendrobium antennatum*** Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium anthrene*** Ridl. #4 II 64 ORCHIDACEAE
- Dendrobium apertum*** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium aphanochilum*** Kraenzl #4 II 64  
ORCHIDACEAE
- Dendrobium aphyllum*** (Roxb.) C. Fischer #4 II 64  
ORCHIDACEAE
- Dendrobium aqueum*** Lindley #4 II 64 ORCHIDACEAE
- Dendrobium arachnanthe* Kraenzl = *Dendrobium discolor* Lindl.
- Dendrobium arachnites* auct. non Thou. nec Rchb.f. = *Dendrobium unicum* Seidenf.
- Dendrobium arachnites* Reichb.f. = *Dendrobium dickasonii* L.O.Williams
- Dendrobium arachnoglossum*** Rchb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium arachnostachyum* Rchb.f. = *Dendrobium macranthum* A. Rich.
- Dendrobium arcuatum*** J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrobium aries*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium aristiferum*** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium armeniacum*** P.J.Cribb #4 II 64  
ORCHIDACEAE
- Dendrobium aruanum* Kraenzl. = *Dendrobium mirbelianum* Gaudich.
- Dendrobium ashworthiae* O'Brien = *Dendrobium forbesii* Ridley
- Dendrobium asperifolium* J.J.Sm. = *Dendrobium cuthbertsonii* F. Muell.
- Dendrobium asphale*** Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrobium asumbura* P.Royen = *Dendrobium subclausum* Rolfe
- Dendrobium atavus*** J.J. Sm. #4 II 64 ORCHIDACEAE
- Dendrobium atjehense*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium atractodes* Ridl. = *Dendrobium heterocarpum* Lindley
- Dendrobium atromarginatum* J.J.Sm. = *Dendrobium cuthbertsonii* F. Muell.
- Dendrobium atrorubens*** Ridley #4 II 64 ORCHIDACEAE
- Dendrobium atroviolaceum*** Rolfe #4 II 64  
ORCHIDACEAE
- Dendrobium augustae-victoriae* Kraenzl. = *Dendrobium lineale* Rolfe
- Dendrobium aurantiacum* (F.Muell.) F.Muell. = *Bulbophyllum schillerianum* Rchb.f.
- Dendrobium aurantiacum* Reichb. f. = *Dendrobium chryseum* Rolfe
- Dendrobium aurantiflavum* P.Royen = *Dendrobium subclausum* Rolfe
- Dendrobium aurantiroseum*** P.Royen ex T.M.Reeve #4 II 64 ORCHIDACEAE
- Dendrobium aureum*** Lindley #4 II 64 ORCHIDACEAE
- Dendrobium aureum* Lindl. = *Dendrobium heterocarpum* Lindley
- Dendrobium auriculatum*** Ames Quisumb. #4 II 64  
ORCHIDACEAE
- Dendrobium auroroiseum* Rchb.f. = *Dendrobium nudum* (Blume) Lindley
- Dendrobium ayubii*** J.B.Comber & J.J.Wood #4 II 64  
ORCHIDACEAE
- Dendrobium babiense*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium baeruerlenii*** F.Muell. & Kraenzl. #4 II 64  
ORCHIDACEAE
- Dendrobium baileyi*** F. Muell. #4 II 64 ORCHIDACEAE
- Dendrobium bairdianum* F.M.Bailey = *Dendrobium fellowsii* F.Muell.
- Dendrobium banaense* Gagnep. = *Dendrobium acinaciforme* Roxb.
- Dendrobium barbatulum*** Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium barbatulum* auct. non Lindl. = *Dendrobium ovatum* (Willd.) Kraenzl.
- Dendrobium barringtoniae* (Sm.) Sw. 1799 = *Lycaste barringtoniae* (Sm.) Lindl. (1844)
- Dendrobium baseyanum* St. Cloud = *Dendrobium calamiforme* Lodd.
- Dendrobium basilanense*** Ames #4 II 64 ORCHIDACEAE
- Dendrobium beckleri* F. Muell. = *Dendrobium schoeninum* Lindl.
- Dendrobium begoniicarpum* J.J.Sm. = *Dendrobium subacaule* Reinw. ex Lindley
- Dendrobium bellatulum*** Rolfe #4 II 64 ORCHIDACEAE
- Dendrobium bellum* Schltr. = *Dendrobium eximum* Schltr.
- Dendrobium bensoniae*** Reichb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium bicameratum*** Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium bicaudatum*** Reinw ex Lindl. #4 II 64  
ORCHIDACEAE
- Dendrobium bicornutum*** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium bifalce*** Lindley #4 II 64 ORCHIDACEAE
- Dendrobium bifidum*** Ridley #4 II 64 ORCHIDACEAE
- Dendrobium biflorum*** (G. Forster) Sw. #4 II 64  
ORCHIDACEAE
- Dendrobium bigibbum*** Lindley #4 II 64 ORCHIDACEAE  
(E) Cooktown Orchid
- Dendrobium bigibbum* sensu F.Muell. = *Dendrobium affine* (Decne) Steud.
- Dendrobium bilobulatum*** Seidenf. #4 II 64  
ORCHIDACEAE
- Dendrobium biloculare*** J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrobium blumei*** Lindley #4 II 64 ORCHIDACEAE
- Dendrobium blumei* acut. non Lindl. = *Dendrobium hendersonii* A.D.Hawkes & A.H.Heller

<i>Dendrobium blumei</i> auct. non Lindl. = <i>Dendrobium planibulbe</i> Lindl.	<i>Dendrobium bullenianum</i> auct. non Rchb.f. = <i>Dendrobium taveuniense</i> Dauncey & P.J.Cribb
<i>Dendrobium bolboflorum</i> Falc. ex Hook.f. = <i>Dendrobium bicameratum</i> Lindley	<i>Dendrobium bullerianum</i> Bateman = <i>Dendrobium gratioissimum</i> Rchb.f.
<i>Dendrobium bolbophylli</i> Griff. = <i>Bulbophyllum griffithii</i> (Lindl.) Rchb.f.	<i>Dendrobium buluense</i> Schltr. = <i>Dendrobium mirbelianum</i> Gaudich.
<i>Dendrobium boothii</i> Teijsm. & Binn. = <i>Dendrobium blumei</i> Lindley	<i>Dendrobium burbridgei</i> Rchb.f. = <i>Dendrobium bicaudatum</i> Reinw ex Lindl.
<b><i>Dendrobium bostrychodes</i></b> Rchb.f. #4 II 64 ORCHIDACEAE	<i>Dendrobium bursigerum</i> Lindl. = <i>Dendrobium secundum</i> (Blume) Lindley ex Wall.
<b><i>Dendrobium boumaniae</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Dendrobium busuangense</i> Ames = <i>Dendrobium conanthum</i> Schltr.
<b><i>Dendrobium bowmanii</i></b> Benth. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium cacatua</i></b> M.A.Clem. & D.L.Jones #4 II 64 ORCHIDACEAE
<i>Dendrobium boxallii</i> Rchb.f. = <i>Dendrobium gratioissimum</i> Rchb.f.	<b><i>Dendrobium cacuminis</i></b> Gagnep. #4 II 64 ORCHIDACEAE
<b><i>Dendrobium brachycalpta</i></b> Schltr. #4 II 64 ORCHIDACEAE	<i>Dendrobium caespitosum</i> King & Pantl. = <i>Dendrobium porphyrochilum</i> Lindley
<i>Dendrobium brachycarpum</i> A.Rich = <i>Aerangis brachycarpa</i> (A.Rich.) Dur. & Schinz.	<b><i>Dendrobium calamiforme</i></b> Lodd. #4 II 64 ORCHIDACEAE
<b><i>Dendrobium brachycentrum</i></b> Ridl. #4 II 64 ORCHIDACEAE	<i>Dendrobium calamiforme</i> Rolfe = <i>Dendrobium vagans</i> Schltr.
<i>Dendrobium brachypetalum</i> Lindl. = <i>Bulbophyllum mutabile</i> (Blume) Lindley	<b><i>Dendrobium calcaratum</i></b> A.Rich. #4 II 64 ORCHIDACEAE
<b><i>Dendrobium brachypus</i></b> (Endl.) Rchb.f. #4 II 64 ORCHIDACEAE	<i>Dendrobium calcaratum</i> auct. non A.Rich = <i>Dendrobium pseudorarum</i> Dauncey
<i>Dendrobium brachythecum</i> F.Muell. & Kraenzl. = <i>Dendrobium macrophyllum</i> A.Rich	<b><i>Dendrobium calcariferum</i></b> Carr. #4 II 64 ORCHIDACEAE
<i>Dendrobium bracteatum</i> Lex. 1825 = <i>Isochilus bracteatus</i> (Lex.) Salazar & Soto Arenas ex Espejo & Lopez-Ferrari (2000)	<i>Dendrobium calceolaria</i> Carey ex Hook. = <i>Dendrobium moschatum</i> (Buch.-Ham.) Sw.
<b><i>Dendrobium bracteosum</i></b> Rchb.f. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium calceolum</i></b> Roxb. #4 II 64 ORCHIDACEAE
<i>Dendrobium braianense</i> Gagnep. = <i>Dendrobium capillipes</i> Rchb.f.	<i>Dendrobium caleyi</i> A.Cunn. = <i>Bulbophyllum exiguum</i> F.Muell.
<i>Dendrobium brandtiae</i> Kraenzl. = <i>Dendrobium superbiens</i> Rchb.f.	<b><i>Dendrobium calicopis</i></b> Ridley #4 II 64 ORCHIDACEAE
<b><i>Dendrobium brassii</i></b> T.M.Reeve & P.Woods #4 II 64 ORCHIDACEAE	<b><i>Dendrobium caliculum</i></b> R.S. Rogers #4 II 64 ORCHIDACEAE
<b><i>Dendrobium brevicaule</i></b> Rolfe #4 II 64 ORCHIDACEAE	<b><i>Dendrobium callitrophilum</i></b> B.Gray & D.L.Jones #4 II 64 ORCHIDACEAE
<i>Dendrobium breviflorum</i> Lindl. = <i>Dendrobium bicameratum</i> Lindley	<b><i>Dendrobium calophyllum</i></b> Rchb.f. #4 II 64 ORCHIDACEAE
<b><i>Dendrobium brevilabium</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium calypratum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE
<b><i>Dendrobium brevimentum</i></b> Seidenf #4 II 64 ORCHIDACEAE	<b><i>Dendrobium camaridiorum</i></b> Reichb.f. #4 II 64 ORCHIDACEAE
<i>Dendrobium brevimentum</i> P.J.Cribb non Seidenf. = <i>Dendrobium militare</i> P.J.Cribb	<i>Dendrobium cambridgeanum</i> Paxton = <i>Dendrobium ochreatum</i> Lindley
<i>Dendrobium breviracemosum</i> F.M.Bailey = <i>Dendrobium bifalce</i> Lindley	<b><i>Dendrobium campbellii</i></b> Cribb & B. Lewis #4 II 64 ORCHIDACEAE
<i>Dendrobium brinchangense</i> Holttum = <i>Dendrobium hasseltii</i> (Blume) Lindley	<b><i>Dendrobium canaliculatum</i></b> R.Br. #4 II 64 ORCHIDACEAE
<i>Dendrobium bronckartii</i> De Wild. = <i>Dendrobium amabile</i> (Lour.) O'Brian	<b><i>Dendrobium cancroides</i></b> Hunt #4 II 64 ORCHIDACEAE
<b><i>Dendrobium brymerianum</i></b> Rchb.f. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium candidum</i></b> Wallich ex Lindley #4 II 64 ORCHIDACEAE
<b><i>Dendrobium buffumii</i></b> A.D.Hawkes #4 II 64 ORCHIDACEAE	<i>Dendrobium caninum</i> sensu Merr. = <i>Dendrobium crumenatum</i> Sw.
<b><i>Dendrobium bullenianum</i></b> Rchb.f. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium capillipes</i></b> Rchb.f. #4 II 64 ORCHIDACEAE
	<b><i>Dendrobium capitisyork</i></b> M.A.Clem. & D.L.Jones #4 II 64 ORCHIDACEAE
	<b><i>Dendrobium capituliflorum</i></b> Rolfe #4 II 64 ORCHIDACEAE
	<b><i>Dendrobium capra</i></b> J.J. Smith #4 II 64 ORCHIDACEAE

- Dendrobium cariniferum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium carrii** Rupp & C.T. White #4 II 64  
ORCHIDACEAE
- Dendrobium carronii** Lavarack & P.J.Cribb #4 II 64  
ORCHIDACEAE
- Dendrobium carstensziense** J.J.Sm. = *Dendrobium cuthbertsonii* F. Muell.
- Dendrobium caryicola** Guill. #4 II 64 ORCHIDACEAE
- Dendrobium castum* (L.) Bateman ex Hook.f. = *Dendrobium moniliforme* (L.) Sw.
- Dendrobium casuarinae** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium catenatum* Lindl. = *Dendrobium moniliforme* (L.) Sw.
- Dendrobium cathcartii** Hook.f. #4 II 64 ORCHIDACEAE
- Dendrobium catillare** Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrobium catillare* auct. non Rchb.f. = *Dendrobium taveuniense* Dauncey & P.J.Cribb
- Dendrobium cedricola* P.Van Royen = *Dendrobium decockii* J.J.Sm.
- Dendrobium ceraia* Lindl. = *Dendrobium crumenatum* Sw.
- Dendrobium cerasinum* Ridl. = *Dendrobium puniceum* Ridl.
- Dendrobium ceraula** Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrobium cerinum* Rchb.f. = *Dendrobium sanguinolentum* Lindl.
- Dendrobium chalandei* (Finet) Kranzlin = *Dendrobium bowmanii* Benth.
- Dendrobium chameleon** Ames #4 II 64 ORCHIDACEAE
- Dendrobium chanjiangenes** S.J.Chen & C.Z.Tang #4 II 64 ORCHIDACEAE
- Dendrobium chloroleucum* Schltr. = *Dendrobium otaguroanum* A. Hawkes
- Dendrobium chlorops* Lindl. = *Dendrobium ovatum* (Willd.) Kraenzl.
- Dendrobium chloropterum* Rchb.f. & S.Moore = *Dendrobium bifalce* Lindley
- Dendrobium chlorostylum** Gagnep. #4 II 64 ORCHIDACEAE
- Dendrobium chordiforme** Kraenzl. #4 II 64 ORCHIDACEAE
- Dendrobium christyanum** Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrobium chrysanthum** Wall. #4 II 64 ORCHIDACEAE
- Dendrobium chryseum** Rolfe #4 II 64 ORCHIDACEAE
- Dendrobium chrysocephalum* Kraenzl. = *Dendrobium bullenianum* Rchb.f.
- Dendrobium chrysocrepis** Parish & Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrobium chrysoglossum* auct. non Schltr. = *Dendrobium pseudoglomeratum* T.M.Reeve & J.J.Woods
- Dendrobium chrysoglossum* Schltr. = *Dendrobium obtusum* Schltr.
- Dendrobium chrysolabium* Rolfe = *Dendrobium bracteosum* Rchb.f.
- Dendrobium chrysornis* Ridl. = *Dendrobium decockii* J.J.Sm.
- Dendrobium chrysotoxum** Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium ciliatilabellum** Seidenf. #4 II 64  
ORCHIDACEAE
- Dendrobium ciliatum* auct. non Pers. = *Dendrobium delacourii* Guill.
- Dendrobium ciliatum* Parish ex Hook.f. = *Dendrobium venustum* Teijsm. & Binn
- Dendrobium ciliatum* (Ruiz. & Pav.) Pers. 1807 = *Lycaste ciliata* (Ruiz & Pav.) Lindl. ex Rchb.f.
- Dendrobium ciliferum* Bakh. = *Dendrobium venustum* Teijsm. & Binn
- Dendrobium cinereum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium cinnabarinum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium clavator** Ridley #4 II 64 ORCHIDACEAE
- Dendrobium clavatum** Lindley ex Wallich #4 II 64  
ORCHIDACEAE
- Dendrobium clavatum* Lindl. = *Dendrobium chryseum* Rolfe
- Dendrobium clavatum* Roxb. = *Dendrobium densiflorum* Wallich ex Lindley
- Dendrobium clavipes* Hook.f. = *Dendrobium truncatum* Lindley
- Dendrobium cleistogamum** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium closterium** Reichb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium coccinellum* Ridl. = *Dendrobium cuthbertsonii* F. Muell.
- Dendrobium cochinchinense* Ridl. = *Dendrobium aloifolium* (Blume) Rchb.f.
- Dendrobium cochleatum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium cochliodes** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium codonosepalum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium coelogyne* Rchb.f. = *Epigeneium amplum* Lindl. Summerh.
- Dendrobium coerulescens* Schltr. = *Dendrobium putnami* Hawkes & Heller
- Dendrobium coerulescens* Wall. = *Dendrobium nobile* Lindley
- Dendrobium cogniauxianum* Kraenzl. = *Dendrobium lineale* Rolfe
- Dendrobium compactum** Rolfe ex W.Hackett #4 II 64  
ORCHIDACEAE
- Dendrobium compactum* auct. non Rolfe = *Dendrobium gregulus* Seidenf.
- Dendrobium compressimentum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium compressum* Lindl. = *Dendrobium lamellatum* (Blume) Lindley
- Dendrobium comptonii** Rendle #4 II 64 ORCHIDACEAE
- Dendrobium comptonii* ? Rendle. = *Dendrobium macropus* (Endl.) Rchb.f. ex Lindl.
- Dendrobium conanthum** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium concavissimum* J.J. Smith = *Dendrobium obtusum* Schltr.

- Dendrobium concinnum* Miq. #4 II 64 ORCHIDACEAE  
*Dendrobium confinale* Kerr #4 II 64 ORCHIDACEAE  
*Dendrobium confinale* auct. non Kerr = *Dendrobium porphyrochilum* Lindley  
*Dendrobium confusum* J.J.Sm. = *Dendrobium capituliflorum* Rolfe  
*Dendrobium conicum* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium connatum* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium constrictum* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium convexipes* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium convolutum* Rolfe #4 II 64 ORCHIDACEAE  
*Dendrobium corallorhizon* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium cornutum* Hook.f. = *Dendrobium hasseltii* (Blume) Lindley  
*Dendrobium corrugatilobum* J.J. Smith #4 II 64 ORCHIDACEAE  
*Dendrobium crabro* Ridl. #4 II 64 ORCHIDACEAE  
*Dendrobium crassicaule* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium crassifolium* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium crassinode* Benson & Rchb.f. = *Dendrobium pendulum* Roxb.  
*Dendrobium crassulifolium* A.Cunn. #4 II 64 ORCHIDACEAE  
*Dendrobium crenatifolium* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium crepidatum* Lindley & Paxton #4 II 64 ORCHIDACEAE  
*Dendrobium crepidatum* auct. non Lindl. = *Dendrobium loddigesii* Rolfe  
*Dendrobium crepidiferum* J.J.Sm. = *Dendrobium glomeratum* Rolfe  
*Dendrobium cretaceum* Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium crispatum* auct. non Sw. Rchb.f. = *Dendrobium vagans* Schltr.  
*Dendrobium crispilinguum* P.J.Cribb #4 II 64 ORCHIDACEAE  
*Dendrobium crocatum* Hook.f. #4 II 64 ORCHIDACEAE  
*Dendrobium croceocentrum* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium crucilabre* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium cruentum* Rchb.f. I 66 ORCHIDACEAE  
*Dendrobium crumenatum* Sw. #4 II 64 ORCHIDACEAE  
*Dendrobium cruttwellii* T.M. Reeve #4 II 64 ORCHIDACEAE  
*Dendrobium crystallinum* Rchb.f. #4 II 64 ORCHIDACEAE  
*Dendrobium ctenoglossum* Schltr. = *Dendrobium strongylanthum* Reichb.f.  
*Dendrobium cucullatum* R.Br. = *Dendrobium aphyllum* (Roxb.) C. Fischer  
*Dendrobium cuculliferum* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium cucumerinum* W. Macleay ex Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium cumulatum* Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium cunninghamii* Lindl. #4 II 64 ORCHIDACEAE  
*Dendrobium cupreum* Herbert = *Dendrobium moschatum* (Buch.-Ham.) Sw.  
*Dendrobium curtisii* Rchb.f. = *Dendrobium hasseltii* (Blume) Lindley  
*Dendrobium curvicaule* (F.M.Bailey) M.A.Clem. & D.L.Jones #4 II 64 ORCHIDACEAE  
*Dendrobium curviflorum* Rolfe #4 II 64 ORCHIDACEAE  
*Dendrobium curvimentum* J.J. Smith #4 II 64 ORCHIDACEAE  
*Dendrobium cuspidatum* Lindl. #4 II 64 ORCHIDACEAE  
*Dendrobium cuspidatum* auct. non Lindl. = *Dendrobium nathanielis* Rchb.f.  
*Dendrobium cuspidatum* Kraenzl. = *Dendrobium pseudocalceolum* J.J.Sm.  
*Dendrobium cuthbertsonii* F. Muell. #4 II 64 ORCHIDACEAE  
*Dendrobium cyananthum* Williams = *Dendrobium hellwigianum* Kraenz.  
*Dendrobium cyanocentrum* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium cyatheicola* Van Royen = *Dendrobium brevicaule* Rolfe  
*Dendrobium cylindricum* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium cymatolegum* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium cymboglossum* J.J.Wood & A.Lamb #4 II 64 ORCHIDACEAE  
*Dendrobium cymbulipes* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium dalatense* Gagnep. #4 II 64 ORCHIDACEAE  
*Dendrobium d'albertisii* Rchb.f. = *Dendrobium antennatum* Lindley  
*Dendrobium dalhousieanum* Wall. = *Dendrobium pulchellum* Roxb. ex Lindley  
*Dendrobium dammerboeri* J.J.Sm. = *Dendrobium strobloceras* Rchb.f.  
*Dendrobium dantaniense* Guill. #4 II 64 ORCHIDACEAE  
*Dendrobium daoense* Gagnep. #4 II 64 ORCHIDACEAE  
*Dendrobium darjeelingensis* Pradhan #4 II 64 ORCHIDACEAE  
*Dendrobium dartoisianum* De Wild. = *Dendrobium tortile* Lindley  
*Dendrobium dearei* Rchb.f. #4 II 64 ORCHIDACEAE  
*Dendrobium deflexum* Ridl. = *Dendrobium wentianum* J.J.Sm.  
*Dendrobium decockii* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium delacourii* Guill. #4 II 64 ORCHIDACEAE  
*Dendrobium delacourii* auct. non Guillaum = *Dendrobium venustum* Teijsm. & Binn  
*Dendrobium delicatulum* Kraenzl. #4 II 64 ORCHIDACEAE

- Dendrobium delicatulum* auct. non Kraenzl. Schlechter = *Dendrobium subacaule* Reinw. ex Lindley
- Dendrobium delicatum*** (F.M.Bailey) F.M.Bailey #4 II 64  
ORCHIDACEAE
- Dendrobium deltatum*** Seidenf. #4 II 64 ORCHIDACEAE
- Dendrobium demmenii* J.J.Sm. = *Dendrobium bicaudatum* Reinw ex Lindl.
- Dendrobium dendrocolloides*** J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrobium denneanum*** Kerr #4 II 64 ORCHIDACEAE
- Dendrobium densiflorum*** Wallich ex Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium densiflorum* auct non Lindl. = *Dendrobium thrysiflorum* Rchb.f.
- Dendrobium densiflorum* auct. non Lindl. = *Dendrobium palpebrae* Lindley
- Dendrobium dentatum*** Seidenf. #4 II 64 ORCHIDACEAE
- Dendrobium denudans*** D. Don #4 II 64 ORCHIDACEAE
- Dendrobium denudans* auct. non D.Don & Lindl. = *Dendrobium monticola* P.Hunt & Summerh.
- Dendrobium deplanchei*** Reichb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium derryi*** Ridley #4 II 64 ORCHIDACEAE
- Dendrobium derryi* auct non Ridl. = *Dendrobium calicopis* Ridley
- Dendrobium desmotrichoides* J.J.Sm. = *Dendrobium rigidum* R.Br.
- Dendrobium devonianum*** Paxton #4 II 64  
ORCHIDACEAE
- Dendrobium devosianum*** J.J.Sm.. #4 II 64  
ORCHIDACEAE
- Dendrobium diceras*** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium dichaeoides*** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium dichaeoides* auct non Schltr. = *Dendrobium praetermissum* Dauncy
- Dendrobium dichroma*** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium dickasonii*** L.O.Williams #4 II 64  
ORCHIDACEAE
- Dendrobium dicuphum* F. Muell. = *Dendrobium affine* (Decne) Steud
- Dendrobium dillonianum*** A.D.Hawkes & A.H.Heller #4 II 64 ORCHIDACEAE
- Dendrobium diodon*** Reichb.f. #4 II 64 ORCHIDACEAE
- Dendrobium discolor*** Lindl. #4 II 64 ORCHIDACEAE
- Dendrobium discrepans* J.J.Sm. = *Dendrobium puniceum* Ridl.
- Dendrobium distichophyllum*** A. Hawkes & A.H. Heller #4 II 64 ORCHIDACEAE
- Dendrobium dixanthum*** Rchb.f #4 II 64 ORCHIDACEAE
- Dendrobium dixonianum*** Rolfe ex Downie #4 II 64  
ORCHIDACEAE
- Dendrobium dixonsii* F.M.Bailey = *Dendrobium bracteosum* Rchb.f.
- Dendrobium dolichophyllum*** D.L.Jones & M.A.Clem. #4 II 64 ORCHIDACEAE
- Dendrobium draconis*** Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrobium drake-castilloi* Kraenzl. = *Dendrobium comptonii* Rendle
- Dendrobium dryadum* Schltr. = *Dendrobium violaceum* Kraenzl.
- Dendrobium eboracense*** Kraenzl #4 II 64  
ORCHIDACEAE
- Dendrobium eburneum* Rchb.f. ex Bateman = *Dendrobium draconis* Rchb.f.
- Dendrobium eitepense* Schltr. = *Dendrobium bracteosum* Rchb.f.
- Dendrobium elobatum* Rupp. = *Dendrobium discolor* Lindl.
- Dendrobium endertii*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium engae*** T. Reeve #4 II 64 ORCHIDACEAE
- Dendrobium eoum* Ridl. = *Dendrobium cumulatum* Lindley
- Dendrobium equitans* Kraenzl. = *Dendrobium ventricosum* Kraenzl.
- Dendrobium eriiflorum*** Griffith #4 II 64 ORCHIDACEAE
- Dendrobium eriiflorum* auct. non Griff. = *Dendrobium dixonianum* Rolfe ex Downie
- Dendrobium erostelle*** Seidenf. #4 II 64 ORCHIDACEAE
- Dendrobium erosum*** (Blume) Lindl. #4 II 64  
ORCHIDACEAE
- Dendrobium erythocarpum* J.J.Sm. = *Dendrobium decockii* J.J.Sm.
- Dendrobium erythroglossum* Hayata = *Dendrobium falconeri* Hook.
- Dendrobium erythropogon*** Rchb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium erythroxanthum* auct. non Rchb.f. = *Dendrobium taveuniense* Dauncey & P.J.Cribb
- Dendrobium erythroxanthum* Rchb.f. = *Dendrobium bullenianum* Rchb.f.
- Dendrobium escriptorii*** Ames #4 II 64 ORCHIDACEAE
- Dendrobium eserre*** Seidenf. #4 II 64 ORCHIDACEAE
- Dendrobium euphotum* Lindl. = *Dendrobium indivisum* (Blume) Miq.
- Dendrobium eumelinum*** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium euphues* Ridl. = *Dendrobium cuthbertsonii* F. Muell.
- Dendrobium euryanthum*** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium eustachyum* Schltr. = *Dendrobium forbesii* Ridley
- Dendrobium evaginatum* Gagnepain = *Dendrobium aphyllum* (Roxb.) C. Fischer
- Dendrobium evrardii* Gagnep. = *Dendrobium wattii* (Hook.f.) Reichb.f.
- Dendrobium excavatum*** (Blume) Miq. #4 II 64  
ORCHIDACEAE
- Dendrobium exiguum* (F.Muell.) Kuntze = *Bulbophyllum exiguum* F.Muell.
- Dendrobium exile*** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium exilicaule*** Ridley #4 II 64 ORCHIDACEAE
- Dendrobium eximium*** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium exsculptum* Teijsm. Binn. = *Dendrobium spegidoglossum* Rchb.f.
- Dendrobium fairchildiae*** Ames & Quisumb. #4 II 64  
ORCHIDACEAE
- Dendrobium fairfaxii*** F.Muell. & Fitzg #4 II 64  
ORCHIDACEAE
- Dendrobium fairfaxii* Rolfe = *Dendrobium mooreanum* Lindley

<i>Dendrobium falconeri</i> Hook. #4 II 64 ORCHIDACEAE	<i>Dendrobium friedericianum</i> Rchb.f. #4 II 64 ORCHIDACEAE
<i>Dendrobium falcorostrum</i> Fitzg. #4 II 64 ORCHIDACEAE	<i>Dendrobium friedericianum</i> auct. non Rchb.f. = <i>Dendrobium nobile</i> Lindley
<i>Dendrobium fallax</i> Guill. = <i>Dendrobium pachyglossum</i> Par. & Rchb.f.	
<i>Dendrobium fantasticum</i> auct. non L.O.Williams = <i>Dendrobium woodsii</i> P.J.Cribb	<i>Dendrobium fruticicola</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Dendrobium fantasticum</i> L.O.Williams = <i>Dendrobium</i> <i>amphigenum</i> Ridley	<i>Dendrobium fuerstenbergianum</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Dendrobium farmeri</i> Paxton #4 II 64 ORCHIDACEAE	<i>Dendrobium fugax</i> Schltr. = <i>Dendrobium hendersonii</i> A.D.Hawkes & A.H.Heller
<i>Dendrobium farmeri</i> auct. non Paxt. = <i>Dendrobium</i> <i>palpebrae</i> Lindley	<i>Dendrobium fulgidum</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Dendrobium faulhaberianum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Dendrobium fulgidum</i> Ridl. = <i>Dendrobium cuthbertsonii</i> F. Muell.
<i>Dendrobium fellowsii</i> F.Muell. #4 II 64 ORCHIDACEAE	<i>Dendrobium fulminicaule</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Dendrobium ferox</i> Hassk. = <i>Dendrobium macrophyllum</i> A.Rich	<i>Dendrobium furcatopedicellatum</i> Hayta #4 II 64 ORCHIDACEAE
<i>Dendrobium fesselianum</i> M.Wolff #4 II 64 ORCHIDACEAE	<i>Dendrobium fuscatum</i> Lindl. = <i>Dendrobium gibsonii</i> Lindley
<i>Dendrobium filicaule</i> Gagnep. #4 II 64 ORCHIDACEAE	<i>Dendrobium fuscescens</i> Griff. = <i>Epigeneium fuscescens</i> (Griff.) Summerh.
<i>Dendrobium fimbriatum</i> Hook. #4 II 64 ORCHIDACEAE	<i>Dendrobium fusiforme</i> (F.M.Bailey) F.M.Bailey non Thouars = <i>Dendrobium jonesii</i> Rendle
<i>Dendrobium fimbrialbum</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Dendrobium fytchianum</i> Bateman #4 II 64 ORCHIDACEAE
<i>Dendrobium findlayanum</i> Parish & Rchb.f. #4 II 64 ORCHIDACEAE	<i>Dendrobium galactanthum</i> Schlechter = <i>Dendrobium</i> <i>scabrilingue</i> Lindley
<i>Dendrobium finetianum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Dendrobium galeatum</i> Sw. = <i>Polystachya galeata</i> (Sw) Rchb.f.
<i>Dendrobium finisterrae</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Dendrobium gamblei</i> Duthie = <i>Dendrobium</i> <i>macrostachyum</i> Lindley
<i>Dendrobium fitzgeraldii</i> F.Muell ex F.M.Bailey = <i>Dendrobium superbiens</i> Rchb.f.	<i>Dendrobium garrettii</i> Seidenf. #4 II 64 ORCHIDACEAE
<i>Dendrobium flagellum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Dendrobium gaudens</i> P.Van Royen = <i>Dendrobium decockii</i> J.J.Sm.
<i>Dendrobium flammula</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Dendrobium gedeleanum</i> J.J.Sm. = <i>Dendrobium gracile</i> (Blume) Lindley
<i>Dendrobium flavigolle</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Dendrobium geluanum</i> Schltr. = <i>Dendrobium hellwigianum</i> Kraenz.
<i>Dendrobium flavidulum</i> Ridley ex Hook.f. = <i>Dendrobium</i> <i>spigidoglossum</i> Rchb.f.	<i>Dendrobium gemellum</i> Lindley #4 II 64 ORCHIDACEAE
<i>Dendrobium flaviflorum</i> Hayata = <i>Dendrobium chryseum</i> Rolfe	<i>Dendrobium geminiflorum</i> Schltr. = <i>Dendrobium</i> <i>violaceum</i> Kraenzl.
<i>Dendrobium flavispiculum</i> J.J.Sm. = <i>Dendrobium</i> <i>cyanocentrum</i> Schltr.	<i>Dendrobium geotropum</i> T.M.Reeve #4 II 64 ORCHIDACEAE
<i>Dendrobium fleckeri</i> Rupp & C. White #4 II 64 ORCHIDACEAE	<i>Dendrobium gibsonii</i> Lindley #4 II 64 ORCHIDACEAE
<i>Dendrobium flexicaule</i> Z.H.Tsi, S.C.Sum & L.C.Xu #4 II 64 ORCHIDACEAE	<i>Dendrobium giddinsii</i> T.E.Hunt = <i>Dendrobium fellowsii</i> F.Muell.
<i>Dendrobium flexible</i> Ridley #4 II 64 ORCHIDACEAE	<i>Dendrobium giluwense</i> P.Royen = <i>Dendrobium rigidifolium</i> Rolfe
<i>Dendrobium floribundum</i> Rchb.f. = <i>Dendrobium macropus</i> (Endl.) Rchb.f. ex Lindl.	<i>Dendrobium glaucoviride</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Dendrobium foederatum</i> St.Cloud #4 II 64 ORCHIDACEAE	<i>Dendrobium glomeratum</i> Rolfe #4 II 64 ORCHIDACEAE
<i>Dendrobium foelschei</i> F.Muell. #4 II 64 ORCHIDACEAE	<i>Dendrobium glomeratum</i> auct. non Rolfe = <i>Dendrobium</i> <i>pseudoglomeratum</i> T.M.Reeve & J.J.Woods
<i>Dendrobium forbesii</i> Ridley #4 II 64 ORCHIDACEAE	<i>Dendrobium glomeriflorum</i> Kraenzl. = <i>Dendrobium</i> <i>catillare</i> Rchb.f.
<i>Dendrobium formosanum</i> (Rchb.f.) Masamune = <i>Dendrobium nobile</i> Lindley	<i>Dendrobium glossotis</i> Rchb.f. = <i>Dendrobium catillare</i> Rchb.f.
<i>Dendrobium formosum</i> Roxb. ex Lindl. #4 II 64 ORCHIDACEAE	<i>Dendrobium gnomus</i> Ames #4 II 64 ORCHIDACEAE
<i>Dendrobium fornicatum</i> Schltr. = <i>Dendrobium obtusum</i> Schltr.	<i>Dendrobium goldfinchii</i> F. Muell. #4 II 64 ORCHIDACEAE
<i>Dendrobium foxii</i> Ridley #4 II 64 ORCHIDACEAE	
<i>Dendrobium fractiflexum</i> Finet #4 II 64 ORCHIDACEAE	
<i>Dendrobium fractum</i> T.M.Reeve #4 II 64 ORCHIDACEAE	

- Dendrobium goldiei* Rchb.f. = *Dendrobium superbiens* Rchb.f.  
***Dendrobium goldschmidtianum*** Kraenzl #4 II 64  
 ORCHIDACEAE  
*Dendrobium gonzalesii* Quisumb. = *Dendrobium ceraula* Rchb.f.  
*Dendrobium gordoni* S.Moore = *Dendrobium macrophyllum* A.Rich  
***Dendrobium gouldii*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Dendrobium gracile*** (Blume) Lindley #4 II 64  
 ORCHIDACEAE  
*Dendrobium gracile* auct non Lindl. = *Dendrobium setifolium* Ridl.  
*Dendrobium gracile* auct. non. Lindl. = *Dendrobium clavator* Ridley  
*Dendrobium gracile* Kraenzl. non Lindl. = *Dendrobium linearifolium* Teijsm. & Binnend.  
***Dendrobium gracilicaule*** F.Muell. #4 II 64  
 ORCHIDACEAE  
***Dendrobium gracillimum*** (Rupp) Leaney #4 II 64  
 ORCHIDACEAE  
*Dendrobium gracilosum* Clemesha = *Dendrobium gracillimum* (Rupp) Leaney  
***Dendrobium graminifolium*** Lindl. #4 II 64  
 ORCHIDACEAE  
***Dendrobium grande*** Hook.f. #4 II 64 ORCHIDACEAE  
*Dendrobium grande* auct. non Hook.f. = *Dendrobium keithii* Ridl.  
*Dendrobium grandiflorum* Reinw. ex Hook.f. =  
*Bulbophyllum uniflorum* (Blume) Hassk.  
*Dendrobium grantii* C.T.White = *Dendrobium lineale* Rolfe  
***Dendrobium grastidiooides*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Dendrobium gratiosissimum*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium greenianum*** Cribb & B. Lewis #4 II 64  
 ORCHIDACEAE  
***Dendrobium gregulus*** Seidenf. #4 II 64 ORCHIDACEAE  
***Dendrobium griffithianum*** Lindl. #4 II 64  
 ORCHIDACEAE  
***Dendrobium grimesii*** C.T.White & Summerh. #4 II 64  
 ORCHIDACEAE  
*Dendrobium groeneveldtii* J.J.Sm. = *Dendrobium cinereum* J.J.Sm.  
***Dendrobium grootingsii*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Dendrobium guamense*** Ames #4 II 64 ORCHIDACEAE  
***Dendrobium guangxiense*** S.J.Cheng & C.Z.Tang #4 II  
 64 ORCHIDACEAE  
*Dendrobium guibertii* Carriere = *Dendrobium densiflorum* Wallich ex Lindley  
*Dendrobium guilianettii* F.M.Bailey = *Dendrobium mirbelianum* Gaudich.  
*Dendrobium guttatum* J.J.Sm. = *Dendrobium rigidifolium* Rolfe  
***Dendrobium gynoglottis*** Carr #4 II 64 ORCHIDACEAE  
***Dendrobium habbemense*** Van Royen #4 II 64  
 ORCHIDACEAE  
***Dendrobium hainanense*** Rolfe #4 II 64 ORCHIDACEAE  
*Dendrobium hainanense* Masam. & Hayata = *Dendrobium miyakei* Schltr  
***Dendrobium hallieri*** J.J.Sm. #4 II 64 ORCHIDACEAE  
***Dendrobium hamaticalcar*** J.J.Wood & Dauncey #4 II 64  
 ORCHIDACEAE  
***Dendrobium hamatum*** Rolfe #4 II 64 ORCHIDACEAE  
***Dendrobium hamiferum*** P.J.Cribb #4 II 64  
 ORCHIDACEAE  
*Dendrobium hanburyanum* Rchb.f. = *Dendrobium lituiflorum* Lindley  
***Dendrobium hancockii*** Rolfe #4 II 64 ORCHIDACEAE  
*Dendrobium hanifffii* Ridl. = *Dendrobium tortile* Lindley  
*Dendrobium harrisoniae* Hook. 1825 = *Bifrenaria harrisoniae* (Hook.) Rchb.f. (1854)  
***Dendrobium harveyanum*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium hasseltii*** (Blume) Lindley #4 II 64  
 ORCHIDACEAE  
*Dendrobium hasseltii* auct. non Lindl. = *Dendrobium malvicolor* Ridl.  
*Dendrobium hawkesii* Heller = *Dendrobium fimbriatum* Hook.  
*Dendrobium hedyosmum* Bateman = *Dendrobium scabringue* Lindley  
*Dendrobium helena* Chadim = *Dendrobium rigidifolium* Rolfe  
***Dendrobium helix*** P.J.Cribb #4 II 64 ORCHIDACEAE  
***Dendrobium hellwigianum*** Kraenz. #4 II 64  
 ORCHIDACEAE  
***Dendrobium hemimelanoglossum*** Guill. #4 II 64  
 ORCHIDACEAE  
***Dendrobium hendersonii*** A.D.Hawkes & A.H.Heller #4 II  
 64 ORCHIDACEAE  
*Dendrobium hendersonii* (A.D.Hawkes & A.H.Heller)  
*Rauschert* = *Dendrobium hendersonii* A.D.Hawkes &  
 A.H.Heller  
***Dendrobium henryi*** Schltr. #4 II 64 ORCHIDACEAE  
***Dendrobium herbaceum*** Lindley #4 II 64  
 ORCHIDACEAE  
***Dendrobium hercoglossum*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium hercoglossum* auct non Rchb.f. = *Dendrobium faulhaberianum* Schltr.  
*Dendrobium hercoglossum* auct. non Rchb.f. =  
*Dendrobium linguella* Rchb.f.  
***Dendrobium heterocarpum*** Lindley #4 II 64  
 ORCHIDACEAE  
*Dendrobium heterocaulon* Guill. = *Dendrobium exile* Schltr.  
*Dendrobium heterostigma* Rchb.f. = *Dendrobium secundum* (Blume) Lindley ex Wall.  
***Dendrobium heyneanum*** Lindley #4 II 64  
 ORCHIDACEAE  
*Dendrobium hildebrandii* auct. non Rolfe = *Dendrobium heterocarpum* Lindley  
*Dendrobium hildebrandii* Rolfe = *Dendrobium signatum* Rchb.f.  
*Dendrobium hillii* J.D.Hook. = *Dendrobium tarberi* M.A.Clem. & D.L.Jones

- Dendrobium hodgkinsonii** Rolfe #4 II 64  
ORCHIDACEAE
- Dendrobium hollrungii* Kraenzl. = *Dendrobium smilliae* F. Muell.
- Dendrobium hookerianum** Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium hornei** S. Moore & Baker #4 II 64  
ORCHIDACEAE
- Dendrobium hosei** Ridley #4 II 64 ORCHIDACEAE
- Dendrobium hughii** Reichb.f. #4 II 64 ORCHIDACEAE
- Dendrobium humile* Wight = *Dendrobium microbolbon* A. Rich.
- Dendrobium huoshanense** C.Z.Tang & S.J.Cheng #4 II 64 ORCHIDACEAE
- Dendrobium hymenanthurum* Hook.f. non Rchb.f. = *Dendrobium hymenopterum* Hook.f.
- Dendrobium hymenocentrum** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium hymenophyllum** Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium hymenopterum** Hook.f. #4 II 64  
ORCHIDACEAE
- Dendrobium hymenopterum* auct. non Hook.f. = *Dendrobium intricatum* Gagnep.
- Dendrobium igneoniveum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium imperatrix* Kraenzl. = *Dendrobium lineale* Rolfe
- Dendrobium imthurnii* Rolfe = *Dendrobium gouldii* Rchb.f.
- Dendrobium inamoenum** Kraenzl #4 II 64  
ORCHIDACEAE
- Dendrobium inconcinnum* Ridl. = *Dendrobium podagraria* Hook.f.
- Dendrobium incrassatum* (Blume) Miq. = *Dendrobium indivisum* (Blume) Miq.
- Dendrobium incurvifolium* Schltr. = *Dendrobium dendrocolloides* J.J. Smith
- Dendrobium incurvociliatum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium incurvum** Lindl. #4 II 64 ORCHIDACEAE
- Dendrobium indivisum* (Blume) Miq. #4 II 64  
ORCHIDACEAE
- Dendrobium inflatum** Rolfe #4 II 64 ORCHIDACEAE
- Dendrobium informe** J.J. Smith #4 II 64 ORCHIDACEAE
- Dendrobium infractum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium infundibulum* Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium inopinatum* J.J.Sm. = *Dendrobium erosum* (Blume) Lindl.
- Dendrobium insigne** (Blume) H.G. Reichb. ex Miq. #4 II 64 ORCHIDACEAE
- Dendrobium intermedium* Schltr. = *Dendrobium vonpaulsenianum* A.Hawkes
- Dendrobium intricatum** Gagnep. #4 II 64  
ORCHIDACEAE
- Dendrobium intricatum* acut. non Gagnep. = *Dendrobium cumulatum* Lindley
- Dendrobium ionoglossum* Schltr. = *Dendrobium nindii* A.W.Hill
- Dendrobium ionopus* auct. non Rchb.f. = *Dendrobium panduriferum* Hook.f.
- Dendrobium irayense* Ames & Quisumb. = *Dendrobium goldschmidtianum* Kraenzl
- Dendrobium jabiense** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium jacobsonii** J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrobium jamesianum* Rchb.f. = *Dendrobium infundibulum* Lindley
- Dendrobium japonicum* Lindl. = *Dendrobium moniliforme* (L.) Sw.
- Dendrobium jenkinsii** Wallich ex Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium jenkinsii* auct. non Wall. ex Lindl. = *Dendrobium lindleyi* Steud.
- Dendrobium jerdonianum** Wight #4 II 64  
ORCHIDACEAE
- Dendrobium johannis** H.G.Rchb. #4 II 64  
ORCHIDACEAE
- Dendrobium johnsoniae** F. Muell. #4 II 64  
ORCHIDACEAE
- Dendrobium jonesii** Rendle #4 II 64 ORCHIDACEAE
- Dendrobium junceum** Llindl. #4 II 64 ORCHIDACEAE
- Dendrobium juncoideum** P.Royen #4 II 64  
ORCHIDACEAE
- Dendrobium junzaingense* J.J.Sm. = *Dendrobium subacaule* Reinw. ex Lindley
- Dendrobium kaernbachii* Kraenzl. = *Dendrobium smilliae* F. Muell.
- Dendrobium kajewskii* Ames = *Dendrobium conanthum* Schltr.
- Dendrobium kanburicense** Seidenf #4 II 64  
ORCHIDACEAE
- Dendrobium kaudorumii** T.M. Reeve #4 II 64  
ORCHIDACEAE
- Dendrobium keithii** Ridl. #4 II 64 ORCHIDACEAE
- Dendrobium kelsallii** Ridley #4 II 64 ORCHIDACEAE
- Dendrobium kennedyi* Schltr. = *Dendrobium sylvanum* Rchb.f.
- Dendrobium kentrophyllum** Hook.f. #4 II 64  
ORCHIDACEAE
- Dendrobium kerewense* P.Van Royen = *Dendrobium decockii* J.J.Sm.
- Dendrobium kestevenii** Rupp. #4 II 64 ORCHIDACEAE
- Dendrobium keysseri* Schltr. = *Dendrobium nebulosum* Schltr.
- Dendrobium keysianum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium kiauense** Ames & c.Schweinf. #4 II 64  
ORCHIDACEAE
- Dendrobium kingianum** Bidwill ex Lindl. #4 II 64  
ORCHIDACEAE
- Dendrobium klabatense** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium koeteianum* Schltr = *Dendrobium aciculare* Lindl.
- Dendrobium kontumense* Gagnep. = *Dendrobium virgineum* Rchb.f.
- Dendrobium korthalsii** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium kraemerii** Schltr. #4 II 64 ORCHIDACEAE

- Dendrobium kratense* Kerr #4 II 64 ORCHIDACEAE  
*Dendrobium kruicense* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium kuhlii* auct non (Blume) Lindl. = *Dendrobium thyrsodes* Rchb.f.  
*Dendrobium kuhlii* auct. non Lindl. = *Dendrobium malvicolor* Ridl.  
*Dendrobium kuhlii* (Blume) Lindley = *Dendrobium hasseltii* (Blume) Lindley  
*Dendrobium kwashotense* Hayata = *Dendrobium crumenatum* Sw.  
*Dendrobium laciniosum* Ridley = *Flickingeria laciniosa* (Ridl.) A.D.Hawkes  
*Dendrobium laetum* Schltr. = *Dendrobium cuthbertsonii* F. Muell.  
*Dendrobium laevifolium* Stapf #4 II 64 ORCHIDACEAE  
*Dendrobium lamellatum* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium lamelluliferum* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium lamii* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium lampongense* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium lancifolium* A.Rich #4 II 64 ORCHIDACEAE  
*Dendrobium lancilabium* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium lancilobum* J.J.Wood #4 II 64 ORCHIDACEAE  
*Dendrobium lanepoolei* R.Rogers #4 II 64 ORCHIDACEAE  
*Dendrobium langbianense* Gagnep. #4 II 64 ORCHIDACEAE  
*Dendrobium langkawiense* Ridley #4 II 64 ORCHIDACEAE  
*Dendrobium lanyaiae* Seidenf. #4 II 64 ORCHIDACEAE  
*Dendrobium lapeyrouseiodes* Schltr. = *Dendrobium cyanocentrum* Schltr.  
*Dendrobium lasianthera* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium lasioglossum* Rchb.f. #4 II 64 ORCHIDACEAE  
*Dendrobium lateriflorum* Ridl. = *Dendrobium puniceum* Ridl.  
*Dendrobium laurensii* J.J. Smith #4 II 64 ORCHIDACEAE  
*Dendrobium lauterbachianum* A.D.Hawkes = *Dendrobium obtusum* Schltr.  
*Dendrobium lavarackianum* M.A.Clem. #4 II 64 ORCHIDACEAE  
*Dendrobium lawanum* Lindl. = *Dendrobium crepidatum* Lindley & Paxton  
*Dendrobium lawesii* F.Muell. #4 II 64 ORCHIDACEAE  
*Dendrobium lawiense* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium laxiflorum* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium leonis* (Lindl.) Rchb.f. #4 II 64 ORCHIDACEAE  
*Dendrobium leopardinum* Wall. = *Bulbophyllum leopardinum* (Wall.) Lindl.  
*Dendrobium leporinum* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium leptocladum* Hayata #4 II 64 ORCHIDACEAE  
*Dendrobium leucochlorum* Rchb.f. #4 II 64 ORCHIDACEAE  
*Dendrobium leucochysum* Schltr. = *Dendrobium bracteosum* Rchb.f.  
*Dendrobium leucocyanum* T.M.Reeve #4 II 64 ORCHIDACEAE  
*Dendrobium leucohybos* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium leucolophotum* Rchb.f. = *Dendrobium affine* (Decne) Steud.  
*Dendrobium leucorhodum* Schltr. = *Dendrobium anosmum* Lindl.  
*Dendrobium lichenastrum* (Muell.) Nicholls #4 II 64 ORCHIDACEAE  
*Dendrobium lichenicola* J.J.Sm. = *Dendrobium cuthbertsonii* F. Muell.  
*Dendrobium lilacinum* Rch.b.f. non Tijsm. & Binn. = *Dendrobium swartzii* A.D.Hawkes & A.H.Heller  
*Dendrobium lilacinum* Teijsm. & Binn. = *Dendrobium lancifolium* A.Rich  
*Dendrobium limii* J.J.Wood #4 II 64 ORCHIDACEAE  
*Dendrobium linawanum* Rchb.f. #4 II 64 ORCHIDACEAE  
*Dendrobium lindleyanum* Griff. = *Dendrobium nobile* Lindley  
*Dendrobium lindleyi* Steud. #4 II 64 ORCHIDACEAE  
*Dendrobium lineale* Rolfe #4 II 64 ORCHIDACEAE  
*Dendrobium linearifolium* Teijsm. & Binnend. #4 II 64 ORCHIDACEAE  
*Dendrobium linguella* Rchb.f. #4 II 64 ORCHIDACEAE  
*Dendrobium linguella* auct. non Rchb.f. = *Dendrobium hercoglossum* Rchb.f.  
*Dendrobium linguiforme* Sw. #4 II 64 ORCHIDACEAE  
*Dendrobium listeroglossum* Kraenzl. = *Dendrobium parcum* Rchb.f.  
*Dendrobium lithocola* D.L.Jones & M.A.Clements #4 II 64 ORCHIDACEAE  
*Dendrobium litorale* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium lituiflora* (Lindl.) Kuntze = *Dendrobium lituiflorum* Lindley  
*Dendrobium lituiflorum* Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium lobatum* (Blume) Miq. #4 II 64 ORCHIDACEAE  
*Dendrobium lobii* Teysmann & Binnend. #4 II 64 ORCHIDACEAE  
*Dendrobium lobulatum* Rolfe & J.J. Smith #4 II 64 ORCHIDACEAE  
*Dendrobium loddigesii* Rolfe #4 II 64 ORCHIDACEAE (E) Anemone Dendrobie  
*Dendrobium loesenerianum* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium lohoense* T.Tang & F.T.Wang #4 II 64 ORCHIDACEAE  
*Dendrobium lomatochilum* Seidenf. #4 II 64 ORCHIDACEAE  
*Dendrobium lompobatangense* J.J.Sm. = *Dendrobium caliculimentum* R.S. Rogers  
*Dendrobium longicalcaratum* Hayata = *Dendrobium chameleon* Ames

- Dendrobium longicornu** Wall. ex Lindl. #4 II 64  
ORCHIDACEAE  
*Dendrobium longicornu* auct. non Lindl. = *Dendrobium wattii* (Hook.f.) Reichb.f.
- Dendrobium longipes** Hook.f. #4 II 64 ORCHIDACEAE  
*Dendrobium longipetalum* Pers. 1807 = *Lycaste longipetala* (Ruiz & Pav.) Garay 1962
- Dendrobium lowii** Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium lubbersianum* Rchb.f. = *Dendrobium williamsonii* Day & Rchb.f.
- Dendrobium lucens** Rchb.f. #4 II 64 ORCHIDACEAE  
**Dendrobium lueckelianum** Fessel & M.Wolfe #4 II 64 ORCHIDACEAE
- Dendrobium lunatum** Lindle #4 II 64 ORCHIDACEAE  
**Dendrobium luteocilium** Rupp. #4 II 64 ORCHIDACEAE
- Dendrobium mabelae** Gammie #4 II 64 ORCHIDACEAE  
*Dendrobium maboreense* Schltr. = *Dendrobium undatilatum* Schltr.
- Dendrobium macarthiae** Thwaites #4 II 64 ORCHIDACEAE  
*Dendrobium macfarlanei* F.Muell. = *Dendrobium eboracense* Kraenzl  
*Dendrobium macfarlanei* (Rchb.f.) non Muell. = *Dendrobium johnsoniae* F. Muell.
- Dendrobium macgregorii** F.Muell. ex Kraenzl #4 II 64 ORCHIDACEAE
- Dendrobium macranthum** A. Rich. #4 II 64 ORCHIDACEAE  
*Dendrobium macranthum* Hook. = *Dendrobium anosmum* Lindl.
- Dendrobium macrifolium** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium macrogenion** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium macrophyllum** A.Rich #4 II 64 ORCHIDACEAE  
*Dendrobium macrophyllum* auct. non A.Rich = *Dendrobium anosmum* Lindl.
- Dendrobium macropodum** Hook.f. #4 II 64 ORCHIDACEAE
- Dendrobium macropus** (Endl.) Rchb.f. ex Lindl. #4 II 64 ORCHIDACEAE  
*Dendrobium macropus howeanum* (Maiden) P. Green = *Dendrobium comptonii* Rendle
- Dendrobium macrostachyum** Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium madonnae* Rolfe = *Dendrobium rhodostictum* F. Muell. & Kraenzl.
- Dendrobium madrasense* Hawkes = *Dendrobium aphyllum* (Roxb.) C. Fischer
- Dendrobium magistratus** P.J.Cribb #4 II 64 ORCHIDACEAE  
*Dendrobium magnificum* Schltr. = *Dendrobium terreste* J.J. Smith
- Dendrobium maierae** J.J.Sm. #4 II 64 ORCHIDACEAE  
**Dendrobium malbrownii** Dockr. #4 II 64 ORCHIDACEAE
- Dendrobium malvicolor** Ridl. #4 II 64 ORCHIDACEAE  
**Dendrobium mannii** Ridley #4 II 64 ORCHIDACEAE
- Dendrobium manii* auct. non Ridl. = *Dendrobium nathanielis* Rchb.f.  
*Dendrobium margaritaceum* Finet = *Dendrobium christyanum* Rchb.f.
- Dendrobium marginatum* Bateman = *Dendrobium xanthophlebium* Lindl.
- Dendrobium marmoratum** Rchb.f. #4 II 64 ORCHIDACEAE  
*Dendrobium marseillei* Gagnep. = *Dendrobium jenkinsii* Wallich ex Lindley
- Dendrobium masarangense** Schltr #4 II 64 ORCHIDACEAE  
**Dendrobium mayandyi** T.M. Reeve & Renz #4 II 64 ORCHIDACEAE
- Dendrobium megaceras** Hook.f. #4 II 64 ORCHIDACEAE
- Dendrobium melaleucaphilum** M.A.Clem & D.L.Jones #4 II 64 ORCHIDACEAE
- Dendrobium melanochlamys** Holttum #4 II 64 ORCHIDACEAE  
*Dendrobium melanolasium* Gilli = *Dendrobium finisterrae* Schltr.
- Dendrobium melanophtalmum* Rchb.f. = *Dendrobium pendulum* Roxb.
- Dendrobium melinanthum** Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium mellitum* Ridl. = *Dendrobium clavator* Ridley
- Dendrobium metachilium** Reichb.f. #4 II 64 ORCHIDACEAE
- Dendrobium metrium** Kranzlin #4 II 64 ORCHIDACEAE  
*Dendrobium micranthum* (Griff.) Lindl. = *Dendrobium aloifolium* (Blume) Rchb.f.
- Dendrobium microbolbon** A. Rich. #4 II 64 ORCHIDACEAE  
*Dendrobium microbolbon* auct. non A.Rich = *Dendrobium peguanum* (Lindley) Lindley
- Dendrobium microgaphys** Reichb.f. #4 II 64 ORCHIDACEAE
- Dendrobium militare** P.J.Cribb #4 II 64 ORCHIDACEAE  
*Dendrobium milliganii* F.Muell. = *Dendrobium striolatum* Rchb. f.
- Dendrobium mimiense* Schltr. = *Dendrobium constrictum* J.J.Sm.
- Dendrobium minahassae* Kraenzl. = *Dendrobium heterocarpum* Lindley
- Dendrobium minax* Rchb.f. = *Dendrobium bicaudatum* Reinw ex Lindl.
- Dendrobium minimum** Ames & C.Schweinf. #4 II 64 ORCHIDACEAE
- Dendrobium minutiflorum** S.C.Chen & Z.H.Tsi #4 II 64 ORCHIDACEAE  
*Dendrobium minutissimum* F.Muell. = *Bulbophyllum minutissimum* (F.Muell.) F.Muell.
- Dendrobium minutum* Schltr. = *Dendrobium delicatulum* Kraenzl.
- Dendrobium mirbelianum** Gaudich. #4 II 64 ORCHIDACEAE
- Dendrobium miserum** Reichb.f. #4 II 64 ORCHIDACEAE

- Dendrobium mitriferum* J.J.Sm. = *Dendrobium subclausum* Rolfe  
*Dendrobium miyakei* Schltr #4 II 64 ORCHIDACEAE  
*Dendrobium modestissimum* Kraenzl. #4 II 64  
 ORCHIDACEAE  
*Dendrobium modestum* Rchb.f. #4 II 64 ORCHIDACEAE  
*Dendrobium mohlianum* Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium molle* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium monile* (Thunb.) Kraenzl. = *Dendrobium moniliforme* (L.) Sw.  
*Dendrobium moniliforme* (L.) Sw. #4 II 64  
 ORCHIDACEAE  
*Dendrobium monodon* Kraenzl. = *Dendrobium johnsoniae* F. Muell.  
*Dendrobium monophyllum* F. Muell. #4 II 64  
 ORCHIDACEAE  
*Dendrobium montanum* J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Dendrobium monticola* P.Hunt & Summerh. #4 II 64  
 ORCHIDACEAE  
*Dendrobium montigenum* Ridl. = *Dendrobium decockii* J.J.Sm.  
*Dendrobium montis-yulei* Kraenzl. #4 II 64  
 ORCHIDACEAE  
*Dendrobium mooreanum* Lindley #4 II 64  
 ORCHIDACEAE  
*Dendrobium moorei* F. Muell. #4 II 64 ORCHIDACEAE  
*Dendrobium mortii* F. Muell. #4 II 64 ORCHIDACEAE  
*Dendrobium mortii* Benth. = *Dendrobium schoeninum* Lindl.  
*Dendrobium moschatum* (Buch.-Ham.) Sw. #4 II 64  
 ORCHIDACEAE  
*Dendrobium moseleyi* Hemsl. = *Dendrobium purpureum* Roxb.  
*Dendrobium moulmeinense* Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium mucronatum* Seidenf. #4 II 64  
 ORCHIDACEAE  
*Dendrobium multiflorum* Parish & Rchb.f. = *Dendrobium nathanielis* Rchb.f.  
*Dendrobium multiflorum* Ridl. = *Dendrobium sarawakense* Ames  
*Dendrobium multilineatum* Kerr #4 II 64  
 ORCHIDACEAE  
*Dendrobium multiramosum* Ames #4 II 64  
 ORCHIDACEAE  
*Dendrobium munificum* (Finet) Halle #4 II 64  
 ORCHIDACEAE  
*Dendrobium muricatum* Finet #4 II 64 ORCHIDACEAE  
*Dendrobium murkelense* J.J.Sm. = *Dendrobium nebulosum* Schltr.  
*Dendrobium musciferum* Schltr. = *Dendrobium macrophyllum* A.Rich  
*Dendrobium mutabile* (Blume) Lindley #4 II 64  
 ORCHIDACEAE  
*Dendrobium mystroglossum* Schltr. #4 II 64  
 ORCHIDACEAE  
*Dendrobium nanaraauticola* Fukuyama = *Dendrobium delicatulum* Kraenzl.
- Dendrobium nardooides* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium nathanielis* Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium nathanielis* auct. non Rchb.f. = *Dendrobium manii* Ridley  
*Dendrobium navicula* Kraenzl #4 II 64 ORCHIDACEAE  
*Dendrobium nebularum* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium neo-ebudanum* Schltr. = *Dendrobium mohlianum* Rchb.f.  
*Dendrobium neolampangense* Aver. = *Dendrobium porphyrophyllum* Guill.  
*Dendrobium ngoyense* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium nieuwennhuisii* J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Dendrobium nindii* A.W.Hill #4 II 64 ORCHIDACEAE  
*Dendrobium niveum* Rolfe = *Dendrobium johnsoniae* F. Muell.  
*Dendrobium nobile* Lindley #4 II 64 ORCHIDACEAE (E)  
 Dendrobium, Dendrobium Stem  
*Dendrobium normale* Falc. #4 II 64 ORCHIDACEAE  
*Dendrobium nothofagicola* T.M.Reeve #4 II 64  
 ORCHIDACEAE  
*Dendrobium novae-hiberniae* Kraenzl. = *Dendrobium bracteosum* Rchb.f.  
*Dendrobium nubigenum* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium nudum* (Blume) Lindley #4 II 64  
 ORCHIDACEAE  
*Dendrobium nugentii* (F.M.Bailey) D.Jones & M.Clements #4 II 64 ORCHIDACEAE  
*Dendrobium nutans* Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium nycteridoglossum* Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium obcordatum* J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Dendrobium obcuneatum* F.M.Bailey = *Dendrobium nugentii* (F.M.Bailey) D.Jones & M.Clements  
*Dendrobium obrienianum* Kraenzl. #4 II 64  
 ORCHIDACEAE  
*Dendrobium obtusisepalum* J.J.Sm. = *Dendrobium wentianum* J.J.Sm.  
*Dendrobium obtusum* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium occultum* Ames = *Dendrobium laevifolium* Staph  
*Dendrobium ochraceum* De Wild. #4 II 64  
 ORCHIDACEAE  
*Dendrobium ochreatum* Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium odoardi* Kraenzl. #4 II 64 ORCHIDACEAE  
*Dendrobium odontochilum* Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium officinale* Kimura & Migo #4 II 64  
 ORCHIDACEAE  
*Dendrobium okinawense* Hatusima #4 II 64  
 ORCHIDACEAE  
*Dendrobium oliganthum* Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium oligoblepharon* Schltr. = *Dendrobium nardooides* Schltr.  
*Dendrobium oligophyllum* Gagnep. #4 II 64  
 ORCHIDACEAE

- Dendrobium ophioglossum* auct. non Rchb.f. =  
*Dendrobium capituliflorum* Rolfe  
*Dendrobium ophioglossum* Rchb.f. = *Dendrobium smillieae* F. Muell.  
***Dendrobium oppositifolium*** (Kranzlin) Halle #4 II 64  
 ORCHIDACEAE  
*Dendrobium oreocharis* Schltr. = *Dendrobium subacaule*  
 Reinw. ex Lindley  
***Dendrobium oreodoxa*** Schltr. #4 II 64 ORCHIDACEAE  
***Dendrobium oreogenum*** Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium oscari* A.D.Hawkes & A.H.Heller =  
*Dendrobium macropus* (Endl.) Rchb.f. ex Lindl.  
*Dendrobium ostrinoglossum* Rupp. = *Dendrobium lasianthera* J.J.Sm.  
***Dendrobium otaguroanum*** A. Hawkes #4 II 64  
 ORCHIDACEAE  
***Dendrobium ovatum*** (Willd.) Kraenzl. #4 II 64  
 ORCHIDACEAE  
***Dendrobium ovipostoriferum*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Dendrobium oxyanthum* Gagnep. = *Dendrobium faulhaberianum* Schltr.  
*Dendrobium oxyphyllum* Gagnep. = *Dendrobium aphyllum* (Roxb.) C. Fischer  
***Dendrobium paathii*** J.J.Sm #4 II 64 ORCHIDACEAE  
*Dendrobium pachyceras* F.Muell. & Kraenzl. =  
*Dendrobium smillieae* F. Muell.  
***Dendrobium pachyglossum*** Par. & Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium pachyphyllum*** (Kuntze) Bakh.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium pachystele*** Schltr. #4 II 64 ORCHIDACEAE  
***Dendrobium pachythrix*** T.M.Reeve & P.Woods #4 II 64  
 ORCHIDACEAE  
***Dendrobium pahangense*** Carr #4 II 64 ORCHIDACEAE  
***Dendrobium pallidiflavens*** Blume #4 II 64  
 ORCHIDACEAE  
*Dendrobium palmerstoniae* Schltr. = *Dendrobium adae*  
 F.M.Bailey  
***Dendrobium palpebrae*** Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium palustre* L.O.Williams = *Dendrobium nebulosum* Schltr.  
***Dendrobium pandaneti*** Ridley #4 II 64 ORCHIDACEAE  
***Dendrobium panduratum*** Lindley #4 II 64  
 ORCHIDACEAE  
***Dendrobium panduriferum*** Hook.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium paniferum*** J.J. Smith #4 II 64  
 ORCHIDACEAE  
***Dendrobium papilio*** Loher #4 II 64 ORCHIDACEAE  
***Dendrobium papilioniferum*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Dendrobium papuanum*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Dendrobium parciflorum*** Rchb.f. ex Lindley #4 II 64  
 ORCHIDACEAE  
*Dendrobium parcoides* Guillaum = *Dendrobium parcum*  
 Rchb.f.  
***Dendrobium parcum*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Dendrobium parishii*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Dendrobium parthenium*** Reichb.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium parvifolium*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Dendrobium paspalifolium*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Dendrobium patentilobum*** Ames & C.Schweinf. #4 II 64  
 ORCHIDACEAE  
***Dendrobium pauciflorum*** King & Pantl. #4 II 64  
 ORCHIDACEAE  
*Dendrobium paxtonii* Lindl. = *Dendrobium chrysanthum* Wall.  
*Dendrobium paxtonii* Paxton = *Dendrobium fimbriatum* Hook.  
***Dendrobium pectinatum*** Finet #4 II 64 ORCHIDACEAE  
*Dendrobium peculiare* auct non J.J.Sm. = *Dendrobium setifolium* Ridl.  
***Dendrobium pedicellatum*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Dendrobium pedunculatum*** (Clemesha) D.L.Jones &  
 M.A.Clem. #4 II 64 ORCHIDACEAE  
***Dendrobium peguanum*** (Lindley) Lindley #4 II 64  
 ORCHIDACEAE  
***Dendrobium pendulum*** Roxb. #4 II 64 ORCHIDACEAE  
***Dendrobium pentapterum*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Dendrobium percanthum*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium pere-fauriei* Hayata = *Dendrobium tosaense* Makino  
***Dendrobium perula*** Reichb.f. #4 II 64 ORCHIDACEAE  
***Dendrobium perulatum*** Gagnep. #4 II 64  
 ORCHIDACEAE  
***Dendrobium petiolatum*** Schltr. #4 II 64 ORCHIDACEAE  
*Dendrobium petri* Rchb.f. = *Dendrobium mooreanum* Lindley  
***Dendrobium phalaenopsis*** Fitzg. #4 II 64  
 ORCHIDACEAE  
*Dendrobium phlox* Schltr. = *Dendrobium subclausum* Rolfe  
***Dendrobium pictum*** Lindl. #4 II 64 ORCHIDACEAE  
*Dendrobium pictum* Griff. ex Lindl. = *Dendrobium devonianum* Paxton  
*Dendrobium pierardii* (Roxb. ex Hook.) Fischer =  
*Dendrobium aphyllum* (Roxb.) C. Fischer  
*Dendrobium pityphyllum* Schltr. = *Dendrobium violaceum* Kraenzl.  
***Dendrobium planibulbe*** Lindl. #4 II 64 ORCHIDACEAE  
***Dendrobium planum*** J.J. Smith #4 II 64 ORCHIDACEAE  
*Dendrobium platyphyllum* Schltr. = *Dendrobium nycteridoglossum* Rchb.f.  
***Dendrobium pleurodes*** Schltr. #4 II 64 ORCHIDACEAE  
***Dendrobium podagraria*** Hook.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium pogoniates*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium poilanei* auct. non Guillaum = *Dendrobium linguella* Rchb.f.

<i>Dendrobium poilanei</i> Guill. = <i>Dendrobium hercoglossum</i> Rchb.f.	<i>Dendrobium pseudotenenellum</i> Guillaum. #4 II 64 ORCHIDACEAE
<b><i>Dendrobium poissonianum</i></b> Schltr. #4 II 64 ORCHIDACEAE	<i>Dendrobium pseudotokai</i> Kraenzl. = <i>Dendrobium macranthum</i> A. Rich.
<i>Dendrobium polyanthum</i> Lindl. = <i>Dendrobium cretaceum</i> Lindley	<i>Dendrobium psyche</i> Kraenzl. = <i>Dendrobium macrophyllum</i> A.Rich
<i>Dendrobium polycarpum</i> Rchb.f. = <i>Dendrobium mirbelianum</i> Gaudich.	<i>Dendrobium psychrophilum</i> F.Muell. = <i>Pedilochilus psychrophilum</i> (F.Muell.) Ormerod
<b><i>Dendrobium polycladum</i></b> Reichb.f. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium puberilingue</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Dendrobium polyphlebium</i> Rchb.f. = <i>Dendrobium rhodopterygium</i> Rchb.f.	<i>Dendrobium pugentifolium</i> F.Muell. = <i>Dendrobium pugioniforme</i> A.Cunn.
<b><i>Dendrobium polysema</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium pugioniforme</i></b> A.Cunn. #4 II 64 ORCHIDACEAE
<b><i>Dendrobium ponapense</i></b> Schltr. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium pulchellum</i></b> Roxb. ex Lindley #4 II 64 ORCHIDACEAE
<b><i>Dendrobium porphyrochilum</i></b> Lindley #4 II 64 ORCHIDACEAE	<i>Dendrobium pulchellum</i> auct. non Rchb.f. = <i>Dendrobium anosmum</i> Lindl.
<b><i>Dendrobium porphyrophyllum</i></b> Guill. #4 II 64 ORCHIDACEAE	<i>Dendrobium pulchrum</i> Schltr. = <i>Dendrobium polysema</i> Schltr.
<b><i>Dendrobium praeterimissum</i></b> Dauncy #4 II 64 ORCHIDACEAE	<i>Dendrobium pumilio</i> Schltr. = <i>Dendrobium masarangense</i> Schltr
<i>Dendrobium praeustum</i> Kraenzl. = <i>Dendrobium purpureum</i> Roxb.	<i>Dendrobium pumilum</i> Roxb. = <i>Flickingeria pumila</i> (Kuntze) A.D.Hawkes
<b><i>Dendrobium prasinum</i></b> Lindl. #4 II 64 ORCHIDACEAE	<i>Dendrobium pumilum</i> Sw. = <i>Bulbophyllum pumilum</i> (Sw.) Lindl.
<b><i>Dendrobium prianganense</i></b> J.J.Wood #4 II 64 ORCHIDACEAE	<b><i>Dendrobium punamense</i></b> Schltr. #4 II 64 ORCHIDACEAE
<b><i>Dendrobium primulinum</i></b> Lindley #4 II 64 ORCHIDACEAE	<b><i>Dendrobium puniceum</i></b> Ridl. #4 II 64 ORCHIDACEAE
<i>Dendrobium prionochilum</i> F.Muell. & Kraenzl. = <i>Dendrobium sylvanum</i> Rchb.f.	<b><i>Dendrobium purpureiflorum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Dendrobium priscillae</i> A.D.Hawkes = <i>Dendrobium mooreanum</i> Lindley	<b><i>Dendrobium purpureum</i></b> Roxb. #4 II 64 ORCHIDACEAE
<b><i>Dendrobium pristinum</i></b> Ames #4 II 64 ORCHIDACEAE	<i>Dendrobium purpureum</i> acut. non Roxb. = <i>Dendrobium catillare</i> Rchb.f.
<b><i>Dendrobium procumbens</i></b> Carr #4 II 64 ORCHIDACEAE	<i>Dendrobium pusillum</i> D.Don = <i>Dendrobium monticola</i> P.Hunt & Summerh.
<b><i>Dendrobium profusum</i></b> Rchb.f. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium putnamii</i></b> Hawkes & Heller #4 II 64 ORCHIDACEAE
<b><i>Dendrobium prostratum</i></b> Ridl. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium pychnostachyum</i></b> Lindl. #4 II 64 ORCHIDACEAE
<i>Dendrobium prostratum</i> auct. non Ridl. = <i>Dendrobium intricatum</i> Gagnep.	<i>Dendrobium pygmaeum</i> Lindl. = <i>Dendrobium peguanum</i> (Lindley) Lindley
<b><i>Dendrobium proteranthum</i></b> Seidenf. #4 II 64 ORCHIDACEAE	<i>Dendrobium pygmaeum</i> Sm. = <i>Bulbophyllum pygmaeum</i> (Sm.) Lindl.
<b><i>Dendrobium pseudoaloifolium</i></b> J.J. Wood #4 II 64 ORCHIDACEAE	<i>Dendrobium pyropum</i> Ridl. = <i>Dendrobium crocatum</i> Hook.f.
<b><i>Dendrobium pseudocalceolum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Dendrobium quadrialatum</i> J.J.Sm. = <i>Dendrobium bracteosum</i> Rchb.f.
<b><i>Dendrobium pseudoconanthum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium quadrilobatum</i></b> Carr #4 II 64 ORCHIDACEAE
<b><i>Dendrobium pseudoglomeratum</i></b> T.M.Reeve & J.J.Woods #4 II 64 ORCHIDACEAE	<b><i>Dendrobium quadriquetrum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Dendrobium pseudo-hainanense</i> Masam. = <i>Dendrobium miyakei</i> Schltr.	<i>Dendrobium quaifei</i> Rolfe ex Ames = <i>Dendrobium mooreanum</i> Lindley
<b><i>Dendrobium pseudointricatum</i></b> Guillaum. #4 II 64 ORCHIDACEAE	<i>Dendrobium quinquecostatum</i> Schltr. = <i>Dendrobium violaceum</i> Kraenzl.
<i>Dendrobium pseudo-kraemeri</i> Fukuy. = <i>Dendrobium kraemeri</i> Schltr.	<b><i>Dendrobium racemosum</i></b> (Nicholls) Clemesha & Dockrill #4 II 64 ORCHIDACEAE
<i>Dendrobium pseudomohlianum</i> Kraenzl. = <i>Dendrobium lawesii</i> F.Muell.	<b><i>Dendrobium rachmatii</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE
<b><i>Dendrobium pseudopeloricum</i></b> J.J.Sm. #4 II 64 ORCHIDACEAE	<b><i>Dendrobium radians</i></b> Rchb.f. #4 II 64 ORCHIDACEAE
<b><i>Dendrobium pseudorarum</i></b> Dauncey #4 II 64 ORCHIDACEAE	

<i>Dendrobium rajanum</i> J.J.Sm. = <i>Dendrobium kiauense</i> Ames & c.Schweinf.	<i>Dendrobium rigidum</i> R.Br. #4 II 64 ORCHIDACEAE
<i>Dendrobium ramosii</i> Ames #4 II 64 ORCHIDACEAE	<i>Dendrobium rimannii</i> Rchb.f. = <i>Dendrobium calophyllum</i> Rchb.f.
<i>Dendrobium ramosissimum</i> Wight = <i>Dendrobium herbaceum</i> Lindley	<i>Dendrobium rindjaniense</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Dendrobium randaiense</i> Hayata = <i>Dendrobium chameleone</i> Ames	<i>Dendrobium riparium</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Dendrobium randaiense</i> Hayata = <i>Dendrobium ceraula</i> Rchb.f.	<i>Dendrobium rivesii</i> Gagnep. = <i>Dendrobium chryseum</i> Rolfe
<i>Dendrobium rantii</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Dendrobium robertsii</i> F. Muell. ex Rupp. = <i>Dendrobium mortii</i> F. Muell.
<i>Dendrobium rappardii</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Dendrobium robustum</i> Rolfe = <i>Dendrobium sylvanum</i> Rchb.f.
<i>Dendrobium rariflorum</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Dendrobium rolfei</i> Hawkes & Heller = <i>Dendrobium chryseum</i> Rolfe
<i>Dendrobium rarum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Dendrobium roseatum</i> Ridley #4 II 64 ORCHIDACEAE
<i>Dendrobium rarum</i> auct. non Schltr. = <i>Dendrobium pseudorarum</i> Dauncey	<i>Dendrobium roseicolor</i> A.D.Hawkes & A.H.Heller #4 II 64 ORCHIDACEAE
<i>Dendrobium reflexibarbatulum</i> J.J.Sm. #4 II 64 ORCHIDACEAE	<i>Dendrobium roseipes</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Dendrobium reflexitepalum</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Dendrobium rosellum</i> Ridl. #4 II 64 ORCHIDACEAE
<i>Dendrobium regium</i> Prain #4 II 64 ORCHIDACEAE	<i>Dendrobium rosenbergii</i> Teijsm. & Binn. = <i>Dendrobium mirbelianum</i> Gaudich.
<i>Dendrobium reineckeii</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Dendrobium roseoflavidum</i> Schltr. = <i>Dendrobium buffumii</i> A.D.Hawkes
<i>Dendrobium reinwardtii</i> auct. non Lindl. = <i>Dendrobium bullenianum</i> Rchb.f.	<i>Dendrobium roseum</i> Dazell = <i>Dendrobium crepidatum</i> Lindley & Paxton
<i>Dendrobium reinwardtii</i> Lindl. = <i>Dendrobium purpureum</i> Roxb.	<i>Dendrobium roseum</i> Schltr. non Sw. = <i>Dendrobium roseicolor</i> A.D.Hawkes & A.H.Heller
<i>Dendrobium rennellii</i> P.J.Cribb #4 II 64 ORCHIDACEAE	<i>Dendrobium rotundatum</i> (Lindl.) Hook.f. = <i>Epigeneium rotundatum</i> (Lindl.) Summerh.
<i>Dendrobium reptans</i> Sw. = <i>Bulbophyllum nutans</i> (Thouars) Thouars	<i>Dendrobium roxburghii</i> Lindl. = <i>Dendrobium calceolum</i> Roxb.
<i>Dendrobium reticulatum</i> J.J.Sm. = <i>Dendrobium spectatissimum</i> Rchb.f.	<i>Dendrobium roylei</i> Hawkes & Heller = <i>Dendrobium monticola</i> P.Hunt & Summerh.
<i>Dendrobium revolutum</i> Lindley #4 II 64 ORCHIDACEAE	<i>Dendrobium roylei</i> Hiroe = <i>Dendrobium monticola</i> P.Hunt & Summerh.
<i>Dendrobium rex</i> M.A.Clem & D.L.Jones #4 II 64 ORCHIDACEAE	<i>Dendrobium rudolphii</i> A.D.Hawkes & A.H.Heller = <i>Dendrobium hendersonii</i> A.D.Hawkes & A.H.Heller
<i>Dendrobium rhabdoglossum</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Dendrobium ruginosum</i> Ames #4 II 64 ORCHIDACEAE
<i>Dendrobium rhaphioides</i> Schltr. = <i>Dendrobium hellwigianum</i> Kraenz.	<i>Dendrobium rugosum</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Dendrobium rhizophoreti</i> Ridl. = <i>Dendrobium lobatum</i> (Blume) Miq.	<i>Dendrobium ruidilobum</i> J.J.Sm. = <i>Dendrobium cochliodes</i> Schltr.
<i>Dendrobium rhodobotrys</i> Ridl. = <i>Dendrobium obtusum</i> Schltr.	<i>Dendrobium rumphianum</i> Teijsm. & Binn = <i>Dendrobium bicaudatum</i> Reinw ex Lindl.
<i>Dendrobium rhodocentrum</i> Reichb.f. #4 II 64 ORCHIDACEAE	<i>Dendrobium rupestre</i> J.J.Sm. #4 II 64 ORCHIDACEAE
<i>Dendrobium rhododiodes</i> P.Royen = <i>Dendrobium caliculimentum</i> R.S. Rogers	<i>Dendrobium rupicola</i> Rchb.f. = <i>Dendrobium venustum</i> Teijsm. & Binn
<i>Dendrobium rhodopterygium</i> Rchb.f. #4 II 64 ORCHIDACEAE	<i>Dendrobium ruppianum</i> A. Hawkes = <i>Dendrobium jonesii</i> Rendle
<i>Dendrobium rhodosteke</i> Ridl. #4 II 64 ORCHIDACEAE	<i>Dendrobium ruppiosum</i> Clemesha #4 II 64 ORCHIDACEAE
<i>Dendrobium rhodostictum</i> F. Muell. & Kraenzl. #4 II 64 ORCHIDACEAE	<i>Dendrobium rutriferum</i> Rchb.f. #4 II 64 ORCHIDACEAE
<i>Dendrobium rhombeum</i> Lindl. = <i>Dendrobium heterocarpum</i> Lindley	<i>Dendrobium ruttenii</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Dendrobium rhomboglossum</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Dendrobium sacculiferum</i> J.J.Sm. = <i>Dendrobium dillonianum</i> A.D.Hawkes & A.H.Heller
<i>Dendrobium rididum</i> R. Br. #4 II 64 ORCHIDACEAE	<i>Dendrobium sagittatum</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Dendrobium ridleyanum</i> Kerr = <i>Dendrobium hendersonii</i> A.D.Hawkes & A.H.Heller	<i>Dendrobium salaccense</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Dendrobium rigidifolium</i> Rolfe #4 II 64 ORCHIDACEAE	

- Dendrobium salaccense* auct. non Lindl. = *Dendrobium bullenianum* Rchb.f.  
**Dendrobium salmonneum** Schltr. #4 II 64  
 ORCHIDACEAE  
*Dendrobium salmonicolor* Schltr. = *Dendrobium lawesii* F.Muell.  
**Dendrobium sambasanum** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
**Dendrobium samoense** P.J.Cribb #4 II 64  
 ORCHIDACEAE  
**Dendrobium sanctistobalense** P.J.Cribb #4 II 64  
 ORCHIDACEAE  
**Dendrobium sanderae** Rolfe #4 II 64 ORCHIDACEAE  
**Dendrobium sanderianum** Rolfe #4 II 64  
 ORCHIDACEAE  
*Dendrobium sanguineum* (Sw.) Sw. 1799 = *Broughtonia sanguinea* (Sw.) R.Br. (1813)  
**Dendrobium sanguinolentum** Lindl. #4 II 64  
 ORCHIDACEAE  
*Dendrobium sanguinolentum* auct non Lindl. =  
*Dendrobium cumulatum* Lindley  
*Dendrobium sanguinolentum* auct. non Lindl. =  
*Dendrobium calicopis* Ridley  
**Dendrobium sarawakense** Ames #4 II 64  
 ORCHIDACEAE  
*Dendrobium sarcanthum* Lindl. = *Dendrobium cuspidatum* Lindl.  
**Dendrobium sarcochilus** Finet #4 II 64 ORCHIDACEAE  
*Dendrobium sarcopodoides* J.J.Sm. = *Dendrobium simplex* J.J. Smith  
*Dendrobium sarcostoma* Teijsm. & Binn ex Miq =  
*Dendrobium macrophyllum* A.Rich  
*Dendrobium sayeria* Schltr. = *Dendrobium crutwellii* T.M. Reeve  
**Dendrobium scabrifolium** Ridl. #4 II 64 ORCHIDACEAE  
**Dendrobium scabrlingue** Lindley #4 II 64  
 ORCHIDACEAE  
*Dendrobium scabripes* Kraenzl. = *Dendrobium purpureum* Roxb.  
*Dendrobium scarlatinum* Schltr. = *Dendrobium puniceum* Ridl.  
*Dendrobium schmidianum* Kraenzl. = *Dendrobium crumenatum* Sw.  
**Dendrobium schneiderae** Bailey #4 II 64  
 ORCHIDACEAE  
**Dendrobium schoeninum** Lindl. #4 II 64  
 ORCHIDACEAE  
**Dendrobium schroederi** Rolfe #4 II 64 ORCHIDACEAE  
**Dendrobium schuetzei** Rolfe #4 II 64 ORCHIDACEAE  
**Dendrobium schulleri** J.J.Sm. #4 II 64 ORCHIDACEAE  
**Dendrobium schumannianum** Schltr. #4 II 64  
 ORCHIDACEAE  
**Dendrobium scopo** Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium scortechinii* Hook.f. = *Dendrobium anosmum* Lindl.  
**Dendrobium sculptum** Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium sculptum* auct. non Rchb.f. = *Dendrobium virgineum* Rchb.f.
- Dendrobium secundum** (Blume) Lindley ex Wall. #4 II 64  
 ORCHIDACEAE  
*Dendrobium secundum* acut. non (Blume) Lindl. =  
*Dendrobium catillare* Rchb.f.  
*Dendrobium seemannii* L.O.Williams = *Dendrobium vagans* Schltr.  
*Dendrobium seidenfadenii* Senghas & Bockemühl =  
*Dendrobium dickasonii* L.O.Williams  
*Dendrobium semeion* P.van Royen = *Dendrobium vexillarius* J.J. Smith  
*Dendrobium semifuscum* (H.G. Reichb.) Lavarack & Cribb =  
*Dendrobium trilamellatum* J.J.Sm.  
**Dendrobium senile** Parish, ex Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium separatum* Ames = *Dendrobium calcaratum* A.Rich.  
**Dendrobium seranicum** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
**Dendrobium serena-alexianum** J.J.Wood & A.L.Lamb #4 II 64  
 ORCHIDACEAE  
*Dendrobium serpens* (Hook.f.) Hook.f. = *Dendrobium panduriferum* Hook.f.  
*Dendrobium serra* (Lindl.) Lindl. = *Dendrobium aloifolium* (Blume) Rchb.f.  
*Dendrobium sertatum* auct. non Rchb.f. = *Dendrobium taveuniense* Dauncey & P.J.Cribb  
*Dendrobium sertatum* Rolfe = *Dendrobium catillare* Rchb.f.  
**Dendrobium setifolium** Ridl. #4 II 64 ORCHIDACEAE  
*Dendrobium shepherdii* F.Muell. = *Bulbophyllum shepherdii* (F.Muell.) Rchb.f.  
**Dendrobium sidikalangense** Dauncey #4 II 64  
 ORCHIDACEAE  
**Dendrobium signatum** Rchb.f. #4 II 64 ORCHIDACEAE  
*Dendrobium sikkimense* Hawkes & Heller = *Dendrobium pauciflorum* King & Pantl.  
**Dendrobium simondii** Gagnep. #4 II 64 ORCHIDACEAE  
**Dendrobium simplex** J.J. Smith #4 II 64 ORCHIDACEAE  
*Dendrobium simplicissimum* (Lour.) Kraenzl. =  
*Dendrobium crumenatum* Sw.  
**Dendrobium sinense** T.Tang & F.T. Wang #4 II 64  
 ORCHIDACEAE  
*Dendrobium singalanense* Kraenzl. = *Dendrobium hymenopterum* Hook.f.  
**Dendrobium singaporense** A. Hawkes & A.H. Heller #4 II 64  
 ORCHIDACEAE  
**Dendrobium singkawangense** J.J. Smith #4 II 64  
 ORCHIDACEAE  
**Dendrobium sinuatum** Lindley ex Walp. #4 II 64  
 ORCHIDACEAE  
**Dendrobium sinuosum** Ames #4 II 64 ORCHIDACEAE  
**Dendrobium smilliae** F. Muell. #4 II 64 ORCHIDACEAE  
**Dendrobium smithianum** Schltr. #4 II 64  
 ORCHIDACEAE  
**Dendrobium somai** Hayata #4 II 64 ORCHIDACEAE  
*Dendrobium sophronites* Schltr. = *Dendrobium cuthbertsonii* F. Muell.  
**Dendrobium soriense** Howcroft #4 II 64 ORCHIDACEAE

- Dendrobium spatella* Rchb.f. = *Dendrobium acinaciforme* Roxb.  
*Dendrobium spathaceum* Lindl. = *Dendrobium candidum* Wallich ex Lindley  
***Dendrobium spathilingue*** J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Dendrobium spathulatum* Van Royen = *Dendrobium habbemense* Van Royen  
***Dendrobium spathulatum*** L.O. Williams #4 II 64  
 ORCHIDACEAE  
*Dendrobium speciosissimum* Rolfe = *Dendrobium spectatissimum* Rchb.f.  
***Dendrobium speciosum*** Sm. #4 II 64 ORCHIDACEAE  
***Dendrobium spectabile*** (Blume) Miq. #4 II 64  
 ORCHIDACEAE  
***Dendrobium spectatissimum*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium spegidoglossum*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium spegidoglossum* auct. non Rchb.f. =  
*Dendrobium stuposum* Lindley  
***Dendrobium spurium*** (Blume) J.J. Smith #4 II 64  
 ORCHIDACEAE  
***Dendrobium steatoglossum*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium stellare*** Dauncey #4 II 64 ORCHIDACEAE  
***Dendrobium stolleanum*** Schltr. #4 II 64 ORCHIDACEAE  
***Dendrobium stratiotes*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Dendrobium strobloceras*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium strepsiceros*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Dendrobium striatellum*** Carr #4 II 64 ORCHIDACEAE  
*Dendrobium striatum* Griff. = *Bulbophyllum striatum* (Griff.) Rchb.f.  
*Dendrobium strictum* Ridl. = *Dendrobium subclausum* Rolfe  
*Dendrobium strigosum* (Blume) Kuntze = *Dendrobium tetraedre* (Blume) Lindley  
***Dendrobium striolatum*** Rchb. f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium striolatum* F.M.Bailey = *Dendrobium schoeninum* Lindl.  
***Dendrobium strongylanthum*** Reichb.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium stuartii*** F.M.Bailey #4 II 64 ORCHIDACEAE  
*Dendrobium stueberi* Hort. = *Dendrobium lasianthera* J.J.Sm.  
***Dendrobium stuposum*** Lindley #4 II 64 ORCHIDACEAE  
*Dendrobium stuposum* auct. non Lindl. = *Dendrobium spegidoglossum* Rchb.f.  
*Dendrobium suavissimum* acut. non Rchb.f. =  
*Dendrobium lindleyi* Steud.  
*Dendrobium suavissimum* Rchb.f. = *Dendrobium chrysotoxum* Lindley  
***Dendrobium subacaule*** Reinw. ex Lindley #4 II 64  
 ORCHIDACEAE  
*Dendrobium subacaule* sensu Kraenzl. = *Dendrobium puniceum* Ridl.
- Dendrobium subclausum*** Rolfe #4 II 64 ORCHIDACEAE  
***Dendrobium subflavidum*** Ridley #4 II 64  
 ORCHIDACEAE  
***Dendrobium subquadratum*** J.J. Smith #4 II 64  
 ORCHIDACEAE  
***Dendrobium subulatioides*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Dendrobium subulatum*** (Blume) Lindley #4 II 64  
 ORCHIDACEAE  
***Dendrobium subuliferum*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Dendrobium suffusum*** Cady #4 II 64 ORCHIDACEAE  
***Dendrobium sulcatum*** Lindley #4 II 64 ORCHIDACEAE  
***Dendrobium sulphureum*** Schltr. #4 II 64  
 ORCHIDACEAE  
***Dendrobium superbiens*** Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium superbiens* Fitzg. = *Dendrobium superbiens* Rchb.f.  
*Dendrobium superbum* Rchb.f. = *Dendrobium anosmum* Lindl.  
***Dendrobium sutepense*** Rolfe ex Downie #4 II 64  
 ORCHIDACEAE  
***Dendrobium swartzii*** A.D.Hawkes & A.H.Heller #4 II 64  
 ORCHIDACEAE  
***Dendrobium sylvanum*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Dendrobium takahashii*** Carr #4 II 64 ORCHIDACEAE  
***Dendrobium tangerinum*** P.J.Cribb #4 II 64  
 ORCHIDACEAE  
***Dendrobium tapiniense*** T. Reeve #4 II 64  
 ORCHIDACEAE  
***Dendrobium tarberi*** M.A.Clem. & D.L.Jones #4 II 64  
 ORCHIDACEAE  
***Dendrobium tattorianum*** Bateman ex Rchb.f. #4 II 64  
 ORCHIDACEAE  
***Dendrobium taurinum*** Lindl. #4 II 64 ORCHIDACEAE  
***Dendrobium taurulinum*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
***Dendrobium taveuniense*** Dauncey & P.J.Cribb #4 II 64  
 ORCHIDACEAE  
*Dendrobium taylori* F.Muell. = *Dendrobium lichenastrum* (Muell.) Nicholls  
***Dendrobium tenellum*** (Blume) Lindley #4 II 64  
 ORCHIDACEAE  
*Dendrobium tenellum* auct non Lindl. = *Dendrobium pseudotenellum* Guillaum.  
***Dendrobium tenuie*** J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dendrobium tenuicalcar* J.J.Sm. = *Dendrobium violaceum* Kraenzl.  
*Dendrobium tenuissimum* Rupp. 1927 = *Dendrobium mortii* F. Muell.  
***Dendrobium teretifolium*** R.Br. #4 II 64 ORCHIDACEAE  
*Dendrobium teretifolium* Lindl. = *Dendrobium striolatum* Rchb. f.  
***Dendrobium terminale*** Parish & Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Dendrobium terminale* auct. non Par. & Rchb.f. =  
*Dendrobium mannii* Ridley  
*Dendrobium ternatense* J.J.Sm. = *Dendrobium macrophyllum* A.Rich

- Dendrobium terreste** J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrobium tetrachromum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium tetraedre** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium tetraedre auct. non Lindl.* = *Dendrobium exile* Schltr.  
*Dendrobium tetragonum* Cunn. #4 II 64 ORCHIDACEAE
- Dendrobium tetralobum** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium tetrodon** Rchb.f. ex Lindl. #4 II 64  
ORCHIDACEAE
- Dendrobium tetrodon auct. non Rchb.f.* = *Dendrobium stuartii* F.M.Bailey
- Dendrobium thyrsiflorum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium thrysodes** Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrobium tibeticum* Schlechter = *Dendrobium chryseum* Rolfe
- Dendrobium tigrinum* Rolfe ex Hemsl. = *Dendrobium spectabile* (Blume) Miq.
- Dendrobium tixieri* Guill. = *Dendrobium oligophyllum* Gagnep.
- Dendrobium toftii* F.M.Bailey = *Dendrobium nindii* A.W.Hill
- Dendrobium tokai** Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrobium tomohonense* Kraenzl. = *Dendrobium macrophyllum* A.Rich
- Dendrobium topaziacum* Ames = *Dendrobium bullenianum* Rchb.f.
- Dendrobium toppiorum** A.L.Lamb & J.J.Wood #4 II 64  
ORCHIDACEAE
- Dendrobium toressae** (Bailey) Dockrill #4 II 64  
ORCHIDACEAE
- Dendrobium torricellense** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium tortile** Lindley #4 II 64 ORCHIDACEAE
- Dendrobium tortile* A.Cunn. = *Dendrobium monophyllum* F. Muell.
- Dendrobium tosaense** Makino #4 II 64 ORCHIDACEAE
- Dendrobium tozerensis** Lavarack #4 II 64  
ORCHIDACEAE
- Dendrobium trachyphyllum* Schltr. = *Dendrobium cuthbertsonii* F. Muell.
- Dendrobium trachythecе** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium trankimianum** T.Yukawa #4 II 64  
ORCHIDACEAE
- Dendrobium transparens** Wallich ex Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium transtilliferum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium treacherianum** Reichb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium trichostomum** Rchb.f. ex Oliver #4 II 64  
ORCHIDACEAE
- Dendrobium tricostatum* Schltr. = *Dendrobium subacaule* Reinw. ex Lindley
- Dendrobium tricuspe** (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Dendrobium tridentatum** Ames & C.Schweinf. #4 II 64  
ORCHIDACEAE
- Dendrobium trigonopus** Rchb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium trilamellatum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium trinervium acut. non Ridl.* = *Dendrobium deltatum* Seidenf.
- Dendrobium tripetaloides* Roxb. = *Bulbophyllum auricomum* Lindl.
- Dendrobium trisaccatum* Kraenzl. = *Dendrobium bracteosum* Rchb.f.
- Dendrobium triviale* Kraenzl. = *Dendrobium calcaratum* A.Rich.
- Dendrobium tropaeolifolium** Hook.f. #4 II 64  
ORCHIDACEAE
- Dendrobium truncatum** Lindley #4 II 64 ORCHIDACEAE
- Dendrobium tuberiferum* Hook.f. = *Dendrobium planibulbe* Lindl.
- Dendrobium tubiflorum** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium tumidulum* Schltr. = *Dendrobium nebularum* Schltr.
- Dendrobium uliginosum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium umbonatum** Seidenf. #4 II 64  
ORCHIDACEAE
- Dendrobium uncatum** Lindley #4 II 64 ORCHIDACEAE
- Dendrobium uncipes** J.J. Smith #4 II 64 ORCHIDACEAE
- Dendrobium undatilatum** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium undulatum* R.Br. = *Dendrobium discolor* Lindl.
- Dendrobium unicum** Seidenf. #4 II 64 ORCHIDACEAE
- Dendrobium unifoliatum* Schltr. = *Dendrobium petiolatum* Schltr.
- Dendrobium urvillei* Finet = *Dendrobium affine* (Decne) Steud
- Dendrobium uesterioides** Ames #4 II 64 ORCHIDACEAE
- Dendrobium ustulatum** Carr #4 II 64 ORCHIDACEAE
- Dendrobium vacciniifolium* J.J.Sm. = *Dendrobium wentianum* J.J.Sm.
- Dendrobium vagans** Schltr. #4 II 64 ORCHIDACEAE
- Dendrobium vagans* Gagnep. = *Dendrobium fimbriatum* Hook.
- Dendrobium validum* Schltr. = *Dendrobium sylvanum* Rchb.f.
- Dendrobium vandifolium** Finet #4 II 64 ORCHIDACEAE
- Dendrobium vannouhuysii** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium vaupelianum** Kranzlin #4 II 64  
ORCHIDACEAE
- Dendrobium veitchianum* Lindl. = *Dendrobium macrophyllum* A.Rich
- Dendrobium velutinum* Rolfe = *Dendrobium trigonopus* Rchb.f.
- Dendrobium ventricosum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Dendrobium ventrilabium** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium ventripes** Carr #4 II 64 ORCHIDACEAE

- Dendrobium venustum** Teijsm. & Binn #4 II 64  
ORCHIDACEAE
- Dendrobium veratrifolium* Lindl. = *Dendrobium lineale* Rolfe
- Dendrobium veratroides* Bakh.f. = *Dendrobium lineale* Rolfe
- Dendrobium verlaquii* Constantin = *Dendrobium terminale* Parish & Rchb.f.
- Dendrobium verruciferum** Reichb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium verruculosum** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium vexans* Dammer = *Dendrobium hercoglossum* Rchb.f.
- Dendrobium vexillarius** J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrobium victoriae-reginae** Loher #4 II 64  
ORCHIDACEAE
- Dendrobium villosulum** Wall. ex Lindl. #4 II 64  
ORCHIDACEAE
- Dendrobium vinicolor* St. Cloud = *Dendrobium superbiens* Rchb.f.
- Dendrobium violaceoflavens** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium violaceominiatum** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium violaceo-miniatum** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium violaceum** Kraenzl. #4 II 64  
ORCHIDACEAE
- Dendrobium violascens** J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrobium virescens* Ridl. = *Dendrobium panduriferum* Hook.f.
- Dendrobium virginicum** Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrobium viridiroseum* Rchb.f. = *Dendrobium purpureum* Roxb.
- Dendrobium viriditepalum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium virotii** Guillaumin #4 II 64 ORCHIDACEAE
- Dendrobium vitellinum* Kraenzl. = *Dendrobium mohlianum* Rchb.f.
- Dendrobium vonpaulsenianum** A.Hawkes #4 II 64  
ORCHIDACEAE
- Dendrobium vulcanicum* Schltr. = *Dendrobium lancifolium* A.Rich
- Dendrobium wallichii* Hawkes & Heller = *Dendrobium peganum* (Lindley) Lindley
- Dendrobium wangii* C.L.Tso = *Dendrobium hercoglossum* Rchb.f.
- Dendrobium warburgianum* (Kraenzl.) = *Dendrobium lawesii* F.Muell.
- Dendrobium wardianum** Warner #4 II 64  
ORCHIDACEAE
- Dendrobium warianum* Schltr. = *Dendrobium sylvanum* Rchb.f.
- Dendrobium wassellii** S.T.Blake #4 II 64  
ORCHIDACEAE
- Dendrobium waterhousei* Carr = *Dendrobium punamense* Schltr.
- Dendrobium wattii** (Hook.f.) Reichb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium wattii* auct. non Rchb.f. = *Dendrobium williamsonii* Day & Rchb.f.
- Dendrobium wentianum** J.J.Sm. #4 II 64  
ORCHIDACEAE
- Dendrobium wenzelii** Ames #4 II 64 ORCHIDACEAE
- Dendrobium whistleri** P.J.Cribb #4 II 64 ORCHIDACEAE
- Dendrobium whiteanum* T.E.Hunt = *Dendrobium stuartii* F.M.Bailey
- Dendrobium wightii* A.D.Hawkes & A.H.Heller = *Dendrobium graminifolium* Lindl.
- Dendrobium wilkianum* Rupp = *Dendrobium mirbelianum* Gaudich.
- Dendrobium williamsianum** Rchb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium williamsonii** Day & Rchb.f. #4 II 64  
ORCHIDACEAE
- Dendrobium wilmsianum** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium wilsonii** Rolfe #4 II 64 ORCHIDACEAE
- Dendrobium wisselense** P.J.Cribb #4 II 64  
ORCHIDACEAE
- Dendrobium wollastonii* Ridl. = *Dendrobium eximium* Schltr.
- Dendrobium woluense** J.J.Sm. #4 II 64 ORCHIDACEAE
- Dendrobium womersleyi** T.M.Reeve #4 II 64  
ORCHIDACEAE
- Dendrobium woodfordianum* (Maiden) Schltr. = *Dendrobium gouldii* Rchb.f.
- Dendrobium woodsii** P.J.Cribb #4 II 64 ORCHIDACEAE
- Dendrobium wulaiense** Howcroft #4 II 64  
ORCHIDACEAE
- Dendrobium xanthellum* Ridl. = *Dendrobium fulgidum* Schltr.
- Dendrobium xanthoacron** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium xanthogenium** Schltr. #4 II 64  
ORCHIDACEAE
- Dendrobium xanthophlebium** Lindl. #4 II 64  
ORCHIDACEAE
- Dendrobium xichouense** #4 II 64 ORCHIDACEAE
- Dendrobium xiphophyllum** Schltr #4 II 64  
ORCHIDACEAE
- Dendrobium yengiliense** T.M.Reeve #4 II 64  
ORCHIDACEAE
- Dendrobium ypsilon** Seidenf. #4 II 64 ORCHIDACEAE
- Dendrobium zonatum* Rolfe = *Dendrobium moniliforme* (L.) Sw.
- Dendrocereus** spp. B. & R. #4 II 49 CACTACEAE
- Dendrocereus nudiflorus** (Engelmann ex Sauvage) Britton & Rose #4 II 49 CACTACEAE
- Dendrocereus undulosus** (De Candolle) Britton & Rose #4 II 49 CACTACEAE
- Dendrochilum** spp. Blume #4 II 64 ORCHIDACEAE
- Dendrochilum abbreviatum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrochilum album* Ridley #4 II 64 ORCHIDACEAE

- Dendrochilum angustifolium* Ridley #4 II 64  
ORCHIDACEAE
- Dendrochilum aurantiacum* Blume #4 II 64  
ORCHIDACEAE
- Dendrochilum brachyotum* Reichb.f. #4 II 64  
ORCHIDACEAE
- Dendrochilum carnosum* (Ridley) Holttum #4 II 64  
ORCHIDACEAE
- Dendrochilum cornutum* Blume #4 II 64 ORCHIDACEAE
- Dendrochilum crassum* Ridley #4 II 64 ORCHIDACEAE
- Dendrochilum edentulum* Blume #4 II 64 ORCHIDACEAE
- Dendrochilum ellipticum* Ridley #4 II 64 ORCHIDACEAE
- Dendrochilum exalatum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrochilum gracile* (Hook.f.) J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrochilum gramineum* (Ridley) Holttum #4 II 64  
ORCHIDACEAE
- Dendrochilum kingii* (Hook.f.) J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrochilum lewisii* J.J. Wood #4 II 64 ORCHIDACEAE
- Dendrochilum linearifolium* Hook.f. #4 II 64  
ORCHIDACEAE
- Dendrochilum longifolium* Reichb.f. #4 II 64  
ORCHIDACEAE
- Dendrochilum muluense* J.J. Wood #4 II 64  
ORCHIDACEAE
- Dendrochilum occultum* (Thouars) Lindl. = *Bulbophyllum occultum* Thouars
- Dendrochilum odoratum* (Ridley) J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrochilum pallide-flavens* Blume #4 II 64  
ORCHIDACEAE
- Dendrochilum pumilum* Rchb.f. #4 II 64 ORCHIDACEAE
- Dendrochilum raciborskii* J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrochilum rhombophorum* (Rchb.f.) Ames #4 II 64  
ORCHIDACEAE
- Dendrochilum simile* Blume #4 II 64 ORCHIDACEAE
- Dendrochilum vaginatum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Dendrochilum zollingeri* Miq. #4 II 64 ORCHIDACEAE
- Dendrophylax spp.** Reichb.f. #4 II 64 ORCHIDACEAE
- Dendrophylax alcoa* Dod 1983 #4 II 64 ORCHIDACEAE
- Dendrophylax barrettiae* Fawc. & Rendle (1909) = *Campylocentrum arizae-juliae* Ames 1938
- Dendrophylax constanzensis* (Garay) M.A.Nir (2000) #4 II 64 ORCHIDACEAE
- Dendrophylax fawcettii* Rolfe 1888 #4 II 64  
ORCHIDACEAE
- Dendrophylax filiformis* (Sw.) Carlsward & Whitten 2003 #4 II 64 ORCHIDACEAE
- Dendrophylax flexuosus* (Willd.) Urb. 1917 = *Dendrophylax varius* (Gmel.) Urb. 1918
- Dendrophylax funalis* (Sw.) Benth. ex Rolfe (1888) #4 II 64  
ORCHIDACEAE (E) Corded Ghost Orchid
- Dendrophylax gracilis* (Cogn.) Garay 1969 #4 II 64  
ORCHIDACEAE
- Dendrophylax helorrhiza* Dod 1983 = *Campylocentrum helorrhizum* (Dod) Nir 2000
- Dendrophylax hymenanthus* Rchb.f. 1864 = *Dendrophylax varius* (Gmel.) Urb. 1918
- Dendrophylax lindenii* (Lindl.) Benth. ex Rolfe 1888 #4 II 64 ORCHIDACEAE
- Dendrophylax macrocarpa* (Dod) Carlsward & Whitten 2003 #4 II 64 ORCHIDACEAE
- Dendrophylax porrectus* (Rchb.f.) Carlsward & Whitten 2003 #4 II 64 ORCHIDACEAE
- Dendrophylax sallei* (Rchb.f.) Benth. ex Rolfe 1888 #4 II 64 ORCHIDACEAE
- Dendrophylax serpentilingua* (Dod) M.A.Nir (2000) #4 II 64 ORCHIDACEAE
- Dendrophylax varius* (Gmel.) Urb. 1918 #4 II 64 ORCHIDACEAE
- Dendorkis galeata* (Sw.) Kuntze = *Polystachya galeata* (Sw) Rchb.f.
- Denmoza spp.** B. & R. #4 II 49 CACTACEAE
- Denmoza erythrocephala* (Schumann) Berger = *Denmoza rhodacantha* (Salm-Dyck) Britton & Rose
- Denmoza rhodacantha** (Salm-Dyck) Britton & Rose #4 II 49 CACTACEAE
- Dennstaedtia incisa* = *Dicksonia incisa* Féé 1866
- Deppia mexicana* Raf. 1837 = *Lycaste deppei* (G.Lodd.) Lindl. 1843
- Désespoir des singes (F): *Araucaria araucana*
- Devil-pepper, Snake-root (E): *Rauvolfia serpentina*
- Diacalpe microphylla* Moore 1857 = *Cyathea microphylla* Mett.
- Diacrium amazonicum* Schltr. 1925 = *Caularathron amazonicum* (Schltr.) H.G.Jones 1968
- Diacrium bicornutum* Benth. 1881 = *Caularathron bicornutum* (Hook.) Raf. 1836
- Diacrium bidentatum* (Lindl.) Hemsl. = *Encyclia boothiana* (Lindley) Dressler
- Diacrium bigibbosum* (Rchb.f.) Hemsl. (1883) = *Caularathron bilamellatum* (Rchb.f.) R.E.Schult. 1958
- Diacrium bilamellatum* (Rchb.f.) Hemsl. (1883) = *Caularathron bilamellatum* (Rchb.f.) R.E.Schult. 1958
- Diacrium bivalvatulum* Schltr. (1923) = *Caularathron bilamellatum* (Rchb.f.) R.E.Schult. 1958
- Diacrium indivisum* (Bradford ex Griseb.) Broadway (1895) = *Caularathron bilamellatum* (Rchb.f.) R.E.Schult. 1958
- Diacrium ulmkei* Kraenzl. 1927 = *Caularathron bilamellatum* (Rchb.f.) R.E.Schult. 1958
- Diacrium venezuelanum* Schltr. 1919 = *Caularathron bilamellatum* (Rchb.f.) R.E.Schult. 1958
- Diadenium spp.** Poepp. & Endl. #4 II 64 ORCHIDACEAE
- Diadenium bennettii* Garay 1967 = *Systeloglossum bennettii* (Garay) Dressler & N.H.Williams 1970
- Diadenium ecuadorensis* Garay 1954 = *Systeloglossum ecuadorensis* (Garay) Dressler & N.H.Williams
- Diaphananthe spp.** Schlechter #4 II 64 ORCHIDACEAE
- Diaphananthe acuta* (Ridley) Schltr. #4 II 64  
ORCHIDACEAE
- Diaphananthe bidens* #4 II 64 ORCHIDACEAE
- Diaphananthe brevifolia* (Summerh.) Summerh. #4 II 64  
ORCHIDACEAE

- Diaphananthe bueae* (Schltr.) Schltr. #4 II 64  
ORCHIDACEAE
- Diaphananthe curvata* #4 II 64 ORCHIDACEAE
- Diaphananthe divitiflora* (Kraenzlin) Schltr. #4 II 64  
ORCHIDACEAE
- Diaphananthe dorothaea* (Rendle) Summerh. #4 II 64  
ORCHIDACEAE
- Diaphananthe fragrantissima* #4 II 64 ORCHIDACEAE
- Diaphananthe globulosocalcara* #4 II 64 ORCHIDACEAE
- Diaphananthe kamerunensis* #4 II 64 ORCHIDACEAE
- Diaphananthe laticalcar* J. Hall #4 II 64 ORCHIDACEAE
- Diaphananthe longicalcar* (Summerh.) Summerh. #4 II 64  
ORCHIDACEAE
- Diaphananthe millarii* (Bolus) H.P.Linder #4 II 64  
ORCHIDACEAE
- Diaphananthe montana* (Piers) P.J.Cribb & J.Stewart #4 II 64  
ORCHIDACEAE
- Diaphananthe obanensis* #4 II 64 ORCHIDACEAE
- Diaphananthe ovalis* Summerh. #4 II 64 ORCHIDACEAE
- Diaphananthe papagayi* (Reichb. f.) Schltr. #4 II 64  
ORCHIDACEAE
- Diaphananthe pellucida* #4 II 64 ORCHIDACEAE
- Diaphananthe plehniana* #4 II 64 ORCHIDACEAE
- Diaphananthe polydactyla* (Kraenzl.) Summerh. #4 II 64  
ORCHIDACEAE
- Diaphananthe rohrii* #4 II 64 ORCHIDACEAE
- Diaphananthe rutila* #4 II 64 ORCHIDACEAE
- Diaphananthe schimperiana* #4 II 64 ORCHIDACEAE
- Diaphananthe subclavata* #4 II 64 ORCHIDACEAE
- Diaphananthe suborbicularis* Summerh. #4 II 64  
ORCHIDACEAE
- Diaphananthe vandaeformis* #4 II 64 ORCHIDACEAE
- Diaphananthe xanthopollinia* #4 II 64 ORCHIDACEAE
- Diceratostele spp.** Summerh. #4 II 64 ORCHIDACEAE
- Diceratostele gabonensis* Summerh. #4 II 64  
ORCHIDACEAE
- Dicerostylis spp.** Blume #4 II 64 ORCHIDACEAE
- Dichaea spp.** Lindl. #4 II 64 ORCHIDACEAE
- Dichaea acostaei* Schltr. #4 II 64 ORCHIDACEAE
- Dichaea acroblephara* Schltr. #4 II 64 ORCHIDACEAE
- Dichaea amparoana* Schltr. #4 II 64 ORCHIDACEAE
- Dichaea anchoraelabia* C. Schw. #4 II 64 ORCHIDACEAE
- Dichaea brachypoda* Rchb.f. #4 II 64 ORCHIDACEAE
- Dichaea calyculata* P. & E. #4 II 64 ORCHIDACEAE
- Dichaea cryptarrhena* Reichb.f. ex Kranzlin #4 II 64  
ORCHIDACEAE
- Dichaea diandra* Reichb.f. #4 II 64 ORCHIDACEAE
- Dichaea ecuadorensis* Schltr. #4 II 64 ORCHIDACEAE
- Dichaea glabrescens* Kranzlin #4 II 64 ORCHIDACEAE
- Dichaea gracillima* C. Schweinf. #4 II 64 ORCHIDACEAE
- Dichaea graminoides* (Sw.) Lindl. #4 II 64 ORCHIDACEAE
- Dichaea histrio* Rchb.f. #4 II 64 ORCHIDACEAE
- Dichaea hystricina* Rchb.f. #4 II 64 ORCHIDACEAE
- Dichaea intermedia* Ames & Correll #4 II 64  
ORCHIDACEAE
- Dichaea laxa* (R. & P.) R. & E. #4 II 64 ORCHIDACEAE
- Dichaea oerstedii* Reichb.f. #4 II 64 ORCHIDACEAE
- Dichaea ovipetala* Schltr. #4 II 64 ORCHIDACEAE
- Dichaea oxyglossa* Schltr. #4 II 64 ORCHIDACEAE
- Dichaea poicillantha* Schltr. #4 II 64 ORCHIDACEAE
- Dichaea richii* Dodson #4 II 64 ORCHIDACEAE
- Dichaea riopalenquensis* Dodson #4 II 64 ORCHIDACEAE
- Dichaea rubroviolacea* Dodson #4 II 64 ORCHIDACEAE
- Dichaea tamboensis* Dodson #4 II 64 ORCHIDACEAE
- Dichaea wercklei* Schltr. #4 II 64 ORCHIDACEAE
- Dichorexia gigantea* (Wall. ex Hook. 1844) C.C.Presl.  
1848 = *Alsophila gigantea* Wall. ex Hook. 1844
- Dichorexia latebrosa* (Wall. ex Hook. 1844) C.C.Presl.  
1848 = *Alsophila latebrosa* Wall. ex Hook. 1844
- Dichromanthus spp.** Garay #4 II 64 ORCHIDACEAE
- Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas  
#4 II 64 ORCHIDACEAE
- Dichromanthus aurantiacus* (Lex.) #4 II 64  
ORCHIDACEAE
- Dichromanthus cinnabarinus* (Lex.) Garay #4 II 64  
ORCHIDACEAE
- Dichromanthus michuacanus* (La Llave & Lex.) Salazar &  
Soto Arenas #4 II 64 ORCHIDACEAE
- Dicksonia spp.** L.O.Williams #4 II 64 ORCHIDACEAE
- Dicksonia spp.** L'Herit. #4 II/NC 50 DICKSONIACEAE
- Dicksonia antarctica** Labill. 1806 DICKSONIACEAE (E)  
Australian Tree Fern, Bristly Tree Fern, Soft Tree Fern
- Dicksonia antarctica* Hook. f. 1854 = *Dicksonia fibrosa*  
Colenso 1844
- Dicksonia arborescens** (L'Hérit. 1788)  
DICKSONIACEAE
- Dicksonia archboldii** Copel. 1942 DICKSONIACEAE
- Dicksonia assamica* (Hook. 1844) Griff. 1849 = *Cibotium barometz* (L.1753) J. Smith 1842
- Dicksonia auricoma* (Kaulf. 1824) Spr. 1827 = *Dicksonia arborescens* (L'Hérit. 1788)
- Dicksonia barometz* (L. 1753) Hook. & Baker 1866 =  
*Cibotium barometz* (L.1753) J. Smith 1842
- Dicksonia baudouini** Fourn. 1873 DICKSONIACEAE
- Dicksonia berteriana** (Colla) Hook. #4 II 50  
DICKSONIACEAE
- Dicksonia billardieri* F.Muell 1882 = *Dicksonia fibrosa*  
Colenso 1844
- Dicksonia blumei** (Kunze 1848) Moore 1860  
DICKSONIACEAE
- Dicksonia brackenridgei** Mett.1861 DICKSONIACEAE
- Dicksonia chrysotricha* (Hassk. 1856) Moore 1860 =  
*Dicksonia blumei* (Kunze 1848) Moore 1860
- Dicksonia deplanchei* Viell. ex Baker 1874 = *Dicksonia baudouini* Fourn. 1873
- Dicksonia externa** Skottsb. 1953 #4 II 50  
DICKSONIACEAE
- Dicksonia fibrosa** Colenso 1844 DICKSONIACEAE
- Dicksonia ghiesbrechtii* Maxon 1913 = *Dicksonia sellowiana*  
Hook.
- Dicksonia gigantea* H.Karst. 1869 = *Dicksonia sellowiana*  
Hook.
- Dicksonia glauca* J.Sm. 1808 = *Cibotium barometz*  
(L.1753) J. Smith 1842

- Dicksonia gracilis* Col. 1883 = *Dicksonia squarrosa* (G. Forst.) SW.
- Dicksonia grandis*** Rosenst. 1908 DICKSONIACEAE
- Dicksonia hieronymii*** Brause 1920 DICKSONIACEAE
- Dicksonia incisa*** Féé 1866 DICKSONIACEAE
- Dicksonia integra* SW. 1801 = *Dicksonia arborescens* (L'Hérit. 1788)
- Dicksonia karsteniana* (Klotzsch 1847) Moore 1860 = *Dicksonia sellowiana* Hook.
- Dicksonia lanata*** Colenso 1844 DICKSONIACEAE
- Dicksonia lanigera*** Holttum 1962 DICKSONIACEAE
- Dicksonia ledermannii* Brause 1929 = *Dicksonia grandis* Rosenst. 1908
- Dicksonia lobularia* H. Christ 1906 = *Dicksonia sellowiana* Hook.
- Dicksonia lobulata* H. Christ = *Dicksonia sellowiana* Hook.
- Dicksonia mollis*** Holttum 1962 DICKSONIACEAE
- Dicksonia navarrensis* H. Christ 1906 = *Dicksonia sellowiana* Hook.
- Dicksonia organensis* Miers ex J. Sm. 1842 = *Dicksonia sellowiana* Hook.
- Dicksonia schlechteri* Brause 1912 = *Dicksonia grandis* Rosenst. 1908
- Dicksonia sciurus*** C. Christensen 1937 DICKSONIACEAE
- Dicksonia sellowiana*** Hook. #4 II 50 DICKSONIACEAE
- Dicksonia sparmanniana* Col. 1880 = *Dicksonia fibrosa* Colenso 1844
- Dicksonia spruceana* Mett. ex Kuhn 1869 = *Dicksonia sellowiana* Hook.
- Dicksonia squarrosa*** (G. Forst.) SW. II DICKSONIACEAE (E) Rough Tree Fern
- Dicksonia squarrosa* var. *gracilis* Col 1883 = *Dicksonia squarrosa* (G. Forst.) SW.
- Dicksonia stuebelii*** Hieron 1906 #4 II 50 DICKSONIACEAE
- Dicksonia thyrsopteroides*** Mett. 1861 DICKSONIACEAE
- Dicksonia youngiae*** C. Moore DICKSONIACEAE
- Dictyophyllaria* spp.** Garay #4 II 64 ORCHIDACEAE
- Didactyle antennifera* Lindl. = *Bulbophyllum geraense* Rchb.f.
- Didactyle atropurpurea* Barb. Rodr. = *Bulbophyllum atropurpureum* Barb. Rodr.
- Didactyle bidentata* Barb. Rodr. = *Bulbophyllum bidentatum* (Barb. Rodr.) Cogn.
- Didactyle cantagallense* Barb. Rodr. = *Bulbophyllum cantagallense* (Barb. Rodr.) Cong.
- Didactyle claussenii* Lindl. = *Bulbophyllum claussenii* Rchb.f.
- Didactyle exaltata* (Lindl.) Lindl. = *Bulbophyllum exaltatum* Lindl.
- Didactyle galeata* Barb. Rodr. = *Bulbophyllum chloroglossum* Rchb.f.
- Didactyle gladiata* Lindl. = *Bulbophyllum meridense* Rchb.f.
- Didactyle granulosa* Barb. Rodr. = *Bulbophyllum granulosum* Barb. Rodr.
- Didactyle laciniata* Barb. Rodr. = *Bulbophyllum laciniatum* (Barb. Rodr.) Cogn.
- Didactyle meridensis* (Rchb.f.) Lindl. = *Bulbophyllum meridense* Rchb.f.
- Didactyle micropetala* Barb. Rodr. = *Bulbophyllum cribbianum* Toscano
- Didactyle nemorosa* Barb. Rodr. = *Bulbophyllum nemorosum* (Barb. Rodr.) Cogn.
- Didactyle ochracea* Barb. Rodr. = *Bulbophyllum ochraceum* (Barb. Rodr.) Cogn.
- Didactyle plumosa* Barb. Rodr. = *Bulbophyllum plumosum* (Barb. Rodr.) Cogn.
- Didactyle quadricolor* Barb. Rodr. = *Bulbophyllum quadricolor* (Barb. Rodr.) Cogn.
- Didactyle regnellii* (Rchb.f.0 Rodr. = *Bulbophyllum regnelli* Rchb.f.
- Didactyle tripetala* (Lindl.) Linden = *Bulbophyllum tripetalum* Lindl.
- Didactyle weddelii* Lindl. = *Bulbophyllum weddelii* (Lindl.) Rchb.f.
- Didiciea* spp.** King & Prain #4 II 64 ORCHIDACEAE
- Didiciea cunninghamii* King & Prain ex King & Pantl. #4 II 64 ORCHIDACEAE
- Didierea* spp.** Baill. #4 II DIDIEREACEAE
- Didierea ascendens* Drake #4 II DIDIEREACEAE
- DIDIEREACEAE spp. Radlk. #4 II (E) Alluaudias, didiereas (S) Didiereas (F) Didiéracées
- Didiéracées (F): *Didiereaceae*
- Didiera comosa* Drake #4 II DIDIEREACEAE
- Didiera dumosa* Drake #4 II DIDIEREACEAE
- Didiera madagascariensis* Baillon #4 II DIDIEREACEAE
- Didiera mirabilis* Baill. #4 II DIDIEREACEAE
- Didiera procera* Drake #4 II DIDIEREACEAE
- Didiereas (S): *Didiereaceae*
- didiereas, Alluaudias, (E): *Didiereaceae*
- Didiera trollii* Capuron & Rauh #4 II DIDIEREACEAE
- Didymoplexiella* spp.** Garay #4 II 64 ORCHIDACEAE
- Didymoplexiella ornata* (Ridley) Garay #4 II 64 ORCHIDACEAE
- Didymoplexis* spp.** Griff. #4 II 64 ORCHIDACEAE
- Didymoplexis cornuta* J.J. Smith #4 II 64 ORCHIDACEAE
- Didymoplexis flexipes* J.J. Smith #4 II 64 ORCHIDACEAE
- Didymoplexis minor* J.J. Smith #4 II 64 ORCHIDACEAE
- Didymoplexis obreniformis* J.J. Smith #4 II 64 ORCHIDACEAE
- Didymoplexis pallens* Griffith #4 II 64 ORCHIDACEAE
- Didymoplexis striata* J.J. Smith #4 II 64 ORCHIDACEAE
- Didymoplexis verrucosa* J.L. Stewart & Hennessy #4 II 64 ORCHIDACEAE
- Dienia* spp. Lindl. #4 II 64 ORCHIDACEAE
- Dienia ophrydis* (J. Koenig) Seidenf. #4 II 64 ORCHIDACEAE
- Diglyphosa* spp.** Blume #4 II 64 ORCHIDACEAE
- Diglyphosa evrardii* (Gagnepain) Tang & Wang #4 II 64 ORCHIDACEAE
- Diglyphosa latifolia* Blume #4 II 64 ORCHIDACEAE
- Diglyphosa macrophylla* King & Pantl. #4 II 64 ORCHIDACEAE
- Dignathe* spp. Lindl. #4 II 64 ORCHIDACEAE
- Dignathe pygmaeus* Lindley #4 II 64 ORCHIDACEAE

- Dilochia spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Dilochia wallichii* Lindley #4 II 64 ORCHIDACEAE  
**Dilomilis spp.** Rafin. #4 II 64 ORCHIDACEAE  
*Dilomilis bissei* H.Dietr. 1984 #4 II 64 ORCHIDACEAE  
*Dilomilis elata* (Benth. & Hook.) Summerh. 1961 #4 II 64 ORCHIDACEAE  
*Dilomilis filicina* Dod = *Tomzanonia filicina* (Dod) Nir 1997  
*Dilomilis montana* (Sw.) Summerh. 1961 #4 II 64 ORCHIDACEAE  
*Dilomilis nodosa* (Cogn.) Summerh. = *Domingoa nodosa* (Cogn.) Schltr.  
*Dilomilis oligophylla* (Schltr.) Summerh. 1961 #4 II 64 ORCHIDACEAE  
*Dilomilis scirpoidea* (Schltr.) Surmmerh. 1951 #4 II 64 ORCHIDACEAE  
*Dilomilis serrata* (Hook.) Raf. 1836 = *Dilomilis montana* (Sw.) Summerh. 1961  
**Dimerandra spp.** Schltr. #4 II 64 ORCHIDACEAE  
*Dimerandra emarginata* (G.mey) Hoehne #4 II 64 ORCHIDACEAE  
**Dimorphorchis spp.** Rolfe #4 II 64 ORCHIDACEAE  
*Dimorphorchis lowii* #4 II 64 ORCHIDACEAE  
*Dinema spp.* Lindl. #4 II 64 ORCHIDACEAE  
*Dinema paleaceum* Lindl. = *Nidema boothii* (Lindl.) Schltr. 1922  
*Dinema polybulbon* (Sw.) Lindl. #4 II 64 ORCHIDACEAE  
**Dinklagiella spp.** Mansf. #4 II 64 ORCHIDACEAE  
*Diodonopsis spp.* #4 II 64 ORCHIDACEAE  
*Diodonopsis anachaeta* (Rchb.f.) Pridgeon & M.W.Chase #4 II 64 ORCHIDACEAE  
*Diodonopsis erinacea* (Rchb.f.) Pridgeon & M.W.Chase #4 II 64 ORCHIDACEAE  
*Diodonopsis hoeijeri* (Luer & Hirtz.) Pridgeon & M.W.Chase #4 II 64 ORCHIDACEAE  
*Diodonopsis pterygiophora* (Luer & Escobar) Pridgeon & M.W.Chase #4 II 64 ORCHIDACEAE  
*Diodonopsis pygmaea* Kraenzl. #4 II 64 ORCHIDACEAE  
*Dionaea corymbosa* (Raf.) Steud. = *Dionaea muscipula* Soland ex Ellis  
*Dionaea muscipula St.Hil.* (sic) = *Dionaea muscipula* Soland ex Ellis  
**Dionaea muscipula** Soland ex Ellis #4 II DROSERACEAE (E) Venus Flytrap (S) Atrapmoscas (F) Dionée attrapemouches  
*Dionaea sensitiva* Salisb. = *Dionaea muscipula* Soland ex Ellis  
*Dionaea sessiliflora* (Raf.) Steud. = *Dionaea muscipula* Soland ex Ellis  
*Dionaea uniflora* (Raf.) Steud. = *Dionaea muscipula* Soland ex Ellis  
Dionée attrapemouches (F): *Dionaea muscipula*  
**Dioon spp.** Lindl. #4 II ZAMIACEAE  
*Dioon aculeatum* Lem. = *Dioon edule* Lindl.  
*Dioon angustifolium* Miq. = *Dioon edule* Lindl.  
**Dioon califanoi** De Luca & Sabato #4 II ZAMIACEAE  
**Dioon caputoi** De Luca, Sabato & Vasq.Torres #4 II ZAMIACEAE  
**Dioon edule** Lindl. #4 II ZAMIACEAE  
**Dioon holmgrenii** De Luca, Sabato & Vasq.Torres #4 II ZAMIACEAE  
*Dioon imbricatum* Miq. = *Dioon edule* Lindl.  
**Dioon mejiae** Standl. & L.O.Williams #4 II ZAMIACEAE  
**Dioon merolae** De Luca, Sabato & Vasq.Torres #4 II ZAMIACEAE  
**Dioon purpusii** Rose #4 II ZAMIACEAE  
**Dioon rzedowskii** De Luca, A.Moretti, Sabato & Vasq.Torres #4 II ZAMIACEAE  
**Dioon sonorense** (De Luca, Sabato & Vasq.Torres) J.Cheznick, T.J.Gregory & S.Salas-Morales #4 II ZAMIACEAE  
**Dioon spinulosum** Dyer #4 II ZAMIACEAE  
*Dioon strobilaceum* Lem. ex DC. = *Dioon edule* Lindl.  
*Dioon strobilosum* Lem. = *Dioon edule* Lindl.  
*Dioscorea* (E): *Dioscorea deltoidea*  
*Dioscorea deltoidea* Wallich ex Kunth #4 II DIOSCOREACEAE (E) Dioscorea, Elephant's Foot, Medicinal Yam (S) Pie de elefante  
*Dioscorea nepalensis* Sweet & Bernardi = *Dioscorea deltoidea* Wallich ex Kunth  
**Diospyros spp.** L. #5 II/NC 51 EBENACEAE  
*Diospyros aculeata* H.Perrier II EBENACEAE  
*Diospyros albidum* (Scott Elliot) = *Diospyros gracilipes* Hiern  
*Diospyros analamerensis* H.Perrier #5 II 51 EBENACEAE  
*Diospyros ankifiensis* H. Perrier #5 II 51 EBENACEAE  
*Diospyros anosivolensis* H.Perrier II EBENACEAE  
*Diospyros anxifiensis* H.Perr. #5 II 51 EBENACEAE  
*Diospyros baroniana* H.Perr. II EBENACEAE  
*Diospyros bamarivensis* H.Perr. II EBENACEAE  
*Diospyros bernieriana* (Baill.) H.Perrier II EBENACEAE  
*Diospyros bernieri* (Hiern) = *Diospyros squamosa* Bojer ex DC.  
*Diospyros bezofensis* H.Perr. II EBENACEAE  
*Diospyros boinensis* (H. Perrier) II EBENACEAE  
*Diospyros boivini* Hiern II EBENACEAE  
*Diospyros calophylla* Hiern II EBENACEAE  
*Diospyros caucaneana* A.Chev. = *Diospyros toxicaria* Hiern  
*Diospyros cinnamomoides* H.Perrier #5 II 51 EBENACEAE  
*Diospyros clusiifolia* (Hiern) G.E.Schatz & Lowry II EBENACEAE  
*Diospyros conifera* H.Perr. II EBENACEAE  
*Diospyros coursiana* H.Perr. II EBENACEAE  
*Diospyros crassiflora* H. Perrier = *Diospyros mcpheeponii* G.E. Schatz & Lowry  
*Diospyros crassiflorides* Ined. = *Diospyros mcpheeponii* G.E. Schatz & Lowry  
*Diospyros cupulifera* H.Perr. II EBENACEAE  
*Diospyros danguyana* H.Perr. II EBENACEAE  
*Diospyros decaryana* H.Perr. II EBENACEAE  
*Diospyros dicorypheoides* H.Perr. #5 II 51 EBENACEAE  
*Diospyros dyccorypheoides* H.Perrier II EBENACEAE  
*Diospyros ebenifera* (Hiern) G.E.Schatz & Lowry II EBENACEAE  
*Diospyros enervis* (H.Perrier) II EBENACEAE  
*Diospyros erinacea* (H.Perrier) II EBENACEAE  
*Diospyros erythrosperma* H.Perr. II EBENACEAE  
*Diospyros ferrea* (Willd.) Bakh. #5 II 51 EBENACEAE

- Diospyros filipes* H.Perrier II EBENACEAE  
*Diospyros fuscovelutina* Baker II EBENACEAE  
*Diospyros geayana* H.Perrier II EBENACEAE  
*Diospyrosgneissicola* (H.Perrier) II EBENACEAE  
*Diospyros gonoclada* (Baker) = *Diospyros sphaerosepala*  
 Baker  
*Diospyros gracilipes* Hiern II EBENACEAE  
*Diospyros greveana* (Pierre) H.Perr. II EBENACEAE  
*Diospyros haplostylis* Boivin ex Hiern II EBENACEAE  
*Diospyros haplostylis* var. *hildebrandtii* Garcke =  
*Diospyros bernieriana* (Baill.) H.Perrier  
*Diospyros hazomainty* H.Perr. II EBENACEAE  
*Diospyros heterosepala* H.Perrier II EBENACEAE  
*Diospyros hildebrandtii* (Garcke) = *Diospyros haplostylis*  
 Boivin ex Hiern  
*Diospyros humbertiana* H.Perr. II EBENACEAE  
*Diospyros humbertii* (H.Perrier) II EBENACEAE  
*Diospyros implexicalyx* H.Perr. II EBENACEAE  
*Diospyros intricata* (H. Perrier) = *Diospyros nidiformis* G.E.  
 Schatz & Lowry  
*Diospyros ketsensis* H.Perr. II EBENACEAE  
*Diospyros laevis* (Bojer ex Dc) = *Diospyros squamosa*  
 Bojer ex DC.  
*Diospyros lamiana* (H.Perrier) II EBENACEAE  
*Diospyros lanceolata* Poir. II EBENACEAE  
*Diospyros latispathulata* H.Perrier II EBENACEAE  
*Diospyros lenticellata* (Baker) = *Diospyros boivini* Hiern  
*Diospyros leucocalyx* (Hiern) = *Diospyros gracilipes* Hiern  
*Diospyros lokohensis* (H.Perrier) II EBENACEAE  
*Diospyros louveli* H.Perr. II EBENACEAE  
*Diospyros madagascariensis* (A.DC.) II EBENACEAE  
*Diospyros madecassa* H.Perrier II EBENACEAE  
*Diospyros magnifolia* (H.Perrier) II EBENACEAE  
*Diospyros manampetsae* H.Perrier II EBENACEAE  
*Diospyros mangabensis* Aug.DC. II EBENACEAE  
*Diospyros mangorensis* H.Perr. II EBENACEAE  
*Diospyros mapingo* H.Perr. II EBENACEAE  
*Diospyros masoalensis* H.Perr. II EBENACEAE  
*Diospyros mcphersonii* G.E. Schatz & Lowry II  
 EBENACEAE  
*Diospyros meeusiana* (H.Perrier) II EBENACEAE  
*Diospyros megasepala* Baker #5 II 51 EBENACEAE  
*Diospyros microrhombus* Hiern II EBENACEAE  
*Diospyros minutiloba* H.Perr. #5 II 51 EBENACEAE  
*Diospyros montigena* (H.Perrier) II EBENACEAE  
*Diospyros myriophylla* (H.Perrier) II EBENACEAE  
*Diospyros myrtifolia* H.Perr. II EBENACEAE  
*Diospyros mytilloides* (H.Perrier) II EBENACEAE  
*Diospyros nidiformis* G.E. Schatz & Lowry #5 II 51  
 EBENACEAE  
*Diospyros obducta* (H.Perrier) II EBENACEAE  
*Diospyros occlusa* H.Perrier II EBENACEAE  
*Diospyros olacinaoides* (H.Perrier) II EBENACEAE  
*Diospyros onivensis* (H. Perrier) = *Diospyros haplostylis*  
 Boivin ex Hiern  
*Diospyros parifolia* H.Perr. II EBENACEAE  
*Diospyros parvifolia* Hiern II EBENACEAE  
*Diospyros perglauca* H. Perrier #5 II 51 EBENACEAE  
*Diospyros perreticulata* H.Perrier II EBENACEAE  
*Diospyros perrieri* Jumelle II EBENACEAE  
*Diospyros pervilleana* (Baill.) G.E. Schatz & Lowry #5 II 51  
 EBENACEAE  
*Diospyros pervillei* Hiern II EBENACEAE  
*Diospyros platycalyx* Hiern II EBENACEAE  
*Diospyros pruinosa* Hiern #5 II 51 EBENACEAE  
*Diospyros quericina* (Baill.) II EBENACEAE  
*Diospyros rubrolanata* (H. Perrier) = *Diospyros haplostylis*  
 Boivin ex Hiern  
*Diospyros sakalavarum* H.Perr. II EBENACEAE  
*Diospyros sclerophylla* H.Perrier II EBENACEAE  
*Diospyros sphaerosepala* Baker II EBENACEAE  
*Diospyros squamosa* Bojer ex DC. #5 II 51 EBENACEAE  
*Diospyros stenocarpa* (H.Perrier) II EBENACEAE  
*Diospyros striicalyx* (H. Perrier) = *Diospyros platycalyx*  
 Hiern  
*Diospyros subacuta* Hiern II EBENACEAE  
*Diospyros subenervis* II EBENACEAE  
*Diospyros subfalciformis* H.Perr. II EBENACEAE  
*Diospyros subsessilifolia* H.Perr. II EBENACEAE  
*Diospyros subtrinervis* H.Perr. II EBENACEAE  
*Diospyros tampinensis* H.Perr. II EBENACEAE  
*Diospyros tetraceros* H.Perr. II EBENACEAE  
*Diospyros tetrapoda* H.Perr. II EBENACEAE  
*Diospyros thouarsii* Hiern #5 II 51 EBENACEAE  
*Diospyros torquata* (H. Perrier) = *Diospyros bernieriana*  
 (Baill.) H.Perrier  
*Diospyros toxicaria* Hiern II EBENACEAE  
*Diospyros tropophylla* (H.Perrier) II EBENACEAE  
*Diospyros urschii* H.Perr. II EBENACEAE  
*Diospyros velutipes* (H.Perrier) G.E.Schatz & Lowry II  
 EBENACEAE  
*Diospyros vera* A.Chev. II EBENACEAE  
*Diospyros vescoi* Hiern II EBENACEAE  
*Diospyros viguieriana* H.Perr. = *Diospyros haplostylis*  
 Boivin ex Hiern  
*Diphyes angustifolia* Blume = *Bulbophyllum angustifolium*  
 (Blume) Lindley  
*Diphyes capitata* Blume = *Bulbophyllum capitatum*  
 (Blume) Lindley  
*Diphyes cernua* Blume = *Bulbophyllum cernuum* (Blume)  
 Lindley  
*Diphyes ciliata* Blume = *Bulbophyllum ciliatum* (Blume)  
 Lindley  
*Diphyes crassifolia* Blume = *Bulbophyllum coniferum*  
 Ridley  
*Diphyes crocea* Blume = *Bulbophyllum croceum* (Blume)  
 Lindley  
*Diphyes flavescens* Blume = *Bulbophyllum flavescens*  
 (Blume) Lindley  
*Diphyes gibbosa* Blume = *Bulbophyllum gibbosum*  
 (Blume) Lindley  
*Diphyes gracile* Blume = *Bulbophyllum schefferi* (Kuntze)  
 Schltr.  
*Diphyes hirsuta* Blume = *Bulbophyllum hirsutum* (Blume)  
 Lindl.  
*Diphyes inaequalis* Blume = *Bulbophyllum inaequale*  
 (Blume) Lindley  
*Diphyes laxiflora* Blume = *Bulbophyllum laxiflorum* (Blume)  
 Lindley

- Diphyes mucronata* Blume = *Bulbophyllum mucronatum* (Blume) Lindley  
*Diphyes mutabilis* Blume = *Bulbophyllum mutable* (Blume) Lindley  
*Diphyes obtusa* Blume = *Bulbophyllum obtusum* (Blume) Lindley  
*Diphyes occulta* (Thouars) Kuntze = *Bulbophyllum occultum* Thouars  
*Diphyes odorata* Blume = *Bulbophyllum odoratum* (Blume) Lindley  
*Diphyes ovalifolia* Blume = *Bulbophyllum ovalifolium* (Blume) Lindley  
*Diphyes pusilla* Blume = *Bulbophyllum ovalifolium* (Blume) Lindley  
*Diphyes sulcata* Blume = *Bulbophyllum sulcatum* (BLume) Lindley  
*Diphyes tenella* Blume = *Bulbophyllum tenellum* (Blume) Lindley  
*Diphyes tenuifolia* Blume = *Bulbophyllum tenuifolium* (Blume) Lindley  
*Diphyes tortuosa* Blume = *Bulbophyllum tortuosum* (Blume) Lindley  
*Diphyes violacea* Blume = *Bulbophyllum violaceum* (Blume) Lindley  
***Diphylax*** spp. Hook.f. #4 II 64 ORCHIDACEAE  
***Diplandorchis*** spp. S.C. Chen #4 II 64 ORCHIDACEAE  
*Diplandorchis sinica* S.C. Chen #4 II 64 ORCHIDACEAE  
***Diplocaulobium*** spp. Kraenzl. #4 II 64 ORCHIDACEAE  
*Diplocaulobium copelandii* (F.M.Bailey) P.F.Hunt #4 II 64 ORCHIDACEAE  
*Diplocaulobium fililobum* (F. Muell.) Kranzlin #4 II 64 ORCHIDACEAE  
*Diplocaulobium longicolle* (Lindl.) Kraenzl. in H.G.A.Engler #4 II 64 ORCHIDACEAE  
*Diplocaulobium masonii* (Rupp) Dockr. #4 II 64 ORCHIDACEAE  
*Diplocaulobium ou-hinnae* (Schltr.) Kranzlin #4 II 64 ORCHIDACEAE  
***Diplocentrum*** spp. Lindl. #4 II 64 ORCHIDACEAE  
***Diplolabellum*** spp. Maekawa #4 II 64 ORCHIDACEAE  
*Diplolabellum coreanum* Maekawa ex Nakai #4 II 64 ORCHIDACEAE  
***Diplomeris*** spp. D. Don #4 II 64 ORCHIDACEAE  
*Diplomeris hirsuta* (Lindley) Lindley #4 II 64 ORCHIDACEAE  
*Diplomeris pulchella* D. Don #4 II 64 ORCHIDACEAE  
***Diploprora*** spp. Hook.f. #4 II 64 ORCHIDACEAE  
*Diploprora championii* Hook.f. #4 II 64 ORCHIDACEAE (E) Champion's Orchid, Snake-tongue Orchid  
***Dipodium*** spp. R. Br. #4 II 64 ORCHIDACEAE  
*Dipodium campanulatum* D.L.Jones #4 II 64 ORCHIDACEAE  
*Dipodium ensifolium* F.Muell. #4 II 64 ORCHIDACEAE  
*Dipodium khasyanum* Griff. = *Sunipia bicolor* Lindl.  
*Dipodium pandanum* Bailey #4 II 64 ORCHIDACEAE  
*Dipodium pictum* (Lindley) H.G.Reichb. #4 II 64 ORCHIDACEAE
- Dipodium pulchellum* D.L.Jones & M.A.Clements #4 II 64  
 ORCHIDACEAE  
*Dipodium purpureum* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Dipodium scandens* (Blume) J.J. Smith #4 II 64  
 ORCHIDACEAE  
***Dipteranthus*** spp. Barb.Rodr. #4 II 64 ORCHIDACEAE  
*Dipteranthus bradei* Schltr. 1922 = *Zygostates bradei* (Schltr.) Garay 1967  
*Dipteranthus corniger* Cogn. 1905 = *Zygostates cornigera* (Cogn.) Toscano (2001)  
*Dipteranthus duchii* Pabst. 1971 = *Zygostates bradei* (Schltr.) Garay 1967  
*Dipteranthus estradae* Dodson 1977 = *Zygostates apiculata* (Lindl.) Toscano 2001  
*Dipteranthus grandiflorus* (Lindl.) Pabst. 1966 = *Zygostates grandiflora* (Lindl.) Mansf. 1938  
*Dipteranthus lindmanii* Kraenzl. 1911 = *Zygostates alleniana* Kraenzl.  
*Dipteranthus linearisepalus* = *Zygostates linearisepala* (Senghas) Toscano (2001)  
*Dipteranthus multiflorus* (Rolfe) I.Bock & Seehawer 1996 = *Zygostates multiflora* (Rolfe) Schltr. 1926  
*Dipteranthus obliquus* (Schnee) Garay & Dunst. 1979 = *Zygostates obliqua* (Schnee) Toscano (2001)  
*Dipteranthus octavioreisii* (Brade) Pabst 1978 = *Zygostates octavioreisii* Porto & Brade 1935  
*Dipteranthus ovatipetalus* Brade 1932 = *Zygostates ovatipetala* (Brade) Toscano (2001)  
*Dipteranthus pellucidus* (Rchb.f.) Cogn. 1905 = *Zygostates pellucida* Rchb.f. 1863  
*Dipteranthus planifolius* (Rchb.f.) Garay 1956 = *Zygostates apiculata* (Lindl.) Toscano 2001  
*Dipteranthus psuedobulbiferus* (Barb.rodr.) Barb.Rodr. 1882 = *Zygostates pellucida* Rchb.f. 1863  
*Dipteranthus pustulatus* (Kraenzl.) Pabst. 1966 = *Zygostates pustulata* (Kraenzl.) Schltr. 1926  
*Dipteryx panamensis* (Pittier) Record & Mell III  
 LEGUMINOSAE  
***Disa*** spp. Bergius #4 II 64 ORCHIDACEAE  
***Disa aconitoides*** Sond. #4 II 64 ORCHIDACEAE  
*Disa adolphi-friderici* Kraenzl. = *Disa ochrostachya* Rchb.f.  
*Disa aemula* Bolus = *Disa cornuta* (L.) Sw.  
***Disa aequiloba*** Summerh. #4 II 64 ORCHIDACEAE  
***Disa alticola*** H.P.Linder #4 II 64 ORCHIDACEAE  
*Disa amblyopetala* Schltr. = *Disa hircicornis* Rchb.f.  
***Disa amoena*** H.P.Linder #4 II 64 ORCHIDACEAE  
***Disa andringitrana*** Schltr. #4 II 64 ORCHIDACEAE  
***Disa aperta*** N.E.Br. #4 II 64 ORCHIDACEAE  
***Disa arida*** Vlok #4 II 64 ORCHIDACEAE  
***Disa aristata*** H.P.Linder #4 II 64 ORCHIDACEAE  
***Disa atricapilla*** (Harv. ex Lindl.) Bolus #4 II 64  
 ORCHIDACEAE  
*Disa attenuata* Lindl. = *Disa sagittalis* (L.f.) Sw.  
*Disa aurantiaca* Rchb.f. = *Disa ochrostachya* Rchb.f.  
***Disa aurata*** (Bolus) Koopowitz & L.T.Parker #4 II 64  
 ORCHIDACEAE  
*Disa bakeri* Rolfe = *Disa stairsii* Kraenzl.  
***Disa barbata*** Sw. #4 II 64 ORCHIDACEAE  
***Disa basutorum*** Schltr. #4 II 64 ORCHIDACEAE

- Disa basutorum* Kraenzl. = *Disa sankeyi* Rolfe  
*Disa begleyi* L.Bolus #4 II 64 ORCHIDACEAE  
*Disa bivalvata* (L.f.) T.Durand & Schinz #4 II 64  
ORCHIDACEAE  
*Disa bodkinii* Bolus #4 II 64 ORCHIDACEAE  
*Disa borbonica* Balf.f. & S.Moore #4 II 64  
ORCHIDACEAE  
*Disa brachyceras* Lindl. #4 II 64 ORCHIDACEAE  
*Disa brevipetala* H.P.Linder #4 II 64 ORCHIDACEAE  
*Disa buchenaviana* Kraenzl. #4 II 64 ORCHIDACEAE  
*Disa caffra* Bolus #4 II 64 ORCHIDACEAE  
*Disa cardinalis* H.P.Linder #4 II 64 ORCHIDACEAE  
*Disa caulescens* Lindl. #4 II 64 ORCHIDACEAE  
*Disa cedarbergensis* H.P.Linder #4 II 64 ORCHIDACEAE  
*Disa celata* Summerh. #4 II 64 ORCHIDACEAE  
*Disa cephalotes* Rchb.f. #4 II 64 ORCHIDACEAE  
*Disa chrysostachya* Sw. #4 II 64 ORCHIDACEAE  
*Disa chrysostachya* auct. non Sw. = *Disa polygonoides* Lindl.  
*Disa clavicornis* H.P.Linder #4 II 64 ORCHIDACEAE  
*Disa coccinea* Kraenzl. = *Disa robusta* N.E.Br.  
*Disa cochlearis* Johnson & Liltved #4 II 64  
ORCHIDACEAE  
*Disa compta* Summerh. = *Disa caffra* Bolus  
*Disa cooperi* Rchb.f. #4 II 64 ORCHIDACEAE  
*Disa cornuta* (L.) Sw. #4 II 64 ORCHIDACEAE  
*Disa crassicornis* Lindl. #4 II 64 ORCHIDACEAE  
*Disa cryptantha* Summerh. #4 II 64 ORCHIDACEAE  
*Disa culveri* Schltr. = *Disa hircicornis* Rchb.f.  
*Disa cylindrica* (Thunb.) Sw. #4 II 64 ORCHIDACEAE  
*Disa danielae* Geerinck #4 II 64 ORCHIDACEAE  
*Disa dichroa* Summerh. #4 II 64 ORCHIDACEAE  
*Disa dracomontana* Schelpe ex H.P.Linder #4 II 64  
ORCHIDACEAE  
*Disa draconis* (L.f.) Sw. #4 II 64 ORCHIDACEAE  
*Disa elegans* Sond. ex Rchb.f. #4 II 64 ORCHIDACEAE  
*Disa eminii* Kraenzl. #4 II 64 ORCHIDACEAE  
*Disa englerana* Kraenzl. #4 II 64 ORCHIDACEAE  
*Disa englerana* auct. non Kraenzl. = *Disa ukingensis* Schltr.  
*Disa equestris* Rchb.f. #4 II 64 ORCHIDACEAE  
*Disa erubescens* Rendle #4 II 64 ORCHIDACEAE  
*Disa esterhuyseniae* Schelpe ex H.P.Linder #4 II 64  
ORCHIDACEAE  
*Disa excelsa* (Thunb.) Sw. = *Disa tripetaloides* (L.f.)  
N.E.Br.  
*Disa extictoria* Rchb.f. #4 II 64 ORCHIDACEAE  
*Disa falcata* Schltr. = *Disa tripetaloides* (L.f.) N.E.Br.  
*Disa fallax* Kraenzl. = *Disa incarnata* Lindl.  
*Disa fanniniaef* Rolfe = *Disa nervosa* Lindl.  
*Disa fasciata* Lindl. #4 II 64 ORCHIDACEAE  
*Disa ferruginea* (Thunb.) Sw. #4 II 64 ORCHIDACEAE  
*Disa filicornis* (L.f.) Thunb. #4 II 64 ORCHIDACEAE  
*Disa fragrans* Schltr. #4 II 64 ORCHIDACEAE  
*Disa galpinii* Rolfe #4 II 64 ORCHIDACEAE  
*Disa gladioliflora* Burch. ex Lindl. #4 II 64  
ORCHIDACEAE  
*Disa glandulosa* Burch. ex Lindl. #4 II 64  
ORCHIDACEAE  
*Disa gracilis* Lindl. = *Disa chrysostachya* Sw.  
*Disa grandiflora* L.f. = *Disa uniflora* P.J.Bergius  
*Disa gregorana* Rendle = *Disa stairsii* Kraenzl.  
*Disa hallackii* Rolfe #4 II 64 ORCHIDACEAE  
*Disa harveiana* Lindl. #4 II 64 ORCHIDACEAE  
*Disa hemisphaerophora* Rchb.f. = *Disa versicolor* Rchb.f.  
*Disa hircicornis* Rchb.f. #4 II 64 ORCHIDACEAE  
*Disa huillensis* Fritsch = *Disa equestris* Rchb.f.  
*Disa buttonii* Rchb.f. = *Disa sanguinea* Sond.  
*Disa incarnata* Lindl. #4 II 64 ORCHIDACEAE  
*Disa intermedia* H.P.Linder #4 II 64 ORCHIDACEAE  
*Disa introrsa* Kurzweil, Liltved & Linder #4 II 64  
ORCHIDACEAE  
*Disa jacottetiae* Kraenzl. = *Disa crassicornis* Lindl.  
*Disa karooica* Johnson & Linder #4 II 64 ORCHIDACEAE  
*Disa katangensis* De Wild. #4 II 64 ORCHIDACEAE  
*Disa kraussii* Rolfe = *Disa pulchra* Sond.  
*Disa laeta* Rchb.f. = *Disa hircicornis* Rchb.f.  
*Disa leopoldii* Kraenzl. = *Disa walleri* Rchb.f.  
*Disa leptostachys* Sond. = *Disa tenuis* Lindl.  
*Disa lineata* Bolus #4 II 64 ORCHIDACEAE  
*Disa longicornu* L.f. #4 II 64 ORCHIDACEAE  
*Disa longifolia* Lindl. #4 II 64 ORCHIDACEAE  
*Disa lutea* H.P.Linder = *Disa tenuifolia* Sw.  
*Disa luxurians* Kraenzl. = *Disa stairsii* Kraenzl.  
*Disa macowanii* Rchb.f. = *Disa versicolor* Rchb.f.  
*Disa macrantha* Sw. = *Disa cornuta* (L.) Sw.  
*Disa maculata* L.f. #4 II 64 ORCHIDACEAE  
*Disa maculata* Harv. ex Lindl. non L.f. = *Disa ocellata* Bolus  
*Disa maculomarronina* McMurtry #4 II 64  
ORCHIDACEAE  
*Disa marlothii* Bolus #4 II 64 ORCHIDACEAE  
*Disa megaceras* Hook.f. = *Disa crassicornis* Lindl.  
*Disa melaleuca* (Thunb.) Sw. = *Disa bivalvata* (L.f.)  
T.Durand & Schinz  
*Disa micropetala* Schltr. #4 II 64 ORCHIDACEAE  
*Disa minax* Kraenzl. = *Disa galpinii* Rolfe  
*Disa miniata* Summerh. #4 II 64 ORCHIDACEAE  
*Disa minor* (Sond.) Rchb.f. #4 II 64 ORCHIDACEAE  
*Disa modesta* Rchb.f. = *Disa vaginata* Harv. ex Lindl.  
*Disa montana* Sond. #4 II 64 ORCHIDACEAE  
*Disa natalensis* Lindl. = *Disa polygonoides* Lindl.  
*Disa neglecta* Sond. #4 II 64 ORCHIDACEAE  
*Disa nervosa* Lindl. #4 II 64 ORCHIDACEAE  
*Disa nigerica* Rolfe #4 II 64 ORCHIDACEAE  
*Disa nivea* H.P.Linder #4 II 64 ORCHIDACEAE  
*Disa nyassana* Schltr. = *Disa zombica* N.E.Br.  
*Disa nyikensis* H.P.Linder #4 II 64 ORCHIDACEAE  
*Disa obtusa* Lindl. #4 II 64 ORCHIDACEAE  
*Disa ocellata* Bolus #4 II 64 ORCHIDACEAE  
*Disa ochrostachya* Rchb.f. #4 II 64 ORCHIDACEAE  
*Disa oligantha* Rchb.f. #4 II 64 ORCHIDACEAE  
*Disa oreophila* Bolus #4 II 64 ORCHIDACEAE  
*Disa ornithantha* Schltr. #4 II 64 ORCHIDACEAE  
*Disa ovalifolia* Sond. #4 II 64 ORCHIDACEAE

- Disa parvilabris* Bolus = *Disa oligantha* Rchb.f.  
*Disa patens* (L.f.) Thunb. = *Disa tenuifolia* Sw.  
*Disa patens* Sw. = *Disa filicornis* (L.f.) Thunb.  
***Disa patula*** Sond. #4 II 64 ORCHIDACEAE  
***Disa perplexa*** H.P.Linder #4 II 64 ORCHIDACEAE  
*Disa perrieri* Schltr. = *Disa caffra* Bolus  
***Disa pillansii*** L.Bolus #4 II 64 ORCHIDACEAE  
*Disa poikilantha* Kraenzl. = *Disa montana* Sond.  
***Disa polygonoides*** Lindl. #4 II 64 ORCHIDACEAE  
***Disa porrecta*** Sw. #4 II 64 ORCHIDACEAE  
*Disa praestans* Kraenzl. = *Disa robusta* N.E.Br.  
*Disa princeae* Kraenzl. = *Disa walleri* Rchb.f.  
***Disa pulchella*** Hochst. ex A.Rich. #4 II 64  
ORCHIDACEAE  
***Disa pulchra*** Sond. #4 II 64 ORCHIDACEAE  
***Disa racemosa*** L.f. #4 II 64 ORCHIDACEAE  
*Disa reflexa* (Lindl.) Rchb.f. = *Disa filicornis* (L.f.) Thunb.  
***Disa rhodantha*** Schltr. #4 II 64 ORCHIDACEAE  
***Disa richardiana*** Lehm. ex Bolus #4 II 64  
ORCHIDACEAE  
*Disa richardiana* Lehm. ex Lindl. = *Disa richardiana* Lehm.  
ex Bolus  
***Disa robusta*** N.E.Br. #4 II 64 ORCHIDACEAE  
***Disa roeperocharoides*** Kraenzl. #4 II 64  
ORCHIDACEAE  
***Disa rosea*** Lindl. #4 II 64 ORCHIDACEAE  
***Disa rungweensis*** Schltr. #4 II 64 ORCHIDACEAE  
*Disa rungweensis rhodesiaca* (Summerh.) Summerh. =  
*Disa zimbabweensis* H.P.Linder  
*Disa rutenbergiana* Kraenzl. = *Disa buchenaviana*  
Kraenzl.  
***Disa sagittalis*** (L.f.) Sw. #4 II 64 ORCHIDACEAE  
***Disa salteri*** G.J.Lewis #4 II 64 ORCHIDACEAE  
***Disa sanguinea*** Sond. #4 II 64 ORCHIDACEAE  
***Disa sankeyi*** Rolfe #4 II 64 ORCHIDACEAE  
***Disa satyriopsis*** Kraenzl. #4 II 64 ORCHIDACEAE  
***Disa saxicola*** Schltr. #4 II 64 ORCHIDACEAE  
*Disa schimperi* N.E.Br. = *Disa scutellifera* A.Rich.  
***Disa schizodiooides*** Sond. #4 II 64 ORCHIDACEAE  
*Disa schlechteriana* Bolus = *Herschelianthe*  
schlechteriana (Bolus) N.C.Anthony  
***Disa scullyi*** Bolus #4 II 64 ORCHIDACEAE  
***Disa scutellifera*** A.Rich. #4 II 64 ORCHIDACEAE  
*Disa secunda* (Thunb.) Sw. = *Disa racemosa* L.f.  
***Disa similis*** Summerh. #4 II 64 ORCHIDACEAE  
***Disa stachyoides*** Rchb. f. #4 II 64 ORCHIDACEAE  
***Disa stairsii*** Kraenzl. #4 II 64 ORCHIDACEAE  
*Disa stenoglossa* Bolus = *Disa patula* Sond.  
*Disa stokoei* L. Bolus = *Disa hallackii* Rolfe  
*Disa stolonifera* Rendle = *Disa eminii* Kraenzl.  
***Disa stricta*** Sond. #4 II 64 ORCHIDACEAE  
*Disa subscutellifera* Kraenzl. = *Disa englerana* Kraenzl.  
***Disa subtenuicornis*** H.P.Linder #4 II 64 ORCHIDACEAE  
*Disa tabularis* Sonder = *Disa obtusa* Lindl.  
***Disa telipogonis*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Disa tenella*** (L.f.) Sw. #4 II 64 ORCHIDACEAE  
***Disa tenuicornis*** Bolus #4 II 64 ORCHIDACEAE
- Disa tenuifolia*** Sw. #4 II 64 ORCHIDACEAE  
***Disa tenuis*** Lindl. #4 II 64 ORCHIDACEAE  
***Disa thodei*** Schltr. ex Kraenzl. #4 II 64 ORCHIDACEAE  
***Disa triloba*** Lindl. #4 II 64 ORCHIDACEAE  
***Disa tripetaloides*** (L.f.) N.E.Br. #4 II 64 ORCHIDACEAE  
*Disa tripetaloides aurata* (Bolus) H.P.Linder = *Disa aurata*  
(Bolus) Koopowitz & L.T.Parker  
***Disa tysonii*** Bolus #4 II 64 ORCHIDACEAE  
***Disa ukingensis*** Schltr. #4 II 64 ORCHIDACEAE  
*Disa uliginosa* Kraenzl. = *Disa saxicola* Schltr.  
***Disa uncinata*** Bolus #4 II 64 ORCHIDACEAE  
***Disa uniflora*** P.J.Bergius #4 II 64 ORCHIDACEAE  
***Disa vaginata*** Harv. ex Lindl. #4 II 64 ORCHIDACEAE  
***Disa vasselotii*** Bolus ex Schltr. #4 II 64 ORCHIDACEAE  
***Disa venosa*** Sw. #4 II 64 ORCHIDACEAE  
*Disa venosa* Lindl. = *Disa tripetaloides* (L.f.) N.E.Br.  
***Disa verdickii*** De Willd. #4 II 64 ORCHIDACEAE  
***Disa versicolor*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Disa walleri*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Disa welwitschii*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Disa welwitschii* auct. non Rchb.f. = *Disa*  
roeperocharoides Kraenzl.  
*Disa wissmannii* Kraenzl. = *Disa stairsii* Kraenzl.  
***Disa woodii*** Schltr. #4 II 64 ORCHIDACEAE  
*Disa zeyheri* Sond. = *Disa porrecta* Sw.  
***Disa zimbabweensis*** H.P.Linder #4 II 64 ORCHIDACEAE  
*Disa zombaensis* Rendle = *Disa walleri* Rchb.f.  
***Disa zombica*** N.E.Br. #4 II 64 ORCHIDACEAE  
***Disa zuluensis*** Rolfe #4 II 64 ORCHIDACEAE  
***Discocactus spp.*** Pfeiffer I CACTACEAE  
*Discocactus alteolens* Lemaire ex Dietrich = *Discocactus*  
placentiformis (Lehmann) Schumann  
***Discocactus bahiensis*** Britton & Rose I CACTACEAE  
*Discocactus bahiensis* subviridigriseus (Buining &  
Brederoo) Braun & Esteves Pereira = *Discocactus*  
bahiensis Britton & Rose  
*Discocactus crystallophilus* Diers & Esteves Pereira =  
*Discocactus placentiformis* (Lehmann) Schumann  
***Discocactus ferricola*** Buining & Brederoo I CACTACEAE  
***Discocactus heptacanthus*** (Rodrigues) Britton & Rose I  
CACTACEAE  
***Discocactus horstii*** Buining & Brederoo I CACTACEAE  
*Discocactus latispinus* Buining et al. = *Discocactus*  
placentiformis (Lehmann) Schumann  
*Discocactus latispinus pseudolatispinus* (Diers & Esteves  
Pereira) Braun & Esteves Pereira = *Discocactus*  
placentiformis (Lehmann) Schumann  
*Discocactus latispinus pulvinicapitatus* (Buining &  
Brederoo) Braun & Esteves Pereira = *Discocactus*  
placentiformis (Lehmann) Schumann  
*Discocactus multicolorispinus* Braun & Brederoo =  
*Discocactus placentiformis* (Lehmann) Schumann  
*Discocactus paranaensis* Backeberg = *Discocactus*  
heptacanthus (Rodrigues) Britton & Rose  
***Discocactus placentiformis*** (Lehmann) Schumann I  
CACTACEAE  
*Discocactus placentiformis alteolens* (Lemaire) Braun &  
Esteves Pereira = *Discocactus placentiformis*  
(Lehmann) Schumann

- Discocactus placentiformis multicolorispinus* (Braun & Brederoo) Braun & Esteves Pereira = *Discocactus placentiformis* (Lehmann) Schumann  
*Discocactus placentiformis pugionacanthus* (Buining et al.) Braun & Esteves Pereira = *Discocactus placentiformis* (Lehmann) Schumann  
***Discocactus pseudoinsignis*** Taylor & Zappi I CACTACEAE  
*Discocactus pseudolatispinus* Diers & Esteves Pereira = *Discocactus placentiformis* (Lehmann) Schumann  
*Discocactus pugionacanthus* Buining et al. = *Discocactus placentiformis* (Lehmann) Schumann  
*Discocactus pulvinicapitatus* Buining & Brederoo = *Discocactus placentiformis* (Lehmann) Schumann  
*Discocactus subviridigriseus* Buining et al. = *Discocactus bahiensis* Britton & Rose  
*Discocactus tricornis* Monville ex Pfeiffer = *Discocactus placentiformis* (Lehmann) Schumann  
*Discocactus woutersianus* Brederoo & [van Den] Broek = *Discocactus horstii* Buining & Brederoo  
***Discocactus zehntneri*** Britton & Rose I CACTACEAE  
***Discyphus* spp.** Schltr. #4 II 64 ORCHIDACEAE  
***Disocactus* spp.** Lindl. #4 II 49 CACTACEAE  
***Disocactus ackermannii*** (Lindley) Barthlott #4 II 49 CACTACEAE  
*Disocactus acuminatus* (Cufodontis) Kimnach = *Pseudorhipsalis acuminata* Cufodontis  
*Disocactus alatus* (Sw.) Kimnach = *Pseudorhipsalis alata* (Swartz) Britton & Rose  
***Disocactus amazonicus*** (Schumann) Hunt #4 II 49 CACTACEAE  
***Disocactus aurantiacus*** (Kimmach) Barthlott #4 II 49 CACTACEAE  
***Disocactus biformis*** (Lindley) Lindley #4 II 49 CACTACEAE  
***Disocactus cinnabarinus*** (Eichlam) Barthlott #4 II 49 CACTACEAE  
***Disocactus eichlamii*** (Weingart) Britton & Rose #4 II 49 CACTACEAE  
***Disocactus flagelliformis*** (Linnaeus) Barthlott #4 II 49 CACTACEAE  
*Disocactus himantocladus* (Roland-Goss) Kimnach = *Pseudorhipsalis himantoclada* (Roland-Gosselin) Britton & Rose  
*Disocactus horichii* Kimnach = *Pseudorhipsalis horichii* (Kimnach) Barthlott  
***Disocactus kimnachii*** Rowley #4 II 49 CACTACEAE  
*Disocactus lankesteri* Kimnach = *Pseudorhipsalis lankesteri* (Kimnach) Barthlott  
***Disocactus macdougallii*** (Alexander) Barthlott #4 II 49 CACTACEAE (E) McDougal's Cactus  
***Disocactus macranthus*** (Alexander) Kimnach & Hutchinson #4 II 49 CACTACEAE  
***Disocactus martianus*** (Zuccarini) Barthlott #4 II 49 CACTACEAE  
***Disocactus nelsonii*** (Britton & Rose) Lindinger #4 II 49 CACTACEAE  
***Disocactus phyllanthoides*** (De Candolle) Barthlott #4 II 49 CACTACEAE  
***Disocactus quezaltecus*** (Standley & Steyermark) Kimnach #4 II 49 CACTACEAE  
*Disocactus ramulosa* (Salm-Dyck) Kimnach = *Pseudorhipsalis ramulosa* (Salm-Dyck) Barthlott  
***Disocactus schrankii*** (Zuccarini ex Seitz) Barthlott #4 II 49 CACTACEAE  
***Disocactus speciosus*** (Cavanilles) Barthlott #4 II 49 CACTACEAE  
***Disperis* spp.** Sw. #4 II 64 ORCHIDACEAE  
*Disperis bodkinii* Bolus #4 II 64 ORCHIDACEAE  
*Disperis breviloba* Verdc. #4 II 64 ORCHIDACEAE  
*Disperis concinna* Schltr. #4 II 64 ORCHIDACEAE  
*Disperis cooperi* Harv. #4 II 64 ORCHIDACEAE  
*Disperis javanica* J.J. Smith #4 II 64 ORCHIDACEAE  
*Disperis kamerunensis* Schltr. #4 II 64 ORCHIDACEAE  
*Disperis lantauensis* S.Y. Hu #4 II 64 ORCHIDACEAE  
*Disperis mildbraedii* Schltr. Summerh. #4 II 64 ORCHIDACEAE  
*Disperis monophylla* Blatter ex C. Fischer #4 II 64 ORCHIDACEAE  
*Disperis nitida* Summerh. #4 II 64 ORCHIDACEAE  
*Disperis stenoglossa* Schlechter = *Disperis woodii* Bolus  
*Disperis tripetaloides* (Thouars) Lindley #4 II 64 ORCHIDACEAE  
*Disperis tysonii* H. Bol. #4 II 64 ORCHIDACEAE  
*Disperis woodii* Bolus #4 II 64 ORCHIDACEAE  
*Disphenia aculeata* (Willd. ex Kaulf. 1824) C.C.Presl. 1836 = *Cyathea armata* (Swartz. 1788) Domin 1930  
*Disphenia arborea* (L. 1753) C.C.Presl. 1836 = *Cyathea arborea* (L. 1753) Smith 1793  
*Disphenia aspera* (L. 1753) C.C.Presl. 1848 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Disphenia grevilleana* (C.Martius 1834) Kunze 1850 = *Alsophila grevilleana* (C.Mart. 1834) Conant 1983  
*Disphenia muricata* (Willd. 1810) C.C.Presl. 1848 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Disphenia orientalis* Kunze 1848 = *Alsophila orientalis* (Kunze 1848) R.Tryon 1970  
***Distyłodon* spp.** Summerh. #4 II 64 ORCHIDACEAE  
***Diuris* spp.** J.E. Smith #4 II 64 ORCHIDACEAE  
*Diuris aequalis* H.G.Reichb. #4 II 64 ORCHIDACEAE  
*Diuris bracteata* Fitzg. #4 II 64 ORCHIDACEAE  
*Diuris brevifolia* R.Rogers #4 II 64 ORCHIDACEAE  
*Diuris disposita* D.L.Jones #4 II 64 ORCHIDACEAE  
*Diuris drummondii* Lindley #4 II 64 ORCHIDACEAE  
*Diuris fastidiosa* R. Rogers #4 II 64 ORCHIDACEAE  
*Diuris flavescens* D.L.Jones #4 II 64 ORCHIDACEAE  
*Diuris fragrantissima* D.L.Jones & M.A.Clements #4 II 64 ORCHIDACEAE  
*Diuris heberlei* D.L.Jones #4 II 64 ORCHIDACEAE  
*Diuris micrantha* D.L.Jones #4 II 64 ORCHIDACEAE  
*Diuris ochroma* D.L.Jones #4 II 64 ORCHIDACEAE  
*Diuris oporina* D.L.Jones #4 II 64 ORCHIDACEAE  
*Diuris pallens* Benth. #4 II 64 ORCHIDACEAE  
*Diuris palustris* Lindl. #4 II 64 ORCHIDACEAE  
*Diuris parvipetala* (Dockr.) D.L.Jones & M.A.Clements #4 II 64 ORCHIDACEAE

- Diuris pedunculata* R.Br. #4 II 64 ORCHIDACEAE  
*Diuris praecox* D.L.Jones #4 II 64 ORCHIDACEAE  
*Diuris purdiei* Diels #4 II 64 ORCHIDACEAE  
*Diuris recurva* D.L.Jones #4 II 64 ORCHIDACEAE  
*Diuris sheaffiana* Fitzg. #4 II 64 ORCHIDACEAE  
*Diuris tricolor* Fitzg. #4 II 64 ORCHIDACEAE  
*Diuris venosa* Rupp #4 II 64 ORCHIDACEAE  
*Dockrillia baseyana* (St Cloud) Rauschert = *Dendrobium calamiforme* Lodd.  
*Dockrillia beckleri* (F.Muell.) Rauschert = *Dendrobium schoeninum* Lindl.  
*Dockrillia bowmannii* (Benth.) M.A.Clem. & D.L.Jones = *Dendrobium bowmanii* Benth.  
*Dockrillia calamiformis* (Lodd.) M.A.Clem. & D.L.Jones = *Dendrobium calamiforme* Lodd.  
*Dockrillia casuarinae* (Schltr.) M.A.Clem. & D.L. Jones = *Dendrobium casuarinae* Schlr.  
*Dockrillia chordiformis* (Kraenzl.) Rauschert = *Dendrobium chordiforme* Kraenzl.  
*Dockrillia cucumerina* (W. Macleay ex Lindley) Briege = *Dendrobium cucumerinum* W. Macleay ex Lindley  
*Dockrillia desmotrichoides* (J.J.Sm.) Briege = *Dendrobium rigidum* R.Br.  
*Dockrillia dolichophylla* (M.A.Clem. & D.L.Jones)  
 M.A.Clem. & D.L.Jones = *Dendrobium dolichophyllum*  
 D.L.Jones & M.A.Clem.  
*Dockrillia fairfaxii* (F.Muell. & Fitzg.) Rauschert = *Dendrobium fairfaxii* F.Muell. & Fitzg  
*Dockrillia flagella* (Schltr.) Rauschert = *Dendrobium flagellum* Schlr.  
*Dockrillia foederata* (St.Cloud) Rauschert = *Dendrobium foederatum* St.Cloud  
*Dockrillia grimesii* (C.T.White & Summerh.) Rauschert = *Dendrobium grimesii* C.T.White & Summerh.  
*Dockrillia lichenastrum* (F.Muell.) Briege = *Dendrobium lichenastrum* (Muell.) Nicholls  
*Dockrillia linguiforme* (Sw.) Briege = *Dendrobium linguiforme* Sw.  
*Dockrillia mortii* (F.Muell.) Rauschert = *Dendrobium mortii* F. Muell.  
*Dockrillia nugentii* (F.M.Bailey) M.A.Clem. & D.L.Jones = *Dendrobium nugentii* (F.M.Bailey) D.Jones & M.Clements  
*Dockrillia pugioniformis* (A.Cunn.) Rauschert = *Dendrobium pugioniforme* A.Cunn.  
*Dockrillia racemosa* (Nicholls) Rauschert = *Dendrobium racemosum* (Nicholls) Clemesha & Dockrill  
*Dockrillia rigida* (R.Br.) Rauschert = *Dendrobium rigidum* R.Br.  
*Dockrillia schoenina* (Lindl.) M.A.Clem. & D.L.Jones = *Dendrobium schoeninum* Lindl.  
*Dockrillia striolata* (Rchb.f.) Rauschert = *Dendrobium striolatum* Rchb. f.  
*Dockrillia tenuissima* (Rupp) Rauschert = *Dendrobium mortii* F. Muell.  
*Dockrillia teretifolia* (R.Br.) Briege = *Dendrobium teretifolium* R.Br.  
*Dockrillia toressae* (F.M.Bailey) Briege = *Dendrobium toressae* (Bailey) Dockrill
- Dockrillia vagans* (Schltr.) Rauschert = *Dendrobium vagans* Schlr.  
*Dockrillia wassellii* (S.T.Blake) Briege = *Dendrobium wassellii* S.T.Blake  
**Dodsonia** spp. Ackerman #4 II 64 ORCHIDACEAE  
*Dolichothele balsasoides* (Craig) Backeberg = *Mammillaria beneckeii* Ehrenberg  
*Dolichothele baumii* (Boedeker) Werdermann & Buxbaum = *Mammillaria baumii* Boedeker  
*Dolichothele beneckeii* (Ehrenberg) Backeberg = *Mammillaria beneckeii* Ehrenberg  
*Dolichothele longimamma* (De Candolle) Britton & Rose = *Mammillaria longimamma* De Candolle  
*Dolichothele longimamma* uberiformis (Zuccarini) Krainz = *Mammillaria longimamma* De Candolle  
*Dolichothele melaleuca* (Karwinski ex Salm-Dyck) Boedeker = *Mammillaria melaleuca* Karwinski ex Salm-Dyck  
*Dolichothele nelsonii* (Britton & Rose) Backeberg = *Mammillaria beneckeii* Ehrenberg  
*Dolichothele sphaerica* (Dietrich) Britton & Rose = *Mammillaria sphaerica* Dietrich ex Engelmann  
*Dolichothele surculosa* (Boedeker) Backeberg = *Mammillaria surculosa* Boedeker  
*Dolichothele uberiformis* (Zuccarini) Britton & Rose = *Mammillaria longimamma* De Candolle  
*Dombeyana chilensis* Lam. = *Araucaria araucana* (Molina) K.Koch  
**Domingoa** spp. Schlechter #4 II 64 ORCHIDACEAE  
*Domingoa haematochila* (Rchb.f.) Carabia 1943 #4 II 64 ORCHIDACEAE  
*Domingoa hymenodes* (Rchb.f.) Schlr. 1913 = *Domingoa haematochila* (Rchb.f.) Carabia 1943  
*Domingoa kienastii* (Rchb.f.) Dressler = *Encyclia kienastii* (Rchb.f.) Dressler & Pollard  
*Domingoa kienastii* (Reichb.f.) Dressler = *Encyclia kienastii* (Rchb.f.) Dressler & Pollard  
*Domingoa kienastii* (Reichb.f.) Dressler = *Encyclia citrina* (Llave & Lex.) Dressler  
*Domingoa nodosa* (Cogn.) Schlr. #4 II 64 ORCHIDACEAE  
*Domingoa susiana* Dod 1978 #4 II 64 ORCHIDACEAE  
**Doritis** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Doritis bifalcis* (Lindl.) Rchb.f. = *Dendrobium bifalce* Lindley  
*Doritis pulcherrima* Lindley = *Phalaenopsis pulcherrima* (Lindl.) J.J.Sm.  
**Dossinia** spp. C. Morren #4 II 64 ORCHIDACEAE  
*Dossinia marmorata* C. marr #4 II 64 ORCHIDACEAE  
*Dothilophis purpurea* Raf. 1838 = *Barkeria skinneri* (Bateman ex Lindl.) Paxton  
*Dracaena dentata* Pers. = *Aloe purpurea* Lam.  
*Dracaena marginata* Aiton = *Aloe purpurea* Lam.  
**Dracula** spp. Luer #4 II 64 ORCHIDACEAE  
**Dracula alcithoe** Luer & R.Escobar #4 II 64 ORCHIDACEAE  
**Dracula amaliae** Luer & R.Escobar #4 II 64 ORCHIDACEAE  
**Dracula andreettae** (Luer) Luer #4 II 64 ORCHIDACEAE

- Dracula anicula*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula anthracina*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula aphrodes*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula astuta*** (Luer) Luer #4 II 64 ORCHIDACEAE
- Dracula bella*** (Rchb.f.) Luer #4 II 64 ORCHIDACEAE
- Dracula bellerophon*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula benedictii*** (Rchb.f.) Luer #4 II 64  
ORCHIDACEAE
- Dracula berthae*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula brangeri*** Luer #4 II 64 ORCHIDACEAE
- Dracula burbridgeana* (Rolfe) Luer = *Dracula erythrochaete* (Rchb.f.) Luer
- Dracula callifera*** (Schltr.) Luer = *Dracula houtteana* (Rchb.f.) Luer
- Dracula carcinopsis*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula carderiopsis* (Kraenzl.) Luer = *Dracula houtteana* (Rchb.f.) Luer
- Dracula carderi*** (Rchb.f.) Luer = *Dracula inaequalis* (Rchb.f.) Luer & R.Escobar
- Dracula carlsrueri*** Hermans & P.J.Cribb #4 II 64  
ORCHIDACEAE
- Dracula chestertonii*** (Rchb.f.) Luer #4 II 64  
ORCHIDACEAE
- Dracula chimaera*** (Rchb.f.) Luer #4 II 64 ORCHIDACEAE
- Dracula chiroptera*** Luer & Malo #4 II 64 ORCHIDACEAE
- Dracula circe*** Luer & R.Escobar #4 II 64 ORCHIDACEAE
- Dracula citrina*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula cochliops*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula cordobae*** Luer #4 II 64 ORCHIDACEAE
- Dracula cutis-bufonis*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula dalessandroi*** Luer #4 II 64 ORCHIDACEAE
- Dracula dalstroemii*** Luer #4 II 64 ORCHIDACEAE
- Dracula decussata*** Luer & Escobar #4 II 64  
ORCHIDACEAE
- Dracula deltoidea*** (Luer) Luer #4 II 64 ORCHIDACEAE
- Dracula diabola*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula diana*** Luer & R.Escobar #4 II 64 ORCHIDACEAE
- Dracula dodsonii*** (Luer) Luer #4 II 64 ORCHIDACEAE
- Dracula erythrochaete*** (Rchb.f.) Luer #4 II 64  
ORCHIDACEAE
- Dracula erythrochaete astuta* (Rchb.f.) Luer = *Dracula astuta* (Luer) Luer
- Dracula exasperata*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula fafnir*** Luer #4 II 64 ORCHIDACEAE
- Dracula felix*** (Luer) Luer #4 II 64 ORCHIDACEAE
- Dracula fuligifera*** Luer #4 II 64 ORCHIDACEAE
- Dracula fuliginosa* (Luer) Luer = *Dracula radiella* Luer
- Dracula gaskelliana*** (Rchb.f.) Luer = *Dracula erythrochaete* (Rchb.f.) Luer
- Dracula gastrophora*** Luer & Hirtz #4 II 64  
ORCHIDACEAE
- Dracula gigas*** (Luer & Andreetta) Luer #4 II 64  
ORCHIDACEAE
- Dracula gorgona*** (Veitch) Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula gorgonella*** Luer & Escobar #4 II 64  
ORCHIDACEAE
- Dracula gorgo* (Reichb.f. ex Kraenz.) Luer = *Dracula astuta* (Luer) Luer
- Dracula hawleyi*** Luer #4 II 64 ORCHIDACEAE
- Dracula hirsuta*** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Dracula hirtzii*** Luer #4 II 64 ORCHIDACEAE
- Dracula houtteana*** (Rchb.f.) Luer #4 II 64  
ORCHIDACEAE
- Dracula hubeinii* Luer = *Dracula benedictii* (Rchb.f.) Luer
- Dracula inaequalis*** (Rchb.f.) Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula incognita*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula insolita*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula iricolor*** (Reichb.f.) Luer & Escobar #4 II 64  
ORCHIDACEAE
- Dracula iricolor* (Rchb.f.) Luer & R.Escobar = *Dracula trichroma* (Schltr.) Hermans
- Dracula janetiae*** (Luer) Luer #4 II 64 ORCHIDACEAE
- Dracula lactea* (Kraenzl.) Luer = *Dracula velutina* (Rchb.f.) Luer
- Dracula lafleurii*** Luer & Dalström #4 II 64  
ORCHIDACEAE
- Dracula lehmanniana*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula lemurella*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula leonum* Luer = *Dracula erythrochaete* (Rchb.f.) Luer
- Dracula levii*** Luer #4 II 64 ORCHIDACEAE
- Dracula ligiae*** Luer & R.Escobar #4 II 64 ORCHIDACEAE
- Dracula lindstroemii*** Luer & Dalström #4 II 64  
ORCHIDACEAE
- Dracula lotax*** (Luer) Luer #4 II 64 ORCHIDACEAE
- Dracula lowii* (Rolfe) Luer = *Dracula platycrater* (Rchb.f.) Luer
- Dracula mantissa*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula marsupialis*** Luer & Escobar #4 II 64  
ORCHIDACEAE
- Dracula medellinensis* (Kraenzl.) Luer = *Dracula radiosa* (Rchb.f.) Luer
- Dracula microglochin* (Rchb.f.) Luer = *Dracula velutina* (Rchb.f.) Luer
- Dracula minas*** Luer & Escobar #4 II 64 ORCHIDACEAE
- Dracula minax*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE

- Dracula mopsus*** (F.C.Lehmann & Kraenzl.) Luer #4 II 64  
ORCHIDACEAE
- Dracula morleyi*** Luer & Dalström #4 II 64  
ORCHIDACEAE
- Dracula mosquerae*** (F.C.Lehmann & Kraenzl.) Luer =  
*Dracula houtteana* (Rchb.f.) Luer
- Dracula navarroorum*** Luer & Hirtz #4 II 64  
ORCHIDACEAE
- Dracula niesseniae*** Ortiz = *Dracula decussata* Luer &  
Escobar
- Dracula nosferatu*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula nycterina*** (Reichb.f.) Luer #4 II 64  
ORCHIDACEAE
- Dracula octavioi*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula ophioceps*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula orientalis*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula ortiziana*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula papillosa*** Luer & Dodson #4 II 64  
ORCHIDACEAE
- Dracula pholeodytes*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula pileus*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula platycrater*** (Rchb.f.) Luer #4 II 64  
ORCHIDACEAE
- Dracula polyphemus*** (Luer) Luer #4 II 64  
ORCHIDACEAE
- Dracula portillae*** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Dracula posadarum*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula presbys*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula psittacina*** (Rchb.f.) Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula psyche*** (Luer) Luer #4 II 64 ORCHIDACEAE
- Dracula pubescens*** Luer & Dalström #4 II 64  
ORCHIDACEAE
- Dracula pusilla*** (Rolfe) Luer #4 II 64 ORCHIDACEAE  
*Dracula quilichaoensis* (F.C.Lehmann & Kraenzl.) Luer =  
*Dracula trichroma* (Schltr.) Hermans
- Dracula radiella*** Luer #4 II 64 ORCHIDACEAE
- Dracula radiosha*** (Rchb.f.) Luer #4 II 64 ORCHIDACEAE
- Dracula radio-syndactyla*** Luer #4 II 64 ORCHIDACEAE
- Dracula rezekiana*** Luer & Hawley #4 II 64  
ORCHIDACEAE
- Dracula ripleyana*** Luer #4 II 64 ORCHIDACEAE
- Dracula robledorum*** (P.Ortiz) Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula roezlii*** (Rchb.f.) Luer #4 II 64 ORCHIDACEAE
- Dracula senilis*** (Rchb.f.) Luer = *Dracula chimaera* (Rchb.f.)  
Luer
- Dracula sergioi*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula severa*** (Rchb.f.) Luer #4 II 64 ORCHIDACEAE
- Dracula sibundoyensis*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula simia*** (Luer) Luer #4 II 64 ORCHIDACEAE
- Dracula simula*** #4 II 64 ORCHIDACEAE
- Dracula sodiroi*** (Schltr) Luer #4 II 64 ORCHIDACEAE
- Dracula syndactyla*** Luer #4 II 64 ORCHIDACEAE
- Dracula tarantula* (Luer) Luer = *Dracula tubeana* (Rchb.f.)  
Luer
- Dracula trichroma*** (Schltr.) Hermans #4 II 64  
ORCHIDACEAE
- Dracula trinema*** (Rchb.f.) Luer = *Dracula velutina* (Rchb.f.)  
Luer
- Dracula trinema sensu* Woodward & F.Lehm. = *Dracula platycrater* (Rchb.f.) Luer
- Dracula trinympharum*** Luer #4 II 64 ORCHIDACEAE
- Dracula troglodytes* (E.Morren) Luer = *Dracula benedictii* (Rchb.f.) Luer
- Dracula tubeana*** (Rchb.f.) Luer #4 II 64 ORCHIDACEAE
- Dracula ubangina*** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Dracula vagabunda*** Luer & R.Escobar = *Dracula pusilla* (Rolfe) Luer
- Dracula vampira*** (Luer) Luer #4 II 64 ORCHIDACEAE
- Dracula velutina*** (Rchb.f.) Luer #4 II 64 ORCHIDACEAE
- Dracula venefica*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula venosa*** (Rolfe) Luer #4 II 64 ORCHIDACEAE
- Dracula verticulosa*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula vesperilio*** (Rchb.f.) Luer #4 II 64  
ORCHIDACEAE
- Dracula viad-tepes*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula vinacea*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dracula wallisii*** (Rchb.f.) Luer #4 II 64 ORCHIDACEAE
- Dracula woolwardiae*** (Lehm.) Luer #4 II 64  
ORCHIDACEAE
- Dracula xenos*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Dragon, Little (E): *Habenaria rhodocheila*
- Drakaea spp.*** Lindl. #4 II 64 ORCHIDACEAE
- Drakaea concolor* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Drakaea confluens* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Drakaea elastica* Lindley #4 II 64 ORCHIDACEAE
- Drakaea isolata* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Drakaea jeanensis* R. Rogers #4 II 64 ORCHIDACEAE
- Drakaea micrantha* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Dresslerella spp.*** Luer #4 II 64 ORCHIDACEAE
- Dresslerella caesariata* Luer #4 II 64 ORCHIDACEAE
- Dresslerella elvallensis* Luer #4 II 64 ORCHIDACEAE
- Dresslerella hispida* (L.O. Williams) Luer #4 II 64  
ORCHIDACEAE

- Dresslerella pertusa* (Dressler) Luer #4 II 64  
ORCHIDACEAE
- Dresslerella pilosissima* (Schltr.) Luer #4 II 64  
ORCHIDACEAE
- Dresslerella powellii* (Ames) Luer #4 II 64 ORCHIDACEAE
- Dressleria* spp.** Dodson #4 II 64 ORCHIDACEAE
- Dressleria dilecta* #4 II 64 ORCHIDACEAE
- Dressleria eburnea* #4 II 64 ORCHIDACEAE
- Dressleria helleri* Dodson #4 II 64 ORCHIDACEAE
- Drosera corymbosa* Raf. = *Dionaea muscipula* Soland ex Ellis
- Drosera sessiliflora* auct. non G.Don: Raf. = *Dionaea muscipula* Soland ex Ellis
- Drosera uniflora* auct. non Willd.: Raf. = *Dionaea muscipula* Soland ex Ellis
- Dryadella* spp.** Luer #4 II 64 ORCHIDACEAE
- Dryadella acuminata* Luer & Hirtz in Luer (1999) #4 II 64  
ORCHIDACEAE
- Dryadella albicans* (Luer) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella aurea* Luer & Hirtz in Luer (1999) #4 II 64  
ORCHIDACEAE
- Dryadella auriculigera* (Rchb.f.) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella aviceps* (Rchb.f.) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella butcheri* Luer (1999) #4 II 64 ORCHIDACEAE
- Dryadella crenulata* (Pabst) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella cristata* Luer & Escobar #4 II 64  
ORCHIDACEAE
- Dryadella cuspidata* Luer & Hirtz in Luer (1999) #4 II 64  
ORCHIDACEAE
- Dryadella dodsonii* Luer (1999) #4 II 64 ORCHIDACEAE
- Dryadella dolichopoda* (Luer) Luer 1978 = *Dryadella pusiola* (Rchb.f.) Luer 1978
- Dryadella dressleri* Luer (1999) #4 II 64 ORCHIDACEAE
- Dryadella edwallii* (Cogn.) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella elata* (Luer) Luer 1978 #4 II 64 ORCHIDACEAE
- Dryadella espirito-santensis* (Pabst) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella fuchsii* Luer (1999) #4 II 64 ORCHIDACEAE
- Dryadella gnoma* (Luer) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella gnomes-ferreiraiae* (Pabst) Luer 1976 #4 II 64  
ORCHIDACEAE
- Dryadella guatemalensis* (Schltr.) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella hirtzii* Luer #4 II 64 ORCHIDACEAE
- Dryadella kautskyi* (Pabst) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella lilliputana* (Cogn.) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella linearifolia* (Ames) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella lueriana* Carnevali & G.A.Romero 1991 #4 II 64  
ORCHIDACEAE
- Dryadella marsupiata* Luer 1982 #4 II 64 ORCHIDACEAE
- Dryadella meiracyllium* (Rchb.f.) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella melloi* (Pabst) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella minuscula* Luer & Escobar 1978 #4 II 64  
ORCHIDACEAE
- Dryadella misasii* Luer & R.Escobar 1978 #4 II 64  
ORCHIDACEAE
- Dryadella obrieniana* (Rolfe) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella odontostele* Luer 1996 #4 II 64 ORCHIDACEAE
- Dryadella osmariniana* (Braga) Garay & Dunst. #4 II 64  
ORCHIDACEAE
- Dryadella pachyrhiza* Luer & Hirtz in Luer (1999) #4 II 64  
ORCHIDACEAE
- Dryadella paranaënsis* (Schltr.) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella perpusilla* (Kraenzl.) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella popayanensis* (Lehm. & Kraenzl.) Luer 1978 =  
*Dryadella simula* (Rchb.f.) Luer 1978
- Dryadella popayanensis* (Lehm. & Kraenzl.) Luer 1978 =  
*Dracula simula*
- Dryadella pusiola* (Rchb.f.) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella rodrigoi* Luer #4 II 64 ORCHIDACEAE
- Dryadella simula* (Rchb.f.) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella simulatrix* (Kraenzl.) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella sororcula* Luer 1996 #4 II 64 ORCHIDACEAE
- Dryadella summersii* (L.O.Williams) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella susanae* (Pabst) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadella verrucosa* Luer & Escobar in Luer 1999 #4 II 64  
ORCHIDACEAE
- Dryadella wernerii* Luer 2001 #4 II 64 ORCHIDACEAE
- Dryadella zebrina* (Porsch) Luer 1978 #4 II 64  
ORCHIDACEAE
- Dryadorchis* spp.** Schlechter #4 II 64 ORCHIDACEAE
- Dryadorchis barbellata* Schltr. #4 II 64 ORCHIDACEAE
- Drymoanthus* spp.** W.H. Nicholls #4 II 64  
ORCHIDACEAE
- Drymoanthus minimus* (Schltr.) Garay #4 II 64  
ORCHIDACEAE
- Drymoanthus minutus* Nicholls #4 II 64 ORCHIDACEAE
- Drymoda* spp.** Lindl. #4 II 64 ORCHIDACEAE
- Drymoda digitata* (J.J.Sm.) Garay, Hamer & Siegerist #4 II 64 ORCHIDACEAE
- Drymoda gymnopus* (Hook.f.) Garay, Hamer & Seigerist =  
*Bulbophyllum gymnopus* Hook.f.
- Drymoda latisepala* Seidenf. = *Bulbophyllum capillipes* C.S.P.Parish & Rchb.f
- Drymoda picta* Lindl. #4 II 64 ORCHIDACEAE
- Drymoda siamensis* Schltr. #4 II 64 ORCHIDACEAE
- Dryopteris denticulata* Hayata 1917 = *Cyathea hancockii* Copel. 1909

<i>Dryopteris hancockii</i> (Copel.) Nakai 1927 = <i>Cyathea hancockii</i> Copel. 1909	<i>Echinocereus abbeae</i> Parsons = <i>Echinocereus fasciculatus</i> (Engelmann ex B.D.Jackson) L.Benson
<i>Dryopteris kuhnii</i> (Hier) C.Chr. = <i>Cyathea falcata</i> (Mett. ex Kuhn 1869) Domin 1929	<b><i>Echinocereus adustus</i></b> Engelmann #4 II 49 CACTACEAE
<i>Dryopteris lamprocaulis</i> (Christ) C.Chr. 1913 = <i>Cyathea lamprocaulis</i> (Christ 1909) Ching 1949	<i>Echinocereus albatus</i> Backeberg = <i>Echinocereus nivosus</i> Glass & Foster
<i>Dryopteris macarensis</i> Alston 1952 = <i>Alsophila macarenensis</i> (Alston 1952) R. Tryon 1970	<i>Echinocereus angusticeps</i> Clover = <i>Echinocereus papillosus</i> Linke ex Rümpler
<i>Dryopteris taitunensis</i> Koidzumi 1924 = <i>Cyathea hancockii</i> Copel. 1909	<b><i>Echinocereus apachensis</i></b> Blum & Rutow #4 II 49 CACTACEAE
<b><i>Duckeella</i> spp.</b> C.Porto & Brade #4 II 64 ORCHIDACEAE	<b><i>Echinocereus barthelowianus</i></b> Britton & Rose #4 II 49 CACTACEAE
<b><i>Dunstervillea</i> spp.</b> Garay #4 II 64 ORCHIDACEAE	<b><i>Echinocereus berlandieri</i></b> (Engelmann) Hort.F.A.Haage #4 II 49 CACTACEAE
Dwarf-Groundroot (E): <i>Panax quinquefolius</i>	<i>Echinocereus blanckii</i> Palmer = <i>Echinocereus berlandieri</i> (Engelmann) Hort.F.A.Haage
<b><i>Dyakia</i> spp.</b> Christenson #4 II 64 ORCHIDACEAE	<b><i>Echinocereus bonkerae</i></b> Thornber & Bonker #4 II 49 CACTACEAE
<i>Dyakia hendersoniana</i> (Rchb.f.) Christenson = <i>Ascocentrum hendersoniana</i> (Rchb.f.) Schltr.	<b><i>Echinocereus boyce-thompsonii</i></b> Orcutt #4 II 49 CACTACEAE
<i>Dyeroxydas micholitzii</i> (Dyer) Nakai = <i>Cycas micholitzii</i> Dyer	<b><i>Echinocereus brandegeei</i></b> (J. Coulter) Schumann #4 II 49 CACTACEAE
<i>Dypsis decaryi</i> (Jum.) Beentje & J. Dransf. = <i>Neodypsis decaryi</i> Jumelle	<b><i>Echinocereus bristolii</i></b> W.T.Marshall #4 II 49 CACTACEAE
<i>Dypsis decipiens</i> (Becc.) Beentje & J. Dransf. = <i>Chrysalidocarpus decipiens</i> Becc.	<i>Echinocereus caespitosus</i> (Engelmann) Engelmann = <i>Echinocereus reichenbachii</i> (Terscheck ex Walpers) Hort.F.A.Haage
Eaglewood (E): <i>Aquilaria malaccensis</i>	<b><i>Echinocereus chisoensis</i></b> W.T.Marshall #4 II 49 CACTACEAE
<b><i>Earina</i> spp.</b> Lindl. #4 II 64 ORCHIDACEAE	<b><i>Echinocereus cinerascens</i></b> (De Candolle) Lemaire #4 II 49 CACTACEAE
<i>Earina deplanchei</i> Reichb.f. #4 II 64 ORCHIDACEAE	<b><i>Echinocereus coccineus</i></b> Engelmann #4 II 49 CACTACEAE (E) Arizona Hedgehog Cactus
<i>Earina floripecten</i> Kranzlin #4 II 64 ORCHIDACEAE	<i>Echinocereus coccineus mojavensis</i> (Engelmann & Bigelow) Taylor = <i>Echinocereus mojavensis</i> (Engelmann & Bigelow) Ruempler
<i>Eburophyton</i> spp. A. Heller #4 II 64 ORCHIDACEAE	<i>Echinocereus ctenoides</i> (Engelmann) Lemaire = <i>Echinocereus dasycanthus</i> Engelmann
<i>Eburophyton austiniiae</i> (Gray) Heller #4 II 64 ORCHIDACEAE	<b><i>Echinocereus dasycanthus</i></b> Engelmann #4 II 49 CACTACEAE
<i>Eccremocactus bradei</i> Britton & Rose = <i>Weberocereus bradei</i> (Britton & Rose) Rowley	<b><i>Echinocereus engelmannii</i></b> (Parry ex Engelmann) Lemaire #4 II 49 CACTACEAE
<i>Eccremocactus imitans</i> (Kimnach & Hutchinson) Kimnach = <i>Weberocereus imitans</i> (Kimnach & Hutchinson) Buxbaum	<i>Echinocereus engelmannii fasciculatus</i> (Engelmann ex Jackson) Blum et Al. = <i>Echinocereus fasciculatus</i> (Engelmann ex B.D.Jackson) L.Benson
<i>Eccremocactus rosei</i> Kimnach = <i>Weberocereus rosei</i> (Kimnach) Buxbaum	<b><i>Echinocereus enneacanthus</i></b> Engelmann #4 II 49 CACTACEAE
<b><i>Echinocactus</i> spp.</b> Link & Otto #4 II 49 CACTACEAE	<b><i>Echinocereus fasciculatus</i></b> (Engelmann ex B.D.Jackson) L.Benson #4 II 49 CACTACEAE
<i>Echinocactus asterias</i> Karwinski ex Zuccarini = <i>Astrophytum asterias</i> (Karwinski ex Zuccarini) Lemaire	<i>Echinocereus fasciculatus bonkerae</i> (Thornber & Bonker) Taylor = <i>Echinocereus bonkerae</i> Thornber & Bonker
<i>Echinocactus grandis</i> Rose = <i>Echinocactus platyacanthus</i> Link & Otto	<i>Echinocereus fasciculatus boyce-thompsonii</i> (Orcutt) Taylor = <i>Echinocereus boyce-thompsonii</i> Orcutt
<b><i>Echinocactus grusonii</i></b> Hildmann #4 II 49 CACTACEAE	<b><i>Echinocereus fendleri</i></b> (Engelmann) Seitz #4 II 49 CACTACEAE
<b><i>Echinocactus horizontalinus</i></b> Lemaire #4 II 49 CACTACEAE (E) Turk's-head Cactus	<b><i>Echinocereus ferreirianus</i></b> H.E.Gates #4 I/II 49 CACTACEAE
<i>Echinocactus ingens</i> Zuccarini ex Pfeiffer = <i>Echinocactus platyacanthus</i> Link & Otto	<i>Echinocereus ferreirianus lindsayi</i> (Meyran) Taylor I CACTACEAE (E) Lindsay's Cactus, Lindsay's Hedgehog Cactus (S) Cacto de Lindsay
<i>Echinocactus palmeri</i> Rose = <i>Echinocactus platyacanthus</i> Link & Otto	
<b><i>Echinocactus parryi</i></b> Engelmann #4 II 49 CACTACEAE	
<b><i>Echinocactus platyacanthus</i></b> Link & Otto #4 II 49 CACTACEAE	
<b><i>Echinocactus polycephalus</i></b> Engelmann & Bigelow #4 II 49 CACTACEAE (E) Cotton-top Cactus	
<b><i>Echinocactus texensis</i></b> Hopffer #4 II 49 CACTACEAE (E) Horse Crippler Cactus	
<i>Echinocactus visnaga</i> Hooker = <i>Echinocactus platyacanthus</i> Link & Otto	
<b><i>Echinocereus</i> spp.</b> Engelm. #4 I/II 49 CACTACEAE	

- Echinocereus fobeanus metornii* (G.R.W.Frank) Blum & Lange = *Echinocereus chisoensis* W.T.Marshall
- Echinocereus fobeanus* Oehme = *Echinocereus chisoensis* W.T.Marshall
- Echinocereus freudenbergeri*** G.R.W.Frank #4 II 49  
CACTACEAE
- Echinocereus gonacanthus* (Engelmann & Bigelow)  
Lemaire = *Echinocereus triglochidiatus* Engelmann
- Echinocereus grandis*** Britton & Rose #4 II 49  
CACTACEAE
- Echinocereus hildmannii* Arendt = *Echinocereus dasyacanthus* Engelmann
- Echinocereus klapperi*** Blum #4 II 49 CACTACEAE
- Echinocereus knippelianus*** Liebner #4 II 49  
CACTACEAE
- Echinocereus knippelianus kruegeri* (Glass & Foster)  
Glass = *Echinocereus knippelianus* Liebner
- Echinocereus knippelianus reyesii* (Lau) Blum & Lange = *Echinocereus knippelianus* Liebner
- Echinocereus laui*** G.R.W.Frank #4 II 49 CACTACEAE
- Echinocereus ledingii*** Peebles #4 II 49 CACTACEAE (E)  
Leding's Hedgehog Cactus
- Echinocereus leucanthus*** Taylor #4 II 49 CACTACEAE
- Echinocereus lindsayi* Meyran = *Echinocereus ferreirianus lindsayi* (Meyran) Taylor
- Echinocereus lloydii* Britton & Rose = *Echinocereus roetteri* (Engelmann) Ruempler
- Echinocereus longisetus*** (Engelmann) Lemaire #4 II 49  
CACTACEAE
- Echinocereus longisetus freudenbergeri* (G.R.W.Frank)  
Blum = *Echinocereus freudenbergeri* G.R.W.Frank
- Echinocereus mamillatus* (Engelmann) Britton & Rose = *Echinocereus brandegeei* (J. Coulter) Schumann
- Echinocereus mapimiensis*** E.F.Anderson et al. #4 II 49  
CACTACEAE
- Echinocereus mariae Backeberg* = *Echinocereus reichenbachii* (Terscheck ex Walpers) Hort.F.A.Haage
- Echinocereus maritimus*** (M.E.Jones) Schumann #4 II 49  
CACTACEAE
- Echinocereus metornii* G.R.W.Frank = *Echinocereus chisoensis* W.T.Marshall
- Echinocereus mojavensis*** (Engelmann & Bigelow)  
Ruempler #4 II 49 CACTACEAE
- Echinocereus munzii* (Parish) L. Benson = *Echinocereus engelmannii* (Parry ex Engelmann) Lemaire
- Echinocereus nicholii*** (L.Benson) Parfitt #4 II 49  
CACTACEAE
- Echinocereus nivosus*** Glass & Foster #4 II 49  
CACTACEAE
- Echinocereus ortegae*** Rose ex J.G.Ortega #4 II 49  
CACTACEAE
- Echinocereus ortegae koehresianus* (G.R.W.Frank)  
W.Rischer & G.R.W.Frank = *Echinocereus ortegae* Rose ex J.G.Ortega
- Echinocereus palmeri*** Britton & Rose #4 II 49  
CACTACEAE
- Echinocereus pamanesiorum*** Lau #4 II 49 CACTACEAE
- Echinocereus papillosum*** Linke ex Rumpler #4 II 49  
CACTACEAE
- Echinocereus papillosum* var. *angusticeps* (Clover) W.T. Marsh. = *Echinocereus papillosum* Linke ex Rumpler
- Echinocereus parkeri*** Taylor #4 II 49 CACTACEAE
- Echinocereus pectinatus*** (Scheidweiler) Engelmann #4 II 49 CACTACEAE
- Echinocereus pectinatus ctenoides* (Engelmann)  
G.R.W.Frank = *Echinocereus dasyacanthus* Engelmann
- Echinocereus pensilis*** (K.Brandegee) J.Purpus #4 II 49  
CACTACEAE
- Echinocereus pentalophus*** (De Candolle) Lemaire #4 II 49 CACTACEAE
- Echinocereus polyacanthus*** Engelmann #4 II 49  
CACTACEAE
- Echinocereus posegneri*** Lemaire #4 II 49 CACTACEAE  
(E) Dahlia's Apple Cactus
- Echinocereus posegneri kroenleinii* (Cartier) Lange = *Echinocereus posegneri* Lemaire
- Echinocereus primolanatus*** F.Schwarz ex Taylor #4 II 49  
CACTACEAE
- Echinocereus pseudopectinatus*** (Taylor) Taylor #4 II 49  
CACTACEAE
- Echinocereus pulchellus*** (Martius) Seitz #4 II 49  
CACTACEAE
- Echinocereus purpureus* Lahman = *Echinocereus reichenbachii* (Terscheck ex Walpers) Hort.F.A.Haage
- Echinocereus rayonesensis*** Taylor #4 II 49  
CACTACEAE
- Echinocereus reichenbachii*** (Terscheck ex Walpers)  
Hort.F.A.Haage #4 II 49 CACTACEAE
- Echinocereus rigidissimus*** (Engelmann) Hort.F.A.Haage #4 II 49 CACTACEAE
- Echinocereus roetteri*** (Engelmann) Ruempler #4 II 49  
CACTACEAE
- Echinocereus russanthus*** Weniger #4 II 49  
CACTACEAE (E) Rusty Hedgehog Cactus
- Echinocereus russanthus fiehnii* (Trocha) Blum & Lange = *Echinocereus russanthus* Weniger
- Echinocereus russanthus weedinii* Leuck ex Blum & Lange = *Echinocereus russanthus* Weniger
- Echinocereus scheeri*** (Salm-Dyck) Scheer #4 II 49  
CACTACEAE
- Echinocereus schererii*** G.R.W.Frank #4 II 49  
CACTACEAE
- Echinocereus schmollii*** (Weingart) Taylor I CACTACEAE  
(E) Lamb's-tail Cactus
- Echinocereus sciurus*** (K.Brandegee) Dams #4 II 49  
CACTACEAE
- Echinocereus scopulorum*** Britton & Rose #4 II 49  
CACTACEAE
- Echinocereus scopulorum pseudopectinatus* (Taylor) Blum & Lange = *Echinocereus pseudopectinatus* (Taylor) Taylor
- Echinocereus spinigemmatus*** Lau #4 II 49  
CACTACEAE
- Echinocereus steereae* Clover = *Echinocereus dasyacanthus* Engelmann
- Echinocereus stoloniferus*** W.T.Marshall #4 II 49  
CACTACEAE

- Echinocereus stramineus*** (Engelmann) Seitz #4 II 49  
CACTACEAE
- Echinocereus subinermis*** Salm-Dyck ex Scheer #4 II 49  
CACTACEAE
- Echinocereus subterraneus* Backeberg = *Echinocereus sciurus* (K.Brandegee) Dams
- Echinocereus tamaulipensis deherdtii* Lange =  
*Echinocereus poselgeri* Lemaire
- Echinocereus tamaulipensis waldeisii* (Haugg) Lange =  
*Echinocereus poselgeri* Lemaire
- Echinocereus triglochidiatus*** Engelmann #4 II 49  
CACTACEAE
- Echinocereus triglochidiatus mojavensis* (Engelmann & Bigelow) Blum & Lange = *Echinocereus mojavensis* (Engelmann & Bigelow) Ruempler
- Echinocereus viereckii*** Werdermann #4 II 49  
CACTACEAE
- Echinocereus viridiflorus*** Engelmann #4 II 49  
CACTACEAE
- Echinocereus waldeisii* Haugg = *Echinocereus poselgeri* Lemaire
- Echinocereus websterianus*** G. Lindsay #4 II 49  
CACTACEAE
- Echinofossulocactus albatus* (A.Dietrich) Britton & Rose =  
*Stenocactus vaupelianus* (Werdermann) F.Knuth
- Echinofossulocactus arrigens* (Link ex Dietrich) Berger ex Hill = *Stenocactus crispatus* (De Candolle) Berger ex Hill
- Echinofossulocactus caespitosus* Backeberg =  
*Stenocactus obvallatus* (De Candolle) Berger ex Hill
- Echinofossulocactus confusus* Britton & Rose =  
*Stenocactus crispatus* (De Candolle) Berger ex Hill
- Echinofossulocactus coptonogonus* (Lemaire) Lawrence =  
*Stenocactus coptonogonus* (Lemaire) Berger ex Hill
- Echinofossulocactus crispatus* (De Candolle) Lawrence =  
*Stenocactus crispatus* (De Candolle) Berger ex Hill
- Echinofossulocactus densispinus* Tiegel ex Pechanek =  
*Stenocactus ochoterenanus* Tiegel
- Echinofossulocactus dichroacanthus* (Martius ex Pfeiffer)  
Britton & Rose = *Stenocactus crispatus* (De Candolle)  
Berger ex Hill
- Echinofossulocactus erectocentrus* Backeberg =  
*Stenocactus multicostatus* (Hildmann ex Schumann)  
Berger ex Hill
- Echinofossulocactus flexispinus* (Salm-Dyck) Bravo =  
*Stenocactus crispatus* (De Candolle) Berger ex Hill
- Echinofossulocactus guerraianus* Backeberg =  
*Stenocactus crispatus* (De Candolle) Berger ex Hill
- Echinofossulocactus hastatus* (Hopffer ex Shumann)  
Britton & Rose = *Stenocactus hastatus* (Hopffer ex Schumann) Berger ex Hill
- Echinofossulocactus heteracanthus* (Muehlenpfordt)  
Britton & Rose = *Stenocactus ochoterenanus* Tiegel
- Echinofossulocactus kellerianus* Krainz = *Stenocactus crispatus* (De Candolle) Berger ex Hill
- Echinofossulocactus lamellosus* (A.Dietrich) Britton & Rose = *Stenocactus crispatus* (De Candolle) Berger ex Hill
- Echinofossulocactus lancifer* (A.Dietrich) Britton & Rose =  
*Stenocactus crispatus* (De Candolle) Berger ex Hill
- Echinofossulocactus lexarzae* (Bravo ex Miranda) Croizat  
= *Stenocactus ochoterenanus* Tiegel
- Echinofossulocactus lloydii* Britton & Rose = *Stenocactus multicostatus* (Hildmann ex Schumann) Berger ex Hill
- Echinofossulocactus multiareolatus* Bravo = *Stenocactus crispatus* (De Candolle) Berger ex Hill
- Echinofossulocactus multicostatus* (Hildmann ex Shumann) Britton & Rose = *Stenocactus multicostatus* (Hildmann ex Schumann) Berger ex Hill
- Echinofossulocactus obvallatus* (De Candolle) Lawrence =  
*Stenocactus obvallatus* (De Candolle) Berger ex Hill
- Echinofossulocactus ochoterenaeus* (Tiegel) Whitmore =  
*Stenocactus ochoterenanus* Tiegel
- Echinofossulocactus parksianus* C.Schmoll ex Pechanek =  
*Stenocactus ochoterenanus* Tiegel
- Echinofossulocactus pentacanthus* (Lemaire) Britton & Rose = *Stenocactus obvallatus* (De Candolle) Berger ex Hill
- Echinofossulocactus phyllacanthus* (Dietrich & Otto)  
Lawrence = *Stenocactus phyllacanthus* (Dietrich & Otto) Berger ex Hill
- Echinofossulocactus rosasianus* Whitmore ex Pechanek =  
*Stenocactus ochoterenanus* Tiegel
- Echinofossulocactus sulphureus* (A.dietrich) J.Meyran =  
*Stenocactus sulphureus* (A.Dietrich) Bravo
- Echinofossulocactus tricuspidatus* (Scheidweiler) Britton & Rose = *Stenocactus phyllacanthus* (Dietrich & Otto) Berger ex Hill
- Echinofossulocactus vaupelianus* (Werdermann) Oehme =  
*Stenocactus vaupelianus* (Werdermann) F.Knuth
- Echinofossulocactus violaciflorus* (Quehl) Britton & Rose =  
*Stenocactus crispatus* (De Candolle) Berger ex Hill
- Echinofossulocactus zacatecasensis* Britton & Rose =  
*Stenocactus multicostatus* (Hildmann ex Schumann) Berger ex Hill
- Echinomastus acunensis* W.T. Marshall = *Sclerocactus erectocentrus* (Coulter) Taylor
- Echinomastus dasycanthus* (Engelmann) Britton & Rose = *Sclerocactus intertextus* (Engelmann) Taylor
- Echinomastus durangensis* (Runge) Britton & Rose =  
*Sclerocactus unguispinus* (Engelmann) Taylor
- Echinomastus erectocentrus* (Coulter) Britton & Rose =  
*Sclerocactus erectocentrus* (Coulter) Taylor
- Echinomastus gautii* (Benson) Mosco & Zanovello =  
*Sclerocactus warnockii* (Benson) Taylor
- Echinomastus intertextus* (Engelm.) Britton & Rose =  
*Sclerocactus intertextus* (Engelmann) Taylor
- Echinomastus johnsonii* (Engelmann) Baxter =  
*Sclerocactus johnsonii* (Engelmann) Taylor
- Echinomastus krausei* (Hildmann) Borg = *Sclerocactus erectocentrus* (Coulter) Taylor
- Echinomastus laui* G.Frank & Zeher = *Sclerocactus unguispinus* (Engelmann) Taylor
- Echinomastus laui* G.Frank & Zeher = *Dendrobium brevicaule* Rolfe
- Echinomastus macdowellii* (Quehl) Britton & Rose =  
*Thelocactus macdowellii* (Rebut ex Quehl) W.Marshall
- Echinomastus mapimiensis* Backeberg = *Sclerocactus unguispinus* (Engelmann) Taylor

- Echinomastus mariposensis* Hester = *Sclerocactus mariposensis* (Hester) Taylor  
*Echinomastus unguispinus* (Engelm.) Britton & Rose = *Sclerocactus unguispinus* (Engelmann) Taylor  
*Echinomastus unguispinus laui* (G. Frank & Zech.) C. Glass & R. Foster = *Sclerocactus unguispinus* (Engelmann) Taylor  
*Echinomastus warnockii* (Benson) Glass & Foster = *Sclerocactus warnockii* (Benson) Taylor  
***Echinopsis* spp.** Zucc. #4 II 49 CACTACEAE  
***Echinopsis adolfofriedrichii*** Moser #4 II 49  
 CACTACEAE  
*Echinopsis albispinosa* Schumann = *Echinopsis tubiflora* (Pfeiffer) Zuccarini ex A. Dietrich  
*Echinopsis amblayensis* (Rausch) Friedrich = *Echinopsis haematantha* (Spegazzini) Hunt  
***Echinopsis ancistrophora*** Spegazzini #4 II 49  
 CACTACEAE  
***Echinopsis angelesiae*** (Kiesling) Rowley #4 II 49  
 CACTACEAE  
***Echinopsis antezanae*** (Cardenas) Friedrich & Rowley #4 II 49  
 CACTACEAE  
***Echinopsis arboricola*** (Kimnach) Mottram #4 II 49  
 CACTACEAE  
***Echinopsis arebaloii*** Cardenas #4 II 49 CACTACEAE  
***Echinopsis atacamensis*** (Philippi) Friedrich & Rowley #4 II 49  
 CACTACEAE  
*Echinopsis aurantiaca* (Rausch) Friedrich & Rowley = *Echinopsis glauquina* Friedrich & Rowley  
***Echinopsis aurea*** Britton & Rose #4 II 49 CACTACEAE  
*Echinopsis ayopayana* Ritter & Rausch = *Echinopsis comarapana* Cardenas  
***Echinopsis backebergii*** Werdermann ex Backeberg #4 II 49  
 CACTACEAE  
***Echinopsis baldiana*** Spegazzini #4 II 49 CACTACEAE  
***Echinopsis bertramiana*** (Backeberg) Friedrich & Rowley #4 II 49 CACTACEAE  
*Echinopsis boedeckeriana* Harden = *Echinopsis backebergii* Werdermann ex Backeberg  
***Echinopsis boyuibensis*** Ritter #4 II 49 CACTACEAE  
***Echinopsis brasiliensis*** Fric ex Pazout #4 II 49  
 CACTACEAE  
*Echinopsis brevispina* (Ritter) Friedrich & Rowley = *Echinopsis thionantha* (Spegazzini) Werdermann  
***Echinopsis bridgesii*** Salm-Dyck #4 II 49 CACTACEAE  
***Echinopsis bruchii*** (Britton & Rose) Castellanos & Lelong #4 II 49 CACTACEAE  
***Echinopsis cabrerae*** (Kiesling) G. Rowley #4 II 49  
 CACTACEAE  
***Echinopsis caineana*** (Cardenas) Hunt #4 II 49  
 CACTACEAE  
***Echinopsis cajasensis*** Ritter #4 II 49 CACTACEAE  
***Echinopsis calliantholilacina*** Cardenas #4 II 49  
 CACTACEAE  
***Echinopsis callichroma*** Cardenas #4 II 49 CACTACEAE  
***Echinopsis calochlora*** Schumann #4 II 49 CACTACEAE  
***Echinopsis camarguensis*** (Cardenas) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis candicans*** (Gillies ex Salm-Dyck) Hunt #4 II 49  
 CACTACEAE  
*Echinopsis carmineiflora* (Hoffman & Backeberg) Friedrich = *Echinopsis obrepanda* (Salm-Dyck) Schumann  
***Echinopsis cephalomacrostibas*** (Werdermann & Backeb.) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis cerdana*** Cardenas #4 II 49 CACTACEAE  
***Echinopsis chalaensis*** (Rauh & Backeberg) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis chamaecereus*** H. Friedrich & Glaetzel #4 II 49  
 CACTACEAE  
***Echinopsis chiloensis*** (Colla) Friedrich & Rowley #4 II 49  
 CACTACEAE  
***Echinopsis chrysanthia*** Werdermann #4 II 49  
 CACTACEAE  
***Echinopsis chrysochete*** Werdermann #4 II 49  
 CACTACEAE  
***Echinopsis cinnabarina*** (Hooker) Labouret #4 II 49  
 CACTACEAE  
***Echinopsis clavatus*** (Ritter) Hunt #4 II 49 CACTACEAE  
***Echinopsis cochabambensis*** Backeberg #4 II 49  
 CACTACEAE  
***Echinopsis comarapana*** Cardenas #4 II 49  
 CACTACEAE  
***Echinopsis conaconensis*** (Cardenas) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis coquimbana*** (Molina) Friedrich & Rowley #4 II 49  
 CACTACEAE  
*Echinopsis cordobensis* Spegazzini = *Echinopsis leucantha* (Gillies ex Salm-Dyck) Walpers  
***Echinopsis coronata*** Cardenas #4 II 49 CACTACEAE  
***Echinopsis cotacajesii*** Cardenas #4 II 49 CACTACEAE  
*Echinopsis courantii* (Schumann) Friedrich & Rowley = *Echinopsis candidans* (Gillies ex Salm-Dyck) Hunt  
***Echinopsis crassicaulis*** (Kiesling) H. Friedrich & Glaetzel #4 II 49 CACTACEAE  
***Echinopsis cuzcoensis*** (Britton & Rose) Friedrich & Rowley #4 II 49 CACTACEAE  
*Echinopsis cylindracea* (Backeberg) Friedrich = *Echinopsis aurea* Britton & Rose  
***Echinopsis densispina*** Werdermann #4 II 49  
 CACTACEAE  
***Echinopsis derenbergii*** Fric #4 II 49 CACTACEAE  
***Echinopsis deserticola*** (Werdermann) Friedrich & Rowley #4 II 49 CACTACEAE  
*Echinopsis elongata* (Backeberg) Friedrich = *Echinopsis haematantha* (Spegazzini) Hunt  
***Echinopsis escayachensis*** (Cardenas) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis eyriesii*** (Turpin) Pfeiffer & Otto #4 II 49  
 CACTACEAE  
***Echinopsis fabrisii*** (Kiesling) G. Rowley #4 II 49  
 CACTACEAE  
*Echinopsis fallax* (Oehme) Friedrich = *Echinopsis aurea* Britton & Rose  
***Echinopsis famatinensis*** (Spegazzini) Werdermann #4 II 49  
 CACTACEAE

- Echinopsis ferox*** (Britton & Rose) Backeberg #4 II 49  
CACTACEAE
- Echinopsis fiebrigii*** Guerke = *Echinopsis obrepanda*  
(Salm-Dyck) Schumann
- Echinopsis forbesii*** Hort. Angl. ex A.Dietrich = *Echinopsis rhodotricha* Schumann
- Echinopsis formosa*** (Pfeiffer) Jacobi ex Salm-Dyck #4 II  
49 CACTACEAE
- Echinopsis fricii*** (Rausch) Friedrich = *Echinopsis tiegeliana* (Wessner) Hunt
- Echinopsis friedrichii*** Rowley #4 II 49 CACTACEAE
- Echinopsis fulvilana*** (Ritter) Friedrich & Rowley =  
*Echinopsis deserticola* (Werdermann) Friedrich & Rowley
- Echinopsis glauca*** (Ritter) Friedrich & Rowley #4 II 49  
CACTACEAE
- Echinopsis glaucina*** Friedrich & Rowley #4 II 49  
CACTACEAE
- Echinopsis graciliflora*** Cardenas #4 II 49 CACTACEAE
- Echinopsis grandiflora* Linke = *Echinopsis calochlora*  
Schumann
- Echinopsis grandis* (Britton & Rose) Friedrich & Rowley =  
*Echinopsis bruchii* (Britton & Rose) Castellanos & Lelong
- Echinopsis haematantha*** (Spegazzini) Hunt #4 II 49  
CACTACEAE
- Echinopsis hahniana*** (Backeberg) R.S.Wallace #4 II 49  
CACTACEAE
- Echinopsis hamatacantha* Backeberg = *Echinopsis ancistrophora* Spegazzini
- Echinopsis hammerschmidii*** Cardenas #4 II 49  
CACTACEAE
- Echinopsis hardeniana* Boedeker = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich
- Echinopsis herbasii* Cardenas = *Echinopsis mamillosa* Guerke
- Echinopsis hertrichiana*** (Backeberg) Hunt #4 II 49  
CACTACEAE
- Echinopsis hualfinensis* (Rausch) H.Friedrich & Glaetze =  
*Echinopsis haematantha* (Spegazzini) Hunt
- Echinopsis huasca*** (Weber) Friedrich & Rowley #4 II 49  
CACTACEAE
- Echinopsis huotii*** (Cels) Labouret #4 II 49 CACTACEAE
- Echinopsis hystrichoides*** Ritter #4 II 49 CACTACEAE
- Echinopsis ibicuatensis*** Cardenas #4 II 49 CACTACEAE
- Echinopsis ingens* (Backeberg) Friedrich & Rowley =  
*Echinopsis bruchii* (Britton & Rose) Castellanos & Lelong
- Echinopsis intricatissima* Spegazzini = *Echinopsis leucantha* (Gillies ex Salm-Dyck) Walpers
- Echinopsis kermesina* (Krainz) Krainz = *Echinopsis mamillosa* Guerke
- Echinopsis kladiwana*** Rausch #4 II 49 CACTACEAE
- Echinopsis klingleriana*** Cardenas #4 II 49 CACTACEAE
- Echinopsis knuthiana*** (Backeberg) Friedrich & Rowley  
#4 II 49 CACTACEAE
- Echinopsis korethroides*** Werdermann ex Backeberg #4  
II 49 CACTACEAE
- Echinopsis kuehnrichii* (Fric) H.Friedrich & Glaetze =  
*Echinopsis haematantha* (Spegazzini) Hunt
- Echinopsis lageniformis*** (Foerster) Friedrich & Rowley  
#4 II 49 CACTACEAE
- Echinopsis lamprochlora*** (Lemaire) Weber ex Friedrich & Glaetze #4 II 49 CACTACEAE
- Echinopsis lateritia*** Guerke #4 II 49 CACTACEAE
- Echinopsis lecoriensis* Cardenas = *Echinopsis ferox*  
(Britton & Rose) Backeberg
- Echinopsis leucantha*** (Gillies ex Salm-Dyck) Walpers #4  
II 49 CACTACEAE
- Echinopsis leucomalla* (Wessner) Friedrich = *Echinopsis aurea* Britton & Rose
- Echinopsis litoralis*** (Johow) Friedrich & Rowley #4 II 49  
CACTACEAE
- Echinopsis longispina* (Britton & Rose) Werdermann ex Backeberg = *Echinopsis ferox* (Britton & Rose)  
Backeberg
- Echinopsis macrogona*** (salm-dyck) Friedrich & Rowley  
#4 II 49 CACTACEAE
- Echinopsis mamillosa*** Guerke #4 II 49 CACTACEAE
- Echinopsis manguinii* (Backeberg) Friedrich & Rowley =  
*Echinopsis schickendantzii* Weber
- Echinopsis marsoneri*** Werdermann #4 II 49  
CACTACEAE
- Echinopsis mataranensis*** Cardenas #4 II 49  
CACTACEAE
- Echinopsis maximiliana*** Heyder ex A.Dietrich #4 II 49  
CACTACEAE
- Echinopsis melanopotamica* Spegazzini = *Echinopsis leucantha* (Gillies ex Salm-Dyck) Walpers
- Echinopsis meyeri*** Heese #4 II 49 CACTACEAE
- Echinopsis mieckleyi*** R.Meyer #4 II 49 CACTACEAE
- Echinopsis minuana*** Spegazzini #4 II 49 CACTACEAE
- Echinopsis mirabilis*** Spegazzini #4 II 49 CACTACEAE
- Echinopsis molesta*** Spegazzini #4 II 49 CACTACEAE
- Echinopsis multiplex* (Pfeiffer) Pfeiffer & Otto =  
*Mammillaria haageana* Pfeiffer
- Echinopsis multiplex* (Pfeiffer) Pfeiffer & Otto = *Echinopsis oxygona* (Link) Zuccarini ex Pfeiffer & Otto
- Echinopsis narvaecensis* (Cardenas) Friedrich & Rowley =  
*Echinopsis taricensis* (Vaupel) Friedrich & Rowley
- Echinopsis nealeana* (Backeberg) Friedrich = *Echinopsis saltensis* Spegazzini
- Echinopsis nigra*** Backeberg #4 II 49 CACTACEAE
- Echinopsis obrepanda*** (Salm-Dyck) Schumann #4 II 49  
CACTACEAE
- Echinopsis orurensis* (Cardenas) Friedrich & Rowley =  
*Echinopsis ferox* (Britton & Rose) Backeberg
- Echinopsis oxygona*** (Link) Zuccarini ex Pfeiffer & Otto  
#4 II 49 CACTACEAE
- Echinopsis pachanoi*** (Britton & Rose) Friedrich & Rowley #4 II 49 CACTACEAE
- Echinopsis pampana*** (Britton & Rose) Hunt #4 II 49  
CACTACEAE
- Echinopsis pamparuizii* Cardenas = *Echinopsis huotii*  
(Cels) Labouret

- Echinopsis paraguayensis* Mundt ex Ritter = *Echinopsis oxygona* (Link) Zuccarini ex Pfeiffer & Otto  
*Echinopsis pecheretiana* (Backeberg) Friedrich & Rowley = *Echinopsis huascha* (Weber) Friedrich & Rowley  
*Echinopsis peitscheriana* (Backeberg) Friedrich & Rowley = *Acanthocalycium klimpelianum* (Wiedlich & Werdermann) Backeberg  
***Echinopsis pentlandii*** (Hooker) Salm-Dyck ex A.Dietrich #4 II 49 CACTACEAE  
*Echinopsis pentlandii hardeniana* (Boedeker) G.Navarro = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Echinopsis pentlandii larae* (Cardenas) G.Navarro = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Echinopsis pereziensis* Cardenas = *Echinopsis comarapana* Cardenas  
***Echinopsis peruviana*** (Britton & Rose) Friedrich & Rowley #4 II 49 CACTACEAE  
*Echinopsis poco* (Backeberg) Friedrich & Rowley = *Echinopsis tarijensis* (Vaupel) Friedrich & Rowley  
***Echinopsis pojoensis*** Cardenas #4 II 49 CACTACEAE  
*Echinopsis polyancistra* Backeberg = *Echinopsis ancistrophora* Spegazzini  
*Echinopsis potosina* Werdermann = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Echinopsis pseudocachensis* (Backeberg) Friedrich = *Echinopsis saltensis* Spegazzini  
*Echinopsis pseudocandicans* (Kiesling) H.Friedrich & Rowley = *Echinopsis candicans* (Gillies ex Salm-Dyck) Hunt  
***Echinopsis pseudomamillosa*** Cardenas #4 II 49 CACTACEAE  
*Echinopsis pudantii* Pfersd. = *Echinopsis eyriesii* (Turpin) Pfeiffer & Otto  
***Echinopsis pugionacantha*** Rose & Boedeker #4 II 49 CACTACEAE  
*Echinopsis purpureopilosa* (Weingart) Friedrich & Rowley = *Echinopsis lamprochlora* (Lemaire) Weber ex Friedrich & Glaetze  
***Echinopsis quadratiumbonatus*** (Ritter) Hunt #4 II 49 CACTACEAE  
*Echinopsis quinesensis* (Rausch) H.Friedrich & Glaetze = *Echinopsis aurea* Britton & Rose  
*Echinopsis randallii* (Cardenas) Friedrich & Rowley = *Echinopsis formosa* (Pfeiffer) Jacobi ex Salm-Dyck  
*Echinopsis rebutiooides* (Backeberg) Friedrich = *Echinopsis densispina* Werdermann  
***Echinopsis rhodotricha*** Schumann #4 II 49 CACTACEAE  
*Echinopsis ritteri* Boedeker = *Echinopsis mamillosa* Guerke  
***Echinopsis riviere-de-caraltii*** Cardenas #4 II 49 CACTACEAE  
*Echinopsis rojasii* Cardenas = *Echinopsis obrepanda* (Salm-Dyck) Schumann  
*Echinopsis roseolilacina* Cardenas = *Echinopsis mamillosa* Guerke  
*Echinopsis rowleyi* Friedrich = *Echinopsis huasca* (Weber) Friedrich & Rowley  
*Echinopsis rubinghiana* (Backeberg) Friedrich & Rowley = *Echinopsis thelegonoides* (Spegazzini) Friedrich & Rowley  
***Echinopsis saltensis*** Spegazzini #4 II 49 CACTACEAE  
***Echinopsis sanguiniflora*** (Backeberg) Hunt #4 II 49 CACTACEAE  
***Echinopsis santaensis*** (Rauh & Backeberg) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis chickendantzii*** Weber #4 II 49 CACTACEAE  
***Echinopsis schieliana*** (Backeberg) Hunt #4 II 49 CACTACEAE  
***Echinopsis schoenii*** (Rauh & Backeberg) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis schreiteri*** (Castellanos) Werdermann ex Backeberg #4 II 49 CACTACEAE  
*Echinopsis schwantesii* Fric = *Mammillaria haageana* Pfeiffer  
*Echinopsis schwantesii* Fric = *Echinopsis oxygona* (Link) Zuccarini ex Pfeiffer & Otto  
***Echinopsis scopulicola*** (Ritter) Mottram #4 II 49 CACTACEAE  
*Echinopsis semidenudata* Cardenas ex W.Haage = *Echinopsis huotii* (Cels) Labouret  
*Echinopsis shaferi* Britton & Rose = *Echinopsis leucantha* (Gillies ex Salm-Dyck) Walpers  
***Echinopsis silvestrii*** Spegazzini #4 II 49 CACTACEAE  
***Echinopsis skottsbergii*** (Backeberg ex Skottsberg) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis smrziana*** Backeberg #4 II 49 CACTACEAE  
***Echinopsis spachiana*** (Lemaire) Friedrich & Rowley #4 II 49 CACTACEAE  
*Echinopsis spegazziniana* Britton & Rose = *Echinopsis leucantha* (Gillies ex Salm-Dyck) Walpers  
***Echinopsis spinibarbis*** (Pfeiffer) A.E.Hoffmann #4 II 49 CACTACEAE  
*Echinopsis spiniflora* (Schumann) Berger = *Acanthocalycium spiniflorum* (Schumann) Backeberg  
*Echinopsis stollenwerkiana* Boedeker = *Echinopsis pugionacantha* Rose & Boedeker  
***Echinopsis strigosa*** (Salm-Dyck) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis subdenudata*** Cardenas #4 II 49 CACTACEAE  
***Echinopsis sucrensis*** Cardenas #4 II 49 CACTACEAE  
***Echinopsis tacaquirensis*** (Vaupel) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis taratensis*** (Cardenas) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis tarijensis*** (Vaupel) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis tarmaensis*** (Rauh & Backeberg) Friedrich & Rowley #4 II 49 CACTACEAE  
***Echinopsis tegeleriana*** (Backeberg) Hunt #4 II 49 CACTACEAE  
***Echinopsis terscheckii*** (Parm. ex Pfeiffer) Friedrich & Rowley #4 II 49 CACTACEAE

- Echinopsis thelegona*** (Weber ex Schumann) Friedrich & Rowley #4 II 49 CACTACEAE
- Echinopsis thelegonoides*** (Spegazzini) Friedrich & Rowley #4 II 49 CACTACEAE
- Echinopsis thionantha*** (Spegazzini) Werdermann #4 II 49 CACTACEAE
- Echinopsis tiegeliana*** (Wessner) Hunt #4 II 49 CACTACEAE
- Echinopsis toralapana Cardenas* = *Echinopsis obrepanda* (Salm-Dyck) Schumann
- Echinopsis trichosa*** (Cardenas) Friedrich & Rowley #4 II 49 CACTACEAE
- Echinopsis tubiflora*** (Pfeiffer) Zuccarini ex A.Dietrich #4 II 49 CACTACEAE
- Echinopsis tulhuayacensis*** (Ochoa ex Backeberg) Friedrich & Rowley #4 II 49 CACTACEAE
- Echinopsis tunariensis*** (Cardenas) Friedrich & Rowley #4 II 49 CACTACEAE
- Echinopsis turbinata* (Pfeiffer) Pfeiffer & Otto = *Echinopsis eyriesii* (Turpin) Pfeiffer & Otto
- Echinopsis uebelmanniana* (Lembcke & Backeberg) A.E.Hoffmann = *Echinopsis formosa* (Pfeiffer) Jacobi ex Salm-Dyck
- Echinopsis uyupampensis*** (Backeberg) Friedrich & Rowley #4 II 49 CACTACEAE
- Echinopsis vasquezii*** (Rausch) Rowley #4 II 49 CACTACEAE
- Echinopsis vatteri*** (Kiesling) G.Rowley #4 II 49 CACTACEAE
- Echinopsis volliana*** (Backeberg) Friedrich & Rowley #4 II 49 CACTACEAE
- Echinopsis walteri*** (Kiesling) Friedrich & Glaetzel #4 II 49 CACTACEAE
- Echinopsis werdermanniana* (Backeberg) Friedrich & Rowley = *Echinopsis terscheckii* (Parm. ex Pfeiffer) Friedrich & Rowley
- Echinopsis werdermannii*** Fric ex Fleischer #4 II 49 CACTACEAE
- Echinopsis yuquina*** Hunt #4 II 49 CACTACEAE
- Echites bispinosa* L.f. 1781 = *Pachypodium bispinosum* (L.) A.DC 1844
- Echites succulenta* L.f. 1781 = *Pachypodium succulentum* (L.f.) Sweet 1830
- Eggelingia*** spp. Summerh. #4 II 64 ORCHIDACEAE
- Eggelingia ligulifolia* Summerh. = *Angraecum marii* Geerinck
- Elaeophorbia beillei* (A.Chevalier) H.Jacobsen = *Euphorbia beillei* A.Chevalier
- Eleorchis*** spp. Maekawa #4 II 64 ORCHIDACEAE
- Eleorchis japonica* (A.Gray) F. Maek. #4 II 64 ORCHIDACEAE
- Elleanthus*** spp. C. Presl #4 II 64 ORCHIDACEAE
- Elleanthus alberti* Schltr. #4 II 64 ORCHIDACEAE
- Elleanthus arpophyllostachys* (Rchb.f.) Rchb.f. #4 II 64 ORCHIDACEAE
- Elleanthus blatteus* Garay #4 II 64 ORCHIDACEAE
- Elleanthus caricooides* Nash #4 II 64 ORCHIDACEAE
- Elleanthus conifer* (Rchb.f. & Warsc.) Rchb.f. #4 II 64 ORCHIDACEAE
- Elleanthus curtii* Schltr. #4 II 64 ORCHIDACEAE
- Elleanthus ecuadorensis* Garay #4 II 64 ORCHIDACEAE
- Elleanthus flavesiens* (Lindl.) Rchb.f. #4 II 64 ORCHIDACEAE
- Elleanthus graminifolius* (Barb. Rodr.) Lojtnant #4 II 64 ORCHIDACEAE
- Elleanthus hirsutis* Barringer #4 II 64 ORCHIDACEAE
- Elleanthus hymenophorus* (Reichb.f.) Reichb.f. #4 II 64 ORCHIDACEAE
- Elleanthus isochiloides* Lojtnant #4 II 64 ORCHIDACEAE
- Elleanthus lancifolius* Presl. #4 II 64 ORCHIDACEAE
- Elleanthus lateralis* #4 II 64 ORCHIDACEAE
- Elleanthus lentii* Barringer #4 II 64 ORCHIDACEAE
- Elleanthus linifolius* C. Presl. #4 II 64 ORCHIDACEAE
- Elleanthus muscicola* Schltr. #4 II 64 ORCHIDACEAE
- Elleanthus steyermarkii* Barringer #4 II 64 ORCHIDACEAE
- Elleanthus stolonifer* Barringer #4 II 64 ORCHIDACEAE
- Elleanthus tillandsioides* Barringer #4 II 64 ORCHIDACEAE
- Elleanthus tovarensis* Ames #4 II 64 ORCHIDACEAE
- Elleanthus tricallosus* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE
- Elleanthus ventricosus* Schltr. #4 II 64 ORCHIDACEAE
- Elleanthus xanthocomas* Schltr. #4 II 64 ORCHIDACEAE
- Eltroplectris calcarata* (Sw.) Garay & Sweet = *Spiranthes calcarata* (Sw.)
- Elytrianthera*** spp. (Endl.) A.S. George #4 II 64 ORCHIDACEAE
- Embreea*** spp. Dodson #4 II 64 ORCHIDACEAE
- Embreea rodigasiana* (Claes. ex Cogn.) Dodson #4 II 64 ORCHIDACEAE
- Emorycactus parryi* (Engelmann) Doweld = *Echinocactus parryi* Engelmann
- Emorycactus polycephalus* (Engelmann & Bigelow) Doweld = *Echinocactus polycephalus* Engelmann & Bigelow
- Encephalartos*** spp. Lehm. I ZAMIACEAE
- Encephalartos acanthus* Mast. = *Encephalartos cycadifolius* (Jacq.) Lehm.
- Encephalartos aemulans*** Vorster I ZAMIACEAE
- Encephalartos altensteinii*** Lehm. I ZAMIACEAE
- Encephalartos aplanatus*** Vorster I ZAMIACEAE
- Encephalartos arenarius*** R.A.Dyer I ZAMIACEAE
- Encephalartos barteri*** Carruth. ex Miq. I ZAMIACEAE
- Encephalartos brachyphyllus* Lehm. & De Vriese = *Encephalartos caffer* (Thunb.) Lehm.
- Encephalartos brevifoliolatus*** Vorster I ZAMIACEAE
- Encephalartos bubalinus*** Melville I ZAMIACEAE
- Encephalartos caffer*** (Thunb.) Lehm. I ZAMIACEAE
- Encephalartos cerinus*** Lavranos & D.L.Goode I ZAMIACEAE
- Encephalartos chimanimaniensis*** R.A.Dyer & I.Verdi I ZAMIACEAE
- Encephalartos concinnus*** R.A.Dyer & I.Verdi I ZAMIACEAE
- Encephalartos cupidus*** R.A.Dyer I ZAMIACEAE

- Encephalartos cycadifolius** (Jacq.) Lehm. I  
ZAMIACEAE
- Encephalartos cycadis* Sweet = *Encephalartos caffer* (Thunb.) Lehm.
- Encephalartos delucanus** Malaisse, Sclavo & Crosiers I  
ZAMIACEAE
- Encephalartos denisonii* (C.Moore & F.Muell) F.Muell = *Lepidozamia peroffskyana* Regel
- Encephalartos dolomiticus** Lavranos & D.L.Goode I  
ZAMIACEAE
- Encephalartos douglasii* F.Muell = *Macrozamia fraseri* Miq.
- Encephalartos dyerianus** Lavranos & D.L.Goode I  
ZAMIACEAE
- Encephalartos dyeri* F.Muell = *Macrozamia dyeri* (F.Muell.) C.A.Gardner
- Encephalartos elliptica* Lodd. ex Miq. = *Encephalartos caffer* (Thunb.) Lehm.
- Encephalartos equatorialis** P.J.H.Hurter I ZAMIACEAE
- Encephalartos eugene-maraisii** I.Verd. I ZAMIACEAE
- Encephalartos eximius* I.Verd. = *Encephalartos cycadifolius* (Jacq.) Lehm.
- Encephalartos ferox** Bertol.f. I ZAMIACEAE
- Encephalartos flavistrobilus* I.Turner & Sclavo = *Encephalartos schaijesii* Malaisse, Sclavo & Crosiers
- Encephalartos fraseri* (Miq.) Miq. = *Macrozamia fraseri* Miq.
- Encephalartos friderici-guilielmi** Lehm. I ZAMIACEAE
- Encephalartos ghellinckii** Lem. I ZAMIACEAE
- Encephalartos graniticulus* Robbertse et al. = *Encephalartos dyerianus* Lavranos & D.L.Goode
- Encephalartos gratus** Prain I ZAMIACEAE
- Encephalartos heenanii** R.A.Dyer I ZAMIACEAE
- Encephalartos hildebrandtii** A.Braun & C.D.Bouché I ZAMIACEAE
- Encephalartos hirsutus** P.J.H.Hurter I ZAMIACEAE
- Encephalartos horridus** (Jacq.) Lehm. I ZAMIACEAE
- Encephalartos humilis** I.Verd. I ZAMIACEAE
- Encephalartos imbricans* Vorster = *Encephalartos equatorialis* P.J.H.Hurter
- Encephalartos inopinus** R.A.Dyer I ZAMIACEAE
- Encephalartos ituriensis** Bamps & Lisowski I ZAMIACEAE
- Encephalartos kanga** Pócs & Q.Luke I ZAMIACEAE
- Encephalartos kisambo** Faden & Beentje I ZAMIACEAE
- Encephalartos kosiensis* Hutch. = *Encephalartos ferox* Bertol.f.
- Encephalartos laevifolius** Stapf & Burtt Davy I ZAMIACEAE
- Encephalartos lanatus** Stapf & Burtt Davy I ZAMIACEAE
- Encephalartos lanuginosus* (Jacq.) Lehm. = *Encephalartos longifolius* (Jacq.) Lehm.
- Encephalartos latifrons** Lehm. I ZAMIACEAE
- Encephalartos laurentianus** De Wild. I ZAMIACEAE
- Encephalartos lebomboensis** I.Verd. I ZAMIACEAE
- Encephalartos lehmannii** Lehm. I ZAMIACEAE
- Encephalartos lemarinellianus* De Wild.& Th. Dur. = *Encephalartos poggei* Aschers.
- Encephalartos longifolius** (Jacq.) Lehm. I ZAMIACEAE
- Encephalartos macdonnellii* F.Muell ex Miq. = *Macrozamia macdonnellii* (F.Muell. ex Miq.) A.DC.
- Encephalartos mackenziei** L.E.Newton I ZAMIACEAE
- Encephalartos macrostrobilus** S.Jones & J.Wynants I ZAMIACEAE
- Encephalartos manikensis** (Gilliland) Gilliland I ZAMIACEAE
- Encephalartos marumii* De Vreise = *Encephalartos altensteinii* Lehm.
- Encephalartos marunguensis** Devred I ZAMIACEAE
- Encephalartos mauritianus* Miq. = *Encephalartos longifolius* (Jacq.) Lehm.
- Encephalartos middelburgensis** Vorster I ZAMIACEAE
- Encephalartos miquelianii* F.Muell. = *Macrozamia miquelianii* (F.Muell.) A.DC.
- Encephalartos moorei* (F.Muell) F.Muell = *Macrozamia moorei* F.Muell.
- Encephalartos msinganus** Vorster I ZAMIACEAE
- Encephalartos munchii** R.A.Dyer & I.Verd. I ZAMIACEAE
- Encephalartos nanus* Lehm. = *Encephalartos horridus* (Jacq.) Lehm.
- Encephalartos natalensis** R.A.Dyer & I.Verd. I ZAMIACEAE
- Encephalartos ngoyanus** I.Verd. I ZAMIACEAE
- Encephalartos nubimontanus** P.J.H.Hurter I ZAMIACEAE
- Encephalartos oldfieldii* Miq. = *Macrozamia fraseri* Miq.
- Encephalartos paucidentatus** Stapf & Burtt Davy I ZAMIACEAE
- Encephalartos pauli-guilielmi* (W.Hill & F.Muell) F. Muell = *Macrozamia pauli-guilielmi* W.Hill & F.Muell.
- Encephalartos poggei** Aschers. I ZAMIACEAE
- Encephalartos powysorum** Beentje I ZAMIACEAE
- Encephalartos preissii* (Lehm.) F.Muell. = *Macrozamia fraseri* Miq.
- Encephalartos princeps** R.A.Dyer I ZAMIACEAE
- Encephalartos pterogonus** R.A.Dyer & I.Verd. I ZAMIACEAE
- Encephalartos pumilus* Sweet = *Zamia pumila* L.
- Encephalartos regalis* W.Bull = *Encephalartos altensteinii* Lehm.
- Encephalartos relictus** P.J.H.Hurter I ZAMIACEAE
- Encephalartos schaijesii** Malaisse, Sclavo & Crosiers I ZAMIACEAE
- Encephalartos schmitzii** Malaisse I ZAMIACEAE
- Encephalartos sclanoi** De Luca, D.W.Stev. & A.Moretti I ZAMIACEAE
- Encephalartos senticosus** Vorster I ZAMIACEAE
- Encephalartos septentrionalis** Schweinf. I ZAMIACEAE
- Encephalartos spinulosus* Lehm. = *Encephalartos lehmannii* Lehm.
- Encephalartos spiralis* (Salisb.) Lehm. = *Macrozamia spiralis* (Salisb.) Miq.
- Encephalartos successibus* P.Vorster = *Encephalartos whitelockii* P.J.H.Hurter
- Encephalartos tegulaneus** Melville I ZAMIACEAE
- Encephalartos transvenosus** Stapf & Burtt Davy I ZAMIACEAE
- Encephalartos trispinosus** (Hook.) R.A.Dyer I ZAMIACEAE

- Encephalartos turneri*** Lavranos & D.L.Goode I  
ZAMIACEAE
- Encephalartos umbeluziensis*** R.A.Dyer I ZAMIACEAE
- Encephalartos vanhallii* De Vriese = *Encephalartos horridus* (Jacq.) Lehm.
- Encephalartos venetus* Vorster = *Encephalartos nubimontanus* P.J.H.Hurter
- Encephalartos verrucosus* Robbertse et al. = *Encephalartos dolomiticus* Lavranos & D.L.Goode
- Encephalartos verschaffelti* Regel = *Encephalartos cycadifolius* (Jacq.) Lehm.
- Encephalartos villosus*** Lem. I ZAMIACEAE
- Encephalartos voiensis* A.Moretti, D.W.Stev. & J.P.Sclavo = *Encephalartos kisambo* Faden & Beentje
- Encephalartos whitelockii*** P.J.H.Hurter I ZAMIACEAE
- Encephalartos woodii*** Sander I ZAMIACEAE
- Encephalocarpus strobiliformis* (Werdermann) Berger = *Pelecyphora strobiliformis* (Werdermann) Fric & Schelle ex Kreuzinger
- Encephalartos elongatus* Miq. = *Encephalartos cycadifolius* (Jacq.) Lehm.
- Encheiridion* spp. Summerh. #4 II 64 ORCHIDACEAE
- Encheiridion macrorrhynchium* #4 II 64 ORCHIDACEAE
- Encyclia*** spp. Hook. #4 II 64 ORCHIDACEAE
- Encyclia abbreviata*** (Schltr.) Dressler #4 II 64 ORCHIDACEAE
- Encyclia acicularis* (Bateman) Schltr. = *Encyclia bractescens* (Lindl.) Hoehne
- Encyclia acuta*** Schltr. #4 II 64 ORCHIDACEAE
- Encyclia adenocarpon*** (La Llave & Lex) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia adenocarpon trachycarpa* (Lindl. ex Benth) Dressler & G.E.Pollard = *Encyclia trachycarpa* (Lindley ex Benth.) Schltr.
- Encyclia adenocaula*** (Llave & Lex.) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia advena*** (Rchb.f.) Porto & Brade #4 II 64 ORCHIDACEAE
- Encyclia aemula*** (Lindley) Carnevalia & Ramírez #4 II 64 ORCHIDACEAE
- Encyclia aenicta*** Dressler & Pollard #4 II 64 ORCHIDACEAE
- Encyclia alagoensis*** (Pabst) Pabst #4 II 64 ORCHIDACEAE
- Encyclia alanjensis* (Ames) Carnevali & G.Romero = *Encyclia stellata* (Lindl.) Schltr.
- Encyclia alata*** (Bateman) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia alata parviflora* (Regel) Dressler & Pollard = *Encyclia parviflora* Withner
- Encyclia albopurpurea*** (Barb.Rodr.) Porto & Brade #4 II 64 ORCHIDACEAE
- Encyclia alboanthrina*** Fowlie #4 II 64 ORCHIDACEAE
- Encyclia allemanii*** (Barb.Rodr.) Pabst #4 II 64 ORCHIDACEAE
- Encyclia allemanoides*** (Hoehne) Pabst #4 II 64 ORCHIDACEAE
- Encyclia amabilis* (Linden & Rchb.f.) Schltr. = *Encyclia concolor* (La Llave & Lex.) Schltr.
- Encyclia amanda*** (Ames) Dressler #4 II 64 ORCHIDACEAE
- Encyclia ambigua*** (Lindl.) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia amicta*** (Linden & Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia andrichii*** L.C.Menezes #4 II 64 ORCHIDACEAE
- Encyclia angustiloba*** Schltr. #4 II 64 ORCHIDACEAE
- Encyclia apuahuensis*** (Mansf.) Pabst #4 II 64 ORCHIDACEAE
- Encyclia argentinensis*** (Speg.) Hoehne #4 II 64 ORCHIDACEAE
- Encyclia arminii*** (Rchb.f.) Carnevali & Ramírez #4 II 64 ORCHIDACEAE
- Encyclia aromatica* (Bateman) Schltr. = *Encyclia incumbens* (Lindl.) Mabb.
- Encyclia aspera*** (Lindl.) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia asperirachis*** Garay #4 II 64 ORCHIDACEAE
- Encyclia asperula*** Dressler & Pollard #4 II 64 ORCHIDACEAE
- Encyclia atropurpurea* auct. non Schltr. = *Encyclia cordigera* (Kunth) Dressler
- Encyclia atrorubens*** (Rolfe) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia auyantepuiensis*** Carnevali Ramírez #4 II 64 ORCHIDACEAE
- Encyclia baculus*** (Reichb.f.) Dressler & Pollard #4 II 64 ORCHIDACEAE
- Encyclia bahamensis* (Grisebach.) Britton & Millsp. = *Encyclia rufa* (Lindl.) Britt. & Millsp.
- Encyclia bahiensis* L.C.Menezes = *Encyclia fowliei* Duv.
- Encyclia belizensis* (Rchb.f.) Schltr. = *Encyclia guatemalensis* (Klotzsch) Withner
- Encyclia bicamerata*** (Reichb.f.) Dressler & Pollard #4 II 64 ORCHIDACEAE
- Encyclia bifida*** (Aubl.) Britt. & Wilson #4 II 64 ORCHIDACEAE (E) Thicket Encyclia
- Encyclia bipapulares* (Rchb.f.) Acuña = *Encyclia triangulifera* (Rchb.f.) Acuña
- Encyclia boothiana*** (Lindley) Dressler #4 II 64 ORCHIDACEAE
- Encyclia boothiana erethronioides* (Small) Hágssater ex Christenson, Lindl. = *Prosthechea boothiana* (Lindl.) W.E.Higgins
- Encyclia brachiata*** (A.Rich & H.Galeotti) Dressler & Pollard #4 II 64 ORCHIDACEAE
- Encyclia brachychila* (Lindl.) Carnevali & Ramírez = *Encyclia hartwegii* (Lind.) Vásquez & Dodson
- Encyclia bracteata*** (Barb.Rodr.) Hoehne #4 II 64 ORCHIDACEAE
- Encyclia bractescens*** (Lindl.) Hoehne #4 II 64 ORCHIDACEAE
- Encyclia bradfordi*** (Griseb.) Carnevali & Ramírez #4 II 64 ORCHIDACEAE
- Encyclia bragranceae*** Ruschi #4 II 64 ORCHIDACEAE
- Encyclia brassavolae*** (Rchb.f.) Dressler #4 II 64 ORCHIDACEAE
- Encyclia brenesii* Schltr. = *Encyclia mooreana* (Rolfe) Schltr.

- Encyclia buchtienii*** Schltr. #4 II 64 ORCHIDACEAE  
*Encyclia bulbosa* (Vell.) Pabst = *Encyclia inversa* (Lindl.)  
 Pabst
- Encyclia burle-marxii*** Pabst. #4 II 64 ORCHIDACEAE
- Encyclia caetensis*** (Bicalho) Pabst #4 II 64  
 ORCHIDACEAE
- Encyclia caicensis*** Sauleda & R.M. Adams #4 II 64  
 ORCHIDACEAE
- Encyclia calamaria*** (Lindl.) Pabst. #4 II 64  
 ORCHIDACEAE
- Encyclia campos-portoi*** Pabst #4 II 64 ORCHIDACEAE
- Encyclia campylostalix*** (Lindl.) Schltr. #4 II 64  
 ORCHIDACEAE
- Encyclia candollei*** (Lindl.) Schltr. #4 II 64  
 ORCHIDACEAE
- Encyclia capartiana*** (L.Linden) Fowlie & Duv. #4 II 64  
 ORCHIDACEAE
- Encyclia cardimii*** Pabst #4 II 64 ORCHIDACEAE
- Encyclia cepiforme*** Hooker #4 II 64 ORCHIDACEAE
- Encyclia ceratistes*** (Lindl.) Schltr. #4 II 64  
 ORCHIDACEAE
- Encyclia chacaoensis*** (Rchb.f.) Dressler & Pollard #4 II  
 64 ORCHIDACEAE
- Encyclia chapadensis*** L.C.Menezes #4 II 64  
 ORCHIDACEAE
- Encyclia chiapasensis*** Withner & Hunt #4 II 64  
 ORCHIDACEAE
- Encyclia chimborazoensis*** (Schltr.) Dressler #4 II 64  
 ORCHIDACEAE
- Encyclia chiriquensis* (Rchb.f.) Schltr. = *Encyclia varicosa*  
 (Bateman ex Lindl.) Schltr.
- Encyclia chloroleuca*** (W.J. Hook.) Neum. #4 II 64  
 ORCHIDACEAE
- Encyclia chondylbulbon*** (A.Rich & H.Galeotti) Dressler  
 & Pollard #4 II 64 ORCHIDACEAE
- Encyclia citrina*** (Llave & Lex.) Dressler #4 II 64  
 ORCHIDACEAE
- Encyclia cochleata*** (L.) Lemée #4 II 64 ORCHIDACEAE  
*Encyclia cochleata* (L.) Dressler = *Prosthechea cochleata*  
 (L.) W.E.Higgins
- Encyclia conchaechila*** (Barb.Rodr.) Porto & Brade #4 II  
 64 ORCHIDACEAE
- Encyclia concolor*** (La Llave & Lex.) Schltr. #4 II 64  
 ORCHIDACEAE
- Encyclia confusa*** L.C.Menezes #4 II 64 ORCHIDACEAE  
*Encyclia conspicua* (Lem.) Porto & Brade = *Encyclia*  
*dichroma* (Lindl.) Schltr.
- Encyclia cordigera*** (Kunth) Dressler #4 II 64  
 ORCHIDACEAE
- Encyclia cretacea*** Dressler & Pollard #4 II 64  
 ORCHIDACEAE
- Encyclia cyanocolumna*** (Ames, Hubb., Schweinf.)  
 Dressler #4 II 64 ORCHIDACEAE
- Encyclia cyperifolia*** (C.Sweinf.) Carnevali & Ramírez #4  
 II 64 ORCHIDACEAE
- Encyclia deamii* (Schltr.) Hoehne = *Encyclia livida* (Lindl.)  
 Dressler
- Encyclia dichroma*** (Lindl.) Schltr. #4 II 64  
 ORCHIDACEAE
- Encyclia dickinsoniana*** (Withner) Withner #4 II 64  
 ORCHIDACEAE
- Encyclia diguetii*** (Ames) Hoehne = *Encyclia tripunctata*  
 (Lindley) Dressler
- Encyclia diguetii*** (Ames) Hoehne = *Encyclia tripartita*  
 (Vell.) Hoehne
- Encyclia diota*** (Lindl.) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia diota atrorubens* (Rolfe) Dressler & G.E.Pollard =  
*Encyclia atrorubens* (Rolfe) Schltr.
- Encyclia distantiflora*** (Rich. & H.Galeotti) Dressler &  
 Pollard #4 II 64 ORCHIDACEAE
- Encyclia diurna*** (Jacq.) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia doeringii*** Hoehne #4 II 64 ORCHIDACEAE
- Encyclia dutrai*** Pabst #4 II 64 ORCHIDACEAE
- Encyclia duveenii*** Pabst. #4 II 64 ORCHIDACEAE
- Encyclia ensiformis*** (Ruiz & Pavon) Mansf. #4 II 64  
 ORCHIDACEAE
- Encyclia ensiformis* (Vell.) = *Encyclia vellozoana* Pabst.
- Encyclia euosma*** Rchb.f. #4 II 64 ORCHIDACEAE
- Encyclia faresiana*** (Bicalho) Pabst #4 II 64  
 ORCHIDACEAE
- Encyclia fausta*** (Rchb.f. ex Cogn.) Pabst #4 II 64  
 ORCHIDACEAE
- Encyclia fehlingii*** (Sauleda) Sauleda & R.M. Adams #4 II  
 64 ORCHIDACEAE
- Encyclia flabellata* (Lindley) Thurston & Thurston =  
*Encyclia candollei* (Lindl.) Schltr.
- Encyclia flabellifera*** Hoehne & Schltr. #4 II 64  
 ORCHIDACEAE
- Encyclia flava*** (Lindl.) Porto & Brade #4 II 64  
 ORCHIDACEAE
- Encyclia fortunae*** Dressler #4 II 64 ORCHIDACEAE
- Encyclia fowlie*** Duv. #4 II 64 ORCHIDACEAE
- Encyclia fragrans*** (Sw.) Lemée #4 II 64 ORCHIDACEAE
- Encyclia fragrans aemula* (Lindl.) Dressler = *Encyclia*  
*fragrans* (Sw.) Lemée
- Encyclia gallopavina*** (Rchb.f.) Porto & Brade #4 II 64  
 ORCHIDACEAE
- Encyclia garciana*** (Garay & Dunst.) Carnevalii &  
 Ramírez #4 II 64 ORCHIDACEAE
- Encyclia ghiesbreghtiana*** (A. Rich. & H.G.Galeotti)  
 Dressler #4 II 64 ORCHIDACEAE
- Encyclia ghillanyi*** Pabst #4 II 64 ORCHIDACEAE
- Encyclia glauca*** (Knowles & Westc.) Dressler &  
 G.E.Pollard #4 II 64 ORCHIDACEAE
- Encyclia glumacea*** (Lindl.) Pabst #4 II 64  
 ORCHIDACEAE
- Encyclia gonzalezii*** L.C.Menzies #4 II 64  
 ORCHIDACEAE
- Encyclia goyazensis*** L.C.Menzies #4 II 64  
 ORCHIDACEAE
- Encyclia gracilis*** (Lindley) Schltr. #4 II 64  
 ORCHIDACEAE
- Encyclia grammato glossa*** (Rchb.f.) Dressler #4 II 64  
 ORCHIDACEAE
- Encyclia granitica*** (Lindl.) Schltr. #4 II 64  
 ORCHIDACEAE
- Encyclia gravida*** (Lindl.) Schltr. #4 II 64 ORCHIDACEAE

- Encyclia guatemalensis*** (Klotzsch) Withner #4 II 64  
ORCHIDACEAE
- Encyclia guianensis*** Carnevali & Romero #4 II 64  
ORCHIDACEAE
- Encyclia guttata* (A.Rich & H.G.Galleotti) Schltr. = *Encyclia maculosa* (Ames,F.T.Hubb. & C. Schweinf.) Hoehne  
ORCHIDACEAE
- Encyclia hanburii*** (Lindl.) Schltr. #4 II 64  
ORCHIDACEAE
- Encyclia hartwegii*** (Lind.) Vásquez & Dodson #4 II 64  
ORCHIDACEAE
- Encyclia hastata*** (Lindley) Dressler & G.E.Pollard #4 II 64  
ORCHIDACEAE
- Encyclia hodgeana*** (Hawkes) Beckner #4 II 64  
ORCHIDACEAE
- Encyclia hoehnei*** (Hawkes) Pabst #4 II 64  
ORCHIDACEAE
- Encyclia hoffmannii* Schltr. = *Encyclia chacaoensis* (Rchb.f.) Dressler & Pollard  
ORCHIDACEAE
- Encyclia hollandiae*** Fowlie #4 II 64 ORCHIDACEAE
- Encyclia huebneri*** Schltr. #4 II 64 ORCHIDACEAE
- Encyclia hunteriana* Schltr. = *Encyclia stellata* (Lindl.) Schltr.  
ORCHIDACEAE
- Encyclia icthyphylla* (Ames) Hoehne = *Encyclia michuacana* (La Llave & Lex) Schltr.  
ORCHIDACEAE
- Encyclia inaguensis*** Nash ex Britton & Millsp. #4 II 64  
ORCHIDACEAE
- Encyclia incumbens*** (Lindl.) Mabb. #4 II 64  
ORCHIDACEAE
- Encyclia insidiosa* (Rchb.f.) Schltr. = *Encyclia diota* (Lindl.) Schltr.  
ORCHIDACEAE
- Encyclia inversa*** (Lindl.) Pabst #4 II 64 ORCHIDACEAE
- Encyclia ionophlebia*** (Rchb.f.) Dressler #4 II 64  
ORCHIDACEAE
- Encyclia ionosoma*** (Lindl.) Schltr. #4 II 64  
ORCHIDACEAE
- Encyclia ivonae*** Carnevali & G.A.Romero #4 II 64  
ORCHIDACEAE
- Encyclia jauana*** Carnevali & Ramírez #4 II 64  
ORCHIDACEAE
- Encyclia jenischiana* (Rchb.f.) Porto & Brade = *Encyclia dichroma* (Lindl.) Schltr.  
ORCHIDACEAE
- Encyclia kautskyi*** Pabst #4 II 64 ORCHIDACEAE
- Encyclia kennedyi*** (Fowlie & Withner) Hágster #4 II 64  
ORCHIDACEAE
- Encyclia kienastii*** (Rchb.f.) Dressler & Pollard #4 II 64  
ORCHIDACEAE
- Encyclia krugii*** (Bello) Britt. & Wilson #4 II 64  
ORCHIDACEAE (E) Krug's Encyclia  
Encyclia, Krug's (E): *Encyclia krugii*
- Encyclia lambda*** (Linden & Rchb.f.) Dressler #4 II 64  
ORCHIDACEAE
- Encyclia lancifolia*** (Lindley) Dressler & G.E.Pollard #4 II 64  
ORCHIDACEAE
- Encyclia latipetala*** (C.Schweinf.) Pabst #4 II 64  
ORCHIDACEAE
- Encyclia laxa*** Schltr. #4 II 64 ORCHIDACEAE
- Encyclia leucantha*** Schltr. #4 II 64 ORCHIDACEAE
- Encyclia limbata* (Lindl.) Dressler = *Encyclia glauca* (Knowles & Westc.) Dressler & G.E.Pollard  
ORCHIDACEAE
- Encyclia lindenii*** (Lindl.) Carnevali & Ramírez #4 II 64  
ORCHIDACEAE
- Encyclia linearifolioides*** (Kranzl.) Hoehne #4 II 64  
ORCHIDACEAE
- Encyclia linearis* (Ruiz & Pav.) Dressler = *Encyclia luteorosea* (A.Rich & H.Galeotti) Dressler & Pollard  
ORCHIDACEAE
- Encyclia linkiana*** (Klotzsch) Schltr. #4 II 64  
ORCHIDACEAE
- Encyclia livida*** (Lindl.) Dressler #4 II 64 ORCHIDACEAE
- Encyclia longifolia*** (Barb.Rodr.) Schltr. #4 II 64  
ORCHIDACEAE
- Encyclia lorata*** Dressler & G.E.Pollard #4 II 64  
ORCHIDACEAE
- Encyclia luteorosea*** (A.Rich & H.Galeotti) Dressler & Pollard #4 II 64 ORCHIDACEAE
- Encyclia lutzenbergerii*** L.C.Menezes #4 II 64  
ORCHIDACEAE
- Encyclia macrochila* (Hook.) Neumann = *Encyclia cordigera* (Kunth) Dressler  
ORCHIDACEAE
- Encyclia maculosa*** (Ames,F.T.Hubb. & C. Schweinf.) Hoehne #4 II 64 ORCHIDACEAE
- Encyclia maderoi*** Schltr. #4 II 64 ORCHIDACEAE
- Encyclia magnispatha*** (Ames, Hubb., & Schweinf.) Dressler #4 II 64 ORCHIDACEAE
- Encyclia mapuerae*** Huber #4 II 64 ORCHIDACEAE
- Encyclia mariae*** (Ames) Hoehne #4 II 64  
ORCHIDACEAE
- Encyclia megalantha*** (Barb.Rodr.) Porto & Brade #4 II 64  
ORCHIDACEAE
- Encyclia meliosma*** (Reichb.f.) Schltr. #4 II 64  
ORCHIDACEAE
- Encyclia michuacana*** (La Llave & Lex) Schltr. #4 II 64  
ORCHIDACEAE
- Encyclia microbulbon*** (Hook.) Schltr. #4 II 64  
ORCHIDACEAE
- Encyclia microtos*** (Rchb.f.) Hoehne #4 II 64  
ORCHIDACEAE
- Encyclia microxathina*** Fowlie #4 II 64 ORCHIDACEAE
- Encyclia moebusii* Dietrich. = *Encyclia triangulifera* (Rchb.f.) Acuña  
ORCHIDACEAE
- Encyclia moojenii*** (Pabst) Pabst #4 II 64 ORCHIDACEAE
- Encyclia mooreana*** (Rolfe) Schltr. #4 II 64  
ORCHIDACEAE
- Encyclia multiflora* Rchb.f. non Hook. = *Encyclia viridiflora* Hook.  
ORCHIDACEAE
- Encyclia narajapatensis*** Dodson #4 II 64  
ORCHIDACEAE
- Encyclia nematocaulon*** (A.Rich.) Acuña #4 II 64  
ORCHIDACEAE
- Encyclia nemoralis* (Lindl.) Schltr. = *Encyclia adenocaulea* (Llave & Lex.) Schltr.  
ORCHIDACEAE
- Encyclia neurosa*** (Ames) Dressler & Pollard #4 II 64  
ORCHIDACEAE
- Encyclia obpyribulbon*** Hágster. #4 II 64  
ORCHIDACEAE
- Encyclia ochracea*** (Lindl.) Dressler #4 II 64  
ORCHIDACEAE
- Encyclia odoratissima* (Lindl.) = *Encyclia patens* Hook.  
ORCHIDACEAE

- Encyclia oestlundii*** (Ames, F.T.Hubb., & Schweinf.) Hágaster & Stern. #4 II 64 ORCHIDACEAE
- Encyclia oncidoides*** (Lindl.) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia organensis* (Rolfe) Pabst = *Encyclia calamaria* (Lindl.) Pabst.
- Encyclia osmantha*** (Barb.Rodr.) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia ovulum* (Lindl.) Schltr. = *Encyclia microbulbon* (Hook.) Schltr.
- Encyclia oxiphylla*** Schltr. #4 II 64 ORCHIDACEAE
- Encyclia pachyantha*** (Lindl.) Hoehne #4 II 64 ORCHIDACEAE
- Encyclia paleacea* (Lindl.) A.Lemée 1955 = *Nidema boothii* (Lindl.) Schltr. 1922
- Encyclia pamplonensis* (Rchb.f.) Carnevali = *Encyclia tigrina* (Lindl. ex Linden) Carnevali & Ramírez
- Encyclia panthera*** (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia papilio*** (Vell.) Pabst #4 II 64 ORCHIDACEAE
- Encyclia papillosa*** (Bateman) Aguirre-Olav. #4 II 64 ORCHIDACEAE
- Encyclia parviflora*** Withner #4 II 64 ORCHIDACEAE
- Encyclia pastoris* (Llave ex Lex.) Schltr. = *Encyclia venosa* (Lindl.) Schltr.
- Encyclia pastoris* Schltr. = *Encyclia linkiana* (Klotzsch) Schltr.
- Encyclia patens*** Hook. #4 II 64 ORCHIDACEAE
- Encyclia pauciflora*** (Barb.-Rodr.) Porto & Brade #4 II 64 ORCHIDACEAE
- Encyclia pedra-azulensis*** L.C.Menezes #4 II 64 ORCHIDACEAE
- Encyclia pentotis* (Rchb.f.) Dressler = *Encyclia baculus* (Reichb.f.) Dressler & Pollard
- Encyclia peraltensis*** (Ames) Withner #4 II 64 ORCHIDACEAE
- Encyclia perplexa*** (Ames, F.T.Hubb. & C.Schweinf.) Withner #4 II 64 ORCHIDACEAE
- Encyclia perplexa* (Ames, F.T.Hubb. & C.Schweinf.) Withner Dressler & Pollard = *Encyclia perplexa* (Ames, F.T.Hubb. & C.Schweinf.) Withner
- Encyclia pflanzii*** Schltr. #4 II 64 ORCHIDACEAE
- Encyclia phymatoglossa* (Rchb.f.) Schltr. = *Encyclia varicosa* (Bateman ex Lindl.) Schltr.
- Encyclia picta*** (Lindl.) Hoehne #4 II 64 ORCHIDACEAE
- Encyclia pipio*** (Rchb.f.) Pabst #4 II 64 ORCHIDACEAE
- Encyclia plicata* (Lindl.) Schltr. = *Epidendrum plicatum* Lindl.
- Encyclia pollardiana*** (Withner) Dressler & G.E.Pollard #4 II 64 ORCHIDACEAE
- Encyclia polybulbon*** (Sw.) Dressler #4 II 64 ORCHIDACEAE
- Encyclia porrecta*** Adams & P.J.Cribb #4 II 64 ORCHIDACEAE
- Encyclia powellii* Schltr. = *Encyclia ceratistes* (Lindl.) Schltr.
- Encyclia pringlei*** (Rolfe ex Ames) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia prismatocarpa*** (Rchb.f.) Dressler #4 II 64 ORCHIDACEAE
- Encyclia pruinosa* (A.Rich & H.G.Galeotti) Schltr. = *Encyclia concolor* (La Llave & Lex.) Schltr.
- Encyclia pseudopygmaea*** (Finet) Dressler & G.E.Pollard #4 II 64 ORCHIDACEAE
- Encyclia pterocarpa*** (Lindley) Dressler #4 II 64 ORCHIDACEAE
- Encyclia pulcherrima*** Dodson & Bennett #4 II 64 ORCHIDACEAE
- Encyclia punctifera*** (Rchb.f.) Pabst #4 II 64 ORCHIDACEAE
- Encyclia purpusii* Schltr. = *Encyclia nematocaulen* (A.Rich.) Acuña
- Encyclia pygmaea*** (Hook.) Dressler #4 II 64 ORCHIDACEAE
- Encyclia radiata*** (Lindl.) Dressler #4 II 64 ORCHIDACEAE
- Encyclia ramonensis* (Rchb.f.) Schltr. = *Encyclia ceratistes* (Lindl.) Schltr.
- Encyclia randii*** (Barb.Rodr.) Porto & Brade #4 II 64 ORCHIDACEAE
- Encyclia recurvata*** Schltr. #4 II 64 ORCHIDACEAE
- Encyclia regnelliana*** (Hoehne & Schltr.) Pabst #4 II 64 ORCHIDACEAE
- Encyclia rhombilabia*** S.Rosillo #4 II 64 ORCHIDACEAE
- Encyclia rhynchophora*** (A.Rich & H.G.Galeotti) Dressler #4 II 64 ORCHIDACEAE
- Encyclia rufa*** (Lindl.) Britt. & Millsp. #4 II 64 ORCHIDACEAE
- Encyclia sceptrum*** (Lindl.) Carnevali & Ramírez #4 II 64 ORCHIDACEAE
- Encyclia schmidii*** L.C.Menezes #4 II 64 ORCHIDACEAE
- Encyclia sclerocladia*** (Lindl. ex Rchb.f.) Hoehne #4 II 64 ORCHIDACEAE
- Encyclia seidelii*** Pabst #4 II 64 ORCHIDACEAE
- Encyclia selligera*** (Bateman ex Lindley) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia semiaperta*** Hágaster #4 II 64 ORCHIDACEAE
- Encyclia serroniana* (Barb.Rodr.) Hoehne = *Encyclia patens* Hook.
- Encyclia sessiliflora*** (Edwall) Pabst #4 II 64 ORCHIDACEAE
- Encyclia sima*** Dressler #4 II 64 ORCHIDACEAE
- Encyclia singuliflorum*** Schltr. #4 II 64 ORCHIDACEAE
- Encyclia*, Sintenis' (E): *Encyclia sintenisi*
- Encyclia sintenisi*** (Reichenb. f.) Britt. #4 II 64 ORCHIDACEAE (E) Sintenis' *Encyclia*
- Encyclia sisyrinchiiifolia* (A.Rich & H.G.Galeotti) Schltr. = *Encyclia microbulbon* (Hook.) Schltr.
- Encyclia spatella*** (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE
- Encyclia spiritussanctensis*** L.C.Menezes #4 II 64 ORCHIDACEAE
- Encyclia spondiadum*** (Rchb.f.) Dressler #4 II 64 ORCHIDACEAE
- Encyclia squamata* (Barb. Rodr.) Porto & Brade = *Encyclia hoehnei* (Hawkes) Pabst

- Encyclia steinbachii*** Schltr. #4 II 64 ORCHIDACEAE  
***Encyclia stellata*** (Lindl.) Schltr. #4 II 64 ORCHIDACEAE  
***Encyclia suaveolens*** Dressler #4 II 64 ORCHIDACEAE  
***Encyclia subulatifolia*** (A. Rich. & H.G.Galeotti) Dressler  
#4 II 64 ORCHIDACEAE  
***Encyclia suzanensis*** (Hoehne) Pabst #4 II 64  
ORCHIDACEAE  
***Encyclia tampensis*** (Lindl.) Small #4 II 64  
ORCHIDACEAE  
***Encyclia tarumana*** Schltr. #4 II 64 ORCHIDACEAE  
***Encyclia tenuissima*** (Ames, F.T.Hubb., & C.Schweinf.)  
Dressler #4 II 64 ORCHIDACEAE  
***Encyclia tessellata*** (Lindl.) Schltr. = *Encyclia livila* (Lindl.)  
Dressler  
*Encyclia*, Thicket (E): *Encyclia bifida*  
***Encyclia thienii*** Dodson = *Encyclia chloroleuca* (W.J.  
Hook.) Neum.  
***Encyclia tigrina*** (Lindl. ex Linden) Carnevali & Ramírez  
#4 II 64 ORCHIDACEAE  
***Encyclia tonduziana*** Schltr. = *Encyclia mooreana* (Rolle)  
Schltr.  
***Encyclia trachycarpa*** (Lindley ex Benth.) Schltr. #4 II 64  
ORCHIDACEAE  
***Encyclia trachychila*** (Lindl.) Schltr. = *Encyclia ambigua*  
(Lindl.) Schltr.  
***Encyclia triangulifera*** (Rchb.f.) Acuña #4 II 64  
ORCHIDACEAE  
***Encyclia tripartita*** (Vell.) Hoehne #4 II 64  
ORCHIDACEAE  
*Encyclia triptera* (Brongn.) Dressler & G.E.Pollard =  
*Encyclia pygmaea* (Hook.) Dressler  
***Encyclia tripterum*** Lindl. = *Encyclia semiaperta* Hágsater  
***Encyclia tripunctata*** (Lindley) Dressler #4 II 64  
ORCHIDACEAE  
***Encyclia tuerckheimii*** Schltr. #4 II 64 ORCHIDACEAE  
***Encyclia unaensis*** Fowlie #4 II 64 ORCHIDACEAE  
***Encyclia vagans*** (Ames) Dressler G.E. Pollard #4 II 64  
ORCHIDACEAE  
***Encyclia varicosa*** (Bateman ex Lindl.) Schltr. #4 II 64  
ORCHIDACEAE  
***Encyclia vellozoana*** Pabst. #4 II 64 ORCHIDACEAE  
***Encyclia venezuelana*** (Schltr.) Schltr. #4 II 64  
ORCHIDACEAE  
***Encyclia venosa*** (Lindl.) Schltr. #4 II 64 ORCHIDACEAE  
***Encyclia vespa*** (Vell.) Dressler #4 II 64 ORCHIDACEAE  
***Encyclia virens*** (Lindl.) Schltr. #4 II 64 ORCHIDACEAE  
*Encyclia virgata* (Lindl.) Schltr. = *Encyclia michuacana* (La  
Llave & Lex) Schltr.  
***Encyclia viridiflava*** L.C.Menezes #4 II 64  
ORCHIDACEAE  
***Encyclia viridiflora*** Hook. #4 II 64 ORCHIDACEAE  
***Encyclia vitellina*** (Lindley) Dressler #4 II 64  
ORCHIDACEAE  
*Encyclia wageneri* (Klotzsch) Schltr. = *Encyclia diurna*  
(Jacq.) Schltr.  
*Encyclia wendlandiana* (Kraenzl.) Schltr. = *Encyclia*  
*venosa* (Lindl.) Schltr.
- Encyclia widgrenii*** (Lindl.) Pabst. #4 II 64  
ORCHIDACEAE  
***Encyclia withneri*** (Sauleda) Sauleda & R.M. Adams #4 II  
64 ORCHIDACEAE  
***Encyclia xerophytica*** Pabst. #4 II 64 ORCHIDACEAE  
*Encyclia xiphères* (Rchb.f.) Schltr. = *Encyclia*  
*nematocaulon* (A.Rich.) Acuña  
***Encyclia xipheroides*** (Kraenzl.) Porto & Brade #4 II 64  
ORCHIDACEAE  
***Encyclia xuxiana*** Fowlie & Duv. #4 II 64 ORCHIDACEAE  
***Encyclia yauperyensis*** (Barb.Rodr.) Porto & Brade #4 II  
64 ORCHIDACEAE  
*Engelhardtia pterocarpa* Standley = *Oreomunnea*  
*pterocarpa* Oerst.  
***Entomophobia* spp.** de Vogel #4 II 64 ORCHIDACEAE  
*Eomatucana madisoniorum* (Hutchison) Ritter = *Matucana*  
*madisoniorum* (Hutchinson) Rowley  
*Eomatucana oreodoxa* Ritter = *Matucana oreodoxa*  
(Ritter) Slaba  
***Eparamtostigma* spp.** Garary #4 II 64 ORCHIDACEAE  
*Ephemerantha convexa* (Blume) P. Hunt & Summerh. =  
*Flickingeria convexa* (Blume) A.Hawkes  
***Ehippianthus* spp.** Reichb.f. #4 II 64 ORCHIDACEAE  
*Ehippianthus sachalinensis* Reichb.f. #4 II 64  
ORCHIDACEAE  
*Ehippianthus sawadanus* (F. Maek.) Ohwi #4 II 64  
ORCHIDACEAE  
*Ehippium capitatum* Blume = *Bulbophyllum pahudii* (De  
Vries) Reichb.f.  
*Ehippium ciliatum* Blume = *Bulbophyllum blumei*  
(Lindley) J.J.Smith  
*Ehippium cornutum* Blume = *Bulbophyllum cornutum*  
(Blume) Reichb.f.  
*Ehippium elongatum* Blume = *Bulbophyllum elongatum*  
(Blume) Hassk.  
*Ehippium grandiflorum* Blume = *Bulbophyllum*  
*grandiflorum* Blume  
*Ehippium lepidum* Blume = *Bulbophyllum*  
*flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex  
Aver.  
*Ehippium masdevalliaeum* (Kraenzl.) M.A.Clem. &  
D.L.Jones = *Bulbophyllum blumei* (Lindley) J.J.Smith  
*Ehippium uniflorum* Blume = *Bulbophyllum uniflorum*  
(Blume) Hassk.  
***Epiblastus* spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Epiblastus sciadanthus* (Muell.) Schltr. #4 II 64  
ORCHIDACEAE  
***Epiblema* spp.** R. Br. #4 II 64 ORCHIDACEAE  
*Epiblema grandiflorum* R. Br. #4 II 64 ORCHIDACEAE  
*Epicladium boothianum* Lindl. Small = *Encyclia boothiana*  
(Lindley) Dressler  
*Epicranthes abbrevilabia* (Carr) Garay & W.Kittr. =  
*Bulbophyllum abbrevilabium* Carr  
*Epicranthes adangensis* (Seidenf.) Garay & W.Kittr. =  
*Bulbophyllum adangense* Seidenf.  
*Epicranthes annamensis* Guillaumin = *Bulbophyllum*  
*abbrevilabium* Carr  
*Epicranthes barbata* (Lindl.) Rchb.f. = *Monomeria barbata*  
Lindl.

- Epicranthes cheiropetalum* (Ridl.) Garay & W.Kittredge = *Bulbophyllum cheiropetalum* Ridley  
*Epicranthes chlororhopalon* (Schltr.) Garay & W.Kittr. = *Bulbophyllum chlororhopalon* Schltr.  
*Epicranthes cimicina* (J.J.Verm.) Garay & W.Kittr. = *Bulbophyllum cimicinum* J.J.Verm.  
*Epicranthes conchophylla* (J.J.Sm.) Garay & W.Kittr. = *Bulbophyllum conchophyllum* J.J.Sm.  
*Epicranthes corneri* (Carr) Garay & W.Kittr. = *Bulbophyllum vesiculosum* J.J.Sm.  
*Epicranthes decarhopalon* (Schltr.) Garay & W.Kittr. = *Bulbophyllum decarhopalon* Schltr.  
*Epicranthes flavofimbriata* (J.J.Sm.) Garay & W.Kittr. = *Bulbophyllum flavofimbriatum* J.J.Sm.  
*Epicranthes haniffii* (Carr.) Garay & W.Kittr. = *Bulbophyllum haniffii* Carr  
*Epicranthes heterorhopalon* (Schltr.) Garay & W.Kittr. = *Bulbophyllum heterorhopalon* Schltr.  
*Epicranthes hexarhopalon* (Schltr.) Garay & W.Kittr. = *Bulbophyllum hexarhopalos* Schltr.  
*Epicranthes hirudinifera* (J.J.Sm.) Garay & W.Kittr. = *Bulbophyllum hirudiniferum* J.J.Verm.  
*Epicranthes javanica* Blume = *Bulbophyllum epicranthes* Hook.f.  
*Epicranthes johannulii* (J.J.Verm.) Garay & Kittr. = *Bulbophyllum johannulii* J.J.Verm.  
*Epicranthes macrorhopalon* (Schltr.) Garay & W.Kittr. = *Bulbophyllum macrorhopalon* Schltr.  
*Epicranthes mobilifilum* (Carr) Garay & W.Kittr. = *Bulbophyllum mobilifilum* Carr  
*Epicranthes octorhopalon* (Seidenf.) Garay & W.Kittr. = *Bulbophyllum octorhopalon* Seidenf.  
*Epicranthes papillosofilum* (Carr) Garay & W.Kittr. = *Bulbophyllum papillosofilum* Carr  
*Epicranthes phymatum* (J.J.Verm.) Garay & W.Kittr. = *Bulbophyllum phymatum* J.J.Verm.  
*Epicranthes psilorhopalon* (Schltr.) Garay & w.Kittr. = *Bulbophyllum psilorhopalon* Schltr.  
*Epicranthes rigidifilum* (J.J.Sm.) Garay & W.Kittr. = *Bulbophyllum rigidifilum* J.J.Sm.  
*Epicranthes stenorhopalon* (Schltr.) Garay & W.Kittr. = *Bulbophyllum stenorhopalos* Schltr.  
*Epicranthes trirhopalon* (Schltr.) Garay & W.Kittr. = *Bulbophyllum trirhopalon* Schltr.  
*Epicranthes undecifilum* (J.J. Smith) Garay & W.Kittr. = *Bulbophyllum undecifilum* J.J. Smith  
*Epicranthes vesiculosa* (J.J.Sm.) Garay & W.Kittr. = *Bulbophyllum vesiculosum* J.J.Sm. *Epicycas elongata* (Leandri) S.L.Yang = *Cycas elongata* (Leandri) D.Y.Yang  
*Epicycas lindstromii* (S.L.Yang, K.D.Hill & T.H.Nguyễn) de Laub = *Cycas lindstromii* S.L.Yang, K.D.Hill & T.H.Nguyễn  
*Epicycas micholitzii* (Dyer) de Laub. = *Cycas micholitzii* Dyer  
*Epicycas miquelii* (Warb.) de Laub. = *Cycas revoluta* Thunb.  
*Epicycas multipinnata* (Chen & Yang) de Laub = *Cycas multipinnata* C.J.Chen & S.Y.Yang
- Epicycas siamensis* (Miq.) de Laub. = *Cycas siamensis* Miq.  
*Epidanthus* spp. L.O. Williams #4 II 64 ORCHIDACEAE  
*Epidanthus crassus* Dressler = *Epidendrum insolatum*  
*Epidanthus goniorhachis* (Schltr.) L.O. Williams #4 II 64 ORCHIDACEAE  
*Epidendropsis* spp. Garay & Dunst. #4 II 64 ORCHIDACEAE  
*Epidendropsis flexuosissima* (C.Schweinf.) Garay & Dunst. #4 II 64 ORCHIDACEAE  
*Epidendropsis vincentina* (Lindley) Garay & Dunsterv. #4 II 64 ORCHIDACEAE  
***Epidendrum* spp.** L. #4 II 64 ORCHIDACEAE  
*Epidendrum abbreviatum* Schltr. = *Encyclia abbreviata* (Schltr.) Dressler  
*Epidendrum aciculare* Bateman ex Lindl. = *Encyclia bractescens* (Lindl.) Hoehne  
*Epidendrum aclandiae* (Lindl.) Rchb.f. = *Cattleya aclandiae* Lindl.  
*Epidendrum acuminatum* Sesse & Moc. = *Encyclia baculus* (Reichb.f.) Dressler & Pollard  
*Epidendrum acunae* Dressler #4 II 64 ORCHIDACEAE (E)  
 Acuna's Epidendrum  
*Epidendrum*, Acuna's (E): *Epidendrum acunae*  
*Epidendrum acutum* (Schltr.) Hawkes = *Encyclia acuta* Schltr.  
*Epidendrum adenocarpon* (La Llave & Lex) Schltr. = *Encyclia adenocarpon* (La Llave & Lex) Schltr.  
*Epidendrum adenocarpon papillosa* E.Aguirre = *Encyclia adenocarpon* (La Llave & Lex) Schltr.  
*Epidendrum adenocaulum* La Llave & Lex = *Encyclia adenocaula* (Llave & Lex.) Schltr.  
*Epidendrum adnatum* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Epidendrum advenum* Rchb.f. = *Encyclia advena* (Rchb.f.) Porto & Brade  
*Epidendrum aemulum* Lindl. = *Encyclia aemula* (Lindley) Carnevalia & Ramírez  
*Epidendrum aerides* Raeusch. = *Aerides odorata* Lour.  
*Epidendrum alabastrialatum* Pollard ex Hágaster #4 II 64 ORCHIDACEAE  
*Epidendrum alagoense* (Pabst.) = *Encyclia alagoensis* (Pabst) Pabst  
*Epidendrum alanjense* Ames = *Encyclia stellata* (Lindl.) Schltr.  
*Epidendrum alatum* Bateman = *Encyclia alata* (Bateman) Schltr.  
*Epidendrum albertii* Schltr. #4 II 64 ORCHIDACEAE  
*Epidendrum albopurpureum* Barb.Rodr. = *Encyclia albopurpurea* (Barb.Rodr.) Porto & Brade  
*Epidendrum allemanii* Barb.Rodr. = *Encyclia allemanii* (Barb.Rodr.) Pabst  
*Epidendrum allemanoides* Hoehne = *Encyclia allemanoides* (Hoehne) Pabst  
*Epidendrum allenii* L.O. Wms. #4 II 64 ORCHIDACEAE  
*Epidendrum almasyi* Hoehne = *Encyclia glumacea* (Lindl.) Pabst  
*Epidendrum aloides* Curtis = *Cymbidium aloifolium* (L.) Sw.

- Epidendrum aloifolium* L. = *Cymbidium aloifolium* (L.) Sw.      *Epidendrum baculibulbum* Schltr. = *Encyclia vespa* (Vell.) Dressler
- Epidendrum alticola* Ames & Correll #4 II 64      *Epidendrum baculus* Rchb.f. = *Encyclia baculus* (Reichb.f.) Dressler & Pollard
- ORCHIDACEAE
- Epidendrum amabile* Hort. = *Encyclia dichroma* (Lindl.) Schltr.
- Epidendrum amabile* Linden & Rchb.f. = *Encyclia concolor* (La Llave & Lex.) Schltr.
- Epidendrum amabile* (L.) Roxb. = *Phalaenopsis amabilis* (L.) Blume
- Epidendrum ambiguum* Lindl. = *Encyclia ambigua* (Lindl.) Schltr.
- Epidendrum amethystoglossum* (Lindl. & Rchb.f.) Rchb.f. = *Cattleya amethystoglossa* Linden & Rchb.f. ex Warner
- Epidendrum amictum* Linden & Rchb.f. = *Encyclia amicta* (Linden & Rchb.f.) Schltr.
- Epidendrum anderssonii* Dodson & Hågsater #4 II 64      *ORCHIDACEAE*
- Epidendrum angustilobum* F. & R. #4 II 64      *ORCHIDACEAE*
- Epidendrum anisatum* Llave & Lex. #4 II 64      *ORCHIDACEAE*
- Epidendrum anoglossoides* Ames & C. Schweinf. #4 II 64      *ORCHIDACEAE*
- Epidendrum antenniferum* Humb. & Bonpl. 1908 = *Trichoceros antennifer* (Humb. & Bonpl.) Humb., Bonpl. & Kunth 1816
- Epidendrum apuahuense* Mansf. = *Encyclia apuahuensis* (Mansf.) Pabst
- Epidendrum arcuiflorum* Ames & C. Schweinf. #4 II 64      *ORCHIDACEAE*
- Epidendrum argentinense* Speg. = *Encyclia argentinensis* (Speg.) Hoehne
- Epidendrum armeniacum* Lindley = *Amblostoma armeniacum* (Lindl.) Brieg. ex Pabst
- Epidendrum arminii* Rchb.f. = *Encyclia arminii* (Rchb.f.) Carnevali & Ramírez
- Epidendrum aromaticum* Bateman = *Encyclia incumbens* (Lindl.) Mabb.
- Epidendrum articulatum* Klotzsch = *Encyclia livida* (Lindl.) Dressler
- Epidendrum asperum* auct. non Lindl. = *Encyclia candollei* (Lindl.) Schltr.
- Epidendrum asperum* Lindl. = *Encyclia aspera* (Lindl.) Schltr.
- Epidendrum atacazoicum* Schltr. #4 II 64 *ORCHIDACEAE*
- Epidendrum atropurpureum* auct. non Willd. = *Encyclia cordigera* (Kunth) Dressler
- Epidendrum atrorubens* Rolfe. = *Encyclia atrorubens* (Rolfe) Schltr.
- Epidendrum attenuatum* Lindley #4 II 64 *ORCHIDACEAE*
- Epidendrum aurantiacum* Bateman ex Lindl. = *Cattleya aurantiaca* (Bateman ex Lindl.) P.N.Don.
- Epidendrum aureum* (Lindl.) Lindl. = *Cattleya aurantiaca* (Bateman ex Lindl.) P.N.Don.
- Epidendrum auritum* Lindl. (1843) = *Nidema boothii* (Lindl.) Schltr. 1922
- Epidendrum aurorae* Dodson & Bennett #4 II 64      *ORCHIDACEAE*
- Epidendrum baculibulbum* Schltr. = *Encyclia vespa* (Vell.) Dressler
- Epidendrum baculus* Rchb.f. = *Encyclia baculus* (Reichb.f.) Dressler & Pollard
- Epidendrum bahamense* Grisebach. = *Encyclia rufa* (Lindl.) Britt. & Millsp.
- Epidendrum barbae* Reichb.f. #4 II 64 *ORCHIDACEAE*
- Epidendrum Barkeriola* (Rchb.f.) Rchb.f. ex L.O.Williams 1951 = *Barkeria Barkeriola* Rchb.f. 1884
- Epidendrum barringtoniae* Sm. 1793 = *Lycaste barringtoniae* (Sm.) Lindl. (1844)
- Epidendrum batesii* Dodson #4 II 64 *ORCHIDACEAE*
- Epidendrum belizense* Rchb.f. = *Encyclia guatemalensis* (Klotzsch) Withner
- Epidendrum beyrodtianum* Schltr. = *Encyclia baculus* (Reichb.f.) Dressler & Pollard
- Epidendrum bicameratum* Rchb.f. = *Encyclia bicamerata* (Reichb.f.) Dressler & Pollard
- Epidendrum bicolor* (Lindl.) Rchb.f. = *Cattleya bicolor* Lindl.
- Epidendrum bicornuta* Brade = *Encyclia linearifolioides* (Kranzl.) Hoehne
- Epidendrum bicornutum* Hook. 1834 = *Caularthon bicornutum* (Hook.) Raf. 1836
- Epidendrum bidentatum* Lindl. = *Encyclia boothiana* (Lindley) Dressler
- Epidendrum biflorum* Barb.Rodr. = *Encyclia dichroma* (Lindl.) Schltr.
- Epidendrum bigibberosum* Rchb.f. (1862) = *Caularthon bilamellatum* (Rchb.f.) R.E.Schult. 1958
- Epidendrum bilamellatum* Rchb.f. 1862 = *Caularthon bilamellatum* (Rchb.f.) R.E.Schult. 1958
- Epidendrum bilobatum* Ames #4 II 64 *ORCHIDACEAE*
- Epidendrum bipapulare* Rchb.f. = *Encyclia triangulifera* (Rchb.f.) Acuña
- Epidendrum biserratum* Rich. 1792 = *Lockhartia biserra* (Rich.) Christenson & Garay
- Epidendrum bisulcatum* Ames #4 II 64 *ORCHIDACEAE*
- Epidendrum bivalve* Lindley #4 II 64 *ORCHIDACEAE*
- Epidendrum blepharistes* Barker #4 II 64 *ORCHIDACEAE*
- Epidendrum boothianum* Lindl. = *Encyclia boothiana* (Lindley) Dressler
- Epidendrum boothii* (Lindl.) L.O.Williams (1939) = *Nidema boothii* (Lindl.) Schltr. 1922
- Epidendrum brachiatum* A.Rich & H.Galeotti = *Encyclia brachiata* (A.Rich & H.Galeotti) Dressler & Pollard
- Epidendrum brachybotrys* Ackerman & Montalvo #4 II 64 *ORCHIDACEAE*
- Epidendrum brachychilum* Lindl. = *Encyclia hartwegii* (Lind.) Vásquez & Dodson
- Epidendrum brachyglossum* Lindl. #4 II 64 *ORCHIDACEAE*
- Epidendrum brachyglossum* Cogn. (1909) = *Neocogniauxia monophylla* (Griseb.) Schltr. (1913)
- Epidendrum bracteatum* Barb.Rodr. = *Encyclia bracteata* (Barb.Rodr.) Hoehne
- Epidendrum bracteatum* Vell. 1881 = *Rodriguezia venusta* (Lindl.) Rchb.f. 1852

- Epidendrum bracteosum* Ames & C. Schweinf. #4 II 64  
ORCHIDACEAE
- Epidendrum bractescens* Lindl. = *Encyclia bractescens* (Lindl.) Hoehne
- Epidendrum bradfordii* Griseb. = *Encyclia bradfordi* (Griseb.) Carnevali & Ramírez
- Epidendrum brassavolae* Rchb.f. = *Encyclia brassavolae* (Rchb.f.) Dressler
- Epidendrum brittonianum* A.D.Hawkes #4 II 64  
ORCHIDACEAE
- Epidendrum broughtonioides* Griseb. 1886 = *Domingoa haematochila* (Rchb.f.) Carabia 1943
- Epidendrum bulbosum* Vell. Rchb.f. = *Encyclia inversa* (Lindl.) Pabst
- Epidendrum caespitosum* Poepp. & Endl. = *Encyclia pygmaea* (Hook.) Dressler
- Epidendrum calamarium* Lindl. = *Encyclia calamaria* (Lindl.) Pabst.
- Epidendrum calanthus* Rchb.f. & Warsc #4 II 64  
ORCHIDACEAE
- Epidendrum calcaratum* Vell. (1881) = *Cydoniorchis tetragona* (Lindl.) Senghas (1994)
- Epidendrum callista* Rauschert = *Dendrobium amabile* (Lour.) O'Brian
- Epidendrum calocheilum* Hook. = *Encyclia alata* (Bateman) Schltr.
- Epidendrum campylostalix* Rchb.f. = *Encyclia campylostalix* (Lindl.) Schltr.
- Epidendrum canaliculatum* Vell. = *Cattleya loddigesii* Lindl.
- Epidendrum candidum* Vell. 1881 = *Rodriguezia rigida* (Lindl.) Rchb.f. 1852
- Epidendrum candidum* Vell. 1881 = *Rodriguezia leucantha* Barb.Rodr. 1877
- Epidendrum candollei* Lindl. = *Encyclia candollei* (Lindl.) Schltr.
- Epidendrum capartianum* L.Linden = *Encyclia capartiana* (L.Linden) Fowlie & Duv.
- Epidendrum cardiochilum* L.O. Williams #4 II 64  
ORCHIDACEAE
- Epidendrum carmelense* Hágster & Dodson #4 II 64  
ORCHIDACEAE
- Epidendrum carpophorum* Barb. & Rodr. #4 II 64  
ORCHIDACEAE
- Epidendrum caudatum* L. 1763 = *Brassia caudata* (L.) Lindl. 1824
- Epidendrum ceratistes* Lindl. = *Encyclia ceratistes* (Lindl.) Schltr.
- Epidendrum cerinum* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum chacaoense* Rchb.f. = *Encyclia chacaoensis* (Rchb.f.) Dressler & Pollard
- Epidendrum chimborazoense* Schltr. = *Encyclia chimborazoensis* (Schltr.) Dressler
- Epidendrum chinense* (Lindl.) Ames 1924 = *Barkeria obovata* (Presley) Christenson 1988
- Epidendrum chiriquense* Rchb.f. = *Encyclia varicosa* (Bateman ex Lindl.) Schltr.
- Epidendrum chloroleucum* W.J.Hook. = *Encyclia chloroleuca* (W.J. Hook.) Neum.
- Epidendrum chondyllobulbon* A.Rich & H.Galoetti = *Encyclia chondyllobulbon* (A.Rich & H.Galeotti) Dressler & Pollard
- Epidendrum christi* Rchb.f. = *Encyclia vespa* (Vell.) Dressler
- Epidendrum ciliare* L. #4 II 64 ORCHIDACEAE
- Epidendrum cinnamomeum* A.Rich & H.G.Galeotti = *Encyclia pterocarpa* (Lindley) Dressler
- Epidendrum cirrhochilum* Lehm & Krzl. #4 II 64  
ORCHIDACEAE
- Epidendrum citrinum* (La Lieve & Lex.) Rchb.f. = *Encyclia citrina* (Llave & Lex.) Dressler
- Epidendrum cochleatum* Curtis = *Prosthechea fragans* (Sw.) W.E.Higgins
- Epidendrum cochleatum* L. = *Encyclia cochleata* (L.) Lemée
- Epidendrum coeruleense* Ames, Hubb. & C. Schweinf. #4 II 64 ORCHIDACEAE
- Epidendrum collare* Lindley #4 II 64 ORCHIDACEAE
- Epidendrum concavilabium* C. Schweinf. #4 II 64  
ORCHIDACEAE
- Epidendrum conchaechilum* Barb.Rodr. = *Encyclia conchaechila* (Barb.Rodr.) Porto & Brade
- Epidendrum concolor* La Lieve & Lex. = *Encyclia concolor* (La Lieve & Lex.) Schltr.
- Epidendrum condylochilum* E.B.J.Lehm. & Kraenzl. = *Encyclia livida* (Lindl.) Dressler
- Epidendrum confusum* Rolfe = *Encyclia baculus* (Reichb.f.) Dressler & Pollard
- Epidendrum conopseum* R. Br. #4 II 64 ORCHIDACEAE (E) Green-fly Orchid
- Epidendrum conspicuum* Lem. = *Encyclia dichroma* (Lindl.) Schltr.
- Epidendrum cordiforme* C. Schweinf. #4 II 64  
ORCHIDACEAE
- Epidendrum cordigerum* (Kunth) Foldats = *Encyclia cordigera* (Kunth) Dressler
- Epidendrum coriaceum* Focke = *Encyclia vespa* (Vell.) Dressler
- Epidendrum coriaceum* (Thunb. ex Sw.) Poir. = *Angraecum coriaceum* (Thunb. ex Sw.) Schltr.
- Epidendrum coriifolium* Lindley #4 II 64 ORCHIDACEAE
- Epidendrum cornutum* Sessé & Moç. = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Epidendrum coronatum* Ruiz López & Pavon #4 II 64  
ORCHIDACEAE
- Epidendrum costatum* A. Rich. & Galeotti #4 II 64  
ORCHIDACEAE
- Epidendrum crassilabium* Peoppig & Endl. = *Encyclia vespa* (Vell.) Dressler
- Epidendrum crispatum* Knowles & Westc. = *Encyclia adenocarpon* (La Lieve & Lex) Schltr.
- Epidendrum cryptanthum* L.O. Wms. #4 II 64  
ORCHIDACEAE
- Epidendrum cubense* Lindl. 1843 = *Barkeria palmeri* (Rolfe) Schltr. 1918
- Epidendrum cullatum* (L.) = *Brassavola cucullata* (L.) R. Br
- Epidendrum cusii* Hags. #4 II 64 ORCHIDACEAE

- Epidendrum cyanocolumna* Ames, Hubb., Schweinf. = *Encyclia cyanocolumna* (Ames, Hubb., Schweinf.) Dressler
- Epidendrum cyperifolium* C.Schweinf. = *Encyclia cyperifolia* (C.Sweinf.) Carnevali & Ramírez
- Epidendrum cystosum* Ames #4 II 64 ORCHIDACEAE
- Epidendrum dasytaenia* Schltr. = *Encyclia livilida* (Lindl.) Dressler
- Epidendrum deamii* Schltr. = *Encyclia livilida* (Lindl.) Dressler
- Epidendrum dentilobum* Ames, Hubb., & C. Schweinf. #4 II 64 ORCHIDACEAE
- Epidendrum dialychilum* Hágster & Dodson #4 II 64 ORCHIDACEAE
- Epidendrum dichromum* Lindl. = *Encyclia dichroma* (Lindl.) Schltr.
- Epidendrum dickinsonianum* Withner = *Encyclia dickinsoniana* (Withner) Withner
- Epidendrum diguetii* Ames = *Encyclia tripunctata* (Lindley) Dressler
- Epidendrum dilochioides* L.O. Williams #4 II 64 ORCHIDACEAE
- Epidendrum diothonaeoides* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum diotum* Lindl. = *Encyclia diota* (Lindl.) Schltr.
- Epidendrum discoidale* Lindl. #4 II 64 ORCHIDACEAE
- Epidendrum distantiflorum* Rich. & H.Galeotti = *Encyclia distantiflora* (Rich. & H.Galeotti) Dressler & Pollard
- Epidendrum diurna* (Jacq.) Britton & Millsp. = *Encyclia diurna* (Jacq.) Schltr.
- Epidendrum diurnum* (Jacq.) Cogn. = *Encyclia diurna* (Jacq.) Schltr.
- Epidendrum diurnum* (Jacq.) Rchb.f. = *Encyclia diurna* (Jacq.) Schltr.
- Epidendrum dolabrilobum* Ames & C. Schweinf. = *Epidendrum blepharistes* Barker
- Epidendrum dolichostachyum* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum dolosum* Rchb.f. = *Cattleya dolosa* (Rchb.f.) Rchb.f.
- Epidendrum dorsocarinatum* Hágster #4 II 64 ORCHIDACEAE
- Epidendrum dressleri* Hágster #4 II 64 ORCHIDACEAE
- Epidendrum durangense* Hags. & Holman #4 II 64 ORCHIDACEAE
- Epidendrum eburneum* Reichb.f. #4 II 64 ORCHIDACEAE
- Epidendrum echinatum* Lojnant #4 II 64 ORCHIDACEAE
- Epidendrum edwardsii* Ames #4 II 64 ORCHIDACEAE
- Epidendrum elatius* (Lindl.) Rchb.f. = *Cattleya guttata* Lindl.
- Epidendrum elegans* (Knowles & Westc.) Rchb.f. 1862 = *Barkeria uniflora* (La Llave & Lex.) Dressler & Halb. 1977
- Epidendrum elegans* Vell. = *Cattleya guttata* Lindl.
- Epidendrum ellipsophyllum* L.O. Wms. #4 II 64 ORCHIDACEAE
- Epidendrum ensicaulon* A.Rich & H.G.Galeotti = *Encyclia venosa* (Lindl.) Schltr.
- Epidendrum ensifolium* L. = *Cymbidium ensifolium* (L.) Sw.
- Epidendrum ensiforme* Vell. = *Encyclia vellozoana* Pabst.
- Epidendrum erythronioides* Small = *Encyclia boothiana* (Lindley) Dressler
- Epidendrum esculentum* Hort ex Lindl. = *Encyclia bractescens* (Lindl.) Hoehne
- Epidendrum estrellense* Ames #4 II 64 ORCHIDACEAE
- Epidendrum euosmum* Rchb.f. = *Encyclia euosma* Rchb.f.
- Epidendrum eustirum* Ames #4 II 64 ORCHIDACEAE
- Epidendrum examinis* Rosillo #4 II 64 ORCHIDACEAE
- Epidendrum exiguum* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE
- Epidendrum eximium* L.O. Williams #4 II 64 ORCHIDACEAE
- Epidendrum falcatum* Lindley #4 II 64 ORCHIDACEAE
- Epidendrum fallax* Lindl. = *Encyclia lindenii* (Lindl.) Carnevali & Ramírez
- Epidendrum faustum* Rchb.f. ex Cogn. = *Encyclia fausta* (Rchb.f. ex Cogn.) Pabst
- Epidendrum feddeanum* Kraenzl. = *Encyclia vespa* (Vell.) Dressler
- Epidendrum filiforme* Sw. = *Dendrophylax filiformis* (Sw.) Carlward & Whitten 2003
- Epidendrum fimbriatum* Kunth #4 II 64 ORCHIDACEAE
- Epidendrum fimbriatum* Velloso 1827 = *Schomburgkia crispa* Lindl.
- Epidendrum flabellatum* Lindl. = *Encyclia candollei* (Lindl.) Schltr.
- Epidendrum flabelliforme* Sw. 1788 = *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay (1959)
- Epidendrum flabellum-veneris* J.Koenig = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.
- Epidendrum flavum* Lindl. = *Encyclia flava* (Lindl.) Porto & Brade
- Epidendrum flexuosissimum* C. Schweinf. = *Epidendropsis flexuosissima* (C.Schweinf.) Garay & Dunst.
- Epidendrum floridense* Hágster #4 II 64 ORCHIDACEAE
- Epidendrum forbesii* (Lindl.) Rchb.f. = *Cattleya forbesii* Lindl.
- Epidendrum formosum* Klotzsch = *Encyclia alata* (Bateman) Schltr.
- Epidendrum fragrans* aemula (Lindl.) Dressler = *Encyclia aemula* (Lindley) Carnevalia & Ramírez
- Epidendrum fragrans* Sw. = *Encyclia fragrans* (Sw.) Lemée
- Epidendrum frigidum* Linden ex Lindl. #4 II 64 ORCHIDACEAE
- Epidendrum frutex* Rchb.f. #4 II 64 ORCHIDACEAE
- Epidendrum fuchsii* = *Barkeria skinneri* (Bateman ex Lindl.) Paxton
- Epidendrum funale* Sw. 1788 = *Dendrophylax funalis* (Sw.) Benth. ex Rolfe (1888)
- Epidendrum fundii* Ames #4 II 64 ORCHIDACEAE
- Epidendrum furvum* L. = *Vanda concolor* Blume
- Epidendrum fuscum* Schltr. = *Encyclia hartwegii* (Lind.) Vásquez & Dodson
- Epidendrum fusiforme* (Lindl.) Rchb.f. #4 II 64 ORCHIDACEAE

- Epidendrum gallopaninum* Rchb.f. = *Encyclia gallopanina* (Rchb.f.) Porto & Brade  
*Epidendrum garcianum* Garay & Dunst. = *Encyclia garciana* (Garay & Dunst.) Carnevalii & Ramírez  
*Epidendrum gasteriferum* Scheeren #4 II 64  
 ORCHIDACEAE  
*Epidendrum geniculatum* Hook.f. = *Aerides multiflora* Roxb.  
*Epidendrum gentryi* Dodson vel aff. #4 II 64  
 ORCHIDACEAE  
*Epidendrum ghiesbreghtianum* A. Rich. & H.G. Galeotti = *Encyclia ghiesbreghtiana* (A. Rich. & H.G. Galeotti) Dressler  
*Epidendrum glaucovirens* Ames, F.T. Hubb. & C. Schweinf. = *Encyclia glauca* (Knowles & Westc.) Dressler & G.E. Pollard  
*Epidendrum glaucum* (Knowles & Westc.) Lindl. non Sw. = *Encyclia glauca* (Knowles & Westc.) Dressler & G.E. Pollard  
*Epidendrum glumaceum* Lindl. = *Encyclia glumacea* (Lindl.) Pabst  
*Epidendrum glutinosum* C. Schweinf. = *Encyclia patens* Hook.  
*Epidendrum godseffianum* Rolfe = *Encyclia capartiana* (L. Linden) Fowlie & Duv.  
*Epidendrum gomezii* Schltr. #4 II 64 ORCHIDACEAE  
*Epidendrum goniorhachis* Schltr #4 II 64 ORCHIDACEAE  
*Epidendrum gonzalez-tamayoi* Hágster #4 II 64  
 ORCHIDACEAE  
*Epidendrum gracillimum* Rchb.f. #4 II 64 ORCHIDACEAE  
*Epidendrum grammaglossum* Rchb.f. = *Encyclia grammaglossa* (Rchb.f.) Dressler  
*Epidendrum grandiflorum* Humb. & Bonpl. = *Stanhopea grandiflora* (Lodd.) Lindl. 1832  
*Epidendrum grandiflorum* Humb. & Bonpl. = *Stanhopea jenishiana* Kramer & Rchb.f. 1852  
*Epidendrum graniticum* Lindl. = *Encyclia granitica* (Lindl.) Schltr.  
*Epidendrum granulosum* (Lindl.) Rchb.f. = *Cattleya granulosa* Lindl.  
*Epidendrum gravidum* Lindl. = *Encyclia gradata* (Lindl.) Schltr.  
*Epidendrum guanacastense* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Epidendrum guatemalense* Klotzsch = *Encyclia guatemalensis* (Klotzsch) Withner  
*Epidendrum guttatum* A. Rich & H.G. Galeotti = *Encyclia maculosa* (Ames, F.T. Hubb. & C. Schweinf.) Hoehne  
*Epidendrum haematochilum* Rchb.f. = *Domingoa haematochila* (Rchb.f.) Carabia 1943  
*Epidendrum halatum* Garay & Dunst = *Encyclia recurvata* Schltr.  
*Epidendrum hanburii* Lindl. = *Encyclia hanburii* (Lindl.) Schltr.  
*Epidendrum harrisonianum* (Bateman ex Lindl.) Rchb.f. = *Cattleya harrisoniana* Bateman ex Lindl.  
*Epidendrum hartwegii* Lindl. = *Encyclia hartwegii* (Lindl.) Vásquez & Dodson  
*Epidendrum hastatum* Lindl. = *Encyclia hastata* (Lindley) Dressler & G.E. Pollard  
*Epidendrum henrici* Schltr. = *Encyclia livida* (Lindl.) Dressler  
*Epidendrum hexapterum* Cogn. 1912 = *Neocogniauxia hexaptera* (Cogn.) Schltr. 1913  
*Epidendrum hiorami* Acuna & Alain #4 II 64  
 ORCHIDACEAE  
*Epidendrum hippium* Buch. = *Rhynchostylis retusa* Blume  
*Epidendrum hoehnei* Hawkes = *Encyclia hoehnei* (Hawkes) Pabst  
*Epidendrum huegelianum* Rchb.f. = *Cattleya skinneri* Bateman  
*Epidendrum humboldtii* Rchb.f. 1849 = *Myrmecophila humboldtii* (Rchb.f.) Rolfe 1917  
*Epidendrum humile* Sm. = *Pleione humilis* (J.E. Sm.) D. Don  
*Epidendrum humile* Vell. = *Sophronitis cernua* (Lindl.) Lindl.  
*Epidendrum hunterianum* Schltr. #4 II 64 ORCHIDACEAE  
*Epidendrum hymenodes* Rchb.f. 1865 = *Domingoa haematochila* (Rchb.f.) Carabia 1943  
*Epidendrum ibaguense* H.B.K. #4 II 64 ORCHIDACEAE  
*Epidendrum ictyophyllum* Ames = *Encyclia michuacana* (La Llave & Lex) Schltr.  
*Epidendrum ilense* Dodson #4 II 64 ORCHIDACEAE  
*Epidendrum imbricatum* #4 II 64 ORCHIDACEAE  
*Epidendrum imbricatum* Lam. 1783 = *Lockhartia biserra* (Rich.) Christenson & Garay  
*Epidendrum incomptoides* Ames, Hubb., & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Epidendrum incumbens* Lindl. = *Encyclia incumbens* (Lindl.) Mabb.  
*Epidendrum indicum* Poir. = *Rhynchostylis retusa* Blume  
*Epidendrum indivisum* Bradford ex Griseb. (1864) = *Caularthon bilamellatum* (Rchb.f.) R.E. Schult. 1958  
*Epidendrum inornatum* Schltr. #4 II 64 ORCHIDACEAE  
*Epidendrum insidiosum* Rchb.f. = *Encyclia diota* (Lindl.) Schltr.  
*Epidendrum insolatum* #4 II 64 ORCHIDACEAE  
*Epidendrum insulanum* Schltr. #4 II 64 ORCHIDACEAE  
*Epidendrum intermedium* (Graham) Rchb.f. = *Cattleya intermedia* Graham ex Hook.  
*Epidendrum inversum* (Lindl.) Pabst = *Encyclia inversa* (Lindl.) Pabst  
*Epidendrum ionocentrum* Rchb.f. = *Encyclia prismatocarpa* (Rchb.f.) Dressler  
*Epidendrum ionophlebium* Rchb.f. = *Encyclia ionophlebia* (Rchb.f.) Dressler  
*Epidendrum ionossum* Lindl. = *Encyclia ionosma* (Lindl.) Schltr.  
*Epidendrum iridee* Descourtilz = *Cattleya bicolor* Lindl.  
*Epidendrum jenischianum* Rchb.f. = *Encyclia dichroma* (Lindl.) Schltr.  
*Epidendrum juergensenii* Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Epidendrum karwinskii* Rchb.f. = *Encyclia bicamerata* (Reichb.f.) Dressler & Pollard  
*Epidendrum kennedyi* Fowlie & Withner = *Encyclia kennedyi* (Fowlie & Withner) Hágster

- Epidendrum kienastii* Rchb. 1887 = *Encyclia kienastii* (Rchb.f.) Dressler & Pollard
- Epidendrum kienastii* Rchb.f. = *Encyclia kienastii* (Rchb.f.) Dressler & Pollard
- Epidendrum kingsii* C.D. Adams #4 II 64 ORCHIDACEAE
- Epidendrum kraenzlinii* Bello #4 II 64 ORCHIDACEAE (E) Kraenzlin's Epidendrum
- Epidendrum, Kraenzlin's (E): *Epidendrum kraenzlinii*
- Epidendrum labiatum* (Lindl.) Rchb.f. non Swartz = *Cattleya labiata* Lindl.
- Epidendrum lacertinum* Lindley #4 II 64 ORCHIDACEAE
- Epidendrum lacerum* Lindl. #4 II 64 ORCHIDACEAE
- Epidendrum lambda* Linden & Rchb.f. = *Encyclia lambda* (Linden & Rchb.f.) Dressler
- Epidendrum lancifolium* Pav.ex Lindl. = *Encyclia lancifolia* (Lindley) Dressler & G.E.Pollard
- Epidendrum langlassei* Schltr. = *Encyclia lancifolia* (Lindley) Dressler & G.E.Pollard
- Epidendrum laterale* Rolfe #4 II 64 ORCHIDACEAE
- Epidendrum latipetalum* C.Schweinf. = *Encyclia latipetala* (C.Schweinf.) Pabst
- Epidendrum latro* Rchb.f. ex Cogn. = *Encyclia inversa* (Lindl.) Pabst
- Epidendrum leopardinum* Rchb.f. = *Encyclia vespa* (Vell.) Dressler
- Epidendrum leucanthum* (Schltr.) C.Schweinf. = *Encyclia leucantha* Schltr.
- Epidendrum leucanthum* (Schltr.) Schnee = *Encyclia leucantha* Schltr.
- Epidendrum limbatum* Lindl. = *Encyclia glauca* (Knowles & Westc.) Dressler & G.E.Pollard
- Epidendrum lindenianum* Rich. & Galeotti 1845 = *Nidema boothii* (Lindl.) Schltr. 1922
- Epidendrum lindenii* Lindl. = *Encyclia lindenii* (Lindl.) Carnevali & Ramírez
- Epidendrum lindleyanum* (Bateman) Rchb.f. 1862 = *Barkeria lindleyana* Bateman ex Lindl. 1842
- Epidendrum lindleyanum* (Bateman) Rchb.f. 1862 = *Barkeria spectabilis* Bateman ex Lindl. 1842
- Epidendrum lineare* Jacq. 1760 = *Isochilus linearis* (Jacq.) R. Br. 1813
- Epidendrum lineare* Ruiz & Pav. non Jacq. = *Encyclia luteorosea* (A.Rich & H.Galeotti) Dressler & Pollard
- Epidendrum linearifolioides* Kranzl. = *Encyclia linearifolioides* (Kranzl.) Hoehne
- Epidendrum linearifolium* Hook. = *Encyclia bractescens* (Lindl.) Hoehne
- Epidendrum lineatum* Salisb. = *Encyclia fragrans* (Sw.) Lemée
- Epidendrum linkianum* Klotzsch. = *Encyclia linkiana* (Klotzsch) Schltr.
- Epidendrum litense* Dodson & Hágsater #4 II 64 ORCHIDACEAE
- Epidendrum lividum* Lindl. = *Encyclia livida* (Lindl.) Dressler
- Epidendrum lockhartioides* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum loddigesii* (Lindl.) Rchb.f. = *Cattleya loddigesii* Lindl.
- Epidendrum longicaule* (L.O. Williams) L.O. Williams #4 II 64 ORCHIDACEAE
- Epidendrum longifolium* Barb-Rodr. = *Encyclia longifolia* (Barb.Rodr.) Schltr.
- Epidendrum longipes* Rchb.f. = *Encyclia vespa* (Vell.) Dressler
- Epidendrum longipetalum* A. Rich. & Galeotti #4 II 64 ORCHIDACEAE
- Epidendrum longipetalum* God-Leb. = *Encyclia cordigera* (Kunth) Dressler
- Epidendrum longipetalum* Lindl. & Paxton = *Encyclia alata* (Bateman) Schltr.
- Epidendrum lowilliamsii* García-Cruz #4 II 64 ORCHIDACEAE
- Epidendrum lueri* Dodson & Hagsater #4 II 64 ORCHIDACEAE
- Epidendrum luteolum* (Lindl.) Rchb.f. = *Cattleya luteola* Lindl.
- Epidendrum luteo-roseum* A.Rich & H.G.Galeotti = *Encyclia luteorosea* (A.Rich & H.Galeotti) Dressler & Pollard
- Epidendrum lyratum* Vell. 1831 = *Aspasia lyrata* (Vell.) Rchb.f. 1852
- Epidendrum macrochilum* Hook. = *Encyclia cordigera* (Kunth) Dressler
- Epidendrum maculosum* Ames, F.T.Hubb. & C. Schweinf. = *Encyclia maculosa* (Ames, F.T.Hubb. & C. Schweinf.) Hoehne
- Epidendrum madrense* Schltr. = *Encyclia chacaoensis* (Rchb.f.) Dressler & Pollard
- Epidendrum magnificentum* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum magnispathum* Ames, Hubb., & Schweinf. = *Encyclia magnispatha* (Ames, Hubb., & Schweinf.) Dressler
- Epidendrum marginatum* Link, Klotzsch & Otto = *Encyclia radiata* (Lindl.) Dressler
- Epidendrum mariae* Ames = *Encyclia mariae* (Ames) Hoehne
- Epidendrum marmoratum* A. Rich. & Galeotti #4 II 64 ORCHIDACEAE
- Epidendrum matudae* L.O. Williams #4 II 64 ORCHIDACEAE
- Epidendrum maximum* (Lindl.) Rchb.f. = *Cattleya maxima* Lindl.
- Epidendrum megalanthum* Barb.Rodr. = *Encyclia megalantha* (Barb.Rodr.) Porto & Brade
- Epidendrum meliossum* Rchb.f. = *Encyclia meliosma* (Reichb.f.) Schltr.
- Epidendrum michuacanum* La Llave & Lex = *Encyclia michuacana* (La Llave & Lex) Schltr.
- Epidendrum microbulbon* Hook. = *Encyclia microbulbon* (Hook.) Schltr.
- Epidendrum microcardium* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum microcharis* Reichb.f. #4 II 64 ORCHIDACEAE
- Epidendrum micropus* Rchb.f. = *Encyclia tripunctata* (Lindley) Dressler
- Epidendrum microtos* Rchb.f. = *Encyclia microtos* (Rchb.f.) Hoehne

- Epidendrum mininocturnum* Dodson #4 II 64  
ORCHIDACEAE
- Epidendrum mirabile* Ames & C. Schweinf. #4 II 64  
ORCHIDACEAE
- Epidendrum miserum* Lindley #4 II 64 ORCHIDACEAE
- Epidendrum monanthum* Steud. = *Encyclia pygmaea* (Hook.) Dressler
- Epidendrum monile* Thunb. = *Dendrobium moniliforme* (L.) Sw.
- Epidendrum moniliferum* Panzer = *Dendrobium moniliforme* (L.) Sw.
- Epidendrum moniliforme* L. = *Dendrobium moniliforme* (L.) Sw.
- Epidendrum montanum* Sw. 1788 = *Dilomilis montana* (Sw.) Summerh. 1961
- Epidendrum moojenii* Pabst. = *Encyclia moojenii* (Pabst) Pabst
- Epidendrum mooreanum* Rolfe = *Encyclia mooreana* (Rolfe) Schltr.
- Epidendrum morganii* Dodson & Garay #4 II 64  
ORCHIDACEAE
- Epidendrum moschatum* Buch.-Ham. = *Dendrobium moschatum* (Buch.-Ham.) Sw.
- Epidendrum mutelianum* Cogn. #4 II 64 ORCHIDACEAE
- Epidendrum nagelii* L.O. Williams #4 II 64 ORCHIDACEAE
- Epidendrum nanopsis* Dodson & Hagsater #4 II 64  
ORCHIDACEAE
- Epidendrum nelsonii* Hags. #4 II 64 ORCHIDACEAE
- Epidendrum nematocaulon* A.Rich = *Encyclia nematocaulon* (A.Rich.) Acuña
- Epidendrum nemorale* Lindl. = *Encyclia adenocaula* (Llave & Lex.) Schltr.
- Epidendrum neogaliciense* Hags. & Gonz.-Tam. #4 II 64  
ORCHIDACEAE
- Epidendrum neurosum* Ames = *Encyclia neurosa* (Ames) Dressler & Pollard
- Epidendrum nodosum* Linn. = *Brassavola nodosa* (L.) Lindley
- Epidendrum nonchinense* Rchb.f. 1876 = *Barkeria obovata* (Presley) Christenson 1988
- Epidendrum notabile* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum nutans* Sw. #4 II 64 ORCHIDACEAE
- Epidendrum nutantirhachis* Ames & C. Schweinf. #4 II 64  
ORCHIDACEAE
- Epidendrum oaxacanum* Rolfe ex Ames #4 II 64  
ORCHIDACEAE
- Epidendrum ochraceum* Lindl. = *Encyclia ochracea* (Lindl.) Dressler
- Epidendrum ochranthum* A.Rich. = *Encyclia diurna* (Jacq.) Schltr.
- Epidendrum odoratissimum* Lindl. = *Encyclia patens* Hook.
- Epidendrum odoratum* Poir. = *Aerides odorata* Lour.
- Epidendrum oestlundii* Ames, F.T.Hubb., & Schweinf. = *Encyclia oestlundii* (Ames, F.T.Hubb., & Schweinf.) Hagsater & Stern.
- Epidendrum ollare* Vell. = *Catasetum luridum* (Link) Lindl.
- Epidendrum oncidoides* Lindl. = *Encyclia oncidoides* (Lindl.) Schltr.
- Epidendrum organense* Rolfe = *Encyclia calamaria* (Lindl.) Pabst.
- Epidendrum osmanthum* Barb.Rodr. = *Encyclia osmantha* (Barb.Rodr.) Schltr.
- Epidendrum ottonis* Rchb.f. = *Nidema ottonis* (Rchb.f.) Britten & Millspaugh 1920
- Epidendrum ovulum* Lindl. = *Encyclia microbulbon* (Hook.) Schltr.
- Epidendrum oxiphyllum* (Schltr.) Hawkes = *Encyclia oxiphylla* Schltr.
- Epidendrum pachyanthum* Lindl. = *Encyclia pachyantha* (Lindl.) Hoehne
- Epidendrum pachyanthum* Schltr. = *Encyclia hartwegii* (Lind.) Vásquez & Dodson
- Epidendrum pachycarpum* Schltr. = *Encyclia chacaoensis* (Rchb.f.) Dressler & Pollard
- Epidendrum pachyrachis* Ames = *Epidendrum smaragdimum* Lindley
- Epidendrum pachysepalum* Kl. = *Encyclia vespa* (Vell.) Dressler
- Epidendrum palaciosii* Dodson & Hagsater #4 II 64  
ORCHIDACEAE
- Epidendrum paleaceum* (Lindl.) Rchb.f. (1866) = *Nidema boothii* (Lindl.) Schltr. 1922
- Epidendrum pallens* Reichb.f. #4 II 64 ORCHIDACEAE
- Epidendrum pallidiflorum* Hook. #4 II 64 ORCHIDACEAE
- Epidendrum palmeri* Rolfe 1893 = *Barkeria palmeri* (Rolfe) Schltr. 1918
- Epidendrum pamplonense* Rchb.f. = *Encyclia tigrina* (Lindl. ex Linden) Carnevali & Ramírez
- Epidendrum panamense* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum paniculatum* Ruiz & Pav. #4 II 64  
ORCHIDACEAE
- Epidendrum pansamalae* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum panthera* Rchb.f. = *Encyclia panthera* (Rchb.f.) Schltr.
- Epidendrum papilio* Vell. = *Encyclia papilio* (Vell.) Pabst
- Epidendrum papillosum* Bateman = *Encyclia adenocarpon* (La Llave & Lex) Schltr.
- Epidendrum papyriferum* Schltr. = *Encyclia panthera* (Rchb.f.) Schltr.
- Epidendrum parkinsonianum* Hooker #4 II 64  
ORCHIDACEAE
- Epidendrum parviflorum* Sesse & Moc. = *Encyclia ochracea* (Lindl.) Dressler
- Epidendrum parvilabre* Lindl. #4 II 64 ORCHIDACEAE
- Epidendrum parvilibolum* F. & R. #4 II 64 ORCHIDACEAE
- Epidendrum pastoris* La Llave & Lex = *Encyclia venosa* (Lindl.) Schltr.
- Epidendrum pastoris* Link & Otto non La Llave & Lex = *Encyclia linkiana* (Klotzsch) Schltr.
- Epidendrum pastranae* Hags. #4 II 64 ORCHIDACEAE
- Epidendrum pauciflorum* Barb.Rodr. = *Encyclia pauciflora* (Barb.-Rodr.) Porto & Brade
- Epidendrum pauper* Vell. = *Cattleya forbesii* Lindl.
- Epidendrum pendens* L.O. Williams #4 II 64  
ORCHIDACEAE
- Epidendrum pendulum* Roxb. = *Cymbidium aloifolium* (L.) Sw.

- Epidendrum pentotis* Rchb.f. = *Encyclia baculus* (Reichb.f.) Dressler & Pollard
- Epidendrum peraltense* Ames = *Encyclia peraltensis* (Ames) Withner
- Epidendrum pflanzii* (Schltr.) Hawkes = *Encyclia pflanzii* Schltr.
- Epidendrum phragmites* A.H. Heller & L.O. Williams #4 II 64 ORCHIDACEAE
- Epidendrum phymatoglossum* Rchb.f. = *Encyclia varicosa* (Bateman ex Lindl.) Schltr.
- Epidendrum pichinchae* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum pictum* Lindl. = *Encyclia picta* (Lindl.) Hoehne
- Epidendrum pipio* Rchb.f. = *Encyclia pipio* (Rchb.f.) Pabst
- Epidendrum pittieri* Ames #4 II 64 ORCHIDACEAE
- Epidendrum platycardium* Schltr. = *Encyclia spondiadum* (Rchb.f.) Dressler
- Epidendrum platychilum* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum plicatum* Lindl. #4 II 64 ORCHIDACEAE
- Epidendrum pollardianum* Withner = *Encyclia pollardiana* (Withner) Dressler & G.E.Pollard
- Epidendrum pollardii* Hágssater #4 II 64 ORCHIDACEAE
- Epidendrum polybulbon* Sw. = *Encyclia polybulbon* (Sw.) Dressler
- Epidendrum polychlamys* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum polychromum* Hags. #4 II 64 ORCHIDACEAE
- Epidendrum porphyroglossum* Linden & Rchb.f. = *Cattleya porphyroglossa* Linden & Rchb.f.
- Epidendrum powellii* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum praecox* Sm. = *Pleione praecox* (J.E.Sm.) D.Don
- Epidendrum primulinum* Bateman ex Lindl. = *Encyclia rufa* (Lindl.) Britt. & Millsp.
- Epidendrum primuloides* Bateman = *Encyclia incumbens* (Lindl.) Mabb.
- Epidendrum pringlei* Rolfe ex Ames = *Encyclia pringlei* (Rolfe ex Ames) Schltr.
- Epidendrum prismatocarpum* Rchb.f. = *Encyclia prismatocarpa* (Rchb.f.) Dressler
- Epidendrum probiflorum* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum proprens* Ames = *Encyclia abbreviata* (Schltr.) Dressler
- Epidendrum pruinatum* A.Rich & H.G.Galeotti = *Encyclia concolor* (La Llave & Lex.) Schltr.
- Epidendrum pseudoepidendrum* Reichb.f. #4 II 64 ORCHIDACEAE
- Epidendrum pseudonocturnum* Hágssater & Dodson #4 II 64 ORCHIDACEAE
- Epidendrum pterocarpum* Lindl. = *Encyclia pterocarpa* (Lindley) Dressler
- Epidendrum pudicum* Ames #4 II 64 ORCHIDACEAE
- Epidendrum pugioniforme* Regel #4 II 64 ORCHIDACEAE
- Epidendrum punctiferum* Rchb.f. = *Encyclia punctifera* (Rchb.f.) Pabst
- Epidendrum punctulatum* Rchb.f. = *Encyclia concolor* (La Llave & Lex.) Schltr.
- Epidendrum purpurachylum* Barb.Rodr. = *Encyclia gallopavina* (Rchb.f.) Porto & Brade
- Epidendrum pusillum* L. 1763 = *Erycina pusilla* (L.) N.H.Williams & M.W.Chase 2001
- Epidendrum pusillum* Rolfe = *Encyclia bracteata* (Barb.Rodr.) Hoehne
- Epidendrum puteum* Standley & L.O. Williams #4 II 64 ORCHIDACEAE
- Epidendrum pygmaeum* Hook. = *Encyclia pygmaea* (Hook.) Dressler
- Epidendrum quadratum* Klotzsch = *Encyclia varicosa* (Bateman ex Lindl.) Schltr.
- Epidendrum quadridentatum* Lehm. & Kraenzl = *Encyclia grammato glossa* (Rchb.f.) Dressler
- Epidendrum quisayanum* Schtr. #4 II 64 ORCHIDACEAE
- Epidendrum radiatum* Lindl. = *Encyclia radiata* (Lindl.) Dressler
- Epidendrum radioferens* (Ames, Hubb., & Schweinf.) Hágssater #4 II 64 ORCHIDACEAE
- Epidendrum ramonense* Rchb.f. = *Encyclia ceratistes* (Lindl.) Schltr.
- Epidendrum ramosissimum* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE
- Epidendrum ramosum* Jacq. #4 II 64 ORCHIDACEAE
- Epidendrum randii* Barb.Rodr. = *Encyclia randii* (Barb.Rodr.) Porto & Brade
- Epidendrum regnellianum* Hoehne & Schlr. = *Encyclia regnelliana* (Hoehne & Schlr.) Pabst
- Epidendrum renanthera* Raeusch. = *Renanthera coccinea* Lour.
- Epidendrum renilabium* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum retusum* L. = *Rhynchostylis retusa* Blume
- Epidendrum revolutum* Barb. Rodr. #4 II 64 ORCHIDACEAE
- Epidendrum rhabdobulbon* Schltr. = *Encyclia vespa* (Vell.) Dressler
- Epidendrum rhopalobulbon* Schltr. = *Encyclia vespa* (Vell.) Dressler
- Epidendrum rhynchophorum* A.Rich & H.G.Galeotti = *Encyclia rhynchophora* (A.Rich & H.G.Galeotti) Dressler
- Epidendrum rigidum* Jacq. #4 II 64 ORCHIDACEAE
- Epidendrum roseum* Schltr. (1913) = *Quisqueya rosea* (Maust.) Dod 1979
- Epidendrum rousseauae* Schltr. #4 II 64 ORCHIDACEAE
- Epidendrum rowleyi* Withner & Pollard #4 II 64 ORCHIDACEAE
- Epidendrum rueckerae* Rchb.f. = *Encyclia lambda* (Linden & Rchb.f.) Dressler
- Epidendrum rufum* Lindl. = *Encyclia rufa* (Lindl.) Britt. & Millsp.
- Epidendrum saccharatum* Kraenzl. = *Encyclia vespa* (Vell.) Dressler
- Epidendrum saltensis* Hoehne = *Encyclia argentinensis* (Speg.) Hoehne
- Epidendrum sanguineum* Sw. 1788 = *Broughtonia sanguinea* (Sw.) R.Br. (1813)
- Epidendrum santaclarensse* Ames #4 II 64 ORCHIDACEAE
- Epidendrum sceptrum* Lindl. = *Encyclia sceptrum* (Lindl.) Carnevali & Ramírez
- Epidendrum scharffii* Hágssater #4 II 64 ORCHIDACEAE
- Epidendrum schillerianum* (Rchb.f.) Rchb.f. = *Cattleya schilleriana* Rchb.f.

- Epidendrum sclerocladum* Lindl. = *Encyclia sclerocladia* (Lindl. ex Rchb.f.) Hoehne  
*Epidendrum scriptum* A. Rich. & Galeotti #4 II 64 ORCHIDACEAE  
*Epidendrum secundum* Vell. (1881) = *Bifrenaria secunda* (Hoehne) Pabst 1967  
*Epidendrum selligerum* Bateman ex Lindl. = *Encyclia selligera* (Bateman ex Lindley) Schltr.  
*Epidendrum seriatum* Lindl. = *Encyclia luteorosea* (A.Rich & H.Galeotti) Dressler & Pollard  
*Epidendrum serricardium* Schltr. #4 II 64 ORCHIDACEAE  
*Epidendrum serronianum* Barb.Rodr. = *Encyclia patens* Hook.  
*Epidendrum sessile* J.Koenig = *Bulbophyllum clandestinum* Lindl.  
*Epidendrum sessiliflorum* Edwall = *Encyclia sessiliflora* (Edwall) Pabst  
*Epidendrum simulacrum* Ames #4 II 64 ORCHIDACEAE  
*Epidendrum simum* (Dressler) P.Taylor = *Encyclia sima* Dressler  
*Epidendrum sinense* G.Jacks ex H.C.Andr. = *Cymbidium sinense* (G.Jacks. & H.C.Andr.) De Wild.  
*Epidendrum sinense* Redoute = *Cymbidium ensifolium* (L.) Sw.  
*Epidendrum singuliflorum* Schltr. #4 II 64 ORCHIDACEAE  
*Epidendrum sisyrinchiiifolia* A.Rich & H.G.Galeotti = *Encyclia microbulbon* (Hook.) Schltr.  
*Epidendrum skinneri* Regel 1851 = *Barkeria skinneri* (Bateman ex Lindl.) Paxton  
*Epidendrum skutchii* Ames, Hubb., & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Epidendrum smaragdimum* Lindley #4 II 64 ORCHIDACEAE  
*Epidendrum sobralioides* Ames & Correll #4 II 64 ORCHIDACEAE  
*Epidendrum spatella* Reichb.f. = *Encyclia spatella* (Rchb.f.) Schltr.  
*Epidendrum spatulatum* acut. non Burm.f. = *Dendrobium crumenatum* Sw.  
*Epidendrum spatulatum* L. = *Vanda spathulata* (L.) Spreng.  
*Epidendrum spectabile* (Bateman ex Lindl.) Rchb.f. = *Barkeria spectabilis* Bateman ex Lindl. 1842  
*Epidendrum spicatum* Hook.f. #4 II 64 ORCHIDACEAE  
*Epidendrum spondiadum* Reichb. f. = *Encyclia spondiadum* (Rchb.f.) Dressler  
*Epidendrum squamatum* Barb.Rodr. non Poiret = *Encyclia hoehnei* (Hawkes) Pabst  
*Epidendrum stamfordianum* Bateman #4 II 64 ORCHIDACEAE  
*Epidendrum stellatum* Lindl. = *Encyclia stellata* (Lindl.) Schltr.  
*Epidendrum sterile* Lam. = *Bulbophyllum sterile* (Lam.) Suresh  
*Epidendrum striatum* (Thunb.) Thunb. = *Bletilla striata* (Thunb. ex A.Murray) Rchb.f.  
*Epidendrum strobiliferum* Rchb.f. #4 II 64 ORCHIDACEAE  
*Epidendrum strophinx* Rchb.f. 1876 = *Barkeria obovata* (Presley) Christenson 1988  
*Epidendrum subulatifolium* A. Rich. & H.G.Galeotti = *Encyclia subulatifolia* (A. Rich. & H.G.Galeotti) Dressler  
*Epidendrum subulatum* sw. (1788) = *Leucohyle subulata* (Sw.) Schltr. 1914  
*Epidendrum superbum* (Schomb. ex Lindl.) Rchb.f. = *Cattleya violacea* (Kunth) Rolfe  
*Epidendrum suzanense* Hoehne = *Encyclia suzanensis* (Hoehne) Pabst  
*Epidendrum tampense* Lindl. = *Encyclia tampensis* (Lindl.) Small  
*Epidendrum tarumanum* (Schltr.) Hawkes = *Encyclia tarumana* Schltr.  
*Epidendrum tenuissimum* Ames, F.T.Hubb., & C.Schweinf. = *Encyclia tenuissima* (Ames, F.T.Hubb., & C.Schweinf.) Dressler  
*Epidendrum tessellatum* Roxb. = *Vanda tessellata* (Roxb.) Hook. ex G.Don  
*Epidendrum tessellatum* Bateman ex Lindl. = *Encyclia livida* (Lindl.) Dressler  
*Epidendrum tesseloides* Steud. = *Vanda spathulata* (L.) Spreng.  
*Epidendrum tibicinis* Bateman ex Lindl. 1838 = *Myrmecophila humboldtii* (Rchb.f.) Rolfe 1917  
*Epidendrum tibicinis* Bateman ex Lindl. 1838 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917  
*Epidendrum tigrinum* Lindl. ex Linden = *Encyclia tigrina* (Lindl. ex Linden) Carnevali & Ramírez  
*Epidendrum tortipetalum* Scheeren #4 II 64 ORCHIDACEAE  
*Epidendrum trachycarpum* Lindl. ex Benth. = *Encyclia trachycarpa* (Lindley ex Benth.) Schltr.  
*Epidendrum trachychilum* Lindl. = *Encyclia ambigua* (Lindl.) Schltr.  
*Epidendrum triandrum* (Ames) House = *Encyclia cochleata* (L.) Lemée  
*Epidendrum trianguliferum* Rchb.f. = *Encyclia triangulifera* (Rchb.f.) Acuña  
*Epidendrum trianthum* Schltr. #4 II 64 ORCHIDACEAE  
*Epidendrum tripartitum* Vell. = *Encyclia tripartita* (Vell.) Hoehne  
*Epidendrum tripterum* Lindl. = *Encyclia linkiana* (Klotzsch) Schltr.  
*Epidendrum tripterum* Lindl. = *Encyclia pygmaea* (Hook.) Dressler  
*Epidendrum tripterum* Sm. 1793 = *Coelia triptera* (Sm.) G.Don ex Steud. (1840)  
*Epidendrum tripunctatum* Lindl. = *Encyclia punctifera* (Rchb.f.) Pabst  
*Epidendrum tripunctatum* Lindl. = *Encyclia tripunctata* (Lindley) Dressler  
*Epidendrum triste* A.Rich. & H.G.Galeotti = *Encyclia ochracea* (Lindl.) Dressler  
*Epidendrum trulla* Rchb.f. = *Encyclia lancifolia* (Lindley) Dressler & G.E.Pollard  
*Epidendrum tuberosum* Lour. = *Bletilla striata* (Thunb. ex A.Murray) Rchb.f.  
*Epidendrum tuerckheimii* (Schltr.) Ames, F.T.Hubb & C.Schweinf. = *Encyclia tuerckheimii* Schltr.  
*Epidendrum tungurahuae* Schltr. #4 II 64 ORCHIDACEAE

- Epidendrum umbellatum* G.Forst = *Bulbophyllum longiflorum* Thouars  
*Epidendrum uniflorum* Lindl. = *Encyclia pygmaea* (Hook.) Dressler  
*Epidendrum urostachyum* Schltr. #4 II 64 ORCHIDACEAE  
*Epidendrum vagans* Ames = *Encyclia vagans* (Ames) Dressler G.E. Pollard  
*Epidendrum vaginatum* Sesse & Moc. = *Encyclia fragrans* (Sw.) Lemée  
*Epidendrum varicosum* Bateman ex Lindl. = *Encyclia varicosa* (Bateman ex Lindl.) Schltr.  
*Epidendrum variegatum* Hook. = *Encyclia vespa* (Vell.) Dressler  
*Epidendrum venezuelanum* Schltr. = *Encyclia venezuelana* (Schltr.) Schltr.  
*Epidendrum venosum* Lindl. = *Encyclia venosa* (Lindl.) Schltr.  
*Epidendrum ventilabrum* Vell. 1827 = *Erycina pusilla* (L.) N.H.Williams & M.W.Chase 2001  
*Epidendrum verrucosum* Lindl. = *Encyclia adenocaula* (Llave & Lex.) Schltr.  
*Epidendrum vespa* Vell. = *Encyclia vespa* (Vell.) Dressler  
*Epidendrum viejii* Reichb.f. #4 II 64 ORCHIDACEAE  
*Epidendrum violaceum* Lodd. = *Cattleya loddigesii* Lindl.  
*Epidendrum violaceum* Rchb.f. = *Cattleya violacea* (Kunth) Rolfe  
*Epidendrum violodora* Gal. ex Lindl. = *Encyclia selligera* (Bateman ex Lindley) Schltr.  
*Epidendrum virens* Lindl. = *Encyclia virens* (Lindl.) Schltr.  
*Epidendrum virgatum* Lindl. = *Encyclia michuacana* (Llave & Lex.) Schltr.  
*Epidendrum viridiflorum* (Hook.) Lindl. = *Encyclia viridiflora* Hook.  
*Epidendrum vitellinum* Lindl. = *Encyclia vitellina* (Lindley) Dressler  
*Epidendrum volutum* Lindley & Paxton #4 II 64 ORCHIDACEAE  
*Epidendrum vomeriforme* Sw. = *Homalopetalum vomeriforme* (Sw.) Fawc. & Rendle (1910)  
*Epidendrum vulcanicola* A.H. Heller #4 II 64 ORCHIDACEAE  
*Epidendrum walkerianum* (Gardner) Rchb.f. = *Cattleya walkeriana* Gardner  
*Epidendrum wendlandianum* Kraenzl. = *Encyclia venosa* (Lindl.) Schltr.  
*Epidendrum werffii* Dodson & Hagsater #4 II 64 ORCHIDACEAE  
*Epidendrum widgrenii* Lindl. = *Encyclia widgrenii* (Lindl.) Pabst.  
*Epidendrum xiphères* Rchb.f. = *Encyclia nematocaulon* (A.Rich.) Acuña  
*Epidendrum yauperyense* Barb.Rodr. = *Encyclia yauperyensis* (Barb.Rodr.) Porto & Brade  
*Epidorchis calceolus* (Thouars) Kuntze = *Angraecum calceolus* Thouars  
*Epidorchis caulescens* (Thouars) Kuntze = *Angraecum caulescens* Thouars  
*Epidorchis graminifolia* (Ridl.) Kuntze = *Angraecum pauciramosum* Schltr.  
*Epidorchis inaperta* (Thouars) Kuntze = *Angraecum inapertum* Thouars  
*Epidorchis multiflora* (Thouars) Kuntze = *Angraecum multiflorum* Thouars  
*Epidorchis subulata* (Lindl.) Kuntze = *Angraecum subulatum* Lindl.  
*Epidorchis tenella* (Ridl.) Kuntze = *Angraecum tenellum* (Ridl.) Schltr.  
***Epigeneium* spp.** Gagnep. #4 II 64 ORCHIDACEAE  
*Epigeneium amplum* Lindl. Summerh. #4 II 64 ORCHIDACEAE  
*Epigeneium chapaense* Gagnepain #4 II 64 ORCHIDACEAE  
*Epigeneium coelogyne* (Rchb.f.) Summerh. = *Epigeneium amplum* Lindl. Summerh.  
*Epigeneium cymbidioides* (Blume) Summerh. #4 II 64 ORCHIDACEAE  
*Epigeneium fuscescens* (Griff.) Summerh. #4 II 64 ORCHIDACEAE  
*Epigeneium geminatum* (Blume) Summerh. #4 II 64 ORCHIDACEAE  
*Epigeneium rotundatum* (Lindl.) Summerh. #4 II 64 ORCHIDACEAE  
*Epigeneium simplex* (J.J.Sm.) Summerh. = *Dendrobium simplex* J.J. Smith  
*Epigeneium treacherianum* (Rchb.f. ex Hook.f.) Summerh. #4 II 64 ORCHIDACEAE  
*Epigeneium treutleri* (Hook.f.) Ormerod #4 II 64 ORCHIDACEAE  
*Epigeneium triadenium* (Lindl.) Summerh. = *Bulbophyllum triadenium* (Lindl.) Rchb.f.  
*Epigeneium triflorum* (Blume) Summerh. #4 II 64 ORCHIDACEAE  
***Epilyna*** spp. Schlechter #4 II 64 ORCHIDACEAE  
*Epilyna hirtzii* Dodson #4 II 64 ORCHIDACEAE  
***Epipactis* spp.** Zinn #4 II 64 ORCHIDACEAE  
*Epipactis* à larges Feuilles (F): *Epipactis helleborine*  
*Epipactis albensis* Nováková et Rydlo #4 II 64 ORCHIDACEAE  
*Epipactis atropurpurea* Raf. = *Epipactis atrorubens* (Hoffm.) Besser  
*Epipactis atrorubens* (Hoffm.) Besser #4 II 64 ORCHIDACEAE  
*Epipactis*, Broad-leaved (E): *Epipactis helleborine*  
*Epipactis confusa* D.P.Young #4 II 64 ORCHIDACEAE  
*Epipactis gigantea* Dougl. ex Hook. #4 II 64 ORCHIDACEAE (E) Giant Helleborine  
*Epipactis helleborine* (L.) Crantz #4 II 64 ORCHIDACEAE (E) Broad-leaved Epipactis (F) Epipactis à larges Feuilles, Helléborine  
*Epipactis latifolia* (L.) All. = *Epipactis helleborine* (L.) Crantz  
*Epipactis leptochila* (Godfery) Godfery #4 II 64 ORCHIDACEAE  
*Epipactis microphylla* (Ehrh.) Sw. #4 II 64 ORCHIDACEAE  
*Epipactis muelleri* Godfery #4 II 64 ORCHIDACEAE  
*Epipactis palustris* (L.) Crantz #4 II 64 ORCHIDACEAE (E) Marsh Helleborine

<i>Epipactis persica</i> auct., non (Soó) Hausskn. ex Nannf. =	<i>Epiphyllum floribundum</i> Kimnach #4 II 49 CACTACEAE
<i>Epipactis confusa</i> D.P.Young	<i>Epiphyllum gigas</i> R.E.Woodson & Cutak = <i>Epiphyllum grandilobum</i> (Weber) Britton & Rose
<i>Epipactis phyllanthes</i> G.E. Sm. #4 II 64 ORCHIDACEAE	<i>Epiphyllum grandilobum</i> (Weber) Britton & Rose #4 II 49 CACTACEAE
(E) Green-flowered Helleborine	
<i>Epipactis pontica</i> Taub. #4 II 64 ORCHIDACEAE	<i>Epiphyllum guatemalense</i> Britton & Rose #4 II 49 CACTACEAE
<i>Epipactis purpurata</i> Sm. #4 II 64 ORCHIDACEAE	<i>Epiphyllum hookeri</i> Haworth #4 II 49 CACTACEAE
<i>Epipactis royleana</i> Lindl. #4 II 64 ORCHIDACEAE	<i>Epiphyllum laui</i> Kimnach #4 II 49 CACTACEAE
<i>Epipactis rubiginosa</i> (Crantz) Gaudin = <i>Epipactis atrorubens</i> (Hoffm.) Besser	<i>Epiphyllum lepidocarpum</i> (Weber) Britton & Rose #4 II 49 CACTACEAE
<i>Epipactis sessilifolia</i> Peterm. = <i>Epipactis purpurata</i> Sm.	<i>Epiphyllum macrocarpum</i> (Weber) Backeberg = <i>Epiphyllum costaricense</i> (Weber) Britton & Rose
<i>Epipactis troodi</i> Lindb.f. #4 II 64 ORCHIDACEAE	<i>Epiphyllum nelsonii</i> Britton & Rose = <i>Disocactus nelsonii</i> (Britton & Rose) Lindinger
<i>Epipactis varians</i> (Crantz) Fleischm. & Rech.f. = <i>Epipactis purpurata</i> Sm.	<i>Epiphyllum oxypetalum</i> (De Candolle) Haworth #4 II 49 CACTACEAE
<i>Epipactis veratrifolia</i> Boiss. & Hohen. #4 II 64 ORCHIDACEAE	<i>Epiphyllum phyllanthus</i> (Linnaeus) Haworth #4 II 49 CACTACEAE
<i>Epipactis violacea</i> (Dur.-Duq.) Boreau = <i>Epipactis purpurata</i> Sm.	<i>Epiphyllum pittieri</i> (Weber) Britton & Rose #4 II 49 CACTACEAE
<i>Epipactis viridiflava</i> U.Löw = <i>Epipactis leptochila</i> (Godfery) Godfery	<i>Epiphyllum pumilum</i> (Vaupel) Britton & Rose #4 II 49 CACTACEAE
<i>Epipactis viridiflora</i> (Hoffm.) H.Müll. pro parte = <i>Epipactis helleborine</i> (L.) Crantz	<i>Epiphyllum quezaltecum</i> (Standley & Steyermark) Kimnach = <i>Disocactus quezaltecus</i> (Standley & Steyermark) Kimnach
<i>Epipactis youngiana</i> A.J. Richards & A.F. Porter #4 II 64 ORCHIDACEAE	<i>Epiphyllum rubrocoronatum</i> (Kimmach) C.Dodson & A.Gentry #4 II 49 CACTACEAE
<i>Epiphyllanthus microsphaericus</i> (Schumann) Britton & Rose = <i>Schlumbergera microsphaerica</i> (Schumann) Hoevel	<i>Epiphyllum stenopetalum</i> (Foerster) Britton & Rose = <i>Epiphyllum hookeri</i> Haworth
<i>Epiphyllanthus obovatus</i> (Engelmann ex Schumann) Britton & Rose = <i>Schlumbergera opuntioides</i> (Loefgren & Dusen) Hunt	<i>Epiphyllum steyermarkii</i> Croizat = <i>Selenicereus inermis</i> (Otto) Britton & Rose
<i>Epiphyllanthus obtusangulus</i> (Schumann) Berger = <i>Schlumbergera microsphaerica</i> (Schumann) Hoevel	<i>Epiphyllum strictum</i> (Lemaire) Britton & Rose = <i>Epiphyllum hookeri</i> Haworth
<i>Epiphyllopsis gaertneri</i> (Regel) Berger = <i>Hatiora gaertneri</i> (Regel) Barthlott	<i>Epiphyllum thomasianum</i> (Schumann) Britton & Rose #4 II 49 CACTACEAE
<i>Epiphyllum spp.</i> Haw. #4 II 49 CACTACEAE	<i>Epiphyllum trimetrale</i> Croizat #4 II 49 CACTACEAE
<i>Epiphyllum ackermannii</i> Haworth = <i>Disocactus ackermannii</i> (Lindley) Barthlott	<i>Epipogium spp.</i> S.G.Gmel. ex Borkh. #4 II 64 ORCHIDACEAE
<i>Epiphyllum anguliger</i> (Lemaire) G. Don #4 II 49 CACTACEAE	<i>Epipogium aphyllum</i> Sw. #4 II 64 ORCHIDACEAE (E) Ghost Orchid
<i>Epiphyllum biforme</i> (Lindley) Don = <i>Disocactus biformis</i> (Lindley) Lindley	<i>Epipogium japonicum</i> Makino #4 II 64 ORCHIDACEAE
<i>Epiphyllum bridgesii</i> Lemaire = <i>Schlumbergera truncata</i> (Haworth) Moran	<i>Epipogium roseum</i> (D. Don) Lindley #4 II 64 ORCHIDACEAE
<i>Epiphyllum cartagense</i> (Weber) Britton & Rose #4 II 49 CACTACEAE	<i>Epipogium sessanum</i> Hegde & Rao #4 II 64 ORCHIDACEAE
<i>Epiphyllum caudatum</i> Britton & Rose #4 II 49 CACTACEAE	<i>Epipogium tuberosum</i> Duthie #4 II 64 ORCHIDACEAE
<i>Epiphyllum caulorizum</i> (Lemaire) G.Don ex Loudon = <i>Epiphyllum crenatum</i> (Lindley) Don	<i>Epistephium spp.</i> Kunth #4 II 64 ORCHIDACEAE
<i>Epiphyllum chrysocardium</i> Alexander = <i>Selenicereus chrysocardium</i> (Alexander) Kimnach	<i>Epithecia glauca</i> Knowles & Westc. = <i>Encyclia glauca</i> (Knowles & Westc.) Dressler & G.E.Pollard
<i>Epiphyllum columbiense</i> (Weber) Dodson & Gentry #4 II 49 CACTACEAE	<i>Epithelantha spp.</i> F.A.C. Weber ex Britton & Rose #4 II 49 CACTACEAE
<i>Epiphyllum costaricense</i> (Weber) Britton & Rose #4 II 49 CACTACEAE	<i>Epithelantha bokei</i> Benson #4 II 49 CACTACEAE (E) Button Cactus
<i>Epiphyllum crenatum</i> (Lindley) Don #4 II 49 CACTACEAE	<i>Epithelantha micromeris</i> (Engelmann) Weber #4 II 49 CACTACEAE
<i>Epiphyllum darrahii</i> (Schumann) Britton & Rose = <i>Epiphyllum anguliger</i> (Lemaire) G. Don	<i>Erasanthe</i> spp. #4 II 64 ORCHIDACEAE
<i>Epiphyllum eichlamii</i> (Weingart) L.O.Williams = <i>Disocactus eichlamii</i> (Weingart) Britton & Rose	<i>Erasanthe henrici</i> (Schltr.) P.J.Cribb #4 II 64 ORCHIDACEAE

<i>Erdisia apiciflora</i> (Vaupel) Werdermann = <i>Corryocactus apiciflorus</i> (Vaupel) Hutchison ex Buxbaum	<i>Eria dasystachys</i> Ridley #4 II 64 ORCHIDACEAE
<i>Erdisia aureispina</i> Backeberg & Jacobsen = <i>Corryocactus erectus</i> (Backeberg) Ritter	<i>Eria diluta</i> Ridley #4 II 64 ORCHIDACEAE
<i>Erdisia erecta</i> Backeberg = <i>Corryocactus erectus</i> (Backeberg) Ritter	<i>Eria dischorensis</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Erdisia fortalezensis</i> Ritter = <i>Corryocactus tenuiculus</i> (Backeberg) Hutchison ex Buxbaum	<i>Eria elata</i> Hook.f. #4 II 64 ORCHIDACEAE
<i>Erdisia maxima</i> Backeberg = <i>Corryocactus apiciflorus</i> (Vaupel) Hutchison ex Buxbaum	<i>Eria flava</i> Lindl. #4 II 64 ORCHIDACEAE (E) Woolly Orchid
<i>Erdisia meyenii</i> Britton & Rose = <i>Corryocactus aureus</i> (Meyen) Hutchison ex Buxbaum	<i>Eria flavescens</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Erdisia philippii</i> (Regel & Schmidt) Britton & Rose = <i>Astrocactus philippii</i> (Regel & Schmidt) Buxbaum & Ritter	<i>Eria floribunda</i> Lindl. #4 II 64 ORCHIDACEAE
<i>Erdisia quadrangularis</i> Rauh & Backeberg = <i>Corryocactus quadrangularis</i> (Rauh & Backeberg) Ritter	<i>Eria fordii</i> Rolfe #4 II 64 ORCHIDACEAE
<i>Erdisia ruthae</i> Johnson ex Backeberg = <i>Corryocactus erectus</i> (Backeberg) Ritter	<i>Eria</i> , Four-cornered (E): <i>Eria corneri</i>
<i>Erdisia spiniflora</i> (Philippi) Britton & Rose = <i>Astrocactus spiniflorus</i> (Philippi) Ritter	<i>Eria fusca</i> Blume #4 II 64 ORCHIDACEAE
<i>Erdisia squarrosa</i> (Vaupel) Britton & Rose = <i>Corryocactus squarrosus</i> (Vaupel) Hutchison ex Buxbaum	<i>Eria gracilis</i> Hook.f. #4 II 64 ORCHIDACEAE
<i>Erdisia tenuicula</i> Backeberg = <i>Corryocactus tenuiculus</i> (Backeberg) Hutchison ex Buxbaum	<i>Eria hispidissima</i> Ridley #4 II 64 ORCHIDACEAE
<b><i>Eria</i> spp.</b> Lindl. #4 II 64 ORCHIDACEAE	<i>Eria hyacinthoides</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Eria acuminata</i> (Blume) Lindley #4 II 64 ORCHIDACEAE	<i>Eria iridifolia</i> Hook.f. #4 II 64 ORCHIDACEAE
<i>Eria aeridostachya</i> Reichb.f. ex Lindley #4 II 64 ORCHIDACEAE	<i>Eria irukandjiana</i> St.Cloud #4 II 64 ORCHIDACEAE
<i>Eria albido-tomentosa</i> (Blume) Lindley #4 II 64 ORCHIDACEAE	<i>Eria javanica</i> (Swartz) Blume #4 II 64 ORCHIDACEAE
<i>Eria albiflora</i> Rolfe #4 II 64 ORCHIDACEAE	<i>Eria junghuhnii</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Eria ambrosia</i> Hance = <i>Bulbophyllum ambrosia</i> (Hance) Schltr.	<i>Eria karicouyensis</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Eria aporina</i> Hook.f. #4 II 64 ORCHIDACEAE	<i>Eria koordersii</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Eria appendiculata</i> (Blume) Lindley #4 II 64 ORCHIDACEAE	<i>Eria lamonganensis</i> Reichb.f. #4 II 64 ORCHIDACEAE
<i>Eria articulata</i> Lindley #4 II 64 ORCHIDACEAE	<i>Eria lanigera</i> Seidenf. #4 II 64 ORCHIDACEAE
<i>Eria atrovinosa</i> Carr #4 II 64 ORCHIDACEAE	<i>Eria lasiopetala</i> (Willd.) Ormerod #4 II 64 ORCHIDACEAE
<i>Eria barbata</i> (Lindley) Reichb.f. #4 II 64 ORCHIDACEAE	<i>Eria lindleyi</i> Thwaites #4 II 64 ORCHIDACEAE
<i>Eria bicristata</i> (Blume) Lindley #4 II 64 ORCHIDACEAE	<i>Eria lobata</i> (Blume) Reichb.f. #4 II 64 ORCHIDACEAE
<i>Eria biflora</i> Griffith #4 II 64 ORCHIDACEAE	<i>Eria longe-repens</i> Ridl. #4 II 64 ORCHIDACEAE
<i>Eria bogoriensis</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Eria maingayi</i> Hook.f. #4 II 64 ORCHIDACEAE
<i>Eria citrina</i> Ridley #4 II 64 ORCHIDACEAE	<i>Eria monostachya</i> Lindley #4 II 64 ORCHIDACEAE
<i>Eria clavata</i> Holttum #4 II 64 ORCHIDACEAE	<i>Eria monticola</i> Hook.f. #4 II 64 ORCHIDACEAE
<i>Eria coffeicolor</i> Kranzlin #4 II 64 ORCHIDACEAE	<i>Eria</i> , Moss-ball (E): <i>Eria sinica</i>
<i>Eria compressa</i> (Blume) Blume #4 II 64 ORCHIDACEAE	<i>Eria multiflora</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Eria congesta</i> (Rolfe) J.J. Wood ined. #4 II 64 ORCHIDACEAE	<i>Eria neglecta</i> Ridl. #4 II 64 ORCHIDACEAE
<i>Eria connata</i> Joseph, Hegde & Abbareddy #4 II 64 ORCHIDACEAE	<i>Eria nutans</i> Lindl. #4 II 64 ORCHIDACEAE
<i>Eria cootesii</i> D.P.Banks #4 II 64 ORCHIDACEAE	<i>Eria obliqua</i> (Lindl.) Lindl. #4 II 64 ORCHIDACEAE
<i>Eria corneri</i> Reichb.f. #4 II 64 ORCHIDACEAE (E) Four-cornered Eria	<i>Eria obliterata</i> (Blume) Reichb.f. #4 II 64 ORCHIDACEAE
<i>Eria coronaria</i> Rchb.f. #4 II 64 ORCHIDACEAE	<i>Eria occidentalis</i> Seidenf. #4 II 64 ORCHIDACEAE
<i>Eria cristata</i> Ridley #4 II 64 ORCHIDACEAE	<i>Eria ornata</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Eria dacrydium</i> Gagnepain #4 II 64 ORCHIDACEAE	<i>Eria pachystachya</i> Lindley #4 II 64 ORCHIDACEAE
<i>Eria dasypylla</i> Par. & Reichb.f. #4 II 64 ORCHIDACEAE	<i>Eria pannea</i> Lindl. #4 II 64 ORCHIDACEAE
	<i>Eria pilifera</i> Ridley #4 II 64 ORCHIDACEAE
	<i>Eria pseudocymbiformis</i> J.J. Wood #4 II 64 ORCHIDACEAE
	<i>Eria pudica</i> Ridl. #4 II 64 ORCHIDACEAE
	<i>Eria pulchella</i> Lindley #4 II 64 ORCHIDACEAE
	<i>Eria pumila</i> Lindley #4 II 64 ORCHIDACEAE
	<i>Eria punctata</i> J.J. Smith #4 II 64 ORCHIDACEAE
	<i>Eria ramulosa</i> Ridley #4 II 64 ORCHIDACEAE
	<i>Eria recurvata</i> Hook.f. #4 II 64 ORCHIDACEAE
	<i>Eria retusa</i> (Blume) Reichb.f. #4 II 64 ORCHIDACEAE
	<i>Eria rhynchosstyloides</i> O'Brien #4 II 64 ORCHIDACEAE
	<i>Eria ridleyi</i> Rolfe #4 II 64 ORCHIDACEAE
	<i>Eria robusta</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
	<i>Eria rosea</i> Lindl. #4 II 64 ORCHIDACEAE (E) Rosy Eria
	<i>Eria rostriflora</i> Reichenbach #4 II 64 ORCHIDACEAE

- Eria*, Rosy (E): *Eria rosea*  
*Eria rotundifolia* Ridley #4 II 64 ORCHIDACEAE  
*Eria scortechinii* Hook.f. #4 II 64 ORCHIDACEAE  
*Eria sinica* Lindl. #4 II 64 ORCHIDACEAE (E) Moss-ball  
 Eria  
*Eria spicata* (D. Don) Hand.-Mazz. #4 II 64  
 ORCHIDACEAE  
*Eria suaveolens* Ridley #4 II 64 ORCHIDACEAE  
*Eria subaliena* Gagnepain #4 II 64 ORCHIDACEAE  
*Eria sundaica* J.J. Smith #4 II 64 ORCHIDACEAE  
*Eria tenuiflora* Ridley #4 II 64 ORCHIDACEAE  
*Eria teretifolia* Griffith #4 II 64 ORCHIDACEAE  
*Eria thwaitesii* Trimen #4 II 64 ORCHIDACEAE  
*Eria tjadasmalangensis* J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Eria tonkinensis* Gagnepain #4 II 64 ORCHIDACEAE  
*Eria tricolor* Thwaites #4 II 64 ORCHIDACEAE  
*Eria unifolia* J.J. Smith #4 II 64 ORCHIDACEAE  
*Eria valida* Lindley #4 II 64 ORCHIDACEAE  
*Eria verruculosa* J.J. Smith #4 II 64 ORCHIDACEAE  
*Eria vieillardii* Reichb.f. #4 II 64 ORCHIDACEAE  
*Eria xanthocheila* Ridley #4 II 64 ORCHIDACEAE  
***Eriaxis* spp.** Reichb.f. #4 II 64 ORCHIDACEAE  
*Eriaxis rigida* Reichb.f. #4 II 64 ORCHIDACEAE  
*Eriocactus ampliostatus* Ritter = *Parodia schumanniana* (Nicolai) Brandt  
*Eriocactus leninghausii* (Schumann) Backeberg = *Parodia leninghausii* (Schumann) Brandt  
*Eriocactus magnificus* Ritter = *Parodia magnifica* (Ritter) Brandt  
*Eriocactus nigrispinus* (Schumann) Ritter = *Parodia nigrispina* (Schumann) Brandt  
*Eriocactus warasii* Ritter = *Parodia warasii* (Ritter) Brandt  
*Eriocereus adscendens* (Guerke) Berger = *Harrisia adscendens* (Guerke) Britton & Rose  
*Eriocereus arendtii* (Schumann) Ritter = *Harrisia tortuosa* (Forbes) Britton & Rose  
*Eriocereus bonplandii* (Parmentier ex Pfeiffer) Riccobono = *Harrisia pomanensis* (Weber) Britton & Rose  
*Eriocereus guelichii* (Spegazzini) Berger = *Harrisia balansae* (Schumann) Taylor & Zappi  
*Eriocereus martinii* (Labouret) Riccobono = *Harrisia martinii* (Labouret) Britton  
*Eriocereus polyacanthus* Ritter = *Harrisia pomanensis* (Weber) Britton & Rose  
*Eriocereus pomanensis* (Weber) Berger = *Harrisia pomanensis* (Weber) Britton & Rose  
*Eriocereus spinosissimus* Buining et al. = *Arthrocereus spinosissimus* (Buining & Brederoo) Ritter  
*Eriocereus tarijensis* Ritter = *Harrisia pomanensis* (Weber) Britton & Rose  
*Eriocereus tephraeanthus* (Labouret) Riccobono = *Harrisia tetricantha* (Labouret) Hunt  
*Eriocereus tortuosus* (Forbes) Riccobono = *Harrisia tortuosa* (Forbes) Britton & Rose  
***Eriochilus* spp.** R. Br. #4 II 64 ORCHIDACEAE  
*Eriochilus pulchellus* Hopper & A.P.Brown ms. #4 II 64  
 ORCHIDACEAE  
***Eriodes* spp.** Rolfe #4 II 64 ORCHIDACEAE  
*Eriodes barbata* (Lindl.) Rolfe #4 II 64 ORCHIDACEAE  
***Eriopsis* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Eriopsis biloba* Lindley #4 II 64 ORCHIDACEAE  
***Eriosyce* spp.** Phil. #4 II 49 CACTACEAE  
***Eriosyce aerocarpa*** (Ritter) Kattermann #4 II 49  
 CACTACEAE  
*Eriosyce algarrobensis* Ritter = *Eriosyce aurata* (Pfeiffer) Backeberg  
***Eriosyce andreaeana*** Kattermann #4 II 49 CACTACEAE  
***Eriosyce aspillagae*** (Soehrens) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce aurata*** (Pfeiffer) Backeberg #4 II 49  
 CACTACEAE  
***Eriosyce bulbocalyx*** (Werdermann) Kattermann #4 II 49  
 CACTACEAE  
*Eriosyce ceratistes* Britton & Rose = *Eriosyce aurata* (Pfeiffer) Backeberg  
***Eriosyce chilensis*** (Hildmann ex Schumann) Kattermann #4 II 49 CACTACEAE  
***Eriosyce confinis*** (Ritter) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce crispa*** (Ritter) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce curvispina*** (Bertero ex Colla) Kattermann #4 II 49 CACTACEAE  
***Eriosyce engleri*** (Ritter) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce esmeraldana*** (Ritter) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce garaventae*** (Ritter) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce heinrichiana*** (Backeberg) Kattermann #4 II 49  
 CACTACEAE  
*Eriosyce ihotzkyanae* Ritter = *Eriosyce aurata* (Pfeiffer) Backeberg  
***Eriosyce islayensis*** (Foerster) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce krausii*** (Ritter) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce kunzei*** (Foerster) Kattermann #4 II 49  
 CACTACEAE  
*Eriosyce lapampaensis* Ritter = *Eriosyce aurata* (Pfeiffer) Backeberg  
***Eriosyce laui*** Luethy #4 II 49 CACTACEAE  
***Eriosyce limariensis*** (Ritter) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce marksiana*** (Ritter) Kattermann #4 II 49  
 CACTACEAE  
*Eriosyce megacarpa* Ritter = *Eriosyce rodentiophila* Ritter  
***Eriosyce napina*** (Philippi) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce occulta*** Kattermann #4 II 49 CACTACEAE  
***Eriosyce odieri*** (Lemaire ex Salm-Dyck) Kattermann #4 II 49 CACTACEAE  
***Eriosyce omasensis*** (Ostolaza & Mischler) Ostolaza #4 II 49 CACTACEAE  
***Eriosyce recondita*** (Ritter) Kattermann #4 II 49  
 CACTACEAE

- Eriosyce rodentiophila*** Ritter #4 II 49 CACTACEAE  
*Eriosyce sandillon* (Remy ex Gay) Philippi = *Eriosyce aurata* (Pfeiffer) Backeberg  
***Eriosyce senilis*** (Backeberg) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce sociabilis*** (Ritter) Kattermann #4 II 49  
 CACTACEAE  
*Eriosyce spinibarbis* Ritter = *Eriosyce aurata* (Pfeiffer)  
 Backeberg  
***Eriosyce strausiana*** (Schumann) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce subgibbosa*** (Haworth) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce taltalensis*** (Hutchison) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce tenebrica*** (Ritter) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce umadeave*** (Fric ex Werdermann) Kattermann  
#4 II 49 CACTACEAE  
***Eriosyce vertongenii*** (J.G.Lambert) Hunt #4 II 49  
 CACTACEAE  
***Eriosyce villicumensis*** (Rausch) Kattermann #4 II 49  
 CACTACEAE  
***Eriosyce villosa*** (Monville) Kattermann #4 II 49  
 CACTACEAE  
***Erycina spp.*** Lindl. #4 II 64 ORCHIDACEAE  
*Erycina allemanii* (Barb.Rodr.) N.H.Williams & M.W.Chase  
2001 = *Erycina pusilla* (L.) N.H.Williams & M.W.Chase  
2001  
*Erycina crista-galli* (Rchb.f.) N.H.Williams & M.W.Chase  
2001 #4 II 64 ORCHIDACEAE  
*Erycina diaphana* (Rchb.f.) Schltr. 1918 = *Erycina hyalinobulbon* (Lex.) N.H.Williams & M.W.Chase 2001  
*Erycina echinata* (Kunth) Lindl. 1853 #4 II 64  
ORCHIDACEAE  
*Erycina glossomystax* (Rchb.f.) N.H.Williams &  
M.W.Chase 2001 #4 II 64 ORCHIDACEAE  
*Erycina gnomus* (Kraenzl.) N.H.Williams & M.W.Chase  
2001 = *Erycina pumilio* (Rchb.f.) N.H.Williams &  
M.W.Chase 2001  
*Erycina hondurensis* (Ames) N.H.Williams & M.W.Chase  
2001 = *Erycina pumilio* (Rchb.f.) N.H.Williams &  
M.W.Chase 2001  
*Erycina hyalinobulbon* (Lex.) N.H.Williams & M.W.Chase  
2001 #4 II 64 ORCHIDACEAE  
*Erycina major* Schltr. 1918 = *Erycina echinata* (Kunth)  
Lindl. 1853  
*Erycina pumilio* (Rchb.f.) N.H.Williams & M.W.Chase 2001  
#4 II 64 ORCHIDACEAE  
*Erycina pusilla* (L.) N.H.Williams & M.W.Chase 2001 #4 II  
64 ORCHIDACEAE  
*Erycina zamorensis* (Dodson) N.H.Williams & M.W.Chase  
2001 #4 II 64 ORCHIDACEAE  
***Erythrodes spp.*** Blume #4 II 64 ORCHIDACEAE  
*Erythrodes brevicalcar* J.J. Smith #4 II 64 ORCHIDACEAE  
*Erythrodes calophylla* (Reichb.f.) Ames #4 II 64  
ORCHIDACEAE  
*Erythrodes hirtella* (Swartz) Fawcett & Rendle #4 II 64  
ORCHIDACEAE  
*Erythrodes humilis* (Blume) J.J. Smith #4 II 64  
ORCHIDACEAE  
*Erythrodes latifolia* Blume #4 II 64 ORCHIDACEAE  
*Erythrodes lilyana* (Fleischm. & Rech.) Schltr. #4 II 64  
ORCHIDACEAE  
*Erythrodes nigrescens* (Schltr.) Ames #4 II 64  
ORCHIDACEAE  
*Erythrodes paranaensis* (Kraenzl.) Pabst. 1956 =  
*Wullschiagelia paranaensis* Kraenzl. 1911  
*Erythrodes plantaginea* (L.) Fawcett & Rendle #4 II 64  
ORCHIDACEAE  
*Erythrodes stictophylla* (Schltr.) Ames #4 II 64  
ORCHIDACEAE  
*Erythrodes tridax* Ames #4 II 64 ORCHIDACEAE  
***Erythrorchis spp.*** Blume #4 II 64 ORCHIDACEAE  
*Erythrorhapisalis burchellii* (Britton & Rose) Volgin =  
*Rhipsalis burchellii* Britton & Rose  
*Erythrorhapisalis campos-portoana* (Loefgren) Volgin =  
*Rhipsalis campos-portoana* Loefgren  
*Erythrorhapisalis cereuscula* (Loefgren) Volgin = *Rhipsalis cereuscula* Haworth  
*Erythrorhapisalis cibrata* (Lemaire) Volgin = *Rhipsalis teres*  
(Vellozo) Steudel  
*Erythrorhapisalis pilocarpa* (Loefgren) Berger = *Rhipsalis pilocarpa* Loefgren  
***Escobaria spp.*** Britton & Rose #4 I/II 49 CACTACEAE  
***Escobaria aguirreana*** (Glass & Foster) Taylor #4 II 49  
CACTACEAE  
***Escobaria albicolumnaria*** Hester #4 II 49 CACTACEAE  
(E) White Column Escobaria Cactus  
***Escobaria alversonii*** (J.Coulter) Taylor #4 II 49  
CACTACEAE  
*Escobaria bella* Britton & Rose = *Escobaria emskoetteriana* (Quehl) Borg  
*Escobaria bisbeeana* (Orcutt) Borg = *Escobaria vivipara*  
(Nuttall) Buxbaum  
***Escobaria chihuahuensis*** Britton & Rose #4 II 49  
CACTACEAE  
***Escobaria cubensis*** (Britton & Rose) Hunt #4 II 49  
CACTACEAE  
***Escobaria dasyacantha*** (Engelmann) Britton & Rose #4  
II 49 CACTACEAE  
***Escobaria deserti*** (Engelmann) Buxbaum #4 II 49  
CACTACEAE  
***Escobaria duncanii*** (Hester) Buxbaum #4 II 49  
CACTACEAE (E) Duncan's Cory Cactus  
***Escobaria emskoetteriana*** (Quehl) Borg #4 II 49  
CACTACEAE  
***Escobaria guadalupensis*** Brack & Heil #4 II 49  
CACTACEAE  
***Escobaria hesteri*** (Y. Wright) Buxbaum #4 II 49  
CACTACEAE  
***Escobaria laredoi*** (Glass & Foster) Taylor #4 II 49  
CACTACEAE  
***Escobaria lloydii*** Britton & Rose #4 II 49 CACTACEAE  
***Escobaria minima*** (Baird) Hunt I CACTACEAE (E) Nelle's  
Cactus, Nellie's Cory Cactus  
***Escobaria missouriensis*** (Sweet) Hunt #4 II 49  
CACTACEAE

- Escobaria muehlbaueriana* (Boedeker) F.Knuth =  
*Escobaria emskoetteriana* (Quehl) Borg  
*Escobaria nelliæ* (Croizat) Backeberg = *Escobaria minima* (Baird) Hunt  
*Escobaria neomexicana* (Engelmann) Buxbaum =  
*Escobaria vivipara* (Nuttall) Buxbaum  
***Escobaria orcuttii*** Boedeker #4 II 49 CACTACEAE  
***Escobaria organensis*** (D.Zimmerman) Castetter et al. #4 II 49 CACTACEAE (E) Organ Mountain Foxtail Cactus  
*Escobaria radiosa* (Engelmann) Frank = *Escobaria vivipara* (Nuttall) Buxbaum  
*Escobaria rigida* Backeberg = *Escobaria laredoi* (Glass & Foster) Taylor  
***Escobaria robbinsorum*** (Earle) Hunt #4 II 49 CACTACEAE  
***Escobaria roseana*** (Boedeker) Buxbaum #4 II 49 CACTACEAE  
*Escobaria runyonii* Britton & Rose = *Escobaria emskoetteriana* (Quehl) Borg  
***Escobaria sandbergii*** Castetter et al. #4 II 49 CACTACEAE  
***Escobaria sneedii*** Britton & Rose I CACTACEAE (E) Lee Pincushion Cactus, Sneed's Cory Cactus, Sneed's Pincushion Cactus  
*Escobaria strobiliformis* auctt = *Escobaria tuberculosa* (Engelmann) Britton & Rose  
*Escobaria strobiliformis* (Poselger) Boedeker = *Escobaria chihuahuensis* Britton & Rose  
***Escobaria tuberculosa*** (Engelmann) Britton & Rose #4 II 49 CACTACEAE  
*Escobaria varicolor* Tiegel = *Escobaria tuberculosa* (Engelmann) Britton & Rose  
***Escobaria villardii*** Castetter et al. #4 II 49 CACTACEAE  
***Escobaria vivipara*** (Nuttall) Buxbaum #4 II 49 CACTACEAE (E) Alverson's Pincushion Cactus, Ball Pricky-pear Cactus, Bisbee Pincushion Cactus, Viparous Foxtail Cactus  
***Escobaria zilziana*** (Boedeker) Backeberg #4 II 49 CACTACEAE  
***Escontria* spp.** Rose #4 II 49 CACTACEAE  
***Escontria chiotilla*** (Weber ex Schumann) Rose #4 II 49 CACTACEAE  
*Escontria lepidantha* (Eichlam) Buxbaum = *Pachycereus lepidanthus* (Eichlam) Britton & Rose  
***Esmeralda* spp.** Reichb.f. #4 II 64 ORCHIDACEAE  
*Esmeralda cathcartii* #4 II 64 ORCHIDACEAE  
*Esmeralda clarkei* Reichb.f. = *Arachnis clarkei* (Reichb. f.) J.J. Smith  
*Esmeralda sanderiana* Rchb.f. = *Vanda sanderiana* Reichb.f.  
 Espíritu Santo (S): *Peristeria elata*  
***Espostoa* spp.** Britton & Rose #4 II 49 CACTACEAE  
***Espostoa baumannii*** Knize #4 II 49 CACTACEAE  
***Espostoa blossfeldiorum*** (Werdermann) Buxbaum #4 II 49 CACTACEAE  
***Espostoa calva*** Ritter #4 II 49 CACTACEAE  
*Espostoa dautwitzii* (Haage f.) Borg = *Espostoa lanata* (Kunth) Britton & Rose
- Espostoa frutescens*** Madsen #4 II 49 CACTACEAE  
***Espostoa guentheri*** (Kupper) Buxbaum #4 II 49 CACTACEAE  
***Espostoa haagei*** (Poselger ex Ruempler) Borg = *Espostoa melanostele* (Vaupel) Borg  
***Espostoa huanucoensis*** Johnson ex Ritter #4 II 49 CACTACEAE  
***Espostoa hylaea*** Ritter #4 II 49 CACTACEAE  
***Espostoa lanata*** (Kunth) Britton & Rose #4 II 49 CACTACEAE  
***Espostoa lanianuligera*** Ritter #4 II 49 CACTACEAE  
*Espostoa laticornua* Rauh & Backeberg = *Espostoa lanata* (Kunth) Britton & Rose  
***Espostoa melanostele*** (Vaupel) Borg #4 II 49 CACTACEAE  
***Espostoa mirabilis*** Ritter #4 II 49 CACTACEAE  
***Espostoa nana*** Ritter #4 II 49 CACTACEAE  
*Espostoa procera* Rauh & Backeberg = *Espostoa lanata* (Kunth) Britton & Rose  
***Espostoa ritteri*** Buining #4 II 49 CACTACEAE  
***Espostoa ruficeps*** Ritter #4 II 49 CACTACEAE  
***Espostoa senilis*** (Ritter) Taylor #4 II 49 CACTACEAE  
***Espostoa superba*** Ritter #4 II 49 CACTACEAE  
***Epostocactus* spp.** #4 II 49 CACTACEAE  
***Epostocactus mirabilis*** (Rauh & Backeberg ex Backeberg) Rowley #4 II 49 CACTACEAE  
***Epostoopsis* spp.** F. Buxb. #4 II 49 CACTACEAE  
***Epostoopsis dybowskii*** (Roland-Gosselin) Buxbaum #4 II 49 CACTACEAE  
*Esula dendroides* (Linné) Haworth = *Euphorbia dendroides* L.  
*Euanthe sanderiana* (Rchb.f.) Schltr. = *Vanda sanderiana* Reichb.f.  
***Eucosia* spp.** Blume #4 II 64 ORCHIDACEAE  
*Eucosia carnea* Blume #4 II 64 ORCHIDACEAE  
 Euforbias (S): *Euphorbia*  
***Eulophia* spp.** R. Br. ex Lindl. #4 II 64 ORCHIDACEAE  
*Eulophia austrooccidentalis* Solch #4 II 64 ORCHIDACEAE  
*Eulophia bicarinata* (Lindley) Hook.f. #4 II 64 ORCHIDACEAE  
*Eulophia bouliawongo* (Rchb.f.) J.Raynal #4 II 64 ORCHIDACEAE  
*Eulophia candida* (Lindley) Reichb.f. #4 II 64 ORCHIDACEAE  
*Eulophia cochlearis* (Lindl.) Steud. = *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay (1959)  
*Eulophia coeruleata* Hort. ex Hook. = *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay (1959)  
*Eulophia coddii* A.V.Hall #4 II 64 ORCHIDACEAE  
*Eulophia cooperi* Rchb.f. #4 II 64 ORCHIDACEAE  
*Eulophia cullenii* (Wight) Blume #4 II 64 ORCHIDACEAE  
*Eulophia cristata* (Fernald) Ames = *Pteroglossaspis cristata* (Fern.) Rolfe  
*Eulophia exaltata* Reichb.f. #4 II 64 ORCHIDACEAE  
*Eulophia explanata* Lindley #4 II 64 ORCHIDACEAE  
*Eulophia faberi* Rolfe #4 II 64 ORCHIDACEAE

- Eulophia fitzalanii* Benth. #4 II 64 ORCHIDACEAE  
*Eulophia flava* Hk.f. #4 II 64 ORCHIDACEAE (E) Golden Eulophia  
 Eulophia, Golden (E): *Eulophia flava*  
*Eulophia graminea* Lindley #4 II 64 ORCHIDACEAE  
*Eulophia guineensis* Lindl. #4 II 64 ORCHIDACEAE  
*Eulophia herbacea* Lindley #4 II 64 ORCHIDACEAE  
*Eulophia holubii* Rolfe #4 II 64 ORCHIDACEAE  
*Eulophia hormusii* Duthie #4 II 64 ORCHIDACEAE  
*Eulophia javanica* J.J. Smith #4 II 64 ORCHIDACEAE  
*Eulophia keithii* Ridley #4 II 64 ORCHIDACEAE  
*Eulophia leachii* Greatrex ex A.V.Hall #4 II 64  
 ORCHIDACEAE  
*Eulophia leucantha* (Kraenzlin) Solch #4 II 64  
 ORCHIDACEAE  
*Eulophia lindiana* Kraenzlin #4 II 64 ORCHIDACEAE  
*Eulophia litoralis* Schltr. #4 II 64 ORCHIDACEAE  
*Eulophia macgregorii* Ames #4 II 64 ORCHIDACEAE  
*Eulophia mackinnonii* Duthie #4 II 64 ORCHIDACEAE  
*Eulophia macrorhiza* Blume #4 II 64 ORCHIDACEAE  
*Eulophia macrostachya* Lindley #4 II 64 ORCHIDACEAE  
*Eulophia meleagris* Reichenb.f. #4 II 64 ORCHIDACEAE  
*Eulophia moratii* Halle #4 II 64 ORCHIDACEAE  
*Eulophia obtusa* (Lindley) Hook.f. #4 II 64 ORCHIDACEAE  
*Eulophia ochobiensis* Hayata #4 II 64 ORCHIDACEAE  
*Eulophia ochreata* Lindley #4 II 64 ORCHIDACEAE  
*Eulophia odontoglossa* Reichb.f. #4 II 64 ORCHIDACEAE  
 Eulophia, Onion-bulb (E): *Eulophia sinensis*  
*Eulophia orthoplecta* (Reichb.f.) #4 II 64 ORCHIDACEAE  
*Eulophia petersii* (Rchb. f.) Rchb. f. #4 II 64  
 ORCHIDACEAE  
*Eulophia platypetala* Lindl. #4 II 64 ORCHIDACEAE  
*Eulophia ramentacea* Lindley ex Wight #4 II 64  
 ORCHIDACEAE  
*Eulophia sinensis* Miq. #4 II 64 ORCHIDACEAE (E)  
 Onion-bulb Eulophia  
*Eulophia spectabilis* (Dennst.) Suresh #4 II 64  
 ORCHIDACEAE  
*Eulophia squalida* Lindley #4 II 64 ORCHIDACEAE  
*Eulophia stenoplecta* Summerh. #4 II 64 ORCHIDACEAE  
*Eulophia tabularis* (L.f.) Bolus #4 II 64 ORCHIDACEAE  
*Eulophia taiwanensis* Hayata #4 II 64 ORCHIDACEAE  
*Eulophia toyoshimae* Nakai #4 II 64 ORCHIDACEAE  
*Eulophia turkestanica* (Litv.) Schlechter #4 II 64  
 ORCHIDACEAE  
*Eulophia virens* #4 II 64 ORCHIDACEAE  
*Eulophia yushuiana* S.Y Hu #4 II 64 ORCHIDACEAE  
*Eulophia zeyheriana* Sonder #4 II 64 ORCHIDACEAE  
*Eulophia zollingeri* (H.G.Reichb.) J.J.Smith #4 II 64  
 ORCHIDACEAE  
*Eulophidium* spp. Pfitzer #4 II 64 ORCHIDACEAE  
*Eulophidium latifolium* (Rolfe) Summerh. #4 II 64  
 ORCHIDACEAE  
*Eulophidium seychellarum* Summerh. = *Oeceoclades seychellarum* (Summerh.) Garay & P. Taylor
- Eulophiella* spp.** Rolfe #4 II 64 ORCHIDACEAE  
*Eulophiella elisabethae* Rolfe. #4 II 64 ORCHIDACEAE  
*Eulophiella roempleriana* Schltr. #4 II 64 ORCHIDACEAE  
***Eulychnia* spp.** Phil. #4 II 49 CACTACEAE  
***Eulychnia acida*** Philippi #4 II 49 CACTACEAE  
***Eulychnia aricensis*** Ritter #4 II 49 CACTACEAE  
*Eulychnia barquitensis* Ritter = *Eulychnia breviflora* Philippi  
***Eulychnia breviflora*** Philippi #4 II 49 CACTACEAE  
***Eulychnia castanea*** Philippi #4 II 49 CACTACEAE  
***Eulychnia iquiquensis*** (Schumann) Britton & Rose #4 II 49 CACTACEAE  
*Eulychnia morromorenoensis* Ritter = *Eulychnia iquiquensis* (Schumann) Britton & Rose  
***Eulychnia ritteri*** Cullmann #4 II 49 CACTACEAE  
*Eulychnia saint-pieana* Ritter = *Eulychnia breviflora* Philippi  
*Eulychnia spinibarbis* (Pfeiffer) Britton & Rose = *Echinopsis spinibarbis* (Pfeiffer) A.E.Hoffmann  
*Eunannos coccinea* (Lindl.) Porto & Brade = *Sophronitis coccinea* (Lindl.) Rchb.f.  
 Euphorb, Club-shaped (E): *Euphorbia clava*  
 Euphorbes (F): *Euphorbia*  
***Euphorbia* spp.** L. #4 I/II/NC 52 EUPHORBIACEAE (E)  
 euphorbias (S) Euforbias (F) Euphorbes  
***Euphorbia abdelkuri*** Balf. f. #4 II 52 EUPHORBIACEAE  
***Euphorbia abyssinica*** Gmelin #4 II 52  
 EUPHORBIACEAE  
*Euphorbia acaulis* Roxburgh = *Euphorbia fusiformis* Buchanan-Hamilton ex D.Don  
***Euphorbia acervata*** S.Carter #4 II 52 EUPHORBIACEAE  
*Euphorbia acrurensis* N. E. Brown = *Euphorbia abyssinica* Gmelin  
***Euphorbia actinoclada*** S. Carter #4 II 52  
 EUPHORBIACEAE  
***Euphorbia aculeata*** Forsskal #4 II 52 EUPHORBIACEAE  
***Euphorbia adenochila*** S. Carter #4 II 52  
 EUPHORBIACEAE  
***Euphorbia adjurana*** P.R.O. Bally & S. Carter #4 II 52  
 EUPHORBIACEAE  
***Euphorbia aequoris*** N.E. Br. #4 II 52 EUPHORBIACEAE  
***Euphorbia aeruginosa*** Schweick. #4 II 52  
 EUPHORBIACEAE  
*Euphorbia aethiopium* Croizat = *Euphorbia abyssinica* Gmelin  
***Euphorbia aggregata*** A. Berger #4 II 52  
 EUPHORBIACEAE  
***Euphorbia alata*** Hook. #4 II 52 EUPHORBIACEAE  
***Euphorbia albertensis*** N.E.Br. #4 II 52  
 EUPHORBIACEAE  
***Euphorbia albipollinifera*** L.C.Leach #4 II 52  
 EUPHORBIACEAE  
***Euphorbia alcicornis*** Baker #4 II 52 EUPHORBIACEAE  
*Euphorbia alcicornis* A. Berger = *Euphorbia epiphyloides* Kurz  
***Euphorbia alfredii*** W. Rauh #4 II 52 EUPHORBIACEAE  
*Euphorbia alluaudii* = *Euphorbia leucodendron* Drake

- Euphorbia alluaudii* alluaudii Drake = *Euphorbia leucodendron* Drake  
**Euphorbia amarifontana** N.E. Br. #4 II 52  
 EUPHORBIACEAE
- Euphorbia ambacensis* N.E. Br. = *Euphorbia ingens* E. Meyer ex Boiss.
- Euphorbia ambarivatoensis** Rauh & Bardot-Vaucoulon #4 II 52 EUPHORBIACEAE
- Euphorbia ambohipotsiensis** Ursch & Leandri #4 II 52 EUPHORBIACEAE
- Euphorbia ambovombensis** Rauh & Razaf. 1987 I EUPHORBIACEAE
- Euphorbia ambroseae** L.C.Leach #4 II 52 EUPHORBIACEAE
- Euphorbia amicorum** S.Carter 2001 #4 II 52 EUPHORBIACEAE
- Euphorbia ammak** Schweinfurth #4 II 52 EUPHORBIACEAE
- Euphorbia ampliphylla** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia anacantha* Aiton = *Euphorbia tridentata* Lam.
- Euphorbia anachoreta* Svent. = *Euphorbia despiliata* (Menezes) Monod
- Euphorbia analalavensis** Leandri #4 II 52 EUPHORBIACEAE
- Euphorbia analavelonensis** Rauh & Mangelsdorff 2000 #4 II 52 EUPHORBIACEAE
- Euphorbia andrefandrovana** Ursch & Leandri #4 II 52 EUPHORBIACEAE
- Euphorbia angrae** N.E. Br. #4 II 52 EUPHORBIACEAE
- Euphorbia angularis** Klotzsch #4 II 52 EUPHORBIACEAE
- Euphorbia angustiflora** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia angustifolia* hort. = *Euphorbia angustiflora* Pax
- Euphorbia ankarensis** Boit. #4 II 52 EUPHORBIACEAE
- Euphorbia ankazobensis** Rauh & Hofstätter 2000 #4 II 52 EUPHORBIACEAE
- Euphorbia annamarieae** Rauh #4 II 52 EUPHORBIACEAE
- Euphorbia anoplia** Stapf #4 II 52 EUPHORBIACEAE
- Euphorbia antankara* Leandri = *Euphorbia pachypodioides* Boit.
- Euphorbia anticaffra* Lotsy & Goddijn = *Euphorbia bothae* Lotsy & Godd.
- Euphorbia antiquorum** L. #4 II 52 EUPHORBIACEAE
- Euphorbia antisyphilitica** Zucc. #4 II 52 EUPHORBIACEAE (E) Candelilla
- Euphorbia antso** Denis #4 II 52 EUPHORBIACEAE
- Euphorbia aphylla** Brouss. ex Willd. #4 II 52 EUPHORBIACEAE
- Euphorbia appariciiana** Rizzini #4 II 52 EUPHORBIACEAE
- Euphorbia applanata** Thulin & Al-Gifri #4 II 52 EUPHORBIACEAE
- Euphorbia arahaka** H. Poisson ex Humbert & Leandri #4 II 52 EUPHORBIACEAE
- Euphorbia arbuscula** Balf.f. #4 II 52 EUPHORBIACEAE
- Euphorbia arceuthobiooides** Boiss. #4 II 52 EUPHORBIACEAE
- Euphorbia argillicola* Dinter = *Euphorbia namibensis* Marloth
- Euphorbia arida** N.E. Br. #4 II 52 EUPHORBIACEAE
- Euphorbia armata* Thunberg = *Euphorbia loricata* Lam.
- Euphorbia arrecta* N. E. Brown = *Euphorbia mixta* N.E. Br.
- Euphorbia aspericalulis** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia asthenacantha** S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia atropurpurea** Brouss. ex Willd. #4 II 52 EUPHORBIACEAE
- Euphorbia atroflora** S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia aureoviridiflora** (Rauh) Rauh #4 II 52 EUPHORBIACEAE
- Euphorbia avasmontana** Dinter #4 II 52 EUPHORBIACEAE
- Euphorbia awashensis** M. G. Gilbert #4 II 52 EUPHORBIACEAE
- Euphorbia baga** A. Chev. #4 II 52 EUPHORBIACEAE
- Euphorbia baioensis** S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia baleensis** M. Gilbert #4 II 52 EUPHORBIACEAE
- Euphorbia baliola** N.E.Br. #4 II 52 EUPHORBIACEAE
- Euphorbia ballyana** Rauh #4 II 52 EUPHORBIACEAE
- Euphorbia ballyi** S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia balsamifera** Aiton #4 II 52 EUPHORBIACEAE
- Euphorbia balsamifera rogeri* (N. E. Brown) Maire = *Euphorbia balsamifera* Aiton
- Euphorbia balsamifera sepium* (N. E. Brown) Maire = *Euphorbia balsamifera* Aiton
- Euphorbia banae** Rauh #4 II 52 EUPHORBIACEAE
- Euphorbia baradii** S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia barbicollis** Bally #4 II 52 EUPHORBIACEAE
- Euphorbia bariensis** S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia barnardii** A.C.White, R.A.Dyer & B.Sloane #4 II 52 EUPHORBIACEAE
- Euphorbia barnhartii** L. Croiz. #4 II 52 EUPHORBIACEAE
- Euphorbia barteri* N. E. Brown = *Euphorbia kamerunica* Pax
- Euphorbia bayeri** L.C.Leach #4 II 52 EUPHORBIACEAE
- Euphorbia baylissii** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia beaumieriana* Hook.f. & Cosson = *Euphorbia officinarum* L.
- Euphorbia beharensis** Leandri #4 II 52 EUPHORBIACEAE
- Euphorbia beillei** A.Chevalier #4 II 52 EUPHORBIACEAE

<i>Euphorbia bemarahaensis</i> Rauh & Mangelsdorff. 1999 #4 II 52 EUPHORBIACEAE	<i>Euphorbia bulbispina</i> Rauh & Razafindratsira #4 II 52 EUPHORBIACEAE
<i>Euphorbia benguelensis</i> Pax = <i>Euphorbia trichadenia</i> Pax	<i>Euphorbia bupleurifolia</i> Jacq. #4 II 52 EUPHORBIACEAE
<i>Euphorbia bergeri</i> N.E.Brown #4 II 52 EUPHORBIACEAE	<i>Euphorbia burgeri</i> M. G. Gilbert #4 II 52 EUPHORBIACEAE
<i>Euphorbia bergii</i> A. White, R.A. Dyer & Sloane #4 II 52 EUPHORBIACEAE	<i>Euphorbia burmannii</i> E. Mey. ex Boiss. #4 II 52 EUPHORBIACEAE
<i>Euphorbia beroroiae</i> Rauh & Hofstätter #4 II 52 EUPHORBIACEAE	<i>Euphorbia buruana</i> Pax #4 II 52 EUPHORBIACEAE
<i>Euphorbia berotica</i> N.E.Br. #4 II 52 EUPHORBIACEAE	<i>Euphorbia bussei</i> Pax #4 II 52 EUPHORBIACEAE
<i>Euphorbia berthelotii</i> Bolle ex Boiss. #4 II 52 EUPHORBIACEAE	<i>Euphorbia bwambensis</i> S. Carter #4 II 52 EUPHORBIACEAE
<i>Euphorbia biaculeata</i> Denis #4 II 52 EUPHORBIACEAE	<i>Euphorbia cactus</i> Ehrenb. ex Boiss. #4 II 52 EUPHORBIACEAE
<i>Euphorbia biglandulosa</i> Desf. = <i>Euphorbia burmannii</i> E. Mey. ex Boiss.	<i>Euphorbia caducifolia</i> Haines #4 II 52 EUPHORBIACEAE
<i>Euphorbia biglandulosa</i> Willdenow = <i>Euphorbia burmannii</i> E. Mey. ex Boiss.	<i>Euphorbia caerulans</i> Pax #4 II 52 EUPHORBIACEAE
<i>Euphorbiabiharamulensis</i> S. Carter #4 II 52 EUPHORBIACEAE	<i>Euphorbia caerulescens</i> Haw. #4 II 52 EUPHORBIACEAE
<i>Euphorbia bitataensis</i> M. G. Gilbert #4 II 52 EUPHORBIACEAE	<i>Euphorbia calamiformis</i> Bally & Carter #4 II 52 EUPHORBIACEAE
<i>Euphorbia boinensis</i> Denis ex Humbert & Leandri #4 II 52 EUPHORBIACEAE	<i>Euphorbia calderensis</i> Philippi = <i>Euphorbia copiapina</i> Philippi
<i>Euphorbia boissieri</i> Baillon #4 II 52 EUPHORBIACEAE	<i>Euphorbia californica</i> Benth. #4 II 52 EUPHORBIACEAE
<i>Euphorbia boiteaui</i> Leandri #4 II 52 EUPHORBIACEAE	<i>Euphorbia caloderma</i> S.Carter 2000 #4 II 52 EUPHORBIACEAE
<i>Euphorbia bolusii</i> N.E. Br. #4 II 52 EUPHORBIACEAE	<i>Euphorbia cameronii</i> N.E. Br. #4 II 52 EUPHORBIACEAE
<i>Euphorbia bongolavensis</i> Rauh #4 II 52 EUPHORBIACEAE	<i>Euphorbia canaliculata</i> Lamarck = <i>Euphorbia clava</i> Jacq.
<i>Euphorbia boranensis</i> M.G. Gilbert #4 II 52 EUPHORBIACEAE	<i>Euphorbia canariensis</i> L. #4 II 52 EUPHORBIACEAE
<i>Euphorbia bosseri</i> Léandri #4 II 52 EUPHORBIACEAE	<i>Euphorbia candelabrum</i> Kotschy #4 II 52 EUPHORBIACEAE
<i>Euphorbia bothae</i> Lotsy & Godd. #4 II 52 EUPHORBIACEAE	<i>Euphorbia candelabrum</i> Welwitsch = <i>Euphorbia conspicua</i> N.E. Br.
<i>Euphorbia bottae</i> Boiss #4 II 52 EUPHORBIACEAE	<i>Euphorbia candelabrum</i> Welwitsch ex Hiern = <i>Euphorbia</i> <i>conspicua</i> N.E. Br.
<i>Euphorbia bougheyi</i> Leach #4 II 52 EUPHORBIACEAE	<i>Euphorbia cannellii</i> Leach #4 II 52 EUPHORBIACEAE
<i>Euphorbia bourgaeana</i> Gay ex Boiss. #4 II 52 EUPHORBIACEAE	<i>Euphorbia capmanambatoensis</i> Rauh #4 II 52 EUPHORBIACEAE
<i>Euphorbia brachiata</i> (Klotssch) Boiss. #4 II 52 EUPHORBIACEAE	<i>Euphorbia capsaintemariensis</i> Rauh 1970 I EUPHORBIACEAE
<i>Euphorbia brachyphylla</i> Denis #4 II 52 EUPHORBIACEAE	<i>Euphorbia capsaintemariensis</i> var. <i>tulearensis</i> Rauh = <i>Euphorbia tulearensis</i> (Rauh) Rauh 1988
<i>Euphorbia brakdamensis</i> N.E.Br. #4 II 52 EUPHORBIACEAE	<i>Euphorbia captiosa</i> N. E. Brown = <i>Euphorbia ferox</i> Marloth
<i>Euphorbia brassii</i> P.I. Foster #4 II 52 EUPHORBIACEAE	<i>Euphorbia capuronii</i> Ursch & Leandri #4 II 52 EUPHORBIACEAE
<i>Euphorbia braunsii</i> N.E. Br. #4 II 52 EUPHORBIACEAE	<i>Euphorbia caput-aureum</i> Denis #4 II 52 EUPHORBIACEAE
<i>Euphorbia bravoana</i> Svent. #4 II 52 EUPHORBIACEAE	<i>Euphorbia caput-medusae</i> L. #4 II 52 EUPHORBIACEAE
<i>Euphorbia breviarticulata</i> Pax #4 II 52 EUPHORBIACEAE	<i>Euphorbia carteriana</i> Bally #4 II 52 EUPHORBIACEAE
<i>Euphorbia brevirama</i> N.E.Br. #4 II 52 EUPHORBIACEAE	<i>Euphorbia carunculifera</i> Leach #4 II 52 EUPHORBIACEAE
<i>Euphorbia brevis</i> N.E. Br. #4 II 52 EUPHORBIACEAE	<i>Euphorbia cassythoides</i> Boiss #4 II 52 EUPHORBIACEAE
<i>Euphorbia brevitorta</i> Bally #4 II 52 EUPHORBIACEAE	<i>Euphorbia castillonii</i> Lavranos 2002 #4 II 52 EUPHORBIACEAE
<i>Euphorbia broussonetii</i> Willdenow ex Link #4 II 52 EUPHORBIACEAE	
<i>Euphorbia brunellii</i> Chiov. #4 II 52 EUPHORBIACEAE	
<i>Euphorbia bruynsii</i> L.C.Leach #4 II 52 EUPHORBIACEAE	
<i>Euphorbia bubalina</i> Boiss. #4 II 52 EUPHORBIACEAE	

<i>Euphorbia cataractarum</i> S. Carter #4 II 52	<i>Euphorbia conspicua</i> N.E. Br. #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia caterviflora</i> N.E. Br. #4 II 52	<i>Euphorbia contorta</i> Leach #4 II 52 EUPHORBIACEAE
EUPHORBIACEAE	<i>Euphorbia controversa</i> N.E. Br. = <i>Euphorbia abyssinica</i> Gmelin
<i>Euphorbia cattimandoo</i> Elliot ex Wight #4 II 52	<i>Euphorbia cooperi</i> N.E. Br. ex Berger #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia cedrorum</i> Rauh & Hebdng #4 II 52	<i>Euphorbia copiapina</i> Philippi #4 II 52 EUPHORBIACEAE
EUPHORBIACEAE	
<i>Euphorbia celata</i> R.A. Dyer #4 II 52 EUPHORBIACEAE	<i>Euphorbia corniculata</i> R.A Dyer #4 II 52
<i>Euphorbia cereiformis</i> L. #4 II 52 EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia cerifera</i> Alcocer = <i>Euphorbia antisyphilitica</i> Zucc.	<i>Euphorbia coronata</i> Thunberg = <i>Euphorbia clava</i> Jacq.
<i>Euphorbia cervicornis</i> Boissier = <i>Euphorbia hamata</i> (Haw.) Sweet	<i>Euphorbia corymbosa</i> N.E.Br. #4 II 52
<i>Euphorbia chamaecormos</i> Chiovenda = <i>Euphorbia schizacantha</i> Pax	EUPHORBIACEAE
<i>Euphorbia charleswilsoniana</i> V.Vlk #4 II 52	<i>Euphorbia crassipes</i> Marloth #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia chersina</i> N.E. Br. #4 II 52 EUPHORBIACEAE	<i>Euphorbia cremersii</i> Rauh & Razafindratsira 1991 I 53
<i>Euphorbia chionantha</i> P.R.Bally = <i>Euphorbia cameronii</i> N.E. Br.	EUPHORBIACEAE
<i>Euphorbia cibdela</i> N.E.Br. #4 II 52 EUPHORBIACEAE	<i>Euphorbia crispa</i> (Haw.) Sweet #4 II 52
<i>Euphorbia ciliolata</i> Pax = <i>Euphorbia transvaalensis</i> Schltr.	EUPHORBIACEAE
<i>Euphorbia clandestina</i> Jacq. #4 II 52	<i>Euphorbia crispata</i> hort. ex Lemaire = <i>Euphorbia lemaireana</i> Boiss.
EUPHORBIACEAE	
<i>Euphorbia classenii</i> Bally & S. Carter #4 II 52	<i>Euphorbia croizatii</i> Leandri #4 II 52 EUPHORBIACEAE
EUPHORBIACEAE	
<i>Euphorbia clava</i> Jacq. #4 II 52 EUPHORBIACEAE (E)	<i>Euphorbia cryptocaulis</i> M. Gilbert #4 II 52
Club-shaped Euphorb	EUPHORBIACEAE
<i>Euphorbia clavarioides</i> Boiss. #4 II 52	<i>Euphorbia cryptospinosa</i> Bally #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia clavata</i> Salisbury = <i>Euphorbia clava</i> Jacq.	<i>Euphorbia cucumerina</i> Willd. #4 II 52
<i>Euphorbia clavigera</i> N.E.Br. #4 II 52 EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia clivicola</i> R.A.Dyer #4 II 52	<i>Euphorbia cumulata</i> R.A. Dyer #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia coerulans</i> hort. = <i>Euphorbia caeruleans</i> Pax	<i>Euphorbia cuneata</i> Vahl #4 II 52 EUPHORBIACEAE
<i>Euphorbia coerulescens</i> hort. = <i>Euphorbia caerulescens</i> Haw.	
<i>Euphorbia colliculina</i> A. White, R.A. Dyer & Sloane #4 II 52 EUPHORBIACEAE	<i>Euphorbia cuneneana</i> Leach #4 II 52
	EUPHORBIACEAE
<i>Euphorbia colubrina</i> Bally & S. Carter #4 II 52	<i>Euphorbia cuprispina</i> S. Carter #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia columnaris</i> Bally #4 II 52 EUPHORBIACEAE	<i>Euphorbia curvirostra</i> R.A. Dyer #4 II 52
<i>Euphorbia commelinii</i> De Candolle = <i>Euphorbia caput-medusae</i> L.	EUPHORBIACEAE
<i>Euphorbia commersonii</i> Baillon = <i>Euphorbia thouarsiana</i> Baillon	<i>Euphorbia cussonioides</i> Bally #4 II 52
<i>Euphorbia comosa</i> Vellozo #4 II 52 EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia complexa</i> R.A. Dyer #4 II 52	<i>Euphorbia cylindrica</i> A.C.White, R.A.Dyer & B.Sloane #4 II 52 EUPHORBIACEAE
EUPHORBIACEAE	
<i>Euphorbia confinalis</i> R.A. Dyer #4 II 52	<i>Euphorbia cylindrifolia</i> Marn.-Lapost. & Rauh 1961 I 54
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia confluens</i> Nel #4 II 52 EUPHORBIACEAE	<i>Euphorbia curvirama</i> R.A. Dyer #4 II 52
<i>Euphorbia conformis</i> N. E. Brown = <i>Euphorbia negromontana</i> N.E. Br.	EUPHORBIACEAE
<i>Euphorbia congestiflora</i> Leach #4 II 52	<i>Euphorbia damaranana</i> Leach #4 II 52 EUPHORBIACEAE
EUPHORBIACEAE	
<i>Euphorbia consobrina</i> N.E. Brown #4 II 52	<i>Euphorbia darbandensis</i> N.E. Br. #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE

- Euphorbia davyi tlapanensis* Hargreaves = *Euphorbia davyi* N.E. Br. 52 EUPHORBIACEAE
- Euphorbia dawei* N.E. Br. #4 II 52 EUPHORBIACEAE
- Euphorbia debilispina* Leach #4 II 52 EUPHORBIACEAE
- Euphorbia decaryana* Croizat = *Euphorbia hedyotoides* N.E. Br. 52 EUPHORBIACEAE
- Euphorbia decaryi* Guillaumin 1964 I 55 EUPHORBIACEAE
- Euphorbia decaryi* var. *capsaintemariensis* (Rauh) Cremers = *Euphorbia capsaintemariensis* Rauh 1970 52 EUPHORBIACEAE
- Euphorbia decepta* N.E.Br. #4 II 52 EUPHORBIACEAE
- Euphorbia decidua* Bally & Leach #4 II 52 EUPHORBIACEAE
- Euphorbia decliviticola* Leach #4 II 52 EUPHORBIACEAE
- Euphorbia decorsei* Drake #4 II 52 EUPHORBIACEAE
- Euphorbia decussata* E.Meyer ex Boissier = *Euphorbia indecora* N.E.Br. 52 EUPHORBIACEAE
- Euphorbia decussata* Hiern = *Euphorbia negromontana* N.E. Br. 52 EUPHORBIACEAE
- Euphorbia dedzana* Leach #4 II 52 EUPHORBIACEAE
- Euphorbia deightonii* Croizat #4 II 52 EUPHORBIACEAE
- Euphorbia dekindtii* Pax #4 II 52 EUPHORBIACEAE
- Euphorbia delphinensis* Ursch & Leandri #4 II 52 EUPHORBIACEAE
- Euphorbia demissa* Leach #4 II 52 EUPHORBIACEAE
- Euphorbia dendroides* L. #4 II 52 EUPHORBIACEAE
- Euphorbia denisiana* Guillaumin #4 II 52 EUPHORBIACEAE
- Euphorbia dentonii* hort. ex Anon. #4 II 52 EUPHORBIACEAE
- Euphorbia desfoliata* hort = *Euphorbia despoliata* (Menezes) Monod 52 EUPHORBIACEAE
- Euphorbia desmondi* Keay & Milne-Redhead #4 II 52 EUPHORBIACEAE
- Euphorbia despoliata* (Menezes) Monod #4 II 52 EUPHORBIACEAE
- Euphorbia dhofarensis* S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia dichroa* S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia didiereoides* Denis ex Leandri #4 II 52 EUPHORBIACEAE
- Euphorbia dinteri* Marloth = *Euphorbia venenata* Marloth 52 EUPHORBIACEAE
- Euphorbia disclusa* N. E. Brown = *Euphorbia abyssinica* Gmelin 52 EUPHORBIACEAE
- Euphorbia discrepans* S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia discreta* N. E. Brown = *Euphorbia woodii* N.E.Br. 52 EUPHORBIACEAE
- Euphorbia dispersa* Leach #4 II 52 EUPHORBIACEAE
- Euphorbia dissitispina* Leach #4 II 52 EUPHORBIACEAE
- Euphorbia distinctissima* Leach #4 II 52 EUPHORBIACEAE
- Euphorbia divaricata* Jacquin = *Euphorbia dendroides* L. 52 EUPHORBIACEAE
- Euphorbia doinettiana* Guillaumin #4 II 52 EUPHORBIACEAE
- Euphorbia dolichoceras* S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia dregeana* E. Mey. ex Boiss. #4 II 52 EUPHORBIACEAE
- Euphorbia dumeticola* P.R.O.Bally & S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia duranii* Ursch & Leandri #4 II 52 EUPHORBIACEAE
- Euphorbia duseimata* R.A. Dyer #4 II 52 EUPHORBIACEAE
- Euphorbia echinus* Hook.f. & Cosson #4 II 52 EUPHORBIACEAE
- Euphorbia ecklonii* (Klotzsch & Garcke) Hassl. #4 II 52 EUPHORBIACEAE
- Euphorbia eduardoi* Leach #4 II 52 EUPHORBIACEAE
- Euphorbia eendornensis* Dinter = *Euphorbia fusca* Marloth 52 EUPHORBIACEAE
- Euphorbia eilensis* S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia elastica* Marloth = *Euphorbia dregeana* E. Mey. ex Boiss. 52 EUPHORBIACEAE
- Euphorbia elegantissima* Bally & S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia ellenbeckii* Pax #4 II 52 EUPHORBIACEAE
- Euphorbia elliotii* Leandri #4 II 52 EUPHORBIACEAE
- Euphorbia elliptica* Thunberg = *Euphorbia silenifolia* (Haw.) Sweet 52 EUPHORBIACEAE
- Euphorbia enopla* Boiss. #4 II 52 EUPHORBIACEAE
- Euphorbia enormis* N.E. Br. #4 II 52 EUPHORBIACEAE
- Euphorbia enterophora* Drake #4 II 52 EUPHORBIACEAE
- Euphorbia ephedroides* E. Meyer ex Boiss. #4 II 52 EUPHORBIACEAE
- Euphorbia epiphyloides* Kurz #4 II 52 EUPHORBIACEAE
- Euphorbia eranthes* Dyer & Milne-Redhead #4 II 52 EUPHORBIACEAE
- Euphorbia erigavensis* S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia erlangeri* Pax #4 II 52 EUPHORBIACEAE
- Euphorbia ernestii* N.E. Br. #4 II 52 EUPHORBIACEAE
- Euphorbia erosa* Willd. = *Euphorbia cereiformis* L.
- Euphorbia erythraeae* (A. Berger) N. E. Br. = *Euphorbia abyssinica* Gmelin 52 EUPHORBIACEAE
- Euphorbia esculenta* Marloth #4 II 52 EUPHORBIACEAE
- Euphorbia espinosa* Pax #4 II 52 EUPHORBIACEAE
- Euphorbia estevesii* N.Zimmermann & P.J.Braun 2000 #4 II 52 EUPHORBIACEAE
- Euphorbia etuberculosa* Bally & Carter #4 II 52 EUPHORBIACEAE
- Euphorbia eustacei* N.E. Br. #4 II 52 EUPHORBIACEAE
- Euphorbia evansii* Pax #4 II 52 EUPHORBIACEAE
- Euphorbia excelsa* A. White, R.A. Dyer & Sloane #4 II 52 EUPHORBIACEAE
- Euphorbia exilis* Leach #4 II 52 EUPHORBIACEAE
- Euphorbia exilispina* S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia eyassiana* Bally & S. Carter #4 II 52 EUPHORBIACEAE

- Euphorbia famatamboay** Friedm. & Cremers #4 II 52  
EUPHORBIACEAE
- Euphorbia fanshawei** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia fascicaulis** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia fasciculata** Thunb. #4 II 52  
EUPHORBIACEAE
- Euphorbia faucicola** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia faurotii* Franchet = *Euphorbia triaculeata* Forsk.
- Euphorbia ferox** Marloth #4 II 52 EUPHORBIACEAE
- Euphorbia fianarantsoae** Ursch & Léandri #4 II 52  
EUPHORBIACEAE
- Euphorbia fidjiana* Boissier = *Euphorbia plumerioides* Teijsm. ex Hask.
- Euphorbia fiherenensis** Poiss. #4 II 52  
EUPHORBIACEAE
- Euphorbia filiflora** Marloth #4 II 52 EUPHORBIACEAE
- Euphorbia fimbriata** Scop. #4 II 52 EUPHORBIACEAE
- Euphorbia fimbriata* Hort. ex Lemaire = *Euphorbia lemaireana* Boiss.
- Euphorbia fissispina** Bally & Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia flanaganii** N.E. Br. #4 II 52  
EUPHORBIACEAE
- Euphorbia fleckii** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia fluminis** S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia foliiflua* Ule = *Euphorbia heterodoxa* Müller-argoviensis
- Euphorbia forolensis** L.E. Newton #4 II 52  
EUPHORBIACEAE
- Euphorbia fortissima** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia fortuita** A. White, R.A. Dyer & Sloane #4 II 52  
EUPHORBIACEAE
- Euphorbia fournieri* Rebut = *Euphorbia leuconeura* Boiss.
- Euphorbia fractiflexa** S. Carter & J.R.I. Wood #4 II 52  
EUPHORBIACEAE
- Euphorbia fragiliramulosa* Leach = *Euphorbia negromontana* N.E. Br.
- Euphorbia francescae* L.C. Leach = *Euphorbia quadrata* Nel
- Euphorbia franckiana** A. Berger #4 II 52  
EUPHORBIACEAE
- Euphorbia francoisii** Leandri 1946 I EUPHORBIACEAE
- Euphorbia franksiae** N.E. Br. #4 II 52 EUPHORBIACEAE
- Euphorbia fraterna* N. E. Brown = *Euphorbia dekindtii* Pax
- Euphorbia frickiana* N. E. Brown = *Euphorbia pseudoglobosa* Marloth
- Euphorbia friedrichiae** Dinter #4 II 52  
EUPHORBIACEAE
- Euphorbia fructus-pini* Miller = *Euphorbia caput-medusae* L.
- Euphorbia fruticosa** Forsk. #4 II 52 EUPHORBIACEAE
- Euphorbia fruticosa* Edgeworth = *Euphorbia cuneata* Vahl
- Euphorbia fruticulosa** Boiss. #4 II 52 EUPHORBIACEAE
- Euphorbia furcata** N.E. Br. #4 II 52 EUPHORBIACEAE
- Euphorbia fusca** Marloth #4 II 52 EUPHORBIACEAE
- Euphorbia fusiformis** Buchanan-Hamilton ex D.Don #4 II 52 EUPHORBIACEAE
- Euphorbia galgalana** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia galpinii* Pax = *Euphorbia transvaalensis* Schltr.
- Euphorbia gamkensis** Marx #4 II 52 EUPHORBIACEAE
- Euphorbia gariepina** Boiss. #4 II 52 EUPHORBIACEAE
- Euphorbia garuana* N. E. Br. = *Euphorbia kamerunica* Pax
- Euphorbia gatbergensis** N.E. Br. #4 II 52  
EUPHORBIACEAE
- Euphorbia geayi* Costantin & Gallaud = *Euphorbia tirucalli* L.
- Euphorbia geldorensis** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia gemmea** Bally & S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia gemmosa* Hort. = *Euphorbia gemmea* Bally & S. Carter
- Euphorbia genoudiana** Ursch & Leandri #4 II 52  
EUPHORBIACEAE
- Euphorbia gentilis** N.E. Br. #4 II 52 EUPHORBIACEAE
- Euphorbia geroldii** Rauh #4 II 52 EUPHORBIACEAE
- Euphorbia giessii** L.C. Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia gilbertii* A. Berger = *Euphorbia micracantha* Boiss.
- Euphorbia gilletii** Bally & S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia glandularis** Leach & Williamson #4 II 52  
EUPHORBIACEAE
- Euphorbia globosa** (Haw.) Sims #4 II 52  
EUPHORBIACEAE
- Euphorbia globulicalvis** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia glochidiata** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia glomerata* A. Berger = *Euphorbia globosa* (Haw.) Sims
- Euphorbia goetzei** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia golisana* N.E. Br. = *Euphorbia phillipsiae* N.E. Br.
- Euphorbia gollmeriana* Klotzsch ex Boissier = *Euphorbia lupulina* Boiss.
- Euphorbia gorgonis** A. Berger #4 II 52  
EUPHORBIACEAE
- Euphorbia gossweileri* Pax = *Euphorbia trichadenia* Pax
- Euphorbia gossypina** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia gottlebei** Rauh #4 II 52 EUPHORBIACEAE
- Euphorbia gracilicaulis** Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia graciliramea** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia gradiyi** V.W. Steinmann & Ramírez-Roa 1999 #4 II 52 EUPHORBIACEAE
- Euphorbia grandialata** R.A. Dyer #4 II 52  
EUPHORBIACEAE
- Euphorbia grandicornis** Goebel #4 II 52  
EUPHORBIACEAE
- Euphorbia grandidens** Haw. #4 II 52 EUPHORBIACEAE
- Euphorbia grandis* Lem. = *Euphorbia abyssinica* Gmelin
- Euphorbia graniticola** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia graveolens* N.E. Brown = *Euphorbia restituta* N.E. Br.

- Euphorbia greenwayi** Bally & S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia gregaria** Marloth #4 II 52 EUPHORBIACEAE
- Euphorbia griseola** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia groenewaldii** R.A.Dyer #4 II 52  
EUPHORBIACEAE
- Euphorbia gueinzii** Boiss. #4 II 52 EUPHORBIACEAE
- Euphorbia guerichiana** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia guiengola** Buck & Huft #4 II 52  
EUPHORBIACEAE
- Euphorbia guillauminiana** Boit. #4 II 52  
EUPHORBIACEAE
- Euphorbia gumaroí** J.Meyrán 2000 #4 II 52  
EUPHORBIACEAE
- Euphorbia gummifera** Boiss. #4 II 52 EUPHORBIACEAE
- Euphorbia gymnocalycoïdes** M. C. Gilbert & S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia gymnoclada** Boiss. #4 II 52  
EUPHORBIACEAE
- Euphorbia gynophora* Pax = *Euphorbia espinosa* Pax
- Euphorbia hadramautica** Baker #4 II 52  
EUPHORBIACEAE
- Euphorbia halipedicola** Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia hallii** R.A.Dyer #4 II 52 EUPHORBIACEAE
- Euphorbia hamata** (Haw.) Sweet #4 II 52  
EUPHORBIACEAE
- Euphorbia handiensis** Burchard #4 II 52  
EUPHORBIACEAE
- Euphorbia hararensis* Pax = *Euphorbia abyssinica* Gmelin
- Euphorbia hastisquama* N. E. Brown = *Euphorbia caterviflora* N.E. Br.
- Euphorbia hedyotoides** N.E. Br. #4 II 52  
EUPHORBIACEAE
- Euphorbia helicothele* Lemaire = *Euphorbia nivulia* Ham.
- Euphorbia hepatica* Bally & Carter = *Euphorbia reclinata* Bally & S. Carter
- Euphorbia heptagona** L. #4 II 52 EUPHORBIACEAE
- Euphorbia herman-schwartzii** Rauh #4 II 52  
EUPHORBIACEAE
- Euphorbia hermentiana* Lemaire = *Euphorbia trigona* Haw.
- Euphorbia hernandez-pachecoi* Caballero = *Euphorbia echinus* Hook.f. & Cosson
- Euphorbia herrei** A. White, R.A. Dyer & Sloane #4 II 52  
EUPHORBIACEAE
- Euphorbia heterochroma** Pax #4 II 52  
EUPHORBIACEAE
- Euphorbia heterodoxa** Müller-argoviensis #4 II 52  
EUPHORBIACEAE
- Euphorbia heterospina** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia hintonii** L.C.Wheeler #4 II 52  
EUPHORBIACEAE
- Euphorbia hofstaetteri** Rauh #4 II 52 EUPHORBIACEAE
- Euphorbia holmesiae** Lavranos #4 II 52  
EUPHORBIACEAE
- Euphorbia holmseae* hort. Hanson = *Euphorbia holmesiae* Lavranos
- Euphorbia holochlorina** Rizzini #4 II 52  
EUPHORBIACEAE
- Euphorbia hopetownensis** Nel #4 II 52  
EUPHORBIACEAE
- Euphorbia horombensis** Ursch & Léandri #4 II 52  
EUPHORBIACEAE
- Euphorbia horrida** Boiss. #4 II 52 EUPHORBIACEAE
- Euphorbia horwoodii** S. Carter & Lavranos #4 II 52  
EUPHORBIACEAE
- Euphorbia hottentota** Marloth #4 II 52  
EUPHORBIACEAE
- Euphorbia hubertii** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia hypogaea** Marloth #4 II 52  
EUPHORBIACEAE
- Euphorbia hystrix* Jacquin = *Euphorbia loricata* Lam.
- Euphorbia iharanae** Rauh #4 II 52 EUPHORBIACEAE
- Euphorbia imerina** G. Cremers #4 II 52  
EUPHORBIACEAE
- Euphorbia imitata** N.E. Br. #4 II 52 EUPHORBIACEAE
- Euphorbia immersa** Bally & S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia imparispina** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia inaequispina** N.E. Br. #4 II 52  
EUPHORBIACEAE
- Euphorbia inarticulata** Schweinf. #4 II 52  
EUPHORBIACEAE
- Euphorbia inconstans** R.A. Dyer #4 II 52  
EUPHORBIACEAE
- Euphorbia inculta** Bally #4 II 52 EUPHORBIACEAE
- Euphorbia indecora** N.E.Br. #4 II 52 EUPHORBIACEAE
- Euphorbia indurescens** Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia inelegans* N. E. Brown = *Euphorbia inornata* N.E.Br.
- Euphorbia inelegans* N. E. Brown = *Euphorbia matabelensis* Pax
- Euphorbia inermis** Mill. #4 II 52 EUPHORBIACEAE
- Euphorbia infausta* N.E. Br. = *Euphorbia polyacantha* Boiss.
- Euphorbia infesta* Pax = *Euphorbia triaculeata* Forsk.
- Euphorbia infossa* hort = *Euphorbia charleswilsoniana* V.Vlk
- Euphorbia ingens** E. Meyer ex Boiss. #4 II 52  
EUPHORBIACEAE
- Euphorbia ingenticapsa** Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia ingezalahiana** Ursch & Leandri #4 II 52  
EUPHORBIACEAE
- Euphorbia inornata** N.E.Br. #4 II 52 EUPHORBIACEAE
- Euphorbia intercedens* Pax = *Euphorbia quinquecostata* Volkens
- Euphorbia intisy** Drake #4 II 52 EUPHORBIACEAE
- Euphorbia inundatilis** Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia invaginata** Croizat #4 II 52  
EUPHORBIACEAE
- Euphorbia isacantha** Pax #4 II 52 EUPHORBIACEAE

- Euphorbia itremensis** Kimnach & Lavranos #4 II 52  
EUPHORBIACEAE
- Euphorbia jaegeriana* Pax = *Euphorbia matabelensis* Pax
- Euphorbia jansenvillensis** Nel #4 II 52  
EUPHORBIACEAE
- Euphorbia johannis** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia jubaephylla** Sventenius #4 II 52  
EUPHORBIACEAE
- Euphorbia jubata** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia juglans** G.R. Compton #4 II 52  
EUPHORBIACEAE
- Euphorbia juttae** Dinter #4 II 52 EUPHORBIACEAE
- Euphorbia kalisana** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia kamerunica** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia kamponii** Rauh & Petignat #4 II 52  
EUPHORBIACEAE
- Euphorbia kanalensis** Boissier #4 II 52  
EUPHORBIACEAE
- Euphorbia kaokoensis** (A.C.White, R.A.Dyer & B.Sloane) L.C.Leach #4 II 52 EUPHORBIACEAE
- Euphorbia karroensis** (Boiss.) N.E. Br. #4 II 52  
EUPHORBIACEAE
- Euphorbia keithii** R.A.Dyer #4 II 52 EUPHORBIACEAE
- Euphorbia kerrii** Craib #4 II 52 EUPHORBIACEAE
- Euphorbia khandallensis** Blatter & Hallberg #4 II 52  
EUPHORBIACEAE
- Euphorbia knobelii** Letty #4 II 52 EUPHORBIACEAE
- Euphorbia knuthii** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia kondoi** Rauh & Razafindratsira #4 II 52  
EUPHORBIACEAE
- Euphorbia labatii** Rauh & Bardot-Vaucoulon 1999 #4 II 52 EUPHORBIACEAE
- Euphorbia lacei** Craib #4 II 52 EUPHORBIACEAE
- Euphorbia lactea** Haw. #4 II 52 EUPHORBIACEAE
- Euphorbia lactea Roxburgh* = *Euphorbia lactea* Haw.
- Euphorbia lactiflua** Phil. #4 II 52 EUPHORBIACEAE
- Euphorbia laeta* Aiton = *Euphorbia dendroides* L.
- Euphorbia lagunillarum* Croiz. = *Euphorbia lupulina* Boiss.
- Euphorbia laikipiensis** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia lamarckii** Sweet #4 II 52 EUPHORBIACEAE
- Euphorbia lamarckii regis-jubae* (Webb & Berthelot)  
Oudejans = *Euphorbia regis-jubae* Webb & Berthel.
- Euphorbia lambii** Svent. #4 II 52 EUPHORBIACEAE (E)  
Gomeran Spurge
- Euphorbia larica** Boiss. #4 II 52 EUPHORBIACEAE
- Euphorbia laro* Drake = *Euphorbia tirucalli* L.
- Euphorbia lateriflora** Schum. & Thonn. #4 II 52  
EUPHORBIACEAE
- Euphorbia laterifolia* hort. = *Euphorbia lateriflora* Schum. & Thonn.
- Euphorbia laurentii* De Wild. = *Euphorbia teke* Schweinf.  
ex Pax
- Euphorbia lavrani** L.C.Leach #4 II 52 EUPHORBIACEAE
- Euphorbia laxiflora* Kuntze = *Euphorbia babalina* Boiss.
- Euphorbia leandriana** Boit. #4 II 52 EUPHORBIACEAE
- Euphorbia ledienii** A. Berger #4 II 52 EUPHORBIACEAE
- Euphorbia leistneri** R.H.Archer 1998 #4 II 52  
EUPHORBIACEAE
- Euphorbia lemaireana** Boiss. #4 II 52  
EUPHORBIACEAE
- Euphorbia lenewtonii** S.Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia leonensis** N.E.Br. #4 II 52 EUPHORBIACEAE
- Euphorbia leontopoda** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia letestui** Raynal #4 II 52 EUPHORBIACEAE
- Euphorbia leucodendron** Drake #4 II 52  
EUPHORBIACEAE
- Euphorbia leuconeura** Boiss. #4 II 52  
EUPHORBIACEAE
- Euphorbia lignosa** Marloth #4 II 52 EUPHORBIACEAE
- Euphorbia ligularia Roxburgh* = *Euphorbia nerifolia* L.
- Euphorbia limpopoana** S.Carter 2000 #4 II 52  
EUPHORBIACEAE
- Euphorbia lividiflora** L.C.Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia lombardensis* Nel = *Euphorbia micracantha* Boiss.
- Euphorbia lomi** Rauh #4 II 52 EUPHORBIACEAE
- Euphorbia longifolia** Lamarck #4 II 52  
EUPHORBIACEAE
- Euphorbia longispina** Chiov. #4 II 52 EUPHORBIACEAE
- Euphorbia longituberculosa** Boiss. #4 II 52  
EUPHORBIACEAE
- Euphorbia lophogona** Lam. #4 II 52 EUPHORBIACEAE
- Euphorbia loricata** Lam. #4 II 52 EUPHORBIACEAE
- Euphorbia louwii** L.C.Leach #4 II 52 EUPHORBIACEAE
- Euphorbia luapulana** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia lukoseana** S.Carter 2000 #4 II 52  
EUPHORBIACEAE
- Euphorbia lumbricalis** L.C.Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia lupulina** Boiss. #4 II 52 EUPHORBIACEAE
- Euphorbia lutzenbergeriana* Croiz. = *Euphorbia lupulina* Boiss.
- Euphorbia lydenburgensis** Schweick. & Letty #4 II 52  
EUPHORBIACEAE
- Euphorbia lyttoniana* Dexter pro hybr. = *Euphorbia pseudocactus* A. Berger
- Euphorbia macella** N.E. Br. #4 II 52 EUPHORBIACEAE
- Euphorbia madagascariensis* Commerson ex Lamarck = *Euphorbia lophogona* Lam.
- Euphorbia magnicapsula** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia mahabobokensis** Rauh #4 II 52  
EUPHORBIACEAE
- Euphorbia mahafalensis** Denis #4 II 52  
EUPHORBIACEAE
- Euphorbia mainty** (Poisson) Denis ex Leandri #4 II 52  
EUPHORBIACEAE
- Euphorbia makallensis** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia maleolens** Phil. #4 II 52 EUPHORBIACEAE

- Euphorbia malevola** Leach #4 II 52 EUPHORBIACEAE  
*Euphorbia malevola bechuanica* Leach = *Euphorbia limpopoana* S.Carter 2000  
*Euphorbia malevola malevola* = *Euphorbia malevola* Leach  
*Euphorbia mamillosa* Lemaire = *Euphorbia squarrosa* Haw.  
**Euphorbia mammillaris** L. #4 II 52 EUPHORBIACEAE  
**Euphorbia mangelsdorffii** Rauh 1998 #4 II 52 EUPHORBIACEAE  
**Euphorbia mangokyensis** Denis #4 II 52 EUPHORBIACEAE  
**Euphorbia margaretae** S. Carter #4 II 52 EUPHORBIACEAE  
**Euphorbia maritae** Rauh 1999 #4 II 52 EUPHORBIACEAE  
**Euphorbia marlothiana** N.E.Br. #4 II 52 EUPHORBIACEAE  
**Euphorbia marsabitensis** S. Carter #4 II 52 EUPHORBIACEAE  
**Euphorbia martinae** Rauh 1999 #4 II 52 EUPHORBIACEAE  
**Euphorbia masirahensis** Ghazanfar #4 II 52 EUPHORBIACEAE  
**Euphorbia matabensis** Pax #4 II 52 EUPHORBIACEAE  
**Euphorbia mauritanica** L. #4 II 52 EUPHORBIACEAE  
**Euphorbia mayuranathanii** Croiz. in Hk. #4 II 52 EUPHORBIACEAE  
**Euphorbia mcvaughii** Carvajal & Lomelí #4 II 52 EUPHORBIACEAE  
*Euphorbia media* N. E. Brown = *Euphorbia tirucalli* L.  
*Euphorbia medusae* Thunberg = *Euphorbia caput-medusae* L.  
**Euphorbia meenae** S.Carter #4 II 52 EUPHORBIACEAE  
**Euphorbia melanohydrata** Nel #4 II 52 EUPHORBIACEAE  
*Euphorbia mellifera* Aiton = *Euphorbia longifolia* Lamarck  
**Euphorbia meloformis** Aiton #4 II 52 EUPHORBIACEAE  
**Euphorbia memorialis** R.A. Dyer #4 II 52 EUPHORBIACEAE  
*Euphorbia menelikii* Pax = *Euphorbia ampliphylla* Pax  
**Euphorbia meridionalis** Bally & S. Carter #4 II 52 EUPHORBIACEAE  
*Euphorbia meyeri* Nel = *Euphorbia filiflora* Marloth  
**Euphorbia micracantha** Boiss. #4 II 52 EUPHORBIACEAE  
**Euphorbia migiurtinorum** Chiov. #4 II 52 EUPHORBIACEAE  
**Euphorbia milii** Des Moulins #4 II 52 EUPHORBIACEAE  
**Euphorbia millotii** Ursch & Leandri #4 II 52 EUPHORBIACEAE  
**Euphorbia minuta** Loscos & J.Pardo #4 II 52 EUPHORBIACEAE  
**Euphorbia mira** L.C. Leach #4 II 52 EUPHORBIACEAE  
*Euphorbia miscella* L.C. Leach = *Euphorbia celata* R.A. Dyer  
**Euphorbia misera** Benth. NC EUPHORBIACEAE (E) Cliff Spurge  
**Euphorbia mitriformis** Bally & S. Carter #4 II 52 EUPHORBIACEAE  
**Euphorbia mitsimbinensis** Ursch & Leandri #4 II 52 EUPHORBIACEAE  
**Euphorbia mixta** N.E. Br. #4 II 52 EUPHORBIACEAE  
**Euphorbia mlanjeana** Leach #4 II 52 EUPHORBIACEAE  
**Euphorbia monacantha** Pax #4 II 52 EUPHORBIACEAE  
**Euphorbia monadenioides** M.G. Gilbert #4 II 52 EUPHORBIACEAE  
**Euphorbia monteiri** Hook.f. #4 II 52 EUPHORBIACEAE  
**Euphorbia moratii** Rauh 1970 I 56 EUPHORBIACEAE  
**Euphorbia mosaica** Bally & S. Carter #4 II 52 EUPHORBIACEAE  
**Euphorbia muirii** N.E. Br. #4 II 52 EUPHORBIACEAE  
**Euphorbia multiceps** A. Berger #4 II 52 EUPHORBIACEAE  
**Euphorbia multiclava** Bally & S. Carter #4 II 52 EUPHORBIACEAE  
**Euphorbia multifida** N.E. Br. #4 II 52 EUPHORBIACEAE  
**Euphorbia multifolia** A. White, R.A. Dyer & Sloane #4 II 52 EUPHORBIACEAE  
*Euphorbia multiramosa* Nel = *Euphorbia friedrichiae* Dinter  
**Euphorbia mundtii** N.E. Br. #4 II 52 EUPHORBIACEAE  
**Euphorbia muricata** Thunb. #4 II 52 EUPHORBIACEAE  
**Euphorbia mwinilungensis** Leach #4 II 52 EUPHORBIACEAE  
**Euphorbia myrioclada** S. Carter #4 II 52 EUPHORBIACEAE  
*Euphorbia namaquensis* N.E. Br. = *Euphorbia friedrichiae* Dinter  
**Euphorbia namibensis** Marloth #4 II 52 EUPHORBIACEAE  
**Euphorbia namuskluftensis** L.C.Leach #4 II 52 EUPHORBIACEAE  
*Euphorbia nana* Royle = *Euphorbia fusiformis* Buchanan-Hamilton ex D.Don  
*Euphorbia napoides* Pax = *Euphorbia hadramautica* Baker  
*Euphorbia natalensis* A. Berger = *Euphorbia ingens* E. Meyer ex Boiss.  
**Euphorbia navea** Sventenius #4 II 52 EUPHORBIACEAE  
*Euphorbia neglecta* N.E. Brown = *Euphorbia abyssinica* Gmelin  
**Euphorbia negromontana** N.E. Br. #4 II 52 EUPHORBIACEAE  
*Euphorbia nelii* A.C.White, R.A.Dyer & Sloane = *Euphorbia filiflora* Marloth  
**Euphorbia neobosseri** Rauh #4 II 52 EUPHORBIACEAE  
**Euphorbia neohumbertii** Boit. #4 II 52 EUPHORBIACEAE  
*Euphorbia nerifolia* L. #4 II 52 EUPHORBIACEAE  
**Euphorbia nesemannii** R.A.Dyer #4 II 52 EUPHORBIACEAE  
*Euphorbia neutra* A. Berger = *Euphorbia abyssinica* Gmelin  
**Euphorbia nigripina** N.E. Br. #4 II 52 EUPHORBIACEAE  
**Euphorbia nigrispinoides** M. Gilbert #4 II 52 EUPHORBIACEAE

- Euphorbia nivulia** Ham. #4 II 52 EUPHORBIACEAE  
**Euphorbia norfolkiana** Boiss. #4 II 52  
 EUPHORBIACEAE  
**Euphorbia nubica** N.E. Br. #4 II 52 EUPHORBIACEAE  
**Euphorbia nubigena** Leach #4 II 52 EUPHORBIACEAE  
**Euphorbia nyassae** Pax #4 II 52 EUPHORBIACEAE  
**Euphorbia nyikae** Pax #4 II 52 EUPHORBIACEAE  
**Euphorbia obesa** Hook.f. #4 II 52 EUPHORBIACEAE  
*Euphorbia oblongicaulis* Baker = *Euphorbia hadramautica*  
 Baker  
*Euphorbia obovalifolia* A. Rich. = *Euphorbia abyssinica*  
 Gmelin  
*Euphorbia obovalifolia* auct. pl. = *Euphorbia ampliphylla*  
 Pax  
*Euphorbia obtusifolia* Poiret = *Euphorbia lamarckii* Sweet  
*Euphorbia obtusifolia regis-jubae* (Webb & Berthel) Maire  
 = *Euphorbia regis-jubae* Webb & Berthel.  
**Euphorbia odontophora** S. Carter #4 II 52  
 EUPHORBIACEAE  
*Euphorbia odontophylla* Willd. = *Euphorbia cereiformis* L.  
**Euphorbia officinarum** L. #4 II 52 EUPHORBIACEAE  
*Euphorbia officinarum beaumieriana* (Hook.f. & Cosson)  
 Vindt = *Euphorbia officinarum* L.  
*Euphorbia officinarum echinus* (Hook. f.) Vindt =  
*Euphorbia echinus* Hook.f. & Cosson  
**Euphorbia oligoclada** Leach #4 II 52 EUPHORBIACEAE  
**Euphorbia omariana** M. Gilbert #4 II 52  
 EUPHORBIACEAE  
**Euphorbia opuntioides** Welw. #4 II 52  
 EUPHORBIACEAE  
**Euphorbia orbiculifolia** S. Carter #4 II 52  
 EUPHORBIACEAE  
**Euphorbia ornithopus** Jacq. #4 II 52 EUPHORBIACEAE  
**Euphorbia otjipembana** L.C.Leach #4 II 52  
 EUPHORBIACEAE  
*Euphorbia oxystegia* Boiss. #4 II 52 EUPHORBIACEAE  
**Euphorbia pachyclada** S. Carter #4 II 52  
 EUPHORBIACEAE  
**Euphorbia pachypodioides** Boit. #4 II 52  
 EUPHORBIACEAE  
**Euphorbia pachysantha** Baillon #4 II 52  
 EUPHORBIACEAE  
**Euphorbia paganorum** A. Chev. #4 II 52  
 EUPHORBIACEAE  
**Euphorbia panchganiensis** Blatt. & McCann #4 II 52  
 EUPHORBIACEAE  
**Euphorbia papilionum** S. Carter #4 II 52  
 EUPHORBIACEAE  
**Euphorbia parciramulosa** Schweinf. #4 II 52  
 EUPHORBIACEAE  
**Euphorbia parviceps** Leach #4 II 52 EUPHORBIACEAE  
**Euphorbia parvicyathophora** Rauch 1986 I  
 EUPHORBIACEAE  
*Euphorbia passa* N. E. Brown = *Euphorbia woodii* N.E.Br.  
**Euphorbia patentispina** S.Carter 2001 #4 II 52  
 EUPHORBIACEAE  
*Euphorbia patula* (Haworth) Sweet = *Euphorbia tridentata*  
 Lam.
- Euphorbia paulianii** Ursch & Léandri #4 II 52  
 EUPHORBIACEAE  
**Euphorbia pedemontana** L.C.Leach #4 II 52  
 EUPHORBIACEAE  
**Euphorbia pedilanthoides** Denis #4 II 52  
 EUPHORBIACEAE  
**Euphorbia pedroi** Molero & Rovira 1997 #4 II 52  
 EUPHORBIACEAE  
*Euphorbia peltigera* E. Meyer ex Boiss. = *Euphorbia hamata* (Haw.) Sweet  
**Euphorbia pentagona** Haw. #4 II 52 EUPHORBIACEAE  
*Euphorbia pentagona* Royle 2000 = *Euphorbia royleana*  
 Boiss  
**Euphorbia pentops** A.C.White, R.A.Dyer & B.Sloane #4  
 II 52 EUPHORBIACEAE  
**Euphorbia perangusta** R.A.Dyer #4 II 52  
 EUPHORBIACEAE  
**Euphorbia perarmata** S. Carter #4 II 52  
 EUPHORBIACEAE  
**Euphorbia perpera** N.E. Br. #4 II 52 EUPHORBIACEAE  
**Euphorbia perplexa** Leach #4 II 52 EUPHORBIACEAE  
**Euphorbia perrieri** Drake #4 II 52 EUPHORBIACEAE  
*Euphorbia perrottetii* Jaubert & Spach = *Euphorbia cuneata* Vahl  
*Euphorbia persistens* R.A. Dyer = *Euphorbia clavigera*  
 N.E.Br.  
**Euphorbia persistentifolia** Leach #4 II 52  
 EUPHORBIACEAE  
**Euphorbia pervittata** S.Carter #4 II 52  
 EUPHORBIACEAE  
**Euphorbia petraea** S. Carter #4 II 52 EUPHORBIACEAE  
**Euphorbia petricola** Bally & S. Carter #4 II 52  
 EUPHORBIACEAE  
**Euphorbia petterssonii** Sventenius #4 II 52  
 EUPHORBIACEAE  
**Euphorbia phillipsiae** N.E. Br. #4 II 52  
 EUPHORBIACEAE  
**Euphorbia phillipsioides** S. Carter #4 II 52  
 EUPHORBIACEAE  
**Euphorbia phosphorea** Mort. #4 II 52  
 EUPHORBIACEAE  
**Euphorbia pillansii** N.E. Br. #4 II 52 EUPHORBIACEAE  
*Euphorbia pimeleodendron* Pax = *Euphorbia robecchii*  
 Pax  
**Euphorbia piscatoria** Aiton #4 II 52 EUPHORBIACEAE  
**Euphorbia piscidermis** Gilbert #4 II 52  
 EUPHORBIACEAE  
*Euphorbia pistiifolia* Boissier = *Euphorbia ecklonii*  
 (Klotzsch & Garcke) Hassl.  
**Euphorbia plagiantha** Drake #4 II 52 EUPHORBIACEAE  
**Euphorbia planiceps** A.C.White, R.A.Dyer & B.Sloane #4  
 II 52 EUPHORBIACEAE  
*Euphorbia platyacantha* Pax = *Euphorbia dumeticola*  
 P.R.O.Bally & S. Carter  
**Euphorbia platycephala** Pax #4 II 52 EUPHORBIACEAE  
**Euphorbia platyclada** Rauh #4 II 52 EUPHORBIACEAE  
*Euphorbia platymammillaris* Croizat = *Euphorbia fimbriata*  
 Scop.  
**Euphorbia platyrhiza** Leach #4 II 52 EUPHORBIACEAE

- Euphorbia plenispina** S.Carter 2000 #4 II 52  
EUPHORBIACEAE
- Euphorbia plumerioides** Teijsm. ex Hask. #4 II 52  
EUPHORBIACEAE
- Euphorbia poissonii** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia polyacantha** Boiss. #4 II 52  
EUPHORBIACEAE
- Euphorbia polyacantha rosenii** Pax = *Euphorbia polyacantha* Boiss.
- Euphorbia polyccephala** Marloth #4 II 52  
EUPHORBIACEAE
- Euphorbia polygona** Haw. #4 II 52 EUPHORBIACEAE
- Euphorbia polygonata* Loddiges = *Euphorbia cereiformis* L.
- Euphorbia ponderosa** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia porphyrantha** Philippi #4 II 52  
EUPHORBIACEAE
- Euphorbia primulifolia** Baker #4 II 52  
EUPHORBIACEAE
- Euphorbia proballyana** Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia procumbens* Meerburg = *Euphorbia stellata* Willd.
- Euphorbia prona** S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia prostrata** Aiton #4 II 52 EUPHORBIACEAE
- Euphorbia proteifolia* Boissier = *Euphorbia bupleurifolia* Jacq.
- Euphorbia psammophila** Ule #4 II 52  
EUPHORBIACEAE
- Euphorbia pseudobrachiata* Dinter = *Euphorbia cibdela* N.E.Br.
- Euphorbia pseudoburuana** P.R.O.Bally & S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia pseudocactus** A. Berger #4 II 52  
EUPHORBIACEAE
- Euphorbia pseudodendroides* H. Lindberg = *Euphorbia lamarckii* Sweet
- Euphorbia pseudoduseimata** A. White, R.A. Dyer & Sloane #4 II 52 EUPHORBIACEAE
- Euphorbia pseudoglobosa** Marloth #4 II 52  
EUPHORBIACEAE
- Euphorbia pseudotuberosa** Pax #4 II 52  
EUPHORBIACEAE
- Euphorbia pteroclada** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia pteroneura** Berger #4 II 52  
EUPHORBIACEAE
- Euphorbia pubiglans** N.E. Br. #4 II 52  
EUPHORBIACEAE
- Euphorbia pugniformis** Boiss. #4 II 52  
EUPHORBIACEAE
- Euphorbia pulvinata** Marloth #4 II 52 EUPHORBIACEAE
- Euphorbia punicea** Swartz #4 II 52 EUPHORBIACEAE
- Euphorbia qarad** Defl. #4 II 52 EUPHORBIACEAE
- Euphorbia quadrangularis** Pax #4 II 52  
EUPHORBIACEAE
- Euphorbia quadrata** Nel #4 II 52 EUPHORBIACEAE
- Euphorbia quadrialata** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia quadrilatera** Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia quadrispina** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia quaitensis** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia quartiticola** Leandri 1946 I  
EUPHORBIACEAE
- Euphorbia quinquecostata** Volkens #4 II 52  
EUPHORBIACEAE
- Euphorbia racemosa* E. Meyer ex Boissier = *Euphorbia rhombifolia* Boiss.
- Euphorbia radians** Benth. #4 II 52 EUPHORBIACEAE
- Euphorbia radiata* E. Meyer ex Boissier = *Euphorbia clava* Jacq.
- Euphorbia radiata* Thunberg = *Euphorbia stellata* Willd.
- Euphorbia ramiglans** N.E. Br. #4 II 52  
EUPHORBIACEAE
- Euphorbia ramipressa* Croizat = *Euphorbia epiphyloides* Kurz
- Euphorbia ramulosa** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia rangeana* Dtr. = *Euphorbia rудis* N.E. Br.
- Euphorbia razafindratsirae** Lavranos 2002 #4 II 52  
EUPHORBIACEAE
- Euphorbia razafinjohannii** Ursch & Léandri #4 II 52  
EUPHORBIACEAE
- Euphorbia reclinata** Bally & S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia rectirama** N.E. Br. #4 II 52  
EUPHORBIACEAE
- Euphorbia regis-jubae** Webb & Berthel. #4 II 52  
EUPHORBIACEAE
- Euphorbia regis-jubae* *pseudodendroides* (H. Lindberg)  
*Rikli* = *Euphorbia lamarckii* Sweet
- Euphorbia reptans** Bally & S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia resinifera** O. Berg #4 II 52 EUPHORBIACEAE
- Euphorbia restituta** N.E.Br. #4 II 52 EUPHORBIACEAE
- Euphorbia restricta** R.A.Dyer #4 II 52  
EUPHORBIACEAE
- Euphorbia retrospina** Rauh & Gérold #4 II 52  
EUPHORBIACEAE
- Euphorbia rhabdodes** Boissier #4 II 52  
EUPHORBIACEAE
- Euphorbia rhipsaloides* Glaziou = *Euphorbia phosphorea* Mort.
- Euphorbia rhipsaloides* Lemaire = *Euphorbia tirucalli* L.
- Euphorbia rhipsaloides* N. E. Brown = *Euphorbia tirucalli* L.
- Euphorbia rhombifolia** Boiss. #4 II 52  
EUPHORBIACEAE
- Euphorbia richardiana* Baillon = *Euphorbia abyssinica* Gmelin
- Euphorbia richardsiae** Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia rivae** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia robeccii** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia robivelonae** Rauh #4 II 52  
EUPHORBIACEAE

- Euphorbia rogeri* N. E. Brown = *Euphorbia balsamifera* Aiton  
*Euphorbia rossii* Rauh & Buchloh #4 II 52  
 EUPHORBIACEAE  
*Euphorbia rowlandii* R.A.Dyer #4 II 52  
 EUPHORBIACEAE  
*Euphorbia royleana* Boiss #4 II 52 EUPHORBIACEAE  
*Euphorbia rubella* Pax #4 II 52 EUPHORBIACEAE  
*Euphorbia rubrimarginata* Newton #4 II 52  
 EUPHORBIACEAE  
*Euphorbia rubriseminalis* S. Carter #4 II 52  
 EUPHORBIACEAE  
*Euphorbia rubrispinosa* S. Carter #4 II 52  
 EUPHORBIACEAE  
*Euphorbia rufida* N.E. Br. #4 II 52 EUPHORBIACEAE  
*Euphorbia rudolfii* N.E.Br. #4 II 52 EUPHORBIACEAE  
*Euphorbia rugosiflora* Leach #4 II 52  
 EUPHORBIACEAE  
*Euphorbia ruspolii* Chiovenda = *Euphorbia robecchii* Pax euphorbias (E): *Euphorbia*  
*Euphorbia sakarahaensis* Rauh #4 II 52  
 EUPHORBIACEAE  
*Euphorbia samburuensis* Bally & S. Carter #4 II 52  
 EUPHORBIACEAE  
*Euphorbia sancta* Pax = *Euphorbia ampliphylla* Pax  
*Euphorbia santapaui* A.N Henry #4 II 52  
 EUPHORBIACEAE  
*Euphorbia sapinii* De Wild. #4 II 52 EUPHORBIACEAE  
*Euphorbia sarcodes* Boissier #4 II 52  
 EUPHORBIACEAE  
*Euphorbia sarcostemmoides* J.H.Willis #4 II 52  
 EUPHORBIACEAE  
*Euphorbia saxorum* Bally & S. Carter #4 II 52  
 EUPHORBIACEAE  
*Euphorbia scarlatina* S. Carter #4 II 52  
 EUPHORBIACEAE  
*Euphorbia schimperi* Presl. #4 II 52 EUPHORBIACEAE  
*Euphorbia schinzii* Pax #4 II 52 EUPHORBIACEAE  
*Euphorbia schizacantha* Pax #4 II 52  
 EUPHORBIACEAE  
*Euphorbia schmitzii* Leach #4 II 52 EUPHORBIACEAE  
*Euphorbia schoenlandii* Pax #4 II 52 EUPHORBIACEAE  
*Euphorbia scitula* Leach #4 II 52 EUPHORBIACEAE  
*Euphorbia scolopendrea* Haworth = *Euphorbia stellata* Willd.  
*Euphorbia scoparia* N. E. Brown = *Euphorbia tirucalli* L.  
*Euphorbia scopiformis* (Klotzsch) Boissier = *Euphorbia arceuthobioides* Boiss.  
*Euphorbia scopoliana* Steudel = *Euphorbia fimbriata* Scop.  
*Euphorbia scyphadena* S. Carter #4 II 52  
 EUPHORBIACEAE  
*Euphorbia sebsebei* M. G. Gilbert #4 II 52  
 EUPHORBIACEAE  
*Euphorbia seibanica* Lavranos & Al-Gifri 1999 #4 II 52  
 EUPHORBIACEAE  
*Euphorbia sekukuniensis* R.A.Dyer #4 II 52  
 EUPHORBIACEAE  
*Euphorbia semperflorens* Leach #4 II 52  
 EUPHORBIACEAE  
*Euphorbia sepium* N. E. Brown = *Euphorbia balsamifera* Aiton  
*Euphorbia septemsulcata* Vierh. = *Euphorbia spiralis* Balf. f.  
*Euphorbia septentrionalis* Bally & S. Carter #4 II 52  
 EUPHORBIACEAE  
*Euphorbia sepulta* Bally & S. Carter #4 II 52  
 EUPHORBIACEAE  
*Euphorbia serendipita* L.E.Newton #4 II 52  
 EUPHORBIACEAE  
*Euphorbia seretii* De Wild. #4 II 52 EUPHORBIACEAE  
*Euphorbia sessiliflora* Roxb. #4 II 52 EUPHORBIACEAE  
*Euphorbia sessiliflora* E.Meyer = *Euphorbia gummifera* Boiss.  
*Euphorbia setispina* S. Carter #4 II 52  
 EUPHORBIACEAE  
*Euphorbia silenifolia* (Haw.) Sweet #4 II 52  
 EUPHORBIACEAE  
*Euphorbia silicicola* Dinter = *Euphorbia juttae* Dinter  
*Euphorbia similiramea* S. Carter #4 II 52  
 EUPHORBIACEAE  
*Euphorbia similis* A. Berger = *Euphorbia ingens* E. Meyer ex Boiss.  
*Euphorbia sopolisii* N.E. Br. #4 II 52 EUPHORBIACEAE  
*Euphorbia soanieranensis* Ursch & Leandri #4 II 52  
 EUPHORBIACEAE  
*Euphorbia songweana* S.Carter 2000 #4 II 52  
 EUPHORBIACEAE  
*Euphorbia spartaria* N.E. Br. #4 II 52 EUPHORBIACEAE  
*Euphorbia spatulata* Commerson ex Baillon = *Euphorbia thouarsiana* Baillon  
*Euphorbia speciosa* Leach #4 II 52 EUPHORBIACEAE  
*Euphorbia specksi* Rauh 2000 #4 II 52  
 EUPHORBIACEAE  
*Euphorbia spicata* E. Meyer ex Boiss. #4 II 52  
 EUPHORBIACEAE  
*Euphorbia spinea* N.E. Br. #4 II 52 EUPHORBIACEAE  
*Euphorbia spiralis* Balf. f. #4 II 52 EUPHORBIACEAE  
*Euphorbia squarrosa* Haw. #4 II 52 EUPHORBIACEAE  
*Euphorbia stapelioides* Boiss. #4 II 52  
 EUPHORBIACEAE  
*Euphorbia stapfii* A. Berger #4 II 52 EUPHORBIACEAE  
*Euphorbia stegmatica* Nel = *Euphorbia oxystegia* Boiss.  
*Euphorbia stellispina* hort. = *Euphorbia stellispina* Haw.  
*Euphorbia stellata* Willd. #4 II 52 EUPHORBIACEAE  
*Euphorbia stellispina* Haw. #4 II 52 EUPHORBIACEAE  
*Euphorbia stenoclada* Baillon #4 II 52  
 EUPHORBIACEAE  
*Euphorbia stolonifera* Marloth #4 II 52  
 EUPHORBIACEAE  
*Euphorbia strangulata* N.E. Br. #4 II 52  
 EUPHORBIACEAE  
*Euphorbia strigosa* Hooker & Arnott #4 II 52  
 EUPHORBIACEAE  
*Euphorbia stygiana* H.C.Watson #4 II 52  
 EUPHORBIACEAE  
*Euphorbia suareziana* Croizat = *Euphorbia tirucalli* L.  
*Euphorbia subfalcata* Hiern = *Euphorbia trichadenia* Pax

<i>Euphorbia submammillaris</i> Bgr. #4 II 52	<i>Euphorbia tisserantii</i> A. Chev. & Sillans = <i>Euphorbia teke</i> Schweinf. ex Pax
EUPHORBIACEAE	
<i>Euphorbia subsalsa</i> Hiern #4 II 52 EUPHORBIACEAE	<i>Euphorbia tiapanensis</i> Hargreaves = <i>Euphorbia davyi</i> N.E. Br.
<i>Euphorbia subscandens</i> Bally & S. Carter #4 II 52	<i>Euphorbia togoensis</i> Pax = <i>Euphorbia lateriflora</i> Schum. & Thonn.
EUPHORBIACEAE	
<i>Euphorbia subumbellata</i> Steudel ex Boissier = <i>Euphorbia copiapina</i> Philippi	<i>Euphorbia torta</i> Pax & K. Hoffm. #4 II 52
	EUPHORBIACEAE
<i>Euphorbia sudanica</i> A. Chev. #4 II 52	<i>Euphorbia tortilis</i> Rottler ex Wight #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia suffulta</i> Bruyns #4 II 52 EUPHORBIACEAE	<i>Euphorbia tortirama</i> R.A.Dyer #4 II 52
<i>Euphorbia sumati</i> Carter 2000 #4 II 52	EUPHORBIACEAE
EUPHORBIACEAE	<i>Euphorbia tortistyla</i> N.E. Br. #4 II 52 EUPHORBIACEAE
<i>Euphorbia superans</i> Nel #4 II 52 EUPHORBIACEAE	<i>Euphorbia transvaalensis</i> Schltr. #4 II 52
<i>Euphorbia suppressa</i> Marx 1999 #4 II 52	EUPHORBIACEAE
EUPHORBIACEAE	<i>Euphorbia trapaeifolia</i> A. Chevalier = <i>Euphorbia sudanica</i> A. Chev.
<i>Euphorbia susan-holmesiae</i> Binojkumar & Gopalan #4 II 52 EUPHORBIACEAE	<i>Euphorbia triacantha</i> Ehrenberg ex Boissier = <i>Euphorbia triaculeata</i> Forsk.
<i>Euphorbia susanna</i> Marloth #4 II 52	<i>Euphorbia triaculeata</i> Forsk. #4 II 52 EUPHORBIACEAE
EUPHORBIACEAE	
<i>Euphorbia suzannae-marnierae</i> Rauh & Petignat #4 II 52 EUPHORBIACEAE	<i>Euphorbia triangularis</i> Desf. ex Berger #4 II 52
	EUPHORBIACEAE
<i>Euphorbia taboae</i> Hassler #4 II 52	<i>Euphorbia trichadenia</i> Pax #4 II 52 EUPHORBIACEAE
EUPHORBIACEAE	
<i>Euphorbia tanaensis</i> Bally #4 II 52 EUPHORBIACEAE	<i>Euphorbia tridentata</i> Lam. #4 II 52 EUPHORBIACEAE
<i>Euphorbia tardieuana</i> Leandri #4 II 52	<i>Euphorbia triflora</i> Schott, Nyman & Kotschy #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia taruensis</i> S. Carter #4 II 52	<i>Euphorbia trigona</i> Haw. #4 II 52 EUPHORBIACEAE
EUPHORBIACEAE	<i>Euphorbia trigona Roxburgh</i> = <i>Euphorbia barnhartii</i> L. Croiz.
<i>Euphorbia teixeirae</i> Leach #4 II 52 EUPHORBIACEAE	<i>Euphorbia tsimbazaza</i> Leandri #4 II 52
<i>Euphorbia teke</i> Schweinf. ex Pax #4 II 52	EUPHORBIACEAE
EUPHORBIACEAE	<i>Euphorbia tuberculata</i> Jacq. #4 II 52 EUPHORBIACEAE
<i>Euphorbia tellieri</i> A. Chevalier = <i>Euphorbia sudanica</i> A. Chev.	<i>Euphorbia tuberculatoides</i> N.E. Br. #4 II 52
	EUPHORBIACEAE
<i>Euphorbia tenax</i> Burch. #4 II 52 EUPHORBIACEAE	<i>Euphorbia tuberosa</i> L. #4 II 52 EUPHORBIACEAE
<i>Euphorbia tenebrosa</i> N. E. Brown = <i>Euphorbia ingens</i> E. Meyer ex Boiss.	<i>Euphorbia tubiglans</i> Marloth #4 II 52 EUPHORBIACEAE
<i>Euphorbia tenuispinosa</i> Gilli #4 II 52 EUPHORBIACEAE	<i>Euphorbia tuckeyana</i> Steud. #4 II 52 EUPHORBIACEAE
<i>Euphorbia tesorum</i> S. Carter #4 II 52	<i>Euphorbia tugelensis</i> N.E. Br. #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia tetracantha</i> Rendle #4 II 52	<i>Euphorbia tulearensis</i> (Rauh) Rauh 1988 I
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia tetracanthoides</i> Pax #4 II 52	<i>Euphorbia turbiniformis</i> Chiov. #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia tetragona</i> Haworth #4 II 52	<i>Euphorbia turkanensis</i> S. Carter #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia tetragona Baker</i> = <i>Euphorbia micracantha</i> Boiss.	<i>Euphorbia uhehensis</i> Pax = <i>Euphorbia platycephala</i> Pax
<i>Euphorbia tetragona Richard, A.</i> = <i>Euphorbia polyacantha</i> Boiss.	<i>Euphorbia uhligiana</i> Pax #4 II 52 EUPHORBIACEAE
<i>Euphorbia thinophila</i> Philippi #4 II 52	<i>Euphorbia umbonata</i> S. Carter #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia thi</i> Schweinf. = <i>Euphorbia polyacantha</i> Boiss.	<i>Euphorbia umfoloziensis</i> Peckover #4 II 52
	EUPHORBIACEAE
<i>Euphorbia tholicola</i> Leach #4 II 52 EUPHORBIACEAE	<i>Euphorbia uncinata</i> De Candolle = <i>Euphorbia stellata</i> Willd.
<i>Euphorbia thouarsiana</i> Baillon #4 II 52	<i>Euphorbia undulatifolia</i> Janse #4 II 52
EUPHORBIACEAE	EUPHORBIACEAE
<i>Euphorbia tirucalli</i> L. #4 II 52 EUPHORBIACEAE	<i>Euphorbia unicornis</i> R.A. Dyer #4 II 52
	EUPHORBIACEAE
	<i>Euphorbia unispina</i> N.E. Br. #4 II 52 EUPHORBIACEAE

- Euphorbia uzmuk** S. Carter & J.R.I. Wood #4 II 52  
EUPHORBIACEAE
- Euphorbia vaalputsiana** L.C.Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia vajravelui** Binojkumar & Balakrishnan #4 II 52  
EUPHORBIACEAE
- Euphorbia vallaris** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia vandermerwei** R.A. Dyer #4 II 52  
EUPHORBIACEAE
- Euphorbia venenata** Marloth #4 II 52 EUPHORBIACEAE
- Euphorbia venenifica** Trem. ex Kotschy #4 II 52  
EUPHORBIACEAE
- Euphorbia venteri** L.C.Leach ex R.H.Archer 2001 #4 II 52 EUPHORBIACEAE
- Euphorbia verruculosa** N.E. Br. #4 II 52  
EUPHORBIACEAE
- Euphorbia versicolores** G.Williamson #4 II 52  
EUPHORBIACEAE
- Euphorbia viduiflora** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia viguieri** Denis #4 II 52 EUPHORBIACEAE
- Euphorbia viminalis* Burmann fil. = *Euphorbia burmannii* E. Mey. ex Boiss.
- Euphorbia viminalis* Hiern = *Euphorbia negromontana* N.E. Br.
- Euphorbia virgata* Desfontaines = *Euphorbia lamarckii* Sweet
- Euphorbia virosa** Willd. #4 II 52 EUPHORBIACEAE
- Euphorbia vittata** S. Carter #4 II 52 EUPHORBIACEAE
- Euphorbia volkmanniae** Dtr. #4 II 52 EUPHORBIACEAE
- Euphorbia vulcanorum** S. Carter #4 II 52  
EUPHORBIACEAE
- Euphorbia wakefieldii** N.E. Br. #4 II 52  
EUPHORBIACEAE
- Euphorbia waringiae** N.E.Brown 1998 #4 II 52  
EUPHORBIACEAE
- Euphorbia waterbergensis** R.A.Dyer #4 II 52  
EUPHORBIACEAE
- Euphorbia weberbaueri** Mansf. #4 II 52  
EUPHORBIACEAE
- Euphorbia whellanii** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia wildii** Leach #4 II 52 EUPHORBIACEAE
- Euphorbia williamsonii** Leach #4 II 52  
EUPHORBIACEAE
- Euphorbia wilmaniae** Marloth #4 II 52  
EUPHORBIACEAE
- Euphorbia wilsonii* V. Vlk = *Euphorbia charleswilsoniana* V.Vlk
- Euphorbia winkleri* Pax = *Euphorbia ampliphylla* Pax
- Euphorbia woodii** N.E.Br. #4 II 52 EUPHORBIACEAE
- Euphorbia xanti** Engelm. ex Boiss. #4 II 52  
EUPHORBIACEAE
- Euphorbia xylacantha** Pax #4 II 52 EUPHORBIACEAE
- Euphorbia zanaharensis** Ursch & Leandri #4 II 52  
EUPHORBIACEAE
- Euphorbia zoutpansbergensis** R.A.Dyer #4 II 52  
EUPHORBIACEAE
- Euphorbion dendroides* (L.) Saint-Lager = *Euphorbia dendroides* L.
- Eurycentrum** spp. Schltr. #4 II 64 ORCHIDACEAE
- Eurychone** spp. Schlechter #4 II 64 ORCHIDACEAE
- Eurychone galeandrae* #4 II 64 ORCHIDACEAE
- Eurychone rothschildiana* #4 II 64 ORCHIDACEAE
- Eurystyles** spp. Wawra #4 II 64 ORCHIDACEAE
- Eurystyles actinophila* #4 II 64 ORCHIDACEAE
- Eurystyles ananassocomos* (Reichenb. f.) Schlechter #4 II 64 ORCHIDACEAE
- Eurystyles borealis* A.H. Heller #4 II 64 ORCHIDACEAE
- Eurystyles cogniauxii* (Kraenzl.) Schltr. #4 II 64 ORCHIDACEAE
- Eurystyles standleyi* Ames #4 II 64 ORCHIDACEAE
- Evotella** spp. Kurzweil, Linder & Chesselet #4 II 64 ORCHIDACEAE
- Evotella rubiginosa* (Sond. ex Bolus) Kurzweil & H.P.Linder #4 II 64 ORCHIDACEAE
- Evrardianthe** spp. Rauschert #4 II 64 ORCHIDACEAE
- Facheiroa** spp. B. & R. #4 II 49 CACTACEAE
- Facheiroa cephaliomelana** Buining & Brederoo #4 II 49 CACTACEAE
- Facheiroa chaetacantha* (Ritter) Braun = *Facheiroa squamosa* (Guerke) Braun
- Facheiroa pubiflora* Britton & Rose = *Facheiroa ulei* (Gurke) Werdermann
- Facheiroa squamosa** (Guerke) Braun #4 II 49 CACTACEAE
- Facheiroa squamosa polygona* (Ritter) Braun & Esteves Pereira = *Facheiroa squamosa* (Guerke) Braun
- Facheiroa ulei** (Gurke) Werdermann #4 II 49 CACTACEAE
- Falso alerce Chileno (S): *Fitzroya cupressoides*
- Fernandezia** spp. Ruiz & Pavon #4 II 64 ORCHIDACEAE
- Fernandezia acuta* Lindl. 1806 = *Lockhartia acuta* (Lindl.) Rchb.f. 1852
- Fernandezia elegans* (Hook.) Lodd. = *Lockhartia biserra* (Rich.) Christenson & Garay
- Fernandezia longifolia* Lindl. 1846 = *Lockhartia platyglossa* Rchb.f. 1876
- Fernandezia lunifera* Lindl. = *Lockhartia lunifera* (Lindl.) Rchb.f. 1852
- Fernandezia maculata* Garay & Dunsterv. #4 II 64 ORCHIDACEAE
- Fernandezia parthenocomas* Rchb.f. 1852 = *Lockhartia parthenocomas* (Rchb.f.) Rchb.f. 1852
- Fernandezia robusta* Bateman 1866 = *Lockhartia oerstedii* Rchb.f. 1852
- Fernandezia robusta* Klotzsch ex Rchb.f. = *Lockhartia lunifera* (Lindl.) Rchb.f. 1852
- Fern, Australian Tree (E): *Dicksonia antarctica*
- Fern, Bristly Tree (E): *Dicksonia antarctica*
- Fern, Lacy Tree (E): *Sphaeropteris cooperi*
- Fern, Norfolk Island Tree (E): *Sphaeropteris excelsa*
- Fern, Rough Tree (E): *Dicksonia squarrosa*
- Fern, Rough Tree (E): *Alsophila australis*
- Fern, Silver Tree (E): *Cyathea dealbata*
- Fern, Soft Tree (E): *Dicksonia antarctica*
- Fern, West Indian Tree (E): *Cyathea arborea*
- Ferocactus** spp. Britton & Rose #4 II 49 CACTACEAE

- Ferocactus acanthodes* (Lemaire) Britton & Rose =  
*Ferocactus cylindraceus* (Engelmann) Orcutt
- Ferocactus alamosanus*** (Britton & Rose) Britton & Rose #4 II 49 CACTACEAE
- Ferocactus chrysacanthus*** (Orcutt) Britton & Rose #4 II 49 CACTACEAE
- Ferocactus coptonogonus* (Lemaire) Taylor = *Stenocactus coptonogonus* (Lemaire) Berger ex Hill
- Ferocactus crispatus* (De Candolle) Taylor = *Stenocactus crispatus* (De Candolle) Berger ex Hill
- Ferocactus cylindraceus*** (Engelmann) Orcutt #4 II 49 CACTACEAE
- Ferocactus diguetii*** (Weber) Britton & Rose #4 II 49 CACTACEAE
- Ferocactus eastwoodiae*** (Benson) Benson #4 II 49 CACTACEAE (E) Eastwood's Barrel Cactus
- Ferocactus echidne*** (De Candolle) Britton & Rose #4 II 49 CACTACEAE
- Ferocactus emoryi*** (Engelmann) Orcutt #4 II 49 CACTACEAE (E) Covill's Barrel Cactus
- Ferocactus flavovirens*** (Scheidweiler) Britton & Rose #4 II 49 CACTACEAE
- Ferocactus fordii*** (Orcutt) Britton & Rose #4 II 49 CACTACEAE
- Ferocactus gracilis*** Gates #4 II 49 CACTACEAE
- Ferocactus haematacanthus*** (Salm-Dyck) Bravo ex Backeberg & F.Knuth #4 II 49 CACTACEAE
- Ferocactus hamatacanthus*** (Muehlenpfordt) Britton & Rose #4 II 49 CACTACEAE
- Ferocactus hastifer* (Werderm. & Boedeker) N.P. Tay. = *Thelocactus hastifer* (Werdermann & Boedeker) F.Knuth
- Ferocactus herrerae*** J.G.Ortega #4 II 49 CACTACEAE
- Ferocactus heterochromus* (A. Weber) N.P. Taylor = *Thelocactus heterochromus* (Weber) Oosten
- Ferocactus histrix*** (De Candolle) G. Lindsay #4 II 49 CACTACEAE
- Ferocactus horridus* Britton & Rose = *Ferocactus peninsulae* (Weber) Britton & Rose
- Ferocactus johnsonii* (Engelmann) Britton & Rose = *Sclerocactus johnsonii* (Engelmann) Taylor
- Ferocactus johnstonianus*** Britton & Rose #4 II 49 CACTACEAE
- Ferocactus latispinus*** (Haworth) Britton & Rose #4 II 49 CACTACEAE
- Ferocactus leucacanthus* (Scheidw.) N.P. Taylor = *Thelocactus leucacanthus* (Pfeiffer) Britton & Rose
- Ferocactus lindsayi*** Bravo #4 II 49 CACTACEAE
- Ferocactus macrodiscus*** (Martius) Britton & Rose #4 II 49 CACTACEAE
- Ferocactus melanostoma* Britton & Rose = *Ferocactus histrix* (De Candolle) G. Lindsay
- Ferocactus mesae-verdae* (Boissevain & Davidson ex Marshall & Bock) Taylor = *Sclerocactus mesae-verdae* (Boissevain & Davidson ex Marshall & Bock) Benson
- Ferocactus nobilis* (Linnaeus) Britton & Rose = *Ferocactus latispinus* (Haworth) Britton & Rose
- Ferocactus orcuttii* (Engelmann) Britton & Rose = *Ferocactus viridescens* (Torrey & Gray) Britton & Rose
- Ferocactus peninsulae*** (Weber) Britton & Rose #4 II 49 CACTACEAE
- Ferocactus pfeifferi* (Zuccarini) Backeberg = *Ferocactus glaucescens* (De Candolle) Britton & Rose
- Ferocactus phyllacanthus* (Dietrich & Otto) Taylor = *Stenocactus phyllacanthus* (Dietrich & Otto) Berger ex Hill
- Ferocactus piliferus* (Lemaire ex Ehrenberg) Unger = *Ferocactus pilosus* (Galeotti ex Salm-Dyck) Werdermann
- Ferocactus pilosus*** (Galeotti ex Salm-Dyck) Werdermann #4 II 49 CACTACEAE
- Ferocactus polyancistrus* (Engelmann & Bigelow) Taylor = *Sclerocactus polyancistrus* (Engelmann & Bigelow) Britton & Rose
- Ferocactus pottsii*** (Salm-Dyck) Backeberg #4 II 49 CACTACEAE
- Ferocactus pringlei* (Coulter) Britton & Rose = *Ferocactus pilosus* (Galeotti ex Salm-Dyck) Werdermann
- Ferocactus pubispinus* (Engelmann) Taylor = *Sclerocactus pubispinus* (Engelmann) Benson
- Ferocactus recurvus* (Miller) Borg = *Ferocactus latispinus* (Haworth) Britton & Rose
- Ferocactus rhodanthus* Schwarz ex Backeberg = *Ferocactus echidne* (De Candolle) Britton & Rose
- Ferocactus robustus*** (Pfeiffer) Britton & Rose #4 II 49 CACTACEAE
- Ferocactus rostii* Britton & Rose = *Ferocactus cylindraceus* (Engelmann) Orcutt
- Ferocactus santa-maria*** Britton & Rose #4 II 49 CACTACEAE
- Ferocactus scheeri* (Salm-Dyck) Taylor = *Sclerocactus scheeri* (Salm-Dyck) Taylor
- Ferocactus schwarzii*** Lindsay #4 II 49 CACTACEAE
- Ferocactus setispinus* (Engelm.) L. Benson = *Thelocactus setispinus* (Engelmann) Anderson
- Ferocactus spinosior* (Engelmann) Taylor = *Sclerocactus spinosior* (Engelmann) Woodruff & Benson
- Ferocactus stainesii* (Salm-Dyck) Britton & Rose = *Ferocactus pilosus* (Galeotti ex Salm-Dyck) Werdermann
- Ferocactus tiburonensis*** (Lindsay) Backeberg #4 II 49 CACTACEAE
- Ferocactus tobuschii* (W.T. Marshall) Taylor = *Sclerocactus brevihamatus tobuschii* (Marshall) Taylor
- Ferocactus townsendianus*** Britton & Rose #4 II 49 CACTACEAE
- Ferocactus vaupelianus* (Werdermann) Taylor = *Stenocactus vaupelianus* (Werdermann) F.Knuth
- Ferocactus victoriensis* (Rose) Backeberg = *Ferocactus echidne* (De Candolle) Britton & Rose
- Ferocactus viridescens*** (Torrey & Gray) Britton & Rose #4 II 49 CACTACEAE (E) Coast Barrel Cactus, San Diego Barrel Cactus

- Ferocactus whipplei* (Engelmann & Bigelow) Taylor =  
*Sclerocactus whipplei* (Engelmann & Bigelow) Britton  
& Rose  
***Ferocactus wislizeni*** (Engelmann) Britton & Rose #4 II  
49 CACTACEAE  
*Ferocactus wrightiae* (Benson) Taylor = *Sclerocactus*  
*wrightiae* Benson  
*Ferruminaria brastagiense* (Carr) Garay, Hamer &  
Siegerist = *Bulbophyllum brastagiense* Carr  
*Ferruminaria lohokii* (J.J.Verm. & A.L.Lamb) Garay &  
Romero = *Bulbophyllum lohokii* J.J.Verm. & A.L.Lamb  
*Ferruminaria melinantha* (Schltr.) Garay, Hamer & Siegrist  
= *Bulbophyllum melinanthum* Schltr.  
*Fieldia gigantea* (Lindl.) Rchb.f. = *Vandopsis gigantea*  
(Lindl.) Pfitzer  
*Fieldia lissochilooides* Gaudich. = *Vandopsis lissochilooides*  
(Gaudich.) Pfitz.  
*Fieldia undulata* Rchb.f. = *Vandopsis undulata* (Lindl.) J.J.  
Sm.  
Fir, Guatemalan (E): *Abies guatemalensis*  
Fir, Mexican (E): *Abies guatemalensis*  
*Fissipes acaulis* (Aiton) Small = *Cypripedium acaule* Aiton  
*Fissipes hirsuta* Farw. = *Cypripedium acaule* Aiton  
*Fitzroya cupressoides* (Molina) I. M. Johnston I  
CUPRESSACEAE (E) Chilean False Larch,  
Patagonian Cypress (S) Alerce, Ciprés de la  
Patagonia, Falso alerce Chileno, Lahual (F) Bois  
d'Alerce, Cyprès de Patagonie  
*Fitzroya patagonica* Hook.f. = *Fitzroya cupressoides*  
(Molina) I. M. Johnston  
Five-Fingers (E): *Panax quinquefolius*  
***Flickingeria* spp.** A.D. Hawkes #4 II 64 ORCHIDACEAE  
*Flickingeria angulata* (Blume) Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria angustifolia* (Blume) Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria appendiculata* (Blume) Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria aurieloba* (J.J. Smith) J.J. Wood #4 II 64  
ORCHIDACEAE  
*Flickingeria bancana* (J.J.Sm.) A.D.Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria comata* (Blume) Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria convexa* (Blume) A.Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria dura* (J.J. Smith) Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria fimbriata* (Blume) Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria grandiflora* (Blume) Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria hesperis* Seidenf. #4 II 64 ORCHIDACEAE  
*Flickingeria integrilabia* (J.J. Smith) Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria laciniosa* (Ridl.) A.D.Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria luxurians* (J.J. Smith) Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria nativitatis* (Ridley) J.J. Wood #4 II 64  
ORCHIDACEAE  
*Flickingeria pumila* (Kuntze) A.D.Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria punctilosa* (J.J. Smith) Hawkes #4 II 64  
ORCHIDACEAE  
*Flickingeria vietnamensis* Seidenf. #4 II 64  
ORCHIDACEAE  
*Flickingeria xantholeuca* (Reichb.f.) Hawkes #4 II 64  
ORCHIDACEAE  
Flor del Hombre Ahorcado (S): *Aceras anthropophorum*  
Flor de mayo (S): *Cattleya trianaei*  
*Floribunda bahiensis* Braun & Esteves Pereira = *Arrojadoa*  
*bahiensis* (Braun & Esteves Pereira) Taylor & Eggli  
*Floribunda pusilliflora* Ritter = *Cipocereus pusilliflorus*  
(Ritter) Zappi & Taylor  
*Flos triplicatus* Rumph. = *Calanthe triplicata* (Willème.)  
Ames  
Flower, Philippine Garland (E): *Hedychium philippinense*  
Flytrap, Venus (E): *Dionaea muscipula*  
Foot, Elephant's (E): *Dioscorea deltoidea*  
***Forficaria* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Fouquieria columnaris* Kellogg ex Curran #4 II  
FOUQUIERIACEAE (E) Boojum Tree (S) Cirio  
*Fouquieria fasciculata* Nash I FOUQUIERIACEAE (S)  
Arbol del barril  
*Fouquieria purpusii* Brandegee I FOUQUIERIACEAE  
*Fourniera funebris* Fourn. 1876 = *Sphaeropteris*  
*novae-caledoniae* (Mett. 1861) R.Tryon 1970  
*Fourniera lepidotricha* Fourn. 1873 = *Sphaeropteris*  
*novae-caledoniae* (Mett. 1861) R.Tryon 1970  
*Fourniera novae-caledoniae* (Mett. 1861) Bomm. ex  
Fourn. 1873 = *Sphaeropteris novae-caledoniae* (Mett.  
1861) R.Tryon 1970  
***Frailea* spp.** Britton & Rose #4 II 49 CACTACEAE  
*Frailea albiareolata* Buining & Brederoo = *Frailea pumila*  
(Lemaire) Britton & Rose  
***Frailea buenekeri*** W.R.Abraham #4 II 49 CACTACEAE  
***Frailea buiningiana*** Prestle #4 II 49 CACTACEAE  
*Frailea caespitosa* (Spegazzini) Britton & Rose = *Parodia*  
*concinna* (Monville) Taylor  
*Frailea carminifilamentosa* Kilian ex Backeberg = *Frailea*  
*pumila* (Lemaire) Britton & Rose  
***Frailea castanea*** Backeberg #4 II 49 CACTACEAE  
***Frailea cataphracta*** (Dams) Britton & Rose #4 II 49  
CACTACEAE  
***Frailea chiquitana*** Cardenas #4 II 49 CACTACEAE  
*Frailea chrysacantha* Hrabe = *Frailea pumila* (Lemaire)  
Britton & Rose  
*Frailea colombiana* (Werdermann) Backeberg = *Frailea*  
*pumila* (Lemaire) Britton & Rose  
*Frailea concepcionensis* Buining & Moser = *Frailea*  
*schilinzkyana* (Schumann) Britton & Rose  
***Frailea curvispina*** Buining & Brederoo #4 II 49  
CACTACEAE  
***Frailea friedrichii*** Buining & Moser #4 II 49 CACTACEAE  
***Frailea gracillima*** (Lemaire) Britton & Rose #4 II 49  
CACTACEAE

- Frailea grahliana** (Schumann) Britton & Rose #4 II 49  
CACTACEAE  
*Frailea grahliana concepcionensis* (Buining & Moser)  
 Prestle = *Frailea schilinzkyana* (Schumann) Britton & Rose  
*Frailea grahliana ybatensis* (Buining & Moser) Prestle =  
*Frailea schilinzkyana* (Schumann) Britton & Rose  
*Frailea hlineckiana Cervinka* = *Frailea pumila* (Lemaire)  
 Britton & Rose  
*Frailea ignacionensis* Buining & Moser = *Frailea schilinzkyana* (Schumann) Britton & Rose  
*Frailea jajoiana Cervinka* = *Frailea pumila* (Lemaire)  
 Britton & Rose  
**Frailea knippeliana** (Quehl) Britton & Rose #4 II 49  
CACTACEAE  
*Frailea magnifica* Buining ex Prestle = *Frailea mammifera* Buining & Brederoo  
**Frailea mammifera** Buining & Brederoo #4 II 49  
CACTACEAE  
*Frailea perbella* Prestle = *Frailea phaeodisca* (Spegazzini) Spegazzini  
*Frailea perumbilicata* Ritter #4 II 49 CACTACEAE  
**Frailea phaeodisca** (Spegazzini) Spegazzini #4 II 49  
CACTACEAE  
**Frailea pseudopulcherrima** Ito #4 II 49 CACTACEAE  
*Frailea pulcherrima* (Arechavaleta) Spegazzini = *Frailea pygmaea* (Spegazzini) Britton & Rose  
**Frailea pumila** (Lemaire) Britton & Rose #4 II 49  
CACTACEAE  
*Frailea pumila albiareolata* (Buining & Brederoo) Braun & Esteves Pereira = *Frailea pumila* (Lemaire) Britton & Rose  
*Frailea pumila colombiana* (Werdermann) Prestle = *Frailea pumila* (Lemaire) Britton & Rose  
*Frailea pumila hlineckiana* (Cervinka) Prestle = *Frailea pumila* (Lemaire) Britton & Rose  
*Frailea pumila jajoiana* (Cervinka) Prestle = *Frailea pumila* (Lemaire) Britton & Rose  
*Frailea pumila maior* (Ritter) Braun & Esteves Pereira =  
*Frailea pumila* (Lemaire) Britton & Rose  
**Frailea pygmaea** (Spegazzini) Britton & Rose #4 II 49  
CACTACEAE  
**Frailea schilinzkyana** (Schumann) Britton & Rose #4 II 49 CACTACEAE  
*Frailea ybatensis* Buining & Moser = *Frailea schilinzkyana* (Schumann) Britton & Rose  
*Fraxinus mandshurica* Rupr. #5 III OLEACEAE (E)  
 Manchurian ash  
*Fregea amabilis* Rchb.f. = *Sobralia amabilis* (Rchb.f.) L.O.Williams  
**Frondfaria** spp. Luer #4 II 64 ORCHIDACEAE  
*Fruticicola albopunctata* (Schltr.) M.A.Clem. & D.L.Jones =  
*Bulbophyllum fruticicola* Schltr.  
*Fruticicola radicans* (F.M.Bailey) M.A.Clem. & D.L.Jones =  
*Bulbophyllum radicans* F.M.Bailey  
**Fuertesiella** spp. Schltr. #4 II 64 ORCHIDACEAE  
**Funkiella** spp. Schltr. #4 II 64 ORCHIDACEAE  
*Funkiella hyemalis* (A.Rich & Galeotti) Schltr. #4 II 64  
ORCHIDACEAE  
 Gaïac (F): *Guaiacum officinale*  
**Galanthus** spp. L. #4 II AMARYLLIDACEAE  
**Galanthus allenii** Baker #4 II AMARYLLIDACEAE  
**Galanthus alpinus** Sosn. #4 II AMARYLLIDACEAE  
**Galanthus angustifolius** Koss #4 II AMARYLLIDACEAE  
*Galanthus atkinsii* hort. Barr. = *Galanthus nivalis* L.  
*Galanthus bulgaricus* Velen. = *Galanthus elwesii* Hook.f.  
*Galanthus cabardensis* Koss = *Galanthus lagodechianus* Kem.-Nath.  
*Galanthus caspius* (Rupr) Grossh. = *Galanthus transcaucasicus* Fomin  
*Galanthus caucasicus* hort. = *Galanthus elwesii* Hook.f.  
**Galanthus cilicicus** Baker #4 II AMARYLLIDACEAE  
*Galanthus cilicicus* auct. non Baker = *Galanthus rizehensis* Stern  
*Galanthus cilicicus* auct. non Baker = *Galanthus peshmenii* A.P.Davis & C.D.Brickell  
**Galanthus elwesii** Hook.f. #4 II AMARYLLIDACEAE  
*Galanthus elwesii akmanii* N.Zeybek = *Galanthus elwesii* Hook.f.  
*Galanthus elwesii baytopii* N.Zeybek = *Galanthus elwesii* Hook.f.  
*Galanthus elwesii elwesii* N.Zeybek = *Galanthus elwesii* Hook.f.  
*Galanthus elwesii melihae* = *Galanthus elwesii* Hook.f.  
*Galanthus elwesii minor* D.A.Webb = *Galanthus gracilis* Celak.  
*Galanthus elwesii monostictus* P.D.Sell = *Galanthus elwesii* Hook.f.  
*Galanthus elwesii tuebitaki* (Hook.f.) Gottl.-Tann. =  
*Galanthus elwesii* Hook.f.  
*Galanthus elwesii wagonitzii* N.Zeybek = *Galanthus elwesii* Hook.f.  
*Galanthus elwesii yayintaschii* N.Zeybek = *Galanthus elwesii* Hook.f.  
**Galanthus fosteri** Baker #4 II AMARYLLIDACEAE  
*Galanthus glaucescens* A.P. Khokhr. = *Galanthus rizehensis* Stern  
*Galanthus globosus* Burb. = *Galanthus elwesii* Hook.f.  
*Galanthus globosus* Wilks = *Galanthus elwesii* Hook.f.  
**Galanthus gracilis** Celak. #4 II AMARYLLIDACEAE  
*Galanthus gracilis baytopii* N.Zeybek = *Galanthus elwesii* Hook.f.  
*Galanthus graecus* auct. non Orph. ex Boiss. = *Galanthus gracilis* Celak.  
*Galanthus graecus* Orph. ex Boiss. = *Galanthus elwesii* Hook.f.  
**Galanthus grandiflorus** Baker #4 II AMARYLLIDACEAE  
**Galanthus ikariae** Baker #4 II AMARYLLIDACEAE  
*Galanthus ikariae* auct. non Baker, pro parte = *Galanthus woronowii* Losinsk. in Kom.  
*Galanthus ikariae latifolius* Stern. Pro Parte = *Galanthus platyphyllus* Traub et Moldenke  
*Galanthus ikariae snogerupii* Kamari = *Galanthus ikariae* Baker  
*Galanthus imperati* Bertol. = *Galanthus nivalis* L.  
*Galanthus kemulariae* Kuth = *Galanthus lagodechianus* Kem.-Nath.  
*Galanthus ketzholvelii* Kem-Nath = *Galanthus lagodechianus* Kem.-Nath.

- Galanthus koenenianus*** Lobin, C.D.Brickell & A.P.Davis #4 II AMARYLLIDACEAE  
***Galanthus krasnovii*** A.P.Khokhr. #4 II AMARYLLIDACEAE  
*Galanthus krasnovii maculatus* A.P. Khokhr. = *Galanthus krasnovii* A.P.Khokhr.  
***Galanthus lagodechianus*** Kem.-Nath. #4 II AMARYLLIDACEAE  
*Galanthus latifolius* auct. non Rupr. = *Galanthus woronowii* Losinsk. in Kom.  
*Galanthus latifolius* Rupr. = *Galanthus platyphyllus* Traub et Moldenke  
*Galanthus maximus* Baker = *Galanthus grandiflorus* Baker  
*Galanthus maximus* Velen. = *Galanthus elwesii* Hook.f.  
*Galanthus melihae* (N.Zeybek) N.Zeybek & E.Sauer = *Galanthus elwesii* Hook.f.  
*Galanthus montana* (N. Zeybek) N. Zeybek & E. Sauer = *Galanthus nivalis* L.  
***Galanthus nivalis*** L. #4 II AMARYLLIDACEAE (E) Common Snowdrop  
*Galanthus nivalis allenii* (Baker) Gottl.-Tann. = *Galanthus allenii* Baker  
*Galanthus nivalis angustifolius* (G. Koss) Artjushenko = *Galanthus angustifolius* Koss  
*Galanthus nivalis cilicicus* auct. non (Baker) Gottl.-Tann. = *Galanthus peshmenii* A.P.Davis & C.D.Brickell  
*Galanthus nivalis elwesii* (N.Zeybek) N.Zeybek & E.Sauer = *Galanthus elwesii* Hook.f.  
***Galanthus nivalis "flore pleno"*** L. #4 II AMARYLLIDACEAE  
*Galanthus nivalis graecus* (Orph. ex Boiss.) Gottl.-Tann. = *Galanthus elwesii* Hook.f.  
*Galanthus nivalis humboldtii* N. Zeybek = *Galanthus nivalis* L.  
*Galanthus nivalis imperati* (Bertol.) Baker = *Galanthus nivalis* L.  
*Galanthus nivalis subplicatus* N. Zeybek = *Galanthus nivalis* L.  
*Galanthus perryi* hort. Ware ex Baker = *Galanthus allenii* Baker  
***Galanthus peshmenii*** A.P.Davis & C.D.Brickell #4 II AMARYLLIDACEAE  
***Galanthus platyphyllus*** Traub et Moldenke #4 II AMARYLLIDACEAE  
***Galanthus plicatus*** M.Bieb. #4 II AMARYLLIDACEAE  
*Galanthus plicatus* Auct. non M. Bieb = *Galanthus transcaucasicus* Fomin  
*Galanthus plicatus* sens. Guss. = *Galanthus nivalis* L.  
*Galanthus plicatus subplicatus* N. Zeybek = *Galanthus nivalis* L.  
*Galanthus reflexus* auct. non Herb. ex Lindl. = *Galanthus nivalis* L.  
*Galanthus reflexus* Herb. ex Lindl. nom. rej. prop. = *Galanthus gracilis* Celak.  
***Galanthus reginae-olgae*** Orph. #4 II AMARYLLIDACEAE  
*Galanthus reginae-olgae* Auct. non Orph. = *Galanthus peshmenii* A.P.Davis & C.D.Brickell  
***Galanthus rizehensis*** Stern #4 II AMARYLLIDACEAE  
*Galanthus sharlokii* (Casp.) Baker = *Galanthus nivalis* L.  
*Galanthus shaylockii* (sic) J. Allen = *Galanthus nivalis* L.  
***Galanthus transcaucasicus*** Fomin #4 II AMARYLLIDACEAE  
*Galanthus valentinae* Panjut ex Grossh. = *Galanthus krasnovii* A.P.Khokhr.  
***Galanthus woronowii*** Losinsk. in Kom. #4 II AMARYLLIDACEAE  
***Galeandra*** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Galeandra batemanii* Rolfe #4 II 64 ORCHIDACEAE  
*Galeandra blanchetii* E.S.Rand #4 II 64 ORCHIDACEAE  
***Galearis*** spp. Rafin. #4 II 64 ORCHIDACEAE  
*Galearis spathulata* (Lindley) P.F. Hunt #4 II 64 ORCHIDACEAE  
***Galeola*** spp. Lour. #4 II 64 ORCHIDACEAE  
*Galeola affinis* J.J. Smith #4 II 64 ORCHIDACEAE  
*Galeola cassythoides* Reichb.f. #4 II 64 ORCHIDACEAE  
*Galeola cathcartii* Hook.f. #4 II 64 ORCHIDACEAE  
*Galeola falconeri* Hook.f. #4 II 64 ORCHIDACEAE  
*Galeola javanica* (Blume) Benth. & Hook. #4 II 64 ORCHIDACEAE  
*Galeola lindleyana* Reichb.f. #4 II 64 ORCHIDACEAE  
*Galeola nudifolia* Lour. #4 II 64 ORCHIDACEAE  
*Galeola ponapensis* Tuyama #4 II 64 ORCHIDACEAE  
***Galeottia*** spp. Martens & Galeotti #4 II 64 ORCHIDACEAE  
***Galeottiella*** spp. Schltr. #4 II 64 ORCHIDACEAE  
*Galeottiella sarcoglossa* (A. Rich. & Galeotti) Schltr. #4 II 64 ORCHIDACEAE  
***Garaya*** spp. Szlachetko #4 II 64 ORCHIDACEAE  
*Gasteria antandroi* Decary = *Aloe antandroi* (Decary) H. Perrier  
***Gastrochilus*** spp. Wall. #4 II 64 ORCHIDACEAE  
*Gastrochilus acaulis* (Lindley) Kuntze #4 II 64 ORCHIDACEAE  
*Gastrochilus acualis* #4 II 64 ORCHIDACEAE  
*Gastrochilus acutifolius* Kuntze #4 II 64 ORCHIDACEAE  
*Gastrochilus ampullaceus* (Roxb.) Kuntze = *Ascocentrum ampullaceum* (Lindl.) Schltr.  
*Gastrochilus blumei* (Lindl.) Kuntze = *Rhynchostylis retusa* Blume  
*Gastrochilus calceolaris* D.Don. #4 II 64 ORCHIDACEAE  
*Gastrochilus ciliaris* F. Maek. #4 II 64 ORCHIDACEAE  
*Gastrochilus coriaceus* (Thumb. ex Sw.) Kuntze = *Angraecum coriaceum* (Thunb. ex Sw.) Schltr.  
*Gastrochilus curvifolius* (Lindl.) Kuntze = *Ascocentrum curvifolium* (Lindl.) Schltr.  
*Gastrochilus dasypogon* (Lindl.) Kuntze #4 II 64 ORCHIDACEAE  
*Gastrochilus gurwalicus* (Lindl.) Kuntze = *Rhynchostylis retusa* Blume  
*Gastrochilus japonicus* (Makino) Schltr. #4 II 64 ORCHIDACEAE  
*Gastrochilus miniatus* (Lindl.) Kuntze = *Ascocentrum miniatum* (Lindley) Schltr.  
*Gastrochilus obliquum* #4 II 64 ORCHIDACEAE  
*Gastrochilus praemorsus* (Willd.) Dur. & Jacks. = *Rhynchostylis retusa* Blume  
*Gastrochilus retusus* (L.) Kuntze = *Rhynchostylis retusa* Blume

- Gastrochilus rheedii* (Wight) Kuntze = *Rhynchostylis retusa* Blume  
*Gastrochilus ringens* (Lindl.) Kuntze = *Aerides ringens* (Lindley) Fischer  
*Gastrochilus sororium* Schltr. #4 II 64 ORCHIDACEAE  
*Gastrochilus speciosus* (Wight) Kuntze = *Aerides maculosa* Lindley  
*Gastrochilus spicatus* (D.Don.) Kuntze = *Rhynchostylis retusa* Blume  
*Gastrochilus strictus* Kuntze = *Angraecum striatum* Thouars  
***Gastrodia* spp.** R. Br. #4 II 64 ORCHIDACEAE  
*Gastrodia abscondita* J.J. Smith #4 II 64 ORCHIDACEAE  
*Gastrodia africana* Kraenzl. #4 II 64 ORCHIDACEAE  
*Gastrodia boninensis* Tuy. #4 II 64 ORCHIDACEAE  
*Gastrodia callosa* J.J. Smith #4 II 64 ORCHIDACEAE  
*Gastrodia crebriflora* D.L.Jones #4 II 64 ORCHIDACEAE  
*Gastrodia crispa* J.J. Smith #4 II 64 ORCHIDACEAE  
*Gastrodia dyeriana* King & Pantl. #4 II 64 ORCHIDACEAE  
*Gastrodia elata* Blume #4 II 64 ORCHIDACEAE (E)  
     Gastrodia Rhizome  
*Gastrodia exilis* Hook.f. #4 II 64 ORCHIDACEAE  
*Gastrodia gracilis* Blume #4 II 64 ORCHIDACEAE  
*Gastrodia holttumii* Carr #4 II 64 ORCHIDACEAE  
*Gastrodia javanica* (Blume) Presl #4 II 64 ORCHIDACEAE  
*Gastrodia nipponica* (Honda) Tuy. #4 II 64  
     ORCHIDACEAE  
*Gastrodia orobanchoides* (Falc.) Benth. #4 II 64  
     ORCHIDACEAE  
*Gastrodia queenslandica* Dockr. #4 II 64 ORCHIDACEAE  
*Gastrodia tuberculata* F.Y.Liu & S.C.Chen #4 II 64  
     ORCHIDACEAE  
*Gastrodia urceolata* D.L.Jones #4 II 64 ORCHIDACEAE  
*Gastrodia verrucosa* Blume #4 II 64 ORCHIDACEAE  
*Gastrodia vescula* D.L.Jones #4 II 64 ORCHIDACEAE  
*Gastrodia zeylanica* Schltr. #4 II 64 ORCHIDACEAE  
 Gavilán (S): *Oreomunnea pterocarpa*  
 Gavilán blanco (S): *Oreomunnea pterocarpa*  
***Gavilea* spp.** Poepp. #4 II 64 ORCHIDACEAE  
 Gayac (F): *Guaiacum officinale*  
 Gayac (F): *Guaiacum sanctum*  
***Geesinkorchis* spp.** de Vogel #4 II 64 ORCHIDACEAE  
*Geesinkorchis phaiostele* (Ridl.) de Vogel #4 II 64  
     ORCHIDACEAE  
***Gennaria* spp.** Parl. #4 II 64 ORCHIDACEAE  
*Gennaria diphylla* (Link) Parl. #4 II 64 ORCHIDACEAE  
***Genoplesium* spp.** R. Br. #4 II 64 ORCHIDACEAE  
*Genoplesium alticolum* D.Jones & B.Gray #4 II 64  
     ORCHIDACEAE  
*Genoplesium arrectum* D.L.Jones #4 II 64  
     ORCHIDACEAE  
*Genoplesium baueri* R.Br. #4 II 64 ORCHIDACEAE  
*Genoplesium brachystachyum* (Lindley) D.L.Jones &  
     M.A.Clements #4 II 64 ORCHIDACEAE  
*Genoplesium calopterum* (Rchb.f.) D.L.Jones & M.A.Chen  
     #4 II 64 ORCHIDACEAE  
*Genoplesium citriodorum* D.L.Jones & M.A.Clements #4 II  
     64 ORCHIDACEAE  
     Genoplesium *despectans* (J.D.Hook.) D.L.Jones &  
     M.A.Clements #4 II 64 ORCHIDACEAE  
     *Genoplesium morinum* D.L.Jones #4 II 64  
     ORCHIDACEAE  
     *Genoplesium pedersonii* D.L.Jones #4 II 64  
     ORCHIDACEAE  
     *Genoplesium rhyoliticum* D.L.Jones & M.A.Clements #4 II  
     64 ORCHIDACEAE  
     *Genoplesium sigmoideum* D.L.Jones #4 II 64  
     ORCHIDACEAE  
     *Genoplesium superbum* D.L.Jones #4 II 64  
     ORCHIDACEAE  
     *Genoplesium systemum* D.L.Jones #4 II 64  
     ORCHIDACEAE  
     *Genoplesium tectum* D.L.Jones #4 II 64 ORCHIDACEAE  
     *Genoplesium turfosum* D.L.Jones #4 II 64 ORCHIDACEAE  
     *Genoplesium validum* D.L.Jones #4 II 64 ORCHIDACEAE  
***Genyorchis* spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Genyorchis apertiflora* Summerh. #4 II 64 ORCHIDACEAE  
*Genyorchis macrantha* Summerh. #4 II 64  
     ORCHIDACEAE  
*Genyorchis micropetala* (Lindl) Schltr. #4 II 64  
     ORCHIDACEAE  
*Genyorchis platybulbon* Schltr. #4 II 64 ORCHIDACEAE  
*Genyorchis pumila* Schltr. = *Bulbophyllum pumilum* (Sw.)  
     Lindl.  
***Geoblasta* spp.** Barb.Rodr. #4 II 64 ORCHIDACEAE  
***Geodorum* spp.** G. Jacks. #4 II 64 ORCHIDACEAE  
*Geodorum densiflorum* (Lam.) Schltr. #4 II 64  
     ORCHIDACEAE (E) Walking-stick Orchid  
*Geodorum dilatatum* R. Br. #4 II 64 ORCHIDACEAE  
*Geodorum purpureum* R.Br. #4 II 64 ORCHIDACEAE  
***Geohintonia* spp.** Glass & W.A.Fitz Maur. #4 II 49  
     CACTACEAE  
***Geohintonia mexicana*** Glass & Fitz Maurice #4 II 49  
     CACTACEAE  
*Gerocephalus dybowskii* (Roland-Gosselin) Ritter =  
     *Espostoopsis dybowskii* (Roland-Gosselin) Buxbaum  
     ghaap, Bitter (E): *Hoodia gordonii*  
*Ghiesbrechtia calanthoides* A.Rich & Galeotti = *Calanthe calanthoides* (A.Rich & Galeottii) Hamer & Garay  
*Ghiesbrechtia mexicana* A.Rich & Galeotti ex Rchb.f. =  
     *Calanthe calanthoides* (A.Rich & Galeottii) Hamer &  
     Garay  
 Giant, Pitcher-plant (E): *Nepenthes rajah*  
 Giant, Pitcher-plant Tropical (E): *Nepenthes rajah*  
 Ginseng (E): *Panax quinquefolius*  
 Ginseng (S): *Panax quinquefolius*  
 Ginseng (S): *Panax ginseng*  
 Ginseng (F): *Panax quinquefolius*  
 Ginseng (F): *Panax ginseng*  
 Ginseng (E): *Panax ginseng*  
 Ginseng à Cinq Folioles (F): *Panax quinquefolius*  
 Ginseng, American (E): *Panax quinquefolius*  
 Ginseng Americano (S): *Panax quinquefolius*  
 Ginseng, Canadian (E): *Panax quinquefolius*  
 Ginseng d'Amérique (F): *Panax quinquefolius*  
 Ginseng, Occidental (E): *Panax quinquefolius*  
*Ginseng quinquefolium* Wood = *Panax quinquefolius* L.

- Ginseng, Red (E): *Panax ginseng*
- Giulianettia* spp. Rolfe #4 II 64 ORCHIDACEAE
- Glomera* spp.** Blume #4 II 64 ORCHIDACEAE
- Glomera carolinensis* L.O. Williams #4 II 64  
ORCHIDACEAE
- Glomera erythrosma* Blume #4 II 64 ORCHIDACEAE
- Glomera reineckeana* Schltr. #4 II 64 ORCHIDACEAE
- Glossodia* spp.** R.Br. #4 II 64 ORCHIDACEAE
- Glossorhyncha* spp.** Ridley #4 II 64 ORCHIDACEAE
- Gnetum montanum* Markgraf #1 III GNETACEAE
- Goldenseal (E): *Hydrastis canadensis*
- Golden, Tree Fern (E): *Alsophila colensoi*
- Gomesa* spp.** R. Br. #4 II 64 ORCHIDACEAE
- Gomesa gracilis* (Lindl.) M.W.Chase & N.H.Williams #4 II 64  
ORCHIDACEAE
- Gomesa herzogii* (Schltr., 2010) #4 II 64 ORCHIDACEAE
- Gomesa silvana* (V.P.Castro & Campacci) M.W.Chase &  
N.H.Williams #4 II 64 ORCHIDACEAE
- Gomphichis* spp.** Lindl. #4 II 64 ORCHIDACEAE
- Gonatostylis* spp.** Schlechter #4 II 64 ORCHIDACEAE
- Gonatostylis bougainvillei* Halle #4 II 64 ORCHIDACEAE
- Gonatostylis vieillardii* (Reichb.f.) Schltr. #4 II 64  
ORCHIDACEAE
- Gongora* spp.** Ruiz & Pav. #4 II 64 ORCHIDACEAE
- Gongora aceras* Dressler #4 II 64 ORCHIDACEAE
- Gongora alfieana* R.Rice (2001) #4 II 64 ORCHIDACEAE
- Gongora amparoana* Schltr. 1923 #4 II 64  
ORCHIDACEAE
- Gongora arcuata* G.Gerlach & Toulemonde (2001) #4 II 64  
ORCHIDACEAE
- Gongora armeniaca* (Lindl.) Rchb.f. 1854 #4 II 64  
ORCHIDACEAE
- Gongora atropurpurea* Hook. (1827) #4 II 64  
ORCHIDACEAE
- Gongora batemanii* hort. ex Henshall = *Gongora cassidea*  
Rchb.f. (1864)
- Gongora beyrodtiana* Schltr. #4 II 64 ORCHIDACEAE
- Gongora boothiana* Rchb.f. = *Gongora maculata* Lindl.  
1833
- Gongora boothiana* Rchb.f. = *Gongora quinquenervis* Ruiz  
& Pav. 1798
- Gongora bufonia* Lindl. #4 II 64 ORCHIDACEAE
- Gongora cassidea* Rchb.f. (1864) #4 II 64 ORCHIDACEAE
- Gongora catilligera* R.Rice (2001) #4 II 64  
ORCHIDACEAE
- Gongora charlesworthii* Rolfe = *Gongora scaphephorus*  
Rchb.f. & Warsc.
- Gongora charontis* Rchb.f. #4 II 64 ORCHIDACEAE
- Gongora chocoensis* Jenny #4 II 64 ORCHIDACEAE
- Gongora claviodora* Dressler 1972 #4 II 64  
ORCHIDACEAE
- Gongora colombiana* Jenny #4 II 64 ORCHIDACEAE
- Gongora cornuta* (Klotzsch) hort. ex Jenny 1981? Fowlie  
& Jenny? Fowlie? Fowlie ex Jenny 1985? = *Gongora*  
*armeniaca* (Lindl.) Rchb.f. 1854
- Gongora crassicornis* Garay 2001 #4 II 64  
ORCHIDACEAE
- Gongora cruciformis* Whitten & D.E.Benn. 1994 #4 II 64  
ORCHIDACEAE
- Gongora donckelaariana* (Lem.) Rchb.f. (1858) = *Gongora*  
*truncata* Lindl. (1843)
- Gongora dressleri* Jenny #4 II 64 ORCHIDACEAE
- Gongora ecornuta* Jenny #4 II 64 ORCHIDACEAE
- Gongora erecta* Whitten & D.E.Benn. 1998 #4 II 64  
ORCHIDACEAE
- Gongora escobariana* Whitten #4 II 64 ORCHIDACEAE
- Gongora flaveola* Rchb.f. #4 II 64 ORCHIDACEAE
- Gongora fulva* Lindl. #4 II 64 ORCHIDACEAE
- Gongora fuscata* (Heynh.) Gentil 1907 = *Gongora galeata*  
(Lindl.) Rchb.f. 1854
- Gongora galeata* (Lindl.) Rchb.f. 1854 #4 II 64  
ORCHIDACEAE
- Gongora galeottiana* A. Rich. & Galeotti #4 II 64  
ORCHIDACEAE
- Gongora garayana* R.Rice (2000) #4 II 64 ORCHIDACEAE
- Gongora gibba* Dressler 1972 #4 II 64 ORCHIDACEAE
- Gongora gilbertoi* Garay 2001 #4 II 64 ORCHIDACEAE
- Gongora gracilis* Jenny = *Gongora pleiochroma* Rchb.f.  
1860
- Gongora gratulabunda* Rchb.f. #4 II 64 ORCHIDACEAE
- Gongora grossa* Rchb.f. 1877 #4 II 64 ORCHIDACEAE
- Gongora heisteri* hort. ex Rchb.f. = *Gongora atropurpurea*  
Hook. (1827)
- Gongora hennisiana* Schltr. = *Gongora gratulabunda*  
Rchb.f.
- Gongora hirtzii* Dodson & N.Williams 1989 #4 II 64  
ORCHIDACEAE
- Gongora histrionica* Rchb.f. #4 II 64 ORCHIDACEAE
- Gongora hookeri* (Klotzsch) R.Rice (2002) #4 II 64  
ORCHIDACEAE
- Gongora horichiana* Fowlie 1864 #4 II 64 ORCHIDACEAE
- Gongora ileniana* G.Gerlach & Heider (2001) #4 II 64  
ORCHIDACEAE
- Gongora ilense* Whitten & Jenny #4 II 64 ORCHIDACEAE
- Gongora incarnum* Kraenzl. 1906 = *Gongora*  
*scaphephorus* Rchb.f. & Warsc.
- Gongora irmgardiae* Jenny #4 II 64 ORCHIDACEAE
- Gongora irrorata* Hoffmanns. = *Gongora bufonia* Lindl.
- Gongora irrorata* Hoffmanns. = *Gongora quinquenervis*  
Ruiz & Pav. 1798
- Gongora irrorata* (Lindl.) Rchb.f. 1854 = *Gongora*  
*quinquenervis* Ruiz & Pav. 1798
- Gongora jenischii* Rchb.f. = *Gongora quinquenervis* Ruiz  
& Pav. 1798
- Gongora jenischii* Rchb.f. = *Gongora maculata* Lindl. 1833
- Gongora lagunae* G.Gerlach 1995 #4 II 64  
ORCHIDACEAE
- Gongora latibasis* (C.Schweinf. & P.H.Allen) Jenny 1993  
#4 II 64 ORCHIDACEAE
- Gongora latisepala* Rolfe 1918 #4 II 64 ORCHIDACEAE
- Gongora leucochila* Lem. 1845 #4 II 64 ORCHIDACEAE
- Gongora loddigesii* (Lindl.) Stein = *Gongora galeata*  
(Lindl.) Rchb.f. 1854
- Gongora longipes* Schltr. 1914 = *Gongora scaphephorus*  
Rchb.f. & Warsc.

- Gongora luteola* hort. ex Stein = *Gongora galeata* (Lindl.) Rchb.f. 1854
- Gongora luteola* hort. ex Stein = *Gongora galeottiana* A. Rich. & Galeotti
- Gongora maculata* Lindl. 1833 #4 II 64 ORCHIDACEAE
- Gongora maculata* auctt. *non* Lindl., 1833 = *Gongora galeottiana* A. Rich. & Galeotti
- Gongora maculata* var. *maculata* (Lindl.) Rchb.f. 1854 = *Gongora quinquenervis* Ruiz & Pav. 1798
- Gongora maculata* var. *maculata* (Lindl.) Rchb.f. 1854 = *Gongora latibasis* (C.Schweinf. & P.H.Allen) Jenny 1993
- Gongora maculata* var. *tricolor* Lindl. = *Gongora quinquenervis* Ruiz & Pav. 1798
- Gongora minax* Rchb.f. #4 II 64 ORCHIDACEAE
- Gongora napoensis* Jenny 1983 = *Gongora aceras* Dressler
- Gongora nigrita* Lindl. (1839) #4 II 64 ORCHIDACEAE
- Gongora nigropunctata* Schltr. #4 II 64 ORCHIDACEAE
- Gongora odoratissima* Lem. 1847 #4 II 64 ORCHIDACEAE
- Gongora pardina* Jenny #4 II 64 ORCHIDACEAE
- Gongora passiflorens* R.Rice #4 II 64 ORCHIDACEAE
- Gongora philippica* Llanos sensu Schltr. = *Renanthera coccinea* Lour.
- Gongora pleiochroma* Rchb.f. 1860 #4 II 64 ORCHIDACEAE
- Gongora portentosa* Linden & Rchb. #4 II 64 ORCHIDACEAE
- Gongora powellii* = *Gongora quinquenervis* Ruiz & Pav. 1798
- Gongora powellii* Schltr. 1922 = *Gongora quinquenervis* Ruiz & Pav. 1798
- Gongora powellii* Schltr. 1922 = *Gongora leucochila* Lem. 1845
- Gongora pseudoatropurpurea* Jenny #4 II 64 ORCHIDACEAE
- Gongora quadricornis* Hoffmanns. = *Gongora quinquenervis* Ruiz & Pav. 1798
- Gongora quadricornis* Rchb.f. = *Gongora quinquenervis* Ruiz & Pav. 1798
- Gongora quadricornis* Rchb.f. = *Gongora maculata* Lindl. 1833
- Gongora quinquenervis* Ruiz & Pav. 1798 #4 II 64 ORCHIDACEAE
- Gongora retrorsa* Rchb.f. (1854) #4 II 64 ORCHIDACEAE
- Gongora rosea* (Cogn.) R.Rice (2002) #4 II 64 ORCHIDACEAE
- Gongora rubescens* R.Rice (2002) #4 II 64 ORCHIDACEAE
- Gongora rufescens* Rchb.f.? Jenny 1985? #4 II 64 ORCHIDACEAE
- Gongora saccata* Rchb.f. #4 II 64 ORCHIDACEAE
- Gongora sanderiana* Kraenzl. #4 II 64 ORCHIDACEAE
- Gongora scaphophorus* Rchb.f. & Warsc. #4 II 64 ORCHIDACEAE
- Gongora seideliana* Rchb.f. #4 II 64 ORCHIDACEAE
- Gongora shepherdii* Rchb.f. = *Gongora maculata* Lindl. 1833
- Gongora shepherdii* Rchb.f. = *Gongora quinquenervis* Ruiz & Pav. 1798
- Gongora shepherdii* Schltr. 1922 = *Gongora quinquenervis* Ruiz & Pav. 1798
- Gongora similis* Rchb.f. 1881 #4 II 64 ORCHIDACEAE
- Gongora simplex* Garay 2001 #4 II 64 ORCHIDACEAE
- Gongora sphaerica* Jenny #4 II 64 ORCHIDACEAE
- Gongora stenoglossa* Rchb.f. #4 II 64 ORCHIDACEAE
- Gongora superflua* Rchb.f. 1870 #4 II 64 ORCHIDACEAE
- Gongora tracyana* Rolfe #4 II 64 ORCHIDACEAE
- Gongora tricolor* = *Gongora latibasis* (C.Schweinf. & P.H.Allen) Jenny 1993
- Gongora tricolor* (Lindl.) Rchb.f. 1854 = *Gongora latibasis* (C.Schweinf. & P.H.Allen) Jenny 1993
- Gongora tricolor* (Lindl.) Rchb.f. 1854 = *Gongora fulva* Lindl.
- Gongora tricolor* Rchb.f. = *Gongora quinquenervis* Ruiz & Pav. 1798
- Gongora tridentata* Whitten 1991 #4 II 64 ORCHIDACEAE
- Gongora truncata* Lindl. (1843) #4 II 64 ORCHIDACEAE
- Gongora unicolor* Schltr. (1923) #4 II 64 ORCHIDACEAE
- Gongora vitellina* (Lindl.) Rchb.f. 1854 = *Gongora quinquenervis* Ruiz & Pav. 1798
- Gongora vitellina* Rchb.f. = *Gongora quinquenervis* Ruiz & Pav. 1798
- Gongora vitellina* Rchb.f. = *Gongora galeottiana* A. Rich. & Galeotti
- Goniochilus** spp. M.W. Chase #4 II 64 ORCHIDACEAE
- Gonystylus** spp. Teijsm. & Binn. #4 II THYMELAEACEAE
- Gonystylus acuminatus* Airy Shaw #4 II THYMELAEACEAE (E) Ramin
- Gonystylus affinis* Radlk. #4 II THYMELAEACEAE
- Gonystylus areolatus* Domke ex Airy Shaw #4 II THYMELAEACEAE (E) Ramin
- Gonystylus augescens* Ridley #4 II THYMELAEACEAE (E) Ramin
- Gonystylus bancanus* (Miq.) Kurz #4 II THYMELAEACEAE
- Gonystylus bancanus* Baill. = *Gonystylus miquelianus* Teijsm. & Binn.
- Gonystylus beccarianus* Van Tiegh. #4 II THYMELAEACEAE
- Gonystylus borneensis* (Tiegh.) Gilg #4 II THYMELAEACEAE (E) Ramin
- Gonystylus brunnescens* Airy Shaw #4 II THYMELAEACEAE
- Gonystylus calophylloides* Airy Shaw #4 II THYMELAEACEAE (E) Ramin
- Gonystylus calophyllus* Gilg #4 II THYMELAEACEAE (E) Ramin
- Gonystylus confusus* A. Shaw #4 II THYMELAEACEAE (E) Ramin
- Gonystylus consanguineus* Airy Shaw #4 II THYMELAEACEAE
- Gonystylus costalis* Airy Shaw #4 II THYMELAEACEAE (E) Ramin
- Gonystylus decipiens* Airy Shaw #4 II THYMELAEACEAE (E) Ramin

<i>Gonostylus eximus</i> Airy Shaw #4 II THYMELAEACEAE	<i>Goodyera grandis</i> (Blume) Blume #4 II 64 ORCHIDACEAE
<i>Gonostylus forbesii</i> Gilg. #4 II THYMELAEACEAE	<i>Goodyera</i> , Heart-leaf Beak (E): <i>Goodyera cordata</i>
<i>Gonostylus glaucescens</i> Airy Shaw #4 II THYMELAEACEAE (E) Ramin	<i>Goodyera lanceolata</i> Ridley #4 II 64 ORCHIDACEAE
<i>Gonostylus hackenbergii</i> Diels #4 II THYMELAEACEAE	<i>Goodyera macrophylla</i> Lowe #4 II 64 ORCHIDACEAE
<i>Gonostylus keithii</i> Airy Shaw #4 II THYMELAEACEAE	<i>Goodyera major</i> Ames & Correll #4 II 64 ORCHIDACEAE
<i>Gonostylus lucidulus</i> Airy Shaw #4 II THYMELAEACEAE (E) Ramin	<i>Goodyera maurevertii</i> Blume #4 II 64 ORCHIDACEAE
<i>Gonostylus macrocarpus</i> C.T. White #4 II THYMELAEACEAE	<i>Goodyera micrantha</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Gonostylus macrophyllus</i> (Miq.) Airy Shaw #4 II THYMELAEACEAE (E) Ramin	<i>Goodyera modesta</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Gonostylus maingayi</i> Hook.f. #4 II THYMELAEACEAE (E) Ramin, Ramin Pipit	<i>Goodyera ovatilabia</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Gonostylus micranthus</i> Airy Shaw #4 II THYMELAEACEAE (E) Ramin	<i>Goodyera procera</i> (Ker Gawler) Hook. #4 II 64 ORCHIDACEAE (E) White Featherduster Orchid
<i>Gonostylus miquelianus</i> Teijsm. & Binn. #4 II THYMELAEACEAE	<i>Goodyera pusilla</i> Blume #4 II 64 ORCHIDACEAE
<i>Gonostylus nervosus</i> Airy Shaw #4 II THYMELAEACEAE (E) Ramin	<i>Goodyera recurva</i> Lindley #4 II 64 ORCHIDACEAE
<i>Gonostylus nobilis</i> Airy Shaw #4 II THYMELAEACEAE (E) Ramin	<i>Goodyera repens</i> (L.) R.Br. #4 II 64 ORCHIDACEAE
<i>Gonostylus obovatus</i> Merrill #4 II THYMELAEACEAE	<i>Goodyera reticulata</i> Blume #4 II 64 ORCHIDACEAE
<i>Gonostylus othmanii</i> C.S. Tawan #4 II THYMELAEACEAE	<i>Goodyera rosans</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Gonostylus pendulus</i> Airy Shaw #4 II THYMELAEACEAE (E) Ramin	<i>Goodyera rubens</i> Blume #4 II 64 ORCHIDACEAE
<i>Gonostylus philippinensis</i> Elmer #4 II THYMELAEACEAE	<i>Goodyera rubicunda</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Gonostylus pluricornis</i> Radlk. #4 II THYMELAEACEAE	<i>Goodyera scripta</i> (Reichb.f.) Schltr. #4 II 64 ORCHIDACEAE
<i>Gonostylus punctatus</i> A.C. Smith #4 II THYMELAEACEAE (E) Ramin	<i>Goodyera subregularis</i> (Reichb.f.) Schltr. #4 II 64 ORCHIDACEAE
<i>Gonostylus reticulatus</i> Merrill #4 II THYMELAEACEAE	<i>Goodyera turialbae</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Gonostylus spectabilis</i> Airy Shaw #4 II THYMELAEACEAE (E) Ramin	<i>Goodyera viridiflora</i> (Blume) Blume #4 II 64 ORCHIDACEAE
<i>Gonostylus stenosepalus</i> Airy Shaw #4 II THYMELAEACEAE (E) Ramin	<i>Goodyera waitziana</i> Blume #4 II 64 ORCHIDACEAE
<i>Gonostylus sympetala</i> Domke #4 II THYMELAEACEAE	<i>Gora</i> (E): <i>Ravenea rivularis</i>
<i>Gonostylus velutinus</i> Airy Shaw #4 II THYMELAEACEAE	<i>Gorgoglossum reichenbachianum</i> Lehmann 1897 = <i>Sievekingia reichenbachiana</i> Rolfe
<i>Gonostylus warburgianus</i> Gilg ex Domke #4 II THYMELAEACEAE	<i>Gorgoglossum reichenbachianum</i> Lehmann ex Schltr. 1914 = <i>Sievekingia reichenbachiana</i> Rolfe
<i>Gonostylus xylocarpus</i> Airy Shaw #4 II THYMELAEACEAE (E) Ramin	<b>Govenia</b> spp. Lindl. #4 II 64 ORCHIDACEAE
<b>Goodyera</b> spp. R. Br. #4 II 64 ORCHIDACEAE	<i>Govenia bella</i> Greenwood #4 II 64 ORCHIDACEAE
<i>Goodyera augustinii</i> Tuy. #4 II 64 ORCHIDACEAE	<i>Govenia praecox</i> Salazar & Greenwood #4 II 64 ORCHIDACEAE
<i>Goodyera bifida</i> (Blume) Blume #4 II 64 ORCHIDACEAE	<i>Govenia purpusii</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Goodyera biflora</i> (Lindley) Hook.f. #4 II 64 ORCHIDACEAE	<i>Govenia tequilana</i> Dressler & Hágster #4 II 64 ORCHIDACEAE
<i>Goodyera boninensis</i> Nakai #4 II 64 ORCHIDACEAE	<i>Govenia tingens</i> Poeppig & Endl. #4 II 64 ORCHIDACEAE
<i>Goodyera colorata</i> (Blume) Blume #4 II 64 ORCHIDACEAE	<i>Govenia utriculata</i> (Sw.) Lindley #4 II 64 ORCHIDACEAE
<i>Goodyera cordata</i> (Lindley) Hook.f. #4 II 64 ORCHIDACEAE (E) Heart-leaf Beak Goodyera	<i>Grafia parishii</i> (Rchb.f.) A.D.Hawkes = <i>Phalaenopsis</i> <i>parishii</i> Rchb.f.
<i>Goodyera dolabripetala</i> (Ames) Schltr. #4 II 64 ORCHIDACEAE	<b>Grammangis</b> spp. Reichb.f. #4 II 64 ORCHIDACEAE
<i>Goodyera foliosa</i> Benth. #4 II 64 ORCHIDACEAE (E) Coral Beak Orchid	<i>Grammangis ellisi</i> Rchb.f. #4 II 64 ORCHIDACEAE
<i>Goodyera fumata</i> Thwaites = <i>Allochilus eberhardtii</i> Gagnepain	<i>Grammangis stapeliiflorum</i> (Teijsm. & Binnend.) Schltr. #4 II 64 ORCHIDACEAE
<i>Goodyera glauca</i> J.J. Smith #4 II 64 ORCHIDACEAE	<b>Grammatophyllum</b> spp. Blume #4 II 64 ORCHIDACEAE <i>Grammatophyllum elegans</i> (Lindl.) Rchb.f. = <i>Cymbidium</i> <i>elegans</i> Lindl.

- Grammatophyllum speciosum* Blume #4 II 64  
ORCHIDACEAE
- Grammatophyllum stapeliiflorum* (Teijsm. & Binn.) J.J.Sm. #4 II 64 ORCHIDACEAE
- Granadillo (S): *Dalbergia granadillo*
- Granadillo morado (S): *Dalbergia granadillo*
- Graphorkis spp.** Thou. #4 II 64 ORCHIDACEAE
- Graphorkis cucullata* Kuntze = *Polystachya galeata* (Sw) Rchb.f.
- Graphorkis lurida* #4 II 64 ORCHIDACEAE
- Graphorkis scripta* Lindl. #4 II 64 ORCHIDACEAE
- Green, Pitcher-plant (E): *Sarracenia oreophila*
- Greenwoodia spp.** Burns-Bal #4 II 64 ORCHIDACEAE
- Grobya spp.** Lindl. #4 II 64 ORCHIDACEAE
- Grosourdya spp.** Reichb. f. #4 II 64 ORCHIDACEAE
- Grosourdya appendiculata* (Bl.) Reichb. f. #4 II 64 ORCHIDACEAE
- Grusonia bradtiana* (Coulter) Britton & Rose = *Opuntia bradtiana* (Coulter) K. Brandegee
- Grusonia bulbispina* (Engelmann) H. Robinson = *Opuntia bulbispina* Engelmann
- Grusonia hamiltonii* Gates ex Marshall & Bock = *Opuntia rosarica* Lindsay
- Grusonia santamaria* Baxter = *Opuntia santa-rita* (Griffiths & Hare) Rose
- Grusonia santamaria* Baxter = *Opuntia santamaria* (Baxter) Wiggins
- Grusonia wrightiana* Baxter = *Opuntia kunzei* Rose
- Guaïac (F): *Guaiacum sanctum*
- Guaiacum (E): *Guaiacum sanctum*
- Guaiacum spp.** L. #2 II ZYGOPHYLLACEAE
- Guaiacum (E): *Guaiacum officinale*
- Guaiacum angustifolium** Engelm. #2 II ZYGOPHYLLACEAE
- Guaiacum bijugum Stokes = *Guaiacum officinale* L.
- Guaiacum coulteri** A. Gray #2 II ZYGOPHYLLACEAE
- Guaiacum guatemalense* Planch. ex Hemsl. = *Guaiacum sanctum* L.
- Guaiacum guatemalense* Planch. ex Rydb. = *Guaiacum sanctum* L.
- Guaiacum, Gum (E): *Guaiacum officinale*
- Guaiacum, Gum (E): *Guaiacum sanctum*
- Guaiacum multijugum* Stokes = *Guaiacum sanctum* L.
- Guaiacum officinale** L. #2 II ZYGOPHYLLACEAE (E)
- Brazil Wood, Commoner Lignum Vitae, Guaiac Tree, Guaiacum, Guaiacum Resin, Guaiacum Wood, Gum Guaiacum, Lignum Vitae, Pockwood, Tree of Life, Vera, Wood of life (S) Guajacum, Guayacán negro, Guayaco, Leno de Guayaco, Palo de vida, Palosanto, Palo Santo, Pau Santo (F) Bois de Gaïac, Bois de saint, Bois de vie, Gaïac, Gayac, Resina de Gayaco, Resin de Gaïac
- Guaiacum palmeri* Vail = *Guaiacum coulteri* A. Gray
- Guaiacum parvifolium* Planch. ex A. Gray = *Guaiacum coulteri* A. Gray
- Guaiacum planchonii* Gray Ex. Vail and Ryberg = *Guaiacum coulteri* A. Gray
- Guaiacum sanctum** L. #2 II ZYGOPHYLLACEAE (E)
- Bastard Lignum-vitae, Brazil Wood, Guaiacum, Guaiacum Resin, Guaiacum Wood, Gum Guaiacum,
- Hollywood Lignum Vitae, Pockwood (S) Guajacum, Guayacan, Guayacán blanco, Guayacancillo, Guayacán real, Lenha de Guayaco, Palasanto (F) Bois de Gaïac, Gayac, Guaïac, Resina de Guayaco, Resin de Gaïac
- Guaiacum sloanei* Shutt. ex A. Gray = *Guaiacum sanctum* L.
- Guaiacum unijugum** T.S.Brandegee #2 II ZYGOPHYLLACEAE
- Guaiacum verticale* Orteg. = *Guaiacum sanctum* L.
- Guajacum (S): *Guaiacum officinale*
- Guajacum (S): *Guaiacum sanctum*
- Guanchezia maguirei* (C.Schweinf.) G.A.Romero & G.Carnevali 2000 = *Bifrenaria maguirei* C.Schweinf.
- Guarianthe* spp. Dressler & W.E.Higgins #4 II 64 ORCHIDACEAE
- Guarianthe patinii* (Cogn.) Dressler & W.E.Higgins #4 II 64 ORCHIDACEAE
- Guayacan (S): *Guaiacum sanctum*
- Guayacan (S): *Bulnesia sarmientoi*
- Guayacán blanco (S): *Guaiacum sanctum*
- Guayacancillo (S): *Guaiacum sanctum*
- Guayacán negro (S): *Guaiacum officinale*
- Guayacán real (S): *Guaiacum sanctum*
- Guayaco (S): *Guaiacum officinale*
- Guilandina echinata* (Lam.) Spreng. = *Caesalpinia echinata* Lam.
- Guillauminia albiflora* Guillaumin A.Bertrand 1956 = *Aloe albiflora* Guillaumin 11940
- Guillauminia bakeri* (Scott-Elliott) P.V.Heath 1994 = *Aloe bakeri* Scott Elliott 1891
- Guillauminia bellatula* (Reynolds) P.V.Heath 1994 = *Aloe bellatula* Reynolds 1956
- Guillauminia calcairophila* (Reynolds) P.V.Heath 1994 = *Aloe calcairophila* Reynolds 1961
- Guillauminia descoingsii* (Reynolds) P.V.Heath 1994 = *Aloe descoingsii* G. Reyn. 1958
- Guillauminia rauhii* (Reynolds) P.V.Heath 1994 = *Aloe rauhii* G. Reynolds 1963
- Gúillo (S): *Araucaria araucana*
- Guirnalda de Filipinas (S): *Hedychium philippinense*
- Gully, Tree Fern (E): *Alsophila cunninghamii*
- Gunnarella spp.** Senghas #4 II 64 ORCHIDACEAE
- Gunnarella nambana* B. Lewis #4 II 64 ORCHIDACEAE
- Gyas humilis* Salisb. = *Bletilla striata* (Thunb. ex A.Murray) Rchb.f.
- Gymnadenia spp.** R. Br. #4 II 64 ORCHIDACEAE
- Gymnadenia albida* (L.) Rich. = *Pseudorchis albida* (L.) A.Löve & D.Löve
- Gymnadenia bicornis* T.Tang & K.Y.Lang #4 II 64 ORCHIDACEAE
- Gymnadenia borealis* (Druce) R.Bateman #4 II 64 ORCHIDACEAE
- Gymnadenia conopsea* (L.) R.Br. #4 II 64 ORCHIDACEAE
- Gymnadenia crassinervis* Finet #4 II 64 ORCHIDACEAE
- Gymnadenia cucullata* (L.) Rich. = *Neottianthe cucullata* (L.) Schltr.
- Gymnadenia frivaldii* Hampe ex Griseb. = *Pseudorchis frivaldii* (Hampe ex Griseb.) P.F.Hunt
- Gymnadenia fujisanensis* Sugim. #4 II 64 ORCHIDACEAE

- Gymnadenia obcordata* Reichb.f. #4 II 64 ORCHIDACEAE *Gymnocalycium bayrianum* H.Till #4 II 49 CACTACEAE  
*Gymnadenia odoratissima* (L.) Rich. #4 II 64  
 ORCHIDACEAE (F) Gymnadénie Odorante  
*Gymnadénie Odorante* (F): *Gymnadenia odoratissima*  
*Gymnanthocereus macracanthus* Ritter = *Browningia pilleifera* (Ritter) Hutchinson  
*Gymnanthocereus pilleifera* Ritter = *Browningia pilleifera* (Ritter) Hutchinson  
*Gymnigritella* spp. #4 II 64 ORCHIDACEAE  
*Gymnigritella runei* Teppner & Klein #4 II 64  
 ORCHIDACEAE  
*Gymnocactus aguirreanus* Glass & Foster = *Escobaria aguirreana* (Glass & Foster) Taylor  
*Gymnocactus beguinii* (K. Schum.) Backeb. = *Turbinicarpus beguinii* (Taylor) Mosco & Zanollo  
*Gymnocactus beguinii* (Weber ex Schumann) Backeberg = *Sclerocactus erectocentrus* (Coulter) Taylor  
*Gymnocactus gielsdorffianus* (Werderm.) Backeb. = *Turbinicarpus gielsdorffianus* (Werdermann) John & Riha  
*Gymnocactus goldii* (Bravo) Ito = *Turbinicarpus horripilus* (Lemaire) John & Riha  
*Gymnocactus horripilus* (Lemaire) Backeb. = *Turbinicarpus horripilus* (Lemaire) John & Riha  
*Gymnocactus knuthianus* (Boedeker) Backeb. = *Turbinicarpus knuthianus* (Boedeker) John & Riha  
*Gymnocactus mandragora* (Fric) Backeb. = *Turbinicarpus mandragora* (Fric ex Berger) A.Zimmerman  
*Gymnocactus roseanus* (Boedeker) Glass & Foster = *Escobaria roseana* (Boedeker) Buxbaum  
*Gymnocactus saueri* (Boedeker) Backeb. = *Turbinicarpus saueri* (Boedeker) John & Riha  
*Gymnocactus subterraneus* (Backeb.) Backeb. = *Turbinicarpus subterraneus* (Backeberg) A.Zimmerman  
*Gymnocactus subterraneus* (Backeberg) Schwarz = *Turbinicarpus subterraneus* (Backeberg) A.Zimmerman  
*Gymnocactus valdezianus* (Moeller) Backeberg = *Turbinicarpus valdezianus* (Moeller) Glass & Foster  
*Gymnocactus ysabelae* (Schlange) Backeb. = *Turbinicarpus ysabelae* (Schlange) John & Riha  
*Gymnocalycium* spp. Pfeiffer #4 II 49 CACTACEAE  
*Gymnocalycium acorragatum* J.G.Lambert = *Gymnocalycium castellanosii* Backeberg  
*Gymnocalycium albispinum* Backeberg = *Gymnocalycium bruchii* (Spegazzini) Hosseus  
*Gymnocalycium ambatoense* Piltz #4 II 49 CACTACEAE  
*Gymnocalycium amerhauseri* H.Till #4 II 49  
 CACTACEAE  
*Gymnocalycium andreae* (Boedeker) Backeberg #4 II 49 CACTACEAE  
*Gymnocalycium angelae* Meregalli #4 II 49 CACTACEAE  
*Gymnocalycium anisitsii* (Schumann) Britton & Rose #4 II 49 CACTACEAE  
*Gymnocalycium antherostele* Ritter = *Gymnocalycium schickendantzii* (Weber) Britton & Rose  
*Gymnocalycium asterium* Y.Ito ex Castellanos = *Gymnocalycium stellatum* Spegazzini  
*Gymnocalycium baldianum* (Spegazzini) Spegazzini #4 II 49 CACTACEAE  
*Gymnocalycium bayrianum* H.Till #4 II 49 CACTACEAE  
*Gymnocalycium berchtii* G.J.A.Neuhuber #4 II 49  
 CACTACEAE  
*Gymnocalycium bicolor* Schuetz = *Gymnocalycium mostii* (Guerke) Britton & Rose  
*Gymnocalycium bodenbenderianum* (Hosseus ex Berger) A.W.Hill #4 II 49 CACTACEAE  
*Gymnocalycium borthii* Koop ex H.Till #4 II 49  
 CACTACEAE  
*Gymnocalycium bozsingianum* Schuetz = *Gymnocalycium castellanosii* Backeberg  
*Gymnocalycium brachypetalum* Spegazzini = *Gymnocalycium gibbosum* (Haworth) Pfeiffer ex Mittler  
*Gymnocalycium bruchii* (Spegazzini) Hosseus #4 II 49  
 CACTACEAE  
*Gymnocalycium buenekeri* Swales #4 II 49  
 CACTACEAE  
*Gymnocalycium calochlorum* (Boedeker) Ito #4 II 49  
 CACTACEAE  
*Gymnocalycium capillaense* (Schick) Hosseus #4 II 49  
 CACTACEAE  
*Gymnocalycium carminanthum* Borth & Koop #4 II 49  
 CACTACEAE  
*Gymnocalycium castellanosii* Backeberg #4 II 49  
 CACTACEAE  
*Gymnocalycium catamarcense* H.Till & W.Till #4 II 49  
 CACTACEAE  
*Gymnocalycium chiquitanum* Cardenas #4 II 49  
 CACTACEAE  
*Gymnocalycium chubutense* (Spegazzini) Spegazzini = *Gymnocalycium gibbosum* (Haworth) Pfeiffer ex Mittler  
*Gymnocalycium chuquisanum* Cardenas = *Gymnocalycium pflanzii* (Vaupel) Werdermann  
*Gymnocalycium comarapense* Backeberg = *Gymnocalycium pflanzii* (Vaupel) Werdermann  
*Gymnocalycium curvispinum* Fric = *Gymnocalycium neuhuberi* H.Till & W.Till  
*Gymnocalycium damsii* (Schumann) Britton & Rose = *Gymnocalycium anisitsii* (Schumann) Britton & Rose  
*Gymnocalycium deeszianum* Doelz #4 II 49  
 CACTACEAE  
*Gymnocalycium delaetii* (Schumann) Hosseus #4 II 49  
 CACTACEAE  
*Gymnocalycium denudatum* (Link & Otto) Pfeiffer ex Mittler #4 II 49 CACTACEAE  
*Gymnocalycium erinaceum* J.G.Lambert #4 II 49  
 CACTACEAE  
*Gymnocalycium eurypleurum* Plesnik ex Ritter #4 II 49  
 CACTACEAE  
*Gymnocalycium eytianum* Cardenas #4 II 49  
 CACTACEAE  
*Gymnocalycium ferox* (Backeberg) Slaba = *Gymnocalycium castellanosii* Backeberg  
*Gymnocalycium ferrarii* Rausch = *Gymnocalycium mucidum* Oehme  
*Gymnocalycium fleischerianum* Backeberg #4 II 49  
 CACTACEAE  
*Gymnocalycium fricianum* Plesnik = *Gymnocalycium marsoneri* Fric ex Ito

- Gymnocalycium friedrichii* (Werdermann) Pazout =  
*Gymnocalycium stenopleurum* Ritter  
*Gymnocalycium gerardii* (Boedeker) Ito = *Gymnocalycium gibbosum* (Haworth) Pfeiffer ex Mittler  
***Gymnocalycium gibbosum*** (Haworth) Pfeiffer ex Mittler #4 II 49 CACTACEAE  
*Gymnocalycium glaucum* Ritter = *Gymnocalycium mucidum* Oehme  
*Gymnocalycium grandiflorum* Backeberg =  
*Gymnocalycium mostii* (Guerke) Britton & Rose  
*Gymnocalycium griseopallidum* Backeberg =  
*Gymnocalycium anisitsii* (Schumann) Britton & Rose  
*Gymnocalycium guanchinense* Schuetz = *Gymnocalycium hossei* (F.Haage) Berger  
*Gymnocalycium hamatum* Ritter = *Gymnocalycium marsoneri* Fric ex Ito  
*Gymnocalycium hammerschmidii* Backeberg =  
*Gymnocalycium chiquitanum* Cardenas  
*Gymnocalycium horizontalonium* Fric ex Kreuzinger =  
*Gymnocalycium spegazzinii* Britton & Rose  
***Gymnocalycium horstii*** Buining #4 II 49 CACTACEAE  
***Gymnocalycium hossei*** (F.Haage) Berger #4 II 49 CACTACEAE  
***Gymnocalycium hybopleurum*** (Schumann) Backeberg #4 II 49 CACTACEAE  
***Gymnocalycium hyptiacanthum*** (Lemaire) Britton & Rose #4 II 49 CACTACEAE  
*Gymnocalycium immemoratum* Castellanos & Lelong =  
*Gymnocalycium mostii* (Guerke) Britton & Rose  
*Gymnocalycium izozogsii* Cardenas = *Gymnocalycium pflanzii* (Vaupel) Werdermann  
*Gymnocalycium joossensianum* (Boedeker) Britton & Rose = *Gymnocalycium anisitsii* (Schumann) Britton & Rose  
***Gymnocalycium kieslingii*** Ferrari #4 II 49 CACTACEAE  
*Gymnocalycium kurtzianum* (Guerke) Britton & Rose =  
*Gymnocalycium mostii* (Guerke) Britton & Rose  
*Gymnocalycium lagunillasense* Cardenas =  
*Gymnocalycium pflanzii* (Vaupel) Werdermann  
***Gymnocalycium leeannum*** (Hooker) Britton & Rose #4 II 49 CACTACEAE  
***Gymnocalycium leptanthum*** (Spegazzini) Spegazzini #4 II 49 CACTACEAE  
*Gymnocalycium loricatum* (Spegazzini) Spegazzini =  
*Gymnocalycium spegazzinii* Britton & Rose  
***Gymnocalycium mackieanum*** (Hooker) Metzing et al. #4 II 49 CACTACEAE  
*Gymnocalycium marquezii* Cardenas = *Gymnocalycium pflanzii* (Vaupel) Werdermann  
***Gymnocalycium marsoneri*** Fric ex Ito #4 II 49 CACTACEAE  
*Gymnocalycium mazanense* (Backeberg) Backeberg =  
*Gymnocalycium hossei* (F.Haage) Berger  
*Gymnocalycium megalothelon* (Sencke ex Schumann) Britton & Rose = *Gymnocalycium monvillei* (Lemaire) Britton & Rose  
*Gymnocalycium melanocarpum* (Arechavaleta) Britton & Rose = *Gymnocalycium uruguayanum* (Arechavaleta) Britton & Rose  
***Gymnocalycium mesopotamicum*** Kiesling #4 II 49  
CACTACEAE  
*Gymnocalycium michoga* Fric ex Ito = *Gymnocalycium schickendantzii* (Weber) Britton & Rose  
***Gymnocalycium mihanovichii*** (Fric & Guerke) Britton & Rose #4 II 49 CACTACEAE (E) Ruby Ball Cactus, Strawberry Cactus  
*Gymnocalycium millaresii* Cardenas = *Gymnocalycium pflanzii* (Vaupel) Werdermann  
***Gymnocalycium monvillei*** (Lemaire) Britton & Rose #4 II 49 CACTACEAE  
***Gymnocalycium mostii*** (Guerke) Britton & Rose #4 II 49 CACTACEAE  
***Gymnocalycium mucidum*** Oehme #4 II 49 CACTACEAE  
*Gymnocalycium multiflorum* (Hooker) Britton & Rose = *Gymnocalycium monvillei* (Lemaire) Britton & Rose  
***Gymnocalycium netrelianum*** (Monville ex Labouret) Britton & Rose #4 II 49 CACTACEAE  
***Gymnocalycium neuhuberi*** H.Till & W.Till #4 II 49 CACTACEAE  
*Gymnocalycium neumannianum* (Backeberg) Hutchison = *Rebutia neumanniana* (Werdermann) Hunt  
*Gymnocalycium nidulans* Backeberg = *Gymnocalycium hossei* (F.Haage) Berger  
*Gymnocalycium nigriareolatum* Backeberg = *Gymnocalycium hybopleurum* (Schumann) Backeberg  
***Gymnocalycium obductum*** J.Piltz #4 II 49 CACTACEAE  
***Gymnocalycium ochoterenae*** Backeberg #4 II 49 CACTACEAE  
***Gymnocalycium oenanthemum*** Backeberg #4 II 49 CACTACEAE  
*Gymnocalycium onychacanthum* Ito = *Gymnocalycium marsoneri* Fric ex Ito  
*Gymnocalycium ourselianum* (Cels ex Salm-Dyck) Ito = *Gymnocalycium monvillei* (Lemaire) Britton & Rose  
*Gymnocalycium paedophilum* Ritter ex Schuetz = *Gymnocalycium pediophilum* Ritter ex Schuetz  
***Gymnocalycium paraguayense*** (Schumann) Schuetz #4 II 49 CACTACEAE  
***Gymnocalycium parvulum*** (Spegazzini) Spegazzini #4 II 49 CACTACEAE  
***Gymnocalycium pediophilum*** Ritter ex Schuetz #4 II 49 CACTACEAE  
***Gymnocalycium pflanzii*** (Vaupel) Werdermann #4 II 49 CACTACEAE  
*Gymnocalycium pflanzii argentinense* H.Till & W.Till = *Gymnocalycium pflanzii* (Vaupel) Werdermann  
***Gymnocalycium platense*** (Spegazzini) Britton & Rose #4 II 49 CACTACEAE  
*Gymnocalycium platyonorum* (H.Till & W.Till) Pilbeam = *Gymnocalycium riojense* Fric ex H.Till & W.Till  
*Gymnocalycium proliferum* (Backeberg) Backeberg = *Gymnocalycium calochlorum* (Boedeker) Ito  
***Gymnocalycium pugionacanthum*** Backeberg #4 II 49 CACTACEAE  
***Gymnocalycium quehlianum*** (F.Haage ex Quehl) Vaupel ex Hosseus #4 II 49 CACTACEAE  
***Gymnocalycium ragonesei*** Castellanos #4 II 49 CACTACEAE

- Gymnocalycium rauschii** H.Till & W.Till #4 II 49  
CACTACEAE
- Gymnocalycium reductum** (Link) Pfeiffer ex Mittler =  
*Gymnocalycium gibbosum* (Haworth) Pfeiffer ex Mittler
- Gymnocalycium rhodantherum** (Boedeker) hort. =  
*Gymnocalycium hossei* (F.Haage) Berger
- Gymnocalycium riograndense** Cardenas =  
*Gymnocalycium pflanzii* (Vaupel) Werdermann
- Gymnocalycium riojense** Fric ex H.Till & W.Till #4 II 49  
CACTACEAE
- Gymnocalycium ritterianum** Rausch #4 II 49  
CACTACEAE
- Gymnocalycium rosae** H.Till #4 II 49 CACTACEAE
- Gymnocalycium saglione** (Cels) Britton & Rose =  
*Gymnocalycium saglionis* (Cels) Britton & Rose
- Gymnocalycium saglionis** (Cels) Britton & Rose #4 II 49  
CACTACEAE
- Gymnocalycium sanguiniflorum** (Werdermann)  
Werdermann = *Gymnocalycium baldianum*  
(Spegazzini) Spegazzini
- Gymnocalycium schatzlianum** Strigl & W.Till =  
*Gymnocalycium mackieanum* (Hooker) Metzing et al.
- Gymnocalycium schickendantzii** (Weber) Britton &  
Rose #4 II 49 CACTACEAE
- Gymnocalycium Schroederianum** Osten #4 II 49  
CACTACEAE
- Gymnocalycium schuetzianum** H.Till & Schatzl =  
*Gymnocalycium monvillei* (Lemaire) Britton & Rose
- Gymnocalycium sigelianum** (Schick) Hosseus =  
*Gymnocalycium capillaense* (Schick) Hosseus
- Gymnocalycium spegazzinii** Britton & Rose #4 II 49  
CACTACEAE
- Gymnocalycium stellatum** Spegazzini #4 II 49  
CACTACEAE
- Gymnocalycium stenopleurum** Ritter #4 II 49  
CACTACEAE
- Gymnocalycium strigianum** Jeggle ex H.Till #4 II 49  
CACTACEAE
- Gymnocalycium stuckertii** (Spegazzini) Britton & Rose  
#4 II 49 CACTACEAE
- Gymnocalycium sutterianum** (Schick) Hosseus =  
*Gymnocalycium capillaense* (Schick) Hosseus
- Gymnocalycium taningaense** J.Piltz #4 II 49  
CACTACEAE
- Gymnocalycium terweemeanum** (Teucq ex Duursma)  
Borgmann & Piltz #4 II 49 CACTACEAE
- Gymnocalycium tillianum** Rausch #4 II 49 CACTACEAE
- Gymnocalycium tobuschianum** Schick = *Gymnocalycium*  
*mostii* (Guerke) Britton & Rose
- Gymnocalycium triacanthum** Backeberg =  
*Gymnocalycium riojense* Fric ex H.Till & W.Till
- Gymnocalycium uebelmannianum** Rausch #4 II 49  
CACTACEAE
- Gymnocalycium uruguayense** (Arechavaleta) Britton &  
Rose #4 II 49 CACTACEAE
- Gymnocalycium valnicensianum** Jajo = *Gymnocalycium*  
*mostii* (Guerke) Britton & Rose
- Gymnocalycium weissianum** Backeberg = *Gymnocalycium*  
*hossei* (F.Haage) Berger
- Gymnocalycium zegaruae** Cardenas = *Gymnocalycium*  
*pflanzii* (Vaupel) Werdermann
- Gymnocereus altissimus** (Ritter) Backeberg = *Browningia*  
*altissima* (Ritter) Buxbaum
- Gymnocereus amstutziae** Rauh & Backeberg =  
*Browningia amstutziae* (Rauh & Backeberg)  
Hutchinson ex Krainz
- Gymnocereus microspermus** (Werdermann & Backeberg)  
Backeberg = *Browningia microsperma* (Werdermann &  
Backeberg) Marshall
- Gymnochilus spp.** Blume #4 II 64 ORCHIDACEAE
- Gymnosphaera aculeata** J.Sm. 1842 = *Alsophila aspera*  
(L. 1753) Br et Spr. 1827
- Gymnosphaera alticola** Tardieu 1951 = *Alsophila alticola*  
(Tardieu 1951) R.Tryon 1970
- Gymnosphaera andersonii** (J Scott ex Bedd) Ching &  
S.K.Wu. = *Cyathea andersonii* (Beddome 1869) Copel  
1909
- Gymnosphaera andohahelensis** (Tardieu 1941) Tardieu  
1951 = *Alsophila andohaleensis* Tardieu 1941
- Gymnosphaera atropurpurea** (Copel. 1909) Copel. 1947 =  
*Cyathea atropurpurea* Copel. 1909
- Gymnosphaera biformis** (Rosenst. 1911) Copel. 1947 =  
*Alsophila biformis* Ros. 1911
- Gymnosphaera bipinnatifida** (Copel. 1935) Copel. 1947 =  
*Sphaeropteris trichophora* (Copel. 1911) R.Tryon 1970
- Gymnosphaera boivinii** (Mett. ex Ettingsh. 1865) Tardieu  
1951 = *Cyathea bullata* (Baker 1876)  
F.Rakotondrainibe
- Gymnosphaera burbridgei** (Baker 1879) Copel. 1947 =  
*Sphaeropteris wallacei* (Mett. ex Kuhn 1869) R.Tryon  
1970
- Gymnosphaera coursii** (Tardieu 1941) Tardieu 1951 =  
*Alsophila coursii* Tardieu 1941
- Gymnosphaera denticulata** (Baker 1885) Copel. 1947 =  
*Cyathea hancockii* Copel. 1909
- Gymnosphaera dinagatensis** Copel. 1952 = *Sphaeropteris*  
*polypoda* (Baker 1894) R.Tryon 1970
- Gymnosphaera formosana** (Baker 1891) Copel. 1947 =  
*Alsophila metteniana* Hance 1868
- Gymnosphaera gigantea** J.Sm. 1842 = *Alsophila gigantea*  
Wall. ex Hook. 1844
- Gymnosphaera glabra** Blume 1828 = *Alsophila glabra*  
(Blume 1828) Hook 1844
- Gymnosphaera glabra** Copel. non Bl. = *Sphaeropteris*  
*polypoda* (Baker 1894) R.Tryon 1970
- Gymnosphaera gracillima** (Copel. 1942) Copel. 1947 =  
*Alsophila macgillivrayi* Baker 1874
- Gymnosphaera hancockii** (Copel.) Ching 1978 = *Cyathea*  
*hancockii* Copel. 1909
- Gymnosphaera hewittii** (Copel. 1911) Copel. 1947 =  
*Cyathea recommutata* Copel. 1909
- Gymnosphaera holttumii** (Copel. 1935) Copel. 1947 =  
*Sphaeropteris elliptica* (Copel. 1971) R.Tryon 1970
- Gymnosphaera hornei** (Baker 1879) Copel. 1947 =  
*Cyathea hornei* (Baker 1879) Copel. 1929
- Gymnosphaera kemberangana** (Copel. 1917) Copel. 1947 =  
*Sphaeropteris polypoda* (Baker 1894) R.Tryon 1970
- Gymnosphaera kingi** (Clarke ex Bedd. 1883) Copel. 1947  
= *Alsophila lurida* (Blume 1828) Hook. 1844

- Gymnosphaera melanocaulos* (Alderw. 1924) Copel. 1947 *Gyrinopsis decemcostata* Hall.f. = *Aquilaria cumingiana*  
 = *Cyathea hornei* (Baker 1879) Copel. 1929 (Decne) Ridley  
*Gymnosphaera melanorrhachis* (Copel. 1907) Copel. 1947 *Gyrinopsis grandifolia* Quis. = *Aquilaria beccariana* van Tiegh.  
 = *Alsophila lurida* (Blume 1828) Hook. 1844  
*Gymnosphaera melleri* (Baker 1874) Tardieu 1951 =  
*Alsophila melleri* (Baker 1874) R.Tryon 1970  
*Gymnosphaera metteniana* (Hance) Tagawa 1951 =  
*Alsophila metteniana* Hance 1868  
*Gymnosphaera mollis* (Copel. 1917) Copel. 1947 =  
*Sphaeropteris trichophora* (Copel. 1911) R.Tryon 1970  
*Gymnosphaera nicklesii* Tard. & Ballard ex Tard 1953 =  
*Alsophila nicklesii* (Tardieu & Ballard 1953) R.Tryon 1970  
*Gymnosphaera obliqua* (Copel. 1911) Copel. 1947 =  
*Sphaeropteris obliqua* (Copel. 1911) R.Tryon 1970  
*Gymnosphaera ogurae* (Hayata 1925) Tagawa 1951 =  
*Cyathea ogurae* (Hayata 1925) Domin 1930  
*Gymnosphaera papuana* (Ridl. 1916) Copel. 1947 =  
*Sphaeropteris papuana* (Ridley 1916) R.Tryon 1970  
*Gymnosphaera podophylla* (Hook. 1857) Copel. 1947 =  
*Cyathea podophylla* (Hook. 1857) Copel. 1909  
*Gymnosphaera pulchra* (Copel. 1929) Copel. 1947 =  
*Sphaeropteris obscura* (Scortech. ex Bedd. 1887)  
 R.Tryon 1970  
*Gymnosphaera ramispina* (Hook. 1866) Copel. 1947 =  
*Cyathea ramispina* (Hook. in Hook. & Baker 1866)  
 Copel. 1909  
*Gymnosphaera sarawakensis* (C.Chr. 1913) Copel. 1947 =  
 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970  
*Gymnosphaera schlechteri* (Brause 1912) Copel. 1947 =  
*Cyathea schlechteri* (Brause 1912) Domin 1929  
*Gymnosphaera squamulata* Blume 1828 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970  
*Gymnosphaera squamulata* J.Sm. 1841 (non Blume. 1828) = *Cyathea recommutata* Copel. 1909  
*Gymnosphaera subbipinnata* (Copel. 1935) Copel. 1947 =  
*Sphaeropteris elliptica* (Copel. 1971) R.Tryon 1970  
*Gymnosphaera trichophora* (Copel. 1911) Copel. 1947 =  
*Sphaeropteris trichophora* (Copel. 1911) R.Tryon 1970  
*Gymnosphaera vexans* (Cesati 1876) Copel. 1947 =  
*Alsophila glabra* (Blume 1828) Hook 1844  
*Gymnostylis candida* Wall. ex Pfitzer = *Pleione maculata* (Lindl.) Lindl.  
**Gynoglottis spp.** J.J. Smith #4 II 64 ORCHIDACEAE  
*Gynoglottis cymbidioides* (Rchb.f) J.J.Smith #4 II 64 ORCHIDACEAE  
**Gyrinops spp.** Gaertn. #14 II THYMELAEACEAE  
*Gyrinops audata* (Gilg) Domke #14 II THYMELAEACEAE  
*Gyrinops decipiens* Ding Hou #14 II THYMELAEACEAE  
*Gyrinopsis acuminate* Merr. = *Aquilaria audata* (Oken) Merr.  
*Gyrinopsis brachyantha* Merr. = *Aquilaria brachyantha* (Merr.) Hall.f.  
*Gyrinopsis brachyantha* Merr. = *Aquilaria audata* (Oken) Merr.  
*Gyrinopsis citrinaecarpa* Elmer = *Aquilaria citrinaecarpa* (Elmer) Hall. f  
*Gyrinopsis cumingiana* Decne = *Aquilaria cumingiana* (Decne) Ridley
- Gyrinopsis pubifolia* Quis. = *Aquilaria cumingiana* (Decne) Ridley  
*Gyrinopsis urdanetensis* Elmer = *Aquilaria urdanetensis* (Elmer) Hall  
*Gyrinops ladermanii* (non Donke) Merr & Perry = *Gyrinops podocarpus* (Gilg.) Domke  
*Gyrinops ladermanii* Domke #14 II THYMELAEACEAE  
*Gyrinops moluccana* (Miq.) Baill. #14 II THYMELAEACEAE  
*Gyrinops podocarpus* (Gilg.) Domke #14 II THYMELAEACEAE  
*Gyrinops salicifolia* Ridl. #14 II THYMELAEACEAE  
*Gyrinops versteegii* (Gilg) Domke #14 II THYMELAEACEAE  
*Gyrinops wala* (non Gaertn.) Koord = *Gyrinops versteegii* (Gilg) Domke  
*Gyrinops walla* Gaertner #14 II THYMELAEACEAE  
*Gyrostachys aphylla* (Hook.) Kuntze 1891 = *Sacoila lanceolata* (Aubl.) Garay  
*Gyrostachys arrabidae* (Rchb.f.) Kuntze 1891 = *Stenorrhynchos arrabidae* Rchb.f. 1849  
*Gyrostachys aurantiaca* = *Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas  
*Gyrostachys lanceolata* (Aubl.) Kuntze = *Sacoila lanceolata* (Aubl.) Garay  
*Gyrostachys lupulina* (Lindl.) Kuntze = *Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas  
*Gyrostachys orchidioides* (Sw.) Kuntze = *Sacoila lanceolata* (Aubl.) Garay  
*Gyrostachys speciosa* (Jacq.) Kuntze 1891 = *Stenorrhynchos speciosum* (Jacq.) L.C.Rich. ex Spreng.  
*Gyrostachys stenorhynchus* Kuntze 1891 = *Sacoila lanceolata* (Aubl.) Garay  
*Gyrostachys vaginata* (Humb., Bonpl. & Kunth) Kuntze 1891 = *Stenorrhynchos vaginatum* (Humb., Bonpl. & Kunth) Spreng.  
**Haageocereus spp.** Backeb. #4 II 49 CACTACEAE  
*Haageocereus acanthoclados* Rauh & Backeberg = *Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg  
**Haageocereus acranthus** (Vaupel) Backeberg #4 II 49 CACTACEAE  
*Haageocereus akersii* Backeberg = *Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg  
*Haageocereus albisetatus* (Akers) Backeberg = *Haagespostoa albisetata* (Akers) Rowley  
**Haageocereus albispinus** (Akers) Backeberg #4 II 49 CACTACEAE  
*Haageocereus ambiguus* Rauh & Backeberg = *Haageocereus decumbens* (Vaupel) Backeberg  
**Haageocereus australis** Backeberg #4 II 49 CACTACEAE

- Haageocereus cephalomacrostibas* (Backeberg)  
*P.V.Heath* = *Echinopsis cephalomacrostibas*  
(Werdermann & Backeb.) Friedrich & Rowley
- Haageocereus chalaensis*** Ritter #4 II 49 CACTACEAE  
*Haageocereus chosicensis* (Werdermann & Backeberg)  
*Backeberg* = *Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus chrysacanthus* (Akers) Backeberg =  
*Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus chryseus*** Ritter #4 II 49 CACTACEAE  
*Haageocereus churinensis* (Ritter) P.V.Heath =  
*Weberbauerocephalus churinensis* Ritter
- Haageocereus clavatus* (Akers) Cullmann =  
*Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus climaxanthus* (Werdermann) Croizat =  
*Haagespostoa climaxantha* (Werdermann) Rowley
- Haageocereus crassiareolatus* Rauh & Backeberg =  
*Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus cuzcoensis* (Knize) P.V.Heath =  
*Weberbauerocephalus cuzcoensis* Knize
- Haageocereus decumbens*** (Vaupel) Backeberg #4 II 49 CACTACEAE  
*Haageocereus dichromus* Rauh & Backeberg =  
*Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus divaricatispinus* Rauh & Backeberg =  
*Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus fascicularis*** (Meyen) Ritter #4 II 49 CACTACEAE  
*Haageocereus fulvus* Ritter #4 II 49 CACTACEAE  
*Haageocereus horrens* Rauh & Backeberg =  
*Haageocereus pacalaensis* Backeberg
- Haageocereus icensis*** Backeberg ex Ritter #4 II 49 CACTACEAE  
***Haageocereus icosagonoides*** Rauh & Backeberg #4 II 49 CACTACEAE  
*Haageocereus johnsonii* (Ritter) P.V.Heath =  
*Weberbauerocephalus johnsonii* Ritter
- Haageocereus lanugispinus*** Ritter #4 II 49 CACTACEAE  
*Haageocereus laredensis* Backeberg = *Haageocereus pacalaensis* Backeberg
- Haageocereus litoralis* Rauh & Backeberg =  
*Haageocereus decumbens* (Vaupel) Backeberg
- Haageocereus longicomus* (Ritter) P.V.Heath =  
*Weberbauerocephalus longicomus* Ritter
- Haageocereus mammillatus* Rauh & Backeberg =  
*Haageocereus decumbens* (Vaupel) Backeberg
- Haageocereus multangularis* (Willdenow) Ritter =  
*Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus multicolorispinus* Buining = *Haageocereus australis* Backeberg
- Haageocereus pacalaensis*** Backeberg #4 II 49 CACTACEAE
- Haageocereus pachystele* Rauh & Backeberg =  
*Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus peculiaris* (Rauh & Backeberg) Ritter =  
*Cleistocactus peculiaris* (Rauh & Backeberg) Ostolaza
- Haageocereus piliger* Rauh & Backeberg = *Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus platinospinus*** (Werdermann & Backeberg) Backeberg #4 II 49 CACTACEAE
- Haageocereus pluriflorus*** Rauh & Backeberg #4 II 49 CACTACEAE
- Haageocereus pseudomelanostele*** (Werdermann & Backeberg) Backeberg #4 II 49 CACTACEAE
- Haageocereus pseudoversicolor*** Rauh & Backeberg #4 II 49 CACTACEAE
- Haageocereus rauhii* (Backeberg) P.V.Heath =  
*Weberbauerocephalus rauhii* Backeberg
- Haageocereus repens* Rauh & Backeberg =  
*Haageocereus pacalaensis* Backeberg
- Haageocereus setosus* (Akers) Backeberg =  
*Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus subtilispinus*** Ritter #4 II 49 CACTACEAE  
*Haageocereus symmetros* Rauh & Backeberg =  
*Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus tenuis*** Ritter #4 II 49 CACTACEAE  
*Haageocereus tenuispinus* Rauh & Backeberg =  
*Haageocereus pacalaensis* Backeberg
- Haageocereus torataensis* (Ritter) P.V.Heath =  
*Weberbauerocephalus torataensis* Ritter
- Haageocereus versicolor*** (Werdermann & Backeberg) Backeberg #4 II 49 CACTACEAE  
*Haageocereus viridiflorus* (Akers) Backeberg =  
*Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haageocereus vulpes*** Ritter #4 II 49 CACTACEAE  
*Haageocereus weberaueri* (Schumann ex Vaupel) Hunt =  
*Weberbauerocephalus weberbaueri* (Schumann ex Vaupel) Backeberg
- Haageocereus winterianus* (Ritter) P.V.Heath =  
*Weberbauerocephalus winterianus* Ritter
- Haageocereus zangalensis*** Ritter #4 II 49 CACTACEAE  
*Haageocereus zehnderi* Rauh & Backeberg =  
*Haageocereus pseudomelanostele* (Werdermann & Backeberg) Backeberg
- Haagespostoa* spp.** #4 II 49 CACTACEAE  
***Haagespostoa albisetata*** (Akers) Rowley #4 II 49 CACTACEAE
- Haagespostoa climaxantha*** (Werdermann) Rowley #4 II 49 CACTACEAE
- Habenaria* spp.** Nimmo #4 II 64 ORCHIDACEAE  
*Habenaria acuminata* (Thwaites) Trimen #4 II 64 ORCHIDACEAE
- Habenaria alata* Hook. #4 II 64 ORCHIDACEAE  
*Habenaria albida* (L.) R.Br. = *Pseudorchis albida* (L.) A.Löve & D.Löve
- Habenaria amparoana* Schltr. #4 II 64 ORCHIDACEAE

- Habenaria angustifolia* Kunth #4 II 64 ORCHIDACEAE  
*Habenaria angustissima* Summerh. #4 II 64  
 ORCHIDACEAE  
*Habenaria arcuata* (Lindley) Hook.f. #4 II 64  
 ORCHIDACEAE  
*Habenaria avicula* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria aviculoides* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Habenaria backeri* J.J. Smith #4 II 64 ORCHIDACEAE  
*Habenaria bantamensis* J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Habenaria barnesii* Summerh. ex C. Fischer #4 II 64  
 ORCHIDACEAE  
*Habenaria batesii* La Croix #4 II 64 ORCHIDACEAE  
*Habenaria bequaertii* Summerh. #4 II 64 ORCHIDACEAE  
*Habenaria bicolor* Conrath & Kraenzl. #4 II 64  
 ORCHIDACEAE  
*Habenaria brenesii* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria brevilabiata* A. Rich. & Galeotti #4 II 64  
 ORCHIDACEAE  
*Habenaria carnea* N.E. Br. #4 II 64 ORCHIDACEAE  
*Habenaria chapaensis* Gagnepain #4 II 64  
 ORCHIDACEAE  
*Habenaria ciliolaris* Kränzlin #4 II 64 ORCHIDACEAE  
*Habenaria corydophora* Reichb.f. #4 II 64 ORCHIDACEAE  
*Habenaria costaricensis* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria crassifolia* A. Rich. #4 II 64 ORCHIDACEAE  
*Habenaria cumminsiana* King & Pantl. #4 II 64  
 ORCHIDACEAE  
*Habenaria curvicalcar* J.J. Smith #4 II 64 ORCHIDACEAE  
*Habenaria damaiensis* J.J. Smith #4 II 64 ORCHIDACEAE  
*Habenaria delavayi* Finet #4 II 64 ORCHIDACEAE  
*Habenaria dentata* Schltr. #4 II 64 ORCHIDACEAE (E)  
 Phantom Orchid  
*Habenaria denticulata* Reichb.f. #4 II 64 ORCHIDACEAE  
*Habenaria dichopetala* Thwaites #4 II 64 ORCHIDACEAE  
*Habenaria distans* Griseb. #4 II 64 ORCHIDACEAE  
*Habenaria divaricata* Rogers & White #4 II 64  
 ORCHIDACEAE  
*Habenaria divergens* Summerh. #4 II 64 ORCHIDACEAE  
*Habenaria dolichostachya* Thwaites #4 II 64  
 ORCHIDACEAE  
*Habenaria edgeworthii* Hook.f. ex Collett #4 II 64  
 ORCHIDACEAE  
*Habenaria elongata* R. Br. #4 II 64 ORCHIDACEAE  
*Habenaria endresiana* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria eurystoma* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria evrardii* Gagnepain #4 II 64 ORCHIDACEAE  
*Habenaria fargesii* Finet #4 II 64 ORCHIDACEAE  
*Habenaria fimbriata* Wight #4 II 64 ORCHIDACEAE  
*Habenaria finetiana* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria floribunda* Lindley #4 II 64 ORCHIDACEAE  
*Habenaria fordii* Rolfe #4 II 64 ORCHIDACEAE  
*Habenaria giriensis* J.J. Smith #4 II 64 ORCHIDACEAE  
*Habenaria gymnadenioides* Schltr. #4 II 64  
 ORCHIDACEAE  
*Habenaria hirsutissima* Summerh. #4 II 64  
 ORCHIDACEAE  
*Habenaria holubii* Rolfe #4 II 64 ORCHIDACEAE  
*Habenaria horsfieldiana* Kranzlin #4 II 64 ORCHIDACEAE  
*Habenaria humilior* Reichb. f. #4 II 64 ORCHIDACEAE  
*Habenaria hymenophylla* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria hyperborea* (L.) R.Br. = *Platanthera hyperborea*  
 (L.) Lindl.  
*Habenaria insularis* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria irazuensis* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria ixtlanensis* Greenwood #4 II 64  
 ORCHIDACEAE  
*Habenaria iyoensis* Ohwi #4 II 64 ORCHIDACEAE  
*Habenaria jaliscana* S.Watson #4 II 64 ORCHIDACEAE  
*Habenaria javanica* Kranzlin #4 II 64 ORCHIDACEAE  
*Habenaria josephii* Reichb.f. #4 II 64 ORCHIDACEAE  
*Habenaria katangensis* Summerh. #4 II 64  
 ORCHIDACEAE  
*Habenaria keayi* Summerh. #4 II 64 ORCHIDACEAE  
*Habenaria kingii* Hook.f. #4 II 64 ORCHIDACEAE  
*Habenaria koordersii* J.J. Smith #4 II 64 ORCHIDACEAE  
*Habenaria kraenzliniana* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria laevigata bicolor* (Conrath & Kraenzl.)  
 Schlecht. = *Habenaria bicolor* Conrath & Kraenzl.  
*Habenaria lancifolia* A.Rich. #4 II 64 ORCHIDACEAE  
*Habenaria latilabris* Hook.f. #4 II 64 ORCHIDACEAE  
*Habenaria leptoloba* Benth. #4 II 64 ORCHIDACEAE (E)  
 Fairy Orchid  
*Habenaria leucophaea* (Nutt) A.Gray = *Platanthera leucophaea* (Nutt.) Lindl.  
*Habenaria linearifolia* Maxim. #4 II 64 ORCHIDACEAE  
*Habenaria lingueilla* Lindl. #4 II 64 ORCHIDACEAE (E)  
 Sulphur Orchid  
*Habenaria linguiformis* Summerh. #4 II 64  
 ORCHIDACEAE  
*Habenaria loerzingii* J.J. Smith #4 II 64 ORCHIDACEAE  
*Habenaria longibracteata* Hochst. = *Platanthera azorica*  
 Schltr.  
*Habenaria macraithii* Lavarack #4 II 64 ORCHIDACEAE  
*Habenaria macrotidion* Summerh. #4 II 64  
 ORCHIDACEAE  
*Habenaria mairei* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria maitlandii* Summerh. #4 II 64 ORCHIDACEAE  
*Habenaria malacophylla* Rchb. f. #4 II 64 ORCHIDACEAE  
*Habenaria malleifera* Hook.f. #4 II 64 ORCHIDACEAE  
*Habenaria marquisensis* F. Brown #4 II 64  
 ORCHIDACEAE  
*Habenaria medusa* Kranzlin #4 II 64 ORCHIDACEAE  
*Habenaria micrantha* Hochst. = *Platanthera micrantha*  
 (Hochst.) Schltr.  
*Habenaria microceras* Hook.f #4 II 64 ORCHIDACEAE  
*Habenaria miersiana* Champ. #4 II 64 ORCHIDACEAE  
*Habenaria mitodes* Garay & Kittredge #4 II 64  
 ORCHIDACEAE  
*Habenaria monorrhiza* (Sw.) Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Habenaria mossi* (G.Will.) J.C.Manning #4 II 64  
 ORCHIDACEAE  
*Habenaria multipartita* Blume ex Kranzlin #4 II 64  
 ORCHIDACEAE  
*Habenaria nigerica* Summerh. #4 II 64 ORCHIDACEAE

- Habenaria nigrescens* Summerh. #4 II 64 ORCHIDACEAE  
*Habenaria obovata* Summerh. #4 II 64 ORCHIDACEAE  
*Habenaria oerstedii* Reichb.f. #4 II 64 ORCHIDACEAE  
*Habenaria panchganiensis* Sant. & Kapad. #4 II 64  
 ORCHIDACEAE  
*Habenaria panigrahiana* Misra #4 II 64 ORCHIDACEAE  
*Habenaria parvipetala* J.J. Smith #4 II 64 ORCHIDACEAE  
*Habenaria paucifolia* Lindl. #4 II 64 ORCHIDACEAE  
*Habenaria petromedusa* Webb #4 II 64 ORCHIDACEAE  
*Habenaria phylacocheira* Summerh. #4 II 64  
 ORCHIDACEAE  
*Habenaria polyodon* Hook.f. #4 II 64 ORCHIDACEAE  
*Habenaria praetermissa* Seidenf. #4 II 64 ORCHIDACEAE  
*Habenaria prionocraspedon* Summerh. #4 II 64  
 ORCHIDACEAE  
*Habenaria propinquior* Reichb.f. #4 II 64 ORCHIDACEAE  
*Habenaria pterocarpa* Thwaites #4 II 64 ORCHIDACEAE  
*Habenaria pubescens* Lindley #4 II 64 ORCHIDACEAE  
*Habenaria radiata* (Thunb.) Sprengel #4 II 64  
 ORCHIDACEAE  
*Habenaria ramayyana* S.T. Ramachandr. & J.J. Wood #4 II  
 64 ORCHIDACEAE  
*Habenaria reflexa* Blume #4 II 64 ORCHIDACEAE  
*Habenaria rehmannii* Bolus = *Habenaria humilior* Reichb.  
 f.  
*Habenaria reniformis* Hk.f. #4 II 64 ORCHIDACEAE (E)  
 Gnome's Cap Orchid  
*Habenaria rhodocheila* Hance #4 II 64 ORCHIDACEAE  
 (E) Little Dragon, Red Man Orchid  
*Habenaria rhynchocarpa* (Thwaites) Trimen #4 II 64  
 ORCHIDACEAE  
*Habenaria richardiana* Wight #4 II 64 ORCHIDACEAE  
*Habenaria rosellata* (Thouars) Schltr. #4 II 64  
 ORCHIDACEAE  
*Habenaria rumpfii* (Brogn.) Lindley #4 II 64  
 ORCHIDACEAE  
*Habenaria rzedowskiana* Gonz.-Tam. #4 II 64  
 ORCHIDACEAE  
*Habenaria salaccensis* Blume #4 II 64 ORCHIDACEAE  
*Habenaria secunda* Lindley #4 II 64 ORCHIDACEAE  
*Habenaria setifolia* Carr #4 II 64 ORCHIDACEAE  
*Habenaria singularis* Summerh. #4 II 64 ORCHIDACEAE  
*Habenaria socotrana* Balf. f. #4 II 64 ORCHIDACEAE  
*Habenaria speciosa* Poepp. & Endl. = *Habenaria monorrhiza* (Sw.) Reichb.f.  
*Habenaria stenantha* Hook.f. #4 II 64 ORCHIDACEAE  
*Habenaria subaequalis* Summerh. #4 II 64  
 ORCHIDACEAE  
*Habenaria subauriculata* Robinson & Greenman #4 II 64  
 ORCHIDACEAE  
*Habenaria supervacunea* Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Habenaria susannae* (Linn.) R.Br. #4 II 64  
 ORCHIDACEAE  
*Habenaria thomana* Rchb.f #4 II 64 ORCHIDACEAE  
*Habenaria tradescantifolia* Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Habenaria tridactylites* Lindl. #4 II 64 ORCHIDACEAE  
*Habenaria umbratilis* Ames & L.O. Williams #4 II 64  
 ORCHIDACEAE  
*Habenaria undulata* (J.J. Smith) J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Habenaria unellezii* Foldats #4 II 64 ORCHIDACEAE  
*Habenaria vaupelii* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria velutina* Summerh. #4 II 64 ORCHIDACEAE  
*Habenaria verecunda* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria vesiculosa* A.Rich. #4 II 64 ORCHIDACEAE  
*Habenaria virens* A. Rich. & Galeotti #4 II 64  
 ORCHIDACEAE  
*Habenaria viridis* (L.) R.Br. = *Coeloglossum viride* (L.)  
 Hartm.  
*Habenaria wercklei* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria williamsonii* Cribb #4 II 64 ORCHIDACEAE  
*Habenaria woodii* Schltr. #4 II 64 ORCHIDACEAE  
*Habenaria xanthantha* F.Muell. #4 II 64 ORCHIDACEAE  
*Habenaria yuana* T.Tang & F.T.Wang #4 II 64  
 ORCHIDACEAE  
*Habenaria zollingeri* Reichb.f. #4 II 64 ORCHIDACEAE  
*Habenaria zothecina* Higgins & Welsh #4 II 64  
 ORCHIDACEAE (E) Alcove Bog Orchid  
***Hagsatera* spp.** Tamayo #4 II 64 ORCHIDACEAE  
*Hagsatera brachycolumna* (L.O. Williams) Gonz. Tam. #4  
 II 64 ORCHIDACEAE  
*Hagsatera rosilloi* Gonz.Tam. #4 II 64 ORCHIDACEAE  
*Hakoneaste* spp. F. Maek. #4 II 64 ORCHIDACEAE  
*Hamatocactus setispinus* (Engelmann) Britton & Rose =  
*Thelocactus setispinus* (Engelmann) Anderson  
*Hammarbya* spp. Kuntze #4 II 64 ORCHIDACEAE  
*Hammarbya paludosa* (L.) Kuntze #4 II 64  
 ORCHIDACEAE (E) Bog Orchid (F) Malaxis des  
 tourbières  
***Hancockia* spp.** Rolfe #4 II 64 ORCHIDACEAE  
*Hancockia japonica* (Hatus.) F. Maek. #4 II 64  
 ORCHIDACEAE  
*Hapalochilus acanthoglossus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum acanthoglossum* Schltr.  
*Hapalochilus algidus* (Ridl.) Garay & W. Kittr. =  
*Bulbophyllum algidum* Ridl.  
*Hapalochilus alkmaarensis* J.J.Sm. = *Bulbophyllum alkmaarensis* J.J.Sm.  
*Hapalochilus alticola* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum alticola* Schltr.  
*Hapalochilus arfakensis* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum arfakense* J.J.Sm.  
*Hapalochilus aristilabris* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum aristilabre* J.J.Sm.  
*Hapalochilus aureoapex* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum aureoapex* Schltr.  
*Hapalochilus bandischii* Garay, Hamer & Siegerist =  
*Bulbophyllum arminii* Sieder  
*Hapalochilus brevis* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum breve* Schltr.  
*Hapalochilus callipes* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum callipes* J.J.Sm.  
*Hapalochilus caudatipetalum* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum caudipetalum* J.J.Sm.

- Hapalochilus chrysochilus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum chrysochilum* Schltr.  
*Hapalochilus chrysochilus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum chrysoglossum* Schltr.  
*Hapalochilus chrysoglossum* (Schltr.) Garay & W. Kittr. =  
*Bulbophyllum chrysoglossum* Schltr.  
*Hapalochilus collinus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum collinum* Schltr.  
*Hapalochilus coloratus* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum coloratum* J.J.Sm.  
*Hapalochilus concavibasalis* (van Royen) Garay & W.Kittr.  
= *Bulbophyllum concavibasalis* P.Royen  
*Hapalochilus concolor* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum concolor* J.J.Sm.  
*Hapalochilus cruciatus* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum cruciatum* J.J.Sm.  
*Hapalochilus cucullatus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum cucullatum* Schltr.  
*Hapalochilus cuniculiformis* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum cuniculiforme* J.J.Sm.  
*Hapalochilus decurvulus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum decurvulum* Schltr.  
*Hapalochilus dolichoglottis* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum dolichoglottis* Schltr.  
*Hapalochilus fasciatus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum fasciatum* Schltr.  
*Hapalochilus fibrinus* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum fibrinum* J.J.Sm.  
*Hapalochilus formosus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum formosum* Schltr..  
*Hapalochilus frustrans* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum frustrans* J.J.Sm.  
*Hapalochilus geniculifer* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum geniculiferum* J.J.Sm.  
*Hapalochilus gobiensis* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum gobiense* Schltr.  
*Hapalochilus holochilus* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum holochilum* J.J.Sm.  
*Hapalochilus humilis* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum humile* Schltr.  
*Hapalochilus immobilis* (Schltr.) Garay, Hamer & Siegerist  
= *Bulbophyllum cruciatum* J.J.Sm.  
*Hapalochilus inclinatus* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum inclinatum* J.J.Sm.  
*Hapalochilus jadunae* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum jadunae* Schltr.  
*Hapalochilus jensenii* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum jensenii* J.J.Sm.  
*Hapalochilus keleensis* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum keleense* Schltr.  
*Hapalochilus kermesinus* (Ridl.) Garay & W.Kittr. =  
*Bulbophyllum kermesinum* Ridl.  
*Hapalochilus kusaiense* (Tuyama) Garay, Hamer &  
Siegerist = *Bulbophyllum kusaiense* Tuyama  
*Hapalochilus leontoglossus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum leontoglossum* Schltr.  
*Hapalochilus leucorhodus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum leucorhodum* Schltr.  
*Hapalochilus lohokii* (J.J.Verm. & A.L.Lamb) Garay, Hamer  
& Siegerist = *Bulbophyllum lohokii* J.J.Verm. &  
A.L.Lamb  
*Hapalochilus longilabris* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum longilabre* Schltr.  
*Hapalochilus melinoglossus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum melinoglossum* Schltr.  
*Hapalochilus microrhombos* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum microrhombos* Schltr.  
*Hapalochilus monosema* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum monosema* Schltr.  
*Hapalochilus mutatus* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum mutatum* J.J.Sm.  
*Hapalochilus mystrochilus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum mystrochilum* Schltr.  
*Hapalochilus neobudicus* Garay, Hamer & Siegerist =  
*Bulbophyllum neobudicus* (Garay, Hamer & Siegerist)  
Sieder  
*Hapalochilus nitidus* (Schltr.) Senghas = *Bulbophyllum*  
*nitidum* Schltr.  
*Hapalochilus novae-hiberniae* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum novae-hiberniae* Schltr.  
*Hapalochilus olorinus* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum olorinum* J.J.Sm.  
*Hapalochilus oxyanthus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum oxyanthum* Schltr.  
*Hapalochilus pema* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum pema* Schltr.  
*Hapalochilus quadricaudatus* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum quadricaudatum* J.J.Sm.  
*Hapalochilus rectilabris* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum rectilabre* J.J.Sm.  
*Hapalochilus reflexus* Garay & W.Kittr. = *Bulbophyllum*  
*wechsbergerii* Sieder  
*Hapalochilus scaphosepalum* (Ridl.) Garay & W.Kittr. =  
*Bulbophyllum scaphosepalum* Ridl.  
*Hapalochilus schizopetalum* (L.O.Williams) Garay &  
W.Kittr. = *Bulbophyllum schizopetalum* L.O.Williams  
*Hapalochilus scitulus* (Ridl.) Garay & W.Kittr. =  
*Bulbophyllum scitulum* Ridl.  
*Hapalochilus scyphochilus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum scyphochilus* Schltr.  
*Hapalochilus speciosus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum speciosum* Schltr.  
*Hapalochilus stabilis* (J.J.Sm.) Garay & W.Kittr. =  
*Bulbophyllum stabile* J.J.Sm.  
*Hapalochilus stellula* (Ridl.) Garay & W.Kittr. =  
*Bulbophyllum stellula* Ridl.  
*Hapalochilus stenophyton* Garay & W.Kittr. =  
*Bulbophyllum stenophyllum* Schltr.  
*Hapalochilus stictanthus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum stictanthum* Schltr.  
*Hapalochilus torricellensis* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum torricellense* Schltr.  
*Hapalochilus trachyglossus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum trachyglossum* Schltr.  
*Hapalochilus trichromus* (Schltr.) Garay & Sieder =  
*Bulbophyllum trichromum* Schltr.  
*Hapalochilus trigonocarpus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum trigonocarpum* Schltr.  
*Hapalochilus warianus* (Schltr.) Garay & W.Kittr. =  
*Bulbophyllum warianum* Schltr.

- Hapalochilus xanthoacron* (J.J.Sm.) Garay & W.Kittr. = *Bulbophyllum xanthoacron* J.J.Sm.  
*Hapalochilus xanthophaeus* (Schltr.) Garay & W.Kittr. = *Bulbophyllum xanthophaeum* Schltr.
- Hapalorchis spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Hapalorchis pumilis* (C. Schweinf.) Garay #4 II 64  
 ORCHIDACEAE
- Haraella spp.** Kudo #4 II 64 ORCHIDACEAE  
**Harrisella spp.** Fawc. & Rendle #4 II 64 ORCHIDACEAE
- Harrisella amnesiana* Cogn. 1910 = *Dendrophylax porrectus* (Rchb.f.) Carlsward & Whitten 2003  
*Harrisella filiformis* (Sw.) Cogn. 1910 = *Dendrophylax filiformis* (Sw.) Carlsward & Whitten 2003  
*Harrisella monteverdi* (Rchb.f.) Cogn. 1910 = *Dendrophylax filiformis* (Sw.) Carlsward & Whitten 2003  
*Harrisella porrecta* (Reichb. f.) Fawc. & Rendle 1909 = *Dendrophylax porrectus* (Rchb.f.) Carlsward & Whitten 2003  
*Harrisella uniflora* H. Dietr. 1982 #4 II 64 ORCHIDACEAE
- Harrisia spp.** Britton #4 II 49 CACTACEAE
- Harrisia aboriginum** Small ex Britton & Rose #4 II 49  
 CACTACEAE (E) Aboriginal Prickly-apple Cactus,  
 Yellow Prickly -apple Cactus
- Harrisia ascendens** (Guerke) Britton & Rose #4 II 49  
 CACTACEAE
- Harrisia balansae** (Schumann) Taylor & Zappi #4 II 49  
 CACTACEAE
- Harrisia bonplandii* (Parmentier ex Pfeiffer) Britton & Rose = *Harrisia pomanensis* (Weber) Britton & Rose
- Harrisia brookii** Britton #4 II 49 CACTACEAE  
*Harrisia deeringii* Backeberg = *Harrisia simpsonii* Small ex Britton & Rose
- Harrisia divaricata** (Lamarck) Backeberg #4 II 49  
 CACTACEAE
- Harrisia donae-antoniae* M.L.Hooten = *Harrisia gracilis* (Miller) Britton
- Harrisia earlei** Britton & Rose #4 II 49 CACTACEAE  
**Harrisia eriophora** (Pfeiffer) Britton #4 II 49 CACTACEAE  
 (E) Caribbean Apple Cactus, Fragrant Prickly-apple Cactus, Fragrant Woolly Cactus
- Harrisia fernowii** Britton #4 II 49 CACTACEAE  
**Harrisia fragrans** Small ex Britton & Rose #4 II 49  
 CACTACEAE (E) Fragrant Prickly-apple Cactus, Fragrant Woolly Cactus
- Harrisia gracilis** (Miller) Britton #4 II 49 CACTACEAE  
*Harrisia guelichii* (Spegazzini) Britton & Rose = *Harrisia balansae* (Schumann) Taylor & Zappi  
*Harrisia hahniana* (Backeberg) Kimnach & Hutchison = *Echinopsis hahniana* (Backeberg) R.S.Wallace
- Harrisia hurstii** W.T.Marshall #4 II 49 CACTACEAE  
**Harrisia martinii** (Labouret) Britton #4 II 49 CACTACEAE  
**Harrisia nashii** Britton #4 II 49 CACTACEAE  
**Harrisia pomanensis** (Weber) Britton & Rose #4 II 49  
 CACTACEAE
- Harrisia pomanensis bonplandii* (Parmentier) Braun & Esteves Pereira = *Harrisia pomanensis* (Weber) Britton & Rose
- Harrisia pomanensis tarijensis* (Ritter) Braun & Esteves Pereira = *Harrisia pomanensis* (Weber) Britton & Rose
- Harrisia portoricensis** Britton #4 II 49 CACTACEAE  
*Harrisia serruliflora* (Haworth) Lourteig = *Harrisia divaricata* (Lamarck) Backeberg
- Harrisia simpsonii** Small ex Britton & Rose #4 II 49  
 CACTACEAE (E) Simpson's Prickly-apple Cactus
- Harrisia taetra** Areces #4 II 49 CACTACEAE  
**Harrisia taylori** Britton #4 II 49 CACTACEAE  
**Harrisia tetracantha** (Labouret) Hunt #4 II 49  
 CACTACEAE
- Harrisia tortuosa** (Forbes) Britton & Rose #4 II 49  
 CACTACEAE
- Hartwegia gemma* Rchb.f. 1878 = *Nageliella gemma* (Rchb.f.) Ames & Correll  
*Hartwegia kienastii* (Rchb.f.) Rolfe = *Encyclia kienastii* (Rchb.f.) Dressler & Pollard  
*Hartwegia purpurea* Lindl. 1937 = *Nageliella purpurea* (Lindl.) L.O.Williams 1940
- Haseltonia column-trajani* (Karwinski ex Pfeiffer)  
 Backeberg = *Cephalocereus column-trajani* (Karwinsky ex Pfeiffer) Schumann
- Hatiora spp.** B. & R. #4 II 49 CACTACEAE  
*Hatiora bambusoides* (Weber) Britton & Rose = *Hatiora salicornioides* (Haworth) Britton & Rose ex Bailey  
*Hatiora cylindrica* Britton & Rose = *Hatiora salicornioides* (Haworth) Britton & Rose ex Bailey
- Hatiora epiphyloides** (Campos-Porto & Werdermann) F.Buxbaum #4 II 49 CACTACEAE  
**Hatiora gaertneri** (Regel) Barthlott #4 II 49 CACTACEAE  
**Hatiora herminiae** (Campos-Porto & Castellanos) Backeberg ex Barthlott #4 II 49 CACTACEAE
- Hatiora rosea** (Lagerheim) Barthlott #4 II 49 CACTACEAE  
**Hatiora salicornioides** (Haworth) Britton & Rose ex Bailey #4 II 49 CACTACEAE
- Head, Cactus, Pope's (E): *Mammillaria nivosa*  
 Health, Man's (E): *Panax quinquefolius*
- Hederorkis spp.** Thouars #4 II 64 ORCHIDACEAE  
*Hederorkis scandens* Thouars #4 II 64 ORCHIDACEAE  
*Hederorkis seychellensis* Bosser #4 II 64 ORCHIDACEAE  
*Hedychium philippinense* K. Schum. #4 II  
 ZINGIBERACEAE (E) Ginger Lily, Philippine Garland Flower (S) Guirnalda de Filipinas
- Helcia spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Helcia sanguinolenta* Lindley #4 II 64 ORCHIDACEAE  
*Heliabrova chende* (Roland-Gosselin) Backeberg = *Polaskia chende* (Roland-Gosselin) Gibson & Horak
- Helianthocereus antezanae* (Cardenas) Backeberg = *Echinopsis antezanae* (Cardenas) Friedrich & Rowley
- Helianthocereus atacamensis* (Philippi) Backeberg = *Echinopsis atacamensis* (Philippi) Friedrich & Rowley
- Helianthocereus bertramianus* (Backeberg) Backeberg = *Echinopsis bertramiana* (Backeberg) Friedrich & Rowley
- Helianthocereus conaconensis* (Cardenas) Backeberg = *Echinopsis conaconensis* (Cardenas) Friedrich & Rowley
- Helianthocereus crassicaulis* Backeberg = *Echinopsis crassicaulis* (Kiesling) H.Friedrich & Glaetzle

- Helianthocereus escayachensis* (Cardenas) Backeberg = *Echinopsis escayachensis* (Cardenas) Friedrich & Rowley  
*Helianthocereus grandiflorus* (Britton & Rose) Backeberg = *Echinopsis huascha* (Weber) Friedrich & Rowley  
*Helianthocereus huascha* (Weber) Backeberg = *Echinopsis huascha* (Weber) Friedrich & Rowley  
*Helianthocereus hyalacanthus* (Spegazzini) Backeberg = *Echinopsis huascha* (Weber) Friedrich & Rowley  
*Helianthocereus navaecensis* (Cardenas) Backeberg = *Echinopsis tarijensis* (Vaupel) Friedrich & Rowley  
*Helianthocereus orurensis* (Cardenas) Backeberg = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Helianthocereus pecheretianus* Backeberg = *Echinopsis huascha* (Weber) Friedrich & Rowley  
*Helianthocereus poco* (Backeberg) Backeberg = *Echinopsis tarijensis* (Vaupel) Friedrich & Rowley  
*Helianthocereus pseudocandicans* Backeberg = *Echinopsis candicans* (Gillies ex Salm-Dyck) Hunt  
*Helianthocereus randallii* (Cardenas) Backeberg = *Echinopsis formosa* (Pfeiffer) Jacobi ex Salm-Dyck  
*Helianthocereus tarijensis* (Vaupel) Backeberg = *Echinopsis tarijensis* (Vaupel) Friedrich & Rowley  
*Heliocereus aurantiacus* Kimnach = *Disocactus aurantiacus* (Kimnach) Barthlott  
*Heliocereus cinnabarinus* (Eichlam ex Weingart) Britton & Rose = *Disocactus cinnabarinus* (Eichlam) Barthlott  
*Heliocereus elegantissimus* Britton & Rose = *Disocactus schrankii* (Zuccarini ex Seitz) Barthlott  
*Heliocereus heterodoxus* Standley & Steyermark = *Disocactus cinnabarinus* (Eichlam) Barthlott  
*Heliocereus luzmariae* Scheinvar = *Disocactus schrankii* (Zuccarini ex Seitz) Barthlott  
*Heliocereus schrankii* (Zuccarini ex Seitz) Britton & Rose = *Disocactus schrankii* (Zuccarini ex Seitz) Barthlott  
*Heliocereus speciosissimus* (De Candolle) Y.Ito = *Disocactus speciosus* (Cavanilles) Barthlott  
*Heliocereus speciosus* (Cavanilles) Britton & Rose = *Disocactus speciosus* (Cavanilles) Barthlott  
*Helleborine* (F): *Epipactis helleborine*  
*Helleborine atropurpurea* (Raf.) Schinz & Thell. = *Epipactis atrorubens* (Hoffm.) Besser  
*Helleborine*, Cretan (E): *Cephalanthera cucullata*  
*Helleborine*, Giant (E): *Epipactis gigantea*  
*Helleborine*, Green-flowered (E): *Epipactis phyllanthes*  
*Helleborine latifolia* (L.) Moench = *Epipactis helleborine* (L.) Crantz  
*Helleborine*, Marsh (E): *Epipactis palustris*  
*Helleborine microphylla* (Ehrh.) Schinz & Thell. = *Epipactis microphylla* (Ehrh.) Sw.  
*Helleborine*, Narrow-leaved (E): *Cephalanthera longifolia*  
*Helleborine palustris* (L.) Schrank = *Epipactis palustris* (L.) Crantz  
*Helleborine*, Red (E): *Cephalanthera rubra*  
*Helleborine rubiginosa* (Crantz) Stoj. & Stef. = *Epipactis atrorubens* (Hoffm.) Besser  
*Helleborine tenuifolia repens* Plum. 1703 = *Isochilus linearis* (Jacq.) R. Br. 1813  
*Helleborine viridans* Samp. = *Epipactis helleborine* (L.) Crantz
- Helleriella* spp.** A.D.Hawkes #4 II 64 ORCHIDACEAE  
***Helonoma* spp.** Garay #4 II 64 ORCHIDACEAE  
***Hemipilia* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Hemipilia amesiana* Schltr. #4 II 64 ORCHIDACEAE  
*Hemipilia calophylla* Pai & Reichb.f. #4 II 64 ORCHIDACEAE  
*Hemipilia cordifolia* Lindley #4 II 64 ORCHIDACEAE  
*Hemipilia crassicalcara* S.S..Chien #4 II 64 ORCHIDACEAE  
*Hemipilia cruciata* Finet #4 II 64 ORCHIDACEAE  
*Hemipilia flabellata* Bureau & Franch #4 II 64 ORCHIDACEAE  
*Hemipilia forrestii* Rolfe #4 II 64 ORCHIDACEAE  
*Hemipilia henryi* Rolfe #4 II 64 ORCHIDACEAE  
*Hemipilia limprichtii* Schltr. ex H.Limper #4 II 64 ORCHIDACEAE  
***Hemiscleria* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Hemistegia ameristoneura* Fée 1857 = *Cyathea ameristoneura* (Fée 1857) Domin 1929  
*Hemistegia monilifera* C.Presl. 1848 = *Cyathea monilifera* (J.Sm.) comb.ined.  
*Hemistegia munita* C.Presl. 1848 = *Cyathea munita* Willd. ex Hook. 1844  
*Hemistegia speciosa* Fée 1850-1852 = *Cyathea subincisa* (Kunze 1844) Domin 1929  
*Hemitelia alsophiliformis* Alderw. 1914 = *Cyathea junghuhniana* (Kunze) Copel.  
*Hemitelia alternans* (Wall. ex Hook. 1844) Hook. 1844 = *Sphaeropteris alternans* (Wallich ex Hook. 1844) R.Tryon 1970  
*Hemitelia ameristoneura* (Fée 1857) C.Chr. 1905 = *Cyathea ameristoneura* (Fée 1857) Domin 1929  
*Hemitelia andina* Karst. 1856 = *Cyathea andina* (Karsten 1856) Domin 1930  
*Hemitelia arborea* (L. 1753) Fée 1850-1851 = *Cyathea arborea* (L. 1753) Smith 1793  
*Hemitelia arfakensis* (Gepp 1917) Alderw. 1918 = *Alsophila biformis* Ros. 1911  
*Hemitelia aspera* (L. 1753) Fée 1850-52 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Hemitelia atrovirens* Trevis. 1851 = *Cyathea multiflora* Smith 1793  
*Hemitelia australis* C.Presl. 1851 = *Alsophila leichhardtiana* F.v.Muell. 1865  
*Hemitelia bakeriana* (Domin 1930) C.Chr 1934 = *Cyathea cyatheoides* (Desv.1827) Kramer  
*Hemitelia barisanica* Alderw. 1915 = *Alsophila javanica* (Blume 1828) R.Tryon 1970  
*Hemitelia beddomei* Clarke 1880 = *Cyathea spinulosa* Wallich ex. Hook. 1844  
*Hemitelia beyrichiana* (C.Presl. 1836) C.Presl. 1848 = *Alsophila setosa* Kaulf 1824  
*Hemitelia bicolor* (Copel. 1910) Alderw. 1917 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909  
*Hemitelia boninsimensis* Christ ex Diels 1899 = *Cyathea spinulosa* Wallich ex. Hook. 1844  
*Hemitelia boryana* Mett. 1869 = *Cyathea andina* (Karsten 1856) Domin 1930

- Hemitelia brunoniana* Clarke 1879 = *Sphaeropteris brunoniana* (Wall. ex Hook. 1844) R.Tryon 1970  
*Hemitelia brunoniana* (Wall ex Hook.) Clarke =  
*Sphaeropteris brunoniana* (Wall. ex Hook. 1844)  
R.Tryon 1970  
*Hemitelia caeseriana* (Christ 1907) Sampaio 1923 =  
*Alsophila sternbergii* (Pohl. ex Sternb. 1820) Conant 1983  
*Hemitelia calolepis* Hook (1865) = *Cyathea calolepis* (Hook. 1865) Domin 1929  
*Hemitelia capensis* Hook 1844 non (L.f.) R.Br. = *Cyathea raciborskii* Copel. 1909  
*Hemitelia caudata* (J.Sm. 1841) Mett. 1859 = *Cyathea caudata* (J. Smith 1841) Copel. 1906  
*Hemitelia caudiculata* Ros. 1917 = *Alsophila heterochlamydea* (Copel. 1908) R.Tryon 1970  
*Hemitelia caudipinnula* Alderw. 1912 = *Alsophila javanica* (Blume 1828) R.Tryon 1970  
*Hemitelia confluens* Alderw. 1914 = *Alsophila modesta* Baker 1880  
*Hemitelia cordata* Desv. 1827 = *Alsophila marattoides* (Willd. ex Kaulf. 1824) R.Tryon 1970  
*Hemitelia costaricensis* (Kl. ) Mett. 1864 ex Kuhn = *Cyathea costaricensis* (Kuhn 1869) Domin 1930  
*Hemitelia crenata* Sodiro 1883 = *Cyathea caracasana* (Klotzsch) Domin  
*Hemitelia crenulata* Mett. 1863 = *Cyathea raciborskii* Copel. 1909  
*Hemitelia cyatheoides* Desv. 1827 = *Cyathea cyatheoides* (Desv.1827) Kramer  
*Hemitelia cystolepis* (Sodiro 1883) Baker 1891 = *Cyathea pallescens* (Sodiro 1883) Domin. 1929  
*Hemitelia decipiens* (Scott 1869) Scott 1874 = *Cyathea spinulosa* Wallich ex. Hook. 1844  
*Hemitelia decorata* Maxon 1946 = *Cyathea decorata* (Maxon) R. Tryon 1970  
*Hemitelia decurrens* J.W.Moore = *Alsophila decurrens* Hook. 1844  
*Hemitelia denticulata* Hook. 1865 = *Cyathea multiflora* Smith 1793  
*Hemitelia dissimilis* C.Morton 1951 = *Cyathea dissimilis* (C. Morton 1951) Stolze 1974  
*Hemitelia d'urvillei* Mett. ex Kuhn 1869 = *Cyathea tahitensis* (Brackenr.) Copel 1929  
*Hemitelia ellottii* (Baker 1892) Maxon 1914 = *Cyathea ellottii* (Baker 1892) Domin 1930  
*Hemitelia escuquensis* Karst. 1869 = *Cyathea andina* (Karsten 1856) Domin 1930  
*Hemitelia extensa* (Forst. 1786) C.Presl. 1848 = *Cyathea caudata* (J. Smith 1841) Copel. 1906  
*Hemitelia falciloba* Colla 1892 = *Cyathea dealbata* (Forst. 1786) Sw. 1801  
*Hemitelia fallax* Alderw. 1920 = *Cyathea junghuhniana* (Kunze) Copel.  
*Hemitelia firma* Baker 1877 = *Alsophila firma* (Baker 1877) Conant 1983  
*Hemitelia glandulosa* Kuhn 1891 = *Alsophila melleri* (Baker 1874) R.Tryon 1970  
*Hemitelia glaucophylla* Alderw. 1912 = *Cyathea junghuhniana* (Kunze) Copel.  
*Hemitelia guianensis* Hook. 1844 = *Cyathea surinamensis* (Miq.1843) Domin 1929  
*Hemitelia hartii* Baker 1886 = *Cyathea multiflora* Smith 1793  
*Hemitelia hemichlamydea* (Copel. 1911) Alderw. 1917 = *Alsophila borneensis* (Copel. 1911) R.Tryon 1970  
*Hemitelia heterochlamydea* (Copel. 1908) Alderw. 1917 = *Alsophila heterochlamydea* (Copel. 1908) R.Tryon 1970  
*Hemitelia hirsuta* (Desv. 1811) Weath. 1936 = *Cyathea surinamensis* (Miq.1843) Domin 1929  
*Hemitelia hombersleyi* Maxon 1935 = *Cyathea hombersleyii* (Maxon) Stolze 1974  
*Hemitelia horridipes* Alderw. 1914 = *Alsophila alderwereltii* (Copel. 1909) R.Tryon 1970  
*Hemitelia hostmanni* Hook. 1844 = *Cyathea cyatheoides* (Desv.1827) Kramer  
*Hemitelia humbertiana* C.Chr. 1928 = *Alsophila humbertiana* (C.Chr. 1928) R.Tryon 1970  
*Hemitelia javanica* C.Presl. 1849 = *Cyathea junghuhniana* (Kunze) Copel.  
*Hemitelia joadii* Baker 1891 = *Cyathea andina* (Karsten 1856) Domin 1930  
*Hemitelia junghuhniana* (Kunze 1848) Mett. 1859 = *Cyathea junghuhniana* (Kunze) Copel.  
*Hemitelia kegelii* Kunze 1848 = *Cyathea surinamensis* (Miq.1843) Domin 1929  
*Hemitelia latebrosa* Mett. 1856 = *Alsophila latebrosa* Wall. ex Hook. 1844  
*Hemitelia latebrosa* (Wall.) Mett. = *Cyathea junghuhniana* (Kunze) Copel.  
*Hemitelia latipinnula* (Copel. 1911) Alderw. 1917 = *Alsophila latipinnula* (Copel. 1911) R.Tryon 1970  
*Hemitelia lechleri* Mett. 1859 = *Cyathea vilhelmii* Domin. 1929  
*Hemitelia ledermannii* Brause 1920 = *Sphaeropteris ledermannii* (Brause 1920) R.Tryon 1970  
*Hemitelia leprieurii* Jenman 1898 = *Cyathea andina* (Karsten 1856) Domin 1930  
*Hemitelia leprieurii* Kunze 1844 = *Cyathea leprieurii* (Kunze ) Domin 1929  
*Hemitelia lewisii* Morton & Proct. 1951 = *Cyathea lewisii* (Morton & Proctor 1951) Proctor 1953  
*Hemitelia lingulata* C.Presl. 1849 = *Cyathea surinamensis* (Miq.1843) Domin 1929  
*Hemitelia macarthuri* F.Muell. 1874 = *Alsophila ferinandii* R.Tryon 1970  
*Hemitelia macrocarpa* C.Presl. 1848 = *Cyathea macrocarpa* C. Presl 1848 Domin 1929  
*Hemitelia macrosora* (Baker 1877) Jenm. 1898 = *Cyathea macrosora* (Baker 1887) Domin 1929  
*Hemitelia marginalis* (Klotzsch 1844) Jenm. 1898 = *Cyathea marginalis* (Klotzsch 1844) Domin 1929  
*Hemitelia maxonii* Ros. 1925 = *Cyathea subarborescens* Domin. 1930  
*Hemitelia megalosora* Trevis. 1851 = *Cyathea macrocarpa* C. Presl 1848 Domin 1929  
*Hemitelia melleri* Baker 1874 = *Alsophila melleri* (Baker 1874) R.Tryon 1970

- Hemitelia merapiensis* Alderw. 1914 = *Cyathea junghuhniana* (Kunze) Copel.  
*Hemitelia mertensiana* (Kunze 1848) C.Presl. 1849 = *Sphaeropteris mertensiana* (Kunze 1848) R.Tryon 1970  
*Hemitelia microphylla* Colla 1895 = *Alsophila smithii* (Hook.f. 1854) R.Tryon 1970  
*Hemitelia microsepala* Jenm. 1886 = *Cyathea parvula* (Jenm.) Proctor 1953  
*Hemitelia minima* Morton 1951 = *Cyathea platylepis* (Hook. 1861) Domin 1929  
*Hemitelia minuscula* Maxon 1928 = *Cyathea parvula* (Jenm.) Proctor 1953  
*Hemitelia monilifera* J.Sm. 1848 = *Cyathea monilifera* (J.Sm.) comb.ined.  
*Hemitelia montana* Alderw. 1920 = *Alsophila montana* (Alderw. 1920) R. Tryon 1970  
*Hemitelia moorei* Baker 1872 = *Cyathea howeana* Domin 1929  
*Hemitelia moricandiana* Kunze ex Hook. 1865 = *Cyathea macrocarpa* C. Presl 1848 Domin 1929  
*Hemitelia multiflora* auctt. et C.Chr. 1905 = *Cyathea surinamensis* (Miq.1843) Domin 1929  
*Hemitelia multiflora* (Sm. 1793) Spr. 1827 = *Cyathea cyatheoides* (Desv.1827) Kramer  
*Hemitelia munita* (Willd. ex Hook. 1844) Hook. 1844 = *Cyathea munita* Willd. ex Hook. 1844  
*Hemitelia muricata* (Willd. 1810) Fée 1850-52 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Hemitelia nigricans* C.Presl. 1849 = *Cyathea multiflora* Smith 1793  
*Hemitelia obscura* Mett. 1864 = *Cyathea multiflora* Smith 1793  
*Hemitelia obtusa* Hook. 1844 non Kaulf 1827 = *Cyathea subincisa* (Kunze 1844) Domin 1929  
*Hemitelia paraphysophora* Alderw. 1920 = *Alsophila alderwereltii* (Copel. 1909) R.Tryon 1970  
*Hemitelia parkeri* Hook. 1844 = *Cyathea surinamensis* (Miq.1843) Domin 1929  
*Hemitelia parvula* (Jenm. 1879) Baker 1891 = *Cyathea parvula* (Jenm.) Proctor 1953  
*Hemitelia perpunctulata* Alderw. 1918 = *Alsophila perpunctulata* (Alderw. 1918) R. Tryon 1970  
*Hemitelia petiolata* Hook. 1844 = *Cyathea petiolata* (Hook. 1844) R.Tryon 1976  
*Hemitelia platylepis* Hook. 1861 = *Cyathea platylepis* (Hook. 1861) Domin 1929  
*Hemitelia raiateensis* J.W.Moore 1933 = *Cyathea raiateensis* (J.W.Moore) comb.ined.  
*Hemitelia rudimentaris* Alderw. 1922 = *Alsophila latebrosa* Wall. ex Hook. 1844  
*Hemitelia rufescens* Mett. ex Kuhn 1869 = *Sphaeropteris rufescens* (Mett. ex Kuhn 1869) Wind. 1973  
*Hemitelia sagittifolia* (Hook. 1866) Jenm. 1898 = *Cyathea sagittifolia* (Hook. 1866) Domin 1929  
*Hemitelia salticola* Alderw. 1915 = *Alsophila alderwereltii* (Copel. 1909) R.Tryon 1970  
*Hemitelia samoensis* (Brack. 1854) Mett. 1859 = *Sphaeropteris samoensis* (Brack. 1854) R.Tryon 1970  
*Hemitelia sellowiana* (C.Presl. 1836) C.Presl. 1848 = *Alsophila paleolata* C.Martius 1834  
*Hemitelia serra* (Willd. 1810) Desv. 1827 = *Cyathea arborea* (L. 1753) Smith 1793  
*Hemitelia servitensis* Karst. 1856 = *Cyathea surinamensis* (Miq.1843) Domin 1929  
*Hemitelia sessilifolia* (Jenm. 1882) Jenm. 1898 = *Cyathea sessifolia* (Jenm. 1882) Proctor 1953  
*Hemitelia setosa* (Kaulf. 1824) Mett. 1859 = *Alsophila setosa* Kaulf 1824  
*Hemitelia sherringii* Jenm. 1886 = *Cyathea caracasana* (Klotzsch) Domin  
*Hemitelia singalanensis* Alderw. 1914 = *Alsophila modesta* Baker 1880  
*Hemitelia smithii* (Hook.f. 1854) Hook. 1865 = *Alsophila smithii* (Hook.f. 1854) R.Tryon 1970  
*Hemitelia speciosa* (H.B.K.) Kaulf. 1824 = *Cyathea speciosa* Humb. & Bonpl. ex Willd 1810  
*Hemitelia speciosa* (Humb. & Bonpl. ex Willd) Desv. 1827 = *Cyathea speciosa* Humb. & Bonpl. ex Willd 1810  
*Hemitelia speciosa* Kaulf 1824 non Desv. = *Cyathea subincisa* (Kunze 1844) Domin 1929  
*Hemitelia speciosa* Kunze. 1844 = *Cyathea subincisa* (Kunze 1844) Domin 1929  
*Hemitelia squamulosa* Losch 1950 = *Cyathea squamulosa* (Losch) R.C. Moran  
*Hemitelia squarrosa* Ros. 1925 = *Cyathea multiflora* Smith 1793  
*Hemitelia stellulata* Colla 1886 = *Alsophila smithii* (Hook.f. 1854) R.Tryon 1970  
*Hemitelia stigmosa* Desv. 1827 = *Cyathea cyatheoides* (Desv.1827) Kramer  
*Hemitelia stokesii* (E.Brown 1931) ?? = *Alsophila stokesii* (E.Brown 1931) R. Tryon 1970  
*Hemitelia strigosa* Alston 1932 = *Cyathea surinamensis* (Miq.1843) Domin 1929  
*Hemitelia subcaesia* Sodiro 1893 = *Cyathea pallescens* (Sodiro 1883) Domin. 1929  
*Hemitelia subconfluens* Alderw. 1918 = *Alsophila modesta* Baker 1880  
*Hemitelia sumatrana* Alderw. 1908 = *Alsophila alderwereltii* (Copel. 1909) R.Tryon 1970  
*Hemitelia superba* (Jenm. 1898) Maxon 1929 = *Cyathea superba* (Jenm. 1898) Domin 1930  
*Hemitelia suprastrigosa* Christ 1901 = *Cyathea suprastrigosa* (Christ 1901) Maxon 1909  
*Hemitelia surinamensis* Miq. 1843 = *Cyathea surinamensis* (Miq.1843) Domin 1929  
*Hemitelia tahitensis* (Brack. 1854) Mett. 1859 = *Cyathea tahitensis* (Brackenr.) Copel 1929  
*Hemitelia tonglonensis* (Christ 1907) Alderw. 1912 = *Cyathea fuliginosa* (Christ 1898) Copel. 1909  
*Hemitelia traillii* Baker 1891 = *Cyathea traillii* (Baker 1891) Domin 1929  
*Hemitelia trinitensis* Jenm. 1898 = *Cyathea trinitensis* (Jenm. 1898) Domin 1929  
*Hemitelia truncata* Christ. 1898 non Brack = *Sphaeropteris teysmannii* (Copel. 1909) R.Tryon 1970  
*Hemitelia urolepis* Kunze 1848 = *Cyathea surinamensis* (Miq.1843) Domin 1929

<i>Hemitelia venosa</i> Reichb. ex Kuhn 1869 = <i>Cyathea venosa</i> (Reichb. ex Kuhn 1896) Domin 1929	<i>Hetaeria elegans</i> Ridley #4 II 64 ORCHIDACEAE
<i>Hemitelia vrieseana</i> Trevis. 1851 = <i>Cyathea junghuhniana</i> (Kunze) Copel.	<i>Hetaeria gardneri</i> (Thwaites) Trimen #4 II 64 ORCHIDACEAE
<i>Hemitelia walkerae</i> (Hook. 1844) C.Presl. 1848 = <i>Cyathea walkerae</i> Hook. 1844	<i>Hetaeria lamellata</i> Blume #4 II 64 ORCHIDACEAE
<i>Hemitelia warihon</i> (Copel. 1913) Alderw. 1917 = <i>Cyathea fuliginosa</i> (Christ 1898) Copel. 1909	<i>Hetaeria micrantha</i> Blume #4 II 64 ORCHIDACEAE
<i>Hemitelia weatherbyana</i> Morton 1957 = <i>Cyathea weatherbyana</i> (C.V.Morton) C.V.Morton	<i>Hetaeria nitida</i> Ridley #4 II 64 ORCHIDACEAE (E) Shiny-leaf Hetaeria
<i>Hemitelia wilsoni</i> Jenman ex C.Christ. = <i>Cyathea ellottii</i> (Baker 1892) Domin 1930	<i>Hetaeria oblongifolia</i> Blume #4 II 64 ORCHIDACEAE
<i>Hemitelia woronovii</i> Maxon & Morton 1946 = <i>Cyathea petiolata</i> (Hook. 1844) R.Tryon 1976	<i>Hetaeria ophirensis</i> Ridley #4 II 64 ORCHIDACEAE
<i>Henosis longipes</i> (Rchb.f.) Garay, Hamer & Siegerist = <i>Monomeria longipes</i> (Rchb.f.) Aver.	<i>Hetaeria ovalifolia</i> (Wight) Benth. #4 II 64 ORCHIDACEAE
<b>Herminium spp.</b> L. #4 II 64 ORCHIDACEAE	<i>Hetaeria parvifolia</i> Ridley #4 II 64 ORCHIDACEAE
<i>Herminium alpinum</i> (L.) Lindl. = <i>Chamorchis alpina</i> (L.) Rich.	<i>Hetaeria pauciflora</i> Ridley #4 II 64 ORCHIDACEAE
Herminium à un seul Tebercule (F): <i>Herminium monorchis</i>	<i>Hetaeria polygonoides</i> (F. Muell.) Dockr. #4 II 64 ORCHIDACEAE
<i>Herminium duthei</i> Hook.f. #4 II 64 ORCHIDACEAE	<i>Hetaeria purpurascens</i> Blume #4 II 64 ORCHIDACEAE
<i>Herminium jaffrevanum</i> King & Pantl. #4 II 64 ORCHIDACEAE	<i>Hetaeria rotundiloba</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Herminium longilobatum</i> Hegde & A.N. Rao #4 II 64 ORCHIDACEAE	Hetaeria, Shiny-leaf (E): <i>Hetaeria nitida</i>
<i>Herminium mackinnonii</i> Duthie #4 II 64 ORCHIDACEAE	<i>Hetaeria velutina</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Herminium monorchis</i> (L.) R.Br. #4 II 64 ORCHIDACEAE (F) Herminium à un seul Tebercule	Hetaeria, Velvet-leaf (E): <i>Hetaeria cristata</i>
<i>Herminium ophioglossoides</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Hexadesmia</i> spp. Brongn. #4 II 64 ORCHIDACEAE
<i>Herminium pugioniforma</i> Lindley ex Hook.f. #4 II 64 ORCHIDACEAE	<i>Hexadesmia bifida</i> Reichb.f. #4 II 64 ORCHIDACEAE
<i>Herminium quinquelobum</i> King & Pantl. #4 II 64 ORCHIDACEAE	<i>Hexadesmia fusiformis</i> Griseb. #4 II 64 ORCHIDACEAE
<b>Herpsyna spp.</b> Lindl. #4 II 64 ORCHIDACEAE	<i>Hexadesmia pulchella</i> (Schltr.) Schltr. ex Ames #4 II 64 ORCHIDACEAE
<i>Herschelia barbata</i> (L.f.) Bolus = <i>Herschelianthe barbata</i> (L.f.) N.C.Anthony	<i>Hexadesmia tenella</i> (L.O. Williams) Heller ex F. Hamer #4 II 64 ORCHIDACEAE
<i>Herschelianthe</i> spp. Rauschert #4 II 64 ORCHIDACEAE	<b>Hexalectris spp.</b> Rafin. #4 II 64 ORCHIDACEAE
<i>Herschelianthe barbata</i> (L.f.) N.C.Anthony #4 II 64 ORCHIDACEAE	<i>Hexalectris brevicaulis</i> L.O. Williams #4 II 64 ORCHIDACEAE
<i>Herschelianthe excelsa</i> (Thunb.) Rolfe nom. illegit. #4 II 64 ORCHIDACEAE	<i>Hexalectris grandiflora</i> (A. Rich & Gal.) L.O. Williams #4 II 64 ORCHIDACEAE (E) Greenman's Hexalectris Orchid
<i>Herschelianthe forcipata</i> (Schltr.) Rauschert #4 II 64 ORCHIDACEAE	<i>Hexalectris nitida</i> L.O. Williams #4 II 64 ORCHIDACEAE (E) Glass Mountain Coral-root Orchid
<i>Herschelianthe forciparia</i> (Bolus) N.C.Anthony #4 II 64 ORCHIDACEAE	<i>Hexalectris parviflora</i> L.O. Williams #4 II 64 ORCHIDACEAE
<i>Herschelianthe newdigateae</i> (L.Bolus) N.C.Anthony #4 II 64 ORCHIDACEAE	<i>Hexalectris revoluta</i> Correll #4 II 64 ORCHIDACEAE (E) Chisos Coral-root Orchid
<i>Herschelianthe schlechteriana</i> (Bolus) N.C.Anthony #4 II 64 ORCHIDACEAE	<i>Hexalectris spicata</i> (Walt.) Barnh. #4 II 64 ORCHIDACEAE (E) Crested Coralroot Orchid
<i>Herschelianthe venusta</i> (Bolus) Rauschert #4 II 64 ORCHIDACEAE	<i>Hexalectris warnockii</i> Ames & Correll #4 II 64 ORCHIDACEAE (E) Purple-spike Coralroot Orchid
<i>Hertrichocereus beneckei</i> (Ehrenberg) Backeberg = <i>Stenocereus beneckei</i> (Ehrenberg) Buxbaum	<i>Hexisea sigmoidea</i> Ames & Schweinf. = <i>Scaphyglottis sigmoidea</i> (Ames & C. Schweinf.) B. Adams
<b>Hetaeria spp.</b> Blume #4 II 64 ORCHIDACEAE	Higo chumbo (S): <i>Opuntia ficus-indica</i>
<i>Hetaeria alata</i> Ridley #4 II 64 ORCHIDACEAE	<i>Hildewintera aureispina</i> (Ritter) Ritter = <i>Cleistocactus winteri</i> Hunt
<i>Hetaeria cristata</i> Blume #4 II 64 ORCHIDACEAE (E) Velvet-leaf Hetaeria	<b>Himantoglossum spp.</b> K. Koch #4 II 64 ORCHIDACEAE
<i>Hetaeria elata</i> Hook.f. #4 II 64 ORCHIDACEAE	<i>Himantoglossum affine</i> (Boiss.) Schlechter #4 II 64 ORCHIDACEAE
	<i>Himantoglossum calcaratum</i> G. Beck #4 II 64 ORCHIDACEAE
	<i>Himantoglossum caprinum</i> (M.Bieb.) Spreng. #4 II 64 ORCHIDACEAE
	<i>Himantoglossum formosum</i> (Stev.) C. Koch #4 II 64 ORCHIDACEAE
	<i>Himantoglossum hircinum</i> (L.) Spreng. #4 II 64 ORCHIDACEAE (E) Lizard Orchid

- Himantoglossum longibracteatum* Schltr. = *Barlia robertiana* (Loisel.) Greuter  
*Hintonella* spp. Ames #4 II 64 ORCHIDACEAE  
*Hintonella mexicana* Ames #4 II 64 ORCHIDACEAE  
*Hippeophyllum* spp. Schlechter #4 II 64 ORCHIDACEAE  
*Hippeophyllum scortechini* (Hook.f.) Schltr. #4 II 64 ORCHIDACEAE  
*Hippoglossum umbellatum* Breda = *Bulbophyllum umbellatum* Lindl.  
*Hirtzia* spp. Dodson #4 II 64 ORCHIDACEAE  
*Hirtzia benzingii* Dodson #4 II 64 ORCHIDACEAE  
*Hispaniella* spp. Braem #4 II 64 ORCHIDACEAE  
*Hispaniella henekenii* (Schomb. ex Lindl.) Braem 1980 #4 II 64 ORCHIDACEAE (E) Bumble Bee Orchid  
*Hoffmannseggella bahiensis* (Schltr.) H.G.Jones = *Laelia bahiensis* Schltr.  
*Hoffmannseggella brevicaulis* H.G.Jones = *Laelia cowanii* Cogn.  
*Hoffmannseggella caulescens* (Lindl.) H.G.Jones = *Laelia caulescens* Lindl.  
*Hoffmannseggella cinnabarinia* (Bateman ex Lindl.) H.G.Jones = *Laelia cinnabarinia* Bateman ex Lindl.  
*Hoffmannseggella crispata* (Thunb.) H.G.Jones = *Laelia crispata* (Thunb.) Garay  
*Hoffmannseggella crispilabia* (Rchb.f.) H.G.Jones = *Laelia crispilabia* (A.Rich. ex Rchb.f.) Warner  
*Hoffmannseggella flava* (Lindl.) H.G.Jones = *Laelia flava* Lindl.  
*Hoffmannseggella ghillanyi* (Pabst) H.G.Jones = *Laelia ghillanyi* Pabst  
*Hoffmannseggella harpophylla* (Rchb.f.) H.G.Jones = *Laelia harpophylla* Rchb.f.  
*Hoffmannseggella kautskyi* (Pabst) H.G.Jones = *Laelia kautskyi* Pabst  
*Hoffmannseggella liliputana* (Pabst) H.G.Jones = *Laelia liliputana* Pabst  
*Hoffmannseggella macrobulbosa* (Pabst) H.G.Jones = *Laelia gloedeniana* Hoehne  
*Hoffmannseggella tereticaulis* (Hoehne) H.G.Jones = *Laelia tereticaulis* Hoehne ex Ruschi  
*Hofmeisterella* spp. Reichb.f. #4 II 64 ORCHIDACEAE  
*Holcoglossum* spp. Schlechter #4 II 64 ORCHIDACEAE  
*Holcoglossum amesianum* #4 II 64 ORCHIDACEAE  
*Holcoglossum flavescens* (Shltr.) Z.H.Tsi. #4 II 64 ORCHIDACEAE  
*Holcoglossum junceum* Z.H.Tsi = *Ascocentrum himalaicum* (Deb. Sengupta & Malick) Christenson.  
*Holcoglossum kimballiana* #4 II 64 ORCHIDACEAE  
*Holcoglossum quasipinifolium* (Hayata) Schltr. #4 II 64 ORCHIDACEAE  
*Holcoglossum rupestre* #4 II 64 ORCHIDACEAE  
*Holcoglossum saprophyticum* #4 II 64 ORCHIDACEAE  
*Holcoglossum subulifolium* #4 II 64 ORCHIDACEAE  
*Hologyne lauterbachiana* Pfitzer = *Coelogyne miniata* (Blume) Lindley  
*Hologyne miniata* (Blume) Pfitzer = *Coelogyne miniata* (Blume) Lindley  
*Holopogon* spp. Komarov & Nevski #4 II 64  
 ORCHIDACEAE  
*Holopogon gaudissarti* (Hand-Mazz) S.C.Chen #4 II 64  
 ORCHIDACEAE  
*Holopogon smithianus* (Schltr) S.C.Chen #4 II 64  
 ORCHIDACEAE  
*Holothrix* spp. Rich. ex Lindl. #4 II 64 ORCHIDACEAE  
*Holothrix aspera* (Lindl.) Rchb.f. #4 II 64 ORCHIDACEAE  
*Holothrix brachycheira* Summerh. #4 II 64  
 ORCHIDACEAE  
*Holothrix confusa* Rolfe = *Holothrix aspera* (Lindl.) Rchb.f.  
*Holothrix culveri* (Schltr.) Bolus #4 II 64 ORCHIDACEAE  
*Holothrix filicornis* Immelman & Schelpe #4 II 64  
 ORCHIDACEAE  
*Holothrix grandiflora* (Sond.) Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Holothrix longicornu* G.J.Lewis #4 II 64 ORCHIDACEAE  
*Holothrix macowaniana* Rchb.f. #4 II 64 ORCHIDACEAE  
*Holothrix majubensis* C. & R.H.Archer ined. #4 II 64  
 ORCHIDACEAE  
*Holothrix micrantha* Schltr. #4 II 64 ORCHIDACEAE  
*Holothrix pilosa* (Burch. ex Lindl.) Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Holothrix randii* Rendle #4 II 64 ORCHIDACEAE  
*Holothrix socotrana* Rolfe #4 II 64 ORCHIDACEAE  
*Homalocephala texensis* (Hopffer) Britton & Rose = *Echinocactus texensis* Hopffer  
*Homalopetalum* spp. Rolfe #4 II 64 ORCHIDACEAE  
*Homalopetalum costaricense* Schltr. 1923 = *Homalopetalum pumilio* (Rchb.f.) Schltr. 1923  
*Homalopetalum jamaicense* Rolfe = *Homalopetalum vomeriforme* (Sw.) Fawc. & Rendle (1910)  
*Homalopetalum kienastii* (Rchb.f.) Withner = *Encyclia citrina* (Llave & Lex.) Dressler  
*Homalopetalum kienastii* (Rchb.f.) Withner = *Encyclia kienastii* (Rchb.f.) Dressler & Pollard  
*Homalopetalum lehmannianum* (Kraenzl.) Schltr. 1926 = *Homalopetalum pumilio* (Rchb.f.) Schltr. 1923  
*Homalopetalum pachyphyllum* (L.O. Williams) Dressler 1964 #4 II 64 ORCHIDACEAE  
*Homalopetalum pumilum* (Ames) Dressler 1964 #4 II 64 ORCHIDACEAE  
*Homalopetalum vomeriforme* (Sw.) Fawc. & Rendle (1910) #4 II 64 ORCHIDACEAE  
 Hooded, Pitcher-plant (E): *Sarracenia minor*  
*Hoodia* spp. Sweet ex Decne. #9 II APOCYNACEAE  
*Hoodia albispina* N.E. Brown = *Hoodia gordoni* (Masson) Sweet ex Decne.  
*Hoodia alstonii* (N.E.Br.) Plowes #9 II APOCYNACEAE  
*Hoodia bainii* Dyer = *Hoodia gordoni* (Masson) Sweet ex Decne.  
*Hoodia barklyi* R.A. Dyer = *Hoodia gordoni* (Masson) Sweet ex Decne.  
*Hoodia burkei* N.E.Br. = *Hoodia gordoni* (Masson) Sweet ex Decne.  
*Hoodia currorii* Decne. #9 II APOCYNACEAE  
*Hoodia dregei* N.E.Br. #9 II APOCYNACEAE

<b>Hoodia flava</b> (N.E.Brown) Plowes #9 II APOCYNACEAE	<i>Hormidium prismatocarpum</i> ( <i>Rchb.f.</i> ) Brieger et al = <i>Encyclia prismatocarpa</i> ( <i>Rchb.f.</i> ) Dressler
<i>Hoodia foetida</i> Nel = <i>Arachnis maingayi</i> Schltr.	<i>Hormidium pseudopygmaeum</i> Finet = <i>Encyclia pseudopygmaea</i> (Finet) Dressler & G.E.Pollard
<i>Hoodia foetida</i> Plowes = <i>Hoodia triebneri</i> (Nel) Bruyns	<i>Hormidium pygmaeum</i> ( <i>Hook.</i> ) Benth. & Hook.f. = <i>Encyclia pygmaea</i> ( <i>Hook.</i> ) Dressler
<i>Hoodia foetida</i> Plowes = <i>Arachnis maingayi</i> Schltr.	<i>Hormidium pygmaeum</i> ( <i>Hook.</i> ) Brieger = <i>Encyclia pygmaea</i> ( <i>Hook.</i> ) Dressler
<b>Hoodia gordoniiflora</b> (Masson) Sweet ex Decne. #9 II	<i>Hormidium tripterum</i> ( <i>Brongn.</i> ) Cogn. = <i>Encyclia pygmaea</i> ( <i>Hook.</i> ) Dressler
APOCYNACEAE (E) Bitter ghaap	<i>Hormidium uniflorum</i> ( <i>Lindl.</i> ) Heynh. = <i>Encyclia pygmaea</i> ( <i>Hook.</i> ) Dressler
<i>Hoodia husabensis</i> Nel = <i>Hoodia gordoniiflora</i> (Masson)	<i>Hormidium widgrenii</i> ( <i>Lindl.</i> ) Brieger = <i>Encyclia widgrenii</i> ( <i>Lindl.</i> ) Pabst
Sweet ex Decne.	<i>Horridocactus aconcaguensis</i> ( <i>Ritter</i> ) Backeberg = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
<b>Hoodia juttae</b> Dinter #9 II APOCYNACEAE	<i>Horridocactus andicola</i> Ritter = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
<i>Hoodia langii</i> Oberm. & Letty = <i>Hoodia gordoniiflora</i> (Masson)	<i>Horridocactus armatus</i> ( <i>Ritter</i> ) Backeberg = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
Sweet ex Decne.	<i>Horridocactus choapensis</i> ( <i>Ritter</i> ) Backeberg = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
<i>Hoodia longispina</i> D.C.H.Plowes = <i>Hoodia gordoniiflora</i> (Masson)	<i>Horridocactus curvispinus</i> (Bertero ex Colla) Backeberg = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
(Masson) Sweet ex Decne.	<i>Horridocactus engleri</i> Ritter = <i>Eriosyce engleri</i> (Ritter) Kattermann
<b>Hoodia officinalis</b> (N.E.Brown) Plowes #9 II	<i>Horridocactus froehlichianus</i> (Schumann) Backeberg = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
APOCYNACEAE	<i>Horridocactus garaventae</i> Ritter = <i>Eriosyce garaventae</i> (Ritter) Kattermann
<b>Hoodia parviflora</b> N.E.Br. #9 II APOCYNACEAE	<i>Horridocactus geisssei</i> (Poselger ex Schumann) Doelz = <i>Eriosyce kunzei</i> (Foerster) Kattermann
<b>Hoodia pedicellata</b> (Schinz) Plowes #9 II	<i>Horridocactus grandiflorus</i> ( <i>Ritter</i> ) Backeberg = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
APOCYNACEAE	<i>Horridocactus heinrichianus</i> Backeberg = <i>Eriosyce heinrichiana</i> (Backeberg) Kattermann
<b>Hoodia pilifera</b> (Linné fil.) #9 II APOCYNACEAE	<i>Horridocactus kesselringianus</i> Doelz = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
<i>Hoodia pillansii</i> N.E. Brown = <i>Hoodia gordoniiflora</i> (Masson)	<i>Horridocactus lissocarpus</i> ( <i>Ritter</i> ) Backeberg = <i>Eriosyce marksiana</i> (Ritter) Kattermann
Sweet ex Decne.	<i>Horridocactus marksianus</i> ( <i>Ritter</i> ) Backeberg = <i>Eriosyce marksiana</i> (Ritter) Kattermann
<i>Hoodia rosea</i> Oberm. & Letty = <i>Hoodia gordoniiflora</i> (Masson)	<i>Horridocactus nigricans</i> (Dietrich ex Schumann) Backeberg & Doelz = <i>Eriosyce limariensis</i> (Ritter) Kattermann
Sweet ex Decne.	<i>Horridocactus robustus</i> ( <i>Ritter</i> ) Backeberg = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
<b>Hoodia ruschii</b> Dinter #9 II APOCYNACEAE	<i>Horridocactus tuberisulcatus</i> ( <i>Jacobi</i> ) Ito = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
<b>Hoodia triebneri</b> (Nel) Bruyns #9 II APOCYNACEAE	<b>Horvatia</b> spp. Garay #4 II 64 ORCHIDACEAE
<b>Horichia</b> spp. Jenny #4 II 64 ORCHIDACEAE	<b>Houlelia</b> spp. Brongn. #4 II 64 ORCHIDACEAE
<i>Hormidium allemanii</i> (Barb.Rodr.) Brieger = <i>Encyclia allemanii</i> (Barb.Rodr.) Pabst	<i>Houlelia odoratissima</i> Linden ex Lindley & Paxt. #4 II 64 ORCHIDACEAE
<i>Hormidium allemanoides</i> (Hoehne) Brieger = <i>Encyclia allemanoides</i> (Hoehne) Pabst	<i>Houlelia tigrina</i> Linden ex Lindley & Paxt. #4 II 64 ORCHIDACEAE
<i>Hormidium almysi</i> (Hoehne) Brieger = <i>Encyclia glumacea</i> (Lindl.) Pabst	Huevo's de buey (S): <i>Sclerocactus mariposensis</i>
<i>Hormidium boothianum</i> (Lindl.) Brieger = <i>Encyclia boothiana</i> (Lindley) Dressler	<i>Humboldtia contorta</i> Ruiz & Pav. 1798 = <i>Restrepia contorta</i> Luer & R.Escobar
<i>Hormidium boothii</i> (Lindl.) Brieger 1977 = <i>Nidema boothii</i> (Lindl.) Schltr. 1922	<i>Humboldtia nittiorhyncha</i> (Lindl.) Kuntze 1891 = <i>Restrepia nittiorhyncha</i> (Lindl.) Garay 1967
<i>Hormidium caetensis</i> Bicalho = <i>Encyclia caetensis</i> (Bicalho) Pabst	
<i>Hormidium calamarium</i> (Lindl.) Brieger = <i>Encyclia calamaria</i> (Lindl.) Pabst	
<i>Hormidium campos-portoi</i> (Pabst) Brieger = <i>Encyclia campos-portoi</i> Pabst	
<i>Hormidium cohleatum</i> (L.) Brieger = <i>Encyclia cochleata</i> (L.) Lemée	
<i>Hormidium faresianum</i> Bicalho = <i>Encyclia faresiana</i> (Bicalho) Pabst	
<i>Hormidium glumaceum</i> (Lindl.) Brieger = <i>Encyclia glumacea</i> (Lindl.) Pabst	
<i>Hormidium grammaticoglossum</i> ( <i>Rchb.f.</i> ) Brieger = <i>Encyclia grammaticoglossa</i> ( <i>Rchb.f.</i> ) Dressler	
<i>Hormidium hartwegii</i> (Lindl.) Brieger = <i>Encyclia hartwegii</i> (Lind.) Vásquez & Dodson	
<i>Hormidium humile</i> (Cogn.) Schltr. = <i>Encyclia pygmaea</i> (Hook.) Dressler	
<i>Hormidium inversum</i> (Lindl.) Brieger = <i>Encyclia inversa</i> (Lindl.) Pabst	
<i>Hormidium lividum</i> (Lindl.) Brieger = <i>Encyclia livida</i> (Lindl.) Dressler	
<i>Hormidium papilio</i> (Vell.) Brieger = <i>Encyclia papilio</i> (Vell.) Pabst	

- Humboldtia plantaginea* (Poepp & Endl.) Kuntze =  
*Masdevallia plantaginea* (Poepp. & Endl.) Cogn.
- Huntleya spp.** Bateman #4 II 64 ORCHIDACEAE
- Huntleya albidofulva* Lem. 1868 = *Huntleya meleagris* Lindl. 1837
- Huntleya albidofulva* Lem. 1868 = *Huntleya burtii* (Endres & Rchb.f.) Pfitzer 1889
- Huntleya apiculata* (Rchb.f.) Schltr. 1920 #4 II 64  
ORCHIDACEAE
- Huntleya brevis* Schltr. 1924 #4 II 64 ORCHIDACEAE
- Huntleya burtii* (Endres & Rchb.f.) Pfitzer 1889 #4 II 64  
ORCHIDACEAE
- Huntleya candida* (Lindl.) Walp. 1851 = *Cochleanthes candida* (Lindl.) R.E.Schult. & Garay
- Huntleya cerina* Lindl. & Paxton = *Pescatoria cerina* (Lindl. & Paxton)
- Huntleya citrina* Rolfe 1916 #4 II 64 ORCHIDACEAE
- Huntleya fasciata* Fowlie (1966) #4 II 64 ORCHIDACEAE
- Huntleya fimbriata* Rchb.f. = *Kefersteinia graminea* (Lindl.) Rchb.f.
- Huntleya grandiflora* Lam. 1869 #4 II 64 ORCHIDACEAE
- Huntleya gustavi* (Rchb.f.) Rolfe 1916 #4 II 64  
ORCHIDACEAE
- Huntleya heteroclita* (Poepp. & Endl.) Garay = *Chaubardia heteroclita* (Poepp. & Endl.) Dodson & Bennett
- Huntleya imbricata* hort. ex Rchb.f. 1852 = *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay (1959)
- Huntleya lucida* (Rolfe) Rolfe 1916 #4 II 64  
ORCHIDACEAE
- Huntleya marginata* hort. ex Rchb.f. = *Cochleanthes marginata* (Rchb.f.) Schult. & Garay 1959
- Huntleya marginata* hort. ex Rchb.f. = *Zygopetalum marginatum* (Rchb.f.) Rchb.f. 1863
- Huntleya meleagris* Lindl. 1837 #4 II 64 ORCHIDACEAE
- Huntleya meleagris* auct. *non* Lindl. = *Huntleya burtii* (Endres & Rchb.f.) Pfitzer 1889
- Huntleya radicans* Linden = *Cochleanthes candida* (Lindl.) R.E.Schult. & Garay
- Huntleya sessiliflora* Bateman ex Lindl. 1837 #4 II 64  
ORCHIDACEAE
- Huntleya vargasii* Dodson & Benn. 1989 #4 II 64  
ORCHIDACEAE
- Huntleya violacea* Lindl. = *Bollea violacea* (Lindl.) Rchb.f. 1852
- Huntleya waldvogeli* Jenny 1984 = *Huntleya citrina* Rolfe 1916
- Huntleya wallisii* (Reichb.f.) Rolfe 1916 #4 II 64  
ORCHIDACEAE
- Huttonaea spp.** Harv. #4 II 64 ORCHIDACEAE
- Huttonaea woodii* Schltr. #4 II 64 ORCHIDACEAE
- Hyalosema antenniferum* (Lindl.) Rysy = *Bulbophyllum antenniferum* (Lindley) Reichb.f.
- Hyalosema arfakianum* (Kraenzl.) Rysy = *Bulbophyllum arfakianum* Kraenzl
- Hyalosema bandischii* (Garay, Hamer & Siegerist) Rysy = *Bulbophyllum bandischii* Garay, Hamer & Siegerist
- Hyalosema biantennatum* (Schltr.) Rolfe = *Bulbophyllum biantennatum* Schltr.
- Hyalosema burfordiense* (Garay, Hamer & Siegerist) Rysy = *Bulbophyllum burfordiense* Hort. ex Garay, Hamer & Siegerist
- Hyalosema cominsii* (Rolfe) Rolfe = *Bulbophyllum cominsii* Rolfe
- Hyalosema dennisii* (J.J. Wood) Rysy = *Bulbophyllum dennisii* J.J. Wood
- Hyalosema elbertii* (J.J.Sm.) Rolfe = *Bulbophyllum elbertii* J.J.Sm.
- Hyalosema elephantinum* (J.J.Sm.) Rolfe = *Bulbophyllum elephantinum* J.J.Sm.
- Hyalosema fraudulentum* (Garay, Hamer & Siegerist) Rysy = *Bulbophyllum fraudulentum* Garay, Hamer & Siegerist
- Hyalosema fritillariiflorum* (J.J.Sm.) Rolfe = *Bulbophyllum fritillariiflorum* J.J.Sm.
- Hyalosema grandiflorum* (Blume) Rolfe = *Bulbophyllum grandiflorum* Blume
- Hyalosema klossii* (Ridl.) Rolfe = *Bulbophyllum klossii* Ridl.
- Hyalosema leysenianum* (Burb.) Rolfe = *Bulbophyllum leysenianum* Burb.
- Hyalosema longisepalum* (Rolfe) Rolfe = *Bulbophyllum longisepalum* Rolfe
- Hyalosema micholitzii* (Rolfe) Rolfe = *Bulbophyllum micholitzii* Rolfe
- Hyalosema minahassae* (Schltr.) Rolfe = *Bulbophyllum minahassae* Schltr.
- Hyalosema ornithorhynchum* (J.J.Sm.) Rysy = *Bulbophyllum ornithorhynchum* (J.J.Sm.) Garay, Hamer & Siegerist.
- Hyalosema saronae* (Garay) Rysy = *Bulbophyllum saronae* Garay
- Hyalosema schmidii* (Garay) Rysy = *Bulbophyllum schmidii* Garay
- Hyalosema singulare* (Schltr.) Rolfe = *Bulbophyllum singulare* Schltr.
- Hyalosema trachyanthum* (Kraenzl.) Rolfe = *Bulbophyllum trachyanthum* Kraenzl.
- Hyalosema tricanaliferum* (J.J.Sm.) Rolfe = *Bulbophyllum tricanaliferum* J.J.Sm.
- Hybochilus spp.** Schltr. #4 II 64 ORCHIDACEAE
- Hybochilus inconspicuus* (Kranzlin) Schltr. #4 II 64  
ORCHIDACEAE
- Hybochilus leochilinus* (Reichb.f.) Schltr. #4 II 64  
ORCHIDACEAE
- Hydrastis canadensis* L. #8 II RANUNCULACEAE (E)  
Goldenseal
- Hygrochilus spp.** Pfitzer #4 II 64 ORCHIDACEAE
- Hygrochilus parishii* #4 II 64 ORCHIDACEAE
- Hylaeorchis* spp. G.Carnevali & G.A.Romero #4 II 64  
ORCHIDACEAE
- Hylaeorchis petiolaris* (Schltr.) G.Carnevali & G.A.Romero #4 II 64 ORCHIDACEAE
- Hylocereus spp.** (A. Berger) Britton & Rose #4 II 49  
CACTACEAE
- Hylocereus antiquensis* Britton & Rose = *Hylocereus trigonus* (Haworth) Safford
- Hylocereus calcaratus** (Weber) Britton & Rose #4 II 49  
CACTACEAE

<i>Hylocereus compressus</i> Y.Ito = <i>Hylocereus triangularis</i> (L.) Britton & Rose	<i>Hymenorebutia chrysantha</i> (Werdermann) Ritter = <i>Echinopsis chrysantha</i> Werdermann
<b><i>Hylocereus costaricensis</i></b> (Weber) Britton & Rose #4 II 49 CACTACEAE	<i>Hymenorebutia cintiensis</i> (Cardenas) Ritter = <i>Echinopsis lateritia</i> Guerke
<i>Hylocereus cubensis</i> Britton & Rose = <i>Hylocereus triangularis</i> (L.) Britton & Rose	<i>Hymenorebutia drijveriana</i> (Backeberg) Ritter = <i>Echinopsis haematantha</i> (Spegazzini) Hunt
<b><i>Hylocereus escuintlensis</i></b> Kimnach #4 II 49 CACTACEAE	<i>Hymenorebutia kuehnrichii</i> Ritter = <i>Echinopsis haematantha</i> (Spegazzini) Hunt
<b><i>Hylocereus estebanensis</i></b> Backeberg #4 II 49 CACTACEAE	<i>Hymenorebutia pusilla</i> (Ritter) Ritter = <i>Echinopsis tiegeliana</i> (Wessner) Hunt
<i>Hylocereus extensus</i> Britton & Rose ex Bailey = <i>Hylocereus lemairei</i> (Hooker) Britton & Rose	<i>Hymenorebutia quinesensis</i> (Rausch) Ritter = <i>Echinopsis aurea</i> Britton & Rose
<b><i>Hylocereus guatemalensis</i></b> (Eichlam) Britton & Rose #4 II 49 CACTACEAE	<i>Hymenorebutia tiegeliana</i> (Wessner) Ritter = <i>Echinopsis tiegeliana</i> (Wessner) Hunt
<b><i>Hylocereus lemairei</i></b> (Hooker) Britton & Rose #4 II 49 CACTACEAE	<i>Hymenorebutia torataensis</i> Ritter = <i>Echinopsis lateritia</i> Guerke
<b><i>Hylocereus microcladus</i></b> Backeberg #4 II 49 CACTACEAE	<i>Hymenorebutia torreana</i> Ritter = <i>Echinopsis lateritia</i> Guerke
<b><i>Hylocereus minutiflorus</i></b> Britton & Rose #4 II 49 CACTACEAE	<i>Ibidium coloratum</i> House 1915 = <i>Stenorhynchos speciosum</i> (Jacq.) L.C.Rich. ex Spreng.
<b><i>Hylocereus monacanthus</i></b> (Lemaire) Britton & Rose #4 II 49 CACTACEAE	<i>Ibidium cristallgerum</i> Salisb. 1812 = <i>Sacoila lanceolata</i> (Aubl.) Garay
<i>Hylocereus napoleonis</i> (Graham) Britton & Rose = <i>Hylocereus trigonus</i> (Haworth) Safford	<i>Ibidium speciosum</i> (Jacq.) Salisb. 1812 = <i>Stenorhynchos speciosum</i> (Jacq.) L.C.Rich. ex Spreng.
<b><i>Hylocereus ocamponis</i></b> (Salm-Dyck) Britton & Rose #4 II 49 CACTACEAE	<i>Ichthyostomum pygmaeum</i> (Sm.) D.L.Jones, M.A.Clem. & Molloy = <i>Bulbophyllum pygmaeum</i> (Sm.) Lindl. If de l'Himalaya (F): <i>Taxus wallichiana</i>
<b><i>Hylocereus peruvianus</i></b> Backeberg #4 II 49 CACTACEAE	<b><i>Imerinaea</i> spp.</b> Schltr. #4 II 64 ORCHIDACEAE
<i>Hylocereus plumieri</i> (Roland-Gosselin) Lourteig = <i>Hylocereus trigonus</i> (Haworth) Safford	Indian, Pitcher-plant (E): <i>Nepenthes khasiana</i>
<b><i>Hylocereus polyrhizus</i></b> (Weber) Britton & Rose #4 II 49 CACTACEAE	<i>Ione andersoni</i> King & Pantl. = <i>Sunipia andersonii</i> (King & Pantl.) P.E.Hunt
<b><i>Hylocereus purpusii</i></b> (Weingart) Britton & Rose #4 II 49 CACTACEAE	<i>Ione angustipetala</i> (Seidenf.) Seienf. = <i>Sunipia angustipetala</i> Seidenf.
<b><i>Hylocereus scandens</i></b> (Salm-Dyck) Backeberg #4 II 49 CACTACEAE	<i>Ione annamensis</i> Ridl. = <i>Sunipia annamensis</i> (Ridl.) P.F.Hunt
<b><i>Hylocereus stenopterus</i></b> (Weber) Britton & Rose #4 II 49 CACTACEAE	<i>Ione australis</i> Seidenf. = <i>Sunipia australis</i> (Seidenf.) Hunt
<b><i>Hylocereus triangularis</i></b> (L.) Britton & Rose #4 II 49 CACTACEAE	<i>Ione bicolor</i> (Lindl.) Lindl. = <i>Sunipia bicolor</i> Lindl.
<b><i>Hylocereus trigonus</i></b> (Haworth) Safford #4 II 49 CACTACEAE (E) Night Blooming Cereus, Wild Strawberry (F) Pomme-jardon	<i>Ione bifurcatoflorens</i> Fukuyama = <i>Sunipia andersonii</i> (King & Pantl.) P.E.Hunt
<i>Hylocereus trinitatis</i> (Lemaire & Herment) Berger = <i>Hylocereus lemairei</i> (Hooker) Britton & Rose	<i>Ione candida</i> Lindl. = <i>Sunipia candida</i> (Lindl.) P.F.Hunt
<b><i>Hylocereus undatus</i></b> (Haworth) Britton & Rose #4 II 49 CACTACEAE	<i>Ione cirrhata</i> Lindl. = <i>Sunipia cirrhata</i> (Lindl.) P.F.Hunt
<i>Hylocereus venezuelensis</i> Britton & Rose = <i>Hylocereus lemairei</i> (Hooker) Britton & Rose	<i>Ione cumberlegei</i> Seidenf. = <i>Sunipia cumberlegei</i> (Seidenf.) P.F.Hunt
<b><i>Hylophila</i> spp.</b> Lindl. #4 II 64 ORCHIDACEAE	<i>Ione dichroma</i> (Rolfe) Gagnep. = <i>Sunipia dichroma</i> (Rolfe) Bân & .H.Duong
<i>Hylophila lanceolata</i> (Blume) Miq. #4 II 64 ORCHIDACEAE	<i>Ione flavescens</i> Rolfe = <i>Sunipia andersonii</i> (King & Pantl.) P.E.Hunt
<i>Hylophila mollis</i> Lindl. #4 II 64 ORCHIDACEAE	<i>Ione fusco-purpurea</i> Lindl. = <i>Sunipia cirrhata</i> (Lindl.) P.F.Hunt
<b><i>Hymenorchis</i> spp.</b> Schlechter #4 II 64 ORCHIDACEAE	<i>Ione grandiflora</i> Rolfe = <i>Sunipia grandiflora</i> (Rolfe) P.F.Hunt
<i>Hymenorchis javanicus</i> (Teijsm. & Binnend.) Schltr. #4 II 64 ORCHIDACEAE	<i>Ione intermedia</i> King & Pantl. = <i>Sunipia intermedia</i> (King & Pantl.) P.F.Hunt
<i>Hymenorebutia aurea</i> (Britton & Rose) Ritter = <i>Echinopsis aurea</i> Britton & Rose	<i>Ione jainii</i> (T.M.Hynniewta & C.L.Malhotra) Seidenf. = <i>Sunipia jainii</i> T.M.Hynniewta & C.L.Malhotra
<i>Hymenorebutia chlorogona</i> (Wessner) Ritter = <i>Echinopsis densispina</i> Werdermann	<i>Ione kachinensis</i> (Seidenf.) Seidenf. = <i>Sunipia kachinensis</i> Seidenf.
	<i>Ione khasiana</i> (Griff.) Lindl. = <i>Sunipia bicolor</i> Lindl.
	<i>Ione minor</i> Seidenf. = <i>Sunipia minor</i> (Seidenf.) P. Hunt
	<i>Ione paleacea</i> Lindl. = <i>Sunipia cirrhata</i> (Lindl.) P.F.Hunt

- Ione pallida* Aver. = *Sunipia pallida* (Aver.) Aver.  
*Ione purpurata* Braid = *Sunipia andersonii* (King & Pantl.)  
 P.E.Hunt  
*Ione racemosa* (Sm.) Seidenf. = *Bulbophyllum reptans*  
 (Lindl.) Lindl.  
*Ione rimannii* (Rchb.f.) Seidenf. = *Sunipia rimannii*  
 (Rchb.f.) Seidenf.  
*Ione salweenensis* Phillimore & W.W.Sm. = *Sunipia*  
*rimannii* (Rchb.f.) Seidenf.  
*Ione sasakii* Hayata = *Sunipia andersonii* (King & Pantl.)  
 P.E.Hunt  
*Ione scariosa* (Lindl.) King & Pantl. = *Sunipia scariosa*  
 Lindl.  
*Ione siamensis* Rolfe = *Sunipia scariosa* Lindl.  
*Ione soidaoensis* Seidenf. = *Sunipia soidaoensis*  
 (Seidenf.) P. Hunt  
*Ione thailandica* Seidenf. & Smitin. = *Sunipia thailandica*  
 (Seidenf. & Smitin.) Hunt  
*Ione virens* Lindl. = *Sunipia virens* (Lindl.) P.F.Hunt  
*Ione viridis* Seidenf. = *Sunipia viridis* (Seidenf.) P.F.Hunt  
***Ionopsis* spp.** Kunth #4 II 64 ORCHIDACEAE  
*Ionopsis costaricensis* Schltr. #4 II 64 ORCHIDACEAE  
*Ionopsis orchioides* Kraenzl. 1921 = *Comparettia falcata*  
 Poepp. & Endl. 1836  
*Ionopsis utricularioides* (Sw.) Lindley #4 II 64  
 ORCHIDACEAE  
*Ionorchis abortiva* (L.) Beck = *Limodorum abortivum* (L.)  
 Sw.  
***Ipsea* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Ipsea malabarica* (Reichb.f.) Hook.f. #4 II 64  
 ORCHIDACEAE  
*Ipsea speciosa* Lindley #4 II 64 ORCHIDACEAE  
***Isabelia* spp.** Barb.Rodr. #4 II 64 ORCHIDACEAE  
***Ischnogyne* spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Ischnogyne mandarinorum* (Kraenzl.) Schltr. #4 II 64  
 ORCHIDACEAE  
*Islaya bicolor* Akers & Buining = *Eriosyce islayensis*  
 (Foerster) Kattermann  
*Islaya brevicylindrica* Rauh & Backeberg = *Eriosyce*  
*islayensis* (Foerster) Kattermann  
*Islaya copiapoides* Rauh & Backeberg = *Eriosyce*  
*islayensis* (Foerster) Kattermann  
*Islaya divaricatiflora* Ritter = *Eriosyce islayensis* (Foerster)  
 Kattermann  
*Islaya flavida* Ritter = *Eriosyce islayensis* (Foerster)  
 Kattermann  
*Islaya grandiflorens* Rauh & Backeberg = *Eriosyce*  
*islayensis* (Foerster) Kattermann  
*Islaya islayensis* (Foerster) Backeberg = *Eriosyce*  
*islayensis* (Foerster) Kattermann  
*Islaya krainziana* Ritter = *Eriosyce islayensis* (Foerster)  
 Kattermann  
*Islaya maritima* Ritter = *Eriosyce islayensis* (Foerster)  
 Kattermann  
*Islaya minor* Backeberg = *Eriosyce islayensis* (Foerster)  
 Kattermann  
*Islaya minuscula* Ritter = *Eriosyce islayensis* (Foerster)  
 Kattermann  
*Islaya mollendensis* (Vaupel) Backeberg = *Eriosyce*  
*islayensis* (Foerster) Kattermann  
*Islaya omasensis* Ostolaza & Mischler = *Eriosyce*  
*omasensis* (Ostolaza & Mischler) Ostolaza  
*Islaya paucispina* Rauh & Backeberg = *Eriosyce islayensis*  
 (Foerster) Kattermann  
*Islaya paucispinosa* Rauh & Backeberg = *Eriosyce*  
*islayensis* (Foerster) Kattermann  
*Islaya unguispina* Ritter = *Eriosyce islayensis* (Foerster)  
 Kattermann  
***Isochilus* spp.** R. Br. #4 II 64 ORCHIDACEAE  
*Isochilus alatus* Schltr. 1912 #4 II 64 ORCHIDACEAE  
*Isochilus amparoanus* Schltr. 1923 = *Isochilus*  
*chiriquensis* Schltr. 1922  
*Isochilus aurantiacus* Hamer & Garay 1981 #4 II 64  
 ORCHIDACEAE  
*Isochilus bracteatus* (Lex.) Salazar & Soto Arenas ex  
 Espejo & Lopez-Ferrari (2000) #4 II 64  
 ORCHIDACEAE  
*Isochilus brasiliensis* Schltr. 1921 = *Isochilus linearis*  
 (Jacq.) R. Br. 1813  
*Isochilus carnosiflorus* Lindl. (1844)? (1923)? #4 II 64  
 ORCHIDACEAE  
*Isochilus cernuus* Lindl. = *Briegeria cernua* (Lindl.)  
 Senghas  
*Isochilus chiriquensis* Schltr. 1922 #4 II 64  
 ORCHIDACEAE  
*Isochilus crassiflorus* A.Rich. & Galeotti 1845 = *Isochilus*  
*carnosiflorus* Lindl. (1844)? (1923)?  
*Isochilus dubius* A.Rich. & Galeotti = *Scaphyglottis livida*  
 (Lindl.) Schltr.  
*Isochilus fusiformis* Lindl. = *Epidendrum fusiforme* (Lindl.)  
 Rchb.f.  
*Isochilus globosus* (Jacq.) Lindl. = *Jacquinella globosa*  
 (Jacq.) Schltr.  
*Isochilus graminoides* (Sw.) Hook. = *Dichaea graminoides*  
 (Sw.) Lindl.  
*Isochilus grandiflorus* Lindl. = *Maxillaria lateorubra* (Lindl.)  
 Rchb.f.  
*Isochilus langlassei* Schltr. 1920 #4 II 64 ORCHIDACEAE  
*Isochilus latibracteatus* A.Rich & Galeotti 1845 #4 II 64  
 ORCHIDACEAE  
*Isochilus leucanthus* Barb.Rodr. 1877 = *Isochilus linearis*  
 (Jacq.) R. Br. 1813  
*Isochilus linearis* (Jacq.) R. Br. 1813 #4 II 64  
 ORCHIDACEAE  
*Isochilus linifolius* (C.Presl.) Lindl. = *Elleanthus linifolius* C.  
 Presl.  
*Isochilus lividus* Lindl. = *Scaphyglottis livida* (Lindl.) Schltr.  
*Isochilus major* Cham. & Schltdl. #4 II 64 ORCHIDACEAE  
*Isochilus major* var. *amparoanus* (Schltr.) Correll 1941 =  
*Isochilus chiriquensis* Schltr. 1922  
*Isochilus pauciflorus* Cogn. 1910 = *Scaphyglottis*  
*dunstervillei* (Garay) Foldats  
*Isochilus pauciflorus* Cogn. 1910 = *Isochilus linearis*  
 (Jacq.) R. Br. 1813  
*Isochilus peruvianus* Schltr. 1921 = *Isochilus linearis*  
 (Jacq.) R. Br. 1813

- Isochilus pitalensis* Hamer & Garay #4 II 64  
ORCHIDACEAE
- Isochilus proliferus* R.Br. = *Scaphyglottis prolifera* (R.Br.) Cogn.
- Isochilus ramosus* Focke = *Epidendrum strobiliferum* Rchb.f.
- Isochilus ramosus* (Jacq.) Spreng. = *Epidendrum ramosum* Jacq.
- Isochilus smithii* H.G.Jones 1975 #4 II 64 ORCHIDACEAE
- Isochilus teretifolius* (Sw.) Lindl. = *Briegeria teretifolia* (Sw.) Senghas
- Isochilus unilateralis* B.L.Rob. 1894 #4 II 64 ORCHIDACEAE
- Isolatocereus dumortieri* (Scheidweiller) Backeberg = *Stenocereus dumortieri* (Scheidweiller) Buxbaum
- Isotria* spp.** Rafin. #4 II 64 ORCHIDACEAE
- Isotria medeoloides* (Pursh) Raf. #4 II 64 ORCHIDACEAE  
(E) Lesser Five Leaves Orchid, Little Five Leaves Orchid, Small Whorled Pogonia
- Isotria verticillata* (Muhl. ex Willd.) Raf. #4 II 64 ORCHIDACEAE
- Ixyophora* spp. Dressler #4 II 64 ORCHIDACEAE  
Jacaranda (S): *Dalbergia nigra*  
Jacaranda (E): *Dalbergia nigra*  
Jacarandá de Bahía (S): *Dalbergia nigra*  
Jacarandá de Brasil (S): *Dalbergia nigra*
- Jacquinella* spp.** Schlechter #4 II 64 ORCHIDACEAE
- Jacquinella aporophylla* (L.O. Wms.) Dressler #4 II 64 ORCHIDACEAE
- Jacquinella globosa* (Jacq.) Schltr. #4 II 64 ORCHIDACEAE
- Jacquinella leucomelana* (Reichb.f.) Schltr. #4 II 64 ORCHIDACEAE
- Jacquinella standleyi* (Ames) Dressler #4 II 64 ORCHIDACEAE
- Jasminocereus* spp.** Britton & Rose #4 II 49 CACTACEAE
- Jasminocereus galapagensis* (Weber) Britton & Rose = *Jasminocereus thouarsii* (Weber) Backeberg
- Jasminocereus howellii* Dawson = *Jasminocereus thouarsii* (Weber) Backeberg
- Jasminocereus thouarsii* (Weber) Backeberg #4 II 49 CACTACEAE
- Jejosephia* spp.** A.N.Rao & Mani #4 II 64 ORCHIDACEAE
- Jejosephia pusilla* (J.Deka & H.Deka) A.N.Rao & Mani = *Trias pusilla* J.Deka & H.Deka
- Jensoa ensata* (Thunb.) Raf. = *Cymbidium ensifolium* (L.) Sw.
- Jimenia formosana* (Hayata) Garay & R.E.Schultes = *Bletilla formosana* (Hayata) Schltr.
- Jimenia kotoensis* (Hayata) Garay & R.E.Schultes = *Bletilla formosana* (Hayata) Schltr.
- Jimenia morrisonensis* (Hayata) Garay & R.E.Schultes = *Bletilla formosana* (Hayata) Schltr.
- Jimenia nervosa* Raf. = *Bletilla striata* (Thunb. ex A.Murray) Rchb.f.
- Jimenia ochracea* (Schltr.) Garay & R.E.Schultes = *Bletilla ochracea* Schltr.
- Jimenia sinensis* (Rolfe) Garay & R.E.Schultes = *Bletilla sinensis* (Rolfe) Schltr.
- Jimenia striata* (Thunb. ex A.Murray) Garay & R.E.Schultes = *Bletilla striata* (Thunb. ex A.Murray) Rchb.f.
- Jimenia yunnanensis* (Schltr.) Garay & R.E.Schultes = *Bletilla formosana* (Hayata) Schltr.
- Jostia teaguei* (Luer) Luer = *Masdevallia teaguei* Luer
- Jumellea* spp.** Schlechter #4 II 64 ORCHIDACEAE
- Jumellea anjouanensis* Finet #4 II 64 ORCHIDACEAE
- Jumellea comorensis* (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE
- Jumellea confusa* Schltr. #4 II 64 ORCHIDACEAE
- Jumellea cowanii* #4 II 64 ORCHIDACEAE
- Jumellea curnowiana* (Rchb.f.) Schltr. = *Angraecum curnowianum* (Rchb.f.) Dur. & Schltr.
- Jumellea exilis* #4 II 64 ORCHIDACEAE
- Jumellea filicornoides* #4 II 64 ORCHIDACEAE
- Jumellea fragrans* (Thouars) Schltr. #4 II 64 ORCHIDACEAE
- Jumellea humberti* H.Perrier = *Angraecum ampullaceum* Bossier
- Jumellea jumelleana* #4 II 64 ORCHIDACEAE
- Jumellea lignosa* #4 II 64 ORCHIDACEAE
- Jumellea liliodora* #4 II 64 ORCHIDACEAE
- Jumellea majalis* #4 II 64 ORCHIDACEAE
- Jumellea maxillarioides* #4 II 64 ORCHIDACEAE
- Jumellea meirax* (Rchb.f.) Schltr. = *Angraecum meirax* (Rchb.f.) H.Perrier
- Jumellea nutans* #4 II 64 ORCHIDACEAE
- Jumellea ophioplectron* #4 II 64 ORCHIDACEAE
- Jumellea pachyra* #4 II 64 ORCHIDACEAE
- Jumellea penicillata* #4 II 64 ORCHIDACEAE
- Jumellea recta* (Thouars) Schltr. #4 II 64 ORCHIDACEAE
- Jumellea recurva* #4 II 64 ORCHIDACEAE
- Jumellea rutenbergiana* (Kraenzl) Schltr. = *Angraecum rutenbergianum* Kraenzl.
- Jumellea sagittata* H.Perr. #4 II 64 ORCHIDACEAE
- Jumellea serpens* H.Perrier = *Angraecum serpens* (H.Perrier) Bossier
- Jumellea spathulata* #4 II 64 ORCHIDACEAE
- Jumellea stenophylla* #4 II 64 ORCHIDACEAE
- Jumellea stipitata* #4 II 64 ORCHIDACEAE
- Jumellea subcordata* H.Perrier = *Angraecum curnowianum* (Rchb.f.) Dur. & Schltr.
- Juniperus uvifera* D. Don = *Pilgerodendron uviferum* (Don) Florin
- Karorchis evasa* (Hunt & Rupp) M.A.Clem. & D.L.Jones = *Bulbophyllum evasum* Hunt & Rupp.
- Katherinea ampla* (Lindl.) Hawkes = *Epigeneium amplum* Lindl. Summerh.
- Katherinea carrii* (Rupp & C.T.White) Briege = *Dendrobium carrii* Rupp & C.T. White
- Katherinea coelogynne* (Rchb.f.) Hawkes = *Epigeneium amplum* Lindl. Summerh.

- Katherinea fuscescens* (Griff.) A.D.Hawkes = *Epigeneium fuscescens* (Griff.) Summerh.  
*Katherinea rotunda* (Lindl.) A.D.Hawkes = *Epigeneium rotundatum* (Lindl.) Summerh.  
*Katherinea simplex* (J.J.Sm.) A.D.Hawkes = *Dendrobium simplex* J.J. Smith  
*Katherinea uncipes* (J.J.Sm.) A.D.Hawkes = *Dendrobium uncipes* J.J. Smith  
*Katherinea zebrina* (J.J.Sm.) Hawkes = *Epigeneium geminatum* (Blume) Summerh.  
*Kaurorchis evasa* (Hunt & Rupp) M.A.Clem. & D.L.Jones = *Bulbophyllum evasum* Hunt & Rupp.  
**Kefersteinia spp.** Rchb. .f. #4 II 64 ORCHIDACEAE  
*Kefersteinia auriculata* Dressler #4 II 64 ORCHIDACEAE  
*Kefersteinia costaricensis* Schltr. #4 II 64 ORCHIDACEAE  
*Kefersteinia graminea* (Lindl.) Rchb.f. #4 II 64 ORCHIDACEAE  
*Kefersteinia hirtzii* Dodson #4 II 64 ORCHIDACEAE  
*Kefersteinia lactea* (Reichb.f.) Schltr. #4 II 64 ORCHIDACEAE  
*Kefersteinia lindneri* Dodson #4 II 64 ORCHIDACEAE  
*Kefersteinia maculosa* Dressler #4 II 64 ORCHIDACEAE  
*Kefersteinia microcharis* Schltr. #4 II 64 ORCHIDACEAE  
*Kefersteinia orbicularis* Pupulin #4 II 64 ORCHIDACEAE  
*Kefersteinia parvilabris* Schltr. #4 II 64 ORCHIDACEAE  
*Kefersteinia subquadrata* Schltr. #4 II 64 ORCHIDACEAE  
**Kegeliella spp.** Mansf. #4 II 64 ORCHIDACEAE  
*Kegeliella atropilosa* L.O. Williams & A.H. Heller #4 II 64 ORCHIDACEAE  
*Kegeliella kupperi* Mansf. #4 II 64 ORCHIDACEAE  
Kinabalu, Pitcher-plant (E): *Nepenthes rajah*  
*Kingidium* spp. P.F. Hunt #4 II 64 ORCHIDACEAE  
*Kingidium decumbens* (Griffith) P. Hunt #4 II 64 ORCHIDACEAE  
*Kingidium deliosum* (Reichb.f.) Sweet #4 II 64 ORCHIDACEAE  
*Kingidium teenialis* (Lindley) P. Hunt #4 II 64 ORCHIDACEAE  
*Kionophyton* spp. Garay. #4 II 64 ORCHIDACEAE  
*Kionophyton sawyeri* (Standley & L.O. Williams) Garay #4 II 64 ORCHIDACEAE  
*Kionophyton seminuda* (Schltr.) Garay #4 II 64 ORCHIDACEAE  
**Koellensteinia spp.** Rchb. f. #4 II 64 ORCHIDACEAE  
*Koellensteinia eburnea* (Barb.& Rodr.) Sealtr. #4 II 64 ORCHIDACEAE  
*Koellensteinia kelleriana* Reichb.f. #4 II 64 ORCHIDACEAE  
**Konantzia spp.** Dodson & N.Williams #4 II 64 ORCHIDACEAE  
*Krainzia guelzowiana* (Werdermann) Backeberg = *Mammillaria guelzowiana* Werdermann  
**Kreodanthus spp.** Garay #4 II 64 ORCHIDACEAE  
*Kreodanthus ovatilabius* (Ames & Correll) Garay #4 II 64 ORCHIDACEAE  
*Kreodanthus secundus* (Ames) Garay #4 II 64 ORCHIDACEAE  
**Kuhlhasseltia spp.** J.J. Smith #4 II 64 ORCHIDACEAE  
*Kuhlhasseltia carrii* Holttum #4 II 64 ORCHIDACEAE  
*Kuhlhasseltia javanica* J.J. Smith #4 II 64 ORCHIDACEAE  
*Kumara disticha* Medik. = *Aloe plicatilis* (L.) Mill.  
Kuth (E): *Saussurea costus*  
Kuth (S): *Saussurea costus*  
**Lacaena spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Lacaena bicolor* Lindl. (1843) #4 II 64 ORCHIDACEAE  
*Lacaena grandis* Kraenzl. 1928 = *Bifrenaria grandis* (Kraenzl.) Garay 1958  
*Lacaena nicaraguensis* L.O.Williams 1964 = *Lacaena spectabilis* (Klotzsch) Rchb.f. 1854  
*Lacaena spectabilis* (Klotzsch) Rchb.f. 1854 #4 II 64 ORCHIDACEAE  
*Lachnolepis moluccana* Miq. = *Angraecum imerinense* Schltr.  
**Laelia spp.** Lindl. #4 I/II 64 ORCHIDACEAE  
*Laelia acuminata* Lindl. = *Laelia rubescens* Lindl.  
**Laelia alaorii** F.G.Brieger & Bicalho #4 II 64 ORCHIDACEAE  
**Laelia albida** Bateman ex Lindl. #4 II 64 ORCHIDACEAE  
**Laelia anceps** Lindl. #4 II 64 ORCHIDACEAE  
**Laelia angereri** Pabst #4 II 64 ORCHIDACEAE  
*Laelia aurantiaca* (Lindl.) Beer = *Cattleya aurantiaca* (Bateman ex Lindl.) P.N.Don.  
**Laelia aurea** Navarro #4 II 64 ORCHIDACEAE  
**Laelia autumnalis** (La Llave & Lex.) Lindl. #4 II 64 ORCHIDACEAE  
**Laelia bahiensis** Schltr. #4 II 64 ORCHIDACEAE  
**Laelia bancalarii** R.Gonzalez & Hagsater #4 II 64 ORCHIDACEAE  
*Laelia Barkeriana* Knowles & Westcroft = *Laelia anceps* Lindl.  
**Laelia blumenscheinii** Pabst #4 II 64 ORCHIDACEAE  
*Laelia boothiana* Rchb.f. = *Laelia lobata* (Lindl.) Veitch  
**Laelia bradei** Pabst #4 II 64 ORCHIDACEAE  
*Laelia brevicaulis* (H.G.Jones) Withner = *Laelia cowanii* Cogn.  
**Laelia briegeri** Blumensch. ex Pabst #4 II 64 ORCHIDACEAE  
*Laelia brysiana* Lem. = *Laelia elegans* (C.Morren) Rchb.f.  
**Laelia candida** Lodd. #4 II 64 ORCHIDACEAE  
**Laelia cardimii** Pabst & A.F.Mello #4 II 64 ORCHIDACEAE  
*Laelia casperiana* Rchb.f. = *Laelia purpurata* Lindl.  
**Laelia cattleyoides** Rodriguez #4 II 64 ORCHIDACEAE  
**Laelia caulescens** Lindl. #4 II 64 ORCHIDACEAE  
**Laelia cinnabarina** Bateman ex Lindl. #4 II 64 ORCHIDACEAE  
**Laelia cinnamomea** Reichb.f. #4 II 64 ORCHIDACEAE  
**Laelia cowanii** Cogn. #4 II 64 ORCHIDACEAE  
**Laelia crispa** (Lindl.) Rchb.f. #4 II 64 ORCHIDACEAE  
*Laelia crispa* (Lindl.) Lemée = *Schomburgkia crispa* Lindl.  
**Laelia crispata** (Thunb.) Garay #4 II 64 ORCHIDACEAE  
**Laelia crispilabia** (A.Rich. ex Rchb.f.) Warner #4 II 64 ORCHIDACEAE  
**Laelia dayana** Rchb.f. #4 II 64 ORCHIDACEAE  
*Laelia devoniensis* hort. = *Laelia elegans* (C.Morren) Rchb.f.

- Laelia digbyana* (Lindl.) Benth (1880) = *Rhyncholaelia digbyana* (Lindl.) Schltr. (1918)  
*Laelia discolor* A.Rich. & Galeotti = *Laelia albida* Bateman ex Lindl.  
*Laelia domingensis* (Lindl.) Millsp. 1900 = *Broughtonia domingensis* (Lindl.) Rolfe 1889  
*Laelia dormaniana* Rchb.f. = *Cattleya dormaniana* (Rchb.f.) Rchb.f.  
***Laelia duveenii*** Fowlie #4 II 64 ORCHIDACEAE  
***Laelia elegans*** (C.Morren) Rchb.f. #4 II 64 ORCHIDACEAE  
***Laelia endsfeldzii*** Pabst #4 II 64 ORCHIDACEAE  
***Laelia esalqueana*** Blumensch. ex Pabst #4 II 64 ORCHIDACEAE  
***Laelia espirito-santensis*** Pabst #4 II 64 ORCHIDACEAE  
***Laelia eyermaniana*** Reichb.f. #4 II 64 ORCHIDACEAE  
***Laelia fidelensis*** Pabst #4 II 64 ORCHIDACEAE  
***Laelia flava*** Lindl. #4 II 64 ORCHIDACEAE  
*Laelia fulva* Lindl. ex Heynh. = *Laelia flava* Lindl.  
***Laelia furfuracea*** Lindl. #4 II 64 ORCHIDACEAE  
*Laelia galeottiana* Lindl. ex Heynh. 1846 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917  
***Laelia gardneri*** Pabst ex Zappi #4 II 64 ORCHIDACEAE  
*Laelia geraensis* Barb.Rodr. = *Laelia flava* Lindl.  
***Laelia ghillanyi*** Pabst #4 II 64 ORCHIDACEAE  
*Laelia gigantea* hort. ex R.Warner = *Laelia elegans* (C.Morren) Rchb.f.  
*Laelia glauca* (Lindl.) Benth. 1895 = *Rhyncholaelia glauca* (Lindl.) Schltr. (1918)  
***Laelia gloedeniana*** Hoehne #4 II 64 ORCHIDACEAE  
*Laelia gloria* (Rchb.f.) L.O.Williams 1941 = *Schomburgkia crispa* Lindl.  
*Laelia goebeliana* Kuepper & Kraenzl. = *Laelia virens* Lindl.  
***Laelia gottoiana*** Hort. #4 II 64 ORCHIDACEAE  
***Laelia gouldiana*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Laelia gracilis*** Pabst #4 II 64 ORCHIDACEAE  
***Laelia grandiflora*** Lindley #4 II 64 ORCHIDACEAE  
*Laelia grandiflora* (La Llave & Lexarza) Lindl. = *Laelia speciosa* (Kunth) Schltr.  
***Laelia grandis*** Lindl. & Paxton #4 II 64 ORCHIDACEAE  
***Laelia harpophylla*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Laelia hispidula*** Pabst & A.F.Mello #4 II 64 ORCHIDACEAE  
*Laelia humboldtii* (Rchb.f.) Williams 1941 = *Myrmecophila humboldtii* (Rchb.f.) Rolfe 1917  
***Laelia inconspicua*** H. Jones #4 II 64 ORCHIDACEAE  
***Laelia itambana*** Pabst #4 II 64 ORCHIDACEAE  
*Laelia johniana* Schltr. = *Laelia virens* Lindl.  
***Laelia jongheana*** Rchb.f. I 67 ORCHIDACEAE  
*Laelia kautskyana* Pabst = *Laelia kautskyi* Pabst  
***Laelia kautskyi*** Pabst #4 II 64 ORCHIDACEAE  
***Laelia kettieana*** Pabst #4 II 64 ORCHIDACEAE  
*Laelia lawrenceana* hort. ex R.Warner = *Laelia crispilabia* (A.Rich. ex Rchb.f.) Warner  
***Laelia lilacina*** Philbr. ex Veitch #4 II 64 ORCHIDACEAE  
***Laelia liliputana*** Pabst #4 II 64 ORCHIDACEAE  
***Laelia lobata*** (Lindl.) Veitch I 68 ORCHIDACEAE  
***Laelia longipes*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Laelia lucasiana*** Rolfe #4 II 64 ORCHIDACEAE  
*Laelia lueddemannii* Prill. 1862 = *Schomburgkia undulata* Lindl. 1844  
*Laelia luedemannii* (Prill.) L.O.Williams 1940 = *Schomburgkia luedemannii* Prill. 1862  
***Laelia lundii*** Rchb.f. ex Withner #4 II 64 ORCHIDACEAE  
*Laelia lyonsii* (Lindl.) L.O.Williams (1941) = *Schomburgkia lyonsii* Lindl. 1853  
*Laelia macrobulbosa* Pabst = *Laelia gloedeniana* Hoehne  
*Laelia majalis* Lindl. = *Laelia speciosa* (Kunth) Schltr.  
***Laelia mantiqueirae*** Pabst ex Zappi #4 II 64 ORCHIDACEAE  
*Laelia marginata* (Lindl.) L.O.Williams = *Schomburgkia marginata* Lindl. 1838  
***Laelia milleri*** Blumenslch. ex Pabst #4 II 64 ORCHIDACEAE  
***Laelia mixta*** Hoehne #4 II 64 ORCHIDACEAE  
*Laelia monophylla* (Griseb.) N.E.Br. (1882) = *Neocogniauxia monophylla* (Griseb.) Schltr. (1913)  
*Laelia moyobambae* (Schltr.) Schweinf. 1944 = *Schomburgkia moyobambae* Schltr. 1921  
*Laelia ostermayerii* Hoehne ex Ruschii = *Laelia lucasiana* Rolfe  
***Laelia pabstii*** Ghillany #4 II 64 ORCHIDACEAE  
*Laelia pachystele* Rchb.f. = *Laelia elegans* (C.Morren) Rchb.f.  
*Laelia peduncularis* Lindl. = *Laelia rubescens* Lindl.  
***Laelia perrinii*** (Lindl.) Bateman #4 II 64 ORCHIDACEAE  
***Laelia pfisteri*** Pabst ex Senghas #4 II 64 ORCHIDACEAE  
***Laelia praestans*** Lindley & Reichb.f. #4 II 64 ORCHIDACEAE  
*Laelia praestans* Rchb.f. = *Laelia spectabilis* (Paxton) Withner  
*Laelia pubescens* Lem. = *Laelia rubescens* Lindl.  
***Laelia pumila*** (Hook.) Rchb.f. #4 II 64 ORCHIDACEAE  
*Laelia pumila praestans* (Rchb.f.) Bicalho = *Laelia spectabilis* (Paxton) Withner  
***Laelia purpurata*** Lindl. #4 II 64 ORCHIDACEAE  
*Laelia regenellii* Barb.Rodr. = *Laelia lundii* Rchb.f. ex Withner  
***Laelia reginae*** Pabst #4 II 64 ORCHIDACEAE  
*Laelia reichenbachiana* H.Wendl. & Kraenzl. = *Laelia lundii* Rchb.f. ex Withner  
*Laelia rivieri* Carriere = *Laelia lobata* (Lindl.) Veitch  
*Laelia rosea* (Linden ex Lindl.) Schweinf. 1967 = *Schomburgkia rosea* Linden ex Lindl. 1845  
***Laelia rubescens*** Lindl. #4 II 64 ORCHIDACEAE  
*Laelia rupestris* Lindl. = *Laelia crispata* (Thunb.) Garay  
***Laelia sanguiloba*** Withner #4 II 64 ORCHIDACEAE  
*Laelia sawyeri* L.O.Williams 1943 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917  
***Laelia sincorana*** Schltr. #4 II 64 ORCHIDACEAE  
***Laelia speciosa*** (Kunth) Schltr. #4 II 64 ORCHIDACEAE  
***Laelia spectabilis*** (Paxton) Withner #4 II 64 ORCHIDACEAE

<i>Laelia splendida</i> (Schltr.) L.O.Williams 1941 =	<i>Latourorchis forbesii</i> Ridl. Brieger = <i>Dendrobium forbesii</i> Ridley
<i>Schomburgkia splendida</i> Schltr.	
<i>Laelia superbiens</i> Lindl. 1840 = <i>Schomburgkia superbiens</i> (Lindl.) Rolfe 1917	<i>Latourorchis leucohybos</i> (Schltr.) Brieger = <i>Dendrobium leucohybos</i> Schltr.
<i>Laelia tenebrosa</i> (Gower) Rolfe #4 II 64 ORCHIDACEAE	<i>Latourorchis macrophylla</i> (A.Rich.) Brieger = <i>Dendrobium macrophyllum</i> A.Rich
<i>Laelia tereticaulis</i> Hoehne ex Ruschi #4 II 64	<i>Latourorchis muscifera</i> (Schltr.) Brieger = <i>Dendrobium macrophyllum</i> A.Rich
ORCHIDACEAE	
<i>Laelia thomsoniana</i> (Rchb.f.) L.O.Williams 1941 =	<i>Latourorchis spectabile</i> (Blume) Brieger = <i>Dendrobium spectabile</i> (Blume) Miq.
<i>Myrmecophila thomsoniana</i> (Rchb.f.) Rolfe 1917	
<i>Laelia tibicinis</i> (Bateman ex Lindl.) L.O.Williams 1941 =	<i>Lecanorchis</i> spp. Blume #4 II 64 ORCHIDACEAE
<i>Myrmecophila tibicinis</i> (Bateman ex Lindl.) Rolfe 1917	<i>Lecanorchis hojurikuensis</i> Masamunea #4 II 64
<i>Laelia turneri</i> hort. ex R.Warner = <i>Laelia elegans</i> (C.Morren) Rchb.f.	ORCHIDACEAE
<i>Laelia undulata</i> williams 1941 = <i>Schomburgkia undulata</i> Lindl. 1844	<i>Lecanorchis kiiensis</i> Murata #4 II 64 ORCHIDACEAE
<i>Laelia violacea</i> Rchb.f. = <i>Laelia rubescens</i> Lindl.	<i>Lecanorchis kiusiana</i> Tuy. #4 II 64 ORCHIDACEAE
<i>Laelia virens</i> Lindl. #4 II 64 ORCHIDACEAE	<i>Lecanorchis malaccensis</i> Ridley #4 II 64 ORCHIDACEAE
<i>Laelia weberbaueriana</i> (Kraenzl.) C.Schweinf. 1944 =	<i>Lecanorchis multiflora</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Schomburgkia weberbaueriana</i> Kraenzl. 1906	<i>Lecanorchis pauciflora</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Laelia wendlandii</i> (Rchb.f.) Rchb.f. (1862) = <i>Myrmecophila wendlandii</i> (Rchb.f.) G.C.Kenn (1979)	<i>Lecanorchis trachycaula</i> Ohwi #4 II 64 ORCHIDACEAE
<i>Laelia wetmorei</i> Ruschi = <i>Laelia xanthina</i> Lindl.	<i>Lemaireocereus aragonii</i> (Weber) Britt. & Rose =
<i>Laelia wyattiana</i> Rchb.f. = <i>Laelia purpurata</i> Lindl.	<i>Stenocereus aragonii</i> (Weber) Buxbaum
<i>Laelia xanthina</i> Lindl. #4 II 64 ORCHIDACEAE	<i>Lemaireocereus beneckei</i> (Ehrenberg) Britton & Rose =
<i>Laeliocattleya dormaniana</i> (Rchb.f.) Rolfe = <i>Cattleya dormaniana</i> (Rchb.f.) Rchb.f.	<i>Stenocereus beneckei</i> (Ehrenberg) Buxbaum
<i>Laeliocattleya elegans</i> (Morren) Rolfe = <i>Laelia elegans</i> (C.Morren) Rchb.f.	<i>Lemaireocereus cartwrightianus</i> Britton & Rose =
<i>Laeliocattleya lindenii</i> hort. = <i>Laelia elegans</i> (C.Morren) Rchb.f.	<i>Armatocereus cartwrightianus</i> (Britton & Rose) Backeberg ex A.W.Hill
<i>Laeliocattleya pachystele</i> (Rchb.f.) Rolfe ex B.S.Williams =	<i>Lemaireocereus chende</i> (Roland-Gosselin) Britton & Rose =
<i>Laelia elegans</i> (C.Morren) Rchb.f.	<i>Polaskia chende</i> (Roland-Gosselin) Gibson & Horak
<i>Laeliocattleya sayana</i> L.Linden = <i>Laelia elegans</i> (C.Morren) Rchb.f.	<i>Lemaireocereus chichipe</i> (Roland-Gosselin) Britton & Rose =
<i>Laeliopsis chinensis</i> Lindl. 1842 = <i>Barkeria obovata</i> (Presley) Christenson 1988	<i>Polaskia chichipe</i> (Roland-Gosselin) Backeberg
<i>Laeliopsis cubensis</i> (Lindl.) Lindl. 1853 = <i>Barkeria palmeri</i> (Rolfe) Schltr. 1918	<i>Lemaireocereus deficiens</i> (Otto & Dietrich) Britton & Rose =
<i>Laeliopsis domingensis</i> (Lindl.) Lindl. 1853 = <i>Broughtonia domingensis</i> (Lindl.) Rolfe 1889	<i>Stenocereus griseus</i> (Haworth) Buxbaum
Lahual (S): <i>Fitzroya cupressoides</i>	<i>Lemaireocereus dumortieri</i> (Scheidweiller) Britton & Rose =
Lahuán (S): <i>Pilgerodendron uviferum</i>	<i>Stenocereus dumortieri</i> (Scheidweiller) Buxbaum
<i>Lankestralla</i> spp. Unknown #4 II 64 ORCHIDACEAE	<i>Lemaireocereus eichlamii</i> Britton & Rose = <i>Stenocereus eichlamii</i> (Britton & Rose) Buxbaum
<i>Lankestralla epiphyta</i> #4 II 64 ORCHIDACEAE	<i>Lemaireocereus godingianus</i> Britton & Rose =
<i>Lankestralla parvula</i> #4 II 64 ORCHIDACEAE	<i>Armatocereus godingianus</i> (Britton & Rose) Backeberg ex E.Salisbury
<i>Lankestralla pilosa</i> #4 II 64 ORCHIDACEAE	<i>Lemaireocereus grisea</i> (Haworth) Britton & Rose =
Larch, Chilean False (E): <i>Fitzroya cupressoides</i>	<i>Stenocereus griseus</i> (Haworth) Buxbaum
<i>Lasiocereus</i> spp. Ritter #4 II 49 CACTACEAE	<i>Lemaireocereus hollianus</i> (Weber) Britton & Rose =
<i>Lasiocereus fulvus</i> Ritter #4 II 49 CACTACEAE	<i>Pachycereus hollianus</i> (Weber) Buxbaum
<i>Lasiocereus rupicola</i> Ritter #4 II 49 CACTACEAE	<i>Lemaireocereus humilis</i> Britton & Rose = <i>Armatocereus humilis</i> (Britton & Rose) Backeberg
<i>Latourea oncidiochila</i> (Kraenzl.) Kraenzl. = <i>Dendrobium bifalce</i> Lindley	<i>Lemaireocereus hystrix</i> (Haworth) Britton & Rose =
<i>Latourea spectabilis</i> Blume = <i>Dendrobium spectabile</i> (Blume) Miq.	<i>Stenocereus fimbriatus</i> (Lamarck) Lourteig
<i>Latourorchis alexandrae</i> (Schltr.) Brieger = <i>Dendrobium alexandrae</i> Schltr.	<i>Lemaireocereus laetus</i> (Kunth) Britton & Rose =
<i>Latourorchis atroviolaceum</i> (Rolfe) Brieger = <i>Dendrobium atroviolaceum</i> Rolfe	<i>Armatocereus laetus</i> (Kunth) Backeberg ex A.W.Hill
	<i>Lemaireocereus longispinus</i> Britton & Rose =
	<i>Stenocereus eichlamii</i> (Britton & Rose) Buxbaum
	<i>Lemaireocereus martinezii</i> J.G.Ortega = <i>Stenocereus martinezii</i> (J.G.Ortega) Buxbaum
	<i>Lemaireocereus mixtecensis</i> (Purpus) Britton & Rose =
	<i>Polaskia chichipe</i> (Roland-Gosselin) Backeberg
	<i>Lemaireocereus montanus</i> Britton & Rose = <i>Stenocereus montanus</i> (Britton & Rose) Buxbaum

- Lemaireocereus pruinosus* (Otto ex Pfeiffer) Britton & Rose = *Stenocereus pruinosus* (Otto ex Pfeiffer) Buxbaum  
*Lemaireocereus queretaroensis* (Weber) Safford = *Stenocereus queretaroensis* (Weber) Buxbaum  
*Lemaireocereus quevedonis* J.G.Ortega = *Stenocereus quevedonis* (J.G.Ortega) Buxbaum  
*Lemaireocereus stellatus* (Pfeiffer) Britton & Rose = *Stenocereus stellatus* (Pfeiffer) Riccobono  
*Lemaireocereus treleasei* Britton & Rose = *Stenocereus treleasei* (Britton & Rose) Backeberg  
*Lemaireocereus weberi* (Coulter) Britton & Rose = *Pachycereus weberi* (Coulter) Backeberg  
***Lemboglossum* spp.** Halbinger #4 II 64 ORCHIDACEAE  
*Lemboglossum apterum* (La Llave & Lex.) Halb. 1984 = *Rhynchostele aptera* (La Llave & Lex.) Soto Arenas & Salazar 1993  
*Lemboglossum biconiense* (Bateman) Halb. ex Soto Arenas = *Rhynchostele biconiensis* (Bateman) Soto Arenas & Salazar 1993  
*Lemboglossum candidulum* (Rchb.f.) Halb. 1984 = *Rhynchostele candidula* (Rchb.f.) Soto Arenas & Salazar 1993  
*Lemboglossum cervantesii* (La Llave & Lex.) Halb. 1984 = *Rhynchostele cervantesii* (La Llave & Lex.) Soto Arenas & Salazar 1993  
*Lemboglossum cordatum* (Lindl.) Halb. 1984 = *Rhynchostele cordata* (Lindl.) Soto Arenas & Salazar 1993  
*Lemboglossum ehrenbergii* (Link, Klotzsch & Otto) Halb. 1984 = *Rhynchostele ehrenbergii* (Link, Klotzsch & Otto) Soto Arenas & Salazar 1993  
*Lemboglossum galeottianum* (A.Rich. & Galeotti) Halb. 1984 = *Rhynchostele galeottiana* (A.Rich. & Galeotti) Soto Arenas & Salazar 1993  
*Lemboglossum hortensiae* (Lucas Rodr.) Halb. 1984 = *Rhynchostele hortensiae* (R.Rodr.) Soto Arenas & Salazar 1993  
*Lemboglossum humeanum* (Rchb.f.) Bockemuhl ex R.Diekmann (2000) = *Rhynchostele humeanum* (Rchb.f.) Soto Arenas & Salazar 1993  
*Lemboglossum maculatum* (La Llave & Lex.) Halb. 1984 = *Rhynchostele maculata* (La Llave & Lex.) Soto Arenas & Salazar 1993  
*Lemboglossum madrense* (Rchb.f.) Halb. 1984 = *Rhynchostele madrensis* (Rchb.f.) Soto Arenas & Salazar 1993  
*Lemboglossum majale* (Rchb.f.) Halb. 1984 = *Rhynchostele majalis* (Rchb.f.) Soto Arenas & Salazar 1993  
*Lemboglossum rossii* (Lindl.) Halb. 1984 = *Rhynchostele rossii* (Lindl.) Soto Arenas & Salazar 1993  
*Lemboglossum stellatum* (Lindl.) Halb. 1984 = *Rhynchostele stellata* (Lindl.) Soto Arenas & Salazar 1993  
*Lemboglossum uroskinneri* (Lindl.) Halb. 1984 = *Rhynchostele uroskinneri* (Lindl.) Soto Arenas & Salazar 1993  
*Lemelea boiteaui* (Guillaumin) P.V.Heath = *Aloe boiteaui* Guillaumin  
*Lemelea haworthioides* (Baker) P.V.Heath 1993 = *Aloe haworthioides* Baker 1886  
*Lemelea parvula* (A.Berger) P.V.Heath 1994 = *Aloe parvula* A. Berger 1908  
***Lemurella* spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Lemurella ambongensis* #4 II 64 ORCHIDACEAE  
*Lemurella culicifera* #4 II 64 ORCHIDACEAE  
*Lemuropheonix halleuxii* J. Dransf. II PALMAE (E) Palm Red-lemur  
***Lemurorchis* spp.** Kraenzl #4 II 64 ORCHIDACEAE  
*Lengua de vaca* (S): *Opuntia decumbens*  
*Lenha de Guayaco* (S): *Guaiacum sanctum*  
*Leno de Guayaco* (S): *Guaiacum officinale*  
*Leno de Sandalo Rojo* (S): *Pterocarpus santalinus*  
***Leocereus* spp.** Britton & Rose #4 II 49 CACTACEAE  
***Leocereus bahiensis*** Britton & Rose #4 II 49 CACTACEAE  
***Leocereus bahiensis barreirensis*** (Braun & Esteves Pereira) Braun & Esteves Pereira = *Leocereus bahiensis* Britton & Rose  
***Leocereus bahiensis exiguospinus*** (Braun & Esteves Pereira) Braun & Esteves Pereira = *Leocereus bahiensis* Britton & Rose  
***Leocereus bahiensis robustispinus*** (Braun & Esteves Pereira) Braun & Esteves Pereira = *Leocereus bahiensis* Britton & Rose  
***Leocereus bahiensis urandianus*** (Ritter) Braun & Esteves Pereira = *Leocereus bahiensis* Britton & Rose  
***Leocereus estevesii*** Braun = *Leocereus bahiensis* Britton & Rose  
***Leocereus glaziovii*** (Schumann) Britton & Rose = *Arthrocereus glaziovii* (Schumann) Taylor & Zappi  
***Leocereus melanurus*** (Schumann) Britton & Rose = *Arthrocereus melanurus* (Schumann) Diers et al.  
***Leocereus urandianus*** Ritter = *Leocereus bahiensis* Britton & Rose  
***Leochilus* spp.** Knowles & Westc. #4 II 64 ORCHIDACEAE  
*Leochilus carinatus* (Knowl. & Westc.) Lindley #4 II 64 ORCHIDACEAE  
*Leochilus crocodiliceps* (Reichb.f.) Kranzlin #4 II 64 ORCHIDACEAE  
*Leochilus diaphanus* (Rchb.f.) Schltr. 1918 = *Erycina hyalinobulbon* (Lex.) N.H.Williams & M.W.Chase 2001  
*Leochilus hagsateri* M. W. Chase #4 II 64 ORCHIDACEAE  
*Leochilus hyalinobulbon* (Llave & Lex.) Schltr. = *Erycina hyalinobulbon* (Lex.) N.H.Williams & M.W.Chase 2001  
*Leochilus labiatus* (Swartz) Kuntze #4 II 64 ORCHIDACEAE  
*Leochilus leiboldii* Reichb.f. #4 II 64 ORCHIDACEAE  
*Leochilus parviflorus* L.O. Williams #4 II 64 ORCHIDACEAE  
*Leochilus puertoricensis* Chase #4 II 64 ORCHIDACEAE  
*Leochilus scriptus* (Scheidw.) Reichb.f. #4 II 64 ORCHIDACEAE  
***Lepanthes* spp.** Sw. #4 II 64 ORCHIDACEAE  
*Lepanthes acoridilabia* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Lepanthes acostaei* Schltr. #4 II 64 ORCHIDACEAE

- Lepanthes acuminata* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes almolongae* Luer & Béhar #4 II 64  
 ORCHIDACEAE  
*Lepanthes ankistra* Luer & Dressler #4 II 64  
 ORCHIDACEAE  
*Lepanthes antilocarpa* Luer & Dressler #4 II 64  
 ORCHIDACEAE  
*Lepanthes appendiculata* Ames #4 II 64 ORCHIDACEAE  
*Lepanthes aquila-borussiae* Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Lepanthes arachnion* Luer & Dressler #4 II 64  
 ORCHIDACEAE  
*Lepanthes aries* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes attenuata* Salazar, Soto Arenas & O. Suárez #4  
 II 64 ORCHIDACEAE  
*Lepanthes aurea* Urban #4 II 64 ORCHIDACEAE  
*Lepanthes aurita* Luer & Escobar #4 II 64 ORCHIDACEAE  
*Lepanthes avis* Reichb.f. #4 II 64 ORCHIDACEAE  
*Lepanthes ballatrix* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes barbae* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes benzingii* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes bifalcis* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes bifaria* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes blephariglossa* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes blepharistes* Reichb.f. #4 II 64 ORCHIDACEAE  
*Lepanthes brachypogon* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes bradei* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes breedlovei* Salazar & Soto Arenas #4 II 64  
 ORCHIDACEAE  
*Lepanthes calodictyon* Hook. #4 II 64 ORCHIDACEAE  
*Lepanthes camposii* Salazar & Soto Arenas #4 II 64  
 ORCHIDACEAE  
*Lepanthes cascalensis* Ames #4 II 64 ORCHIDACEAE  
*Lepanthes chameleon* Ames #4 II 64 ORCHIDACEAE  
*Lepanthes chiriquensis* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes ciliaris* Luer & Hirtz #4 II 64 ORCHIDACEAE  
*Lepanthes ciliisepala* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes collaris* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes columbar* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes comet-halleyi* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes confusa* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Lepanthes costaricensis* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes cotyledon* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes craticia* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes dalessandroi* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes decipiens* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Lepanthes deleastes* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes deliqua* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes delphax* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes divaricata* F. & R. #4 II 64 ORCHIDACEAE  
*Lepanthes dodiana* Stimson #4 II 64 ORCHIDACEAE  
*Lepanthes dodsonii* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes dorsalis* Lindley #4 II 64 ORCHIDACEAE  
*Lepanthes droseroides* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes eciliata* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes elata* Reichb.f. #4 II 64 ORCHIDACEAE  
*Lepanthes electilis* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes elliptica* F. & R. #4 II 64 ORCHIDACEAE  
*Lepanthes eltoroensis* Stimson #4 II 64 ORCHIDACEAE  
*Lepanthes erepsis* Luer & Hirtz #4 II 64 ORCHIDACEAE  
*Lepanthes erinacea* Reichb.f. #4 II 64 ORCHIDACEAE  
*Lepanthes estrellensis* Ames #4 II 64 ORCHIDACEAE  
*Lepanthes exasperata* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Lepanthes excedens* Ames & Correll #4 II 64  
 ORCHIDACEAE  
*Lepanthes eximia* Ames #4 II 64 ORCHIDACEAE  
*Lepanthes exposita* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes flexuosa* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes focalis* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes fusiformis* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes gabriellae* Salazar & Soto Arenas #4 II 64  
 ORCHIDACEAE  
*Lepanthes gibberosa* Ames #4 II 64 ORCHIDACEAE  
*Lepanthes glicensteinii* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes grypha* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes guanacastensis* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Lepanthes guatemalensis* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes helleri* A. Hawkes #4 II 64 ORCHIDACEAE  
*Lepanthes hippocrepica* Luer & Escobar #4 II 64  
 ORCHIDACEAE  
*Lepanthes homotaxis* Luer & Escobar #4 II 64  
 ORCHIDACEAE  
*Lepanthes hondurensis* Ames #4 II 64 ORCHIDACEAE  
*Lepanthes horchii* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes horrida* Reichb.f. #4 II 64 ORCHIDACEAE  
*Lepanthes ictalurus* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes ilense* Dodson #4 II 64 ORCHIDACEAE  
*Lepanthes illex* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes imoena* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes inaequalis* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes inaequiloba* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Lepanthes inescata* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes inornata* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes insectiflora* C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Lepanthes intermedia* Hespenheide #4 II 64  
 ORCHIDACEAE  
*Lepanthes intonsa* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes intricata* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes jimenezii* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes johnsonii* Ames #4 II 64 ORCHIDACEAE  
*Lepanthes jubata* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes jugum* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes latisepala* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE

- Lepanthes loddigesiana* Reichb. #4 II 64 ORCHIDACEAE  
*Lepanthes lophius* Luer & Escobar #4 II 64  
 ORCHIDACEAE  
*Lepanthes macalpinii* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes machorroi* Salazar & Soto Arenas #4 II 64  
 ORCHIDACEAE  
*Lepanthes magnifica* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes mariae* Salazar, Soto Arenas & O. Suárez #4 II  
 64 ORCHIDACEAE  
*Lepanthes matudana* Salazar & Soto Arenas #4 II 64  
 ORCHIDACEAE  
*Lepanthes maxonii* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes megalostele* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes menatoi* Luer & Vásquez #4 II 64  
 ORCHIDACEAE  
*Lepanthes mentosa* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes microglottis* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes micropetala* L.O. Williams #4 II 64  
 ORCHIDACEAE  
*Lepanthes micropogon* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes minima* Salazar & Soto Arenas #4 II 64  
 ORCHIDACEAE  
*Lepanthes minutilabia* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Lepanthes mixe* Salazar & Soto Arenas #4 II 64  
 ORCHIDACEAE  
*Lepanthes monteverdensis* Luer & Escobar #4 II 64  
 ORCHIDACEAE  
*Lepanthes moorei* Salazar & Soto Arenas #4 II 64  
 ORCHIDACEAE  
*Lepanthes mulderae* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes muscula* Luer & Escobar #4 II 64  
 ORCHIDACEAE  
*Lepanthes myiophora* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes nigriscapa* R.E. Schultes & G.W. Dillon #4 II  
 64 ORCHIDACEAE  
*Lepanthes nivea* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes nontecta* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes nummularia* Rchb.f. #4 II 64 ORCHIDACEAE  
*Lepanthes oaxacana* Salazar, Soto Arenas & O. Suárez  
 #4 II 64 ORCHIDACEAE  
*Lepanthes obtusa* F. & R. #4 II 64 ORCHIDACEAE  
*Lepanthes obtusipetala* (F. & R.) F. & R. #4 II 64  
 ORCHIDACEAE  
*Lepanthes odontolabis* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes orchestris* Luer & Vasquez #4 II 64  
 ORCHIDACEAE  
*Lepanthes oreocharis* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes otara* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes ovalis* (Sw.) F. & R. #4 II 64 ORCHIDACEAE  
*Lepanthes ova-rajae* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes pachyglossa* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes pantomina* Luer & Dressler #4 II 64  
 ORCHIDACEAE  
*Lepanthes papilionacea* Salazar, Soto Arenas & O.  
 Suárez #4 II 64 ORCHIDACEAE  
*Lepanthes paradoxa* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes peniculus* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes pentoxy*s Luer #4 II 64 ORCHIDACEAE  
*Lepanthes pexa* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes pleurorachis* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes pollardii* Hespenn. #4 II 64 ORCHIDACEAE  
*Lepanthes pollex* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes polygonoides* Smith & Harris #4 II 64  
 ORCHIDACEAE  
*Lepanthes polytricha* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes posthon* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes pristidis* Reichb.f. #4 II 64 ORCHIDACEAE  
*Lepanthes pseudocaulescens* Lyman B. Smith & Harris #4  
 II 64 ORCHIDACEAE  
*Lepanthes pubescens* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes pulchella* (Sw.) Sw. #4 II 64 ORCHIDACEAE  
*Lepanthes pygmaea* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes quadrata* F. & R. #4 II 64 ORCHIDACEAE  
*Lepanthes quaternaria* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes ramonensis* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes regularis* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes rekoi* R. Schultes #4 II 64 ORCHIDACEAE  
*Lepanthes repens* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes rhynchion* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes rotundata* Griseb. #4 II 64 ORCHIDACEAE  
*Lepanthes rotundifolia* L.O. Williams #4 II 64  
 ORCHIDACEAE  
*Lepanthes saltator* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes samicensis* Ames #4 II 64 ORCHIDACEAE  
*Lepanthes sannio* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes scalaris* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes schiedei* Reichb.f. #4 II 64 ORCHIDACEAE  
*Lepanthes schizix* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes sousae* Salazar & Soto Arenas #4 II 64  
 ORCHIDACEAE  
*Lepanthes stalactites* Luer & Hirtz #4 II 64  
 ORCHIDACEAE  
*Lepanthes standleyi* Ames #4 II 64 ORCHIDACEAE  
*Lepanthes stenophylla* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes stupenda* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes subdimidiata* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Lepanthes tecpanica* Luer & Béhar #4 II 64  
 ORCHIDACEAE  
*Lepanthes teres* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes tetroptera* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes tipulifera* Reichb.f. #4 II 64 ORCHIDACEAE  
*Lepanthes transparens* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes trichodactyla* Lindley #4 II 64 ORCHIDACEAE  
*Lepanthes tridens* Ames #4 II 64 ORCHIDACEAE  
*Lepanthes tridentata* (Sw.) Sw. #4 II 64 ORCHIDACEAE  
*Lepanthes truncata* Luer & Dressler #4 II 64  
 ORCHIDACEAE  
*Lepanthes villosa* Lojtnant #4 II 64 ORCHIDACEAE

- Lepanthes wendlandii* Reichb.f. #4 II 64 ORCHIDACEAE  
*Lepanthes wercklei* Schltr. #4 II 64 ORCHIDACEAE  
*Lepanthes woodiana* F. & R. #4 II 64 ORCHIDACEAE  
*Lepanthes wullschlaegelii* F. & R. #4 II 64 ORCHIDACEAE  
*Lepanthes ximenesae* Luer #4 II 64 ORCHIDACEAE  
*Lepanthes yuvilensis* Catling #4 II 64 ORCHIDACEAE  
**Lepanthopsis spp.** Ames #4 II 64 ORCHIDACEAE  
*Lepanthopsis floripecten* (Reichb.f.) Ames #4 II 64 ORCHIDACEAE  
*Lepanthopsis melanantha* (Reichb.f.) Ames #4 II 64 ORCHIDACEAE (E) Tiny Orchid  
*Lepanthopsis microlepanthes* (Griseb.) Ames #4 II 64 ORCHIDACEAE  
*Lepervenchea tenuifolia* Cordem. = *Angraecum tenuifolium* Frapp. ex Corden  
*Lepidocoryphantha macromeris* (Engelmann) Backeberg = *Coryphantha macromeris* (Engelmann) Lemaire  
**Lepidogyne spp.** Blume #4 II 64 ORCHIDACEAE  
*Lepidogyne longifolia* Blume #4 II 64 ORCHIDACEAE  
**Lepidozamia spp.** Regel #4 II ZAMIACEAE  
*Lepidozamia hopei* Regel #4 II ZAMIACEAE  
*Lepidozamia peroffskyana* Regel #4 II ZAMIACEAE  
**Lepismium spp.** Pfeiffer #4 II 49 CACTACEAE  
*Lepismium aculeatum* (Weber) Barthlott #4 II 49 CACTACEAE  
*Lepismium boliviannum* (Britton) Barthlott #4 II 49 CACTACEAE  
*Lepismium brevispinum* Barthlott #4 II 49 CACTACEAE  
*Lepismium chrysanthum* (Loefgren) Backeberg = *Rhipsalis dissimilis* (Lindberg) Schumann  
*Lepismium crenatum* (Britton) Barthlott #4 II 49 CACTACEAE  
*Lepismium cruciforme* (Vellozo) Miquel #4 II 49 CACTACEAE  
*Lepismium dissimile* Lindberg = *Rhipsalis dissimilis* (Lindberg) Schumann  
*Lepismium epiphyllanthoides* (Backeberg) Backeberg = *Rhipsalis dissimilis* (Lindberg) Schumann  
*Lepismium erectum* (Ritter) Sueppie = *Lepismium ianthothele* (Monville) Barthlott  
*Lepismium grandiflorum* = *Rhipsalis grandiflora* Haworth  
*Lepismium houletianum* (Lemaire) Barthlott #4 II 49 CACTACEAE  
*Lepismium ianthothele* (Monville) Barthlott #4 II 49 CACTACEAE  
*Lepismium incachacanum* (Cardenas) Barthlott #4 II 49 CACTACEAE  
*Lepismium lineare* (Schumann) Barthlott = *Lepismium warmingianum* (Schumann) Barthlott  
*Lepismium lorentzianum* (Grisebach) Barthlott #4 II 49 CACTACEAE  
*Lepismium lumbrioides* (Lemaire) Barthlott #4 II 49 CACTACEAE  
*Lepismium mataralense* (Ritter) Sueppie = *Lepismium ianthothele* (Monville) Barthlott  
*Lepismium megalanthum* (Loefgren) Backeberg = *Rhipsalis neves-armondii* Schumann  
*Lepismium micranthum* (Vaupel) Barthlott #4 II 49 CACTACEAE  
*Lepismium miyagawae* (Barthlott & Rauh) Barthlott #4 II 49 CACTACEAE  
*Lepismium monacanthum* (Grisebach) Barthlott #4 II 49 CACTACEAE  
*Lepismium neves-armondii* (Schumann) Backeberg = *Rhipsalis neves-armondii* Schumann  
*Lepismium paranganiense* (Cardenas) Barthlott #4 II 49 CACTACEAE  
*Lepismium puniceodiscus* (Linberg) Backeberg = *Rhipsalis puniceodiscus* Lindberg  
*Lepismium saxatile* A.Friedrich & Redecker = *Rhipsalis dissimilis* (Lindberg) Schumann  
*Lepismium trigonum* (Pfieffer) Backeberg = *Rhipsalis trigona* Pfeiffer  
*Lepismium warmingianum* (Schumann) Barthlott #4 II 49 CACTACEAE  
**Leporella spp.** A.S.George #4 II 64 ORCHIDACEAE  
*Leptaloe albida* Staph 1933 = *Aloe albida* (Stapf) Reynolds 1947  
*Leptaloe minina* (Baker) Stapf. = *Aloe minima* Baker  
*Leptaloe myriacantha* (Haw) Stapf. = *Aloe myriacantha* (Haw.) Schult.& Schult  
*Leptocentrum spiculatum* (Finet) Schltr. = *Aerangis spiculata* (Finet) Senghas  
**Leptocereus spp.** (A. Berger) Britton & Rose #4 II 49 CACTACEAE  
**Leptocereus arboreus** Britton & Rose #4 II 49 CACTACEAE  
**Leptocereus assurgens** (Wright ex Grisebach) Britton & Rose #4 II 49 CACTACEAE  
**Leptocereus carinatus** Areces #4 II 49 CACTACEAE  
**Leptocereus ekmanii** (Werdermann) Knuth #4 II 49 CACTACEAE  
**Leptocereus grantianus** Britton #4 II 49 CACTACEAE (E) Puerto Rico Apple Cactus  
**Leptocereus leonii** Britton & Rose #4 II 49 CACTACEAE  
**Leptocereus maxonii** Britton & Rose #4 II 49 CACTACEAE  
**Leptocereus paniculatus** (Lamarck) Hunt #4 II 49 CACTACEAE  
**Leptocereus prostratus** Britton & Rose #4 II 49 CACTACEAE  
**Leptocereus quadricostatus** (Bello) Britton & Rose #4 II 49 CACTACEAE  
**Leptocereus santamarinae** Areces #4 II 49 CACTACEAE  
**Leptocereus scopulophilus** Areces #4 II 49 CACTACEAE  
**Leptocereus sylvestris** Britton & Rose #4 II 49 CACTACEAE  
**Leptocereus weingartianus** (Hartmann ex Dams) Britton & Rose #4 II 49 CACTACEAE  
**Leptocereus wrightii** León #4 II 49 CACTACEAE (S) Pitahaya  
*Leptocladiodia microhelia* (Werdermann) Buxbaum = *Mammillaria microhelia* Werdermann

- Leptocladodia microheliopsis* (Werdermann) Buxbaum = *Mammillaria microhelia* Werdermann  
**Leptotes** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Leptotes bicolor* Lindl. 1833 #4 II 64 ORCHIDACEAE  
*Leptotes blanche-amesii* Loefgr. = *Loefgrenianthus blanche-amesii* (Loefgr.) Hoehne 1927  
*Leptotes glaucophylla* Hoffmanns. 1843 = *Leptotes bicolor* Lindl. 1833  
*Leptotes minuta* (Rolfe) Rolfe 1889 #4 II 64  
 ORCHIDACEAE  
*Leptotes paranaensis* Barb.Rodr. 1882 #4 II 64  
 ORCHIDACEAE  
*Leptotes paulensis* Hoehne 1933 #4 II 64 ORCHIDACEAE  
*Leptotes serrulata* Lindl. 1838 = *Leptotes bicolor* Lindl. 1833  
*Leptotes tenuis* Rchb.f. 1865 #4 II 64 ORCHIDACEAE  
*Leptotes unicolor* Barb.Rodr. 1937 #4 II 64  
 ORCHIDACEAE  
*Leptothrium lineare* (Jacq.) Kunth 1840 = *Isochilus linearis* (Jacq.) R. Br. 1813  
**Lesliea** spp. Seidenf. #4 II 64 ORCHIDACEAE  
**Leuchtenbergia** spp. Hook. #4 II 49 CACTACEAE  
**Leuchtenbergia principis** Hooker #4 II 49 CACTACEAE  
 (E) Agave Cactus, Cob Cactus, Prism Cactus  
**Leucohyle** spp. Klotzsch #4 II 64 ORCHIDACEAE  
*Leucohyle mutica* (Lindl.) Schltr. #4 II 64 ORCHIDACEAE  
*Leucohyle subulata* (Sw.) Schltr. 1914 #4 II 64  
 ORCHIDACEAE  
*Leucohyle warscewiczii* Kl. 1854 = *Leucohyle subulata* (Sw.) Schltr. 1914  
*Leucorchis albida albida* = *Pseudorchis albida* (L.) A.Löve & D.Löve  
*Leucorchis albida* (L.) E.Mey. = *Pseudorchis albida* (L.) A.Löve & D.Löve  
*Leucorchis frivaldii* (Hampe ex Griseb.) Schltr. = *Pseudorchis frivaldii* (Hampe ex Griseb.) P.F.Hunt  
 Lewisia, Saw-toothed (E): *Lewisia serrata*  
*Lewisia serrata* Heckard & Stebbins #4 II  
 PORTULACACEAE (E) Saw-toothed Lewisia  
 Liane-raquette (F): *Acanthocereus tetragonus*  
*Libocedrus cupressoides* (Mol.) O.K. = *Fitzroya cupressoides* (Molina) I. M. Johnston  
*Libocedrus cupressoides* Sargent. = *Pilgerodendron uviferum* (Don) Florin  
*Libocedrus tetragona* Endl. = *Pilgerodendron uviferum* (Don) Florin  
*Libocedrus uvifera* (D. Don) Pilger. = *Pilgerodendron uviferum* (Don) Florin  
 Life, Tree of (E): *Guaiacum officinale*  
 life, Wood of (E): *Guaiacum officinale*  
**Ligeophila** spp. Garay #4 II 64 ORCHIDACEAE  
*Ligeophila clavigera* (Reichb.f.) Garay #4 II 64  
 ORCHIDACEAE  
 Lignum-vitae, Bastard (E): *Guaiacum sanctum*  
 Lily, Ginger (E): *Hedychium philippinense*  
*Limatodes labrosa* Rchb.F = *Calanthe labrosa* (Rchb.f.) Rchb.f.  
*Limatodes rosae* Lindl. = *Calanthe rosea* (Lindl.) Benth.
- Limnorchis hyperborea* (L.) Rydb. = *Platanthera hyperborea* (L.) Lindl.  
**Limodorum** spp. Boehm. #4 II 64 ORCHIDACEAE  
*Limodorum abortivum* (L.) Sw. #4 II 64 ORCHIDACEAE  
*Limodorum aphyllum* Roxb. = *Dendrobium aphyllum* (Roxb.) C. Fischer  
*Limodorum coriaceum* Thunb. ex Sw. = *Angraecum coriaceum* (Thunb. ex Sw.) Schltr.  
*Limodorum cucullatum* Afzel ex Sw.. = *Polystachya galeata* (Sw) Rchb.f.  
*Limodorum diurnum* Jacq. = *Encyclia diurna* (Jacq.) Schltr.  
*Limodorum eburneum* (Bory) Willd. = *Angraecum eburneum* Bory  
*Limodorum ensatum* Thunb. = *Cymbidium ensifolium* (L.) Sw.  
*Limodorum flexuosum* Willd. 1805 = *Dendrophylax varius* (Gmel.) Urb. 1918  
*Limodorum funale* (Sw.) Sw. 1799 = *Dendrophylax funalis* (Sw.) Benth. ex Rolfe (1888)  
*Limodorum lanceolatum* Aubl. 1775 = *Sacoila lanceolata* (Aubl.) Garay  
*Limodorum latifolium* Thunb. ex Sw. = *Aerides odorata* Lour.  
*Limodorum longicorne* Thunb. = *Disa filicornis* (L.f.) Thunb.  
*Limodorum retusa* (L.) Sw. = *Rhynchostylis retusa* Blume  
*Limodorum spathulatum* (L.) Willd. = *Vanda spathulata* (L.) Spreng.  
*Limodorum striatum* Banks (non Thunb.) = *Calanthe striata* R. Br. ex Lindl.  
*Limodorum striatum* Reinw. ex Hook.f. = *Calanthe angustifolia* (Blume) Lindley  
*Limodorum striatum* Thunb. = *Bletilla striata* (Thunb. ex A.Murray) Rchb.f.  
*Limodorum ventricosum* Steud. = *Calanthe triplicata* (Willeme.) Ames  
*Limodorum veratrifolium* (Boiss & Hohen.) Kuntze. = *Epipactis veratrifolia* Boiss. & Hohen.  
*Limodorum veratrifolium* Willd. = *Calanthe triplicata* (Willeme.) Ames  
*Lindleyella aurantiaca* (Lindl.) Schltr. 1914 = *Rudolfiella aurantiaca* (Lindl.) Hoehne  
*Lindleyella saxicola* Schltr. 1924 = *Rudolfiella floribunda* (Schltr.) Hoehne  
**Lindsayella** spp. Ames & C.Schweinf. #4 II 64  
 ORCHIDACEAE  
*Lingoum santalinus* (L.f.) Kuntze = *Pterocarpus santalinus* Linn.f.  
**Liparis** spp. Rich. #4 II 64 ORCHIDACEAE  
*Liparis aaronii* Cribb & B. Lewis #4 II 64 ORCHIDACEAE  
*Liparis affinis* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Liparis angustiflora* J.J. Smith #4 II 64 ORCHIDACEAE  
*Liparis asinacephala* W.Suarez & Cootes #4 II 64  
 ORCHIDACEAE  
*Liparis atrosanguinea* Ridley #4 II 64 ORCHIDACEAE  
*Liparis barbata* Lindley #4 II 64 ORCHIDACEAE  
*Liparis bautingensis* T.Tang & F.T.Wang #4 II 64  
 ORCHIDACEAE

- Liparis beddomei* Ridley #4 II 64 ORCHIDACEAE  
*Liparis bicolor* J.J. Smith #4 II 64 ORCHIDACEAE  
*Liparis bicuspidata* J.J. Smith #4 II 64 ORCHIDACEAE  
*Liparis biloba* Wight #4 II 64 ORCHIDACEAE  
*Liparis bilobulata* J.J. Smith #4 II 64 ORCHIDACEAE  
*Liparis bleyi* J.J. Smith #4 II 64 ORCHIDACEAE  
*Liparis bootanensis* Griffith #4 II 64 ORCHIDACEAE  
*Liparis*, Bottle-brush (E): *Liparis viridiflora*  
*Liparis brachyglossis* Reichb.f. ex Trimen. #4 II 64  
ORCHIDACEAE  
*Liparis caespitosa* (Thouars) Lindley #4 II 64  
ORCHIDACEAE  
*Liparis chalandei* Finet #4 II 64 ORCHIDACEAE  
*Liparis chapaensis* Gagnepain #4 II 64 ORCHIDACEAE  
*Liparis chloroxantha* Hance #4 II 64 ORCHIDACEAE (E)  
Green Featherduster Liparis  
*Liparis clavigera* Ridley #4 II 64 ORCHIDACEAE  
*Liparis collinsii* B.Gray #4 II 64 ORCHIDACEAE  
*Liparis compressa* (Blume) Lindley #4 II 64  
ORCHIDACEAE  
*Liparis condylobulbon* H.G.Reichb. #4 II 64  
ORCHIDACEAE  
*Liparis crenulata* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Liparis decurrens* (Blume) Reichb.f. #4 II 64  
ORCHIDACEAE  
*Liparis de loesel* (F): *Liparis loeselii*  
*Liparis disepala* Reichb.f. #4 II 64 ORCHIDACEAE  
*Liparis distans* C.B. Clarke #4 II 64 ORCHIDACEAE  
*Liparis disticha* (Thouars) Lindley #4 II 64 ORCHIDACEAE  
*Liparis draculoides* Greenwood #4 II 64 ORCHIDACEAE  
*Liparis duthiei* Hook.f. #4 II 64 ORCHIDACEAE  
*Liparis elegans* Lindl. #4 II 64 ORCHIDACEAE  
*Liparis elegantula* Krzl. #4 II 64 ORCHIDACEAE  
*Liparis elliptica* Wight #4 II 64 ORCHIDACEAE  
*Liparis fantastica* Ames & C. Schweinf. #4 II 64  
ORCHIDACEAE  
*Liparis frutrum* Schltr. #4 II 64 ORCHIDACEAE  
*Liparis furcata* (Hook.f.) Ridley #4 II 64 ORCHIDACEAE  
*Liparis*, Giant Purple (E): *Liparis macrantha*  
*Liparis gibbosa* Finet #4 II 64 ORCHIDACEAE  
*Liparis goodyeroides* Schltr. #4 II 64 ORCHIDACEAE  
*Liparis gracilenta* Dandy #4 II 64 ORCHIDACEAE  
*Liparis*, Green Featherduster (E): *Liparis chloroxantha*  
*Liparis greenwoodiana* Espejo #4 II 64 ORCHIDACEAE  
*Liparis guamensis* Ames #4 II 64 ORCHIDACEAE  
*Liparis harrisii* Fawcett & Rendle #4 II 64 ORCHIDACEAE  
*Liparis hawaiiensis* H. Mann #4 II 64 ORCHIDACEAE  
*Liparis hirtzii* Dodson #4 II 64 ORCHIDACEAE  
*Liparis hirundo* Holttum #4 II 64 ORCHIDACEAE  
*Liparis hostaeifolia* (Koidz.) Koidz. ex Tuy. #4 II 64  
ORCHIDACEAE  
*Liparis javanica* J.J. Smith #4 II 64 ORCHIDACEAE  
*Liparis koreana* Nakai #4 II 64 ORCHIDACEAE  
*Liparis latifolia* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Liparis lauterbachii* Schltr. #4 II 64 ORCHIDACEAE  
*Liparis laxa* Schltr. #4 II 64 ORCHIDACEAE  
*Liparis leratii* Schltr. #4 II 64 ORCHIDACEAE  
*Liparis liliifolia* (L.) L.C. Rich. ex Ker-Gawl. #4 II 64  
ORCHIDACEAE  
*Liparis loeselii* (L.) Rich. #4 II 64 ORCHIDACEAE (E) Fen  
Orchid, Loesel's Twayblade Orchid (F) *Liparis de loesel*  
*Liparis longipes* Lindley = *Liparis viridiflora* (Blume) Lindley  
*Liparis*, Long-legged (E): *Liparis viridiflora*  
*Liparis lueri* Dodson #4 II 64 ORCHIDACEAE  
*Liparis luteola* Lindl. #4 II 64 ORCHIDACEAE  
*Liparis macrantha* Rolfe #4 II 64 ORCHIDACEAE (E)  
Giant Purple Liparis  
*Liparis montana* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Liparis mucronata* (Blume) Lindley #4 II 64  
ORCHIDACEAE  
*Liparis nervosa* (Thunb.) Lindley #4 II 64 ORCHIDACEAE  
(E) Purple Star Liparis  
*Liparis nigrescens* Schltr. #4 II 64 ORCHIDACEAE  
*Liparis odorata* (Willd.) Lindley #4 II 64 ORCHIDACEAE  
(E) Twin-bulb Liparis  
*Liparis olivacea* Lindley #4 II 64 ORCHIDACEAE  
*Liparis pallida* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Liparis parviflora* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Liparis parvula* (Hook.f.) Ridley #4 II 64 ORCHIDACEAE  
*Liparis petelotii* Gagnep. #4 II 64 ORCHIDACEAE  
*Liparis petiolata* (D. Don) Hunt & Summerh. #4 II 64  
ORCHIDACEAE  
*Liparis phalacrocorax* Halle #4 II 64 ORCHIDACEAE  
*Liparis phyllocardium* Schltr. #4 II 64 ORCHIDACEAE  
*Liparis platybolba* Hayata #4 II 64 ORCHIDACEAE  
*Liparis platyphylla* Ridley #4 II 64 ORCHIDACEAE  
*Liparis platyrachis* Hook.f. #4 II 64 ORCHIDACEAE  
*Liparis plicata* Franch. et Sav. #4 II 64 ORCHIDACEAE  
(E) Round-head Plicata Liparis  
*Liparis prianganensis* J.J. Smith #4 II 64 ORCHIDACEAE  
*Liparis pulchella* Hook.f. #4 II 64 ORCHIDACEAE  
*Liparis*, Purple Star (E): *Liparis nervosa*  
*Liparis ramosa* P. & E. #4 II 64 ORCHIDACEAE  
*Liparis rheedii* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Liparis rhodochila* Rolfe #4 II 64 ORCHIDACEAE  
*Liparis rhombea* J.J. Smith #4 II 64 ORCHIDACEAE  
*Liparis*, Round-head Plicata (E): *Liparis plicata*  
*Liparis simmondsii* Bailey #4 II 64 ORCHIDACEAE  
*Liparis speculifera* J.J. Smith #4 II 64 ORCHIDACEAE  
*Liparis stricta* Schltr. #4 II 64 ORCHIDACEAE  
*Liparis sula* Halle #4 II 64 ORCHIDACEAE  
*Liparis tonkinensis* Gagnepain #4 II 64 ORCHIDACEAE  
*Liparis tradescantifolia* (Blume) Lindley #4 II 64  
ORCHIDACEAE  
*Liparis tricallosa* Rohb.f. #4 II 64 ORCHIDACEAE  
*Liparis*, Twin-bulb (E): *Liparis odorata*  
*Liparis viridicallus* Holttum #4 II 64 ORCHIDACEAE  
*Liparis viridiflora* (Blume) Lindley #4 II 64 ORCHIDACEAE  
(E) Bottle-brush Liparis, Long-legged Liparis  
*Liparis wightiana* Thwaites #4 II 64 ORCHIDACEAE

- Liparis wrayi* Hook.f. #4 II 64 ORCHIDACEAE  
*Liparis zosterops* Halle #4 II 64 ORCHIDACEAE  
***Listera spp.*** R. Br. #4 II 64 ORCHIDACEAE  
*Listera*, Auricled Twayblade (E): *Listera auriculata*  
*Listera auriculata* Wieg. #4 II 64 ORCHIDACEAE (E)  
 Auricled Twayblade Listera  
*Listera australis* Lindl. #4 II 64 ORCHIDACEAE  
*Listera*, Common Twayblade (E): *Listera ovata*  
*Listera cordata* (L.) R.Br. #4 II 64 ORCHIDACEAE (E)  
 Lesser Twayblade Listera (F) Listère en forme de Coeur  
*Listera*, Lesser Twayblade (E): *Listera cordata*  
*Listera longicaulis* King & Pantl. #4 II 64 ORCHIDACEAE  
*Listera nepalensis* Balakr. #4 II 64 ORCHIDACEAE  
*Listera ovata* (L.) R.Br. #4 II 64 ORCHIDACEAE (E)  
 Common Twayblade Listera  
*Listera tenuis* Lindley #4 II 64 ORCHIDACEAE  
 Listère en forme de Coeur (F): *Listera cordata*  
***Listrostachys spp.*** Reichb. #4 II 64 ORCHIDACEAE  
*Listrostachys ashautensis* #4 II 64 ORCHIDACEAE  
*Listrostachys biloba* (Lindl.) Kraenzl. = *Aerangis biloba* (Lindl.) Schltr.  
*Listrostachys bracteosa* (Balf.f. & S.Moore) Rolfe = *Angraecum bracteosum* Balf.f. & S.Moore  
*Listrostachys clavata* Rendle = *Angraecum multinominatum* Rendle  
*Listrostachys palmiformis* Durand & Schinz = *Angraecum palmiforme* Thouars  
*Listrostachys pertusa* #4 II 64 ORCHIDACEAE  
*Listrostachys subulata* (Lindl.) Rchb.f. = *Angraecum subulatum* Lindl.  
*Lobeira macdougallii* Alexander = *Disocactus macdougallii* (Alexander) Barthlott  
*Lobivia acanthoplegma* (Backeberg) Backeberg = *Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia aculeata* Buining = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia adpressispina* Ritter = *Echinopsis pugionacantha* Rose & Boedeker  
*Lobivia akersii* Rausch = *Echinopsis tegeleriana* (Backeberg) Hunt  
*Lobivia albipectinata* (Rausch) Neirinck = *Rebutia albopectinata* Rausch  
*Lobivia allegriana* Backeberg = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia amblayensis* Rausch = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia andagalensis* (Weber ex Schumann) Britton & Rose = *Echinopsis huascha* (Weber) Friedrich & Rowley  
*Lobivia argentea* Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia atrovirens* Backeberg = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Lobivia aurantiida* Wessner = *Rebutia einsteinii* Fric  
*Lobivia aurantiaca* Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia aurea* (Britton & Rose) Backeberg = *Echinopsis aurea* Britton & Rose  
*Lobivia aureolilacina* Cardenas = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia aureosenilis* Knize = *Echinopsis pampana* (Britton & Rose) Hunt  
*Lobivia backebergiana* Ito = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia backebergii* hertrichiana (Backeberg) Rausch ex Rowley = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia backebergii* schieliana (Backeberg) Rausch ex Rowley = *Echinopsis schieliana* (Backeberg) Hunt  
*Lobivia backebergii* (Werdermann) Backeberg = *Echinopsis backebergii* Werdermann ex Backeberg  
*Lobivia backebergii* wrightiana (Backeberg) Rausch ex Rowley = *Echinopsis backebergii* Werdermann ex Backeberg  
*Lobivia binghamiana* Backeberg = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia boliviensis* Britton & Rose = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia brachyantha* Wessner = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose  
*Lobivia breviflora* Backeberg = *Echinopsis sanguiniflora* (Backeberg) Hunt  
*Lobivia bruchii* Britton & Rose = *Echinopsis bruchii* (Britton & Rose) Castellanos & Lelong  
*Lobivia brunneo-rosea* Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia buiningiana* Ritter = *Echinopsis marsoneri* Werdermann  
*Lobivia cabradae* Fric ex Wilhelm = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia cachensis* (Spegazzini) Britton & Rose = *Echinopsis saltensis* Spegazzini  
*Lobivia caespitosa* (J.Purpus) Britton & Rose = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia caineana* Cardenas = *Echinopsis caineana* (Cardenas) Hunt  
*Lobivia camataquensis* Cardenas = *Echinopsis lateritia* Guerke  
*Lobivia campicola* Ritter = *Echinopsis pugionacantha* Rose & Boedeker  
*Lobivia carquinensis* Cardenas = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia carminantha* Backeberg = *Echinopsis lateritia* Guerke  
*Lobivia cerasiflora* Fric ex Wilhelm = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia charazanensis* Cardenas = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia charcasina* Cardenas = *Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia chionantha* (Spegazzini) Britton & Rose = *Echinopsis thionantha* (Spegazzini) Werdermann  
*Lobivia chorrillosensis* Rausch = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia chrysantha* jajoiana (Backeberg) Rausch ex Rowley = *Echinopsis marsoneri* Werdermann

- Lobivia chrysantha marsoneri* (Werdermann) Rausch ex Rowley = *Echinopsis marsoneri* Werdermann  
*Lobivia chrysantha* (Werdermann) Backeberg =  
*Echinopsis chrysantha* Werdermann  
*Lobivia chrysochete* (Werdermann) Wessner = *Echinopsis chrysochete* Werdermann  
*Lobivia cinnabarina acanthoplegma* (Backeberg) Rausch = *Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia cinnabarina* (Hooker) Britton & Rose = *Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia cinnabarina prestoana* (Cardenas) Rausch ex Rowley = *Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia cinnabarina taratensis* (Cardenas) Rowley =  
*Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia cintiensis* Cardenas = *Echinopsis lateritia* Guerke  
*Lobivia claeysiana* Backeberg = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia corbula* (Herrera) Britton & Rose = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia coriquinensis* Wilhelm ex W.Haage = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia cornuta* Rausch = *Echinopsis pugionacantha* Rose & Boedeker  
*Lobivia crassicaulis* Kiesling = *Echinopsis crassicaulis* (Kiesling) H.Friedrich & Glaetze  
*Lobivia cruciaureispina* Knize = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia culpinensis* Ritter = *Echinopsis pugionacantha* Rose & Boedeker  
*Lobivia cylindracea* Backeberg = *Echinopsis aurea* Britton & Rose  
*Lobivia cylindrica* Backeberg = *Echinopsis aurea* Britton & Rose  
*Lobivia draxleriana* Rausch = *Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia drijveriana* Backeberg = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia duursmainana* Backeberg = *Echinopsis sanguiniflora* (Backeberg) Hunt  
*Lobivia echinata* Rausch = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia einsteinii* (Fric ex Kreuzinger & Buining) Rausch = *Rebutia einsteinii* Fric  
*Lobivia elongata* Backeberg = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia emmae* Backeberg = *Echinopsis saltensis* Spegazzini  
*Lobivia euanthema* Backeberg = *Rebutia aureiflora* Backeberg  
*Lobivia eucaliptana* Backeberg = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose  
*Lobivia fallax aurea* (Britton & Rose) Herzog = *Echinopsis aurea* Britton & Rose  
*Lobivia famatimensis* (Spegazzini) Britton & Rose = *Echinopsis famatinensis* (Spegazzini) Werdermann  
*Lobivia ferox* Britton & Rose = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia formosa bruchii* (Britton & Rose) Rausch = *Echinopsis bruchii* (Britton & Rose) Castellanos & Lelong  
*Lobivia formosa grandis* (Britton & Rose) Rausch = *Echinopsis bruchii* (Britton & Rose) Castellanos & Lelong  
*Lobivia formosa* (Pfeiffer) Dodds = *Echinopsis formosa* (Pfeiffer) Jacobi ex Salm-Dyck  
*Lobivia formosa tarijensis* (Vaupel) Rausch = *Echinopsis tarijensis* (Vaupel) Friedrich & Rowley  
*Lobivia fricii* Rausch = *Echinopsis tiegeliana* (Wessner) Hunt  
*Lobivia glauca* Rausch = *Echinopsis marsoneri* Werdermann  
*Lobivia glaucescens* Ritter = *Echinopsis pampana* (Britton & Rose) Hunt  
*Lobivia grandiflora* Britton & Rose = *Echinopsis huascha* (Weber) Friedrich & Rowley  
*Lobivia grandis* Britton & Rose = *Echinopsis bruchii* (Britton & Rose) Castellanos & Lelong  
*Lobivia haageana* Backeberg = *Echinopsis marsoneri* Werdermann  
*Lobivia haagei* (Fric & Schelle) Wessner = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Lobivia haematantha chorilloensis* (Rausch) Rausch ex Rowley = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia haematantha densispina* (Werdermann) Rausch ex Rowley = *Echinopsis densispina* Werdermann  
*Lobivia haematantha kuehnrichii* (Fric) Rausch ex Rowley = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia haematantha* (Spegazzini) Britton & Rose = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia hastifera* Werdermann = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia hermanniana* Backeberg = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia hertrichiana* Backeberg = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia higginsiana* Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia hoffmanniana* Backeberg = *Rebutia steinbachii* Werdermann  
*Lobivia horrida* Ritter = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia hualfinensis* Rausch = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia huascha* (Weber) W.T.Marshall = *Echinopsis huascha* (Weber) Friedrich & Rowley  
*Lobivia huilcanota* Rauh & Backeberg = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia hystrix* Ritter = *Echinopsis chrysochete* Werdermann  
*Lobivia incaica* Backeberg = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia incuiensis* Rauh & Backeberg = *Echinopsis tegeleriana* (Backeberg) Hunt  
*Lobivia intermedia* Rausch = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia iridescens* Backeberg = *Echinopsis marsoneri* Werdermann  
*Lobivia jajoiana* Backeberg = *Echinopsis marsoneri* Werdermann

- Lobivia johnsoniana* Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia jujuiensis* W.Haage = *Echinopsis chrysantha* Werdermann  
*Lobivia kieslingii* Rausch = *Echinopsis formosa* (Pfeiffer) Jacobi ex Salm-Dyck  
*Lobivia kuehnrichii* Fric = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia kupperiana* Backeberg = *Echinopsis lateritia* Guerke  
*Lobivia larabei* Johnson ex Backeberg = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia larae* Cardenas = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia lateritia* (Guerke) Britton & Rose = *Echinopsis lateritia* Guerke  
*Lobivia laui* Donald = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia lauramarca* Rauh & Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia leptacantha* Rausch = *Echinopsis schieliana* (Backeberg) Hunt  
*Lobivia leucorhodon* Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia leucoviolacea* Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia longispina* Britton & Rose = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia markusii* Rausch = *Echinopsis chrysochete* Werdermann  
*Lobivia marsoneri* (Werdermann) Backeberg = *Echinopsis marsoneri* Werdermann  
*Lobivia maximiliana caespitosa* (J.Purpus) Rausch ex Rowley = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia maximiliana* (Heyder) Backeberg = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia maximiliana quiabayensis* (Rausch) Rausch ex Rowley = *Echinopsis schieliana* (Backeberg) Hunt  
*Lobivia maximiliana westii* (Hutchison) Rausch ex Rowley = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia miniatiflora* Ritter = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia minuta* Ritter = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia mirabunda* Backeberg = *Echinopsis haematantha* (Spegazzini) Hunt  
*Lobivia mistiensis* (Werdermann & Backeberg) Backeberg = *Echinopsis pampana* (Britton & Rose) Hunt  
*Lobivia muhriae* Backeberg = *Echinopsis marsoneri* Werdermann  
*Lobivia multicostata* Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia napina* Pazout = *Echinopsis densispina* Werdermann  
*Lobivia nealeana* Backeberg = *Echinopsis saltensis* Spegazzini  
*Lobivia neocinnabarina* Backeberg = *Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia neohaabeana* Backeberg = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Lobivia nigricans* Wessner = *Rebutia nigricans* (Wessner) Hunt  
*Lobivia nigrostoma* Kreuzinger & Buining = *Echinopsis marsoneri* Werdermann  
*Lobivia oligotricha* Cardenas = *Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia omasuyana* Cardenas = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia orurensis* Backeberg = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Lobivia oxyalabastra* Cardenas & Rausch = *Echinopsis backebergii* Werdermann ex Backeberg  
*Lobivia pachyacantha* Ito = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia pampana* Britton & Rose = *Echinopsis pampana* (Britton & Rose) Hunt  
*Lobivia peclardiana* Krainz = *Echinopsis tiegeliana* (Wessner) Hunt  
*Lobivia pectinata* Backeberg = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Lobivia pentlandii* (Hooker) Britton & Rose = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia pictiflora* Ritter = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia planiceps* Backeberg = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia polaskiana* Backeberg = *Echinopsis chrysantha* Werdermann  
*Lobivia polycephala* Backeberg = *Echinopsis sanguiniflora* (Backeberg) Hunt  
*Lobivia potosina* (Werdermann) Friedrich = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia prestoana* Cardenas = *Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia pseudocachensis* Backeberg = *Echinopsis saltensis* Spegazzini  
*Lobivia pseudocariquinensis* Cardenas = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia pseudocinnabarina* Backeberg = *Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia pugionacantha* (Rose & Boedeker) Backeberg = *Echinopsis pugionacantha* Rose & Boedeker  
*Lobivia purpureominiata* Ritter = *Echinopsis huascha* (Weber) Friedrich & Rowley  
*Lobivia pusilla* Ritter = *Echinopsis tiegeliana* (Wessner) Hunt  
*Lobivia quiabayensis* Rausch = *Echinopsis schieliana* (Backeberg) Hunt  
*Lobivia raphidacantha* Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia rauschii* Zecher = *Echinopsis yuquina* Hunt  
*Lobivia rebutioides* Backeberg = *Echinopsis densispina* Werdermann  
*Lobivia ritteri* Wessner = *Rebutia ritteri* (Wessner) Buining & Donald  
*Lobivia rosarioana* Rausch = *Echinopsis formosa* (Pfeiffer) Jacobi ex Salm-Dyck  
*Lobivia rubescens* (Backeberg) Backeberg = *Echinopsis marsoneri* Werdermann

- Lobivia salitrensis* Rausch = *Echinopsis pugionacantha*  
 Rose & Boedeker  
*Lobivia saltensis* (Spegazzini) Britton & Rose = *Echinopsis saltensis* Spegazzini  
*Lobivia sanguiniflora* Backeberg = *Echinopsis sanguiniflora* (Backeberg) Hunt  
*Lobivia scheeri* (Salm-Dyck) Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia schieliana* Backeberg = *Echinopsis schieliana* (Backeberg) Hunt  
*Lobivia schneideriana* Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia schreiteri* Castellanos = *Echinopsis schreiteri* (Castellanos) Werdermann ex Backeberg  
*Lobivia scoparia* (Werderm.) Werderm. ex Backeb. & F.Knut = *Echinopsis densispina* Werdermann  
*Lobivia scopulina* Backeberg = *Echinopsis lateritia* Guerke  
*Lobivia shaferi* Britton & Rose = *Echinopsis aurea* Britton & Rose  
*Lobivia shaferi fallax* (Oehme) Herzog = *Echinopsis aurea* Britton & Rose  
*Lobivia shaferi leucomalla* (Wessner) Herzog = *Echinopsis aurea* Britton & Rose  
*Lobivia shaferi rubriflora* Herzog = *Echinopsis aurea* Britton & Rose  
*Lobivia sicuanensis* Rausch = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia silvestrii* (Spegazzini) G.Rowley = *Echinopsis chamaecereus* H.Friedrich & Glaetzel  
*Lobivia simplex* Rausch = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia steinmannii melanocentra* Rausch = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose  
*Lobivia stilowiana* Backeberg = *Echinopsis schreiteri* (Castellanos) Werdermann ex Backeberg  
*Lobivia taratensis* Cardenas = *Echinopsis cinnabarina* (Hooker) Labouret  
*Lobivia thionantha* (Spegazzini) Britton & Rose = *Echinopsis thionantha* (Spegazzini) Werdermann  
*Lobivia tiegeliana* Wessner = *Echinopsis tiegeliana* (Wessner) Hunt  
*Lobivia titicacensis* Cardenas = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia tuberculosa* Ritter = *Echinopsis marsoneri* Werdermann  
*Lobivia uitewaaleana* Buining = *Echinopsis marsoneri* Werdermann  
*Lobivia varians* Backeberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia varispina* Ritter = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia versicolor* Rausch = *Echinopsis pugionacantha* Rose & Boedeker  
*Lobivia vilcabambae* Ritter = *Echinopsis hertrichiana* (Backeberg) Hunt  
*Lobivia walteri* Kiesling = *Echinopsis walteri* (Kiesling) Friedrich & Glaetzel  
*Lobivia walterspielii* Boedeker = *Echinopsis cinnabarina* (Hooker) Labouret
- Lobivia wegheiana* Backberg = *Echinopsis pentlandii* (Hooker) Salm-Dyck ex A.Dietrich  
*Lobivia westii* Hutchison = *Echinopsis maximiliana* Heyder ex A.Dietrich  
*Lobivia wilkeae* (Backeberg) Friedrich = *Echinopsis ferox* (Britton & Rose) Backeberg  
*Lobivia winteriana* Ritter = *Echinopsis backebergii* Werdermann ex Backeberg  
*Lobivia wrightiana* Backeberg = *Echinopsis backebergii* Werdermann ex Backeberg  
*Lobivia zecheri* Rausch = *Echinopsis backebergii* Werdermann ex Backeberg  
**Lockhartia spp.** Hook. #4 II 64 ORCHIDACEAE  
*Lockhartia acuta* (Lindl.) Rchb.f. 1852 #4 II 64 ORCHIDACEAE  
*Lockhartia amoena* Endres & Rchb.f. 1872 #4 II 64 ORCHIDACEAE  
*Lockhartia antioquiensis* hort. ex Gard. Chron. #4 II 64 ORCHIDACEAE  
*Lockhartia bennetti* Dodson 1989 #4 II 64 ORCHIDACEAE  
*Lockhartia biserra* (Rich.) Christenson & Garay #4 II 64 ORCHIDACEAE  
*Lockhartia chiriquensis* Schltr. 1913 = *Lockhartia micrantha* Rchb.f. 1852  
*Lockhartia chocoënsis* Kraenzl. #4 II 64 ORCHIDACEAE  
*Lockhartia costaricensis* Schltr. 1906 = *Lockhartia amoena* Endres & Rchb.f. 1872  
*Lockhartia dipleura* Schltr. 1923 #4 II 64 ORCHIDACEAE  
*Lockhartia elegans* Hook. 1827 = *Lockhartia biserra* (Rich.) Christenson & Garay  
*Lockhartia floribunda* Rchb.f. 1860 = *Lockhartia biserra* (Rich.) Christenson & Garay  
*Lockhartia genegeorgei* D.E.Benn. & Christenson 1998 = *Neobennettia genegeorgei* (D.E.Benn. & christenson) Senghas 2001  
*Lockhartia goyazensis* Rchb.f. 1852 #4 II 64 ORCHIDACEAE  
*Lockhartia grandibractea* Kraenzl. 1923 = *Lockhartia amoena* Endres & Rchb.f. 1872  
*Lockhartia hercondata* Rchb.f. ex Kraenzl. 1923 #4 II 64 ORCHIDACEAE  
*Lockhartia hologlossa* Schltr. 1920 = *Lockhartia platyglossa* Rchb.f. 1876  
*Lockhartia imbricata* (Lam.) Hoehne 1952 = *Lockhartia biserra* (Rich.) Christenson & Garay  
*Lockhartia integra* Ames & C.Schweinf. 1930 = *Lockhartia pittieri* Schltr. 1913  
*Lockhartia ivainae* M.F.F.Silva & A.T.Oliviera 2001 #4 II 64 ORCHIDACEAE  
*Lockhartia lamellosa* Rchb.f. 1860 = *Lockhartia oerstedii* Rchb.f. 1852  
*Lockhartia lankesteri* Ames 1923 = *Lockhartia micrantha* Rchb.f. 1852  
*Lockhartia lasseri* Schnee 1952 = *Lockhartia acuta* (Lindl.) Rchb.f. 1852  
*Lockhartia latilabris* C.Schweinf. #4 II 64 ORCHIDACEAE  
*Lockhartia lepticaula* D.E.Benn & Christenson 2001 #4 II 64 ORCHIDACEAE

- Lockhartia longifolia* (Lindl.) Schltr. 1919 = *Lockhartia platyglossa* Rchb.f. 1876
- Lockhartia longifolia* (Lindl.) Schltr. 1919 = *Lockhartia parthenocomos* (Rchb.f.) Rchb.f. 1852
- Lockhartia ludibunda* Rchb.f. 1857 #4 II 64  
ORCHIDACEAE
- Lockhartia lunifera* (Lindl.) Rchb.f. 1852 #4 II 64  
ORCHIDACEAE
- Lockhartia micrantha* Rchb.f. 1852 #4 II 64  
ORCHIDACEAE
- Lockhartia mirabilis* Rchb.f. 1855 #4 II 64 ORCHIDACEAE
- Lockhartia oblongicallosa* Carnevali & G.A.Romero in G.A.Romero & Carnevali (2000) #4 II 64  
ORCHIDACEAE
- Lockhartia obtusa* Regel = *Lockhartia biserra* (Rich.) Christenson & Garay
- Lockhartia obtusata* L.O. Williams #4 II 64  
ORCHIDACEAE
- Lockhartia obtusifolia* Regel = *Lockhartia biserra* (Rich.) Christenson & Garay
- Lockhartia odontochila* Kraenzl. 1923 #4 II 64  
ORCHIDACEAE
- Lockhartia oerstedii* Rchb.f. 1852 #4 II 64 ORCHIDACEAE
- Lockhartia pallida* Rchb.f. 1852 = *Lockhartia acuta* (Lindl.) Rchb.f. 1852
- Lockhartia pandurata* F. Pupulin 2000 = *Lockhartia micrantha* Rchb.f. 1852
- Lockhartia parthenocomos* (Rchb.f.) Rchb.f. 1852 #4 II 64  
ORCHIDACEAE
- Lockhartia pittieri* Schltr. 1913 #4 II 64 ORCHIDACEAE
- Lockhartia platyglossa* Rchb.f. 1876 #4 II 64  
ORCHIDACEAE
- Lockhartia robusta* (Bateman) Schltr. 1906 = *Lockhartia oerstedii* Rchb.f. 1852
- Lockhartia schunkei* D.E.Benn. & Christenson 1998 #4 II 64 ORCHIDACEAE
- Lockhartia serra* Rchb.f. 1878 #4 II 64 ORCHIDACEAE
- Lockhartia triangulabia* Ames & Schweinf. 1925 #4 II 64 ORCHIDACEAE
- Lockhartia tuberculata* D.E.Benn. & Christenson #4 II 64 ORCHIDACEAE
- Lockhartia unicornis* Schltr. 1920 = *Lockhartia platyglossa* Rchb.f. 1876
- Lockhartia variabilis* Ames & Schweinf. 1925 #4 II 64 ORCHIDACEAE
- Lockhartia verrucosa* Rchb.f. 1859 = *Lockhartia oerstedii* Rchb.f. 1852
- Lockhartia weigeltii* Rchb. & Rchb.f. = *Lockhartia biserra* (Rich.) Christenson & Garay
- Lodoicea maldivica* (J. Gmelin) Pers. #13 III PALMAE (E)  
Double Coconut (F) Coco de Mer
- Loefgrenianthus** spp. Hoehne #4 II 64 ORCHIDACEAE
- Loefgrenianthus blanche-amesii* (Loefgr.) Hoehne 1927 #4 II 64 ORCHIDACEAE
- Lomaria eriopus* Kunze = *Stangeria eriopus* (Kunze) Baill.
- Lomatophyllum aldabrense* Marais = *Aloe aldabrensis* (Marais) L.E.Newton & G.D. Rowley
- Lomatophyllum aloiflorum* (Ker Gawl.) G.Nicholson = *Aloe purpurea* Lam.
- Lomatophyllum anivoranoense* Rauh & Hebding = *Aloe anivoranoensis* (Rauh & Hebding) L.E.Newton & G.D.Rowley
- Lomatophyllum antsingyense* Léandri = *Aloe antsingyensis* (Léandri) L.E.Newton & G.D.Rowley
- Lomatophyllum belavenokense* Rauh & R. Gerold = *Aloe belavenokensis* (Rauh & Gerold) L.E.Newton & G.D.Rowley
- Lomatophyllum borbonicum* Willd. = *Aloe purpurea* Lam.
- Lomatophyllum citreum* Guillaumin = *Aloe citrea* (Guillaumin) L.E.Newton & G.D.Rowley
- Lomatophyllum lomatophyloides* (Balf.f.) Marais = *Aloe lomatophyloides* Balf.f.
- Lomatophyllum macrum* (Haw.) Salm-Dyck = *Aloe macra* Haw.
- Lomatophyllum marginatum* Hoffmanns = *Aloe purpurea* Lam.
- Lomatophyllum namorokaense* Rauh = *Aloe namorokaensis* (Rauh) L.E.Newton & G.D.Rowley
- Lomatophyllum occidentale* H. Perrier = *Aloe occidentalis* (H.Perrier) L.E.Newton & G.D.Rowley
- Lomatophyllum oligophyllum* (Baker) H. Perrier = *Aloe oligophylla* Baker
- Lomatophyllum orientale* H. Perrier = *Aloe orientalis* (H.Perrier) L.E.Newton & G.D.Rowley
- Lomatophyllum pembanum* (L.E.Newton) Rauh = *Aloe pembana* L.E.Newton
- Lomatophyllum peyrierasii* (Cremers) Rauh = *Aloe peyrierasii* Cremers
- Lomatophyllum propaguliferum* Rauh & Razaf. = *Aloe propagulifera* (Rauh & Razaf.) L.E.Newton & G.D.Rowley
- Lomatophyllum prostratum* H. Perrier = *Aloe prostrata* (H.Perrier) L.E.Newton & G.D.Rowley
- Lomatophyllum purpureum* (Lam.) T. Durand & Schinz = *Aloe purpurea* Lam.
- Lomatophyllum roseum* H. Perrier = *Aloe rosea* (H.Perrier) L.E.Newton & G.D.Rowley
- Lomatophyllum rufocinctum* (Haw) Salm-Dyck ex Roem. & Schult = *Aloe purpurea* Lam.
- Lomatophyllum sociale* H. Perrier = *Aloe socialis* (H.Perrier) L.E.Newton & G.D.Rowley
- Lomatophyllum tormentorii* Marais = *Aloe tormentorii* (Marais) L.E.Newton & G.D.Rowley
- Lomatophyllum viviparum* H. Perrier = *Aloe schilliiana* L.E.Newton & G.D.Rowley
- Lophocereus gatesii* M.E. Jones = *Pachycereus gatesii* (M.E.Jones) Hunt
- Lophocereus mieckeyanus* (Weingart) Backeberg = *Pachycereus schottii* (Engelmann) Hunt
- Lophocereus sargentianus* (Orcutt) Britton & Rose = *Pachycereus schottii* (Engelmann) Hunt
- Lophocereus schottii* (Engelmann) Britton & Rose = *Pachycereus schottii* (Engelmann) Hunt
- Lophophora** spp. J.M. Coulter #4 II 49 CACTACEAE
- Lophophora diffusa** (Croizat) H.Bravo #4 II 49  
CACTACEAE (S) Peyote
- Lophophora diffusa fricii* (Habermann) Halda = *Lophophora williamsii* (Lemaire ex Salm-Dyck) J.Coulter

- Lophophora diffusa viridescens* Halda = *Lophophora williamsii* (Lemaire ex Salm-Dyck) J.Coulter  
*Lophophora echinata* Croizat = *Lophophora williamsii* (Lemaire ex Salm-Dyck) J.Coulter  
*Lophophora fricci* Habermann = *Lophophora williamsii* (Lemaire ex Salm-Dyck) J.Coulter  
*Lophophora jourdaniana* Habermann = *Lophophora williamsii* (Lemaire ex Salm-Dyck) J.Coulter  
*Lophophora lutea* (Rouhier) Backeberg = *Lophophora diffusa* (Croizat) H.Bravo  
***Lophophora williamsii*** (Lemaire ex Salm-Dyck) J.Coulter #4 II 49 CACTACEAE (S) Peyote  
*Lophosoria dorsalis* Fée 1869 = *Alsophila setosa* Kaulf 1824  
*Lophosoria quadripinnata* var. *contracta* (Hieron. ex R. & A. Tryon) = *Cyathea revoluta* (C.Chr. 1913) Domn. 1929  
*Lophosoria schaffneriana* Fourn 1872 = *Alsophila schaffneriana* Fée 1827  
*Loroglossum hircinum* (L.) Rich. = *Himantoglossum hircinum* (L.) Spreng.  
*Loroglossum longibracteatum* Moris ex Ardoino = *Barlia robertiana* (Loisel.) Greuter  
*Lothiania bilabiata* Kraenzl. = *Masdevallia platyglossa* Rchb.f.  
*Louvelia madagascariensis* Jumelle & H. Perrier = *Ravenea louvelii* Beentje  
*Loxanthocereus aticensis* Rauh & Backeberg = *Cleistocactus sextonianus* (Backeberg) Hunt  
*Loxanthocereus brevispinus* Rauh = *Cleistocactus pecularis* (Rauh & Backeberg) Ostolaza  
*Loxanthocereus camanaensis* Rauh & Backeberg = *Cleistocactus sextonianus* (Backeberg) Hunt  
*Loxanthocereus cantaensis* Rauh & Backeberg = *Cleistocactus pecularis* (Rauh & Backeberg) Ostolaza  
*Loxanthocereus crassiserpens* (Rauh & Backeberg) Backeberg = *Cleistocactus crassiserpens* Rauh & Backeberg  
*Loxanthocereus deserticola* Ritter = *Cleistocactus clavispinus* (Rauh & Backeberg) Ostolaza  
*Loxanthocereus ferrugineus* Rauh & Backeberg = *Cleistocactus clavispinus* (Rauh & Backeberg) Ostolaza  
*Loxanthocereus formosus* (Ritter) Buxbaum = *Matucana formosa* Ritter  
*Loxanthocereus gracilis* (Akers & Buining) Backeberg = *Cleistocactus sextonianus* (Backeberg) Hunt  
*Loxanthocereus granditessellatus* Rauh & Backeberg = *Cleistocactus serpens* (Kunth) Weber ex Roland-Gosselin  
*Loxanthocereus hystrix* Rauh & Backeberg = *Cleistocactus hystrix* (Rauh & Backeberg) Ostolaza  
*Loxanthocereus jajoianus* (Backeberg) Backeberg = *Cleistocactus sepium* (Kunth) Weber ex Roland-Gosselin  
*Loxanthocereus madisoniorum* (Hutchison) Buxbaum = *Matucana madisoniorum* (Hutchinson) Rowley  
*Loxanthocereus montanus* Ritter = *Cleistocactus hystrix* (Rauh & Backeberg) Ostolaza  
*Loxanthocereus nanus* Akers ex Backeberg = *Cleistocactus sextonianus* (Backeberg) Hunt  
*Loxanthocereus otuscensis* Ritter = *Cleistocactus serpens* (Kunth) Weber ex Roland-Gosselin  
*Loxanthocereus pachycladus* Rauh & Backeberg = *Cleistocactus pachycladus* (Rauh & Backeberg) Ostolaza  
*Loxanthocereus parvitesselatus* Ritter = *Cleistocactus serpens* (Kunth) Weber ex Roland-Gosselin  
*Loxanthocereus peculiaris* Rauh & Backeberg = *Cleistocactus peculiaris* (Rauh & Backeberg) Ostolaza  
*Loxanthocereus piscoensis* Rauh & Backeberg = *Cleistocactus pachycladus* (Rauh & Backeberg) Ostolaza  
*Loxanthocereus puquiensis* Ritter = *Cleistocactus sextonianus* (Backeberg) Hunt  
*Loxanthocereus riomajensis* Rauh & Backeberg = *Cleistocactus sextonianus* (Backeberg) Hunt  
*Loxanthocereus sextonianus* (Backeberg) Backeberg = *Cleistocactus sextonianus* (Backeberg) Hunt  
*Loxanthocereus splendens* Akers ex Backeberg = *Cleistocactus sextonianus* (Backeberg) Hunt  
*Loxanthocereus sulcifer* Rauh & Backeberg = *Cleistocactus serpens* (Kunth) Weber ex Roland-Gosselin  
*Loxanthocereus trujilloensis* Ritter = *Cleistocactus chotaensis* Weber ex Roland-Gosselin  
*Loxanthocereus variabilis* Ritter = *Cleistocactus sextonianus* (Backeberg) Hunt  
*Loxanthocereus xylorhizus* Ritter = *Cleistocactus xylorhizus* (Ritter) Ostolaza  
*Loxanthocereus yauyosensis* Ritter = *Cleistocactus pachycladus* (Rauh & Backeberg) Ostolaza  
***Ludisia* spp.** A. Richard #4 II 64 ORCHIDACEAE  
*Ludisia discolor* A. Richard #4 II 64 ORCHIDACEAE (E) Twisty-flowered Orchid  
***Lueddemannia* spp.** Reichb.f. #4 II 64 ORCHIDACEAE  
*Lueddemannia pescatorei* (Lindl.) Linden & Rchb.f. #4 II 64 ORCHIDACEAE  
*Lueddemannia sanderiana* Kraenzl. (1897) = *Lacaena bicolor* Lindl. (1843)  
***Luisia* spp.** Gaudich. #4 II 64 ORCHIDACEAE  
*Luisia alpina* Lindl. = *Vanda alpina* (Lindley) Lindley  
*Luisia antennifera* Blume #4 II 64 ORCHIDACEAE  
*Luisia boninensis* Schltr. #4 II 64 ORCHIDACEAE  
*Luisia filiformis* Hook.f. #4 II 64 ORCHIDACEAE  
*Luisia inconspicua* (Hook.f.) Duthie #4 II 64 ORCHIDACEAE  
*Luisia javanica* J.J. Smith #4 II 64 ORCHIDACEAE  
*Luisia jonesii* J.J. Smith #4 II 64 ORCHIDACEAE  
*Luisia taurina* J.J. Smith #4 II 64 ORCHIDACEAE  
*Luisia teretifolia* Gaudich. #4 II 64 ORCHIDACEAE  
*Luisia trichorhiza* #4 II 64 ORCHIDACEAE  
*Luisia zollingeri* Reichb.f. #4 II 64 ORCHIDACEAE  
***Lycaste* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Lycaste alba* (Dombrain) Cockerell 1919 = *Lycaste skinneri* (Bateman ex Lindl.) Lindl. 1843  
*Lycaste aromatica* (Graham) Lindl. (1843) #4 II 64 ORCHIDACEAE

- Lycaste balsamea* A.Rich in Gerard 1847 = *Lycaste cruenta* Lindl. 1843  
*Lycaste barbifrons* Lindl. 1845 #4 II 64 ORCHIDACEAE  
*Lycaste barringtoniae* (Sm.) Lindl. (1844) #4 II 64  
 ORCHIDACEAE  
*Lycaste bradeorum* Schltr. 1923 #4 II 64 ORCHIDACEAE  
*Lycaste brevispatha* (Klotzsch) Lindl. 1852 #4 II 64  
 ORCHIDACEAE  
*Lycaste campbellii* C.Schweinf. #4 II 64 ORCHIDACEAE  
*Lycaste candida* Lindl. ex Rchb.f. 1866? 1861? #4 II 64  
 ORCHIDACEAE  
*Lycaste chrysoptera* C.Morren 1849 = *Lycaste deppei* (G.Lodd.) Lindl. 1843  
*Lycaste ciliata* (Ruiz & Pav.) Lindl. ex Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Lycaste ciliata rossyi* (Hoehne) Fowlie 197 = *Lycaste rossyi* Hoehne 1937  
*Lycaste cinnabrina* (Lindl.) Rolfe 1893 #4 II 64  
 ORCHIDACEAE  
*Lycaste citrina* B.S.Williams 1885 = *Bifrenaria harrisoniae* (Hook.) Rchb.f. (1854)  
*Lycaste cobbiana* B.S.Williams 1885 = *Lycaste lanipes* Lindl. 1843  
*Lycaste cochleata* Lindl. & Paxton (1850-1) #4 II 64  
 ORCHIDACEAE  
*Lycaste colombiana* M.Ospina = *Lycaste hirtzii* Dodson 1982  
*Lycaste consobrina* Rchb.f. 1852 #4 II 64 ORCHIDACEAE  
*Lycaste costata* (Lindl.) Lindl. 1843 #4 II 64  
 ORCHIDACEAE  
*Lycaste crinita* Lindl. #4 II 64 ORCHIDACEAE  
*Lycaste crocea* Linden *in nota* = *Lycaste fulvescens* Hook.  
*Lycaste cruenta* Lindl. 1843 #4 II 64 ORCHIDACEAE  
*Lycaste denningiana* Rchb.f. 1876 = *Lycaste cinnabrina* (Lindl.) Rolfe 1893  
*Lycaste deppei* (G.Lodd.) Lindl. 1843 #4 II 64  
 ORCHIDACEAE  
*Lycaste diastasia* D.E.Benn & H.Oakeley 1994 #4 II 64  
 ORCHIDACEAE  
*Lycaste dowiana* Endres & Rchb.f. 1874 = *Lycaste macrophylla* (Poepp. & Endl.) Lindl. 1843  
*Lycaste dunstervillei* Bergold 1906 #4 II 64  
 ORCHIDACEAE  
*Lycaste dyeriana* Sander 1895 #4 II 64 ORCHIDACEAE  
*Lycaste farinosa* Kraenzl. 1920 #4 II 64 ORCHIDACEAE  
*Lycaste filomenoi* Schltr. 1921 = *Lycaste macrophylla* (Poepp. & Endl.) Lindl. 1843  
*Lycaste fimbriata* (Poepp. & Endl.) Cogn. 1898 #4 II 64  
 ORCHIDACEAE  
*Lycaste fulvescens* Hook. #4 II 64 ORCHIDACEAE  
*Lycaste gigantea* Lindl. 1843 = *Lycaste barbifrons* Lindl. 1845  
*Lycaste gigantea* Lindl. 1843 = *Lycaste longipetala* (Ruiz & Pav.) Garay 1962  
*Lycaste grandis* H.S.Oakeley ex Fowlie 1993 = *Lycaste longipetala* (Ruiz & Pav.) Garay 1962  
*Lycaste groganii* E.Cooper 1931 #4 II 64 ORCHIDACEAE  
*Lycaste hennisiana* Kraenzl. 1906 #4 II 64  
 ORCHIDACEAE  
*Lycaste hirtzii* Dodson 1982 #4 II 64 ORCHIDACEAE  
*Lycaste jamesiana* auct. 1889 = *Lycaste skinneri* (Bateman ex Lindl.) Lindl. 1843  
*Lycaste jarae* D.E.Benn & Christenson 1996 #4 II 64  
 ORCHIDACEAE  
*Lycaste lanipes* Lindl. 1843 #4 II 64 ORCHIDACEAE  
*Lycaste lasioglossa* Rchb.f. 1872 #4 II 64 ORCHIDACEAE  
*Lycaste lata* Rolfe 1910 #4 II 64 ORCHIDACEAE  
*Lycaste lawrenceana* Rchb.f. 1861 = *Lycaste brevispatha* (Klotzsch) Lindl. 1852  
*Lycaste leiantha* Rich. ex Beer 1854 = *Lycaste deppei* (G.Lodd.) Lindl. 1843  
*Lycaste leucantha* (Klotzsch) Lindl. (1851) #4 II 64  
 ORCHIDACEAE  
*Lycaste linguella* Rchb.f. 1871 #4 II 64 ORCHIDACEAE  
*Lycaste locusta* Rchb.f. 1879 #4 II 64 ORCHIDACEAE  
*Lycaste longipetala* (Ruiz & Pav.) Garay 1962 #4 II 64  
 ORCHIDACEAE  
*Lycaste longiscapa* Mast 1928? E.Cooper 1930? = *Lycaste peruviana* Rolfe 1910  
*Lycaste longiscapa* Mast 1928? E.Cooper 1930? = *Lycaste costata* (Lindl.) Lindl. 1843  
*Lycaste longiscapa* Rolfe 1928 = *Lycaste costata* (Lindl.) Lindl. 1843  
*Lycaste longisepala* C.Schweinf. 1952 = *Lycaste schilleriana* Rchb.f. 1855  
*Lycaste luminosa* Oakeley 1991 #4 II 64 ORCHIDACEAE  
*Lycaste macrobulbon* (Hook.) Lindl. 1850-1 #4 II 64  
 ORCHIDACEAE  
*Lycaste macrophylla* (Poepp. & Endl.) Lindl. 1843 #4 II 64  
 ORCHIDACEAE  
*Lycaste macrophylla viridescens* Oakeley 1991 = *Lycaste macrophylla* (Poepp. & Endl.) Lindl. 1843  
*Lycaste macropogon* Rchb.f. 1888 = *Lycaste lasioglossa* Rchb.f. 1872  
*Lycaste mathiasiae* G.C.Kenn. 1978 #4 II 64  
 ORCHIDACEAE  
*Lycaste maxibractea* D.E.Benn. & H.Oakeley 1994 #4 II 64  
 ORCHIDACEAE  
*Lycaste mesochlaena* Rchb.f. & Warsz. 1854 #4 II 64  
 ORCHIDACEAE  
*Lycaste mezae* D.E.Benn. & H.Oakeley 1994 #4 II 64  
 ORCHIDACEAE  
*Lycaste micheliana* Cogn. 1900 = *Lycaste crinita* Lindl.  
*Lycaste michellii* Oakeley 1994 #4 II 64 ORCHIDACEAE  
*Lycaste nana* Oakeley #4 II 64 ORCHIDACEAE  
*Lycaste neglecta* Schltr. 1929 #4 II 64 ORCHIDACEAE  
*Lycaste peruviana* Rolfe 1910 #4 II 64 ORCHIDACEAE  
*Lycaste plana* Lindl. 1842 = *Lycaste macrophylla* (Poepp. & Endl.) Lindl. 1843  
*Lycaste pleiochroma* Rchb.f. 1860 = *Lycaste macrobulbon* (Hook.) Lindl. 1850-1  
*Lycaste powellii* Schltr. 1922 #4 II 64 ORCHIDACEAE  
*Lycaste reichenbachii* Giroud ex Rchb.f. 1856 #4 II 64  
 ORCHIDACEAE  
*Lycaste rossiana* Rolfe 1893 = *Lycaste cruenta* Lindl. 1843

- Lycaste rossyi* Hoehne 1937 #4 II 64 ORCHIDACEAE  
*Lycaste schilleriana* Rchb.f. 1855 #4 II 64 ORCHIDACEAE  
*Lycaste schoenbrunnensis* Umlauf 1893 = *Lycaste skinneri* (Bateman ex Lindl.) Lindl. 1843  
*Lycaste skinneri* (Bateman ex Lindl.) Lindl. 1843 #4 II 64 ORCHIDACEAE  
*Lycaste smeeana* Rchb.f. ex Warner & Williams #4 II 64 ORCHIDACEAE  
*Lycaste smeeana* Rchb.f. 1883 #4 II 64 ORCHIDACEAE  
*Lycaste suaveolens* Summerh. 1931 #4 II 64 ORCHIDACEAE  
*Lycaste sulphurea* Rchb.f. 1882 = *Lycaste cruenta* Lindl. 1843  
*Lycaste sulphurea* Reichb.f. = *Lycaste cruenta* Lindl. 1843  
*Lycaste tetragona* Lindl. (1843) = *Cydoniorchis tetragona* (Lindl.) Senghas (1994)  
*Lycaste tricolor* (Klotzsch) Rchb.f. 1961? 1861? #4 II 64 ORCHIDACEAE  
*Lycaste trifoliata* F.C.Lehm. ex Mast. 1895 = *Lycaste lanipes* Lindl. 1843  
*Lycaste tyrianthina* Lodd. (1850) = *Bifrenaria tyrianthina* (Lodd. ex Loudon) Rchb.f. (1858)  
*Lycaste virginalis* (Scheidw.) Linden 1888 #4 II 64 ORCHIDACEAE  
*Lycaste wittigii* Rchb.f. 1878 = *Bifrenaria wittigii* (Rchb.f.) Hoehne (1953)  
*Lycaste xytriophora* Linden & Rchb.f. 1872 #4 II 64 ORCHIDACEAE  
***Lycomormium* spp.** Reichb.f. #4 II 64 ORCHIDACEAE  
*Lycomormium ecuadorense* Sweet #4 II 64 ORCHIDACEAE  
*Lycomormium fiskii* Sweet #4 II 64 ORCHIDACEAE  
*Lycomormium minus* Kraenzl. = *Peristeria cerina* Lindl.  
*Lycomormium serronianum* Barb.Rodr. = *Peristeria serroniana* (Barb.Rodr.) Garay  
*Lycomormium squalidum* (P. & E.) Rchb.f. #4 II 64 ORCHIDACEAE  
*Lymanbensonia micrantha* (Vaupel) Kimnach = *Lepismium micranthum* (Vaupel) Barthlott  
***Lyperanthus* spp.** R. Br. #4 II 64 ORCHIDACEAE  
*Lyperanthus forrestii* F. Muell. #4 II 64 ORCHIDACEAE  
*Lyraea prismatica* Lindl. = *Bulbophyllum prismaticum* Thouars  
*Lyroglossa* spp. Schltr. #4 II 64 ORCHIDACEAE  
*Lyroglossa grisebachii* (Cogn.) Schltr. #4 II 64 ORCHIDACEAE  
*Lysimmia bicolor* Rafin = *Brassavola cordata* Lindl.  
*Macacuaba* (S): *Platymiscium pleiostachyum*  
*Machaerocereus eruca* (T.Brandegee) Britton & Rose = *Stenocereus eruca* (T.Brandegee) Gibson & Horak  
*Machaerocereus gummosus* (Engelmann) Britton & Rose = *Stenocereus gummosus* (Engelmann) Gibson & Horak  
*Maclenia paradoxa* DuMort = *Cattleya forbesii* Lindl.  
***Macodes* spp.** (Blume) Lindl. #4 II 64 ORCHIDACEAE  
*Macodes argyroneura* (Miq.) Rolfe #4 II 64 ORCHIDACEAE
- Macodes javanica* (Blume) Hook.f. #4 II 64 ORCHIDACEAE  
*Macodes petola* Lindley #4 II 64 ORCHIDACEAE  
***Macradenia* spp.** R. Br. #4 II 64 ORCHIDACEAE  
*Macradenia brassavolae* Reichb.f. #4 II 64 ORCHIDACEAE  
*Macradenia lutescens* R. Br. #4 II 64 ORCHIDACEAE (E) Trinidad Macradenia  
*Macradenia mutica* Lindl. 1839 = *Leucohyle mutica* (Lindl.) Schltr.  
 Macradenia, Trinidad (E): *Macradenia lutescens*  
*Macrochilus fryanus* Knowles & Westc. = *Miltonia spectabilis* Lindley  
*Macroclinium* spp. Barb. Rodr. #4 II 64 ORCHIDACEAE  
*Macroclinium bicolor* (Lindley) Dodson #4 II 64 ORCHIDACEAE  
*Macroclinium borjaense* Dodson #4 II 64 ORCHIDACEAE  
*Macroclinium cordesii* (L.O. Williams) Dodson #4 II 64 ORCHIDACEAE  
*Macroclinium dalstroemii* Dodson #4 II 64 ORCHIDACEAE  
*Macroclinium glicensteinii* Atwood #4 II 64 ORCHIDACEAE  
*Macroclinium hirtzii* Dodson #4 II 64 ORCHIDACEAE  
*Macroclinium lexarzanum* (Hags. & Gonz.Tam.) Dodson #4 II 64 ORCHIDACEAE  
*Macroclinium lineare* (Ames & C. Schweinf.) Dodson #4 II 64 ORCHIDACEAE  
*Macroclinium paniculatum* (Ames & Schweinf.) Dodson #4 II 64 ORCHIDACEAE  
*Macroclinium ramonense* (Schltr.) Dodson #4 II 64 ORCHIDACEAE  
*Macrolepis longiscapa* A.Rich = *Bulbophyllum longiscapum* Rolfe  
*Macroplectrum baronii* Finet = *Angraecum baronii* (Finet) Schltr.  
*Macroplectrum calceolus* (Thouars) Finet. = *Angraecum calceolus* Thouars  
*Macroplectrum clavatum* (Rendle) Finet = *Angraecum multinominatum* Rendle  
*Macroplectrum costatum* Finet = *Angraecum costatum* Frapp. ex Cordem  
*Macroplectrum cucullatum* Finet = *Angraecum cucullatum* Thouars  
*Macroplectrum didieri* Baill. ex Finet = *Angraecum didieri* (Baill.) ex Finet Schltr.  
*Macroplectrum distichophyllum* A.Rich. ex Finet = *Angraecum striatum* Thouars  
*Macroplectrum gladiifolium* (Thouars) Pfitzer ex Finet = *Angraecum mauritianum* (Poir.) Frapp.  
*Macroplectrum humblotti* Finet = *Angraecum humblotianum* (Finet) Schltr.  
*Macroplectrum implicatum* (Thouars) Finet = *Angraecum implicatum* Thouars  
*Macroplectrum leonis* (Rchb.f.) Finet = *Angraecum leonis* (Rchb.f.) Andre  
*Macroplectrum madagascariense* Finet = *Angraecum madagascariense* (Finet) Schltr.

- Macroplectrum meirax* (Rchb.f.) Finet = *Angraecum meirax* (Rchb.f.) H.Perrier  
*Macroplectrum ochraceum* (Ridl.) Finet = *Angraecum ochraceum* (Ridl.) Schltr.  
*Macroplectrum pectinatum* (Thouars) Finet = *Angraecum pectinatum* Thouars  
*Macroplectrum sesquipedale* (Thouars) Pfizter = *Angraecum sesquipedale* Thouars  
*Macroplectrum xylopus* (Rchb.f.) Finet = *Angraecum xylopus* Rchb.f.  
***Macropodanthus* spp.** L.O. Williams #4 II 64  
 ORCHIDACEAE  
*Macropodanthus teysmannii* (Miq.) H.A.Pedersen #4 II 64  
 ORCHIDACEAE  
*Macrostomium aloefolium* Blume = *Dendrobium aloifolium* (Blume) Rchb.f.  
***Macrozamia* spp.** Miq. #4 II ZAMIACEAE  
***Macrozamia cardiocensis*** P.I.Forster & D.L.Jones #4 II  
 ZAMIACEAE  
***Macrozamia communis*** L.A.S.Johnson #4 II  
 ZAMIACEAE  
***Macrozamia concinna*** D.L.Jones #4 II ZAMIACEAE  
***Macrozamia conferta*** D.L.Jones & P.I.Forst. #4 II  
 ZAMIACEAE  
*Macrozamia corallipes* Hook. = *Macrozamia spiralis* (Salisb.) Miq.  
***Macrozamia cranei*** D.L.Jones & P.I.Forst. #4 II  
 ZAMIACEAE  
***Macrozamia crassifolia*** P.I.Forst. & D.L.Jones #4 II  
 ZAMIACEAE  
*Macrozamia denisonii* C.Moore & F.Muell = *Lepidozamia peroffskyana* Regel  
***Macrozamia diplomera*** (F.Muell.) L.A.S.Johnson #4 II  
 ZAMIACEAE  
***Macrozamia douglasii*** W.Hill ex Bailey #4 II ZAMIACEAE  
***Macrozamia dyeri*** (F.Muell.) C.A.Gardner #4 II  
 ZAMIACEAE  
***Macrozamia elegans*** K.D.Hill & D.L.Jones #4 II  
 ZAMIACEAE  
***Macrozamia fawcettii*** C.Moore #4 II ZAMIACEAE  
***Macrozamia fearnsidei*** D.L.Jones #4 II ZAMIACEAE  
***Macrozamia flexuosa*** C.Moore #4 II ZAMIACEAE  
***Macrozamia fraseri*** Miq. #4 II ZAMIACEAE  
***Macrozamia glaucophylla*** D.L.Jones #4 II ZAMIACEAE  
***Macrozamia heteromera*** C.Moore #4 II ZAMIACEAE  
*Macrozamia hopei* C.Moore = *Lepidozamia hopei* Regel  
*Macrozamia hopei* W.Hill ex Bailey = *Lepidozamia hopei* Regel  
***Macrozamia humilis*** D.L.Jones #4 II ZAMIACEAE  
***Macrozamia johnsonii*** D.Jones & K.D.Hill #4 II  
 ZAMIACEAE  
*Macrozamia littoralis* Liebm. ex Dyer = *Dioon edule* Lindl.  
***Macrozamia lomandrodes*** D.L.Jones #4 II ZAMIACEAE  
***Macrozamia longispina*** P.I.Forster & D.L.Jones #4 II  
 ZAMIACEAE  
***Macrozamia lucida*** L.A.S.Johnson #4 II ZAMIACEAE  
***Macrozamia macdonnellii*** (F.Muell. ex Miq.) A.DC. #4 II  
 ZAMIACEAE  
*Macrozamia machinii* P.I.Forst. & D.L.Jones = *Macrozamia plurinervia* (L.A.S.Johnson) D.L.Jones  
 ZAMIACEAE  
*Macrozamia mackenzii* hort.ex Mast = *Macrozamia miquelii* (F.Muell.) A.DC.  
***Macrozamia macleayi*** #4 II ZAMIACEAE  
***Macrozamia miquelii*** (F.Muell.) A.DC. #4 II ZAMIACEAE  
***Macrozamia montana*** K.D.Hill #4 II ZAMIACEAE  
***Macrozamia moorei*** F.Muell. #4 II ZAMIACEAE  
***Macrozamia mountperriensis*** Bailey #4 II ZAMIACEAE  
***Macrozamia occidua*** D.L.Jones & P.I.Forst. #4 II  
 ZAMIACEAE  
*Macrozamia oldfieldii* (Miq.) A.DC. = *Macrozamia fraseri* Miq.  
***Macrozamia parcifolia*** P.I.Forst. & D.L.Jones #4 II  
 ZAMIACEAE  
***Macrozamia pauli-guilielmi*** W.Hill & F.Muell. #4 II  
 ZAMIACEAE  
*Macrozamia pauli-guilielmi flexuosa* (C.Moore)  
 L.A.S.Johnson = *Macrozamia flexuosa* C.Moore  
*Macrozamia pauli-guilielmi plurinervia* L.A.S.Johnson =  
*Macrozamia plurinervia* (L.A.S.Johnson) D.L.Jones  
*Macrozamia pectinata* Liebm. ex Dyer = *Dioon edule* Lindl.  
***Macrozamia platyrhachis*** Bailey #4 II ZAMIACEAE  
*Macrozamia plumosa* Mohr = *Macrozamia pauli-guilielmi* W.Hill & F.Muell.  
***Macrozamia plurinervia*** (L.A.S.Johnson) D.L.Jones #4 II  
 ZAMIACEAE  
***Macrozamia polymorpha*** D.L.Jones #4 II ZAMIACEAE  
*Macrozamia preissii* dyeri (F.Muell.) J.Schust =  
*Macrozamia dyeri* (F.Muell.) C.A.Gardner  
*Macrozamia preissii* Lehm. = *Macrozamia fraseri* Miq.  
***Macrozamia reducta*** K.D.Hill & D.L.Jones #4 II  
 ZAMIACEAE  
***Macrozamia riedlei*** (Fisch. ex Gaudich.) C.A.Gardner #4 II  
 ZAMIACEAE  
***Macrozamia secunda*** C.Moore #4 II ZAMIACEAE  
***Macrozamia serpentina*** #4 II ZAMIACEAE  
***Macrozamia spiralis*** (Salisb.) Miq. #4 II ZAMIACEAE  
***Macrozamia stenomera*** L.A.S.Johnson #4 II  
 ZAMIACEAE  
*Macrozamia tridentata* mountperriensis (Bailey) J.Schust =  
*Macrozamia mountperriensis* Bailey  
***Macrozamia viridis*** D.L.Jones & P.I.Forst. #4 II  
 ZAMIACEAE  
 Madera de Agar (S): *Aquilaria malaccensis*  
*Magnolia liliifera* (L.) Baill. III/NC MAGNOLIACEAE  
*Magnolia liliifera* var. obovata (Korth.) Govaerts #1 III  
 Mahogani à grands feuilles (F): *Swietenia macrophylla*  
 Mahogani de Saint-Dominique (F): *Swietenia mahagoni*  
 Mahogani petites feuilles (F): *Swietenia mahagoni*  
 Mahogany (E): *Swietenia macrophylla*  
 Mahogany (E): *Swietenia humilis*  
 Mahogany (E): *Swietenia mahagoni*  
 mahogany, American (E): *Swietenia macrophylla*  
 mahogany, American (E): *Swietenia mahagoni*  
 Mahogany, Bigleaf (E): *Swietenia macrophylla*  
 Mahogany, Big-leaf (E): *Swietenia macrophylla*  
 mahogany, Brazilian (E): *Swietenia macrophylla*  
 Mahogany, Cuban (E): *Swietenia mahagoni*  
 mahogany, Honduras (E): *Swietenia humilis*  
 Mahogany, Mexican (E): *Swietenia humilis*

- Mahogany, New World (E): *Swietenia macrophylla*  
 Mahogany, Stinking (E): *Cedrela odorata*  
 Mahogany, West Indian (E): *Swietenia mahagoni*
- Maihuenia* spp.** (Phil. ex Weber) K. Schum. #4 II 49  
 CACTACEAE
- Maihuenia albolanata* Ritter = *Maihuenia patagonica* (Philippi) Spegazzini  
*Maihuenia brachydelphys* (Schumann) Schumann = *Maihuenia patagonica* (Philippi) Spegazzini  
*Maihuenia cumulata* Ritter = *Maihuenia patagonica* (Philippi) Spegazzini  
*Maihuenia latispina* Ritter = *Maihuenia patagonica* (Philippi) Spegazzini
- Maihuenia patagonica*** (Philippi) Spegazzini #4 II 49  
 CACTACEAE
- Maihuenia philippii* (Weber) Schumann = *Maihuenia poeppigii* (Pfeiffer) Schumann
- Maihuenia poeppigii*** (Pfeiffer) Schumann #4 II 49  
 CACTACEAE
- Maihuenia valentinii* Spegazzini = *Maihuenia patagonica* (Philippi) Spegazzini  
*Maihueniopsis albomarginata* Ritter = *Opuntia darwinii* Henslow
- Maihueniopsis archiconoidea* Ritter = *Opuntia archiconoidea* (Ritter) Hunt  
*Maihueniopsis boliviiana* (Salm-Dyck) Kiesling = *Opuntia boldinghii* Britton & Rose  
*Maihueniopsis camachoi* (Espinosa) Ritter = *Opuntia camachoi* Espinosa  
*Maihueniopsis colorea* (Ritter) Ritter = *Opuntia colorea* (Ritter) Hunt  
*Maihueniopsis conoidea* (Backeberg) Ritter = *Opuntia conoidea* (Backeberg) Rowley  
*Maihueniopsis crassispina* Ritter = *Opuntia crassipina* (Ritter) Hunt  
*Maihueniopsis darwinii* (Henslow) Ritter = *Opuntia darwinii* Henslow
- Maihueniopsis domeykoensis* Ritter = *Opuntia domeykoensis* (Ritter) Hunt  
*Maihueniopsis glomerata* (Haworth) Kiesling = *Opuntia glomerata* Haworth  
*Maihueniopsis grandiflora* Ritter = *Opuntia llanos-de-huanta* Hunt  
*Maihueniopsis hypogaea* (Werdermann) Backeberg = *Opuntia glomerata* Haworth  
*Maihueniopsis leoncito* (Werdermann) Ritter = *Opuntia glomerata* Haworth  
*Maihueniopsis leptoclada* Ritter = *Opuntia glomerata* Haworth  
*Maihueniopsis mandragora* (Backeberg) Ritter = *Opuntia minuta* (Backeberg) Castellanos  
*Maihueniopsis minuta* (Backeberg) Kiesling = *Opuntia minuta* (Backeberg) Castellanos  
*Maihueniopsis molfinoi* Spegazzini = *Opuntia glomerata* Haworth  
*Maihueniopsis molinensis* (Spegazzini) Ritter = *Opuntia molinensis* Spegazzini  
*Maihueniopsis neuquensis* (Borg) Ritter = *Opuntia darwinii* Henslow  
*Maihueniopsis nigrispina* = *Opuntia nigrispina* Schumann
- Maihueniopsis ochrocentra* Small ex Britton & Rose = *Opuntia crystallina* Griffiths  
*Maihueniopsis ovallei* (Remy ex C.Gay) Ritter = *Opuntia glomerata* Haworth  
*Maihueniopsis ovata* (Pfeiffer) Ritter = *Opuntia ovata* Pfeiffer  
*Maihueniopsis pentlandii* (Salm-Dyck) Kieslingritter = *Opuntia pentlandii* Salm-Dyck  
*Maihueniopsis rahmeri* (Philippi) Ritter = *Opuntia rahmeri* Philippi  
*Maihueniopsis tarapacana* (Philippi) Ritter = *Opuntia tarapacana* Philippi  
*Maihueniopsis wagenknechtii* Ritter = *Opuntia wagenknechtii* (Ritter) Hunt  
*Malachadenia clavata* Lindl. = *Bulbophyllum malachadenia* Cogn.
- Malaxis* spp.** Soland. ex Sw. #4 II 64 ORCHIDACEAE
- Malaxis acianthoides* (Schltr.) Ames #4 II 64  
 ORCHIDACEAE
- Malaxis acuminata* D. Don #4 II 64 ORCHIDACEAE
- Malaxis acutangula* (Hook.f.) Kuntze #4 II 64  
 ORCHIDACEAE
- Malaxis adolphii* (Schltr.) Ames #4 II 64 ORCHIDACEAE
- Malaxis amplectens* (J.J. Smith) Ames & C. Schweinf. #4 II 64 ORCHIDACEAE
- Malaxis amplexicolumna* Greenwood & Gonz.Tam. #4 II 64 ORCHIDACEAE
- Malaxis bayardii* Fern. #4 II 64 ORCHIDACEAE
- Malaxis biaurita* (Lindley) Kuntze #4 II 64 ORCHIDACEAE
- Malaxis biloba* (Lindley) Ames #4 II 64 ORCHIDACEAE
- Malaxis blumei* (Boerl. & J.J. Smith) Bakh.f. #4 II 64 ORCHIDACEAE
- Malaxis boninensis* (Koidz.) Nackej. #4 II 64  
 ORCHIDACEAE
- Malaxis caudata* (L.) Willd. 1805 = *Brassia caudata* (L.) Lindl. 1824
- Malaxis commelinifolia* (Zoll. & Moritzi) Kuntze #4 II 64 ORCHIDACEAE
- Malaxis cordata* (Lindley) Kuntze #4 II 64 ORCHIDACEAE
- Malaxis corymbosa* (S.Watson) Kuntze #4 II 64  
 ORCHIDACEAE (E) Huachuca Mountain Adder's-mouth
- Malaxis crapidium* Bakh.f. #4 II 64 ORCHIDACEAE
- Malaxis crispifolia* (Reichb.f.) Kuntze #4 II 64  
 ORCHIDACEAE
- Malaxis cuprea* (J.J. Smith) Bakh.f. #4 II 64  
 ORCHIDACEAE
- Malaxis des tourbières (F): *Hammarbya paludosa*
- Malaxis diphyllos* Cham. #4 II 64 ORCHIDACEAE (E)  
 Aleutian Adder's-mouth Orchid
- Malaxis discolor* (Lindley) Kuntze #4 II 64 ORCHIDACEAE
- Malaxis ehrenbergii* (Reichb.f.) Kuntze #4 II 64  
 ORCHIDACEAE
- Malaxis fimbriata* Lavarack #4 II 64 ORCHIDACEAE
- Malaxis hahajimensis* S. Kobayashi #4 II 64  
 ORCHIDACEAE
- Malaxis humerata* (J.J. Smith) Bakh.f. #4 II 64  
 ORCHIDACEAE

- Malaxis javesiae* (Reichb.f.) Ames #4 II 64  
ORCHIDACEAE
- Malaxis junguhnnii* (J.J. Smith) Ames #4 II 64  
ORCHIDACEAE
- Malaxis kobi* (J.J. Smith) Bakh.f. #4 II 64 ORCHIDACEAE
- Malaxis koordersii* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE
- Malaxis lagotis* (Reichb.f.) Kuntze #4 II 64  
ORCHIDACEAE
- Malaxis lancifolia* (Thwaites) Kuntze #4 II 64  
ORCHIDACEAE
- Malaxis latifolia* J.E. Smith #4 II 64 ORCHIDACEAE (E)  
Red Featherduster Orchid
- Malaxis lawleri* Lavarack & B.Gray #4 II 64  
ORCHIDACEAE
- Malaxis lepanthiflora* (Schltr.) Ames #4 II 64  
ORCHIDACEAE
- Malaxis lloensis* (Schltr.) Dodson #4 II 64 ORCHIDACEAE
- Malaxis lobatocallosa* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE
- Malaxis loeselii* (L.) Sw. = *Liparis loeselii* (L.) Rich.
- Malaxis mackinnonii* (Duthie) Ames. #4 II 64  
ORCHIDACEAE
- Malaxis major* Reichb. f. #4 II 64 ORCHIDACEAE
- Malaxis massonii* (Ridl.) Kuntze #4 II 64 ORCHIDACEAE
- Malaxis monophyllum* (L.) Sw. = *Microstylis monophyllum* (L.) Lindl.
- Malaxis myurus* (Lindley) Kuntze #4 II 64 ORCHIDACEAE
- Malaxis nana* C. Schweinf. #4 II 64 ORCHIDACEAE
- Malaxis nelsonii* Ames #4 II 64 ORCHIDACEAE
- Malaxis nemoralis* (Ridley) Holttum #4 II 64  
ORCHIDACEAE
- Malaxis novogaliciana* Gonz.Tam. ex McVaugh #4 II 64  
ORCHIDACEAE
- Malaxis obovata* (J.J. Smith) Ames & C. Schweinf. #4 II 64  
ORCHIDACEAE
- Malaxis ochreata* (S.Watson) Ames #4 II 64  
ORCHIDACEAE
- Malaxis oculata* (Reichb.f.) Kuntze #4 II 64 ORCHIDACEAE
- Malaxis paludosa* (L.) Sw. = *Hammarbya paludosa* (L.)  
Kuntze
- Malaxis pandurata* (Schltr.) Ames #4 II 64  
ORCHIDACEAE
- Malaxis perakensis* (Ridley) Holttum #4 II 64  
ORCHIDACEAE
- Malaxis pittieri* (Schltr.) Ames #4 II 64 ORCHIDACEAE
- Malaxis pollardii* L.O. Williams #4 II 64 ORCHIDACEAE
- Malaxis pringlei* (S.Watson) Ames #4 II 64  
ORCHIDACEAE
- Malaxis purpureonervosa* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE
- Malaxis reichei* (Schltr.) Ames & C. Schweinf. #4 II 64  
ORCHIDACEAE
- Malaxis reniloba* (Carr) Holttum #4 II 64 ORCHIDACEAE
- Malaxis ridleyi* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE
- Malaxis rosei* Ames #4 II 64 ORCHIDACEAE
- Malaxis rosilloi* Gonz.Tam. & Greenwood #4 II 64  
ORCHIDACEAE
- Malaxis sagittata* (J.J. Smith) Ames #4 II 64  
ORCHIDACEAE
- Malaxis samoensis* (Schltr.) Whistler #4 II 64  
ORCHIDACEAE
- Malaxis seychellarum* (Kraenzlin) Summerh. #4 II 64  
ORCHIDACEAE
- Malaxis slamatensis* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE
- Malaxis soleiformis* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE
- Malaxis spicata* Sw. #4 II 64 ORCHIDACEAE (E) Florida  
Adder's-mouth Orchid
- Malaxis stenophylla* Holttum #4 II 64 ORCHIDACEAE
- Malaxis steyermarkii* Correll #4 II 64 ORCHIDACEAE
- Malaxis streptopetala* (H. Robinson & Greenman) Ames  
#4 II 64 ORCHIDACEAE
- Malaxis stricta* L.O. Williams #4 II 64 ORCHIDACEAE
- Malaxis tamayoana* Garay & Kittredge #4 II 64  
ORCHIDACEAE
- Malaxis tamurensis* Tuy. #4 II 64 ORCHIDACEAE
- Malaxis taurina* (Reichb.f.) Kuntze #4 II 64  
ORCHIDACEAE
- Malaxis tenggerensis* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE
- Malaxis tenuis* (S.Watson) Ames #4 II 64 ORCHIDACEAE
- Malaxis tepicana* Ames #4 II 64 ORCHIDACEAE
- Malaxis tipuloides* (Lindley) O. Kuntze #4 II 64  
ORCHIDACEAE
- Malaxis tixieri* Seidenf. #4 II 64 ORCHIDACEAE
- Malaxis tjwideiensis* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE
- Malaxis tonduzii* (Schltr.) Ames #4 II 64 ORCHIDACEAE
- Malaxis umbelliflora* Swartz #4 II 64 ORCHIDACEAE
- Malaxis urbana* Greenwood #4 II 64 ORCHIDACEAE
- Malaxis woodsonii* L.O. Wms. #4 II 64 ORCHIDACEAE
- Malaxis xanthochila* (Schltr.) Ames & Schweinf. #4 II 64  
ORCHIDACEAE
- Malleola* spp. J.J. Smith & Schlechter #4 II 64  
ORCHIDACEAE
- Malleola altocarinata* Holttum #4 II 64 ORCHIDACEAE
- Malleola andamanica* Balakr. & Bhargava #4 II 64  
ORCHIDACEAE
- Malleola baliensis* J.J. Smith #4 II 64 ORCHIDACEAE
- Malleola constricta* Ames #4 II 64 ORCHIDACEAE
- Malleola forbesii* (Ridley) J.J. Smith #4 II 64  
ORCHIDACEAE
- Malleola insectifera* (J.J. Smith) J.J. Smith & Schltr. #4 II 64  
ORCHIDACEAE
- Malleola kawakamii* (J.J. Smith) J.J. Sm. & Schltr. #4 II 64  
ORCHIDACEAE
- Malleola ligulata* (J.J. Smith) J.J. Smith #4 II 64  
ORCHIDACEAE
- Malleola macranthera* (Ridley) Holttum #4 II 64  
ORCHIDACEAE
- Malleola sphingoides* J.J. Smith #4 II 64 ORCHIDACEAE
- Malleola undulata* (Ridley) J.J. Smith & Schltr. #4 II 64  
ORCHIDACEAE
- Malleola witteana* (Reichb.f.) J.J. Smith & Schltr #4 II 64  
ORCHIDACEAE

- Mamillopsis diguetii* (Weber) Britton & Rose = *Mammillaria senilis* Loddiges ex Salm-Dyck  
*Mamillopsis senilis* (Loddiges ex Salm-Dyck) Britton & Rose = *Mammillaria senilis* Loddiges ex Salm-Dyck
- Mammillaria* spp.** Haw. #4 II 49 CACTACEAE
- Mammillaria alamensis* Craig = *Mammillaria sheldonii* (Britton & Rose) Boedeker
- Mammillaria albicans*** (Britton & Rose) Berger #4 II 49 CACTACEAE
- Mammillaria albicoma*** Boedeker #4 II 49 CACTACEAE
- Mammillaria albiflora*** (Werdermann) Backeberg #4 II 49 CACTACEAE
- Mammillaria albilanata*** Backeberg #4 II 49 CACTACEAE
- Mammillaria albrechtiana* Wohlschlager = *Mammillaria rekoi* (Britton & Rose) Vaupel
- Mammillaria amajacensis*** Brachet & Lacoste #4 II 49 CACTACEAE
- Mammillaria anniana*** Glass & Foster #4 II 49 CACTACEAE
- Mammillaria antesbergeriana* Lau = *Mammillaria wagneriana* Boedeker
- Mammillaria apozolensis* Reppenhagen = *Mammillaria petterssonii* Hildmann
- Mammillaria armatissima* Craig = *Mammillaria gigantea* Hildmann ex Schumann
- Mammillaria armillata*** K. Brandegee #4 II 49 CACTACEAE
- Mammillaria arroyensis* Reppenhagen = *Mammillaria formosa* Galeotti ex Scheidweiler
- Mammillaria atroflorens* Backeberg = *Mammillaria mystax* Martius
- Mammillaria aureilanata*** Backeberg #4 II 49 CACTACEAE
- Mammillaria auriareolis* Tiegel = *Mammillaria parkinsonii* Ehrenberg
- Mammillaria auricantha* Craig = *Mammillaria standleyi* (Britton & Rose) Orcutt
- Mammillaria auritricha* Craig = *Mammillaria standleyi* (Britton & Rose) Orcutt
- Mammillaria avila-camachoi* Shurly = *Mammillaria perbella* Hildmann
- Mammillaria backebergiana*** F.G.Buchenau #4 II 49 CACTACEAE
- Mammillaria balsasoides* Craig = *Mammillaria beneckeii* Ehrenberg
- Mammillaria barbata*** Engelmann #4 II 49 CACTACEAE
- Mammillaria barkeri* Shurly ex Backeberg = *Mammillaria beneckeii* Ehrenberg
- Mammillaria baumii*** Boedeker #4 II 49 CACTACEAE
- Mammillaria bellacantha* Craig = *Mammillaria canelensis* Craig
- Mammillaria bellisiana* Craig = *Mammillaria sonorensis* Craig
- Mammillaria beneckeii*** Ehrenberg #4 II 49 CACTACEAE
- Mammillaria berkiana*** Lau #4 II 49 CACTACEAE
- Mammillaria blossfeldiana*** Boedeker #4 II 49 CACTACEAE
- Mammillaria bocasana*** Poselger #4 II 49 CACTACEAE
- Mammillaria bocensis*** Craig #4 II 49 CACTACEAE
- Mammillaria boelderiana*** Wohlschlager #4 II 49 CACTACEAE
- Mammillaria bombycina*** Quehl #4 II 49 CACTACEAE
- Mammillaria bonavitii* Reppenhagen = *Mammillaria rhodantha* Link & Otto
- Mammillaria boolii*** Lindsay #4 II 49 CACTACEAE
- Mammillaria brachytrichion* Luethy = *Mammillaria mercadensis* Patoni
- Mammillaria brandegeei*** (Coulter) K.Brandegee #4 II 49 CACTACEAE
- Mammillaria brauneana* Boedeker = *Mammillaria klissingiana* Boedeker
- Mammillaria bucareliensis* Craig = *Mammillaria magnimamma* Haworth
- Mammillaria buxbaumiana* Reppenhagen = *Mammillaria densispina* (Coulter) Orcutt
- Mammillaria cadereyensis* Craig = *Mammillaria perbella* Hildmann
- Mammillaria calacantha* Teigel = *Mammillaria rhodantha* Link & Otto
- Mammillaria candida* Scheidweiler = *Mammilloidya candida* (Scheidweiler) Buxbaum
- Mammillaria canelensis*** Craig #4 II 49 CACTACEAE
- Mammillaria capensis*** (Gates) Craig #4 II 49 CACTACEAE
- Mammillaria carmenae*** Castaneda & Nunez #4 II 49 CACTACEAE
- Mammillaria carnea*** Zuccarini ex Pfeiffera #4 II 49 CACTACEAE
- Mammillaria carretii*** Rebut ex Schumann #4 II 49 CACTACEAE
- Mammillaria casoi* Bravo = *Mammillaria mystax* Martius
- Mammillaria celsiana* auctt = *Mammillaria muehlenpfordtii* Foerster
- Mammillaria centricirrha* Lemaire = *Mammillaria magnimamma* Haworth
- Mammillaria chavezii* Cowper = *Mammillaria barbata* Engelmann
- Mammillaria chica* Reppenhagen = *Mammillaria stella-de-tacubaya* Heese
- Mammillaria claviformis* Reppenhagen = *Mammillaria duoformis* Craig & Dawson
- Mammillaria coahuilensis*** (Boedeker) Moran #4 II 49 CACTACEAE
- Mammillaria colonensis* Craig = *Mammillaria beneckeii* Ehrenberg
- Mammillaria columbiana*** Salm-Dyck #4 II 49 CACTACEAE
- Mammillaria compacticaulis* Reppenhagen = *Mammillaria matudae* Bravo
- Mammillaria compressa*** De Candolle #4 II 49 CACTACEAE
- Mammillaria cowperae* Shurly = *Mammillaria moelleriana* Boedeker
- Mammillaria craigii*** Lindsay #4 II 49 CACTACEAE
- Mammillaria crassa* Reppenhagen = *Mammillaria wagneriana* Boedeker
- Mammillaria criniformis* De Candolle = *Mammillaria crinita* De Candolle
- Mammillaria crinita*** De Candolle #4 II 49 CACTACEAE

<i>Mammillaria crinita scheinvariana</i> (Ortega-Varela & Glass) Fitz Maurice = <i>Mammillaria scheinvariana</i> Ortega-Varela & Glass	<i>Mammillaria floresii Schwarz ex Backeberg</i> = <i>Mammillaria standleyi</i> (Britton & Rose) Orcutt
<i>Mammillaria crispiseta Craig</i> = <i>Mammillaria mystax</i> Martius	<b><i>Mammillaria formosa</i></b> Galeotti ex Scheidweiler #4 II 49 CACTACEAE
<b><i>Mammillaria crucigera</i></b> Martius #4 II 49 CACTACEAE	<i>Mammillaria fuscohamata Backeberg</i> = <i>Mammillaria jaliscana</i> (Britton & Rose) Boedeker
<i>Mammillaria dasyacantha Engelmann</i> = <i>Escobaria dasyacantha</i> (Engelmann) Britton & Rose	<i>Mammillaria garessii Cowper</i> = <i>Mammillaria barbata</i> Engelmann
<b><i>Mammillaria decipiens</i></b> Scheidweiler #4 II 49 CACTACEAE	<i>Mammillaria gasseriana Boedeker</i> = <i>Mammillaria stella-de-tacubaya</i> Heese
<b><i>Mammillaria deherdtiana</i></b> Farwig #4 II 49 CACTACEAE	<i>Mammillaria gasterantha Reppenhagen</i> = <i>Mammillaria spinosissima</i> Lemaire
<b><i>Mammillaria densispina</i></b> (Coulter) Orcutt #4 II 49 CACTACEAE	<b><i>Mammillaria geminispina</i></b> Haworth #4 II 49 CACTACEAE
<i>Mammillaria diguetii (Weber) Hunt</i> = <i>Mammillaria senilis</i> Loddiges ex Salm-Dyck	<b><i>Mammillaria gigantea</i></b> Hildmann ex Schumann #4 II 49 CACTACEAE
<b><i>Mammillaria dioica</i></b> K.Brandegee #4 II 49 CACTACEAE (E) Strawberry Cactus	<i>Mammillaria gilensis Boedeker</i> = <i>Mammillaria rettigiana</i> Boedeker
<b><i>Mammillaria discolor</i></b> Haworth #4 II 49 CACTACEAE	<b><i>Mammillaria glassii</i></b> R.A.Foster #4 II 49 CACTACEAE
<b><i>Mammillaria dixanthocentron</i></b> Backeberg ex Mottram #4 II 49 CACTACEAE	<b><i>Mammillaria glochidiata</i></b> Martius #4 II 49 CACTACEAE
<i>Mammillaria drogeana Craig</i> = <i>Mammillaria microhelia</i> Werdermann	<i>Mammillaria glomerata (Lamarck) De Candolle</i> = <i>Mammillaria prolifera</i> (Miller) Haworth
<b><i>Mammillaria duoformis</i></b> Craig & Dawson #4 II 49 CACTACEAE	<b><i>Mammillaria goodridgii</i></b> Scheer ex Salm-Dyck #4 II 49 CACTACEAE
<i>Mammillaria durangicola Reppenhagen</i> = <i>Mammillaria grusonii</i> Runge	<b><i>Mammillaria grahamii</i></b> Engelmann #4 II 49 CACTACEAE (E) Grahm's Nipple Cactus
<b><i>Mammillaria duwei</i></b> Rogozinski & Appenzeller #4 II 49 CACTACEAE	<b><i>Mammillaria grusonii</i></b> Runge #4 II 49 CACTACEAE
<i>Mammillaria ebenacantha Shurly ex Backeberg</i> = <i>Mammillaria karwinskiana</i> Martius	<i>Mammillaria gueldemanniana Backeberg</i> = <i>Mammillaria sheldonii</i> (Britton & Rose) Boedeker
<b><i>Mammillaria ekmanii</i></b> Werdermann #4 II 49 CACTACEAE	<b><i>Mammillaria guelzowiana</i></b> Werdermann #4 II 49 CACTACEAE
<b><i>Mammillaria elongata</i></b> De Candolle #4 II 49 CACTACEAE	<b><i>Mammillaria guerreronis</i></b> (Bravo) Boedeker ex Backeberg #4 II 49 CACTACEAE
<b><i>Mammillaria eriacantha</i></b> Pfeiffer #4 II 49 CACTACEAE	<i>Mammillaria guiendoensis Bravo &amp; MacDougall</i> = <i>Mammillaria beneckeii</i> Ehrenberg
<i>Mammillaria erythra Reppenhagen</i> = <i>Mammillaria mystax</i> Martius	<b><i>Mammillaria guillauminiana</i></b> Backeberg #4 II 49 CACTACEAE
<i>Mammillaria erythrocalyx F.G.Buchenau</i> = <i>Mammillaria duoformis</i> Craig & Dawson	<i>Mammillaria guirocobensis Craig</i> = <i>Mammillaria sheldonii</i> (Britton & Rose) Boedeker
<b><i>Mammillaria erythrosperma</i></b> Boedeker #4 II 49 CACTACEAE	<b><i>Mammillaria haageana</i></b> Pfeiffer #4 II 49 CACTACEAE
<i>Mammillaria esseriana Boedeker</i> = <i>Mammillaria compressa</i> De Candolle	<b><i>Mammillaria hahniana</i></b> Werdermann #4 II 49 CACTACEAE
<i>Mammillaria estanzuelensis Moeller ex Berger</i> = <i>Mammillloydia candida</i> (Scheidweiler) Buxbaum	<b><i>Mammillaria halbingeri</i></b> Boedeker #4 II 49 CACTACEAE
<b><i>Mammillaria evermanniana</i></b> (Britton & Rose) Orcutt #4 II 49 CACTACEAE	<b><i>Mammillaria halei</i></b> T.Brandegee #4 II 49 CACTACEAE
<i>Mammillaria felipensis Reppenhagen</i> = <i>Mammillaria nana</i> Backeberg ex Mottram	<b><i>Mammillaria hamata</i></b> Lehmann ex Pfeiffer #4 II 49 CACTACEAE
<b><i>Mammillaria fittkaui</i></b> Glass & Foster #4 II 49 CACTACEAE	<i>Mammillaria hamiltonhoytea (Bravo)</i> Werdermann ex Backeberg = <i>Mammillaria gigantea</i> Hildmann ex Schumann
<i>Mammillaria fittkaui mathildae (Kraehenbuehl &amp; Kraenzl)</i> Luethy = <i>Mammillaria mathildae</i> Kraehenbuehl & Kraenzl	<i>Mammillaria hastifera Krainz &amp; Keller</i> = <i>Mammillaria gigantea</i> Hildmann ex Schumann
<i>Mammillaria flavescentis Haworth</i> = <i>Mammillaria nivosa</i> Link ex Pfeiffer	<b><i>Mammillaria heidiae</i></b> Krainz #4 II 49 CACTACEAE
<b><i>Mammillaria flavidicentra</i></b> Backeberg ex Mottram #4 II 49 CACTACEAE	<b><i>Mammillaria hernandezii</i></b> Glass & Foster #4 II 49 CACTACEAE
<i>Mammillaria flavihamata Backeberg</i> = <i>Mammillaria rettigiana</i> Boedeker	<b><i>Mammillaria herrerae</i></b> Werdermann #4 II 49 CACTACEAE
	<b><i>Mammillaria hertrichiana</i></b> Craig #4 II 49 CACTACEAE
	<b><i>Mammillaria heyderi</i></b> Muhlenpfordt #4 II 49 CACTACEAE (E) Little Nipple Cactus

- Mammillaria huajuapensis* Bravo = *Mammillaria mystax* Martius  
*Mammillaria huiguensis* Reppenhagen = *Mammillaria petterssonii* Hildmann  
***Mammillaria huitzilopochtli*** Hunt #4 II 49 CACTACEAE  
***Mammillaria humboldtii*** Ehrenberg #4 II 49  
 CACTACEAE  
***Mammillaria hutchisoniana*** (Gates) Boedeker #4 II 49  
 CACTACEAE  
*Mammillaria inae* Craig = *Mammillaria sheldonii* (Britton & Rose) Boedeker  
*Mammillaria infernillensis* Craig = *Mammillaria perbella* Hildmann  
***Mammillaria insularis*** Gates #4 II 49 CACTACEAE  
***Mammillaria jaliscana*** (Britton & Rose) Boedeker #4 II 49  
 CACTACEAE  
***Mammillaria johnstonii*** (Britton & Rose) Orcutt #4 II 49  
 CACTACEAE  
*Mammillaria jozef-bergeri* Wojnowski & Prajer =  
*Mammillaria karwinskiana* Martius  
***Mammillaria karwinskiana*** Martius #4 II 49 CACTACEAE  
*Mammillaria kleiniorum* Appenzeller = *Mammillaria jaliscana* (Britton & Rose) Boedeker  
***Mammillaria klissingiana*** Boedeker #4 II 49  
 CACTACEAE  
***Mammillaria knippeliana*** Quehl #4 II 49 CACTACEAE  
***Mammillaria kraehenbuehlii*** (Krainz) Krainz #4 II 49  
 CACTACEAE  
*Mammillaria krasuckae* Reppenhagen = *Mammillaria rekoi* (Britton & Rose) Vaupel  
*Mammillaria lanata* (Britton & Rose) Orcutt = *Mammillaria supertexta* Martius ex Pfeiffer  
*Mammillaria lanisumma* Craig = *Mammillaria standleyi* (Britton & Rose) Orcutt  
***Mammillaria lasiacantha*** Engelmann #4 II 49  
 CACTACEAE (E) Lace-spine Nipple Cactus  
***Mammillaria laui*** Hunt #4 II 49 CACTACEAE  
***Mammillaria lenta*** K.Brandegee #4 II 49 CACTACEAE  
*Mammillaria leona* Poselger = *Mammillaria pottsii* Scheer ex Salm-Dyck  
***Mammillaria lindsayi*** Craig #4 II 49 CACTACEAE  
***Mammillaria lloydii*** (Britton & Rose) Orcutt #4 II 49  
 CACTACEAE  
***Mammillaria longiflora*** (Britton & Rose) Berger #4 II 49  
 CACTACEAE  
***Mammillaria longimamma*** De Candolle #4 II 49  
 CACTACEAE (E) Green-fruit Nipple Cactus  
***Mammillaria luethyi*** G.S.Hinton #4 II 49 CACTACEAE  
*Mammillaria macracantha* De Candolle = *Mammillaria magnimamma* Haworth  
***Mammillaria magnifica*** F.G.Buchenau #4 II 49  
 CACTACEAE  
***Mammillaria magnimamma*** Haworth #4 II 49  
 CACTACEAE  
***Mammillaria mainiae*** K.Brandegee #4 II 49 CACTACEAE  
 (E) Main's Nipple Cactus  
***Mammillaria mammillaris*** (L.) Karsten #4 II 49  
 CACTACEAE
- Mammillaria marcosii*** Fitz Maurice & Glass #4 II 49  
 CACTACEAE  
***Mammillaria marksiana*** Krainz #4 II 49 CACTACEAE  
*Mammillaria marnieriana* Backeberg = *Mammillaria sheldonii* (Britton & Rose) Boedeker  
*Mammillaria martinezii* Backeberg = *Mammillaria supertexta* Martius ex Pfeiffer  
***Mammillaria mathildae*** Kraehenbuehl & Krainz #4 II 49  
 CACTACEAE  
***Mammillaria matudae*** Bravo #4 II 49 CACTACEAE  
*Mammillaria mayensis* Craig = *Mammillaria standleyi* (Britton & Rose) Orcutt  
***Mammillaria mazatlanensis*** Schumann ex Guerke #4 II 49 CACTACEAE  
***Mammillaria melaleuca*** Karwinski ex Salm-Dyck #4 II 49  
 CACTACEAE  
***Mammillaria melanocentra*** Poselger #4 II 49  
 CACTACEAE  
***Mammillaria mercadensis*** Patoni #4 II 49 CACTACEAE  
***Mammillaria meyranii*** Bravo #4 II 49 CACTACEAE  
*Mammillaria microcarpa* Engelmann = *Mammillaria grahamii* Engelmann  
*Mammillaria microcarpa grahamii* (Engelmann) Mottram =  
*Mammillaria grahamii* Engelmann  
***Mammillaria microhelia*** Werdermann #4 II 49  
 CACTACEAE  
*Mammillaria microheliopsis* Werdermann = *Mammillaria microhelia* Werdermann  
***Mammillaria miegiana*** Earle #4 II 49 CACTACEAE  
***Mammillaria mieheana*** Tiegel #4 II 49 CACTACEAE  
*Mammillaria milleri* (Britton & Rose) Boedeker =  
*Mammillaria grahamii* Engelmann  
*Mammillaria mitlensis* Bravo = *Mammillaria rekoi* (Britton & Rose) Vaupel  
*Mammillaria mixtecensis* Bravo = *Mammillaria mystax* Martius  
***Mammillaria moelleriana*** Boedeker #4 II 49  
 CACTACEAE  
*Mammillaria monancistracantha* Backeberg = *Mammillaria nana* Backeberg ex Mottram  
*Mammillaria montensis* Craig = *Mammillaria standleyi* (Britton & Rose) Orcutt  
***Mammillaria morganiana*** Tiegel #4 II 49 CACTACEAE  
*Mammillaria morricalii* Cowper = *Mammillaria barbata* Engelmann  
*Mammillaria movensis* Craig = *Mammillaria sonorensis* Craig  
***Mammillaria muehlenpfordtii*** Foerster #4 II 49  
 CACTACEAE  
***Mammillaria multidigitata*** Radley ex Lindsay #4 II 49  
 CACTACEAE  
*Mammillaria multiformis* (Britton & Rose) Backeberg =  
*Mammillaria erythrosperma* Boedeker  
*Mammillaria multihamata* Boedeker = *Mammillaria marcosii* Fitz Maurice & Glass  
*Mammillaria multiseta* Ehrenberg = *Mammillaria karwinskiana* Martius  
***Mammillaria mystax*** Martius #4 II 49 CACTACEAE  
***Mammillaria nana*** Backeberg ex Mottram #4 II 49  
 CACTACEAE

- Mammillaria napina** J.Purpus #4 II 49 CACTACEAE  
*Mammillaria neocrucigera* Backeberg = *Mammillaria parkinsonii* Ehrenberg  
*Mammillaria neomystax* Backeberg = *Mammillaria karwinskiana* Martius  
**Mammillaria neopalmeri** Craig #4 II 49 CACTACEAE  
*Mammillaria neopotosina* Craig = *Mammillaria muehlenpfordtii* Foerster  
*Mammillaria neoschwarzeana* Schwarz ex Backeberg = *Mammillaria bocensis* Craig  
**Mammillaria nivosa** Link ex Pfeiffer #4 II 49 CACTACEAE  
 (E) Cactus, Pope's Head  
**Mammillaria nunezii** (Britton & Rose) Orcutt #4 II 49 CACTACEAE  
*Mammillaria obscura* Hildmann = *Mammillaria petterssonii* Hildmann  
*Mammillaria ochoterenae* (Bravo) Werdermann ex Backeberg = *Mammillaria discolor* Haworth  
*Mammillaria ocotillensis* Craig = *Mammillaria gigantea* Hildmann ex Schumann  
*Mammillaria oliviae* Orcutt = *Mammillaria grahamii* Engelmann  
*Mammillaria orcuttii* Boedeker = *Mammillaria carnea* Zuccarini ex Pfeiffera  
*Mammillaria orestera* L. Benson = *Mammillaria barbata* Engelmann  
*Mammillaria ortizrubiana* (Bravo) Werdermann ex Backeberg = *Mammilloydia candida* (Scheidweiler) Buxbaum  
**Mammillaria oteroii** Glass & Foster #4 II 49 CACTACEAE  
*Mammillaria pachycylindrica* Backeberg = *Mammillaria grusonii* Runge  
*Mammillaria pachyrhiza* Backeberg = *Mammillaria discolor* Haworth  
**Mammillaria painteri** Rose ex Quehl #4 II 49 CACTACEAE  
*Mammillaria papasquiarensis* (Bravo) Reppenhagen = *Mammillaria grusonii* Runge  
**Mammillaria parkinsonii** Ehrenberg #4 II 49 CACTACEAE  
*Mammillaria parrasensis* Reppenhagen = *Mammillaria heyderi* Muhlenpfordt  
**Mammillaria pectinifera** Weber I CACTACEAE  
**Mammillaria peninsularis** (Britton & Rose) Orcutt #4 II 49 CACTACEAE  
**Mammillaria pennispinosa** Krainz #4 II 49 CACTACEAE  
**Mammillaria perbella** Hildmann #4 II 49 CACTACEAE  
**Mammillaria petrophila** K. Brandegee #4 II 49 CACTACEAE  
**Mammillaria petterssonii** Hildmann #4 II 49 CACTACEAE  
**Mammillaria phitauiana** (Baxter) Werdermann ex Backeberg #4 II 49 CACTACEAE  
**Mammillaria picta** Meinhhausen #4 II 49 CACTACEAE  
*Mammillaria pilensis* Shurly ex Eggli = *Mammillaria petterssonii* Hildmann  
**Mammillaria pilispina** J.Purpus #4 II 49 CACTACEAE  
**Mammillaria plumosa** Weber #4 II 49 CACTACEAE  
**Mammillaria polyedra** Martius #4 II 49 CACTACEAE  
**Mammillaria polythele** Martius #4 II 49 CACTACEAE  
**Mammillaria pondii** Greene #4 II 49 CACTACEAE  
**Mammillaria poselgeri** Hildmann #4 II 49 CACTACEAE  
*Mammillaria posseltiana* Boedeker = *Mammillaria rettigiana* Boedeker  
**Mammillaria pottsii** Scheer ex Salm-Dyck #4 II 49 CACTACEAE (E) Potts' Nipple Cactus  
*Mammillaria praelii* Muehlenpfordt = *Mammillaria karwinskiana* Martius  
*Mammillaria priessnitzi* Reppenhagen = *Mammillaria magnimamma* Haworth  
**Mammillaria prolifera** (Miller) Haworth #4 II 49 CACTACEAE  
*Mammillaria pseudorekoi* Boedeker = *Mammillaria rekoi* (Britton & Rose) Vaupel  
*Mammillaria pseudoscrippiana* Backeberg = *Mammillaria scrippiana* (Britton & Rose) Orcutt  
*Mammillaria pseudosimplex* W.Haage & Backeberg = *Mammillaria mammillaris* (L.) Karsten  
*Mammillaria pubispina* Boedeker = *Mammillaria crinita* De Candolle  
*Mammillaria pullihamate* Backeberg ex Reppenhagen = *Mammillaria rekoi* (Britton & Rose) Vaupel  
*Mammillaria queretarica* Craig = *Mammillaria perbella* Hildmann  
*Mammillaria radiaissima* Lindsay ex Craig = *Mammillaria baumii* Boedeker  
*Mammillaria rayonensis* Reppenhagen = *Mammillaria pilispina* J.Purpus  
*Mammillaria rectispina* (Dawson) Reppenhagen = *Mammillaria dioica* K.Brandegee  
**Mammillaria rekoi** (Britton & Rose) Vaupel #4 II 49 CACTACEAE  
**Mammillaria rettigiana** Boedeker #4 II 49 CACTACEAE  
**Mammillaria rhodantha** Link & Otto #4 II 49 CACTACEAE  
*Mammillaria rosenensis* Craig = *Mammillaria parkinsonii* Ehrenberg  
**Mammillaria roseoalba** Boedeker #4 II 49 CACTACEAE  
*Mammillaria rossiana* Heinrich = *Mammillaria duoformis* Craig & Dawson  
*Mammillaria rubida* Schwarz ex Backeberg = *Mammillaria bocensis* Craig  
**Mammillaria saboae** Glass #4 II 49 CACTACEAE  
*Mammillaria saffordii* (Britton & Rose) Bravo = *Mammillaria carretii* Rebut ex Schumann  
*Mammillaria saint-pieana* Backeberg ex Mottram = *Mammillaria gigantea* Hildmann ex Schumann  
**Mammillaria sanchez-mejoradae** R.Gonzalez G. #4 II 49 CACTACEAE  
*Mammillaria sanjuanensis* Reppenhagen = *Mammillaria rekoi* (Britton & Rose) Vaupel  
*Mammillaria sanluisensis* Shurly = *Mammillaria pilispina* J.Purpus  
*Mammillaria santaclarensis* Cowper = *Mammillaria barbata* Engelmann  
**Mammillaria sartorii** J.Purpus #4 II 49 CACTACEAE  
*Mammillaria saxicola* Reppenhagen = *Mammillaria magnimamma* Haworth

- Mammillaria scheinvariana** Ortega-Varela & Glass #4 II 49 CACTACEAE
- Mammillaria schelhasii** Pfeiffer = *Mammillaria crinita* De Candolle
- Mammillaria schiedeana** Ehrenberg #4 II 49  
CACTACEAE
- Mammillaria schmollii* (Bravo) Werdermann ex Backeberg = *Mammillaria discolor* Haworth
- Mammillaria schumannii** Hildmann #4 II 49  
CACTACEAE
- Mammillaria schwarpii** Shurly #4 II 49 CACTACEAE
- Mammillaria scrippsiiana** (Britton & Rose) Orcutt #4 II 49  
CACTACEAE
- Mammillaria sempervivi** De Candolle #4 II 49  
CACTACEAE
- Mammillaria senilis** Loddiges ex Salm-Dyck #4 II 49  
CACTACEAE
- Mammillaria sheldonii** (Britton & Rose) Boedeker #4 II 49 CACTACEAE
- Mammillaria shuriana* Gates = *Mammillaria blossfeldiana* Boedeker
- Mammillaria silvatica* Reppenhagen = *Mammillaria nunezii* (Britton & Rose) Orcutt
- Mammillaria simplex* Haworth = *Mammillaria mammillaris* (L.) Karsten
- Mammillaria sinistrohamata** Boedeker #4 II 49  
CACTACEAE
- Mammillaria solisioides** Backeberg I CACTACEAE
- Mammillaria sonorensis** Craig #4 II 49 CACTACEAE
- Mammillaria sphacelata** Martius #4 II 49 CACTACEAE
- Mammillaria sphaerica** Dietrich ex Engelmann #4 II 49  
CACTACEAE
- Mammillaria spinosissima** Lemaire #4 II 49  
CACTACEAE
- Mammillaria standleyi** (Britton & Rose) Orcutt #4 II 49  
CACTACEAE
- Mammillaria stella-de-tacubaya** Heese #4 II 49  
CACTACEAE
- Mammillaria strobilina* Tiegel = *Mammillaria karwinskiana* Martius
- Mammillaria subtilis* Backeberg = *Mammillaria pilispina* J.Purpus
- Mammillaria supertexta** Martius ex Pfeiffer #4 II 49  
CACTACEAE
- Mammillaria supraflumen* Reppenhagen = *Mammillaria nunezii* (Britton & Rose) Orcutt
- Mammillaria surculosa** Boedeker #4 II 49 CACTACEAE
- Mammillaria swinglei* (Britton & Rose) Boedeker = *Mammillaria sheldonii* (Britton & Rose) Boedeker
- Mammillaria tayloriorum** Glass & Foster #4 II 49  
CACTACEAE
- Mammillaria tenampensis* (Britton & Rose) Berger = *Mammillaria sartorii* J.Purpus
- Mammillaria tepexicensis** Meyrán #4 II 49 CACTACEAE
- Mammillaria tesopacensis* Craig = *Mammillaria sonorensis* Craig
- Mammillaria tetrancistra** Engelmann #4 II 49  
CACTACEAE (E) Southwestern Prickly-pear Cactus
- Mammillaria theresae** Cutak #4 II 49 CACTACEAE
- Mammillaria thornberi** Orcutt #4 II 49 CACTACEAE (E)  
Thornber's Fishhook Cactus
- Mammillaria tonalensis** Hunt #4 II 49 CACTACEAE
- Mammillaria uberiformis* Zuccarini = *Mammillaria longimamma* De Candolle
- Mammillaria uncinata** Zuccarini ex Pfeiffer #4 II 49  
CACTACEAE
- Mammillaria unihamata* Boedeker = *Mammillaria weingartiana* Boedeker
- Mammillaria vagaspina* Craig = *Mammillaria magnimamma* Haworth
- Mammillaria vallensis* Reppenhagen = *Mammillaria magnimamma* Haworth
- Mammillaria variabilis* Reppenhagen = *Mammillaria fittkaui* Glass & Foster
- Mammillaria varieaculeata** F.G.Buchenau #4 II 49  
CACTACEAE
- Mammillaria vaupelii* Tiegel = *Mammillaria haageana* Pfeiffer
- Mammillaria verhaertiana* Boedeker = *Mammillaria phitauiana* (Baxter) Werdermann ex Backeberg
- Mammillaria vetula** Martius #4 II 49 CACTACEAE
- Mammillaria viescensis* Rogozinski & Appenzeller = *Mammillaria stella-de-tacubaya* Heese
- Mammillaria viridiflora* (Britton & Rose) Boedeker = *Mammillaria barbata* Engelmann
- Mammillaria voburnensis** Scheer #4 II 49 CACTACEAE
- Mammillaria wagneriana** Boedeker #4 II 49  
CACTACEAE
- Mammillaria weingartiana** Boedeker #4 II 49  
CACTACEAE
- Mammillaria wiesingeri** Boedeker #4 II 49 CACTACEAE
- Mammillaria winterae** Boedeker #4 II 49 CACTACEAE
- Mammillaria woburnensis* Britton & Rose = *Mammillaria voburnensis* Scheer
- Mammillaria wrightii** Engelmann #4 II 49 CACTACEAE (E) Wright's Fishhook Cactus
- Mammillaria xaltianguensis** Sánchez-Mejorada #4 II 49  
CACTACEAE
- Mammillaria xanthina* (Britton & Rose) Boedeker = *Mammillaria standleyi* (Britton & Rose) Orcutt
- Mammillaria zeilmanniana** Boedeker #4 II 49  
CACTACEAE
- Mammillaria zephyranthoides** Scheidweiler #4 II 49  
CACTACEAE
- Mammillaria zeyeriana* Haage f. ex Schumann = *Mammillaria grusonii* Runge
- Mammillaria zopilotensis* Craig = *Mammillaria guerreronis* (Bravo) Boedeker ex Backeberg
- Mammillaria zuccariniana* Martius = *Mammillaria magnimamma* Haworth
- Mamilloydia spp.** Haw. #4 II 49 CACTACEAE
- Mamilloydia candida** (Scheidweiler) Buxbaum #4 II 49  
CACTACEAE
- Mamilloydia candida ortizrubiana* (H.Bravo) Krainz = *Mamilloydia candida* (Scheidweiler) Buxbaum
- Manniella spp.** Reichb.f. #4 II 64 ORCHIDACEAE
- Manniella cypripedioides* Salazar, T.Franke, Zapfack & Beenken #4 II 64 ORCHIDACEAE

- Manú (S): *Caryocar costaricense*  
Mara (S): *Swietenia macrophylla*  
*Marenopuntia marenae* (Parsons) Backeberg = *Opuntia marenae* Parsons  
*Margbensonia nerifolia* (D.Don) A.V.Bobrov & Melikyan = *Podocarpus nerifolius* D.Don in Lambert  
***Margelliantha*** spp. Cribb #4 II 64 ORCHIDACEAE  
*Margelliantha caffra* #4 II 64 ORCHIDACEAE  
*Marginatocereus marginatus* (De Candolle) Backeberg = *Pachycereus marginatus* (De Candolle) Britton & Rose  
*Marniera chrysocardium* (Alexander) Backeberg = *Selenicereus chrysocardium* (Alexander) Kimnach  
*Marojejya darianii* J. Dransf. & N. Uhl. II PALMAE  
*Marshalllocereus aragonii* (Weber) Backeberg = *Stenocereus aragonii* (Weber) Buxbaum  
***Masdevallia*** spp. Ruiz & Pav. #4 II 64 ORCHIDACEAE  
***Masdevallia abbreviata*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Masdevallia acaroi*** Luer & Hirtz. #4 II 64  
ORCHIDACEAE  
***Masdevallia acrochordonia*** Rchb.f. #4 II 64  
ORCHIDACEAE  
***Masdevallia adamsii*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia adrianne*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia aenigma*** Luer & R.E.Esobar #4 II 64  
ORCHIDACEAE  
*Masdevallia aequatorialis* F.Lehm & Kraenzl. = *Masdevallia pardina* Rchb.f.  
*Masdevallia aequiloba* Regel = *Masdevallia civilis* rchb.f. & Warsz.  
*Masdevallia affinis* Lindl. = *Masdevallia laevis* Lindl.  
***Masdevallia agaster*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia aguirrei*** Luer & R.E.Escobar #4 II 64  
ORCHIDACEAE  
***Masdevallia akemiana*** Königer & Sijm. #4 II 64  
ORCHIDACEAE  
*Masdevallia albicans* Luer 1878 = *Dryadella pusiola* (Rchb.f.) Luer 1978  
*Masdevallia albicans* Luer 1878 = *Dryadella albicans* (Luer) Luer 1978  
*Masdevallia albida* Lem. = *Masdevallia infracta* Lindl.  
***Masdevallia alexandri*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia alisimifolia*** Kraenzl. #4 II 64  
ORCHIDACEAE  
*Masdevallia allenii* L.O.Williams = *Trisetella triglochin* (Rchb.f.) Luer  
***Masdevallia alvaroi*** Luer & R.Escobarr #4 II 64  
ORCHIDACEAE  
***Masdevallia amabilis*** Rchb.f. & Warsz. #4 II 64  
ORCHIDACEAE  
***Masdevallia amaluzae*** Luer & Malo #4 II 64  
ORCHIDACEAE  
***Masdevallia amanda*** Rchb.f. & Warsz. #4 II 64  
ORCHIDACEAE  
*Masdevallia amethystina* Rchb.f. = *Porroglossum amethystinum* (Reichb.f.) Garay  
***Masdevallia ametroglossa*** Luer & Hirtz. #4 II 64  
ORCHIDACEAE  
***Masdevallia amoena*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia amplexa*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia ampullacea*** Luer & Andretta #4 II 64  
ORCHIDACEAE  
*Masdevallia anachaeta* Rchb.f. = *Diodonopsis anachaeta* (Rchb.f.) Pridgeon & M.W.Chase  
*Masdevallia anaristella* Kraenzl. = *Barbosella anaristella* (Kranzlin) Garay  
***Masdevallia anceps*** Luer & Hirtz #4 II 64  
ORCHIDACEAE  
*Masdevallia anchorifera* Rchb.f. = *Scaphosepalum anchoriferum* (Reichb.f.) Rolfe  
***Masdevallia andreettaeana*** Luer #4 II 64  
ORCHIDACEAE  
*Masdevallia andreettae* Luer = *Dracula andreettae* (Luer)  
Luer  
*Masdevallia andreettana* Luer = *Masdevallia andreettaeana* Luer  
***Masdevallia anemone*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia anfracta*** Königer & J.Portilla #4 II 64  
ORCHIDACEAE  
***Masdevallia angulata*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Masdevallia angulifera*** Rbh.f. ex Kraenzl. #4 II 64  
ORCHIDACEAE  
***Masdevallia anisomorpha*** Garay #4 II 64  
ORCHIDACEAE  
***Masdevallia anomala*** luer & Sijm. #4 II 64  
ORCHIDACEAE  
*Masdevallia antioquiensis* F.Lehm & Kraenzl. = *Masdevallia molossus* Rchb.f.  
***Masdevallia antonii*** Königer #4 II 64 ORCHIDACEAE  
*Masdevallia anura* Kraenzl. = *Masdevallia molossoides* Kraenzl.  
*Masdevallia aops* Luer & Malo = *Masdevallia klabochiorum* Rchb.f.  
*Masdevallia aperta* Kraenzl. = *Pleurothallis tripterantha* Reichb.f.  
***Masdevallia aphanes*** Königer #4 II 64 ORCHIDACEAE  
***Masdevallia apparito*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE  
*Masdevallia approxiata* hort. ex Woolward = *Masdevallia coccinea* Linden ex Lindl.  
***Masdevallia aptera*** Luer & L.O'Shaughn. #4 II 64  
ORCHIDACEAE  
***Masdevallia arangoi*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE  
*Masdevallia argus* Rchb.f. ex Kraenzl. = *Zootrophion argus* (Kraenzl.) Luer  
***Masdevallia ariasi*** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia aristata* Barb.Rodr. = *Masdevallia infracta* Lindl.  
*Masdevallia armeniaca* B.S.Williams = *Masdevallia coccinea* Linden ex Lindl.  
***Masdevallia arminii*** Linden & Rchb.f. #4 II 64  
ORCHIDACEAE  
*Masdevallia aspera* Rchb.f. ex Kraenzl. = *Masdevallia paivaëana* Rchb.f.  
*Masdevallia asperrima* Kraenzl. = *Masdevallia melanoxanththa* Linden & Rchb.f.  
***Masdevallia assurgens*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE

- Masdevallia asterotricha** Königer #4 II 64  
ORCHIDACEAE  
*Masdevallia astuta* Rchb.f. = *Dracula astuta* (Luer) Luer
- Masdevallia atahualpa** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia atrosanguinea* B.S.Williams = *Masdevallia coccinea* Linden ex Lindl.
- Masdevallia atroviolacea* Kraenzl. = *Masdevallia mooreana* Rchb.f.
- Masdevallia attenuata** Reichb.f. #4 II 64 ORCHIDACEAE  
*Masdevallia attropurpurea* Rchb.f. (*sphalm.*) = *Masdevallia bicolor* Poepp & Endl.
- Masdevallia audax** Königer #4 II 64 ORCHIDACEAE  
*Masdevallia aurantiaca* Lindl. = *Masdevallia infracta* Lindl.
- Masdevallia aurea** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia aureodactyla* Luer = *Masdevallia pachyura* Rchb.f.
- Masdevallia aureorosea* Weberb. = *Masdevallia bicolor* Poepp & Endl.
- Masdevallia auriculigera* (Rchb.f.) Rchb.f. 1881 = *Dryadella auriculigera* (Rchb.f.) Luer 1978
- Masdevallia europurpurea* Rchb.f. & Warsz. = *Masdevallia bicolor* Poepp & Endl.
- Masdevallia aurorae** Luer & M.W.Chase #4 II 64  
ORCHIDACEAE  
*Masdevallia aviceps* (Rchb.f.) Rchb.f. 1881 = *Dryadella aviceps* (Rchb.f.) Luer 1978
- Masdevallia ayabacana** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia backhousiana* Rchb.f. = *Dracula chimaera* (Rchb.f.) Luer
- Masdevallia bangii** Schltr. #4 II 64 ORCHIDACEAE  
**Masdevallia bariaeana** Rchb.f. #4 II 64 ORCHIDACEAE  
**Masdevallia barrowii** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia bathyschista* Schltr. = *Masdevallia fasciata* Rchb.f.
- Masdevallia bella* Rchb.f. = *Dracula bella* (Rchb.f.) Luer
- Masdevallia belua** Königer & D'Aless #4 II 64  
ORCHIDACEAE  
*Masdevallia benedictii* Rchb.f. = *Dracula benedictii* (Rchb.f.) Luer
- Masdevallia bennettii** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia berthae** Luer & Andretta #4 II 64  
ORCHIDACEAE  
**Masdevallia bicolor** Poepp & Endl. #4 II 64  
ORCHIDACEAE  
**Masdevallia bicornis** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia biflora* E.Moran = *Masdevallia bicolor* Poepp & Endl.
- Masdevallia biflora* Regal non E.Morren = *Masdevallia caloptera* Rchb.f.
- Masdevallia bilabiata* (Kraenzl.) Garay = *Masdevallia platyglossa* Rchb.f.
- Masdevallia blanda* Königer & J.Portilla = *Masdevallia crassicaudis* Luer & J.Portilla
- Masdevallia boddaertii* Linden ex André = *Masdevallia ignea* Rchb.f.
- Masdevallia bogotensis* hort. ex Gentil = *Masdevallia coriacea* Lindl.
- Masdevallia boliviensis** Schltr. #4 II 64 ORCHIDACEAE  
*Masdevallia bomboiza* Fiske = *Dracula lotax* (Luer) Luer
- Masdevallia bonplandii** Rchb.f. #4 II 64 ORCHIDACEAE  
*Masdevallia borucana* P.H.Allen = *Masdevallia lata* Reichb.f.
- Masdevallia bottae** Luer & Andretta #4 II 64  
ORCHIDACEAE  
**Masdevallia bourdetteana** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia braasii* Mohr = *Masdevallia teaguei* Luer
- Masdevallia brachyantha** Schltr. #4 II 64  
ORCHIDACEAE  
**Masdevallia brachyura** F.Lehm & Kraenzl. #4 II 64  
ORCHIDACEAE  
*Masdevallia bradei* Schltr. 1936 = *Dryadella aviceps* (Rchb.f.) Luer 1978
- Masdevallia bradei* Schltr. 1936 = *Dryadella obrieniana* (Rolfe) Luer 1978
- Masdevallia brenneri** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia brevis* Rchb.f. = *Scaphosepalum breve* (Rchb.f.) Rolfe
- Masdevallia brockmuelleri** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia bruckmuelleri* Linden & André = *Masdevallia coriacea* Lindl.
- Masdevallia bryophila** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia buccinator** Reichb.f & Warsc. #4 II 64  
ORCHIDACEAE  
**Masdevallia bucculenta** Luer & Hirtz #4 II 64  
ORCHIDACEAE  
*Masdevallia buchtienii* Schltr. = *Masdevallia scandens* Rolfe
- Masdevallia bulbophyllospis** Krzl. #4 II 64  
ORCHIDACEAE  
*Masdevallia burbridgeana* Rolfe = *Dracula erythrochaete* (Rchb.f.) Luer
- Masdevallia burfordiensis* hort. ex O'Brien = *Masdevallia angulata* Rchb.f.
- Masdevallia burianii** Luer & Dalstrom #4 II 64  
ORCHIDACEAE  
*Masdevallia burzlaffiana* Königer = *Masdevallia floribunda* Lindley
- Masdevallia butcheri* Luer = *Trisetella tenuissima* (C. Schweinf.) Luer
- Masdevallia cacodes** Luer & Escobar #4 II 64  
ORCHIDACEAE  
**Masdevallia caesia** Roezl. #4 II 64 ORCHIDACEAE  
**Masdevallia calagrasalis** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia callifera* Schltr. = *Dracula houtteana* (Rchb.f.) Luer
- Masdevallia calocalix** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia calocodon* Luer & R.Vasquez = *Masdevallia yungasensis* T.Hashim.
- Masdevallia caloptera** Rchb.f. #4 II 64 ORCHIDACEAE  
*Masdevallia calopterocarpa* Rchb.f. = *Masdevallia amanda* Rchb.f. & Warsz.
- Masdevallia calosiphon** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia calura** Reichb.f. #4 II 64 ORCHIDACEAE  
*Masdevallia calyprata* Kraenzl. = *Masdevallia corniculata* Rchb.f.
- Masdevallia campyloglossa** Reichb.f. #4 II 64  
ORCHIDACEAE

- Masdevallia campyloglossa* Rolfe non Rchb.f. =  
*Masdevallia campyloglossa* Reichb.f.
- Masdevallia candida* Klotzsch & Karst. ex Rchb.f. =  
*Masdevallia tovarensis* Reichb.f.
- Masdevallia candida* Linden non Klotzsch & Karst. ex Rchb.f. = *Masdevallia tovarensis* Reichb.f.
- Masdevallia capillaris* Luer = *Masdevallia plantaginea* (Poepp. & Endl.) Cogn.
- Masdevallia carderiopsis* Kraenzl. = *Dracula houtteana* (Rchb.f.) Luer
- Masdevallia carderi* Rchb.f. = *Dracula inaequalis* (Rchb.f.) Luer & R.Escobar
- Masdevallia cardiantha*** Königer #4 II 64 ORCHIDACEAE  
*Masdevallia carinata* Cogn. 1907 = *Dryadella zebrina* (Porsch) Luer 1978
- Masdevallia carmenensis*** Luer & Malo #4 II 64 ORCHIDACEAE
- Masdevallia carnosa*** Königer #4 II 64 ORCHIDACEAE  
*Masdevallia carolloi* Luer & Andreetta = *Masdevallia sernae* Luer & Escobar
- Masdevallia carpishica*** Luer & Cloes #4 II 64 ORCHIDACEAE
- Masdevallia carpophora* Kraenzl. = *Pleurothallis tripterantha* Reichb.f.
- Masdevallia carruthersiana*** Lehm. & Krzl. #4 II 64 ORCHIDACEAE
- Masdevallia casta* Kraenzl. = *Masdevallia tubulosa* Lindl.
- Masdevallia castor*** Luer & Cloes #4 II 64 ORCHIDACEAE
- Masdevallia catapheres*** Königer #4 II 64 ORCHIDACEAE
- Masdevallia caudata*** Lindl. #4 II 64 ORCHIDACEAE  
***Masdevallia caudivolvula*** Kraenzl. #4 II 64 ORCHIDACEAE
- Masdevallia cayennensis* Rchb.f. = *Masdevallia cuprea* Lindl.
- Masdevallia cerastes*** Luer & R.Escobar #4 II 64 ORCHIDACEAE
- Masdevallia chaetostoma*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia chaparansis*** T.Hashim. #4 II 64 ORCHIDACEAE
- Masdevallia chasei*** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia chestertonii* Rchb.f. = *Dracula chestertonii* (Rchb.f.) Luer
- Masdevallia chimaera* Linden & Andre non Rchb.f. = *Dracula nycterina* (Reichb.f.) Luer
- Masdevallia chimaera* Rchb.f. = *Dracula chimaera* (Rchb.f.) Luer
- Masdevallia chimboënsis*** Kraenzl. #4 II 64 ORCHIDACEAE
- Masdevallia chiquindensis* Kraenzl. = *Masdevallia leucantha* Lehm. & Krzl.
- Masdevallia chloracra* Rchb.f. = *Masdevallia striatella* Reichb.f.
- Masdevallia chlorotica* Kraenzl. = *Masdevallia laevis* Lindl.
- Masdevallia chontalensis*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia chrysochaete* F.Lehm. = *Masdevallia strumifera* Rchb.f.
- Masdevallia chrysoneura* F.Lehm & Kraenzl. = *Masdevallia uncifera* Rchb.f.
- Masdevallia chuspipatae*** Luer & Teague #4 II 64 ORCHIDACEAE
- Masdevallia cinnabarinata* Linden ex sic. = *Masdevallia coccinea* Linden ex Lindl.
- Masdevallia cinnamomea*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia citrinella*** Luer & Malo #4 II 64 ORCHIDACEAE
- Masdevallia civilis*** rchb.f. & Warsz. #4 II 64 ORCHIDACEAE
- Masdevallia clandestina*** Luer & R.Escobar #4 II 64 ORCHIDACEAE
- Masdevallia cleistogama*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia cloesii*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia cocapatae*** Luer, Teague & R.Vasquez #4 II 64 ORCHIDACEAE
- Masdevallia coccinea*** Linden ex Lindl. #4 II 64 ORCHIDACEAE
- Masdevallia coccinea* Regel non Linden ex Lindl. = *Masdevallia ignea* Rchb.f.
- Masdevallia coerulescens* B.S.Williams = *Masdevallia coccinea* Linden ex Lindl.
- Masdevallia colibri* Burb. = *Masdevallia trochilus* Linden & André
- Masdevallia collantesii*** D.E.Benn & Christenson #4 II 64 ORCHIDACEAE
- Masdevallia collina*** L.O. Wms. #4 II 64 ORCHIDACEAE  
*Masdevallia colombiana* (Schltr.) P.H.Allen = *Porroglossum mordax* (Rchb.f.) H.R.Sweet
- Masdevallia colossus*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia concinna*** Königer #4 II 64 ORCHIDACEAE
- Masdevallia condorensis*** Luer & Hirtz #4 II 64 ORCHIDACEAE
- Masdevallia confusa* Kraenzl. = *Masdevallia laevis* Lindl.
- Masdevallia constricta*** Poepp. & Endl. #4 II 64 ORCHIDACEAE
- Masdevallia copiosa*** Kraenzl. #4 II 64 ORCHIDACEAE
- Masdevallia corazonica*** Schltr. #4 II 64 ORCHIDACEAE
- Masdevallia cordeliana*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia corderoana*** Lehm. & Krzl. #4 II 64 ORCHIDACEAE
- Masdevallia coriacea*** Lindl. #4 II 64 ORCHIDACEAE
- Masdevallia corniculata*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia cosima*** Königer #4 II 64 ORCHIDACEAE
- Masdevallia costaricensis* Rolfe = *Masdevallia marginella* Reichb.f.
- Masdevallia cranion*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia crassicaudis*** Luer & J.Portilla #4 II 64 ORCHIDACEAE
- Masdevallia crassicaulis* Luer & J.Portilla (sphalm.) = *Masdevallia crassicaudis* Luer & J.Portilla
- Masdevallia crenulata* Pabst 1976 = *Dryadella crenulata* (Pabst) Luer 1978
- Masdevallia crescenticola*** F.Lehm & Kraenzl. #4 II 64 ORCHIDACEAE
- Masdevallia cretata*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia cryptocoris* Rchb.f. ex Kraenzl. = *Masdevallia picturata* Rchb.f.

- Masdevallia cucullata** Lindley #4 II 64 ORCHIDACEAE  
*Masdevallia cucutillensis* Kraenzl. = *Masdevallia caudata* Lindl.  
*Masdevallia culex* auct Gard. = *Pleurothallis macroblepharis* Rchb.f.
- Masdevallia cuprea** Lindl. #4 II 64 ORCHIDACEAE  
**Masdevallia cupularis** Reichb.f. #4 II 64 ORCHIDACEAE  
**Masdevallia curtipes** Barb.Rodr. #4 II 64 ORCHIDACEAE  
*Masdevallia cyathogastra* Schltr. = *Masdevallia nidifica* Reichb.f.
- Masdevallia cyclotega** Königer #4 II 64 ORCHIDACEAE  
**Masdevallia cylix** Luer & Malo #4 II 64 ORCHIDACEAE  
**Masdevallia dalessandroi** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia dalstroemii** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia datura** Luer & R.Vasquez #4 II 64 ORCHIDACEAE
- Masdevallia davisii** Rchb.f. #4 II 64 ORCHIDACEAE  
*Masdevallia dayana* Rchb.f. Gard. = *Zootrophion dayanum* (Rchb.f.) Luer
- Masdevallia deceptrix** Luer & Würstle #4 II 64 ORCHIDACEAE  
**Masdevallia decumana** Königer #4 II 64 ORCHIDACEAE  
**Masdevallia dedscendens** Luer & Andreetta #4 II 64 ORCHIDACEAE  
**Masdevallia deformis** Krzl. #4 II 64 ORCHIDACEAE  
**Masdevallia delhierroi** Luer & Hertz #4 II 64 ORCHIDACEAE  
**Masdevallia delphina** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia deltoidea* Luer = *Dracula deltoidea* (Luer) Luer
- Masdevallia demissa** Rchb.f. #4 II 64 ORCHIDACEAE  
**Masdevallia deniseana** Luer & J.Portilla #4 II 64 ORCHIDACEAE  
*Masdevallia denisonii* Dombrain = *Masdevallia coccinea* Linden ex Lindl.
- Masdevallia densiflora** Schltr. #4 II 64 ORCHIDACEAE  
*Masdevallia deorsum* Rolfe = *Masdevallia caesia* Roezl.  
*Masdevallia dermatantha* Kraenzl. = *Masdevallia campyloglossa* Reichb.f.
- Masdevallia diantha** Schltr. = *Masdevallia chontalensis* Rchb.f.  
*Masdevallia didyma* Luer = *Trisetella didyma* (Luer) Luer
- Masdevallia dimorphotricha** Luer & Hirtz #4 II 64 ORCHIDACEAE  
**Masdevallia discoidea** Luer & Würstle #4 II 64 ORCHIDACEAE  
**Masdevallia discolor** Luer & Escobar #4 II 64 ORCHIDACEAE  
*Masdevallia dispar* Luer = *Masdevallia sanctae-fidei* Kraenzl.
- Masdevallia diversifolia* Kraenzl. = *Masdevallia parvula* Schltr.  
*Masdevallia dodsonii* Luer = *Dracula dodsonii* (Luer) Luer  
*Masdevallia dolichopoda* Luer 1978 = *Dryadella pusiola* (Rchb.f.) Luer 1978
- Masdevallia don-quipote** Luer & Andreetta #4 II 64 ORCHIDACEAE  
**Masdevallia dorisiae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia draconis** Luer & Andreetta #4 II 64 ORCHIDACEAE  
**Masdevallia dreiser** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia dressleri* Luer = *Trisetella dressleri* (Luer) Luer
- Masdevallia dryada** Luer & R.Escobar #4 II 64 ORCHIDACEAE  
**Masdevallia dudleyi** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia dunstervillei** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia dura** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia dynastes** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia eburnea** Luer & Maduro #4 II 64 ORCHIDACEAE  
*Masdevallia echinata* Luer & Andreetta = *Masdevallia rosea* Lindley  
*Masdevallia echinocarpa* Schltr. = *Diodonopsis erinacea* (Rchb.f.) Pridgeon & M.W.Chase
- Masdevallia echo** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia eclyptrata* Kraenzl. (*sphalm*) = *Masdevallia corniculata* Rchb.f.
- Masdevallia ecuadata* Schltr. = *Masdevallia tubuliflora* Ames
- Masdevallia eduardi* Rchb.f. = *Porroglossum eduardi* (Rchb.f.) H.R.Sweet Amer  
*Masdevallia edwallii* Cogn. 1906 = *Dryadella edwallii* (Cogn.) Luer 1978
- Masdevallia ejiriana** Luer & J.Portilla #4 II 64 ORCHIDACEAE  
**Masdevallia elachys** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia elata* Luer 1978 = *Dryadella elata* (Luer) Luer 1978
- Masdevallia elegans** Luer & Escobar #4 II 64 ORCHIDACEAE  
**Masdevallia elephanticeps** Rchb.f. & Warsz. #4 II 64 ORCHIDACEAE  
*Masdevallia ellipes* Rchb.f. = *Masdevallia peristeria* Rchb.f.
- Masdevallia empusa** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia enallax* königer = *Masdevallia epallax* Königer  
**Masdevallia encephala** Luer & Escobar #4 II 64 ORCHIDACEAE  
*Masdevallia endotrachys* Kraenzl. = *Masdevallia bonplandii* Rchb.f.
- Masdevallia ensata** Rchb.f. #4 II 64 ORCHIDACEAE  
**Masdevallia epallax** Königer #4 II 64 ORCHIDACEAE  
**Masdevallia ephelota** Luer & Cloes #4 II 64 ORCHIDACEAE  
*Masdevallia ephippium* Rchb.f. = *Masdevallia trochilus* Linden & André  
*Masdevallia erinacea* Rchb.f. = *Diodonopsis erinacea* (Rchb.f.) Pridgeon & M.W.Chase
- Masdevallia erythrochaete* Rchb.f. = *Dracula erythrochaete* (Rchb.f.) Luer  
*Masdevallia espirito-santensis* Pabst 1973 = *Dryadella espirito-santensis* (Pabst) Luer 1978
- Masdevallia estradae** Rchb.f. #4 II 64 ORCHIDACEAE  
**Masdevallia eucharis** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia eumece** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia eumeliae** Luer #4 II 64 ORCHIDACEAE

- Masdevallia eurynogaster** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Masdevallia excelsior** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Masdevallia exigua* Ames C.Schweinf = *Diodonopsis pygmaea* Kraenzl.
- Masdevallia exilipes* Schltr. = *Masdevallia klabochiorum* Rchb.f.
- Masdevallia extata* Luer = *Masdevallia deformis* Krzl.
- Masdevallia expansa** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia expers** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Masdevallia exquisita** Luer & Hirtz #4 II 64  
ORCHIDACEAE
- Masdevallia falcago** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia fasciata** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia felix* Luer = *Dracula felix* (Luer) Luer
- Masdevallia fertilis* Kraenzl. = *Masdevallia campyloglossa* Reichb.f.
- Masdevallia figueroae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia filamentosa* Kraenzl. = *Masdevallia pumila* Poepp & Endl.
- Masdevallia filaria** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Masdevallia fimbriata* Ames & C.Schweinf = *Pleurothallis setosa* C. Schweinf.
- Masdevallia fissa* Kraenzl. = *Masdevallia heteroptera* Rchb.f.
- Masdevallia flaccida* Kraenzl. = *Masdevallia uncifera* Rchb.f.
- Masdevallia flammina* H.Mohr & Braas = *Masdevallia amabilis* Rchb.f. & Warsz.
- Masdevallia flaveola** Reichb.f. #4 II 64 ORCHIDACEAE
- Masdevallia floribunda** Lindley #4 II 64 ORCHIDACEAE
- Masdevallia floribunda* Ames non Lindl. = *Masdevallia floribunda* Lindley
- Masdevallia foeda* Luer & R.Vasques = *Masdevallia menatoi* Luer & Vasq
- Masdevallia foetens** Luer & Rchb.f. #4 II 64  
ORCHIDACEAE
- Masdevallia fonseciae* Königer = *Masdevallia attenuata* Reichb.f.
- Masdevallia forgetiana* Kraenzl. = *Masdevallia infracta* Lindl.
- Masdevallia formosa** Luer & Cloes #4 II 64  
ORCHIDACEAE
- Masdevallia fosterae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia fractiflexa** F.Lehm & Kraenzl. #4 II 64  
ORCHIDACEAE
- Masdevallia fragrans** Woolward #4 II 64 ORCHIDACEAE
- Masdevallia frilemannii** Luer & R.Vasquez #4 II 64  
ORCHIDACEAE
- Masdevallia frontinoënsis* Kraenzl. = *Masdevallia herradurae* Lehm. & Kraenzl.
- Masdevallia fuchsii** Luer #4 II 64 ORCHIDACEAE
- Masdevallia fugueroae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia fuliginosa* Luer = *Dracula radiella* Luer
- Masdevallia fulvescens** Rolfe #4 II 64 ORCHIDACEAE
- Masdevallia funebris* Endres ex Kraenzl. = *Masdevallia reichenbachiana* Endres ex Reichb.f.
- Masdevallia galeottiana* A.Rich & Galeotti = *Masdevallia floribunda* Lindley
- Masdevallia garciae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia gargantua** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia gaskelliana* Rchb.f. = *Dracula erythrochaete* (Rchb.f.) Luer
- Masdevallia geminiflora** P.Ortiz #4 II 64 ORCHIDACEAE
- Masdevallia gemmata* Rchb.f. Gard = *Trisetella gemmata* (Richb.f.) Luer
- Masdevallia gerlachii* Königer = *Masdevallia macroglossa* Rchb.f.
- Masdevallia gibberosum* Rchb.f. & Gard = *Scaphosepalum gibberosum* (Rchb.f.) Rolfe
- Masdevallia gigas* (Luer & Andreetta) Luer = *Dracula gigas* (Luer & Andreetta) Luer
- Masdevallia gilbertoi** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Masdevallia glandulosa** Königer #4 II 64  
ORCHIDACEAE
- Masdevallia glomerosa** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Masdevallia gloriae** Luer & Maduro #4 II 64  
ORCHIDACEAE
- Masdevallia glossacles* Luer = *Masdevallia mentosa* Luer
- Masdevallia gnoma** Sweet #4 II 64 ORCHIDACEAE
- Masdevallia gnomes-ferreirae* Pabst 1975 = *Dryadella gnomes-ferreirae* (Pabst) Luer 1976
- Masdevallia goliath** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Masdevallia gomeziana* F.Lehm & Kraenzl. = *Masdevallia laevis* Lindl.
- Masdevallia gorgona* H.J.Vietch = *Dracula gorgona* (Vietch) Luer & R.Escobar
- Masdevallia gorgo* Rchb.f. Ex. Kraenzl. = *Dracula astuta* (Luer) Luer
- Masdevallia gracilenta* Rchb.f. & Gard. = *Zootrophion gracilentum* (Reichb.f.) Luer
- Masdevallia gracilior* Königer & J.Portilla = *Masdevallia lenae* Luer & Hirtz
- Masdevallia graminea** Luer #4 II 64 ORCHIDACEAE
- Masdevallia grandiflora* C.Schweinf. = *Masdevallia pumila* Poepp & Endl.
- Masdevallia grossa* Luer = *Masdevallia ophioglossa* Rchb.f.
- Masdevallia guatemalensis* Schltr. 1918 = *Dryadella guatemalensis* (Schltr.) Luer 1978
- Masdevallia guayanensis** Lindl. ex Benth. #4 II 64  
ORCHIDACEAE
- Masdevallia guerreroi** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Masdevallia gustavii* Rchb.f. = *Masdevallia amanda* Rchb.f. & Warsz.
- Masdevallia gutierrezii** Luer #4 II 64 ORCHIDACEAE
- Masdevallia guttulata** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia guttulata* Rolfe non Rchb.f. = *Masdevallia guttulata* Rchb.f.
- Masdevallia haematocantha* Lindl. sensu Woodward = *Masdevallia amanda* Rchb.f. & Warsz.

- Masdevallia haematosticta* Rchb.f. = *Masdevallia peristeria* Rchb.f.  
*Masdevallia hajekii* Luer = *Masdevallia chaparensis* T.Hashim.  
***Masdevallia harlequina*** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia harryana* Rchb.f. = *Masdevallia coccinea* Linden ex Lindl.  
***Masdevallia hartmanii*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia heideri*** Königer #4 II 64 ORCHIDACEAE  
***Masdevallia helenae*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia helgae*** Königer & Portilla #4 II 64 ORCHIDACEAE  
***Masdevallia henniae*** Luer & Dalstrom #4 II 64 ORCHIDACEAE  
*Masdevallia hepatica* Luer = *Masdevallia cuprea* Lindl.  
***Masdevallia hercules*** Luer & Andreetta #4 II 64 ORCHIDACEAE  
***Masdevallia herradurae*** Lehm. & Kraenzl. #4 II 64 ORCHIDACEAE  
*Masdevallia herzogii* Schltr. = *Masdevallia bicolor* Poepp & Endl.  
*Masdevallia heteromorpha* Rchb.f. = *Masdevallia heteroptera* Rchb.f.  
***Masdevallia heteroptera*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Masdevallia heterotepala* Rchb.f. = *Masdevallia campyloglossa* Reichb.f.  
***Masdevallia hians*** Linden & Rchb.f. #4 II 64 ORCHIDACEAE  
***Masdevallia hieroglyphica*** rchb.f. #4 II 64 ORCHIDACEAE  
***Masdevallia hirtzii*** Luer & Andreetta #4 II 64 ORCHIDACEAE  
***Masdevallia hoeijeri*** Luer & Hirtz. #4 II 64 ORCHIDACEAE  
*Masdevallia hoppii* Schltr. = *Masdevallia pachyantha* Rchb.f.  
*Masdevallia hornii* Königer = *Pleurothallis yupanki* Luer & Vásquez  
*Masdevallia horrida* Teusch & Garay = *Diodonopsis erinacea* (Rchb.f.) Pridgeon & M.W.Chase  
***Masdevallia hortensis*** Luer & R.Escobar #4 II 64 ORCHIDACEAE  
*Masdevallia houtteana* Rchb.f. = *Dracula houtteana* (Rchb.f.) Luer  
***Masdevallia hubeinii*** Luer & Würstle #4 II 64 ORCHIDACEAE  
*Masdevallia huebneri* Schltr. = *Trisetella triglochin* (Rchb.f.) Luer  
*Masdevallia huebschiana* Kraenzl. = *Masdevallia polysticta* Rchb.f.  
*Masdevallia humilis* Luer = *Masdevallia zahlbruckneri* Kraenzlin  
***Masdevallia hydreae*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia hylodes*** Luer & R.Escobar #4 II 64 ORCHIDACEAE  
***Masdevallia hymenantha*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Masdevallia hypodiscus* Rchb.f. = *Zootrophion hypodiscus* (Reichb.f.) Luer  
***Masdevallia hystrix*** Luer & Hirtz #4 II 64 ORCHIDACEAE  
***Masdevallia icterina*** Königer #4 II 64 ORCHIDACEAE  
***Masdevallia idae*** Luer & Arias #4 II 64 ORCHIDACEAE  
***Masdevallia ignea*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Masdevallia immensa*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia impostor*** Luer & R.Escobar #4 II 64 ORCHIDACEAE  
*Masdevallia inaequalis* Rchb.f. = *Dracula inaequalis* (Rchb.f.) Luer & R.Escobar  
***Masdevallia indecora*** Luer & R.Escobar #4 II 64 ORCHIDACEAE  
*Masdevallia inflata* Rchb.F = *Masdevallia corniculata* Rchb.f.  
***Masdevallia infracta*** Lindl. #4 II 64 ORCHIDACEAE  
***Masdevallia ingridiana*** Luer & J.Portilla #4 II 64 ORCHIDACEAE  
***Masdevallia instar*** Luer & Andreetta #4 II 64 ORCHIDACEAE  
*Masdevallia invenusta* Luer = *Masdevallia bulbophyllopsis* Krzl.  
***Masdevallia ionocharis*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Masdevallia irapana*** H.R.Sweet #4 II 64 ORCHIDACEAE  
*Masdevallia iricolor* Rchb.f = *Dracula trichroma* (Schltr.) Hermans  
*Masdevallia iricolor* Rchb.f = *Dracula iricolor* (Reichb.f.) Luer & Escobar  
***Masdevallia iris*** Luer & R.Escobar #4 II 64 ORCHIDACEAE  
***Masdevallia ishikoi*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia isos*** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia jalapensis* Kraenzl. = *Pleurothallis jalapensis* (Kranzlin) Luer  
*Masdevallia janetiae* Luer = *Dracula janetiae* (Luer) Luer  
***Masdevallia jarae*** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia jimenezii* Königer = *Masdevallia empusa* Luer  
*Masdevallia johannis* Schltr. = *Dracula pusilla* (Rolfe) Luer  
***Masdevallia josei*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia juan-albertoi*** Luer & M.Arias #4 II 64 ORCHIDACEAE  
*Masdevallia jubar* Luer & Malo = *Masdevallia tridens* Rchb.f.  
*Masdevallia kalbreyeri* Rchb.f. ex Kraenzl. = *Masdevallia urceolaris* Kraenzl.  
***Masdevallia karineae*** Nauray ex Luer #4 II 64 ORCHIDACEAE  
*Masdevallia kautskyi* Pabst 1973 = *Dryadella auriculigera* (Rchb.f.) Luer 1978  
***Masdevallia klabochiorum*** Rchb.f. #4 II 64 ORCHIDACEAE  
***Masdevallia kuhniorum*** Luer #4 II 64 ORCHIDACEAE  
***Masdevallia kyphonantha*** H.R.Sweet #4 II 64 ORCHIDACEAE  
*Masdevallia lactea* Kraenzl. = *Dracula velutina* (Rchb.f.) Luer  
*Masdevallia laeta* Rchb.f. = *Masdevallia coccinea* Linden ex Lindl.  
***Masdevallia laevis*** Lindl. #4 II 64 ORCHIDACEAE

<i>Masdevallia lamia</i> luer & Hirtz #4 II 64 ORCHIDACEAE	<i>Masdevallia lucernula</i> königer #4 II 64 ORCHIDACEAE
<i>Masdevallia lamprotyria</i> Königer #4 II 64 ORCHIDACEAE	<i>Masdevallia ludibunda</i> Rchb.f #4 II 64 ORCHIDACEAE
<i>Masdevallia lankesterana</i> Luer #4 II 64 ORCHIDACEAE	<i>Masdevallia ludibunella</i> Luer & Escobar #4 II 64 ORCHIDACEAE
<i>Masdevallia lansbergii</i> Rchb.f. #4 II 64 ORCHIDACEAE	<i>Masdevallia lueri Senghas</i> = <i>Masdevallia senghasiana</i> Luer
<i>Masdevallia lappifera</i> Luer & Hirtz #4 II 64 ORCHIDACEAE	<i>Masdevallia luziae-mariae</i> Luer & R.Vasquez #4 II 64 ORCHIDACEAE
<i>Masdevallia lata</i> Reichb.f. #4 II 64 ORCHIDACEAE	<i>Masdevallia lynchiphora</i> Königer #4 II 64 ORCHIDACEAE
<i>Masdevallia lateritia</i> hort. nom.nud. = <i>Masdevallia</i> <i>coccinea</i> Linden ex Lindl.	<i>Masdevallia lynniana</i> Luer #4 II 64 ORCHIDACEAE
<i>Masdevallia lauheana</i> Kraenzl. #4 II 64 ORCHIDACEAE	<i>Masdevallia macrochila</i> Regel = <i>Dracula chestertonii</i> (Rchb.f.) Luer
<i>Masdevallia lawrencei</i> Kraenzl. = <i>Masdevallia guttulata</i> Rchb.f.	<i>Masdevallia macrogenia</i> (Arango) Luer & R.Escobar #4 II 64 ORCHIDACEAE
<i>Masdevallia leathersii</i> Luer #4 II 64 ORCHIDACEAE	<i>Masdevallia macroglossa</i> Rchb.f #4 II 64 ORCHIDACEAE
<i>Masdevallia lehmannii</i> Rchb.f. #4 II 64 ORCHIDACEAE	<i>Masdevallia macropus</i> Lehm. & Krzl. #4 II 64 ORCHIDACEAE
<i>Masdevallia lenae</i> Luer & Hirtz #4 II 64 ORCHIDACEAE	<i>Masdevallia macrura</i> Rchb.F #4 II 64 ORCHIDACEAE
<i>Masdevallia leonardoi</i> Luer #4 II 64 ORCHIDACEAE	<i>Masdevallia maculata</i> Klotzsch & H.Karst. #4 II 64 ORCHIDACEAE
<i>Masdevallia leonii</i> D.E.Benn & Christenson #4 II 64 ORCHIDACEAE	<i>Masdevallia maculigera</i> Schltr. = <i>Masdevallia laevis</i> Lindl.
<i>Masdevallia leontoglossa</i> Rchb.f. #4 II 64 ORCHIDACEAE	<i>Masdevallia maduroi</i> Luer #4 II 64 ORCHIDACEAE
<i>Masdevallia lepida</i> Rchb.f. = <i>Masdevallia laevis</i> Lindl.	<i>Masdevallia mallii</i> Luer #4 II 64 ORCHIDACEAE
<i>Masdevallia leptoura</i> Luer #4 II 64 ORCHIDACEAE	<i>Masdevallia maloi</i> Luer #4 II 64 ORCHIDACEAE
<i>Masdevallia leucantha</i> Lehm. & Krzl. #4 II 64 ORCHIDACEAE	<i>Masdevallia manarana</i> Carnevali & Ramirez = <i>Masdevallia</i> <i>guayanensis</i> Lindl. ex Benth.
<i>Masdevallia leucophaea</i> Luer & R.Vasquez = <i>Masdevallia</i> <i>boliviensis</i> Schltr.	<i>Masdevallia manchinazae</i> Luer & Andreetta #4 II 64 ORCHIDACEAE
<i>Masdevallia lewisi</i> luer & R.Vasquez #4 II 64 ORCHIDACEAE	<i>Masdevallia mandarina</i> (Luer & R.Escobar) Luer #4 II 64 ORCHIDACEAE
<i>Masdevallia ligiae</i> Luer & R.Escobar #4 II 64 ORCHIDACEAE	<i>Masdevallia manningii</i> Königer = <i>Masdevallia cuprea</i> Lindl.
<i>Masdevallia lilacina</i> Königer #4 II 64 ORCHIDACEAE	<i>Masdevallia manoloi</i> Luer & M.Arias #4 II 64 ORCHIDACEAE
<i>Masdevallia lilianae</i> Luer #4 II 64 ORCHIDACEAE	<i>Masdevallia manta</i> Königer & Sijm #4 II 64 ORCHIDACEAE
<i>Masdevallia lilliputana</i> Cogn. 1906 = <i>Dryadella lilliputana</i> (Cogn.) Luer 1978	<i>Masdevallia margaretae</i> Luer = <i>Masdevallia</i> <i>carruthersiana</i> Lehm. & Krzl.
<i>Masdevallia lima</i> F.Lehm & Kraenzl. = <i>Scaphosepalum</i> <i>lima</i> (F.Lehm) & Kraenzl. Schltr.	<i>Masdevallia marginella</i> Reichb.f. #4 II 64 ORCHIDACEAE
<i>Masdevallia limax</i> Luer #4 II 64 ORCHIDACEAE	<i>Masdevallia marizae</i> Luer & Rolando #4 II 64 ORCHIDACEAE
<i>Masdevallia lindeniana</i> A.Rich & Galeotti = <i>Masdevallia</i> <i>floribunda</i> Lindley	<i>Masdevallia marthae</i> Luer & R.Escobar #4 II 64 ORCHIDACEAE
<i>Masdevallia lindenii</i> André = <i>Masdevallia coccinea</i> Linden ex Lindl.	<i>Masdevallia martineae</i> Luer #4 II 64 ORCHIDACEAE
<i>Masdevallia linearifolia</i> Ames 1923 = <i>Dryadella linearifolia</i> (Ames) Luer 1978	<i>Masdevallia martiniana</i> Luer #4 II 64 ORCHIDACEAE
<i>Masdevallia lineolata</i> Königer #4 II 64 ORCHIDACEAE	<i>Masdevallia mascarata</i> Luer & R.Vasquez #4 II 64 ORCHIDACEAE
<i>Masdevallia lintricula</i> Königer #4 II 64 ORCHIDACEAE	<i>Masdevallia mastodon</i> Rchb.f. #4 II 64 ORCHIDACEAE
<i>Masdevallia livingstoneana</i> Roezl & Rchb.f. #4 II 64 ORCHIDACEAE	<i>Masdevallia mataxa</i> Königer & H.Mend. #4 II 64 ORCHIDACEAE
<i>Masdevallia longicaudata</i> Lem. = <i>Masdevallia infracta</i> Lindl.	<i>Masdevallia maximax</i> (Luer) Luer #4 II 64 ORCHIDACEAE
<i>Masdevallia longiflora</i> Cogn. = <i>Masdevallia coccinea</i> Linden ex Lindl.	<i>Masdevallia maxillariformis</i> F.Lehm. & Kraenzl. = <i>Masdevallia strumifera</i> Rchb.f.
<i>Masdevallia longiflora</i> Kraenzl. non Cong. = <i>Barbosella</i> <i>culcullata</i> (Lindl.) Schltr.	<i>Masdevallia mayaycu</i> Luer & Andreetta #4 II 64 ORCHIDACEAE
<i>Masdevallia lotax</i> Luer = <i>Dracula lotax</i> (Luer) Luer	<i>Masdevallia medellinensis</i> Kraenzl. = <i>Dracula radiosa</i> (Rchb.f.) Luer
<i>Masdevallia loui</i> Luer & Dalsrom #4 II 64 ORCHIDACEAE	
<i>Masdevallia lowii</i> Rolfe = <i>Dracula platycrater</i> (Rchb.f.) Luer	

- Masdevallia medinae** Luer & J.Portilla #4 II 64  
ORCHIDACEAE
- Masdevallia medusa** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Masdevallia megaloglossa* Luer & R.Escobar =  
*Masdevallia vargasii* C. Schw.
- Masdevallia meiracyllium* Rchb.f. 1886 = *Dryadella meiracyllium* (Rchb.f.) Luer 1978
- Masdevallia mejiana** Garay #4 II 64 ORCHIDACEAE
- Masdevallia melaegris* Lindl. sensu Rchb.f. non Lindl. =  
*Masdevallia picturata* Rchb.f.
- Masdevallia melanoglossa** Luer #4 II 64  
ORCHIDACEAE
- Masdevallia melanopus** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia melanoxantha** Linden & Rchb.f. #4 II 64  
ORCHIDACEAE
- Masdevallia meleagris** Lindl. #4 II 64 ORCHIDACEAE
- Masdevallia melina* Königer & J.Meza = *Masdevallia liliana* Luer
- Masdevallia melloi* Pabst 1977 = *Dryadella melloi* (Pabst) Luer 1978
- Masdevallia menatoi** Luer & Vasq #4 II 64  
ORCHIDACEAE
- Masdevallia mendozae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia mentosa** Luer #4 II 64 ORCHIDACEAE
- Masdevallia merinoi** Luer & J.Portilla #4 II 64  
ORCHIDACEAE
- Masdevallia metallica* F.Lehm & Kraenzl. = *Masdevallia caesia* Roezl.
- Masdevallia mezae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia microdactyla* Rchb.f. = *Scaphosepalum microdactylum* Rolfe
- Masdevallia microglochin* Rchb.f. = *Dracula velutina* (Rchb.f.) Luer
- Masdevallia microptera** Luer & Würstle #4 II 64  
ORCHIDACEAE
- Masdevallia microsiphon** Luer #4 II 64 ORCHIDACEAE
- Masdevallia midas** Luer #4 II 64 ORCHIDACEAE
- Masdevallia mijahuangae* D.E.Benn. = *Masdevallia cyclotega* Königer
- Masdevallia milagroi** Luer & Hirtz. #4 II 64  
ORCHIDACEAE
- Masdevallia militaris* Rchb.f. & Warsz. = *Masdevallia coccinea* Linden ex Lindl.
- Masdevallia miniata* B.S.Williams = *Masdevallia coccinea* Linden ex Lindl.
- Masdevallia minuta** Lindl. #4 II 64 ORCHIDACEAE
- Masdevallia misasii** Braas #4 II 64 ORCHIDACEAE
- Masdevallia molossoides** Kraenzl. #4 II 64  
ORCHIDACEAE
- Masdevallia molossus** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia monicana** Luer #4 II 64 ORCHIDACEAE
- Masdevallia monogona** Königer #4 II 64 ORCHIDACEAE
- Masdevallia mooreana** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia mopsus* F.C.Lehman & Kraenzl. = *Dracula mopsus* (F.C.Lehmann & Kraenzl.) Luer
- Masdevallia mordax* Rchb.f. = *Porroglossum mordax* (Rchb.f.) H.R.Sweet
- Masdevallia morenoi* Luer = *Masdevallia schizopetala* Kraenzl.
- Masdevallia morochoi** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Masdevallia mosquerae* F.C.Lehm. & Kraenzl. = *Dracula houtteana* (Rchb.f.) Luer
- Masdevallia moyobambae* Königer = *Masdevallia weberbaueri* Schltr.
- Masdevallia murex** Luer #4 II 64 ORCHIDACEAE
- Masdevallia muriculata* Kraenzl. = *Diodonopsis pygmaea* Kraenzl.
- Masdevallia musaica* E.Morr. = *Masdevallia coccinea* Linden ex Lindl.
- Masdevallia muscosa* Rchb.F = *Porroglossum muscosum* Schltr.
- Masdevallia mutica** Luer & Escobar #4 II 64  
ORCHIDACEAE
- Masdevallia myriostigma* Morren = *Masdevallia floribunda* Lindley
- Masdevallia mystica** Luer #4 II 64 ORCHIDACEAE
- Masdevallia naranjapatae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia navicularis** Garay & Dunst. #4 II 64  
ORCHIDACEAE
- Masdevallia navicularis* Kraenzl. non Garay & Dunst. = *Scaphosepalum anchoriferum* (Reichb.f.) Rolfe
- Masdevallia nebulina** Luer #4 II 64 ORCHIDACEAE
- Masdevallia neglecta* Königer = *Masdevallia rufescens* Königer
- Masdevallia newmaniana** Luer & Taegue #4 II 64  
ORCHIDACEAE
- Masdevallia nicaraguae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia nidifica** Reichb.f. #4 II 64 ORCHIDACEAE
- Masdevallia niesseniae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia nigricans** Königer & Sijm #4 II 64  
ORCHIDACEAE
- Masdevallia nikoleana** Luer & J.Portilla #4 II 64  
ORCHIDACEAE
- Masdevallia nitens** Luer #4 II 64 ORCHIDACEAE
- Masdevallia nivalis* Rchb.f. ex Kraenzl. = *Masdevallia hians* Linden & Rchb.f.
- Masdevallia nivea** (Luer & R.Escobar) Luer & R.Escobar #4 II 64 ORCHIDACEAE
- Masdevallia norae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia normannii* hort. = *Masdevallia reichenbachiana* Endres ex Reichb.f.
- Masdevallia norops** Luer & Andreettae #4 II 64  
ORCHIDACEAE
- Masdevallia notosibirica** F.Maek & T.Hashim #4 II 64  
ORCHIDACEAE
- Masdevallia nutans* F.Lehm. & Kraenzl. = *Diodonopsis anachaeta* (Rchb.f.) Pridgeon & M.W.Chase
- Masdevallia nycterina* Rchb.f. = *Dracula nycterina* (Reichb.f.) Luer
- Masdevallia obrieniana* Rolfe 1890 = *Dryadella aviceps* (Rchb.f.) Luer 1978
- Masdevallia obscurans** (Luer) Luer #4 II 64  
ORCHIDACEAE
- Masdevallia oceanensis* Kraenzl. = *Masdevallia picturata* Rchb.f.

- Masdevallia ochracea* Burb. nom.nud = *Masdevallia coriacea* Lindl.
- Masdevallia ochthodes* Rchb.f. = *Scaphosepalum verrucosum* Pfitzer
- Masdevallia odontocera*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Masdevallia odontochila* Schltr. = *Masdevallia cupularis* Reichb.f.
- Masdevallia odontopetala*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia oligantha* Schltr. = *Masdevallia amanda* Rchb.f. & Warsz.
- Masdevallia olivacea* Kraenzl. = *Masdevallia angulifera* Rhb.f. ex Kraenzl.
- Masdevallia olmosii* Königer = *Masdevallia zahlbruckneri* Kraenzlin
- Masdevallia omorenoi*** Luer & R.Vasquez #4 II 64  
ORCHIDACEAE
- Masdevallia ophioglossa*** Rchb.f. #4 II 64  
ORCHIDACEAE
- Masdevallia oreas*** Luer & Vasquez #4 II 64  
ORCHIDACEAE
- Masdevallia ortalis*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia ortgiesiana* hort ex Rolfe = *Masdevallia campyloglossa* Reichb.f.
- Masdevallia oscarii*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Masdevallia oscitans*** (Luer) Luer #4 II 64  
ORCHIDACEAE
- Masdevallia os-draconis*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Masdevallia osmariniana* Bragga = *Dryadella osmariniana* (Braga) Garay & Dunst.
- Masdevallia ostaurina*** Luer & V.N.M.Rao #4 II 64  
ORCHIDACEAE
- Masdevallia os-viperae*** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Masdevallia ova-avis*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia oxapampaensis*** D.E.Benn & Christenson #4 II 64 ORCHIDACEAE
- Masdevallia pachgyne*** Kraenzl. #4 II 64 ORCHIDACEAE
- Masdevallia pachyantha*** Rchb.f. #4 II 64  
ORCHIDACEAE
- Masdevallia pachysepala*** (Rchb.f.) Luer #4 II 64  
ORCHIDACEAE
- Masdevallia pachyura*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia paisbambae* Kraenzl. = *Masdevallia klabochiorum* Rchb.f.
- Masdevallia paivaëana*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia pallida* (Woolward) Luer = *Masdevallia xanthina* Rchb.f.
- Masdevallia palmensis* Kraenzl. = *Masdevallia fasciata* Rchb.f.
- Masdevallia panamensis* (Schltr.) Ames = *Masdevallia livingstoneana* Roezl & Rchb.f.
- Masdevallia pandurilabia*** C.Schweinf. #4 II 64  
ORCHIDACEAE
- Masdevallia panguiënsis*** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Masdevallia pantex* Luer = *Trisetella pantex* (Luer) Luer
- Masdevallia pantherina* F.Lehm & Kraenzl. = *Masdevallia laevis* Lindl.
- Masdevallia pantomima*** Luer & Hirtz. #4 II 64  
ORCHIDACEAE
- Masdevallia papillosa*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia paquishae*** Luer & Hirtz. #4 II 64  
ORCHIDACEAE
- Masdevallia paranaënsis* Schltr. 1918 = *Dryadella paranaënsis* (Schltr.) Luer 1978
- Masdevallia pardina*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia parlatoreana* rchb.f. = *Masdevallia splendida* Rchb.f.
- Masdevallia parvula*** Schltr. #4 II 64 ORCHIDACEAE
- Masdevallia pastensis* Kraenzl. = *Masdevallia uncifera* Rchb.f.
- Masdevallia pastinata*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia patchicutzae*** Luer & Hirtz. #4 II 64  
ORCHIDACEAE
- Masdevallia patriciana*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia patula*** Luer & Malo #4 II 64 ORCHIDACEAE
- Masdevallia paulensis* Barb.Rodr. 1901 = *Dryadella aviceps* (Rchb.f.) Luer 1978
- Masdevallia pelecaniceps*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia peristeria*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia pernix*** Königer #4 II 64 ORCHIDACEAE
- Masdevallia perpusilla* Kraenzl. 1906 = *Dryadella perpusilla* (Kraenzl.) Luer 1978
- Masdevallia persicina*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia peruviana* Rolfe = *Masdevallia bicolor* Poepp & Endl.
- Masdevallia pescadoënsis*** Luer & R.Escobar #4 II 64  
ORCHIDACEAE
- Masdevallia petiolaris* Schltr. = *Masdevallia laevis* Lindl.
- Masdevallia phacopsis*** Luer & Dalstrom #4 II 64  
ORCHIDACEAE
- Masdevallia phasmatodes*** Königer #4 II 64  
ORCHIDACEAE
- Masdevallia phlogina*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia phoenix*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia picea*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia picta*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia picturata*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia pileata*** Luer & Würstle #4 II 64  
ORCHIDACEAE
- Masdevallia pinocchio*** Luer & Andreetta #4 II 64  
ORCHIDACEAE
- Masdevallia planadensis*** Luer & Escobar #4 II 64  
ORCHIDACEAE
- Masdevallia plantaginea*** (Poepp. & Endl.) Cogn. #4 II 64  
ORCHIDACEAE
- Masdevallia platycrater* Rchb.f. = *Dracula platycrater* (Rchb.f.) Luer
- Masdevallia platyglossa*** Rchb.f. #4 II 64  
ORCHIDACEAE
- Masdevallia platyrachys* Rolfe = *Pleurothallis endotrichys* Rchb.f.
- Masdevallia pleurothalloides*** Luer #4 II 64  
ORCHIDACEAE

- Masdevallia plynophora** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia polita** Luer & Sijm #4 II 64 ORCHIDACEAE  
**Masdevallia pollux** Luer & Cloes #4 II 64  
ORCHIDACEAE  
**Masdevallia polyantha** Lindl. = *Masdevallia schlimii* Linden ex Lindl.  
**Masdevallia polychroma** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia polyphemus* Luer = *Dracula polyphemus* (Luer) Luer  
**Masdevallia polysticta** Rchb.f. #4 II 64 ORCHIDACEAE  
*Masdevallia popayanensis* Lehm. & Kraenzl. 1921 = *Dryadella simula* (Rchb.f.) Luer 1978  
**Masdevallia popowiana** Königer & J.J.Weinm.bis #4 II 64  
ORCHIDACEAE  
*Masdevallia porcelliceps* Rchb.f. = *Masdevallia macroglossa* Rchb.f  
**Masdevallia porphyrea** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia portillae** Luer & Andreetta #4 II 64  
ORCHIDACEAE  
**Masdevallia posadae** Luer & R.Escobar #4 II 64  
ORCHIDACEAE  
**Masdevallia pozoi** Königer #4 II 64 ORCHIDACEAE  
**Masdevallia princeps** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia proboscoides** Luer & V.N.M.Rao #4 II 64  
ORCHIDACEAE  
**Masdevallia prodigiosa** Königer #4 II 64 ORCHIDACEAE  
**Masdevallia prolixa** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia prosartema** Koniger #4 II 64  
ORCHIDACEAE  
*Masdevallia pseudominuta* H.R.Sweet = *Masdevallia kyphonantha* H.R.Sweet  
*Masdevallia psittacina* Rchb.f. = *Dracula psittacina* (Rchb.f.) Luer & R.Escobar  
*Masdevallia psyche* Luer = *Dracula psyche* (Luer) Luer  
**Masdevallia pteroglossa** Schltr. #4 II 64 ORCHIDACEAE  
*Masdevallia pterygophora* Luer & Escobar = *Diodonopsis pterygiophora* (Luer & Escobar) Pridgeon & M.W.Chase  
**Masdevallia pulcherrima** Luer & Andreetta #4 II 64  
ORCHIDACEAE  
*Masdevallia pulex* Hort ex Rchb.f. = *Pleurothallis macroblepharis* Rchb.f.  
*Masdevallia pulvinaris* Rchb.f. = *Scaphosepalum pulvinare* Rolfe.  
**Masdevallia pumila** Poepp & Endl. #4 II 64  
ORCHIDACEAE  
*Masdevallia punctata* Rolfe = *Scaphosepalum anchoriferum* (Reichb.f.) Rolfe  
**Masdevallia purpurella** Luer & R.Escobar #4 II 64  
ORCHIDACEAE  
*Masdevallia purpurina* Schltr. = *Masdevallia amabilis* Rchb.f. & Warsz.  
*Masdevallia pusilla* Rolfe = *Dracula pusilla* (Rolfe) Luer  
*Masdevallia pusiola* Rchb.f. 1887 = *Dryadella pusiola* (Rchb.f.) Luer 1978  
*Masdevallia pygmaea* Kraenl. = *Diodonopsis pygmaea* Kraenzl.  
**Masdevallia pyknosepala** Luer & Cloes #4 II 64  
ORCHIDACEAE  
**Masdevallia pyxis** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia quasimodo** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia quilichaoensis* F.C.Lehm. & Kraenzl. = *Dracula iricolor* (Reichb.f.) Luer & Escobar  
**Masdevallia racemosa** Lindl. #4 II 64 ORCHIDACEAE  
*Masdevallia radiosa* Rchb.f. = *Dracula radiosa* (Rchb.f.) Luer  
**Masdevallia rafaeliana** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia rana-aurea* Luer = *Masdevallia os-viperae* Luer & Andreetta  
*Masdevallia rauhii* Senghas & Braas = *Masdevallia mezae* Luer  
**Masdevallia receptrix** Luer & R.Vasquez #4 II 64  
ORCHIDACEAE  
**Masdevallia rechingeriana** Kraenzl. #4 II 64  
ORCHIDACEAE  
**Masdevallia recurvata** Luer & Dalstrom #4 II 64  
ORCHIDACEAE  
*Masdevallia reflexa* Misas non Schltr. = *Masdevallia misasii* Braas  
*Masdevallia reflexa* Schltr. = *Masdevallia cupularis* Reichb.f.  
**Masdevallia regina** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia reichenbachiana** Endres ex Reichb.f. #4 II 64 ORCHIDACEAE  
*Masdevallia remotiflora* Kraenzl. = *Masdevallia amanda* Rchb.f. & Warsz.  
**Masdevallia renzii** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia repanda** Luer & Hirtz. #4 II 64  
ORCHIDACEAE  
**Masdevallia replicata** Königer #4 II 64 ORCHIDACEAE  
*Masdevallia restrepidea* Kraenzl. = *Masdevallia fasciata* Rchb.f.  
**Masdevallia revoluta** Königer & J.Portilla #4 II 64  
ORCHIDACEAE  
**Masdevallia rex** Luer & Hirtz. #4 II 64 ORCHIDACEAE  
**Masdevallia rhinophora** Luer & R.Escobar #4 II 64  
ORCHIDACEAE  
**Masdevallia rhodehameliana** Luer #4 II 64  
ORCHIDACEAE  
*Masdevallia rhopalura* Schltr. = *Masdevallia molossoides* Kraenzl.  
**Masdevallia richardsoniana** Luer #4 II 64  
ORCHIDACEAE  
*Masdevallia richteri* Pabst. = *Masdevallia vargasii* C. Schw.  
**Masdevallia ricii** Luer & R.Vasquez #4 II 64  
ORCHIDACEAE  
**Masdevallia rigens** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia rimarima-alba** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia robusta** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia rodolfoi** (Braas) Luer #4 II 64  
ORCHIDACEAE  
*Masdevallia rodrigueziana* Mansf. = *Masdevallia wendlandiana* Rchb.f.  
*Masdevallia roezlii* Rchb.f. = *Dracula roezlii* (Rchb.f.) Luer  
**Masdevallia rolandorum** Luer & Sijm #4 II 64  
ORCHIDACEAE  
**Masdevallia rolfeana** Kraenzl. #4 II 64 ORCHIDACEAE  
**Masdevallia rosea** Lindley #4 II 64 ORCHIDACEAE

- Masdevallia roseola** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia rubeola** Luer & R.Vasquez #4 II 64  
 ORCHIDACEAE  
**Masdevallia rubiginosa** Königer #4 II 64 ORCHIDACEAE  
**Masdevallia rufescens** Königer #4 II 64 ORCHIDACEAE  
*Masdevallia rufolutea* Lindl. = *Masdevallia picea* Luer  
**Masdevallia rugulosa** Königer #4 II 64 ORCHIDACEAE  
**Masdevallia saltatrix** Rchb.f. #4 II 64 ORCHIDACEAE  
**Masdevallia sanctae-zamorensis** Luer & Andreetta #4 II 64  
 ORCHIDACEAE  
**Masdevallia sanctae-fidei** Kraenzl. #4 II 64  
 ORCHIDACEAE  
**Masdevallia sanctae-inesae** Luer & Malo #4 II 64  
 ORCHIDACEAE  
**Masdevallia sanctae-rosae** Kraenzl. #4 II 64  
 ORCHIDACEAE  
**Masdevallia sanguinea** Luer & Andreetta #4 II 64  
 ORCHIDACEAE  
*Masdevallia santiagoorum* Königer = *Masdevallia aurea*  
 Luer  
*Masdevallia sarcophylla* Kraenzl. = *Masdevallia campyloglossa* Reichb.f.  
*Masdevallia saulii* Königer = *Masdevallia fuchsii* Luer  
**Masdevallia scabrilinguis** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia scalpellifera** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia scandens** Rolfe #4 II 64 ORCHIDACEAE  
*Masdevallia scapha* Braas = *Masdevallia navicularis*  
 Garay & Dunst.  
**Masdevallia sceptrum** Rchb.f. #4 II 64 ORCHIDACEAE  
*Masdevallia schildhaueri* Königer = *Masdevallia ensata*  
 Rchb.f.  
**Masdevallia schizantha** Kraenzl. #4 II 64  
 ORCHIDACEAE  
**Masdevallia schizopetala** Kraenzl. #4 II 64  
 ORCHIDACEAE  
**Masdevallia schizostigma** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia schlimgenii** Linden ex Lindl. #4 II 64  
 ORCHIDACEAE  
*Masdevallia schmidtchenii* Kraenzl. = *Masdevallia molossus* Rchb.f.  
**Masdevallia schmidt-mummii** Luer & R.Escobar #4 II 64  
 ORCHIDACEAE  
**Masdevallia schoonenii** Luer #4 II 64 ORCHIDACEAE  
*Masdevallia schroederae* Boos (splam) = *Masdevallia schroederiana* Sander & Veitch  
**Masdevallia schroederiana** Sander & Veitch #4 II 64  
 ORCHIDACEAE  
**Masdevallia schudelii** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia scobina** Luer & R.Escobar #4 II 64  
 ORCHIDACEAE  
**Masdevallia scopaea** Luer & R.Vasquez #4 II 64  
 ORCHIDACEAE  
**Masdevallia segrex** Luer & Hirtz #4 II 64 ORCHIDACEAE  
**Masdevallia segurae** Luer & R.Escobar #4 II 64  
 ORCHIDACEAE  
**Masdevallia selenites** Königer #4 II 64 ORCHIDACEAE  
**Masdevallia semiteres** Luer & R.Escobar #4 II 64  
 ORCHIDACEAE  
**Masdevallia senghasiana** Luer #4 II 64 ORCHIDACEAE
- Masdevallia senilis* Rchb.f. = *Dracula chimaera* (Rchb.f.)  
 Luer  
**Masdevallia serendipita** Luer & Teague #4 II 64  
 ORCHIDACEAE  
**Masdevallia sernae** Luer & Escobar #4 II 64  
 ORCHIDACEAE  
**Masdevallia sertula** Luer & Andreetta #4 II 64  
 ORCHIDACEAE  
*Masdevallia sessilis* Barb.Rodr. 1898 = *Dryadella aviceps*  
 (Rchb.f.) Luer 1978  
**Masdevallia setacea** Luer & Malo #4 II 64  
 ORCHIDACEAE  
**Masdevallia setipes** Schltr. #4 II 64 ORCHIDACEAE  
*Masdevallia severa* Rchb.f. = *Dracula severa* (Rchb.f.)  
 Luer  
*Masdevallia shiraishii* Königer & M.Arias = *Masdevallia harlequina* Luer  
*Masdevallia shuttleworthii* Rchb.f. = *Masdevallia caudata*  
 Lindl.  
*Masdevallia sjostedtii* Königer = *Masdevallia posadae* Luer  
 & R.Escobar  
*Masdevallia simula* Rchb.f. 1875 = *Dryadella guatemalensis* (Schltr.) Luer 1978  
*Masdevallia simula* Rchb.f. 1875 = *Dryadella simula*  
 (Rchb.f.) Luer 1978  
*Masdevallia simulatrix* Kraenzl. 1925 = *Dryadella simulatrix* (Kraenzl.) Luer 1978  
*Masdevallia simulatrix* Kraenzl. 1925 = *Dryadella pusilla*  
 (Rchb.f.) Luer 1978  
**Masdevallia siphonantha** Luer #4 II 64 ORCHIDACEAE  
**Masdevallia situla** Königer #4 II 64 ORCHIDACEAE  
**Masdevallia smallmaniana** Luer #4 II 64  
 ORCHIDACEAE  
*Masdevallia sodiroi* Schltr. = *Dracula sodiroi* (Schltr.) Luer  
**Masdevallia soennemarkii** Luer & Dalstrom #4 II 64  
 ORCHIDACEAE  
**Masdevallia solomonii** Luer & R.Vasquez #4 II 64  
 ORCHIDACEAE  
*Masdevallia sororcula* Rchb.f. = *Masdevallia mooreana*  
 Rchb.f.  
*Masdevallia spathulifolia* Kraenzl. = *Masdevallia polysticta*  
 Rchb.f.  
*Masdevallia spectrum* Rchb.f. = *Dracula severa* (Rchb.f.)  
 Luer  
*Masdevallia sphenopetala* Kraenzl. = *Masdevallia coronica* Schltr.  
**Masdevallia spilantha** Königer #4 II 64 ORCHIDACEAE  
**Masdevallia splendida** Rchb.f. #4 II 64 ORCHIDACEAE  
**Masdevallia sprucei** Rchb.f. #4 II 64 ORCHIDACEAE  
**Masdevallia staaliana** Luer & Hirtz #4 II 64  
 ORCHIDACEAE  
*Masdevallia stenantha* F.Lehm & Kraenzl. = *Masdevallia tubulosa* Lindl.  
**Masdevallia stenorhynchos** Kraenzlin #4 II 64  
 ORCHIDACEAE  
*Masdevallia stercorea* Königer = *Masdevallia rigens* Luer  
**Masdevallia stigillii** Luer & Jost #4 II 64 ORCHIDACEAE  
**Masdevallia stirpis** Luer #4 II 64 ORCHIDACEAE

- Masdevallia stratoniana** Luer & Hirtz #4 II 64  
ORCHIDACEAE
- Masdevallia striatella** Reichb.f. #4 II 64 ORCHIDACEAE
- Masdevallia strigosa** Königer #4 II 64 ORCHIDACEAE
- Masdevallia strobelii** Sweet & Garay #4 II 64  
ORCHIDACEAE
- Masdevallia strumella** Luer #4 II 64 ORCHIDACEAE
- Masdevallia strumifera** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia strumosa** P.Ortiz & C.E.Calderón #4 II 64  
ORCHIDACEAE
- Masdevallia stumpflei** Braas #4 II 64 ORCHIDACEAE
- Masdevallia subumbellata* Kraenzl. = *Masdevallia bicolor* Poepp & Endl.
- Masdevallia suinii** Luer & Hirtz. #4 II 64 ORCHIDACEAE
- Masdevallia sulphurea* F.Lehm & Kraenzl = *Masdevallia bonplandii* Rchb.f.
- Masdevallia sulphurella** Königer #4 II 64  
ORCHIDACEAE
- Masdevallia sumapazensis** P.Ortiz #4 II 64  
ORCHIDACEAE
- Masdevallia summersii* L.O.Williams 1940 = *Dryadella summersii* (L.O.Williams) Luer 1978
- Masdevallia superflua* Kraenzl. = *Masdevallia striatella* Reichb.f.
- Masdevallia surinamensis* Focke = *Masdevallia minuta* Lindl.
- Masdevallia susanae* Pabst, Bradea = *Dryadella susanae* (Pabst) Luer 1978
- Masdevallia swertiaefolia* Rchb.f. = *Scaphosepalum swertiaefolium* Rolfe
- Masdevallia synthesis** Luer #4 II 64 ORCHIDACEAE
- Masdevallia syringodes* Luer & Andreetta = *Masdevallia tubulosa* Lindl.
- Masdevallia tarantula* Luer = *Dracula tubeana* (Rchb.f.) Luer
- Masdevallia teaguei** Luer #4 II 64 ORCHIDACEAE
- Masdevallia tentaculata** Luer #4 II 64 ORCHIDACEAE
- Masdevallia tenuicaudata* Schltr. = *Masdevallia nidifica* Reichb.f.
- Masdevallia tenuipes* Kraenzl. = *Masdevallia herradurae* Lehm. & Kraenzl.
- Masdevallia tenuissima* C.Schweinf. = *Trisetella tenuissima* (C. Schweinf.) Luer
- Masdevallia terborchii** Luer #4 II 64 ORCHIDACEAE
- Masdevallia theinii** Dodson #4 II 64 ORCHIDACEAE
- Masdevallia theluera** Luer #4 II 64 ORCHIDACEAE
- Masdevallia tinekeae** Luer & R.Vasquez #4 II 64  
ORCHIDACEAE
- Masdevallia titan** Luer #4 II 64 ORCHIDACEAE
- Masdevallia tokachiorum** Luer #4 II 64 ORCHIDACEAE
- Masdevallia tonduzii** Woodward #4 II 64 ORCHIDACEAE
- Masdevallia torta** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia torulosa* Königer & J.Portilla = *Masdevallia carruthersiana* Lehm. & Krzl.
- Masdevallia tovarensis** Reichb.f. #4 II 64  
ORCHIDACEAE
- Masdevallia trautmanniana** Luer & J.Portilla #4 II 64  
ORCHIDACEAE
- Masdevallia trechsliniana* Königer & J.Meza = *Masdevallia bryophila* Luer
- Masdevallia triangularis** Lindl. #4 II 64 ORCHIDACEAE
- Masdevallia triaristella* Rchb.f. = *Trisetella triaristella* (Rchb.f.) Luer
- Masdevallia tricallosa** Königer #4 II 64 ORCHIDACEAE
- Masdevallia tricarinata** (Barb.Rodr.) F.Lehm & Kraenzl. #4 II 64 ORCHIDACEAE
- Masdevallia triceratops* Luer = *Dracula mopsus* (F.C.Lehmann & Kraenzl.) Luer
- Masdevallia trichaete* Rchb.f. = *Trisetella triglochin* (Rchb.f.) Luer
- Masdevallia trichroma* Schltr. = *Dracula trichroma* (Schltr.) Hermans
- Masdevallia trichroma* Schltr. = *Dracula iricolor* (Reichb.f.) Luer & Escobar
- Masdevallia tricolor* hort. non Rchb.f. = *Masdevallia coccinea* Linden ex Lindl.
- Masdevallia tricolor* Rchb.f. = *Masdevallia caudata* Lindl.
- Masdevallia tricolor* Rchb.f. (sphalm.) = *Dracula trichroma* (Schltr.) Hermans
- Masdevallia tricycla** Luer #4 II 64 ORCHIDACEAE
- Masdevallia tridactylites* Rchb.f. = *Trisetella triglochin* (Rchb.f.) Luer
- Masdevallia tridens** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia tridentata* Lindl. = *Masdevallia infracta* Lindl.
- Masdevallia trifurcata** Luer #4 II 64 ORCHIDACEAE
- Masdevallia triglochin* Rchb.f. = *Trisetella triglochin* (Rchb.f.) Luer
- Masdevallia trigonopetala** Kraenzl. #4 II 64  
ORCHIDACEAE
- Masdevallia trinema* Rchb.f. = *Dracula velutina* (Rchb.f.) Luer
- Masdevallia trinema* sensu Woodward & F.Lehm. non Rchb.f. = *Dracula platycrater* (Rchb.f.) Luer
- Masdevallia trinemoides* Kraenzl. = *Masdevallia fasciata* Rchb.f.
- Masdevallia trionys* Kraenzl. = *Masdevallia falcago* Rchb.f.
- Masdevallia trioön* Sweet = *Masdevallia bangii* Schltr.
- Masdevallia triquetra* Scheidw. = *Masdevallia infracta* Lindl.
- Masdevallia triseta* Rchb.f. ex Kraenzl. = *Trisetella triglochin* (Rchb.f.) Luer
- Masdevallia trivenia* Königer = *Masdevallia paquishae* Luer & Hirtz.
- Masdevallia trochilus** Linden & André #4 II 64  
ORCHIDACEAE
- Masdevallia troglodytes* E.Morren = *Dracula benedictii* (Rchb.f.) Luer
- Masdevallia truncata** Luer #4 II 64 ORCHIDACEAE
- Masdevallia tsubotae** Luer #4 II 64 ORCHIDACEAE
- Masdevallia tubata** Schltr. #4 II 64 ORCHIDACEAE
- Masdevallia tubeana* Rchb.f. = *Dracula tubeana* (Rchb.f.) Luer
- Masdevallia tubuliflora** Ames #4 II 64 ORCHIDACEAE
- Masdevallia tubulosa** Lindl. #4 II 64 ORCHIDACEAE
- Masdevallia tuerckheimii** Ames #4 II 64 ORCHIDACEAE
- Masdevallia ulei* Schltr. = *Masdevallia wendlandiana* Rchb.f.
- Masdevallia uncifera** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia uniflora** Ruiz. & Pav. #4 II 64  
ORCHIDACEAE

- Masdevallia uniflora* Kunth non Ruiz & Pav. = *Masdevallia bonplandii* Rchb.f.
- Masdevallia urceolaris*** Kraenzl. #4 II 64 ORCHIDACEAE
- Masdevallia urosalpinx*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia urostachya* Rchb.f. = *Masdevallia sceptrum* Rchb.f.
- Masdevallia ustulata*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia utriculata*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia valenciae*** Luer & R.Escobar #4 II 64 ORCHIDACEAE
- Masdevallia valifera* Sphalm. = *Masdevallia velifera* Rchb.f.
- Masdevallia vampira* Luer = *Dracula vampira* (Luer) Luer
- Masdevallia vargasii*** C. Schw. #4 II 64 ORCHIDACEAE
- Masdevallia vasquezii*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia veitchiana*** Reichb.f. #4 II 64 ORCHIDACEAE
- Masdevallia velella*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia velifera*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia velox* Königer = *Masdevallia dalessandroi* Luer
- Masdevallia velutina* Rchb.f. = *Dracula velutina* (Rchb.f.) Luer
- Masdevallia venatoria*** Luer & Malo #4 II 64 ORCHIDACEAE
- Masdevallia venezuelana*** H.R.Sweet #4 II 64 ORCHIDACEAE
- Masdevallia venosa* Rolfe = *Dracula venosa* (Rolfe) Luer
- Masdevallia ventricosa*** Schltr. #4 II 64 ORCHIDACEAE
- Masdevallia ventricularia*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia venus*** Luer & Hirtz. #4 II 64 ORCHIDACEAE
- Masdevallia venusta*** Schltr. #4 II 64 ORCHIDACEAE
- Masdevallia verecunda*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia verrucosa* Rchb.f. = *Scaphosepalum verrucosum* Pfitzer
- Masdevallia versicolor* hort. = *Masdevallia coccinea* Linden ex Lindl.
- Masdevallia vespertilio* Rchb.f. = *Dracula vespertilio* (Rchb.f.) Luer
- Masdevallia vexillifera*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia vidua*** Luer & Andreetta #4 II 64 ORCHIDACEAE
- Masdevallia vieirana*** Luer & R.Escobar #4 II 64 ORCHIDACEAE
- Masdevallia vilifera* Sphalm. = *Masdevallia velifera* Rchb.f.
- Masdevallia villegasii*** Königer #4 II 64 ORCHIDACEAE
- Masdevallia virens*** Luer & Andreetta #4 II 64 ORCHIDACEAE
- Masdevallia virgo-cuencae*** Luer & Andreetta #4 II 64 ORCHIDACEAE
- Masdevallia vittata* Luer = *Trisetella vittata* (Luer) Luer
- Masdevallia vittatula*** Luer & R.Escobar #4 II 64 ORCHIDACEAE
- Masdevallia vomeris*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia vulcanica* F.Lehm & Kraenzl. = *Diodonopsis anachaeta* (Rchb.f.) Pridgeon & M.W.Chase
- Masdevallia wageneriana*** Linden ex Lindl. #4 II 64 ORCHIDACEAE
- Masdevallia wallisii* Rchb.f. = *Dracula wallisii* (Rchb.f.) Luer
- Masdevallia walteri*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia weberbaueri*** Schltr. #4 II 64 ORCHIDACEAE
- Masdevallia welischii*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia wendlandiana*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia whiteana*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia winniana* Rchb.f. = *Dracula roezlii* (Rchb.f.) Luer
- Masdevallia woolwardiae* Lehm. = *Dracula woolwardiae* (Lehm.) Luer
- Masdevallia wubbenii*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia wuelfinghoffiana*** Luer & J.Portilla #4 II 64 ORCHIDACEAE
- Masdevallia wuerstei*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia wurdackii*** C.Schweinf. #4 II 64 ORCHIDACEAE
- Masdevallia xanthina*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia xanthodactyla*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia xanthura* Schltr. = *Masdevallia bicolor* Poepp & Endl.
- Masdevallia xerophila* F.Lehm & Kraenzl. = *Masdevallia pteroglossa* Schltr.
- Masdevallia ximenesae*** Luer & Hirtz #4 II 64 ORCHIDACEAE
- Masdevallia xiphères* Rchb.f. = *Porroglossum muscosum* Schltr.
- Masdevallia xiphium* Rchb.f. ex Kraenzl = *Masdevallia ensata* Rchb.f.
- Masdevallia xylinia*** Rchb.f. #4 II 64 ORCHIDACEAE
- Masdevallia yauaperyensis* Barb.Rodr. = *Masdevallia wendlandiana* Rchb.f.
- Masdevallia yungasensis*** T.Hashim. #4 II 64 ORCHIDACEAE
- Masdevallia zahibrückneri*** Kraenzlin #4 II 64 ORCHIDACEAE
- Masdevallia zamorensis*** Luer & J.Portilla #4 II 64 ORCHIDACEAE
- Masdevallia zapatae*** Luer & R.Escobar #4 II 64 ORCHIDACEAE
- Masdevallia zebracea*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia zebrina* Porsch 1905 = *Dryadella zebrina* (Porsch) Luer 1978
- Masdevallia zongoënsis*** Luer & Hirtz #4 II 64 ORCHIDACEAE
- Masdevallia zumbae*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia zumbuehlerae*** Luer #4 II 64 ORCHIDACEAE
- Masdevallia zygia*** Luer & Malo #4 II 64 ORCHIDACEAE
- Mastigion appendiculatum* (Rolfe) Garay, Hamer & Siegerist = *Bulbophyllum putidum* (Teijsm. & Binn) J.J.Smith
- Mastigion fascinator* (Rolfe) Garay, Hamer & Siegerist = *Bulbophyllum putidum* (Teijsm. & Binn) J.J.Smith
- Mastigion ornatissimum* (Rchb.f.) Garay, Hamer & Siegerist = *Bulbophyllum ornatissimum* (Rchb.f.) J.J.Smith

- Mastigion proboscideum* (Gagnep.) Garay, Hamer & Siegerist = *Bulbophyllum proboscideum* (Gagnep.) Seidenf. & Smitinand
- Mastigion putidum* (Teijsm. & Binn) Garay, Hamer & Siegerist = *Bulbophyllum putidum* (Teijsm. & Binn) J.J.Smith
- Matucana** spp. B. & R. #4 II 49 CACTACEAE
- Matucana aurantiaca** (Vaupel) Buxbaum #4 II 49 CACTACEAE
- Matucana aureiflora** Ritter #4 II 49 CACTACEAE
- Matucana calliantha* Ritter = *Matucana krahni* (Donald) Bregman
- Matucana celendinensis* Ritter = *Matucana aureiflora* Ritter
- Matucana comacephala** Ritter #4 II 49 CACTACEAE
- Matucana formosa** Ritter #4 II 49 CACTACEAE
- Matucana fruticosa** Ritter #4 II 49 CACTACEAE
- Matucana haynei** (Otto ex Salm-dyck) Britton & Rose #4 II 49 CACTACEAE
- Matucana huagalensis** (Donald & Lau) Bregman et Al. #4 II 49 CACTACEAE
- Matucana humboldtii* (Kunth) Buxbaum = *Cleistocactus icosagonus* (Kunth) Weber ex Roland-Gosselin
- Matucana intertexta** Ritter #4 II 49 CACTACEAE
- Matucana krahni** (Donald) Bregman #4 II 49 CACTACEAE
- Matucana madisoniorum** (Hutchinson) Rowley #4 II 49 CACTACEAE
- Matucana mirabilis* Buining = *Cleistocana mirabilis* (Buining) Hunt
- Matucana oreodoxa** (Ritter) Slaba #4 II 49 CACTACEAE
- Matucana paucicostata** Ritter #4 II 49 CACTACEAE
- Matucana polzii** Diers et al. #4 II 49 CACTACEAE
- Matucana puupatii** (Donald & Lau) Bregman #4 II 49 CACTACEAE
- Matucana ritteri** Buining #4 II 49 CACTACEAE
- Matucana tuberculata** (Donald) Bregman et al. #4 II 49 CACTACEAE
- Matucana tuberculosa* Ritter = *Matucana tuberculata* (Donald) Bregman et al.
- Matucana weberbaueri** (Vaupel) Backeberg #4 II 49 CACTACEAE
- Maxillaria** spp. Ruíz & Pav. #4 II 64 ORCHIDACEAE
- Maxillaria acervata* Reichb.f. #4 II 64 ORCHIDACEAE
- Maxillaria acostaei* Schltr. #4 II 64 ORCHIDACEAE
- Maxillaria albertii* Schltr. #4 II 64 ORCHIDACEAE
- Maxillaria allenii* L.O. Williams #4 II 64 ORCHIDACEAE
- Maxillaria appendiculoides* C. Schweinf. #4 II 64 ORCHIDACEAE
- Maxillaria aromatica* Graham ex Hook. (1826) = *Lycaste aromatica* (Graham) Lindl. (1843)
- Maxillaria atropurpurea* Lodd. (1832) = *Bifrenaria atropurpurea* (Lodd.) Lindl. (1833)
- Maxillaria aureo-fulva* Hook. (1838) = *Bifrenaria secunda* (Hoehne) Pabst 1967
- Maxillaria aureofulva* (Lindl.) Hook. 1838 = *Bifrenaria secunda* (Hoehne) Pabst 1967
- Maxillaria balsamea* (A.Rich) Beer 1854 = *Lycaste cruenta* Lindl. 1843
- Maxillaria barbata* Knowles & Westc. (1841) = *Bifrenaria vitellina* (Lindl.) Lindl. (1843)
- Maxillaria barringtoniae* Hort Rchb.f. (1896) = *Bifrenaria harrisoniae* (Hook.) Rchb.f. (1854)
- Maxillaria barringtoniae* (Sm.) Lodd. 1832 = *Lycaste barringtoniae* (Sm.) Lindl. (1844)
- Maxillaria boothii* Lindl. 1838 = *Nidema boothii* (Lindl.) Schltr. 1922
- Maxillaria brachyglossa* A.Rich. & Galeotti 1845 = *Trigonidium egertonianum* Bateman ex Lindl. 1838
- Maxillaria bracteata* (Schltr.) Ames & C. Schweinf. #4 II 64 ORCHIDACEAE
- Maxillaria brevilabia* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE
- Maxillaria brevispatha* Klotzsch 1851 = *Lycaste brevispatha* (Klotzsch) Lindl. 1852
- Maxillaria camaridii* Reichb.f. #4 II 64 ORCHIDACEAE
- Maxillaria campanulata* C. Schweinf. #4 II 64 ORCHIDACEAE
- Maxillaria candida* Lindl. 1841 = *Lycaste candida* Lindl. ex Rchb.f. 1866? 1861?
- Maxillaria chacoensis* Dodson #4 II 64 ORCHIDACEAE
- Maxillaria chrysopera* (C.morren) Beer 1854 = *Lycaste deppei* (G.Lodd.) Lindl. 1843
- Maxillaria ciliata* Ruiz & Pav. 1798 = *Lycaste ciliata* (Ruiz & Pav.) Lindl. ex Rchb.f.
- Maxillaria cinnabrina* = *Lycaste cinnabrina* (Lindl.) Rolfe 1893
- Maxillaria cochleata* (Lindl. & Paxton) Beer 1854 = *Lycaste cochleata* Lindl. & Paxton (1850-1)
- Maxillaria concavilabia* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE
- Maxillaria conduplicata* (Ames & C. Schweinf.) Williams #4 II 64 ORCHIDACEAE
- Maxillaria confusa* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE
- Maxillaria costata* Lindl. 1838 = *Lycaste ciliata* (Ruiz & Pav.) Lindl. ex Rchb.f.
- Maxillaria costata* Lindl. 1838 = *Lycaste costata* (Lindl.) Lindl. 1843
- Maxillaria cruenta* Lindl. 1842 = *Lycaste cruenta* Lindl. 1843
- Maxillaria cucullata* Lindley #4 II 64 ORCHIDACEAE
- Maxillaria deppei* G.Lodd. 1830 = *Lycaste deppei* (G.Lodd.) Lindl. 1843
- Maxillaria endresii* Reichb.f. #4 II 64 ORCHIDACEAE
- Maxillaria fimbriata* Poepp. & Endl. 1836 = *Lycaste fimbriata* (Poepp. & Endl.) Cogn. 1898
- Maxillaria fimbriata* Poepp. & Endl. 1836 = *Lycaste ciliata* (Ruiz & Pav.) Lindl. ex Rchb.f.
- Maxillaria galeata* Lindl. 1831 = *Gongora galeata* (Lindl.) Rchb.f. 1854
- Maxillaria galeata* Schltr. 1920 = *Mormolyca galeata* Garay & Wirth 1959
- Maxillaria gentryi* Dodson #4 II 64 ORCHIDACEAE
- Maxillaria gigantea* Beer 1854 = *Lycaste longipetala* (Ruiz & Pav.) Garay 1962
- Maxillaria goeringii* Rchb.f. = *Cymbidium goeringii* (Rchb.f.) Rchb.f.

- Maxillaria grandis* Reichb.f. #4 II 64 ORCHIDACEAE  
*Maxillaria haberl* Atwood J.T. #4 II 64 ORCHIDACEAE  
*Maxillaria harrisoniae* (Hook.) Lindl. (1825) = *Bifrenaria harrisoniae* (Hook.) Rchb.f. (1854)  
*Maxillaria hematoglossa* A. Rich. & Galeotti #4 II 64 ORCHIDACEAE  
*Maxillaria heynderycxii* E.Morren 1845 = *Lycaste longipetala* (Ruiz & Pav.) Garay 1962  
*Maxillaria heynderycxii* E.Morren 1845 = *Lycaste barbifrons* Lindl. 1845  
*Maxillaria histrionica* (Reichb.f.) L.O. Williams #4 II 64 ORCHIDACEAE  
*Maxillaria inflexa* (Lindl.) Griseb. #4 II 64 ORCHIDACEAE  
*Maxillaria jucunda* Lehm. & Krzl. #4 II 64 ORCHIDACEAE  
*Maxillaria lateorubra* (Lindl.) Rchb.f. #4 II 64 ORCHIDACEAE  
*Maxillaria lehmannii* Reichb. f. #4 II 64 ORCHIDACEAE  
*Maxillaria leiantha* (Rich. ex Beer) Beer 1854 = *Lycaste deppei* (G.Lodd.) Lindl. 1843  
*Maxillaria leucantha* Klotzsch (1850) = *Lycaste leucantha* (Klotzsch) Lindl. (1851)  
*Maxillaria longipetala* Ruiz & Pav. 1798 = *Lycaste longipetala* (Ruiz & Pav.) Garay 1962  
*Maxillaria longipetiolata* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Maxillaria macrobulbon* Hook 1846 = *Lycaste macrobulbon* (Hook.) Lindl. 1850-1  
*Maxillaria macrophylla* Poepp. & Endl. 1836 = *Lycaste macrophylla* (Poepp. & Endl.) Lindl. 1843  
*Maxillaria maleolens* Schltr. #4 II 64 ORCHIDACEAE  
*Maxillaria marmoliana* Dodson #4 II 64 ORCHIDACEAE  
*Maxillaria microphyton* Schltr. #4 II 64 ORCHIDACEAE  
*Maxillaria molitor* Rchb.f. #4 II 64 ORCHIDACEAE  
*Maxillaria mombachoensis* A.H. Heller ex Atwood #4 II 64 ORCHIDACEAE  
*Maxillaria mooreana* Rolfe #4 II 64 ORCHIDACEAE  
*Maxillaria nagelii* L.O. Williams #4 II 64 ORCHIDACEAE  
*Maxillaria nicaraguensis* (Hamer & Garay) Atwood = *Neo-Urbania nicaraguensis* Hamer & Garay  
*Maxillaria oestlundiana* L.O. Williams #4 II 64 ORCHIDACEAE  
*Maxillaria parvula* Hook. (1832) = *Bifrenaria parvula* (Hook.) Rchb.f. 1862  
*Maxillaria parvula* Hook. (1832) = *Bifrenaria mellicolor* Rchb.f. (1878)  
*Maxillaria perryae* Dodson #4 II 64 ORCHIDACEAE  
*Maxillaria phyllomega* Steud. 1841 = *Lycaste macrophylla* (Poepp. & Endl.) Lindl. 1843  
*Maxillaria piestopus* Schltr. #4 II 64 ORCHIDACEAE  
*Maxillaria planicola* C. Schweinf. #4 II 64 ORCHIDACEAE  
*Maxillaria powellii* Schltr. #4 II 64 ORCHIDACEAE  
*Maxillaria pseudoreichenheimiana* Dodson #4 II 64 ORCHIDACEAE  
*Maxillaria pubigera* Klotzsch 1855 = *Bifrenaria harrisoniae* (Hook.) Rchb.f. (1854)  
*Maxillaria purpurascens* Knowles & Westc. 1863 = *Bifrenaria parvula* (Hook.) Rchb.f. 1862
- Maxillaria racemosa* Hook. (1827) = *Bifrenaria racemosa* (Hook.) Lindl. (1843)  
*Maxillaria ramonensis* Schltr. #4 II 64 ORCHIDACEAE  
*Maxillaria repens* L.O. Wms. #4 II 64 ORCHIDACEAE  
*Maxillaria rubrilabia* Schltr. #4 II 64 ORCHIDACEAE  
*Maxillaria sanderiana* Reichb. f. = *Maxillaria grandis* Reichb.f.  
*Maxillaria schistostele* Schltr. #4 II 64 ORCHIDACEAE  
*Maxillaria semiorbicularis* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Maxillaria serrulata* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Maxillaria sigmaoidea* (C. Schweinf.) Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Maxillaria skinneri* Bateman ex Lindl. 1840 = *Lycaste skinneri* (Bateman ex Lindl.) Lindl. 1843  
*Maxillaria skinneri* Lindl. 1840 = *Lycaste skinneri* (Bateman ex Lindl.) Lindl. 1843  
*Maxillaria spathacea* Lindl. = *Bifrenaria harrisoniae* (Hook.) Rchb.f. (1854)  
*Maxillaria stenopetala* Knowles & Westc. (1838) = *Bifrenaria secunda* (Hoehne) Pabst 1967  
*Maxillaria striata* Rolfe #4 II 64 ORCHIDACEAE  
*Maxillaria strumata* Ames & Correll #4 II 64 ORCHIDACEAE  
*Maxillaria suaveolens* Barringer #4 II 64 ORCHIDACEAE  
*Maxillaria tenuifolia* Lindley #4 II 64 ORCHIDACEAE  
*Maxillaria tetragona* Lindl. (1831) = *Cydoniorchis tetragona* (Lindl.) Senghas (1994)  
*Maxillaria tonduzii* (Schltr.) Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Maxillaria tricolor* Klotzsch (1852) = *Lycaste tricolor* (Klotzsch) Rchb.f. 1961? 1861?  
*Maxillaria trilobata* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Maxillaria tyrianthina* (Lodd. ex Loudon) W.Baxter = *Bifrenaria tyrianthina* (Lodd. ex Loudon) Rchb.f. (1858)  
*Maxillaria uncata* Lindl. #4 II 64 ORCHIDACEAE  
*Maxillaria vaginalis* Reichb.f. #4 II 64 ORCHIDACEAE  
*Maxillaria virginialis* Scheidw. 1842 = *Lycaste skinneri* (Bateman ex Lindl.) Lindl. 1843  
*Maxillaria vitellina* Lindl. (1838) = *Bifrenaria vitellina* (Lindl.) Lindl. (1843)  
*May-apple*, Himalayan (E): *Podophyllum hexandrum*  
*Meconopsis regia* G. Taylor #1 III PAPAVERACEAE (E)  
*Himalayan Poppy*  
*Mediocactus coccineus* (Salm-Dyck ex De Candolle) Britton & Rose = *Selenicereus setaceus* (Salm-Dyck ex De Candolle) Werdermann  
*Mediocactus hahnianus* Backeberg = *Echinopsis hahniana* (Backeberg) R.S.Wallace  
*Mediocactus hassleri* (Schumann) Backeberg = *Selenicereus setaceus* (Salm-Dyck ex De Candolle) Werdermann  
*Mediocactus lindmanii* (Weber) Backeberg = *Selenicereus setaceus* (Salm-Dyck ex De Candolle) Werdermann  
*Mediocactus megalanthus* (Schumann ex Vaupel) Britton & Rose = *Selenicereus megalanthus* (Schumann ex Vaupel) Moran

<i>Mediocactus pomifer</i> (Weingart) Backeberg = <i>Hylocereus trigonus</i> (Haworth) Safford	<i>Megaclinium bambiliense</i> De Wild. = <i>Bulbophyllum scaberulum</i> (Rolle) Bolus
<b><i>Mediocalcar</i> spp.</b> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Megaclinium buchenavianum</i> Kraenzl. = <i>Bulbophyllum calypratum</i> Kraenzl.
<i>Mediocalcar paradoxum</i> (Kranzlin) Schltr. #4 II 64 ORCHIDACEAE	<i>Megaclinium chevalieri</i> De Wild. = <i>Bulbophyllum scaberulum</i> (Rolle) Bolus
<i>Mediocalcar ponapense</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Megaclinium clarkei</i> Rolfe = <i>Bulbophyllum scaberulum</i> (Rolle) Bolus
<i>Mediolobivia auranitida</i> (Wessner) Krainz = <i>Rebutia einsteinii</i> Fric	<i>Megaclinium colubrinum</i> Rchb.f. = <i>Bulbophyllum colubrinum</i> (Rchb.f.) Rchb.f.
<i>Mediolobivia aureiflora</i> (Backeberg) Backeberg = <i>Rebutia aureiflora</i> Backeberg	<i>Megaclinium congolense</i> De Wild. = <i>Bulbophyllum imbricatum</i> Lindl..
<i>Mediolobivia brachyantha</i> (Wessner) Krainz = <i>Rebutia steinmannii</i> (Solms-Laubach) Britton & Rose	<i>Megaclinium djumaense</i> De Wild. = <i>Bulbophyllum maximum</i> (Lindl.) Rchb.f.
<i>Mediolobivia brunescens</i> (Rausch) W.Haage = <i>Rebutia brunescens</i> Rausch	<i>Megaclinium ealaense</i> De Wild. = <i>Bulbophyllum scaberulum</i> (Rolle) Bolus
<i>Mediolobivia conoidea</i> (Wessner) Krainz = <i>Rebutia einsteinii</i> Fric	<i>Megaclinium eburneum</i> Pfitzer = <i>Bulbophyllum scaberulum</i> (Rolle) Bolus
<i>Mediolobivia costata</i> (Wessner) Krainz = <i>Rebutia steinmannii</i> (Solms-Laubach) Britton & Rose	<i>Megaclinium endotrachys</i> Kraenzl. = <i>Bulbophyllum falcatum</i> (Lindl.) Rcb.f.
<i>Mediolobivia elegans</i> Backeberg = <i>Rebutia aureiflora</i> Backeberg	<i>Megaclinium falcatum</i> Lindl. = <i>Bulbophyllum falcatum</i> (Lindl.) Rcb.f.
<i>Mediolobivia eos</i> (Rausch) W.Haage = <i>Rebutia pygmaea</i> (R.Fries) Britton & Rose	<i>Megaclinium flaccidum</i> Hook.f. = <i>Bulbophyllum calypratum</i> Kraenzl.
<i>Mediolobivia euanthema</i> (Backeberg) Krainz = <i>Rebutia aureiflora</i> Backeberg	<i>Megaclinium gilletii</i> De Wild. = <i>Bulbophyllum imbricatum</i> Lindl..
<i>Mediolobivia eucaliptana</i> (Backeberg) Krainz = <i>Rebutia steinmannii</i> (Solms-Laubach) Britton & Rose	<i>Megaclinium hebetatum</i> Kraenzl. = <i>Bulbophyllum imbricatum</i> Lindl..
<i>Mediolobivia haefneriana</i> Cullmann = <i>Rebutia pygmaea</i> (R.Fries) Britton & Rose	<i>Megaclinium hemirhachis</i> Pfitzer = <i>Bulbophyllum falcatum</i> (Lindl.) Rcb.f.
<i>Mediolobivia hirsutissima</i> Cardenas = <i>Echinopsis tiegeliana</i> (Wessner) Hunt	<i>Megaclinium imbricatum</i> (Lindl.) Rolfe = <i>Bulbophyllum imbricatum</i> Lindl..
<i>Mediolobivia ithyacantha</i> Cardenas = <i>Rebutia fiebrigii</i> (Guerke) Britton & Rose ex Bailey	<i>Megaclinium imschootianum</i> Rolfe = <i>Bulbophyllum colubrinum</i> (Rchb.f.) Rchb.f.
<i>Mediolobivia neopygmaea</i> Backeberg = <i>Rebutia einsteinii</i> Fric	<i>Megaclinium inaequale</i> Rchb.f. = <i>Bulbophyllum colubrinum</i> (Rchb.f.) Rchb.f.
<i>Mediolobivia nigricans</i> (Wessner) Krainz = <i>Rebutia nigricans</i> (Wessner) Hunt	<i>Megaclinium injoloense</i> (De Wild.) De Wild. = <i>Bulbophyllum injoloense</i> De Wild.
<i>Mediolobivia pectinata</i> (Backeberg) Backeberg & Krainz = <i>Rebutia pygmaea</i> (R.Fries) Britton & Rose	<i>Megaclinium jesperseni</i> De Wild. = <i>Bulbophyllum scaberulum</i> (Rolle) Bolus
<i>Mediolobivia pygmaea</i> (Fries) Krainz = <i>Rebutia pygmaea</i> (R.Fries) Britton & Rose	<i>Megaclinium laurentianum</i> (Kraenzl.) De Wild. = <i>Bulbophyllum imbricatum</i> Lindl..
<i>Mediolobivia ritteri</i> (Wessner) Krainz = <i>Rebutia ritteri</i> (Wessner) Buining & Donald	<i>Megaclinium ledermannii</i> Kraenzl. = <i>Bulbophyllum imbricatum</i> Lindl..
<i>Mediolobivia schmeidcheniana</i> (Kohler) Krainz = <i>Rebutia einsteinii</i> Fric	<i>Megaclinium lepturum</i> Kraenzl. = <i>Bulbophyllum calypratum</i> Kraenzl.
<i>Medusea fructus-pini</i> (Miller) Haworth = <i>Euphorbia caput-medusae</i> L.	<i>Megaclinium leucorrhachis</i> Rolfe = <i>Bulbophyllum imbricatum</i> Lindl..
<i>Medusea globosa</i> (Haworth) Klotzsch & Garcke = <i>Euphorbia globosa</i> (Haw.) Sims	<i>Megaclinium lindleyi</i> Rolfe = <i>Bulbophyllum calypratum</i> Kraenzl.
<i>Medusea hamata</i> (Haworth) Klotzsch & Garcke) = <i>Euphorbia hamata</i> (Haw.) Sweet	<i>Megaclinium lutescens</i> Rolfe = <i>Bulbophyllum falcipetalum</i> Lindl.
<i>Medusea major</i> (Aiton) Haworth = <i>Euphorbia caput-medusae</i> L.	<i>Megaclinium maximum</i> Lindl. = <i>Bulbophyllum maximum</i> (Lindl.) Rchb.f.
<i>Medusea patula</i> (Haworth) Klotzsch & Garcke = <i>Euphorbia tridentata</i> Lam.	<i>Megaclinium melleri</i> Hook.f. = <i>Bulbophyllum sandersonii</i> (Hook.f.) Rchb.f.
<i>Medusea tessellata</i> Haworth = <i>Euphorbia caput-medusae</i> L.	<i>Megaclinium nummularia</i> Wendl. & Kraenzl. = <i>Bulbophyllum nummularia</i> (Wendl. & Kraenzl.) Rolfe
<i>Medusea tridentata</i> (Lamarck) Klotzsch & Garcke = <i>Euphorbia tridentata</i> Lam.	<i>Megaclinium oxyodon</i> Rchb.f. = <i>Bulbophyllum falcatum</i> (Lindl.) Rcb.f.
<i>Medusea tuberculata</i> (Jacquin) Klotzsch & Garcke = <i>Euphorbia tuberculata</i> Jacq.	

<i>Megaclinium platyrhachis</i> Rolfe = <i>Bulbophyllum maximum</i> (Lindl.) Rchb.f.	<i>Melocactus azureus</i> Buining & Brederoo #4 II 49 CACTACEAE
<i>Megaclinium pobeguinii</i> Finet = <i>Bulbophyllum scaberulum</i> (Rolfe) Bolus	<i>Melocactus bahiensis</i> (Britton & Rose) Luetzelburg #4 II 49 CACTACEAE
<i>Megaclinium purpuratum</i> Lindl. = <i>Bulbophyllum maximum</i> (Lindl.) Rchb.f.	<i>Melocactus barbareae</i> Antesberger = <i>Melocactus macracanthos</i> (Salm-Dyck) Link & Otto
<i>Megaclinium purpureorachis</i> De Wild. = <i>Bulbophyllum purpureorhachis</i> (De Wild.) Schltr.	<i>Melocactus bellavistensis</i> Rauh & Backeberg #4 II 49 CACTACEAE
<i>Megaclinium pusillum</i> Rolfe = <i>Bulbophyllum sandersonii</i> (Hook.f.) Rchb.f.	<i>Melocactus borhidii</i> Meszaros = <i>Melocactus harlowii</i> (Britton & Rose) Vaupel
<i>Megaclinium renkinianum</i> Laurent = <i>Bulbophyllum renkinianum</i> (Laurent) De Wild.	<i>Melocactus bozsingianus</i> Antesberger = <i>Melocactus macracanthos</i> (Salm-Dyck) Link & Otto
<i>Megaclinium sandersoni</i> Hook.f. = <i>Bulbophyllum sandersonii</i> (Hook.f.) Rchb.f.	<i>Melocactus broadwayi</i> (Britton & Rose) Berger #4 II 49 CACTACEAE
<i>Megaclinium scaberulum</i> Rolfe = <i>Bulbophyllum scaberulum</i> (Rolfe) Bolus	<i>Melocactus canescens</i> Ritter = <i>Melocactus zehntneri</i> (Britton & Rose) Luetzelburg
<i>Megaclinium strobiliferum</i> (Kraenzl.) Rolfe = <i>Bulbophyllum imbricatum</i> Lindl..	<i>Melocactus caroli-linnaei</i> Taylor #4 II 49 CACTACEAE
<i>Megaclinium subcoriaceum</i> De Wild. = <i>Bulbophyllum maximum</i> (Lindl.) Rchb.f.	<i>Melocactus communis</i> Link & Otto = <i>Melocactus intortus</i> (Miller) Urban
<i>Megaclinium tentaculigerum</i> (Rchb.f.) Durand & Schinz. = <i>Bulbophyllum sandersonii</i> (Hook.f.) Rchb.f.	<i>Melocactus concinnus</i> Buining & Brederoo #4 II 49 CACTACEAE
<i>Megaclinium triste</i> Rolfe = <i>Bulbophyllum imbricatum</i> Lindl..	<i>Melocactus conoideus</i> Buining & Brederoo I CACTACEAE (E) Conelike Turk's-cap Cactus
<i>Megaclinium ugandae</i> Rolfe = <i>Bulbophyllum falcatum</i> (Lindl.) Rcb.f.	<i>Melocactus coronatus</i> (Lamarck) Backeberg = <i>Melocactus intortus</i> (Miller) Urban
<i>Megaclinium zobiaense</i> De Wild. = <i>Bulbophyllum scaberulum</i> (Rolfe) Bolus	<i>Melocactus coronatus</i> (Lamarck) Backeberg = <i>Melocactus caroli-linnaei</i> Taylor
<b><i>Megalotus</i> spp.</b> Garay #4 II 64 ORCHIDACEAE	<i>Melocactus curvicornis</i> Buining & Brederoo = <i>Melocactus zehntneri</i> (Britton & Rose) Luetzelburg
<b><i>Megastylis</i> spp.</b> Schlechter #4 II 64 ORCHIDACEAE	<i>Melocactus curvispinus</i> Pfeiffer #4 II 49 CACTACEAE
<i>Megastylis glandulosa</i> (Schltr.) Schltr. #4 II 64 ORCHIDACEAE	<b><i>Melocactus deinacanthus</i></b> Buing & Brederoo I CACTACEAE (E) Wonderfully-bristled Turk's-cap Cactus
<i>Megastylis latilabris</i> (Schltr.) Schltr. #4 II 64 ORCHIDACEAE	<i>Melocactus diersianus</i> Buining & Brederoo = <i>Melocactus levitestatus</i> Buining & Brederoo
<i>Megastylis latissima</i> (Schltr.) Schltr. #4 II 64 ORCHIDACEAE	<i>Melocactus douradaensis</i> Hovens & Strecker = <i>Melocactus zehntneri</i> (Britton & Rose) Luetzelburg
<i>Megastylis montana</i> (Schltr.) Schltr. #4 II 64 ORCHIDACEAE	<i>Melocactus ernestii</i> Vaupel #4 II 49 CACTACEAE
<i>Megastylis paradoxa</i> (Kranzlin) Halle #4 II 64 ORCHIDACEAE	<b><i>Melocactus estevesii</i></b> Braun #4 II 49 CACTACEAE
<i>Megastylis rara</i> (Schltr.) Schltr. #4 II 64 ORCHIDACEAE	<i>Melocactus evae</i> Meszaros = <i>Melocactus harlowii</i> (Britton & Rose) Vaupel
<b><i>Meiracyllium</i> spp.</b> Reichb.f. #4 II 64 ORCHIDACEAE	<i>Melocactus fortalezensis</i> Rauh & Backeberg = <i>Melocactus peruvianus</i> Vaupel
<i>Meiracyllium wendlandi</i> Reichb.f. #4 II 64 ORCHIDACEAE	<i>Melocactus giganteus</i> Buining & Brederoo = <i>Melocactus zehntneri</i> (Britton & Rose) Luetzelburg
<b><i>Melocactus</i> spp.</b> Link & Otto #4 I/II 49 CACTACEAE	<b><i>Melocactus glaucescens</i></b> Buining & Brederoo I CACTACEAE (E) Woolly Waxy-stemmed Turk's-cap Cactus
<i>Melocactus actinacanthus</i> Areces = <i>Melocactus matanzanus</i> Leon	<i>Melocactus guaricensis</i> Croizat = <i>Melocactus neryi</i> Schumann
<i>Melocactus acunae lagunaensis</i> Meszaros = <i>Melocactus harlowii</i> (Britton & Rose) Vaupel	<i>Melocactus guitarpii</i> León = <i>Melocactus curvispinus</i> Pfeiffer
<i>Melocactus acunae</i> Leon = <i>Melocactus harlowii</i> (Britton & Rose) Vaupel	<b><i>Melocactus harlowii</i></b> (Britton & Rose) Vaupel #4 II 49 CACTACEAE
<b><i>Melocactus albicephalus</i></b> Buining & Brederoo #4 II 49 CACTACEAE	<i>Melocactus helvolilanatus</i> Buining & Brederoo = <i>Melocactus zehntneri</i> (Britton & Rose) Luetzelburg
<i>Melocactus amstutziae</i> Rauh & Backeberg = <i>Melocactus peruvianus</i> Vaupel	<i>Melocactus hispaniolicus</i> Vaupuel = <i>Melocactus lemairei</i> (Monville ex Lemaire) Miquel ex Lemaire
<b><i>Melocactus andinus</i></b> Gruber ex Taylor #4 II 49 CACTACEAE	
<i>Melocactus arcuatispinus</i> Brederoo & Eerkens = <i>Melocactus zehntneri</i> (Britton & Rose) Luetzelburg	
<i>Melocactus axiniphorus</i> Buining & Brederoo = <i>Melocactus concinnus</i> Buining & Brederoo	

- Melocactus holguinensis* Areces = *Melocactus curvispinus* Pfeiffer *Melocactus securituberculatus* Buining & Brederoo = *Melocactus levitestatus* Buining & Brederoo
- Melocactus horridus*** Werdermann #4 II 49 CACTACEAE ***Melocactus smithii*** (Alexander) Buining ex Rowley #4 II 49 CACTACEAE
- Melocactus huallancaensis* Rauh & Backeberg = *Melocactus peruvianus* Vaupel
- Melocactus inclinatus* Antesberger = *Melocactus macracanthos* (Salm-Dyck) Link & Otto
- Melocactus inconcinnus* Ritter = *Melocactus salvadorensis* Werdermann
- Melocactus intortus*** (Miller) Urban #4 II 49 CACTACEAE (E) Pope's Head Cactus, Red-topped Barrel Cactus, Turk's Cap Cactus, Turk's Head Cactus (F) Tête à l'anglais
- Melocactus jakusii* Meszaros = *Melocactus curvispinus* Pfeiffer
- Melocactus jansenianus* Backeberg = *Melocactus peruvianus* Vaupel
- Melocactus lanssensianus*** Braun #4 II 49 CACTACEAE *Melocactus laui* Antesberger = *Melocactus macracanthos* (Salm-Dyck) Link & Otto
- Melocactus lemairei*** (Monville ex Lemaire) Miquel ex Lemaire #4 II 49 CACTACEAE
- Melocactus levitestatus*** Buining & Brederoo #4 II 49 CACTACEAE
- Melocactus macracanthos*** (Salm-Dyck) Link & Otto #4 II 49 CACTACEAE
- Melocactus macrodiscus* Werdermann = *Melocactus zehntneri* (Britton & Rose) Luetzelburg
- Melocactus matanzanus*** Leon #4 II 49 CACTACEAE
- Melocactus mazelianus*** Riha #4 II 49 CACTACEAE
- Melocactus melocactoides* (Hoffmannsegg) De Candolle = *Melocactus violaceus* Pfeiffer
- Melocactus nagyi* Meszaros = *Melocactus harlowii* (Britton & Rose) Vaupel
- Melocactus neryi*** Schumann #4 II 49 CACTACEAE
- Melocactus oculalii* Riha ex W.Haage = *Melocactus harlowii* (Britton & Rose) Vaupel
- Melocactus oreas*** Miquel #4 II 49 CACTACEAE
- Melocactus pachyacanthus*** Buining & Brederoo #4 II 49 CACTACEAE
- Melocactus paucispinus*** Heimen & Paul I CACTACEAE (E) Few-spined Turk's-cap Cactus
- Melocactus perezassoi*** Areces #4 II 49 CACTACEAE
- Melocactus peruvianus*** Vaupel #4 II 49 CACTACEAE
- Melocactus pruinosis* Werdermann = *Melocactus concinnus* Buining & Brederoo
- Melocactus radoczii* Meszaros = *Melocactus harlowii* (Britton & Rose) Vaupel
- Melocactus robustispinus* Buining & Brederoo = *Melocactus concinnus* Buining & Brederoo
- Melocactus rubrispinus* Ritter = *Melocactus levitestatus* Buining & Brederoo
- Melocactus salvadorensis*** Werdermann #4 II 49 CACTACEAE
- Melocactus saxicola* Diers & Esteves Pereira = *Melocactus zehntneri* (Britton & Rose) Luetzelburg
- Melocactus schatzlii*** Till & Gruber #4 II 49 CACTACEAE
- Melocactus schulzianus* Buining & Brederoo = *Melocactus neryi* Schumann
- Melocactus trujilloensis* Rauh & Backeberg = *Melocactus peruvianus* Vaupel
- Melocactus uebelmannii* Braun = *Melocactus levitestatus* Buining & Brederoo
- Melocactus unguispinus* Backeberg = *Melocactus peruvianus* Vaupel
- Melocactus violaceus*** Pfeiffer #4 II 49 CACTACEAE
- Melocactus warasii* Pereira & Buenecker = *Melocactus levitestatus* Buining & Brederoo
- Melocactus zehntneri*** (Britton & Rose) Luetzelburg #4 II 49 CACTACEAE
- Melocactus zehntneri canescens* (Ritter) Braun = *Melocactus zehntneri* (Britton & Rose) Luetzelburg
- Melocactus zehntneri robustispinus* (Buining et al.) Braun = *Melocactus concinnus* Buining & Brederoo
- Mesadenella* spp. Pabst & Garay #4 II 64 ORCHIDACEAE
- Mesadenella cuspidata* (Lindl.) Garay #4 II 64 ORCHIDACEAE
- Mesadenella petenensis* (L.O. Williams) Garay #4 II 64 ORCHIDACEAE
- Mesadenus* spp. Schltr. #4 II 64 ORCHIDACEAE
- Mesadenus glaziovii* (Cogn.) Schltr. #4 II 64 ORCHIDACEAE
- Mesadenus portoricensis* Schlechter #4 II 64 ORCHIDACEAE
- Mesoglossum* spp.** Halbinger #4 II 64 ORCHIDACEAE
- Mesoglossum londesboroughianum* (Reichb.f.) Halbinger #4 II 64 ORCHIDACEAE
- Mesospinidium* spp.** Reichb.f. #4 II 64 ORCHIDACEAE
- Mesospinidium elegantulum* (Rchb.f.) Garay = *Brassia elegantula* Rchb.f. 1885
- Mesospinidium panamense* Garay #4 II 64 ORCHIDACEAE
- Mexicoa* spp.** Garay #4 II 64 ORCHIDACEAE
- Mexicoa ghiesbrechtiana* (Rich. & Galeotti) Garay #4 II 64 ORCHIDACEAE
- Mexipedium* spp.** Albert & Chase #4 II 64 ORCHIDACEAE
- Mexipedium xerophyticum* V.Albert & M.W.Chase = *Phragmipedium xerophyticum* J.C.Soto, Salazar & Hágster
- Meyerocactus horizonthalonius* (Lemaire) Doweld = *Echinocactus horizonthalonius* Lemaire
- Micranthocereus* spp.** Backeb. #4 II 49 CACTACEAE
- Micranthocereus albicephalus*** (Buining & Brederoo) Ritter #4 II 49 CACTACEAE
- Micranthocereus aureispinus* Ritter = *Micranthocereus albicephalus* (Buining & Brederoo) Ritter
- Micranthocereus auriazureus*** Buining & Brederoo #4 II 49 CACTACEAE
- Micranthocereus densiflorus* Buining & Brederoo = *Micranthocereus flaviflorus* Buining & Brederoo
- Micranthocereus dolichospermaticus*** (Buining & Brederoo) Ritter #4 II 49 CACTACEAE

- Micranthocereus estevesii*** (Buining & Brederoo) Ritter #4 II 49 CACTACEAE
- Micranthocereus flaviflorus*** Buining & Brederoo #4 II 49 CACTACEAE
- Micranthocereus flaviflorus densiflorus* (Buining & Brederoo) Braun & Esteves Pereira = *Micranthocereus flaviflorus* Buining & Brederoo
- Micranthocereus haematocarpus* Ritter = *Micranthocereus purpureus* (Guerke) Ritter
- Micranthocereus lehmannianus* (Werdermann) Ritter = *Micranthocereus purpureus* (Guerke) Ritter
- Micranthocereus monteazulensis* Ritter = *Micranthocereus albicephalus* (Buining & Brederoo) Ritter
- Micranthocereus polyanthus*** (Werdermann) Backeberg #4 II 49 CACTACEAE
- Micranthocereus purpureus*** (Guerke) Ritter #4 II 49 CACTACEAE
- Micranthocereus ruficeps* Ritter = *Micranthocereus purpureus* (Guerke) Ritter
- Micranthocereus streckeri*** Heek & Crieking #4 II 49 CACTACEAE
- Micranthocereus uilianus* Brederoo & Bercht = *Micranthocereus flaviflorus* Buining & Brederoo
- Micranthocereus violaciflorus*** Buining #4 II 49 CACTACEAE
- Microcoelia spp.*** Lindl. #4 II 64 ORCHIDACEAE
- Microcoelia bieleri* #4 II 64 ORCHIDACEAE
- Microcoelia caespitosa* #4 II 64 ORCHIDACEAE
- Microcoelia dolichorrhiza* #4 II 64 ORCHIDACEAE
- Microcoelia exilis* #4 II 64 ORCHIDACEAE
- Microcoelia gilpiniae* #4 II 64 ORCHIDACEAE
- Microcoelia globulosa* #4 II 64 ORCHIDACEAE
- Microcoelia koehleri* #4 II 64 ORCHIDACEAE
- Microcoelia konduensis* #4 II 64 ORCHIDACEAE
- Microcoelia macrorrhynchia* #4 II 64 ORCHIDACEAE
- Microcoelia megalorrhiza* #4 II 64 ORCHIDACEAE
- Microcoelia perrieri* #4 II 64 ORCHIDACEAE
- Microcoelia physophora* #4 II 64 ORCHIDACEAE
- Microcoelia smithii* #4 II 64 ORCHIDACEAE
- Microcycas spp.*** (Miq.) A. DC. #4 I ZAMIACEAE
- Microcycas calocoma*** (Miq.) A.DC. I ZAMIACEAE (E) Palm Corcho (S) Palma corcho
- Micropora spp.*** Lindl. #4 II 64 ORCHIDACEAE
- Micropora apiculata* (Rchb.f.) Garay #4 II 64 ORCHIDACEAE
- Micropora fuscolutea* (Lindl.) Garay #4 II 64 ORCHIDACEAE
- Micropora pallida* Lindl. #4 II 64 ORCHIDACEAE
- Micropora rostrata* (Roxb) N.P.Balakr. #4 II 64 ORCHIDACEAE
- Micropora uncinata* (Tiejs. & Binn) Garay #4 II 64 ORCHIDACEAE
- Micropuntia barkleyana* Daston = *Opuntia pulchella* Engelmann
- Micropuntia brachyrhopalica* Daston = *Opuntia pulchella* Engelmann
- Micropuntia gracilicylindrica* Wiegand & Backeberg = *Opuntia pulchella* Engelmann
- Micropuntia pulchella* (Engelmann) C.Holland = *Opuntia pulchella* Engelmann
- Micropuntia pygmaea* Weigand & Backeberg = *Opuntia pulchella* Engelmann
- Micropuntia tuberculosirhopalica* Weigand & Backeberg = *Opuntia pulchella* Engelmann
- Micropuntia weigandii* Backeberg = *Opuntia pulchella* Engelmann
- Microsaccus spp.*** Blume #4 II 64 ORCHIDACEAE
- Microsaccus affinis* J.J. Smith #4 II 64 ORCHIDACEAE
- Microsaccus ampullaceus* J.J.Sm. #4 II 64 ORCHIDACEAE
- Microsaccus brevifolius* J.J. Smith #4 II 64 ORCHIDACEAE
- Microsaccus griffithii* (C.S.P.Parish & Rchb.f.) Seidenf. #4 II 64 ORCHIDACEAE
- Microsaccus javensis* Blume #4 II 64 ORCHIDACEAE
- Microsaccus ramosus* J.J. Smith #4 II 64 ORCHIDACEAE
- Microsaccus truncatus* Carr #4 II 64 ORCHIDACEAE
- Microstylis spp.* (Nutt.) Eaton #4 II 64 ORCHIDACEAE
- Microstylis boninensis* Koidz. = *Malaxis hahajimensis* S. Kobayashi
- Microstylis humilis* Cogn. = *Encyclia pygmaea* (Hook.) Dressler
- Microstylis monophyllos* (L.) Lindl. #4 II 64 ORCHIDACEAE
- Microstylis wallichii* Lindley #4 II 64 ORCHIDACEAE
- Microtatorchis spp.*** Schlechter #4 II 64 ORCHIDACEAE
- Microtatorchis hosokawae* Fukuyama #4 II 64 ORCHIDACEAE
- Microtatorchis javanica* J.J. Smith #4 II 64 ORCHIDACEAE
- Microtatorchis oreophila* Schltr. #4 II 64 ORCHIDACEAE
- Microtatorchis papillosa* J.J. Smith #4 II 64 ORCHIDACEAE
- Microtatorchis schlechteri* Garay #4 II 64 ORCHIDACEAE
- Microtatorchis steenisii* J.J. Smith #4 II 64 ORCHIDACEAE
- Microterangis spp.*** Senghas #4 II 64 ORCHIDACEAE
- Microterangis boutonii* #4 II 64 ORCHIDACEAE
- Microterangis hildebrandtii* #4 II 64 ORCHIDACEAE
- Microterangis humblotii* #4 II 64 ORCHIDACEAE
- Microterangis oligantha* #4 II 64 ORCHIDACEAE
- Microtis spp.*** R. Br. #4 II 64 ORCHIDACEAE
- Microtis arenaria* Lindl. #4 II 64 ORCHIDACEAE
- Microtis globula* R.Bates #4 II 64 ORCHIDACEAE
- Microtis parviflora* R. Br. #4 II 64 ORCHIDACEAE
- Microtis pulchella* R.Br. #4 II 64 ORCHIDACEAE
- Mila spp.*** Britton & Rose #4 II 49 CACTACEAE
- Mila albisaetacens* Rauh & Backeberg = *Mila pugionifera* Rauh & Backeberg
- Mila alboareolata* Akers = *Mila nealeana* Backeberg
- Mila breviseta* Rauh & Backeberg = *Mila nealeana* Backeberg
- Mila caespitosa*** Britton & Rose #4 II 49 CACTACEAE
- Mila caespitosa nealana* (Backeberg) Donald = *Mila nealeana* Backeberg
- Mila cereoides* Rauh & Backeberg = *Mila pugionifera* Rauh & Backeberg

- Mila colorea*** Ritter #4 II 49 CACTACEAE  
*Mila densiseta* Rauh & Backeberg = *Mila nealeana* Backeberg  
*Mila fortalezensis* Rauh & Backeberg = *Mila pugionifera* Rauh & Backeberg  
*Mila kubeana* Werdermann & Backeberg = *Mila nealeana* Backeberg  
*Mila larinensis* Rauh & Backeberg = *Mila nealeana* Backeberg  
***Mila nealeana*** Backeberg #4 II 49 CACTACEAE  
***Mila pugionifera*** Rauh & Backeberg #4 II 49 CACTACEAE  
*Mila sublanata* Rauh & Backeberg = *Mila pugionifera* Rauh & Backeberg  
***Miltonia spp.*** Lindl. #4 II 64 ORCHIDACEAE  
*Miltonia anceps* Lindley = *Miltonia flava* Lindl.  
*Miltonia bicolor* Lodd. ex W.Baxter = *Miltonia spectabilis* Lindley  
***Miltonia binotii*** Cogn. #4 II 64 ORCHIDACEAE  
*Miltonia bismarckii* (Dodson & D.E.Benn.) P.F.Hunt = *Miltoniopsis bismarckii* Dodson & D.E.Benn.  
***Miltonia bluntii*** Reichb.f. #4 II 64 ORCHIDACEAE  
*Miltonia candida* Lindley = *Anneliesia candida*  
***Miltonia castanea*** Rolfe #4 II 64 ORCHIDACEAE  
*Miltonia cereola* Lem. = *Miltonia regnelli* Rchb.f.  
***Miltonia clowesii*** Lindley #4 II 64 ORCHIDACEAE  
***Miltonia cogniauxiae*** F. Peeters #4 II 64 ORCHIDACEAE  
*Miltonia cuneata* Lindley = *Anneliesia cuneata*  
*Miltonia cyrtochiliodes* Barb.Rodr. = *Miltonia festiva* (Rchb.f.) Nicholson  
*Miltonia endresii* Nichols = *Miltoniopsis warszewiczii* (Rchb.f.) Garay & Dunst.  
***Miltonia festiva*** (Rchb.f.) Nicholson #4 II 64 ORCHIDACEAE  
***Miltonia flava*** Lindl. #4 II 64 ORCHIDACEAE  
***Miltonia flavescens*** (Lindl.) Lindl. #4 II 64 ORCHIDACEAE  
*Miltonia joyceyana* O'Brien = *Miltonia lamarckiana* Rchb.f.  
*Miltonia karwinskii* (Lindl.) Lindl. = *Miltonioides karwinskii* (Lindl.) Brieger & Luckel  
*Miltonia kayasimae* Pabst = *Anneliesia kayasimae*  
***Miltonia lamarckiana*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Miltonia lawrenceana* Cogn. = *Miltonia castanea* Rolfe  
***Miltonia leucoglossa*** Hort. #4 II 64 ORCHIDACEAE  
*Miltonia leucomelas* (Rchb.f.) Rolfe = *Miltonioides leucomelas* (Rchb.f.) Bockemuhl & Senghas  
*Miltonia loddigesii* Hort ex Rchb.f. = *Miltonia flavescens* (Lindl.) Lindl.  
*Miltonia moreliana* Hort. ex Lindl. = *Miltonia spectabilis* Lindley  
***Miltonia odorata*** Lodd. ex W.Baxt. #4 II 64 ORCHIDACEAE  
*Miltonia odorata* Hort. ex Rchb.f. 1855 = *Aspasia lunata* Lindl. 1836  
*Miltonia parva* C. Schweinf. = *Cischweinfia parva* (C. Schw.) Dressler & N. Wms.  
*Miltonia peetersiana* Rchb.f. = *Miltonia bluntii* Reichb.f.  
*Miltonia phalaenopsis* (Rchb.f.) Nichols = *Miltoniopsis phalaenopsis* (Rchb.f.) Garay & Dunst.  
*Miltonia pinelli* Hort. ex Rchb.f. = *Miltonia flava* Lindl.  
*Miltonia pulchella* Hort. ex Linden = *Miltoniopsis phalaenopsis* (Rchb.f.) Garay & Dunst.  
***Miltonia regnelli*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Miltonia reichenheimii* (Linden & Rchb.f.) Rolfe = *Miltonioides reichenheimii* (Linden & Rchb.f.) Brieger & Luckel  
*Miltonia roezlii* (Rchb.f.) Nichols = *Miltoniopsis roezlii* (Rchb.f.) God.-Leb.  
*Miltonia rosea* Verschaff. ex Lem. = *Miltonia spectabilis* Lindley  
***Miltonia rosina*** Barb. Rodr. #4 II 64 ORCHIDACEAE  
*Miltonia russelliana* Lindley = *Anneliesia russelliana*  
*Miltonia schroederiana* O'Brien = *Miltonioides schroederiana* (O'Brien) Brieger & Luckel  
***Miltonia spectabilis*** Lindley #4 II 64 ORCHIDACEAE  
*Miltonia stellata* Lindl. = *Miltonia flavescens* (Lindl.) Lindl.  
*Miltonia superba* Schltr. = *Miltoniopsis warszewiczii* (Rchb.f.) Garay & Dunst.  
*Miltonia velloziana* Ruschi & La Gasa = *Anneliesia cuneata*  
*Miltonia vexillaria* (Rchb.f.) Nichols. = *Miltoniopsis vexillaria* (Rchb.f.) God.-Leb.  
*Miltonia warneri* Nichols = *Miltonia spectabilis* Lindley  
*Miltonia warszewiczii* Reichb.f. = *Oncidium fuscatum* Rchb.f.  
***Miltonioides spp.*** Brieger & Luckel #4 II 64 ORCHIDACEAE  
***Miltonioides carinifera*** (Rchb.f.) Senghas & Luckel #4 II 64 ORCHIDACEAE  
*Miltonioides confusa* (Garay) Brieger & Luckel = *Miltonioides schroederiana* (O'Brien) Brieger & Luckel  
***Miltonioides karwinskii*** (Lindl.) Brieger & Luckel #4 II 64 ORCHIDACEAE  
***Miltonioides laevis*** (Lindl.) Brieger & Luckel #4 II 64 ORCHIDACEAE  
***Miltonioides leucomelas*** (Rchb.f.) Bockemuhl & Senghas #4 II 64 ORCHIDACEAE  
***Miltonioides oviedomotae*** (Hagsater) Senghas #4 II 64 ORCHIDACEAE  
***Miltonioides pauciflora*** (L.O. Williams) Hamer & Garay #4 II 64 ORCHIDACEAE  
*Miltonioides pauciflora* (L.O.Williams) Hamer & Garay = *Miltonioides leucomelas* (Rchb.f.) Bockemuhl & Senghas  
***Miltonioides reichenheimii*** (Linden & Rchb.f.) Brieger & Luckel #4 II 64 ORCHIDACEAE  
***Miltonioides schroederiana*** (O'Brien) Brieger & Luckel #4 II 64 ORCHIDACEAE  
*Miltonioides stenoglossum* (Schltr.) Brieger & Luckel = *Miltonioides leucomelas* (Rchb.f.) Bockemuhl & Senghas  
***Miltoniopsis spp.*** God.-Leb. #4 II 64 ORCHIDACEAE  
***Miltoniopsis bismarckii*** Dodson & D.E.Benn. #4 II 64 ORCHIDACEAE  
***Miltoniopsis phalaenopsis*** (Rchb.f.) Garay & Dunst. #4 II 64 ORCHIDACEAE

- Miltoniopsis roezlii** (Rchb.f.) God.-Leb. #4 II 64  
ORCHIDACEAE
- Miltoniopsis santanaei** Garay & Dunst. #4 II 64  
ORCHIDACEAE
- Miltoniopsis santanaei* Garay & Dunst. sensu Jørgensen =  
*Miltoniopsis roezlii* (Rchb.f.) God.-Leb.
- Miltoniopsis vexillaria** (Rchb.f.) God.-Leb. #4 II 64  
ORCHIDACEAE
- Miltoniopsis warszewiczii** (Rchb.f.) Garay & Dunst. #4 II 64  
ORCHIDACEAE
- Miqueliopuntia miquelii* (Monville) Ritter = *Opuntia miquelii*  
Monville
- Mirabella albicaulis* (Britton & Rose) Ritter = *Cereus albicaulis* (Britton & Rose) Luetzburg
- Mirabella minensis* Ritter = *Cereus mirabella* Taylor
- Mischobulbum** spp. Schlechter #4 II 64 ORCHIDACEAE
- Mischobulbum cordifolium* (Hook.f.) Schlechter #4 II 64  
ORCHIDACEAE
- Mitrocereus fulviceps* (A. Weber) Backeberg =  
*Pachycereus fulviceps* (Lemaire) Hunt
- Mitrocereus militaris* (Audot) H. Bravo-Holl. = *Pachycereus militaris* (Audot) Hunt
- Mitrocereus ruficeps* (Weber) Backeberg = *Neobuxbaumia macrocephala* (Weber ex Schumann) Dawson
- Mobilabium** spp. Rupp #4 II 64 ORCHIDACEAE
- Mobilabium hamatum* Rupp #4 II 64 ORCHIDACEAE
- Moerenhoutia** spp. Blume #4 II 64 ORCHIDACEAE
- Moerenhoutia grandiflora* (Schltr.) Schltr. #4 II 64  
ORCHIDACEAE
- Moerenhoutia heteromorpha* Benth. & Hook.f. #4 II 64  
ORCHIDACEAE
- Monachanthus bushnani* Hook. = *Catasetum discolor* (Lindl.) Lindl.
- Monachanthus cristatus* (Lindl.) Lindl. = *Catasetum cristatum* Lindl.
- Monachanthus discolor* Lindl. = *Catasetum discolor* (Lindl.) Lindl.
- Monachanthus fimbriatus* Gardn. ex Hook. = *Catasetum roseo-album* (Hook.) Lindl.
- Monachanthus longifolius* (Lindl.) Hook. = *Catasetum longifolium* Lindl.
- Monachanthus roseo-albus* Hook. = *Catasetum roseo-album* (Hook.) Lindl.
- Monachanthus viridis* (Lindl.) Rchb.f. = *Catasetum cernuum* (Lindl.) Rchb.f.
- Monadenia** spp. Lindl. #4 II 64 ORCHIDACEAE
- Monadenia basutorum* (Schltr.) Rolfe = *Disa basutorum* Schltr.
- Monadenia ecalcarata* G.J.Lewis #4 II 64 ORCHIDACEAE
- Monadenia leydenburgensis* Kraenzl. = *Disa stachyoides* Rchb. f.
- Monadenia macrostachya* Lindl. #4 II 64 ORCHIDACEAE
- Monadenia physodes* (Sw.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Monadenia pygmaea* (Bolus) T.Durand & Schinz #4 II 64  
ORCHIDACEAE
- Monadenia sabulosa* (Bolus) Kraenzl. #4 II 64  
ORCHIDACEAE
- Monadenia tenuis* (Lindl.) Kraenzl. = *Disa tenuis* Lindl.
- Monixus aporum* Finet = *Angraecum podochiloides* Schltr.
- Monixus clavigera* (Ridl.) Finet. = *Angraecum clavigerum* Ridl.
- Monixus graminifolius* (Ridl.) Finet = *Angraecum pauciramosum* Schltr.
- Monixus multiflorus* (Thouars) Finet = *Angraecum multiflorum* Thouars
- Monixus striatus* (Thouars) Finet = *Angraecum striatum* Thouars
- Monixus teretifolius* (Ridl.) Finet = *Angraecum teretifolium* Ridl.
- Monomeria** spp. Lindl. #4 II 64 ORCHIDACEAE
- Monomeria barbata* Lindl. #4 II 64 ORCHIDACEAE
- Monomeria crabro* C.S.P.Parish & Rchb.f. = *Monomeria barbata* Lindl.
- Monomeria dichroma* (Rolfe) Schltr. #4 II 64  
ORCHIDACEAE
- Monomeria digitata* (J.J.Sm.) W.Kittr. = *Drymoda digitata* (J.J.Sm.) Garay, Hamer & Siegerist
- Monomeria gymnopus* (Hook.f.) Aver. = *Bulbophyllum gymnopus* Hook.f.
- Monomeria longipes* (Rchb.f.) Aver. #4 II 64  
ORCHIDACEAE
- Monomeria longipes* (Rchb.f.) Garay, Hamer & Siegerist =  
*Monomeria longipes* (Rchb.f.) Aver.
- Monomeria punctata* (Lindl) Schltr. = *Acrochaene punctata* Lindl.
- Monomeria rimannii* (Rchb.f.) Schltr. = *Sunipia rimannii* (Rchb.f.) Seidenf.
- Monophylloorchis** spp. Schltr. #4 II 64 ORCHIDACEAE
- Monosepalum** spp. Schlechter #4 II 64 ORCHIDACEAE
- Monosepalum dischorense* Schltr. #4 II 64  
ORCHIDACEAE
- Monosepalum muricatum* (J.J.Sm.) Schltr. #4 II 64  
ORCHIDACEAE
- Monosepalum torricellense* Schltr. #4 II 64  
ORCHIDACEAE
- Monvillea adelmarii* Rizzini & Mattos = *Cereus adelmarii* (Rizzini & Mattos) Braun
- Monvillea albicaulis* (Britton & Rose) Kiesling = *Cereus albicaulis* (Britton & Rose) Luetzburg
- Monvillea chacoana* Ritter = *Praecereus saxicola* (Morong) Taylor
- Monvillea ebenacantha* Ritter = *Cereus spegazzinii* Weber
- Monvillea haageana* Backeberg = *Cereus haageanus* (Backeberg) Taylor
- Monvillea insularis* (Hemsley) Britton & Rose = *Cereus insularis* Hemsley
- Monvillea kroenleinii* Kiesling = *Cereus kroenleinii* Taylor
- Monvillea lindenzwiegianus* (Guerke) Backeberg = *Cereus spegazzinii* Weber
- Monvillea minensis* (Ritter) Kiesling = *Cereus mirabella* Taylor
- Monvillea parapetiensis* Ritter = *Praecereus saxicola* (Morong) Taylor
- Monvillea phatnosperma* (Schumann) Britton & Rose = *Cereus phatnospermus* Schumann
- Monvillea rhodoleucantha* (Schumann) Berger = *Praecereus saxicola* (Morong) Taylor

- Monvillea saddiana* Rizzini & Mattos = *Cereus saddianus* (Rizzini & Mattos) Braun  
*Monvillea saxicola* (Morong) Berger = *Praecereus saxicola* (Morong) Taylor  
*Monvillea spegazzinii* (Weber) Britton & Rose = *Cereus spegazzinii* Weber  
*Morangaya pensilis* (K.Brandegee) Rowley = *Echinocereus pensilis* (K.Brandegee) J.Purpus  
*Morawetzia doelziana* Backeberg = *Oreocereus doelzianus* (Backeberg) Borg  
*Morawetzia sericata* Ritter = *Oreocereus doelzianus* (Backeberg) Borg  
*Morawetzia varicolor* (Backeberg) Knize = *Oreocereus varicolor* Backeberg  
***Mormodes*** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Mormodes andreettae* Dodson #4 II 64 ORCHIDACEAE  
*Mormodes aromatica* Lindley #4 II 64 ORCHIDACEAE  
*Mormodes atropurpureum* Lindley #4 II 64 ORCHIDACEAE  
*Mormodes colossus* Reichb.f. #4 II 64 ORCHIDACEAE  
*Mormodes cozticxochitl* Salazar #4 II 64 ORCHIDACEAE  
*Mormodes dayanum* Reichb.f. #4 II 64 ORCHIDACEAE  
*Mormodes fractiflexum* Reichb.f. #4 II 64 ORCHIDACEAE  
*Mormodes guentheriana* #4 II 64 ORCHIDACEAE  
*Mormodes hookeri* Lemaire #4 II 64 ORCHIDACEAE  
*Mormodes horichii* Fowlie #4 II 64 ORCHIDACEAE  
*Mormodes igneum* Lindley & Paxt. #4 II 64 ORCHIDACEAE  
*Mormodes lancilabris* Pabst #4 II 64 ORCHIDACEAE  
*Mormodes linea* #4 II 64 ORCHIDACEAE  
*Mormodes lobatum* Schltr. #4 II 64 ORCHIDACEAE  
*Mormodes luxata* Lindley #4 II 64 ORCHIDACEAE  
*Mormodes maculata* (Klotzsch) L.O. Williams #4 II 64 ORCHIDACEAE  
*Mormodes nagelii* L.O. Williams #4 II 64 ORCHIDACEAE  
*Mormodes oceloteoides* Rosillo #4 II 64 ORCHIDACEAE  
*Mormodes oestlundiana* Salazar & Hágster #4 II 64 ORCHIDACEAE  
*Mormodes pabstiana* Cardenas, Ramirez & Rosillo #4 II 64 ORCHIDACEAE  
*Mormodes pardalinata* Rosillo #4 II 64 ORCHIDACEAE  
*Mormodes powellii* Schltr. = *Mormodes colossus* Reichb.f.  
*Mormodes ramirezii* Rosillo #4 II 64 ORCHIDACEAE  
*Mormodes saccata* Rosillo #4 II 64 ORCHIDACEAE  
*Mormodes stenoglossum* Schltr. = *Mormodes nagelii* L.O. Williams #4 II 64 ORCHIDACEAE  
*Mormodes tezontle* Rosillo #4 II 64 ORCHIDACEAE  
*Mormodes tuxtlensis* Salazar #4 II 64 ORCHIDACEAE  
*Mormodes vernixoidea* Pabst #4 II 64 ORCHIDACEAE  
*Mormodes warszewiczii* Klotzsch #4 II 64 ORCHIDACEAE  
***Mormolyca*** spp. Fenzl #4 II 64 ORCHIDACEAE  
*Mormolyca aurorae* D.E.Benn. & Christenson 1998 #4 II 64 ORCHIDACEAE  
*Mormolyca fuchsii* J.T.Atwood 1978 #4 II 64 ORCHIDACEAE  
*Mormolyca galeata* Garay & Wirth 1959 #4 II 64 ORCHIDACEAE  
*Mormolyca gracilipes* (Schltr.) Garay & Wirth 1959 #4 II 64 ORCHIDACEAE  
*Mormolyca lineolata* Fenzl (1850) = *Mormolyca ringens* (Lindl.) Schltr. (1914)  
*Mormolyca peruviana* C.Schweinf. 1944 #4 II 64 ORCHIDACEAE  
*Mormolyca polyphylla* Garay & Wirth 1959 #4 II 64 ORCHIDACEAE  
*Mormolyca ringens* (Lindl.) Schltr. (1914) #4 II 64 ORCHIDACEAE  
*Mormolyca schweinfurthiana* Wirth & Garay 1959 #4 II 64 ORCHIDACEAE  
*Mountain, Tree Fern (E): Alsophila colensoi*  
*Muluorchis* spp. J.J. Wood #4 II 64 ORCHIDACEAE  
*Muluorchis ramosa* J.J. Wood #4 II 64 ORCHIDACEAE  
*Myanthus barbatus* Lindl. = *Catasetum barbatum* (Lindl.) Lindl.  
*Myanthus callosus* (Lindl.) Beer = *Catasetum callosum* Lindl.  
*Myanthus cernuus* Lindl. = *Catasetum cernuum* (Lindl.) Rchb.f.  
*Myanthus cristatus* (Lindl.) Lindl. = *Catasetum cristatum* Lindl.  
*Myanthus deltoideus* Lindl. = *Catasetum deltoideum* (Lindl.) Mutel  
*Myanthus fimbriatus* Morren = *Catasetum fimbriatum* (Morren) Lindl. & Paxton  
*Myanthus grandiflorum* Beer = *Catasetum callosum* Lindl.  
*Myanthus landsbergii* Reinw. & de Vriese = *Catasetum callosum* Lindl.  
*Myanthus sanguineus* Linden = *Catasetum sanguineum* Lindl. & Paxton  
*Myanthus spinosus* Hook = *Catasetum spinosum* (Hook.) Lindl.  
*Myanthus spinosus* Hook. sensu Dunst. = *Catasetum barbatum* (Lindl.) Lindl.  
***Myoxanthus*** spp. Poepp. & Endl. #4 II 64 ORCHIDACEAE  
*Myoxanthus lancipetalus* (Karst.) Luer #4 II 64 ORCHIDACEAE  
*Myoxanthus octomerioides* (Lindley) Luer #4 II 64 ORCHIDACEAE  
*Myoxanthus pan* (Luer) Luer #4 II 64 ORCHIDACEAE  
*Myoxanthus scandens* (Ames) Luer #4 II 64 ORCHIDACEAE  
*Myoxanthus sempergemmata* (Luer) Luer #4 II 64 ORCHIDACEAE  
***Myrmecoris*** spp. (Lindl.) Blume #4 II 64 ORCHIDACEAE  
*Myrmecoris glabra* Blume #4 II 64 ORCHIDACEAE  
*Myrmecoris gracilis* Blume #4 II 64 ORCHIDACEAE  
*Myrmecoris japonica* (Reichb.f.) Rolfe #4 II 64 ORCHIDACEAE  
***Myrmecophila*** spp. Rolfe #4 II 64 ORCHIDACEAE  
*Myrmecophila albopurpurea* (H.Strachan ex Fawc.) Nir 2000 #4 II 64 ORCHIDACEAE  
*Myrmecophila brysiana* (Lem.) G.C.Kenn. (1979) #4 II 64 ORCHIDACEAE  
*Myrmecophila chionodora* (Rchb.f.) Rolfe 1917 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917

- Myrmecophila chionodora* var. *kimballiana* (Rchb.f.) Kennedy 1979 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917
- Myrmecophila christinae* Carnevali & Gomez-Juarez (2001) #4 II 64 ORCHIDACEAE
- Myrmecophila exaltata* (Kraenzl.) Kennedy 1979 #4 II 64 ORCHIDACEAE
- Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917 #4 II 64 ORCHIDACEAE
- Myrmecophila grandiflora* (Lindl.) Carnevali, J.L.Tapia & I.Ramirez (2001) #4 II 64 ORCHIDACEAE
- Myrmecophila humboldtii* (Rchb.f.) Rolfe 1917 #4 II 64 ORCHIDACEAE
- Myrmecophila laguna-guerrerae* Carnevali, L.Ibarra-Gonzalez & J.L.Tapia-Munoz (2001) #4 II 64 ORCHIDACEAE
- Myrmecophila lepidissima* (Rchb.f.) Rolfe 1917 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917
- Myrmecophila sanderiana* (Rolfe) Rolfe 1917 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917
- Myrmecophila thomsoniana* (Rchb.f.) Rolfe 1917 #4 II 64 ORCHIDACEAE
- Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917 #4 II 64 ORCHIDACEAE
- Myrmecophila wendlandii* (Rchb.f.) G.C.Kenn (1979) #4 II 64 ORCHIDACEAE
- Myrosmodes** spp. Rchb.f. #4 II 64 ORCHIDACEAE
- Myrtgerocactus** spp. #4 II 49 CACTACEAE
- Myrtgerocactus lindsayi** Moran #4 II 49 CACTACEAE
- Mytillocactus** spp. Console #4 II 49 CACTACEAE
- Mytillocactus chende* (Roland- Gosselin) P.V.Heath = *Polaskia chende* (Roland-Gosselin) Gibson & Horak
- Mytillocactus chichipe* (Roland- Gosselin) P.V.Heath = *Polaskia chichipe* (Roland-Gosselin) Backeberg
- Mytillocactus chiotilla* (Schumann) P.V.Heath = *Escontria chiotilla* (Weber ex Schumann) Rose
- Mytillocactus cochal** (Orcutt) Britton & Rose #4 II 49 CACTACEAE
- Mytillocactus eichlamii** Britton & Rose #4 II 49 CACTACEAE
- Mytillocactus geometrizans** (Martius) Console #4 II 49 CACTACEAE
- Mytillocactus grandiareolatus* Bravo = *Mytillocactus geometrizans* (Martius) Console
- Mytillocactus schenckii** (J.Purpus) Britton & Rose #4 II 49 CACTACEAE
- Mystacidium** spp. Lindl. #4 II 64 ORCHIDACEAE
- Mystacidium angustum* Rolfe = *Angraecum angustum* (Rolfe) Summerh.
- Mystacidium arthrophyllum* Kraenzl. = *Angraecum pungens* Schltr.
- Mystacidium astroarche* (Ridl.) Rolfe = *Angraecum astroarche* Ridley
- Mystacidium calceolus* (Thouars) Cordem. = *Angraecum calceolus* Thouars
- Mystacidium capense* (L.f.) Schltr. #4 II 64 ORCHIDACEAE
- Mystacidium caulescens* *mulfiflorum* (Thouars) Durans & Schinz = *Angraecum multiflorum* Thouars
- Mystacidium caulescens* (Thouars) Ridl. = *Angraecum caulescens* Thouars
- Mystacidium cilaosianum* Cordem. = *Angraecum cilaosianum* (Cordem) Schltr.
- Mystacidium clavatum* (Rendle) Rolfe = *Angraecum multinominatum* Rendle
- Mystacidium costatum* Cordem. = *Angraecum costatum* Frapp. ex Cordem
- Mystacidium crassifolium* Cordem. = *Angraecum crassifolium* (Cordem.) Schltr.
- Mystacidium curnowianus* (Rchb.f.) Rolfe = *Angraecum curnowianum* (Rchb.f.) Dur. & Schltr.
- Mystacidium dauphinense* Rolfe = *Angraecum dauphinense* (Rolfe) Schltr.
- Mystacidium distichum* *grandifolium* De Wild = *Angraecum aporooides* Summerh.
- Mystacidium distichum* (Lindl.) Pfitzer = *Angraecum distichum* Lindl.
- Mystacidium flanaganii* #4 II 64 ORCHIDACEAE
- Mystacidium germinyanum* (Hooke.f.) Rolfe = *Angraecum germinyanum* Hook.f.
- Mystacidium gladiolifolium* (Thouars) Rolfe = *Angraecum mauritianum* (Poir.) Frapp.
- Mystacidium graminifolium* Ridl. = *Angraecum pauciramosum* Schltr.
- Mystacidium gravenreuthii* (Kraenzl.) Rolfe = *Aerangis gravenreuthii* (Kraenzl.) Schltr.
- Mystacidium hermannii* Cordem = *Angraecum hermannii* (Cordem.) Schltr.
- Mystacidium inapertum* (Thouars) Ridl. = *Angraecum inapertum* Thouars
- Mystacidium infundibulare* (Lindl.) Rolfe = *Angraecum infundibulare* Lindl.
- Mystacidium keniae* (Kraenzl.) Rolfe = *Angraecum keniae* Kranzlin
- Mystacidium leonis* (Rchb.f.) Rolfe = *Angraecum leonis* (Rchb.f.) Andre
- Mystacidium longinode* Cordem. = *Angraecum longinode* Frapp. ex Cordem.
- Mystacidium mauritianum* (Lam.) T.Durand & Schinz = *Angraecum mauritianum* (Poir.) Frapp.
- Mystacidium millarii* Bolus = *Diaphananthe millarii* (Bolus) H.P.Linder
- Mystacidium minutum* Cordem. = *Angraecum minutum* Frapp. ex Cordem.
- Mystacidium multiflorum* (Thouars) Cordem. = *Angraecum multiflorum* Thouars
- Mystacidium nanum* Cordem. = *Angraecum nanum* Frapp. ex Cordem.
- Mystacidium obversifolium* Cordem. = *Angraecum obversifolium* Frapp.
- Mystacidium ochraceum* Ridl. = *Angraecum ochraceum* (Ridl.) Schltr.
- Mystacidium pectinatum* (Thouars) Benth. = *Angraecum pectinatum* Thouars
- Mystacidium pingue* Cordem. = *Angraecum pingue* Frapp.
- Mystacidium pseudo-petiolatum* Cordem. = *Angraecum pseudopetiolatum* Frapp.

- Mystacidium salazianum* Cordem. = *Angraecum salazianum* (Cordem) Schltr.
- Mystacidium sesquipedale* (Thouars) Rolfe = *Angraecum sesquipedale* Thouars
- Mystacidium spicatum* Cordem. = *Angraecum spicatum* (Cordem) Schltr.
- Mystacidium striatum* Cordem. = *Angraecum cordemoyi* Schltr.
- Mystacidium tenellum* Ridl. = *Angraecum tenellum* (Ridl.) Schltr.
- Mystacidium trichoplectron* (Rchb.f.) T.Durand & Schinz = *Angraecum trichoplectron* (Rchb.f.) Schltr.
- Mystacidium undulatum* Cordem. = *Angraecum undulatum* (Cordem.) Schltr.
- Mystacidium verrucosum* (Rendle) Rolfe = *Angraecum conchiferum* Lindl.
- Mystacidium viride* Ridl. = *Angraecum rhynchoglossum* Schltr.
- Nabalua spp.** Ames #4 II 64 ORCHIDACEAE  
Nagaed (E); *Dalbergia stevensonii*
- Nageia angustifolia* (Parl.) Kuntze = *Podocarpus parlatorei* Pilg. in Engler
- Nageia discolor* (Blume) Kuntze = *Podocarpus nerifolius* D.Don in Lambert
- Nageia endlicheriana* (Carrière) Kuntze = *Podocarpus nerifolius* D.Don in Lambert
- Nageia leptostachya* (Blume) Kuntze = *Podocarpus nerifolius* D.Don in Lambert
- Nageia neglecta* (Blume) Kuntze = *Podocarpus nerifolius* D.Don in Lambert
- Nageia nerifolia* (D.Don) Kuntze = *Podocarpus nerifolius* D.Don in Lambert
- Nageliella spp.** L.O. Williams #4 II 64 ORCHIDACEAE  
*Nageliella augustifolia* (Booth ex Lindl.) Ames & Correll = *Nageliella gemma* (Rchb.f.) Ames & Correll
- Nageliella bergeriana* (Schltr.) Ames & Correll = *Encyclia kienastii* (Rchb.f.) Dressler & Pollard
- Nageliella gemma* (Rchb.f.) Ames & Correll #4 II 64 ORCHIDACEAE
- Nageliella purpurea* (Lindl.) L.O.Williams 1940 #4 II 64 ORCHIDACEAE
- Nambar (S): *Platymiscium pleiostachyum*
- Ñambar (S): *Platymiscium pleiostachyum*
- Nardostachys grandiflora* DC. #2 II VALERIANACEAE
- Narrow-lidded, Pitcher-plant (E): *Nepenthes ampullaria*
- Nauenia spectabilis* Klotsch 1853 = *Lacaena spectabilis* (Klotzsch) Rchb.f. 1854
- Navajoa ficeisenii* = *Pediocactus knowltonii* L.Benson
- Navajoa ficeisenii* = *Pediocactus peeblesianus* (Croizat) L.Benson
- Navajoa ficeisenii* (Hochstaetter) Hochstaetter = *Pediocactus peeblesianus* (Croizat) L.Benson
- Navajoa peeblesiana* = *Pediocactus peeblesianus* (Croizat) L.Benson
- Navajoa peeblesiana ficeisenii* = *Pediocactus knowltonii* L.Benson
- Navajoa peeblesiana ficeisenii* = *Pediocactus peeblesianus* (Croizat) L.Benson
- Navajoa peeblesiana ficeisenii* (Croizat) Kladiwa = *Pediocactus peeblesianus* (Croizat) L.Benson
- Navajoa peeblesiana ficeisenii* (Hochstaetter) Hochstaetter = *Pediocactus knowltonii* L.Benson
- Neippergia chrysantha* C.Morren 1849 = *Acineta chrysantha* (C.Morren) Lindl. & Paxton
- Neoabbottia grantiana* (Britton) Buxbaum = *Leptocereus grantianus* Britton
- Neoabbottia paniculata* (Lamarck) Britton & Rose = *Leptocereus paniculatus* (Lamarck) Hunt
- Neobartlettia spp.** Schltr. #4 II 64 ORCHIDACEAE
- Neobathiea spp.** Schlechter #4 II 64 ORCHIDACEAE
- Neobathiea grandidierana* #4 II 64 ORCHIDACEAE
- Neobennettia* spp. Senghas #4 II 64 ORCHIDACEAE
- Neobennettia genegeorgei* (D.E.Benn. & christenson) Senghas 2001 #4 II 64 ORCHIDACEAE
- Neobenthamia spp.** Rolfe #4 II 64 ORCHIDACEAE
- Neobesseyea macdougallii* (Alexander) Kladiwa = *Ortegocactus macdougallii* Alexander
- Neobinghamia climaxantha* (Werdermann) Backeberg = *Haagespostoa climaxantha* (Werdermann) Rowley
- Neobinghamia mirabilis* Rauh & Backeberg ex Backeberg = *Epostocactus mirabilis* (Rauh & Backeberg ex Backeberg) Rowley
- Neobinghamia multiareolata* Rauh & Backeberg = *Haagespostoa albisetata* (Akers) Rowley
- Neobinghamia villigera* Rauh & Backeberg = *Haagespostoa albisetata* (Akers) Rowley
- Neobolusia spp.** Schlechter #4 II 64 ORCHIDACEAE
- Neobolusia ciliata* Summerh. #4 II 64 ORCHIDACEAE
- Neobolusia tysonii* Schlechter #4 II 64 ORCHIDACEAE
- Neobuxbaumia spp.** Backeb. #4 II 49 CACTACEAE
- Neobuxbaumia euphorbioides** (Haworth) Buxbaum ex Bravo #4 II 49 CACTACEAE
- Neobuxbaumia laui* (Heath) Hunt #4 II 49 CACTACEAE
- Neobuxbaumia macrocephala** (Weber ex Schumann) Dawson #4 II 49 CACTACEAE
- Neobuxbaumia mezcalensis* (Bravo) Backeberg #4 II 49 CACTACEAE
- Neobuxbaumia multiareolata* (Dawson) Bravo et al. #4 II 49 CACTACEAE
- Neobuxbaumia polylopha* (De Candolle) Backeberg #4 II 49 CACTACEAE
- Neobuxbaumia sanchezmejoradae* Lau = *Neobuxbaumia laui* (Heath) Hunt
- Neobuxbaumia scoparia* (Poselger) Backeberg #4 II 49 CACTACEAE
- Neobuxbaumia squamulosa** Scheinvar & Sanchez-Mejorada #4 II 49 CACTACEAE
- Neobuxbaumia tetazo* (Weber ex Coulter) Scheinvar = *Neobuxbaumia tetetzo* (Weber ex Coulter) Backeberg
- Neobuxbaumia tetetzo** (Weber ex Coulter) Backeberg #4 II 49 CACTACEAE
- Neocardenasia herzogiana* Backeberg = *Neoraimondia herzogiana* (Backeberg) Buxbaum & Krainz
- Neochilenia aerocarpa* (Ritter) Backeberg = *Eriosyce aerocarpa* (Ritter) Kattermann
- Neochilenia andreaeana* Backeberg = *Eriosyce andreaeana* Kattermann

- Neochilenia aspillaiae* (Soehrens) Backeberg = *Eriosyce aspillaiae* (Soehrens) Kattermann  
*Neochilenia atra* Backeberg = *Eriosyce odieri* (Lemaire ex Salm-Dyck) Kattermann  
*Neochilenia chilensis* (Hildmann ex Schumann) Backeberg = *Eriosyce chilensis* (Hildmann ex Schumann) Kattermann  
*Neochilenia chorosensis* (Ritter) Backeberg = *Eriosyce heinrichiana* (Backeberg) Kattermann  
*Neochilenia confinis* (Ritter) Backeberg = *Eriosyce confinis* (Ritter) Kattermann  
*Neochilenia deherdtiana* Backeberg = *Eriosyce heinrichiana* (Backeberg) Kattermann  
*Neochilenia eriosyzoides* (Ritter) Backeberg = *Eriosyce kunzei* (Foerster) Kattermann  
*Neochilenia esmeraldana* (Ritter) Backeberg = *Eriosyce esmeraldana* (Ritter) Kattermann  
*Neochilenia jussieui* (Monville ex Salm-Dyck) Backeberg = *Eriosyce heinrichiana* (Backeberg) Kattermann  
*Neochilenia krausii* (Ritter) Backeberg = *Eriosyce krausii* (Ritter) Kattermann  
*Neochilenia kunzei* (Foerster) Backeberg = *Eriosyce kunzei* (Foerster) Kattermann  
*Neochilenia malleolata* (Ritter) Backeberg = *Eriosyce krausii* (Ritter) Kattermann  
*Neochilenia mitis* (Philippi) Backeberg = *Eriosyce napina* (Philippi) Kattermann  
*Neochilenia napina* (Philippi) Backeberg = *Eriosyce napina* (Philippi) Kattermann  
*Neochilenia neofusca* Backeberg = *Eriosyce taltalensis* (Hutchison) Kattermann  
*Neochilenia occulta* (Philippi) Backeberg = *Eriosyce heinrichiana* (Backeberg) Kattermann  
*Neochilenia odoriflora* (Ritter) Backeberg = *Eriosyce curvispina* (Bertero ex Colla) Kattermann  
*Neochilenia pseudoreichei* Lembcke & Backeberg = *Eriosyce odieri* (Lemaire ex Salm-Dyck) Kattermann  
*Neochilenia recondita* (Ritter) Backeberg = *Eriosyce recondita* (Ritter) Kattermann  
*Neochilenia reichei* (Schumann) Backeberg = *Eriosyce odieri* (Lemaire ex Salm-Dyck) Kattermann  
*Neochilenia robusta* (Ritter) Backeberg = *Eriosyce curvispina* (Bertero ex Colla) Kattermann  
*Neochilenia taltalensis* (Hutchison) Backeberg = *Eriosyce taltalensis* (Hutchison) Kattermann  
*Neochilenia tenebrica* Ritter ex W.Haage = *Eriosyce tenebrica* (Ritter) Kattermann  
*Neochilenia transitensis* (Ritter) Backeberg = *Eriosyce kunzei* (Foerster) Kattermann  
*Neochilenia trapichensis* Backeberg = *Eriosyce heinrichiana* (Backeberg) Kattermann  
**Neoclemensia** spp. C.E. Carr #4 II 64 ORCHIDACEAE  
*Neoclemensia spathulata* Carr #4 II 64 ORCHIDACEAE  
**Neocogniauxia** spp. Schlechter #4 II 64 ORCHIDACEAE  
*Neocogniauxia hexaptera* (Cogn.) Schltr. 1913 #4 II 64 ORCHIDACEAE  
*Neocogniauxia monophylla* (Griseb.) Schltr. (1913) #4 II 64 ORCHIDACEAE  
*Neodawsonia apicicephalium* (Dawson) Backeberg = *Cephalocereus nizandensis* (Bravo & Macdougall) Buxbaum  
*Neodawsonia nizandensis* Bravo & Macdougall = *Cephalocereus nizandensis* (Bravo & Macdougall) Buxbaum  
*Neodawsonia totolapensis* Bravo & Macdougall = *Cephalocereus totolapensis* (Bravo & MacDougall) Buxbaum  
**Neodryas** spp. Rchb.f. #4 II 64 ORCHIDACEAE  
*Neodypsis decaryi* Jumelle #4 II PALMAE (E) Feather Palm, Triangle Palm  
*Neoevansia lazaro-cardenasi* Contreras = *Peniocereus lazaro-cardenasi* (Contreras et al.) Hunt  
*Neoevansia striata* (Brandegee) Sanchez-Mejorada = *Peniocereus striatus* (Brandegee) Bauxbaum  
*Neoevansia zopilotensis* Sanchez-Mejorada = *Peniocereus zopilotensis* (Meyrán) Buxbaum  
**Neofinetia** spp. Hu #4 II 64 ORCHIDACEAE  
*Neofinetia falcata* (Thunb.) Hu #4 II 64 ORCHIDACEAE  
*Neofinetia falcatum* #4 II 64 ORCHIDACEAE  
**Neogardneria** spp. Schltr. ex Garay #4 II 64 ORCHIDACEAE  
*Neogomesia agavoides* Castañeda = *Ariocarpus agavoides* (Castañeda) Anderson  
**Neogyna** spp. Rchb.f. #4 II 64 ORCHIDACEAE  
*Neogyna gardneriana* Rchb.f. #4 II 64 ORCHIDACEAE  
**Neokoehleria** spp. Schltr. #4 II 64 ORCHIDACEAE  
**Neolloydia** spp. Britton & Rose #4 II 49 CACTACEAE  
*Neolloydia beguinii* Britton & Rose = *Turbinicarpus beguinii* (Taylor) Mosco & Zanovello  
*Neolloydia beguinii* (Weber ex Schumann) Britton & Rose = *Sclerocactus erectocentrus* (Coulter) Taylor  
*Neolloydia ceratites* (Quehl) Britton & Rose = *Neolloydia conoidea* (De Candolle) Britton & Rose  
*Neolloydia clavata* (Scheidweiler) Britton & Rose = *Coryphantha clavata* (Scheidweiler) Backeberg  
**Neolloydia conoidea** (De Candolle) Britton & Rose #4 II 49 CACTACEAE (E) Chihuahuan Desert Butterfly Cactus  
*Neolloydia durangensis* (Runge) Benson = *Sclerocactus unguispinus* (Engelmann) Taylor  
*Neolloydia erectocentra* (Coulter) Benson = *Sclerocactus erectocentrus* (Coulter) Taylor  
*Neolloydia gautii* Benson = *Sclerocactus warnockii* (Benson) Taylor  
*Neolloydia gautii* L. Benson = *Sclerocactus warnockii* (Benson) Taylor  
*Neolloydia gielsdorfiana* (Werdermann) F.Knuth = *Turbinicarpus gielsdorffianus* (Werdermann) John & Riha  
*Neolloydia grandiflora* (Otto ex Pfeiffer) F.Knuth = *Neolloydia conoidea* (De Candolle) Britton & Rose  
*Neolloydia hoferi* (Luethy & Lau) A.T.Powell = *Turbinicarpus hoferi* Luethy & Lau  
*Neolloydia horripila* (Lemaire) Britton & Rose = *Turbinicarpus horripilus* (Lemaire) John & Riha  
*Neolloydia intertexta* (Engelm.) L. Benson = *Sclerocactus intertextus* (Engelmann) Taylor

<i>Neolloydia johnsonii</i> (Parry ex Engelm.) L. Benson = <i>Sclerocactus johnsonii</i> (Engelmann) Taylor	<i>Neoporteria andreaeana</i> (Backeberg) Donald & Rowley = <i>Eriosyce andreaeana</i> Kattermann
<i>Neolloydia knuthiana</i> (Boedeker) F.Knuth = <i>Turbinicarpus knuthianus</i> (Boedeker) John & Riha	<i>Neoporteria armata</i> (Ritter) Krainz = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
<i>Neolloydia krainziana</i> (G.Frank) A.T.Powell = <i>Turbinicarpus pseudomacrochele</i> (Backeberg) Buxbaum & Backeberg	<i>Neoporteria aspillacae</i> (Soehrens) Backeberg = <i>Eriosyce aspillacae</i> (Soehrens) Kattermann
<i>Neolloydia laui</i> (Glass & Foster) Anderson = <i>Turbinicarpus laui</i> Glass & Foster	<i>Neoporteria atrispinosa</i> Backeberg = <i>Eriosyce villosa</i> (Monville) Kattermann
<i>Neolloydia lophophoroides</i> (Werdermann) Anderson = <i>Turbinicarpus lophophoroides</i> (Werdermann) Buxbaum & Backeberg	<i>Neoporteria backebergii</i> Donald & Rowley = <i>Eriosyce strausiana</i> (Schumann) Kattermann
<i>Neolloydia macdowellii</i> (Rebut ex Quhel) H.E.Moore = <i>Thelocactus macdowellii</i> (Rebut ex Quehl) W.Marshall	<i>Neoporteria bicolor</i> (Akers & Buining) Donald & Rowley = <i>Eriosyce islayensis</i> (Foerster) Kattermann
<i>Neolloydia mandragora</i> (Fric ex Berger) Anderson = <i>Turbinicarpus mandragora</i> (Fric ex Berger) A.Zimmerman	<i>Neoporteria bulbocalyx</i> (Werdermann) Donald & Rowley = <i>Eriosyce bulbocalyx</i> (Werdermann) Kattermann
<i>Neolloydia mariposensis</i> (Hester) L. Benson = <i>Sclerocactus mariposensis</i> (Hester) Taylor	<i>Neoporteria castaneoides</i> (Cels) Werdermann = <i>Eriosyce subgibbosa</i> (Haworth) Kattermann
<b>Neolloydia matehualensis</b> Backeberg #4 II 49 CACTACEAE	<i>Neoporteria cephalophora</i> Backeberg = <i>Eriosyce villosa</i> (Monville) Kattermann
<i>Neolloydia odorata</i> (Boedeker) Backeberg = <i>Coryphantha odorata</i> Boedeker	<i>Neoporteria chilensis</i> (Hildmann ex Schumann) Britton & Rose = <i>Eriosyce chilensis</i> (Hildmann ex Schumann) Kattermann
<i>Neolloydia pilispina</i> (J.Purpus) Britton & Rose = <i>Mammillaria pilispina</i> J.Purpus	<i>Neoporteria choapensis</i> (Ritter) Donald & Rowley = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
<i>Neolloydia pilispina</i> (Purpus) Britton & Rose = <i>Turbinicarpus laui</i> Glass & Foster	<i>Neoporteria chorosensis</i> (Ritter) Donald & Rowley = <i>Eriosyce heinrichiana</i> (Backeberg) Kattermann
<i>Neolloydia pseudopectinata</i> (Backeberg) Anderson = <i>Turbinicarpus pseudopectinatus</i> (Backeberg) Glass & Foster	<i>Neoporteria confinis</i> (Ritter) Donald & Rowley = <i>Eriosyce confinis</i> (Ritter) Kattermann
<i>Neolloydia pulleineana</i> Backeberg = <i>Coryphantha pulleineana</i> (Backeberg) Glass	<i>Neoporteria curvispina</i> (Bertero ex Colla) Donald & Rowley = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
<i>Neolloydia saueri</i> (Boedeker) F.Knuth = <i>Turbinicarpus saueri</i> (Boedeker) John & Riha	<i>Neoporteria deherdtiana</i> (Backeberg) Donald & Rowley = <i>Eriosyce heinrichiana</i> (Backeberg) Kattermann
<i>Neolloydia smithii</i> Kladiwa & Fittau = <i>Turbinicarpus beguinii</i> (Taylor) Mosco & Zanovello	<i>Neoporteria dubia</i> (Backeberg) Donald & Rowley = <i>Eriosyce bulbocalyx</i> (Werdermann) Kattermann
<i>Neolloydia subterranea</i> (Backeberg) H.E.Moore = <i>Turbinicarpus subterraneus</i> (Backeberg) A.Zimmerman	<i>Neoporteria engleri</i> (Ritter) Donald & Rowley = <i>Eriosyce engleri</i> (Ritter) Kattermann
<i>Neolloydia texensis</i> Britton & Rose = <i>Neolloydia conoidea</i> (De Candolle) Britton & Rose	<i>Neoporteria eriosyzoides</i> (Ritter) Donald & Rowley = <i>Eriosyce kunzei</i> (Foerster) Kattermann
<i>Neolloydia unguispina</i> (Engelmann) Benson = <i>Sclerocactus unguispinus</i> (Engelmann) Taylor	<i>Neoporteria esmeraldana</i> (Ritter) Donald & Rowley = <i>Eriosyce esmeraldana</i> (Ritter) Kattermann
<i>Neolloydia valdeziana</i> (Moeller) Anderson = <i>Turbinicarpus valdezianus</i> (Moeller) Glass & Foster	<i>Neoporteria garaventae</i> (Ritter) Ferryman ex Preston-Mafham = <i>Eriosyce garaventae</i> (Ritter) Kattermann
<i>Neolloydia warnockii</i> L. Benson = <i>Sclerocactus warnockii</i> (Benson) Taylor	<i>Neoporteria heinrichiana</i> (Backeberg) Ferryman ex Preston-Mafham = <i>Eriosyce heinrichiana</i> (Backeberg) Kattermann
<i>Neolobivia echinata</i> (Rausch) Ritter = <i>Echinopsis hertrichiana</i> (Backeberg) Hunt	<i>Neoporteria horrida</i> (Remy ex Gay) Hunt = <i>Eriosyce curvispina</i> (Bertero ex Colla) Kattermann
<i>Neolobivia hertrichiana</i> (Backeberg) Ritter = <i>Echinopsis hertrichiana</i> (Backeberg) Hunt	<i>Neoporteria islayensis</i> (Foerster) Donald & Rowley = <i>Eriosyce islayensis</i> (Foerster) Kattermann
<i>Neolobivia incaica</i> (Backeberg) Ritter = <i>Echinopsis hertrichiana</i> (Backeberg) Hunt	<i>Neoporteria jussieui</i> (Monville ex Salm-Dyck) Britton & Rose = <i>Eriosyce heinrichiana</i> (Backeberg) Kattermann
<i>Neolobivia minuta</i> (Ritter) Ritter = <i>Echinopsis hertrichiana</i> (Backeberg) Hunt	<i>Neoporteria krainziana</i> (Ritter) Donald & Rowley = <i>Eriosyce islayensis</i> (Foerster) Kattermann
<i>Neolobivia vilcabambae</i> (Ritter) Ritter = <i>Echinopsis hertrichiana</i> (Backeberg) Hunt	<i>Neoporteria kunzei</i> (Foerster) Backeberg = <i>Eriosyce kunzei</i> (Foerster) Kattermann
<i>Neolobivia winteriana</i> (Ritter) Ritter = <i>Echinopsis backebergii</i> Werdermann ex Backeberg	<i>Neoporteria laniceps</i> Ritter = <i>Eriosyce villosa</i> (Monville) Kattermann
<b>Neomoorea</b> spp. Rolfe #4 II 64 ORCHIDACEAE	<i>Neoporteria limariensis</i> (Ritter) Ferryman ex Preston-Mafham = <i>Eriosyce limariensis</i> (Ritter)
<i>Neomoorea irrorata</i> Rolfe #4 II 64 ORCHIDACEAE	

- Kattermann
- Neopoteria marksiana* (Ritter) Donald & Rowley =  
*Eriosyce marksiana* (Ritter) Kattermann
- Neopoteria megliolii* (Rausch) Donald = *Eriosyce bulbocalyx* (Werdermann) Kattermann
- Neopoteria melanacantha* (Backeberg) Donald & Rowley  
= *Eriosyce villicumensis* (Rausch) Kattermann
- Neopoteria napina* (Philippi) Backeberg = *Eriosyce napina* (Philippi) Kattermann
- Neopoteria nidus* (Soehrens ex Schumann) Britton & Rose = *Eriosyce kunzei* (Foerster) Kattermann
- Neopoteria nigricans* (Dietrich ex Schumann) Britton & Rose = *Eriosyce limariensis* (Ritter) Kattermann
- Neopoteria occulta* (Philippi) Britton & Rose = *Eriosyce heinrichiana* (Backeberg) Kattermann
- Neopoteria omasensis* (Ostolaza & Mischler) Ferryman ex Preston-Mafham = *Eriosyce omasensis* (Ostolaza & Mischler) Ostolaza
- Neopoteria polyraphis* (Pfeiffer ex Salm-Dyck) Backeberg  
= *Eriosyce villosa* (Monville) Kattermann
- Neopoteria recondita* (Ritter) Donald & Rowley = *Eriosyce recondita* (Ritter) Kattermann
- Neopoteria reichii* (Schumann) Backeberg = *Eriosyce odieri* (Lemaire ex Salm-Dyck) Kattermann
- Neopoteria sanjuanensis* (Spegazzini) Donald & Rowley  
= *Eriosyce strausiana* (Schumann) Kattermann
- Neopoteria setiflora* (Backeberg) Donald & Rowley =  
*Eriosyce strausiana* (Schumann) Kattermann
- Neopoteria sociabilis* Ritter = *Eriosyce sociabilis* (Ritter) Kattermann
- Neopoteria strausiana* (Schumann) Donald & Rowley =  
*Eriosyce strausiana* (Schumann) Kattermann
- Neopoteria subaiana* (Backeberg) Donald & Rowley =  
*Eriosyce garaventae* (Ritter) Kattermann
- Neopoteria subgibbosa* (Haworth) Britton & Rose =  
*Eriosyce subgibbosa* (Haworth) Kattermann
- Neopoteria taltalensis* Hutchinson = *Eriosyce taltalensis* (Hutchison) Kattermann
- Neopoteria transitensis* (Ritter) Ferryman ex Preston-Mafham = *Eriosyce kunzei* (Foerster) Kattermann
- Neopoteria tuberisulcata* (Jacobi) Donald & Rowley =  
*Eriosyce curvispina* (Bertero ex Colla) Kattermann
- Neopoteria umadeave* (Fric ex Werdermann) Donald & Rowley = *Eriosyce umadeave* (Fric ex Werdermann) Kattermann
- Neopoteria vallenarensis* (Ritter) A.E.Hoffmann =  
*Eriosyce kunzei* (Foerster) Kattermann
- Neopoteria villicumensis* (Rausch) Donald = *Eriosyce villicumensis* (Rausch) Kattermann
- Neopoteria villosa* (Monville) Berger = *Eriosyce villosa* (Monville) Kattermann
- Neopoteria volliana* (Backeberg) Donald & Rowley =  
*Eriosyce strausiana* (Schumann) Kattermann
- Neoraimondia** spp. Britton & Rose #4 II 49 CACTACEAE
- Neoraimondia arequipensis** (Meyen) Backeberg #4 II 49 CACTACEAE
- Neoraimondia gigantea* Backeberg = *Neoraimondia arequipensis* (Meyen) Backeberg
- Neoraimondia herzogiana** (Backeberg) Buxbaum & Krainz #4 II 49 CACTACEAE
- Neoraimondia macrostibas* (Schumann) Britton & Rose = *Neoraimondia arequipensis* (Meyen) Backeberg
- Neoraimondia peruviana* (L.) Ritter = *Neoraimondia arequipensis* (Meyen) Backeberg
- Neoraimondia roseiflora* (Werdermann & Backeberg) Backeberg = *Neoraimondia arequipensis* (Meyen) Backeberg
- Neotinea** spp. Reichb.f. #4 II 64 ORCHIDACEAE
- Neotinea intacta* (Link) Rchb.f. = *Neotinea maculata* (Desf.) Stearn
- Neotinea maculata* (Desf.) Stearn #4 II 64  
ORCHIDACEAE (E) Dense-flowered Orchid
- Neottia** spp. Guett. #4 II 64 ORCHIDACEAE
- Neottia aestivalis* (Poir.) DC. = *Spiranthes aestivalis* (Poir.) Rich.
- Neottia aphylla* Hook. 1828 = *Sacoila lanceolata* (Aubl.) Garay
- Neottia aurantiaca* (La Llave & Lex.) Lindl. 1840 = *Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas
- Neottia cordata* (L.) Rich #4 II 64 ORCHIDACEAE
- Neottia inayatii* (Duthie) P.Beauv. #4 II 64 ORCHIDACEAE
- Neottia kashmiriana* (Duthie) P. Beauv. #4 II 64  
ORCHIDACEAE
- Neottia lanceolata* (Aubl.) Willd. = *Sacoila lanceolata* (Aubl.) Garay
- Neottia listeroides* Lindley #4 II 64 ORCHIDACEAE
- Neottia nidus-avis* (L.) Rich. #4 II 64 ORCHIDACEAE
- Neottianthe** spp. (Reichb. f.) Schltr. #4 II 64  
ORCHIDACEAE
- Neottianthe camptoceras* (Rolfe) Schltr. #4 II 64  
ORCHIDACEAE
- Neottianthe cucullata* (L.) Schltr. #4 II 64 ORCHIDACEAE
- Neottianthe secundiflora* (Hook.f.) Schltr. #4 II 64  
ORCHIDACEAE
- Neottia orchidioides* (Sw.) Willd. = *Sacoila lanceolata* (Aubl.) Garay
- Neottia ovata* (L.) Bluff & Fingerh. #4 II 64  
ORCHIDACEAE
- Neottia papulosa* #4 II 64 ORCHIDACEAE
- Neottia scandens* Thouars = *Hederorkis scandens* Thouars
- Neottia speciosa* Jacq. 1970 = *Stenorhynchos speciosum* (Jacq.) L.C.Rich. ex Spreng.
- Neottia spiralis* (L.) Sw. = *Spiranthes spiralis* (L.) Chevall.
- Neottia squamulosa* Kunth = *Sacoila lanceolata* (Aubl.) Garay
- Neottia ussuriensis* (Komarov & Nevski) Soo #4 II 64  
ORCHIDACEAE
- Neottia vaginata* Humb., Bonpl. & Kunth 1816 = *Stenorhynchos vaginatum* (Humb., Bonpl. & Kunth) Spreng.
- Neo-Urbania* spp. Fawcett & Rendle #4 II 64  
ORCHIDACEAE

- Neo-Urbania nicaraguensis* Hamer & Garay #4 II 64  
ORCHIDACEAE
- Neowerdermannia*** spp. Fric #4 II 49 CACTACEAE
- Neowerdermannia chilensis*** Backeberg #4 II 49  
CACTACEAE
- Neowerdermannia vorwerkii*** (Fric) Backeberg #4 II 49  
CACTACEAE
- Neowilliamsia* spp. Garay #4 II 64 ORCHIDACEAE
- Neowilliamsia cuneata* Dressler #4 II 64 ORCHIDACEAE
- Neowilliamsia nervosiflora* (Ames & C. Schweinf.) Dressler #4 II 64 ORCHIDACEAE
- Neowilliamsia tenuisulcata* Dressler #4 II 64  
ORCHIDACEAE
- Nepenthes*** spp. L. #4 I/II NEPENTHACEAE
- Nepenthes adnata*** R.Tamin & M.Hotta ex Schlauer #4 II  
NEPENTHACEAE
- Nepenthes alata*** Blanco #4 II NEPENTHACEAE
- Nepenthes alata* auct.non Blanco:Danser p.p. =  
*Nepenthes eustachya* Miq.
- Nepenthes alba* Ridley = *Nepenthes gracillima* Ridley
- Nepenthes albocincta* hort ex Macfarl. = *Nepenthes albomarginata* T.Lobb ex Lindl.
- Nepenthes albolineata* F.M.Bailey = *Nepenthes mirabilis* (Lour) Druce
- Nepenthes albomarginata*** T.Lobb ex Lindl. #4 II  
NEPENTHACEAE
- Nepenthes alicae* F.M.Bailey = *Nepenthes mirabilis* (Lour) Druce
- Nepenthes alisputrana*** J.H.Adam & Wilcock #4 II  
NEPENTHACEAE
- Nepenthes ampullacea* H.Low (sic) = *Nepenthes ampullaria* Jack
- Nepenthes ampullaria*** Jack #4 II NEPENTHACEAE (E)  
Pitcher-plant Narrow-lidded
- Nepenthes ampullaria* auct. non Jack: Jeanneney =  
*Nepenthes vieillardii* Hook.f.
- Nepenthes anamensis*** Macfarl. #4 II NEPENTHACEAE
- Nepenthes angasanensis*** Maulder, Schubert, Salmon & Quinn #4 II NEPENTHACEAE
- Nepenthes angustifolia* Mast. = *Nepenthes gracilis* Korth.
- Nepenthes argentii*** Jebb & Cheek #4 II  
NEPENTHACEAE
- Nepenthes aristolochioides*** Jebb & Cheek #4 II  
NEPENTHACEAE
- Nepenthes armbrustae* F.M.Bailey = *Nepenthes mirabilis* (Lour) Druce
- Nepenthes beccariana*** Macfarl. #4 II NEPENTHACEAE
- Nepenthes bellii*** K.Kondo #4 II NEPENTHACEAE
- Nepenthes benstonei*** C.Clarke #4 II NEPENTHACEAE
- Nepenthes bernaysii* F.M.Bailey = *Nepenthes mirabilis* (Lour) Druce
- Nepenthes bicalcarata*** Hook.f. #4 II NEPENTHACEAE
- Nepenthes blancoi* Blume = *Nepenthes alata* Blanco
- Nepenthes bongso*** Korth. #4 II NEPENTHACEAE
- Nepenthes bongso* auct. non. Korth.: Guillaum =  
*Nepenthes vieillardii* Hook.f.
- Nepenthes bongso* Auct. non Korth.: Jebb & Cheek p.p. =  
*Nepenthes talangensis* Nerz & Wistuba
- Nepenthes bongso* auct. non Korth: Ridley = *Nepenthes gracillima* Ridley
- Nepenthes bongso* auct. non Korth.: Tamin & M.Hotta p.p.  
= *Nepenthes dubia* Danser
- Nepenthes bongso* auct. non Korth.:Tamin & M.Hotta p.p.  
= *Nepenthes inermis* Danser
- Nepenthes bongso x pectinata* Danser = *Nepenthes densiflora* Danser
- Nepenthes borneensis* J.H.Adam & Wilcock = *Nepenthes boschiana* Korth.
- Nepenthes boschiana*** Korth. #4 II NEPENTHACEAE
- Nepenthes boschiana* auct.non Korth:Becc. = *Nepenthes maxima* Reinw. ex Nees
- Nepenthes boschiana* auct.non Korth:Macfarl.p.p. =  
*Nepenthes stenophylla* (?Mast) emend. Danser
- Nepenthes boschiniana* auct.non Korth:Miq. p.p.. =  
*Nepenthes sumatrana* (Miq)G.Beck
- Nepenthes brachycarpa* Merr. = *Nepenthes philippinensis* Macfarlane
- Nepenthes burbridgeae*** Hook.f. ex Burb. #4 II  
NEPENTHACEAE
- Nepenthes burbridgei* Hook.f. ex Burb. = *Nepenthes burbridgeae* Hook.f. ex Burb.
- Nepenthes burkei*** Mast. #4 II NEPENTHACEAE
- Nepenthes campanulata*** Sh.Kurata #4 II  
NEPENTHACEAE
- Nepenthes carunculata* Danser = *Nepenthes bongso* Korth.
- Nepenthes celebica* Hook.f. = *Nepenthes maxima* Reinw. ex Nees
- Nepenthes chapmanii* Balakr. = *Nepenthes distillatoria* L.
- Nepenthes cholmondeleyi* F.M.Bailey = *Nepenthes mirabilis* (Lour) Druce
- Nepenthes cincta*** Mast. #4 II NEPENTHACEAE
- Nepenthes clipeata*** Danser #4 II NEPENTHACEAE
- Nepenthes copelandii*** Merr. ex Macfarl. #4 II  
NEPENTHACEAE
- Nepenthes cristata* Brongn.p.p. = *Nepenthes alata* Blanco
- Nepenthes curtisii* Mast. = *Nepenthes maxima* Reinw. ex Nees
- Nepenthes curtisii zakriana* J.H.Adam & Wilcock =  
*Nepenthes faizaliana* J.H.Adam & Wilcock
- Nepenthes danseri*** Jebb & Cheek #4 II  
NEPENTHACEAE
- Nepenthes deaniana*** Macfarl. #4 II NEPENTHACEAE
- Nepenthes decurrens* Macfarl. = *Nepenthes northiana* Hook. f.
- Nepenthes dempoensis* Hopkins Moulder & Salmon =  
*Nepenthes spathulata* Danser
- Nepenthes densiflora*** Danser #4 II NEPENTHACEAE
- Nepenthes dentata* Sh.Kurata = *Nepenthes hamata* J.R.Turnbull & A.T.Middleton
- Nepenthes distillatoria* Dancer [sic] = *Nepenthes distillatoria* L.
- Nepenthes diatas*** Jebb & Cheek #4 II NEPENTHACEAE
- Nepenthes distillatoria*** L. #4 II NEPENTHACEAE
- Nepenthes distillatoria* auct. non. L..Brion = *Nepenthes madagascariensis* Poir.
- Nepenthes distillatoria* auct. non.L.:Jack = *Nepenthes gracilis* Korth.
- Nepenthes distillatoria* auct. non L.: Jeanneney =  
*Nepenthes vieillardii* Hook.f.

- Nepenthes distillatoria* auct. non L.:R.Grah. = *Nepenthes khasiana* Hook. f.  
*Nepenthes distillatoria* auct. non L.:Steud. = *Nepenthes mirabilis* (Lour) Druce  
*Nepenthes distillatoria* auct. non L.:Wall.p.p. = *Nepenthes gracilis* Korth.  
***Nepenthes dubia*** Danser #4 II NEPENTHACEAE  
*Nepenthes dubia* auct. non Danser: Cheek & Jebb p.p. = *Nepenthes tenuis* Nerz & Wistuba  
*Nepenthes dyak* S.Moore = *Nepenthes bicalcarata* Hook.f.  
*Nepenthes echinostoma* Hook.f. = *Nepenthes mirabilis* (Lour) Druce  
*Nepenthes edgeworthii* Rchb.f. ex Beck = *Nepenthes edwardsiana* Low ex Hook.f.  
***Nepenthes edwardsiana*** Low ex Hook.f. #4 II NEPENTHACEAE  
*Nepenthes edwardsiana macrophylla* Marabini = *Nepenthes macrophylla* (Marabini) Jebb & Cheek  
*Nepenthes elongata* (Beck) Macfarl. = *Nepenthes hookeriana* Lindl.  
***Nepenthes ephippiata*** Danser #4 II NEPENTHACEAE  
*Nepenthes eustachia* Boerl [sic] = *Nepenthes eustachya* Miq.  
***Nepenthes eustachya*** Miq. #4 II NEPENTHACEAE  
*Nepenthes eustachys* Stapf. [sic] = *Nepenthes eustachya* Miq.  
***Nepenthes eymae*** Sh.Kurata #4 II NEPENTHACEAE  
***Nepenthes faizaliana*** J.H.Adam & Wilcock #4 II NEPENTHACEAE  
*Nepenthes fallax* Beck = *Nepenthes stenophylla* (?Mast) emend. Danser  
*Nepenthes fimbriata* Blume = *Nepenthes mirabilis* (Lour) Druce  
*Nepenthes fucosa* S.Beckworth (sic) = *Nepenthes faizaliana* J.H.Adam & Wilcock  
***Nepenthes fusca*** Danser #4 II NEPENTHACEAE  
*Nepenthes fusca apoensis* J.H.Adam & Wilcock ex Jebb & Cheek nom. nud. = *Nepenthes stenophylla* (?Mast) emend. Danser  
*Nepenthes fusca* auct. non Danser: Sh.Kurata = *Nepenthes faizaliana* J.H.Adam & Wilcock  
*Nepenthes fusca kostermansiana* J.H.Adam & Wilcock ex Jebb & Cheek nom. nud. = *Nepenthes fusca* Danser  
*Nepenthes garrawaya* F.M.Bailey = *Nepenthes mirabilis* (Lour) Druce  
*Nepenthes geoffrayi* Lecomte = *Nepenthes anamensis* Macfarl.  
***Nepenthes glabrata*** J.R.Turnbull & A.T.Middleton #4 II NEPENTHACEAE  
***Nepenthes globamphora*** Sh.Kurata & Toyoshima #4 II NEPENTHACEAE  
*Nepenthes graciliflora* Elmer = *Nepenthes alata* Blanco  
***Nepenthes gracilis*** Korth. #4 II NEPENTHACEAE (E)  
 Pitcher-plant Slender  
***Nepenthes gracillima*** Ridley #4 II NEPENTHACEAE  
*Nepenthes gracillima* auct.non Ridl.:Danser = *Nepenthes ramispina* Ridl.  
***Nepenthes gymnamphora*** Nees #4 II NEPENTHACEAE  
*Nepenthes hainanensis* Metcalfe & Chalk(sic) = *Nepenthes mirabilis* (Lour) Druce  
*Nepenthes hainaniana* Metcalfe & Chalk = *Nepenthes mirabilis* (Lour) Druce  
***Nepenthes hamata*** J.R.Turnbull & A.T.Middleton #4 II NEPENTHACEAE  
***Nepenthes harryana*** Burb. #4 II NEPENTHACEAE  
*Nepenthes hemsleyana* Macfarl. = *Nepenthes rafflesiana* Jack  
***Nepenthes hirsuta*** Hook. f. #4 II NEPENTHACEAE  
*Nepenthes hirsuta* auct. non Hook.F.: Macfarl. = *Nepenthes hispida* Beck  
***Nepenthes hispida*** Beck #4 II NEPENTHACEAE  
*Nepenthes hookeri* Alphand ex Hook.f. = *Nepenthes hookeriana* Lindl.  
***Nepenthes hookeriana*** Lindl. #4 II NEPENTHACEAE  
*Nepenthes hookeriana* auct.non Lindl.:H. Low = *Nepenthes rafflesiana* Jack  
*Nepenthes hookeriana* H.Low = *Nepenthes rafflesiana* Jack  
*Nepenthes humilis* S.Moore = *Nepenthes vieillardii* Hook.f.  
*Nepenthes indica* Poir. = *Nepenthes distillatoria* L.  
***Nepenthes inermis*** Danser #4 II NEPENTHACEAE  
*Nepenthes infundibuliformis* J.R.Turnbull & A.T.Middleton = *Nepenthes eymae* Sh.Kurata  
***Nepenthes insignis*** Danser #4 II NEPENTHACEAE  
***Nepenthes jacquelineae*** Clarke Davis & Tamin #4 II NEPENTHACEAE  
*Nepenthes jardinei* F.M.Bailey = *Nepenthes mirabilis* (Lour) Druce  
***Nepenthes junguhnii*** Macfarl. #4 II NEPENTHACEAE  
*Nepenthes kampotiana* auct.non Lacomte:hort ex hort.Bot.Berlin = *Nepenthes mirabilis* (Lour) Druce  
*Nepenthes kampotiana* Lecomte = *Nepenthes anamensis* Macfarl.  
*Nepenthes kennedyana* F.Muell. = *Nepenthes mirabilis* (Lour) Druce  
*Nepenthes kennedyi* Benth.(sic) = *Nepenthes mirabilis* (Lour) Druce  
***Nepenthes khasiana*** Hook. f. I NEPENTHACEAE (E)  
 Pitcher-plant Indian (S) Cántaro de India  
***Nepenthes kinabaluensis*** Sh.Kurata #4 II NEPENTHACEAE  
***Nepenthes klossii*** Ridley #4 II NEPENTHACEAE  
*Nepenthes kookeriana* H.Low ex Becc.(sic) = *Nepenthes rafflesiana* Jack  
*Nepenthes korthalsiana* auct.non Miq.:Herb. Calc ex Macfarl. = *Nepenthes reinwardtiana* Miq.  
*Nepenthes laevis* auct non Lindl.:C.Morren = *Nepenthes albomarginata* T.Lobb ex Lindl.  
***Nepenthes lamii*** Jebb & Cheek #4 II NEPENTHACEAE  
*Nepenthes lanata* Lindl. ex Mast. = *Nepenthes veitchii* Hook.f.  
***Nepenthes lavicola*** Wistuba & Rischer #4 II NEPENTHACEAE  
*Nepenthes leptochila* Danser = *Nepenthes hirsuta* Hook. f.  
*Nepenthes leptoptera* Zippel = *Nepenthes neoguineensis* Macfarlane  
***Nepenthes lindleyana*** Low ex W.Baxter #4 II NEPENTHACEAE  
*Nepenthes loddigesii* W.Baxter = *Nepenthes hookeriana* Lindl.

- Nepenthes longifolia** Nerz & Wistuba #4 II  
NEPENTHACEAE
- Nepenthes lowii** Hook. f. #4 II NEPENTHACEAE
- Nepenthes macfarlanei** Hemsl. #4 II NEPENTHACEAE
- Nepenthes macrophylla** (Marabini) Jebb & Cheek #4 II  
NEPENTHACEAE
- Nepenthes macrostachya** Blume = *Nepenthes mirabilis* (Lour) Druce
- Nepenthes macrovulgaris** J.R. Turnbull & A.T. Middleton #4 II NEPENTHACEAE
- Nepenthes madagascariensis** Poir. #4 II  
NEPENTHACEAE
- Nepenthes mapuluensis** J.H. Adam & Wilcock #4 II  
NEPENTHACEAE
- Nepenthes masaolensis** R. Schmid-Hollinger #4 II  
NEPENTHACEAE
- Nepenthes maxima** Reinw. ex Nees #4 II  
NEPENTHACEAE
- Nepenthes maxima* auct. non Rein. ex Nees:Becc.p.p. = *Nepenthes boschiana* Korth.
- Nepenthes maxima* auct. non Reinw ex Nees:Becc.p.p. = *Nepenthes sumatrana* (Miq)G.Bech
- Nepenthes maxima* auct. non Reinw. ex Nees:Becc.p.p. = *Nepenthes stenophylla* (?Mast) emend. Danser
- Nepenthes maxima* non Reinw ex Nees:K. & M.Kondo = *Nepenthes fusca* Danser
- Nepenthes megamphora* Merr. & Quis = *Nepenthes truncata* Macfarlane
- Nepenthes melanophora* auct. non Reinw. ex Blume: Fern.-Vill. = *Nepenthes alata* Blanco
- Nepenthes melanophora* auct. non Reinw. ex Blume:Hook.f. = *Nepenthes khasiana* Hook. f.
- Nepenthes melanophora* Reinw. ex Blume = *Nepenthes gymnamphora* Nees
- Nepenthes merrilliana** Macfarlane #4 II  
NEPENTHACEAE
- Nepenthes merrillii* Elmer [Sic] = *Nepenthes merrilliana* Macfarlane
- Nepenthes micholitzii* hort ex Bonst = *Nepenthes anamensis* Macfarl.
- Nepenthes mikei** B.Salmon & Maulder #4 II  
NEPENTHACEAE
- Nepenthes mindanaoensis** Sh.Kurata #4 II  
NEPENTHACEAE
- Nepenthes minutissima* hort. ex B.Salmon & Maulder nom. Illeg. = *Nepenthes mikei* B.Salmon & Maulder
- Nepenthes mira** Jebb & Cheek #4 II NEPENTHACEAE
- Nepenthes mirabilis** (Lour) Druce #4 II  
NEPENTHACEAE
- Nepenthes mollis** Danser #4 II NEPENTHACEAE
- Nepenthes moluccensis* Oken = *Nepenthes mirabilis* (Lour) Druce
- Nepenthes montrouzieri* Dubard = *Nepenthes vieillardii* Hook.f.
- Nepenthes moorei* F.M.Bailey = *Nepenthes mirabilis* (Lour) Druce
- Nepenthes morganiæ* Mast. (sic) = *Nepenthes hookeriana* Lindl.
- Nepenthes muluensis** M. Hotta #4 II NEPENTHACEAE
- Nepenthes murudensis** Culham ex Jebb & Cheek #4 II  
NEPENTHACEAE
- Nepenthes neglecta** Macfarlane #4 II NEPENTHACEAE
- Nepenthes neglecta* auct. non Elmer: Y.Fukatsu = *Nepenthes gracilis* Korth.
- Nepenthes neglecta* Macfarl. = *Nepenthes hirsuta* Hook. f.
- Nepenthes neocalledonica* Muell. ex Heckel = *Nepenthes vieillardii* Hook.f.
- Nepenthes neoguineensis** Macfarlane #4 II  
NEPENTHACEAE
- Nepenthes neoguineensis* auct.non. Macfarl.:Ridl. = *Nepenthes papuana* Danser
- Nepenthes nigropurpurea* hort. ex Mast.(sic) = *Nepenthes rafflesiana* Jack
- Nepenthes nordtiana* Boerl(sic) = *Nepenthes northiana* Hook. f.
- Nepenthes northiana** Hook. f. #4 II NEPENTHACEAE
- Nepenthes ob lanceolata* Ridl. = *Nepenthes maxima* Reinw. ex Nees
- Nepenthes obrieniana* Linden & Rodigas = *Nepenthes mirabilis* (Lour) Druce
- Nepenthes ovata** Nerz & Wistuba #4 II NEPENTHACEAE
- Nepenthes paniculata** Danser #4 II NEPENTHACEAE
- Nepenthes papuana** Danser #4 II NEPENTHACEAE
- Nepenthes pascoensis* F.M.Bailey = *Nepenthes mirabilis* (Lour) Druce
- Nepenthes pecinata* Danser = *Nepenthes gymnamphora* Nees
- Nepenthes pectinata** Danser #4 II NEPENTHACEAE
- Nepenthes pectinata* auct.non Danser: K.M.Kondo = *Nepenthes ovata* Nerz & Wistuba
- Nepenthes pervillei** Blume #4 II NEPENTHACEAE
- Nepenthes petiolata** Danser #4 II NEPENTHACEAE
- Nepenthes petiolata* Auct. non Danser:hort = *Nepenthes mindanaoensis* Sh.Kurata
- Nepenthes philippinensis** Macfarlane #4 II  
NEPENTHACEAE
- Nepenthes phyllamphora* auct.non Willd:Regel p.p. = *Nepenthes khasiana* Hook. f.
- Nepenthes phyllamphora* auct non Willd.:Reinw. ex Miq. = *Nepenthes gymnamphora* Nees
- Nepenthes phyllamphora* auct.non Willd:Sims = *Nepenthes khasiana* Hook. f.
- Nepenthes phyllamphora* auct. non Willd.:Stapf. = *Nepenthes burbridgeae* Hook.f. ex Burb.
- Nepenthes phyllamphora* Willd. = *Nepenthes mirabilis* (Lour) Druce
- Nepenthes pilosa** Danser #4 II NEPENTHACEAE
- Nepenthes pilosa* auct.non Danser:Jebb & Cheek p.p. = *Nepenthes stenophylla* (?Mast) emend. Danser
- Nepenthes pumila* Griff. = *Nepenthes sanguinea* Lindl.
- Nepenthes pyriformis** Sh.Kurata #4 II NEPENTHACEAE
- Nepenthes rafflesiana** Jack #4 II NEPENTHACEAE (E)  
Pitcher-plant Raffles
- Nepenthes rafflesiana* auct. non Jack:Haberl. = *Nepenthes gymnamphora* Nees
- Nepenthes rafflesiana* auct.non. Jack:Hook.f. p.p. = *Nepenthes hookeriana* Lindl.
- Nepenthes rafflesiana* auct.non. Jack:Low = *Nepenthes hookeriana* Lindl.

- Nepenthes raflesea* hort(sic) = *Nepenthes rafflesiana* Jack  
***Nepenthes rajah*** Hook. f. I NEPENTHACEAE (E)  
 Pitcher-plant Giant, Pitcher-plant Kinabalu,  
 Pitcher-plant Tropical Giant (S) Cántaro tropical gigante  
*Nepenthes rajah* auct.non Hook.f.:Cheers = *Nepenthes kinabaluensis* Sh.Kurata  
***Nepenthes ramispina*** Ridl. #4 II NEPENTHACEAE  
*Nepenthes rancing* hort. ex Salmon & Maulder =  
*Nepenthes gymnamphora* Nees  
***Nepenthes reinwardtiana*** Miq. #4 II NEPENTHACEAE  
*Nepenthes reinwardtiana* Miq = *Nepenthes khasiana*  
 Hook. f.  
*Nepenthes reinwardtii* Hook.F.(sic) = *Nepenthes reinwardtiana* Miq.  
***Nepenthes rhombicaulis*** Sh. Kurata #4 II  
 NEPENTHACEAE  
*Nepenthes rhombicaulis* auct non  
 Sh.Kurata:K.&M.Kondo& = *Nepenthes gymnamphora*  
 Nees  
*Nepenthes rosulata* R. Tamin & M. Hotta = *Nepenthes gymnamphora* Nees  
*Nepenthes rowanae* F.M.Bailey = *Nepenthes mirabilis*  
 (Lour) Druce  
*Nepenthes rubra* Auct. non Hort. ex Rafarin: G.Nicholson  
 = *Nepenthes distillatoria* L.  
*Nepenthes rubra* hort. ex Rafarin = *Nepenthes khasiana*  
 Hook. f.  
*Nepenthes rubromaculata* auct . non hort. Veitch ex  
 Wilson: Sh.Kurata. = *Nepenthes gracilis* Korth.  
*Nepenthes sandakanensis* J.H.Adam & Wilcock =  
*Nepenthes stenophylla* (?Mast) emend. Danser  
*Nepenthes sanderiana* Burb. = *Nepenthes rafflesiana* Jack  
***Nepenthes sanguinea*** Lindl. #4 II NEPENTHACEAE  
*Nepenthes sanguinea* auct. non Lindl.:Mast = *Nepenthes veitchii* Hook.f.  
***Nepenthes sarawakiensis*** J.H.Adams Wilcock & Swaine  
 #4 II NEPENTHACEAE  
***Nepenthes sibuyanensis*** Nerz #4 II NEPENTHACEAE  
***Nepenthes singalana*** Becc. #4 II NEPENTHACEAE  
*Nepenthes singalana* auct. non. Becc.:Macfarl.p.p. =  
*Nepenthes gracillima* Ridley  
*Nepenthes singalana* auct. non Becc.:Tamin & M.Hottap.P.  
 = *Nepenthes bongso* Korth.  
*Nepenthes singalana* auct.non Becc.:Tamin & M.Hotta p.p.  
 = *Nepenthes densiflora* Danser  
*Nepenthes smilesii* Hemsl. = *Nepenthes mirabilis* (Lour)  
 Druce  
*Nepenthes smithii* Beck = *Nepenthes distillatoria* L.  
***Nepenthes spathulata*** Danser #4 II NEPENTHACEAE  
*Nepenthes speciosa* hort. ex Beck = *Nepenthes distillatoria* L.  
***Nepenthes spectabilis*** Danser #4 II NEPENTHACEAE  
*Nepenthes spinosa* R. Tamin & M. Hotta p.p. = *Nepenthes sumatrana* (Miq)G.Beck  
*Nepenthes spinosa* Tamin & M.Hotta p.p. = *Nepenthes gymnamphora* Nees  
*Nepenthes spuria* Beck = *Nepenthes northiana* Hook. f.  
***Nepenthes stenophylla*** (?Mast) emend. Danser #4 II  
 NEPENTHACEAE  
*Nepenthes stenophylla* auct. non Danser: Schlauer =  
*Nepenthes faizaliana* J.H.Adam & Wilcock  
***Nepenthes sumatrana*** (Miq)G.Beck #4 II  
 NEPENTHACEAE  
*Nepenthes sumatrana* auct.non(Miq)Becc.:Jebb &  
 Cheek.p.p. = *Nepenthes longifolia* Nerz & Wistuba  
*Nepenthes surigaoensis* Elmer = *Nepenthes merrilliana*  
 Macfarlane  
***Nepenthes talangensis*** Nerz & Wistuba #4 II  
 NEPENTHACEAE  
***Nepenthes tentaculata*** Hook. f. #4 II NEPENTHACEAE  
***Nepenthes tenuis*** Nerz & Wistuba #4 II  
 NEPENTHACEAE  
*Nepenthes teysmanniana* Miq. p.p. = *Nepenthes gracilis*  
 Korth.  
*Nepenthes teysmanniana* Miq.p.p. = *Nepenthes albomarginata*  
 T.Lobb ex Lindl.  
***Nepenthes thorelii*** Lecomte #4 II NEPENTHACEAE  
***Nepenthes tobaica*** Danser #4 II NEPENTHACEAE  
*Nepenthes tomentella* Miq. = *Nepenthes albomarginata*  
 T.Lobb ex Lindl.  
***Nepenthes tomoriana*** Danser #4 II NEPENTHACEAE  
***Nepenthes treubiana*** Warb. #4 II NEPENTHACEAE  
*Nepenthes treubiana* auct.non Warb:Danser p.p. =  
*Nepenthes sumatrana* (Miq)G.Beck  
***Nepenthes trichocarpa*** Miq. #4 II NEPENTHACEAE (E)  
 Hairy-fruited Monkey Cup  
*Nepenthes trichocarpa* auct. non Miq.: hort. ex hort.  
 Bednar = *Nepenthes distillatoria* L.  
***Nepenthes truncata*** Macfarlane #4 II NEPENTHACEAE  
***Nepenthes trusmadiensis*** Marabini #4 II  
 NEPENTHACEAE  
*Nepenthes tubulosa* Macfarl. = *Nepenthes mirabilis* (Lour)  
 Druce  
*Nepenthes tupmanniana* Bonst. [sic] = *Nepenthes albomarginata* T.Lobb ex Lindl.  
***Nepenthes veitchii*** Hook.f. #4 II NEPENTHACEAE  
*Nepenthes veitchii* auct.non Hook.f.:End = *Nepenthes fusca* Danser  
***Nepenthes ventricosa*** Blanco #4 II NEPENTHACEAE  
***Nepenthes vieillardii*** Hook.f. #4 II NEPENTHACEAE  
*Nepenthes vieillardii* auct non Hook.f.: Danser =  
*Nepenthes lamii* Jebb & Cheek  
*Nepenthes vieillardii* auct.non Hook.F.:hort ex Studnicka =  
*Nepenthes mirabilis* (Lour) Druce  
***Nepenthes villosa*** Hook. #4 II NEPENTHACEAE  
*Nepenthes villosa* auct.non Hook.f.:Cheers = *Nepenthes kinabaluensis* Sh.Kurata  
*Nepenthes villosa* auct. non Hook.f.:Danser = *Nepenthes edwardsiana* Low ex Hook.f.  
*Nepenthes villosa* auct.non Hook.f.: Hook = *Nepenthes veitchii* Hook.f.  
*Nepenthes wardii* Wright = *Nepenthes pervillei* Blume  
*Nepenthes wilkiei* Jebb & Cheek = *Nepenthes philippinensis* Macfarlane  
*Nepenthes xiphioides* B.Salmon & Maulder = *Nepenthes gymnamphora* Nees  
*Nepenthes zeylanica* auct. non (Burm)Raf. = *Nepenthes distillatoria* L.  
***Nephelaphyllum* spp.** Blume #4 II <sup>64</sup> ORCHIDACEAE

<i>Nephelaphyllum cristatum</i> Rolfe #4 II 64 ORCHIDACEAE (E) Cloud Leaf Orchid	<i>Nephelea tryoniana</i> Gastony 1973 = <i>Alsophila tryoniana</i> (Gastony) Conant
<i>Nephelaphyllum flabellatum</i> Ames & C. Schweinf. #4 II 64 ORCHIDACEAE	<i>Nephelea tussacii</i> (Desv. 1827) R.M.Tryon 1970 = <i>Alsophila tussacii</i> (Desv. 1827) Conant 1983
<i>Nephelaphyllum pulchrum</i> Blume #4 II 64 ORCHIDACEAE	<i>Nephelea woodwardioides</i> (Kaulf. 1824) Gastony 1973 = <i>Alsophila woodwardioides</i> (Kaulf. 1824) Conant 1983
<i>Nephelaphyllum tenuiflorum</i> Blume #4 II 64 ORCHIDACEAE	<b><i>Nephrangis</i> spp.</b> (Schlechter) Summerh. #4 II 64 ORCHIDACEAE
<i>Nephelaphyllum trapoides</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Nephrangis filiformis</i> #4 II 64 ORCHIDACEAE
<i>Nephelea araneosa</i> (Maxon 1909) R.Tryon 1970 = <i>Alsophila woodwardioides</i> (Kaulf. 1824) Conant 1983	<i>Nephranthera matutina</i> Hassk. = <i>Renanthera matutina</i> Lindley
<i>Nephelea arborea</i> Sehnem 1978 = <i>Cyathea arborea</i> (L. 1753) Smith 1793	<i>Nephrodium kuhnii</i> Hier = <i>Cyathea falcata</i> (Mett. ex Kuhn 1869) Domin 1929
<i>Nephelea aureonitens</i> (Christ 1904) R.Tryon 1970 = <i>Alsophila erinacea</i> (Karsten 1856) Conant 1983	<b><i>Nervilia</i> spp.</b> Comm. ex Gaudich. #4 II 64 ORCHIDACEAE
<i>Nephelea balanocarpa</i> (D.Eaton 1860) R.Tryon 1970 = <i>Alsophila balanocarpa</i> (D.C.Eaton 1860) Conant 1983	<i>Nervilia aragoana</i> Gaudich. #4 II 64 ORCHIDACEAE
<i>Nephelea canescens</i> (Sodiro 1908) R.Tryon 1970 = <i>Alsophila incana</i> (H.Karst) D.S.Conant 1983	<i>Nervilia beumeei</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Nephelea concinna</i> (Baker ex Jenman 1881) R.Tryon 1970 = <i>Cyathea concinna</i> (Baker ex Jenman 1881) Jenman 1891	<i>Nervilia biflora</i> (Roxb.) Schltr. #4 II 64 ORCHIDACEAE
<i>Nephelea crassa</i> (Maxon 1909) R.Tryon 1970 = <i>Alsophila jimeneziana</i> Conant 1983	<i>Nervilia bollei</i> (Rchb. f.) Schlechter #4 II 64 ORCHIDACEAE
<i>Nephelea cubensis</i> (Und. ex Maxon 1909) R.Tryon 1970 = <i>Alsophila cubensis</i> (Maxon) comb.ined.	<i>Nervilia borneensis</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Nephelea cuspidata</i> (Kunze 1834) Tryon 1970 = <i>Alsophila cuspidata</i> (Kunze 1834) Conant 1983	<i>Nervilia campestris</i> (J.J. Smith) Schltr. #4 II 64 ORCHIDACEAE
<i>Nephelea erinacea</i> (Karst) R. M. Tryon 1970 = <i>Alsophila erinacea</i> (Karsten 1856) Conant 1983	<i>Nervilia concolor</i> (Blume) Schltr. #4 II 64 ORCHIDACEAE
<i>Nephelea fulgens</i> (C.Chr. 1937) Gastony 1973 = <i>Alsophila fulgens</i> (C.Chr. 1937) Conant 1983	<i>Nervilia crispata</i> (Blume) Schltr. #4 II 64 ORCHIDACEAE
<i>Nephelea grevilleana</i> (Martius 1834) R.M.Tryon 1970 = <i>Alsophila grevilleana</i> (C.Mart. 1834) Conant 1983	<i>Nervilia crociformis</i> (Zoll. & Moritzi) Seidenf. #4 II 64 ORCHIDACEAE
<i>Nephelea hieronymi</i> (Brause 1911) R.Tryon 1970 = <i>Alsophila hieronymi</i> Brause 1912	<i>Nervilia cumberlegii</i> Seidenf. & Smitinand #4 II 64 ORCHIDACEAE
<i>Nephelea imrayana</i> (Hook. 1844) R.Tryon 1970 = <i>Alsophila imrayana</i> (Hook.) D.S.Conant	<i>Nervilia gammiena</i> (Hook.f.) Schltr. #4 II 64 ORCHIDACEAE
<i>Nephelea incana</i> (Karsten 1859) Gastony 1973 = <i>Alsophila incana</i> (H.Karst) D.S.Conant 1983	<i>Nervilia infundibulifolia</i> Blatter & McCann #4 II 64 ORCHIDACEAE
<i>Nephelea mexicana</i> (Schldl. & Cham. 1830) R.Tryon 1970 = <i>Alsophila firma</i> (Baker 1877) Conant 1983	<i>Nervilia jacksoniae</i> Rinehart & Fosberg #4 II 64 ORCHIDACEAE
<i>Nephelea patellaris</i> (Christ 1900) R.Tryon 1970 = <i>Alsophila firma</i> (Baker 1877) Conant 1983	<i>Nervilia juliana</i> (Roxb.) Schltr. #4 II 64 ORCHIDACEAE
<i>Nephelea polystichoides</i> (Christ) Tryon = <i>Alsophila polystichoides</i> Christ 1896	<i>Nervilia macroglossa</i> (Hook.f.) Schltr. #4 II 64 ORCHIDACEAE
<i>Nephelea portoricensis</i> (Sprengel ex Kuhn 1869) R.Tryon 1970 = <i>Alsophila portoricensis</i> (Sprengel ex Kuhn 1869) Conant 1983	<i>Nervilia natalensis</i> Schelpe = <i>Nervilia renchiana</i> (Rchb.f.) Schltr.
<i>Nephelea pubescens</i> (Mett. ex Kuhn 1869) R.Tryon 1970 = <i>Alsophila auneae</i> Conant 1883	<i>Nervilia nipponica</i> Makino #4 II 64 ORCHIDACEAE
<i>Nephelea purpurascens</i> (Sodiro 1893) R.Tryon 1970 = <i>Alsophila erinacea</i> (Karsten 1856) Conant 1983	<i>Nervilia pachystomoides</i> (F. Muell.) Schltr. #4 II 64 ORCHIDACEAE
<i>Nephelea setosa</i> (Kaulf. 1824) R.Tryon 1970 = <i>Alsophila setosa</i> Kaulf 1824	<i>Nervilia plicata</i> (Andrews) Schltr. #4 II 64 ORCHIDACEAE
<i>Nephelea sternbergii</i> (Sternb.) R.M.Tryon 1970 = <i>Alsophila sternbergii</i> (Pohl. ex Sternb. 1820) Conant 1983	<i>Nervilia prainiana</i> (Blume) Makino #4 II 64 ORCHIDACEAE
<i>Nephelea tenerifrons</i> (Christ 1904) R.Tryon 1970 = <i>Alsophila firma</i> (Baker 1877) Conant 1983	<i>Nervilia punctata</i> (Blume) Makino #4 II 64 ORCHIDACEAE
	<i>Nervilia renchiana</i> (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE
	<i>Nervilia scottii</i> (Reichb.f.) Schltr. #4 II 64 ORCHIDACEAE
	<i>Nervilia toilliezae</i> Halle #4 II 64 ORCHIDACEAE
	<i>Nervilia winckelii</i> J.J. Smith #4 II 64 ORCHIDACEAE
	<b><i>Neuwiedia</i> spp.</b> Blume #4 II 64 ORCHIDACEAE
	<i>Neuwiedia annamensis</i> Gagnepain #4 II 64 ORCHIDACEAE
	<i>Neuwiedia balansae</i> Baillon & Gagnepain #4 II 64 ORCHIDACEAE
	<i>Neuwiedia borneensis</i> de Vogel #4 II 64 ORCHIDACEAE
	<i>Neuwiedia elongata</i> de Vogel #4 II 64 ORCHIDACEAE

- Neuwiedia griffithii* Rchb.f. #4 II 64 ORCHIDACEAE  
*Neuwiedia inae* de Vogel #4 II 64 ORCHIDACEAE  
*Neuwiedia javanica* J.J. Smith #4 II 64 ORCHIDACEAE  
*Neuwiedia zollingeri* Reichb.f. #4 II 64 ORCHIDACEAE  
**Nidema spp.** Britton & Millsp. #4 II 64 ORCHIDACEAE  
*Nidema boothii* (Lindl.) Schltr. 1922 #4 II 64  
ORCHIDACEAE  
*Nidema ottonis* (Rchb.f.) Britten & Millspaugh 1920 #4 II 64 ORCHIDACEAE  
*Nidema palacea* Lindl. 1840 = *Nidema boothii* (Lindl.)  
Schltr. 1922  
**Nigritella spp.** Rich. #4 II 64 ORCHIDACEAE  
*Nigritella angustifolia* Rich. = *Nigritella nigra* (L.) Rchb.f.  
*Nigritella miniata* (Crantz) Janch. = *Nigritella nigra* (L.)  
Rchb.f.  
*Nigritella nigra* (L.) Rchb.f. #4 II 64 ORCHIDACEAE  
*Nigritella rubra* (Wettst.) K.Richt. #4 II 64 ORCHIDACEAE  
*Nogaed* (E): *Dalbergia stevensonii*  
*Nolina interrata* Gentry II AGAVACEAE (E) Dehesa  
 Bear-grass, San Diego Bear-grass  
*Nopalea auberi* (Pfeiffer) Salm-Dyck = *Opuntia auberi*  
 Pfeiffer  
*Nopalea cochenillifera* (L.) Salm-Dyck = *Opuntia*  
*cochenillifera* (L.) Miller  
*Nopalea dejecta* (Salm-Dyck) Salm-Dyck = *Opuntia*  
*dejecta* Salm-Dyck  
*Nopalea escuintlensis* Matuda = *Opuntia inaperta* (Schott  
 ex Griffiths) Hunt  
*Nopalea gaumeri* Britton & Rose = *Opuntia inaperta*  
 (Schott ex Griffiths) Hunt  
*Nopalea guatemalensis* Rose = *Opuntia lutea* (Rose) Hunt  
*Nopalea inaperta* Schott ex Griffiths = *Opuntia inaperta*  
 (Schott ex Griffiths) Hunt  
*Nopalea karwinskiana* (Salm-Dyck) Schumann = *Opuntia*  
*karwinskiana* Salm-Dyck  
*Nopalea lutea* Rose = *Opuntia lutea* (Rose) Hunt  
*Nopalea nuda* Backeb. = *Opuntia nuda* (Backeberg)  
 Rowley  
*Nopalochchia ackermannii* (Haworth) Knuth = *Disocactus*  
*ackermannii* (Lindley) Barthlott  
*Nopalochchia conzattiana* MacDougal = *Disocactus*  
*ackermannii* (Lindley) Barthlott  
*Nopalochchia horichii* Kimnach = *Disocactus kimnachii*  
 Rowley  
*Nopalochchia macdougallii* (Alexander) W.T.Marshall =  
*Disocactus macdougallii* (Alexander) Barthlott  
*Nopalochchia phyllanthoides* (De Candolle) Britton & Rose  
 = *Disocactus phyllanthoides* (De Candolle) Barthlott  
*Normanbokea pseudopectinata* (Backeberg) Halsa =  
*Turbinicarpus pseudopectinatus* (Backeberg) Glass &  
 Foster  
*Normanbokea valdeziana* (Moeller) Kladiwa & Buxbaum =  
*Turbinicarpus valdezianus* (Moeller) Glass & Foster  
**Nothodoritis spp.** Tsi #4 II 64 ORCHIDACEAE  
**Nothosteple spp.** Garay #4 II 64 ORCHIDACEAE  
*Nothosteple acianthiformis* (Rchb.f. & Warm.) Garay #4 II  
 64 ORCHIDACEAE  
*Notocactus acuatus* (Link & Otto) Theunissen = *Parodia*  
*erinacea* (Haworth) Taylor
- Notocactus acutus* Ritter = *Parodia ottonis* (Lehmann)  
 Taylor  
*Notocactus allosiphon* Marchesi = *Parodia allosiphon*  
 (Marchesi) Taylor  
*Notocactus ampliostatus* (Ritter) Theunissen = *Parodia*  
*schumanniana* (Nicolai) Brandt  
*Notocactus apricus* (Arechavaleta) Berger = *Parodia*  
*concinna* (Monville) Taylor  
*Notocactus arachnites* Ritter = *Parodia wernerii* Hofacker  
*Notocactus arechavaletae* (Spegazzini) Herter = *Parodia*  
*ottonis* (Lehmann) Taylor  
*Notocactus arnostianus* Lisal & Kolarik = *Parodia*  
*arnostiana* (Lisal & Kolarik) Hofacker  
*Notocactus buiningii* Buxbaum = *Parodia buiningii*  
 (Buxbaum) Taylor  
*Notocactus caespitosus* (Spegazzini) Backeberg =  
*Parodia concinna* (Monville) Taylor  
*Notocactus calvescens* Gerloff & Nilson = *Parodia*  
*turbinata* (Arechavaleta) Hofacker  
*Notocactus campestrensis* Ritter = *Parodia oxycostata*  
 (Buining & Brederoo) Hofacker  
*Notocactus carambeiensis* Buining & Brederoo = *Parodia*  
*carambeiensis* (Buining & Brederoo) Hofacker  
*Notocactus concinnioides* Prauser = *Parodia concinna*  
 (Monville) Taylor  
*Notocactus corynodes* (Otto ex Pfeiffer) Krainz = *Parodia*  
*sellowii* (Link & Otto) Hunt  
*Notocactus crassigibbus* Ritter = *Parodia crassigibba*  
 (Ritter) Taylor  
*Notocactus cristatoides* Ritter = *Parodia mammulosa*  
 (Lemaire) Taylor  
*Notocactus curvispinus* Ritter = *Parodia curvispina* (Ritter)  
 Hunt  
*Notocactus eremicus* Ritter = *Parodia concinna*  
 (Monville) Taylor  
*Notocactus erinaceus* (Haworth) Krainz = *Parodia*  
*erinacea* (Haworth) Taylor  
*Notocactus erubescens* (Osten) Marchesi = *Parodia*  
*erubescens* (Osten) Hunt  
*Notocactus ferrugineus* Schlosser = *Parodia*  
*werdermanniana* (Herter) Taylor  
*Notocactus floricomus* (Arechavaleta) Backeberg =  
*Parodia mammulosa* (Lemaire) Taylor  
*Notocactus fricii* (Arechavaleta) Krainz = *Parodia sellowii*  
 (Link & Otto) Hunt  
*Notocactus fuscus* Ritter = *Parodia fusca* (Ritter) Hofacker  
 & Braun  
*Notocactus gibberulus* Prestle = *Parodia concinna*  
 (Monville) Taylor  
*Notocactus glaucinus* Ritter = *Parodia oxycostata* (Buining  
 & Brederoo) Hofacker  
*Notocactus grandiensis* Bergner = *Parodia ottonis*  
 (Lehmann) Taylor  
*Notocactus herteri* (Werdermann) Buining & Kreuzinger =  
*Parodia herteri* (Werdermann) Taylor  
*Notocactus horstii* Ritter = *Parodia horstii* (Ritter) Taylor  
*Notocactus hypocrateriformis* (Otto & Dietrich) Herter =  
*Parodia mammulosa* (Lemaire) Taylor  
*Notocactus incomptus* Gerloff = *Parodia oxycostata*  
 (Buining & Brederoo) Hofacker

- Notocactus joadii* (Hooker f.) Herter = *Parodia concinna* (Monville) Taylor  
*Notocactus laetivirens* Ritter = *Parodia muricata* (Otto ex Pfeiffer) Hofacker  
*Notocactus langsdorffii* (Lehmann) Krainz = *Parodia langsdorffii* (Lehmann) Hunt  
*Notocactus leninghausii* (Schumann) Backeberg = *Parodia leninghausii* (Schumann) Brandt  
*Notocactus leprosorum* (Ritter) Havlicek = *Parodia langsdorffii* (Lehmann) Hunt  
*Notocactus leucocarpus* (Arechavaleta) Schaefer = *Parodia sellowii* (Link & Otto) Hunt  
*Notocactus linkii* (Lehmann) Herter = *Parodia linkii* (Lehmann) Kiesling  
*Notocactus longispinus* (Ritter) Havlicek = *Parodia langsdorffii* (Lehmann) Hunt  
*Notocactus macambarensis* Prestle = *Parodia mammulosa* (Lemaire) Taylor  
*Notocactus macracanthus* (Arechavaleta) Schaefer = *Parodia sellowii* (Link & Otto) Hunt  
*Notocactus magnificus* (Ritter) Krainz ex Taylor = *Parodia magnifica* (Ritter) Brandt  
*Notocactus maldonadensis* (Herter) Herter = *Parodia neoarechavaletae* (Havlick) Hunt  
*Notocactus megalanthus* Schlosser = *Parodia mammulosa* (Lemaire) Taylor  
*Notocactus megapotamicus* (Osten) Herter = *Parodia linkii* (Lehmann) Kiesling  
*Notocactus memorialis* Prestle = *Parodia werdermanniana* (Herter) Taylor  
*Notocactus meonacanthus* Prestle = *Parodia meonacantha* (Prestle) Hofacker  
*Notocactus miniatispinus* Havlicek = *Parodia oxycostata* (Buining & Brederoo) Hofacker  
*Notocactus minimus* Fric & Kreuzinger ex Berger = *Parodia tenuicylindrica* (Ritter) Hunt  
*Notocactus minusculus* Hofacker & Herm = *Parodia nothominuscula* Hofacker  
*Notocactus müller-moelleri* Fric ex Backeberg & F. Knuth = *Parodia mammulosa* (Lemaire) Taylor  
*Notocactus muricatus* (Otto ex Pfeiffer) Backeberg = *Parodia muricata* (Otto ex Pfeiffer) Hofacker  
*Notocactus neoarechavaletae* Elsner ex Havlicek = *Parodia neoarechavaletae* (Havlick) Hunt  
*Notocactus neohorstii* Theunissen = *Parodia neohorstii* (Theunissen) Taylor  
*Notocactus nigrispinus* (Schumann) Buining ex Rowley = *Parodia nigrispina* (Schumann) Brandt  
*Notocactus olimarensis* Prestle = *Parodia concinna* (Monville) Taylor  
*Notocactus oxycostatus* Buining & Brederoo = *Parodia oxycostata* (Buining & Brederoo) Hofacker  
*Notocactus pauciareolatus* (Arechavaleta) Krainz = *Parodia sellowii* (Link & Otto) Hunt  
*Notocactus paulus* Schlosser & Brederoo = *Parodia mammulosa* (Lemaire) Taylor  
*Notocactus permutteratus* Ritter = *Parodia permutata* (Ritter) Hofacker  
*Notocactus polyacanthus* (Link & Otto) Ritter = *Parodia langsdorffii* (Lehmann) Hunt  
*Notocactus pseudoherteri* Buining = *Parodia herteri* (Werdermann) Taylor  
*Notocactus pulvinatus* Vliet = *Parodia langsdorffii* (Lehmann) Hunt  
*Notocactus purpureus* Ritter = *Parodia horstii* (Ritter) Taylor  
*Notocactus rauschii* Vliet = *Parodia nothorauschii* Hunt  
*Notocactus rechensis* Buining = *Parodia rechensis* (Buining) Brandt  
*Notocactus ritterianus* Lisal & Kolarik = *Parodia mammulosa* (Lemaire) Taylor  
*Notocactus roseiflorus* Schlosser & Brederoo = *Parodia rutilans* (Daeniker & Krainz) Taylor  
*Notocactus roseoluteus* vliet = *Parodia mammulosa* (Lemaire) Taylor  
*Notocactus rubricostatus* (Fric ex Fleischer & Schuetz) Schuetz = *Parodia sellowii* (Link & Otto) Hunt  
*Notocactus rubriflorus* Hort. ex Berger = *Parodia herteri* (Werdermann) Taylor  
*Notocactus rubropedatus* Ritter = *Parodia curvispina* (Ritter) Hunt  
*Notocactus rudibuenekeri* Abraham = *Parodia rudibuenekeri* (Abraham) Hofacker & Braun  
*Notocactus ruoffii* Gerloff = *Parodia ottonis* (Lehmann) Taylor  
*Notocactus schaeferianus* (Abraham & Theunissen) Havlicek = *Parodia turbinata* (Arechavaleta) Hofacker  
*Notocactus schlosseri* Vliet = *Parodia erubescens* (Osten) Hunt  
*Notocactus schumannianus nigrispinus* (Schumann) Engel = *Parodia nigrispina* (Schumann) Brandt  
*Notocactus securituberculatus* Ritter = *Parodia oxycostata* (Buining & Brederoo) Hofacker  
*Notocactus sellowii* (Link & Otto) Theunissen = *Parodia sellowii* (Link & Otto) Hunt  
*Notocactus sessiliflora* (Hooker) Krainz = *Parodia sellowii* (Link & Otto) Hunt  
*Notocactus spinibarbis* Ritter = *Parodia nothorauschii* Hunt  
*Notocactus stegmannii* (Backeberg) Krainz = *Parodia sellowii* (Link & Otto) Hunt  
*Notocactus stockingeri* Prestle = *Parodia stockingeri* (Prestle) Hofacker & Braun  
*Notocactus tenuicylindricus* Ritter = *Parodia tenuicylindrica* (Ritter) Hunt  
*Notocactus tenuispinus* (Link & Otto) Herter = *Parodia ottonis* (Lehmann) Taylor  
*Notocactus tephracantha* (Link & Otto) Krainz = *Parodia sellowii* (Link & Otto) Hunt  
*Notocactus tetracanthus* (Lemaire) Gerloff et Al. = *Parodia erinacea* (Haworth) Taylor  
*Notocactus turbinatus* (Arechavaleta) Krainz = *Parodia turbinata* (Arechavaleta) Hofacker  
*Notocactus uruguayus* (Arechavaleta) Herter = *Parodia ottonis* (Lehmann) Taylor  
*Notocactus vanvlietii* Rausch = *Parodia werdermanniana* (Herter) Taylor  
*Notocactus villa-velhensis* (Backeberg & Voll) Slaba = *Parodia carambeiensis* (Buining & Brederoo) Hofacker

<i>Notocactus vorwerkiana</i> (Werdermann) Krainz = <i>Parodia sellowii</i> (Link & Otto) Hunt	<i>Oberonia gracilis</i> Hook.f. #4 II 64 ORCHIDACEAE
<i>Notocactus warasii</i> (Ritter) Hewitt & Donald = <i>Parodia warasii</i> (Ritter) Brandt	<i>Oberonia grandis</i> Ridley #4 II 64 ORCHIDACEAE
<i>Notocactus werdermannianus</i> Herter = <i>Parodia werdermanniana</i> (Herter) Taylor	<i>Oberonia griffithiana</i> Lindley #4 II 64 ORCHIDACEAE
<i>Notosceprium alooides</i> (Bolus) Benth. = <i>Aloe alooides</i> (Bolus) van Druten	<i>Oberonia heliophila</i> Reichb.f. #4 II 64 ORCHIDACEAE
<b><i>Notylia</i> spp.</b> Lindl. #4 II 64 ORCHIDACEAE	<i>Oberonia hosokawae</i> Fukuyama #4 II 64 ORCHIDACEAE
<i>Notylia lankesteri</i> Ames #4 II 64 ORCHIDACEAE	<i>Oberonia imbricata</i> Lindley #4 II 64 ORCHIDACEAE
<i>Notylia latilabia</i> A. & S. #4 II 64 ORCHIDACEAE	<i>Oberonia insectifera</i> Hook.f. #4 II 64 ORCHIDACEAE
<i>Notylia pentachne</i> Reichb.f. #4 II 64 ORCHIDACEAE	<i>Oberonia intermedia</i> King & Prantl #4 II 64 ORCHIDACEAE
<i>Nyctocereus castellanosii</i> Scheinvar = <i>Peniocereus serpentinus</i> (Lagasca & Rodrigues) Taylor	<i>Oberonia iridifolia</i> (Roxb.) Lindley #4 II 64 ORCHIDACEAE
<i>Nyctocereus chontalensis</i> Alexander = <i>Selenicereus chontalensis</i> (Alexander) Kimnach	<i>Oberonia laeta</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Nyctocereus guatemalensis</i> Britton & Rose = <i>Peniocereus hirschtianus</i> (Schumann) Hunt	<i>Oberonia langbianensis</i> Gagnepain #4 II 64 ORCHIDACEAE
<i>Nyctocereus hirschtianus</i> (Schumann) Britton & Rose = <i>Peniocereus hirschtianus</i> (Schumann) Hunt	<i>Oberonia longibracteata</i> Lindley #4 II 64 ORCHIDACEAE
<i>Nyctocereus neumannii</i> (Schumann) Britton & Rose = <i>Peniocereus hirschtianus</i> (Schumann) Hunt	<i>Oberonia lotsyana</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Nyctocereus oaxacensis</i> Britton & Rose = <i>Peniocereus oaxacensis</i> (Britton & Rose) Hunt	<i>Oberonia lunata</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Nyctocereus serpentinus</i> (Lagasca & Rodrigues) Taylor = <i>Peniocereus serpentinus</i> (Lagasca & Rodrigues) Taylor	<i>Oberonia micrantha</i> King et Pantling #4 II 64 ORCHIDACEAE
oak, Mongolian (E): <i>Quercus mongolica</i>	<i>Oberonia microphylla</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<b><i>Oberonia</i> spp.</b> Lindl. #4 II 64 ORCHIDACEAE	<i>Oberonia monstruosa</i> (Blume) Lindley #4 II 64 ORCHIDACEAE
<i>Oberonia acarus</i> Evrard & Gagnepain #4 II 64 ORCHIDACEAE	<i>Oberonia neocalledonica</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Oberonia anceps</i> Lindley #4 II 64 ORCHIDACEAE	<i>Oberonia nitidicauda</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Oberonia anthropophora</i> Wallich ex Lindley #4 II 64 ORCHIDACEAE	<i>Oberonia obesa</i> #4 II 64 ORCHIDACEAE
<i>Oberonia attenuata</i> Dockr. #4 II 64 ORCHIDACEAE	<i>Oberonia oxystophyllum</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Oberonia bertoldii</i> King & Pantl. #4 II 64 ORCHIDACEAE	<i>Oberonia padangensis</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Oberonia bicornis</i> Lindley #4 II 64 ORCHIDACEAE	<i>Oberonia pendula</i> Ridley #4 II 64 ORCHIDACEAE
<i>Oberonia bisaccata</i> Manilal & Kumar #4 II 64 ORCHIDACEAE	<i>Oberonia ponapensis</i> Tuy. #4 II 64 ORCHIDACEAE
<i>Oberonia boerlageana</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Oberonia prainiana</i> King & Pantl. #4 II 64 ORCHIDACEAE
<i>Oberonia carnosia</i> Lavarack #4 II 64 ORCHIDACEAE	<i>Oberonia pumilio</i> Reichb.f. #4 II 64 ORCHIDACEAE
<i>Oberonia caudata</i> King & Pantl #4 II 64 ORCHIDACEAE	<i>Oberonia quadrilatera</i> Jayaw. #4 II 64 ORCHIDACEAE
<i>Oberonia cavaleriei</i> Finet #4 II 64 ORCHIDACEAE	<i>Oberonia rosea</i> Hook.f. #4 II 64 ORCHIDACEAE
<i>Oberonia ciliolata</i> Hook.f. #4 II 64 ORCHIDACEAE	<i>Oberonia salakana</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Oberonia cirrifera</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Oberonia scyllae</i> Lindley #4 II 64 ORCHIDACEAE
<i>Oberonia claviloba</i> Jayaw. #4 II 64 ORCHIDACEAE	<i>Oberonia stenophylla</i> Ridley #4 II 64 ORCHIDACEAE
<i>Oberonia costeriana</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Oberonia subligaculifera</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Oberonia dissitiflora</i> Ridley #4 II 64 ORCHIDACEAE	<i>Oberonia suborbicularis</i> Carr #4 II 64 ORCHIDACEAE
<i>Oberonia disticha</i> (Lam.) Schltr. #4 II 64 ORCHIDACEAE	<i>Oberonia tenuis</i> Lindley #4 II 64 ORCHIDACEAE
<i>Oberonia dolabrata</i> Jayaw. #4 II 64 ORCHIDACEAE	<i>Oberonia thwaitesii</i> Hook.f. #4 II 64 ORCHIDACEAE
<i>Oberonia dubia</i> J.J. Smith #4 II 64 ORCHIDACEAE	<i>Oberonia tiomanensis</i> M.R. Henderson #4 II 64 ORCHIDACEAE
<i>Oberonia equitans</i> (G. Forster) Mutel #4 II 64 ORCHIDACEAE	<i>Oberonia titania</i> Lindley #4 II 64 ORCHIDACEAE
<i>Oberonia fissiglossa</i> Halle #4 II 64 ORCHIDACEAE	<i>Oberonia tjisokanensis</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Oberonia flabellifera</i> Holttum #4 II 64 ORCHIDACEAE	<i>Oberonia transversiloba</i> Holttum #4 II 64 ORCHIDACEAE
<i>Oberonia flava</i> Ridley #4 II 64 ORCHIDACEAE	<i>Oberonia truncata</i> Lindley #4 II 64 ORCHIDACEAE
<i>Oberonia forcipata</i> Lindley #4 II 64 ORCHIDACEAE	<i>Oberonia valetoniana</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Oberonia fornicata</i> Jayaw. #4 II 64 ORCHIDACEAE	<i>Oberonia variabilis</i> Kerr #4 II 64 ORCHIDACEAE
<i>Oberonia fungum-olens</i> Burkill #4 II 64 ORCHIDACEAE	<i>Oberonia wallie-silvae</i> Jayaw. #4 II 64 ORCHIDACEAE
	<i>Oberonia weragamaensis</i> Jayaw. #4 II 64 ORCHIDACEAE
	<i>Oberonia zimmermanniana</i> J.J. Smith #4 II 64 ORCHIDACEAE
	<b><i>Obregonia</i> spp.</b> Fric #4 I 49 CACTACEAE
	<b><i>Obregonia denegrii</i></b> Fric I CACTACEAE (E) Artichoke
	Cactus (S) Cacto alcachofa

- Octadesmia elata* Benth. & Hook. 1883 = *Dilomilis elata* (Benth. & Hook.) Summerh. 1961
- Octadesmia monophylla* (Griseb.) Benth. & Hook.f. 1883 = *Neocogniauxia monophylla* (Griseb.) Schltr. (1913)
- Octadesmia montana* (Sw.) Benth. 1881 = *Dilomilis montana* (Sw.) Summerh. 1961
- Octadesmia nodosa* Cogn. = *Domingoa nodosa* (Cogn.) Schltr.
- Octadesmia oligophylla* Schltr. 1925 = *Dilomilis oligophylla* (Schltr.) Summerh. 1961
- Octadesmia scirpoidea* Schltr. 1913 = *Dilomilis scirpoidea* (Schltr.) Surmmerh. 1951
- Octadesmia serratifolia* (Hook.) Benth. 1881 = *Dilomilis montana* (Sw.) Summerh. 1961
- Octarrhena spp.** Thw. #4 II 64 ORCHIDACEAE
- Octarrhena condensata* (Ridley) Holttum #4 II 64 ORCHIDACEAE
- Octarrhena oberonioides* (Schltr.) Schltr. #4 II 64 ORCHIDACEAE
- Octarrhena parvula* Thwaites #4 II 64 ORCHIDACEAE
- Octomeria spp.** Pfeiff. #4 II 64 ORCHIDACEAE
- Octomeria cariocana* Pabst. #4 II 64 ORCHIDACEAE
- Octomeria serratifolia* Hook. 1828 = *Dilomilis montana* (Sw.) Summerh. 1961
- Odontochilus* spp. Blume #4 II 64 ORCHIDACEAE
- Odontochilus flavescens* Blume #4 II 64 ORCHIDACEAE
- Odontochilus hatusimanus* Ohwi & T. Koyama #4 II 64 ORCHIDACEAE
- Odontochilus inabae* Hayata #4 II 64 ORCHIDACEAE
- Odontoglossum spp.** Kunth #4 II 64 ORCHIDACEAE
- Odontoglossum anceps* Klotzsch, Otto & Dietrich = *Miltonia flava* Lindl.
- Odontoglossum anceps* Lem. 1825 = *Rhynchosete maculata* (La Llave & Lex.) Soto Arenas & Salazar 1993
- Odontoglossum apterum* La Llave & Lex. 1825 = *Rhynchosete aptera* (La Llave & Lex.) Soto Arenas & Salazar 1993
- Odontoglossum apterum* var. *candidulum* (Rchb.f.) Halb. 1976 = *Rhynchosete candidula* (Rchb.f.) Soto Arenas & Salazar 1993
- Odontoglossum aspasia* Rchb.f. 1864 = *Aspasia epidendroides* Lindl. 1832
- Odontoglossum aspersum* Rchb.f. 1879 = *Rhynchosete rossii* (Lindl.) Soto Arenas & Salazar 1993
- Odontoglossum biberianum* (Rchb.f.) Rchb.f. 1864 = *Aspasia principissa* Rchb.f. 1852
- Odontoglossum bictoniense* (Bateman) Lindl. 1840 = *Rhynchosete bictoniensis* (Bateman) Soto Arenas & Salazar 1993
- Odontoglossum candidulum* (Rchb.f.) Halb. 1982 = *Rhynchosete candidula* (Rchb.f.) Soto Arenas & Salazar 1993
- Odontoglossum candidum* Linden & André 1875 = *Osmoglossum candidum* (Linden & André) Garay
- Odontoglossum cariniferum* Rchb.f. = *Miltonioides carinifera* (Rchb.f.) Senghas & Luckel
- Odontoglossum cervantesii* La Llave & Lex. 1825 = *Rhynchosete cervantesii* (La Llave & Lex.) Soto Arenas & Salazar 1993
- Arenas & Salazar 1993
- Odontoglossum clowesii* Lindl. = *Miltonia clowesii* Lindley
- Odontoglossum coerulescens* Rich. & Galeotti 1845 = *Rhynchosete rossii* (Lindl.) Soto Arenas & Salazar 1993
- Odontoglossum confusum* Garay = *Miltonioides schroederiana* (O'Brien) Brieger & Luckel
- Odontoglossum convallarioides* (Schltr.) Ames & Correll 1943 = *Osmoglossum convallarioides* Schltr. 1923
- Odontoglossum cordatum* Lindl. 1838 = *Rhynchosete cordata* (Lindl.) Soto Arenas & Salazar 1993
- Odontoglossum dawsonianum* Rchb.f. 1865 = *Rhynchosete ehrenbergii* (Link, Klotzsch & Otto) Soto Arenas & Salazar 1993
- Odontoglossum egertonii* Lindl. 1845 = *Osmoglossum egertonii* (Lindl.) Schltr. 1916
- Odontoglossum ehrenbergii* Link, Klotzsch & Otto 1841 = *Rhynchosete ehrenbergii* (Link, Klotzsch & Otto) Soto Arenas & Salazar 1993
- Odontoglossum epidendroides* Kunth #4 II 64 ORCHIDACEAE
- Odontoglossum erosum* Rich. & Galeotti 1845 = *Rhynchosete stellata* (Lindl.) Soto Arenas & Salazar 1993
- Odontoglossum funis* (Lehm. & Krzl.) Garay #4 II 64 ORCHIDACEAE
- Odontoglossum galeottianum* A.Rich. 1845 = *Rhynchosete galeottiana* (A.Rich. & Galeotti) Soto Arenas & Salazar 1993
- Odontoglossum grande* Lindl. = *Rossioglossum grande* (Lindl.) Garay & Kenn.
- Odontoglossum hallii* Lindl. #4 II 64 ORCHIDACEAE
- Odontoglossum harryanum* Reichb. f. #4 II 64 ORCHIDACEAE
- Odontoglossum hookeri* Lem. 1856 = *Rhynchosete cordata* (Lindl.) Soto Arenas & Salazar 1993
- Odontoglossum hortensiae* R.Rodr. 1979 = *Rhynchosete hortensiae* (R.Rodr.) Soto Arenas & Salazar 1993
- Odontoglossum humeanum* Rchb.f. 1876 = *Rhynchosete humeanum* (Rchb.f.) Soto Arenas & Salazar 1993
- Odontoglossum insleayi* (Barker ex Lindl.) Lindl. = *Rossioglossum insleayi* (Barker ex Lindl.) Garay & Kenn.
- Odontoglossum karwinskii* (Lindl.) Rchb.f. = *Miltonioides karwinskii* (Lindl.) Brieger & Luckel
- Odontoglossum krameri* Rchb.f. 1868 = *Ticoglossum krameri* (Rchb.f.) R. Rodr. ex Halb. 1983
- Odontoglossum laeve* Lindl. = *Miltonioides laevis* (Lindl.) Brieger & Luckel
- Odontoglossum lawrenceanum* Hort. = *Rossioglossum schlieperianum* (Rchb.f.) Garay & Kennedy
- Odontoglossum lawrenceanum* Hort. ex Gard. = *Rossioglossum insleayi* (Barker ex Lindl.) Garay & Kenn.
- Odontoglossum leucomelas* Rchb.f. = *Miltonioides leucomelas* (Rchb.f.) Bockemuhl & Senghas
- Odontoglossum longipes* Rchb.f. & Warsc. #4 II 64 ORCHIDACEAE
- Odontoglossum luedemannii* Regel 1859 = *Rhynchosete cordata* (Lindl.) Soto Arenas & Salazar 1993

- Odontoglossum lunatum* (Lindl.) Rchb.f. 1864 = *Aspasia lunata* Lindl. 1836
- Odontoglossum lyratum* (Vell.) Rchb.f. 1864 = *Aspasia lyrata* (Vell.) Rchb.f. 1852
- Odontoglossum maculatum* La Llave & Lex. 1825 = *Rhynchostele maculata* (La Llave & Lex.) Soto Arenas & Salazar 1993
- Odontoglossum maculatum* Lindl. 1855 = *Rhynchostele cordata* (Lindl.) Soto Arenas & Salazar 1993
- Odontoglossum majale* Rchb.f. 1886 = *Rhynchostele majalis* (Rchb.f.) Soto Arenas & Salazar 1993
- Odontoglossum maxillare* Lindl. 1847 = *Rhynchostele aptera* (La Llave & Lex.) Soto Arenas & Salazar 1993
- Odontoglossum membranaceum* Lindl. 1838 = *Rhynchostele cervantesii* (La Llave & Lex.) Soto Arenas & Salazar 1993
- Odontoglossum nebulosum* Lindl. 1838 = *Rhynchostele aptera* (La Llave & Lex.) Soto Arenas & Salazar 1993
- Odontoglossum nebulosum* var. *candidulum* Rchb.f. 1867 = *Rhynchostele candidula* (Rchb.f.) Soto Arenas & Salazar 1993
- Odontoglossum oerstedii* Rchb.f. 1855 = *Ticoglossum oerstedii* (Rchb.f.) R. Rodr. ex Halb. 1983
- Odontoglossum pauciflorum* L.O.Williams = *Miltonioides leucomelas* (Rchb.f.) Bockemuhl & Senghas
- Odontoglossum phalaenopsis* Rchb.f. = *Miltoniopsis phalaenopsis* (Rchb.f.) Garay & Dunst.
- Odontoglossum platychilum* Weathers 1982 = *Rhynchostele majalis* (Rchb.f.) Soto Arenas & Salazar 1993
- Odontoglossum powellii* Schltr. = *Rossioglossum powellii* (Schltr.) Garay & G.C.Kenn.
- Odontoglossum principissa* (Rchb.f.) Rchb.f. 1864 = *Aspasia principissa* Rchb.f. 1852
- Odontoglossum psittacinum* Rchb.f. 1876 = *Aspasia psittacina* (Rchb.f.) Rchb.f. 1878
- Odontoglossum pulchellum* Bateman ex Lindl. 1841 = *Osmoglossum pulchellum* (Bateman ex Lindl.) Schltr. 1916
- Odontoglossum reichenheimii* Linden & Rchb.f. = *Miltonioides reichenheimii* (Linden & Rchb.f.) Brieger & Luckel
- Odontoglossum roezlii* Rchb.f. = *Miltoniopsis roezlii* (Rchb.f.) God.-Leb.
- Odontoglossum rossii* Lindl. 1838 = *Rhynchostele rossii* (Lindl.) Soto Arenas & Salazar 1993
- Odontoglossum rubescens* Lindl. 1850 = *Rhynchostele rossii* (Lindl.) Soto Arenas & Salazar 1993
- Odontoglossum schlieperianum* Rchb.f. = *Rossioglossum schlieperianum* (Rchb.f.) Garay & Kennedy
- Odontoglossum schroederianum* Rchb.f. = *Miltonioides schroederiana* (O'Brien) Brieger & Luckel
- Odontoglossum splendens* (Rchb.f.) G.C.Kenn. = *Rossioglossum splendens* (Rchb.f.) Garay & G.C.Kenn.
- Odontoglossum stellatum* Lindl. 1841 = *Rhynchostele stellata* (Lindl.) Soto Arenas & Salazar 1993
- Odontoglossum stenoglossum* (Schltr.) L.O.Williams = *Miltonioides leucomelas* (Rchb.f.) Bockemuhl & Senghas
- Odontoglossum uroskinneri* Lindl. 1859 = *Rhynchostele uroskinneri* (Lindl.) Soto Arenas & Salazar 1993
- Odontoglossum variegatum* (Lindl.) Rchb.f. 1864 = *Aspasia variegata* Lindl. 1836
- Odontoglossum vexillarium* Rchb.f. = *Miltoniopsis vexillaria* (Rchb.f.) God.-Leb.
- Odontoglossum warscewiczianum* Rchb.f. ex Hemsl. = *Miltoniopsis warscewiczzii* (Rchb.f.) Garay & Dunst.
- Odontoglossum warscewiczzii* Rchb.f. = *Miltoniopsis warscewiczzii* (Rchb.f.) Garay & Dunst.
- Odontoglossum warscewiczzii* sensu Bridges = *Rossioglossum schlieperianum* (Rchb.f.) Garay & Kennedy
- Odontoglossum williamsianum* Rchb.f. 1881 = *Rossioglossum williamsianum* (Rchb.f.) Garay & G.C.Kenn.
- Odontoglossum williamsianum* Rchb.f. 1881 = *Acineta chrysantha* (C.Morren) Lindl. & Paxton
- Odontoglossum youngii* Gower 1890 = *Rhynchostele rossii* (Lindl.) Soto Arenas & Salazar 1993
- Odontorrhynchus** spp. M.N. Correa #4 II 64  
ORCHIDACEAE
- Odontorrhynchus castillonii* (Hauman) M.N.Correra #4 II 64  
ORCHIDACEAE
- Odontostyles minor* Breda = *Bulbophyllum bakhuisenii* van Steenis
- Odontostyles multiflora* Breda = *Bulbophyllum bakhuisenii* van Steenis
- Odontostyles triflora* Breda = *Bulbophyllum triflorum* (Breda) Blume
- Oeceoclades** spp. Lindl. #4 II 64 ORCHIDACEAE
- Oeceoclades funalis* (Sw.) Lindl. 1833 = *Dendrophylax funalis* (Sw.) Benth. ex Rolfe (1888)
- Oeceoclades maculata* #4 II 64 ORCHIDACEAE
- Oeceoclades pulchra* (Thouars) P.J.Cribb & M.A. Clements #4 II 64 ORCHIDACEAE
- Oehmea beneckeii* (Ehrenberg) Buxabaum = *Mammillaria beneckeii* Ehrenberg
- Oenia** spp. Lindl. #4 II 64 ORCHIDACEAE
- Oeniella** spp. Schlechter #4 II 64 ORCHIDACEAE
- Oeniella polystachys* Schltr. #4 II 64 ORCHIDACEAE
- Oerstedella** spp. Rchb. f. #4 II 64 ORCHIDACEAE
- Oerstedella caligaria* (Rchb. f.) Hags. #4 II 64  
ORCHIDACEAE
- Oerstedella centradenia* (Reichb.f.) Hágater #4 II 64  
ORCHIDACEAE
- Oerstedella endresii* (Reichb.f.) Hágater #4 II 64  
ORCHIDACEAE
- Oerstedella fuscina* Dressler #4 II 64 ORCHIDACEAE
- Oerstedella macdougallii* Hágater #4 II 64  
ORCHIDACEAE
- Oerstedella ornata* Dressler #4 II 64 ORCHIDACEAE
- Oerstedella pajitense* (C. Schweinf.) Hags. #4 II 64  
ORCHIDACEAE
- Oerstedella pansamalae* (Schltr.) Hágater #4 II 64  
ORCHIDACEAE

- Oerstedella pseudo-wallisii* (Schltr.) Hags. #4 II 64  
ORCHIDACEAE
- Oerstedella wallisii* (Reichb.f.) Hágsater #4 II 64  
ORCHIDACEAE
- Oestlundorchis* spp.** Szlachetko #4 II 64  
ORCHIDACEAE
- Oligophyton* spp.** Linder #4 II 64 ORCHIDACEAE
- Oliveriana* spp.** Reichb.f. #4 II 64 ORCHIDACEAE
- Oliveriana ecuadorensis* Dodson #4 II 64 ORCHIDACEAE
- Omoea* spp.** Blume #4 II 64 ORCHIDACEAE
- Omoea micrantha* Blume #4 II 64 ORCHIDACEAE
- Oncidium* spp.** Sw. #4 II 64 ORCHIDACEAE
- Oncidium allemanii* Barb.Rodr. 1882 = *Erycina pusilla* (L.) N.H.Williams & M.W.Chase 2001
- Oncidium anceps* (Klotzsch) Rchb.f. = *Miltonia flava* Lindl.
- Oncidium angustisepalum* Kranzlin #4 II 64  
ORCHIDACEAE
- Oncidium ansiferum* Reichb.f. #4 II 64 ORCHIDACEAE
- Oncidium articulatum* E.S.Rand 1889 = *Erycina glossomystax* (Rchb.f.) N.H.Williams & M.W.Chase 2001
- Oncidium bahamense* Nash ex Britt. & Millsp. #4 II 64  
ORCHIDACEAE (E) Variegated Orchid
- Oncidium baueri* Lindley #4 II 64 ORCHIDACEAE
- Oncidium bidens* (Lindl.) Rchb.f. 1863 = *Brassia bidens* Lindl. 1844
- Oncidium bifolium* Sims #4 II 64 ORCHIDACEAE
- Oncidium brachiatum* (Lindl.) Rchb.f. 1863 = *Brassia verrucosa* Lindl. 1840
- Oncidium brachyandrum* Lindley #4 II 64 ORCHIDACEAE
- Oncidium brassia* Rchb.f. (1842) = *Brassia maculata* R. Br (1813)
- Oncidium calochilum* Cogn. #4 II 64 ORCHIDACEAE
- Oncidium candidum* Lindl. 1843 = *Palumbina candida* (Lindl.) Rchb.f. 1863
- Oncidium cariniferum* (Rchb.f.) Beer = *Miltonioides carinifera* (Rchb.f.) Senghas & Luckel
- Oncidium carthaginense* (Jacq.) Sw. #4 II 64  
ORCHIDACEAE (E) Coot Bay Dancing-lady Orchid
- Oncidium caudatum* (L.) Rchb.f. 1863 = *Brassia caudata* (L.) Lindl. 1824
- Oncidium caymanense* Moir #4 II 64 ORCHIDACEAE
- Oncidium cheiophorum* Reichb.f. #4 II 64  
ORCHIDACEAE
- Oncidium chelidonizon* Kranzlin #4 II 64 ORCHIDACEAE
- Oncidium ciliatum* Lindl. #4 II 64 ORCHIDACEAE
- Oncidium cinnamomeum* (R.Warner & B.S.Williams) M.W.Chase & N.H.Williams #4 II 64 ORCHIDACEAE
- Oncidium clowesii* (Lindl.) Beer = *Miltonia clowesii* Lindley
- Oncidium costaricense* Schltr. #4 II 64 ORCHIDACEAE
- Oncidium crista-galli* Rchb.f. = *Erycina crista-galli* (Rchb.f.) N.H.Williams & M.W.Chase 2001
- Oncidium decipiens* Lindl. 1855 = *Erycina crista-galli* (Rchb.f.) N.H.Williams & M.W.Chase 2001
- Oncidium diaphanum* Rchb.f. 1877 = *Erycina hyalinobulbon* (Lex.) N.H.Williams & M.W.Chase 2001
- Oncidium dichromaticum* Reichb.f. #4 II 64  
ORCHIDACEAE
- Oncidium durangense* Hags. #4 II 64 ORCHIDACEAE
- Oncidium echinatum* Kunth 1816 = *Erycina echinata* (Kunth) Lindl. 1853
- Oncidium egertonii* (Lindl.) Beer 1854 = *Osmoglossum egertonii* (Lindl.) Schltr. 1916
- Oncidium elegantulum* Rchb.f. 1885 = *Brassia elegantula* Rchb.f. 1885
- Oncidium eliae* (Rolfe) M.W.Chase & N.H.Williams #4 II 64 ORCHIDACEAE
- Oncidium endocharis* Reichb.f. #4 II 64 ORCHIDACEAE
- Oncidium ensatum* Lindley #4 II 64 ORCHIDACEAE
- Oncidium exalatum* Hags. #4 II 64 ORCHIDACEAE
- Oncidium fasciculatum* Hágsater #4 II 64 ORCHIDACEAE
- Oncidium flavescens* (Lindl.) Rchb.f. = *Miltonia flavescens* (Lindl.) Lindl.
- Oncidium flavovirens* L.O. Williams #4 II 64  
ORCHIDACEAE
- Oncidium floridanum* Ames #4 II 64 ORCHIDACEAE (E) Florida Orchid
- Oncidium fuscatum* Rchb.f. #4 II 64 ORCHIDACEAE
- Oncidium gireodianum* Rchb.f. 1863 = *Brassia gireoudiana* Rchb.f. & Warsc. 1854
- Oncidium glossomystax* Rchb.f. 1852 = *Erycina glossomystax* (Rchb.f.) N.H.Williams & M.W.Chase 2001
- Oncidium glumaceum* (Lindl.) Rchb.f. 1863 = *Ada glumacea* (Lindl.) N.H.Williams 1972
- Oncidium gnomus* Kraenzl. 1920 = *Erycina pumilio* (Rchb.f.) N.H.Williams & M.W.Chase 2001
- Oncidium hagsaterianum* Jiménez & Soto Arenas #4 II 64 ORCHIDACEAE
- Oncidium hastatum* (Bateman) Lindley #4 II 64  
ORCHIDACEAE
- Oncidium helenae* Rchb.f. = *Brassia warscewiczii* Rchb.f.
- Oncidium henekenii* Schomb. ex Lindl. 1855 = *Hispaniella henekenii* (Schomb. ex Lindl.) Braem 1980
- Oncidium henrici-gustavi* Kranzlin #4 II 64  
ORCHIDACEAE
- Oncidium heteranthum* Poeppig & Endl. #4 II 64  
ORCHIDACEAE
- Oncidium hintonii* L.O. Williams #4 II 64 ORCHIDACEAE
- Oncidium hondurensse* Ames 1933 = *Erycina pumilio* (Rchb.f.) N.H.Williams & M.W.Chase 2001
- Oncidium hyalinobulbon* Llave & Lex. = *Erycina hyalinobulbon* (Lex.) N.H.Williams & M.W.Chase 2001
- Oncidium imbricatum* (Lindl.) Rchb.f. 1863 = *Ada glumacea* (Lindl.) N.H.Williams 1972
- Oncidium incurvum* Barker ex Lindley #4 II 64  
ORCHIDACEAE
- Oncidium insleayi* Barker ex Lindl. = *Rossioglossum insleayi* (Barker ex Lindl.) Garay & Kenn.
- Oncidium iridifolium* Kunth 1815 = *Erycina pusilla* (L.) N.H.Williams & M.W.Chase 2001
- Oncidium iridifolium* Lindl. 1911 (1836) = *Erycina crista-galli* (Rchb.f.) N.H.Williams & M.W.Chase 2001
- Oncidium jonesianum* Reichb. #4 II 64 ORCHIDACEAE
- Oncidium josstianum* (Rchb.f.) Rchb.f. 1864 = *Brassia josstiana* Rchb.f. 1854
- Oncidium karwinskii* (Lindley) Dressler & L.O. Williams #4 II 64 ORCHIDACEAE

- Oncidium karwinskii* (Lindl.) Lindl. = *Miltonioides karwinskii* (Lindl.) Brieger & Luckel  
*Oncidium keilianum* (Rchb.f. ex Lindl.) Rchb.f. 1863 = *Ada keiliana* (Rchb.f. ex Lindl.) N.H.Williams 1972  
*Oncidium krameriianum* Reichb.f. #4 II 64 ORCHIDACEAE  
*Oncidium laeve* (Lindl.) Beer = *Miltonioides laevis* (Lindl.)  
 Brieger & Luckel  
*Oncidium lawrenceanum* (Lindl.) Rchb.f. 1863 = *Brassia lawrenceana* Lindl. 1841  
*Oncidium leleui* R.Jiménez Machorro & Soto Arenas #4 II 64 ORCHIDACEAE  
*Oncidium leucochilum* Bateman ex Lindley #4 II 64  
 ORCHIDACEAE  
*Oncidium liebmanni* Reichb.f. #4 II 64 ORCHIDACEAE  
*Oncidium lindenii* Brogn. #4 II 64 ORCHIDACEAE  
*Oncidium longicornutum* Mutel #4 II 64 ORCHIDACEAE  
*Oncidium loxense* Lindley #4 II 64 ORCHIDACEAE  
*Oncidium lucayanum* Nash ex Britton & Millsp. #4 II 64  
 ORCHIDACEAE  
*Oncidium luteum* Rolfe #4 II 64 ORCHIDACEAE  
*Oncidium macranthum* Lindley #4 II 64 ORCHIDACEAE  
*Oncidium maculatum* (Lindley) Lindley #4 II 64  
 ORCHIDACEAE  
*Oncidium margalefii* Hágster #4 II 64 ORCHIDACEAE  
*Oncidium mirabile* Rchb.f. 1852 = *Lockhartia mirabilis*  
 Rchb.f. 1855  
*Oncidium monachicum* Rchb.f. #4 II 64 ORCHIDACEAE  
*Oncidium oberonia* Schltr. 1924 = *Erycina pumilio*  
 (Rchb.f.) N.H.Williams & M.W.Chase 2001  
*Oncidium obovatum* Presley 1827 = *Barkeria obovata*  
 (Presley) Christenson 1988  
*Oncidium obryzatum* Reichb.f. #4 II 64 ORCHIDACEAE  
*Oncidium ocanense* (Lindl.) Rchb.f. 1863 = *Ada ocanensis*  
 (Lindl.) N.H.Williams 1972  
*Oncidium ochmatochilum* Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Oncidium oestlundianum* L.O. Williams #4 II 64  
 ORCHIDACEAE  
*Oncidium oliganthum* (Reichb.f.) L.O. Williams #4 II 64  
 ORCHIDACEAE  
*Oncidium onustum* Lindley #4 II 64 ORCHIDACEAE  
*Oncidium ornithorrhynchum* Kunth #4 II 64  
 ORCHIDACEAE  
*Oncidium oviedomotae* Hagsater = *Miltonioides oviedomotae* (Hagsater) Senghas  
*Oncidium panamense* Schltr. #4 II 64 ORCHIDACEAE  
*Oncidium panduriforme* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Oncidium papilio* Lindley #4 II 64 ORCHIDACEAE  
*Oncidium parviflorum* L.O. Williams #4 II 64  
 ORCHIDACEAE  
*Oncidium pastasae* Rchb.f. #4 II 64 ORCHIDACEAE  
*Oncidium pergamineum* Lindley #4 II 64 ORCHIDACEAE  
*Oncidium peruvianum* (Poepp. & Endl.) Rchb.f. 1863 =  
*Brassia peruviana* Poepp. & Endl. 1838  
*Oncidium phalaenopsis* Lindley #4 II 64 ORCHIDACEAE  
*Oncidium phymatochilum* Lindley #4 II 64 ORCHIDACEAE  
*Oncidium picturatum* Rchb. f. #4 II 64 ORCHIDACEAE  
*Oncidium pollardii* Dodson & Hágster #4 II 64  
 ORCHIDACEAE  
*Oncidium powellii* Schltr. #4 II 64 ORCHIDACEAE  
*Oncidium pumilio* Rchb.f. 1852 = *Erycina pumilio* (Rchb.f.)  
 N.H.Williams & M.W.Chase 2001  
*Oncidium pusillum* (L.) Rchb.f. 1863 = *Erycina pusilla* (L.)  
 N.H.Williams & M.W.Chase 2001  
*Oncidium pusillum* var. *megalanthum* Schltr. = *Erycina pusilla* (L.) N.H.Williams & M.W.Chase 2001  
*Oncidium reflexum* Lindley #4 II 64 ORCHIDACEAE  
*Oncidium regenelli* (Rchb.f.) Rchb.f. = *Miltonia regnellii*  
 Rchb.f.  
*Oncidium reichenheimii* (Linden & Rchb.f.) Garay & Stacy  
 = *Miltonioides reichenheimii* (Linden & Rchb.f.) Brieger & Luckel  
*Oncidium sasserii* Moir #4 II 64 ORCHIDACEAE  
*Oncidium sawyeri* L.O. Williams #4 II 64 ORCHIDACEAE  
*Oncidium schroederianum* (O'Brien) Garay & Stacy =  
*Miltonioides schroederiana* (O'Brien) Brieger & Luckel  
*Oncidium sclerophyllum* Kranzlin #4 II 64 ORCHIDACEAE  
*Oncidium signatum* Rchb.f. 1881 = *Brassia signata* Rchb.f.  
 1881  
*Oncidium spathaceum* (Linden & Rchb.f.) Rchb.f. 1863 =  
*Ada ocanensis* (Lindl.) N.H.Williams 1972  
*Oncidium spectabile* (Lindl.) Beer = *Miltonia spectabilis*  
 Lindley  
*Oncidium stacyi* Garay 1973 = *Stilifolium wittii*  
 (Oppenheim) Königer & Pongratz 1997  
*Oncidium stellatum* (Lindl.) Beer = *Miltonia flavescens*  
 (Lindl.) Lindl.  
*Oncidium stelligerum* Reichb.f. #4 II 64 ORCHIDACEAE  
*Oncidium storkii* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Oncidium stramineum* Bateman ex Lindley #4 II 64  
 ORCHIDACEAE  
*Oncidium suaveolens* Rchb.f. 1863 = *Brassia lanceana*  
 Lindl. 1836  
*Oncidium tenuipes* Kranzlin #4 II 64 ORCHIDACEAE  
*Oncidium teres* Ames & Schweinf. 1925 = *Trichocentrum teres* (Ames & C. Schweinf.) M.W. Chase & N.H. Williams  
*Oncidium tetraskelidion* Kranzlin #4 II 64 ORCHIDACEAE  
*Oncidium tigrinum* Llave & Lex. #4 II 64 ORCHIDACEAE  
*Oncidium titania* Schltr. 1923 = *Erycina pumilio* (Rchb.f.)  
 N.H.Williams & M.W.Chase 2001  
*Oncidium toachicum* Dodson #4 II 64 ORCHIDACEAE  
*Oncidium turialbae* Schltr. #4 II 64 ORCHIDACEAE  
*Oncidium umbonatum* Rchb.f. #4 II 64 ORCHIDACEAE  
*Oncidium unguiculatum* Lindley #4 II 64 ORCHIDACEAE  
*Oncidium urophyllum* Lodd. ex Lindl. #4 II 64  
 ORCHIDACEAE  
*Oncidium usneoides* Lindley #4 II 64 ORCHIDACEAE  
*Oncidium variegatum* (Sw.) Willd. #4 II 64  
 ORCHIDACEAE (E) Dancing-lady Orchid  
*Oncidium verrucosum* Rchb.f. 1863 = *Brassia verrucosa*  
 Lindl. 1840  
*Oncidium wagneri* Rchb.f. 1866 (or 1893?) = *Brassia wageneri* Rchb.f.

- Oncidium wittii* Oppenheim 1916 = *Stilifolium wittii* (Oppenheim) Königer & Pongratz 1997  
*Oncidium wydleri* Rchb. f. #4 II 64 ORCHIDACEAE  
*Oncophyllum globuliforme* (Nicholls) D.L.Jones & M.A.Clem. = *Bulbophyllum globuliforme* Nicholls  
*Oncophyllum minutissimum* (F.Muell.) D.L.Jones & M.A.Clem. = *Bulbophyllum minutissimum* (F.Muell.) F.Muell.  
*Onychium affine* Decne. = *Dendrobium affine* (Decne) Steud  
*Onychium crumenatum* (Sw.) Blume = *Dendrobium crumenatum* Sw.  
*Onychium fimbriatum* Blume = *Dendrobium blumei* Lindley  
*Onychium gracile* Blume = *Dendrobium gracile* (Blume) Lindley  
*Onychium japonicum* Blume = *Dendrobium moniliforme* (L.) Sw.  
*Onychium lamellatum* Blume = *Dendrobium lamellatum* (Blume) Lindley  
*Onychium mutabile* Blume = *Dendrobium mutabile* (Blume) Lindley  
*Onychium nudum* Blume = *Dendrobium nudum* (Blume) Lindley  
*Onychium tenellum* Blume = *Dendrobium tenellum* (Blume) Lindley  
*Onychium tetraedre* (Blume) Brieger = *Dendrobium tetraedre* (Blume) Lindley  
*Onychium tricuspe* Blume = *Dendrobium tricuspe* (Blume) Lindley  
*Operculicarya decaryi* Perrier 1944 II ANACARDIACEAE  
*Operculicarya hyphaenoides* H. Perrier 1944 II ANACARDIACEAE  
*Operculicarya pachypus* H. Perrier 1944 II ANACARDIACEAE  
***Ophidion*** spp. Luer #4 II 64 ORCHIDACEAE  
*Ophiocaulon firingalavense* Drake ex Jum. (1903) = *Adenia firingalavensis* Harms  
*Ophioxylon obversum* Miq. = *Rauvolfia serpentina* Benth. ex Kurz  
*Ophioxylon salutiferum* Salisb. = *Rauvolfia serpentina* Benth. ex Kurz  
*Ophioxylon serpentinum* L. = *Rauvolfia serpentina* Benth. ex Kurz  
***Ophrys*** spp. L. #4 II 64 ORCHIDACEAE  
*Ophrys aesculapii* Renz #4 II 64 ORCHIDACEAE  
*Ophrys apifera* Huds. #4 II 64 ORCHIDACEAE  
*Ophrys arachnites* (L.) Reichard = *Ophrys fuciflora* (F.W.Schmidt) Moench  
*Ophrys arachnitiformis* Gren. & Philippe #4 II 64 ORCHIDACEAE  
*Ophrys aranifera* Huds. = *Ophrys sphegodes* Mill.  
*Ophrys argolica* Fleischm. #4 II 64 ORCHIDACEAE (E) Argolis Orchid, Eyed Bee Orchid  
*Ophrys attica* (Boiss. & Orph.) Soó = *Ophrys carmelii* Fleischm. & Bornm.  
*Ophrys aveyronensis* (J.J. Wood) Delforge #4 II 64 ORCHIDACEAE (F) Ophrys de l'aveyron  
*Ophrys balearica* Delforge #4 II 64 ORCHIDACEAE
- Ophrys bertolonii* Moretti #4 II 64 ORCHIDACEAE (E) Bertoloni's Bee Orchid (F) Ophrys de Bertoloni  
*Ophrys bertoloniiformis* O.Danesch & E.Danesch #4 II 64 ORCHIDACEAE  
*Ophrys bivalvata* L.f. = *Disa bivalvata* (L.f.) T.Durand & Schinz  
*Ophrys bombyliflora* Link #4 II 64 ORCHIDACEAE (E) Bumble-bee Orchid (F) Ophrys Bombyx  
*Ophrys Bombyx* (F): *Ophrys bombyliflora*  
*Ophrys Brillant* (F): *Ophrys splendida*  
*Ophrys carmeli* Fleischm. & Bornm. #4 II 64 ORCHIDACEAE  
*Ophrys caucasica* Woronow ex Grossh. #4 II 64 ORCHIDACEAE  
*Ophrys ciliata* Biv. #4 II 64 ORCHIDACEAE (F) Ophrys Miroir  
*Ophrys conradiae* Melki & Deschâtres #4 II 64 ORCHIDACEAE  
*Ophrys Cresent* (E): *Ophrys lunulata*  
*Ophrys cretica* (Vierh.) E.Nelson #4 II 64 ORCHIDACEAE  
*Ophrys de Bertoloni* (F): *Ophrys bertolonii*  
*Ophrys de l'aveyron* (F): *Ophrys aveyronensis*  
*Ophrys dinsmorei* Schltr. = *Ophrys carmeli* Fleischm. & Bornm.  
*Ophrys doerfleri* Fleischm. #4 II 64 ORCHIDACEAE  
*Ophrys dyris* Maire #4 II 64 ORCHIDACEAE  
*Ophrys ferrum-equinum* Desf. #4 II 64 ORCHIDACEAE  
*Ophrys ferrum-equinum argolica* (Fleischm.) Soó = *Ophrys argolica* Fleischm.  
*Ophrys flavicans* Vis. = *Nigritella nigra* (L.) Rchb.f.  
*Ophrys flavicans* Vis. = *Ophrys bertolonii* Moretti  
*Ophrys fucifera* Curtis = *Ophrys sphegodes* Mill.  
*Ophrys fuciflora* (F.W.Schmidt) Moench #4 II 64 ORCHIDACEAE  
*Ophrys fusca* Link #4 II 64 ORCHIDACEAE  
*Ophrys gorganica* (E.Nelson) O.Danesch & E.Danesch #4 II 64 ORCHIDACEAE  
*Ophrys gottfriediana* Renz #4 II 64 ORCHIDACEAE  
*Ophrys hiulca* Sebast. & Mauri = *Ophrys bombyliflora* Link  
*Ophrys holoserica* (Burnm. f.) Greuter #4 II 64 ORCHIDACEAE  
*Ophrys holosericea* Greuter #4 II 64 ORCHIDACEAE (E) Late Spider Orchid  
*Ophrys insectifera* L. #4 II 64 ORCHIDACEAE (E) Fly Orchid  
*Ophrys inzengae* Nyman = *Ophrys bertolonii* Moretti  
*Ophrys isaura* Renz & Taub. #4 II 64 ORCHIDACEAE  
*Ophrys kotschyi* Fleischm. & Soo #4 II 64 ORCHIDACEAE (E) Kotschy's Orchid  
*Ophrys lacaitae* Lojac. = *Ophrys fuciflora* (F.W.Schmidt) Moench  
*Ophrys lunulata* Parl. #4 II 64 ORCHIDACEAE (E) Cresent Ophrys  
*Ophrys lutea* (Gouan) Cav. #4 II 64 ORCHIDACEAE  
*Ophrys lycia* Renz & Taub. #4 II 64 ORCHIDACEAE  
*Ophrys mimolea* O.Schwarz = *Ophrys reinholdii* Spruner ex Fleischm.  
*Ophrys Miroir* (F): *Ophrys ciliata*

- Ophrys Miroir (F): Ophrys speculum*  
*Ophrys morisii (Martelli) Cif. & Giacom. = Ophrys arachnitiformis* Gren. & Philippe  
*Ophrys muscifera Huds. = Ophrys insectifera L.*  
*Ophrys myodes Jacq. = Ophrys insectifera L.*  
*Ophrys naxensis Rech.f. = Ophrys reinholdii* Spruner ex Fleischm.  
*Ophrys neglecta Parl. = Ophrys tenthredinifera Willd.*  
*Ophrys oestrifera M.Bieb. #4 II 64* ORCHIDACEAE  
*Ophrys oestrifera umbilicata (Desf.) Hayek = Ophrys bombyliflora* Link  
*Ophrys pallida Raf. #4 II 64* ORCHIDACEAE (E) Pale Green Orchid  
*Ophrys patens L.f. = Disa tenuifolia Sw.*  
*Ophrys pectus Mutel = Ophrys pallida* Raf.  
*Ophrys phrygia* Fleishm. & Bornm. #4 II 64 ORCHIDACEAE  
*Ophrys picta Link = Ophrys scolopax* Cav.  
*Ophrys promontorii* O.Danesch & E.Danesch #4 II 64 ORCHIDACEAE  
*Ophrys reinholdii* Spruner ex Fleischm. #4 II 64 ORCHIDACEAE  
*Ophrys rosea (Desf.) Grande = Ophrys tenthredinifera* Willd.  
*Ophrys scolopax* Cav. #4 II 64 ORCHIDACEAE  
*Ophrys sipontensis (Gumpr.) O.Danesch & E.Danesch = Ophrys arachnitiformis* Gren. & Philippe  
*Ophrys speculum* Link #4 II 64 ORCHIDACEAE (E) Looking-glass Orchid, Mirror Orchid (F) Ophrys Miroir  
*Ophrys sphegodes* Mill. #4 II 64 ORCHIDACEAE (E) Early Spider Orchid  
*Ophrys splendida* Golz & Reinhard #4 II 64 ORCHIDACEAE (F) Ophrys Brilliant  
*Ophrys spruneri* Nyman #4 II 64 ORCHIDACEAE  
*Ophrys Tenthète (F): Ophrys tenthredinifera*  
*Ophrys tenthredinifera* Willd. #4 II 64 ORCHIDACEAE (E) Saw-fly Orchid (F) Ophrys Tenthète  
*Ophrys transhyrcana* Czerniak. #4 II 64 ORCHIDACEAE  
*Ophrys umbilicata* Desf. #4 II 64 ORCHIDACEAE  
*Ophrys vernixia* Brot. = *Ophrys speculum* Link  
*Oporanthus colchiciflorus* (Waldst. & Kit.) Herb. = *Sternbergia colchiciflora* Waldst. & Kit.  
*Oporanthus fisherianus* Herb. = *Sternbergia fischeriana* (Herb.) M.Roem.  
*Oporanthus luteus* (L.) Herb. = *Sternbergia lutea* (L.) Ker Gawl. ex Spreng.  
***Opuntia* spp.** Mill. #4 II 49 CACTACEAE  
*Opuntia abjecta* Small ex Britton & Rose = *Opuntia triacantha* (Willdenow) Sweet  
***Opuntia abyssi*** Hester #4 II 49 CACTACEAE  
***Opuntia acanthocarpa*** Engelmann & Bigelow #4 II 49 CACTACEAE  
***Opuntia acaulis*** Ekman & Werdermann #4 II 49 CACTACEAE  
***Opuntia aciculata*** Griffiths #4 II 49 CACTACEAE  
***Opuntia aequatorialis*** Britton & Rose #4 II 49 CACTACEAE  
***Opuntia affinis*** Griffiths = *Opuntia velutina* Weber ex Roland-Gosselin  
***Opuntia aggeria*** R.E.Ralston & R.A.Hilsenbeck #4 II 49 CACTACEAE  
***Opuntia agglomerata*** Berger #4 II 49 CACTACEAE  
***Opuntia albisaetacens*** Backeberg #4 II 49 CACTACEAE  
***Opuntia alcahes*** Weber #4 II 49 CACTACEAE  
***Opuntia alcerrecensis*** Iliff #4 II 49 CACTACEAE  
***Opuntia alexanderi*** Britton & Rose #4 II 49 CACTACEAE  
***Opuntia alko-tuna*** Cardenas #4 II 49 CACTACEAE  
*Opuntia allairei* Griffiths = *Opuntia humifusa* (Rafinesque) Rafinesque  
***Opuntia ammophila*** Small #4 II 49 CACTACEAE  
***Opuntia amyclaea*** Tenore #4 II 49 CACTACEAE  
***Opuntia anacantha*** Spegazzini #4 II 49 CACTACEAE  
*Opuntia anahuacensis* Griffiths = *Opuntia dillenii* (Ker-Gawler) Haworth  
*Opuntia angustata* Engeleemann & Bigelow = *Opuntia phaeacantha* Engelmann  
***Opuntia anteojoensis*** Pinkava #4 II 49 CACTACEAE  
***Opuntia antillana*** Britton & Rose #4 II 49 CACTACEAE  
***Opuntia aoracantha*** Lemaire #4 II 49 CACTACEAE  
***Opuntia apurimacensis*** (Ritter) Crook & Mottram #4 II 49 CACTACEAE  
***Opuntia arbuscula*** Engelmann #4 II 49 CACTACEAE (E) Pencil Cholla  
***Opuntia arcei*** Cardenas #4 II 49 CACTACEAE  
***Opuntia archiconoidea*** (Ritter) Hunt #4 II 49 CACTACEAE  
*Opuntia arechavaletae* Spegazzini = *Opuntia monacantha* Haworth  
*Opuntia arenaria* Engelm. = *Opuntia polyacantha* Haworth  
*Opuntia argentina* Grisebach = *Opuntia brasiliensis* (Willdenow) Haworth  
***Opuntia armata*** Backeberg #4 II 49 CACTACEAE  
*Opuntia arrastradillo* Backeb. = *Opuntia stenopetala* Engelmann  
***Opuntia articulata*** (Pfeiffer) Hunt #4 II 49 CACTACEAE  
*Opuntia asplundii* (Backeberg) Rowley = *Opuntia boldinghii* Britton & Rose  
***Opuntia assumptionis*** Schumann #4 II 49 CACTACEAE  
***Opuntia atacamensis*** Philippi #4 II 49 CACTACEAE  
***Opuntia atrispina*** Griffiths #4 II 49 CACTACEAE (E) Border Prickly-pear Cactus  
*Opuntia atrocapensis* Small = *Opuntia dillenii* (Ker-Gawler) Haworth  
*Opuntia atroglobosa* (Schumann) Backeberg = *Opuntia nigrispina* Schumann  
***Opuntia atropes*** Rose #4 II 49 CACTACEAE  
***Opuntia atrovirens*** Spegazzini #4 II 49 CACTACEAE  
*Opuntia atroviridis* Werdermann & Backeberg = *Opuntia floccosa* Salm-Dyck ex Winterfield  
***Opuntia auberi*** Pfeiffer #4 II 49 CACTACEAE  
*Opuntia aulacothoele* (Spegazzini) Backeberg = *Opuntia weberi* Spegazzini  
***Opuntia aurantiaca*** Lindley #4 II 49 CACTACEAE  
***Opuntia aurea*** Baxter #4 II 49 CACTACEAE

- Opuntia aureispina*** (Brack & Heil) Pinkava & Parfitt #4 II  
49 CACTACEAE (E) Golden-spined Prickly-pear  
Cactus
- Opuntia austrina*** Small #4 II 49 CACTACEAE
- Opuntia azurea*** Rose #4 II 49 CACTACEAE
- Opuntia backebergii*** Rowley #4 II 49 CACTACEAE
- Opuntia bahamana*** Britton & Rose = *Opuntia stricta* (Haworth) Haworth
- Opuntia bahiensis*** Britton & Rose = *Opuntia brasiliensis* (Willdenow) Haworth
- Opuntia ballii*** Rose = *Opuntia macrorhiza* Engelmann
- Opuntia basilaris*** Engelmann & Bigelow #4 II 49 CACTACEAE
- Opuntia bella*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia bensonii*** Sanchez-Mejorada #4 II 49 CACTACEAE
- Opuntia bergeriana*** Weber ex Berger = *Opuntia elatior* Miller
- Opuntia bernichiana*** #4 II 49 CACTACEAE
- Opuntia berteri*** (Werdermann & Backeberg) Ritter = *Opuntia sphaerica* Foerster
- Opuntia bigelovii*** Engelmann #4 II 49 CACTACEAE (E) Teddy-bear Cactus
- Opuntia bisetosa*** Pittier #4 II 49 CACTACEAE
- Opuntia bispinosa*** Backeberg = *Opuntia anacantha* Spegazzini
- Opuntia blancii*** (Backeberg) Rowley #4 II 49 CACTACEAE
- Opuntia boldinghii*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia boliviiana*** Salm-Dyck #4 II 49 CACTACEAE
- Opuntia boliviensis*** Backeberg = *Opuntia soehrensis* Britton & Rose
- Opuntia bonplandii*** (Kunth) Weber #4 II 49 CACTACEAE
- Opuntia borinquensis*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia brachyarthra*** Engelmann & Bigelow #4 II 49 CACTACEAE
- Opuntia brachyclada*** Griffiths #4 II 49 CACTACEAE
- Opuntia bradleyi*** Rowley #4 II 49 CACTACEAE
- Opuntia bradtiana*** (Coulter) K. Brandegee #4 II 49 CACTACEAE
- Opuntia brasiliensis*** (Willdenow) Haworth #4 II 49 CACTACEAE
- Opuntia brasiliensis bahiensis*** (Britton & Rose) Braun & Esteves Pereira = *Opuntia brasiliensis* (Willdenow) Haworth
- Opuntia bravoana*** Baxter #4 II 49 CACTACEAE
- Opuntia brevispina*** Gates = *Opuntia alcahes* Weber
- Opuntia bruchii*** Spegazzini = *Opuntia alexanderi* Britton & Rose
- Opuntia brunneogemmia*** (Ritter) Schlindwein = *Opuntia monacantha* Haworth
- Opuntia brunnescens*** Britton & Rose = *Opuntia sulphurea* Gillies ex Salm-Dyck
- Opuntia bulbispina*** Engelmann #4 II 49 CACTACEAE
- Opuntia burrageana*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia calcicola*** (Salisbury) MacBride = *Opuntia humifusa* (Rafinesque) Rafinesque
- Opuntia californica*** Torrey & Gray #4 II 49 CACTACEAE
- Opuntia camachoii*** Espinosa #4 II 49 CACTACEAE
- Opuntia camanchica*** Engelmann & Bigelow #4 II 49 CACTACEAE
- Opuntia campestris*** (Foerster) Backeberg = *Opuntia sphaerica* Foerster
- Opuntia candelabiformis*** Martius ex Pfeifer = *Opuntia spinulifera* Salm-Dyck
- Opuntia canina*** Spegazzini = *Opuntia anacantha* Spegazzini
- Opuntia cantabrigiensis*** Lynch = *Opuntia engelmannii* (Griffiths) Parfitt & Pinkava
- Opuntia canterae*** Arechavaleta #4 II 49 CACTACEAE
- Opuntia caracassana*** Salm-Dyck #4 II 49 CACTACEAE
- Opuntia cardenche*** Griffiths #4 II 49 CACTACEAE
- Opuntia cardiosperma*** Schumann #4 II 49 CACTACEAE
- Opuntia caribaea*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia catingicola*** Werdermann = *Opuntia quipa* Weber
- Opuntia cedergreniana*** Backeberg = *Opuntia soehrensis* Britton & Rose
- Opuntia chaffeyi*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia chakensis*** Spegazzini #4 II 49 CACTACEAE
- Opuntia chavena*** Griffiths #4 II 49 CACTACEAE
- Opuntia chihensis*** (Cardenas) Rowley #4 II 49 CACTACEAE
- Opuntia chihuahuensis*** Rose #4 II 49 CACTACEAE
- Opuntia chisosensis*** (Anthony) D.J.Ferguson #4 II 49 CACTACEAE
- Opuntia chlorotica*** Engelmann & Bigelow #4 II 49 CACTACEAE
- Opuntia cholla*** Weber #4 II 49 CACTACEAE
- Opuntia chuquisacana*** Cardenas = *Opuntia vestita* Salm-Dyck
- Opuntia cineracea*** Wiggins #4 II 49 CACTACEAE
- Opuntia ciribe*** Engelmann ex Coulter = *Opuntia bigelovii* Engelmann
- Opuntia clavarioides*** Pfeiffer #4 II 49 CACTACEAE
- Opuntia clavata*** Engelmann #4 II 49 CACTACEAE (E) Club Cholla
- Opuntia cochabambensis*** Cardenas #4 II 49 CACTACEAE
- Opuntia cochenillifera*** (L.) Miller #4 II 49 CACTACEAE (E) Cochineal Cactus, Roast Pork Cactus, Smooth Pear Cactus
- Opuntia cognata*** (Ritter) Braun & Esteves Pereira #4 II 49 CACTACEAE
- Opuntia colorea*** (Ritter) Hunt #4 II 49 CACTACEAE
- Opuntia colubrina*** Castellanos #4 II 49 CACTACEAE
- Opuntia columbiana*** Griffiths #4 II 49 CACTACEAE
- Opuntia comonduensis*** Britton & Rose = *Opuntia tapona* Engelmann ex Coulter
- Opuntia compressa*** = *Opuntia humifusa* (Rafinesque) Rafinesque
- Opuntia congesta*** #4 II 49 CACTACEAE

- Opuntia conjungens*** (Ritter) Braun & Esteves Pereira #4 II 49 CACTACEAE
- Opuntia conoidea*** (Backeberg) Rowley #4 II 49 CACTACEAE
- Opuntia cordobensis Spegazzini* = *Opuntia ficus-indica* (L.) Miller
- Opuntia corotilla*** Schumann ex Vaupel #4 II 49 CACTACEAE
- Opuntia corrugata*** (Gillies ex Loudon) Salm-Dyck #4 II 49 CACTACEAE
- Opuntia covillei Britton & Rose* = *Opuntia vaseyi* Britton & Rose
- Opuntia crassa*** Haworth #4 II 49 CACTACEAE
- Opuntia crassicylindrica*** (Rauh & Backeberg) Rowley #4 II 49 CACTACEAE
- Opuntia crassipina*** (Ritter) Hunt #4 II 49 CACTACEAE
- Opuntia cretochaeta* Griffiths = *Opuntia hyptiacantha* Weber
- Opuntia crispicrinita* (Rauh & Backeberg) Rowley = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Opuntia crystalenia*** Griffiths #4 II 49 CACTACEAE
- Opuntia cubensis*** Britton & Rose #4 II 49 CACTACEAE (E) Cuba Prickly-pear Cactus, Jumping Prickly-pear Cactus
- Opuntia cuja* (Griffiths & Hare) Britton & Rose = *Opuntia engelmannii* (Griffiths) Parfitt & Pinkava
- Opuntia cumulicola* Engelmann = *Opuntia humifusa* (Rafinesque) Rafinesque
- Opuntia curassavica*** (L.) Miller #4 II 49 CACTACEAE (E) Pin-cushion Cactus, Suckers Cactus
- Opuntia curvispina*** Griffiths #4 II 49 CACTACEAE
- Opuntia cylindrarticulata* (Cardenas) Rowley = *Opuntia dactylifera* Vaupel
- Opuntia cylindrica*** (Lamarck) De Candolle #4 II 49 CACTACEAE
- Opuntia cylindrolanata* (Rauh & Backeberg) Rowley = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Opuntia cymochila*** Engelmann & Bigelow #4 II 49 CACTACEAE
- Opuntia dactylifera*** Vaupel #4 II 49 CACTACEAE
- Opuntia darrahiana*** Weber ex Roland-Gosselin #4 II 49 CACTACEAE
- Opuntia darwinii*** Henslow #4 II 49 CACTACEAE
- Opuntia davisii*** Engelmann & Bigelow #4 II 49 CACTACEAE
- Opuntia deamii*** Rose #4 II 49 CACTACEAE
- Opuntia decumbens*** Salm-Dyck #4 II 49 CACTACEAE (S) Arpón, Lengua de vaca
- Opuntia dejlecta*** Salm-Dyck #4 II 49 CACTACEAE
- Opuntia delaetiana*** Weber #4 II 49 CACTACEAE
- Opuntia delicata* Rose = *Opuntia macrorhiza* Engelmann
- Opuntia densispina*** B.E.Ralston & R.A.Hilsenbeck #4 II 49 CACTACEAE
- Opuntia depauperata*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia depressa*** Rose #4 II 49 CACTACEAE
- Opuntia dillenii*** (Ker-Gawler) Haworth #4 II 49 CACTACEAE
- Opuntia dimorpha*** Britton & Rose = *Opuntia sphaerica* Foerster
- Opuntia discata*** Griffiths = *Opuntia engelmannii* (Griffiths) Parfitt & Pinkava
- Opuntia discolor*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia distans*** Britton & Rose = *Opuntia quimilo* Schumann
- Opuntia dobbieana* Britton & Rose = *Opuntia soederstromiana* Britton & Rose
- Opuntia domeykoensis*** (Ritter) Hunt #4 II 49 CACTACEAE
- Opuntia domingensis* Britton & Rose ex Urban = *Opuntia antillana* Britton & Rose
- Opuntia drummondii* Graham = *Opuntia pusilla* (Haworth) Haworth
- Opuntia dumetorum*** Berger #4 II 49 CACTACEAE
- Opuntia durangensis*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia echinacea* (Ritter) A.E.Hoffmann = *Opuntia boldinghii* Britton & Rose
- Opuntia echinocarpa*** Engelmann & Bigelow #4 II 49 CACTACEAE (E) Straw-top Cholla
- Opuntia echios*** J.T.Howell #4 II 49 CACTACEAE
- Opuntia edwardsii*** Grant & Grant #4 II 49 CACTACEAE
- Opuntia eichlamii*** Rose #4 II 49 CACTACEAE
- Opuntia ekmanii*** Werdermann #4 II 49 CACTACEAE
- Opuntia elata*** Link & Otto ex Salm-Dyck #4 II 49 CACTACEAE
- Opuntia elatior*** Miller #4 II 49 CACTACEAE (E) French Prickle Cactus
- Opuntia elizondoana*** Sanchez & Villasenor #4 II 49 CACTACEAE
- Opuntia ellisiana*** Griffiths #4 II 49 CACTACEAE
- Opuntia emoryi*** Engelmann #4 II 49 CACTACEAE (E) Devil's Prickly-pear Cactus
- Opuntia engelmannii*** (Griffiths) Parfitt & Pinkava #4 II 49 CACTACEAE
- Opuntia erectoclada*** Backeberg #4 II 49 CACTACEAE
- Opuntia erinacea*** Engelmann & Bigelow #4 II 49 CACTACEAE
- Opuntia estevesii*** Braun #4 II 49 CACTACEAE
- Opuntia excelsa*** Sanchez-Mejorada #4 II 49 CACTACEAE
- Opuntia falcata*** Ekman & Werdermann #4 II 49 CACTACEAE
- Opuntia feracantha*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia ferocior* (Backeberg) Rowley = *Opuntia chichensis* (Cardenas) Rowley
- Opuntia ficus-indica*** (L.) Miller #4 II 49 CACTACEAE (E) Indian Fig Cactus, Prickly Pear Cactus (S) Higo chumbo, Tuna, Tuna de España, Tuna mansa
- Opuntia flexospina* Griffiths = *Opuntia engelmannii* (Griffiths) Parfitt & Pinkava
- Opuntia flexuosa*** (Backeberg) Rowley #4 II 49 CACTACEAE
- Opuntia floccosa*** Salm-Dyck ex Winterfield #4 II 49 CACTACEAE
- Opuntia fosbergii*** C.B.Wolf #4 II 49 CACTACEAE

- Opuntia fragilis*** (Nuttall) Haworth #4 II 49 CACTACEAE  
*Opuntia fragilis brachyarthra* (Engelmann & Bigelow)  
 W.A. Weber = *Opuntia brachyarthra* Engelmann & Bigelow
- Opuntia frigida*** (Ritter) G.Navarro #4 II 49 CACTACEAE
- Opuntia fulgida*** Engelmann #4 II 49 CACTACEAE (E)  
 Sonoran Jumping Cholla
- Opuntia fuliginosa*** Griffiths #4 II 49 CACTACEAE
- Opuntia fulvicoma*** (Rauh & Backeberg) Rowley #4 II 49  
 CACTACEAE
- Opuntia fuscoatra* Engelmann = *Opuntia humifusa* (Rafinesque) Rafinesque
- Opuntia galapageia*** Henslow #4 II 49 CACTACEAE
- Opuntia galerasensis*** (Ritter) Hunt #4 II 49 CACTACEAE  
*Opuntia geometrica* Castellanos = *Opuntia alexanderi* Britton & Rose
- Opuntia glaucescens* Salm-Dyck = *Opuntia stenopetala* Engelmann
- Opuntia glomerata*** Haworth #4 II 49 CACTACEAE  
*Opuntia glomerata* Schumann = *Opuntia articulata* (Pfeiffer) Hunt
- Opuntia gosseliniana*** Weber #4 II 49 CACTACEAE
- Opuntia grahamii*** Engelmann #4 II 49 CACTACEAE  
*Opuntia grandis* Pfeiffer = *Opuntia stenopetala* Engelmann
- Opuntia grosseana*** Weber ex Roland-Gosselin #4 II 49  
 CACTACEAE
- Opuntia guatemalensis*** Britton & Rose #4 II 49  
 CACTACEAE
- Opuntia guatinensis*** Hunt #4 II 49 CACTACEAE  
*Opuntia guerrana* Griffiths = *Opuntia robusta* Wendland ex Pfeiffer
- Opuntia guilanchi*** Griffiths #4 II 49 CACTACEAE  
*Opuntia haitiensis* Britton = *Opuntia moniliformis* (L.) Haworth ex Steudel
- Opuntia halophila*** Spegazzini #4 II 49 CACTACEAE  
*Opuntia hamiltonii* (Gates ex Backeberg) rowley = *Opuntia rosarica* Lindsay
- Opuntia heacockiae*** Arp #4 II 49 CACTACEAE  
*Opuntia heliabravoana* Scheinvar = *Opuntia spinulifera* Salm-Dyck
- Opuntia heliae* Matuda = *Opuntia puberula* Pfeiffer
- Opuntia helleri*** Schumann ex Robinson #4 II 49  
 CACTACEAE
- Opuntia hernandezii* De Candolle = *Opuntia tomentosa* Salm-Dyck
- Opuntia herrfeldtii* Kupper = *Opuntia rufida* Engelmann
- Opuntia heteromorpha*** Philippi #4 II 49 CACTACEAE  
*Opuntia hickenii* Britton & Rose = *Opuntia darwini* Henslow
- Opuntia hirschii*** (Backeberg) Rowley #4 II 49  
 CACTACEAE
- Opuntia hitchcockii*** J.G.Ortega #4 II 49 CACTACEAE  
*Opuntia hoffmannii* Bravo = *Opuntia pubescens* Wendland ex Pfeiffer
- Opuntia hondurensis*** Standley #4 II 49 CACTACEAE  
*Opuntia howeyi* J.Purpus #4 II 49 CACTACEAE  
*Opuntia huajuapensis* Bravo #4 II 49 CACTACEAE
- Opuntia humifusa*** (Rafinesque) Rafinesque #4 II 49  
 CACTACEAE
- Opuntia hyptiacantha*** Weber #4 II 49 CACTACEAE  
*Opuntia hystricina* Engelmann & Bigelow = *Opuntia polyacantha* Haworth
- Opuntia ianthinantha*** (Ritter) Iliff #4 II 49 CACTACEAE
- Opuntia ignescens*** Vaupel #4 II 49 CACTACEAE  
*Opuntia ignota* Britton & Rose = *Opuntia corotilla* Schumann ex Vaupel
- Opuntia imbricata*** (Haworth) De Candolle #4 II 49  
 CACTACEAE
- Opuntia impedita* Griffiths = *Opuntia humifusa* (Rafinesque) Rafinesque
- Opuntia inaequilateralis*** Berger #4 II 49 CACTACEAE
- Opuntia inamoena*** Schumann #4 II 49 CACTACEAE  
***Opuntia inaperta*** (Schott ex Griffiths) Hunt #4 II 49  
 CACTACEAE
- Opuntia infesta*** (Ritter) Iliff #4 II 49 CACTACEAE
- Opuntia insularis*** A. Stewart #4 II 49 CACTACEAE  
***Opuntia invicta*** T.Brandegee #4 II 49 CACTACEAE  
*Opuntia italicica* Wherry = *Opuntia humifusa* (Rafinesque) Rafinesque
- Opuntia jaliscana*** Bravo #4 II 49 CACTACEAE  
***Opuntia jamaicensis*** Britton & Harris #4 II 49  
 CACTACEAE
- Opuntia joconostle*** Weber ex Diguet #4 II 49  
 CACTACEAE
- Opuntia juniperina* Britton & Rose = *Opuntia sphaerocarpa* Engelmann & Bigelow
- Opuntia karwinskiana*** Salm-Dyck #4 II 49 CACTACEAE
- Opuntia kelvinensis*** Grant & Grant #4 II 49 CACTACEAE (E) Kelvin Cholla
- Opuntia keyensis* Britton & Small = *Opuntia stricta* (Haworth) Haworth
- Opuntia kiska-loro* Spegazzini = *Opuntia anacantha* Spegazzini
- Opuntia kleiniae*** De Candolle #4 II 49 CACTACEAE (E) Candle Cholla
- Opuntia kuehnrichiana* Backeberg = *Opuntia sphaerica* Foerster
- Opuntia kunzei*** Rose #4 II 49 CACTACEAE
- Opuntia laevis*** Coulter #4 II 49 CACTACEAE
- Opuntia lagopus*** Schumann #4 II 49 CACTACEAE
- Opuntia lagunae*** Baxter ex Bravo #4 II 49 CACTACEAE
- Opuntia larreyi*** Weber ex Coulter #4 II 49 CACTACEAE
- Opuntia lasiacantha*** Hort. Vindob. ex Pfeiffer #4 II 49  
 CACTACEAE
- Opuntia lata* Small = *Opuntia ammophila* Small
- Opuntia leoncito* Werdermann = *Opuntia glomerata* Haworth
- Opuntia leptocaulis*** De Candolle #4 II 49 CACTACEAE
- Opuntia leucophaea*** Philippi #4 II 49 CACTACEAE
- Opuntia leucotricha*** De Candolle #4 II 49 CACTACEAE
- Opuntia lilae*** Trujillo & Ponce #4 II 49 CACTACEAE
- Opuntia limitata*** (Ritter) Braun & Esteves Pereira #4 II 49  
 CACTACEAE

- Opuntia lindheimeri* Engelmann = *Opuntia engelmannii* (Griffiths) Parfitt & Pinkava  
*Opuntia lindsayi* J.P.Rebman #4 II 49 CACTACEAE  
*Opuntia linguiformis* Griffiths #4 II 49 CACTACEAE  
*Opuntia littoralis* (Engelmann) Cockerell #4 II 49 CACTACEAE (E) Coastal Prickly-pear Cactus  
*Opuntia llanos-de-huanta* Hunt #4 II 49 CACTACEAE  
*Opuntia lloydii* Rose #4 II 49 CACTACEAE  
*Opuntia longiareolata* Clover & Jotter #4 II 49 CACTACEAE  
*Opuntia longispina* Haworth #4 II 49 CACTACEAE  
*Opuntia lubrica* Griffiths = *Opuntia rufida* Engelmann  
*Opuntia lucayana* Britton #4 II 49 CACTACEAE (E) Turk's Island Prickly-pear Cactus  
*Opuntia lutea* (Rose) Hunt #4 II 49 CACTACEAE  
*Opuntia macateei* Britton & Rose = *Opuntia pusilla* (Haworth) Haworth  
*Opuntia macbridei* Britton & Rose = *Opuntia quitensis* Weber  
*Opuntia macdougaliana* Rose = *Opuntia tomentosa* Salm-Dyck  
*Opuntia mackensii* Rose = *Opuntia cymochila* Engelmann & Bigelow  
*Opuntia macracantha* Grisebach #4 II 49 CACTACEAE (S) Alpargata, Tuna de cruz  
*Opuntia macrarthra* Gibbes = *Opuntia stricta* (Haworth) Haworth  
*Opuntia macrocalyx* Griffiths = *Opuntia microdasys* (Lehmann) Pfeiffer  
*Opuntia macrocentra* Engelmann #4 II 49 CACTACEAE  
*Opuntia macrorhiza* Engelmann #4 II 49 CACTACEAE  
*Opuntia magnifica* Small = *Opuntia stricta* (Haworth) Haworth  
*Opuntia mammillata* Schott ex Engelmann #4 II 49 CACTACEAE  
*Opuntia mandragora* (Backeberg) Rowley = *Opuntia minuta* (Backeberg) Castellanos  
*Opuntia marenae* Parsons #4 II 49 CACTACEAE  
*Opuntia marnieriana* Backeb. = *Opuntia stenopetala* Engelmann  
*Opuntia martiniana* (Benson) Parfitt #4 II 49 CACTACEAE  
*Opuntia matudae* Scheinvar = *Opuntia hyptiacantha* Weber  
*Opuntia maxonii* J.G.Ortega = *Opuntia puberula* Pfeiffer  
*Opuntia megacantha* Salm-Dyck #4 II 49 CACTACEAE  
*Opuntia megapotamica* Arechavaleta #4 II 49 CACTACEAE  
*Opuntia megarhiza* Rose #4 II 49 CACTACEAE  
*Opuntia megasperma* J.T. Howell #4 II 49 CACTACEAE  
*Opuntia melanosperma* Svenson = *Opuntia dillenii* (Ker-Gawler) Haworth  
*Opuntia microcarpa* Engelmann = *Opuntia engelmannii* (Griffiths) Parfitt & Pinkava  
*Opuntia microdasys* (Lehmann) Pfeiffer #4 II 49 CACTACEAE  
*Opuntia microdisca* Weber #4 II 49 CACTACEAE  
*Opuntia mieckleyi* Schumann #4 II 49 CACTACEAE  
*Opuntia militaris* Britton & Rose = *Opuntia triacantha* (Willdenow) Sweet  
*Opuntia millspaughii* Britton #4 II 49 CACTACEAE  
*Opuntia minuscula* (Backeberg) Rowley #4 II 49 CACTACEAE  
*Opuntia minuta* (Backeberg) Castellanos #4 II 49 CACTACEAE  
*Opuntia miquelii* Monville #4 II 49 CACTACEAE  
*Opuntia mistiensis* (Backeberg) Rowley #4 II 49 CACTACEAE  
*Opuntia moelleri* Berger #4 II 49 CACTACEAE  
*Opuntia mojavensis* Engelmann & Bigelow #4 II 49 CACTACEAE  
*Opuntia molesta* T.Brandegee #4 II 49 CACTACEAE  
*Opuntia molinensis* Spegazzini #4 II 49 CACTACEAE  
*Opuntia monacantha* Haworth #4 II 49 CACTACEAE  
*Opuntia monacantha brunneogemmata* (Ritter) Braun & Esteves Pereira = *Opuntia monacantha* Haworth  
*Opuntia moniliformis* (L.) Haworth ex Steudel #4 II 49 CACTACEAE  
*Opuntia montevideensis* Spegazzini #4 II 49 CACTACEAE  
*Opuntia multiareolata* Backeberg = *Opuntia soehrensis* Britton & Rose  
*Opuntia multigeniculata* Clokey #4 II 49 CACTACEAE  
*Opuntia munzii* C.B. Wolf #4 II 49 CACTACEAE (E) Munz Cholla  
*Opuntia nashii* Britton #4 II 49 CACTACEAE (E) Nash's Prickly-pear Cactus  
*Opuntia nejapensis* Bravo #4 II 49 CACTACEAE  
*Opuntia nemoralis* Griffiths = *Opuntia humifusa* (Rafinesque) Rafinesque  
*Opuntia neoarbuscula* #4 II 49 CACTACEAE  
*Opuntia neoargentina* Backeberg = *Opuntia brasiliensis* (Willdenow) Haworth  
*Opuntia neoargentina* (Backeberg) Rowley = *Opuntia brasiliensis* (Willdenow) Haworth  
*Opuntia neochrysacantha* Bravo #4 II 49 CACTACEAE  
*Opuntia neuquensis* Borg = *Opuntia darwinii* Henslow  
*Opuntia nicholii* L. Benson = *Opuntia polyacantha* Haworth  
*Opuntia nigrispina* Schumann #4 II 49 CACTACEAE  
*Opuntia nitens* Small = *Opuntia dillenii* (Ker-Gawler) Haworth  
*Opuntia nootiae* (Backeberg & Jacobsen) Rowley = *Opuntia dactylifera* Vaupel  
*Opuntia nuda* (Backeberg) Rowley #4 II 49 CACTACEAE  
*Opuntia obliqua* Backeberg = *Opuntia soehrensis* Britton & Rose  
*Opuntia orbiculata* Salm-Dyck ex Pfeiffer #4 II 49 CACTACEAE  
*Opuntia oricola* Philbrick #4 II 49 CACTACEAE (E) Chaparral Prickly-pear Cactus  
*Opuntia orurensis* Cardenas #4 II 49 CACTACEAE  
*Opuntia ovata* Pfeiffer #4 II 49 CACTACEAE  
*Opuntia pachona* Griffiths #4 II 49 CACTACEAE  
*Opuntia pachypus* Schumann #4 II 49 CACTACEAE  
*Opuntia paedophila* Castellanos = *Opuntia aoracantha* Lemaire

- Opuntia pailana*** Weingart #4 II 49 CACTACEAE  
*Opuntia pallida* Rose = *Opuntia rosea* De Candolle
- Opuntia palmadora*** Britton & Rose #4 II 49 CACTACEAE  
*Opuntia palmadora catingicola* (werdermann)braun & Esteves Pereira = *Opuntia quipa* Weber
- Opuntia palmeri* Engelmann ex Coulter = *Opuntia chlorotica* Engelmann & Bigelow
- Opuntia papyracantha* Philippi = *Opuntia articulata* (Pfeiffer) Hunt
- Opuntia paraguayensis*** Schumann #4 II 49 CACTACEAE
- Opuntia parishii*** Orcutt #4 II 49 CACTACEAE
- Opuntia parryi*** Engelmann #4 II 49 CACTACEAE
- Opuntia parviflada*** S.Arias & S.Gama #4 II 49 CACTACEAE
- Opuntia pascoensis* Britton & Rose = *Opuntia pubescens* Wendland ex Pfeiffer
- Opuntia patagonica* Philippi = *Maihuenia patagonica* (Philippi) Spegazzini
- Opuntia penicilligera*** Spegazzini #4 II 49 CACTACEAE
- Opuntia pennellii*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia pentlandii*** Salm-Dyck #4 II 49 CACTACEAE
- Opuntia pes-corvi* Leconte ex Englemann = *Opuntia pusilla* (Haworth) Haworth
- Opuntia pestifer* Britton & Rose = *Opuntia pubescens* Wendland ex Pfeiffer
- Opuntia phaeacantha*** Engelmann #4 II 49 CACTACEAE
- Opuntia picardae* Urban = *Opuntia moniliformis* (L.) Haworth ex Steudel
- Opuntia picardoi*** Marnier-Lapostolle #4 II 49 CACTACEAE
- Opuntia pilifera*** Weber #4 II 49 CACTACEAE
- Opuntia pittieri*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia pituitosa*** (Ritter) Iliff #4 II 49 CACTACEAE
- Opuntia platyacantha* Pfeiffer = *Opuntia darwinii* Henslow
- Opuntia plumbea*** Rose #4 II 49 CACTACEAE
- Opuntia poecilacantha* Backeberg = *Opuntia microdisca* Weber
- Opuntia pollardii* Britton & Rose = *Opuntia austrina* Small
- Opuntia polyacantha*** Haworth #4 II 49 CACTACEAE (E) Sand Prickly-pear Cactus
- Opuntia polycarpa* Small = *Opuntia austrina* Small
- Opuntia posnanskyana* Cardenas = *Opuntia verschaffeltii* Cels ex Weber
- Opuntia pottsii* Salm-Dyck = *Opuntia macrorhiza* Engelmann
- Opuntia prasina*** Spegazzini #4 II 49 CACTACEAE
- Opuntia procumbens* Engelmann & Bigelow = *Opuntia engelmannii* (Griffiths) Parfitt & Pinkava
- Opuntia prolifera*** Engelmann #4 II 49 CACTACEAE (E) Coastal Cholla
- Opuntia pseudo-udonis* Rauh & Backeberg = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Opuntia puberula*** Pfeiffer #4 II 49 CACTACEAE
- Opuntia pubescens*** Wendland ex Pfeiffer #4 II 49 CACTACEAE
- Opuntia puelchana* Castellanos = *Opuntia tunicata* (Lehmann) Link & Otto ex Pfeiffer
- Opuntia pulchella*** Engelmann #4 II 49 CACTACEAE (E) Sand Cholla
- Opuntia pumila*** Rose #4 II 49 CACTACEAE
- Opuntia punta-caillan*** (Rauh & Backeberg) Rowley #4 II 49 CACTACEAE
- Opuntia purpurea* (Backeberg) Ritter = *Opuntia nigrispina* Schumann
- Opuntia pusilla*** (Haworth) Haworth #4 II 49 CACTACEAE (E) Little Prickly-pear Cactus
- Opuntia pycnantha*** Engelmann ex Coulter #4 II 49 CACTACEAE
- Opuntia pyriformis*** Rose #4 II 49 CACTACEAE
- Opuntia pyrrhocantha*** Schumann #4 II 49 CACTACEAE
- Opuntia pyrrhantha*** (Ritter) Braun & Esteves Pereira #4 II 49 CACTACEAE
- Opuntia quimilo*** Schumann #4 II 49 CACTACEAE
- Opuntia quipa*** Weber #4 II 49 CACTACEAE
- Opuntia quitensis*** Weber #4 II 49 CACTACEAE
- Opuntia rafinesquei* Small ex Britton & Rose = *Opuntia humifusa* (Rafinesque) Rafinesque
- Opuntia rahmeri*** Philippi #4 II 49 CACTACEAE
- Opuntia ramosissima*** Engelmann #4 II 49 CACTACEAE (E) Lead-pencil Cholla
- Opuntia rastrera*** Weber #4 II 49 CACTACEAE
- Opuntia rauhii* (Backeberg) Rowley = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Opuntia rauppiana* (Werdermann & Backberg) Backberg = *Opuntia sphaerica* Foerster
- Opuntia reflexispina*** Wiggins & Rollins #4 II 49 CACTACEAE
- Opuntia reicheana* Espinosa = *Opuntia glomerata* Haworth
- Opuntia repens*** Bello #4 II 49 CACTACEAE
- Opuntia retrorsa* Spegazzini = *Opuntia anacantha* Spegazzini
- Opuntia rhodantha* Schumann = *Opuntia polyacantha* Haworth
- Opuntia rileyi*** J.G.Ortega #4 II 49 CACTACEAE
- Opuntia ritteri*** Berger #4 II 49 CACTACEAE
- Opuntia riviereana* Backeb. = *Opuntia stenopetala* Engelmann
- Opuntia robinsonii*** J.G.Ortega #4 II 49 CACTACEAE
- Opuntia roborensis*** Cardenas #4 II 49 CACTACEAE
- Opuntia robusta*** Wendland ex Pfeiffer #4 II 49 CACTACEAE
- Opuntia rosarica*** Lindsay #4 II 49 CACTACEAE
- Opuntia rosea*** De Candolle #4 II 49 CACTACEAE
- Opuntia rossiana*** (Heinrich & Backeberg) Ritter #4 II 49 CACTACEAE
- Opuntia rubescens*** Salm-Dyck ex De Candolle #4 II 49 CACTACEAE (E) Tree Cactus
- Opuntia rubiflora* Tenore ex Pfeiffer = *Opuntia humifusa* (Rafinesque) Rafinesque
- Opuntia rufida*** Engelmann #4 II 49 CACTACEAE (E) Blind Prickly-pear Cactus
- Opuntia russellii* Britton & Rose = *Opuntia ovata* Pfeiffer
- Opuntia rutila*** Nuttall ex Torey & Gray #4 II 49 CACTACEAE

- Opuntia rzedowskii* Scheinvar = *Opuntia lasiacantha* Hort. Vindob. ex Pfeiffer
- Opuntia salagria* Castellanos #4 II 49 CACTACEAE
- Opuntia salmiana* Parmentier ex Pfeiffer #4 II 49 CACTACEAE
- Opuntia salvadorensis* Britton & Rose ex Standley & Calderon #4 II 49 CACTACEAE
- Opuntia sanctae-barbarae* Hunt #4 II 49 CACTACEAE
- Opuntia sanguinea* Proctor #4 II 49 CACTACEAE
- Opuntia santamaria* (Baxter) Wiggins #4 II 49 CACTACEAE
- Opuntia santa-rita* (Griffiths & Hare) Rose #4 II 49 CACTACEAE
- Opuntia sarca* Griffiths ex Scheinvar = *Opuntia tomentosa* Salm-Dyck
- Opuntia saxatilis* (Ritter) Braun & Esteves Pereira #4 II 49 CACTACEAE
- Opuntia saxicola* J. T. Howell #4 II 49 CACTACEAE
- Opuntia scheeri* Weber #4 II 49 CACTACEAE
- Opuntia scheinvariana* Paniagua = *Opuntia puberula* Pfeiffer
- Opuntia schickendantzii* Weber #4 II 49 CACTACEAE
- Opuntia schottii* Engelmann #4 II 49 CACTACEAE (E) Schott's Prickly-pear Cactus
- Opuntia schulzii* Castellanos & Lelong = *Opuntia brasiliensis* (Willdenow) Haworth
- Opuntia schumannii* Weber ex Berger #4 II 49 CACTACEAE
- Opuntia securigera* Borg #4 II 49 CACTACEAE
- Opuntia serpentina* Engelmann = *Opuntia californica* Torrey & Gray
- Opuntia setispina* Engelmann ex Salm-Dyck = *Opuntia macrorhiza* Engelmann
- Opuntia shaferi* Britton & Rose #4 II 49 CACTACEAE
- Opuntia silvestris* Backeberg #4 II 49 CACTACEAE
- Opuntia skottsbergii* Skottsberg ex Britton & Rose = *Pterocactus hickenii* Britton & Rose
- Opuntia soederstromiana* Britton & Rose #4 II 49 CACTACEAE
- Opuntia soehrensii* Britton & Rose #4 II 49 CACTACEAE
- Opuntia sphaerica* Foerster #4 II 49 CACTACEAE
- Opuntia sphaerocarpa* Engelmann & Bigelow #4 II 49 CACTACEAE
- Opuntia spinosibacca* Anthony #4 II 49 CACTACEAE
- Opuntia spinosior* (Engelmann) Toumey ex Bailey #4 II 49 CACTACEAE (E) Cane Prickly-pear Cactus
- Opuntia spinosissima* Miller #4 II 49 CACTACEAE (E) Prickly Pear Tree Cactus, Semaphore Cactus
- Opuntia spinulifera* Salm-Dyck #4 II 49 CACTACEAE
- Opuntia spraguei* J.G.Ortega #4 II 49 CACTACEAE
- Opuntia stanlyi* Engelmann = *Opuntia emoryi* Engelmann
- Opuntia steiniana* (Backeberg) Rowley = *Opuntia verschaffeltii* Cels ex Weber
- Opuntia stenarthra* Schumann #4 II 49 CACTACEAE
- Opuntia stenopetala* Engelmann #4 II 49 CACTACEAE
- Opuntia streptacantha* Lemaire #4 II 49 CACTACEAE
- Opuntia stricta* (Haworth) Haworth #4 II 49 CACTACEAE
- Opuntia strigil* Engelmann #4 II 49 CACTACEAE (E) Marble-fruit Prickly-pear Cactus
- Opuntia subarmata* Griffiths = *Opuntia engelmannii* (Griffiths) Parfitt & Pinkava
- Opuntia subsphaerocarpa* Spegazzini #4 II 49 CACTACEAE
- Opuntia subterranea* R.Fries #4 II 49 CACTACEAE
- Opuntia subulata* (Muehlenpfordt) Engelmann #4 II 49 CACTACEAE
- Opuntia sulphurea* Gillies ex Salm-Dyck #4 II 49 CACTACEAE
- Opuntia superbospina* Griffiths #4 II 49 CACTACEAE (E) Kingman's Prickly-pear Cactus
- Opuntia tapona* Engelmann ex Coulter #4 II 49 CACTACEAE
- Opuntia tarapacana* Philippi #4 II 49 CACTACEAE
- Opuntia tardospina* Griffiths = *Opuntia engelmannii* (Griffiths) Parfitt & Pinkava
- Opuntia tayapayensis* Cardenas = *Opuntia pubescens* Wendland ex Pfeiffer
- Opuntia taylorii* Britton & Rose #4 II 49 CACTACEAE
- Opuntia tehuacana* S.Arias & L.U.Guzman #4 II 49 CACTACEAE
- Opuntia tehuantepecana* (Bravo) Bravo #4 II 49 CACTACEAE
- Opuntia tenuiflora* Small #4 II 49 CACTACEAE
- Opuntia tenuispina* Engelmann & Bigelow = *Opuntia macrorhiza* Engelmann
- Opuntia tephrocactoides* (Rauh & Backeberg) Rowley = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Opuntia tesajo* Engelmann ex Coulter #4 II 49 CACTACEAE
- Opuntia testudinis-crus* Weber ex Roland Gosselin = *Opuntia moniliformis* (L.) Haworth ex Steudel
- Opuntia tetracantha* Toumey #4 II 49 CACTACEAE
- Opuntia thornberi* Thornber & Bonker = *Opuntia acanthocarpa* Engelmann & Bigelow
- Opuntia thurberi* Engelmann #4 II 49 CACTACEAE
- Opuntia ticnamarensis* (Ritter) Hunt #4 II 49 CACTACEAE
- Opuntia tilcarensis* Backeberg = *Opuntia soehrensii* Britton & Rose
- Opuntia tomentella* Berger #4 II 49 CACTACEAE
- Opuntia tomentosa* Salm-Dyck #4 II 49 CACTACEAE
- Opuntia tracyi* Britton = *Opuntia pusilla* (Haworth) Haworth
- Opuntia treleasei* Coulter #4 II 49 CACTACEAE (E) Bakersfield Beavertail Cactus
- Opuntia triacantha* (Willdenow) Sweet #4 II 49 CACTACEAE (E) Big Pine Key Prickly-pear Cactus, Jumping Prickly Apple Cactus
- Opuntia trichophora* (Engelmann & Bigelow) Britton & Rose #4 II 49 CACTACEAE
- Opuntia tricolor* Griffiths = *Opuntia engelmannii* (Griffiths) Parfitt & Pinkava
- Opuntia tumida* (Ritter) Hunt #4 II 49 CACTACEAE
- Opuntia tuna* (L.) Miller #4 II 49 CACTACEAE
- Opuntia tuna-blanca* = *Opuntia ficus-indica* (L.) Miller

- Opuntia tunicata*** (Lehmann) Link & Otto ex Pfeiffer #4 II  
49 CACTACEAE (E) Tuna Cholla
- Opuntia turbinata*** Small #4 II 49 CACTACEAE
- Opuntia turgida* Small ex Britton & Rose = *Opuntia ammophila* Small
- Opuntia udonis* Weingart = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Opuntia undulata*** Griffiths #4 II 49 CACTACEAE
- Opuntia unguispina*** Backeberg #4 II 49 CACTACEAE
- Opuntia urbaniana*** Werdermann #4 II 49 CACTACEAE
- Opuntia utkilio* Spegazzini = *Opuntia anacantha* Spegazzini
- Opuntia vaginata*** Engelmann #4 II 49 CACTACEAE
- Opuntia vaseyi*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia velutina*** Weber ex Roland-Gosselin #4 II 49 CACTACEAE
- Opuntia verschaffeltii*** Cels ex Weber #4 II 49 CACTACEAE
- Opuntia versicolor*** Engelmann ex Toumey #4 II 49 CACTACEAE (E) Stag-horn Cholla
- Opuntia verticosa* Weingart = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Opuntia vestita*** Salm-Dyck #4 II 49 CACTACEAE
- Opuntia vilis*** Rose #4 II 49 CACTACEAE
- Opuntia violacea* Engelmann = *Opuntia macrocentra* Engelmann
- Opuntia viridiflora*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia viridirubra*** (Ritter) Braun & Esteves Pereira #4 II 49 CACTACEAE
- Opuntia vitelliniflora*** (Ritter) Braun & Esteves Pereira #4 II 49 CACTACEAE
- Opuntia vivipara*** Rose #4 II 49 CACTACEAE
- Opuntia vulgaris* auctt = *Opuntia monacantha* Haworth
- Opuntia vulgaris* Small = *Opuntia humifusa* (Rafinesque) Rafinesque
- Opuntia vulgaris* Spegazzini = *Opuntia ficus-indica* (L.) Miller
- Opuntia vulpina* Weber = *Opuntia sulphurea* Gillies ex Salm-Dyck
- Opuntia wagenknechtii*** (Ritter) Hunt #4 II 49 CACTACEAE
- Opuntia weberi*** Spegazzini #4 II 49 CACTACEAE
- Opuntia weingartiana* Backeberg = *Opuntia shaferi* Britton & Rose
- Opuntia wentiana* Britton & Rose = *Opuntia caracassana* Salm-Dyck
- Opuntia wernerii*** Eggle #4 II 49 CACTACEAE
- Opuntia wetmorei*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia whipplei*** Engelmann & Bigelow #4 II 49 CACTACEAE (E) Whipple's Cactus
- Opuntia whitneyana* Baxter = *Opuntia basilaris* Engelmann & Bigelow
- Opuntia wigginsii*** L. Benson #4 II 49 CACTACEAE (E) Wiggins' Cholla
- Opuntia wilcoxii*** Britton & Rose #4 II 49 CACTACEAE
- Opuntia wolfei*** (Benson) M.A.Baker #4 II 49 CACTACEAE
- Opuntia woodsii* Backeberg = *Opuntia phaeacantha* Engelmann
- Opuntia wootonii*** Griffiths #4 II 49 CACTACEAE
- Opuntia wrightiana* (Baxter) Peebles = *Opuntia kunzei* Rose
- Opuntia yanganucensis*** (Rauh & Backeberg) Rowley #4 II 49 CACTACEAE
- Opuntia zacana* Howell = *Opuntia echios* J.T.Howell
- Opuntia zebrina* Small = *Opuntia dillenii* (Ker-Gawler) Haworth
- Opuntia zehnderi*** (Rauh & Backeberg) Rowley #4 II 49 CACTACEAE
- ORCHIDACEAE spp. Juss. #4 I/II 64 (E) Orchids (S) Orquideas (F) Orchidées
- Orchid, Alcove Bog (E): *Habenaria zothecina*
- Orchid, Aleutian Adder's-mouth (E): *Malaxis diphyllous*
- Orchid, Ambrosia (E): *Bulbophyllum ambrosia*
- Orchidantha* spp. N.E.Br. #4 II 64 ORCHIDACEAE
- Orchid, Argolis (E): *Ophrys argolica*
- Orchid, Ballerina (E): *Platanthera mandarinorum*
- Orchid, Bamboo (E): *Arundina chinensis*
- Orchid, Banana (E): *Acampe rigida*
- Orchid, Bee (E): *Cleisostoma teres*
- Orchid, Bertoloni's Bee (E): *Ophrys bertolonii*
- Orchid, Big Ladder (E): *Robiquetia succisa*
- Orchid, Bird-head (E): *Sarcanthus fordii*
- Orchid, Bog (E): *Hammarbya paludosa*
- Orchid, Brown Rock (E): *Coelogynne fimbriata*
- Orchid, Bumble Bee (E): *Hispaniella henekenii*
- Orchid, Bumble-bee (E): *Ophrys bombyliflora*
- Orchid, Buttercup (E): *Spathoglottis pubescens*
- Orchid, Butterfly (E): *Platanthera chlorantha*
- Orchid, California Lady's-slipper (E): *Cypripedium californicum*
- Orchid, Calypso (E): *Calypso bulbosa*
- Orchid, Centipede (E): *Thrixspermum centipeda*
- Orchid, Champion's (E): *Diploprora championii*
- Orchid, Chisos Coral-root (E): *Hexalectris revoluta*
- Orchid, Choriso Bog (E): *Platanthera chorisiana*
- Orchid, Christmas (E): *Cattleya trianaei*
- Orchid, Cleric's Collar (E): *Zeuxine gracilis*
- Orchid, Cloud Leaf (E): *Nephelaphyllum cristatum*
- Orchid, Club-spurred Tentacle (E): *Peristylus calcaratus*
- Orchid, Clustered Lady's-slipper (E): *Cypripedium fasciculatum*
- Orchid, Common Pyramidal (E): *Anacamptis pyramidalis*
- Orchid, Cooktown (E): *Dendrobium bigibbum*
- Orchid, Coot Bay Dancing-lady (E): *Oncidium carthaginense*
- Orchid, Copper-glint (E): *Anoectochilus yunganus*
- Orchid, Coral Beak (E): *Goodyera foliosa*
- Orchid, Corded Ghost (E): *Dendrophylax funalis*
- Orchid, Creamy Green Tentacle (E): *Peristylus spiranthes*
- Orchid, Crested Coralroot (E): *Hexalectris spicata*
- Orchid, Cricket (E): *Brassia caudata*
- Orchid, Dancing-lady (E): *Oncidium variegatum*
- Orchid, Dense-flowered (E): *Neotinea maculata*
- Orchid, Dove (E): *Peristeria elata*
- Orchid, Drury's Slipper (E): *Paphiopedilum druryi*
- Orchid, Early Purple (E): *Orchis mascula*

- Orchid, Early Spider (E): *Ophrys sphegodes*  
 Orchid, Eastern Prairie Fringed (E): *Platanthera leucophaea*  
 Orchidées (F): *Orchidaceae*  
 Orchid, Eyed Bee (E): *Ophrys argolica*  
 Orchid, Fairy (E): *Habenaria leptoloba*  
 Orchid, Fen (E): *Liparis loeselii*  
 Orchid, Fern-leaf (E): *Appendicula cornuta*  
 Orchid, Flat-petal Lady's-slipper (E): *Cypripedium planipetala*  
 Orchid, Florida (E): *Oncidium floridanum*  
 Orchid, Florida Adder's-mouth (E): *Malaxis spicata*  
 Orchid, Fly (E): *Ophrys insectifera*  
 Orchid, Four-hour (E): *Thrixspermum centipedes*  
 Orchid, Frog (E): *Coeloglossum viride*  
 Orchid, Ghost (E): *Epipogium aphyllum*  
 Orchid, Giant (E): *Barlia robertiana*  
 Orchid, Glass Mountain Coral-root (E): *Hexalectris nitida*  
 Orchid, Gnome's Cap (E): *Habenaria reniformis*  
 Orchid, Golden Frog-arrow (E): *Platanthera integra*  
 Orchid, Green-fly (E): *Epidendrum conopseum*  
 Orchid, Green-lipped Bell (E): *Pachystoma chinensis*  
 Orchid, Greenman's Hexalectris (E): *Hexalectris grandiflora*  
 Orchid, Green-winged (E): *Orchis morio*  
 Orchid, Hawaii Jewel (E): *Anoectochilus sandvicensis*  
 Orchid, Holy Ghost (E): *Peristeria elata*  
 Orchid, Hong Kong Jewel (E): *Anoectochilus yungianus*  
 Orchid, Hong Kong Slipper (E): *Paphiopedilum purpuratum*  
 Orchid, Horned (E): *Orchis longicornu*  
 Orchid, Ink (E): *Cymbidium sinense*  
 Orchid, Irish Lady's Tresses (E): *Spiranthes romanzoffiana*  
 Orchid, Italian (E): *Orchis italica*  
 Orchid, Jug (E): *Acanthephippium sinense*  
 Orchid, Komper's (E): *Comperia comperiana*  
 Orchid, Kotschy's (E): *Ophrys kotschy*  
 Orchid, Ladder (E): *Appendicula cornuta*  
 Orchid, Ladies Slipper (E): *Cypripedium calceolus*  
 Orchid, Ladies'-tresses (E): *Spiranthes diluvialis*  
 Orchid, Lady (E): *Orchis purpurea*  
 Orchid, Large Caterpillar (E): *Cheirostylis chinensis*  
 Orchid, Late Spider (E): *Ophrys holosericea*  
 Orchid, Lesser Butterfly (E): *Platanthera bifolia*  
 Orchid, Lesser Five Leaves (E): *Isotria medeoloides*  
 Orchid, Lily-leaf (E): *Cryptostylis arachnites*  
 Orchid, Little Big-lip (E): *Brachycorythis galeandra*  
 Orchid, Little Five Leaves (E): *Isotria medeoloides*  
 Orchid, Little Spider (E): *Cryptostylis arachnites*  
 Orchid, Little Virgin (E): *Caularathron bilamellatum*  
 Orchid, Lizard (E): *Himantoglossum hircinum*  
 Orchid, Loesel's Twayblade (E): *Liparis loeselii*  
 Orchid, Long-lipped Tongue (E): *Serapias vomeracea*  
 Orchid, Long Tentacle (E): *Peristylus tentaculatus*  
 Orchid, Looking-glass (E): *Ophrys speculum*  
 Orchid, Madeiran (E): *Orchis scopolorum*  
 Orchid, Maltese Pyramidal (E): *Anacamptis urvilleana*  
 Orchid, Man (E): *Aceras anthropophorum*  
 Orchid, Metallic Sun (E): *Thelymitra epipactoides*  
 Orchid, Military (E): *Orchis militaris*  
 Orchid, Milky (E): *Orchis lactea*  
 Orchid, Mirror (E): *Ophrys speculum*  
 Orchid, Monkey Face (E): *Platanthera integrilabia*  
 Orchid, Mountain Lady's-slipper (E): *Cypripedium montanum*  
 Orchid, Naked-man (E): *Orchis italica*  
 Orchid, Narrow-spurred Yellow-green (E): *Peristylus stenostachyus*  
 Orchid, Navasota Ladies'-tresses (E): *Spiranthes parksii*  
 Orchid, Navasot Ladies'-tresses (E): *Spiranthes parksii*  
 Orchid, Nodding cape (E): *Triphora latifolia*  
 Orchid, Nodding-caps (E): *Triphora latifolia*  
 Orchid, Nodding-caps (E): *Triphora craigheadii*  
 Orchid, Nun (E): *Phaius tankervilliae*  
*Orchidofunckia pallidiflora A.Rich. & Galeotti 1845 = Cryptarrhena lunata R.Br. in Edw. (1816)*  
 Orchid, Pale Green (E): *Ophrys pallida*  
 Orchid, Pallid Spur (E): *Vrydagzynea nuda*  
 Orchid, Parks Lady's Tress (E): *Spiranthes parksii*  
 Orchid, Phantom (E): *Habenaria dentata*  
 Orchid, Pom-pom (E): *Bulbophyllum odoratissimum*  
 Orchid, Prairie Fringed (E): *Platanthera leucophaea*  
 Orchid, Prairie White-fringed (E): *Platanthera leucophaea*  
 Orchid, Pride-of-the-peak (E): *Platanthera peramoena*  
 Orchid, Purple Fret-lip (E): *Platanthera peramoena*  
 Orchid, Purple Fringeless (E): *Platanthera peramoena*  
 Orchid, Purple Ground (E): *Bletilla striata*  
 Orchid, Purple-spike Coralroot (E): *Hexalectris warnockii*  
 Orchid, Ram's-head Lady's-slipper (E): *Cypripedium arietinum*  
 Orchid, Rat-tail (E): *Bulbophyllum pachyrachis*  
 Orchid, Rattlesnake (E): *Pholidota chinensis*  
 Orchid, Red (E): *Orchis saccata*  
 Orchid, Red Featherduster (E): *Malaxis latifolia*  
 Orchid, Red Man (E): *Habenaria rhodocheila*  
 Orchid, Red Vanda (E): *Oreorchis rolfei*  
 Orchid, Red Vanda (E): *Renanthera imschootiana*  
 Orchid, Rein (E): *Platanthera flava*  
 Orchids (E): *Orchidaceae*  
 Orchid, Saw-fly (E): *Ophrys tenthredinifera*  
 Orchid, Seed-pearl (E): *Pholidota cantonensis*  
 Orchid, Slender Bog (E): *Platanthera stricta*  
 Orchid, Small White (E): *Pseudorchis albida*  
 Orchid, Small White Lady's-slipper (E): *Cypripedium candidum*  
 Orchid, Snake-tongue (E): *Diploprora championii*  
 Orchid, Southern Lady's-slipper (E): *Cypripedium kentuckiense*  
 Orchid, Southern Rein (E): *Platanthera flava*  
 Orchid, Southern Tubercled (E): *Platanthera flava*  
 Orchid, Spider (E): *Brassia caudata*  
 Orchid, Spotted Spider (E): *Brassia maculata*  
 Orchid, Sulphur (E): *Habenaria linguella*  
 Orchid, Susan (E): *Pecteilis susannae*  
 Orchid, Tailed Spider (E): *Brassia caudata*  
 Orchid, Terete-leaf (E): *Cleisostoma teres*  
 Orchid, Thurber's Bog (E): *Platanthera limosa*  
 Orchid, Tiny (E): *Lepanthopsis melanantha*  
 Orchid, Tongue (E): *Serapias lingua*  
 Orchid, Toothed (E): *Orchis tridentata*

- Orchid, Tuberclad (E): *Platanthera flava*  
 Orchid, Twisty-flowered (E): *Ludisia discolor*  
 Orchid, Variegated (E): *Tolumnia bahamensis*  
 Orchid, Variegated (E): *Oncidium bahamense*  
 Orchid, Virgin (E): *Caularathron bicornutum*  
 Orchid, Virgin Mary (E): *Caularathron bicornutum*  
 Orchid, Walking-stick (E): *Geodorum densiflorum*  
 Orchid, Western Prairie Fringed (E): *Platanthera praecalaria*  
 Orchid, Western White-fringed (E): *Platanthera praecalaria*  
 Orchid, White Featherduster (E): *Goodyera procera*  
 Orchid, White-fringed (E): *Platanthera leucophaea*  
 Orchid, White Fringeless (E): *Platanthera integrilabia*  
 Orchid, White Lady's-slipper (E): *Cypripedium candidum*  
 Orchid, Wild Coco (E): *Pteroglossaspis ecristata*  
 Orchid, Woolly (E): *Eria flava*  
 Orchid, Yellow (E): *Platanthera integra*  
 Orchid, Yellow Fan (E): *Cirrhopteridium tigrinum*  
 Orchid, Yellow Fringeless (E): *Platanthera integra*  
 Orchid, Yellow Ladies Slipper (E): *Cypripedium calceolus*  
**Orchidopodium spp.** Breda #4 II 64 ORCHIDACEAE  
**Orchis spp.** L. #4 II 64 ORCHIDACEAE  
 Orchis à fleurs lâches (F): *Orchis laxiflora*  
*Orchis albanica* Goelz et Reinhard #4 II 64  
ORCHIDACEAE  
*Orchis albida* (L.) Scop. = *Pseudorchis albida* (L.) A.Löve & D.Löve  
 Orchis à long éperon (F): *Orchis longicornu*  
 Orchis à longues Bractées (F): *Barlia robertiana*  
*Orchis anatolica* Boiss. #4 II 64 ORCHIDACEAE  
*Orchis angustifolia* angustifolia M.Bieb. = *Dactylorhiza iberica* (M.Bieb.) Soó  
*Orchis angustifolia* M.Bieb. = *Dactylorhiza iberica* (M.Bieb.) Soó  
*Orchis angustifolia russowii* Klinge = *Dactylorhiza russowii* (Klinge) Holub  
*Orchis bifolia* L. = *Platanthera bifolia* (L.) Rich.  
*Orchis blyttii* (Rchb.f.) Soó = *Dactylorhiza pseudocordigera* (Neuman) Soó  
*Orchis boryi* Rchb.f. #4 II 64 ORCHIDACEAE  
*Orchis brancifortii* Bivona, = *Orchis quadripunctata* Cirillo ex Ten.  
*Orchis brevicornis* Viv. = *Orchis patens* Desf.  
*Orchis broteroana* Rivas Goday & Bellot = *Traunsteinera globosa* (L.) Rchb.  
*Orchis Brûlé* (F): *Orchis ustulata*  
*Orchis canariensis* Lindl. #4 II 64 ORCHIDACEAE  
*Orchis collina* Sol. ex Russell = *Orchis saccata* Ten.  
*Orchis comperana* Steven = *Comperia comperiana* (Steven) Asch. & Graebn.  
*Orchis conopsea* L. = *Gymnadenia conopsea* (L.) R.Br.  
*Orchis cordata* Willd. = *Gennaria diphylla* (Link) Parl.  
*Orchis cordigera* = *Dactylorhiza cordigera* (Fr.) Soó  
*Orchis cordigera cordigera* Fr. = *Dactylorhiza cordigera* (Fr.) Soó  
*Orchis coriophora* L. #4 II 64 ORCHIDACEAE (F) Orcjis Punaise  
*Orchis cornubiensis* = *Dactylorhiza maculata* (L.) Soó  
*Orchis cornuta* L. = *Disa cornuta* (L.) Sw.  
*Orchis cyrenaica* E. Dur. & G. Barratte #4 II 64  
ORCHIDACEAE  
 Orchis, Dark-winged (E): *Orchis ustulata*  
 Orchis de Spitzel (F): *Orchis spitzelii*  
*Orchis diphylla* (Link) Samp. = *Gennaria diphylla* (Link) Parl.  
*Orchis draconis* L.f. = *Disa draconis* (L.f.) Sw.  
*Orchis durandii* Boiss. & Reut. = *Dactylorhiza elata* (Poir.) Soó  
*Orchis elata* Poir. = *Dactylorhiza elata* (Poir.) Soó  
*Orchis fedtschenkoi* Czerniak. #4 II 64 ORCHIDACEAE  
*Orchis Feu* (F): *Orchis saccata*  
*Orchis filicornis* L.f. = *Disa filicornis* (L.f.) Thunb.  
*Orchis fuchsii* = *Dactylorhiza fuchsii* (Druce) Soó  
*Orchis fuchsii* fuchsii (Druce) Hyl. = *Dactylorhiza fuchsii* (Druce) Soó  
*Orchis fuciflora* F.W.Schmidt = *Ophrys fuciflora* (F.W.Schmidt) Moench  
*Orchis globosa* L. #4 II 64 ORCHIDACEAE  
*Orchis habernarioides* King & Pantl. #4 II 64  
ORCHIDACEAE (E) Salam Orchis  
*Orchis hircina* (L.) Crantz = *Himantoglossum hircinum* (L.) Spreng.  
*Orchis holosericea* Burm.f. = *Ophrys apifera* Huds.  
*Orchis iberica* = *Dactylorhiza iberica* (M.Bieb.) Soó  
*Orchis impudica* Crantz = *Dactylorhiza incarnata* (L.) Soó  
*Orchis incarnata* L. = *Dactylorhiza incarnata* (L.) Soó  
*Orchis italica* Poir. #4 II 64 ORCHIDACEAE (E) Italian Orchid, Naked-man Orchid  
*Orchis lactea* Poir. #4 II 64 ORCHIDACEAE (E) Milky Orchid  
*Orchis lanceolata* A.Dietr. = *Dactylorhiza incarnata* (L.) Soó  
*Orchis lanigera* Blanco = *Rhynchostylis retusa* Blume  
*Orchis latifolia* = *Dactylorhiza majalis* (Rchb.) P.F.Hunt & Summerh.  
*Orchis latifolia dunensis* Soó = *Dactylorhiza baltica* (Klinge) N.I.Orlova  
*Orchis latifolia* L. = *Dactylorhiza incarnata* (L.) Soó  
*Orchis latifolia* L. = *Dactylorhiza sambucina* (L.) Soó  
*Orchis latifolia* L. = *Dactylorhiza majalis* (Rchb.) P.F.Hunt & Summerh.  
*Orchis laxiflora* Lam. #4 II 64 ORCHIDACEAE (F) Orchis à fleurs lâches  
*Orchis longibracteata* Biv., non F.W.Schmidt = *Barlia robertiana* (Loisel.) Greuter  
*Orchis longicornu* Poir. #4 II 64 ORCHIDACEAE (E) Horned Orchid (F) Orchis à long éperon  
*Orchis longicurris* Link = *Orchis italica* Poir.  
*Orchis macrostachys* Tineo = *Dactylorhiza saccifera* (Brongn.) Soó  
*Orchis maculata* = *Dactylorhiza maculata* (L.) Soó  
*Orchis maculata* macrostachys (Tineo) Hayek = *Dactylorhiza saccifera* (Brongn.) Soó  
*Orchis majalis* L. = *Dactylorhiza majalis* (Rchb.) P.F.Hunt & Summerh.  
*Orchis mascula* (L.) L. #4 II 64 ORCHIDACEAE (E) Early Purple Orchid  
*Orchis mauritiana* Poir. = *Angraecum mauritianum* (Poir.) Frapp.

- Orchis mediterranea* Klinge = *Dactylorhiza sulphurea* (Link) Franco  
*Orchis mediterranea mediterranea* = *Dactylorhiza sulphurea* (Link) Franco  
*Orchis militaris* L. #4 II 64 ORCHIDACEAE (E) Military Orchid  
*Orchis montana* = *Platanthera chlorantha* (Custer) Rchb.  
*Orchis morio* L. #4 II 64 ORCHIDACEAE (E)  
 Green-winged Orchid  
*Orchis nervulosa* Sakalo = *Orchis coriophora* L.  
*Orchis odoratissima* L. = *Gymnadenia odoratissima* (L.) Rich.  
*Orchis*, Pale-green (E): *Platanthera flava*  
*Orchis pallens* L. #4 II 64 ORCHIDACEAE  
*Orchis papilionacea* L. #4 II 64 ORCHIDACEAE  
*Orchis patens* Desf. #4 II 64 ORCHIDACEAE  
*Orchis pauciflora* Sessé & Moç. 1894 = *Comparettia falcata* Poepp. & Endl. 1836  
*Orchis pinetorum* Boiss. & Kotschy = *Orchis mascula* (L.) L.  
*Orchis*, Prairie (E): *Platanthera leucophaea*  
*Orchis provincialis* Balb. #4 II 64 ORCHIDACEAE  
*Orchis pseudocordigera* Neuman = *Dactylorhiza pseudocordigera* (Neuman) Soó  
*Orchis punctulata* Steven ex Lindl. #4 II 64 ORCHIDACEAE  
*Orchis*, Purple Fringeless (E): *Platanthera peramoena*  
*Orchis purpurea* Huds. #4 II 64 ORCHIDACEAE (E) Lady Orchid  
*Orchis pyramidalis* L. = *Anacamptis pyramidalis* (L.) Rich.  
*Orchis quadripunctata* Cirillo ex Ten. #4 II 64 ORCHIDACEAE  
*Orchis robertiana* Loisel. = *Barlia robertiana* (Loisel.) Greuter  
*Orchis robusta* (Stephenson) P. Golz & H.R. Reinhard #4 II 64 ORCHIDACEAE  
*Orchis russowii* Klinge = *Dactylorhiza russowii* (Klinge) Holub  
*Orchis saccata* Ten. #4 II 64 ORCHIDACEAE (E) Red Orchid (F) Orchis Feu  
*Orchis saccifera* Brongn. = *Dactylorhiza saccifera* (Brongn.) Soó  
*Orchis sagittalis* L.f. = *Disa sagittalis* (L.f.) Sw.  
*Orchis*, Salam (E): *Orchis habernarioides*  
*Orchis sambucina* Ten., non L. = *Dactylorhiza sambucina* (L.) Soó  
*Orchis sancta* L. #4 II 64 ORCHIDACEAE  
*Orchis satyrioides* Steven = *Steveniella satyrioides* (Steven) Schltr.  
*Orchis scopulorum* Summerh. #4 II 64 ORCHIDACEAE (E) Madeiran Orchid  
*Orchis simia* Lam. #4 II 64 ORCHIDACEAE  
*Orchis*, Southern Yellow (E): *Platanthera integra*  
*Orchis spitzelii* Saut. ex W.D.J.Koch #4 II 64 ORCHIDACEAE (F) Orchis de Spitzel  
*Orchis strictifolia* Opiz = *Dactylorhiza incarnata* (L.) Soó  
*Orchis sulphurea* Link = *Dactylorhiza sulphurea* (Link) Franco  
*Orchis tenella* L.f. = *Disa tenella* (L.f.) Sw.  
*Orchis tenuifolia* Burm.f. = *Disa tenella* (L.f.) Sw.  
*Orchis tephrosanthos* Vill. = *Orchis simia* Lam.  
*Orchis tridentata* Scop. #4 II 64 ORCHIDACEAE (E)  
 Toothed Orchid  
*Orchis tripetaloides* L.f. = *Disa tripetaloides* (L.f.) N.E.Br.  
*Orchis triplicata* Willem. = *Calanthe triplicata* (Willeme.) Ames  
*Orchis ustulata* L. #4 II 64 ORCHIDACEAE (E)  
 Dark-winged Orchis (F) Orchis Brûlé  
*Orchis varia* J.F.Gmel. 1918 or 1791? = *Dendrophylax varius* (Gmel.) Urb. 1918  
*Orchis viridis* L. = *Coeloglossum viride* (L.) Hartm.  
*Orcis Punaise* (F): *Orchis coriophora*  
*Orejas de Conejo* (S): *Ariocarpus scaphirostris*  
*Orejitas* (S): *Ariocarpus scaphirostris*  
**Oreocereus spp.** (A. Berger) Riccob. #4 II 49  
 CACTACEAE  
*Oreocereus australis* (Ritter) A.E. Hoffmann = *Oreocereus hempelianus* (Guerke) Hunt  
**Oreocereus celsianus** (Salm-Dyck) Riccobono #4 II 49  
 CACTACEAE  
*Oreocereus crassiniveus* Backeberg = *Oreocereus trollii* (Kupper) Backeberg  
**Oreocereus doelzianus** (Backeberg) Borg #4 II 49  
 CACTACEAE  
*Oreocereus fossulatus* (Labouret) Backeberg = *Oreocereus pseudofossulatus* Hunt  
**Oreocereus hempelianus** (Guerke) Hunt #4 II 49  
 CACTACEAE  
*Oreocereus hendriksenianus* (Backeberg) Backeberg = *Oreocereus leucotrichus* (Philippi) Wagenknecht  
**Oreocereus leucotrichus** (Philippi) Wagenknecht #4 II 49  
 CACTACEAE  
*Oreocereus maximus* Backeberg = *Oreocereus celsianus* (Salm-Dyck) Riccobono  
*Oreocereus neocelsianus* Backeberg = *Oreocereus celsianus* (Salm-Dyck) Riccobono  
*Oreocereus piscoensis* (Rauh & Backeberg) Ritter = *Cleistocactus pachycladus* (Rauh & Backeberg) Ostolaza  
**Oreocereus pseudofossulatus** Hunt #4 II 49  
 CACTACEAE  
*Oreocereus rettigii* (Quehl) Buxbaum = *Oreocereus hempelianus* (Guerke) Hunt  
**Oreocereus ritteri** Cullmann #4 II 49 CACTACEAE  
**Oreocereus tacnaensis** Ritter #4 II 49 CACTACEAE  
*Oreocereus trollii* (Kupper) Backeberg #4 II 49  
 CACTACEAE  
**Oreocereus varicolor** Backeberg #4 II 49 CACTACEAE  
*Oreomunnea pterocarpa* Oerst. #4 II JUGLANDACEAE (S) Gavilán, Gavilán blanco, Gavilán blanco  
**Oreorchis spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Oreorchis indica* (Lindley) Hook.f. #4 II 64  
 ORCHIDACEAE  
*Oreorchis porphyranthes* Tuy. #4 II 64 ORCHIDACEAE  
*Oreorchis rolfei* Duthie #4 II 64 ORCHIDACEAE (E) Red Vanda Orchid  
**Orestias spp.** Ridley #4 II 64 ORCHIDACEAE

- Orestias foliosa* Summerh. #4 II 64 ORCHIDACEAE  
***Orleanesia*** spp. Barb.Rodr. #4 II 64 ORCHIDACEAE  
*Ormostema albiflora* Raf. = *Dendrobium moniliforme* (L.) Sw.  
*Ormostema purpurea* Raf. = *Dendrobium moniliforme* (L.) Sw.  
***Ornithocephalus*** spp. Hook. #4 II 64 ORCHIDACEAE  
*Ornithocephalus apiculatus* Lindl. 1840 = *Zygostates apiculata* (Lindl.) Toscano 2001  
*Ornithocephalus bicornis* Lindl. #4 II 64 ORCHIDACEAE  
*Ornithocephalus biloborostratus* Salazar & González Tamayo #4 II 64 ORCHIDACEAE  
*Ornithocephalus bryostachyus* Schltr. #4 II 64 ORCHIDACEAE  
*Ornithocephalus cochleariformis* C. Schweinf. #4 II 64 ORCHIDACEAE  
*Ornithocephalus dasyrhizus* Kraenzl. 1911 = *Zygostates dasyrhiza* (Kraenzl.) Schltr. 1920  
*Ornithocephalus dolabratus* Rchb.f. #4 II 64 ORCHIDACEAE  
*Ornithocephalus dusenianus* Kraenzl. 1921 = *Zygostates pustulata* (Kraenzl.) Schltr. 1926  
*Ornithocephalus falcatus* Foche #4 II 64 ORCHIDACEAE  
*Ornithocephalus grandiflorus* Lindl. 1840 = *Zygostates grandiflora* (Lindl.) Mansf. 1938  
*Ornithocephalus iridifolius* Reichb.f. #4 II 64 ORCHIDACEAE  
*Ornithocephalus lankesteri* Ames #4 II 64 ORCHIDACEAE  
*Ornithocephalus multiflorus* Rolfe 1901 = *Zygostates multiflora* (Rolfe) Schltr. 1926  
*Ornithocephalus navicularis* Barb.Rodr. 1877 = *Zygostates lunata* Lindl. 1837  
*Ornithocephalus obergiae* Soto Arenas #4 II 64 ORCHIDACEAE  
*Ornithocephalus obliquus* Schnee 1952 = *Zygostates obliqua* (Schnee) Toscano (2001)  
*Ornithocephalus planifolius* Rchb.f. 1859 = *Zygostates apiculata* (Lindl.) Toscano 2001  
*Ornithocephalus powelli* Schltr. #4 II 64 ORCHIDACEAE  
*Ornithocephalus psuedobulbiferus* Barb.Rodr. 1877 = *Zygostates pellucida* Rchb.f. 1863  
*Ornithocephalus pustulatus* Kraenzl. 1911 = *Zygostates pustulata* (Kraenzl.) Schltr. 1926  
***Ornithochilus*** spp. (Lindl.) Benth. #4 II 64 ORCHIDACEAE  
*Ornithochilus delavayi* #4 II 64 ORCHIDACEAE  
*Ornithochilus difformis* Schltr. #4 II 64 ORCHIDACEAE  
***Oroya*** spp. B. & R. #4 II 49 CACTACEAE  
*Oroya baumannii* Knize = *Oroya peruviana* (Schumann) Britton & Rose  
***Oroya borchersii*** (Boedeker) Backeberg #4 II 49 CACTACEAE  
*Oroya gibbosa* Ritter = *Oroya peruviana* (Schumann) Britton & Rose  
*Oroya laxiareolata* Rauh & Backeberg = *Oroya peruviana* (Schumann) Britton & Rose  
*Oroya neoperuviana* Backeberg = *Oroya peruviana* (Schumann) Britton & Rose
- Oroya peruviana*** (Schumann) Britton & Rose #4 II 49 CACTACEAE  
*Oroya subocculta* Rauh & Backeberg = *Oroya peruviana* (Schumann) Britton & Rose  
 Orquidea de invierno (S): *Cattleya trianaei*  
 Orquidea de navidad (S): *Cattleya trianaei*  
 Orquideas (S): *Orchidaceae*  
***Ortegocactus*** spp. Alexander #4 II 49 CACTACEAE  
***Ortegocactus macdougallii*** Alexander #4 II 49 CACTACEAE  
***Orthoceras*** spp. R.Br. #4 II 64 ORCHIDACEAE  
*Orthopenthea* spp. Rolfe #4 II 64 ORCHIDACEAE  
*Orthopenthea atricapilla* (Harv. ex Lindl.) Rolfe = *Disa atricapilla* (Harv. ex Lindl.) Bolus  
*Orthopenthea bivalvata* (L.f.) Rolfe = *Disa bivalvata* (L.f.) T.Durand & Schinz  
*Orthopenthea bodkinii* (Bolus) Rolfe = *Disa bodkinii* Bolus  
*Orthopenthea elegans* (Rchb.f.) Rolfe = *Disa elegans* Sond. ex Rchb.f.  
*Orthopenthea fasciata* (Lindl.) Rolfe = *Disa fasciata* Lindl.  
*Orthopenthea minor* Rolfe #4 II 64 ORCHIDACEAE  
*Orthopenthea minor* (Sond.) Rolfe = *Disa minor* (Sond.) Rchb.f.  
*Orthopenthea obtusa* (Lindl.) Schelpe = *Disa richardiana* Lehm. ex Bolus  
*Orthopenthea richardiana* (Bolus) Rolfe = *Disa richardiana* Lehm. ex Bolus  
*Orthopenthea rosea* (Lindl.) Rolfe = *Disa rosea* Lindl.  
*Orthopenthea schizodiooides* (Sond.) Rolfe = *Disa schizodiooides* Sond.  
*Orthopenthea telipogonis* (Rchb.f.) Rolfe = *Disa telipogonis* Rchb.f.  
*Orthopenthea triloba* (Sond.) Rolfe = *Disa oligantha* Rchb.f.  
*Oxera cornuta* (Roxb.) Raf. = *Aerides odorata* Lour.  
***Osmoglossum*** spp. (Schltr.) Schltr. #4 II 64 ORCHIDACEAE  
*Osmoglossum acuminatum* Schltr. 1922 #4 II 64 ORCHIDACEAE  
*Osmoglossum anceps* Schltr. 1923 = *Osmoglossum egertonii* (Lindl.) Schltr. 1916  
*Osmoglossum candidum* (Linden & André) Garay #4 II 64 ORCHIDACEAE  
*Osmoglossum convallarioides* Schltr. 1923 #4 II 64 ORCHIDACEAE  
*Osmoglossum dubium* S.Rosillo #4 II 64 ORCHIDACEAE  
*Osmoglossum egertonii* (Lindl.) Schltr. 1916 #4 II 64 ORCHIDACEAE  
*Osmoglossum panduratum* Garay 1978 #4 II 64 ORCHIDACEAE  
*Osmoglossum pulchellum* (Bateman ex Lindl.) Schltr. 1916 #4 II 64 ORCHIDACEAE  
***Ossiculum*** spp. P.J. Cribb & van der Laan #4 II 64 ORCHIDACEAE  
*Ossiculum aurantiacum* P.J.Cribb & Laan #4 II 64 ORCHIDACEAE  
*Osricera crassifolia* Blume = *Bulbophyllum osricera* Schltr.

- Osyricera erosipetala* (C.Schweinf.) Garay, Hamer & Siegerist = *Bulbophyllum erosipetalum* C.Schweinf.  
*Osyricera osyriceroides* (J.J.Sm.) Garay, Hamer & Siegerist = *Bulbophyllum osyriceroides* J.J.Sm.  
*Osyricera ovata* F.M.Bailey = *Bulbophyllum obyrnei* Garay, Hamer & Siegerist  
*Osyricera purpurascens* H.Deane = *Bulbophyllum macphersoni* Rupp  
*Osyricera spadiciflora* (Tixier) Garay, Hamer & Siegerist = *Bulbophyllum spadiciflorum* Tixier  
*Osyris abyssinica* Hoscht. ex. A. Rich (1850) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris arborea* A.D.C. (1857) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris compressa* sensu act., non (Berg.) (1954) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris densifolia* Peter (1932) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris laeta* Peter (1932) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris lanceolata* Hochst. & Steud. 1832 #2 II 74 SANTALACEAE  
*Osyris ob lanceolata* Peter (1932) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris parvifolia* Baker (1910) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris pendula* Balf.f. (1884) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris quadripartita* Decne (1836) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris rigidissima* Engl. (1895) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris tenuifolia* Engl. (1895) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris urundiensis* De Wild. (1925) = *Osyris lanceolata* Hochst. & Steud. 1832  
*Osyris wightiana* J. Graham (1839) = *Osyris lanceolata* Hochst. & Steud. 1832  
***Otochilus*** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Otochilus albus* Lindl. #4 II 64 ORCHIDACEAE  
*Otochilus fuscus* Lindl. #4 II 64 ORCHIDACEAE  
*Otochilus porrecta* Lindl. #4 II 64 ORCHIDACEAE  
***Otolithium*** spp. (Schltr.) Garay & Dunst. #4 II 64 ORCHIDACEAE  
*Otolithium chiriquense* (Reichb.f.) Garay & Dunsterv. #4 II 64 ORCHIDACEAE  
***Otosyndesmion*** spp. Schltr. #4 II 64 ORCHIDACEAE  
*Oxysepala gadgarrensis* (Rupp) D.L.Jones & M.A.Clem. = *Bulbophyllum gadgarrense* Rupp  
*Oxysepala grandimesensis* (B.Gray & D.L.Jones) D.L.Jones & M.A.Clem. = *Bulbophyllum grandimesense* B.Gray & D.L.Jones  
*Oxysepala intermedia* (F.M.Bailey) D.L.Jones & M.A.Clem. = *Bulbophyllum intermedium* F.M.Bailey  
*Oxysepala lamingtonense* (D.L.Jones) D.L.Jones & M.A.Clem. = *Bulbophyllum lamingtonense* D.L.Jones  
*Oxysepala lewisense* (B.Gray & D.L.Jones) D.L.Jones & M.A.Clem. = *Bulbophyllum lewisense* B.Gray & D.L.Jones  
*Oxysepala ovalifolia* Wight = *Bulbophyllum clandestinum* Lindl.  
*Oxysepala schilleriana* (Rchb.f.) D.L.Jones & M.A.Clem. = *Bulbophyllum schillerianum* Rchb.f.  
*Oxysepala shepherdii* (F.Muell.) D.L.Jones & M.A.Clem. = *Bulbophyllum shepherdii* (F.Muell.) Rchb.f.  
*Oxysepala wadsworthii* (Dockr.) D.L.Jones & M.A.Clem. = *Bulbophyllum wadsworthii* Dockr.  
*Oxysepala windsorensis* (B.Gray & D.L.Jones) D.L.Jones & M.A.Clem. = *Bulbophyllum windsorense* B.Gray & D.L.Jones  
*Oxysepalum ovalifolium* Wightt = *Bulbophyllum clandestinum* Lindl.  
*Oxystophyllum macrostoma* Hassk. = *Dendrobium aloifolium* (Blume) Rchb.f.  
***Pabstia*** spp. Garay #4 II 64 ORCHIDACEAE  
*Pabstiella* spp. Brieger & Senghas #4 II 64 ORCHIDACEAE  
*Pabstiella determinans* (Luer) F.Barros #4 II 64 ORCHIDACEAE  
***Pachecactus*** spp. #4 II 49 CACTACEAE  
***Pachecactus orcuttii*** (K.Brandegee) Rowley #4 II 49 CACTACEAE  
*Pachidendron africanum* (Mill.) Haw. = *Aloe africana* Mill.  
*Pachidendron angustifolium* (Haw.) Haw. = *Aloe africana* Mill.  
*Pachidendron ferox* (Mill.) Haw. = *Aloe ferox* Mill.  
*Pachidendron pseudoferox* (Salm-Dyck) Haw. = *Aloe ferox* Mill.  
*Pachidendron supralaeve* (Haw.) Haw. = *Aloe ferox* Mill.  
***Pachites*** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Pachites appressa* Lindl. #4 II 64 ORCHIDACEAE  
*Pachites bodkinii* Bolus #4 II 64 ORCHIDACEAE  
***Pachycereus*** spp. (A. Berger) Britton & Rose #4 I/II 49 CACTACEAE  
*Pachycereus aragonii* (Weber) P.V.Heath = *Stenocereus aragonii* (Weber) Buxbaum  
*Pachycereus calvus* (Engelmann ex Coulter) Britton & Rose = *Pachycereus pringlei* (Watson) Britton & Rose  
*Pachycereus chrysomallus* (Lemaire) Britton & Rose = *Pachycereus militaris* (Audot) Hunt  
*Pachycereus column-trajani* (Karwinski ex Pfeiffer) Britton & Rose = *Cephalocereus column-trajani* (Karwinsky ex Pfeiffer) Schumann  
*Pachycereus foetidus* (Miranda) P.V. Heath = *Pachycereus gaumeri* Britton & Rose  
***Pachycereus fulviceps*** (Lemaire) Hunt #4 II 49 CACTACEAE  
***Pachycereus gatesii*** (M.E.Jones) Hunt #4 II 49 CACTACEAE  
***Pachycereus gaumeri*** Britton & Rose #4 II 49 CACTACEAE  
*Pachycereus gigas* (Backeberg) Backeberg = *Pachycereus weberi* (Coulter) Backeberg  
***Pachycereus grandis*** Rose #4 II 49 CACTACEAE  
***Pachycereus hollianus*** (Weber) Buxbaum #4 II 49 CACTACEAE  
***Pachycereus lepidanthus*** (Eichlam) Britton & Rose #4 II 49 CACTACEAE

- Pachycereus marginatus** (De Candolle) Britton & Rose #4 II 49 CACTACEAE
- Pachycereus militaris** (Audot) Hunt I CACTACEAE (E) Grenadier's Cap Cactus, Teddy-bear Cactus
- Pachycereus orcuttii** (K. Brandegee) Britton & Rose = *Pacherocactus orcuttii* (K.Brandegee) Rowley
- Pachycereus pecten-aboriginum** (Engelmann) Britton & Rose #4 II 49 CACTACEAE
- Pachycereus pecten-aboriginum tehuantepecanus* (Macdougall & Bravo) P.V. Heath = *Pachycereus pecten-aboriginum* (Engelmann) Britton & Rose
- Pachycereus pringlei** (Watson) Britton & Rose #4 II 49 CACTACEAE
- Pachycereus ruficeps* (Weber) Britton & Rose = *Neobuxbaumia macrocephala* (Weber ex Schumann) Dawson
- Pachycereus schottii** (Engelmann) Hunt #4 II 49 CACTACEAE
- Pachycereus tehuantepecanus Macdougall & Bravo* = *Pachycereus pecten-aboriginum* (Engelmann) Britton & Rose
- Pachycereus weberi** (Coulter) Backeberg #4 II 49 CACTACEAE
- Pachyclada dendroides* (L.) Gandoer = *Euphorbia dendroides* L.
- Pachyclada obtusifolia* (Poiret) Gandoer = *Euphorbia lamarckii* Sweet
- Pachygenium arrabidae* (Rchb.f.) Szlach. 2001 = *Stenorhynchos arrabidae* Rchb.f. 1849
- Pachyphyllum spp.** Kunth #4 II 64 ORCHIDACEAE
- Pachyphyllum costaricense* (Ames & Schweinf.) L.O. Williams #4 II 64 ORCHIDACEAE
- Pachyphyllum muscooides* (Kranzlin) Schltr. #4 II 64 ORCHIDACEAE
- Pachyphyllum uniflorum* Lex. in La Llave & Lex. 1825 = *Barkeria uniflora* (La Llave & Lex.) Dressler & Halb. 1977
- Pachyplectron spp.** Schlechter #4 II 64 ORCHIDACEAE
- Pachyplectron arifolium* Schltr. #4 II 64 ORCHIDACEAE
- Pachyplectron neocaledonicum* Schltr. #4 II 64 ORCHIDACEAE
- Pachypodium spp.* Webb & Berthel. #4 I/II APOCYNACEAE
- Pachypodium albiflorum* Hort. = *Pachypodium eburneum* Lavranos & Rapan.
- Pachypodium ambongense* Poiss. 1924 I APOCYNACEAE
- Pachypodium baronii* Constantin & Bois 1907 I APOCYNACEAE
- Pachypodium baronii* var. *erythreum* Poisson 1924 = *Pachypodium baronii* Constantin & Bois 1907
- Pachypodium baronii* var. *windsorii* (Poisson) Pichon 1949 = *Pachypodium windsorii* Poiss. 1922
- Pachypodium bicolor* Lavranos & Rapan. 1997 = *Pachypodium rosulatum* Baker
- Pachypodium bispinosum* (L.) A.DC 1844 #4 II APOCYNACEAE
- Pachypodium brevicalyx* (H.Perrier) Pichon 1949 = *Pachypodium densiflorum* Baker 1887
- Pachypodium brevicaule* Baker 1887 #4 II APOCYNACEAE
- Pachypodium cactipes* K. Schum. 1895 = *Pachypodium rosulatum* Baker
- Pachypodium champenoisianum* Boiteau 1942 = *Pachypodium lamerei* Drake 1899
- Pachypodium decaryi* Poiss. 1922 I APOCYNACEAE
- Pachypodium densiflorum* Baker 1887 #4 II APOCYNACEAE
- Pachypodium densiflorum* var. *brevicalyx* H. Perrier 1934 = *Pachypodium densiflorum* Baker 1887
- Pachypodium drakei* Costatin & Bois 1907 = *Pachypodium rosulatum* Baker
- Pachypodium eburneum* Lavranos & Rapan. #4 II APOCYNACEAE
- Pachypodium geayi* Costantin & Bois 1907 #4 II APOCYNACEAE
- Pachypodium giganteum* Engl. 1894 = *Pachypodium lealii* Welw.
- Pachypodium glabrum* G.Don 1837 = *Pachypodium bispinosum* (L.) A.DC 1844
- Pachypodium griseum* L.Bolus 1932 = *Pachypodium succulentum* (L.f.) Sweet 1830
- Pachypodium hojnyi* Halda #4 II APOCYNACEAE
- Pachypodium horombense* Poiss. 1924 #4 II APOCYNACEAE
- Pachypodium ibitiense* Hort. = *Pachypodium eburneum* Lavranos & Rapan.
- Pachypodium inopinatum* Lavranos 1996 #4 II APOCYNACEAE
- Pachypodium jasminiflorum* L.Bolus = *Pachypodium succulentum* (L.f.) Sweet 1830
- Pachypodium lamerei* Drake 1899 #4 II APOCYNACEAE
- Pachypodium lamerei* var. *ramosum* (Costantin & Bois) Pichon 1949 = *Pachypodium lamerei* Drake 1899
- Pachypodium lealii* Welw. #4 II APOCYNACEAE
- Pachypodium mayakense* Lavranos 2004 = *Pachypodium rosulatum* Baker
- Pachypodium menabeum* Léandri 1934 #4 II APOCYNACEAE
- Pachypodium meridionale* (H. Perrier) Pichon 1949 = *Pachypodium rosulatum* Baker
- Pachypodium meridionale* (H.Perrier) Pichon 1949 = *Pachypodium rutenbergianum* Vatke 1885
- Pachypodium mikea* J. Lüthy 2005 #4 II APOCYNACEAE
- Pachypodium namaquanum* (Wiley ex Harv.) Welw. 1869 #4 II APOCYNACEAE (E) Elephant's Trunk
- Pachypodium ramosum* Constantin & Bois 1907 = *Pachypodium lamerei* Drake 1899
- Pachypodium rauhii* Halda #4 II APOCYNACEAE
- Pachypodium rosulatum** Baker #4 II APOCYNACEAE
- Pachypodium rosulatum* forma bicolor (Lavranos & Rapan.) G. D. Rowley 1998 = *Pachypodium rosulatum* Baker
- Pachypodium rosulatum* var. *delphinense* H. Perrier 1934 = *Pachypodium rosulatum* Baker
- Pachypodium rosulatum* var. *drakei* (Costatin & Bois) Markgr. 1976 = *Pachypodium rosulatum* Baker

- Pachypodium rosatum* var. *eburneum* (*Laranos & Rapan.*) G. D. Rowley 1998 = *Pachypodium eburneum* Lavranos & Rapan.
- Pachypodium rosatum* var. *gracilis* H. Perrier 1934 = *Pachypodium rosatum* Baker
- Pachypodium rosatum* var. *horombense* (Poisson) G. D. Rowley 1973 = *Pachypodium horombense* Poiss. 1924
- Pachypodium rosatum* var. *inopinatum* (*Lavranos*) G. D. Rowley 1998 = *Pachypodium inopinatum* Lavranos 1996
- Pachypodium rosatum* var. *meridionale* H. Perrier 1934 = *Pachypodium rosatum* Baker
- Pachypodium rosatum* var. *stenanthum* Costatin & Bois 1907 = *Pachypodium rosatum* Baker
- Pachypodium rutenbergianum* Vatke 1885 #4 II APOCYNACEAE
- Pachypodium rutenbergianum* forma *lamerei* (Drake) Poisson 1924 = *Pachypodium lamerei* Drake 1899
- Pachypodium rutenbergianum* Varke 1885 = *Pachypodium lamerei* Drake 1899
- Pachypodium rutenbergianum* var. *sofiense* Poiss. = *Pachypodium sofiense* (Poiss.) H. Perrier 1934
- Pachypodium ruthenbergianum* var. *perrieri* Poisson 1924 = *Pachypodium sofiense* (Poiss.) H. Perrier 1934
- Pachypodium saundersii* N. E. Br. 1892 = *Pachypodium lealii* Welw.
- Pachypodium sofiense* (Poiss.) H. Perrier 1934 #4 II APOCYNACEAE
- Pachypodium succulentum* (L.f.) Sweet 1830 #4 II APOCYNACEAE
- Pachypodium tomentosum* G. Don = *Pachypodium succulentum* (L.f.) Sweet 1830
- Pachypodium tuberosum* Lindl. = *Pachypodium succulentum* (L.f.) Sweet 1830
- Pachypodium tuberosum* Lodd. 1830 (non Lindl.) = *Pachypodium bispinosum* (L.) A. DC 1844
- Pachypodium tuberosum* var. *loddigesii* A. DC. 1844 = *Pachypodium bispinosum* (L.) A. DC 1844
- Pachypodium windsorii* Poiss. 1922 #4 II APOCYNACEAE
- Pachyrhizanthe aberrans* (Finet) Nakai = *Cymbidium macrorhizon* Lindl.
- Pachyrhizanthe aphyllum* (Ames & Schltr.) Nakai = *Cymbidium macrorhizon* Lindl.
- Pachyrhizanthe macrorhizon* (Lindl.) Nakai = *Cymbidium macrorhizon* Lindl.
- Pachyrhizanthe nipponicum* (Franch. & Sav.) Nakai = *Cymbidium macrorhizon* Lindl.
- Pachyrhizanthe sagamiense* Nakai = *Cymbidium macrorhizon* Lindl.
- Pachystele* spp. Schlechter #4 II 64 ORCHIDACEAE
- Pachystele corallorrhiza* Ames #4 II 64 ORCHIDACEAE
- Pachystoma* spp.** Blume #4 II 64 ORCHIDACEAE
- Pachystoma chinensis* Bl. #4 II 64 ORCHIDACEAE (E) Green-lipped Bell Orchid
- Pachystoma holtzei* (F. Muell.) F. Muell. #4 II 64 ORCHIDACEAE
- Pachystoma pubescens* Blume #4 II 64 ORCHIDACEAE
- Palasanto (S): *Guaiacum sanctum*
- Pale, Pitcher-plant (E): *Sarracenia alata*
- Palisandre (E): *Dalbergia xerophila*
- Palisandre (E): *Dalbergia malacophylla*
- Palisandre (E): *Dalbergia trichocarpa*
- Palisandre (F): *Dalbergia malacophylla*
- Palisandre (F): *Dalbergia trichocarpa*
- Palisandre (F): *Dalbergia xerophila*
- Palisandro de Brasil (S): *Dalbergia nigra*
- Palisandro de Honduras (S): *Dalbergia stevensonii*
- Palisandro del Brasil (S): *Dalbergia nigra*
- Palissandre du Brésil (F): *Dalbergia nigra*
- Palissandre du Honduras (F): *Dalbergia stevensonii*
- Palma corcho (S): *Microcycas calocoma*
- Palm, Butterfly (E): *Chrysalidocarpus decipiens*
- Palm, Feather (E): *Neodypsis decaryi*
- Palmita de terra fría (S): *Cyathea costaricensis*
- Palm, Majestic (E): *Ravenea rivularis*
- Palm, Majesty (E): *Ravenea rivularis*
- Palm, Malayan Fern (E): *Cycas rumphii*
- Palmorchis* spp.** Barb.Rodr. #4 II 64 ORCHIDACEAE
- Palmorchis nitida* Dressler #4 II 64 ORCHIDACEAE
- Palmorchis powelli* (Ames) Schweinf. & Corr. #4 II 64 ORCHIDACEAE
- Palmorchis trilobulata* L.O. Wms. #4 II 64 ORCHIDACEAE
- Palm, Triangle (E): *Neodypsis decaryi*
- palo brasil (S): *Caesalpinia echinata*
- Palo de la vida (S): *Cyathea bicrenata*
- Palo de rosa (S): *Aniba rosaeodora*
- Palo de rose (S): *Aniba rosaeodora*
- Palo de vida (S): *Guaiacum officinale*
- Palomón (S): *Peristeria elata*
- palo pernambuco (S): *Caesalpinia echinata*
- palo rosado (S): *Caesalpinia echinata*
- Palosanto (S): *Guaiacum officinale*
- Palo Santo (S): *Guaiacum officinale*
- Palo Santo (S): *Bulnesia sarmientoi*
- Palumbina* spp.** Reichb.f. #4 II 64 ORCHIDACEAE
- Palumbina candida* (Lindl.) Rchb.f. 1863 #4 II 64 ORCHIDACEAE
- Panax americanum* Raf. = *Panax quinquefolius* L.
- Panax ginseng* C. Meyer #3 II 48 ARALIACEAE (E)
- Ginseng, Red Ginseng (S) Ginseng (F) Ginseng
- Panax pseudoginseng* Wallich. = *Panax ginseng* C. Meyer
- Panax quinquefolius* L. #3 II ARALIACEAE (E) American Ginseng, American Ginseng Root, Canadian Ginseng, Dwarf-Groundroot, Five-Fingers, Ginseng, Man's Health, Occidental Ginseng, Red Berry, Sang, Tartar Root (S) Ginseng, Ginseng Americano (F) Ginseng, Ginseng à Cinq Folioles, Ginseng d'Amérique
- Panax quiquifolium* var. *ginseng* Regal & Maack. = *Panax ginseng* C. Meyer
- Panax schinseng* Nees. = *Panax ginseng* C. Meyer
- Panisea* spp.** (Lindl.) Lindl. #4 II 64 ORCHIDACEAE
- Panisea apiculata* Lindl. #4 II 64 ORCHIDACEAE
- Panisea bilamellata* (Lindl.) Rchb.f. = *Coelogyn bilamellata* Lindl.
- Panisea demissa* (D.Don) Pfitzer #4 II 64 ORCHIDACEAE
- Panisea uniflora* Lindl. #4 II 64 ORCHIDACEAE
- Panisea yunnanensis* S.C.Chen & Z.H.Tsi #4 II 64 ORCHIDACEAE
- Paphinia* spp.** Lindl. #4 II 64 ORCHIDACEAE

- Paphinia herrerae* Dodson #4 II 64 ORCHIDACEAE
- Paphiopedilum*** spp. Pfitzer I 69 ORCHIDACEAE
- Paphiopedilum acmodontum*** Schoser ex M.W.Wood I 69 ORCHIDACEAE
- Paphiopedilum adductum*** Asher I 69 ORCHIDACEAE
- Paphiopedilum affine* De Wild. = *Paphiopedilum gratrixianum* (Masters) Guillaumin
- Paphiopedilum amabile* Hallier = *Paphiopedilum bullenianum* (Reichb.f.)Pfitzer
- Paphiopedilum anitum*** A.S.Golamco I 69 ORCHIDACEAE
- Paphiopedilum appletonianum*** (Gower) Rolfe I 69 ORCHIDACEAE
- Paphiopedilum argus*** (Reichb.f.) Stein I 69 ORCHIDACEAE
- Paphiopedilum armeniacum*** S.C.Chen & F.Y.Liu I 69 ORCHIDACEAE
- Paphiopedilum bacanum* Schoser & Deelder = *Paphiopedilum schoseri* Braem & H.Mohr
- Paphiopedilum barbatum*** (Lindl.) Pfitzer I 69 ORCHIDACEAE
- Paphiopedilum barbatum lawrenceanum* (Reichb.f.) M.W.Wood = *Paphiopedilum lawrenceanum* (Reichb.f.) Pfitzer
- Paphiopedilum barbigerum*** T.Tang & F.T.Wang I 69 ORCHIDACEAE
- Paphiopedilum bellatulum*** (Reichb. f.)Stein I 69 ORCHIDACEAE
- Paphiopedilum boissierianum* (Reichb.f.) Stein = *Phragmipedium boissierianum* (Rchb.f.) Rolfe
- Paphiopedilum bougainvilleanum*** Fowlie I 69 ORCHIDACEAE
- Paphiopedilum bullenianum*** (Reichb.f.)Pfitzer I 69 ORCHIDACEAE
- Paphiopedilum bullenianum* var. *bullenianum* (Reichb.f.) Rolfe = *Paphiopedilum bullenianum* (Reichb.f.)Pfitzer
- Paphiopedilum burbridgei* (Reichb.f.) Pfitzer = *Paphiopedilum dayanum* (Lindl.) Stein
- Paphiopedilum callosum*** (Reichb.f.) Stein I 69 ORCHIDACEAE
- Paphiopedilum caricinum* (Lindl. & Paxton) Stein = *Phragmipedium caricinum* (Lindl. & Paxton) Rolfe
- Paphiopedilum caudatum* (Lindl.) Pfitzer = *Phragmipedium caudatum* (Lindl.) Rolfe
- Paphiopedilum cerveranum*** G.J.Braem I 69 ORCHIDACEAE
- Paphiopedilum chamberlainianum liemianum* Fowlie = *Paphiopedilum liemianum* (Fowlie) Karas. & K.Saito
- Paphiopedilum chamberlainianum* (Sander) Stein = *Paphiopedilum victoria-regina* (Sander) M.W.Wood
- Paphiopedilum charlesworthii*** (Rolfe) Pfitzer I 69 ORCHIDACEAE
- Paphiopedilum chiwuanum* T.Tang & F.T.Wang = *Paphiopedilum hirsutissimum* (Lindl. ex Hook.) Stein
- Paphiopedilum ciliolare*** (Reichb. f.) Stein I 69 ORCHIDACEAE
- Paphiopedilum concolor*** (Lindl.) Pfitzer I 69 ORCHIDACEAE
- Paphiopedilum cothurnum* (Vell.) Pfitzer = *Catasetum trulla* Lindl.
- Paphiopedilum dariense* (Reichb.f.) Stein = *Phragmipedium longifolium* (Rchb.f. & Warsz.) Rolfe
- Paphiopedilum dayanum*** (Lindl.) Stein I 69 ORCHIDACEAE
- Paphiopedilum delenatii*** Guillaumin I 69 ORCHIDACEAE
- Paphiopedilum dennisii* Schoser = *Paphiopedilum wentworthianum* Schoser & Fowlie
- Paphiopedilum devogelii* Schoser & Deelder = *Paphiopedilum supardii* Braem & Loeb
- Paphiopedilum dianthum*** T.Tang & F.T.Wang I 69 ORCHIDACEAE
- Paphiopedilum dollii* Lueckel = *Paphiopedilum henryanum* Braem
- Paphiopedilum druryi*** (Bedd.) Stein I 69 ORCHIDACEAE (E) Drury's Slipper Orchid
- Paphiopedilum ellottianum* (O'Brien) Stein = *Paphiopedilum rothschildianum* (Reichb.f.) Stein
- Paphiopedilum ellottianum* sensu Fowlie = *Paphiopedilum adductum* Asher
- Paphiopedilum emersonii*** Koop. & P.J.Cribb I 69 ORCHIDACEAE
- Paphiopedilum exul*** (Ridl.) Rolfe I 69 ORCHIDACEAE
- Paphiopedilum fairrieanum*** (Lindl.) Stein I 69 ORCHIDACEAE
- Paphiopedilum fowliei*** Birk I 69 ORCHIDACEAE
- Paphiopedilum gardineri* (Guillemaud) Pfitzer = *Paphiopedilum glanduliferum* (Blume) Stein
- Paphiopedilum glanduliferum*** (Blume) Stein I 69 ORCHIDACEAE
- Paphiopedilum glaucophyllum*** J.J.Sm. I 69 ORCHIDACEAE
- Paphiopedilum godefroyae*** (God.-Leb.) Stein I 69 ORCHIDACEAE
- Paphiopedilum godefroyae* (God.-Leb.) Braem = *Paphiopedilum godefroyae* (God.-Leb.) Stein
- Paphiopedilum gratrixianum*** (Masters) Guillaumin I 69 ORCHIDACEAE
- Paphiopedilum grussianum*** H.S.Hua I 69 ORCHIDACEAE
- Paphiopedilum hainanense* Fowlie = *Paphiopedilum appletonianum* (Gower) Rolfe
- Paphiopedilum hangianum*** H.Perner & O.Gruss I 69 ORCHIDACEAE
- Paphiopedilum haynaldianum*** (Reichb.f.) Stein I 69 ORCHIDACEAE
- Paphiopedilum hennisianum*** (M.W.Wood) Fowlie I 69 ORCHIDACEAE
- Paphiopedilum henryanum*** Braem I 69 ORCHIDACEAE
- Paphiopedilum hincksianum* (Reichb.f.) Stein = *Phragmipedium longifolium* (Rchb.f. & Warsz.) Rolfe
- Paphiopedilum hirsutissimum*** (Lindl. ex Hook.) Stein I 69 ORCHIDACEAE
- Paphiopedilum hookerae*** (Reichb. f.) Stein I 69 ORCHIDACEAE
- Paphiopedilum insigne*** (W.Wall ex Lindl.) Pfitzer I 69 ORCHIDACEAE

- Paphiopedilum javanicum** (Reinw. ex Lindl.) Pfitzer | 69  
ORCHIDACEAE
- Paphiopedilum johorense** Fowlie & Yap = *Paphiopedilum bullenianum* (Reichb.f.) Pfitzer
- Paphiopedilum klotzschianum** (Reichb.f.) Stein = *Phragmipedium klotzschianum* (Rchb.f.) Rolfe
- Paphiopedilum kolopakingii** Fowlie | 69  
ORCHIDACEAE
- Paphiopedilum laevigatum** (Bateman) Pfitzer = *Paphiopedilum philippinense* (Reichb.f.) Stein
- Paphiopedilum lawrenceanum** (Reichb.f.) Pfitzer | 69  
ORCHIDACEAE
- Paphiopedilum liemianum** (Fowlie) Karas. & K.Saito | 69  
ORCHIDACEAE
- Paphiopedilum lindleyanum** (M.R.Schomb.) Stein = *Phragmipedium lindleyanum* (Lindl.) Rolfe
- Paphiopedilum linii** Schoser = *Paphiopedilum bullenianum* (Reichb.f.) Pfitzer
- Paphiopedilum longifolium** (Reichb.f.) Stein = *Phragmipedium longifolium* (Rchb.f. & Warsz.) Rolfe
- Paphiopedilum lowii** (Lindl.) Stein | 69 ORCHIDACEAE
- Paphiopedilum malipoense** Chen & Z.H.Tsi | 69  
ORCHIDACEAE
- Paphiopedilum markianum** Fowlie = *Paphiopedilum tigrinum* Koop. & N.Haseg.
- Paphiopedilum mastersianum** (Reichb.f.) Stein | 69  
ORCHIDACEAE
- Paphiopedilum micranthum** T.Tang & C.W.Wang | 69  
ORCHIDACEAE
- Paphiopedilum mohrianum** Braem | 69 ORCHIDACEAE
- Paphiopedilum nicholsonianum** ex hort. = *Paphiopedilum rothschildianum* (Reichb.f.) Stein
- Paphiopedilum nigritum** (Reichb.f.) Pfitzer = *Paphiopedilum barbatum* (Lindl.) Pfitzer
- Paphiopedilum niveum** (Reichb. f.) Stein | 69  
ORCHIDACEAE
- Paphiopedilum ooii** H.Koopowitz | 69 ORCHIDACEAE
- Paphiopedilum orbum** Reichb.f = *Paphiopedilum callosum* (Reichb.f.) Stein
- Paphiopedilum papuanum** (Ridl.) Ridl. | 69  
ORCHIDACEAE
- Paphiopedilum pardinum** (Reichb.f.) Pfitzer = *Paphiopedilum venustum* (Wall. ex Sims) Pfitzer ex Stein
- Paphiopedilum parishii** (Reichb.f.) Stein | 69  
ORCHIDACEAE
- Paphiopedilum petri** (Reichb.f.) Rolfe = *Paphiopedilum dayanum* (Lindl.) Stein
- Paphiopedilum philippinense** (Reichb.f.) Stein | 69  
ORCHIDACEAE
- Paphiopedilum praestans** (Reichb.f.) Pfitzer = *Paphiopedilum glanduliferum* (Blume) Stein
- Paphiopedilum primulinum** M.W.Wood & Taylor | 69  
ORCHIDACEAE
- Paphiopedilum purpuratum** (Lindl.) Stein | 69  
ORCHIDACEAE (E) Hong Kong Slipper Orchid
- Paphiopedilum randsii** Fowlie | 69 ORCHIDACEAE
- Paphiopedilum reflexum** hort. ex Stein = *Paphiopedilum callosum* (Reichb.f.) Stein
- Paphiopedilum regnieri** hort. ex Stein = *Paphiopedilum callosum* (Reichb.f.) Stein
- Paphiopedilum robinsonii** (Ridl.) Ridl. = *Paphiopedilum bullenianum* (Reichb.f.) Pfitzer
- Paphiopedilum rothschildianum** (Reichb.f.) Stein | 69  
ORCHIDACEAE
- Paphiopedilum saccopetalum** H.S.Hua | 69  
ORCHIDACEAE
- Paphiopedilum sanderianum** (Reichb. f.) Stein | 69  
ORCHIDACEAE
- Paphiopedilum sangii** Braem | 69 ORCHIDACEAE
- Paphiopedilum schlimii** (Reichb.f.) Stein = *Phragmipedium schlimii* (Linden & Rchb.f.) Rolfe
- Paphiopedilum schoseri** Braem & H.Mohr | 69  
ORCHIDACEAE
- Paphiopedilum sinicum** (Hance ex Reichb.f.) Stein = *Paphiopedilum purpuratum* (Lindl.) Stein
- Paphiopedilum socco** (Vell.) Pfitzer = *Catasetum trulla* Lindl.
- Paphiopedilum spicerianum** (Reichb.f. ex Masters & T.Moore) Pfitzer | 69 ORCHIDACEAE
- Paphiopedilum sriwaniae** Koop. = *Paphiopedilum argus* (Reichb.f.) Stein
- Paphiopedilum stonei** (Hook.) Stein | 69  
ORCHIDACEAE
- Paphiopedilum sukhakulii** Schoser & Senghas | 69  
ORCHIDACEAE
- Paphiopedilum supardii** Braem & Loeb | 69  
ORCHIDACEAE
- Paphiopedilum superbiens** (Reichb.f.) Stein | 69  
ORCHIDACEAE
- Paphiopedilum superbiens ciliolare** (Reichb.f.) M.W.Wood = *Paphiopedilum ciliolare* (Reichb. f.) Stein
- Paphiopedilum tigrinum** Koop. & N.Haseg. | 69  
ORCHIDACEAE
- Paphiopedilum tonsum** (Reichb.f.) Stein | 69  
ORCHIDACEAE
- Paphiopedilum topperi** Braem & H.Mohr = *Paphiopedilum kolopakingii* Fowlie
- Paphiopedilum tortipetalum** Fowlie = *Paphiopedilum bullenianum* (Reichb.f.) Pfitzer
- Paphiopedilum tranlienianum** O.Gruss & H.Perner | 69  
ORCHIDACEAE
- Paphiopedilum tridentatum** (Gower) Rolfe = *Paphiopedilum appletonianum* (Gower) Rolfe
- Paphiopedilum urbanianum** Fowlie | 69 ORCHIDACEAE
- Paphiopedilum usitanum** O.Gruss & J.Roeth | 69  
ORCHIDACEAE
- Paphiopedilum venustum** (Wall. ex Sims) Pfitzer ex Stein | 69 ORCHIDACEAE
- Paphiopedilum 'victoria'** De Vogel = *Paphiopedilum supardii* Braem & Loeb
- Paphiopedilum victoria-mariae** (Sander ex Mast.) Rolfe | 69 ORCHIDACEAE
- Paphiopedilum victoria-regina** (Sander) M.W.Wood | 69  
ORCHIDACEAE
- Paphiopedilum victoria-reginae** glaucophyllum (J.J.Sm.) M.Wood = *Paphiopedilum glaucophyllum* J.J.Sm.

- Paphiopedilum victoria-reginae liemianum* (Fowlie) M.W.Wood = *Paphiopedilum liemianum* (Fowlie) Karas. & K.Saito
- Paphiopedilum vietnamense*** O.Gruss & H.Perner I 69  
ORCHIDACEAE
- Paphiopedilum villosum*** (Lindl.) Stein I 69  
ORCHIDACEAE
- Paphiopedilum violascens*** Schltr. I 69 ORCHIDACEAE
- Paphiopedilum vittatum* (Vell.) Stein = *Phragmipedium vittatum* (Vell.) Rolfe
- Paphiopedilum wardii*** Summerh. I 69 ORCHIDACEAE
- Paphiopedilum wardii* (Summerh.) Braem. = *Paphiopedilum wardii* Summerh.
- Paphiopedilum wentworthianum*** Schoser & Fowlie I 69  
ORCHIDACEAE
- Paphiopedilum wolterianum* (Kraenzl.) Pfitzer = *Paphiopedilum appletonianum* (Gower) Rolfe
- Paphiopedilum zieckianum* Schoser = *Paphiopedilum papuanum* (Ridl.) Ridl.
- Papilionanthe spp.*** Schlechter #4 II 64 ORCHIDACEAE
- Papilionanthe biswasiana* (Ghose & Mukerjee) Garay #4 II 64 ORCHIDACEAE
- Papilionanthe greenii* (W.W.Smith) Garay #4 II 64  
ORCHIDACEAE
- Papilionanthe hookeriana* (Reichb.f.) Garay #4 II 64  
ORCHIDACEAE
- Papilionanthe masperoae* (Kerr) Garay #4 II 64  
ORCHIDACEAE
- Papilionanthe pedunculata* (Kerr.) Garay #4 II 64  
ORCHIDACEAE
- Papilionanthe sillemiana* Rchb.f. Garay #4 II 64  
ORCHIDACEAE
- Papilionanthe subulata* (Koen.) Garay #4 II 64  
ORCHIDACEAE
- Papilionanthe teres* (Lindley) Garay #4 II 64  
ORCHIDACEAE
- Papilionanthe tricuspidata* #4 II 64 ORCHIDACEAE
- Papilionanthe uniflora* (Lindl.) Garay #4 II 64  
ORCHIDACEAE
- Papilionanthe vandarum* (Rchb.f.) Garay #4 II 64  
ORCHIDACEAE
- Papillilabium spp.*** Dockr. #4 II 64 ORCHIDACEAE
- Papillilabium beckleri* (Benth.) Dockr. #4 II 64  
ORCHIDACEAE
- Pa porcí (S): *Cyclamen balearicum*
- Papperitzia spp.*** Reichb.f. #4 II 64 ORCHIDACEAE
- Papperitzia leiboldii* Reichb.f. #4 II 64 ORCHIDACEAE
- Papuaea spp.*** Schltr. #4 II 64 ORCHIDACEAE
- Papulipetalum angustifolium* M.A.Clem. & D.L.Jones = *Bulbophyllum papulipetalum* Schltr.
- Papulipetalum nematopodium* (F.Muell.) M.A.Clem. & D.L.Jones = *Bulbophyllum nematopodium* F. Muell.
- Paracalanthe reflexa* (Maxim.) Kudo = *Calanthe reflexa* Maxim.
- Paracalanthe tricarinata* (Lindl.) Kudo = *Calanthe tricarinata* Lindley
- Paracaleana* spp. Blaxell #4 II 64 ORCHIDACEAE
- Paracaleana dixonii* Hopper & A.P.Brown ms. #4 II 64  
ORCHIDACEAE
- Paracaleana minor* (R. Br.) Blaxell #4 II 64  
ORCHIDACEAE
- Paradisanthus spp.*** Rchb.F #4 II 64 ORCHIDACEAE
- Paraphalaenopsis spp.*** A.D. Hawkes #4 II 64  
ORCHIDACEAE
- Paraphalaenopsis denevei*** (J.J.Sm.) A.D.Hawkes #4 II 64 ORCHIDACEAE
- Paraphalaenopsis labukensis*** Shim, Lamb & Chan #4 II 64 ORCHIDACEAE
- Paraphalaenopsis laycocki*** (M.R.Hend.) A.Hawkes #4 II 64 ORCHIDACEAE
- Paraphalaenopsis serpentilingua*** (J.J.Sm.) A.D.Hawkes #4 II 64 ORCHIDACEAE
- Paraphalaenopsis thorntonii*** (Holttum) A.D.Hawkes #4 II 64 ORCHIDACEAE
- Parapteroceras spp.*** Averyanov #4 II 64 ORCHIDACEAE
- Parhabenaria spp.*** Gagnep. #4 II 64 ORCHIDACEAE
- Parodia spp.*** Speg. #4 II 49 CACTACEAE
- Parodia aconquijaensis* Weskamp = *Parodia microsperma* (Weber) Spegazzini
- Parodia agasta* Brandt = *Parodia ritteri* Buining
- Parodia aglaisma* Brandt = *Parodia ritteri* Buining
- Parodia alacriportana*** Backeberg & Voll #4 II 49  
CACTACEAE
- Parodia albofuscata* Brandt = *Parodia microsperma* (Weber) Spegazzini
- Parodia allosiphon*** (Marchesi) Taylor #4 II 49  
CACTACEAE
- Parodia amblayensis* Brandt = *Parodia microsperma* (Weber) Spegazzini
- Parodia ampliostata* (Ritter) Brandt = *Parodia schumanniana* (Nicolai) Brandt
- Parodia andreae* Brandt = *Parodia procera* Ritter
- Parodia andreaeoides* Brandt = *Parodia procera* Ritter
- Parodia applanta* (Hoffmann & Backeberg) Brandt = *Parodia schwebsiana* (Werdermann) Backeberg
- Parodia argerichiana* Weskamp = *Parodia microsperma* (Weber) Spegazzini
- Parodia arnostiana*** (Lisal & Kolarik) Hofacker #4 II 49  
CACTACEAE
- Parodia augustinii* Weskamp = *Parodia ocampo* Cardenas
- Parodia aureicentra*** (Backeberg) Backeberg #4 II 49  
CACTACEAE
- Parodia aureispina* Backeberg = *Parodia microsperma* (Weber) Spegazzini
- Parodia ayopayana*** Cardenas #4 II 49 CACTACEAE
- Parodia backebergiana* Brandt = *Parodia tuberculata* Cardenas
- Parodia bellavistana* Brandt = *Parodia formosa* Ritter
- Parodia belliiata* Brandt = *Parodia ritteri* Buining
- Parodia bermejoensis* Brandt = *Parodia maassii* (Heese) Berger
- Parodia betaniiana* Ritter = *Parodia microsperma* (Weber) Spegazzini
- Parodia bilbaoensis* Cardenas = *Parodia taratensis* Cardenas
- Parodia borealis* Ritter = *Parodia ayopayana* Cardenas

- Parodia buiningii** (Buxbaum) Taylor #4 II 49  
CACTACEAE  
*Parodia buxbaumiana* Brandt = *Parodia ayopayana* Cardenas  
*Parodia cabracorralensis* Piens = *Parodia microsperma* (Weber) Spegazzini  
*Parodia caespitosa* (Spegazzini) Taylor = *Parodia concinna* (Monville) Taylor  
*Parodia caineana* Brandt = *Parodia taratensis* Cardenas  
*Parodia camargensis* Buining & Ritter = *Parodia ritteri* Buining  
*Parodia camblayana* (Ritter) Brandt = *Parodia ritteri* Buining  
*Parodia candidata* Brandt = *Parodia tuberculata* Cardenas  
*Parodia capillitaensis* Brandt = *Parodia microsperma* (Weber) Spegazzini  
**Parodia carambeiensis** (Buining & Brederoo) Hofacker #4 II 49 CACTACEAE  
*Parodia carapariana* Brandt = *Parodia formosa* Ritter  
*Parodia cardenasi* Ritter = *Parodia formosa* Ritter  
*Parodia carminata* Backeberg = *Parodia tilcarensis* (Werdermann & Backeberg) Backeberg  
*Parodia carrerana* Cardenas = *Parodia ritteri* Buining  
*Parodia castanea* (Ritter) Ritter = *Parodia ritteri* Buining  
*Parodia catamarcensis* Backeberg = *Parodia microsperma* (Weber) Spegazzini  
*Parodia cebilarensis* Weskamp = *Parodia microsperma* (Weber) Spegazzini  
*Parodia chaetocarpa* Ritter = *Parodia formosa* Ritter  
*Parodia challamarcana* Brandt = *Parodia procera* Ritter  
*Parodia chirimoyerana* Brandt = *Parodia formosa* Ritter  
*Parodia chlorocarpa* Ritter = *Parodia microsperma* (Weber) Spegazzini  
**Parodia chrysacanthion** (Schumann) Backeberg #4 II 49 CACTACEAE  
*Parodia columnaris* Cardenas #4 II 49 CACTACEAE  
**Parodia comarapana** Cardenas #4 II 49 CACTACEAE  
**Parodia commutans** Ritter #4 II 49 CACTACEAE  
*Parodia comosa* Ritter = *Parodia ayopayana* Cardenas  
*Parodia compressa* Ritter = *Parodia ocampoi* Cardenas  
**Parodia concinna** (Monville) Taylor #4 II 49 CACTACEAE  
*Parodia copavilquensis* Weskamp = *Parodia ocampoi* Cardenas  
*Parodia cotacajensis* Brandt = *Parodia ayopayana* Cardenas  
**Parodia crassigibba** (Ritter) Taylor #4 II 49 CACTACEAE  
*Parodia culpinensis* Brandt = *Parodia subterranea* Ritter  
**Parodia curvispina** (Ritter) Hunt #4 II 49 CACTACEAE  
*Parodia echinopsoides* Brandt = *Parodia procera* Ritter  
*Parodia echinus* Ritter = *Parodia ayopayana* Cardenas  
*Parodia elachista* Brandt = *Parodia ocampoi* Cardenas  
*Parodia elata* Brandt = *Parodia ayopayana* Cardenas  
*Parodia elegans* Fechser ex Backeberg = *Parodia microsperma* (Weber) Spegazzini  
**Parodia erinacea** (Haworth) Taylor #4 II 49 CACTACEAE  
**Parodia erubescens** (Osten) Hunt #4 II 49 CACTACEAE  
*Parodia erythrantha* (Spegazzini) Backeberg & F. Knuth = *Parodia microsperma* (Weber) Spegazzini
- Parodia escayachensis* (Vaupel) Backeberg = *Parodia maassii* (Heese) Berger  
*Parodia exquisita* Brandt = *Parodia ocampoi* Cardenas  
*Parodia faustiana* Backeberg = *Parodia nivosa* Backeberg  
*Parodia fechseri* Backeberg = *Parodia microsperma* (Weber) Spegazzini  
*Parodia firmisissima* Brandt = *Parodia tuberculata* Cardenas  
**Parodia formosa** Ritter #4 II 49 CACTACEAE  
*Parodia friciana* Brandt = *Parodia tilcarensis* (Werdermann & Backeberg) Backeberg  
*Parodia fulvispina* Ritter = *Parodia ritteri* Buining  
**Parodia fusca** (Ritter) Hofacker & Braun #4 II 49 CACTACEAE  
*Parodia fuscato-viridis* Backeberg = *Parodia microsperma* (Weber) Spegazzini  
*Parodia gauchipasana* Weskamp = *Parodia microsperma* (Weber) Spegazzini  
*Parodia gibbulosa* Ritter = *Parodia ocampoi* Cardenas  
*Parodia glischrocarpa* Ritter = *Parodia microsperma* (Weber) Spegazzini  
*Parodia gracilis* Ritter = *Parodia procera* Ritter  
*Parodia grandiflora* Neverka = *Parodia microsperma* (Weber) Spegazzini  
*Parodia grossei* (Schumann) Brandt = *Parodia schumanniana* (Nicolai) Brandt  
*Parodia gummifera* Backeberg & Voll = *Uebelmannia gummifera* (Backeberg & Voll) Buining  
*Parodia gutekunstiana* Backeberg = *Parodia stuemeri* (Werdermann) Backeberg  
*Parodia haageana* Brandt = *Parodia maassii* (Heese) Berger  
**Parodia haselbergii** (Haage ex Ruempler) Brandt #4 II 49 CACTACEAE  
**Parodia hausteiniana** Rausch #4 II 49 CACTACEAE  
**Parodia herteri** (Werdermann) Taylor #4 II 49 CACTACEAE  
*Parodia heyeriana* Weskamp = *Parodia microsperma* (Weber) Spegazzini  
**Parodia horstii** (Ritter) Taylor #4 II 49 CACTACEAE  
*Parodia hummeliana* Lau & Weskamp = *Parodia microsperma* (Weber) Spegazzini  
*Parodia ignorata* Brandt = *Parodia tuberculata* Cardenas  
*Parodia iodiosa* Brandt = *Parodia tuberculata* Cardenas  
*Parodia jujuyana* Fric ex Subik = *Parodia tilcarensis* (Werdermann & Backeberg) Backeberg  
*Parodia koehresiana* Brandt = *Parodia maassii* (Heese) Berger  
*Parodia krahni* Weskamp = *Parodia taratensis* Cardenas  
*Parodia lamprospina* Brandt = *Parodia maassii* (Heese) Berger  
**Parodia langsdorffii** (Lehmann) Hunt #4 II 49 CACTACEAE  
*Parodia laui* Brandt = *Parodia hausteiniana* Rausch  
*Parodia legitima* Brandt = *Parodia columnaris* Cardenas  
*Parodia lembckeii* Weskamp = *Parodia microsperma* (Weber) Spegazzini  
**Parodia leninghausii** (Schumann) Brandt #4 II 49 CACTACEAE

- Parodia liliputana* (Werdermann) Taylor = *Blossfeldia liliputana* Werdermann  
**Parodia linkii** (Lehmann) Kiesling #4 II 49 CACTACEAE  
*Parodia lychnosa* Brandt = *Parodia procera* Ritter  
**Parodia maassii** (Heese) Berger #4 II 49 CACTACEAE  
*Parodia macednosa* Brandt = *Parodia ayopayana* Cardenas  
**Parodia magnifica** (Ritter) Brandt #4 II 49 CACTACEAE  
*Parodia mairanana* Cardenas = *Parodia comarapana* Cardenas  
*Parodia malyana igneiflora* Brandt = *Parodia microsperma* (Weber) Spegazzini  
*Parodia malyana* Rausch = *Parodia microsperma* (Weber) Spegazzini  
**Parodia mammulosa** (Lemaire) Taylor #4 II 49 CACTACEAE  
*Parodia maxima* Ritter = *Parodia commutans* Ritter  
*Parodia mendeziana* Brandt = *Parodia maassii* (Heese) Berger  
**Parodia meonacantha** (Prestle) Hofacker #4 II 49 CACTACEAE  
*Parodia mercedesiana* Weskamp = *Parodia microsperma* (Weber) Spegazzini  
*Parodia mesembrina* Brandt = *Parodia microsperma* (Weber) Spegazzini  
**Parodia microsperma** (Weber) Spegazzini #4 II 49 CACTACEAE  
*Parodia microthele* Backeberg = *Parodia microsperma* (Weber) Spegazzini  
*Parodia miguillensis* Cardenas = *Parodia ayopayana* Cardenas  
*Parodia minima* Brandt = *Parodia schwebsiana* (Werdermann) Backeberg  
*Parodia minuscula* Rausch = *Parodia microsperma* (Weber) Spegazzini  
*Parodia minuta* Ritter = *Parodia ocampoi* Cardenas  
*Parodia miranda* Brandt = *Parodia subterranea* Ritter  
**Parodia mueller-melchersii** (Backeberg) Taylor #4 II 49 CACTACEAE  
*Parodia muhrii* Brandt = *Parodia aureicentra* (Backeberg) Backeberg  
*Parodia multicostata* Ritter & Jelinek = *Parodia tuberculata* Cardenas  
**Parodia muricata** (Otto ex Pfeiffer) Hofacker #4 II 49 CACTACEAE  
*Parodia mutabilis* Backeberg = *Parodia microsperma* (Weber) Spegazzini  
*Parodia nana* Weskamp = *Parodia microsperma* (Weber) Spegazzini  
*Parodia neglecta* Brandt = *Parodia comarapana* Cardenas  
*Parodia neglectoides* Brandt = *Parodia comarapana* Cardenas  
**Parodia neoarechavaletae** (Havlick) Hunt #4 II 49 CACTACEAE  
**Parodia neohorstii** (Theunissen) Taylor #4 II 49 CACTACEAE  
*Parodia nigresca* Brandt = *Parodia subterranea* Ritter  
**Parodia nigrispina** (Schumann) Brandt #4 II 49 CACTACEAE  
**Parodia nivosa** Backeberg #4 II 49 CACTACEAE  
**Parodia nothominuscula** Hofacker #4 II 49 CACTACEAE  
**Parodia nothorauschii** Hunt #4 II 49 CACTACEAE  
*Parodia obtusa* Ritter = *Parodia commutans* Ritter  
**Parodia ocampoi** Cardenas #4 II 49 CACTACEAE  
*Parodia occulta* Ritter = *Parodia subterranea* Ritter  
*Parodia otaviana* Cardenas = *Parodia maassii* (Heese) Berger  
**Parodia ottonis** (Lehmann) Taylor #4 II 49 CACTACEAE  
*Parodia otuyensis* Ritter = *Parodia tuberculata* Cardenas  
**Parodia oxycostata** (Buining & Brederoo) Hofacker #4 II 49 CACTACEAE  
*Parodia pachysa* Brandt = *Parodia formosa* Ritter  
*Parodia papagayana* Brandt = *Parodia microsperma* (Weber) Spegazzini  
*Parodia paraguayensis* Spegazzini = *Parodia ottonis* (Lehmann) Taylor  
*Parodia parvula* Brandt = *Parodia formosa* Ritter  
**Parodia penicillata** Fechser & Steeg #4 II 49 CACTACEAE  
**Parodia permutata** (Ritter) Hofacker #4 II 49 CACTACEAE  
*Parodia perplexa* Brandt = *Parodia procera* Ritter  
**Parodia procera** Ritter #4 II 49 CACTACEAE  
*Parodia pseudoayopayana* Cardenas = *Parodia ayopayana* Cardenas  
*Parodia pseudoprocera aurantiaciflora* Brandt = *Parodia procera* Ritter  
*Parodia pseudoprocera* Brandt = *Parodia procera* Ritter  
*Parodia pseudostuemerii* Backeberg = *Parodia tilcarensis* (Werdermann & Backeberg) Backeberg  
*Parodia pseudosubterranea* Brandt = *Parodia subterranea* Ritter  
*Parodia punae* Cardenas = *Parodia ocampoi* Cardenas  
*Parodia purpureo-aurea* Ritter = *Parodia formosa* Ritter  
*Parodia quechua* Brandt = *Parodia tuberculata* Cardenas  
*Parodia rauschii* Backeberg ex Hunt = *Parodia aureicentra* (Backeberg) Backeberg  
**Parodia rechensis** (Buining) Brandt #4 II 49 CACTACEAE  
*Parodia rigidispina* Krainz = *Parodia microsperma* (Weber) Spegazzini  
*Parodia riograndensis* Brandt = *Parodia procera* Ritter  
**Parodia ritteri** Buining #4 II 49 CACTACEAE  
*Parodia rosealba* Ritter = *Parodia ritteri* Buining  
*Parodia rostrum-sperma* Brandt = *Parodia ritteri* Buining  
*Parodia rubellihamata* Ritter ex Backeberg = *Parodia microsperma* (Weber) Spegazzini  
*Parodia rubida* Ritter = *Parodia ritteri* Buining  
*Parodia rubriflora* Backeberg = *Parodia microsperma* (Weber) Spegazzini  
*Parodia rubrispina* Backeberg = *Parodia stuemeri* (Werdermann) Backeberg  
*Parodia rubristaminea* Ritter = *Parodia microsperma* (Weber) Spegazzini  
**Parodia rudibuenekeri** (Abraham) Hofacker & Braun #4 II 49 CACTACEAE  
**Parodia rutilans** (Daeniker & Krainz) Taylor #4 II 49 CACTACEAE

- Parodia saint-pieana** Backeberg #4 II 49 CACTACEAE  
*Parodia salitrensis* Brandt = *Parodia subterranea* Ritter  
*Parodia salmonea* Brandt = *Parodia schwebsiana* (Werdermann) Backeberg  
*Parodia sanginiflora* Backeberg = *Parodia microsperma* (Weber) Spegazzini  
*Parodia schuetziana* Jajo = *Parodia tilcarensis* (Werdermann & Backeberg) Backeberg  
**Parodia schumanniana** (Nicolai) Brandt #4 II 49 CACTACEAE  
**Parodia schwebsiana** (Werdermann) Backeberg #4 II 49 CACTACEAE  
**Parodia scopula** (Sprengel) Taylor #4 II 49 CACTACEAE  
*Parodia scopooides* Backeberg = *Parodia microsperma* (Weber) Spegazzini  
*Parodia scoparia* Ritter = *Parodia tilcarensis* (Werdermann & Backeberg) Backeberg  
**Parodia sellowii** (Link & Otto) Hunt #4 II 49 CACTACEAE  
*Parodia separata* Brandt = *Parodia procera* Ritter  
*Parodia setifera* Backeberg = *Parodia microsperma* (Weber) Spegazzini  
*Parodia setispina* Ritter = *Parodia formosa* Ritter  
*Parodia setosa* Backeberg = *Parodia tilcarensis* (Werdermann & Backeberg) Backeberg  
*Parodia sotomayorense* Ritter = *Parodia tuberculata* Cardenas  
*Parodia spanica* Brandt = *Parodia microsperma* (Weber) Spegazzini  
*Parodia spegazziniana* Brandt = *Parodia microsperma* (Weber) Spegazzini  
*Parodia splendens* Cardenas = *Parodia ritteri* Buining  
*Parodia stereospina* Brandt = *Parodia tuberculata* Cardenas  
**Parodia stockingeri** (Prestle) Hofacker & Braun #4 II 49 CACTACEAE  
**Parodia stuemeri** (Werdermann) Backeberg #4 II 49 CACTACEAE  
**Parodia subterranea** Ritter #4 II 49 CACTACEAE  
*Parodia subtilihamata* Ritter = *Parodia procera* Ritter  
*Parodia sucrensis* Brandt = *Parodia tuberculata* Cardenas  
*Parodia suprema* Ritter = *Parodia maassii* (Heese) Berger  
**Parodia tabularis** (Cels ex Ruempler) Hunt #4 II 49 CACTACEAE  
*Parodia tafensis* Backeberg = *Parodia microsperma* (Weber) Spegazzini  
*Parodia tarabucina* Cardenas = *Parodia tuberculata* Cardenas  
**Parodia taratensis** Cardenas #4 II 49 CACTACEAE  
**Parodia tenuicylindrica** (Ritter) Hunt #4 II 49 CACTACEAE  
*Parodia thieleana* Brandt = *Parodia maassii* (Heese) Berger  
**Parodia tilcarensis** (Werdermann & Backeberg) Backeberg #4 II 49 CACTACEAE  
*Parodia tillii* Weskamp = *Parodia formosa* Ritter  
*Parodia tojoensis* Brandt = *Parodia ritteri* Buining  
*Parodia tredecimcostata* Ritter = *Parodia procera* Ritter  
**Parodia tuberculata** Cardenas #4 II 49 CACTACEAE  
*Parodia tuberculosi-costata* Backeberg = *Parodia microsperma* (Weber) Spegazzini
- Parodia tumbayana* Weskamp = *Parodia tilcarensis* (Werdermann & Backeberg) Backeberg  
**Parodia turbinata** (Arechavaleta) Hofacker #4 II 49 CACTACEAE  
**Parodia turecekiana** Kiesling #4 II 49 CACTACEAE  
*Parodia uebelmanniana* Ritter = *Parodia microsperma* (Weber) Spegazzini  
*Parodia uhligiana* Backeberg = *Parodia nivosa* Backeberg  
*Parodia varicolor* Ritter = *Parodia aureicentra* (Backeberg) Backeberg  
*Parodia wagneriana* Weskamp = *Parodia microsperma* (Weber) Spegazzini  
**Parodia warasii** (Ritter) Brandt #4 II 49 CACTACEAE  
**Parodia werdermanniana** (Herter) Taylor #4 II 49 CACTACEAE  
**Parodia wernerii** Hofacker #4 II 49 CACTACEAE  
*Parodia weskampiana* Krasucka & Spanowski = *Parodia microsperma* (Weber) Spegazzini  
*Parodia winbergii* Weskamp = *Parodia formosa* Ritter  
*Parodia yamparaezi* Cardenas = *Parodia tuberculata* Cardenas  
*Parodia zaletaewana* Brandt = *Parodia subterranea* Ritter  
*Parodia zecheri elachista* (Brandt) Brandt = *Parodia ocamponii* Cardenas  
*Parodia zecheri Vasquez* = *Parodia ocamponii* Cardenas  
*Parrot, Pitcher-plant (E): Sarracenia psittacina*  
*Pau Santo (S): Guaiacum officinale*  
*Pear, Vine (E): Pilosocereus royenii*  
**Pecteilis spp.** Rafin. #4 II 64 ORCHIDACEAE  
*Pecteilis susannae* (L.) Raf. #4 II 64 ORCHIDACEAE (E)  
*Susan Orchid*  
*Pecteilis triflora* (D. Don) Tang & Wang #4 II 64 ORCHIDACEAE  
*Pectinaria thouarsii* Cordem. = *Angraecum pectinatum* Thouars  
*Pedilanthus lycioides* Baker = *Euphorbia pedilanthoides* Denis  
**Pedilochilus spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Pedilochilus alpinum* P.Royen #4 II 64 ORCHIDACEAE  
*Pedilochilus angustifolium* Schltr. #4 II 64 ORCHIDACEAE  
*Pedilochilus angustifolius* Schltr. #4 II 64 ORCHIDACEAE  
*Pedilochilus bantaengensis* J.J.Sm. #4 II 64 ORCHIDACEAE  
*Pedilochilus brachiatus* Schltr. #4 II 64 ORCHIDACEAE  
*Pedilochilus brachypus* Schltr. #4 II 64 ORCHIDACEAE  
*Pedilochilus ciliolatum* Schltr. #4 II 64 ORCHIDACEAE  
*Pedilochilus clemensiae* L.O.Williams #4 II 64 ORCHIDACEAE  
*Pedilochilus coeloglossum* (Schlr.) Schltr. #4 II 64 ORCHIDACEAE  
*Pedilochilus cyatheicola* P.Royen #4 II 64 ORCHIDACEAE  
*Pedilochilus dischoense* Schltr. #4 II 64 ORCHIDACEAE  
*Pedilochilus flavum* Schltr. #4 II 64 ORCHIDACEAE  
*Pedilochilus grandifolium* P.Royen #4 II 64 ORCHIDACEAE  
*Pedilochilus guttulatum* Schltr. #4 II 64 ORCHIDACEAE  
*Pedilochilus hermonii* P.J.Cribb & B. Lewis #4 II 64 ORCHIDACEAE  
*Pedilochilus humile* J.J.Sm. #4 II 64 ORCHIDACEAE

- Pedilochilus kermesinostriatum* J.J.Sm. #4 II 64  
ORCHIDACEAE
- Pedilochilus longipes* Schltr. #4 II 64 ORCHIDACEAE
- Pedilochilus macrorrhinum* P.Royen #4 II 64  
ORCHIDACEAE
- Pedilochilus majus* J.J.Sm. #4 II 64 ORCHIDACEAE
- Pedilochilus montana* Ridl. #4 II 64 ORCHIDACEAE
- Pedilochilus obovatum* J.J.Sm. #4 II 64 ORCHIDACEAE
- Pedilochilus oreadum* P.Royen = *Pedilochilus obovatum* J.J.Sm.
- Pedilochilus papuanum* Schltr. #4 II 64 ORCHIDACEAE
- Pedilochilus parvulum* .Schltr. #4 II 64 ORCHIDACEAE
- Pedilochilus perpusillum* P.Royen #4 II 64 ORCHIDACEAE
- Pedilochilus petiolatum* Schltr. #4 II 64 ORCHIDACEAE
- Pedilochilus petrophilum* P.Royen #4 II 64 ORCHIDACEAE
- Pedilochilus piundaundense* P.Royen #4 II 64  
ORCHIDACEAE
- Pedilochilus psychrophilum* (F.Muell.) Ormerod #4 II 64  
ORCHIDACEAE
- Pedilochilus pumilio* Ridl. #4 II 64 ORCHIDACEAE
- Pedilochilus pusillum* Schltr. #4 II 64 ORCHIDACEAE
- Pedilochilus sarawakatensis* P.Royen #4 II 64  
ORCHIDACEAE
- Pedilochilus stictanthum* Schltr. #4 II 64 ORCHIDACEAE
- Pedilochilus subalpinum* P.Royen. #4 II 64  
ORCHIDACEAE
- Pedilochilus sulphureum* J.J.Sm. #4 II 64 ORCHIDACEAE
- Pedilochilus terreste* J.J.Sm. #4 II 64 ORCHIDACEAE
- Pedilonum adolphi* (Schltr.) Rauschert = *Dendrobium puniceum* Ridl.
- Pedilonum aegle* (Ridl.) Rauschert = *Dendrobium erosum* (Blume) Lindl.
- Pedilonum aemulans* (Schltr.) Rauschert = *Dendrobium erosum* (Blume) Lindl.
- Pedilonum alderwereltianum* (J.J.Sm.) Rauschert = *Dendrobium alderwereltianum* J.J.Sm.
- Pedilonum amblyogenium* (Schltr.) Rauschert = *Dendrobium amblyogenium* Schltr.
- Pedilonum angicense* (J.J.Sm.) Rauschert = *Dendrobium angicense* J.J.Sm.
- Pedilonum angustiflorum* (J.J.Sm.) Rauschert = *Dendrobium angustiflorum* J.J.Sm.
- Pedilonum anthrene* (Ridl.) Rauschert = *Dendrobium anthrene* Ridl.
- Pedilonum apertum* (Schltr.) Rauschert = *Dendrobium apertum* Schltr.
- Pedilonum aphanochilum* (Kraenzl) Rauschert = *Dendrobium aphanochilum* Kraenzl
- Pedilonum aristiferum* (J.J.Sm.) Rauschert = *Dendrobium aristiferum* J.J.Sm.
- Pedilonum asperifolium* (J.J.Sm.) Brieger = *Dendrobium cuthbertsonii* F. Muell.
- Pedilonum auroroseum* (Lindl.) Rauschert = *Dendrobium nudum* (Blume) Lindley
- Pedilonum baeurerienii* (F.Muell. & Kraenzl.) Rauschert = *Dendrobium baeurerlenii* F.Muell. & Kraenzl.
- Pedilonum begoniicarpum* (J.J.Sm.) Rauschert = *Dendrobium subacaule* Reinw. ex Lindley
- Pedilonum biflorum* Blume = *Dendrobium gemellum* Lindley
- Pedilonum brachycalyptra* (Schltr.) Rauschert = *Dendrobium brachycalptra* Schltr.
- Pedilonum brachycentrum* (Ridl.) Rauschert = *Dendrobium brachycentrum* Ridl.
- Pedilonum bracteosum* (Rchb.f.) Rauschert = *Dendrobium bracteosum* Rchb.f.
- Pedilonum brevicaule* (Rolfe) Rauschert = *Dendrobium brevicaule* Rolfe
- Pedilonum brevilabium* (Schltr.) Rauschert = *Dendrobium brevilabium* Schltr.
- Pedilonum brichangense* (Holttum) Rauschert = *Dendrobium hasseltii* (Blume) Lindley
- Pedilonum buffumii* (A.D. Hawkes) Rauschert = *Dendrobium buffumii* A.D.Hawkes
- Pedilonum bursigerum* (Lindl.) Rauschert = *Dendrobium secundum* (Blume) Lindley ex Wall.
- Pedilonum calicopis* (Ridl.) Rauschert = *Dendrobium calicopis* Ridley
- Pedilonum caliculimentum* (R.S.Rogers) Rauschert = *Dendrobium caliculimentum* R.S. Rogers
- Pedilonum calypratum* (J.J.Sm.) Rauschert = *Dendrobium calypratum* J.J.Sm.
- Pedilonum capituliflorum* (Rolfe) Brieger = *Dendrobium capituliflorum* Rolfe
- Pedilonum cerasinum* (Ridl.) Rauschert = *Dendrobium puniceum* Ridl.
- Pedilonum chrysoglossum* (Schltr.) Rauschert = *Dendrobium obtusum* Schltr. *Pedilonum chrysornis* (Ridl.) Rauschert = *Dendrobium decockii* J.J.Sm.
- Pedilonum coccinellum* (Ridl.) Rauschert = *Dendrobium cuthbertsonii* F. Muell.
- Pedilonum cochleatum* (J.J.Sm.) Rauschert = *Dendrobium cochleatum* J.J.Sm.
- Pedilonum concavissimum* (J.J.Sm.) Rauschert = *Dendrobium obtusum* Schltr.
- Pedilonum conicum* (J.J.Sm.) Rauschert = *Dendrobium conicum* J.J.Sm.
- Pedilonum cornutum* (Hook.f.) Rauschert = *Dendrobium hasseltii* (Blume) Lindley
- Pedilonum crenatifolium* (J.J.Sm.) Rauschert = *Dendrobium crenatifolium* J.J.Sm.
- Pedilonum crepidiferum* (J.J.Sm.) Rauschert = *Dendrobium glomeratum* Rolfe
- Pedilonum crocatum* (Hook.f.) Brieger = *Dendrobium crocatum* Hook.f.
- Pedilonum cuculliferum* (J.J.Sm.) Rauschert = *Dendrobium cuculliferum* J.J.Sm.
- Pedilonum cuthbertsonii* (F.Muell.) Brieger = *Dendrobium cuthbertsonii* F. Muell.
- Pedilonum cyanocentrum* (Schltr.) Rauschert = *Dendrobium cyanocentrum* Schltr.
- Pedilonum cylindricum* (J.J.Sm.) Rauschert = *Dendrobium cylindricum* J.J.Sm.
- Pedilonum deflexum* (Ridl.) Rauschert = *Dendrobium wentianum* J.J.Sm.
- Pedilonum decockii* (J.J.Sm.) Rauschert = *Dendrobium decockii* J.J.Sm.

<i>Pedilonum delicatulum</i> (Kraenzl.) Rauschert = <i>Dendrobium delicatulum</i> Kraenzl.	<i>Pedilonum inopinatum</i> (J.J.Sm.) Rauschert = <i>Dendrobium erosum</i> (Blume) Lindl.
<i>Pedilonum derryi</i> (Ridl.) Rauschert = <i>Dendrobium calicopis</i> Ridley	<i>Pedilonum jabiense</i> (J.J.Sm.) Rauschert = <i>Dendrobium jabiense</i> J.J.Sm.
<i>Pedilonum dichaeoides</i> (Schltr.) Rauschert = <i>Dendrobium dichaeoides</i> Schltr.	<i>Pedilonum jacobsonii</i> (J.J.Sm.) Rauschert = <i>Dendrobium jacobsonii</i> J.J. Smith
<i>Pedilonum dichroma</i> (Schltr.) Rauschert = <i>Dendrobium dichroma</i> Schltr.	<i>Pedilonum junzaingense</i> (J.J.Sm.) Rauschert = <i>Dendrobium subacaule</i> Reinw. ex Lindley
<i>Pedilonum discrepans</i> (J.J.Sm) Rauschert = <i>Dendrobium puniceum</i> Ridl.	<i>Pedilonum keysseri</i> (Schltr.) Rauschert = <i>Dendrobium nebulosum</i> Schltr.
<i>Pedilonum dryadum</i> (Schltr.) Rauschert = <i>Dendrobium violaceum</i> Kraenzl.	<i>Pedilonum keytsianum</i> (J.J.Sm.) Rauschert = <i>Dendrobium keytsianum</i> J.J.Sm.
<i>Pedilonum eitapense</i> (Schltr.) Rauschert = <i>Dendrobium bracteosum</i> Rchb.f.	<i>Pedilonum klabatense</i> (Schltr.) Rauschert = <i>Dendrobium klabatense</i> Schltr.
<i>Pedilonum eoum</i> (Ridl.) Rauschert = <i>Dendrobium cumulatum</i> Lindley	<i>Pedilonum kuhlii</i> auct non Blume = <i>Dendrobium thrysodes</i> Rchb.f.
<i>Pedilonum erosum</i> Blume = <i>Dendrobium erosum</i> (Blume) Lindl.	<i>Pedilonum kuhlii</i> Blume = <i>Dendrobium hasseltii</i> (Blume) Lindley
<i>Pedilonum eumelinum</i> (Schltr.) Rauschert = <i>Dendrobium eumelinum</i> Schltr.	<i>Pedilonum lamellatum</i> (Blume) Brieger = <i>Dendrobium lamellatum</i> (Blume) Lindley
<i>Pedilonum euphues</i> (Ridl.) Rauschert = <i>Dendrobium cuthbertsonii</i> F. Muell.	<i>Pedilonum lancilabium</i> (J.J.Sm.) Rauschert = <i>Dendrobium lancilabium</i> J.J.Sm.
<i>Pedilonum fimbriabium</i> (J.J.Sm.) Rauschert = <i>Dendrobium fimbriabium</i> J.J.Sm.	<i>Pedilonum lapeyrouseoides</i> (Schltr.) Rauschert = <i>Dendrobium cyanocentrum</i> Schltr.
<i>Pedilonum flammula</i> (Schltr.) Rauschert = <i>Dendrobium flammula</i> Schltr.	<i>Pedilonum lateriflorum</i> (Ridl.) Rauschert = <i>Dendrobium puniceum</i> Ridl.
<i>Pedilonum flavispiculum</i> (J.J.Sm.) Rauschert = <i>Dendrobium cyanocentrum</i> Schltr.	<i>Pedilonum lawesii</i> (F.Muell.) Rauschert = <i>Dendrobium lawesii</i> F.Muell.
<i>Pedilonum fornicatum</i> (Schltr.) Rauschert = <i>Dendrobium obtusum</i> Schltr.	<i>Pedilonum leucochysum</i> (Schltr.) Rauschert = <i>Dendrobium bracteosum</i> Rchb.f.
<i>Pedilonum fruticicola</i> (J.J.Sm.) Rauschert = <i>Dendrobium fruticicola</i> J.J.Sm.	<i>Pedilonum loesenerianum</i> (Schltr.) Rauschert = <i>Dendrobium loesenerianum</i> Schltr.
<i>Pedilonum fulgidum</i> (Schltr.) Rauschert = <i>Dendrobium fulgidum</i> Schltr.	<i>Pedilonum lompobatangense</i> (J.J.Sm) Rauschert = <i>Dendrobium caliculimentum</i> R.S. Rogers
<i>Pedilonum geluanum</i> (Schltr.) Rauschert = <i>Dendrobium hellwigianum</i> Kraenz.	<i>Pedilonum lonicalcaratum</i> (Hayata) Rauschert = <i>Dendrobium chameleon</i> Ames
<i>Pedilonum geminiflorum</i> (Schltr.) Rauschert = <i>Dendrobium violaceum</i> Kraenzl.	<i>Pedilonum maboroense</i> (Schltr.) Rauschert = <i>Dendrobium undatilatum</i> Schltr.
<i>Pedilonum glaucoviride</i> (J.J.Sm.) Rauschert = <i>Dendrobium glaucoviride</i> J.J.Sm.	<i>Pedilonum macrogenion</i> (Schltr.) Rauschert = <i>Dendrobium macrogenion</i> Schltr.
<i>Pedilonum glomeratum</i> (Rolfe) Rauschert = <i>Dendrobium glomeratum</i> Rolfe	<i>Pedilonum malvicolor</i> (Ridl.) Rauschert = <i>Dendrobium malvicolor</i> Ridl.
<i>Pedilonum glossotis</i> (Rchb.f.) Rauschert = <i>Dendrobium catillare</i> Rchb.f.	<i>Pedilonum melanthum</i> (Schltr.) Rauschert = <i>Dendrobium melanthum</i> Schltr.
<i>Pedilonum gnomus</i> (Ames) Rauschert = <i>Dendrobium gnomus</i> Ames	<i>Pedilonum mimicense</i> (Schltr.) Brieger = <i>Dendrobium constrictum</i> J.J.Sm.
<i>Pedilonum goldschmidtianum</i> (Kraenzl) Rauschert = <i>Dendrobium goldschmidtianum</i> Kraenzl	<i>Pedilonum minutum</i> (Schltr.) Rauschert = <i>Dendrobium delicatulum</i> Kraenzl.
<i>Pedilonum hasseltii</i> Blume = <i>Dendrobium hasseltii</i> (Blume) Lindley	<i>Pedilonum mitriferum</i> (J.J.Sm.) Rauschert = <i>Dendrobium subclausum</i> Rolfe
<i>Pedilonum hellwigianum</i> (Kraenzl) Rauschert = <i>Dendrobium hellwigianum</i> Kraenz.	<i>Pedilonum mohlianum</i> (Rchb.f.) Brieger = <i>Dendrobium mohlianum</i> Rchb.f.
<i>Pedilonum hollrungii</i> (Kraenzl.) Rauschert = <i>Dendrobium smilliae</i> F. Muell.	<i>Pedilonum molle</i> (J.J.Sm.) Rauschert = <i>Dendrobium molle</i> J.J.Sm.
<i>Pedilonum hymenopterum</i> (Hook.f.) Rauschert = <i>Dendrobium hymenopterum</i> Hook.f.	<i>Pedilonum montigenum</i> (Ridl.) Rauschert = <i>Dendrobium decockii</i> J.J.Sm.
<i>Pedilonum inamoenum</i> (Kraenzl.) Rauschert = <i>Dendrobium inamoenum</i> Kraenzl	<i>Pedilonum murkelense</i> (J.J.Sm.) Rauschert = <i>Dendrobium nebulosum</i> Schltr.
<i>Pedilonum infractum</i> (J.J.Sm.) Rauschert = <i>Dendrobium infractum</i> J.J.Sm.	<i>Pedilonum mystroglossum</i> (Schltr.) Rauschert = <i>Dendrobium mystroglossum</i> Schltr.

- Pedilonum nardoides* (Schltr.) Rauschert = *Dendrobium nardoides* Schltr.  
*Pedilonum navicula* (Kraenzl) Rauschert = *Dendrobium navicula* Kraenzl  
*Pedilonum nebulosum* (Schltr.) Rauschert = *Dendrobium nebulosum* Schltr.  
*Pedilonum neoebudanum* (Schltr.) Rauschert = *Dendrobium mohlianum* Rchb.f.  
*Pedilonum nubigenum* (Schltr.) Rauschert = *Dendrobium nubigenum* Schltr.  
*Pedilonum obtusisepalum* (J.J.Sm.) Rauschert = *Dendrobium wentianum* J.J.Sm.  
*Pedilonum obtusum* (Schltr.) Rauschert = *Dendrobium obtusum* Schltr.  
*Pedilonum occultum* (Ames) Rauschert = *Dendrobium laevifolium* Stapf  
*Pedilonum oligoblepharon* (Schltr.) Rauschert = *Dendrobium nardoides* Schltr.  
*Pedilonum ophioglossum* (Rchb.f.) Brieger = *Dendrobium smilliae* F. Muell.  
*Pedilonum oreocharis* (Schltr.) Rauschert = *Dendrobium subacaule* Reinw. ex Lindley  
*Pedilonum oreodoxa* (Schltr.) Rauschert = *Dendrobium oreodoxa* Schltr.  
*Pedilonum oreogenum* (Schltr.) Rauschert = *Dendrobium trichostomum* Rchb.f. ex Oliver  
*Pedilonum pachyceras* (F.Muell. & Kraenzl.) Rauschert = *Dendrobium smilliae* F. Muell.  
*Pedilonum panduriferum* (Hook.f.) Brieger = *Dendrobium panduriferum* Hook.f.  
*Pedilonum papuanum* (J.J.Sm.) Rauschert = *Dendrobium papuanum* J.J.Sm.  
*Pedilonum parvifolium* (J.J.Sm.) Rauschert = *Dendrobium parvifolium* J.J.Sm.  
*Pedilonum pentapterum* (Schltr.) Rauschert = *Dendrobium pentapterum* Schltr.  
*Pedilonum petiolatum* (Schltr.) Rauschert = *Dendrobium petiolatum* Schltr.  
*Pedilonum pityphyllum* (Schltr.) Rauschert = *Dendrobium violaceum* Kraenzl.  
*Pedilonum puniceum* (Schltr.) Rauschert = *Dendrobium puniceum* Ridl.  
*Pedilonum purpureiflorum* (J.J.Sm.) Rauschert = *Dendrobium purpureiflorum* J.J.Sm.  
*Pedilonum purpureum* (Roxb.) Brieger = *Dendrobium purpureum* Roxb.  
*Pedilonum putnamii* (Hawkes & Heller) Rauschert = *Dendrobium putnamii* Hawkes & Heller  
*Pedilonum pyropum* (Ridl.) Rauschert = *Dendrobium crocatum* Hook.f.  
*Pedilonum quadrialatum* (J.J.Sm.) Rauschert = *Dendrobium bracteosum* Rchb.f.  
*Pedilonum quadriquetrum* (J.J.Sm.) Rauschert = *Dendrobium quadriquetrum* J.J.Sm.  
*Pedilonum quinquecostatum* (Schltr.) Brieger = *Dendrobium violaceum* Kraenzl.  
*Pedilonum rarum* (Schltr.) Rauschert = *Dendrobium rarum* Schltr.  
*Pedilonum reinwardtii* (Lindl.) Rauschert = *Dendrobium purpureum* Roxb.
- Pedilonum rhabdoglossum* (Schltr.) Rauschert = *Dendrobium rhabdoglossum* Schltr.  
*Pedilonum rhaphioites* (Schltr.) Rauschert = *Dendrobium hellwigianum* Kraenzl.  
*Pedilonum rhodobotrys* (Ridl.) Rauschert = *Dendrobium obtusum* Schltr.  
*Pedilonum rindjaniense* (J.J.Sm.) Rauschert = *Dendrobium rindjaniense* J.J.Sm.  
*Pedilonum riparium* (J.J.Sm.) Rauschert = *Dendrobium riparium* J.J.Sm.  
*Pedilonum roseicolor* (A.D.Hawkes & A.H.Heller) Rauschert = *Dendrobium roseicolor* A.D.Hawkes & A.H.Heller  
*Pedilonum roseipes* (Schltr.) Rauschert = *Dendrobium roseipes* Schltr.  
*Pedilonum roseum* (Schltr.) Brieger = *Dendrobium roseicolor* A.D.Hawkes & A.H.Heller  
*Pedilonum rupestre* (J.J.Sm.) Rauschert = *Dendrobium rupestre* J.J.Sm.  
*Pedilonum rufiriferum* (Rchb.f.) Rauschert = *Dendrobium rufiriferum* Rchb.f.  
*Pedilonum salmonicum* (Schltr.) Rauschert = *Dendrobium salmonicum* Schltr.  
*Pedilonum sanguinolentum* (Lindl.) Brieger = *Dendrobium sanguinolentum* Lindl.  
*Pedilonum scabrifolium* (Ridl.) Rauschert = *Dendrobium scabrifolium* Ridl.  
*Pedilonum scarlatinum* (Schltr.) Rauschert = *Dendrobium puniceum* Ridl.  
*Pedilonum secundum* Blume = *Dendrobium secundum* (Blume) Lindley ex Wall.  
*Pedilonum separatum* (Ames) Rauschert = *Dendrobium calcaratum* A.Rich.  
*Pedilonum seranicum* (J.J.Sm.) Rauschert = *Dendrobium seranicum* J.J.Sm.  
*Pedilonum serpens* (Hook.f.) Brieger = *Dendrobium panduriferum* Hook.f.  
*Pedilonum smilliae* (F.Muell.) Rauschert = *Dendrobium smilliae* F. Muell.  
*Pedilonum sophronites* (Schltr) Rauschert = *Dendrobium cuthbertsonii* F. Muell.  
*Pedilonum stolleanum* (Schltr.) Rauschert = *Dendrobium stolleanum* Schltr.  
*Pedilonum strictum* (Ridl.) Rauschert = *Dendrobium subclausum* Rolfe  
*Pedilonum subacaule* (Reinw. ex Lindl.) Rauschert = *Dendrobium subacaule* Reinw. ex Lindley  
*Pedilonum subclausum* (Rolfe) Rauschert = *Dendrobium subclausum* Rolfe  
*Pedilonum subuliferum* (J.J.Sm.) Rauschert = *Dendrobium subuliferum* J.J.Sm.  
*Pedilonum sulphureum* Schltr. = *Dendrobium sulphureum* Schltr.  
*Pedilonum tenuicalcar* (J.J.Sm.) Rauschert = *Dendrobium violaceum* Kraenzl.  
*Pedilonum trachyphyllum* (Schltr) Brieger = *Dendrobium cuthbertsonii* F. Muell.  
*Pedilonum trachythece* (Schltr.) Rauschert = *Dendrobium trachythece* Schltr.

- Pedilonum trichostomum* (Rchb.f ex Oliver) Rauschert = *Dendrobium trichostomum* Rchb.f. ex Oliver  
*Pedilonum tricostatum* (Schltr.) Rauschert = *Dendrobium subacaule* Reinw. ex Lindley  
*Pedilonum triviale* (Kraenzl.) Rauschert = *Dendrobium calcaratum* A.Rich.  
*Pedilonum tubiflorum* (J.J.Sm.) Rauschert = *Dendrobium tubiflorum* J.J.Sm.  
*Pedilonum tumidulum* (Schltr.) Rauschert = *Dendrobium nebulosum* Schltr.  
*Pedilonum uliginosum* (J.J.Sm.) Rauschert = *Dendrobium uliginosum* J.J.Sm.  
*Pedilonum undatilatum* (Schltr.) Rauschert = *Dendrobium undatilatum* Schltr.  
*Pedilonum undulatum* Blume = *Dendrobium hymenophyllum* Lindley  
*Pedilonum vannouhuysii* (J.J.Sm.) Rauschert = *Dendrobium vannouhuysii* J.J.Sm.  
*Pedilonum verruculosum* (Schltr.) Rauschert = *Dendrobium verruculosum* Schltr.  
*Pedilonum vexillarius* (J.J.Sm.) Rauschert = *Dendrobium vexillarius* J.J. Smith  
*Pedilonum victoriae-reginae* (Loher) Rauschert = *Dendrobium victoriae-reginae* Loher  
*Pedilonum violaceum* (Kraenzl.) Rauschert = *Dendrobium violaceum* Kraenzl.  
*Pedilonum vitellinum* (Kraenzl.) Rauschert = *Dendrobium mohlianum* Rchb.f.  
*Pedilonum wentianum* (J.J.Sm.) Rauschert = *Dendrobium wentianum* J.J.Sm.  
*Pedilonum woluense* (J.J.Sm.) Rauschert = *Dendrobium woluense* J.J.Sm.  
*Pedilonum xanthogenium* (Schltr.) Rauschert = *Dendrobium xanthogenium* Schltr.  
***Pediocactus* spp.** Britton & Rose #4 I/II 49 CACTACEAE  
*Pediocactus alonsoi* (Glass & Arias) Halda = *Turbinicarpus alonsoi* Glass & Arias  
*Pediocactus bonatzii* (G.Frank) Halda = *Turbinicarpus bonatzii* G.Frank  
***Pediocactus bradyi*** L.Benson I CACTACEAE (E) Brady's Pincushion Cactus  
*Pediocactus brevihamatus tobuschii* (Marshall) Halda = *Sclerocactus brevihamatus tobuschii* (Marshall) Taylor  
*Pediocactus cloverae brackii* (Heil & Porter) Halda = *Sclerocactus parviflorus* Clover & Jotter  
*Pediocactus cloverae* (Heil & Porter) Halda = *Sclerocactus parviflorus* Clover & Jotter  
*Pediocactus conoideus* (De Candolle) Halda = *Neolloydia conoidea* (De Candolle) Britton & Rose  
*Pediocactus despainii* Welsh & Goodrich = *Pediocactus bradyi* L.Benson  
*Pediocactus erectocentrus* (Coulter) Taylor = *Sclerocactus erectocentrus* (Coulter) Taylor  
*Pediocactus ficeisenii* = *Pediocactus knowltonii* L.Benson  
*Pediocactus ficeisenii* = *Pediocactus peeblesianus* (Croizat) L.Benson  
*Pediocactus ficeisenii* (Hochstaetter) Hochstaetter = *Pediocactus peeblesianus* (Croizat) L.Benson  
*Pediocactus ficeisenii* (Hochstaetter) Hochstaetter = *Pediocactus knowltonii* L.Benson  
*Pediocactus gautii* (Benson) Halda = *Sclerocactus warnockii* (Benson) Taylor  
*Pediocactus gielsdorffianus* (Werdermann) Halda = *Turbinicarpus gielsdorffianus* (Werdermann) John & Riha  
*Pediocactus glaucus* (Schumann) Taylor = *Sclerocactus glaucus* (Schumann) Benson  
***Pediocactus hermannii*** W.T.Marshall #4 II 49  
CACTACEAE  
*Pediocactus hoferi* (Luethy & Lau) Halda = *Turbinicarpus hoferi* Luethy & Lau  
*Pediocactus horripilus* (Lemaire) Halda = *Turbinicarpus horripilus* (Lemaire) John & Riha  
*Pediocactus intertextus* (Engelmann) Taylor = *Sclerocactus intertextus* (Engelmann) Taylor  
*Pediocactus johnsonii* (Engelmann) Halda = *Sclerocactus johnsonii* (Engelmann) Taylor  
***Pediocactus knowltonii*** L.Benson I CACTACEAE (E)  
Knowlton's Cactus, Knowlton's Miniature Cactus,  
Knowlton's Pincushion Cactus  
*Pediocactus knuthianus* (Boedeker) Halda = *Turbinicarpus knuthianus* (Boedeker) John & Riha  
*Pediocactus laui* (Glass & Foster) Halda = *Turbinicarpus laui* Glass & Foster  
*Pediocactus lophophoroides* (Werdermann) Halda = *Turbinicarpus lophophoroides* (Werdermann) Buxbaum & Backeberg  
*Pediocactus mandragora* (Fric ex Berger) Halda = *Turbinicarpus mandragora* (Fric ex Berger) A.Zimmerman  
*Pediocactus mariposensis* (Hester) Halda = *Sclerocactus mariposensis* (Hester) Taylor  
*Pediocactus mesae-verdae* (Boissovain & Davidson ex Marshall & Bock) Arp = *Sclerocactus mesae-verdae* (Boissovain & Davidson ex Marshall & Bock) Benson  
***Pediocactus nigrispinus*** (Hochstaetter) Hochstaetter #4 II 49 CACTACEAE  
*Pediocactus nyensis* (Hochstaetter) Halda = *Sclerocactus nyensis* Hochstaetter  
*Pediocactus papyracanthus* (Engelm.) L. Benson = *Sclerocactus papyracanthus* (Engelmann) Taylor  
***Pediocactus paradisei*** B.W.Benson I CACTACEAE (E)  
House Rock Valley Cactus, Kaibab Pincushion Cactus, Park Pincushion Cactus  
***Pediocactus peeblesianus*** (Croizat) L.Benson I CACTACEAE (E) Peebles' Navajo Cactus  
*Pediocactus polyancistrus* (Engelmann & Bigelow) Arp = *Sclerocactus polyancistrus* (Engelmann & Bigelow) Britton & Rose  
*Pediocactus pseudopectinatus* = *Turbinicarpus pseudopectinatus* (Backeberg) Glass & Foster  
*Pediocactus pubispinus* (Engelmann) Halda = *Sclerocactus pubispinus* (Engelmann) Benson  
*Pediocactus pubispinus sileri* (Benson) Halda = *Sclerocactus sileri* (Benson) Heil & Porter  
*Pediocactus rioverdensis* (G.Frank) Halda = *Turbinicarpus rioverdensis* G.Frank  
*Pediocactus sauieri* (Boedeker) Halda = *Turbinicarpus sauieri* (Boedeker) John & Riha

<i>Pediocactus scheeri</i> (Salm-Dyck) Halda = <i>Sclerocactus scheeri</i> (Salm-Dyck) Taylor	<i>Pelezia gutturosa</i> (Reichb.f.) Garay #4 II 64 ORCHIDACEAE
<i>Pediocactus schmiedickeanus</i> (Boedecker) Halda = <i>Turbinicarpus schmiedickeanus</i> (Boedecker) Buxbaum & Backeberg	<i>Pelezia hirta</i> (Lindl.) Schltr. #4 II 64 ORCHIDACEAE
<b><i>Pediocactus sileri</i></b> (Engelmann ex Coulter) L.Benson I CACTACEAE (E) Siler's Pincushion Cactus	<i>Pelezia hysterantha</i> (Barb.Rodr.) Schltr. #4 II 64 ORCHIDACEAE
<b><i>Pediocactus simpsonii</i></b> (Engelmann) Britton & Rose #4 II 49 CACTACEAE	<i>Pelezia laxa</i> (Poep. & Endl.) Lindl. #4 II 64 ORCHIDACEAE
<i>Pediocactus simpsonii bradyi</i> (Benson) Halda = <i>Pediocactus bradyi</i> L.Benson	<i>Pelezia loefgrenii</i> (Porsch) Schltr. #4 II 64 ORCHIDACEAE
<i>Pediocactus spinosior</i> (Engelmann) Halda = <i>Sclerocactus spinosior</i> (Engelmann) Woodruff & Benson	<i>Pelezia longifolia</i> (Cogn.) Hoehne #4 II 64 ORCHIDACEAE
<i>Pediocactus subterraneus</i> (Backeberg) Halda = <i>Turbinicarpus subterraneus</i> (Backeberg) A.Zimmerman	<i>Pelezia macropoda</i> (Barb.Rodr.) Schltr. #4 II 64 ORCHIDACEAE
<i>Pediocactus unguispinus</i> (Engelmann) Halda = <i>Sclerocactus unguispinus</i> (Engelmann) Taylor	<i>Pelezia minarum</i> (Kraenzl.) Schltr. #4 II 64 ORCHIDACEAE
<i>Pediocactus valdezianus</i> (Moeller) Halda = <i>Turbinicarpus valdezianus</i> (Moeller) Glass & Foster	<i>Pelezia oestrifera</i> (Rchb.f. & Warm.) Schltr. #4 II 64 ORCHIDACEAE
<i>Pediocactus warnockii</i> (Benson) Halda = <i>Sclerocactus warnockii</i> (Benson) Taylor	<i>Pelezia orobanchoides</i> (Kraenzl.) Schltr. #4 II 64 ORCHIDACEAE
<i>Pediocactus wetlandicus</i> (Hochstaetter) Halda = <i>Sclerocactus glaucus</i> (Schumann) Benson	<i>Pelezia parva</i> (Cogn.) Schltr. #4 II 64 ORCHIDACEAE
<i>Pediocactus whipplei</i> (Engelmann & Bigelow) Arp = <i>Sclerocactus whipplei</i> (Engelmann & Bigelow) Britton & Rose	<i>Pelezia pavonii</i> (reichb.f.) Garay #4 II 64 ORCHIDACEAE
<i>Pediocactus wrightiae</i> (Benson) Arp = <i>Sclerocactus wrightiae</i> Benson	<i>Pelezia pterygantha</i> (Rchb.f. & Warm.) Schltr. #4 II 64 ORCHIDACEAE
<i>Pediocactus ysabelae</i> (Schlange) Halda = <i>Turbinicarpus ysabelae</i> (Schlange) John & Riha	<i>Pelezia robusta</i> (Kraenzl.) Schltr. #4 II 64 ORCHIDACEAE
<b><i>Pelatantheria</i> spp.</b> Ridley #4 II 64 ORCHIDACEAE	<i>Pelezia setacea</i> Lindl. = <i>Spiranthes calcarata</i> (Sw.)
<i>Pelatantheria cristata</i> (Ridley) Ridley #4 II 64 ORCHIDACEAE	<i>Pelezia smithii</i> (Reichb.f.) Garay #4 II 64 ORCHIDACEAE
<i>Pelatantheria insectifera</i> (Reichb.f.) Ridley #4 II 64 ORCHIDACEAE	<i>Pelezia stenantha</i> (Cogn.) Schltr. #4 II 64 ORCHIDACEAE
<b><i>Pelecyphora</i> spp.</b> Ehrenb. I CACTACEAE	<i>Pelezia tamanduensis</i> (Kraenzl.) Schltr. #4 II 64 ORCHIDACEAE
<b><i>Pelecyphora aselliformis</i></b> Ehrenberg I CACTACEAE (E) Hatchet Cactus, Woodlouse Cactus	<i>Pelezia valida</i> (Reichb.f.) Garay #4 II 64 ORCHIDACEAE
<i>Pelecyphora pseudopectinata</i> (Backeberg) Kladiwa & Buxbaum = <i>Turbinicarpus pseudopectinatus</i> (Backeberg) Glass & Foster	<i>Pelezia ventricosa</i> (Cogn.) Schltr. #4 II 64 ORCHIDACEAE
<i>Pelecyphora pulcherrima</i> = <i>Turbinicarpus pseudopectinatus</i> (Backeberg) Glass & Foster	<i>Pelezia viridis</i> (Cogn.) Schltr. #4 II 64 ORCHIDACEAE
<b><i>Pelecyphora strobiliformis</i></b> (Werdermann) Fric & Schelle ex Kreuzinger I CACTACEAE (E) Pine-cone Cactus	<i>Pelma</i> (S): <i>Cyathea bicrenata</i>
<b><i>Pelezia</i> spp.</b> Poit. ex Lindl. #4 II 64 ORCHIDACEAE	<i>Pelma absconditum</i> (J.J.Sm.) Finet = <i>Bulbophyllum absconditum</i> J.J. Smith
<i>Pelezia albicans</i> (Cogn.) Schltr. #4 II 64 ORCHIDACEAE	<i>Pelma neocaledonicum</i> (Schltr.) Finet = <i>Bulbophyllum neo-caledonicum</i> Schltr.
<i>Pelezia bonariensis</i> (Lindl.) Schltr. #4 II 64 ORCHIDACEAE	<i>Peltopus aechmophorus</i> (J.J.Verm.) Szlach. & Marg. = <i>Bulbophyllum aechmophorum</i> J.J.Verm.
<i>Pelezia callosa</i> Correa #4 II 64 ORCHIDACEAE	<i>Peltopus alveatus</i> (J.J.Verm.) Szlach. & Marg. = <i>Bulbophyllum alveatum</i> J.J.Verm.
<i>Pelezia calophylla</i> (Porsch) Schltr. #4 II 64 ORCHIDACEAE	<i>Peltopus ankylochele</i> (J.J.Verm.) Szlach. & Marg. = <i>Bulbophyllum ankylochele</i> J.J.Verm.
<i>Pelezia comosa</i> (Cogn.) Schltr. #4 II 64 ORCHIDACEAE	<i>Peltopus aphanopetalum</i> (Schltr.) Szlach. & Marg. = <i>Bulbophyllum aphanopetalum</i> Schltr.
<i>Pelezia cuculligera</i> (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE	<i>Peltopus artostigma</i> (J.J.Verm.) Szlach. & Marg. = <i>Bulbophyllum artostigma</i> J.J.Verm.
<i>Pelezia ekmanii</i> (Kraenzl.) Schltr. #4 II 64 ORCHIDACEAE	<i>Peltopus bliteus</i> (J.J.Ver.) Szlach. & Marg. = <i>Bulbophyllum bliteum</i> J.J.Verm.
<i>Pelezia goniensis</i> #4 II 64 ORCHIDACEAE	<i>Peltopus brachypetalus</i> (Schltr.) Szlach. & Marg. = <i>Bulbophyllum brachypetalum</i> Schltr.
	<i>Peltopus brassii</i> (J.J.Verm.) Szlach. & Marg. = <i>Bulbophyllum brassii</i> J.J.Verm.
	<i>Peltopus calviventer</i> (J.J.Verm.) Szlach. & Marg. = <i>Bulbophyllum calviventer</i> J.J.Verm.
	<i>Peltopus cycloglossum</i> (Schltr.) Szlach. & Marg. = <i>Bulbophyllum cycloglossum</i> Schltr.

- Peltorus discolor* (Schltr.) Szlach. & Marg. =  
*Bulbophyllum discolor* Schltr.
- Peltorus greuterianus* Szlach. & Marg. = *Bulbophyllum peltorus* Schltr.
- Peltorus hiljeae* (J.J.Verm.) Szlach. & Marg. =  
*Bulbophyllum hiljeae* J.J.Verm.
- Peltorus inciferus* (J.J.Verm.) Szlach. & Mag. =  
*Bulbophyllum inciferum* J.J.Verm.
- Peltorus intersitus* (J.J.Verm.) Szlach. & Mag. =  
*Bulbophyllum intersitum* J.J.Verm.
- Peltorus kenaee* (J.J.Verm.) Szalzh. & Marg. =  
*Bulbophyllum kenaee* J.J.Verm.
- Peltorus lophotos* (J.J.Verm.) Szlach. & Marg. =  
*Bulbophyllum lophoton* J.J.Verm.
- Peltorus loroglossus* (J.J.Verm.) Szlach. & Marg. =  
*Bulbophyllum loroglossum* J.J.Verm.
- Peltorus minutipetalus* (Schltr.) Szlach. & Marg. =  
*Bulbophyllum minutipetalum* Schltr.
- Peltorus octarrhenipetalus* (J.J.Sm.) Szlach. & Marg. =  
*Bulbophyllum octarrhenipetalum* J.J.Sm.
- Peltorus origami* (J.J.Verm.) Szlach & Marg. =  
*Bulbophyllum origami* J.J.Verm.
- Peltorus ortalis* (J.J.Verm.) Szlach. & Marg. =  
*Bulbophyllum ortalis* J.J.Verm.
- Peltorus patella* (J.J.Verm.) Szlach. & Marg. =  
*Bulbophyllum patella* J.J.Verm.
- Peltorus planilabris* (Schltr.) Szlach. & Marg. =  
*Bulbophyllum peltorus* Schltr.
- Peltorus plicatus* (J.J.Verm.) Szlach & Marg. =  
*Bulbophyllum plicatum* J.J.Verm.
- Peltorus ptychantyx* (J.J.Verm.) Szlach. & Marg. =  
*Bulbophyllum ptychantyx* J.J.Verm.
- Peltorus reevei* (J.J.Verm.) Szlach. & Marg. =  
*Bulbophyllum reevei* J.J.Verm.
- Peltorus rhodoleucus* (Schltr.) Szlach. & Marg. =  
*Bulbophyllum rhodoleucum* Schltr.
- Peltorus santoensis* J.J.Verm.) Szlach. & Marg. =  
*Bulbophyllum santoense* J.J.Verm.
- Peltorus scutifer* (J.J.Verm.) Szlach. & Marg. =  
*Bulbophyllum scutiferum* J.J.Verm.
- Peltorus subapetalus* (J.J.Sm.) Szlach. & Marg. =  
*Bulbophyllum subapetalum* J.J.Sm.
- Peltorus systemochilus* (J.J.Verm.) Szlach. & Marg. =  
*Bulbophyllum systemochilum* J.J.Verm.
- Peltorus thelantyx* (J.J.Verm.) Szlach. & Marg. =  
*Bulbophyllum thelantyx* J.J.Verm.
- Peniocereus spp.** (A. Berger) Britton & Rose #4 II 49  
CACTACEAE
- Peniocereus castellae** Sánchez-Mejorada #4 II 49  
CACTACEAE
- Peniocereus cuixmalensis** Sánchez-Mejorada #4 II 49  
CACTACEAE
- Peniocereus diguetii* (Weber) Backeberg = *Peniocereus striatus* (Brandegee) Bauxbaum
- Peniocereus fosterianus** Cutak #4 II 49 CACTACEAE
- Peniocereus greggii** (Engelmann) Britton & Rose #4 II 49 CACTACEAE
- Peniocereus hirschtianus** (Schumann) Hunt #4 II 49  
CACTACEAE
- Peniocereus johnstonii** Britton & Rose #4 II 49  
CACTACEAE
- Peniocereus lazaro-cardenasii** (Contreras et al.) Hunt #4 II 49 CACTACEAE
- Peniocereus macdougallii** Cutak #4 II 49 CACTACEAE
- Peniocereus maculatus** (Weingart) Cutak #4 II 49  
CACTACEAE
- Peniocereus marianus** (Gentry) Sánchez-Mejorada #4 II 49  
CACTACEAE
- Peniocereus oaxacensis** (Britton & Rose) Hunt #4 II 49  
CACTACEAE
- Peniocereus occidentalis** Bravo #4 II 49 CACTACEAE
- Peniocereus papillosum* (Britton & Rose) hort. =  
*Peniocereus viperinus* (Weber) Kreuzinger
- Peniocereus rosei** J.G.Ortega #4 II 49 CACTACEAE
- Peniocereus serpentinus** (Lagasca & Rodrigues) Taylor #4 II 49 CACTACEAE
- Peniocereus striatus** (Brandegee) Bauxbaum #4 II 49  
CACTACEAE
- Peniocereus tepalcatepecanus** Sánchez-Mejorada #4 II 49  
CACTACEAE
- Peniocereus viperinus** (Weber) Kreuzinger #4 II 49  
CACTACEAE
- Peniocereus zopilotensis** (Meyrán) Buxbaum #4 II 49  
CACTACEAE
- Pennilabium spp.** J.J. Smith #4 II 64 ORCHIDACEAE
- Pennilabium acuminatum* (Ridley) Holttum #4 II 64  
ORCHIDACEAE
- Pennilabium angraecum* (Ridley) J.J. Smith #4 II 64  
ORCHIDACEAE
- Pennilabium aurantiacum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Penthea atricapilla* Harv. ex Lindl. = *Disa atricapilla* (Harv. ex Lindl.) Bolus
- Penthea elegans* Sond. = *Disa elegans* Sond. ex Rchb.f.
- Penthea filicornis* (L.f.) Lindl. = *Disa filicornis* (L.f.) Thunb.
- Penthea melaleuca* (Thunb.) Lindl. = *Disa bivalvata* (L.f.) T.Durand & Schinz
- Penthea minor* Sond. = *Disa minor* (Sond.) Rchb.f.
- Penthea obtusa* Lindl. = *Disa richardiana* Lehm. ex Bolus
- Penthea patens* (L.f.) Lindl. = *Disa tenuifolia* Sw.
- Penthea reflexa* Lindl. = *Disa filicornis* (L.f.) Thunb.
- Penthea triloba* Sond. = *Disa oligantha* Rchb.f.
- Perarium repens* (L.) Salisb. ex C.C.Curtis = *Goodyera repens* (L.) R.Br.
- Pereskia spp.** Mill. NC CACTACEAE
- Pereskia aculeata** Miller NC CACTACEAE
- Pereskia amapola* Weber = *Pereskia nemorosa* Rojas
- Pereskia aureiflora** Ritter NC CACTACEAE
- Pereskia autumnalis* Rose = *Pereskia lychnidiflora* De Candolle
- Pereskia bahiensis** Guerke NC CACTACEAE
- Pereskia bleo** (Kunth) De Candolle NC CACTACEAE
- Pereskia colombiana* Britton & Rose = *Pereskia guamacho* Weber
- Pereskia conzattii* Britton & Rose = *Pereskia lychnidiflora* De Candolle
- Pereskia cubensis* Britton & Rose = *Pereskia zinniiflora* De Candolle

- Pereskia diaz-romeroana** Cárdenas NC CACTACEAE  
**Pereskia grandifolia** Haworth NC CACTACEAE  
**Pereskia grandifolia grandifolia** NC CACTACEAE  
**Pereskia grandifolia violacea** (Leuenberger) Taylor & Zappi NC CACTACEAE  
**Pereskia guamacho** Weber NC CACTACEAE  
*Pereskia higuerana Cardenas* = *Pereskiopsis spathulata* (Otto ex Pfeiffer) Britton & Rose  
**Pereskia horrida** (Kunth) De Candolle NC CACTACEAE  
**Pereskia horrida horrida** NC CACTACEAE  
**Pereskia horrida rauhii** (Backeberg) Ostolaza NC CACTACEAE  
*Pereskia humboldtii* Britton & Rose = *Pereskia horrida horrida*  
**Pereskia lachnidiflora** De Candolle NC CACTACEAE  
**Pereskia marcanoi** Areces NC CACTACEAE  
*Pereskia moorei* Britton & Rose = *Pereskia sacharosa* Grisebach  
**Pereskia nemorosa** Rojas NC CACTACEAE  
*Pereskia pereskia* (Linnaeus) Karsten = *Pereskia aculeata* Miller  
*Pereskia pflanzii* Vaupel = *Quiabentia verticillata* (Vaupel) Vaupel  
*Pereskia pititache* Karwinski ex Pfeiffer = *Pereskia lachnidiflora* De Candolle  
**Pereskia portulacifolia** (L.) Haworth NC CACTACEAE  
**Pereskia quisqueyana** Liogier NC CACTACEAE  
**Pereskia sacharosa** Grisebach NC CACTACEAE  
*Pereskia saipinensis* Cardenas = *Pereskia sacharosa* Grisebach  
*Pereskia sparsiflora* Ritter = *Pereskia sacharosa* Grisebach  
**Pereskia stenantha** Ritter NC CACTACEAE  
*Pereskia tampicana* Weber = *Pereskia grandifolia grandifolia*  
*Pereskia vargasii* H. Johnson = *Pereskia horrida horrida*  
*Pereskia verticillata* Vaupel = *Quiabentia verticillata* (Vaupel) Vaupel  
**Pereskia weberiana** Schumann NC CACTACEAE  
*Pereskia zehntneri* Britton & Rose = *Quiabentia zehntneri* (Britton & Rose) Britton & Rose  
**Pereskia zinniiflora** De Candolle NC CACTACEAE  
**Pereskiopsis spp.** Britton & Rose NC CACTACEAE  
**Pereskiopsis aquosa** (Weber) Britton & Rose NC CACTACEAE  
**Pereskiopsis blakeana** J.G.Ortega NC CACTACEAE  
*Pereskiopsis chapistle* (Weber) Britton & Rose = *Pereskiopsis rotundifolia* (De Candolle) Britton & Rose  
**Pereskiopsis diguetii** (Weber) Britton & Rose NC CACTACEAE  
*Pereskiopsis gatesii* E. Baxter = *Pereskiopsis porteri* (Brandegee ex Weber) Britton & Rose  
**Pereskiopsis kellermanii** Rose NC CACTACEAE  
*Pereskiopsis opuntiiflora* (DC.) Britton & Rose = *Pereskia lachnidiflora* De Candolle  
*Pereskiopsis pititache* (Karwinski ex Pfeiffer) Britton & Rose = *Pereskia lachnidiflora* De Candolle  
**Pereskiopsis porteri** (Brandegee ex Weber) Britton & Rose NC CACTACEAE  
**Pereskiopsis rotundifolia** (De Candolle) Britton & Rose NC CACTACEAE  
**Pereskiopsis scandens** Britton & Rose = *Pereskiopsis kellermanii* Rose  
**Pereskiopsis spathulata** (Otto ex Pfeiffer) Britton & Rose NC CACTACEAE  
*Pereskiopsis velutina* Rose = *Pereskiopsis diguetii* (Weber) Britton & Rose  
**Pericopsis elata** (Harms) van Meeuwen #5 II  
 LEGUMINOSAE (E) African Teak, Satinwood, Yellow Satinwood (S) Afrormosia, Teca Africana (F)  
 Assamela, Teck d'Afrique  
**Peristeranthus spp.** T.E.Hunt #4 II 64 ORCHIDACEAE  
**Peristeria spp.** Hook. #4 I/II 64 ORCHIDACEAE  
*Peristeria aspersa* Rolfe 1890 = *Peristeria rossiana* Rchb.f.  
*Peristeria barkeri* Bateman 1837 = *Acineta barkeri* (Bateman) Lindley  
*Peristeria cerina* Lindl. #4 II 64 ORCHIDACEAE  
*Peristeria elata* Hook. 1831 I 70 ORCHIDACEAE (E) Dove Orchid, Holy Ghost Orchid (S) Espíritu Santo, Palomón  
*Peristeria fuscata* Rchb.f. = *Lycomormium squalidum* (P. & E.) Rchb.f.  
*Peristeria guttata* Knowles & Westc. 1839 #4 II 64 ORCHIDACEAE  
*Peristeria humboldtii* Lindl. 1843 = *Acineta superba* (Humboldt, Bonpl. & Kunth) Rchb.f.  
*Peristeria lentiginosa* Lodd. ex W.Baker 1850 = *Peristeria pendula* Hook.  
*Peristeria leucoxantha* Garay #4 II 64 ORCHIDACEAE  
*Peristeria lindenii* Rolfe #4 II 64 ORCHIDACEAE  
*Peristeria longiscapa* A.Rich. & Galeotti (1845) = *Lacaena bicolor* Lindl. (1843)  
*Peristeria maculata* Loudon = *Peristeria pendula* Hook.  
*Peristeria pendula* Hook. #4 II 64 ORCHIDACEAE  
*Peristeria rossiana* Rchb.f. #4 II 64 ORCHIDACEAE  
*Peristeria selligera* Rchb.f. #4 II 64 ORCHIDACEAE  
*Peristeria serroniana* (Barb.Rodr.) Garay #4 II 64 ORCHIDACEAE  
*Peristeria stapelioides* (Link & Otto) Loudon = *Promenaea stapelioides* (Link & Otto) Lindl.  
*Peristeria violacea* (Josst) Foldats 1968 #4 II 64 ORCHIDACEAE  
**Peristylus spp.** Blume #4 II 64 ORCHIDACEAE  
*Peristylus banfieldii* (Bailey) Lavarack #4 II 64 ORCHIDACEAE  
*Peristylus brachyphyllus* A. Rich. #4 II 64 ORCHIDACEAE  
*Peristylus brevilibus* Thwaites #4 II 64 ORCHIDACEAE  
*Peristylus calcaratus* (Rolle) S.Y.Hu #4 II 64 ORCHIDACEAE (E) Club-spurred Tentacle Orchid  
*Peristylus candidus* J.J. Smith #4 II 64 ORCHIDACEAE  
*Peristylus carolinensis* (Schltr.) Tuy. #4 II 64 ORCHIDACEAE  
*Peristylus djampangensis* J.J. Smith #4 II 64 ORCHIDACEAE  
*Peristylus gardneri* (Hook.f.) Kranzlin #4 II 64 ORCHIDACEAE  
*Peristylus goodyeroides* (D. Don) Lindley #4 II 64 ORCHIDACEAE (E) Round-spurred Peristylus

- Peristylus gracilis* Blume #4 II 64 ORCHIDACEAE  
*Peristylus holochila* (Hillebr.) N.Hallé #4 II 64  
 ORCHIDACEAE  
*Peristylus lacertiferus* (Lindley) J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Peristylus langbianensis* (Gagnepain) Tang & Wang #4 II  
 64 ORCHIDACEAE  
*Peristylus latilobus* J.J. Smith #4 II 64 ORCHIDACEAE  
*Peristylus minimiflorus* (Kranzlin) Halle #4 II 64  
 ORCHIDACEAE  
*Peristylus monticola* (Ridley) Seidenf. #4 II 64  
 ORCHIDACEAE  
*Peristylus ngoyensis* (Schltr.) Halle #4 II 64  
 ORCHIDACEAE  
*Peristylus*, Round-spurred (E): *Peristylus goodyeroides*  
*Peristylus secundus* (Lindley) Rathakr. #4 II 64  
 ORCHIDACEAE  
*Peristylus spiranthes* (Schauer) S.Y.Hu #4 II 64  
 ORCHIDACEAE (E) Creamy Green Tentacle Orchid  
*Peristylus stenodontus* (Reichb. f.) Renz & Vodonaivalu  
 #4 II 64 ORCHIDACEAE  
*Peristylus stenostachyus* Kranz. #4 II 64 ORCHIDACEAE  
 (E) Narrow-spurred Yellow-green Orchid  
*Peristylus tentaculatus* J.J.Smith #4 II 64 ORCHIDACEAE  
 (E) Long Tentacle Orchid  
*Peristylus trimenii* (Hook.f.) Abeyw. #4 II 64  
 ORCHIDACEAE  
*Peristylus wheatleyi* Cribb & B. Lewis #4 II 64  
 ORCHIDACEAE  
 pernambuco (S): *Caesalpinia echinata*  
***Perrieriella* spp.** Schltr. #4 II 64 ORCHIDACEAE  
***Pescatoria* spp.** Reichb. f. #4 II 64 ORCHIDACEAE  
*Pescatoria cerina* (Lindl. & Paxton) #4 II 64  
 ORCHIDACEAE  
*Pescatoria costaricensis* Schltr. #4 II 64 ORCHIDACEAE  
*Pescatoria lehmannii* Reichb. f. #4 II 64 ORCHIDACEAE  
*Petalocentrum angustifolium* Schltr. 1918 = *Sigmatostalix*  
*graminea* (Poepp. & Endl.) Rchb.f. 1852  
*Petalocentrum bicornutum* (Rolfe) Schltr. 1921 =  
*Sigmatostalix graminea* (Poepp. & Endl.) Rchb.f. 1852  
*Petalocentrum pusillum* (Schltr.) Schltr. 1918 =  
*Sigmatostalix graminea* (Poepp. & Endl.) Rchb.f. 1852  
 Peyote (S): *Lophophora williamsii*  
 Peyote (S): *Lophophora diffusa*  
 Pezuña de venado (S): *Ariocarpus kotschoubeyanus*  
*Pfeiffera brevispina* P.V.Heath = *Lepismium brevispinum*  
 Barthlott  
*Pfeiffera crenata* (Britton) P.V.Heath = *Lepismium*  
*crenatum* (Britton) Barthlott  
*Pfeiffera erecta* Ritter = *Lepismium ianthothele* (Monville)  
 Barthlott  
*Pfeiffera gracilis* Ritter = *Lepismium ianthothele* (Monville)  
 Barthlott  
*Pfeiffera ianthothele* (Monville) Weber = *Lepismium*  
*ianthothele* (Monville) Barthlott  
*Pfeiffera incahuasina* (Cardenas) P.V.Heath = *Lepismium*  
*monacanthum* (Grisebach) Barthlott  
*Pfeiffera matralensis* Ritter = *Lepismium ianthothele*  
 (Monville) Barthlott
- Pfeiffera micrantha* (Vaupel) P.V.Heath = *Lepismium*  
*micranthum* (Vaupel) Barthlott  
*Pfeiffera miyagawae* Barthlott & Rauh = *Lepismium*  
*miyagawae* (Barthlott & Rauh) Barthlott  
*Pfeiffera monacantha* (Grisebach) P.V.Heath = *Lepismium*  
*monacanthum* (Grisebach) Barthlott  
*Pfeiffera multigona* Cardenas = *Lepismium ianthothele*  
 (Monville) Barthlott  
*Pfeiffera paranganiensis* (Cardenas) P.V.Heath =  
*Lepismium paranganiense* (Cardenas) Barthlott  
*Phadrosanthus cochleatus* (L.) Kuntze = *Encyclia*  
*cochleata* (L.) Lemée  
***Phaius* spp.** Lour. #4 II 64 ORCHIDACEAE  
*Phaius actinomorphus* (Fukuy.) T.P.Lin = *Calanthe*  
*actinomorpha* Fukuy  
*Phaius amboinensis* Blume #4 II 64 ORCHIDACEAE  
*Phaius australis* F.Muell. #4 II 64 ORCHIDACEAE  
*Phaius bernaysii* Rowland ex H.G.Reichb. #4 II 64  
 ORCHIDACEAE  
*Phaius borneensis* J.J. Smith #4 II 64 ORCHIDACEAE  
*Phaius calathoides* Ames = *Calanthe halconensis* Ames  
*Phaius callosus* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Phaius daenikeri* Kranzlin #4 II 64 ORCHIDACEAE  
*Phaius epiphyticus* Seidenf. = *Calanthe densiflora* Lindl.  
*Phaius graeffei* Reichb.f. #4 II 64 ORCHIDACEAE  
*Phaius indigoferus* Hassk. #4 II 64 ORCHIDACEAE  
*Phaius longibracteatus* Frapp. #4 II 64 ORCHIDACEAE  
*Phaius luridus* Thwaites #4 II 64 ORCHIDACEAE  
*Phaius mishmensis* Reichb.f. #4 II 64 ORCHIDACEAE  
*Phaius neocaledonicus* Rendle #4 II 64 ORCHIDACEAE  
*Phaius pauciflorus* (Blume) Blume #4 II 64  
 ORCHIDACEAE  
*Phaius pictus* Hunt #4 II 64 ORCHIDACEAE  
*Phaius robertsii* F. Muell. #4 II 64 ORCHIDACEAE  
*Phaius tancarvilliae* (L'Her.) Blume #4 II 64  
 ORCHIDACEAE  
*Phaius tankervilleae* (Banks ex L'Herit.) Blume #4 II 64  
 ORCHIDACEAE  
*Phaius tankervilliae* (Banks ex l'Herit) Blume #4 II 64  
 ORCHIDACEAE (E) Nun Orchid  
*Phaius tetragonus* (Thouars) Rchb.f. #4 II 64  
 ORCHIDACEAE  
*Phaius vestitus* (Lindl.) Rchb.f. = *Calanthe vestita* Lindl.  
*Phaius villosus* Rchb.f. #4 II 64 ORCHIDACEAE  
*Phaius woodfordii* (Hook.) Merrill #4 II 64 ORCHIDACEAE  
***Phalaenopsis* spp.** Blume #4 II 64 ORCHIDACEAE  
*Phalaenopsis acutifolia* Linden = *Phalaenopsis sumatrana*  
 Korth. & Rchb.f.  
***Phalaenopsis amabilis*** (L.) Blume #4 II 64  
 ORCHIDACEAE  
*Phalaenopsis amabilis* Lindl. = *Phalaenopsis aphrodite*  
 Rchb.f.  
*Phalaenopsis ambigua* Rchb.f. = *Phalaenopsis aphrodite*  
 Rchb.f.  
***Phalaenopsis amboinensis*** J.J.Sm. #4 II 64  
 ORCHIDACEAE  
*Phalaenopsis antennifera* Reichb.f. = *Phalaenopsis*  
*pulcherrima* (Lindl.) J.J.Sm.  
***Phalaenopsis aphrodite*** Rchb.f. #4 II 64 ORCHIDACEAE

- Phalaenopsis aphrodisiaca* Rchb.f. = *Phalaenopsis intermedia* Lindl.
- Phalaenopsis appendiculata*** C.E.Carr #4 II 64  
ORCHIDACEAE
- Phalaenopsis babuyana* Miwa = *Phalaenopsis aphrodite* Rchb.f.
- Phalaenopsis barrii* King ex Hook.f. = *Phalaenopsis tetraptera* Rchb.f.
- Phalaenopsis bastianii*** Gruss & Roellke #4 II 64  
ORCHIDACEAE
- Phalaenopsis bellina* (Rchb.f.) Christenson = *Phalaenopsis violacea* Witte
- Phalaenopsis boxallii* Rchb.f. = *Phalaenopsis mannii* Rchb.f.
- Phalaenopsis brymeriana* hort. ex R.Warner & B.S.Williams = *Phalaenopsis intermedia* Lindl.
- Phalaenopsis buissoniana* Reichb.f. = *Phalaenopsis pulcherrima* (Lindl.) J.J.Sm.
- Phalaenopsis casta* Rchb.f. = *Phalaenopsis leucorrhoda* Rchb.f.
- Phalaenopsis casta* W.Boxall ex Naves = *Phalaenopsis leucorrhoda* Rchb.f.
- Phalaenopsis celebensis*** Sweet #4 II 64  
ORCHIDACEAE
- Phalaenopsis cochlearis*** Holttum #4 II 64  
ORCHIDACEAE
- Phalaenopsis corningiana*** Rchb.f. #4 II 64  
ORCHIDACEAE
- Phalaenopsis cornucervi* (Breda) Blume & Reichb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis cruciata* Schltr. = *Phalaenopsis maculata* Rchb.f.
- Phalaenopsis cumingiana* Rchb.f. = *Phalaenopsis corningiana* Rchb.f.
- Phalaenopsis cynthia* Rolfe = *Phalaenopsis leucorrhoda* Rchb.f.
- Phalaenopsis delicata* Rchb.f. = *Phalaenopsis intermedia* Lindl.
- Phalaenopsis deliciosa*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis deltonii* Gruss & Roellke = *Phalaenopsis bastianii* Gruss & Roellke
- Phalaenopsis denevei* J.J.Sm. = *Paraphalaenopsis denevei* (J.J.Sm.) A.D.Hawkes
- Phalaenopsis denisiana* Cogn. = *Phalaenopsis fuscata* Rchb.f.
- Phalaenopsis devriesiana* Rchb.f. = *Phalaenopsis cornucervi* (Breda) Blume & Reichb.f.
- Phalaenopsis diezii* (Covera) Quisumb. = *Phalaenopsis intermedia* Lindl.
- Phalaenopsis emersonii*** Koop & P.J.Cribb #4 II 64  
ORCHIDACEAE
- Phalaenopsis equestris*** (Schauer) Rchb.f. #4 II 64  
ORCHIDACEAE
- Phalaenopsis erubescens* Burb. = *Phalaenopsis aphrodite* Rchb.f.
- Phalaenopsis esmeralda* Reichb.f. = *Phalaenopsis pulcherrima* (Lindl.) J.J.Sm.
- Phalaenopsis fasciata*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis fimbriata*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Phalaenopsis floresensis*** Fowlie #4 II 64  
ORCHIDACEAE
- Phalaenopsis foerstermannii* Rchb.f. = *Phalaenopsis pallens* (Lindl.) Rchb.f.
- Phalaenopsis forbesii* Ridl. = *Phalaenopsis viridis* J.J.Sm.
- Phalaenopsis formosana* Miwa = *Phalaenopsis aphrodite* Rchb.f.
- Phalaenopsis formosum* hort. ex Sanders = *Phalaenopsis aphrodite* Rchb.f.
- Phalaenopsis fuscata*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis gersenii*** (Teijsm & Binn) Rolfe #4 II 64  
ORCHIDACEAE
- Phalaenopsis gertrudeae* Quisumb. = *Phalaenopsis veitchiana* Rchb.f.
- Phalaenopsis gibbosa*** Sweet #4 II 64 ORCHIDACEAE
- Phalaenopsis gigantea*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Phalaenopsis gloriae* Rchb.f. = *Phalaenopsis amabilis* (L.) Blume
- Phalaenopsis grandiflora* Lindl. = *Phalaenopsis amabilis* (L.) Blume
- Phalaenopsis hainanensis* Tang & Wang = *Phalaenopsis stobartiana* Rchb.f.
- Phalaenopsis hieroglyphica*** (Rchb.f.) Sweet #4 II 64  
ORCHIDACEAE
- Phalaenopsis hombronii* Finet = *Phalaenopsis amboinensis* J.J.Sm.
- Phalaenopsis inscriptiosinensis*** Fowlie #4 II 64  
ORCHIDACEAE
- Phalaenopsis intermedia*** Lindl. #4 II 64 ORCHIDACEAE
- Phalaenopsis javanica*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Phalaenopsis kimbballiana* Gower = *Phalaenopsis reichenbachiana* Rchb.f. & Sander
- Phalaenopsis kunstleri*** Hook.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis labukensis* Shim, Lamb & Chan = *Paraphalaenopsis labukensis* Shim, Lamb & Chan
- Phalaenopsis lamelligera*** Sweet #4 II 64  
ORCHIDACEAE
- Phalaenopsis latisepala* Rolfe = *Phalaenopsis javanica* J.J.Sm.
- Phalaenopsis laycockii* M.R.Head = *Paraphalaenopsis laycocki* (M.R.Hend.) A.Hawkes
- Phalaenopsis leucorrhoda*** Rchb.f. #4 II 64  
ORCHIDACEAE
- Phalaenopsis lindenii*** Loher #4 II 64 ORCHIDACEAE
- Phalaenopsis listeri* Berkeley = *Phalaenopsis lobbii* (Rchb.f.) Sweet
- Phalaenopsis lobbii*** (Rchb.f.) Sweet #4 II 64  
ORCHIDACEAE
- Phalaenopsis lobbii* hort. ex Rchb.f. = *Phalaenopsis intermedia* Lindl.
- Phalaenopsis lowii*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis lueddemanniana*** Rchb.f. #4 II 64  
ORCHIDACEAE
- Phalaenopsis lueddemanniana pulchra* (Rchb.f.) Veitch = *Phalaenopsis pulchra* (Rchb.f.) Sweet
- Phalaenopsis lueddemannii* Boxall ex Naves = *Phalaenopsis lueddemanniana* Rchb.f.
- Phalaenopsis luteola* Burb. = *Phalaenopsis pantherina* Rchb.f.

- Phalaenopsis maculata*** Rchb.f. #4 II 64 ORCHIDACEAE ***Phalaenopsis singuliflora*** J.J.Sm. = *Phalaenopsis gersenii* (Teijsm & Binn) Rolfe
- Phalaenopsis mannii*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis mariae*** Burb. ex R.Warner & B.S.Williams #4 II 64 ORCHIDACEAE
- Phalaenopsis micholitzii*** Rolfe #4 II 64 ORCHIDACEAE
- Phalaenopsis modesta*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Phalaenopsis musicola* Ridl. = *Phalaenopsis maculata* Rchb.f.
- Phalaenopsis mysorensis*** Saldanha #4 II 64 ORCHIDACEAE
- Phalaenopsis pallens*** (Lindl.) Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis pantherina*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis parishii*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis philippinensis*** Golamco ex Fowlie & Tang #4 II 64 ORCHIDACEAE
- Phalaenopsis pleihary* Burgeff = *Phalaenopsis amabilis* (L.) Blume
- Phalaenopsis portei* (Rchb.f.) Denning = *Phalaenopsis intermedia* Lindl.
- Phalaenopsis porteri* hort. ex Index Kew. = *Phalaenopsis intermedia* Lindl.
- Phalaenopsis proboscidioides* Parish ex Rchb.f. = *Phalaenopsis lowii* Rchb.f.
- Phalaenopsis psilantha* Schltr. = *Phalaenopsis amboinensis* J.J.Sm.
- Phalaenopsis pulcherrima*** (Lindl.) J.J.Sm. #4 II 64 ORCHIDACEAE
- Phalaenopsis pulchra*** (Rchb.f.) Sweet #4 II 64 ORCHIDACEAE
- Phalaenopsis reichenbachiana*** Rchb.f. & Sander #4 II 64 ORCHIDACEAE
- Phalaenopsis rimestadiana* (Linden) Rolfe = *Phalaenopsis amabilis* (L.) Blume
- Phalaenopsis riteiwanensis* Masamune = *Phalaenopsis equestris* (Schauer) Rchb.f.
- Phalaenopsis robinsonii*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Phalaenopsis rosea* Lindl. = *Phalaenopsis equestris* (Schauer) Rchb.f.
- Phalaenopsis rosenstromii*** Bailey #4 II 64 ORCHIDACEAE
- Phalaenopsis rothschildiana* Rchb.f. = *Phalaenopsis leucorrhoda* Rchb.f.
- Phalaenopsis sanderiana*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis schillerano* Rolfe = *Phalaenopsis leucorrhoda* Rchb.f.
- Phalaenopsis schilleriana*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis schilleriana vestalis* (Rchb.f.) Veitch = *Phalaenopsis stuartiana* Rchb.f.
- Phalaenopsis schiller-stuartiana*** Rolfe #4 II 64 ORCHIDACEAE
- Phalaenopsis serpentilingua* J.J.Sm. = *Paraphalaenopsis serpentilingua* (J.J.Sm.) A.D.Hawkes
- Phalaenopsis simonsei* Simonse = *Paraphalaenopsis serpentilingua* (J.J.Sm.) A.D.Hawkes
- Phalaenopsis speciosa*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis stauroglottis* hort. ex Rollinson = *Phalaenopsis equestris* (Schauer) Rchb.f.
- Phalaenopsis stobartiana*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis stuartiana*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis sumatrana*** Korth. & Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis sumatrana sumatrana* Korth. & Rchb.f. = *Phalaenopsis corningiana* Rchb.f.
- Phalaenopsis taenialis*** (Lindl) Christenson #4 II 64 ORCHIDACEAE
- Phalaenopsis tetraspis*** Rchb. f. #4 II 64 ORCHIDACEAE
- Phalaenopsis thalebanii*** Seidenfaden #4 II 64 ORCHIDACEAE
- Phalaenopsis thorntonii* Holttum = *Paraphalaenopsis thorntonii* (Holttum) A.D.Hawkes
- Phalaenopsis valentinii*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis veitchiana*** Rchb.f. #4 II 64 ORCHIDACEAE
- Phalaenopsis veitchii* hort. = *Phalaenopsis veitchiana* Rchb.f.
- Phalaenopsis venosa*** Shim & Fowlie #4 II 64 ORCHIDACEAE
- Phalaenopsis vesta* hort. = *Phalaenopsis intermedia* Lindl.
- Phalaenopsis violacea*** Witte #4 II 64 ORCHIDACEAE
- Phalaenopsis virataii* Quisumb. = *Phalaenopsis veitchiana* Rchb.f.
- Phalaenopsis viridis*** J.J.Sm. #4 II 64 ORCHIDACEAE
- Phalaenopsis wilsonii*** Rolfe #4 II 64 ORCHIDACEAE
- Phalaenopsis youngiana* hort. = *Phalaenopsis leucorrhoda* Rchb.f.
- Phalaenopsis youngii* hort. = *Phalaenopsis leucorrhoda* Rchb.f.
- Phalaenopsis zebrina* Witte = *Phalaenopsis sumatrana* Korth. & Rchb.f.
- Phegopteris axillaris* Féé 1850-52 = *Cyathea axillaris* (Féé 1850-52) Lellinger 1988
- Phelosperma tetrancistra* (Engelmann) Britton & Rose = *Mammillaria tetrancistra* Engelmann
- Philippicereus castaneus* (Philippi) Backeberg = *Eulychnia castanea* Philippi
- Pholidota*** spp. Lindl. ex Hook. #4 II 64 ORCHIDACEAE
- Pholidota advena* (C.S.P.Parish & Rchb.f.) Hook.f. #4 II 64 ORCHIDACEAE
- Pholidota articulata* Lindley #4 II 64 ORCHIDACEAE
- Pholidota calceata* Reichb.f. #4 II 64 ORCHIDACEAE
- Pholidota camelostalix* Reichb.f. #4 II 64 ORCHIDACEAE
- Pholidota cantonensis* Rolfe #4 II 64 ORCHIDACEAE (E) Seed-pearl Orchid
- Pholidota carnea* (Blume) Lindley #4 II 64 ORCHIDACEAE
- Pholidota chinensis* Lindl. #4 II 64 ORCHIDACEAE (E) Rattlesnake Orchid
- Pholidota convallariae* Hook.f. #4 II 64 ORCHIDACEAE
- Pholidota gibbosa* (Blume) Vries #4 II 64 ORCHIDACEAE

- Pholidota globosa* (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Pholidota imbricata* Lindley #4 II 64 ORCHIDACEAE
- Pholidota leveilleana* Schltr. #4 II 64 ORCHIDACEAE
- Pholidota longibulba* Holttum #4 II 64 ORCHIDACEAE
- Pholidota nervosa* Reichb.f. #4 II 64 ORCHIDACEAE
- Pholidota pallida* Lindley #4 II 64 ORCHIDACEAE
- Pholidota parviflora* Hook.f. #4 II 64 ORCHIDACEAE
- Pholidota pectinata* Ames #4 II 64 ORCHIDACEAE
- Pholidota recurva* Lindl. #4 II 64 ORCHIDACEAE
- Pholidota rubra* Lindl. #4 II 64 ORCHIDACEAE
- Pholidota sauveolens* Lindl. = *Coelogyne sauveolens* (Lindl.) Hook.f.
- Pholidota ventricosa* (Blume) Reich.f. #4 II 64  
ORCHIDACEAE
- Pholidota wattii* King & Pantl. #4 II 64 ORCHIDACEAE
- Phragmipedium sargentianum* (Rolfe) Rolfe =  
*Phragmipedium sargentianum* (Rolfe) Rolfe
- Phragmipedium spp.** Rolfe I 71 ORCHIDACEAE
- Phragmipedium besseae** Dodson & E.Kuhn. I 71  
ORCHIDACEAE
- Phragmipedium boissierianum** (Rchb.f.) Rolfe I 71  
ORCHIDACEAE
- Phragmipedium cajamarcae* Schltr. = *Phragmipedium boissierianum* (Rchb.f.) Rolfe
- Phragmipedium caricinum** (Lindl. & Paxton) Rolfe I 71  
ORCHIDACEAE
- Phragmipedium caudatum** (Lindl.) Rolfe I 71  
ORCHIDACEAE
- Phragmipedium czerwiakowianum* (Rchb.f.) Rolfe =  
*Phragmipedium boissierianum* (Rchb.f.) Rolfe
- Phragmipedium dariense* (Reichb.f.) Garay =  
*Phragmipedium longifolium* (Rchb.f. & Warsz.) Rolfe
- Phragmipedium ecuadorensis* Garay = *Phragmipedium pearcei* (Rchb.f.) Rauh & Senghas
- Phragmipedium extaminodium** Castaño, Hágster, &  
E.Aguirre I 71 ORCHIDACEAE
- Phragmipedium hartwegii* (Reichb.f.) L.O. Williams =  
*Phragmipedium longifolium* (Rchb.f. & Warsz.) Rolfe
- Phragmipedium hincksonianum* (Reichb.f.) Garay =  
*Phragmipedium longifolium* (Rchb.f. & Warsz.) Rolfe
- Phragmipedium hirtzii** Dodson I 71 ORCHIDACEAE
- Phragmipedium klotzschianum** (Rchb.f.) Rolfe I 71  
ORCHIDACEAE
- Phragmipedium lindenii** (Lindl.) Dressler & N.H.Williams I 71 ORCHIDACEAE
- Phragmipedium lindleyanum** (Lindl.) Rolfe I 71  
ORCHIDACEAE
- Phragmipedium longifolium** (Rchb.f. & Warsz.) Rolfe I 71 ORCHIDACEAE
- Phragmipedium pearcei** (Rchb.f.) Rauh & Senghas I 71  
ORCHIDACEAE
- Phragmipedium portillae** Gruss & Roeth I 71  
ORCHIDACEAE
- Phragmipedium reticulatum* (Reichb.f.) Garay =  
*Phragmipedium boissierianum* (Rchb.f.) Rolfe
- Phragmipedium richteri** Roeth & Gruss I 71  
ORCHIDACEAE
- Phragmipedium roezlii* (Reichb.f.) Garay = *Phragmipedium longifolium* (Rchb.f. & Warsz.) Rolfe
- Phragmipedium sargentianum** (Rolfe) Rolfe I 71  
ORCHIDACEAE
- Phragmipedium schlimg** (Linden & Rchb.f.) Rolfe I 71  
ORCHIDACEAE
- Phragmipedium vittatum** (Vell.) Rolfe I 71  
ORCHIDACEAE
- Phragmipedium wallisii** (Rchb.f.) Garay I 71  
ORCHIDACEAE
- Phragmipedium warszewiczianum* (Reichb.f.) Garay =  
*Phragmipedium caudatum* (Lindl.) Rolfe
- Phragmipedium xerophyticum** J.C.Soto, Salazar &  
Hágster I 71 ORCHIDACEAE
- Phragmopedilum sargentianum* (Rolfe) Pfister =  
*Phragmipedium sargentianum* (Rolfe) Rolfe
- Phragmorchis spp.** L.O.Williams #4 II 64  
ORCHIDACEAE
- Phreatia spp.** Lindl. #4 II 64 ORCHIDACEAE
- Phreatia acuminata* J.J. Smith #4 II 64 ORCHIDACEAE
- Phreatia crassifolia* Ridley #4 II 64 ORCHIDACEAE
- Phreatia densiflora* (Blume) Lindley #4 II 64  
ORCHIDACEAE
- Phreatia evrardii* Gagnepain #4 II 64 ORCHIDACEAE
- Phreatia globulosa* Ridl. = *Bulbophyllum globulosum* (Ridl.) Schuit & de Vogel
- Phreatia graeffei* Kranzlin #4 II 64 ORCHIDACEAE
- Phreatia hypsorhynchos* Schltr. #4 II 64 ORCHIDACEAE
- Phreatia laxiflora* (Blume) Lindley #4 II 64 ORCHIDACEAE
- Phreatia limenophylax* (Endl.) Benth. #4 II 64  
ORCHIDACEAE
- Phreatia listeri* Rolfe #4 II 64 ORCHIDACEAE
- Phreatia listrophora* Ridley #4 II 64 ORCHIDACEAE
- Phreatia neocalledonica* Schltr. #4 II 64 ORCHIDACEAE
- Phreatia oubatchensis* Schltr. #4 II 64 ORCHIDACEAE
- Phreatia paleata* Reichb.f. #4 II 64 ORCHIDACEAE
- Phreatia plexauroides* Reichb.f. #4 II 64 ORCHIDACEAE
- Phreatia ponapensis* Schltr. #4 II 64 ORCHIDACEAE
- Phreatia pseudo-thompsonii* Tuy. #4 II 64 ORCHIDACEAE
- Phreatia pusilla* (Blume) Lindley #4 II 64 ORCHIDACEAE
- Phreatia stenostachya* (Reichb.f.) Kranzlin #4 II 64  
ORCHIDACEAE
- Phreatia sublata* Halle #4 II 64 ORCHIDACEAE
- Phreatia subsaccata* J.J. Smith #4 II 64 ORCHIDACEAE
- Phreatia sulcata* (Blume) J.J. Smith #4 II 64  
ORCHIDACEAE
- Phreatia tahitensis* Lindley #4 II 64 ORCHIDACEAE
- Phreatia thompsonii* Ames #4 II 64 ORCHIDACEAE
- Phyllamphora mirabilis* Lour. = *Nepenthes mirabilis* (Lour.) Druce
- Phylloma aloiflorum* ker Gawl. = *Aloe purpurea* Lam.
- Phylloma macrum* (Haw) Sweet = *Aloe macra* Haw.
- Phylloma rufocinctum* (Haw) Sweet = *Aloe purpurea* Lam.
- Phyllorchis acutiflora* (A. Rich.) Kuntze = *Bulbophyllum acutiflorum* A. Rich.
- Phyllorchis adenopetala* (Lindl.) Kuntze = *Bulbophyllum flavescentes* (Blume) Lindley

<i>Phyllorchis affinis</i> (Lindl.) Kuntze = <i>Bulbophyllum affine</i> Lindley	<i>Phyllorchis candida</i> (Hook.f.) Kuntze = <i>Bulbophyllum candidum</i> Hook.f.
<i>Phyllorchis albida</i> (Wight) Kuntze = <i>Bulbophyllum albidum</i> (Wight) Hook.f.	<i>Phyllorchis capillipes</i> (C.S.P.Parish & Rchb.f.) Kuntze = <i>Bulbophyllum capillipes</i> C.S.P.Parish & Rchb.f
<i>Phyllorchis alcicornis</i> (C.S.Parish & Rchb.f.) Kuntze = <i>Bulbophyllum alcicorne</i> C.S.P.Parish & Rchb.f.	<i>Phyllorchis capitata</i> (Blume) Kuntze = <i>Bulbophyllum capitatum</i> (Blume) Lindley
<i>Phyllorchis alopecurus</i> (Rchb.f.) Kuntze = <i>Bulbophyllum triste</i> Rchb.f.	<i>Phyllorchis caudata</i> (Lindl.) Kuntze = <i>Bulbophyllum sterile</i> (Lam.) Suresh
<i>Phyllorchis andersonii</i> (Hook.f.) Kuntze = <i>Bulbophyllum andersonii</i> (Hook.f.) J.J.Sm.	<i>Phyllorchis cauliflora</i> (Hook.) Kuntze = <i>Bulbophyllum cauliflorum</i> Hook.f.
<i>Phyllorchis angustifolia</i> (Blume) Kuntze = <i>Bulbophyllum angustifolium</i> (Blume) Lindley	<i>Phyllorchis cernua</i> (Blume) Kuntze = <i>Bulbophyllum cernuum</i> (Blume) Lindley
<i>Phyllorchis antennifera</i> (Lindl.) Kuntze = <i>Bulbophyllum antenniferum</i> (Lindley) Reichb.f.	<i>Phyllorchis cheiri</i> (Lindl.) Kuntze = <i>Bulbophyllum cheiri</i> Lindley
<i>Phyllorchis apoda</i> (Hook.f.) Kuntze = <i>Bulbophyllum apodum</i> Hook.f.	<i>Phyllorchis chinensis</i> (Lindl.) Kuntze = <i>Bulbophyllum chinense</i> (Lindl.) Rchb.f.
<i>Phyllorchis argyropus</i> (Endl.) Kuntze = <i>Bulbophyllum argyropus</i> (Endl.) H.G.Reichb.	<i>Phyllorchis chloroptera</i> (Rchb.f.) Kuntze = <i>Bulbophyllum chloropterum</i> Rchb.f.
<i>Phyllorchis aristata</i> (Rchb.f.) Kuntze = <i>Bulbophyllum aristatum</i> (Rchb.f.) Hemsl.	<i>Phyllorchis ciliata</i> (Blume) Kuntze = <i>Bulbophyllum ciliatum</i> (Blume) Lindley
<i>Phyllorchis aurantiaca</i> (F.Muell.) Kuntze = <i>Bulbophyllum schillerianum</i> Rchb.f.	<i>Phyllorchis cirrhata</i> (Hook.) Kuntze = <i>Bulbophyllum cirratum</i> Hook.f.
<i>Phyllorchis aurata</i> (Lindl.) Kuntze = <i>Bulbophyllum auratum</i> (Lindl.) Rchb.f.	<i>Phyllorchis clavata</i> Thouars = <i>Bulbophyllum clavatum</i> Thouars
<i>Phyllorchis aurea</i> (Hook.f.) Kuntze = <i>Bulbophyllum aureum</i> (Hook.f.) J.J. Smith	<i>Phyllorchis clavigera</i> (Fitzg.) Kuntze = <i>Bulbophyllum longiflorum</i> Thouars
<i>Phyllorchis auricoma</i> (Lindl.) Kuntze = <i>Bulbophyllum auricomum</i> Lindl.	<i>Phyllorchis cochleata</i> (Lindl.) Kuntze = <i>Bulbophyllum cochleatum</i> Lindl.
<i>Phyllorchis baileyi</i> (F.Muell.) Kuntze = <i>Bulbophyllum baileyi</i> F.Muell.	<i>Phyllorchis collettii</i> (Hemsl.) Kuntze = <i>Bulbophyllum wendlandianum</i> (Kraenzl.) Dammer
<i>Phyllorchis barbigera</i> (Lindl.) Kuntze = <i>Bulbophyllum barbigerum</i> Lindl.	<i>Phyllorchis colubrina</i> (Rchb.f.) Kuntze = <i>Bulbophyllum colubrinum</i> (Rchb.f.) Rchb.f.
<i>Phyllorchis baronii</i> (Ridl.) Kuntze = <i>Bulbophyllum baronii</i> Ridl.	<i>Phyllorchis comata</i> (Lindl.) Kuntze = <i>Bulbophyllum comatum</i> Lindl.
<i>Phyllorchis beccarii</i> (Rchb.f.) Kuntze = <i>Bulbophyllum beccarii</i> Reich.f.	<i>Phyllorchis commersonii</i> Thouars = <i>Bulbophyllum commersonii</i> Thouars
<i>Phyllorchis bicolor</i> (Lindl.) Kuntze = <i>Bulbophyllum bicolor</i> Lindl.	<i>Phyllorchis comosa</i> (Collet & Hemsl.) Kuntze = <i>Bulbophyllum comosum</i> Collett & Hemsl.
<i>Phyllorchis bifaria</i> (Hook.f.) Kuntze = <i>Bulbophyllum bifarium</i> Hook.f.	<i>Phyllorchis conchifera</i> (Rchb.f.) Kuntze = <i>Bulbophyllum khasyanum</i> Griff.
<i>Phyllorchis biflora</i> (Teijsm. & Binn) Kuntze = <i>Bulbophyllum biflorum</i> Teijsm. & Binnend.	<i>Phyllorchis concinna</i> (Hook.f.) Kuntze = <i>Bulbophyllum concinnum</i> Hook.f.
<i>Phyllorchis biseta</i> (Lindl.) Kuntze = <i>Bulbophyllum bisetum</i> Lindl.	<i>Phyllorchis conferta</i> (Hook.f.) Kuntze = <i>Bulbophyllum scabratum</i> Rchb.f.
<i>Phyllorchis blepharistes</i> (Rchb.f.) Kuntze = <i>Bulbophyllum blepharistes</i> Rchb.f.	<i>Phyllorchis coriscensis</i> (Rchb.f.) Kuntze = <i>Bulbophyllum coriscense</i> Rchb.f.
<i>Phyllorchis blumei</i> (Lindl.) Kuntze = <i>Bulbophyllum blumei</i> (Lindley) J.J.Smith	<i>Phyllorchis cornuta</i> (Lindl.) Kuntze = <i>Bulbophyllum helenae</i> (Kuntze) J.J.Sm.
<i>Phyllorchis bootanensis</i> (Griff.) Kuntze = <i>Bulbophyllum umbellatum</i> Lindl.	<i>Phyllorchis crassifolia</i> (Thwaites ex Trimen) Kuntze = <i>Bulbophyllum crassifolium</i> Thwaites ex Trimen
<i>Phyllorchis bowkettiae</i> (F.M.Bailey) Kuntze = <i>Bulbophyllum bowkettiae</i> F.M.Bailey	<i>Phyllorchis crassipes</i> (Hook.f.) Kuntze = <i>Bulbophyllum crassipes</i> Hook. f.
<i>Phyllorchis bracteolata</i> (Lindl.) Kuntze = <i>Bulbophyllum bracteolatum</i> Lindl.	<i>Phyllorchis crocea</i> (Blume) Kuntze = <i>Bulbophyllum croceum</i> (Blume) Lindley
<i>Phyllorchis brevipes</i> (Ridley) Kuntze = <i>Bulbophyllum brevipes</i> Ridley	<i>Phyllorchis cumingii</i> (Lindl.) Kuntze = <i>Bulbophyllum cumingii</i> (Lindl.) Rchb.f.
<i>Phyllorchis bulbophylli</i> (Griff.) Kuntze = <i>Bulbophyllum griffithii</i> (Lindl.) Rchb.f.	<i>Phyllorchis cuprea</i> (Lindl.) Kuntze = <i>Bulbophyllum cupreum</i> Lindl.
<i>Phyllorchis caespitosa</i> Thouars = <i>Bulbophyllum caespitosum</i> Thouars	<i>Phyllorchis cylindracea</i> (Lindl.) Kuntze = <i>Bulbophyllum cylindraceum</i> Lindl.

- Phyllorchis dayana* (Rchb.f.) Kuntze = *Bulbophyllum dayanum* Rchb.f.
- Phyllorchis dearei* (Rchb.f.) Kuntze = *Bulbophyllum dearei* (Hort.) Rchb.f.
- Phyllorchis densa* Thouars = *Bulbophyllum densus* Thouars
- Phyllorchis diphysa* Kuntze = *Bulbophyllum capitatum* (Blume) Lindley
- Phyllorchis elaidum* (Lindl.) Kuntze = *Stolzia elaidum* (Lindl.) Summerh.
- Phyllorchis elata* (Hook.f.) Kuntze = *Bulbophyllum elatum* (Hook.f.) J.J.Sm.
- Phyllorchis elegans* (Gardn. ex Thwaites) Kuntze = *Bulbophyllum elegans* Gardner ex Thwaites
- Phyllorchis elisae* (F.Muell.) Kuntze = *Bulbophyllum elizae* (F. Muell.) Benth.
- Phyllorchis elliae* (Rhb.f.) Kuntze = *Bulbophyllum elliae* Reichb.f.
- Phyllorchis elongata* (Blume) Kuntze = *Bulbophyllum elongatum* (Blume) Hassk.
- Phyllorchis erecta* Thouars = *Bulbophyllum erectum* Thouars
- Phyllorchis euplephara* (Rchb.f.) Kuntze = *Bulbophyllum euplepharum* Rchb.f.
- Phyllorchis exaltata* (Lindl.) Kuntze = *Bulbophyllum exaltatum* Lindl.
- Phyllorchis exigua* (F.Muell.) Kuntze = *Bulbophyllum exiguum* F.Muell.
- Phyllorchis falcata* (Lindl.) Kuntze = *Bulbophyllum falcatum* (Lindl.) Rchb.f.
- Phyllorchis falcipetala* (Lindl.) Kuntze = *Bulbophyllum falcipetalum* Lindl.
- Phyllorchis fimbriata* (Lindl.) Kuntze = *Bulbophyllum fimbriatum* (Lindl.) Rchb.f.
- Phyllorchis flavescentia* (Blume) Kuntze = *Bulbophyllum flavescentia* (Blume) Lindley
- Phyllorchis flavidula* (Lindl.) Kuntze = *Bulbophyllum pumilum* (Sw.) Lindl.
- Phyllorchis fusca* (Lindl.) Kuntze = *Bulbophyllum fuscum* Lindl.
- Phyllorchis fuscopurpurea* (Wight) Kuntze = *Bulbophyllum fusco-purpureum* Wight
- Phyllorchis gamblei* (Hook.f.) Kuntze = *Bulbophyllum fischeri* Seidenf.
- Phyllorchis gamosepala* (Griff.) Kuntze = *Bulbophyllum flabellum-veneris* (J.Koenig) Seidenf. & Ormerod ex Aver.
- Phyllorchis geraensis* (Rchb.f.) Kuntze = *Bulbophyllum geraense* Rchb.f.
- Phyllorchis gibbosa* (Blume) Kuntze = *Bulbophyllum gibbosum* (Blume) Lindley
- Phyllorchis gladiata* (Lindl.) Kuntze = *Bulbophyllum gladiatum* Lindl.
- Phyllorchis globulus* (Hook.f.) Kuntze = *Bulbophyllum globulus* Hook.f.
- Phyllorchis gracilis* Thouars = *Bulbophyllum gracile* Thouars
- Phyllorchis grandiflora* (Blume) Kuntze = *Bulbophyllum grandiflorum* Blume
- Phyllorchis gradata* (Lindl.) Kuntze = *Bulbophyllum gravidum* Lindl.
- Phyllorchis guttulata* (Hook.f.) Kuntze = *Bulbophyllum guttulatum* (Hook.f.) Balakr.
- Phyllorchis gymnopoda* (Hook.f.) Kuntze = *Bulbophyllum gymnopoda* Hook.f.
- Phyllorchis helenae* Kuntze = *Bulbophyllum helenae* (Kuntze) J.J.Sm.
- Phyllorchis herminostachys* (Rchb.f.) Kuntze = *Bulbophyllum pumilum* (Sw.) Lindl.
- Phyllorchis hildebrandtii* (Rchb.f.) Kuntze = *Bulbophyllum hildebrandtii* Rchb.f.
- Phyllorchis hirsuta* (Blume) Kuntze = *Bulbophyllum hirsutum* (Blume) Lindl.
- Phyllorchis hirta* (J.E.Sm.) Kuntze = *Bulbophyllum hirtum* (J.E.Sm.) Lindl.
- Phyllorchis hookeri* Kuntze = *Bulbophyllum fischeri* Seidenf.
- Phyllorchis hymenantha* (Hook.f.) Kuntze = *Bulbophyllum hymenanthum* Hook.f.
- Phyllorchis imbricata* (Lindl.) Kuntze = *Bulbophyllum imbricatum* Lindl..
- Phyllorchis inaequalis* (Blume) Kuntze = *Bulbophyllum inaequale* (Blume) Lindley
- Phyllorchis incurva* Thouars = *Bulbophyllum incurvum* Thouars
- Phyllorchis iners* (Rchb.f.) Kuntze = *Bulbophyllum iners* Rchb.f.
- Phyllorchis intertexta* (Lindl.) Kuntze = *Bulbophyllum intertextum* Lindley
- Phyllorchis javanica* (Blume) Kuntze = *Bulbophyllum epicrianthes* Hook.f.
- Phyllorchis josephii* Kuntze = *Bulbophyllum josephi* (Kuntze) Summerh.
- Phyllorchis kaitiensis* (Rchb.f.) Kuntze = *Bulbophyllum kaitense* Reichb. f.
- Phyllorchis kingii* (Hook.f.) Kuntze = *Acrochaene punctata* Lindl.
- Phyllorchis lasiantha* (Lindl.) Kuntze = *Bulbophyllum lasianthum* Lindl.
- Phyllorchis lasiochila* (C.S.P.Parish & Rchb.f.) Kuntze = *Bulbophyllum lasiochilum* C.S.P.Parish & Rchb.f.
- Phyllorchis laxiflora* (Blume) Kuntze = *Bulbophyllum laxiflorum* (Blume) Lindley
- Phyllorchis lemniscata* (C.S.Parish ex Hook.f.) Kuntze = *Bulbophyllum lemniscatum* C.S.Parish ex Hook.f.
- Phyllorchis leopardina* (Wall.) Kuntze = *Bulbophyllum leopardinum* (Wall.) Lindl.
- Phyllorchis leptantha* (Hook.f.) Kuntze = *Bulbophyllum leptanthum* Hook.f.
- Phyllorchis leptosepala* (Hook.f.) Kuntze = *Bulbophyllum leptosepalum* Hook.f.
- Phyllorchis lichenastrum* (F.Muell.) Kuntze = *Dendrobium lichenastrum* (Muell.) Nicholls
- Phyllorchis limbata* (Lindl.) Kuntze = *Bulbophyllum limbatum* Lindley
- Phyllorchis lindleyana* (Griff.) Kuntze = *Bulbophyllum lindleyanum* Griff.
- Phyllorchis lobii* (Lindl.) Kuntze = *Bulbophyllum lobbii* Lindley

<i>Phyllorchis longiflora</i> Thouars = <i>Bulbophyllum longiflorum</i> Thouars	<i>Phyllorchis mutabilis</i> (Blume) Kuntze = <i>Bulbophyllum mutabile</i> (Blume) Lindley
<i>Phyllorchis longiscapa</i> (Teijsm. & Binn.) Kuntze = <i>Bulbophyllum blepharistes</i> Rchb.f.	<i>Phyllorchis napelli</i> (Lindl.) Kuntze = <i>Bulbophyllum napelli</i> Lindl.
<i>Phyllorchis lundiana</i> (Rchb.f. & Warm.) Kuntze = <i>Bulbophyllum lundianum</i> Rchb.f. & Warm.	<i>Phyllorchis nasuta</i> (Rchb.f.) Kuntze = <i>Trias nasuta</i> (Rchb.f.) Stapf.
<i>Phyllorchis lupulina</i> (Lindl.) Kuntze = <i>Bulbophyllum lupulinum</i> Lindl.	<i>Phyllorchis neilghernsis</i> (Wight) Kuntze = <i>Bulbophyllum neilgherrense</i> Wight
<i>Phyllorchis macraei</i> (Lindl.) Kuntze = <i>Bulbophyllum macraei</i> (Lindley) Reichb.f.	<i>Phyllorchis nematopoda</i> (F. Muell.) Kuntze = <i>Bulbophyllum nematopodium</i> F. Muell.
<i>Phyllorchis macrantha</i> (Lindl.) Kuntze = <i>Bulbophyllum macranthum</i> Lindley	<i>Phyllorchis nutans</i> Thouars = <i>Bulbophyllum nutans</i> (Thouars) Thouars
<i>Phyllorchis maculosa</i> Kuntze = <i>Bulbophyllum umbellatum</i> Lindl.	<i>Phyllorchis obtusa</i> (Blume) Kuntze = <i>Bulbophyllum obtusum</i> (Blume) Lindley
<i>Phyllorchis mannii</i> (Hook.) Kuntze = <i>Bulbophyllum cochleatum</i> Lindl.	<i>Phyllorchis occlusa</i> (Ridl.) Kuntze = <i>Bulbophyllum occlusum</i> Ridl.
<i>Phyllorchis maxillaris</i> (Lindl.) Kuntze = <i>Bulbophyllum blumei</i> (Lindley) J.J.Smith	<i>Phyllorchis occulta</i> Thouars = <i>Bulbophyllum occultum</i> Thouars
<i>Phyllorchis maxima</i> (Lindl.) Kuntze = <i>Bulbophyllum maximum</i> (Lindl.) Rchb.f.	<i>Phyllorchis odorata</i> (Blume) Kuntze = <i>Bulbophyllum odoratum</i> (Blume) Lindley
<i>Phyllorchis medusae</i> (Lindl.) Kuntze = <i>Bulbophyllum medusae</i> (Lindl.) Rchb.f.	<i>Phyllorchis odoratissima</i> (J.E.Sm.) Kuntze = <i>Bulbophyllum odoratissimum</i> (J.E.Sm.) Lindl.
<i>Phyllorchis megalantha</i> (Griff.) Kuntze = <i>Bulbophyllum cheiri</i> Lindley	<i>Phyllorchis oerstedii</i> (Rchb.f.) Kuntze = <i>Bulbophyllum oerstedii</i> (Reichb.f.) Hemsley
<i>Phyllorchis megalonyx</i> (Rchb.f.) Kuntze = <i>Bulbophyllum megalonyx</i> Rchb.f.	<i>Phyllorchis oligoglossa</i> (Rchb.f.) Kuntze = <i>Bulbophyllum oligoglossum</i> Rchb.f.
<i>Phyllorchis membranacea</i> (Teijsm. & Binn.) Kuntze = <i>Bulbophyllum membranaceum</i> Teijsm. & Binn.	<i>Phyllorchis oreonastes</i> (Rchb.f.) Kuntze = <i>Bulbophyllum oreonastes</i> Rchb.f.
<i>Phyllorchis membranifolia</i> (Hook.f.) Kuntze = <i>Bulbophyllum membranifolium</i> Hook.f.	<i>Phyllorchis ornatissima</i> (Rchb.f.) Kuntze = <i>Bulbophyllum ornatissimum</i> (Rchb.f.) J.J.Sm.
<i>Phyllorchis merguensis</i> (C.S.P.Parish & Rchb.f.) Kuntze = <i>Bulbophyllum lineatum</i> (Teijsm. & Binn.) J.J.Sm.	<i>Phyllorchis othonis</i> Kuntze = <i>Bulbophyllum othonis</i> (Kuntze) J.J.Sm.
<i>Phyllorchis meridensis</i> (Rchb.f.) Kuntze = <i>Bulbophyllum meridense</i> Rchb.f.	<i>Phyllorchis ovalifolia</i> (Blume) Lindl. = <i>Bulbophyllum ovalifolium</i> (Blume) Lindley
<i>Phyllorchis micrantha</i> (Hook.f.) Kuntze = <i>Bulbophyllum triste</i> Rchb.f.	<i>Phyllorchis pachyrhachis</i> (A. Rich.) Kuntze = <i>Bulbophyllum pachyrachis</i> (A. Rich.) Griseb.
<i>Phyllorchis micropetala</i> (Lindl.) Kuntze = <i>Genyorchis micropetala</i> (Lindl) Schltr.	<i>Phyllorchis paleacea</i> (Benth.) Kuntze = <i>Sunipia cirrhata</i> (Lindl.) P.F.Hunt
<i>Phyllorchis microtepala</i> (Rchb.f.) Kuntze = <i>Bulbophyllum microtepalmum</i> Rchb.f.	<i>Phyllorchis parviflora</i> (C.S.P.Parish & Rchb.f.) Kuntze = <i>Bulbophyllum parviflorum</i> C.S.P.Parish & Rchb.f.
<i>Phyllorchis minuta</i> Thouars = <i>Bulbophyllum minutum</i> Thouars	<i>Phyllorchis parvula</i> (Lindl.) Kuntze = <i>Bulbophyllum ovalifolium</i> (Blume) Lindley
<i>Phyllorchis minutissima</i> (F.Muell.) Kuntze = <i>Bulbophyllum minutissimum</i> (F.Muell.) F.Muell.	<i>Phyllorchis patens</i> (King ex Hook.f.) Kuntze = <i>Bulbophyllum patens</i> King ex Hook.f.
<i>Phyllorchis mischmeensis</i> Kuntze = <i>Sunipia cirrhata</i> (Lindl.) P.F.Hunt	<i>Phyllorchis pavimenta</i> (Lindl.) Kuntze = <i>Bulbophyllum pumilum</i> (Sw.) Lindl.
<i>Phyllorchis modesta</i> (Hook.f.) Kuntze = <i>Bulbophyllum sulcatum</i> (BLume) Lindley	<i>Phyllorchis pendula</i> Thouars = <i>Bulbophyllum pendulum</i> Thouars
<i>Phyllorchis monantha</i> Kuntze. = <i>Bulbophyllum monanthum</i> (Kuntze) J.J.Sm.	<i>Phyllorchis penicillum</i> (C.S.P.Parish & Rchb.f.) Kuntze = <i>Bulbophyllum penicillum</i> C.S.P.Parish & Rchb.f.
<i>Phyllorchis moniliformis</i> (C.S.P.Parish & Rchb.f.) Kuntze = <i>Bulbophyllum moniliforme</i> C.S.P.Parish & Rchb.f.	<i>Phyllorchis petiolaris</i> (Thwaites) Kuntze = <i>Bulbophyllum petiolare</i> Thwaites
<i>Phyllorchis monticola</i> (Hook.f.) Kuntze = <i>Bulbophyllum gravidum</i> Lindl.	<i>Phyllorchis picturata</i> (Lodd.) Kuntze = <i>Bulbophyllum picturatum</i> (Lodd.) Rchb.f.
<i>Phyllorchis mucronata</i> (Blume) Kuntze = <i>Bulbophyllum mucronatum</i> (Blume) Lindley	<i>Phyllorchis pileata</i> (Lindl.) Kuntze = <i>Bulbophyllum pileatum</i> Lindley
<i>Phyllorchis mucronifolia</i> (Rchb.f. & Warm.) Kuntze = <i>Bulbophyllum mucronifolium</i> Rchb.f. & Warm.	<i>Phyllorchis pipio</i> (Rchb.f.) Kuntze = <i>Bulbophyllum pipio</i> Rchb.f.
<i>Phyllorchis multiflora</i> (Ridl.) Kuntze = <i>Bulbophyllum multiflorum</i> Ridl.	<i>Phyllorchis polyrhiza</i> (Lindley) Kuntze = <i>Bulbophyllum polyrhizum</i> Lindley

- Phyllorchis prenticei* (F.Muell.) Kuntze = *Dendrobium lichenastrum* (Muell.) Nicholls
- Phyllorchis prismatica* Thouars = *Bulbophyllum prismaticum* Thouars
- Phyllorchis protracta* (Hook.f.) Kuntze = *Bulbophyllum protractum* Hook.f.
- Phyllorchis psittacoglossa* (Rchb.f.) Kuntze = *Bulbophyllum psittacoglossum* Rchb.f.
- Phyllorchis psychoon* (Rchb.f.) Kuntze = *Bulbophyllum psychoon* Rchb.f.
- Phyllorchis pumilio* (C.S.P.Parish & Rhcb.f.) Kuntze = *Bulbophyllum pumilio* C.S.P.Parish & Rhcb.f.
- Phyllorchis punctata* (Fitzg.) Kuntze = *Bulbophyllum baileyi* F.Muell.
- Phyllorchis purpurascens* (F.M.Bailey) Kuntze = *Bulbophyllum macphersoni* Rupp
- Phyllorchis purpurea* (D.Don) Kuntze = *Bulbophyllum careyanum* (Hook.f.) Sprengel
- Phyllorchis pusilla* Thouars = *Bulbophyllum pusillum* Thouars
- Phyllorchis pygmaea* (Sm) Kuntze = *Bulbophyllum pygmaeum* (Sm.) Lindl.
- Phyllorchis quadriseta* (Lindl.) Kuntze = *Bulbophyllum quadrisetum* Lindl.
- Phyllorchis radiata* (Lindl.) Kuntze = *Bulbophyllum laxiflorum* (Blume) Lindley
- Phyllorchis recurva* (Lindl.) Kuntze = *Bulbophyllum pumilum* (Sw.) Lindl.
- Phyllorchis refracta* (Zoll.) Kuntze = *Bulbophyllum refractum* (Zoll.) Reichb.f.
- Phyllorchis reichenbachii* Kuntze = *Bulbophyllum reichenbachii* (Kuntze) Schltr.
- Phyllorchis reinwardtii* (Lindl.) Kuntze = *Bulbophyllum uniflorum* (Blume) Hassk.
- Phyllorchis repens* (Griff.) Kuntze = *Bulbophyllum repens* Griff.
- Phyllorchis reptans* (Lindl.) Kuntze = *Bulbophyllum reptans* (Lindl.) Lindl.
- Phyllorchis reticulata* (Bateman) Kuntze = *Bulbophyllum reticulatum* Bateman
- Phyllorchis retusiuscula* (Rchb.f.) Kuntze = *Bulbophyllum retusiusculum* Rchb.f.
- Phyllorchis rhombifolium* (Carr) Masam. = *Bulbophyllum hymenochilum* Kraenzl.
- Phyllorchis ridleyana* Kuntze = *Bulbophyllum pulchellum* Ridley
- Phyllorchis ringens* (Rchb.f.) Kuntze = *Bulbophyllum lindleyanum* Griff.
- Phyllorchis rolfei* Kuntze = *Bulbophyllum rolfei* (Kuntze) Seidenf.
- Phyllorchis rostriceps* (Rchb.f.) Kuntze = *Bulbophyllum rostriceps* Rchb.f.
- Phyllorchis roxburghii* (Lindl.) Kuntze = *Bulbophyllum roxburghii* (Lindl.) Rchb.f.
- Phyllorchis rufilabra* (C.S.P.Parish & Hook.f.) Kuntze = *Bulbophyllum rufilabrum* C.S.P.Parish ex Hook.f.
- Phyllorchis rufina* (Rchb.f.) Kuntze = *Bulbophyllum rufinum* Rchb.f.
- Phyllorchis saltatoria* (Lindl.) Kuntze = *Bulbophyllum saltatorium* Lindl.
- Phyllorchis sceptrum* (Rchb.f.) Kuntze = *Bulbophyllum elongatum* (Blume) Hassk.
- Phyllorchis schefferi* Kuntze = *Bulbophyllum schefferi* (Kuntze) Schltr.
- Phyllorchis schmidtiana* (Rchb.f.) Kuntze = *Bulbophyllum schmidtianum* Rchb.f.
- Phyllorchis secunda* (Hook.f.) Kuntze = *Bulbophyllum secundum* Hook.f.
- Phyllorchis sessilis* Kuntze = *Bulbophyllum clandestinum* Lindl.
- Phyllorchis setigera* (Lindl.) Kuntze = *Bulbophyllum setigerum* Lindl.
- Phyllorchis seychellarum* (Rchb.f.) Kuntze = *Bulbophyllum intertextum* Lindley
- Phyllorchis shepherdii* (F.Muell.) Kuntze = *Bulbophyllum shepherdii* (F.Muell.) Rchb.f.
- Phyllorchis sicyobulbon* (C.S.P.Parish & Rhcb.f.) Kuntze = *Bulbophyllum sicyobulbon* C.S.P.Parish & Rchb.f.
- Phyllorchis silloniana* (Rchb.f.) Kuntze = *Bulbophyllum sillemianum* Rchb.f.
- Phyllorchis simillima* (Lindl.) Kuntze = *Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.
- Phyllorchis sordida* (Lindl.) Kuntze = *Bulbophyllum sordidum* Lindl.
- Phyllorchis stenobulbon* C.S.P.Parish & Rchb.f.) Kuntze = *Bulbophyllum stenobulbon* C.S.P.Parish & Rchb.f.
- Phyllorchis striata* (Griff.) Kuntze = *Bulbophyllum striatum* (Griff.) Rchb.f.
- Phyllorchis striatella* (Ridley) Kuntze = *Bulbophyllum striatellum* Ridley
- Phyllorchis suavissima* (Rolfe) Kuntze = *Bulbophyllum suavissimum* Rolfe
- Phyllorchis sulcata* (Blume) Kuntze = *Bulbophyllum sulcatum* (BLume) Lindley
- Phyllorchis taeniophylla* (C.S.P.Parish & Rchb.f.) Kuntze = *Bulbophyllum taeniophyllum* C.S.P.Parish & Reichb.f.
- Phyllorchis tenella* (Blume) Kuntze = *Bulbophyllum tenellum* (Blume) Lindley
- Phyllorchis tenuifolia* (Blume) Kuntze = *Bulbophyllum tenuifolium* (Blume) Lindley
- Phyllorchis thompsonii* (Ridl.) Kuntze = *Bulbophyllum thompsonii* Ridl.
- Phyllorchis thomsonii* (Hook.f.) Kuntze = *Bulbophyllum parviflorum* C.S.P.Parish & Rchb.f.
- Phyllorchis thwaitesii* (Reichb.f.) Kuntze = *Bulbophyllum thwaitesii* Reichb.f.
- Phyllorchis tortuosa* (Blume) Kuntze = *Bulbophyllum tortuosum* (Blume) Lindley
- Phyllorchis tremula* (Wight) Kuntze = *Bulbophyllum tremulum* Wight
- Phyllorchis triadenia* (Lindl) Kuntze = *Bulbophyllum triadenium* (Lindl) Rchb.f.
- Phyllorchis triflora* (Breda) Kuntze = *Bulbophyllum triflorum* (Breda) Blume
- Phyllorchis trimenii* (Hook.f.) Kuntze = *Bulbophyllum trimeni* (Hook.f.) J.J. Smith
- Phyllorchis tripetala* (Lindl.) Kuntze = *Bulbophyllum tripetalum* Lindl.
- Phyllorchis tristis* (Rchb.f.) Kuntze = *Bulbophyllum triste* Rchb.f.

- Phyllorchis umbellata* (G.Forst) Kuntze = *Bulbophyllum umbellatum* Lindl.
- Phyllorchis unguiculatum* (Reichb.f.) Kuntze = *Bulbophyllum unguiculatum* Reichb.f.
- Phyllorchis uniflora* (Blume) Kuntze = *Bulbophyllum uniflorum* (Blume) Hassk.
- Phyllorchis vaginata* (Lindl) Kuntze = *Bulbophyllum vaginatum* (Lindley) Reichb.f.
- Phyllorchis variegata* Thours = *Bulbophyllum variegatum* Thouars
- Phyllorchis vermicularis* (Hook.f.) Kuntze = *Bulbophyllum vermiculare* Hook.f.
- Phyllorchis violacea* (Blume) Kuntze = *Bulbophyllum violaceum* (Blume) Lindley
- Phyllorchis virens* (Lindl.) Kuntze = *Sunipia virens* (Lindl.) P.F.Hunt
- Phyllorchis viridiflora* (Hook.f.) Kuntze = *Bulbophyllum viridiflorum* (Hook.f.) Schltr.
- Phyllorchis vittata* (Rchb.f. & Warm.) Kuntze = *Bulbophyllum warmingianum* Cogn.
- Phyllorchis wallichii* Kuntze = *Bulbophyllum refractum* (Zoll.) Reichb.f.
- Phyllorchis weddellii* (Lindl.) Kuntze = *Bulbophyllum weddellii* (Lindl.) Rchb.f.
- Phyllorchis wightii* (Rchb.f.) Kuntze = *Bulbophyllum wightii* Reichb.f.
- Phyllorchis wrayi* (Hook.f.) Kuntze = *Bulbophyllum wrayi* Hook.f.
- Phyllorchis xylophylla* (C..S.Parish & Rchb.f.) Kuntze = *Bulbophyllum xylophyllum* C.S.P.Parish & Rchb.f.
- Phymatidium spp.** Lindl. #4 II 64 ORCHIDACEAE
- Phymatidium limae* Porto & Brade #4 II 64 ORCHIDACEAE
- Phymatidium microphyllum* (Barb.Rodr.) Toscano #4 II 64 ORCHIDACEAE
- Physinga* spp. Lindl. #4 II 64 ORCHIDACEAE
- Physinga polygonata* (Lindl.) H. Dietrich #4 II 64 ORCHIDACEAE
- Physoceras spp.** Schlechter #4 II 64 ORCHIDACEAE
- Physoceras boryanum* (A.Rich.) Posser #4 II 64 ORCHIDACEAE
- Physogyne* spp. Garay #4 II 64 ORCHIDACEAE
- Physogyne gonzalezii* (L.O. Williams) Burns-Balogh #4 II 64 ORCHIDACEAE
- Physosiphon bangii* (Schltr.) Garay = *Masdevallia bangii* Schltr.
- Physosiphon lansbergii* (Rchb.f.) L.O.Williams = *Masdevallia lansbergii* Rchb.f.
- Physurus paranaensis* (Kraenzl.) Schltr. 1920 = *Wullschlaegelia paranaensis* Kraenzl. 1911
- Pianowood (E): *Dalbergia nigra*
- Picrorhiza kurrooa* Royle ex Benth. #2 II SCROPHULARIACEAE
- Pie de elefante (S): *Dioscorea deltoidea*
- Pierrebraunia bahiensis* (Braun & Esteves Pereira) Esteves = *Arrojadoa bahiensis* (Braun & Esteves Pereira) Taylor & Eggli
- Pigeum (S): *Prunus africana*
- Pilgerodendron uviferum* (Don) Florin I CUPRESSACEAE (S) Cedro, Ciprés chileno, Ciprés de las Guaitecas, Ciprés de las Guayatecas, Ciprés de las Islas Len, Lahuán (F) Ciprés
- Pilocopiapoa solaris* Ritter = *Copiapoa solaris* (Ritter) Ritter
- Pilophyllum* spp. Schlechter #4 II 64 ORCHIDACEAE
- Pilophyllum villosum* (Blume) Schltr. #4 II 64 ORCHIDACEAE
- Pilosocereus** spp. Byles & Rowley #4 II 49 CACTACEAE
- Pilosocereus albisummus** Braun & Esteves #4 II 49 CACTACEAE
- Pilosocereus alensis** (Weber ex Gosselin) Byles & Rowley #4 II 49 CACTACEAE
- Pilosocereus arenicola* (Werdermann) Byles & Rowley = *Pilosocereus catingicola* (Guerke) Byles & Rowley
- Pilosocereus arrabidae** (Lemaire) Byles & Rowley #4 II 49 CACTACEAE
- Pilosocereus aureispinus** (Buining & Brederoo) Ritter #4 II 49 CACTACEAE
- Pilosocereus aurisetus** (Werdermann) Byles & Rowley #4 II 49 CACTACEAE
- Pilosocereus azulensis** Taylor & Zappi #4 II 49 CACTACEAE
- Pilosocereus backbergii* (Wiengart) Byles & Rowley = *Pilosocereus lanuginosus* (L.) Byles & Rowley
- Pilosocereus bahamensis* (Britton) Byles & Rowley = *Pilosocereus polygonus* (Lamarck) Byles & Rowley
- Pilosocereus barbadensis* (Britton & Rose) Byles & Rowley = *Pilosocereus royenii* (L.) Byles & Rowley
- Pilosocereus bradei* (Backeberg & Voll) Byles & Rowley = *Cipocereus bradei* (Backeberg & Voll) Zappi & Taylor
- Pilosocereus brasiliensis** (Britton & Rose) Backeberg #4 II 49 CACTACEAE
- Pilosocereus brooksianus* (Vaupel) Byles & Rowley = *Pilosocereus polygonus* (Lamarck) Byles & Rowley
- Pilosocereus carolinensis* Ritter = *Pilosocereus flavipulvinatus* (Buining & Brederoo) Ritter
- Pilosocereus catingicola** (Guerke) Byles & Rowley #4 II 49 CACTACEAE
- Pilosocereus catingicola arenicola* (Werdermann) Braun & Esteves Pereira = *Pilosocereus catingicola* (Guerke) Byles & Rowley
- Pilosocereus chrysacanthus** (Weber) Byles & Rowley #4 II 49 CACTACEAE
- Pilosocereus chrysostele** (Vaupel) Byles & Rowley #4 II 49 CACTACEAE
- Pilosocereus claroviridis* (Backberg) Byles & Rowley = *Pilosocereus lanuginosus* (L.) Byles & Rowley
- Pilosocereus coeruleascens* (Lemaire) Ritter = *Pilosocereus aurisetus* (Werdermann) Byles & Rowley
- Pilosocereus collinsii* Britton & Rose = *Pilosocereus purpusii* (Britton & Rose) Byles & Rowley
- Pilosocereus colombianus* (Rose) Byles & Rowley = *Pilosocereus lanuginosus* (L.) Byles & Rowley
- Pilosocereus cometes* (Schweidw.) Byles & Rowley = *Pilosocereus leucocephalus* (Poselger) Byles & Rowley
- Pilosocereus cristalinensis* Braun & Esteves Pereira = *Pilosocereus machrisii* (Dawson) Backeberg
- Pilosocereus cuyabensis* (Backeberg) Byles & Rowley = *Pilosocereus machrisii* (Dawson) Backeberg

- Pilosocereus deeringii* (Small) F.M.Knuth = *Pilosocereus polygonus* (Lamarck) Byles & Rowley  
*Pilosocereus densiareolatus* Ritter #4 II 49  
 CACTACEAE  
*Pilosocereus densivillosus* Braun & Esteves Pereira =  
*Pilosocereus machrisii* (Dawson) Backeberg  
*Pilosocereus diersianus* (Esteves) Braun #4 II 49  
 CACTACEAE  
*Pilosocereus flavipulvinatus* (Buining & Brederoo) Ritter #4 II 49 CACTACEAE  
*Pilosocereus flavipulvinatus carolinensis* (Ritter) Braun & Esteves Pereira = *Pilosocereus flavipulvinatus* (Buining & Brederoo) Ritter  
*Pilosocereus flexibilispinus* Braun & Esteves Pereira #4 II 49 CACTACEAE  
*Pilosocereus floccosus* Byles & Rowley #4 II 49  
 CACTACEAE  
*Pilosocereus fulvilanatus* (Buining & Brederoo) Ritter #4 II 49 CACTACEAE  
*Pilosocereus gaturianensis* Ritter = *Pilosocereus piauhensis* (Guerke) Byles & Rowley  
*Pilosocereus gaumeri* (Britton & Rose) Backeberg =  
*Pilosocereus royenii* (L.) Byles & Rowley  
*Pilosocereus gironensis* Rauh & Backeberg =  
*Pilosocereus lanuginosus* (L.) Byles & Rowley  
*Pilosocereus glaucescens* (Linke) Byles & Rowley =  
*Pilosocereus pachycladus* Ritter  
*Pilosocereus glaucochrous* (Werdermann) Byles & Rowley #4 II 49 CACTACEAE  
*Pilosocereus gounellei* (Weber) Byles & Rowley #4 II 49 CACTACEAE  
*Pilosocereus gruberi* Schatzl & Till = *Cereus mortensenii* (Croizat) Hunt & Taylor  
*Pilosocereus guerreronis* (Backeberg) Byles & Rowley =  
*Pilosocereus alensis* (Weber ex Gosselin) Byles & Rowley  
*Pilosocereus juaruensis* (Buining & Brederoo) Braun =  
*Pilosocereus machrisii* (Dawson) Backeberg  
*Pilosocereus kanukuensis* (Alexander) Leuenberger =  
*Pilosocereus oligolepis* (Vaupel) Byles & Rowley  
*Pilosocereus keyensis* (Britton & Rose) Byles & Rowley =  
*Pilosocereus polygonus* (Lamarck) Byles & Rowley  
*Pilosocereus lanuginosus* (L.) Byles & Rowley #4 II 49 CACTACEAE  
*Pilosocereus leucocephalus* (Poselger) Byles & Rowley #4 II 49 CACTACEAE  
*Pilosocereus lindaianus* Braun & Esteves Pereira =  
*Pilosocereus machrisii* (Dawson) Backeberg  
*Pilosocereus lindanus* Braun & Esteves Pereira =  
*Pilosocereus machrisii* (Dawson) Backeberg  
*Pilosocereus luetzelburgii* (Vaupel) Byles & Rowley =  
*Stephanocereus luetzelburgii* (Vaupel) Taylor & Eggli  
*Pilosocereus machrisii* (Dawson) Backeberg #4 II 49 CACTACEAE  
*Pilosocereus magnificus* (Buining & Brederoo) Ritter #4 II 49 CACTACEAE  
*Pilosocereus maxonii* (Rose) Byles & Rowley =  
*Pilosocereus leucocephalus* (Poselger) Byles & Rowley  
*Pilosocereus monoclonos* (De Candolle) Byles & Rowley =  
*Pilosocereus royenii* (L.) Byles & Rowley  
*Pilosocereus moritzianus* (Otto) Byles & Rowley =  
*Pilosocereus lanuginosus* (L.) Byles & Rowley  
*Pilosocereus mortensenii* (Croizat) Backeberg = *Cereus mortensenii* (Croizat) Hunt & Taylor  
*Pilosocereus mucosiflorus* (Buining & Brederoo) Ritter =  
*Pilosocereus piauhensis* (Guerke) Byles & Rowley  
*Pilosocereus multicostatus* Ritter #4 II 49 CACTACEAE  
*Pilosocereus nobilis* (Haworth) Byles & Rowley =  
*Pilosocereus royenii* (L.) Byles & Rowley  
*Pilosocereus oligolepis* (Vaupel) Byles & Rowley #4 II 49 CACTACEAE  
*Pilosocereus oligolepis kanukuensis* (Alexander) Braun & Esteves Pereira = *Pilosocereus oligolepis* (Vaupel) Byles & Rowley  
*Pilosocereus pachycladus* Ritter #4 II 49 CACTACEAE  
*Pilosocereus palmeri* (Rose) Byles & Rowley =  
*Pilosocereus leucocephalus* (Poselger) Byles & Rowley  
*Pilosocereus parvus* (Diers & Esteves Pereira) =  
*Pilosocereus machrisii* (Dawson) Backeberg  
*Pilosocereus pentaedrophorus* (Cels) Byles & Rowley #4 II 49 CACTACEAE  
*Pilosocereus piauhensis* (Guerke) Byles & Rowley #4 II 49 CACTACEAE  
*Pilosocereus piauhensis gaturianensis* (Ritter) Braun & Esteves Pereira = *Pilosocereus piauhensis* (Guerke) Byles & Rowley  
*Pilosocereus piauhensis mucosiflorus* (Buining & Brederoo) Braun & Esteves Pereira = *Pilosocereus piauhensis* (Guerke) Byles & Rowley  
*Pilosocereus polygonus* (Lamarck) Byles & Rowley #4 II 49 CACTACEAE  
*Pilosocereus purpusii* (Britton & Rose) Byles & Rowley #4 II 49 CACTACEAE  
*Pilosocereus pusillibaccatus* Braun & Esteves Pereira =  
*Pilosocereus machrisii* (Dawson) Backeberg  
*Pilosocereus pusilliflorus* (Ritter) Braun = *Cipocereus pusilliflorus* (Ritter) Zappi & Taylor  
*Pilosocereus quadricentralis* (Dawson) Backeberg #4 II 49 CACTACEAE  
*Pilosocereus rizzoanus* Braun & Esteves Pereira =  
*Pilosocereus vilaboensis* (Diers & Esteves Pereira) Braun  
*Pilosocereus robinii* (L.) Byles & Rowley = *Pilosocereus polygonus* (Lamarck) Byles & Rowley  
*Pilosocereus royenii* (L.) Byles & Rowley #4 II 49 CACTACEAE (E) Organ Cactus, Vine Pear  
*Pilosocereus sartorianus* (Rose) Byles & Rowley =  
*Pilosocereus leucocephalus* (Poselger) Byles & Rowley  
*Pilosocereus saudadensis* Ritter = *Pilosocereus machrisii* (Dawson) Backeberg  
*Pilosocereus sublanatus* (Salm-Dyck) Byles & Rowley =  
*Pilosocereus brasiliensis* (Britton & Rose) Backeberg  
*Pilosocereus subsimilis* Rizzini & Mattos #4 II 49 CACTACEAE  
*Pilosocereus swartzii* (Griseb.) Britton & Rose =  
*Pilosocereus royenii* (L.) Byles & Rowley

- Pilosocereus tehuacanus* Rose = *Pilosocereus leucocephalus* (Poselger) Byles & Rowley  
*Pilosocereus tillianus* Gruber & Schatzl. = *Pilosocereus lanuginosus* (L.) Byles & Rowley  
***Pilosocereus tuberculatus*** (Werdermann) Byles & Rowley #4 II 49 CACTACEAE  
*Pilosocereus tuberculosus* Rauh & Backeberg = *Pilosocereus lanuginosus* (L.) Byles & Rowley  
*Pilosocereus tweedyanus* (Britton & Rose) Byles & Rowley = *Pilosocereus lanuginosus* (L.) Byles & Rowley  
***Pilosocereus ulei*** (Schumann) Byles & Rowley #4 II 49 CACTACEAE  
*Pilosocereus urbanianus* (K. Schum.) Britton & Rose =  
*Pilosocereus royenii* (L.) Byles & Rowley  
***Pilosocereus vilaboensis*** (Diers & Esteves Pereira) Braun #4 II 49 CACTACEAE  
*Pilumna fragrans* Lindl. 1844 = *Trichopilia fragrans* (Lindl.) Rchb.f. 1858  
*Pilumna laxa* Lindl. 1844 = *Trichopilia fragrans* (Lindl.) Rchb.f. 1858  
*Pilumna laxa* Lindl. 1844 = *Trichopilia laxa* (Lindl.) Rchb.f. 1858  
*Pilumna nobilis* Rchb.f. 1849 = *Trichopilia fragrans* (Lindl.) Rchb.f. 1858  
*Pilumna reichenheimiana* Klotzsch 1855 = *Trichopilia laxa* (Lindl.) Rchb.f. 1858  
*Pilumna wagneri* Rchb.f. 1854 = *Trichopilia wageneri* (Rchb.f.) Rchb.f. 1858  
*Pilumna wagneri* Rchb.f. 1854 = *Trichopilia fragrans* (Lindl.) Rchb.f. 1858  
*Pinabete* (S): *Abies guatemalensis*  
*Pinalia* spp. Lindl. #4 II 64 ORCHIDACEAE  
*Pinalia stricta* (Lindl.) Kuntze #4 II 64 ORCHIDACEAE  
*Pin du Chili* (F): *Araucaria araucana*  
*Pine* (E): *Podocarpus nerifolius*  
*Pine, Black* (E): *Podocarpus nerifolius*  
*Pine, Brown* (E): *Podocarpus nerifolius*  
*Pine, Chile* (E): *Araucaria araucana*  
*Pine, Chilean* (E): *Araucaria araucana*  
*Pine, Korean Nut* (E): *Pinus koraiensis*  
***Pinelia* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Pinelia lehmanniana* Kraenzl. = *Homalopetalum pumilio* (Rchb.f.) Schltr. 1923  
*Pinelia pumilio* (Rchb.f.) Schltr. 1918 = *Homalopetalum pumilio* (Rchb.f.) Schltr. 1923  
*Pinelia tuerckheimii* Kraenzl. 1930 = *Homalopetalum pumilio* (Rchb.f.) Schltr. 1923  
*Pine, Parana* (E): *Araucaria araucana*  
*Pino* (S): *Araucaria araucana*  
*Pino araucana* (S): *Araucaria araucana*  
*Pino Araucaria* (S): *Araucaria araucana*  
*Pino Chileno* (S): *Araucaria araucana*  
*Pino de cerro* (S): *Podocarpus parlatorei*  
*Pino de Chile* (S): *Araucaria araucana*  
*Pino de Neuquén* (S): *Araucaria araucana*  
*Pino hachado* (S): *Araucaria araucana*  
*Pino Piñonero* (S): *Araucaria araucana*  
*Pino Solo* (S): *Araucaria araucana*  
*Pinus araucana* Mol. = *Araucaria araucana* (Molina) K.Koch  
*Pinus cupressoides* Mol. = *Fitzroya cupressoides* (Molina) I. M. Johnston  
*Pinus koraiensis* Sieber & Zucc. #5 III PINACEAE (E)  
 Korean Nut Pine  
***Piperia* spp.** Rydb. #4 II 64 ORCHIDACEAE  
*Piperia maritima* Rydb. #4 II 64 ORCHIDACEAE (E)  
 Dense-flower Reinorchid  
*Piperia yadonii* Morgan & Ackerman #4 II 64 ORCHIDACEAE  
*Pipit*, Ramin (E): *Gonystylus maingayi*  
*Pianthocereus aethiops* (Haworth) Ritter = *Cereus aethiops* Haworth  
*Pianthocereus colosseus* Ritter = *Cereus lamprospermus* Schumann  
*Pianthocereus comarapanus* (Cardenas) Ritter = *Cereus comarapanus* Cardenas  
*Pianthocereus crassisepalus* (Buining & Brederoo) Ritter = *Cipocereus crassisepalus* (Buining & Brederoo) Zappi & Taylor  
*Pianthocereus dayamii* (Spegazzini) Ritter = *Cereus stenogonus* Schumann  
*Pianthocereus huilunchu* (Cardenas) Ritter = *Cereus huilunchu* Cardenas  
*Pianthocereus lanosus* Ritter = *Cereus lanosus* (Ritter) Braun  
*Pianthocereus lindenzweigianus* (Guerke) Ritter = *Cereus spegazzinii* Weber  
*Pianthocereus neonesioticus* Ritter = *Cereus hildmannianus* Schumann  
*Pianthocereus pachyrhizus* (Schumann) Ritter = *Cereus pachyrhizus* Schumann  
*Pianthocereus stenogonus* (Schumann) Ritter = *Cereus stenogonus* Schumann  
*Pianthocereus xanthocarpus* (Schumann) Ritter = *Cereus hildmannianus* Schumann  
*Pitahaya* (S): *Leptocereus wrightii*  
*Pitcher-plant, Mountain Sweet* (E): *Sarracenia rubra jonesii*  
*Pitcher-plant, Sweet* (E): *Sarracenia rubra jonesii*  
*Pittosporum filarium* Oken. = *Aquilaria audate* (Oken) Merr.  
***Pityphyllum* spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Pityphyllum amesianum* Schltr. #4 II 64 ORCHIDACEAE  
***Platanthera* spp.** Rich. #4 II 64 ORCHIDACEAE  
*Platanthera algeriensis* Batt. & Trab. #4 II 64 ORCHIDACEAE  
*Platanthera amabilis* Koidz. #4 II 64 ORCHIDACEAE  
*Platanthera angustata* (Blume) Lindley #4 II 64 ORCHIDACEAE  
*Platanthera azorica* Schltr. #4 II 64 ORCHIDACEAE  
*Platanthera bifolia* (L.) Rich. #4 II 64 ORCHIDACEAE (E)  
 Lesser Butterfly Orchid  
*Platanthera blumei* Lindley #4 II 64 ORCHIDACEAE  
*Platanthera boninensis* Koidz. #4 II 64 ORCHIDACEAE  
*Platanthera camtschatica* (Cham. & Schldl.) Makino #4 II 64 ORCHIDACEAE  
*Platanthera chlorantha* (Custer) Rchb. #4 II 64 ORCHIDACEAE (E) Butterfly Orchid

- Platanthera chorisiana* (Cham.) Reichenb. #4 II 64  
ORCHIDACEAE (E) Choriso Bog Orchid
- Platanthera ciliaris* (L.) Lindl. #4 II 64 ORCHIDACEAE
- Platanthera deflexilabella* K.Y.Lang #4 II 64  
ORCHIDACEAE
- Platanthera diphylla* Reichb. F. #4 II 64 ORCHIDACEAE
- Platanthera finetiana* Schltr. #4 II 64 ORCHIDACEAE
- Platanthera flava* (L.) Lindl. #4 II 64 ORCHIDACEAE (E)  
Pale-green Orchis, Rein Orchid, Southern Rein Orchid,  
Southern Tubercl Orchi, Tubercl Orchid
- Platanthera gracilis* Lindl. #4 II 64 ORCHIDACEAE
- Platanthera holochila* (Hbd.) Kraenzlin #4 II 64  
ORCHIDACEAE
- Platanthera huronensis* Lindl. #4 II 64 ORCHIDACEAE
- Platanthera hyperborea* (L.) Lindl. #4 II 64  
ORCHIDACEAE
- Platanthera integra* (Nutt.) A.Gray ex Beck #4 II 64  
ORCHIDACEAE (E) Golden Frog-arrow Orchid,  
Southern Yellow Orchis, Yellow Fringeless Orchid,  
Yellow Orchid
- Platanthera integrilabia* (Correll) Luer #4 II 64  
ORCHIDACEAE (E) Monkey Face Orchid, White  
Fringeless Orchid
- Platanthera leucophaea* (Nutt.) Lindl. #4 II 64  
ORCHIDACEAE (E) Eastern Prairie Fringed Orchid,  
Prairie Fringed Orchid, Prairie Orchis, Prairie  
White-fringed Orchid, White-fringed Orchid
- Platanthera likiangensis* T.Tang & F.T.Wang #4 II 64  
ORCHIDACEAE
- Platanthera limosa* Lindl. #4 II 64 ORCHIDACEAE (E)  
Thurber's Bog Orchid
- Platanthera longiglandula* Hayata #4 II 64 ORCHIDACEAE
- Platanthera mandarinorum* Rchb.f. #4 II 64  
ORCHIDACEAE (E) Ballerina Orchid
- Platanthera micrantha* (Hochst.) Schltr. #4 II 64  
ORCHIDACEAE
- Platanthera minor* Rchb. #4 II 64 ORCHIDACEAE (E)  
Narrow-leaf Platanthera
- Platanthera, Narrow-leaf (E): *Platanthera minor*
- Platanthera obtusata* (Pursh) Lindl. #4 II 64  
ORCHIDACEAE
- Platanthera okubou* Makino #4 II 64 ORCHIDACEAE
- Platanthera oreophila* (W.W.Sm.) Schltr. #4 II 64  
ORCHIDACEAE
- Platanthera peramoena* (Gray) Gray #4 II 64  
ORCHIDACEAE (E) Pride-of-the-peak Orchid, Purple  
Fret-lip Orchid, Purple Fringeless Orchid, Purple  
Fringeless Orchis
- Platanthera platantheroides* (T.Tang & F.T.Wang) K.Lang  
#4 II 64 ORCHIDACEAE
- Platanthera praecilara* Sheviak & Bowles #4 II 64  
ORCHIDACEAE (E) Western Prairie Fringed Orchid,  
Western White-fringed Orchid
- Platanthera purpurascens* (Rydb.) Sheviak & W.F.Jenn. #4  
II 64 ORCHIDACEAE
- Platanthera sinica* T.Tang & F.T.Wang #4 II 64  
ORCHIDACEAE
- Platanthera solstitialis* Boenn. ex Rchb.f. = *Platanthera bifolia* (L.) Rich.
- Platanthera stricta* Lindl. #4 II 64 ORCHIDACEAE (E)  
Slender Bog Orchid
- Platanthera susannae* Lindl = *Pecteilis susannae* (L.) Raf.
- Platanthera taquetii* Schltr. ex Nakai #4 II 64  
ORCHIDACEAE
- Platanthera uzenensis* (Ohwi) F.Maek. #4 II 64  
ORCHIDACEAE
- Platanthera zothecina* (Higgins & Welsh) Kartesz &  
Gandhi #4 II 64 ORCHIDACEAE
- Platycoryne spp.** Reichb.f. #4 II 64 ORCHIDACEAE
- Platycoryne crocea* (Schweinf ex Rchb.f.) Rolfe #4 II 64  
ORCHIDACEAE
- Platycoryne grandiflora* Summerh. #4 II 64  
ORCHIDACEAE
- Platycoryne macroceras* Summerh. #4 II 64  
ORCHIDACEAE
- Platycoryne trilobata* Summerh. #4 II 64 ORCHIDACEAE
- Platyglottis spp.** L.O. Williams #4 II 64 ORCHIDACEAE
- Platyglottis coriacea* L.O. Wms. #4 II 64 ORCHIDACEAE
- Platylepis spp.** Kunth #4 II 64 ORCHIDACEAE
- Platylepis sechellarum* S. Moore #4 II 64 ORCHIDACEAE
- Platymiscium pleiostachyum* Donn. Sm. #4 II  
LEGUMINOSAE (S) Cachimbo, Cristóbal, Macacuaba,  
Nambar, Ñambar, Roble Colorado
- Platypuntia albisaetacens* (Backeberg) Ritter = *Opuntia albisaetacens* Backeberg
- Platypuntia apurimacensis* Ritter = *Opuntia apurimacensis* (Ritter) Crook & Mottram
- Platypuntia atroglobosa* (Backeberg) Crook & Mottram =  
*Opuntia nigrispina* Schumann
- Platypuntia brunneogemmia* Ritter = *Opuntia monacantha* Haworth
- Platypuntia cardiosperma* (Schumann) Ritter = *Opuntia cardiosperma* Schumann
- Platypuntia chilensis* Ritter = *Opuntia alcerrecensis* Iliff
- Platypuntia cognata* Ritter = *Opuntia cognata* (Ritter)  
Braun & Esteves Pereira
- Platypuntia conjungens* Ritter = *Opuntia conjungens* (Ritter) Braun & Esteves Pereira
- Platypuntia cordobensis* (Spegazzini) Ritter = *Opuntia ficus-indica* (L.) Miller
- Platypuntia corrugata* (Salm-Dyck) Ritter = *Opuntia corrugata* (Gillies ex Loudon) Salm-Dyck
- Platypuntia discolor* (Britton & Rose) Ritter = *Opuntia discolor* Britton & Rose
- Platypuntia dumetorum* (Berger) Ritter = *Opuntia dumetorum* Berger
- Platypuntia ianthinantha* Ritter = *Opuntia ianthinantha* (Ritter) Iliff
- Platypuntia inaequilateralis* (Berger) Ritter = *Opuntia inaequilateralis* Berger
- Platypuntia inamoena* (Schumann) Ritter = *Opuntia inamoena* Schumann
- Platypuntia infesta* Ritter = *Opuntia infesta* (Ritter) Iliff
- Platypuntia invicta* (T.Brandegee) F.Knuth = *Opuntia invicta* T.Brandegee

- Platypuntia kiska-loro* (Spegazzini) Ritter = *Opuntia anacantha* Spegazzini  
*Platypuntia limitata* Ritter = *Opuntia limitata* (Ritter)  
     Braun & Esteves Pereira  
*Platypuntia microdisca* (Weber) Ritter = *Opuntia microdisca* Weber  
*Platypuntia nana* (Knuth) Ritter = *Opuntia pubescens*  
     Wendland ex Pfeiffer  
*Platypuntia nigrispina* (Schumann) Kiesling = *Opuntia nigrispina* Schumann  
*Platypuntia orurensis* (Cardenas) Ritter = *Opuntia orurensis* Cardenas  
*Platypuntia pituitosa* Ritter = *Opuntia pituitosa* (Ritter) Iliff  
*Platypuntia pyrrhantha* Ritter = *Opuntia pyrrhantha*  
     (Ritter) Braun & Esteves Pereira  
*Platypuntia quimilo* (Schumann) Ritter = *Opuntia quimilo*  
     Schumann  
*Platypuntia quitensis* (Weber) Ritter = *Opuntia quitensis*  
     Weber  
*Platypuntia retrorsa* (Spegazzini) Ritter = *Opuntia anacantha* Spegazzini  
*Platypuntia salmiana* (Parmentier ex Pfeiffer) Ritter =  
     *Opuntia salmiana* Parmentier ex Pfeiffer  
*Platypuntia saxatilis* Ritter = *Opuntia saxatilis* (Ritter)  
     Braun & Esteves Pereira  
*Platypuntia soehrensii* (Britton & Rose) Ritter = *Opuntia soehrensii* Britton & Rose  
*Platypuntia sulphurea* (Gillies ex Salm-dyck) Ritter =  
     *Opuntia sulphurea* Gillies ex Salm-Dyck  
*Platypuntia viridirubra* Ritter = *Opuntia viridirubra* (Ritter)  
     Braun & Esteves Pereira  
*Platypuntia vitelliniflora* Ritter = *Opuntia vitelliniflora*  
     (Ritter) Braun & Esteves Pereira  
*Platypuntia vulgaris* (Miller) Ritter = *Opuntia monacantha*  
     Haworth  
**Platyrhiza** spp. Barb.Rodr. #4 II 64 ORCHIDACEAE  
**Platystele** spp. Schlechter #4 II 64 ORCHIDACEAE  
*Platystele acicularis* Luer & Hirtz #4 II 64 ORCHIDACEAE  
*Platystele acutilingua* Kapular & Hascal #4 II 64  
     ORCHIDACEAE  
*Platystele alucitae* Luer #4 II 64 ORCHIDACEAE  
*Platystele calymma* Luer #4 II 64 ORCHIDACEAE  
*Platystele caudatisepala* (C. Schweinf.) Garay #4 II 64  
     ORCHIDACEAE  
*Platystele corallorrhiza* Ames #4 II 64 ORCHIDACEAE  
*Platystele crinita* Luer & Hirtz #4 II 64 ORCHIDACEAE  
*Platystele dressleri* Luer #4 II 64 ORCHIDACEAE  
*Platystele enervis* Luer #4 II 64 ORCHIDACEAE  
*Platystele halbingeriana* (Schultes) Garay #4 II 64  
     ORCHIDACEAE  
*Platystele hirtzii* Luer #4 II 64 ORCHIDACEAE  
*Platystele jesupiorum* Luer #4 II 64 ORCHIDACEAE  
*Platystele minimiflora* (Schltr.) Garay #4 II 64  
     ORCHIDACEAE  
*Platystele napintzae* Luer & Hirtz #4 II 64 ORCHIDACEAE  
*Platystele pedicellaris* (Schltr.) Garay #4 II 64  
     ORCHIDACEAE  
*Platystele perpusilla* (Reichb.f.) Garay #4 II 64  
     ORCHIDACEAE  
*Platystele propinqua* (Ames) Garay #4 II 64  
     ORCHIDACEAE  
*Platystele psix* Luer & Hirtz #4 II 64 ORCHIDACEAE  
*Platystele pubescens* Luer #4 II 64 ORCHIDACEAE  
*Platystele repens* (Ames) Garay #4 II 64 ORCHIDACEAE  
*Platystele stenostachya* (Reichb.f.) Garay #4 II 64  
     ORCHIDACEAE  
*Platystele sulcata* Luer & Hirtz #4 II 64 ORCHIDACEAE  
*Platystele taylori* Luer #4 II 64 ORCHIDACEAE  
*Platystele vetulus* Luer & Hirtz #4 II 64 ORCHIDACEAE  
**Platythelys** spp. Garay #4 II 64 ORCHIDACEAE  
*Platythelys platensis* (Hauman) Garay #4 II 64  
     ORCHIDACEAE  
*Platythelys venustula* (Ames) Garay #4 II 64  
     ORCHIDACEAE  
*Platzamia rigida* Zucc. = *Dioon edule* Lindl.  
**Plectorrhiza** spp. Dockr. #4 II 64 ORCHIDACEAE  
*Plectorrhiza erecta* (Fitzg.) Dockr. #4 II 64  
     ORCHIDACEAE  
**Plectrelminthus** spp. Rafin. #4 II 64 ORCHIDACEAE  
*Plectrelminthus caudatus* #4 II 64 ORCHIDACEAE  
*Plectrelminthus spiculatus* (Finet) Summerh. = *Aerangis spiculata* (Finet) Senghas  
**Plectrophora** spp. H.C.Focke #4 II 64 ORCHIDACEAE  
**Pleione** spp. D. Don #4 II 64 ORCHIDACEAE  
*Pleione alba* Li & K.M.Feng = *Pleione forrestii* Schltr.  
**Pleione albiflora** P.J.Cribb & C.Z.Tang #4 II 64  
     ORCHIDACEAE  
**Pleione amoena** Schltr. #4 II 64 ORCHIDACEAE  
*Pleione anceps* (Hook.f.) Kuntze = *Coelogyne anceps*  
     Hook.f.  
*Pleione asperata* (Lindl.) Kuntze = *Coelogyne asperata*  
     Lindl.  
*Pleione aurita* P.J.Cribb & Phfennig = *Pleione chunii*  
     C.L.Tso  
*Pleione barbata* (Linl. ex Griff.) Kuntze = *Coelogyne barbata* Griff.  
*Pleione bilamellata* (Lindl.) Kuntze. = *Coelogyne bilamellata* Lindl.  
*Pleione birmanica* (Rchb.f.) B.S.Williams = *Pleione praecox* (J.E.Sm.) D.Don  
*Pleione brachyptera* (Rchb.f.) Kuntze = *Coelogyne brachyptera* Rchb.f.  
*Pleione brevifolia* (Lindl.) Kuntze = *Coelogyne punctulata*  
     Lindl.  
*Pleione breviscapa* (Lindley) Kuntze = *Coelogyne breviscapa* Lindley  
**Pleione bulbocodioides** (Franch.) Rolfe #4 II 64  
     ORCHIDACEAE  
*Pleione chinense* Kraenzl. = *Coelogyne fimbriata* Lindl.  
*Pleione chiwuana* T.Tang & W.Wang = *Pleione yunnanensis* (Rolfe) Rolfe  
**Pleione chunii** C.L.Tso #4 II 64 ORCHIDACEAE  
*Pleione communis* Gagnep. = *Pleione bulbocodioides*  
     (Franch.) Rolfe  
*Pleione concolor* hort ex B.S.Williams = *Pleione praecox*  
     (J.E.Sm.) D.Don

- Pleione confusa** P.J.Cribb & C.Z.Tang #4 II 64  
ORCHIDACEAE
- Pleione coronaria** P.J.Cribb & C.Z.Tang #4 II 64  
ORCHIDACEAE
- Pleione corrugata* (Wight) Kuntze = *Coelogyne nervosa*  
A.Rich
- Pleione corymbosa* (Lindl.) Kuntze = *Coelogyne corymbosa* Lindl.
- Pleione cumingii* (Lindl.) Kuntze = *Coelogyne cumingii*  
Lindley
- Pleione cycnoches* (C.S.P.Parish & Rchb.f.) Kuntze =  
*Coelogyne fuscescens* Lindl.
- Pleione dayana* (Rchb.f.) Kuntze = *Coelogyne pulverula*  
Teijsm. & Binn.
- Pleione delavayi** (Rolfe) Rolfe #4 II 64 ORCHIDACEAE
- Pleione diantha* Schltr. = *Pleione humilis* (J.E.Sm.) D.Don
- Pleione diphylla* Lindl. = *Pleione maculata* (Lindl.) Lindl.
- Pleione elata* (Lindl.) Kuntze = *Coelogyne stricta* (D.Don)  
Schltr.
- Pleione fargesii* Gagnep. = *Pleione bulbocodioides*  
(Franch.) Rolfe
- Pleione fimbriata* (Lindl.) Kraenzl. = *Coelogyne fimbriata*  
Lindl.
- Pleione flaccida* (Lindl.) Kuntze = *Coelogyne flaccida*  
Lindley
- Pleione flava* (Hook.f. ex Lindl.) Kuntze = *Coelogyne*  
*prolifera* Lindley
- Pleione foerstermannii* (Rchb.f.) Kuntze = *Coelogyne*  
*foerstermannii* Rchb.f.
- Pleione formosana** Hayata #4 II 64 ORCHIDACEAE
- Pleione forrestii** Schltr. #4 II 64 ORCHIDACEAE
- Pleione fuliginosa* (Hook.f.) Kuntze = *Coelogyne fuliginosa*  
Lodd. ex Hook.
- Pleione fuscescens* (Lindl.) Kuntze = *Coelogyne*  
*fuscescens* Lindl.
- Pleione ganchuenensis* Gagnep. = *Pleione*  
*bulbocodioides* (Franch.) Rolfe
- Pleione glandulosa* (Lindl.) Kuntze = *Coelogyne*  
*glandulosa* Lindl.
- Pleione goweri* (Rchb.f.) Kuntze = *Coelogyne punctulata*  
Lindl.
- Pleione graminifolia* (C.S.P.Parish & Rchb.f.) Kunze =  
*Coelogyne viscosa* Rchb.f.
- Pleione grandiflora** (Rolfe) Rolfe #4 II 64  
ORCHIDACEAE
- Pleione griffithii* (Hook.f.) Kuntze = *Coelogyne griffithii*  
Hook.f.
- Pleione henryi* (Rolfe) Schltr. = *Pleione speciosa* Ames &  
Schltr.
- Pleione hookeriana** (Lindl.) B.S.Williams #4 II 64  
ORCHIDACEAE
- Pleione huettneriana* (Rchb.f.) Kuntze = *Coelogyne*  
*huettneriana* Rchb.f.
- Pleione hui* Schltr. = *Pleione formosana* Hayata
- Pleione humilis** (J.E.Sm.) D.Don #4 II 64  
ORCHIDACEAE
- Pleione incrassata* (Blume) Lindl. = *Coelogyne incrassata*  
(Blume) Lindley
- Pleione kohlsii** Braem #4 II 64 ORCHIDACEAE
- Pleione lactea* (Rchb.f.) Kuntze = *Coelogyne flaccida*  
Lindley
- Pleione lagenaria** Lindley #4 II 64 ORCHIDACEAE
- Pleione laotica* Kerr = *Pleione hookeriana* (Lindl.)  
B.S.Williams
- Pleione lauterbachiana* (Kraenzl.) Kuntze = *Coelogyne*  
*miniata* (Blume) Lindley
- Pleione lentiginosa* (Lindl.) Kuntze = *Coelogyne*  
*lentiginosa* Lindl.
- Pleione limprichtii** Schltr. #4 II 64 ORCHIDACEAE
- Pleione longebracteata* (Hook.f.) Kuntze = *Coelogyne*  
*cumingii* Lindley
- Pleione longifolia* (Blume) Kuntze = *Coelogyne longifolia*  
(Blume) Lindley
- Pleione longipes* (Lindl.) Kuntze = *Coelogyne longipes*  
Lindl.
- Pleione macrobulbon* (Hook.f.) Kuntze = *Coelogyne*  
*rochussenii* de Vries
- Pleione maculata** (Lindl.) Lindl. #4 II 64 ORCHIDACEAE
- Pleione maingayi* (Hook.f.) Kuntze = *Coelogyne*  
*foerstermannii* Rchb.f.
- Pleione mairei* Schltr. = *Pleione bulbocodioides* (Franch.)  
Rolfe
- Pleione massangeana* (Reichb.f.) Kuntze = *Coelogyne*  
*tomentosa* Lindl.
- Pleione micrantha* (Lindl.) Kuntze = *Coelogyne micrantha*  
Lindl.
- Pleione miniata* (Blume) Kuntze = *Coelogyne miniata*  
(Blume) Lindley
- Pleione nervosa* (A.Rich) Kuntze = *Coelogyne nervosa*  
A.Rich
- Pleione nitida* (Roxb.) Kuntze = *Coelogyne punctulata*  
Lindl.
- Pleione occulata* (Hook.f.) Kuntze = *Coelogyne occultata*  
Hook.f.
- Pleione ochracea* (Lindl.) Kuntze = *Coelogyne nitida*  
(Wallich ex Don) Lindley
- Pleione odoratissima* (Lindl.) Kuntze = *Coelogyne*  
*odoratissima* Lindl.
- Pleione pandurata* (Lindley) Kuntze = *Coelogyne*  
*pandurata* Lindley
- Pleione parishii* (Hook.) Kuntze = *Coelogyne parishii*  
Hook.
- Pleione pinkepankii* Braem = *Pleione albiflora* P.J.Cribb &  
C.Z.Tang
- Pleione plantaginea* (Lindl.) Kuntze = *Coelogyne*  
*rochussenii* de Vries
- Pleione pleionoides** (Kraenzl ex Diels) Braem & H.Mohr  
#4 II 64 ORCHIDACEAE
- Pleione pogonioides* (Rolfe) Rolfe = *Pleione*  
*bulbocodioides* (Franch.) Rolfe
- Pleione pogonioides* (Rolfe) Schltr. = *Pleione speciosa*  
Ames & Schltr.
- Pleione praecox** (J.E.Sm.) D.Don #4 II 64  
ORCHIDACEAE
- Pleione pricei* Rolfe = *Pleione formosana* Hayata
- Pleione prolifera* (Lindl.) Kuntze = *Coelogyne prolifera*  
Lindley
- Pleione psittacina* (Rchb.f.) Kuntze = *Coelogyne rumphii*  
Lindl.

<i>Pleione reichenbachiana</i> (T.Moore & Veitch) B.S.Williams = <i>Pleione praecox</i> (J.E.Sm.) D.Don	<i>Pleurothallis amesiana</i> L.O.Williams 1940 = <i>Restrepia trichoglossa</i> Lehm. ex Sander 1901
<i>Pleione rhombilabia</i> Hand.-Mazz = <i>Pleione bulbocodioides</i> (Franch.) Rolfe	<i>Pleurothallis amparoana</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Pleione rigida</i> (C.S.Parish & Rchb.f.) Kuntze = <i>Coelogyné rigida</i> C.S.Parish & Rchb.f.	<i>Pleurothallis angusta</i> Ames & C. Schweinf. #4 II 64 ORCHIDACEAE
<i>Pleione rochussenii</i> (de Vries) Kuntze = <i>Coelogyné rochussenii</i> de Vries	<i>Pleurothallis angustisepala</i> Ames & Correll #4 II 64 ORCHIDACEAE
<i>Pleione rossiana</i> (Rchb.f.) Kuntze = <i>Coelogyné trinervis</i> Lindley	<i>Pleurothallis annectans</i> Luer #4 II 64 ORCHIDACEAE
<i>Pleione rumphii</i> (Lindl.) Kuntze = <i>Coelogyné rumphii</i> Lindl.	<i>Pleurothallis annectens</i> Luer #4 II 64 ORCHIDACEAE
<i>Pleione sanderiana</i> (Rchb.f.) Kuntze = <i>Coelogyné sanderiana</i> Rchb.f.	<i>Pleurothallis antioquiensis</i> (Schltr.) P.Allen 1948 = <i>Restrepia sanguinea</i> Rolfe 1896
<i>Pleione sauveolens</i> Lindl. = <i>Coelogyné sauveolens</i> (Lindl.) Hook.f.	<i>Pleurothallis antonensis</i> L.O. Wms. #4 II 64 ORCHIDACEAE
<b><i>Pleione saxicola</i></b> T.Tang & Wang ex S.C.Chen #4 II 64 ORCHIDACEAE	<i>Pleurothallis archicolonae</i> Luer #4 II 64 ORCHIDACEAE
<i>Pleione schilleriana</i> (Rchb.f.) B.S.Williams = <i>Coelogyné schilleriana</i> Rchb.f. & K.koch	<i>Pleurothallis areldii</i> Luer #4 II 64 ORCHIDACEAE
<b><i>Pleione scopulorum</i></b> W.W.Smith #4 II 64 ORCHIDACEAE	<i>Pleurothallis aristocratica</i> L.O. Williams #4 II 64 ORCHIDACEAE
<i>Pleione simplex</i> (Lindl.) Kuntze = <i>Coelogyné miniata</i> (Blume) Lindley	<i>Pleurothallis aspergillum</i> Luer & Hirtz #4 II 64 ORCHIDACEAE
<i>Pleione smithii</i> Schltr. = <i>Pleione bulbocodioides</i> (Franch.) Rolfe	<i>Pleurothallis atacasana</i> Luer #4 II 64 ORCHIDACEAE
<i>Pleione sparsa</i> (Rchb.f.) Kuntze = <i>Coelogyné sparsa</i> Rchb.f.	<i>Pleurothallis auriculigera</i> Rchb.f. 1871 = <i>Dryadella auriculigera</i> (Rchb.f.) Luer 1978
<b><i>Pleione speciosa</i></b> Ames & Schltr. #4 II 64 ORCHIDACEAE	<i>Pleurothallis aurita</i> C. Schweinf. #4 II 64 ORCHIDACEAE
<i>Pleione speciosa</i> (Blume) Kuntze non Ames & Schltr. = <i>Coelogyné speciosa</i> (Blume) Lindl.	<i>Pleurothallis aviceps</i> Rchb.f. 1871 = <i>Dryadella aviceps</i> (Rchb.f.) Luer 1978
<i>Pleione speciosissima</i> (Lindl.) Kuntze = <i>Coelogyné crista</i> Lindl.	<i>Pleurothallis balaeniceps</i> Luer & Dressler #4 II 64 ORCHIDACEAE
<i>Pleione stenochila</i> (Hooh.f.) Kuntze = <i>Coelogyné stenochila</i> Hook.f.	<i>Pleurothallis barbae</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Pleione testacea</i> (Lindl.) Kuntze = <i>Coelogyné testacea</i> Lindley	<i>Pleurothallis barboselloides</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Pleione tomentosa</i> (Lindl.) Kuntze = <i>Coelogyné tomentosa</i> Lindl.	<i>Pleurothallis barbulata</i> Lindley #4 II 64 ORCHIDACEAE
<i>Pleione trinervis</i> (Lindl.) Kuntze. = <i>Coelogyné trinervis</i> Lindley	<i>Pleurothallis breviflora</i> Lindley #4 II 64 ORCHIDACEAE
<i>Pleione triplicata</i> (Rchb.f.) Kuntze = <i>Coelogyné fuliginosa</i> Lodd. ex Hook.	<i>Pleurothallis brunnescens</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Pleione ustulata</i> (C.S.P.Parish & Rchb.f.) Kuntze = <i>Coelogyné ustulata</i> C.S.P.Parish & Rchb.f.	<i>Pleurothallis butcheri</i> L.O. Williams #4 II 64 ORCHIDACEAE
<i>Pleione viscosa</i> (Rchb.f.) Kuntze = <i>Coelogyné viscosa</i> Rchb.f.	<i>Pleurothallis cachensis</i> Ames #4 II 64 ORCHIDACEAE
<i>Pleione wallichiana</i> (Lindl.) Lindl. = <i>Pleione praecox</i> (J.E.Sm.) D.Don	<i>Pleurothallis cactantha</i> Luer #4 II 64 ORCHIDACEAE
<b><i>Pleione yunnanensis</i></b> (Rolfe) Rolfe #4 II 64 ORCHIDACEAE	<i>Pleurothallis campicola</i> Luer #4 II 64 ORCHIDACEAE
<i>Plesioneuron woodlarkense</i> (Copel. 1914) Copel. 1914 = <i>Cyathea woodlarkensis</i> Copel. 1914	<i>Pleurothallis caniceps</i> Luer #4 II 64 ORCHIDACEAE
<b><i>Pleurothallis</i> spp.</b> R. Br. #4 II 64 ORCHIDACEAE	<i>Pleurothallis cardiochila</i> L.O. Williams #4 II 64 ORCHIDACEAE
<i>Pleurothallis aberrans</i> Luer #4 II 64 ORCHIDACEAE	<i>Pleurothallis casuialis</i> Ames #4 II 64 ORCHIDACEAE
<i>Pleurothallis acanthodes</i> Luer #4 II 64 ORCHIDACEAE	<i>Pleurothallis caymanensis</i> C.D. Adams #4 II 64 ORCHIDACEAE
<i>Pleurothallis acicularis</i> Ames & C. Schweinf. #4 II 64 ORCHIDACEAE	<i>Pleurothallis cernua</i> Luer #4 II 64 ORCHIDACEAE
<i>Pleurothallis alexii</i> A.H. Heller #4 II 64 ORCHIDACEAE	<i>Pleurothallis chontalensis</i> A.H. Heller & A. Hawkes #4 II 64 ORCHIDACEAE
<i>Pleurothallis allenii</i> L.O. Williams #4 II 64 ORCHIDACEAE	<i>Pleurothallis chrysantha</i> Lindley #4 II 64 ORCHIDACEAE
	<i>Pleurothallis citrophila</i> Luer #4 II 64 ORCHIDACEAE
	<i>Pleurothallis cobraeformis</i> L.O. Wms. #4 II 64 ORCHIDACEAE
	<i>Pleurothallis coccinea</i> Hook. 1815 = <i>Rodriguezia lanceolata</i> Ruiz. & Pav.
	<i>Pleurothallis comayaguensis</i> Ames #4 II 64 ORCHIDACEAE

- Pleurothallis condorensis* Luer & Hirtz #4 II 64  
ORCHIDACEAE
- Pleurothallis condylata* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis correllii* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis crassilabia* Ames & C. Schweinf. #4 II 64  
ORCHIDACEAE
- Pleurothallis crescentilabia* Ames #4 II 64 ORCHIDACEAE
- Pleurothallis crucilabia* Ames & Correll #4 II 64  
ORCHIDACEAE
- Pleurothallis cucumeris* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis cuspidata* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis cypripedioides* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis dayana* (Rchb.f.) L.O. Williams 1940 =  
*Restrepia muscifera* (Lindl.) Rchb.f. ex Lindl. 1859
- Pleurothallis decurrens* Poeppig & Endl. #4 II 64  
ORCHIDACEAE
- Pleurothallis dibolia* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis dodsonii* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis dorothea* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis dressleri* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis echinocarpa* C. Schweinf. #4 II 64  
ORCHIDACEAE
- Pleurothallis ellipsophylla* L.O. Wms. #4 II 64  
ORCHIDACEAE
- Pleurothallis endotrichys* Rchb.f. #4 II 64 ORCHIDACEAE
- Pleurothallis ensata* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis eximia* L.O. Williams #4 II 64 ORCHIDACEAE
- Pleurothallis filamentosa* (Ames & C. Schweinf.)  
L.O. Williams 1940 = *Restrepia trichoglossa* Lehm. ex  
Sander 1901
- Pleurothallis fimbrialibia* C. Schweinf. 1953 = *Restrepia*  
*contorta* Luer & R. Escobar
- Pleurothallis fractiflexa* Ames & C. Schweinf. #4 II 64  
ORCHIDACEAE
- Pleurothallis githanginea* Pabst. & Gary #4 II 64  
ORCHIDACEAE
- Pleurothallis gnoma* Luer 1976 = *Dryadella gnoma* (Luer)  
Luer 1978
- Pleurothallis grandis* Rolfe #4 II 64 ORCHIDACEAE
- Pleurothallis guttata* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis harpago* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis hawkesii* Flickinger 1963 = *Restrepia*  
*brachypus* Rchb.f. 1886
- Pleurothallis helena* F. & R. #4 II 64 ORCHIDACEAE
- Pleurothallis hemileuca* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis hintonii* L.O. Williams #4 II 64  
ORCHIDACEAE
- Pleurothallis hymenantha* Lindley #4 II 64 ORCHIDACEAE
- Pleurothallis imago* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis instar* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis involuta* L.O. Williams #4 II 64  
ORCHIDACEAE
- Pleurothallis isthmica* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis jacarepagaensis* Barb. Rodr. #4 II 64  
ORCHIDACEAE
- Pleurothallis jalapensis* (Kranzlin) Luer #4 II 64  
ORCHIDACEAE
- Pleurothallis lacera* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis lanceana* Lodd. #4 II 64 ORCHIDACEAE
- Pleurothallis lateritia* Reichb.f. #4 II 64 ORCHIDACEAE
- Pleurothallis lentiginosa* Lehm. & Kranzlin ex Kranzlin #4 II  
64 ORCHIDACEAE
- Pleurothallis lepidota* L.O. Williams #4 II 64  
ORCHIDACEAE
- Pleurothallis leucantha* Schltr. #4 II 64 ORCHIDACEAE
- Pleurothallis leucopyramis* Reichb.f. #4 II 64  
ORCHIDACEAE
- Pleurothallis lichenophila* C. Porto & Brade. #4 II 64  
ORCHIDACEAE
- Pleurothallis liebmanniana* Kranzlin #4 II 64  
ORCHIDACEAE
- Pleurothallis listerophora* Schltr. #4 II 64 ORCHIDACEAE
- Pleurothallis longispicata* L.O. Williams #4 II 64  
ORCHIDACEAE
- Pleurothallis macrantha* L.O. Wms. #4 II 64  
ORCHIDACEAE
- Pleurothallis macroblepharis* Rchb.f. #4 II 64  
ORCHIDACEAE
- Pleurothallis mammillata* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis melanopus* Lehm. & Kranzlin #4 II 64  
ORCHIDACEAE
- Pleurothallis microchila* L.O. Williams #4 II 64  
ORCHIDACEAE
- Pleurothallis minuta* Ames & C. Schweinf. #4 II 64  
ORCHIDACEAE
- Pleurothallis minutalis* Lindley #4 II 64 ORCHIDACEAE
- Pleurothallis miranda* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis monocardia* Reichb.f. #4 II 64  
ORCHIDACEAE
- Pleurothallis mucronata* Lindley #4 II 64 ORCHIDACEAE
- Pleurothallis mystax* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis naranjensis* Reichb.f. #4 II 64  
ORCHIDACEAE
- Pleurothallis navarrensis* Ames #4 II 64 ORCHIDACEAE
- Pleurothallis nelsonii* Ames #4 II 64 ORCHIDACEAE
- Pleurothallis nervosa* Braid #4 II 64 ORCHIDACEAE
- Pleurothallis nigriflora* L.O. Williams #4 II 64  
ORCHIDACEAE
- Pleurothallis nitida* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis nittiorhyncha* Lindl. 1859 = *Restrepia*  
*nittiorhyncha* (Lindl.) Garay 1967
- Pleurothallis nummularia* Reichb. f. #4 II 64  
ORCHIDACEAE
- Pleurothallis obscura* A. Rich. & Galeotti #4 II 64  
ORCHIDACEAE
- Pleurothallis oestlundiana* L.O. Williams #4 II 64  
ORCHIDACEAE
- Pleurothallis operculata* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis ophioglossoides* (Jacq.) Garay & Sweet #4 II  
64 ORCHIDACEAE
- Pleurothallis ospinae* R.E. Schult. 1957 = *Restrepia*  
*antennifera* Humb., Bonpl. & Kunth 1816
- Pleurothallis pachyrrhachis* A. Rich. = *Bulbophyllum*  
*pachyrrachis* (A. Rich.) Griseb.
- Pleurothallis pallida* Luer #4 II 64 ORCHIDACEAE
- Pleurothallis palliolata* Ames #4 II 64 ORCHIDACEAE

- Pleurothallis pan* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis papillifera* Rolfe #4 II 64 ORCHIDACEAE  
*Pleurothallis parviflora* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis parvula* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Pleurothallis peculiaris* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis peperomioides* Ames #4 II 64  
 ORCHIDACEAE  
*Pleurothallis perparva* Standley & L.O. Williams #4 II 64  
 ORCHIDACEAE  
*Pleurothallis perryi* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis phyllocardia* Rchb. f. #4 II 64  
 ORCHIDACEAE  
*Pleurothallis pidax* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis pilifera* Lindl. #4 II 64 ORCHIDACEAE  
*Pleurothallis plantaginea* (Poepp & Endl.) Lindl. =  
*Masdevallia plantaginea* (Poepp. & Endl.) Cogn.  
*Pleurothallis polysticha* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis praegrandis* Ames #4 II 64 ORCHIDACEAE  
*Pleurothallis prolaticollaris* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis punicea* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis purpurea* D.Don = *Bulbophyllum careyanum*  
 (Hook.f.) Sprengel  
*Pleurothallis quadrifolia* (Llave & Lex.) Lindley #4 II 64  
 ORCHIDACEAE  
*Pleurothallis quinqueseta* Ames #4 II 64 ORCHIDACEAE  
*Pleurothallis rectipetala* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Pleurothallis repens* Ames = *Platystele repens* (Ames)  
 Garay  
*Pleurothallis resupinata* Ames #4 II 64 ORCHIDACEAE  
*Pleurothallis retusa* (Llave & Lex.) Lindley #4 II 64  
 ORCHIDACEAE  
*Pleurothallis rhodoglossa* Schltr. #4 II 64 ORCHIDACEAE  
*Pleurothallis rhomboglossa* Reichb. f. #4 II 64  
 ORCHIDACEAE  
*Pleurothallis rubella* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis rubellia* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis rubroviridis* Lindley #4 II 64 ORCHIDACEAE  
*Pleurothallis rufobrunnea* Lindley #4 II 64 ORCHIDACEAE  
*Pleurothallis saccata* Ames #4 II 64 ORCHIDACEAE  
*Pleurothallis saccatilabia* C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Pleurothallis sanctae-rosae* (Kraenzl.) Garay =  
*Masdevallia sanctae-rosae* Kraenzl.  
*Pleurothallis scitula* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis sclerophylla* Lindley #4 II 64 ORCHIDACEAE  
*Pleurothallis scoparum* Rchb.f. #4 II 64 ORCHIDACEAE  
*Pleurothallis semperferruginea* Luer #4 II 64  
 ORCHIDACEAE  
*Pleurothallis setosa* C. Schweinf. #4 II 64 ORCHIDACEAE  
*Pleurothallis sigmoidea* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Pleurothallis simmleriana* Rendle #4 II 64 ORCHIDACEAE  
*Pleurothallis simplex* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Pleurothallis simulans* L.O. Wms. #4 II 64 ORCHIDACEAE  
*Pleurothallis sphaerantha* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis stevensonii* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis strumosa* Ames #4 II 64 ORCHIDACEAE  
*Pleurothallis subserrata* (Schltr.) L.O.Williams 1940 =  
*Restrepia trichoglossa* Lehm. ex Sander 1901  
*Pleurothallis tantilla* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis telamon* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis thymochila* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis thymochilis* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis tikalensis* Correll & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Pleurothallis titan* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis trachystoma* Schltr. #4 II 64 ORCHIDACEAE  
*Pleurothallis tricarinata* Poep & Endl. ? #4 II 64  
 ORCHIDACEAE  
*Pleurothallis tripterantha* Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Pleurothallis tropida* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis tryssa* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis unguicallosa* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Pleurothallis veraguacensis* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis vilipensa* Reichb.f. #4 II 64 ORCHIDACEAE  
*Pleurothallis volcanica* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis vorator* Luer & Vasquez #4 II 64  
 ORCHIDACEAE  
*Pleurothallis xanthella* Luer #4 II 64 ORCHIDACEAE  
*Pleurothallis xanthophtalma* (Rchb.f.) L.O.Williams 1940  
 = *Restrepia muscifera* (Lindl.) Rchb.f. ex Lindl. 1859  
*Pleurothallis xerophila* Schltr. #4 II 64 ORCHIDACEAE  
*Pleurothallis yupanki* Luer & Vásquez #4 II 64  
 ORCHIDACEAE  
**Plocoglottis** spp. Blume #4 II 64 ORCHIDACEAE  
*Plocoglottis acuminata* Blume #4 II 64 ORCHIDACEAE  
*Plocoglottis bokorensis* (Gagnep) Seidenf. #4 II 64  
 ORCHIDACEAE  
*Plocoglottis dilatata* Blume #4 II 64 ORCHIDACEAE  
*Plocoglottis gigantea* (Hook. f.) J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Plocoglottis javanica* Blume #4 II 64 ORCHIDACEAE  
*Plocoglottis latifolia* Blume #4 II 64 ORCHIDACEAE  
*Plocoglottis lowii* Reichb.f. #4 II 64 ORCHIDACEAE  
*Plocoglottis quadrifolia* J.J. smith #4 II 64 ORCHIDACEAE  
*Plomillo* (S): *Caryocar costaricense*  
**Poaephyllum** spp. Ridley #4 II 64 ORCHIDACEAE  
*Poaephyllum hansenii* J.J. Wood #4 II 64 ORCHIDACEAE  
*Poaephyllum parviflorum* (J.J. Smith) Ridley #4 II 64  
 ORCHIDACEAE  
*Poaephyllum pauciflorum* (Hook.f.) Ridley #4 II 64  
 ORCHIDACEAE  
*Poaephyllum trilobum* J.J. Smith #4 II 64 ORCHIDACEAE  
*Pockwood* (E): *Guaiacum sanctum*  
*Pockwood* (E): *Guaiacum officinale*  
**Podangis** spp. Schlechter #4 II 64 ORCHIDACEAE  
*Podangis dactyloceras* #4 II 64 ORCHIDACEAE  
*Podocarp* (S): *Podocarpus parlatorei*  
*Podocarp*, Parlatore's (E): *Podocarpus parlatorei*

<i>Podocarpus angustifolius</i> Parl. non Griseb = <i>Podocarpus parlatorei</i> Pilg. in Engler	<i>Polaskia chichipe</i> (Roland-Gosselin) Backeberg #4 II 49 CACTACEAE
<i>Podocarpus decipiens</i> N.E.Gray = <i>Podocarpus neriiifolius</i> D.Don in Lambert	<i>Polybotrya arfakensis</i> Gepp. 1917 = <i>Alsophila biformis</i> Ros. 1911
<i>Podocarpus discolor</i> Blume = <i>Podocarpus neriiifolius</i> D.Don in Lambert	<i>Polychilos amboinensis</i> (J.J.Sm.) Shim = <i>Phalaenopsis amboinensis</i> J.J.Sm.
<i>Podocarpus endlicherianus</i> Carrière = <i>Podocarpus neriiifolius</i> D.Don in Lambert	<i>Polychilos cochlearis</i> (Holttum) Shim = <i>Phalaenopsis cochlearis</i> Holttum
<i>Podocarpus junghuhnianus</i> Miq. = <i>Podocarpus neriiifolius</i> D.Don in Lambert	<i>Polychilos corningiana</i> (Rchb.f.) Shim = <i>Phalaenopsis corningiana</i> Rchb.f.
<i>Podocarpus leptostachys</i> Blume = <i>Podocarpus neriiifolius</i> D.Don in Lambert	<i>Polychilos cornucervi</i> Breda = <i>Phalaenopsis cornucervi</i> (Breda) Blume & Reichb.f.
<i>Podocarpus neglectus</i> Blume = <i>Podocarpus neriiifolius</i> D.Don in Lambert	<i>Polychilos fasciata</i> (Rchb.f.) Shim = <i>Phalaenopsis fasciata</i> Rchb.f.
<i>Podocarpus neriiifolius</i> D.Don in Lambert #1 III PODOCARPACEAE (E) Black Pine, Brown Pine, Pine, Yellow Wood	<i>Polychilos fimbriata</i> (J.J.Sm.) Shim = <i>Phalaenopsis fimbriata</i> J.J.Sm.
<i>Podocarpus parlatorei</i> Pilg. in Engler I PODOCARPACEAE (E) Parlatore's Podocarp (S) Pino de cerro, Podocarpo	<i>Polychilos fuscata</i> (Rchb.f.) Shim = <i>Phalaenopsis fuscata</i> Rchb.f.
<b><i>Podochilus</i> spp.</b> Blume #4 II 64 ORCHIDACEAE	<i>Polychilos gigantea</i> (J.J.Sm.) Shim = <i>Phalaenopsis gigantea</i> J.J.Sm.
<i>Podochilus cornutus</i> (Blume) Sch. #4 II 64 ORCHIDACEAE	<i>Polychilos hieroglyphica</i> (Rchb.f.) Shim = <i>Phalaenopsis hieroglyphica</i> (Rchb.f.) Sweet
<i>Podochilus falcatus</i> Lindley #4 II 64 ORCHIDACEAE	<i>Polychilos javanica</i> (J.J.Sm.) Shim = <i>Phalaenopsis javanica</i> J.J.Sm.
<i>Podochilus gracilis</i> (Blume) Lindley #4 II 64 ORCHIDACEAE	<i>Polychilos kunstleri</i> (Hook.f.) Shim = <i>Phalaenopsis kunstleri</i> Hook.f.
<i>Podochilus khasiana</i> Hook.f. #4 II 64 ORCHIDACEAE	<i>Polychilos lobbii</i> (Rchb.f.) Shim = <i>Phalaenopsis lobbii</i> (Rchb.f.) Sweet
<i>Podochilus lucescens</i> Blume #4 II 64 ORCHIDACEAE	<i>Polychilos lowii</i> (Rchb.f.) Shim = <i>Phalaenopsis lowii</i> Rchb.f.
<i>Podochilus muricatus</i> (Teijsm. & Binnend.) Schltr. #4 II 64 ORCHIDACEAE	<i>Polychilos lueddemanniana</i> (Rchb.f.) Shim = <i>Phalaenopsis lueddemanniana</i> Rchb.f.
<i>Podochilus saxatilis</i> Lindley #4 II 64 ORCHIDACEAE	<i>Polychilos maculata</i> (Rchb.f.) Shim = <i>Phalaenopsis maculata</i> Rchb.f.
<i>Podochilus tenuis</i> (Blume) Lindley #4 II 64 ORCHIDACEAE	<i>Polychilos mannii</i> (Rchb.f.) Shim = <i>Phalaenopsis mannii</i> Rchb.f.
Podofilo del Himalaya (S): <i>Podophyllum hexandrum</i>	<i>Polychilos mariae</i> (Burb. ex R.Warner & B.S.Williams) Shim = <i>Phalaenopsis mariae</i> Burb. ex R.Warner & B.S.Williams
<i>Podophyllum emodi</i> Wall. = <i>Podophyllum hexandrum</i> Royle	<i>Polychilos micholitzii</i> (Rolfe) Shim = <i>Phalaenopsis micholitzii</i> Rolfe
<i>Podophyllum hexandrum</i> Royle #2 II BERBERIDACEAE (E) Himalayan May-apple, Indian Podophyllum, Podophyllum Resin (S) Podofilo del Himalaya (F) Resin de Podophylle	<i>Polychilos modesta</i> (J.J.Sm.) Shim = <i>Phalaenopsis modesta</i> J.J.Sm.
Podophyllum, Indian (E): <i>Podophyllum hexandrum</i>	<i>Polychilos pallens</i> (Lindl.) Shim = <i>Phalaenopsis pallens</i> (Lindl.) Rchb.f.
<b><i>Pogonia</i> spp.</b> Juss. #4 II 64 ORCHIDACEAE	<i>Polychilos pantherina</i> (Rchb.f.) Shim = <i>Phalaenopsis pantherina</i> Rchb.f.
<i>Pogonia debilis</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Polychilos parishii</i> (Rchb.f.) Shim = <i>Phalaenopsis parishii</i> Rchb.f.
<i>Pogonia foliosa</i> King & Pantl. = <i>Bletilla foliosa</i> (King & Paul) Tang & F.T. Wang	<i>Polychilos pulchra</i> (Rchb.f.) Shim = <i>Phalaenopsis pulchra</i> (Rchb.f.) Sweet
<i>Pogonia japonica</i> Reichb.f. #4 II 64 ORCHIDACEAE	<i>Polychilos speciosa</i> (Rchb.f.) Shim = <i>Phalaenopsis speciosa</i> Rchb.f.
Pogonia, Small Whorled (E): <i>Isotria medeoloides</i>	<i>Polychilos sumatrana</i> (Korth. & Rchb.f.) Shim = <i>Phalaenopsis sumatrana</i> Korth. & Rchb.f.
<b><i>Pogoniopsis</i> spp.</b> Rchb.f. #4 II 64 ORCHIDACEAE	<i>Polychilos venosa</i> (Shim & Fowlie) Shim = <i>Phalaenopsis venosa</i> Shim & Fowlie
<i>Poinsettia pedunculata</i> Klotzsch = <i>Euphorbia strigosa</i> Hooker & Arnott	<i>Polychilos violacea</i> (Witte) Shim = <i>Phalaenopsis violacea</i> Witte
<i>Poinsettia punicea</i> Klotzsch & Garcke = <i>Euphorbia punicea</i> Swartz	
<i>Poinsettia radians</i> (Bentham) Klotzsch & Garcke = <i>Euphorbia radians</i> Benth.	
<i>Poinsettia strigosa</i> (Hooker & Arnott) Arthur = <i>Euphorbia strigosa</i> Hooker & Arnott	
<b><i>Polaskia</i> spp.</b> Backeb. #4 II 49 CACTACEAE	
<b><i>Polaskia chende</i></b> (Roland-Gosselin) Gibson & Horak #4 II 49 CACTACEAE	

- Polychilos viridis* (J.J.Sm.) Shim = *Phalaenopsis viridis* J.J.Sm.
- Polycycnis* spp.** Rchb.f. #4 II 64 ORCHIDACEAE
- Polyotidium* spp.** Garay #4 II 64 ORCHIDACEAE
- Polyodium acillare* Raddi = *Cyathea armata* (Swartz. 1788) Domin 1930
- Polyodium aculeatum* Raddi. = *Cyathea microdonta* (Desv. 1811) Domin. 1929
- Polyodium affine* Forst. = *Cyathea affinis* (G.Forster 1786) O.Swartz 1801
- Polyodium alsophilum* Link. 1833 = *Alsophila aspera* (L. 1753) Br et Spr. 1827
- Polyodium alternans* Wall. 1828 = *Sphaeropteris alternans* (Wallich ex Hook. 1844) R.Tryon 1970
- Polyodium arborescens* Roxb. 1844 = *Cyathea crenulata* Blume 1828
- Polyodium arboreum* L. = *Cyathea arborea* (L. 1753) Smith 1793
- Polyodium arboreum* Roxb. 1829 = *Cyathea crenulata* Blume 1828
- Polyodium armatum* Sw. 1788 = *Cyathea armata* (Swartz. 1788) Domin 1930
- Polyodium asperum* L. = *Alsophila aspera* (L. 1753) Br et Spr. 1827
- Polyodium atrovirens* Langsd. & Fisch 1810 = *Cyathea atrovirens* (Langsd. & Fisch. 1810) Domin 1929
- Polyodium axillare* Raddi. 1819 non Ait. 1789 = *Cyathea axillaris* (Fée 1850-52) Lellinger 1988
- Polyodium bipinnatifidum* (Bak. in Hook.) Jenm 1908 = *Cyathea pubens* Domin 1929
- Polyodium comosum* Wall. 1828 = *Sphaeropteris squamulata* (Blume 1828) R.Tryon 1970
- Polyodium contaminans* Wall. 1828 = *Sphaeropteris glauca* (Blume 1828) R.Tryon 1970
- Polyodium corcovadense* Raddi. 1819 = *Alsophila corcovadensis* (Raddi 1819) C.Chr. 1905
- Polyodium dealbatum* Forst. = *Cyathea dealbata* (Forst. 1786) Sw. 1801
- Polyodium felinum* Roxb. = *Sphaeropteris felina* (Roxb.) Pic.Serm. 1991
- Polyodium giganteum* Wall. 1828, non Desv. 1827 = *Alsophila gigantea* Wall. ex Hook. 1844
- Polyodium hirsutum* Desv. 1811 = *Cyathea surinamensis* (Miq. 1843) Domin 1929
- Polyodium latebrosum* Wall. = *Alsophila latebrosa* Wall. ex Hook. 1844
- Polyodium medullare* Forst. 1786 = *Sphaeropteris medullaris* (Forst. 1786) Bernh. 1801
- Polyodium microdontum* Desv. 1811 = *Cyathea microdonta* (Desv. 1811) Domin. 1929
- Polyodium pauciflorum* Hook 1862 = *Cyathea surinamensis* (Miq. 1843) Domin 1929
- Polyodium procerum* Willd. = *Cyathea pungens* (Willd. 1869) Domin 1929
- Polyodium pungens* Willd. 1810 = *Cyathea pungens* (Willd. 1869) Domin 1929
- Polyodium speciosum* Meyen 1834 = *Alsophila speciosa* (Meyen 1834) C.Presl. 1836
- Polyodium taenitis* Roth 1821 = *Alsophila corcovadensis* (Raddi 1819) C.Chr. 1905
- Polyodium umbrosum* Wall 1828 = *Alsophila gigantea* Wall. ex Hook. 1844
- Polyradicion* spp.** Garay #4 II 64 ORCHIDACEAE
- Polyradicion gracilis* (Cogn.) H.Dietr. 1983 = *Dendrophylax gracilis* (Cogn.) Garay 1969
- Polyradicion lindenii* (Lindl.) Garay 1969 = *Dendrophylax lindenii* (Lindl.) Benth. ex Rolfe 1888
- Polyradicion sallei* (Rchb.f.) Garay 1969 = *Dendrophylax sallei* (Rchb.f.) Benth. ex Rolfe 1888
- Polyrrhiza fawcettii* (Rolfe) Cogn. 1910 = *Dendrophylax fawcettii* Rolfe 1888
- Polyrrhiza funalis* (Rchb.f.) Pfitzer 1889 = *Dendrophylax funalis* (Sw.) Benth. ex Rolfe (1888)
- Polyrrhiza gracilis* Cogn. 1910 = *Dendrophylax gracilis* (Cogn.) Garay 1969
- Polyrrhiza lindenii* = *Dendrophylax lindenii* (Lindl.) Benth. ex Rolfe 1888
- Polyrrhiza sallei* (Rchb.f.) Cogn. 1910 = *Dendrophylax sallei* (Rchb.f.) Benth. ex Rolfe 1888
- Polystachya* spp.** Hook. #4 II 64 ORCHIDACEAE
- Polystachya bicalcarata* Kraenzl #4 II 64 ORCHIDACEAE
- Polystachya camaridioides* Summerh. #4 II 64 ORCHIDACEAE
- Polystachya cingulata* Reichb.f. ex Kranzlin #4 II 64 ORCHIDACEAE
- Polystachya concreta* (Jacq.) Garay & Sweet #4 II 64 ORCHIDACEAE
- Polystachya cooperi* Summerh. #4 II 64 ORCHIDACEAE
- Polystachya cucullata* T.Durand & Schinz = *Polystachya galeata* (Sw) Rchb.f.
- Polystachya farinosa* Kraenzl. #4 II 64 ORCHIDACEAE
- Polystachya flavescentia* (Blume) J.J. Smith #4 II 64 ORCHIDACEAE
- Polystachya fusiformis* (Thouin) Lindley #4 II 64 ORCHIDACEAE
- Polystachya galeata* (Sw) Rchb.f. #4 II 64 ORCHIDACEAE
- Polystachya geniculata* Summerh. #4 II 64 ORCHIDACEAE
- Polystachya gilletii* De Wild = *Polystachya galeata* (Sw) Rchb.f.
- Polystachya grandiflora* Lindl. = *Polystachya galeata* (Sw) Rchb.f.
- Polystachya kingii* Summerh. #4 II 64 ORCHIDACEAE
- Polystachya kupensis* P.J.Cribb & B.J.Pollard #4 II 64 ORCHIDACEAE
- Polystachya laxa* R. Schuster #4 II 64 ORCHIDACEAE
- Polystachya ligulifolia* Summerh. #4 II 64 ORCHIDACEAE
- Polystachya macracantha* Lindl. = *Polystachya galeata* (Sw) Rchb.f.
- Polystachya macropoda* Summerh. #4 II 64 ORCHIDACEAE
- Polystachya megalogenys* Summerh. #4 II 64 ORCHIDACEAE
- Polystachya micropetala* (Lindl.) Rolfe = *Genyorchis micropetala* (Lindl.) Schltr.
- Polystachya monolenis* Summerh. #4 II 64 ORCHIDACEAE
- Polystachya pachychila* Summerh. #4 II 64 ORCHIDACEAE

- Polystachya parviflora* Summerh. #4 II 64 ORCHIDACEAE *Ponthieva disema* Schltr. #4 II 64 ORCHIDACEAE  
*Polystachya ridleyi* Rolfe #4 II 64 ORCHIDACEAE *Ponthieva harrisii* Cogn. #4 II 64 ORCHIDACEAE  
*Polystachya setifera* Lindl. #4 II 64 ORCHIDACEAE *Ponthieva maculata* Lindley #4 II 64 ORCHIDACEAE  
*Polystachya superposita* Reichb.f. #4 II 64 ORCHIDACEAE *Ponthieva parviflora* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Polystachya testuana* Summerh. #4 II 64 ORCHIDACEAE *Ponthieva parvula* Schltr. #4 II 64 ORCHIDACEAE  
*Polystachya thomensis* Summerh. #4 II 64 ORCHIDACEAE *Ponthieva petiolata* Lindl. #4 II 64 ORCHIDACEAE  
*Polystachya tridentata* Summerh. #4 II 64 ORCHIDACEAE *Ponthieva pulchella* Schltr. #4 II 64 ORCHIDACEAE  
*Polystachya victoriae* Kraenzl. #4 II 64 ORCHIDACEAE *Ponthieva triloba* Schltr. #4 II 64 ORCHIDACEAE  
*Polystachya zuluensis* L.Bolus #4 II 64 ORCHIDACEAE *Ponthieva trilobata* (L.O. Williams) L.O. Williams #4 II 64 ORCHIDACEAE  
*Polystylus cornucervi* Hassk. = *Phalaenopsis cornucervi* (Breda) Blume & Reichb.f.  
*Polytoma odorifera* Lour ex Gomes = *Aerides odorata* Lour.  
**Pomatocalpa spp.** Breda, Kuhl & Hasselt #4 II 64 ORCHIDACEAE  
*Pomatocalpa andamanica* (Hook.f.) J.J. Smith #4 II 64 ORCHIDACEAE  
*Pomatocalpa arachnanthe* (Ridley) J.J. Smith #4 II 64 ORCHIDACEAE  
*Pomatocalpa decipiens* (Lindley) J.J. Smith #4 II 64 ORCHIDACEAE  
*Pomatocalpa elongatum* Carr #4 II 64 ORCHIDACEAE  
*Pomatocalpa kunstleri* (Hook.f.) J.J. Smith #4 II 64 ORCHIDACEAE  
*Pomatocalpa latifolia* (Lindley) J.J. Smith #4 II 64 ORCHIDACEAE  
*Pomatocalpa latifolium* (Lindl.) J.J. Sm. #4 II 64 ORCHIDACEAE  
*Pomatocalpa maculosum* (Lindley) J.J. Smith #4 II 64 ORCHIDACEAE  
*Pomatocalpa marsupiale* (Kranzlin) J.J. Smith #4 II 64 ORCHIDACEAE  
*Pomatocalpa parvum* (Ridley) J.J. Smith #4 II 64 ORCHIDACEAE  
*Pomatocalpa spicata* Breda #4 II 64 ORCHIDACEAE  
*Pomatocalpa wendlandorum* (Reichb.f.) J.J. Smith #4 II 64 ORCHIDACEAE  
Pomme-jardon (F): *Hylocereus trigonus*  
**Ponera spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Ponera alata* Reichb.f. #4 II 64 ORCHIDACEAE  
*Ponera exilis* Dressler #4 II 64 ORCHIDACEAE  
*Ponera glomerata* Correll #4 II 64 ORCHIDACEAE  
*Ponera graminifolia* (Knowl. & Westc.) Lindley #4 II 64 ORCHIDACEAE  
*Ponera kienastii* Rchb. 1877 = *Encyclia kienastii* (Rchb.f.) Dressler & Pollard  
*Ponera longipetala* Correll #4 II 64 ORCHIDACEAE  
*Ponera striata* Lindley #4 II 64 ORCHIDACEAE  
*Ponera subquadrilabia* Correll = *Ponera graminifolia* (Knowl. & Westc.) Lindley  
**Ponthieva spp.** R. Br. #4 II 64 ORCHIDACEAE  
*Ponthieva angustipetala* Greenwood #4 II 64 ORCHIDACEAE  
*Ponthieva brittoniae* Ames #4 II 64 ORCHIDACEAE  
*Ponthieva cuyujana* Dodson & Hirtz #4 II 64 ORCHIDACEAE  
*Porphyrodesme elongata* (Blume) Garay = *Renanthera elongata* (Blume) Lindley  
*Porphyrodesme hewittii* (Ames) Garay #4 II 64 ORCHIDACEAE  
*Porphyrodesme sarcanthoides* #4 II 64 ORCHIDACEAE  
**Porphyroglossum spp.** Ridley #4 II 64 ORCHIDACEAE  
*Porphyrostachys spp.* Rchb.f. #4 II 64 ORCHIDACEAE  
**Porroglossum spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Porroglossum amethystinum* (Reichb.f.) Garay #4 II 64 ORCHIDACEAE  
*Porroglossum andreettae* Luer #4 II 64 ORCHIDACEAE  
*Porroglossum cindylosepalum* Sweet #4 II 64 ORCHIDACEAE  
*Porroglossum dalstroemii* Luer #4 II 64 ORCHIDACEAE  
*Porroglossum dreisei* Luer & Andreetta #4 II 64 ORCHIDACEAE  
*Porroglossum eduardi* (Rchb.f.) H.R. Sweet Amer #4 II 64 ORCHIDACEAE  
*Porroglossum hirtzii* Luer #4 II 64 ORCHIDACEAE  
*Porroglossum meridionale* P. Ortiz #4 II 64 ORCHIDACEAE  
*Porroglossum mordax* (Rchb.f.) H.R. Sweet #4 II 64 ORCHIDACEAE  
*Porroglossum muscosum* Schltr. #4 II 64 ORCHIDACEAE  
*Porroglossum schramii* Luer #4 II 64 ORCHIDACEAE  
*Porroglossum taylorianum* Luer #4 II 64 ORCHIDACEAE  
*Porroglossum teaguei* Luer #4 II 64 ORCHIDACEAE  
**Porrhorhachis spp.** Garay #4 II 64 ORCHIDACEAE  
*Portillia popowiana* Königer & J. Portilla = *Masdevallia bicornis* Luer  
**Praecereus spp.** F. Buxb. #4 II 49 CACTACEAE  
*Praecereus euchlorus* (Weber) Taylor #4 II 49 CACTACEAE  
*Praecereus saxicola* (Morong) Taylor #4 II 49 CACTACEAE  
**Prasophyllum spp.** R. Br. #4 II 64 ORCHIDACEAE  
*Prasophyllum affine* Lindley #4 II 64 ORCHIDACEAE

- Prasophyllum ansatum* Fitzg. #4 II 64 ORCHIDACEAE  
*Prasophyllum appendiculatum* Nicholls #4 II 64  
 ORCHIDACEAE  
*Prasophyllum brachystachyum* Lindley = *Genoplesium brachystachyum* (Lindley) D.L.Jones & M.A.Clements  
*Prasophyllum brownii* Reichb.f. #4 II 64 ORCHIDACEAE  
*Prasophyllum buftonianum* J.H. Willis #4 II 64  
 ORCHIDACEAE  
*Prasophyllum calopterum* Reichb.f. = *Genoplesium calopterum* (Rchb.f.) D.L.Jones & M.A.Chen  
*Prasophyllum campestre* R.Bates & D.L.Jones #4 II 64  
 ORCHIDACEAE  
*Prasophyllum carnosum* R.Bates & D.L.Jones ms. #4 II 64  
 ORCHIDACEAE  
*Prasophyllum colemaniae* R. Rogers #4 II 64  
 ORCHIDACEAE  
*Prasophyllum concinnum* Nicholls #4 II 64  
 ORCHIDACEAE  
*Prasophyllum correctum* D.L.Jones #4 II 64  
 ORCHIDACEAE  
*Prasophyllum diversiflorum* Nicholls #4 II 64  
 ORCHIDACEAE  
*Prasophyllum dossenum* R.Bates & D.L.Jones #4 II 64  
 ORCHIDACEAE  
*Prasophyllum drummondii* Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Prasophyllum exiguum* Rupp #4 II 64 ORCHIDACEAE  
*Prasophyllum exilis* D.L.Jones & R.Bates #4 II 64  
 ORCHIDACEAE  
*Prasophyllum firthii* Cady = *Genoplesium brachystachyum* #4 II 64 ORCHIDACEAE  
*Prasophyllum frenchii* F.Muell. #4 II 64 ORCHIDACEAE  
*Prasophyllum fuscum* R.Br. #4 II 64 ORCHIDACEAE  
*Prasophyllum goldsackii* J.Z. Weber & R. Bates #4 II 64  
 ORCHIDACEAE  
*Prasophyllum incompositum* D.L.Jones #4 II 64  
 ORCHIDACEAE  
*Prasophyllum laminatum* Fitzg. #4 II 64 ORCHIDACEAE  
*Prasophyllum lanceolatum* R. Rogers #4 II 64  
 ORCHIDACEAE  
*Prasophyllum montanum* R.Bates & D.L.Jones #4 II 64  
 ORCHIDACEAE  
*Prasophyllum morganii* Nicholls #4 II 64 ORCHIDACEAE  
*Prasophyllum obovatum* Rupp #4 II 64 ORCHIDACEAE  
*Prasophyllum pallidum* Nicholls #4 II 64 ORCHIDACEAE  
*Prasophyllum petilum* D.L.Jones & R.Bates #4 II 64  
 ORCHIDACEAE  
*Prasophyllum pulchellum* D.L.Jones ms. #4 II 64  
 ORCHIDACEAE  
*Prasophyllum robustum* (Nicholls) M.A.Clements & D.L.Jones #4 II 64 ORCHIDACEAE  
*Prasophyllum spicatum* R.Bates & D.L.Jones #4 II 64  
 ORCHIDACEAE  
*Prasophyllum suaveolens* D.L.Jones & R.Bates #4 II 64  
 ORCHIDACEAE  
*Prasophyllum subbisectum* Nicholls #4 II 64  
 ORCHIDACEAE  
*Prasophyllum triangulare* Fitzg. #4 II 64 ORCHIDACEAE  
*Prasophyllum truncatum* Lindley #4 II 64 ORCHIDACEAE  
*Prasophyllum validum* R.Rogers #4 II 64 ORCHIDACEAE  
*Prasophyllum wallum* R.Bates & D.L.Jones #4 II 64  
 ORCHIDACEAE  
*Preptanthe rubens* (Ridl.) Ridl. = *Calanthe rubens* Ridley  
*Preptanthe vestita* (Lindl.) Rchb.f. = *Calanthe vestita* Lindl.  
*Preptanthe villosa* Rchb.f. = *Calanthe vestita* Lindl.  
***Prescottia* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Prescottia oligantha* (Sw.) Lindley #4 II 64  
 ORCHIDACEAE  
*Prescottia plantaginea* Lindl. #4 II 64 ORCHIDACEAE  
*Prescottia tubulosa* (Lindley) L.O. Williams #4 II 64  
 ORCHIDACEAE  
 Prickly, Tree Fern (E): *Alsophila leichhardtiana*  
***Pristiglottis* spp.** Cretzoiu & J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Pristiglottis elongata* (Blume) Cretz. & J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Pristiglottis hasseltii* (Blume) Cretz. & J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Pristiglottis occulta* (Blume) Cretz. & J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Pristiglottis pubescens* (Blume) Cretz. & J.J. Smith #4 II 64  
 ORCHIDACEAE  
***Promenaea* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Promenaea staphelioides* (Link & Otto) Lindl. #4 II 64  
 ORCHIDACEAE  
***Prosthechea* spp.** Knowles & Westc. #4 II 64  
 ORCHIDACEAE  
*Prosthechea boothiana* (Lindl.) W.E.Higgins #4 II 64  
 ORCHIDACEAE  
*Prosthechea cochleata* (L.) W.E.Higgins #4 II 64  
 ORCHIDACEAE  
*Prosthechea favoris* (Rchb.f.) Salazar & Soto Arenas #4 II 64  
 ORCHIDACEAE  
*Prosthechea fragrans* (Sw.) W.E.Higgins #4 II 64  
 ORCHIDACEAE  
*Prosthechea glauca* Knowles & Westc. = *Encyclia glauca* (Knowles & Westc.) Dressler & G.E.Pollard  
*Prosthechea guttata* (Schltr.) #4 II 64 ORCHIDACEAE  
*Prosthechea pseudopygmaea* (Finet) W.E.Higgins #4 II 64  
 ORCHIDACEAE  
***Protoceras* spp.** Joseph & Vajravelu #4 II 64  
 ORCHIDACEAE  
 Prunier d'Afrique (F): *Prunus africana*  
*Prunus africana* (Hook. f.) Kalkm. #4 II ROSACEAE (E)  
 African Cherry, Kanda Stick, Red Stinkwood (S)  
 Ciruelo africano, Pigeum (F) Prunier d'Afrique, Pygeum  
***Pseudacoridium* spp.** Ames #4 II 64 ORCHIDACEAE  
***Pseuderia* spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Pseuderia micronesiaca* Schltr. #4 II 64 ORCHIDACEAE  
*Pseuderia ramosa* L.O. Williams #4 II 64 ORCHIDACEAE  
***Pseudoanthocereus* spp.** Ritter #4 II 49 CACTACEAE  
*Pseudoanthocereus boreominarum* Rizzini & Mattos =  
*Pseudoanthocereus brasiliensis* (Britton & Rose)  
 Ritter  
***Pseudoanthocereus brasiliensis*** (Britton & Rose)  
 Ritter #4 II 49 CACTACEAE

- Pseudoacanthocereus sicariguensis** (Croizat & Tamayo) Taylor #4 II 49 CACTACEAE
- Pseudocentrum spp.** Lindl. #4 II 64 ORCHIDACEAE
- Pseudocentrum hoffmannii* Reichb.f. #4 II 64  
ORCHIDACEAE
- Pseudocranichis spp.** Garay. #4 II 64 ORCHIDACEAE
- Pseudocranichis thyrsanochila* (Robinson & Greenman)  
Garay #4 II 64 ORCHIDACEAE
- Pseudoespactoa melanostele* (Vaupel) Backeberg =  
*Espactoa melanostele* (Vaupel) Borg
- Pseudoespactoa nana* (Ritter) Backeberg = *Espactoa nana* Ritter
- Pseudogoodyera spp.** Schlechter #4 II 64  
ORCHIDACEAE
- Pseudogoodyera wrightii* (Reichb.f.) Schltr. #4 II 64  
ORCHIDACEAE
- Pseudolaelia spp.** C. Porto & Brade #4 II 64  
ORCHIDACEAE
- Pseudolaelia corcovadensis* C. Porto & Brade. #4 II 64  
ORCHIDACEAE
- Pseudolaelia spp.* Unknown #4 II 64 ORCHIDACEAE
- Pseudolaelia vellozicola* #4 II 64 ORCHIDACEAE
- Pseudolobivia acanthoplegma* Backeberg = *Echinopsis cinnabarina* (Hooker) Labouret
- Pseudolobivia ancistrophora* (Spegazzini) Backeberg =  
*Echinopsis ancistrophora* Spegazzini
- Pseudolobivia aurea* (Britton & Rose) Backeberg =  
*Echinopsis aurea* Britton & Rose
- Pseudolobivia boyuibensis* (Ritter) Backeberg =  
*Echinopsis boyuibensis* Ritter
- Pseudolobivia callichroma* (Cardenas) Backeberg =  
*Echinopsis callichroma* Cardenas
- Pseudolobivia carmineoflora* Hoffmann & Backeberg =  
*Echinopsis obrepanda* (Salm-Dyck) Schumann
- Pseudolobivia ferox* (Britton & Rose) Backeberg =  
*Echinopsis ferox* (Britton & Rose) Backeberg
- Pseudolobivia hamatacantha* (Backeberg) Backeberg =  
*Echinopsis ancistrophora* Spegazzini
- Pseudolobivia kermesina* Krainz = *Echinopsis mamillosa* Guerke
- Pseudolobivia leucorhodantha* (Backeberg) Backeberg ex  
Krainz = *Echinopsis ancistrophora* Spegazzini
- Pseudolobivia longispina* (Britton & Rose) Backeberg ex  
Krainz = *Echinopsis ferox* (Britton & Rose) Backeberg
- Pseudolobivia luteiflora* Backeberg = *Echinopsis aurea*  
Britton & Rose
- Pseudolobivia obrepanda* (Salm-Dyck) Backeberg ex  
Krainz = *Echinopsis obrepanda* (Salm-Dyck)  
Schumann
- Pseudolobivia orozasana* (Ritter) Backeberg = *Echinopsis obrepanda* (Salm-Dyck) Schumann
- Pseudolobivia pelecyrhachis* (Backeberg) Backeberg ex  
Krainz = *Echinopsis ancistrophora* Spegazzini
- Pseudolobivia polyancistra* (Backeberg) Backeberg =  
*Echinopsis ancistrophora* Spegazzini
- Pseudolobivia potosina* (Werdermann) Backeberg ex  
Krainz = *Echinopsis ferox* (Britton & Rose) Backeberg
- Pseudolobivia rojasii* (Cardenas) Backeberg = *Echinopsis obrepanda* (Salm-Dyck) Schumann
- Pseudolobivia toralapana* (Cardenas) Backeberg =  
*Echinopsis obrepanda* (Salm-Dyck) Schumann
- Pseudolobivia wilkeae* Backeberg = *Echinopsis ferox*  
(Britton & Rose) Backeberg
- Pseudomammillaria kraehenbuehlii* Krainz = *Mammillaria kraehenbuehlii* (Krainz) Krainz
- Pseudomaxillaria spp.* Hoehne #4 II 64 ORCHIDACEAE
- Pseudomitrocereus fulviceps* (Weber) Bravo & Buxbaum =  
*Pachycereus fulviceps* (Lemaire) Hunt
- Pseudonopalochia connattiana* (MacDougall) Backeberg  
= *Disocactus ackermannii* (Lindley) Barthlott
- Pseudopilocereus arrabidae* (Lemaire) Buxbaum =  
*Pilosocereus arrabidae* (Lemaire) Byles & Rowley
- Pseudopilocereus bradei* (Backeberg & Voll) Buxbaum =  
*Cipocereus bradei* (Backeberg & Voll) Zappi & Taylor
- Pseudopilocereus carolinensis* (Ritter) P.V.Heath =  
*Pilosocereus flavipulvinatus* (Buining & Brederoo)  
Ritter
- Pseudopilocereus chrysostele* (Vaupel) Buxbaum =  
*Pilosocereus chrysostele* (Vaupel) Byles & Rowley
- Pseudopilocereus cuyabensis* (Backeberg) Buxbaum =  
*Pilosocereus machrisii* (Dawson) Backeberg
- Pseudopilocereus densiareolatus* (Ritter) P.V.Heath =  
*Pilosocereus densiareolatus* Ritter
- Pseudopilocereus diersianus* Esteves = *Pilosocereus diersianus* (Esteves) Braun
- Pseudopilocereus flavipulvinatus* Buining & Brederoo =  
*Pilosocereus flavipulvinatus* (Buining & Brederoo)  
Ritter
- Pseudopilocereus gaturianensis* (Ritter) P.V. Heath =  
*Pilosocereus piauhensis* (Guerke) Byles & Rowley
- Pseudopilocereus glaucochrous* (Werdermann) Buxbaum  
= *Pilosocereus glaucochrous* (Werdermann) Byles &  
Rowley
- Pseudopilocereus juaruensis* Buining & Brederoo =  
*Pilosocereus machrisii* (Dawson) Backeberg
- Pseudopilocereus luetzelburgii* (Vaupel) Buxbaum =  
*Stephanocereus luetzelburgii* (Vaupel) Taylor & Eggi
- Pseudopilocereus machrisii* (Dawson) Buxbaum =  
*Pilosocereus machrisii* (Dawson) Backeberg
- Pseudopilocereus magnificus* Buining & Brederoo =  
*Pilosocereus magnificus* (Buining & Brederoo) Ritter
- Pseudopilocereus mucosiflorus* Buining & Brederoo =  
*Pilosocereus piauhensis* (Guerke) Byles & Rowley
- Pseudopilocereus multicostatus* (Ritter) P.V.Heath =  
*Pilosocereus multicostatus* Ritter
- Pseudopilocereus nobilis* (Haworth) Buxbaum =  
*Pilosocereus royenii* (L.) Byles & Rowley
- Pseudopilocereus oligolepis* (Vaupel) Buxbaum =  
*Pilosocereus oligolepis* (Vaupel) Byles & Rowley
- Pseudopilocereus parvus* Diers & Esteves Pereira =  
*Pilosocereus machrisii* (Dawson) Backeberg
- Pseudopilocereus piauhensis* (Guerke) Buxbaum =  
*Pilosocereus piauhensis* (Guerke) Byles & Rowley
- Pseudopilocereus saudadensis* (Ritter) P.V. Heath =  
*Pilosocereus machrisii* (Dawson) Backeberg
- Pseudopilocereus tuberculatus* (Werdermann) Buxbaum =  
*Pilosocereus tuberculatus* (Werdermann) Byles &  
Rowley

- Pseudopilocereus ulei* (Schumann) Buxbaum =  
*Pilosocereus ulei* (Schumann) Byles & Rowley  
*Pseudopilocereus vilaboensis* Diers & Esteves Pereira =  
*Pilosocereus vilaboensis* (Diers & Esteves Pereira)  
Braun  
*Pseudorchis* spp. Seguier #4 II 64 ORCHIDACEAE  
*Pseudorchis albida* (L.) A.Löve & D.Löve #4 II 64  
ORCHIDACEAE (E) Small White Orchid  
*Pseudorchis frivaldii* (Hampe ex Griseb.) P.F.Hunt #4 II 64  
ORCHIDACEAE  
*Pseudorchis loeselii* (L.) Gray = *Liparis loeselii* (L.) Rich.  
*Pseudorhipsalis* spp. Britton & Rose #4 II 49  
CACTACEAE  
*Pseudorhipsalis acuminata* Cufodontis #4 II 49  
CACTACEAE  
*Pseudorhipsalis alata* (Swartz) Britton & Rose #4 II 49  
CACTACEAE  
*Pseudorhipsalis himantoclada* (Roland-Gosselin)  
Britton & Rose #4 II 49 CACTACEAE  
*Pseudorhipsalis horichii* (Kimnach) Barthlott #4 II 49  
CACTACEAE  
*Pseudorhipsalis lankesteri* (Kimnach) Barthlott #4 II 49  
CACTACEAE  
*Pseudorhipsalis macrantha* Alexander = *Disocactus*  
*macranthus* (Alexander) Kimnach & Hutchinson  
*Pseudorhipsalis ramulosa* (Salm-Dyck) Barthlott #4 II  
49 CACTACEAE  
*Pseudovanilla* spp. Garay #4 II 64 ORCHIDACEAE  
*Pseudozygocactus epiphyloides* (Campos-Porto &  
Werdermann) Backeberg = *Hatiora epiphyloides*  
(Campos-Porto & Werdermann) F.Buxbaum  
*Psilochilus* spp. Barb.Rodr. #4 II 64 ORCHIDACEAE  
*Psilochilus macrophyllus* (Lindl.) Ames #4 II 64  
ORCHIDACEAE  
*Psychilis* spp. Raf. #4 II 64 ORCHIDACEAE  
*Psychilis krugii* (Bello) Sauleda #4 II 64 ORCHIDACEAE  
*Psychilis olivacea* (Cogn.) Sauleda #4 II 64  
ORCHIDACEAE  
*Psychopsiella* spp. Luckel & Braem. #4 II 64  
ORCHIDACEAE  
*Psychopsis* spp. Raf. #4 II 64 ORCHIDACEAE  
*Psygmorechis* spp. Dodson & Dressler #4 II 64  
ORCHIDACEAE  
*Psygmorechis allemanii* (Barb.Rodr.) Garay & Stacy =  
*Erycina pusilla* (L.) N.H.Williams & M.W.Chase 2001  
*Psygmorechis glossomystax* (Rchb.f.) Dodson & Dressler  
1972 = *Erycina glossomystax* (Rchb.f.) N.H.Williams &  
M.W.Chase 2001  
*Psygmorechis gnomus* (Kraenzl.) Dodson & Dressler 1972  
= *Erycina pumilio* (Rchb.f.) N.H.Williams & M.W.Chase  
2001  
*Psygmorechis hondurensis* (Ames) Garay & Stacey 1974 =  
*Erycina pumilio* (Rchb.f.) N.H.Williams & M.W.Chase  
2001  
*Psygmorechis pumilio* (Rchb.f.) Dodson & Dressler =  
*Erycina pumilio* (Rchb.f.) N.H.Williams & M.W.Chase  
2001  
*Psygmorechis pusilla* (L.) Dodson & Dressler 1972 =  
*Erycina pusilla* (L.) N.H.Williams & M.W.Chase 2001  
*Psygmorechis zamorensis* Dodson 1982 = *Erycina*  
*zamorensis* (Dodson) N.H.Williams & M.W.Chase 2001  
*Pterichis* spp. Lindl. #4 II 64 ORCHIDACEAE  
*Pterichis costaricensis* Ames & C. Schweinf. #4 II 64  
ORCHIDACEAE  
*Pterichis leo* L.D. Gómez #4 II 64 ORCHIDACEAE  
*Pterichis proctorii* Garay #4 II 64 ORCHIDACEAE  
*Pterocactus* spp. K. Schum. #4 II 49 CACTACEAE  
*Pterocactus araucanus* Castellanos #4 II 49  
CACTACEAE  
*Pterocactus australis* (Weber) Backeberg #4 II 49  
CACTACEAE  
*Pterocactus decipiens* Guerke = *Pterocactus tuberosus*  
(Pfeiffer) Britton & Rose  
*Pterocactus fischeri* Britton & Rose #4 II 49  
CACTACEAE  
*Pterocactus gonjianii* Kiesling #4 II 49 CACTACEAE  
*Pterocactus hickenii* Britton & Rose #4 II 49  
CACTACEAE  
*Pterocactus kuntzei* = *Pterocactus tuberosus* (Pfeiffer)  
Britton & Rose  
*Pterocactus megalolii* Kiesling #4 II 49 CACTACEAE  
*Pterocactus pumilus* Britton & Rose = *Pterocactus*  
*valentinii* Spegazzini  
*Pterocactus reticulatus* Kiesling #4 II 49 CACTACEAE  
*Pterocactus skottsbergii* Skotsberg ex Britton & Rose =  
*Pterocactus hickenii* Britton & Rose  
*Pterocactus tuberosus* (Pfeiffer) Britton & Rose #4 II 49  
CACTACEAE  
*Pterocactus valentinii* Spegazzini #4 II 49 CACTACEAE  
*Pterocarpus santalinus* Linn.f. #7 II LEGUMINOSAE (E)  
Agaru, Red Sandalwood, Redsanders, Red Sanders,  
Saunderswood (S) Leno de Sandalo Rojo, Sándalo  
rojo (F) Bois de Santal Rouge, Santal rouge  
*Pteroceras* spp. Hasselt ex Hassk. #4 II 64  
ORCHIDACEAE  
*Pteroceras appendiculatum* (Blume) Holttum =  
*Grosourdya appendiculata* (Bl.) Reichb. f.  
*Pteroceras berkeleyii* (Reichb.f.) Holttum #4 II 64  
ORCHIDACEAE  
*Pteroceras caligare* auct. non (Ridl.) Holttum = *Vanda*  
*lilacina* Teijsm. & Binn..  
*Pteroceras compressum* (Blume) Holttum #4 II 64  
ORCHIDACEAE  
*Pteroceras decipiens* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE  
*Pteroceras elobe* Seidenf. #4 II 64 ORCHIDACEAE  
*Pteroceras emarginatum* (Blume) Holttum #4 II 64  
ORCHIDACEAE  
*Pteroceras fraternum* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE  
*Pteroceras hirticalcar* (Dockr.) Garay #4 II 64  
ORCHIDACEAE  
*Pteroceras incurvicalcar* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE  
*Pteroceras javanicum* (J.J. Smith) Bakh.f. #4 II 64  
ORCHIDACEAE  
*Pteroceras leopardinum* (E.C.Parish & Rchb.f.) Seidenf. &  
Smitinand #4 II 64 ORCHIDACEAE

- Pteroceras mentakabensis* (Carr) Bakh.f. #4 II 64  
ORCHIDACEAE
- Pteroceras pallidum* (Blume) Holttum #4 II 64  
ORCHIDACEAE
- Pteroceras philippinense* Ames #4 II 64 ORCHIDACEAE
- Pteroceras semiteretifolium* H.Ae.Pedessen #4 II 64  
ORCHIDACEAE
- Pteroceras tanyphyllum* (Ridley) Holttum #4 II 64  
ORCHIDACEAE
- Pteroceras teres* (Blume) Bakh.f. #4 II 64 ORCHIDACEAE
- Pteroceras teysmanni* (Miq.) Holttum #4 II 64  
ORCHIDACEAE
- Pteroceras unguiculatum* Lindl. & Pedersen #4 II 64  
ORCHIDACEAE
- Pteroceras viridiflorum* (Thw.) Holttum #4 II 64  
ORCHIDACEAE
- Pteroceras zollingeri* (Reichb.f.) Holttum #4 II 64  
ORCHIDACEAE
- Pterocereus foetidus* T. Macdougall & Miranda =  
*Pachycereus gaumeri* Britton & Rose
- Pterocereus gaumeri* (Britton & Rose) T. MacDougall &  
Miranda = *Pachycereus gaumeri* Britton & Rose
- Pteroglossa spp.** Schltr. #4 II 64 ORCHIDACEAE
- Pteroglossa hilariana* (Cogn.) Garay #4 II 64  
ORCHIDACEAE
- Pteroglossa macrantha* (Rchb.f.) Schltr. #4 II 64  
ORCHIDACEAE
- Pteroglossa regia* (Kraenzl.) Schltr. #4 II 64  
ORCHIDACEAE
- Pteroglossaspis spp.** Reichb.f. #4 II 64 ORCHIDACEAE
- Pteroglossaspis distans* Summerh. #4 II 64  
ORCHIDACEAE
- Pteroglossaspis ecristata* (Fern.) Rolfe #4 II 64  
ORCHIDACEAE (E) Wild Coco Orchid
- Pterostemma spp.** Lahm. & Kraenzl. #4 II 64  
ORCHIDACEAE
- Pterostylis spp.** R. Br. #4 II 64 ORCHIDACEAE
- Pterostylis aenigma* D.L.Jones & M.A.Clements #4 II 64  
ORCHIDACEAE
- Pterostylis alveata* Garnet #4 II 64 ORCHIDACEAE
- Pterostylis angusta* A.S.George #4 II 64 ORCHIDACEAE
- Pterostylis aphylla* Lindley #4 II 64 ORCHIDACEAE
- Pterostylis arenicola* M.A.Clements & J.Stewart #4 II 64  
ORCHIDACEAE
- Pterostylis basaltica* D.L.Jones & M.A.Clements #4 II 64  
ORCHIDACEAE
- Pterostylis bicornis* D.L.Jones & M.A.Clements #4 II 64  
ORCHIDACEAE
- Pterostylis bureaviana* Schltr. #4 II 64 ORCHIDACEAE
- Pterostylis ceriflora* Blackmore & Clemesha #4 II 64  
ORCHIDACEAE
- Pterostylis cheraphila* D.L.Jones & M.A.Clements #4 II 64  
ORCHIDACEAE
- Pterostylis chlorogramma* D.L.Jones & M.A.Clements #4 II 64  
ORCHIDACEAE
- Pterostylis cobarensis* M.A.Clements #4 II 64  
ORCHIDACEAE
- Pterostylis commutata* D.L.Jones #4 II 64 ORCHIDACEAE
- Pterostylis cucullata* R.Br. #4 II 64 ORCHIDACEAE
- Pterostylis depauperata* Bailey #4 II 64 ORCHIDACEAE
- Pterostylis despectans* (Nicholls) M.A.Clements &  
D.L.Jones #4 II 64 ORCHIDACEAE
- Pterostylis fischii* Nicholls #4 II 64 ORCHIDACEAE
- Pterostylis furcillata* Rupp #4 II 64 ORCHIDACEAE
- Pterostylis gibbosa* R.Br. #4 II 64 ORCHIDACEAE
- Pterostylis longicurva* Rupp #4 II 64 ORCHIDACEAE
- Pterostylis nigricans* D.L.Jones & M.A.Clements #4 II 64  
ORCHIDACEAE
- Pterostylis nutans* R. Br. #4 II 64 ORCHIDACEAE
- Pterostylis petrosa* D.L.Jones & M.A.Clements #4 II 64  
ORCHIDACEAE
- Pterostylis pulchella* Messmer #4 II 64 ORCHIDACEAE
- Pterostylis robusta* R.S.Rogers #4 II 64 ORCHIDACEAE
- Pterostylis smaragdyna* D.L.Jones & M.A.Clements #4 II  
64 ORCHIDACEAE
- Pterostylis tenuissima* Nicholls #4 II 64 ORCHIDACEAE
- Pterostylis turfosa* Endl. #4 II 64 ORCHIDACEAE
- Pterostylis valida* (Nicholls) D.L.Jones #4 II 64  
ORCHIDACEAE
- Pterostylis woollsii* Fitzg. #4 II 64 ORCHIDACEAE
- Pterostylis xerophila* M.A.Clements #4 II 64  
ORCHIDACEAE
- Pterygodium spp.** Sw. #4 II 64 ORCHIDACEAE
- Pterygodium cruciferum* Sond. #4 II 64 ORCHIDACEAE
- Pterygodium pentherianum* Schltr. #4 II 64  
ORCHIDACEAE
- Ptychogyne bimaculata* (Ridl.) Pfitze = *Coelogyn*  
*flexuosa* Rolfe
- Ptychogyne flexuosa* (Rolfe) Pfitzer = *Coelogyn* *flexuosa*  
Rolfe
- Puna bonnieae* D.J.Ferguson & Kiesling = *Opuntia*  
*subterranea* R.Fries
- Puna clavarioides* (Pfeiffer) Kiesling = *Opuntia clavarioides*  
Pfeiffer
- Puna subterraneus* (R. Fries) Kiesling = *Opuntia*  
*subterranea* R.Fries
- Puntia exaltata* Berger = *Opuntia subulata* (Muehlenfordt)  
Engelmann
- Puzzle, Monkey (E): *Araucaria araucana*
- Pygeum (F): *Prunus africana*
- Pygeum africanum* Hook. f. = *Prunus africana* (Hook. f.)  
Kalkm.
- Pygmaeocereus spp.** Johnson & Backeb. #4 II 49  
CACTACEAE
- Pygmaeocereus akersii* Johnson ex Backeb erg =  
*Pygmaeocereus bylesianus* Andreae & Backeb erg
- Pygmaeocereus biebliei** Diers #4 II 49 CACTACEAE
- Pygmaeocereus bylesianus** Andreae & Backeb erg #4 II  
49 CACTACEAE
- Pygmaeocereus familiaris** Ritter #4 II 49 CACTACEAE
- Pygmaeocereus rowleyanus* Backeb erg =  
*Pygmaeocereus bylesianus* Andreae & Backeb erg
- Pygmaeorchis spp.** Brade #4 II 64 ORCHIDACEAE
- Pyrrhocactus andicola* (Ritter) Ritter = *Eriosyce curvispina*  
(Bertero ex Colla) Kattermann

- Pyrrhocactus armatus* Ritter = *Eriosyce curvispina* (Bertero ex Colla) Kattermann
- Pyrrhocactus aspillagae* (Soehrens) Ritter = *Eriosyce aspillagae* (Soehrens) Kattermann
- Pyrrhocactus atrospinosis* Backeberg = *Eriosyce strausiana* (Schumann) Kattermann
- Pyrrhocactus bulbocalyx* (Werdermann) Backeberg = *Eriosyce bulbocalyx* (Werdermann) Kattermann
- Pyrrhocactus chaniarensis* Ritter = *Eriosyce heinrichiana* (Backeberg) Kattermann
- Pyrrhocactus chilensis* (Hildmann ex Schumann) Ritter = *Eriosyce chilensis* (Hildmann ex Schumann) Kattermann
- Pyrrhocactus choapensis* Ritter = *Eriosyce curvispina* (Bertero ex Colla) Kattermann
- Pyrrhocactus chorosensis* Ritter = *Eriosyce heinrichiana* (Backeberg) Kattermann
- Pyrrhocactus coliguayensis* Ritter = *Eriosyce curvispina* (Bertero ex Colla) Kattermann
- Pyrrhocactus confinis* Ritter = *Eriosyce confinis* (Ritter) Kattermann
- Pyrrhocactus curvispinus* (Bertero ex Colla) Backeberg = *Eriosyce curvispina* (Bertero ex Colla) Kattermann
- Pyrrhocactus deherdtianus* (Backeberg) Kattermann = *Eriosyce heinrichiana* (Backeberg) Kattermann
- Pyrrhocactus dubius* Backeberg = *Eriosyce bulbocalyx* (Werdermann) Kattermann
- Pyrrhocactus engleri* (Ritter) Ritter = *Eriosyce engleri* (Ritter) Kattermann
- Pyrrhocactus eriosyzoides* (Ritter) Ritter = *Eriosyce kunzei* (Foerster) Kattermann
- Pyrrhocactus garaventae* (Ritter) Ritter = *Eriosyce garaventae* (Ritter) Kattermann
- Pyrrhocactus grandiflorus* Ritter = *Eriosyce curvispina* (Bertero ex Colla) Kattermann
- Pyrrhocactus horridus* (Remy ex Gay) Backeberg = *Eriosyce curvispina* (Bertero ex Colla) Kattermann
- Pyrrhocactus jussieui* (Monville ex Salm-Dyck) Ritter = *Eriosyce heinrichiana* (Backeberg) Kattermann
- Pyrrhocactus krausii* Ritter = *Eriosyce chilensis* (Hildmann ex Schumann) Kattermann
- Pyrrhocactus limariensis* Ritter = *Eriosyce limariensis* (Ritter) Kattermann
- Pyrrhocactus lissocarpus* Ritter = *Eriosyce marksiana* (Ritter) Kattermann
- Pyrrhocactus marayensis* (Backeb.) J.G.Lambert = *Eriosyce bulbocalyx* (Werdermann) Kattermann
- Pyrrhocactus marksianus* Ritter = *Eriosyce marksiana* (Ritter) Kattermann
- Pyrrhocactus megliolii* Rausch = *Eriosyce bulbocalyx* (Werdermann) Kattermann
- Pyrrhocactus melanacanthus* Backeberg = *Eriosyce villicumensis* (Rausch) Kattermann
- Pyrrhocactus occultus* (Schumann) Ritter = *Eriosyce occulta* Kattermann
- Pyrrhocactus odoriflorus* Ritter = *Eriosyce curvispina* (Bertero ex Colla) Kattermann
- Pyrrhocactus pachacoensis* Rausch = *Eriosyce strausiana* (Schumann) Kattermann
- Pyrrhocactus pamaensis* Ritter = *Eriosyce curvispina* (Bertero ex Colla) Kattermann
- Pyrrhocactus platyacanthus* Ritter = *Eriosyce strausiana* (Schumann) Kattermann
- Pyrrhocactus reconditus* Ritter = *Eriosyce recondita* (Ritter) Kattermann
- Pyrrhocactus sanjuanensis* (Spegazzini) Backeberg = *Eriosyce strausiana* (Schumann) Kattermann
- Pyrrhocactus setiflorus* Backeberg = *Eriosyce strausiana* (Schumann) Kattermann
- Pyrrhocactus subaianus* Backeberg = *Eriosyce garaventae* (Ritter) Kattermann
- Pyrrhocactus taltalensis* (Hutchison) Ritter = *Eriosyce taltalensis* (Hutchison) Kattermann
- Pyrrhocactus transitensis* Ritter = *Eriosyce kunzei* (Foerster) Kattermann
- Pyrrhocactus trapichensis* Ritter = *Eriosyce heinrichiana* (Backeberg) Kattermann
- Pyrrhocactus truncatipetalus* Ritter = *Eriosyce curvispina* (Bertero ex Colla) Kattermann
- Pyrrhocactus umadeave* (Werdermann) Backeberg = *Eriosyce umadeave* (Fric ex Werdermann) Kattermann
- Pyrrhocactus vallenarense* Ritter = *Eriosyce kunzei* (Foerster) Kattermann
- Pyrrhocactus vertongenii* J.G.Lambert = *Eriosyce vertongenii* (J.G.Lambert) Hunt
- Pyrrhocactus villicumensis* Rausch = *Eriosyce villicumensis* (Rausch) Kattermann
- Pyrrhocactus vollianus* Backeberg = *Eriosyce strausiana* (Schumann) Kattermann
- Quekettia spp.** Lindl. #4 II 64 ORCHIDACEAE
- Quercus mongolica* Fisch. ex Ledeb. #5 III FAGACEAE  
(E) Mongolian oak
- Queteletia* spp. Blume #4 II 64 ORCHIDACEAE
- Queteletia plantaginifolia* Blume #4 II 64 ORCHIDACEAE
- Quiabentia spp.** B. & R. NC CACTACEAE
- Quiabentia chacoensis* Backeberg = *Quiabentia verticillata* (Vaupel) Vaupel
- Quiabentia pereziensis* Backeberg = *Quiabentia verticillata* (Vaupel) Vaupel
- Quiabentia pflanzii* (Vaupel) Vaupel = *Quiabentia verticillata* (Vaupel) Vaupel
- Quiabentia verticillata** (Vaupel) Vaupel NC CACTACEAE
- Quiabentia zehntneri** (Britton & Rose) Britton & Rose NC CACTACEAE
- Quisqueya spp.** D. Don #4 II 64 ORCHIDACEAE
- Quisqueya ekmanii* Dod 1979 #4 II 64 ORCHIDACEAE
- Quisqueya fuertesii* Dod 1983 = *Quisqueya rosea* (Maust.) Dod 1979
- Quisqueya holdridgei* Dod 1979 #4 II 64 ORCHIDACEAE
- Quisqueya karstii* Dod 1979 #4 II 64 ORCHIDACEAE
- Quisqueya rosea* (Maust.) Dod 1979 #4 II 64 ORCHIDACEAE
- Racine de Serpentine (F): *Rauvolfia serpentina*
- Radinocion flexuosa* Ridl. = *Aerangis flexuosa* (Ridley) Schltr.
- Raffles, Pitcher-plant (E): *Nepenthes rafflesiana*
- Ramin (E): *Gonystylus macrophyllus*
- Ramin (E): *Gonystylus confusus*
- Ramin (E): *Gonystylus calophyllus*

- Ramin (E): *Gonostylus calophylloides*  
Ramin (E): *Gonostylus borneensis*  
Ramin (E): *Gonostylus augescens*  
Ramin (E): *Gonostylus areolatus*  
Ramin (E): *Gonostylus acuminatus*  
Ramin (E): *Gonostylus maingayi*  
Ramin (E): *Gonostylus decipiens*  
Ramin (E): *Gonostylus micranthus*  
Ramin (E): *Gonostylus nervosus*  
Ramin (E): *Gonostylus nobilis*  
Ramin (E): *Gonostylus pendulus*  
Ramin (E): *Gonostylus punctatus*  
Ramin (E): *Gonostylus spectabilis*  
Ramin (E): *Gonostylus stenosepalus*  
Ramin (E): *Gonostylus xylocarpus*  
Ramin (E): *Gonostylus glaucescens*  
Ramin (E): *Gonostylus costalis*  
Ramin (E): *Gonostylus lucidulus*
- Rangaeris spp.** (Schlechter) Summerh. #4 II 64  
ORCHIDACEAE
- Rangaeris amaniensis* #4 II 64 ORCHIDACEAE
- Rangaeris longicaudata* (Rolfe) Summerh. #4 II 64  
ORCHIDACEAE
- Rangaeris muscicola* #4 II 64 ORCHIDACEAE
- Rangaeris rhipsalisocia* #4 II 64 ORCHIDACEAE
- Rathbunia alamosensis* (J.Coulter) Britton & Rose =  
*Stenocereus alamosensis* (J.Coulter) Gibson & Horak
- Rathbunia beneckeii* (Ehrenberg) P.V.Heath = *Stenocereus beneckeii* (Ehrenberg) Buxbaum
- Rathbunia chacalapensis* (Bravo & Macdougal) P.V.Heath =  
*Stenocereus chacalapensis* (Bravo & Macdougall)  
Buxbaum
- Rathbunia chrysocarpa* (Sanchez-Mejorada) P.V.Heath =  
*Stenocereus chrysocarpus* Sanchez-Mejorada
- Rathbunia deficiens* (Otto & Dietrich) P.V.Heath =  
*Stenocereus griseus* (Haworth) Buxbaum
- Rathbunia dumortieri* (Scheidweiler) P.V.Heath =  
*Stenocereus dumortieri* (Scheidweiler) Buxbaum
- Rathbunia eichlamii* (Britton & Rose) P.V.Heath =  
*Stenocereus eichlamii* (Britton & Rose) Buxbaum
- Rathbunia eruca* (T.Brandegee) P.V.Heath = *Stenocereus eruca* (T.Brandegee) Gibson & Horak
- Rathbunia fimbriata* (Lamarck) P.V.Heath = *Stenocereus fimbriatus* (Lamarck) Lourteig
- Rathbunia fricii* (Sanchez-Mejorada) P.V.Heath =  
*Stenocereus fricii* Sanchez-Mejorada
- Rathbunia grisea* (Haworth) P.V.Heath = *Stenocereus griseus* (Haworth) Buxbaum
- Rathbunia gummosa* (Brandegee) P.V.Heath =  
*Stenocereus gummosus* (Engelmann) Gibson & Horak
- Rathbunia kerberi* (Schumann) Britton & Rose =  
*Stenocereus kerberi* (Schumann) Gibson & Horak
- Rathbunia laevigata* (Salm-Dyck) P.V.Heath = *Stenocereus laevigatus* (Salm-Dyck) Buxbaum
- Rathbunia longispinus* (Britton & Rose) P.V.Heath =  
*Stenocereus eichlamii* (Britton & Rose) Buxbaum
- Rathbunia martinezii* (J.G.Ortega) P.V.Heath =  
*Stenocereus martinezii* (J.G.Ortega) Buxbaum
- Rathbunia montana* (Britton & Rose) P.V.Heath =  
*Stenocereus montanus* (Britton & Rose) Buxbaum
- Rathbunia neosonorensis* Backeberg = *Stenocereus alamosensis* (J.Coulter) Gibson & Horak
- Rathbunia pruinosa* (Otto ex Pfeiffer) P.V.Heath =  
*Stenocereus pruinosis* (Otto ex Pfeiffer) Buxbaum
- Rathbunia queretaroensis* (Weber) P.V.Heath =  
*Stenocereus queretaroensis* (Weber) Buxbaum
- Rathbunia quevedonis* (J.G.Ortega) P.V.Heath =  
*Stenocereus quevedonis* (J.G.Ortega) Buxbaum
- Rathbunia sonorensis* (Runge) Britton & Rose =  
*Stenocereus alamosensis* (J.Coulter) Gibson & Horak
- Rathbunia standleyi* (J.G.Ortega) P.V.Heath = *Stenocereus standleyi* (J.G.Ortega) Buxbaum
- Rathbunia stellata* (Pfeiffer) P.V.Heath = *Stenocereus stellatus* (Pfeiffer) Riccobono
- Rathbunia treleasei* (Vaupel) P.V.Heath = *Stenocereus treleasei* (Britton & Rose) Backeberg
- Rathbunia yunckeri* (Standley) P.V.Heath = *Stenocereus yunckeri* (Standley) Bravo & Sanchez-Mejorada
- Rauhiella spp.** Pabst & Braga #4 II 64 ORCHIDACEAE
- Rauhiella silvana* Toscano #4 II 64 ORCHIDACEAE
- Rauhocereus spp.** Backeb. #4 II 49 CACTACEAE
- Rauhocereus riosaniensis** Backeberg #4 II 49  
CACTACEAE
- Rauvolfia obversa* (Miq.) Baill. = *Rauvolfia serpentina* Benth. ex Kurz
- Rauvolfia serpentina* Benth. ex Kurz #2 II  
APOCYNACEAE (E) Rauwolfia Root, Serpentine Root,  
Serpentine Wood, Snake-root Devil-pepper,  
Snakewood (F) Arbreaux Serpents, Racine de  
Serpentine, Rauwolffia, Sarpaganda
- Rauvolfia trifoliata* (Gaertn.) Baill. = *Rauvolfia serpentina* Benth. ex Kurz
- Rauwolfia* (F): *Rauvolfia serpentina*
- Ravenea louvelii* Beentje II PALMAE
- Ravenea rivularis* Jum. & H. Perrier II PALMAE (E) Gora,  
Majestic Palm, Majesty Palm
- Raycadenco spp.** Dodson #4 II 64 ORCHIDACEAE
- Rebutia spp.** K. Schum. #4 II 49 CACTACEAE
- Rebutia albiareolata* Ritter = *Rebutia pseudodeminuta* Backeberg
- Rebutia albiflora** Ritter & Buining #4 II 49 CACTACEAE
- Rebutia albipilosa* Ritter = *Rebutia fiebrigii* (Guerke)  
Britton & Rose ex Bailey
- Rebutia albispina* (Backeberg) Sida = *Rebutia nigricans* (Wessner) Hunt
- Rebutia albopectinata** Rausch #4 II 49 CACTACEAE
- Rebutia applanata* (Rausch) Sida = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose
- Rebutia archibuiningiana ritter* = *Rebutia spinosissima* Backeberg
- Rebutia arenacea** Cardenas #4 II 49 CACTACEAE
- Rebutia atrovirens* (Backeberg) Sida = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia aurantida* (Wessner) Buining & Donald = *Rebutia einsteinii* Fric
- Rebutia aureiflora** Backeberg #4 II 49 CACTACEAE
- Rebutia aureiflora elegans* (Backeberg) Donald = *Rebutia aureiflora* Backeberg

- Rebutia brachyantha* (Wessner) Buining & Donald =  
*Rebutia steinmannii* (Solms-Laubach) Britton & Rose
- Rebutia brunescens** Rausch #4 II 49 CACTACEAE
- Rebutia brunneoradicata* Ritter = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose
- Rebutia buiningiana* Rausch = *Rebutia pseudodeminuta* Backeberg
- Rebutia caineana** Cardenas #4 II 49 CACTACEAE
- Rebutia cajasensis* Ritter = *Rebutia fiebrigii* (Guerke) Britton & Rose ex Bailey
- Rebutia calliantha* Bewerunge = *Rebutia wessneriana* Bewerunge
- Rebutia camargoensis* Rausch = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose
- Rebutia canacruzensis* Rausch = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia candiae* Cardenas = *Rebutia arenacea* Cardenas
- Rebutia canigueralii** Cardenas #4 II 49 CACTACEAE
- Rebutia caracarensis* Cardenas = *Rebutia canigueralii* Cardenas
- Rebutia cardenasiana** (R.Vasquez) G.Navarro #4 II 49 CACTACEAE
- Rebutia carmeniana* Rausch = *Rebutia nigricans* (Wessner) Hunt
- Rebutia carminea* Buining = *Rebutia minuscula* Schumann
- Rebutia christinae* Rausch = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose
- Rebutia cincinnata* Rausch = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose
- Rebutia cintiensis* Ritter = *Rebutia fiebrigii* (Guerke) Britton & Rose ex Bailey
- Rebutia colorea* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia corroana* Cardenas = *Rebutia neocumingii* (Backeberg) Hunt
- Rebutia costata* Werdermann = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose
- Rebutia crassa* (Rausch) Sida = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia crysacantha* Backeberg = *Rebutia minuscula* Schumann
- Rebutia cylindrica** (Donald & Lau) Hunt #4 II 49 CACTACEAE
- Rebutia deminuta** (Weber) Britton & Rose #4 II 49 CACTACEAE
- Rebutia dieriana* Rausch = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia donaldiana* Lau & Rowley = *Rebutia fiebrigii* (Guerke) Britton & Rose ex Bailey
- Rebutia einsteinii** Fric #4 II 49 CACTACEAE
- Rebutia elegantula* (Rausch) Sida = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia eos* Rausch = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia euanthema* (Backeberg) Buining & Donald = *Rebutia aureiflora* Backeberg
- Rebutia eucaliptana* (Backeberg) Ritter = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose
- Rebutia fabrisii** Rausch #4 II 49 CACTACEAE
- Rebutia famatinensis* (Spegazzini) Spegazzini ex Hosseus = *Echinopsis famatinensis* (Spegazzini) Werdermann
- Rebutia fidaiana** (Backeberg) Hunt #4 II 49 CACTACEAE
- Rebutia fiebrigii** (Guerke) Britton & Rose ex Bailey #4 II 49 CACTACEAE
- Rebutia flavistyla** Ritter #4 II 49 CACTACEAE
- Rebutia friedrichiana* Rausch = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia froehlichiana* Rausch = *Rebutia spegazziniana* Backeberg
- Rebutia fulviseta** Rausch #4 II 49 CACTACEAE
- Rebutia fusca* Ritter = *Rebutia spegazziniana* Backeberg
- Rebutia glomeriseta* Cardenas = *Rebutia arenacea* Cardenas
- Rebutia glomerispina* Cardenas = *Rebutia steinbachii* Werdermann
- Rebutia gonjianii** Kiesling #4 II 49 CACTACEAE
- Rebutia graciliflora* Backeberg = *Rebutia minuscula* Schumann
- Rebutia grandiflora* Backeberg = *Rebutia minuscula* Schumann
- Rebutia grandilacea* hort ex Pickoff = *Rebutia minuscula* Schumann
- Rebutia haagei* Fric & Schelle = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia haefneriana* (Cullmann) Sida = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia haseltonii* Cardenas = *Rebutia caineana* Cardenas
- Rebutia heliosa** Rausch #4 II 49 CACTACEAE
- Rebutia hoffmannii* Diers & Rausch = *Rebutia spinosissima* Backeberg
- Rebutia huasiensis** Rausch #4 II 49 CACTACEAE
- Rebutia hyalacantha* (Backeberg) Backeberg = *Rebutia marsoneri* Werdermann
- Rebutia inflexiseta* Cardenas = *Rebutia canigueralii* Cardenas
- Rebutia iridescens* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia iscayachensis* Rausch = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia ithyacantha* (Cardenas) Diers & Esteves Pereira = *Rebutia fiebrigii* (Guerke) Britton & Rose ex Bailey
- Rebutia jujuyana* Rausch = *Rebutia fiebrigii* (Guerke) Britton & Rose ex Bailey
- Rebutia kariusiana* Wessner = *Rebutia minuscula* Schumann
- Rebutia kieslingii* Rausch = *Rebutia fiebrigii* (Guerke) Britton & Rose ex Bailey
- Rebutia knizei* (Rausch) Sida = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia krainziana* Kesselring = *Rebutia marsoneri* Werdermann
- Rebutia kupperiana* Boedeker = *Rebutia pseudodeminuta* Backeberg
- Rebutia lanosiflora* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose
- Rebutia leucacantha* (Rausch) Sida = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose
- Rebutia leucanthema** Rausch #4 II 49 CACTACEAE

- Rebutia major* (Rausch) Sida = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose  
*Rebutia mamillosa* Rausch = *Rebutia spegazziniana* Backeberg  
*Rebutia margarethae* (Rausch) Brandt = *Rebutia padcayensis* Rausch  
**Rebutia marsoneri** Werdermann #4 II 49 CACTACEAE  
*Rebutia melanocentra* (Rausch) Sida = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose  
*Rebutia menesesii* Cardenas = *Rebutia arenacea* Cardenas  
**Rebutia mentosa** (Ritter) Donald #4 II 49 CACTACEAE  
**Rebutia minuscula** Schumann #4 II 49 CACTACEAE  
*Rebutia minuscula grandiflora* (Backeberg) Donald = *Rebutia minuscula* Schumann  
*Rebutia minuscula violaciflora* (Backeberg) Donald = *Rebutia minuscula* Schumann  
*Rebutia minutissima* Ritter = *Rebutia pseudodeminuta* Backeberg  
*Rebutia mixta* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia mixticolor* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia mudanensis* Rausch = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia muscula* Ritter & Theile = *Rebutia fiebrigii* (Guerke) Britton & Rose ex Bailey  
**Rebutia narvaecensis** (Cardenas) Donald #4 II 49 CACTACEAE  
*Rebutia nazarenoensis* (Rausch) B.Fearn & L.Leroy = *Rebutia pygmaea* (R.Fries) Britton & Rose  
**Rebutia neocumingii** (Backeberg) Hunt #4 II 49 CACTACEAE  
**Rebutia neumanniana** (Werdermann) Hunt #4 II 49 CACTACEAE  
**Rebutia nigricans** (Wessner) Hunt #4 II 49 CACTACEAE  
*Rebutia nitida* Ritter = *Rebutia pseudodeminuta* Backeberg  
*Rebutia nogalesensis* Ritter = *Rebutia pseudodeminuta* Backeberg  
*Rebutia oculata* Werdermann = *Rebutia aureiflora* Backeberg  
*Rebutia odontopetala* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose  
**Rebutia oligacantha** (Brandt) Donald ex Hunt #4 II 49 CACTACEAE  
*Rebutia orurensis* (Backeberg) Ritter & Sida = *Rebutia pygmaea* (R.Fries) Britton & Rose  
**Rebutia padcayensis** Rausch #4 II 49 CACTACEAE  
*Rebutia pallida* Rausch = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia parvula* (Rausch) Sida = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose  
*Rebutia patercalyx* Ritter = *Rebutia spegazziniana* Backeberg  
*Rebutia pauciareolata* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia paucicostata* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia pelziana* (Rausch) Sida = *Rebutia pygmaea* (R.Fries) Britton & Rose  
**Rebutia perplexa** Donald #4 II 49 CACTACEAE  
*Rebutia poecilantha* Ritter = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose  
*Rebutia polymorpha* Cardenas = *Rebutia steinbachii* Werdermann  
*Rebutia polypetala* (Rausch) Sida = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia potosina* Ritter = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose  
**Rebutia pseudodeminuta** Backeberg #4 II 49 CACTACEAE  
*Rebutia pseudominuscula* (Spegazzini) Britton & Rose = *Rebutia deminuta* (Weber) Britton & Rose  
*Rebutia pseudoritteri* (Rausch) Sida = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia pulchella* Rausch = *Rebutia fiebrigii* (Guerke) Britton & Rose ex Bailey  
**Rebutia pulvinosa** Ritter & Buining #4 II 49 CACTACEAE  
**Rebutia pygmaea** (R.Fries) Britton & Rose #4 II 49 CACTACEAE  
*Rebutia raulii* Rausch = *Rebutia ritteri* (Wessner) Buining & Donald  
*Rebutia rauschii* (Frank) Hunt = *Rebutia canigueralii* Cardenas  
*Rebutia rauschii* Zecher = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose  
**Rebutia ritteri** (Wessner) Buining & Donald #4 II 49 CACTACEAE  
*Rebutia robustispina* Ritter = *Rebutia pseudodeminuta* Backeberg  
*Rebutia rosalbiflora* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia rubiginosa* Ritter = *Rebutia spegazziniana* Backeberg  
*Rebutia rutiliflora* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia salpingantha* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia sanguinea* Ritter = *Rebutia pseudodeminuta* Backeberg  
*Rebutia sarothroides* Werdermann = *Rebutia aureiflora* Backeberg  
*Rebutia schatzliana* Rausch = *Rebutia albopectinata* Rausch  
*Rebutia senilis* Backeberg = *Rebutia minuscula* Schumann  
*Rebutia senilis crysacantha* (Backeberg) Donald = *Rebutia minuscula* Schumann  
**Rebutia simoniana** Rausch #4 II 49 CACTACEAE  
*Rebutia singularis* Ritter = *Rebutia padcayensis* Rausch  
**Rebutia spegazziniana** Backeberg #4 II 49 CACTACEAE  
**Rebutia spinosissima** Backeberg #4 II 49 CACTACEAE  
**Rebutia steinbachii** Werdermann #4 II 49 CACTACEAE  
**Rebutia steinmannii** (Solms-Laubach) Britton & Rose #4 II 49 CACTACEAE  
*Rebutia sumayana* Rausch = *Rebutia spegazziniana* Backeberg

- Rebutia supthutiana* Rausch = *Rebutia albopectinata* Rausch  
*Rebutia taratensis* Cardenas = *Rebutia steinbachii* Werdermann  
*Rebutia tarijensis* Rausch = *Rebutia spegazziniana* Backeberg  
*Rebutia tarvitaensis* Ritter = *Rebutia spegazziniana* Backeberg  
*Rebutia tilcarensis* (Rausch) Sida = *Rebutia aureiflora* Backeberg  
*Rebutia torquata* Ritter & Buining = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia tropaeolipcta* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia tuberculata* (Rausch) Sida = *Rebutia steinmannii* (Solms-Laubach) Britton & Rose  
*Rebutia tuberculato-chrysantha* Cardenas = *Rebutia steinbachii* Werdermann  
*Rebutia tuberosa* Ritter = *Rebutia spegazziniana* Backeberg  
*Rebutia tunariensis* Cardenas = *Rebutia steinbachii* Werdermann  
*Rebutia vallegrandensis* Cardenas = *Rebutia fiebrigii* (Guerke) Britton & Rose ex Bailey  
*Rebutia villazonensis* Brandt = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia violaciflora* Backeberg = *Rebutia minuscula* Schumann  
*Rebutia violacistaminea* (Rausch) Sida = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia violascens* Ritter = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia vizcarrae* Cardenas = *Rebutia steinbachii* Werdermann  
*Rebutia vulpina* Ritter = *Rebutia spegazziniana* Backeberg  
*Rebutia wahliana* Rausch = *Rebutia pseudodeminiata* Backeberg  
*Rebutia walteri* Diers & Esteves Pereira = *Rebutia spinosissima* Backeberg  
**Rebutia wessneriana** Bewerunge #4 II 49 CACTACEAE  
*Rebutia wessneriana beryllioides* (Buining & Donald) Donald = *Rebutia wessneriana* Bewerunge  
**Rebutia xanthocarpa** Backeberg #4 II 49 CACTACEAE  
*Rebutia yuncharasensis* (Rausch) Sida = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia yuquinensis* Rausch = *Rebutia pygmaea* (R.Fries) Britton & Rose  
*Rebutia zecheri* Rausch = *Rebutia spegazziniana* Backeberg  
 Red-lemur, Palm (E): *Lemurophoenix halleuxii*  
 Redsanders (E): *Pterocarpus santalinus*  
**Reichenbachanthus** spp. Barb.Rodr. #4 II 64 ORCHIDACEAE  
*Reicheocactus pseudoreicheanus* Backeberg = *Echinopsis famatinensis* (Spegazzini) Werdermann  
 Reina de la noche (S): *Selenicereus grandiflorus*  
 Reinorchid, Dense-flower (E): *Piperia maritima*  
**Renanthera** spp. Lour. #4 I/II 64 ORCHIDACEAE  
*Renanthera alba* = *Arachnis alba*
- Renanthera amabilis** Boxal ex Náves (nomen) #4 II 64  
 ORCHIDACEAE  
*Renanthera angustifolia* Hook.f. sensu Ridl. = *Renanthera matutina* Lindley  
**Renanthera annamensis** Rolfe #4 II 64 ORCHIDACEAE  
*Renanthera arachnites* = *Arachnis flos-aeris* (L.) Reichb.f.  
*Renanthera auyongi* Christenson = *Renantherella histrionica* (Rchb.f.) Ridl.  
**Renanthera bella** J.J.Wood #4 II 64 ORCHIDACEAE  
*Renanthera bilinguis* = *Arachnis labrosa*  
**Renanthera citrina** Aver #4 II 64 ORCHIDACEAE  
**Renanthera coccinea** Lour. #4 II 64 ORCHIDACEAE  
**Renanthera edefeldtii** F.Muell. & Kraenzl. ex Kraenzl. #4 II 64 ORCHIDACEAE  
**Renanthera elongata** (Blume) Lindley #4 II 64  
 ORCHIDACEAE  
*Renanthera evrardii* = *Arachnis annamensis*  
*Renanthera flosaeris* = *Arachnis flos-aeris* (L.) Reichb.f.  
*Renanthera hennisiana* Schltr. = *Renanthera annamensis* Rolfe  
*Renanthera histrionica* Rchb.f. = *Renantherella histrionica* (Rchb.f.) Ridl.  
*Renanthera hookeriana* = *Arachnis hookeriana* Reichb. F.  
**Renanthera imschootiana** Rolfe I 72 ORCHIDACEAE  
 (E) Red Vanda Orchid (S) Vanda Roja  
**Renanthera isosepala** Holttum #4 II 64 ORCHIDACEAE  
*Renanthera labrosa* = *Arachnis labrosa*  
*Renanthera leptantha* = *Arachnis labrosa*  
*Renanthera lowei* = *Dimorphorchis lowii*  
*Renanthera maincathi* Plowes = *Arachnis maingayi* Schltr.  
*Renanthera maingayi* = *Arachnis maingayi* Schltr.  
**Renanthera matutina** Lindley #4 II 64 ORCHIDACEAE  
*Renanthera matutina* auct non (Blume) Lindl. =  
 Renanthera isosepala Holttum  
*Renanthera matutina* auct. non (Blume) Lindl. =  
 Renanthera elongata (Blume) Lindley  
*Renanthera matutina* Lindl. sensu Rolfe = *Renanthera imschootiana* Rolfe  
*Renanthera micrantha* Blume = *Renanthera elongata* (Blume) Lindley  
**Renanthera moluccana** Blume #4 II 64 ORCHIDACEAE  
**Renanthera monachica** Ames #4 II 64 ORCHIDACEAE  
*Renanthera moschifera* = *Arachnis flos-aeris* (L.) Reichb.f.  
*Renanthera papilio* King & Pantl. = *Renanthera imschootiana* Rolfe  
**Renanthera philippinensis** (Ames & Quisumb.) L.O.Williams #4 II 64 ORCHIDACEAE  
*Renanthera pulchella* Rolfe = *Renanthera annamensis* Rolfe  
*Renanthera ramuana* = *Sarcochilus moorei*  
*Renanthera rohaniana* = *Arachnis hookeriana* Reichb. F.  
*Renanthera sarcanthoides* = *Porphyrodesme sarcanthoides*  
**Renanthera storiei** Rchb.f. #4 II 64 ORCHIDACEAE  
**Renanthera striata** Rolfe #4 II 64 ORCHIDACEAE  
**Renanthera sulingi** Lindl. #4 II 64 ORCHIDACEAE  
*Renanthera sulingii* = *Arachnis sulingi* (Blume) Reichb.f.  
*Renanthera trichoglottis* Ridl. = *Vanda hastifera* Rchb.f.  
**Renantherella** spp. Ridley #4 II 64 ORCHIDACEAE

- Renantherella histrionica*** (Rchb.f.) Ridl. #4 II 64  
ORCHIDACEAE  
Resina de Gayaco (F): *Guaiacum officinale*  
Resina de Guayaco (F): *Guaiacum sanctum*  
Resin de Gaïac (F): *Guaiacum officinale*  
Resin de Gaïac (F): *Guaiacum sanctum*  
Resin de Podophylle (F): *Podophyllum hexandrum*  
Resin, Guaiacum (E): *Guaiacum officinale*  
Resin, Guaiacum (E): *Guaiacum sanctum*  
Resin, Podophyllum (E): *Podophyllum hexandrum*  
***Restrepia* spp.** Kunth #4 II 64 ORCHIDACEAE  
*Restrepia aberrans* Luer 1996 #4 II 64 ORCHIDACEAE  
*Restrepia angustilabia* Schltr. = *Restrepia trichoglossa* Lehm. ex Sander 1901  
*Restrepia angustilabia subserrata* (Schltr.) Mohr 1996 = *Restrepia trichoglossa* Lehm. ex Sander 1901  
*Restrepia antennifera* Humb., Bonpl. & Kunth 1816 #4 II 64 ORCHIDACEAE  
*Restrepia antennifera erythroxantha* (Rchb.f.) Mohr 1996 = *Restrepia elegans* Karst. 1847  
*Restrepia antennifera hemsleyana* Mohr 1996 = *Restrepia antennifera* Humb., Bonpl. & Kunth 1816  
*Restrepia antennifera klabochorum* Mohr 1996 = *Restrepia antennifera* Humb., Bonpl. & Kunth 1816  
*Restrepia antennifera leontoglossa* (Rchb.f.) Mohr 1996 = *Restrepia trichoglossa* Lehm. ex Sander 1901  
*Restrepia antennifera Lindl.* 1859 = *Restrepia contorta* Luer & R.Escobar  
*Restrepia antennifera striata* (Rolfe) Mohr 1996 = *Restrepia brachypus* Rchb.f. 1886  
*Restrepia antioquiensis* Schltr. 1920 = *Restrepia sanguinea* Rolfe 1896  
*Restrepia apiculata* Luer 1982 = *Restrepia contorta* Luer & R.Escobar  
*Restrepia aristulifera* Garay & Dunst. #4 II 64 ORCHIDACEAE  
*Restrepia aspasicensis* Rchb.f. 1855 #4 II 64 ORCHIDACEAE  
*Restrepia aspasicensium* Rchb.f. 1855 #4 II 64 ORCHIDACEAE  
*Restrepia brachypus* Rchb.f. 1886 #4 II 64 ORCHIDACEAE  
*Restrepia brachypus serrilabia* (Schltr.) Mohr 1996 = *Restrepia brachypus* Rchb.f. 1886  
*Restrepia brachypus serrilabia* (Schltr.) Mohr 1996 = *Restrepia trichoglossa* Lehm. ex Sander 1901  
*Restrepia caucana* Schltr. 1920 = *Restrepia contorta* Luer & R.Escobar  
*Restrepia chameleon* Luer & Escobar 1996 #4 II 64 ORCHIDACEAE  
*Restrepia choocoensis* Garay 1973 #4 II 64 ORCHIDACEAE  
*Restrepia chrysoglossa* Luer & Escobar 1996 #4 II 64 ORCHIDACEAE  
*Restrepia citrina* Luer & Escobar #4 II 64 ORCHIDACEAE  
*Restrepia cloesii* Luer 1996 #4 II 64 ORCHIDACEAE  
*Restrepia condorensis* Luer & Escobar 1996 #4 II 64 ORCHIDACEAE  
*Restrepia contorta* Luer & R.Escobar #4 II 64 ORCHIDACEAE  
Restrepia cuprea Luer & Escobar 1996 #4 II 64 ORCHIDACEAE  
Restrepia cymbula Luer & Escobar 1996 #4 II 64 ORCHIDACEAE  
Restrepia dayana Rchb.f. 1875 = *Restrepia muscifera* (Lindl.) Rchb.f. ex Lindl. 1859  
Restrepia dentata Rolfe 1892 = *Restrepia aspasicensis* Rchb.f. 1855  
*Restrepia dodsonii* Luer 1980 #4 II 64 ORCHIDACEAE  
*Restrepia echinata* Luer & Escobar 1996 #4 II 64 ORCHIDACEAE  
Restrepia echo Luer & Escobar #4 II 64 ORCHIDACEAE  
Restrepia ecuadorensis Rolfe 1892 = *Restrepia contorta* Luer & R.Escobar  
Restrepia elegans Karst. 1847 #4 II 64 ORCHIDACEAE  
Restrepia ephippium Luer & Hirtz 1996 #4 II 64 ORCHIDACEAE  
Restrepia escobariana Luer 1996 #4 II 64 ORCHIDACEAE  
Restrepia falkenbergii Rchb.f. 1880 #4 II 64 ORCHIDACEAE  
Restrepia filamentosa Ames & C. Schweinf. 1925 = *Restrepia trichoglossa* Lehm. ex Sander 1901  
Restrepia flosculata Luer 1982 #4 II 64 ORCHIDACEAE  
Restrepia flosculata picta (Mohr & Herzum) Mohr 1996 = *Restrepia flosculata* Luer 1982  
Restrepia guttulata Lindl. 1836 #4 II 64 ORCHIDACEAE  
Restrepia hemsleyana Schltr. 1918 = *Restrepia antennifera* Humb., Bonpl. & Kunth 1816  
Restrepia hemsleyana Schltr. 1918 = *Restrepia guttulata* Lindl. 1836  
Restrepia iris Luer 1980 #4 II 64 ORCHIDACEAE  
Restrepia jesupiana Luer 1996 #4 II 64 ORCHIDACEAE  
Restrepia lankesteri Ames & C. Schweinf. 1930 = *Restrepia trichoglossa* Lehm. ex Sander 1901  
Restrepia lansbergii Rchb.f. & Wagener 1854 #4 II 64 ORCHIDACEAE  
Restrepia lansbergii Hook. 1861 = *Restrepia muscifera* (Lindl.) Rchb.f. ex Lindl. 1859  
Restrepia lehmanniana (Kraenzl.) Schltr. 1907 = *Homalopetalum pumilio* (Rchb.f.) Schltr. 1923  
Restrepia leontoglossa Schltr. 1920 = *Restrepia trichoglossa* Lehm. ex Sander 1901  
Restrepia leopardina Hort ex Orch. 1899 = *Restrepia guttulata* Lindl. 1836  
Restrepia leopardina Hort ex Orch. 1899 = *Restrepia elegans* Karst. 1847  
Restrepia limbata Luer & R.Escobar #4 II 64 ORCHIDACEAE  
Restrepia maculata ecuadorensis (Schltr.) Mohr 1996 = *Restrepia contorta* Luer & R.Escobar  
Restrepia maculata Lindl. 1846 = *Restrepia guttulata* Lindl. 1836  
Restrepia maculata Lindl. 1846 = *Restrepia contorta* Luer & R.Escobar  
Restrepia mendozae Luer 1996 #4 II 64 ORCHIDACEAE  
Restrepia metae Luer 1996 #4 II 64 ORCHIDACEAE  
Restrepia mohrii Braem 1993 #4 II 64 ORCHIDACEAE

- Restrepia muscifera* (Lindl.) Rchb.f. ex Lindl. 1859 #4 II 64  
ORCHIDACEAE
- Restrepia muscifera shuttleworthii* (Rolfe) Mohr 1996 =  
*Restrepia muscifera* (Lindl.) Rchb.f. ex Lindl. 1859
- Restrepia nittiorhyncha* (Lindl.) Garay 1967 #4 II 64  
ORCHIDACEAE
- Restrepia pandurata* Rchb.f. 1887 #4 II 64  
ORCHIDACEAE
- Restrepia pardina* Lem. 1869 = *Restrepia contorta* Luer & R.Escobar
- Restrepia pardina* Lem. 1869 = *Restrepia guttulata* Lindl. 1836
- Restrepia pelyx* Luer & R.Escobar 1982 #4 II 64  
ORCHIDACEAE
- Restrepia piperitosa* Luer 1998 #4 II 64 ORCHIDACEAE
- Restrepia portillae* Luer 1998 #4 II 64 ORCHIDACEAE
- Restrepia powellii* Schltr. 1922 = *Restrepia muscifera* (Lindl.) Rchb.f. ex Lindl. 1859
- Restrepia pulchella* Mohr 1993 = *Restrepia iris* Luer 1980
- Restrepia punctulata* Lindl. 1859 = *Restrepia contorta* Luer & R.Escobar
- Restrepia purpurea* Luer & Escobar 1996 #4 II 64  
ORCHIDACEAE
- Restrepia radulifera* Luer & Escobar 1996 #4 II 64  
ORCHIDACEAE
- Restrepia renzii* Luer 1996 #4 II 64 ORCHIDACEAE
- Restrepia robledorum* Braas & Braem 1982 = *Restrepia guttulata* Lindl. 1836
- Restrepia roseola* Luer & Escobar 1996 #4 II 64  
ORCHIDACEAE
- Restrepia sanguinea* Rolfe 1896 #4 II 64 ORCHIDACEAE
- Restrepia schizophala* Luer & Hirtz 1996 #4 II 64  
ORCHIDACEAE
- Restrepia schlimii* Rchb.f. 1876 = *Restrepia nittiorhyncha* (Lindl.) Garay 1967
- Restrepia seketii* Luer & Escobar 1996 #4 II 64  
ORCHIDACEAE
- Restrepia serrilabia* Schltr. = *Restrepia trichoglossa* Lehm. ex Sander 1901
- Restrepia shuttleworthii* Rolfe 1892 = *Restrepia muscifera* (Lindl.) Rchb.f. ex Lindl. 1859
- Restrepia striata* Rolfe 1891 = *Restrepia trichoglossa* Lehm. ex Sander 1901
- Restrepia striata* Rolfe 1891 = *Restrepia brachypus* Rchb.f. 1886
- Restrepia subserrata* Schltr. 1923 = *Restrepia trichoglossa* Lehm. ex Sander 1901
- Restrepia tabaeae* Mohr 1996 #4 II 64 ORCHIDACEAE
- Restrepia teaguei* Luer 1980 #4 II 64 ORCHIDACEAE
- Restrepia tonduzii* Schltr. 1922 = *Restrepia muscifera* (Lindl.) Rchb.f. ex Lindl. 1859
- Restrepia trichoglossa* Lehm. ex Sander 1901 #4 II 64  
ORCHIDACEAE
- Restrepia trichoglottis* hort. ex Gentil 1906 = *Restrepia trichoglossa* Lehm. ex Sander 1901
- Restrepia tsubotae* Luer & Escobar 1996 #4 II 64  
ORCHIDACEAE
- Restrepia vasquezii* Luer 1996 #4 II 64 ORCHIDACEAE
- Restrepia wageneri* Rchb.f. 1854 #4 II 64 ORCHIDACEAE
- Restrepia xanthophthalma* Rchb.f. = *Restrepia muscifera* (Lindl.) Rchb.f. ex Lindl. 1859
- Restrepia* spp.** Garay & Dunst. #4 II 64  
ORCHIDACEAE
- Restrepopsis* spp.** Luer #4 II 64 ORCHIDACEAE
- Restrepopsis pandurata* Luer & Hirtz #4 II 64  
ORCHIDACEAE
- Rhaesteria* spp.** Summerh. #4 II 64 ORCHIDACEAE
- Rhamphorhynchus* spp.** Garay #4 II 64 ORCHIDACEAE
- Raphidophryne articulatus* (Rchb.f.) Poiss = *Aerangis articulata* (Reichb.f.) Schltr.
- Raphidophryne batesii* (Rolfe) Finet = *Aerangis arachnopus* (Rchb.f.) Schltr.
- Raphidophryne bilobus* (Lindl.) Finet = *Aerangis biloba* (Lindl.) Schltr.
- Raphidophryne citratus* (Thouars) Finet = *Aerangis citrata* (Thouars) Schltr.
- Raphidophryne curnowianus* Finet = *Aerangis curnowiana* (Finet) H.Perrier
- Raphidophryne fastuosus* (Rchb.f.) Finet = *Aerangis fastuosa* (Reichb.f.) Schltr.
- Raphidophryne kotschyana* (Rchb.f.) Schltr.
- Raphidophryne luteo-albus* (Kraenzl.) Finet = *Aerangis luteo-alba* (Kraenzl.) Schltr.
- Raphidophryne modestus* (Hook.f.) Finet = *Aerangis modesta* (Hook.f.) Schltr.
- Raphidophryne modestus sanderianus* Poiss. = *Aerangis modesta* (Hook.f.) Schltr.
- Raphidophryne rohlfsonianus* (Kraenzl.) Finet = *Aerangis brachycarpa* (A.Rich.) Dur. & Schinz.
- Raphidophryne spiculatus* Finet = *Aerangis spiculata* (Finet) Senghas
- Raphidophryne stylosus* Finet = *Aerangis cryptodon* (Rchb.f.) Schltr.
- Raphidophryne stylosus* (Rolfe) Finet = *Aerangis stylosa* (Rolfe) Schltr.
- Raphidophryne umbonatus* Finet = *Aerangis fuscata* (Rchb.f.) Schltr.
- Rhinorrhiza* spp.** Rupp #4 II 64 ORCHIDACEAE
- Rhinorrhiza moorei* (H.G.Reichb.) M.A.Clements, B.Wallace & D.L.Jones #4 II 64 ORCHIDACEAE
- Rhipidodendrum dichotomum* (Masson) Willd. = *Aloe dichotoma* Masson
- Rhipidodendrum distichum* (Medik) Willd = *Aloe plicatilis* (L.) Mill.
- Rhipidodendrum plicatile* (L.) Haw. = *Aloe plicatilis* (L.) Mill.
- Rhipidoglossum* spp. Schltr. #4 II 64 ORCHIDACEAE
- Rhipidoglossum curvatum* #4 II 64 ORCHIDACEAE
- Rhipidoglossum rutilum* (Rchb.f.) Schltr. #4 II 64 ORCHIDACEAE
- Rhipsalidopsis gaertneri* (Regel) Moran = *Hatiora gaertneri* (Regel) Barthlott
- Rhipsalidopsis rosea* (Lagerheim) Britton & Rose = *Hatiora rosea* (Lagerheim) Barthlott
- Rhipsalis* spp.** Gaertn. #4 II 49 CACTACEAE
- Rhipsalis aculeata* Weber = *Lepismium aculeatum* (Weber) Barthlott

<i>Rhipsalis alboareolata</i> Ritter = <i>Rhipsalis teres</i> (Vellozo) Steudel	<i>Rhipsalis dusenii</i> Lemaire = <i>Rhipsalis pachyptera</i> Pfeiffer 49
<i>Rhipsalis angustissima</i> Weber = <i>Pseudorhipsalis</i> <i>ramulosa</i> (Salm-Dyck) Barthlott	<b><i>Rhipsalis elliptica</i></b> Lindberg ex Schumann #4 II 49 CACTACEAE
<i>Rhipsalis asperula</i> Vaupel = <i>Lepismium micranthum</i> (Vaupel) Barthlott	<i>Rhipsalis epiphyllanthoides</i> Backeberg = <i>Rhipsalis</i> <i>dissimilis</i> (Lindberg) Schumann
<b><i>Rhipsalis baccifera</i></b> (J.S.Mueller) Stearn #4 II 49 CACTACEAE (E) Mistletoe Cactus	<b><i>Rhipsalis ewaldiana</i></b> Barthlott & Taylor #4 II 49 CACTACEAE
<i>Rhipsalis baccifera fasciculata</i> (Willdenow) Suepple = <i>Rhipsalis baccifera</i> (J.S.Mueller) Stearn	<i>Rhipsalis fasciculata</i> (Willd.) Haw. = <i>Rhipsalis baccifera</i> (J.S.Mueller) Stearn
<i>Rhipsalis baccifera rhodocarpa</i> (Weber) Sleppie = <i>Rhipsalis baccifera</i> (J.S.Mueller) Stearn	<i>Rhipsalis fastigiata</i> (Haworth) Backeberg = <i>Rhipsalis</i> <i>grandiflora</i> Haworth
<i>Rhipsalis bartlettii</i> Clover = <i>Rhipsalis baccifera</i> (J.S.Mueller) Stearn	<b><i>Rhipsalis floccosa</i></b> Salm-Dyck ex Pfeiffer #4 II 49 CACTACEAE
<i>Rhipsalis boliviiana</i> (Britton) Lauterbach ex Buchtien = <i>Lepismium bolivianum</i> (Britton) Barthlott	<b><i>Rhipsalis goebelianiana</i></b> Backeberg #4 II 49 CACTACEAE
<i>Rhipsalis brevispina</i> (Barthlott) Kimnach = <i>Lepismium</i> <i>brevispinum</i> Barthlott	<i>Rhipsalis gonocarpa</i> Weber = <i>Lepismium warmingianum</i> (Schumann) Barthlott
<i>Rhipsalis brevispina</i> Kimnach = <i>Lepismium brevispinum</i> Barthlott	<b><i>Rhipsalis grandiflora</i></b> Haworth #4 II 49 CACTACEAE
<b><i>Rhipsalis burchellii</i></b> Britton & Rose #4 II 49 CACTACEAE	<i>Rhipsalis hadrosoma</i> Hjelmquist = <i>Rhipsalis grandiflora</i> Haworth
<b><i>Rhipsalis campos-portoana</i></b> Loefgren #4 II 49 CACTACEAE	<i>Rhipsalis heptagona</i> Rauh & Backeberg = <i>Rhipsalis</i> <i>baccifera</i> (J.S.Mueller) Stearn
<i>Rhipsalis capilliformis</i> Weber = <i>Rhipsalis teres</i> (Vellozo) Steudel	<i>Rhipsalis herminiae</i> (Campos-Porto & Castellanos) Klmach = <i>Hatiiora herminiae</i> (Campos-Porto & Castellanos) Backeberg ex Barthlott
<i>Rhipsalis cassutha</i> Gaertner = <i>Rhipsalis baccifera</i> (J.S.Mueller) Stearn	<i>Rhipsalis heteroclada</i> Britton & Rose = <i>Rhipsalis teres</i> (Vellozo) Steudel
<i>Rhipsalis cassuthopis</i> Backeberg = <i>Rhipsalis baccifera</i> (J.S.Mueller) Stearn	<b><i>Rhipsalis hoelleri</i></b> Barthlott & Taylor #4 II 49 CACTACEAE
<i>Rhipsalis cassytha acutt</i> = <i>Rhipsalis baccifera</i> (J.S.Mueller) Stearn	<i>Rhipsalis houilletiana</i> Lemaire = <i>Lepismium houletianum</i> (Lemaire) Barthlott
<i>Rhipsalis cassythoides</i> G. Don = <i>Rhipsalis baccifera</i> (J.S.Mueller) Stearn	<i>Rhipsalis hylaea</i> Ritter = <i>Rhipsalis baccifera</i> (J.S.Mueller) Stearn
<b><i>Rhipsalis cereoides</i></b> (Backeberg & Voll) Backeberg #4 II 49 CACTACEAE	<i>Rhipsalis incachacana</i> Cardenas = <i>Lepismium</i> <i>incachacanum</i> (Cardenas) Barthlott
<b><i>Rhipsalis cereuscula</i></b> Haworth #4 II 49 CACTACEAE	<i>Rhipsalis jamaicensis</i> Britton & Harris = <i>Pseudorhipsalis</i> <i>ramulosa</i> (Salm-Dyck) Barthlott
<i>Rhipsalis chloroptera</i> Weber = <i>Rhipsalis elliptica</i> Lindberg ex Schumann	<b><i>Rhipsalis juengeri</i></b> Barthlott & Taylor #4 II 49 CACTACEAE
<i>Rhipsalis chrysantha</i> Loefgren = <i>Rhipsalis dissimilis</i> (Lindberg) Schumann	<i>Rhipsalis kirbergii</i> Barthlott = <i>Rhipsalis micrantha</i> (Kunth) De Candolle
<i>Rhipsalis chrysocarpa</i> Loefgren = <i>Rhipsalis puniceodiscus</i> Lindberg	<i>Rhipsalis leiophloea</i> Vaupel = <i>Pseudorhipsalis ramulosa</i> (Salm-Dyck) Barthlott
<b><i>Rhipsalis clavata</i></b> Weber #4 II 49 CACTACEAE	<i>Rhipsalis leucoraphis</i> Schumann = <i>Lepismium</i> <i>lumbricoides</i> (Lemaire) Barthlott
<i>Rhipsalis clavellina</i> Ritter = <i>Rhipsalis teres</i> (Vellozo) Steudel	<b><i>Rhipsalis lindbergiana</i></b> Schumann #4 II 49 CACTACEAE
<i>Rhipsalis coriacea</i> Polakowsky = <i>Pseudorhipsalis</i> <i>ramulosa</i> (Salm-Dyck) Barthlott	<i>Rhipsalis linearis</i> Schumann = <i>Lepismium warmingianum</i> (Schumann) Barthlott
<i>Rhipsalis crenata</i> (Britton) Vaupel = <i>Lepismium crenatum</i> (Britton) Barthlott	<i>Rhipsalis loefgrenii</i> Britton & Rose = <i>Lepismium</i> <i>lumbricoides</i> (Lemaire) Barthlott
<i>Rhipsalis cibrata</i> (Lemaire) Pfersdorf ex N.E.Brown = <i>Rhipsalis teres</i> (Vellozo) Steudel	<b><i>Rhipsalis lorentziana</i></b> Grisebach = <i>Lepismium</i> <i>lorentzianum</i> (Grisebach) Barthlott
<b><i>Rhipsalis crispata</i></b> (Haworth) Pfeiffer #4 II 49 CACTACEAE	<i>Rhipsalis lumbricoides</i> (Lemaire) Lemaire ex Salm-Dyck = <i>Lepismium lumbricoides</i> (Lemaire) Barthlott
<i>Rhipsalis crispimarginata</i> Loefgren = <i>Rhipsalis oblonga</i> Loefgren	<i>Rhipsalis maricaensis</i> Scheinvar = <i>Rhipsalis teres</i> (Vellozo) Steudel
<b><i>Rhipsalis cuneata</i></b> Britton & Rose #4 II 49 CACTACEAE	<i>Rhipsalis megalantha</i> Loefgren = <i>Rhipsalis</i> <i>neves-armondii</i> Schumann
<i>Rhipsalis densiareolata</i> Loefgren = <i>Rhipsalis lindbergiana</i> Schumann	<b><i>Rhipsalis mesembryanthemoides</i></b> Haworth #4 II 49 CACTACEAE
<b><i>Rhipsalis dissimilis</i></b> (Lindberg) Schumann #4 II 49 CACTACEAE	

- Rhipsalis mesembryanthoides** Haworth #4 II 49  
CACTACEAE
- Rhipsalis micrantha** (Kunth) De Candolle #4 II 49  
CACTACEAE
- Rhipsalis minutiflora* Schumann = *Rhipsalis baccifera* (J.S.Mueller) Stearn
- Rhipsalis miyagawae* (Barthlott & Rauh) Kimnach = *Lepismium miyagawae* (Barthlott & Rauh) Barthlott
- Rhipsalis myosurus* (De Candolle) Foerster = *Lepismium cruciforme* (Vellozo) Miquel
- Rhipsalis neves-armondii** Schumann #4 II 49  
CACTACEAE
- Rhipsalis oblonga** Loefgren #4 II 49 CACTACEAE
- Rhipsalis occidentalis** Barthlott #4 II 49 CACTACEAE
- Rhipsalis olivifera** Taylor & Zappi #4 II 49 CACTACEAE
- Rhipsalis ormindoii** Taylor & Zappi #4 II 49 CACTACEAE
- Rhipsalis pacheco-leonis** Loefgren #4 II 49  
CACTACEAE
- Rhipsalis pachyptera** Pfeiffer #4 II 49 CACTACEAE
- Rhipsalis paradoxa** (Salm-Dyck ex Pfeiffer) Salm-Dyck #4 II 49 CACTACEAE
- Rhipsalis paranganiensis* (Cardenas) Kimnach = *Lepismium paranganiense* (Cardenas) Barthlott
- Rhipsalis penduliflora* N.E.Brown = *Rhipsalis cereuscula* Haworth
- Rhipsalis pentaptera** Pfeiffer #4 II 49 CACTACEAE
- Rhipsalis pilocarpa** Loefgren #4 II 49 CACTACEAE
- Rhipsalis prismatica* (Lemaire) Ruempler = *Rhipsalis teres* (Vellozo) Steudel
- Rhipsalis pulchra** Loefgren #4 II 49 CACTACEAE
- Rhipsalis puniceodiscus** Lindberg #4 II 49 CACTACEAE
- Rhipsalis purpussi* Weingart = *Pseudorhipsalis ramulosa* (Salm-Dyck) Barthlott
- Rhipsalis quellebambensis* Johnson ex Backeberg = *Rhipsalis baccifera* (J.S.Mueller) Stearn
- Rhipsalis ramulosa* (Salm-Dyck) Pfeiffer = *Pseudorhipsalis ramulosa* (Salm-Dyck) Barthlott
- Rhipsalis rauhiorum* Barthlott = *Rhipsalis micrantha* (Kunth) De Candolle
- Rhipsalis rigida* Loefgren = *Rhipsalis dissimilis* (Lindberg) Schumann
- Rhipsalis robusta* = *Rhipsalis pachyptera* Pfeiffer
- Rhipsalis roseana* Berger = *Rhipsalis micrantha* (Kunth) De Candolle
- Rhipsalis russellii** Britton & Rose #4 II 49 CACTACEAE
- Rhipsalis saxatilis* (A.Friedrich & Redecker) A.Friedrich & Redecker = *Rhipsalis dissimilis* (Lindberg) Schumann
- Rhipsalis simmleri* Beauverd = *Rhipsalis cereuscula* Haworth
- Rhipsalis spinescens* J.A.Lombardi = *Rhipsalis dissimilis* (Lindberg) Schumann
- Rhipsalis squamulosa* (Salm-Dyck) Schumann = *Lepismium cruciforme* (Vellozo) Miquel
- Rhipsalis sulcata** Weber #4 II 49 CACTACEAE
- Rhipsalis teres** (Vellozo) Steudel #4 II 49 CACTACEAE
- Rhipsalis tonduzii* Weber = *Rhipsalis micrantha* (Kunth) De Candolle
- Rhipsalis trigona** Pfeiffer #4 II 49 CACTACEAE
- Rhipsalis undulata* Pfeiffer = *Rhipsalis baccifera* (J.S.Mueller) Stearn
- Rhipsalis viragata* Weber = *Rhipsalis teres* (Vellozo) Steudel
- Rhipsalis warmingiana* Schumann = *Lepismium warmingianum* (Schumann) Barthlott
- Rhipsalis wercklei* Berger = *Rhipsalis micrantha* (Kunth) De Candolle
- Rhizanthella spp.** R.S. Rogers #4 II 64 ORCHIDACEAE
- Rhizanthella gardneri* R.Rogers #4 II 64 ORCHIDACEAE
- Rhizanthella slateri* (Rupp) M.A.Clements & Cribb #4 II 64 ORCHIDACEAE
- Rhizome, Chain Fern (E): *Cibotium barometz*
- Rhizome, Cibot (E): *Cibotium barometz*
- Rhizome, Gastrodia (E): *Gastrodia elata*
- Rhodocactus antonianus* Backeberg = *Pereskia weberiana* Schumann
- Rhodocactus autumnalis* (Eichlam) F.Kunth = *Pereskia lychnidiflora* De Candolle
- Rhodocactus bleo* (Kunth) F.Kunth = *Pereskia bleo* (Kunth) De Candolle
- Rhodocactus colombianus* (Britton & Rose) F.Kunth = *Pereskia guamacho* Weber
- Rhodocactus corrugatus* (Cutak) Backeberg = *Pereskia bleo* (Kunth) De Candolle
- Rhodocactus cubensis* (Britton & Rose) F.Kunth = *Pereskia zinniiflora* De Candolle
- Rhodocactus grandifolius* (Haworth) F.Kunth = *Pereskia grandifolia* *grandifolia*
- Rhodocactus guamacho* (Weber) F.Kunth = *Pereskia guamacho* Weber
- Rhodocactus higueranus* (Cardenas) Backeberg = *Pereskia spathulata* (Otto ex Pfeiffer) Britton & Rose
- Rhodocactus lychnidiflorus* (De Candolle) F.Kunth = *Pereskia lychnidiflora* De Candolle
- Rhodocactus nicoyanus* (Weber) F.Kunth = *Pereskia lychnidiflora* De Candolle
- Rhodocactus portulacifolia* (L.) F.Kunth = *Pereskia portulacifolia* (L.) Haworth
- Rhodocactus sacharosa* (Grisebach) Backeberg = *Pereskia sacharosa* Grisebach
- Rhodocactus saipinensis* (Cardenas) Beckeberg = *Pereskia sacharosa* Grisebach
- Rhodocactus tampicanus* (Weber) Backeberg = *Pereskia grandifolia* *grandifolia*
- Rhodocactus zinniiflorus* (De Candolle) F.Kunth = *Pereskia zinniiflora* De Candolle
- Rhynchogyna spp.** Seidenfaden & Garay #4 II 64 ORCHIDACEAE
- Rhynchosmia spp.** Schlechter #4 II 64 ORCHIDACEAE
- Rhynchosmia digbyana* (Lindl.) Schltr. (1918) #4 II 64 ORCHIDACEAE
- Rhynchosmia glauca* (Lindl.) Schltr. (1918) #4 II 64 ORCHIDACEAE
- Rhynchophractia spp.** Schltr. #4 II 64 ORCHIDACEAE
- Rhynchosete* spp. Rchb. f. #4 II 64 ORCHIDACEAE
- Rhynchosete aptera* (La Llave & Lex.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE

- Rhynchostele biconiensis* (Bateman) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele candidula* (Rchb.f.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele cervantesii* (La Llave & Lex.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele cordata* (Lindl.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele ehrenbergii* (Link, Klotzsch & Otto) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele galeottiana* (A.Rich. & Galeotti) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele hortensiae* (R.Rodr.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele humeanum* (Rchb.f.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele maculata* (La Llave & Lex.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele madrensis* (Rchb.f.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele majalis* (Rchb.f.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele pygmaea* (Lindley) Reichb.f. #4 II 64 ORCHIDACEAE
- Rhynchostele rossii* (Lindl.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele stellata* (Lindl.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostele uroskinneri* (Lindl.) Soto Arenas & Salazar 1993 #4 II 64 ORCHIDACEAE
- Rhynchostylis spp.** Blume #4 II 64 ORCHIDACEAE
- Rhynchostylis coelestis** Reichb.f. #4 II 64 ORCHIDACEAE
- Rhynchostylis densiflora* (Lindl.) L.O.Williams = *Rhynchostylis gigantea* (Lindl.) Ridl.
- Rhynchostylis garwalica* (Lindl.) Reichb.f. = *Rhynchostylis retusa* Blume
- Rhynchostylis gigantea* (Lindl.) Ridl. #4 II 64 ORCHIDACEAE
- Rhynchostylis gurwalica* (Lindl.) Rchb.f. = *Rhynchostylis retusa* Blume
- Rhynchostylis guttata* (Lindl.) Rchb.f. = *Rhynchostylis retusa* Blume
- Rhynchostylis latifolia* C. Fischer = *Schoenorchis latifolia*
- Rhynchostylis papillosa* = *Acampe papillosa*
- Rhynchostylis praemorsa* (Willd.) Blume = *Rhynchostylis retusa* Blume
- Rhynchostylis retusa** Blume #4 II 64 ORCHIDACEAE
- Rhynchostylis retusa macrostachya* Rchb.f. = *Rhynchostylis retusa* Blume
- Rhynchostylis violacea* auct. non Rchb.f. = *Rhynchostylis retusa* Blume
- Rhytionanthos aemulum* (W.W.Sm.) Garay, Hamer & Siegerist = *Bulbophyllum forrestii* Seidenf.
- Rhytionanthos bootanense* (C.S.Parish & Reichb.f.) Garay, Hamer & Siegerist = *Bulbophyllum bootanense* C.S.P.Parrish & Reichb.f.
- Rhytionanthos cornutum* (Lindl.) Garay, & Hamer & Siegerist = *Bulbophyllum helenae* (Kuntze) J.J.Sm.
- Rhytionanthos mirum* (J.J.Sm.) Garay, Hamer & Siegerist = *Bulbophyllum mirum* J.J. Smith
- Rhytionanthos nodosum* (Rolfe) Garay, Hamer & Siegerist = *Bulbophyllum nodosum* (Rolfe) J.J.Sm.
- Rhytionanthos plumatum* (Ames) Garay, Hamer & Siegerist = *Bulbophyllum plumatum* Ames
- Rhytionanthos rheedei* (Manilal & Sath.Kumar.) Garay, Hamer & Siegerist = *Bulbophyllum rheedei* Manilal & Sath. Kumar.
- Rhytionanthos spathulatum* (Rolfe ex E.Cooper) Garay, Hamer & Siegerist = *Bulbophyllum spathulatum* (Rolfe ex E.Cooper) Seidenf.
- Rhytionanthos sphaericum* (Z.H.Tsi & H.Li) Garay, Hamer & Siegerist = *Bulbophyllum sphaericum* Z.H.Tsi & H.Li
- Rhytionanthos strigosum* Garay = *Bulbophyllum strigosum* (Garay) Sieder
- Rhytionanthos unciniferum* (Seidenf.) Garay, Hamer & Siegerist = *Bulbophyllum unciniferum* Seidenf.
- Ridleyella spp.** Schlechter #4 II 64 ORCHIDACEAE
- Ridleyella paniculata* (Ridl.) Schltr. #4 II 64 ORCHIDACEAE
- Rimacola spp.** Rupp. #4 II 64 ORCHIDACEAE
- Risleya spp.** King & Pantling #4 II 64 ORCHIDACEAE
- Risleya atropurpurea* King & Pantl. #4 II 64 ORCHIDACEAE
- Ritterocereus deficiens* (Otto & Dietrich) Backeberg = *Stenocereus griseus* (Haworth) Buxbaum
- Ritterocereus eichlamii* (Britton & Rose) Backeberg = *Stenocereus eichlamii* (Britton & Rose) Buxbaum
- Ritterocereus fimbriatus* (Lamarck) Backeberg = *Stenocereus fimbriatus* (Lamarck) Lourteig
- Ritterocereus griseus* (Haworth) Backeberg = *Stenocereus griseus* (Haworth) Buxbaum
- Ritterocereus laevigatus* (Salm-Dyck) Backeberg = *Stenocereus laevigatus* (Salm-Dyck) Buxbaum
- Ritterocereus pruinosus* (Otto ex Pfeiffer) Backeberg = *Stenocereus pruinosus* (Otto ex Pfeiffer) Buxbaum
- Ritterocereus queretaroensis* (Weber) Backeberg = *Stenocereus queretaroensis* (Weber) Buxbaum
- Ritterocereus standleyi* (J.G.Ortega) Backeberg = *Stenocereus standleyi* (J.G.Ortega) Buxbaum
- Robiquetia spp.** Gaudich. #4 II 64 ORCHIDACEAE
- Robiquetia brevifolia* (Lindley) Garay #4 II 64 ORCHIDACEAE
- Robiquetia pachyphylla* (Rchb.f.) Garay #4 II 64 ORCHIDACEAE
- Robiquetia rosea* (Lindley) Garay #4 II 64 ORCHIDACEAE
- Robiquetia spathulata* (Blume) J.J. Smith #4 II 64 ORCHIDACEAE
- Robiquetia succisa* (Lindley) Seidenf. & Garay #4 II 64 ORCHIDACEAE (E) Big Ladder Orchid
- Robiquetia virescens* (Gardner ex Lindley) Jayaw. #4 II 64 ORCHIDACEAE
- Robiquetia wassellii* Dockr. #4 II 64 ORCHIDACEAE
- Roble Colorado (S): *Platymiscium pleiostachyum*
- Rodentiophila atacamensis* Ritter ex Y.Ito = *Eriosyce rodentiophila* Ritter

- Rodentiophila megacarpa* (Ritter) Y.Ito = *Eriosyce rodentiophila* Ritter
- Rodrigoa bilabiata* (Kraenzl.) Braas = *Masdevallia platyglossa* Rchb.f.
- Rodrigoa cryptocopsis* (Kraenzl.) Braas = *Masdevallia picturata* Rchb.f.
- Rodrigoa diversifolia* (Kraenzl.) Braas = *Masdevallia parvula* Schltr.
- Rodrigoa fasciata* (Rchb.f.) Braas = *Masdevallia fasciata* Rchb.f.
- Rodrigoa heteroptera* (Rchb.f.) Braas = *Masdevallia heteroptera* Rchb.f.
- Rodrigoa meleagris* (Lindl.) Braas = *Masdevallia meleagris* Lindl.
- Rodrigoa segurae* (Luer & R.Escobar) Braas = *Masdevallia segurae* Luer & R.Escobar
- Rodiguezia spp.** Ruiz & Pav. #4 II 64 ORCHIDACEAE
- Rodiguezia antioquiana* Kraenzl. 1920 #4 II 64 ORCHIDACEAE
- Rodiguezia arevaloi* Schltr. 1924 = *Rodiguezia venusta* (Lindl.) Rchb.f. 1852
- Rodiguezia bahiensis* Rchb.f. 1854 = *Rodiguezia venusta* (Lindl.) Rchb.f. 1852
- Rodiguezia batemanii* Poepp. & Endl. 1836 #4 II 64 ORCHIDACEAE
- Rodiguezia biflora* Barb. Rodr. #4 II 64 ORCHIDACEAE
- Rodiguezia bockiae* D.E.Benn. & Christenson 1995 #4 II 64 ORCHIDACEAE
- Rodiguezia bracteata* (Vell.) Hoehne 1952 = *Rodiguezia venusta* (Lindl.) Rchb.f. 1852
- Rodiguezia bungerothii* Rchb.f. 1887 = *Rodiguezia lanceolata* Ruiz. & Pav.
- Rodiguezia caloplectron* Rchb.f. 1883 = *Rodiguezia granadensis* (Lindl.) Rchb.f. 1852
- Rodiguezia candelariae* Kraenzl. 1916 #4 II 64 ORCHIDACEAE
- Rodiguezia candida* Batem. ex Lindl. #4 II 64 ORCHIDACEAE
- Rodiguezia candida* (Lindl.) Rchb.f. = *Rodiguezia candida* Batem. ex Lindl.
- Rodiguezia carnea* Lindl. 1843 #4 II 64 ORCHIDACEAE
- Rodiguezia chasei* Dodson & Bennett 1989 #4 II 64 ORCHIDACEAE
- Rodiguezia chimorensis* Dodson & Vásquez 1989 #4 II 64 ORCHIDACEAE
- Rodiguezia cinnabrina* H.G.Jones #4 II 64 ORCHIDACEAE
- Rodiguezia claudiae* G.Chiron (2001) #4 II 64 ORCHIDACEAE
- Rodiguezia compacta* Schltr. 1923 #4 II 64 ORCHIDACEAE
- Rodiguezia cuentillensis* Kraenzl. 1921 = *Rodiguezia granadensis* (Lindl.) Rchb.f. 1852
- Rodiguezia decora* (Lem.) Rchb.f. #4 II 64 ORCHIDACEAE
- Rodiguezia delcastilloi* D.E.Benn. & Christenson 1998 #4 II 64 ORCHIDACEAE
- Rodiguezia dressleriana* González Tamayo 1974 #4 II 64 ORCHIDACEAE
- Rodiguezia ensiformis* Ruiz & Pav. 1798 #4 II 64 ORCHIDACEAE
- Rodiguezia estradae* Dodson 1982 = *Rodiguezia refracta* (Lindl.) Rchb.f. 1854
- Rodiguezia fernandezii* Dodson & Bennett #4 II 64 ORCHIDACEAE
- Rodiguezia flava* Garay & Dunsterv. #4 II 64 ORCHIDACEAE
- Rodiguezia fragrans* Rchb.f. 1852 = *Rodiguezia venusta* (Lindl.) Rchb.f. 1852
- Rodiguezia fuerstenbergii* Kraenzl. 1890 = *Rodiguezia obtusifolia* (Lindl.) Rchb.f. 1852
- Rodiguezia granadensis* (Lindl.) Rchb.f. 1852 #4 II 64 ORCHIDACEAE
- Rodiguezia huebneri* Schltr. 1925 = *Rodiguezia venusta* (Lindl.) Rchb.f. 1852
- Rodiguezia lanceolata* Ruiz. & Pav. #4 II 64 ORCHIDACEAE
- Rodiguezia lanceolata* Lodd. 1822 = *Rodiguezia lanceolata* Ruiz. & Pav.
- Rodiguezia leeana* Rchb.f. 1883 #4 II 64 ORCHIDACEAE
- Rodiguezia lehmannii* Rchb.f. 1883 #4 II 64 ORCHIDACEAE
- Rodiguezia leucantha* Barb.Rodr. 1877 #4 II 64 ORCHIDACEAE
- Rodiguezia lindenii* Cogn. 1892 = *Rodiguezia venusta* (Lindl.) Rchb.f. 1852
- Rodiguezia lindenii* Cogn. 1892 = *Rodiguezia pubescens* Rchb.f. 1852
- Rodiguezia luteola* N.E.Br. #4 II 64 ORCHIDACEAE
- Rodiguezia macrantha* Schltr. 1924 #4 II 64 ORCHIDACEAE
- Rodiguezia maculata* (Lindl.) Rchb.f. 1852 Nom. Illeg. = *Rodiguezia sticta* M.W.Chase. 1987
- Rodiguezia minor* Schltr. 1925 = *Rodiguezia lanceolata* Ruiz. & Pav.
- Rodiguezia negrensis* (Barb.Rodr.) Cogn. 1904-1906 #4 II 64 ORCHIDACEAE
- Rodiguezia obtusifolia* (Lindl.) Rchb.f. 1852 #4 II 64 ORCHIDACEAE
- Rodiguezia pardina* Rchb.f. #4 II 64 ORCHIDACEAE
- Rodiguezia pubescens* Rchb.f. 1852 #4 II 64 ORCHIDACEAE
- Rodiguezia pulchra* LØjtnt 1978 #4 II 64 ORCHIDACEAE
- Rodiguezia refracta* (Lindl.) Rchb.f. 1854 #4 II 64 ORCHIDACEAE
- Rodiguezia ricci* R.Vásquez & Dodson (1999) #4 II 64 ORCHIDACEAE
- Rodiguezia rigida* (Lindl.) Rchb.f. 1852 #4 II 64 ORCHIDACEAE
- Rodiguezia satipoana* Dodson & Bennett 1989 #4 II 64 ORCHIDACEAE
- Rodiguezia secunda* Humb., Bonpl. & Kunth 1816 = *Rodiguezia lanceolata* Ruiz. & Pav.
- Rodiguezia secunda* Humb., Bonpl. & Kunth 1816 = *Rodiguezia carneae* Lindl. 1843
- Rodiguezia secunda* Humb., Bonpl. & Kunth 1816 = *Rodiguezia ensiformis* Ruiz & Pav. 1798

- Rodriguezia secunda* var. *panamensis* Schltr. 1922 =  
*Rodriguezia lanceolata* Ruiz. & Pav.
- Rodriguezia stangeana* Rchb.f. 1857 = *Rodriguezia lanceolata* Ruiz. & Pav.
- Rodriguezia stricta* M.W.Chase. 1987 #4 II 64  
 ORCHIDACEAE
- Rodriguezia strobelii* Garay 1956 #4 II 64 ORCHIDACEAE
- Rodriguezia sucrei* Braga 1973 = *Rodriguezia obtusifolia* (Lindl.) Rchb.f. 1852
- Rodriguezia teuscheri* Garay 1958 = *Rodriguezia lehmannii* Rchb.f. 1883
- Rodriguezia vasquezii* Dodson 1989 #4 II 64  
 ORCHIDACEAE
- Rodriguezia venusta* (Lindl.) Rchb.f. 1852 #4 II 64  
 ORCHIDACEAE
- Rodrigueziella* spp. Kuntze #4 II 64 ORCHIDACEAE
- Rodrigueziopsis* spp. Schltr. #4 II 64 ORCHIDACEAE
- Roeperocharis* spp. Rchb.f. #4 II 64 ORCHIDACEAE
- Roezliella* spp. Schlechter #4 II 64 ORCHIDACEAE
- Roezliella cuculligera* Schltr. 1920 = *Sigmatostalix cuculligera* (Schltr.) Garay
- Roezliella dilatata* (Rchb.f.) Schltr. #4 II 64  
 ORCHIDACEAE
- Roezliella malleifera* (Rchb.f.) Schltr. #4 II 64  
 ORCHIDACEAE
- Roezliella reversa* (Rchb.f.) Schltr. #4 II 64  
 ORCHIDACEAE
- Roezliella wallisii* (Rchb.f.) Schltr. #4 II 64  
 ORCHIDACEAE
- Rooksbya euphorbioides* (Haworth) Backeberg =  
*Neobuxbaumia euphorbioides* (Haworth) Buxbaum ex Bravo
- Root, American Ginseng (E): *Panax quinquefolius*
- Root, Costus (E): *Saussurea costus*
- Root, Rauwolfia (E): *Rauvolfia serpentina*
- Root, Saussurea (E): *Saussurea costus*
- Root, Serpentine (E): *Rauvolfia serpentina*
- Root, Tartar (E): *Panax quinquefolius*
- Roseocactus fissuratus* (Engelmann) Berger = *Ariocarpus fissuratus* (Engelmann) Schumann
- Roseocactus intermedius* Backeberg & Kilian =  
*Ariocarpus fissuratus* (Engelmann) Schumann
- Roseocactus kotschoubeyanus* (Lemaire) Berger =  
*Ariocarpus kotschoubeyanus* (Lemaire) Schumann
- Roseocactus kotschoubeyanus macdowellii* Backeberg =  
*Ariocarpus kotschoubeyanus* (Lemaire) Schumann
- Roseocactus lloydii* (Rose) Berger = *Ariocarpus fissuratus* (Engelmann) Schumann
- Roseocereus tephraeanthus* (Labouret) Backeberg =  
*Harrisia tetracantha* (Labouret) Hunt
- Rosewood (E): *Dalbergia nigra*
- Rosewood (E): *Dalbergia xerophila*
- Rosewood (E): *Dalbergia abrahamii*
- Rosewood (E): *Dalbergia trichocarpa*
- Rosewood (E): *Dalbergia malacophylla*
- Rosewood, Bahia (E): *Dalbergia nigra*
- rosewood, Brazilian (E): *Aniba rosaeodora*
- rosewood, Brazilian (E): *Dalbergia nigra*
- Rosewood, Honduras (E): *Dalbergia stevensonii*
- Rosewood, Rio (E): *Dalbergia nigra*
- Rossioglossum* spp. (Schlechter) Garay & G.C. Kenn.  
 #4 II 64 ORCHIDACEAE
- Rossioglossum grande* (Lindl.) Garay & Kenn. #4 II 64  
 ORCHIDACEAE
- Rossioglossum insleayi* (Barker ex Lindl.) Garay & Kenn. #4 II 64 ORCHIDACEAE
- Rossioglossum powellii* (Schltr.) Garay & G.C.Kenn. #4 II 64 ORCHIDACEAE
- Rossioglossum schlieperianum* (Rchb.f.) Garay & Kennedy #4 II 64 ORCHIDACEAE
- Rossioglossum splendens* (Rchb.f.) Garay & G.C.Kenn. #4 II 64 ORCHIDACEAE
- Rossioglossum williamsianum* (Rchb.f.) Garay & G.C.Kenn. #4 II 64 ORCHIDACEAE
- Rosul (S): *Dalbergia stevensonii*
- Rudolfiella* spp. Hoehne #4 II 64 ORCHIDACEAE
- Rudolfiella aurantiaca* (Lindl.) Hoehne #4 II 64  
 ORCHIDACEAE
- Rudolfiella bicornaria* (Rchb.f.) Hoehne #4 II 64  
 ORCHIDACEAE
- Rudolfiella floribunda* (Schltr.) Hoehne #4 II 64  
 ORCHIDACEAE
- Rudolfiella picta* (Schltr.) Hoehne #4 II 64 ORCHIDACEAE
- Rudolfiella sabulosa* (Barb.Rodr.) Hoehne (1944) =  
*Bifrenaria longicornis* Lindl. (1855)
- Rusbyella* spp. Rolfe #4 II 64 ORCHIDACEAE
- Rusbyella caespitosa* Rolfe #4 II 64 ORCHIDACEAE
- Ruthe sörmkäpp (S): *Dactylorhiza ruthei*
- Sabot de vénus (F): *Cypripedium calceolus*
- Saccoglossum* spp. Schlechter #4 II 64 ORCHIDACEAE
- Saccoglossum lanceolatum* L.O.Williams #4 II 64  
 ORCHIDACEAE
- Saccoglossum maculatum* Schltr. #4 II 64  
 ORCHIDACEAE
- Saccoglossum papuanum* Schltr. #4 II 64 ORCHIDACEAE
- Saccoglossum takeuhii* Howcroft #4 II 64 ORCHIDACEAE
- Saccoglossum verrucosum* L.O.Williams #4 II 64  
 ORCHIDACEAE
- Saccolabiopsis* spp. J.J. Smith #4 II 64 ORCHIDACEAE
- Saccolabiopsis armittii* (F. Muell.) Dockr. #4 II 64  
 ORCHIDACEAE
- Saccolabiopsis bakhuizenii* J.J. Smith #4 II 64  
 ORCHIDACEAE
- Saccolabiopsis pusilla* (Lindley) Seidenf. & Garay #4 II 64  
 ORCHIDACEAE
- Saccolabiopsis rectifolia* (Dockr.) Garay #4 II 64  
 ORCHIDACEAE
- Saccolabium* spp. Blume #4 II 64 ORCHIDACEAE
- Saccolabium albolineatum* Teijsm. & Binn. =  
*Rhynchosystylis gigantea* (Lindl.) Ridl.
- Saccolabium ampullaceum* (Roxb.) Lindl. = *Ascocentrum ampullaceum* (Lindl.) Schltr.
- Saccolabium aurantiacum* Schltr. non j.J.Sm. =  
*Ascocentrum aurantiacum* (Schltr) Schltr.
- Saccolabium berkeleyi* Rchb.f. = *Rhynchosystylis retusa* Blume
- Saccolabium blumei* Lindl. = *Rhynchosystylis retusa* Blume

- Saccolabium blumei major* Williams = *Rhynchostylis retusa* Blume  
*Saccolabium coeleste* Rchb.f. = *Rhynchostylis coelestis* Reichb.f.  
*Saccolabium coriaceum* (Thunb. ex Sw.) Lindl. = *Angraecum coriaceum* (Thunb. ex Sw.) Schltr.  
*Saccolabium curvifolium* auct. non Lindl. = *Ascocentrum miniatum* (Lindley) Schltr.  
*Saccolabium curvifolium* Lindl. = *Ascocentrum curvifolium* (Lindl.) Schltr.  
*Saccolabium dasypogon* Lindl. = *Gastrochilus dasypogon* (Lindl.) Kuntze  
*Saccolabium distichum* Lindley #4 II 64 ORCHIDACEAE  
*Saccolabium fragrans* Par. & Reichb.F = *Schoenorchis fragans* Par.& Reichb.F  
*Saccolabium furcatum* Hort. = *Rhynchostylis retusa* Blume  
*Saccolabium galubinum* J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Saccolabium garwalicum* Lindl. = *Rhynchostylis retusa* Blume  
*Saccolabium giganteum* Lindl. = *Rhynchostylis gigantea* (Lindl.) Ridl.  
*Saccolabium gurwalicum* Lindl. = *Rhynchostylis retusa* Blume  
*Saccolabium guttatum* (Lindl.) Lindl. = *Rhynchostylis retusa* Blume  
*Saccolabium harrisonianum* Hook. = *Rhynchostylis gigantea* (Lindl.) Ridl.  
*Saccolabium heathii* Hort. = *Rhynchostylis retusa* Blume  
*Saccolabium hendersonianum* Rchb.f. = *Ascocentrum hendersoniana* (Rchb.f.) Schltr.  
*Saccolabium himalaicum* Deb. Sengupta & Malick = *Ascocentrum himalaicum* (Deb. Sengupta & Malick) Christenson.  
*Saccolabium holfordianum* Hort. = *Rhynchostylis retusa* Blume  
*Saccolabium huttonii* Hook.f. = *Aerides thibautiana* Rchb.f.  
*Saccolabium lineare* Lindl. = *Aerides ringens* (Lindley) Fischer  
*Saccolabium littorale* Rchb.f. = *Rhynchostylis retusa* Blume  
*Saccolabium macrostachyum* Lindl. = *Rhynchostylis retusa* Blume  
*Saccolabium manipurensis* pradhan = *Schoenorchis fragans* Par.& Reichb.F  
*Saccolabium microphyton* Frapp. = *Angraecum tenellum* (Ridl.) Schltr.  
*Saccolabium miniatum* Lindl. = *Ascocentrum miniatum* (Lindley) Schltr.  
*Saccolabium odoratissimum* J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Saccolabium paniculatum* Wight = *Aerides ringens* (Lindley) Fischer  
*Saccolabium praemorsum* (Willd.) Lindl. = *Rhynchostylis retusa* Blume  
*Saccolabium pumilum* Hayata = *Ascocentrum pumilum* (Hayata) Schltr.  
*Saccolabium pusillum* Blume #4 II 64 ORCHIDACEAE  
*Saccolabium rantii* J.J. Smith #4 II 64 ORCHIDACEAE  
*Saccolabium reflexum* Lindl. = *Renanthera elongata* (Blume) Lindley  
*Saccolabium retusum* (Sw.) Voigt = *Rhynchostylis retusa* Blume  
*Saccolabium rheedii* Wight = *Rhynchostylis retusa* Blume  
*Saccolabium rhopalorrhachis* (Reichb. f.) J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Saccolabium ringens* Lindl. = *Aerides ringens* (Lindley) Fischer  
*Saccolabium rubescens* Rolfe = *Aerides rubescens* (Rolfe) Schltr.  
*Saccolabium rubrum* Lindl. = *Ascocentrum rubrum* (Lindl.) Seidenf.  
*Saccolabium seidenfadenii* Pradhan = *Schoenorchis fragans* Par.& Reichb.F  
*Saccolabium sigmaeum* J.J. Smith #4 II 64  
 ORCHIDACEAE  
*Saccolabium speciosum* Wight = *Aerides maculosa* Lindley  
*Saccolabium spicatum* (D.Don) Lindl. = *Rhynchostylis retusa* Blume  
*Saccolabium squamatum* Frapp. ex Cordem. = *Angraecum bracteosum* Balf.f. & S.Moore  
*Saccolabium striatum* (Thours) Lindl. = *Angraecum striatum* Thouars  
*Saccolabium turnei* Williams = *Rhynchostylis retusa* Blume  
*Saccolabium violaceum* auct. non Rchb.f. = *Rhynchostylis gigantea* (Lindl.) Ridl.  
*Saccolabium wightianum* Lindl. = *Aerides ringens* (Lindley) Fischer  
*Sacodon macranthum* (Sw.) Raf. = *Cypripedium macranthos* Sw.  
**Sacoila spp.** Rafin. #4 II 64 ORCHIDACEAE  
*Sacoila argentina* (Griseb.) Garay #4 II 64  
 ORCHIDACEAE  
*Sacoila duseniana* (Kraenzl.) Garay #4 II 64  
 ORCHIDACEAE  
*Sacoila foliosa* (Schltr.) Garay #4 II 64 ORCHIDACEAE  
*Sacoila lanceolata* (Aubl.) Garay #4 II 64 ORCHIDACEAE  
*Sacoila squamulosa* (Kunth) Garay #4 II 64  
 ORCHIDACEAE  
 Sago-palm (E): *Cycas circinalis*  
 Sago, Tree Fern (E): *Sphaeropteris medullaris*  
 Saguaro (S): *Carnegiea gigantea*  
**Salpistele spp.** Dressler #4 II 64 ORCHIDACEAE  
**Samaipaticereus spp.** Card. #4 II 49 CACTACEAE  
**Samaipaticereus corroanus** Cardenas #4 II 49  
 CACTACEAE  
*Samaipaticereus inquisivensis* Ritter ex kainz = *Yungasocereus inquisivensis* (Cardenas) Ritter  
 Sándalo rojo (S): *Pterocarpus santalinus*  
 Sandalwood, Red (E): *Pterocarpus santalinus*  
**Sanderella spp.** Kuntze #4 II 64 ORCHIDACEAE  
 Sanders, Red (E): *Pterocarpus santalinus*  
 Sang (E): *Panax quinquefolius*  
 Santal rouge (F): *Pterocarpus santalinus*  
**Sarcanthopsis spp.** Garay #4 II 64 ORCHIDACEAE  
*Sarcanthopsis curvata* #4 II 64 ORCHIDACEAE

- Sarcanthopsis muelleri* Kraenzl.) Garay = *Vandopsis muelleri* (Kraenzl.) Schltr. #4 II 64 ORCHIDACEAE
- Sarcanthopsis nagarensis* #4 II 64 ORCHIDACEAE
- Sarcanthopsis pantherina* #4 II 64 ORCHIDACEAE
- Sarcanthus* spp. Lindl. #4 II 64 ORCHIDACEAE
- Sarcanthus appendiculatus* (Wallich) Hook.f. #4 II 64 ORCHIDACEAE
- Sarcanthus arrabidae* (Rchb.f.) Rchb.f. 1852 = *Stenorhynchos arrabidae* Rchb.f. 1849
- Sarcanthus capricornis* (Ridley) Holttum = *Cleisostoma capricorne* (Ridley) Garay
- Sarcanthus eberhardtii* (Fin.) Tang & Wang #4 II 64 ORCHIDACEAE
- Sarcanthus fissicors* (Ridley) J.J. Smith #4 II 64 ORCHIDACEAE
- Sarcanthus fordii* Hance #4 II 64 ORCHIDACEAE (E) Bird-head Orchid, Ford's Cleisostoma
- Sarcanthus guttatus* Lindl. = *Rhynchostylis retusa* Blume
- Sarcanthus inflexilobus* Holttum #4 II 64 ORCHIDACEAE
- Sarcanthus ionosmus* (Ridley) Holttum #4 II 64 ORCHIDACEAE
- Sarcanthus kunstleri* King & Prantl #4 II 64 ORCHIDACEAE
- Sarcanthus pensilis* Ridley #4 II 64 ORCHIDACEAE
- Sarcanthus praeltus* #4 II 64 ORCHIDACEAE
- Sarcanthus rugulosus* (Ridley) Holttum #4 II 64 ORCHIDACEAE
- Sarcanthus scortechinii* Hook.f. = *Cleisostoma scortechinii* (Hook. f.) Garay
- Sarcanthus teretifolius* Lindl. #4 II 64 ORCHIDACEAE
- Sarcobodium lobii* Beer = *Bulbophyllum lobbii* Lindley
- Sarcochilus** spp. R. Br. #4 II 64 ORCHIDACEAE
- Sarcochilus aequalis* D.L.Jones & M.A.Clements #4 II 64 ORCHIDACEAE
- Sarcochilus alatus* Holttum #4 II 64 ORCHIDACEAE
- Sarcochilus berkeleyi* (Reichb.f.) Reichb.f. #4 II 64 ORCHIDACEAE
- Sarcochilus biserratus* Ridley #4 II 64 ORCHIDACEAE
- Sarcochilus caligaris* Ridley #4 II 64 ORCHIDACEAE
- Sarcochilus caligaris* act. non Ridl. = *Vanda lilacina* Teijsm. & Binn.
- Sarcochilus carrii* L.O. Williams #4 II 64 ORCHIDACEAE
- Sarcochilus ciliatus* (Ridley) J.J. Smith #4 II 64 ORCHIDACEAE
- Sarcochilus dilatatus* F.Muell. #4 II 64 ORCHIDACEAE
- Sarcochilus ecalcaratus* Holttum #4 II 64 ORCHIDACEAE
- Sarcochilus fasciculatus* Carr #4 II 64 ORCHIDACEAE
- Sarcochilus fitzgeraldii* F.Muell. #4 II 64 ORCHIDACEAE
- Sarcochilus hartmannii* F.Muell. #4 II 64 ORCHIDACEAE
- Sarcochilus hillii* (F. Muell.) F. Muell. #4 II 64 ORCHIDACEAE
- Sarcochilus hirticalcar* (Dockr.) M.A.Clements & B.Wallace #4 II 64 ORCHIDACEAE
- Sarcochilus johorensis* Holttum #4 II 64 ORCHIDACEAE
- Sarcochilus koghiensis* Schltr. #4 II 64 ORCHIDACEAE
- Sarcochilus minutiflorus* (Ridley) Holttum #4 II 64 ORCHIDACEAE
- Sarcochilus moorei* #4 II 64 ORCHIDACEAE
- Sarcocillus newportii* F.M.Bailey = *Bulbophyllum newportii* (F.M.Bailey) Rolfe
- Sarcocillus rarus* Schltr. #4 II 64 ORCHIDACEAE
- Sarcocillus roseus* (Clemesha) Clemesha #4 II 64 ORCHIDACEAE
- Sarcocillus serrulatus* D.L.Jones #4 II 64 ORCHIDACEAE
- Sarcocillus tahanensis* Ridley #4 II 64 ORCHIDACEAE
- Sarcocillus uniflorus* Gagnepain #4 II 64 ORCHIDACEAE
- Sarcocillus violaceus* Ridley #4 II 64 ORCHIDACEAE
- Sarcocillus virescens* Ridley #4 II 64 ORCHIDACEAE
- Sarcocillus weinthalii* Bailey #4 II 64 ORCHIDACEAE
- Sarcoglottis** spp. C. Presl #4 II 64 ORCHIDACEAE
- Sarcoglottis cerina* (Lindley) P.N. Don #4 II 64 ORCHIDACEAE
- Sarcoglottis umbrosa* (Barb.Rodr.) Schltr. #4 II 64 ORCHIDACEAE
- Sarcoglyphis** spp. Garay #4 II 64 ORCHIDACEAE
- Sarcophyton** spp. Garay #4 II 64 ORCHIDACEAE
- Sarcophyton crassifolium* (Lindl. & Paxton) Garay = *Cleisostoma crassifolium* Lindl. & Paxton
- Sarcopodium affine* (Lindl.) Lindl. & Paxt. = *Bulbophyllum affine* Lindley
- Sarcopodium amplum* Lindl. Paxt. = *Epigeneium amplum* Lindl. Summerh.
- Sarcopodium coelogyne* Rolfe = *Epigeneium amplum* Lindl. Summerh.
- Sarcopodium dearei* Hort. = *Bulbophyllum dearei* (Hort.) Rchb.f.
- Sarcopodium grandiflorum* (Blume) Lindl. = *Bulbophyllum grandiflorum* Blume
- Sarcopodium griffithii* Lindl. = *Bulbophyllum griffithii* (Lindl.) Rchb.f.
- Sarcopodium leopardinum* (Wall.) Lindl. & Paxt. = *Bulbophyllum leopardinum* (Wall.) Lindl.
- Sarcopodium lobbii* (Lindl.) Lindl. = *Bulbophyllum lobbii* Lindley
- Sarcopodium macranthum* (Lindl.) Lindl. & Paxt. = *Bulbophyllum macranthum* Lindley
- Sarcopodium megalanthum* (Griff.) Lindl. = *Bulbophyllum cheiri* Lindley
- Sarcopodium pileatum* (Lindl.) Lindl. = *Bulbophyllum pileatum* Lindley
- Sarcopodium prasinum* (Lindl.) Kraenzl. = *Dendrobium prasinum* Lindl.
- Sarcopodium psittacoglossum* (Rchb.f.) Rchb.f. = *Bulbophyllum psittacoglossum* Rchb.f.
- Sarcopodium purpureum* Rchb.f. = *Bulbophyllum macranthum* Lindley
- Sarcopodium reinwardtii* Lindl. = *Bulbophyllum uniflorum* (Blume) Hassk.
- Sarcopodium rotundatum* Lindl. = *Epigeneium rotundatum* (Lindl.) Summerh.
- Sarcopodium striatum* (Griff.) Lindl. = *Bulbophyllum striatum* (Griff.) Rchb.f.
- Sarcopodium triadenium* Lindl. = *Bulbophyllum triadenium* (Lindl.) Rchb.f.
- Sarcopodium uniflorum* (Griff.) Lindl. = *Bulbophyllum monanthum* (Kuntze) J.J.Sm.
- Sarcostoma** spp. Blume #4 II 64 ORCHIDACEAE

- Sarcostoma javanicum* Blume #4 II <sup>64</sup> ORCHIDACEAE  
*Sarpaganda* (F): *Rauvolfia serpentina*
- Sarracenia* spp.** L. #4 I/II SARRACENIACEAE  
*Sarracenia adunca* Sm. = *Sarracenia minor* Walter  
***Sarracenia ahlesii*** C.R.Bell & Case #4 II  
 SARRACENIACEAE  
*Sarracenia alabamensis* = *Sarracenia rubra alabamensis*  
 (Case & Case) Schnell  
*Sarracenia alabamensis alabamensis* Case & Case =  
*Sarracenia rubra alabamensis* (Case & Case) Schnell
- Sarracenia alata*** (A.W. Wood) A.W.Wood #4 II  
 SARRACENIACEAE (E) Pitcher-plant Pale,  
 Pitcher-plant Winged, Pitcher-plant Yellow  
*Sarracenia alba* (hort. Baines) C.R.Bell = *Sarracenia leucophylla* Raf.
- Sarracenia areolata*** Macfarl. #4 II SARRACENIACEAE  
*Sarracenia brucei* hort. Bruce = *Sarracenia moorei* hort.  
 Veitch ex Mast. (sic)
- Sarracenia calceolata* Nutt. = *Sarracenia psittacina* Michx.  
*Sarracenia cantabrigiensis* hort. Lynch ex Zahn =  
*Sarracenia excellens* hort. ex G.Nicholson
- Sarracenia catesbaei*** Elliott #4 II SARRACENIACEAE  
*Sarracenia catesbaei* auct. non Elliott: Harper p.p. =  
*Sarracenia farnhamii* hort. Farnham  
*Sarracenia catesbaei* auct. non Elliott: (Mast.) Small =  
*Sarracenia alata* (A.W. Wood) A.W.Wood  
*Sarracenia catesbaei* auct. non Elliott: (Mohr) Mohr =  
*Sarracenia oreophila* (Kearney) Wherry
- Sarracenia chelsonii*** auct. non hort. Veitch ex Wilson:  
 Mast #4 II SARRACENIACEAE
- Sarracenia courtii*** hort. Veitch ex Wilson #4 II  
 SARRACENIACEAE
- Sarracenia crispata* auct. non hort. Bull ex André: Macfarl.  
 = *Sarracenia harperi* C.R.Bell
- Sarracenia crispata* hort. Bull ex André = *Sarracenia alata*  
 (A.W. Wood) A.W.Wood
- Sarracenia decora* hort. Williams ex Mast. = *Sarracenia formosa* hort. Veitch ex Mast.
- Sarracenia dormeri* hort. Veitch = *Sarracenia catesbaei* Elliott
- Sarracenia drummondii* Croom = *Sarracenia leucophylla* Raf.
- Sarracenia ebliana* hort. = *Sarracenia catesbaei* Elliott
- Sarracenia excellens*** hort. ex G.Nicholson #4 II  
 SARRACENIACEAE
- Sarracenia exculta* hort. S.G. = *Sarracenia moorei* hort.  
 Veitch ex Mast. (sic)
- Sarracenia exoniensis* hort. Veitch (sic) = *Sarracenia exornata* hort. S.G.
- Sarracenia exornata*** hort. S.G. #4 II SARRACENIACEAE
- Sarracenia farnhamii*** hort. Farnham #4 II  
 SARRACENIACEAE
- Sarracenia flambeau* hort. ex Lindsay = *Sarracenia swaniana* W.Robinson
- Sarracenia flava*** L. #4 II SARRACENIACEAE (E)  
 Pitcher-plant Yellow
- Sarracenia flava* auct. non L. ex Macfarl. p.p. = *Sarracenia alata* (A.W. Wood) A.W.Wood
- Sarracenia flava* auct. non L.: Macfarl. p.p. = *Sarracenia oreophila* (Kearney) Wherry
- Sarracenia formosa*** hort. Veitch ex Mast. #4 II  
 SARRACENIACEAE
- Sarracenia galeata* Bartr. = *Sarracenia minor* Walter
- Sarracenia gilpinii*** C.R.Bell & Case #4 II  
 SARRACENIACEAE
- Sarracenia gronovii* A.W.Wood p.p. = *Sarracenia leucophylla* Raf.
- Sarracenia gronovii* A.W.Wood p.p. = *Sarracenia alata* (A.W. Wood) A.W.Wood
- Sarracenia harperi*** C.R.Bell #4 II SARRACENIACEAE
- Sarracenia intermedia* Bonst. = *Sarracenia alata* (A.W. Wood) A.W.Wood
- Sarracenia jonesii* Wherry p.p. = *Sarracenia rubra jonesii* (Wherry) Wherry
- Sarracenia laciniata* Kerner = *Sarracenia leucophylla* Raf.
- Sarracenia lacunosa* Batr. p.p. = *Sarracenia minor* Walter
- Sarracenia lacunosa* Batr. p.p. = *Sarracenia leucophylla* Raf.
- Sarracenia leucophylla*** Raf. #4 II SARRACENIACEAE  
 (E) Pitcher-plant Crimson, Pitcher-plant White-topped
- Sarracenia maddisonia* hort. ex G.Nicholson (sic) =  
*Sarracenia formosa* hort. Veitch ex Mast.
- Sarracenia maddisoniana* hort. ex G.Nicholson =  
*Sarracenia formosa* hort. Veitch ex Mast.
- Sarracenia mandana* hort. Pitcher & Manda ex Mast. =  
*Sarracenia moorei* hort. Veitch ex Mast. (sic)
- Sarracenia mexicana* hort. Moore ex Mast. = *Sarracenia leucophylla* Raf.
- Sarracenia minor*** Walter #4 II SARRACENIACEAE (E)  
 Pitcher-plant Hooded, Pitcher-plant Rainbow Trumpet
- Sarracenia mitchelliana*** hort. ex G.Nicholson #4 II  
 SARRACENIACEAE
- Sarracenia mooreana* hort. Veitch (sic) = *Sarracenia moorei* hort. Veitch ex Mast. (sic)
- Sarracenia moorei*** hort. Veitch ex Mast. (sic) #4 II  
 SARRACENIACEAE
- Sarracenia oreophila*** (Kearney) Wherry I  
 SARRACENIACEAE (E) Pitcher-plant Green
- Sarracenia patersoniana* hort. Pitcher & Manda (sic) =  
*Sarracenia mitchelliana* hort. ex G.Nicholson
- Sarracenia patersonii* auct. non hort. S.G.: hort. Veitch =  
*Sarracenia mitchelliana* hort. ex G.Nicholson
- Sarracenia popei*** hort. Moore ex Mast. #4 II  
 SARRACENIACEAE
- Sarracenia porphyroneura* hort. ex Mast. = *Sarracenia catesbaei* Elliott
- Sarracenia psittacina*** Michx. #4 II SARRACENIACEAE  
 (E) Pitcher-plant Parrot
- Sarracenia pulchella* Croom = *Sarracenia psittacina* Michx.
- Sarracenia purpurea*** L. #4 II SARRACENIACEAE
- Sarracenia readii*** C.R.Bell #4 II SARRACENIACEAE
- Sarracenia rehderi*** C.R.Bell #4 II SARRACENIACEAE
- Sarracenia rubra*** Walter #4 I/II SARRACENIACEAE
- Sarracenia rubra alabamensis*** (Case & Case) Schnell I  
 SARRACENIACEAE
- Sarracenia rubra* auct. non Walter: Steud = *Sarracenia psittacina* Michx.
- Sarracenia rubra jonesii*** (Wherry) Wherry I  
 SARRACENIACEAE (E) Mountain Sweet Pitcher-plant,  
 Sweet Pitcher-plant

- Sarracenia sledgei* Macfarl. = *Sarracenia alata* (A.W. Wood) A.W.Wood
- Sarracenia swaniana*** W.Robinson #4 II  
SARRACENIACEAE
- Sarracenia tolliana* auct. non hort. ex W.Robinson: G.Nicholson = *Sarracenia moorei* hort. Veitch ex Mast. (sic)
- Sarracenia tolliana* auct. non hort. ex W.Robinson: hort. S.G. = *Sarracenia catesbaei* Elliott
- Sarracenia tolliana* hort. ex W.Robinson = *Sarracenia mitchelliana* hort. ex G.Nicholson
- Sarracenia undulata* Decne. = *Sarracenia leucophylla* Raf.
- Sarracenia variolaris* Michx. = *Sarracenia minor* Walter
- Sarracenia williamsii* hort. Bull ex Mast = *Sarracenia catesbaei* Elliott
- Sarracenia wilsoniana* auct. non hort. ex W.Robinson: hort. S.G. = *Sarracenia catesbaei* Elliott
- Sarracenia wilsoniana* hort. ex W.Robinson = *Sarracenia mitchelliana* hort. ex G.Nicholson
- Sarracenia wilsonii* hort. Manda (sic) = *Sarracenia catesbaei* Elliott
- Sarracenia wrigleyana*** hort. S.G. #4 II  
SARRACENIACEAE
- Satinwood (E): *Pericopsis elata*
- Satinwood, Yellow (E): *Pericopsis elata*
- Satranala decussilvae* Beentje & J. Dransf. II PALMAE
- Satyridium* spp.** Lindl. #4 II 64 ORCHIDACEAE
- Satyridium rostratum* Lindl. #4 II 64 ORCHIDACEAE
- Satyrium* spp.** Sw. #4 II 64 ORCHIDACEAE
- Satyrium calceatum* Ridl. = *Disa buchenaviana* Kraenzl.
- Satyrium carneum* (Dryand.) Sims #4 II 64 ORCHIDACEAE
- Satyrium cornutum* (L.) Thunb. = *Disa cornuta* (L.) Sw.
- Satyrium cylindrica* Thunb. = *Disa cylindrica* (Thunb.) Sw.
- Satyrium draconis* (L.f.) Thunb. = *Disa draconis* (L.f.) Sw.
- Satyrium excelsum* Thunb. = *Disa tripetaloides* (L.f.) N.E.Br.
- Satyrium ferrugineum* Thunb. = *Disa ferruginea* (Thunb.) Sw.
- Satyrium foliosum* Sw. #4 II 64 ORCHIDACEAE
- Satyrium grandiflora* (L.f.) Thunb. = *Disa uniflora* P.J.Bergius
- Satyrium microrrhynchum* Schltr. #4 II 64 ORCHIDACEAE
- Satyrium mirum* Summerh. #4 II 64 ORCHIDACEAE
- Satyrium muticum* Lindl. #4 II 64 ORCHIDACEAE
- Satyrium orchidoides* Sw. = *Sacoila lanceolata* (Aubl.) Garay
- Satyrium princeps* Bolus #4 II 64 ORCHIDACEAE
- Satyrium sagittale* (L.f.) Thunb. = *Disa sagittalis* (L.f.) Sw.
- Satyrium secundatum* Thunb. = *Disa racemosa* L.f.
- Satyrium tenellum* (L.f.) Thunb. = *Disa tenella* (L.f.) Sw.
- Saundersia* spp.** Rchb.f. #4 II 64 ORCHIDACEAE
- Saunderswood (E): *Pterocarpus santalinus*
- Sauvagesia* spp.** Lindl. #4 II 64 ORCHIDACEAE
- Saussurea costus* (Falc.) Lipsch. I COMPOSITAE (E) Aucklandia, Costus Root, Kuth, Saussurea Root (S) Kuth
- Saussurea lappa* C.B. Clarke = *Saussurea costus* (Falc.) Lipsch.
- Sayeria aberans* (Schltr.) Rauschert = *Dendrobium aberrans* Schltr.
- Sayeria acutisepala* ((J.J.Sm.) Rauschert = *Dendrobium acutisepalum* J.J. Smith
- Sayeria alexandrae* (Schltr.) Rauschert = *Dendrobium alexandrae* Schltr.
- Sayeria amphigenya* (Ridl.) Rauschert = *Dendrobium amphigenum* Ridley
- Sayeria armeniaca* (P.J.Cribb) Rauschert = *Dendrobium armeniacum* P.J.Cribb
- Sayeria atroviolacea* (Rolfe) Rauschert = *Dendrobium atroviolaceum* Rolfe
- Sayeria bairdiana* (F.M.Bailey) Rauschert = *Dendrobium fellowsii* F.Muell.
- Sayeria bifalcis* (Lindl.) Rauschert = *Dendrobium bifalce* Lindley
- Sayeria bilocularis* (J.J.Sm.) Rauschert = *Dendrobium bilocularis* J.J. Smith
- Sayeria convoluta* (Rolfe) Rauschert = *Dendrobium convolutum* Rolfe
- Sayeria curvimenta* (J.J.Sm.) Rauschert = *Dendrobium curvimentum* J.J. Smith
- Sayeria diceras* (Schltr.) Rauschert = *Dendrobium diceras* Schltr.
- Sayeria euryantha* (Schltr.) Rauschert = *Dendrobium euryanthum* Schltr.
- Sayeria eustachya* (Schltr.) Rauschert = *Dendrobium forbesii* Ridley
- Sayeria eximia* (Schltr.) Rauschert = *Dendrobium eximium* Schltr.
- Sayeria finisterrae* (Schltr.) Rauschert = *Dendrobium finisterrae* Schltr.
- Sayeria forbesii* (Ridl.) Rauschert = *Dendrobium forbesii* Ridley
- Sayeria hodgkinsonii* (Rolfe) Rauschert = *Dendrobium hodgkinsonii* Rolfe
- Sayeria incurvilabia* (Schltr.) Rauschert = *Dendrobium dendrocolloides* J.J. Smith
- Sayeria informis* (J.J.Sm.) Rauschert = *Dendrobium informe* J.J. Smith
- Sayeria johnsoniae* (F.Muell.) Rauschert = *Dendrobium johnsoniae* F. Muell.
- Sayeria laurensii* (J.J.Sm.) Rauschert = *Dendrobium laurensii* J.J. Smith
- Sayeria leucohybos* (Schltr.) Rauschert = *Dendrobium leucohybos* Schltr.
- Sayeria macrophylla* (A.Rich) Rauschert = *Dendrobium macrophyllum* A.Rich
- Sayeria mayandyi* (T.M.Reeve & Renz) Rauschert = *Dendrobium mayandyi* T.M. Reeve & Renz
- Sayeria minutiflora* (Gagnep.) Rauschert = *Dendrobium minutiflorum* S.C.Chen & Z.H.Tsi
- Sayeria mooreana* (Lindl.) Rauschert = *Dendrobium mooreanum* Lindley
- Sayeria muscifera* (Schltr.) Rauschert = *Dendrobium macrophyllum* A.Rich
- Sayeria otaguroana* (A.D.Hawkes) Rauschert = *Dendrobium otaguroanum* A. Hawkes
- Sayeria pachystele* (Schltr.) Rauschert = *Dendrobium pachystele* Schltr.

<i>Sayeria paradoxa</i> Kraenzl. = <i>Dendrobium cruttwellii</i> T.M. Reeve	<i>Scaphosepalum panamense</i> Schltr. = <i>Masdevallia livingstoneana</i> Roezl & Rchb.f.
<i>Sayeria pleurodes</i> (Schltr.) Rauschert = <i>Dendrobium pleurodes</i> Schltr.	<i>Scaphosepalum pleurothalloides</i> Luer & Hirtz #4 II 64 ORCHIDACEAE
<i>Sayeria polysema</i> (Schltr.) Rauschert = <i>Dendrobium polysema</i> Schltr.	<i>Scaphosepalum pulvinare</i> Rolfe. #4 II 64 ORCHIDACEAE
<i>Sayeria pseudotokai</i> (Kraenzl.) Rauschert = <i>Dendrobium macranthum</i> A. Rich.	<i>Scaphosepalum rapax</i> Luer #4 II 64 ORCHIDACEAE
<i>Sayeria punamensis</i> (Schltr.) Rauschert = <i>Dendrobium punamense</i> Schltr.	<i>Scaphosepalum swertiaefolium</i> Rolfe #4 II 64 ORCHIDACEAE
<i>Sayeria rhodostictata</i> (F.Muell. & Kraenzl.) Rauschert = <i>Dendrobium rhodostictum</i> F. Muell. & Kraenzl.	<i>Scaphosepalum verrucosum</i> Pfitzer #4 II 64 ORCHIDACEAE
<i>Sayeria rhomboglossa</i> (J.J.Sm.) Rauschert = <i>Dendrobium rhomboglossum</i> J.J. Smith	<i>Scaphosepalum viviparum</i> Luer #4 II 64 ORCHIDACEAE
<i>Sayeria rigidifolia</i> (Rolfe) Rauschert = <i>Dendrobium rigidifolium</i> Rolfe	<b>Scaphyglottis</b> spp. Poepp. & Endl. #4 II 64 ORCHIDACEAE
<i>Sayeria ruginosa</i> (Ames) Rauschert = <i>Dendrobium ruginosum</i> Ames	<i>Scaphyglottis arctata</i> (Dressler) B. Adams #4 II 64 ORCHIDACEAE
<i>Sayeria ruttenii</i> (J.J.Sm.) Rauschert = <i>Dendrobium ruttenii</i> J.J. Smith	<i>Scaphyglottis bilobulata</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Sayeria simplex</i> (J.J.Sm.) Rauschert = <i>Dendrobium simplex</i> J.J. Smith	<i>Scaphyglottis brachyphylla</i> (Reichb.f.) L. Wms. & A. Robyns #4 II 64 ORCHIDACEAE
<i>Sayeria spectabilis</i> (Blume) Rauschert = <i>Dendrobium spectabile</i> (Blume) Miq.	<i>Scaphyglottis chlorantha</i> B. Adams #4 II 64 ORCHIDACEAE
<i>Sayeria subquadrata</i> (J.J.Sm.) Rauschert = <i>Dendrobium subquadratum</i> J.J. Smith	<i>Scaphyglottis dunstervillei</i> (Garay) Foldats #4 II 64 ORCHIDACEAE
<i>Sayeria terrestris</i> (J.J.Sm.) Rauschert = <i>Dendrobium terrestre</i> J.J. Smith	<i>Scaphyglottis fasciculata</i> Hook. #4 II 64 ORCHIDACEAE
<i>Sayeria torricellensis</i> (Schltr.) Rauschert = <i>Dendrobium torricellense</i> Schltr.	<i>Scaphyglottis gemma</i> (Rchb.f.) L.O.Williams 1956 = <i>Nageliella gemma</i> (Rchb.f.) Ames & Correll
<i>Sayeria uncipes</i> (J.J.Sm.) Rauschert = <i>Dendrobium uncipes</i> J.J. Smith	<i>Scaphyglottis gigantea</i> Dressler #4 II 64 ORCHIDACEAE
<i>Sayeria violascens</i> (J.J. Smith) Rauschert = <i>Dendrobium violascens</i> J.J. Smith	<i>Scaphyglottis graminifolia</i> (Ruiz Lopez & Pavon) Poeppig & End. #4 II 64 ORCHIDACEAE
<i>Sayeria wisselensis</i> (P.J.Cribb) Rauschert = <i>Dendrobium wisselense</i> P.J.Cribb	<i>Scaphyglottis imbricata</i> (Lindl.) Dressler #4 II 64 ORCHIDACEAE
<i>Sayeria woodsii</i> (P.J.Cribb) Rauschert = <i>Dendrobium woodsii</i> P.J.Cribb	<i>Scaphyglottis laevilabia</i> Ames #4 II 64 ORCHIDACEAE
<b>Scaphosepalum</b> spp. Pfitzer #4 II 64 ORCHIDACEAE	<i>Scaphyglottis limonensis</i> B. Adams #4 II 64 ORCHIDACEAE
<i>Scaphosepalum anchoriferum</i> (Reichb.f.) Rolfe #4 II 64 ORCHIDACEAE	<i>Scaphyglottis livida</i> (Lindl.) Schltr. #4 II 64 ORCHIDACEAE
<i>Scaphosepalum andreettae</i> Luer #4 II 64 ORCHIDACEAE	<i>Scaphyglottis oblonga</i> L.O. Williams #4 II 64 ORCHIDACEAE
<i>Scaphosepalum beluosum</i> Luer #4 II 64 ORCHIDACEAE	<i>Scaphyglottis pachyphylla</i> L.O.Williams 1946 = <i>Homalopetalum pachyphyllum</i> (L.O. Williams) Dressler 1964
<i>Scaphosepalum breve</i> (Rchb.f.) Rolfe #4 II 64 ORCHIDACEAE	<i>Scaphyglottis panamensis</i> B. Adams #4 II 64 ORCHIDACEAE
<i>Scaphosepalum clavellatum</i> Luer #4 II 64 ORCHIDACEAE	<i>Scaphyglottis prolifera</i> (R.Br.) Cogn. #4 II 64 ORCHIDACEAE
<i>Scaphosepalum dodsonii</i> Luer #4 II 64 ORCHIDACEAE	<i>Scaphyglottis pumila</i> Ames = <i>Homalopetalum pumilum</i> (Ames) Dressler 1964
<i>Scaphosepalum elasmotopus</i> Schltr. #4 II 64 ORCHIDACEAE	<i>Scaphyglottis reflexa</i> Lindl. #4 II 64 ORCHIDACEAE
<i>Scaphosepalum fimbriatum</i> Luer & Hirtz #4 II 64 ORCHIDACEAE	<i>Scaphyglottis robusta</i> B. Adams #4 II 64 ORCHIDACEAE
<i>Scaphosepalum gibberosum</i> (Rchb.f.) Rolfe #4 II 64 ORCHIDACEAE	<i>Scaphyglottis sessiliflora</i> B. Adams #4 II 64 ORCHIDACEAE
<i>Scaphosepalum hirtzii</i> Luer #4 II 64 ORCHIDACEAE	<i>Scaphyglottis sessilis</i> (Reichb.f.) Foldats #4 II 64 ORCHIDACEAE
<i>Scaphosepalum lima</i> (F.Lehm.) & Kraenzl. Schltr. #4 II 64 ORCHIDACEAE	<i>Scaphyglottis sigmoidea</i> (Ames & C. Schweinf.) B. Adams #4 II 64 ORCHIDACEAE
<i>Scaphosepalum microdactylum</i> Rolfe #4 II 64 ORCHIDACEAE	<i>Scaphyglottis spathulata</i> C. Schweinf. #4 II 64 ORCHIDACEAE
<i>Scaphosepalum ovulare</i> Luer #4 II 64 ORCHIDACEAE	<i>Scaphyglottis tenella</i> L.O. Williams = <i>Hexadesmia tenella</i> (L.O. Williams) Heller ex F. Hamer

- Scaphyglottis tenuis* L.O. Williams #4 II 64  
ORCHIDACEAE
- Scelochiloides* spp. Dodson & M.W.Chase #4 II 64  
ORCHIDACEAE
- Scelochilus* spp. Klotzsch #4 II 64 ORCHIDACEAE
- Scelochilus aureus* Schltr. #4 II 64 ORCHIDACEAE
- Scelochilus chiribogae* Dodson #4 II 64 ORCHIDACEAE
- Scelochilus heterophylla* Rchb.f #4 II 64 ORCHIDACEAE
- Scelochilus hirtzii* Dodson #4 II 64 ORCHIDACEAE
- Scelochilus jamesonii* Lindl. #4 II 64 ORCHIDACEAE
- Scelochilus luerae* Dodson #4 II 64 ORCHIDACEAE
- Scelochilus saccatus* (Poepp. & Endl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Scelochilus tuerckheimii* Schltr. #4 II 64 ORCHIDACEAE
- Schiedeella* spp. Schlechter #4 II 64 ORCHIDACEAE
- Schiedeella albovaginata* (C. Schweinf.) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella chartacea* (L.O. Williams) Burns-Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella chloraeformis* (A. Rich. & Galeotti) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella congestiflora* (L.O. Williams) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella dendroneura* (Sheviak & Bye) Burns-Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella densiflora* (C. Schweinf.) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella durangensis* (Ames & Schwein.)  
Burns-Balogh #4 II 64 ORCHIDACEAE
- Schiedeella eriophora* (H. Robinson & Greenman) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella falcata* (L.O. Williams) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella michuacana* (Llave & Lex.) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella nagelii* (L.O. Williams) Garay #4 II 64  
ORCHIDACEAE
- Schiedeella nonantzin* (Gonz.Tam. ex McV.) Gonz.Tam. #4 II 64  
ORCHIDACEAE
- Schiedeella obteca* (C. Schweinf.) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella pseudopyramidalis* (L.O. Williams) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella pubicaulis* (L.O. Williams) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella rubrocattosa* (H. Robinson & Greenman)  
Balogh #4 II 64 ORCHIDACEAE
- Schiedeella sparsiflora* (C. Schweinf.) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella stolonifera* (Ames & C. Schweinf.) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella tenella* (L.O. Williams) Balogh #4 II 64  
ORCHIDACEAE
- Schiedeella trilineata* (Lindley) Schltr. #4 II 64  
ORCHIDACEAE
- Schiedeella velata* (Robinson & Fern.) Schltr. #4 II 64  
ORCHIDACEAE
- Schiedeella violacea* (A. Rich. & Galeotti) Garay #4 II 64  
ORCHIDACEAE
- Schiedeella wercklei* (Schltr.) Garay #4 II 64  
ORCHIDACEAE
- Schistotylus* spp. Dockr. #4 II 64 ORCHIDACEAE
- Schistotylus purpuratus* (Rupp) Dockr. #4 II 64  
ORCHIDACEAE
- Schizocaena alternans* (Wallich ex Hook. 1844) J.Sm.  
1875 = *Sphaeropteris alternans* (Wallich ex Hook.  
1844) R.Tryon 1970
- Schizocaena arthropoda* (Copel. 1911) Copel. 1947 =  
*Sphaeropteris arthropoda* (Copel. 1911) R.Tryon 1970
- Schizocaena brunonis* J.Sm. 1838 = *Sphaeropteris*  
*moluccana* (R.Br. ex Desv. 1827) R.Tryon 1970
- Schizocaena capitata* (Copel. 1917) Copel. 1947 =  
*Sphaeropteris capitata* (Copel. 1917) R.Tryon 1970
- Schizocaena gaudichaudii* Fée 1850-52 = *Sphaeropteris*  
*moluccana* (R.Br. ex Desv. 1827) R.Tryon 1970
- Schizocaena hookeri* (Thwaites 1864) Copel. 1947 =  
*Alsophila hookeri* (Thwaites 1864) R.Tryon 1970
- Schizocaena kinabaluensis* (Copel. 1917) Copel. 1947 =  
*Sphaeropteris moluccana* (R.Br. ex Desv. 1827)  
R.Tryon 1970
- Schizocaena moluccana* (R.Br. ex Desv. 1827) Copel.  
1947 = *Sphaeropteris moluccana* (R.Br. ex Desv.  
1827) R.Tryon 1970
- Schizocaena pseudobrunonis* (Copel. 1929) Copel. 1947  
= *Sphaeropteris moluccana* (R.Br. ex Desv. 1827)  
R.Tryon 1970
- Schizocaena sinuata* (Hook. & Grev. 1828) J.Sm. 1842 =  
*Alsophila sinuata* (Hook. & Grev. 1828) R.Tryon 1970
- Schizochilus* spp. Sond. #4 II 64 ORCHIDACEAE
- Schizochilus crenulatus* H.P.Linder #4 II 64  
ORCHIDACEAE
- Schizochilus flexuosus* Harv. ex Rolfe #4 II 64  
ORCHIDACEAE
- Schizochilus gerrardii* (Rchb.f.) Bolus #4 II 64  
ORCHIDACEAE
- Schizochilus lepidus* Summerh. #4 II 64 ORCHIDACEAE
- Schizochilus lilacinus* Schelpe ex H.P.Linder #4 II 64  
ORCHIDACEAE
- Schizochilus rudatisii* Schelchter = *Schizochilus zeyheri*  
Sond.
- Schizochilus zeyheri* Sond. #4 II 64 ORCHIDACEAE
- Schizodium* spp. Lindl. #4 II 64 ORCHIDACEAE
- Schizodium longipetalum* Lindl. #4 II 64 ORCHIDACEAE
- Schizodium maculatum* (L.f.) Lindl. = *Disa maculata* L.f.
- Schlimgnia* spp. Planch. & Linden #4 II 64  
ORCHIDACEAE
- Schlimgnia alpina* Rchb.f. & Warsz. 1854 #4 II 64  
ORCHIDACEAE
- Schlimgnia condorana* Dodson 1989 #4 II 64  
ORCHIDACEAE
- Schlimgnia garayana* H.R.Sweet 1973 #4 II 64  
ORCHIDACEAE
- Schlimgnia jasminodora* Planch. & Linden ex Lindl. &  
Paxton #4 II 64 ORCHIDACEAE
- Schlimgnia jennyana* Lückel 1990 #4 II 64 ORCHIDACEAE
- Schlimgnia pandurata* Schltr. #4 II 64 ORCHIDACEAE

- Schlommia stevensonii* Dodson #4 II 64 ORCHIDACEAE  
*Schlommia trifida* Rchb.f. #4 II 64 ORCHIDACEAE  
***Schlumbergera*** spp. E.Morren #4 II 49 CACTACEAE  
*Schlumbergera bridgesii* auct = *Schlumbergera russelliana* (Hooker) Britton & Rose  
***Schlumbergera exotica*** Barthlott & Rauh #4 II 49 CACTACEAE  
*Schlumbergera gaertneri* (Regel) Britton & Rose = *Hatiora gaertneri* (Regel) Barthlott  
***Schlumbergera kautskyi*** (Horobin & McMillan) Taylor #4 II 49 CACTACEAE  
***Schlumbergera microsphaerica*** (Schumann) Hoevel #4 II 49 CACTACEAE  
*Schlumbergera obtusangula* (Schumann) Hunt = *Schlumbergera microsphaerica* (Schumann) Hoevel  
***Schlumbergera opuntioides*** (Loefgren & Dusen) Hunt #4 II 49 CACTACEAE  
***Schlumbergera orssichiana*** Barthlott & McMillan #4 II 49 CACTACEAE  
***Schlumbergera reginae*** #4 II 49 CACTACEAE  
***Schlumbergera russelliana*** (Hooker) Britton & Rose #4 II 49 CACTACEAE  
***Schlumbergera truncata*** (Haworth) Moran #4 II 49 CACTACEAE  
*Schlumbergera truncata kautskyi* Horobin & McMillan = *Schlumbergera kautskyi* (Horobin & McMillan) Taylor  
***Schoenorchis*** spp. Blume #4 II 64 ORCHIDACEAE  
*Schoenorchis brevirachis* Seidenf. #4 II 64 ORCHIDACEAE  
*Schoenorchis fragans* Par.& Reichb.F #4 II 64 ORCHIDACEAE  
*Schoenorchis gemmata* (Lindl.) J.J.Sm., #4 II 64 ORCHIDACEAE  
*Schoenorchis latifolia* #4 II 64 ORCHIDACEAE  
*Schoenorchis micrantha* Blume #4 II 64 ORCHIDACEAE  
*Schoenorchis nivea* (Lindley) Schltr. #4 II 64 ORCHIDACEAE  
*Schoenorchis pachyacris* (J.J. Smith) J.J. Smith #4 II 64 ORCHIDACEAE  
*Schoenorchis paniculata* Blume #4 II 64 ORCHIDACEAE  
*Schoenorchis sarcophylla* Schltr. #4 II 64 ORCHIDACEAE  
*Schoenorchis tortifolia* (Jayaw.) Garay #4 II 64 ORCHIDACEAE  
***Schomburgkia*** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Schomburgkia albopurpurea* (Strachan ex Fawcett)  
 Withner 1993 = *Myrmecophila albopurpurea* (H.Strachan ex Fawc.) Nir 2000  
*Schomburgkia albopurpurea* (Strachan ex Fawcett)  
 Withner 1993 = *Myrmecophila thomsoniana* (Rchb.f.) Rolfe 1917  
*Schomburgkia amazonica* Hoehne = *Schomburgkia crispa* Lindl.  
*Schomburgkia amazonica* Hoehne & G.Jones = *Schomburgkia crispa* Lindl.  
*Schomburgkia brysiana* Lem. 1851 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917  
*Schomburgkia brysiana* Lem. 1851 = *Myrmecophila brysiana* (Lem.) G.C.Kenn. (1979)  
*Schomburgkia brysiana* var. *atropurpurea* (Hook.f.) H.G.Jones 1963 = *Myrmecophila albopurpurea* (H.Strachan ex Fawc.) Nir 2000  
*Schomburgkia brysiana* var. *atropurpurea* (Hook.f.) H.G.Jones 1963 = *Myrmecophila thomsoniana* (Rchb.f.) Rolfe 1917  
*Schomburgkia brysiana* var. *intermedia* H.G.Jones 1972 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917  
*Schomburgkia brysiana* var. *intermedia* H.G.Jones 1972 = *Myrmecophila brysiana* (Lem.) G.C.Kenn. (1979)  
*Schomburgkia brysiana* var. *minor* (Hook.f.) H.G. Jones 1966 = *Myrmecophila thomsoniana* (Rchb.f.) Rolfe 1917  
*Schomburgkia brysiana* var. *thomsoniana* (Hook.f.) H.G.Jones 1963 = *Myrmecophila thomsoniana* (Rchb.f.) Rolfe 1917  
*Schomburgkia campecheana* (Lem.) Kraenzl. 1903 = *Myrmecophila brysiana* (Lem.) G.C.Kenn. (1979)  
*Schomburgkia campecheana* (Lem.) Kraenzl. 1903 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917  
*Schomburgkia carinata* Grisebach 1864 = *Schomburgkia lyonsii* Lindl. 1853  
*Schomburgkia chionodora* Rchb.f. = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917  
*Schomburgkia chionodora* var. *kimballiana* Rchb.f. 1888 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917  
*Schomburgkia crispa* Lindl. #4 II 64 ORCHIDACEAE  
*Schomburgkia elata* Schltr. 1924 #4 II 64 ORCHIDACEAE  
*Schomburgkia exaltata* Kraenzl. 1926 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917  
*Schomburgkia exaltata* Kraenzl. 1926 = *Myrmecophila exaltata* (Kraenzl.) Kennedy 1979  
*Schomburgkia fimbriata* Hoehne 1952 = *Schomburgkia crispa* Lindl.  
*Schomburgkia fimbriata* Hoehne 1952 = *Schomburgkia gloriosa* Rchb.f. 1860  
*Schomburgkia galeottiana* A.Rich. 1845 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917  
*Schomburgkia galeottiana* var. *chionodora* (Rchb.f.) Jones 1968 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917  
*Schomburgkia galeottiana* var. *kimballiana* (Rchb.f.) Jones 1963 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917  
*Schomburgkia gloriosa* Rchb.f. 1860 #4 II 64 ORCHIDACEAE  
*Schomburgkia grandiflora* Hort. = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917  
*Schomburgkia grandiflora* (Lindl.) Sander = *Myrmecophila grandiflora* (Lindl.) Carnevali, J.L.Tapia & I.Ramirez (2001)  
*Schomburgkia heidii* Carnevali #4 II 64 ORCHIDACEAE  
*Schomburgkia humboldtii* (Rchb.f.) Rchb.f. 1865 = *Myrmecophila humboldtii* (Rchb.f.) Rolfe 1917  
*Schomburgkia humboldtii* (Rchb.f.) Rchb.f. 1865 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917  
*Schomburgkia humboldtii* var. *breviscapa* H.G.Jones 1972 = *Myrmecophila humboldtii* (Rchb.f.) Rolfe 1917

- Schomburgkia imperialis* (unpublished) = *Schomburgkia elata* Schltr. 1924
- Schomburgkia intermedia* (H.G.Jones) Withner 1993 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917
- Schomburgkia lepidissima* Rchb.f. 1889 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917
- Schomburgkia lueddemannii* Prill. 1862 #4 II 64  
ORCHIDACEAE
- Schomburgkia lyonsii* Lindl. 1853 #4 II 64 ORCHIDACEAE
- Schomburgkia marginata* Lindl. 1838 #4 II 64  
ORCHIDACEAE
- Schomburgkia marginata* Hooker (non Lindl.) 1839 = *Schomburgkia crispa* Lindl.
- Schomburgkia marginata* var. *immarginata* Hook. 1840 = *Schomburgkia crispa* Lindl.
- Schomburgkia moyobambae* Schltr. 1921 #4 II 64  
ORCHIDACEAE
- Schomburgkia quesneliana* lindl. 1860 = *Schomburgkia undulata* Lindl. 1844
- Schomburgkia rhionodora* var. *kimballiana* Rchb.f. 1888 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917
- Schomburgkia rosea* Linden ex Lindl. 1845 #4 II 64  
ORCHIDACEAE
- Schomburgkia sanderiana* Rolfe 1891 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917
- Schomburgkia sawyeri* (L.O.Williams) Withner 1993 = *Myrmecophila galeottiana* (A. Rich. & Galeotti) Rolfe 1917
- Schomburgkia schultzei* Schltr. #4 II 64 ORCHIDACEAE
- Schomburgkia splendida* Schltr. #4 II 64 ORCHIDACEAE
- Schomburgkia superbiens* (Lindl.) Rolfe 1917 #4 II 64  
ORCHIDACEAE
- Schomburgkia thomsoniana* Rchb.f. 1887 = *Myrmecophila thomsoniana* (Rchb.f.) Rolfe 1917
- Schomburgkia thomsoniana* var. *albopurpurea* Strachan ex Fawcett 1894 = *Myrmecophila albopurpurea* (H.Strachan ex Fawc.) Nir 2000
- Schomburgkia thomsoniana* var. *atropurpurea* Hook.f. 1902 = *Myrmecophila thomsoniana* (Rchb.f.) Rolfe 1917
- Schomburgkia thomsoniana* var. *atropurpurea* Hook.f. 1902 = *Myrmecophila albopurpurea* (H.Strachan ex Fawc.) Nir 2000
- Schomburgkia thomsoniana* var. *minor* Hook.f. 1902 = *Myrmecophila thomsoniana* (Rchb.f.) Rolfe 1917
- Schomburgkia thomsoniana* var. *minor* Strachan ex Fawcett 1894 = *Myrmecophila thomsoniana* (Rchb.f.) Rolfe 1917
- Schomburgkia tibicines* Bateman = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917
- Schomburgkia tibicinis* (Bateman ex Lindl.) Bateman 1843 = *Myrmecophila grandiflora* (Lindl.) Carnevali, J.L.Tapia & I.Ramirez (2001)
- Schomburgkia tibicinis* (Bateman ex Lindl.) Bateman 1843 = *Myrmecophila humboldtii* (Rchb.f.) Rolfe 1917
- Schomburgkia tibicinis* (Bateman ex Lindl.) Bateman 1843 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917
- Schomburgkia tibicinis* var. *exaltata* (Kraenzl.) Jones 1965 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917
- Schomburgkia tibicinis* var. *grandiflora* Lindl. 1849 = *Myrmecophila tibicinis* (Bateman ex Lindl.) Rolfe 1917
- Schomburgkia tibicinis* var. *grandiflora* Lindl. 1849 = *Myrmecophila grandiflora* (Lindl.) Carnevali, J.L.Tapia & I.Ramirez (2001)
- Schomburgkia undulata* Lindl. 1844 #4 II 64  
ORCHIDACEAE
- Schomburgkia vellozicola* Hoehne = *Pseudolaelis vellozicola*
- Schomburgkia violacea* Paxton 1849 = *Schomburgkia undulata* Lindl. 1844
- Schomburgkia wallisii* Rchb.f. 1877 #4 II 64  
ORCHIDACEAE
- Schomburgkia weberbaueriana* Kraenzl. 1906 #4 II 64  
ORCHIDACEAE
- Schomburgkia wendlandii* (Rchb.f.) Brieger 1960 = *Myrmecophila wendlandii* (Rchb.f.) G.C.Kenn (1979)
- Schomburgkia wendlandii* (Rchb.f.) H.G.Jones (1961) = *Myrmecophila wendlandii* (Rchb.f.) G.C.Kenn (1979)
- Sclerocactus spp.** Britton & Rose #4 I/II 49 CACTACEAE
- Sclerocactus brevihamatus** (Engelmann) Hunt #4 I/II 49  
CACTACEAE (E) Tobusch Fishhook Cactus
- Sclerocactus brevihamatus tobuschii** (Marshall) Taylor I CACTACEAE
- Sclerocactus brevispinus* (Schumann) Arp = *Sclerocactus glaucus* (Schumann) Benson
- Sclerocactus cloverae brackii* Heil & Porter = *Sclerocactus parviflorus* Clover & Jotter
- Sclerocactus cloverae* Heil & Porter = *Sclerocactus parviflorus* Clover & Jotter
- Sclerocactus erectocentrus** (Coulter) Taylor I CACTACEAE
- Sclerocactus glaucus** (Schumann) Benson I CACTACEAE (E) Vinta Basin Hookless Cactus
- Sclerocactus intertextus** (Engelmann) Taylor #4 II 49  
CACTACEAE (E) White Butterfly Cactus
- Sclerocactus johnsonii** (Engelmann) Taylor #4 II 49  
CACTACEAE (E) Johnson's Butterfly Cactus
- Sclerocactus mariposensis** (Hester) Taylor I CACTACEAE (E) Lloyd's Mariposa Cactus, Mariposa Cactus (S) Huevo's de buey
- Sclerocactus mesae-verdae** (Boissevain & Davidson ex Marshall & Bock) Benson I CACTACEAE (E)  
Mesa-Verde Cactus
- Sclerocactus nyensis** Hochstaetter I CACTACEAE (E)  
Tonopah Fishhook Cactus
- Sclerocactus papyracanthus** (Engelmann) Taylor I CACTACEAE (E) Grama-grass Cactus, Paper-spine Pincushion Cactus
- Sclerocactus parviflorus** Clover & Jotter #4 II 49  
CACTACEAE
- Sclerocactus polyancistrus** (Engelmann & Bigelow)  
Britton & Rose #4 II 49 CACTACEAE (E) Mohave Fishhook Cactus
- Sclerocactus pubispinus** (Engelmann) Benson I CACTACEAE

- Sclerocactus scheeri** (Salm-Dyck) Taylor #4 II 49  
CACTACEAE (E) Scheer's Fishhook Cactus
- Sclerocactus sileri** (Benson) Heil & Porter #4 II 49  
CACTACEAE
- Sclerocactus spinosior** (Engelmann) Woodruff & Benson #4 II 49 CACTACEAE (E) Desert Valley Fishhook Cactus
- Sclerocactus uncinatus** (Galeotti) Taylor #4 II 49  
CACTACEAE (E) Chihuahuan Fishhook Cactus
- Sclerocactus unguispinus** (Engelmann) Taylor #4 II 49  
CACTACEAE
- Sclerocactus warnockii** (Benson) Taylor #4 II 49  
CACTACEAE (E) Warnock's Butterfly Cactus
- Sclerocactus wetlandicus* Hochstaetter = *Sclerocactus glaucus* (Schumann) Benson  
*Sclerocactus wetlandicus wetlandicus* = *Sclerocactus glaucus* (Schumann) Benson
- Sclerocactus whipplei** (Engelmann & Bigelow) Britton & Rose #4 II 49 CACTACEAE
- Sclerocactus wrightiae** Benson I CACTACEAE (E) Wright's Fishhook Cactus
- Scuticaria spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Scuticaria hadwenii* (Lindl.) Planch #4 II 64  
ORCHIDACEAE  
*Scuticaria salesiana* Dressler #4 II 64 ORCHIDACEAE
- Sedirea spp.** Garay & H. Sweet #4 II 64 ORCHIDACEAE  
*Sedirea japonica* Garay & Sweet #4 II 64 ORCHIDACEAE
- Seidenfadenia spp.** Garay #4 II 64 ORCHIDACEAE  
*Seidenfadenia mitrata* (Reichb.f.) Schltr. #4 II 64  
ORCHIDACEAE
- Selenicereus spp.** (A. Berger) Britton & Rose #4 II 49  
CACTACEAE
- Selenicereus anthonyanus** (Alexander) Hunt #4 II 49  
CACTACEAE
- Selenicereus atropilosus** Kimnach #4 II 49 CACTACEAE
- Selenicereus boeckmannii** (Otto ex Salm-Dyck) Britton & Rose #4 II 49 CACTACEAE
- Selenicereus brevispinus** Britton & Rose #4 II 49  
CACTACEAE
- Selenicereus chontalensis** (Alexander) Kimnach #4 II 49  
CACTACEAE
- Selenicereus chrysocardium** (Alexander) Kimnach #4 II 49  
CACTACEAE
- Selenicereus coniflorus** (Weingart) Britton & Rose #4 II 49 CACTACEAE
- Selenicereus donkelaarii** (Salm-Dyck) Britton & Rose ex Bailey #4 II 49 CACTACEAE
- Selenicereus grandiflorus** (L.) Britton & Rose #4 II 49  
CACTACEAE (E) Night-blooming Cereus, Queen of the Night Cactus (S) Cardón, Reina de la noche
- Selenicereus hallensis** Weigert ex Borg = *Selenicereus grandiflorus* (L.) Britton & Rose
- Selenicereus hamatus** (Scheidweiler) Britton & Rose #4 II 49 CACTACEAE
- Selenicereus hondurensis** (Schumann) Britton & Rose #4 II 49 CACTACEAE
- Selenicereus inermis** (Otto) Britton & Rose #4 II 49  
CACTACEAE
- Selenicereus innesii** Kimnach #4 II 49 CACTACEAE  
*Selenicereus kunthianus* (Otto) Britton & Rose = *Selenicereus grandiflorus* (L.) Britton & Rose
- Selenicereus macdonaldiae** (Hooker) Britton & Rose #4 II 49 CACTACEAE
- Selenicereus maxonii** Rose = *Selenicereus urbanianus* (Guerke ex Weingart) Britton & Rose
- Selenicereus megalanthus** (Schumann ex Vaupel) Moran #4 II 49 CACTACEAE
- Selenicereus mirandae* Bravo = *Weberocereus glaber* (Eichlam) Rowley
- Selenicereus murrillii** Britton & Rose #4 II 49 CACTACEAE
- Selenicereus nelsonii** (Weingart) Britton & Rose #4 II 49 CACTACEAE
- Selenicereus nycticalus* (Link) W.T.Marshall = *Selenicereus pteranthus* (Link & Otto) Britton & Rose
- Selenicereus pringlei* Rose = *Selenicereus coniflorus* (Weingart) Britton & Rose
- Selenicereus pseudospinosus* Wiengart = *Selenicereus spinulosus* (De Candolle) Britton & Rose
- Selenicereus pteranthus** (Link & Otto) Britton & Rose #4 II 49 CACTACEAE
- Selenicereus rizzinii* Scheinvar = *Selenicereus setaceus* (Salm-Dyck ex De Candolle) Werdermann
- Selenicereus rothii* (Weingart) Berger = *Selenicereus macdonaldiae* (Hooker) Britton & Rose
- Selenicereus setaceus** (Salm-Dyck ex De Candolle) Werdermann #4 II 49 CACTACEAE
- Selenicereus spinulosus** (De Candolle) Britton & Rose #4 II 49 CACTACEAE
- Selenicereus testudo** (Karwinski ex Zuccarini) Buxbaum #4 II 49 CACTACEAE
- Selenicereus tricæ** Hunt #4 II 49 CACTACEAE
- Selenicereus urbanianus** (Guerke ex Weingart) Britton & Rose #4 II 49 CACTACEAE
- Selenicereus vagans** (K.Brandegee) Britton & Rose #4 II 49 CACTACEAE
- Selenicereus validus** Arias & Guzman #4 II 49 CACTACEAE
- Selenicereus vaupelii* (Wgt.) A. Berger = *Selenicereus boeckmannii* (Otto ex Salm-Dyck) Britton & Rose
- Selenicereus wercklei** (Weber) Britton & Rose #4 II 49 CACTACEAE
- Selenicereus wittii** (Schumann) Rowley #4 II 49 CACTACEAE
- Selenipedium spp.** Reichb.f. #4 II 64 ORCHIDACEAE  
*Selenipedium boissierianum* Reichb.f. = *Phragmipedium boissierianum* (Rchb.f.) Rolfe
- Selenipedium caricinum* (Lindl. & Paxton) Reichb.f. = *Phragmipedium caricinum* (Lindl. & Paxton) Rolfe
- Selenipedium caudatum* (Lindl.) Reichb.f. = *Phragmipedium caudatum* (Lindl.) Rolfe
- Selenipedium chica* Rchb. f. #4 II 64 ORCHIDACEAE
- Selenipedium duboisii* nom. Kewensis = *Phragmipedium boissierianum* (Rchb.f.) Rolfe
- Selenipedium duboissierianum* hort. = *Phragmipedium boissierianum* (Rchb.f.) Rolfe

- Selenipedium ellottianum* Gower = *Paphiopedilum rothschildianum* (Reichb.f.) Stein  
*Selenipedium klotzschianum* Reichb.f. = *Phragmipedium klotzschianum* (Rchb.f.) Rolfe  
*Selenipedium laevigatum* (Bateman) May =  
*Paphiopedilum philippinense* (Reichb.f.) Stein  
*Selenipedium lindenii* (Lindl.) Nichols = *Phragmipedium lindenii* (Lindl.) Dressler & N.H.Williams  
*Selenipedium lindleyanum* (M.R.Schomb. ex Lindl.) Reichb.f. = *Phragmipedium lindleyanum* (Lindl.) Rolfe  
*Selenipedium longifolium* Reichb.f. & Warsz. =  
*Phragmipedium longifolium* (Rchb.f. & Warsz.) Rolfe  
*Selenipedium parishii* Andre = *Paphiopedilum parishii* (Reichb.f.) Stein  
*Selenipedium paulistanum* (Barb. Rodr.) Rolfe =  
*Phragmipedium vittatum* (Vell.) Rolfe  
*Selenipedium pearcei* Reichb.f. = *Phragmipedium pearcei* (Rchb.f.) Rauh & Senghas  
*Selenipedium reichenbachii* Endres = *Phragmipedium longifolium* (Rchb.f. & Warsz.) Rolfe  
*Selenipedium sargentianum* Rolfe = *Phragmipedium sargentianum* (Rolfe) Rolfe  
*Selenipedium schlimii* Linden & Reichb.f. =  
*Phragmipedium schlimii* (Linden & Rchb.f.) Rolfe  
*Selenipedium schomburgkianum* (Klotzsch) Desbois =  
*Phragmipedium klotzschianum* (Rchb.f.) Rolfe  
*Selenipedium vittatum* (Vell.) Desbois = *Phragmipedium vittatum* (Vell.) Rolfe  
*Selenipedium wallisii* Reichb.f. = *Phragmipedium wallisii* (Rchb.f.) Garay  
 Sello de oro (S): *Adonis vernalis*  
*Senna meridionalis* Du Puy (1995) II LEGUMINOSAE  
*Sepalosaccus strumatum* (Endres & Reichb.f.) Garay =  
*Maxillaria strumata* Ames & Correll  
**Serapias spp.** L. #4 II 64 ORCHIDACEAE  
*Serapias azorica* Schltr. #4 II 64 ORCHIDACEAE  
*Serapias cordigera* L. #4 II 64 ORCHIDACEAE (E)  
 Heart-flowered Serapias  
*Sérapias de la Nurra* (F): *Serapias nurrica*  
*Sérapias d'hyères* (F): *Serapias olbia*  
*Serapias elongata* Tod. = *Serapias lingua* L.  
*Serapias excavata* Schltr. = *Serapias lingua* L.  
*Serapias gregaria* Godfery = *Serapias olbia* Verg.  
 Serapias, Heart-flowered (E): *Serapias cordigera*  
*Serapias hirsuta* Lapeyr. = *Serapias vomeracea* (Burm.f.) Briq.  
*Serapias lingua* L. #4 II 64 ORCHIDACEAE (E) Tongue Orchid, Tongue Serapias  
*Serapias longipetala* (Ten.) Pollini = *Serapias vomeracea* (Burm.f.) Briq.  
*Serapias melaleuca* Thunb. = *Disa bivalvata* (L.f.) T.Durand & Schinz  
**Serapias neglecta** De Not. #4 II 64 ORCHIDACEAE (F)  
 Sérapias négligé  
*Sérapias négligé* (F): *Serapias neglecta*  
*Serapias nurrica* Corrias #4 II 64 ORCHIDACEAE (F)  
 Sérapias de la Nurra  
*Serapias occultata* J.Gay = *Serapias parviflora* Parl.  
*Serapias olbia* Verg. #4 II 64 ORCHIDACEAE (F)  
 Sérapias d'hyères
- Serapias oxyglossa* Willd. = *Serapias lingua* L.  
*Serapias parviflora* Parl. #4 II 64 ORCHIDACEAE (E)  
 Small-flowered Serapias (F) Sérapias à petites Fleurs  
*Serapias patens* (L.f.) Thunb. = *Disa tenuifolia* Sw.  
*Serapias pseudocordigera* Moric. = *Serapias vomeracea* (Burm.f.) Briq.  
 Serapias, Small-flowered (E): *Serapias parviflora*  
*Serapias speciosa* (Jacq.) J.F.Gmel. 1791 =  
*Stenorrhynchos speciosum* (Jacq.) L.C.Rich. ex Spreng.  
*Serapias todari* Tineo = *Serapias lingua* L.  
 Serapias, Tongue (E): *Serapias lingua*  
*Serapias vomeracea* (Burm.f.) Briq. #4 II 64  
 ORCHIDACEAE (E) Long-lipped Tongue Orchid  
 Sérapias à petites Fleurs (F): *Serapias parviflora*  
*Serpenticaulis bowkettiae* (F.M.Bailey) M.A.Clem. & D.L.Jones = *Bulbophyllum bowkettiae* F.M.Bailey  
*Serpenticaulis johnsonii* (T.E.Hunt) M.A.Clem. & D.L.Jones = *Bulbophyllum johnsonii* T.E.Hunt  
*Serpenticaulis kirkwoodiae* (T.E.Hunt) M.A.Clem. & D.L.Jones = *Bulbophyllum kirkwoodiae* T.E.Hunt  
*Serpenticaulis whitei* (T.E.Hunt & Rupp.) M.A.Clem. & D.L.Jones = *Bulbophyllum whitei* T.E.Hunt & Rupp  
*Serpenticaulis wolfei* (B.Gray & D.L.Jones) M.A.Clem. & D.L.Jones = *Bulbophyllum wolfei* B.Gray & D.L.Jones  
*Sestochilos uniflorum* Breda = *Bulbophyllum lobbii* Lindley  
*Seticereus chlorocarpus* (Kunth) Backeberg = *Browningia chlorocarpa* (Kunth) Marshall  
*Seticereus humboldtii* (Kunth) Backeberg = *Cleistocactus icosagonus* (Kunth) Weber ex Roland-Gosselin  
*Seticereus icosagonus* (Kunth) Backeberg = *Cleistocactus icosagonus* (Kunth) Weber ex Roland-Gosselin  
*Seticereus roezlii* (Haage ex Schumann) Backeberg = *Cleistocactus roezlii* (Haage ex Schumann) Backeberg  
*Seticereus dependens* (Cardenas) Backeberg = *Cleistocactus dependens* Cardenas  
*Seticereus piraymirensis* (Cardenas) Backeberg = *Cleistocactus piraymirensis* Cardenas  
*Setiechinopsis mirabilis* (Spegazzini) Backeberg ex de Haas = *Echinopsis mirabilis* Spegazzini  
*Siccobaccatus dolichospermaticus* (Buining & Brederoo) Braun & Esteves Pereira = *Micranthocereus dolichospermaticus* (Buining & Brederoo) Ritter  
*Siccobaccatus estevesii* (Buining & Brederoo) Braun & Esteves Pereira = *Micranthocereus estevesii* (Buining & Brederoo) Ritter  
*Siccobaccatus estevesii grandiflorus* (Diers & Esteves Pereira) Braun & Esteves Pereira = *Micranthocereus estevesii* (Buining & Brederoo) Ritter  
*Siccobaccatus estevesii insigniflorus* (Diers & Esteves Pereira) Braun & Esteves Pereira = *Micranthocereus estevesii* (Buining & Brederoo) Ritter  
**Sievekingia spp.** Reichb.f. #4 II 64 ORCHIDACEAE  
*Sievekingia butcheri* Dressler #4 II 64 ORCHIDACEAE  
*Sievekingia colombiana* Garay #4 II 64 ORCHIDACEAE  
*Sievekingia cristata* Garay 1970 #4 II 64 ORCHIDACEAE  
*Sievekingia dunstervilleorum* Foldats 1968 #4 II 64 ORCHIDACEAE  
*Sievekingia filifera* Dressler #4 II 64 ORCHIDACEAE

- Sievekingia fimbriata* Rchb.f. 1886 #4 II 64  
ORCHIDACEAE
- Sievekingia herklotziana* Jenny 1986 #4 II 64  
ORCHIDACEAE
- Sievekingia herrenhusana* Jenny #4 II 64 ORCHIDACEAE
- Sievekingia hirtzii* Waldvogel 1977 #4 II 64  
ORCHIDACEAE
- Sievekingia jenmanii* Rchb.f. 1886 #4 II 64  
ORCHIDACEAE
- Sievekingia marsupialis* Dodson 1984 #4 II 64  
ORCHIDACEAE
- Sievekingia peruviana* Rolfe ex Schweinf. 1943 #4 II 64  
ORCHIDACEAE
- Sievekingia reichenbachiana* Rolfe #4 II 64  
ORCHIDACEAE
- Sievekingia rhonhofae* Mansf. 1938 #4 II 64  
ORCHIDACEAE
- Sievekingia shepheardii* Rolfe = *Soterosanthus shepheardii* (Rolfe) Jenny  
Sievekingia suavis Rchb.f. 1871 #4 II 64 ORCHIDACEAE
- Sievekingia trollii* Mansf. 1934 #4 II 64 ORCHIDACEAE
- Sigmatostalix* spp.** Rechb.f. #4 II 64 ORCHIDACEAE
- Sigmatostalix abortiva* L.O. Williams #4 II 64  
ORCHIDACEAE
- Sigmatostalix adamsii* Dodson 1977 #4 II 64  
ORCHIDACEAE
- Sigmatostalix adelaidae* Königer & R.Escobar #4 II 64  
ORCHIDACEAE
- Sigmatostalix amazonica* Schltr. 1925 #4 II 64  
ORCHIDACEAE
- Sigmatostalix arangoi* Königer (2001) #4 II 64  
ORCHIDACEAE
- Sigmatostalix ariasii* Königer (1999) #4 II 64  
ORCHIDACEAE
- Sigmatostalix aristulifera* Kraenzl. #4 II 64  
ORCHIDACEAE
- Sigmatostalix auriculata* Garay #4 II 64 ORCHIDACEAE
- Sigmatostalix aurosanguinea* Rchb.f. = *Sigmatostalix graminea* (Poepp. & Endl.) Rchb.f. 1852
- Sigmatostalix bicallosa* Garay #4 II 64 ORCHIDACEAE
- Sigmatostalix bicornuta* Rolfe 1913 = *Sigmatostalix graminea* (Poepp. & Endl.) Rchb.f. 1852
- Sigmatostalix brachycion* Griseb. 1879 #4 II 64  
ORCHIDACEAE
- Sigmatostalix brevicornis* Königer & J.J.Portilla (2000) #4 II 64 ORCHIDACEAE
- Sigmatostalix brownii* Garay 1968 #4 II 64  
ORCHIDACEAE
- Sigmatostalix buchtienii* Kraenzl. 1928 #4 II 64  
ORCHIDACEAE
- Sigmatostalix caquetana* Schltr. #4 II 64 ORCHIDACEAE
- Sigmatostalix costaricensis* Rolfe 1916 = *Sigmatostalix guatemalensis* Schltr. 1911
- Sigmatostalix crescentilabia* C.Schweinf. #4 II 64  
ORCHIDACEAE
- Sigmatostalix cuculligera* (Schltr.) Garay #4 II 64  
ORCHIDACEAE
- Sigmatostalix curvipetala* D.E.Benn. & Christenson 1995 #4 II 64 ORCHIDACEAE
- Sigmatostalix dilatata* Rchb.f. = *Roezliella dilatata* (Rchb.f.) Schltr.  
ORCHIDACEAE
- Sigmatostalix eliae* Rolfe 1908 #4 II 64 ORCHIDACEAE
- Sigmatostalix gentryi* Dodson 1998 #4 II 64  
ORCHIDACEAE
- Sigmatostalix graminea* (Poepp. & Endl.) Rchb.f. 1852 #4 II 64 ORCHIDACEAE
- Sigmatostalix guatemalensis* Schltr. 1911 #4 II 64  
ORCHIDACEAE
- Sigmatostalix hermansiana* Königer (1999) #4 II 64  
ORCHIDACEAE
- Sigmatostalix hirtzii* Dodson 1998 #4 II 64  
ORCHIDACEAE
- Sigmatostalix huebneri* Mansf. #4 II 64 ORCHIDACEAE
- Sigmatostalix hymenantha* Schltr. 1918 #4 II 64  
ORCHIDACEAE
- Sigmatostalix ibis* (Schltr.) K.S.Walter ined. #4 II 64  
ORCHIDACEAE
- Sigmatostalix ligiae* Königer & R.Escobar #4 II 64  
ORCHIDACEAE
- Sigmatostalix luerorum* Dodson 1998 #4 II 64  
ORCHIDACEAE
- Sigmatostalix lunata* Schltr. 1916 = *Sigmatostalix picta* Rchb.f. 1861
- Sigmatostalix lutzii* Königer 1995 #4 II 64 ORCHIDACEAE
- Sigmatostalix macrobulbon* Kraenzl. 1922 #4 II 64  
ORCHIDACEAE
- Sigmatostalix malleifera* Rchb.f. = *Roezliella malleifera* (Rchb.f.) Schltr.
- Sigmatostalix marinii* Königer 1995 #4 II 64  
ORCHIDACEAE
- Sigmatostalix mexicana* L.O. Williams #4 II 64  
ORCHIDACEAE
- Sigmatostalix minax* Kraenzl. #4 II 64 ORCHIDACEAE
- Sigmatostalix miranda* Kraenzl. #4 II 64 ORCHIDACEAE
- Sigmatostalix morganii* Dodson #4 II 64 ORCHIDACEAE
- Sigmatostalix occultans* Christenson & M.J.Lee (2002) #4 II 64 ORCHIDACEAE
- Sigmatostalix pandurata* Schltr. #4 II 64 ORCHIDACEAE
- Sigmatostalix papilio* Königer #4 II 64 ORCHIDACEAE
- Sigmatostalix perpusilla* Kraenzl. 1922 = *Sigmatostalix graminea* (Poepp. & Endl.) Rchb.f. 1852
- Sigmatostalix peruviana* Rolfe 1910 #4 II 64  
ORCHIDACEAE
- Sigmatostalix peruviana* Rolfe = *Sigmatostalix graminea* (Poepp. & Endl.) Rchb.f. 1852
- Sigmatostalix pichinchensis* Dodson 1998 #4 II 64  
ORCHIDACEAE
- Sigmatostalix picta* Rchb.f. 1861 #4 II 64 ORCHIDACEAE
- Sigmatostalix picturatissima* Kraenzl. 1922 #4 II 64  
ORCHIDACEAE
- Sigmatostalix poikilostalix* Kraenzl. 1922 = *Sigmatostalix guatemalensis* Schltr. 1911
- Sigmatostalix portillae* Königer 1995 #4 II 64  
ORCHIDACEAE
- Sigmatostalix posadarum* W.Königer (2001) #4 II 64  
ORCHIDACEAE

- Sigmatostalix pseudounguiculata* F.Pupulin & R.L.Dressler (2000) #4 II 64 ORCHIDACEAE  
*Sigmatostalix pusilla* Schltr. 1912 = *Sigmatostalix graminea* (Poepp. & Endl.) Rchb.f. 1852  
*Sigmatostalix putumayensis* P.Ortíz #4 II 64 ORCHIDACEAE  
*Sigmatostalix racemifera* L.O.Williams 1940 #4 II 64 ORCHIDACEAE  
*Sigmatostalix reversa* Rchb.f. = *Roezliella reversa* (Rchb.f.) Schltr.  
*Sigmatostalix sergii* P.Ortíz #4 II 64 ORCHIDACEAE  
*Sigmatostalix tenuirostris* Kraenzl. 1922 #4 II 64 ORCHIDACEAE  
*Sigmatostalix trimorion* Königer 1996 #4 II 64 ORCHIDACEAE  
*Sigmatostalix unguiculata* C. Schweinf. 1940 #4 II 64 ORCHIDACEAE  
*Sigmatostalix wallisii* Rchb.f. = *Roezliella wallisii* (Rchb.f.) Schltr.  
**Silvorchis spp.** J.J. Smith #4 II 64 ORCHIDACEAE  
*Silvorchis colorata* J.J. Smith #4 II 64 ORCHIDACEAE  
*Sinopodophyllum hexandrum* (Royle) Ying = *Podophyllum hexandrum* Royle  
**Sirhookera spp.** Kuntze #4 II 64 ORCHIDACEAE  
**Skeptrostachys spp.** Garay #4 II 64 ORCHIDACEAE  
*Skeptrostachys arechavaletanii* (Barb.rodr.) Garay #4 II 64 ORCHIDACEAE  
*Skeptrostachys balanophorostachya* (Rchb.f. & Warm.) Garay #4 II 64 ORCHIDACEAE  
*Skeptrostachys berroana* (Kraenzl.) Garay #4 II 64 ORCHIDACEAE  
*Skeptrostachys congestiflora* (Cogn.) Garay #4 II 64 ORCHIDACEAE  
*Skeptrostachys disoides* (Kraenzl.) Garay #4 II 64 ORCHIDACEAE  
*Skeptrostachys gigantea* (Cogn.) Garay #4 II 64 ORCHIDACEAE  
*Skeptrostachys latipetala* (Cogn.) Garay #4 II 64 ORCHIDACEAE  
*Skeptrostachys montevidensis* (Barb.Rodr.) Garay #4 II 64 ORCHIDACEAE  
*Skeptrostachys paraguayensis* (Rchb.f.) Garay #4 II 64 ORCHIDACEAE  
*Skeptrostachys paranahybae* (Kraenzl.) Garay #4 II 64 ORCHIDACEAE  
*Skeptrostachys rupestris* (Lindl.) Garay #4 II 64 ORCHIDACEAE  
 Skirted, Tree Fern (E): *Alsophila marcescens*  
 Slender, Pitcher-plant (E): *Nepenthes gracilis*  
 Slender, Tree Fern (E): *Alsophila cunninghamii*  
**Smithorchis spp.** Tang & Wang #4 II 64 ORCHIDACEAE  
*Smithorchis calceoliformis* (W.W.Sm.) T.Tang & F.T.Wang #4 II 64 ORCHIDACEAE  
**Smithsonia spp.** J. Saldanha #4 II 64 ORCHIDACEAE  
*Smithsonia viridiflora* (Dalzell) C.J.Saldanha #4 II 64 ORCHIDACEAE  
**Smitinandia spp.** Holttum #4 II 64 ORCHIDACEAE  
*Smitinandia micrantha* (Lindl.) Holttum #4 II 64 ORCHIDACEAE  
 Snakewood (E): *Rauvolfia serpentina*  
 Snowdrop, Common (E): *Galanthus nivalis*  
**Sobennikoffia spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Sobennikoffia fournieriana* #4 II 64 ORCHIDACEAE  
*Sobennikoffia robusta* Schltr. #4 II 64 ORCHIDACEAE  
**Sobralia spp.** Ruiz & Pav. #4 II 64 ORCHIDACEAE  
*Sobralia allenii* L.O. Wms. #4 II 64 ORCHIDACEAE  
*Sobralia amabilis* (Rchb.f.) L.O.Williams #4 II 64 ORCHIDACEAE  
*Sobralia atropubescens* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Sobralia atrorubens* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Sobralia blettiae* Reichb.f. #4 II 64 ORCHIDACEAE  
*Sobralia bouchei* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Sobralia bradeorum* Schltr. #4 II 64 ORCHIDACEAE  
*Sobralia callosa* L.O. Williams #4 II 64 ORCHIDACEAE  
*Sobralia chatoensis* A.H. Heller & A. Hawkes #4 II 64 ORCHIDACEAE  
*Sobralia citrina* La Llave & Lex. = *Encyclia citrina* (Llave & Lex.) Dressler  
*Sobralia corazoi* Lankester & Ames #4 II 64 ORCHIDACEAE  
*Sobralia fenzliana* Reichb.f. #4 II 64 ORCHIDACEAE  
*Sobralia helleri* A. Hawkes #4 II 64 ORCHIDACEAE  
*Sobralia labiata* Warsc. & Reichb.f. #4 II 64 ORCHIDACEAE  
*Sobralia lepida* Reichb.f. #4 II 64 ORCHIDACEAE  
*Sobralia leucoxantha* Reichb.f. #4 II 64 ORCHIDACEAE  
*Sobralia lindleyana* Reichb.f. #4 II 64 ORCHIDACEAE  
*Sobralia macra* Schltr. #4 II 64 ORCHIDACEAE  
*Sobralia macrophylla* Reichb.f. #4 II 64 ORCHIDACEAE  
*Sobralia mucronata* Ames & C. Schweinf. #4 II 64 ORCHIDACEAE  
*Sobralia neglecta* Schltr. #4 II 64 ORCHIDACEAE  
*Sobralia pfavii* Schltr. #4 II 64 ORCHIDACEAE  
*Sobralia suaveolens* Reichb.f. #4 II 64 ORCHIDACEAE  
*Sobralia triandra* A.H. Heller & A. Hawkes #4 II 64 ORCHIDACEAE  
*Sobralia undatocarinata* C. Schweinf. #4 II 64 ORCHIDACEAE  
*Sobralia valida* Rolfe #4 II 64 ORCHIDACEAE  
*Sobralia warszewiczii* Reichb.f. #4 II 64 ORCHIDACEAE  
*Sobralia wercklei* Schltr. #4 II 64 ORCHIDACEAE  
*Sobralia xantholeuca* Hort. ex Williams #4 II 64 ORCHIDACEAE  
*Soehrensia bruchii* (Britton & Rose) Backeberg = *Echinopsis bruchii* (Britton & Rose) Castellanos & Lelong  
*Soehrensia formosa* (Pfeiffer) Backeberg = *Echinopsis formosa* (Pfeiffer) Jacobi ex Salm-Dyck  
*Soehrensia grandis* (Britton & Rose) Backeberg = *Echinopsis bruchii* (Britton & Rose) Castellanos & Lelong  
*Soehrensia ingens* Backeberg = *Echinopsis bruchii* (Britton & Rose) Castellanos & Lelong

- Soehrensia korethroides* (Werdermann) Backeberg =  
*Echinopsis korethroides* Werdermann ex Backeberg
- Soehrensia oreopepon* (Spegazzini) Backeberg =  
*Echinopsis formosa* (Pfeiffer) Jacobi ex Salm-Dyck
- Soehrensia smrziana* (Backeberg) Backeberg =  
*Echinopsis smrziana* Backeberg
- Soehrensia uebelmanniana* Lembcke & Backeberg =  
*Echinopsis formosa* (Pfeiffer) Jacobi ex Salm-Dyck
- Soft, Tree Fern (E): *Alsophila smithii*
- Solenangis spp.** Schlechter #4 II 64 ORCHIDACEAE
- Solenangis aphylla* #4 II 64 ORCHIDACEAE
- Solenangis clavata* #4 II 64 ORCHIDACEAE
- Solenangis conica* #4 II 64 ORCHIDACEAE
- Solenangis cornuta* #4 II 64 ORCHIDACEAE
- Solenangis scandens* #4 II 64 ORCHIDACEAE
- Solenangis wakefieldii* #4 II 64 ORCHIDACEAE
- Solenidiopsis spp.** Senghas #4 II 64 ORCHIDACEAE
- Solenidium spp.** Lindl. #4 II 64 ORCHIDACEAE
- Solenocentrum spp.** Schlechter #4 II 64 ORCHIDACEAE
- Solenocentrum costaricense* Schltr. #4 II 64  
ORCHIDACEAE
- Solisia pectinata* (B. Stein) Britton & Rose = *Mammillaria pectinifera* Weber
- Sophronia cernua* (Lindl.) Lindl. = *Sophronitis cernua* (Lindl.) Lindl.
- Sophronitella spp.** Schlechter #4 II 64 ORCHIDACEAE
- Sophronitella violacea** (Lindl.) Schltr. #4 II 64  
ORCHIDACEAE
- Sophronitis spp.** Lindl. #4 II 64 ORCHIDACEAE
- Sophronitis acuensis** Fowlie #4 II 64 ORCHIDACEAE
- Sophronitis australis* Cogn. = *Constantia australis* (Cogn.) Porto & Brade
- Sophronitis bicolor** F. Miranda #4 II 64 ORCHIDACEAE
- Sophronitis brevipedunculata** (Cogn.) Fowlie #4 II 64  
ORCHIDACEAE
- Sophronitis cernua** (Lindl.) Lindl. #4 II 64  
ORCHIDACEAE
- Sophronitis coccinea** (Lindl.) Rchb.f. #4 II 64  
ORCHIDACEAE
- Sophronitis coccinea mantiqueirae* Fowlie = *Sophronitis mantiqueirae* (Fowlie) Fowlie
- Sophronitis coccinea pygmaea* Pabst. = *Sophronitis pygmaea* (Pabst) Wither
- Sophronitis grandiflora* Lindl. = *Sophronitis coccinea* (Lindl.) Rchb.f.
- Sophronitis hoffmannseggii* Rchb.f. = *Sophronitis cernua* (Lindl.) Lindl.
- Sophronitis lowii* hort ex Curtis = *Sophronitis coccinea* (Lindl.) Rchb.f.
- Sophronitis mantiqueirae** (Fowlie) Fowlie #4 II 64  
ORCHIDACEAE
- Sophronitis militaris* Rchb.f. = *Sophronitis coccinea* (Lindl.) Rchb.f.
- Sophronitis modesta* Lindl. = *Sophronitis cernua* (Lindl.) Lindl.
- Sophronitis nutans* Hoffmanns = *Sophronitis cernua* (Lindl.) Lindl.
- Sophronitis pterocarpa** Lindl. & Paxt. #4 II 64  
ORCHIDACEAE
- Sophronitis purpurea* Rchb.f. = *Sophronitis wittigiana* Barb. Rodr.
- Sophronitis pygmaea** (Pabst) Wither #4 II 64  
ORCHIDACEAE
- Sophronitis rosea* hort ex Gastling = *Sophronitis wittigiana* Barb. Rodr.
- Sophronitis rossiteriana* Barb. Rodr. = *Sophronitis coccinea* (Lindl.) Rchb.f.
- Sophronitis rupestris* (Barb. Rodr.) Cogn. = *Constantia rupestris* Barb. Rodr.
- Sophronitis violacea* Lindl. = *Sophronitella violacea* (Lindl.) Schltr.
- Sophronitis violacea* O'Brien = *Sophronitis wittigiana* Barb. Rodr.
- Sophronitis wittigiana** Barb. Rodr. #4 II 64  
ORCHIDACEAE
- Soterosanthus spp.** Lehm. ex Jenny #4 II 64  
ORCHIDACEAE
- Soterosanthus shepheardii* (Rolfe) Jenny #4 II 64  
ORCHIDACEAE
- Spathoglottis spp.** Blume #4 II 64 ORCHIDACEAE
- Spathoglottis affinis* Vries #4 II 64 ORCHIDACEAE
- Spathoglottis aurea* Lindley #4 II 64 ORCHIDACEAE
- Spathoglottis confusa* Schltr. #4 II 64 ORCHIDACEAE
- Spathoglottis fortunei* Lindl. #4 II 64 ORCHIDACEAE
- Spathoglottis kimballiana* Hort. Sander #4 II 64  
ORCHIDACEAE
- Spathoglottis pacifica* Reichb.f. #4 II 64 ORCHIDACEAE
- Spathoglottis paulinae* F. Muell. #4 II 64 ORCHIDACEAE
- Spathoglottis plicata* Blume #4 II 64 ORCHIDACEAE
- Spathoglottis pubescens* Lindl. #4 II 64 ORCHIDACEAE  
(E) Buttercup Orchid
- Spathoglottis unguiculata* (Labill.) Reichb.f. #4 II 64  
ORCHIDACEAE
- Specklinia* spp. Lindl. #4 II 64 ORCHIDACEAE
- Specklinia graminea* Poepp. & Endl. 1836 = *Sigmatostalix graminea* (Poepp. & Endl.) Rchb.f. 1852
- Specklinia microphylla* (A. Rich. & Galeotti) Pridgeon & M.W. Chase #4 II 64 ORCHIDACEAE
- Specklinia plantaginea* Poepp & Endl. = *Masdevallia plantaginea* (Poepp. & Endl.) Cogn.
- Sphaeropteris* spp. Bernh. #4 II CYATHEACEAE
- Sphaeropteris aciculosa* (Copel. 1936) R. Tryon 1970 #4 II  
CYATHEACEAE
- Sphaeropteris aeneifolia* (Alderw. 1924) R. Tryon 1970 #4 II  
CYATHEACEAE
- Sphaeropteris agatheti* (Holttum 1962) R. Tryon 1970 #4 II  
CYATHEACEAE
- Sphaeropteris albidosquamata* (Rosenst. 1913) R. Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris albifrons* (Vieill. ex Fourn. 1873) R. Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris albosetacea* (Bedd. 1876) R. Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris alternans* (Wallich ex Hook. 1844) R. Tryon 1970 #4 II CYATHEACEAE

- Sphaeropteris angiensis* (Gepp 1917) R.Tryon 1970 #4 II  
CYATHEACEAE
- Sphaeropteris angustipinna* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris aramaganensis* (Kanehira 1934) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris arthropoda* (Copel. 1911) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris assimilis* (Hook. 1865) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris atahualpa* R.Tryon 1972 = *Cyathea atahualpa* (R. Tryon 1972) Lellinger
- Sphaeropteris aterrima* (Hook. 1866) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris atrospinosa* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris atrox* (C.Chr. 1937) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris auriculifera* (Copel. 1911) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris australis* (C.Presl. 1849) R.Tryon 1970 = *Alsophila leichhardtiana* F.v.Muell. 1865
- Sphaeropteris binuangensis* (Alderw. 1920) R. Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris brackenridgei* (Mett. 1863) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris bradei* Wind. 1973 = *Cyathea bradei* (Wind.1973) Lellinger
- Sphaeropteris brunei* (Christ 1904) R.Tryon = *Cyathea brunei* (Christ 1904) R. Tryon 1970
- Sphaeropteris brunonianana* (Wall. ex Hook. 1844) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris capitata* (Copel. 1917) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris carrii* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris celebica* (Blume 1828) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris concinna* (Baker ex Jenman 1881) R.Tryon 1970 = *Cyathea concinna* (Baker ex Jenman 1881) Jenman 1891
- Sphaeropteris cooperi* (Hook. F.v. Muell 1866) R.Tryon 1970 #4 II CYATHEACEAE (E) Lacy Tree Fern
- Sphaeropteris crinita* (Hook. 1844) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris cuatrecasasii* R.Tryon 1971 #4 II CYATHEACEAE
- Sphaeropteris curranii* (Copel. 1909) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris cyatheoides* (Desv. 1827) Wind. 1973 = *Cyathea cyatheoides* (Desv.1827) Kramer
- Sphaeropteris discophora* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris dissimilis* (C.Morton 1951) Wind. 1973 = *Cyathea dissimilis* (C. Morton 1951) Stolze 1974
- Sphaeropteris elliptica* (Copel. 1971) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris elmeri* (Copel. 1908) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris elongata* (Hook.) Tryon 1970 = *Cyathea poeppigii* (Hook.1844) Domin. 1929
- Sphaeropteris excelsa* (R.Br. ex Endl. 1833) R.Tryon 1970 #4 II CYATHEACEAE (E) Norfolk Island Tree Fern
- Sphaeropteris feani* (E.Brown 1931) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris felina* (Roxb.) Pic.Serm. 1991 #4 II CYATHEACEAE
- Sphaeropteris fugax* (Alderw. 1912) R. Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris gardneri* (Hook. 1844) R.Tryon 1970 = *Cyathea gardneri* (Hook. 1844) D.B.Lellinger 1988
- Sphaeropteris gibbosa* (Klotzsch 1844) R.Tryon 1970 = *Cyathea gibbosa* (Klotzsch 1844) Domin. 1929
- Sphaeropteris glauca* (Blume 1828) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris hainanensis* (Ching ex Ching & Wang 1959) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris hirsuta* (Desv. 1811) R.Tryon 1970 = *Cyathea surinamensis* (Miq.1843) Domin 1929
- Sphaeropteris horrida* (Liebm.1849) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris inaequalis* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris insignis* (D.C.Eaton 1860) R.M.Tryon 1970 = *Cyathea insignis* D.Eaton 1860
- Sphaeropteris insularum* (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris integra* (J.Sm. ex Hook. 1844) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris intermedia* (Mett. 1861) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris intramarginalis* Wind. 1973 = *Cyathea intramarginalis* (Wind.1973) Lellinger
- Sphaeropteris ledermannii* (Brause 1920) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris lepifera* (Hook.1844) R.Tryon 1970 #4 II CYATHEACEAE (E) Tree Fern Flying Spider-monkey
- Sphaeropteris leucolepis* (Mett. 1863) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris leucotricha* (Christ 1905) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris lockwoodiana* Wind. 1976 = *Cyathea lockwoodiana* (Windisch 1976) Lellinger 1984
- Sphaeropteris lunulata* (Forst. 1786) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris lunulata lunulata* = *Cyathea lunulata* (G. Forster 1786) Copel.
- Sphaeropteris macarenensis* (Alston 1952) R.Tryon 1970 = *Alsophila macarenensis* (Alston 1952) R. Tryon 1970
- Sphaeropteris macrocarpa* (C.Presl. 1848) R.Tryon 1970 = *Cyathea macrocarpa* C. Presl 1848 Domin 1929
- Sphaeropteris macrosora* (Baker) P.G.Windisch 1973 = *Cyathea macrosora* (Baker 1887) Domin 1929
- Sphaeropteris magna* (Copel. 1942) R.Tryon 1970 #4 II CYATHEACEAE
- Sphaeropteris marginalis* (Klotzsch 1844) R.Tryon 1970 = *Cyathea marginalis* (Klotzsch 1844) Domin 1929
- Sphaeropteris marginata* (Brause 1920) R.Tryon 1970 #4 II CYATHEACEAE

<i>Sphaeropteris medullaris</i> (Forst. 1786) Bernh. 1801 #4 II CYATHEACEAE (E) Tree Fern Black, Tree Fern Sago	<i>Sphaeropteris runensis</i> (Alderw. 1908) R. Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris megalosora</i> (Copel. 1917) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris samoensis</i> (Brack. 1854) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris mertensiana</i> (Kunze 1848) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris sarasinorum</i> (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris microlepidota</i> (Copel. 1949) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris senex</i> (Alderw. 1914) R. Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris mollicula</i> (Maxon 1946) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris senilis</i> (Klotzsch 1846) R.Tryon 1970 = <i>Cyathea senilis</i> (Klotzsch 1846) Domin 1929
<i>Sphaeropteris moluccana</i> (R.Br. ex Desv. 1827) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris setifera</i> (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris moseleyi</i> (Baker 1876) R. Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris sibuyanensis</i> (Copel. 1911) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris myosuroides</i> (Liebm. 1849) R.Tryon 1970 = <i>Cyathea myosuroides</i> (Liebm.1849) Domin 1929	<i>Sphaeropteris sipapoensis</i> R.Tryon 1972 = <i>Cyathea sipapoensis</i> (R. Tryon 1972) Lellinger
<i>Sphaeropteris nicobarica</i> (Baker & Dixit.) Dixit. 1998 = <i>Sphaeropteris albosetacea</i> (Bedd. 1876) R.Tryon 1970	<i>Sphaeropteris squamulata</i> (Blume 1828) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris nigricans</i> (Mett. 1863) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris stigmosa</i> (Desv.) R. Tryon = <i>Cyathea cyatheoides</i> (Desv.1827) Kramer
<i>Sphaeropteris novae-caledoniae</i> (Mett. 1861) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris stipitipinnula</i> (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris obliqua</i> (Copel. 1911) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris strigosa</i> (Christ 1897) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris obscura</i> (Scortech. ex Bedd. 1887) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris subsessilis</i> (Copel. 1911) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris papuana</i> (Ridley 1916) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris suluensis</i> (Baker 1879) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris parianensis</i> Wind. 1976 = <i>Cyathea parianensis</i> (Wind. 1976) Lellinger	<i>Sphaeropteris tenggerensis</i> (Rosenst. 1917) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris parksiae</i> (Copel. 1931) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris teysmannii</i> (Copel. 1909) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris parvifolia</i> (Holttum 1928) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris tomentosa</i> (Blume 1828) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris parvipinna</i> (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris tomentosissima</i> (Copel. 1942) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris persquamulifera</i> (Alderw. 1920) R. Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris trichodesma</i> (Scortech. ex Bedd. 1887) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris philippinensis</i> (Baker 1891) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris trichophora</i> (Copel. 1911) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris pilulifera</i> (Copel. 1942) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris tripinnata</i> (Copel. 1906) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris polypoda</i> (Baker 1894) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris tripinnatifida</i> (Wall. ex Roxb. 1844) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris procera</i> (Brause 1920) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris truncata</i> (Brackenr. 1854) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris propinqua</i> (Mett. 1863) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris vaupelii</i> (Copel. 1911) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris pulcherrima</i> (Copel. 1942) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris verrucosa</i> (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris quindiuensis</i> (Karsten 1856) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris vittata</i> (Copel. 1936) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris robinsonii</i> (Copel. 1911) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris wallacei</i> (Mett. ex Kuhn 1869) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris robusta</i> (C.Moore ex Watts 1914) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris wernerii</i> (Rosenst. 1908) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris rosenstockii</i> (Brause 1920) R.Tryon 1970 #4 II CYATHEACEAE	<i>Sphaeropteris womersleyi</i> (Holttum 1962) R.Tryon 1970 #4 II CYATHEACEAE
<i>Sphaeropteris rufescens</i> (Mett. ex Kuhn 1869) Wind. 1973	<i>Sphaeropteris zamboangana</i> (Copel. 1926) R.Tryon 1970 #4 II CYATHEACEAE

- Sphyrarhynchus* spp.** Mansf. #4 II 64 ORCHIDACEAE
- Sphyrastylis* spp.** Schlechter #4 II 64 ORCHIDACEAE
- Sphyrastylis cryptantha* (C. Schweinf. & P. Allen) Garay #4 II 64 ORCHIDACEAE
- Spiculaea* spp.** Lindl. #4 II 64 ORCHIDACEAE
- Spider-monkey, Tree Fern Flying (E): *Sphaeropteris lepifera*
- Spilorchis weinthalii* (R.Rogers) D.L.Jones & M.A.Clem. = *Bulbophyllum weinthalii* R.Rogers
- Spiranthe d'été (F): *Spiranthes aestivalis*
- Spiranthes* spp.** Rich. #4 II 64 ORCHIDACEAE
- Spiranthes aestivalis* (Poir.) Rich. #4 II 64  
ORCHIDACEAE (E) Summer Lady's Tresses
- Spiranthes (F) Spiranthe d'été
- Spiranthes amoena* (M.Bieb.) Spreng. = *Spiranthes sinensis* (Pers.) Ames
- Spiranthes arrabidae* (Rchb.f.) Warm. 1884 = *Stenorrhynchos arrabidae* Rchb.f. 1849
- Spiranthes aurantiaca* (La Llave & Lex.) Hensl. = *Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas
- Spiranthes aurantiacum* (A.Rich. & Galeotti) Schltr. = *Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas
- Spiranthes australis* auct. ross., non (R.Br.) Lindl. = *Spiranthes sinensis* (Pers.) Ames
- Spiranthes autumnalis* Rich. = *Spiranthes spiralis* (L.) Chevall.
- Spiranthes, Autumn Lady's Tresses (E): *Spiranthes spiralis*
- Spiranthes calcarata* (Sw.) #4 II 64 ORCHIDACEAE
- Spiranthes, Canelo Hills Ladie's Tresses (E): *Spiranthes delitescens*
- Spiranthes colorans* Hemsl. 1884 = *Stenorrhynchos speciosum* (Jacq.) L.C.Rich. ex Spreng.
- Spiranthes colorata* N.E.Br. 1883 = *Stenorrhynchos speciosum* (Jacq.) L.C.Rich. ex Spreng.
- Spiranthes cranichoides* (Griseb.) Cogn. #4 II 64  
ORCHIDACEAE
- Spiranthes delitescens* Sheviak #4 II 64 ORCHIDACEAE  
(E) Canelo Hills Ladie's Tresses Spiranthes, Madrean Ladies's Tresses Spiranthes
- Spiranthes diluvialis* Sheviak #4 II 64 ORCHIDACEAE (E)  
Ladies'-tresses Orchid, Ute Ladies' Tresses
- Spiranthes elata* (Sw.) L.C. Rich #4 II 64 ORCHIDACEAE
- Spiranthes, Florida Key Ladies-tresses (E): *Spiranthes polyantha*
- Spiranthes gemmipara* (Sm.) Lindl. = *Spiranthes romanzoffiana* Cham.
- Spiranthes, Giant Spiral Ladies'-tresses (E): *Spiranthes longilabris*
- Spiranthes, Green Ladies'-tresses (E): *Spiranthes polyantha*
- Spiranthes infernalis* Sheviak #4 II 64 ORCHIDACEAE
- Spiranthes lanceolata* (Aubl.) Léon = *Sacoila lanceolata* (Aubl.) Garay
- Spiranthes lanceolata* (Aubl.) Léon = *Stenorrhynchos lanceolatum* Spr.
- Spiranthes lanuginosa* (La Llave & Lex.) Kuntze = *Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas
- Spiranthes longilabris* Lindl. #4 II 64 ORCHIDACEAE (E)  
Giant Spiral Ladies'-tresses Spiranthes
- Spiranthes lupulina* (Lindl.) Hensl. = *Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas
- Spiranthes, Madrean Ladies's Tresses (E): *Spiranthes delitescens*
- Spiranthes magnicamporum* Sheviak #4 II 64  
ORCHIDACEAE
- Spiranthes, Maidens' Tresses (E): *Spiranthes sinensis*
- Spiranthes michuacana* (Li. & Lex.) Hemsl. #4 II 64  
ORCHIDACEAE (E) Michuacan Ladies'-tresses
- Spiranthes
- Spiranthes, Michuacan Ladies'-tresses (E): *Spiranthes michuacana*
- Spiranthes navarrensis* Ames = *Coccineorchis navarrensis* (Ames) Garay
- Spiranthes nutans* (Kunth & C.D.Bouché) Garay & Dunst. 1976 = *Stenorrhynchos speciosum* (Jacq.) L.C.Rich. ex Spreng.
- Spiranthes obliqua* J.J. Smith #4 II 64 ORCHIDACEAE
- Spiranthes ochroleuca* (Rydb.) Rydb. #4 II 64  
ORCHIDACEAE
- Spiranthes orchidioides* (Sw.) A.Rich. = *Sacoila lanceolata* (Aubl.) Garay
- Spiranthes orchidioides* (Sw.) A.Rich. = *Spiranthes squamulosa* (Kunth) Leon
- Spiranthes orchidioides* (Sw.) Spreng = *Spiranthes squamulosa* (Kunth) Leon
- Spiranthes orchidioides* (Sw.) Spreng = *Sacoila lanceolata* (Aubl.) Garay
- Spiranthes, Parasite Ladies'-tresses (E): *Spiranthes parasitica*
- Spiranthes parasitica* A. Rich. & Gal. #4 II 64  
ORCHIDACEAE (E) Parasite Ladies'-tresses
- Spiranthes
- Spiranthes parksii* Correll #4 II 64 ORCHIDACEAE (E)  
Navasota Ladies'-tresses Orchid, Navasot Ladies'-tresses Orchid, Parks Lady's Tress Orchid
- Spiranthes parviflora* #4 II 64 ORCHIDACEAE
- Spiranthes pavonii* Reichb.f. = *Pelexia pavonii* (reichb.f.) Garay
- Spiranthes polyantha* Reichenb. f. #4 II 64  
ORCHIDACEAE (E) Florida Key Ladies-tresses
- Spiranthes, Green Ladies'-tresses Spiranthes
- Spiranthes porrifolia* Lindl. #4 II 64 ORCHIDACEAE (E)  
Western Ladies-tresses Spiranthes
- Spiranthes pubicalvis* L.O.Williams = *Lycaste suaveolens* Summerh. 1931
- Spiranthes richardii* Autran & Durand 1896 = *Stenorrhynchos speciosum* (Jacq.) L.C.Rich. ex Spreng.
- Spiranthes romanzoffiana* Cham. #4 II 64 ORCHIDACEAE (E) Irish Lady's Tresses Orchid
- Spiranthes sinensis* (Pers.) Ames #4 II 64  
ORCHIDACEAE (E) Maidens' Tresses Spiranthes

- Spiranthes speciosa* (Jacq.) A.Rich. 1850 =  
*Stenorrhynchos speciosum* (Jacq.) L.C.Rich. ex  
Spreng.
- Spiranthes spiralis* (L.) Chevall. #4 II 64 ORCHIDACEAE  
(E) Autumn Lady's Tresses Spiranthes
- Spiranthes squamulosa* (Kunth) Leon #4 II 64  
ORCHIDACEAE
- Spiranthes, Summer Lady's Tresses (E): *Spiranthes aestivalis*
- Spiranthes vaginata* (Humb., Bonpl. & Kunth) Lindl. ex  
Jacks. 1895 = *Stenorrhynchos vaginatum* (Humb.,  
Bonpl. & Kunth) Spreng.
- Spiranthes vomeracea* #4 II 64 ORCHIDACEAE
- Spiranthes, Western Ladies-tresses (E): *Spiranthes porrifolia*
- Spiranthes woodsonii* L.O. Williams #4 II 64  
ORCHIDACEAE
- Spurge, Cliff (E): *Euphorbia misera*
- Spurge, Gomeran (E): *Euphorbia lambii*
- Stalkya* spp.** Garay #4 II 64 ORCHIDACEAE
- Stangeria, Cycad, (E): *Stangeria eriopus*
- Stangeria eriopus*** (Kunze) Baill. I STANGERIACEAE (E)  
Cycad, Stangeria, Hottentot's Head, Stangeria
- Stangeria, Hottentot's Head, (E): *Stangeria eriopus*
- Stangeria katzeri* Regel = *Stangeria eriopus* (Kunze) Baill.
- Stangeria paradoxa* T.Moore, Hook. = *Stangeria eriopus* (Kunze) Baill.
- Stangeria schizodon* Bull = *Stangeria eriopus* (Kunze) Baill.
- Stanhopea* spp.** Frost ex Hook. #4 II 64 ORCHIDACEAE
- Stanhopea acostae* Dodson & Escobar #4 II 64  
ORCHIDACEAE
- Stanhopea amecaensis* hort. ex Rosillo = *Stanhopea novogalicianae* S.Rosillo 1984
- Stanhopea amesiana* auct. 1893 = *Stanhopea lowii* Rolfe
- Stanhopea amnesia* Hort. = *Stanhopea reichenbachiana* Roezl ex Rchb.f. 1879
- Stanhopea amoena* Klotzsch 1852 = *Stanhopea wardii* Lodd. ex Lindl. 1838
- Stanhopea anfracta* Rolfe 1904 #4 II 64 ORCHIDACEAE
- Stanhopea annulata* Mansf. 1938 #4 II 64 ORCHIDACEAE
- Stanhopea atropurpurea* Lodd. ex Planch. 1858 =  
*Stanhopea insignis* Frost ex Hook. 1829
- Stanhopea aurantia* Lodd. ex P.N.Don 1845 = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Stanhopea aurata* Beer 1854 = *Stanhopea connata* Klotzsch 1854
- Stanhopea aurata* (Lindl.) Planchon = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea aurea* Lodd. ex Lindl. 1841 = *Stanhopea wardii* Lodd. ex Lindl. 1838
- Stanhopea avicula* Dressler 1989 #4 II 64 ORCHIDACEAE
- Stanhopea barkeri* Lindl. = *Stanhopea wardii* Lodd. ex Lindl. 1838
- Stanhopea bucephalus* Lindl. = *Stanhopea grandiflora* (Lodd.) Lindl. 1832
- Stanhopea bucephalus* Lindl. = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea bucephalus* Lindl. = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Stanhopea bucephalus* Lindl. (1843) = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea calceolata* Drapiez = *Stanhopea grandiflora* (Lodd.) Lindl. 1832
- Stanhopea calceolata* Rchb.f. 1855 = *Stanhopea grandiflora* (Lodd.) Lindl. 1832
- Stanhopea calceolatus* Drap. = *Stanhopea grandiflora* (Lodd.) Lindl. 1832
- Stanhopea calceolus* Rchb.f. 1855 = *Stanhopea ecornuta* Lem. (1846)
- Stanhopea candida* Barb. Rodr 1877. #4 II 64  
ORCHIDACEAE
- Stanhopea carchiensis* Dodson 1998 #4 II 64  
ORCHIDACEAE
- Stanhopea cavendishii* Lindl. ex Paxt. = *Stanhopea hernandezii* (Kunth) Schltr.
- Stanhopea cirrhata* Lindl. 1850 #4 II 64 ORCHIDACEAE
- Stanhopea connata* Klotzsch 1854 #4 II 64  
ORCHIDACEAE
- Stanhopea convoluta* Rolfe 1909 = *Stanhopea tricornis* Lindl. 1849
- Stanhopea costaricensis* Rchb.f. 1860 #4 II 64  
ORCHIDACEAE
- Stanhopea cymbiformis* Rchb.f. (1865) = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Stanhopea deltoidea* Lem. 1862 #4 II 64 ORCHIDACEAE
- Stanhopea devoniensis* Lindl. = *Stanhopea tigrina* Bateman ex Lindl. 1838
- Stanhopea dodsoniana* Salazar & Soto Arenas (2001) #4 II 64 ORCHIDACEAE
- Stanhopea eburnea* Lindl. 1832 = *Stanhopea jenishiana* Kramer & Rchb.f. 1852
- Stanhopea eburnea* Lindl. 1832 = *Stanhopea grandiflora* (Lodd.) Lindl. 1832
- Stanhopea ecornuta* Lem. (1846) #4 II 64 ORCHIDACEAE
- Stanhopea elegantium* Rolfe = *Stanhopea saccata* Bateman
- Stanhopea elegantula* Rolfe = *Stanhopea saccata* Bateman
- Stanhopea embreei* Dodson 1975 #4 II 64  
ORCHIDACEAE
- Stanhopea expansa* P.N.Don = *Stanhopea tigrina* Bateman ex Lindl. 1838
- Stanhopea flava* Lodd. ex Beer 1854 = *Stanhopea insignis* Frost ex Hook. 1829
- Stanhopea florida* Rchb.f. 1879 #4 II 64 ORCHIDACEAE
- Stanhopea fowlieana* Dodson ex Horich 1974 #4 II 64  
ORCHIDACEAE
- Stanhopea fregeana* Rchb.f. 1855 = *Stanhopea maculosa* Knowles & Westc. 1839
- Stanhopea frymirei* Dodson 1975 #4 II 64 ORCHIDACEAE
- Stanhopea fuerstenbergiana* Kraenzl. #4 II 64  
ORCHIDACEAE
- Stanhopea gibbosa* Rchb.f. 1869 #4 II 64 ORCHIDACEAE

- Stanhopea grandiflora* (Lodd.) Lindl. 1832 #4 II 64  
ORCHIDACEAE
- Stanhopea graveolens* Lindl. (1840) #4 II 64  
ORCHIDACEAE
- Stanhopea graveolens* C.Morren 1846 = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Stanhopea graveolens* Klotzsch ex Rchb.f. 1855 = *Stanhopea connata* Klotzsch 1854
- Stanhopea graveolens* Klotzsch ex Rchb.f. 1855 = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea graveolens* Lindl. = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea greeri* Jenny (2000) #4 II 64 ORCHIDACEAE
- Stanhopea guttata* Beer 1854 = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Stanhopea guttata* hort. ex Planchon = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea guttata* K.Koch 1858 = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Stanhopea guttata* Klotzsch ex Rchb.f. 1855 = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea guttata* Lindl. (1843) = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Stanhopea guttulata* Lindl. 1843 = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Stanhopea guttulata* Lindl. 1843 = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea harrisoniae* P.N.Don = *Bifrenaria harrisoniae* (Hook.) Rchb.f. (1854)
- Stanhopea haseloriana* Rchb.f. 1855 #4 II 64  
ORCHIDACEAE
- Stanhopea hernandezii* (Kunth) Schltr. #4 II 64  
ORCHIDACEAE
- Stanhopea herrenhusana* Jenny 1989 #4 II 64  
ORCHIDACEAE
- Stanhopea hoppii* Schltr. 1924 = *Stanhopea grandiflora* (Lodd.) Lindl. 1832
- Stanhopea hoppii* Schltr. 1924 = *Stanhopea jenishiana* Kramer & Rchb.f. 1852
- Stanhopea horichiana* Jenny #4 II 64 ORCHIDACEAE
- Stanhopea implicata* hort. ex Lindl. = *Stanhopea martiana* Bateman ex Lindl. 1940
- Stanhopea implicata* Westc. = *Stanhopea martiana* Bateman ex Lindl. 1940
- Stanhopea impressa* Rolfe 1898 #4 II 64 ORCHIDACEAE
- Stanhopea inodora* Lodd. ex Lindl. (1845) #4 II 64  
ORCHIDACEAE
- Stanhopea inodora* (Humb. & Bonpl.) Humb., Bonpl. & Kunth = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea inodora* Rchb.f. 1855 non Lodd. = *Stanhopea warszewicziana* Klotzsch 1852
- Stanhopea inodora* Rchb.f. 1855 non Lodd. = *Stanhopea connata* Klotzsch 1854
- Stanhopea inodora* Rchb.f. 1855 non Lodd. = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea inodora* Schltr. = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea insignis* Frost ex Hook. 1829 #4 II 64  
ORCHIDACEAE
- Stanhopea intermedia* Klinge 1898 #4 II 64  
ORCHIDACEAE
- Stanhopea jenishiana* Kramer & Rchb.f. 1852 #4 II 64  
ORCHIDACEAE
- Stanhopea langlassaeana* Cogn. 1901 = *Stanhopea tricornis* Lindl. 1849
- Stanhopea lewisae* (Ames & Correll) Horich ex Jenny 1988 #4 II 64 ORCHIDACEAE
- Stanhopea lewisae* Ames & Correll = *Stanhopea lewisae* (Ames & Correll) Horich ex Jenny 1988
- Stanhopea lietzei* (Regel) Schltr. 1926 = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea lindleyi* Zucc. (1838) = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Stanhopea lowii* Rolfe #4 II 64 ORCHIDACEAE
- Stanhopea lyncea* (Lindl.) D.Don = *Stanhopea hernandezii* (Kunth) Schltr.
- Stanhopea maculosa* Knowles & Westc. 1839 #4 II 64  
ORCHIDACEAE
- Stanhopea madouxiiana* Cogn. 1898 #4 II 64  
ORCHIDACEAE
- Stanhopea maduroi* Dodson & Dressler 1998 #4 II 64  
ORCHIDACEAE
- Stanhopea marshii* Rchb.f. 1855 = *Stanhopea saccata* Bateman
- Stanhopea marshii* Rchb.f. 1855 = *Stanhopea maculosa* Knowles & Westc. 1839
- Stanhopea martiana* Bateman ex Lindl. 1940 #4 II 64  
ORCHIDACEAE
- Stanhopea minor* Schltr. (1917) = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Stanhopea moliana* Rolfe 1891 = *Stanhopea haseloriana* Rchb.f. 1855
- Stanhopea napoensis* Dodson 1975 #4 II 64  
ORCHIDACEAE
- Stanhopea nigripes* Rolfe 1894 #4 II 64 ORCHIDACEAE
- Stanhopea nigroviolacea* (Morr.) Beer 1854 #4 II 64  
ORCHIDACEAE
- Stanhopea novogaliciana* S.Rosillo 1984 #4 II 64  
ORCHIDACEAE
- Stanhopea oculata* (Lodd.) Lindl. 1832 #4 II 64  
ORCHIDACEAE
- Stanhopea oculata* var. *oculata* Lindl. (1843) = *Stanhopea graveolens* Lindl. (1840)
- Stanhopea odoratissima* Planch. 1858 = *Stanhopea insignis* Frost ex Hook. 1829
- Stanhopea ornatissima* Lem. = *Stanhopea oculata* (Lodd.) Lindl. 1832
- Stanhopea ospinae* Dodson 1972 #4 II 64  
ORCHIDACEAE
- Stanhopea panamensis* N.H. Williams & Whitten 1988 #4 II 64 ORCHIDACEAE
- Stanhopea peruviana* Rolfe #4 II 64 ORCHIDACEAE
- Stanhopea platyceras* Rchb.f. 1868 #4 II 64  
ORCHIDACEAE
- Stanhopea pozoi* Dodson & Bennet 1989 #4 II 64  
ORCHIDACEAE
- Stanhopea pseudoradiosa* Jenny & R.Gonzales 1997 #4 II 64 ORCHIDACEAE

- Stanhopea pulla* Rchb.f. 1877 #4 II 64 ORCHIDACEAE  
*Stanhopea purpurissii* Schltr. (1916) = *Stanhopea oculata* (Lodd.) Lindl. 1832  
*Stanhopea purpusii* (Humb. & Bonpl.) Humb., Bonpl. & Kunth = *Stanhopea graveolens* Lindl. (1840)  
*Stanhopea purpusii* Schltr. = *Stanhopea graveolens* Lindl. (1840)  
*Stanhopea purpusii* Schltr. = *Stanhopea wardii* Lodd. ex Lindl. 1838  
*Stanhopea quadricornis* Lindl. 1838 #4 II 64 ORCHIDACEAE  
*Stanhopea radiosa* Lem. 1859 #4 II 64 ORCHIDACEAE  
*Stanhopea randii* Rolfe 1894 = *Stanhopea candida* Barb. Rodr 1877.  
*Stanhopea reichenbachiana* Roezl ex Rchb.f. 1879 #4 II 64 ORCHIDACEAE  
*Stanhopea ruckeri* Lindl. 1843 #4 II 64 ORCHIDACEAE  
*Stanhopea saccata* Bateman #4 II 64 ORCHIDACEAE  
*Stanhopea schilleriana* Rchb.f. #4 II 64 ORCHIDACEAE  
*Stanhopea shuttleworthii* Rchb.f. 1876 #4 II 64 ORCHIDACEAE  
*Stanhopea stenochila* Lehm. ex Kraenzl. 1900 =  
*Stanhopea tricornis* Lindl. 1849  
*Stanhopea stevensonii* Mejia & Escobar ex Jenny 1994 #4 II 64 ORCHIDACEAE  
*Stanhopeastrum ecornutum* (Lem.) Rchb.f. 1852 =  
*Stanhopea ecornuta* Lem. (1846)  
*Stanhopea suavis* Ospina = *Stanhopea reichenbachiana* Roezl ex Rchb.f. 1879  
*Stanhopea tadeasi* Haager & Jenik 1984 = *Stanhopea connata* Klotzsch 1854  
*Stanhopea thienii* Dodson 1980 #4 II 64 ORCHIDACEAE  
*Stanhopea tigrina* Bateman ex Lindl. 1838 #4 II 64 ORCHIDACEAE  
*Stanhopea tricornis* Lindl. 1849 #4 II 64 ORCHIDACEAE  
*Stanhopea uncinata* Drapiez 1842 = *Stanhopea martiana* Bateman ex Lindl. 1940  
*Stanhopea vasquezii* Dodson = *Stanhopea xytriophora* Rchb.f. 1868  
*Stanhopea velata* C.Morr. = *Stanhopea martiana* Bateman ex Lindl. 1940  
*Stanhopea venusta* Lindl. = *Stanhopea wardii* Lodd. ex Lindl. 1838  
*Stanhopea venusta* Lindl. = *Stanhopea graveolens* Lindl. (1840)  
*Stanhopea venusta* Rchb.f. 1855 non Lodd. = *Stanhopea graveolens* Lindl. (1840)  
*Stanhopea wallisii* Rchb.f. 1877 = *Stanhopea tricornis* Lindl. 1849  
*Stanhopea wardii* Lodd. ex Lindl. 1838 #4 II 64 ORCHIDACEAE  
*Stanhopea warszewicziana* Klotzsch 1852 #4 II 64 ORCHIDACEAE  
*Stanhopea xytriophon* Rchb.f. 1868 = *Stanhopea deltoidea* Lem. 1862  
*Stanhopea xytriophora* Rchb.f. 1868 #4 II 64 ORCHIDACEAE  
*Staurites violacea* Rchb.f. = *Phalaenopsis violacea* Witte  
***Staurochilus* spp.** Ridley #4 II 64 ORCHIDACEAE  
*Staurochilus guibertii* #4 II 64 ORCHIDACEAE  
*Staurochilus ramosus* Lindl. Seidn. #4 II 64 ORCHIDACEAE  
*Stauroglottis equestris* Schauer = *Phalaenopsis equestris* (Schauer) Rchb.f.  
*Stauroglottis riteiwananensis* Masamune = *Phalaenopsis equestris* (Schauer) Rchb.f.  
*Stauropsis batemanii* (Lindl.) Nichols. = *Vandopsis lissochiloides* (Gaudich.) Pfitz.  
*Stauropsis chinensis* Rolfe = *Vandopsis gigantea* (Lindl.) Pfitzer  
*Stauropsis gigantea* auct. non (Lindl.) Benth. & Hook.f. = *Vandopsis lissochiloides* (Gaudich.) Pfitz.  
*Stauropsis gigantea* (Lindl.) Benth. & Hook.f. = *Vandopsis gigantea* (Lindl.) Pfitzer  
*Stauropsis lissochiloides* (Gaudich.) Benth. ex Pfitzer = *Vandopsis lissochiloides* (Gaudich.) Pfitz.  
*Stauropsis pallens* Rchb.f. = *Phalaenopsis pallens* (Lindl.) Rchb.f.  
*Stauropsis polyantha* W.W.Sm. = *Vandopsis undulata* (Lindl.) J.J. Sm.  
*Stauropsis shanica* Phillimore & Sm. = *Vandopsis shanica* (Phillimore & Sm.) Garay  
*Stauropsis undulata* (Lindl.) Benh. ex Hook.f. = *Vandopsis undulata* (Lindl.) J.J. Sm.  
*Stauropsis violacea* Rchb.f. = *Phalaenopsis violacea* Witte  
***Stelis* spp.** Sw. #4 II 64 ORCHIDACEAE  
*Stelis allenii* L.O. Wms. #4 II 64 ORCHIDACEAE  
*Stelis atrorubens* L.O. Wms. #4 II 64 ORCHIDACEAE  
*Stelis butcheri* Luer #4 II 64 ORCHIDACEAE  
*Stelis caudata* D.Don = *Bulbophyllum odoratissimum* (J.E.Sm.) Lindl.  
*Stelis cleistogama* Schltr. #4 II 64 ORCHIDACEAE  
*Stelis collina* Schltr. #4 II 64 ORCHIDACEAE  
*Stelis commixta* Schltr. #4 II 64 ORCHIDACEAE  
*Stelis contorta* (Ruiz & Pav.) Pers. 1807 = *Restrepia contorta* Luer & R.Escobar  
*Stelis crystallina* Ames #4 II 64 ORCHIDACEAE  
*Stelis cubensis* Schltr. #4 II 64 ORCHIDACEAE  
*Stelis cuspidata* Ames #4 II 64 ORCHIDACEAE  
*Stelis dressleri* Luer #4 II 64 ORCHIDACEAE  
*Stelis effusa* Schltr. #4 II 64 ORCHIDACEAE  
*Stelis gracilispica* Schweinf. = *Stelis striolata* Lindley  
*Stelis hirta* J.E.Sm. = *Bulbophyllum hirtum* (J.E.Sm.) Lindl.  
*Stelis hirtzii* Luer #4 II 64 ORCHIDACEAE  
*Stelis lankesteri* Ames #4 II 64 ORCHIDACEAE  
*Stelis loculifera* Luer #4 II 64 ORCHIDACEAE  
*Stelis longipetiolata* Ames #4 II 64 ORCHIDACEAE  
*Stelis maxima* Lindley #4 II 64 ORCHIDACEAE  
*Stelis micrantha* (Sw.) Sw. #4 II 64 ORCHIDACEAE  
*Stelis microchila* Schltr. #4 II 64 ORCHIDACEAE  
*Stelis nubis* Ames #4 II 64 ORCHIDACEAE  
*Stelis odoratissima* J.E.Sm. = *Bulbophyllum odoratissimum* (J.E.Sm.) Lindl.  
*Stelis panamensis* Schltr. #4 II 64 ORCHIDACEAE  
*Stelis parvula* Lindley #4 II 64 ORCHIDACEAE  
*Stelis perplexa* Ames #4 II 64 ORCHIDACEAE  
*Stelis perpusilliflora* Cogn. #4 II 64 ORCHIDACEAE

- Stelis planipetala* Ames #4 II 64 ORCHIDACEAE  
*Stelis purpurascens* A. Rich & Galeotti #4 II 64  
 ORCHIDACEAE  
*Stelis pygmaea* Cogn. #4 II 64 ORCHIDACEAE  
*Stelis racemosa* J.E.Sm. = *Sunipia racemosa* (Smith)  
 Tang & Wang  
*Stelis rowleei* Ames #4 II 64 ORCHIDACEAE  
*Stelis sarcophylla* Luer #4 II 64 ORCHIDACEAE  
*Stelis scabrida* Lindl. #4 II 64 ORCHIDACEAE  
*Stelis semperflorens* Luer #4 II 64 ORCHIDACEAE  
*Stelis striolata* Lindley #4 II 64 ORCHIDACEAE  
*Stelis tenuissima* Schltr. #4 II 64 ORCHIDACEAE  
*Stelis triangulabia* Ames #4 II 64 ORCHIDACEAE  
*Stelis tricuspis* Schltr. #4 II 64 ORCHIDACEAE  
*Stelis williamsii* Ames #4 II 64 ORCHIDACEAE  
***Stellilabium* spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Stellilabium bennettii* (Dodson & R.Escobar) Christenson  
 #4 II 64 ORCHIDACEAE  
*Stellilabium distantiflorum* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Stellilabium microglossum* (Schltr) Dodson #4 II 64  
 ORCHIDACEAE  
*Stellilabium minutiflorum* (Kranzlin) Garay #4 II 64  
 ORCHIDACEAE  
*Stellilabium standleyi* (Ames) L.O. Williams #4 II 64  
 ORCHIDACEAE  
 Stem, *Dendrobium* (E): *Dendrobium nobile*  
***Stenia* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Stenia palorae* Dodson & Hirtz #4 II 64 ORCHIDACEAE  
***Stenocactus* spp.** (K. Schum.) Backeb. & F.M. Knuth #4  
 II 49 CACTACEAE  
*Stenocactus albatus* (A.Dietrich) F.Knuth = *Stenocactus*  
*vaupelianus* (Werdermann) F.Knuth  
*Stenocactus arrigens* (Link & Otto) A. Berger =  
*Stenocactus crispatus* (De Candolle) Berger ex Hill  
*Stenocactus bustamantei* H. Bravo = *Stenocactus*  
*ochoteranarus* Tiegel  
***Stenocactus coptonogonus*** (Lemaire) Berger ex Hill #4  
 II 49 CACTACEAE  
***Stenocactus crispatus*** (De Candolle) Berger ex Hill #4 II  
 49 CACTACEAE  
*Stenocactus dichroacanthus* (Martius ex Pfeiffer) Berger  
 ex Backeberg & F.Knuth = *Stenocactus crispatus* (De  
 Candolle) Berger ex Hill  
***Stenocactus hastatus*** (Hopffer ex Schumann) Berger ex  
 Hill #4 II 49 CACTACEAE  
*Stenocactus heteracanthus* (Muehlenpf.) A. Berger =  
*Stenocactus ochoteranarus* Tiegel  
*Stenocactus lamellosus* (A. Dietr.) A. Berger =  
*Stenocactus crispatus* (De Candolle) Berger ex Hill  
*Stenocactus lancifer* (A.Dietrich) Berger ex Backeberg &  
 F.Knuth = *Stenocactus crispatus* (De Candolle) Berger  
 ex Hill  
*Stenocactus lloydii* (Britton & Rose) A. Berger =  
*Stenocactus multicostatus* (Hildmann ex Schumann)  
 Berger ex Hill  
***Stenocactus multicostatus*** (Hildmann ex Schumann)  
 Berger ex Hill #4 II 49 CACTACEAE  
***Stenocactus obvallatus*** (De Candolle) Berger ex Hill #4  
 II 49 CACTACEAE  
***Stenocactus ochoteranarus*** Tiegel #4 II 49  
 CACTACEAE  
*Stenocactus pentacanthus* (Lamaire) Berger ex Hill =  
*Stenocactus obvallatus* (De Candolle) Berger ex Hill  
***Stenocactus phyllacanthus*** (Dietrich & Otto) Berger ex  
 Hill #4 II 49 CACTACEAE  
***Stenocactus rectispinus*** Schmoll #4 II 49 CACTACEAE  
***Stenocactus sulphureus*** (A.Dietrich) Bravo #4 II 49  
 CACTACEAE  
***Stenocactus vaupelianus*** (Werdermann) F.Knuth #4 II  
 49 CACTACEAE  
*Stenocactus zacatecasensis* (Britton & Rose) A. Berger =  
*Stenocactus multicostatus* (Hildmann ex Schumann)  
 Berger ex Hill  
***Stenocereus* spp.** (A. Berger) Riccob. #4 II 49  
 CACTACEAE  
***Stenocereus alamosensis*** (J.Coulter) Gibson & Horak  
 #4 II 49 CACTACEAE  
***Stenocereus aragonii*** (Weber) Buxbaum #4 II 49  
 CACTACEAE  
***Stenocereus beneckeii*** (Ehrenberg) Buxbaum #4 II 49  
 CACTACEAE  
***Stenocereus chacalapensis*** (Bravo & Macdougall)  
 Buxbaum #4 II 49 CACTACEAE  
***Stenocereus chrysocarpus*** Sanchez-Mejorada #4 II 49  
 CACTACEAE  
*Stenocereus deficiens* (Otto & Dietrich) Buxbaum =  
*Stenocereus griseus* (Haworth) Buxbaum  
***Stenocereus dumortieri*** (Scheidweiler) Buxbaum #4 II  
 49 CACTACEAE  
***Stenocereus eichlamii*** (Britton & Rose) Buxbaum #4 II  
 49 CACTACEAE  
***Stenocereus eruca*** (T.Brandegee) Gibson & Horak #4 II  
 49 CACTACEAE  
***Stenocereus fimbriatus*** (Lamarck) Lourteig #4 II 49  
 CACTACEAE  
***Stenocereus fricii*** Sanchez-Mejorada #4 II 49  
 CACTACEAE  
***Stenocereus griseus*** (Haworth) Buxbaum #4 II 49  
 CACTACEAE  
***Stenocereus gummosus*** (Engelmann) Gibson & Horak  
 #4 II 49 CACTACEAE  
*Stenocereus hystrix* (Haworth) Buxbaum = *Stenocereus*  
*fimbriatus* (Lamarck) Lourteig  
***Stenocereus kerberi*** (Schumann) Gibson & Horak #4 II  
 49 CACTACEAE  
***Stenocereus laevigatus*** (Salm-Dyck) Buxbaum #4 II 49  
 CACTACEAE  
*Stenocereus longispinus* (Britton & Rose) Buxbaum =  
*Stenocereus eichlamii* (Britton & Rose) Buxbaum  
***Stenocereus marginatus*** (De Candolle) Berger ex  
 Buxbaum = *Pachycereus marginatus* (De Candolle)  
 Britton & Rose  
***Stenocereus martinezii*** (J.G.Ortega) Buxbaum #4 II 49  
 CACTACEAE

- Stenocereus montanus*** (Britton & Rose) Buxbaum #4 II  
49 CACTACEAE
- Stenocereus peruvianus*** (Linnaeus) Kiesling =  
*Stenocereus fimbriatus* (Lamarck) Lourteig
- Stenocereus pruinosus*** (Otto ex Pfeiffer) Buxbaum #4 II  
49 CACTACEAE
- Stenocereus queretaroensis*** (Weber) Buxbaum #4 II 49  
CACTACEAE
- Stenocereus quevedonis*** (J.G.Ortega) Buxbaum #4 II 49  
CACTACEAE
- Stenocereus standleyi*** (J.G.Ortega) Buxbaum #4 II 49  
CACTACEAE
- Stenocereus stellatus*** (Pfeiffer) Riccobono #4 II 49  
CACTACEAE
- Stenocereus thurberi*** (Engelmann) Buxbaum #4 II 49  
CACTACEAE
- Stenocereus treleasei*** (Britton & Rose) Backeberg #4 II  
49 CACTACEAE
- Stenocereus weberi* (Coulter) Buxbaum = *Pachycereus weberi* (Coulter) Backeberg
- Stenocereus yunckeri*** (Standley) Bravo &  
Sanchez-Mejorada #4 II 49 CACTACEAE
- Stenochlaena dubia* Alderw. = *Alsophila biformis* Ros.  
1911
- Stenocoryne charlesworthii* (Rolfe) Hoehne (1944) =  
*Bifrenaria charlesworthii* Rolfe
- Stenocoryne clavigera* (Rchb.f.) Kraenzl. (1896) =  
*Bifrenaria clavigera* Rchb.f. (1865)
- Stenocoryne harrisoniae* (Hook.) Kraenzl. (1896) =  
*Bifrenaria harrisoniae* (Hook.) Rchb.f. (1854)
- Stenocoryne inodora* (Barb.Rodr.) Kraenzl. = *Bifrenaria inodora* Lindl. (1843)
- Stenocoryne leucorrhoda* (Rchb.f.) Kraenzl. (1886) =  
*Bifrenaria leucorrhoda* Rchb.f. (1859)
- Stenocoryne longicornis* (Lindl.) Lindl. (1843) = *Bifrenaria longicornis* Lindl. (1855)
- Stenocoryne melanopoda* (Klotzsch) Hoehne (1944) =  
*Bifrenaria melanopoda* Klotzsch (1855)
- Stenocoryne mellicolor* (Rchb.f.) Kraenzl. = *Bifrenaria mellicolor* Rchb.f. (1878)
- Stenocoryne racemosa* (Hook.) Kraenzl. (1896) =  
*Bifrenaria racemosa* (Hook.) Lindl. (1843)
- Stenocoryne secunda* Hoehne 1944 = *Bifrenaria secunda* (Hoehne) Pabst 1967
- Stenocoryne secundo* (Vell.) Hoehne (1944) = *Bifrenaria secunda* (Hoehne) Pabst 1967
- Stenocoryne villosula* Brade (1949) = *Bifrenaria villosula* Brade 1949
- Stenocoryne villosula* Brade (1949) = *Bifrenaria charlesworthii* Rolfe
- Stenocoryne vitellina* (Lindl.) Kraenzl. (1896) = *Bifrenaria vitellina* (Lindl.) Lindl. (1843)
- Stenocoryne wendlandiana* Kraenzl. (1986) = *Bifrenaria wendlandiana* (Kraenzl.) Cogn (1902)
- Stenocoryne wendlandiana* Kraenzl. (1986) = *Bifrenaria clavigera* Rchb.f. (1865)
- Stenoglottis*** spp. Lindl. #4 II 64 ORCHIDACEAE
- Stenoglottis longifolia* Hook.f. #4 II 64 ORCHIDACEAE
- Stenoptera*** spp. C.Presl #4 II 64 ORCHIDACEAE
- Stenorhynchos*** spp. Rich. ex Spreng. #4 II 64  
ORCHIDACEAE
- Stenorhynchos acianthiformis* (Rchb.f. & Warm.) Cogn. =  
*Nothostele acianthiformis* (Rchb.f. & Warm.) Garay
- Stenorhynchos actinosophilum* Barb.Rodr. = *Eurytyle actinophila*
- Stenorhynchos albescens* Barb.Rodr. = *Stenorhynchos macranthum*
- Stenorhynchos albicans* Cogn. = *Pelexia albicans* (Cogn.) Schltr.
- Stenorhynchos albovaginatum* (C.Schweinf.) Szlach. =  
*Schiedeella albovaginata* (C. Schweinf.) Balogh
- Stenorhynchos apetalum* Kraenzl. = *Sacoila lanceolata* (Aubl.) Garay
- Stenorhynchos aphyllum* (Hook.) Sweet = *Sacoila lanceolata* (Aubl.) Garay
- Stenorhynchos aphyllus* (Hook.) Lindl. 1840 = *Sacoila lanceolata* (Aubl.) Garay
- Stenorhynchos arechavaletsanii* Barb.Rodr. =  
*Skeptrostachys arechavaletanii* (Barb.rodr.) Garay
- Stenorhynchos argentinum* Griseb. = *Sacoila argentina* (Griseb.) Garay
- Stenorhynchos arrabidae* Rchb.f. 1849 #4 II 64  
ORCHIDACEAE
- Stenorhynchos aurantiacum* A.Rich. & Galeotti =  
*Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas
- Stenorhynchos aurantiacum* La Llave & Lex =  
*Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas
- Stenorhynchos aurantiacum* (La Llave & Lex.) Lindl. 1840  
= *Dichromanthus aurantiacus* (Lex.)
- Stenorhynchos australe* Lindl. 1840 = *Sacoila lanceolata* (Aubl.) Garay
- Stenorhynchos balanophorostachyum* (Rchb.f.) Cogn. =  
*Skeptrostachys balanophorostachya* (Rchb.f. & Warm.) Garay
- Stenorhynchos berroanum* Kraenzl. = *Skeptrostachys berroana* (Kraenzl.) Garay
- Stenorhynchos bicolor* Schltr. = *Lyroglossa grisebachii* (Cogn.) Schltr.
- Stenorhynchos bracteosum* Ames & C. Schweinf. =  
*Coccineorchis bracteosa* (Ames & C. Schweinf.) Garay
- Stenorhynchos bradei* Schltr. = *Stenorhynchos dusenianum*
- Stenorhynchos calcaratum* (Sw.) Rich. = *Spiranthes calcarata* (Sw.)
- Stenorhynchos calophyllum* Porsch = *Pelexia calophylla* (Porsch) Schltr.
- Stenorhynchos canterae* Barb.Rodr. = *Skeptrostachys balanophorostachya* (Rchb.f. & Warm.) Garay
- Stenorhynchos castillonii* Hauman = *Odontorrhynchus castillonii* (Hauman) M.N.Corrêa
- Stenorhynchos cernuum* Lindl. = *Coccineorchis cernua* (Lindl.) Garay
- Stenorhynchos cinnabarinum* (Lex.) Lindl. =  
*Dichromanthus cinnabarinus* (Lex.) Garay
- Stenorhynchos coccineum* (Vell.) Hoehne = *Sacoila lanceolata* (Aubl.) Garay

- Stenorrhynchos cogniauxii* Kraenzl. = *Eurytyle cogniauxii* (Kraenzl.) Schltr.
- Stenorrhynchos comosum* Cogn. = *Pelexia comosa* (Cogn.) Schltr.
- Stenorrhynchos congestiflorum* Cogn. = *Skeptrostachys congestiflora* (Cogn.) Garay
- Stenorrhynchos cornutum* (Barb.Rodr.) Barb.Rodr. 1937 #4 II 64 ORCHIDACEAE
- Stenorrhynchos cuculliger* (Rchb.f.) Cogn. = *Pelexia cuculligera* (Rchb.f.) Schltr.
- Stenorrhynchos densiflorum* (C.Schweinf.) Szlach. = *Schiedeella densiflora* (C. Schweinf.) Balogh
- Stenorrhynchos densum* Hauman = *Skeptrostachys disoides* (Kraenzl.) Garay
- Stenorrhynchos discoides* #4 II 64 ORCHIDACEAE
- Stenorrhynchos dusenianum* #4 II 64 ORCHIDACEAE
- Stenorrhynchos dusenianum* Kraenzl. = *Sacoila duseniana* (Kraenzl.) Garay
- Stenorrhynchos ekmanii* Kraenzl. = *Pelexia ekmanii* (Kraenzl.) Schltr.
- Stenorrhynchos epiphytum* Barb.Rodr. = *Lankestrella epiphyta*
- Stenorrhynchos esmeraldae* (Lindl. & Rchb.f.) Cogn. = *Mesadenella cuspidata* (Lindl.) Garay
- Stenorrhynchos exaltatum* Kraenzl. = *Skeptrostachys arechavaletanii* (Barb.rodr.) Garay
- Stenorrhynchos flavum* (Sw.) Spreng. = *Corymborkis flava* (Sw.) Kuntze.
- Stenorrhynchos foliosum* Schltr. = *Sacoila foliosa* (Schltr.) Garay
- Stenorrhynchos galeottianum* Schltr. = *Dichromanthus cinnabarinus* (Lex.) Garay
- Stenorrhynchos giganteum* Cogn. = *Skeptrostachys gigantea* (Cogn.) Garay
- Stenorrhynchos glaziovii* Cogn. = *Mesadenus glaziovii* (Cogn.) Schltr.
- Stenorrhynchos goninense* Pulle = *Pelexia goniensis*
- Stenorrhynchos guatemalense* Schltr. = *Sacoila lanceolata* (Aubl.) Garay
- Stenorrhynchos hennisanum* Sandt. = *Cyclopogon hennisanus* (Sandt.) Szlach.
- Stenorrhynchos hilarianum* Cogn. = *Pteroglossa hilariana* (Cogn.) Garay
- Stenorrhynchos holosericeum* Kraenzl. = *Pelexia tamanduensis* (Kraenzl.) Schltr.
- Stenorrhynchos hypnophilum* (Barb.Rodr.) Barb.Rodr. = *Pelexia novofriburgensis* (Rchb.f.) Garay
- Stenorrhynchos hysteranthum* (Barb.Rodr.) Barb.Rodr. = *Pelexia hysterantha* (Barb.Rodr.) Schltr.
- Stenorrhynchos icmadophilum* (Barb.Rodr.) Barb.Rodr. = *Brachystele dilatata* (Lindl.) Schltr.
- Stenorrhynchos jaliscanum* (S.Watson) Nash = *Sacoila lanceolata* (Aubl.) Garay
- Stenorrhynchos kuhmannianum* (Hoehne) ined. #4 II 64 ORCHIDACEAE
- Stenorrhynchos lanceolatum* Spr. #4 II 64 ORCHIDACEAE
- Stenorrhynchos lanceolatum* (Aubl.) L.C.Richard ex Spreng. 1826 = *Spiranthes squamulosa* (Kunth) Leon
- Stenorrhynchos lanceolatum* (Aubl.) L.C.Richard ex Spreng. 1826 = *Stenorrhynchos lanceolatum* Spr.
- Stenorrhynchos lanceolatum* (Aubl.) L.C.Richard ex Spreng. 1826 = *Sacoila lanceolata* (Aubl.) Garay
- Stenorrhynchos lanuginosum* (La Llave & Lex.) Lindl. 1840 = *Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas
- Stenorrhynchos lateritium* Kraenzl. = *Skeptrostachys arechavaletanii* (Barb.rodr.) Garay
- Stenorrhynchos latipetalum* Cogn. = *Skeptrostachys latipetala* (Cogn.) Garay
- Stenorrhynchos laxum* Poepp. & Endl. = *Pelexia laxa* (Poepp. & Endl.) Lindl.
- Stenorrhynchos lindmanianum* Kraenzl. 1911 #4 II 64 ORCHIDACEAE
- Stenorrhynchos loefgrenii* Porsch = *Pelexia loefgrenii* (Porsch) Schltr.
- Stenorrhynchos longifolium* Cogn. = *Pelexia longifolia* (Cogn.) Hoehne
- Stenorrhynchos lupulinum* Lindl. = *Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas
- Stenorrhynchos macranthum* #4 II 64 ORCHIDACEAE
- Stenorrhynchos macranthum* (Rchb.f.) Cogn. = *Pteroglossa macrantha* (Rchb.f.) Schltr.
- Stenorrhynchos macropodium* (Barb.Rodr.) Barb.Rodr. = *Pelexia macropoda* (Barb.Rodr.) Schltr.
- Stenorrhynchos madrense* Rchb.f. = *Dichromanthus michuacanus* (La Llave & Lex.) Salazar & Soto Arenas
- Stenorrhynchos michuacanum* (Lex.) Lindl. = *Dichromanthus michuacanus* (La Llave & Lex.) Salazar & Soto Arenas
- Stenorrhynchos michuacanum vexillaris* Szlach. = *Dichromanthus michuacanus* (La Llave & Lex.) Salazar & Soto Arenas
- Stenorrhynchos millei* Schltr. 1917 = *Stenorrhynchos speciosum* (Jacq.) L.C.Rich. ex Spreng.
- Stenorrhynchos minarum* Kraenzl. = *Pelexia minarum* (Kraenzl.) Schltr.
- Stenorrhynchos montanum* Lindl. = *Dichromanthus cinnabarinus* (Lex.) Garay
- Stenorrhynchos montevidense* Barb.Rodr. = *Skeptrostachys montevidensis* (Barb.Rodr.) Garay
- Stenorrhynchos navarrense* = *Coccineorchis navarrensis* (Ames) Garay
- Stenorrhynchos novofriburgense* Rchb.f. = *Pelexia novofriburgensis* (Rchb.f.) Garay
- Stenorrhynchos nutans* Kunth & Bouché = *Stenorrhynchos speciosum* (Jacq.) L.C.Rich. ex Spreng.
- Stenorrhynchos oestrifer* (Rchb.f. & Warm.) Cogn. = *Pelexia oestrifera* (Rchb.f. & Warm.) Schltr.
- Stenorrhynchos orchidioides* (Sw.) Rich. = *Sacoila lanceolata* (Aubl.) Garay
- Stenorrhynchos orobanchoides* Kraenzl. = *Pelexia orobanchoides* (Kraenzl.) Schltr.
- Stenorrhynchos pachystachyum* Kraenzl. = *Stenorrhynchos discoides*
- Stenorrhynchos papulosum* (Lex.) Lindl. = *Neottia papulosa*

- Stenorhynchos paraguayense* (Rchb.f.) Cogn. = & Soto Arenas  
*Skeptrostachys paraguayensis* (Rchb.f.) Garay  
*Stenorhynchos paranahybae* (Kraenzl.) Pabst. =  
*Skeptrostachys paranahybae* (Kraenzl.) Garay  
*Stenorhynchos parvulum* Kraenzl. = *Lankestrella parvula*  
*Stenorhynchos parvum* Cogn. = *Pelexia parva* (Cogn.) Schltr.  
*Stenorhynchos pauciflorum* Rchb.f. = *Funkiella hyemalis* (A.Rich & Galeotti) Schltr.  
*Stenorhynchos pedicellatum* Cogn. = *Sacoila lanceolata* (Aubl.) Garay  
*Stenorhynchos petense* (L.O.Williams) Burns-Bal. & Greenw. = *Mesadenella petenensis* (L.O. Williams) Garay  
*Stenorhynchos pilosum* Cogn. = *Lankestrella pilosa*  
*Stenorhynchos polyanthum* Kraenzl. = *Skeptrostachys montevidensis* (Barb.Rodr.) Garay  
*Stenorhynchos polystachyon* (Sw.) Spreng. = *Tropidia polystachya* (Sw.) Ames  
*Stenorhynchos pteryganthum* (Rchb.f. & Warm.) Cogn. = *Pelexia pterygantha* (Rchb.f. & Warm.) Schltr.  
*Stenorhynchos pubens* (A.Rich. & Galeotti) Schltr. = *Dichromanthus aurantiacus* (Lex.) Salazar & Soto Arenas  
*Stenorhynchos regium* Kraenzl. = *Pteroglossa regia* (Kraenzl.) Schltr.  
*Stenorhynchos riograndense* Kraenzl. = *Sacoila lanceolata* (Aubl.) Garay  
*Stenorhynchos robustum* Kraenzl. = *Pelexia robusta* (Kraenzl.) Schltr.  
*Stenorhynchos rupestre* (Lindl.) Cogn. = *Skeptrostachys rupestris* (Lindl.) Garay  
*Stenorhynchos saltense* (Griseb.) Cogn. = *Pelexia bonariensis* (Lindl.) Schltr.  
*Stenorhynchos sancti-antonii* Kraenzl. = *Sacoila lanceolata* (Aubl.) Garay  
*Stenorhynchos sancti-jacobi* Kraenzl. = *Sacoila lanceolata* (Aubl.) Garay  
*Stenorhynchos secundiflorum* Lillo & Hauman = *Sacoila lanceolata* (Aubl.) Garay  
*Stenorhynchos seminudum* (Schltr.) Burns-Balogh & Greenw = *Kionophyton seminuda* (Schltr.) Garay  
*Stenorhynchos sodiroi* Schltr. = *Pelexia hirta* (Lindl.) Schltr.  
*Stenorhynchos speciosum* (Jacq.) Rich. #4 II 64 ORCHIDACEAE  
*Stenorhynchos speciosum* (Jacq.) L.C.Rich. ex Spreng. #4 II 64 ORCHIDACEAE  
*Stenorhynchos squamulosum* (Kunth) Spreng. = *Sacoila squamulosa* (Kunth) Garay  
*Stenorhynchos squamulosum* (Kunth) Spreng. = *Sacoila lanceolata* (Aubl.) Garay  
*Stenorhynchos standleyi* (Ames) L.O. Williams = *Coccineorchis standleyi* (Ames) Garay  
*Stenorhynchos stenanthum* Cogn. = *Pelexia stenantha* (Cogn.) Schltr.  
*Stenorhynchos stenophyllum* Cogn. = *Skeptrostachys balanophorostachya* (Rchb.f. & Warm.) Garay  
*Stenorhynchos sulphureum* (Lex.) Lindl. = *Dichromanthus michuacanus* (La Llave & Lex.) Salazar & Soto Arenas  
*Stenorhynchos tamanduense* Kraenzl. = *Pelexia tamanduensis* (Kraenzl.) Schltr.  
*Stenorhynchos tonduzii* (Schltr.) Schltr. = *Mesadenella petenensis* (L.O. Williams) Garay  
*Stenorhynchos umbrosum* Barb.Rodr. = *Sarcoglottis umbrosa* (Barb.Rodr.) Schltr.  
*Stenorhynchos vaginatum* (Humb., Bonpl. & Kunth) Spreng. #4 II 64 ORCHIDACEAE  
*Stenorhynchos ventricosum* Cogn. = *Pelexia ventricosa* (Cogn.) Schltr.  
*Stenorhynchos venustum* Barb.Rodr. = *Cyclopogon venustus* (Barb.Rodr.) Schltr.  
*Stenorhynchos viride* Cogn. = *Pelexia viridis* (Cogn.) Schltr.  
*Stenorhynchos weiri* (Rchb.f.) Cogn. = *Pelexia laxa* (Poep. & Endl.) Lindl.  
**Stephanocereus** spp. A. Berger #4 II 49 CACTACEAE  
**Stephanocereus leucostele** (Guerke) Berger #4 II 49 CACTACEAE  
**Stephanocereus luetzelburgii** (Vaupel) Taylor & Eggli #4 II 49 CACTACEAE  
**Stephanothelys** spp. Garay #4 II 64 ORCHIDACEAE  
**Stereochilus** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Stereochilus erinaceus* (Rchb.f.) Garay #4 II 64 ORCHIDACEAE  
*Stereochilus pachyphyllus* (Cavestro) Cavestro #4 II 64 ORCHIDACEAE  
**Stereosandra** spp. Blume #4 II 64 ORCHIDACEAE  
**Sternbergia** spp. Waldst. & Kit. #4 II AMARYLLIDACEAE  
*Sternbergia aetnensis* (Raf.) Guss. = *Sternbergia colchiciflora* Waldst. & Kit.  
*Sternbergia alexandrae* Sosn. = *Sternbergia colchiciflora* Waldst. & Kit.  
*Sternbergia aurantiaca* Dinsm. = *Sternbergia lutea* (L.) Ker Gawl. ex Spreng.  
**Sternbergia candida** B.Mathew & T.Baytop #4 II AMARYLLIDACEAE  
*Sternbergia citrina* (Sibth. & Sm.) Schult. & Schult.f. = *Sternbergia colchiciflora* Waldst. & Kit.  
**Sternbergia clusiana** (Ker Gawl.) Ker Gawl. ex Spreng #4 II AMARYLLIDACEAE  
**Sternbergia colchiciflora** Waldst. & Kit. #4 II AMARYLLIDACEAE (E) Slender Sternbergia (F) Sternbergie à fleurs de colchique  
*Sternbergia*, Common (E): *Sternbergia lutea*  
*Sternbergia dalmatica* (Herb.) Herb. = *Sternbergia colchiciflora* Waldst. & Kit.  
*Sternbergia exscapa* Tineo ex Guss. = *Sternbergia colchiciflora* Waldst. & Kit.  
**Sternbergia fischeriana** (Herb.) M.Roem. #4 II AMARYLLIDACEAE  
*Sternbergia fischeriana* (Herb.) Rupr. = *Sternbergia fischeriana* (Herb.) M.Roem.  
*Sternbergia fischeriana hissarica* (Kapinos) Artjush. = *Sternbergia fischeriana* (Herb.) M.Roem.  
*Sternbergia grandiflora* Boiss. ex Baker = *Sternbergia clusiana* (Ker Gawl.) Ker Gawl. ex Spreng  
**Sternbergia greuteriana** Kamari & R.Arteleri #4 II AMARYLLIDACEAE

- Sternbergia latifolia* Boiss. & Hausskn. ex Baker =  
*Sternbergia clusiana* (Ker Gawl.) Ker Gawl. ex Spreng  
***Sternbergia lutea*** (L.) Ker Gawl. ex Spreng. #4 II  
 AMARYLLIDACEAE (E) Common Sternbergia  
*Sternbergia lutea* Ker Gawl. ex Shult. & Shult. f. =  
*Sternbergia lutea* (L.) Ker Gawl. ex Spreng.  
*Sternbergia lutea* Ker Gawl. ex Shult. & Shult. f. =  
*Sternbergia clusiana* (Ker Gawl.) Ker Gawl. ex Spreng  
*Sternbergia lutea* Orph. = *Sternbergia colchiciflora*  
 Waldst. & Kit.  
*Sternbergia lutea sicula* (Tineo ex Guss.) D.A. Webb =  
*Sternbergia sicula* Tineo ex Guss.  
*Sternbergia macrantha* J.Gay ex Baker = *Sternbergia clusiana*  
 (Ker Gawl.) Ker Gawl. ex Spreng  
***Sternbergia pulchella*** Boiss. & Blanche #4 II  
 AMARYLLIDACEAE  
***Sternbergia schubertii*** Schenk #4 II AMARYLLIDACEAE  
***Sternbergia sicula*** Tineo ex Guss. #4 II  
 AMARYLLIDACEAE  
*Sternbergia*, Slender (E): *Sternbergia colchiciflora*  
*Sternbergia spaffordiana* Dinsm. = *Sternbergia clusiana*  
 (Ker Gawl.) Ker Gawl. ex Spreng  
*Sternbergia stipitata* Boiss. & Hausskn. ex Boiss. =  
*Sternbergia clusiana* (Ker Gawl.) Ker Gawl. ex Spreng  
*Sternbergia vernalis* (Mill.) R.Gorer & J.H.Harvey, nom.  
 rej. prop. = *Sternbergia fischeriana* (Herb.) M.Roem.  
*Sternbergie à fleurs de colchique* (F): *Sternbergia colchiciflora*  
***Stetsonia* spp.** Britton & Rose #4 II 49 CACTACEAE  
***Stetsonia coryne*** (Foerster) Britton & Rose #4 II 49  
 CACTACEAE  
***Steveniella* spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Steveniella satyrioides* (Steven) Schltr. #4 II 64  
 ORCHIDACEAE  
 Stick, Kanda (E): *Prunus africana*  
***Stictophyllochis* spp.** Carneval & Dodson #4 II 64  
 ORCHIDACEAE  
***Stigmatosema* spp.** Garay #4 II 64 ORCHIDACEAE  
*Stilifolium* spp. Koniger #4 II 64 ORCHIDACEAE  
*Stilifolium aguirrei* Koniger (1999) #4 II 64  
 ORCHIDACEAE  
*Stilifolium aguirrei* Koniger 1999 = *Trichocentrum aguirrei*  
 (Koniger) M.W.Chase & N.H.Williams 2001  
*Stilifolium ascendens* (Lindl.) Koniger & D.Pongratz =  
*Trichocentrum ascendens* (Lindl.) M.W.Chase &  
 N.H.Williams  
*Stilifolium marvraganii* Lükel 1998 = *Trichocentrum marvraganii* (Lükel) M.W.Chase & N.H.Williams 2001  
*Stilifolium ostenianum* (Schltr.) Koniger & D.Pongratz =  
*Trichocentrum ostenianum* (Schltr.) M.W.Chase &  
 N.H.Williams  
*Stilifolium pongratzianum* Koniger 1999 = *Trichocentrum pongratzianum* (Koniger) M.W.Chase & N.H.Williams  
*Stilifolium stacyi* (Garay) Lückel 1998 = *Trichocentrum stacyi* (Garay) M.W.Chase & N.H.Williams  
*Stilifolium stipitatum* (Lindl.) Koniger & D.Pongratz =  
*Trichocentrum stipitatum* (Lindl.) M.W.Chase &  
 N.H.Williams 2001  
*Stilifolium teres* (Ames & C.Schweinf.) Königer & Pongratz  
 1997 = *Trichocentrum teres* (Ames & C. Schweinf.)  
 M.W. Chase & N.H. Williams  
*Stilifolium wittii* (Oppenheim) Königer & Pongratz 1997 #4  
 II 64 ORCHIDACEAE  
*Stimegas venustum* (Wall. ex Sims) Raf. = *Paphiopedilum venustum* (Wall. ex Sims) Pfitzer ex Stein  
 Stinkwood, Red (E): *Prunus africana*  
***Stolzia* spp.** Schlechter #4 II 64 ORCHIDACEAE  
*Stolzia cupuligera* (Kraenzl.) Summerh. #4 II 64  
 ORCHIDACEAE  
*Stolzia diffusa* Summerh. = *Stolzia peperomoides*  
 (Kraenzl.) Summerh.  
*Stolzia elaidum* (Lindl.) Summerh. #4 II 64  
 ORCHIDACEAE  
*Stolzia peperomoides* (Kraenzl.) Summerh. #4 II 64  
 ORCHIDACEAE  
 Strawberry, Wild (E): *Hylocereus trigonus*  
***Strombocactus* spp.** Britton & Rose I CACTACEAE  
*Strombocactus denegrii* (Fric) Rowley = *Obregonia denegrii* Fric  
***Strombocactus disciformis*** (De Candolle) Britton &  
 Rose I CACTACEAE (E) Disc Cactus  
*Strombocactus jarmilae* Halda = *Strombocactus disciformis* (De Candolle) Britton & Rose  
*Strombocactus laui* (Glass & Foster) Mays = *Turbinicarpus laui* Glass & Foster  
*Strombocactus roseiflorus* = *Turbinicarpus roseiflorus*  
 Backeberg  
*Strophocactus wittii* (Schumann) Britton & Rose =  
*Selenicereus wittii* (Schumann) Rowley  
*Styloglossum nervosum* Breda = *Calanthe pulchra*  
 (Blume) Lindley  
***Suarezia* spp.** Dodson #4 II 64 ORCHIDACEAE  
*Suarezia ecuadorana* Dodson #4 II 64 ORCHIDACEAE  
*Submatucana aureiflora* (Ritter) Backeberg = *Matucana aureiflora* Ritter  
*Submatucana formosa* (Ritter) Backeberg = *Matucana formosa* Ritter  
*Submatucana intertexta* (Ritter) Backeberg = *Matucana intertexta* Ritter  
*Submatucana madisoniorum* (Hutchison) Backeberg =  
*Matucana madisoniorum* (Hutchinson) Rowley  
*Submatucana paucicostata* (Ritter) Backeberg =  
*Matucana paucicostata* Ritter  
*Submatucana ritteri* (Buining) Backeberg = *Matucana ritteri* Buining  
*Subpilocereus atroviridis* (Backeberg) Backeberg =  
*Cereus repandus* (Linnaeus) Miller  
*Subpilocereus grenadensis* (Britton & Rose) Backeberg =  
*Cereus repandus* (Linnaeus) Miller  
*Subpilocereus horrispinus* (Backeberg) Backeberg =  
*Cereus horrispinus* Backeberg  
*Subpilocereus mortensenii* (Croizat) Trujillo = *Cereus mortensenii* (Croizat) Hunt & Taylor  
*Subpilocereus ottonis* Backeberg = *Cereus horrispinus*  
 Backeberg  
*Subpilocereus remolinensis* (Backeberg) Backeberg =  
*Cereus repandus* (Linnaeus) Miller

- Subpilocereus repandus* (Linnaeus) Backeberg = *Cereus repandus* (Linnaeus) Miller  
*Subpilocereus repandus micracanthus* (Hummelinck Trujillo & Ponce = *Cereus repandus* (Linnaeus) Miller  
*Subpilocereus russelianus* (Salm-Dyck) Backeberg = *Cereus fricci* Backeberg  
*Sulcorebutia albaoides* (Brandt) Pilbeam = *Rebutia canigueralii* Cardenas  
*Sulcorebutia alba* Rausch = *Rebutia canigueralii* Cardenas  
*Sulcorebutia albissima* (Brandt) Pilbeam = *Rebutia mentosa* (Ritter) Donald  
*Sulcorebutia arenacea* (Cardenas) Ritter = *Rebutia arenacea* Cardenas  
*Sulcorebutia augustinii* Hentzschel = *Rebutia mentosa* (Ritter) Donald  
*Sulcorebutia breviflora* Backeberg = *Rebutia caineana* Cardenas  
*Sulcorebutia brevispina* (Brandt) Pilbeam = *Rebutia canigueralii* Cardenas  
*Sulcorebutia caineana* (Cardenas) Donald = *Rebutia caineana* Cardenas  
*Sulcorebutia callecallensis* (Brandt) Pilbeam = *Rebutia canigueralii* Cardenas  
*Sulcorebutia candiae* (Cardenas) Buining & Donald = *Rebutia arenacea* Cardenas  
*Sulcorebutia canigueralii* (Cardenas) Buining & Donald = *Rebutia canigueralii* Cardenas  
*Sulcorebutia caracarensis* (Cardenas) Donald = *Rebutia canigueralii* Cardenas  
*Sulcorebutia cardenasiana* Vasquez = *Rebutia cardenasiana* (R. Vasquez) G. Navarro  
*Sulcorebutia clavata* (Brandt) Pilbeam = *Rebutia steinbachii* Werdermann  
*Sulcorebutia cochabambina* Rausch = *Rebutia steinbachii* Werdermann  
*Sulcorebutia corroana* (Cardenas) Brederoo & Donald = *Rebutia neocumingii* (Backeberg) Hunt  
*Sulcorebutia croceareolata* (Brandt) Pilbeam = *Rebutia steinbachii* Werdermann  
*Sulcorebutia cylindrica* Donald & Lau = *Rebutia cylindrica* (Donald & Lau) Hunt  
*Sulcorebutia erinacea* (Ritter) Brandt = *Rebutia neocumingii* (Backeberg) Hunt  
*Sulcorebutia fischeriana* Augustin = *Rebutia canigueralii* Cardenas  
*Sulcorebutia flavidula* (Brandt) Pilbeam = *Rebutia mentosa* (Ritter) Donald  
*Sulcorebutia flavissima* Rausch = *Rebutia mentosa* (Ritter) Donald  
*Sulcorebutia formosa* (Brandt) Pilbeam = *Rebutia mentosa* (Ritter) Donald  
*Sulcorebutia frankiana* Rausch = *Rebutia canigueralii* Cardenas  
*Sulcorebutia glomeriseta* (Cardenas) Ritter = *Rebutia arenacea* Cardenas  
*Sulcorebutia glomerispina* (Cardenas) Buining & Donald = *Rebutia steinbachii* Werdermann  
*Sulcorebutia haseltonii* (Cardenas) Donald = *Rebutia caineana* Cardenas  
*Sulcorebutia hediniana* (Backeberg) Brandt = *Rebutia neocumingii* (Backeberg) Hunt  
*Sulcorebutia hoffmanniana* (Backeberg) Backeberg = *Rebutia steinbachii* Werdermann  
*Sulcorebutia inflexiseta* (Cardenas) Donald = *Rebutia canigueralii* Cardenas  
*Sulcorebutia krahni* Rausch = *Rebutia steinbachii* Werdermann  
*Sulcorebutia lecoriensis* (Cardenas) Brandt = *Rebutia fidaiana* (Backeberg) Hunt  
*Sulcorebutia lepida* Ritter = *Rebutia steinbachii* Werdermann  
*Sulcorebutia losenickyana* Rausch = *Rebutia canigueralii* Cardenas  
*Sulcorebutia mariana* Swoboda = *Rebutia steinbachii* Werdermann  
*Sulcorebutia markusii* Rausch = *Rebutia mentosa* (Ritter) Donald  
*Sulcorebutia menesesii* (Cardenas) Buining & Donald = *Rebutia arenacea* Cardenas  
*Sulcorebutia mizquensis* Rausch = *Rebutia steinbachii* Werdermann  
*Sulcorebutia multispina* (Ritter) Brandt = *Rebutia neocumingii* (Backeberg) Hunt  
*Sulcorebutia muschii* Vasquez = *Rebutia arenacea* Cardenas  
*Sulcorebutia neocorroana* Brandt = *Rebutia neocumingii* (Backeberg) Hunt  
*Sulcorebutia neumanniana* (Backeberg) Brandt = *Rebutia neumanniana* (Werdermann) Hunt  
*Sulcorebutia nigrofuscata* (Brandt) Pilbeam = *Rebutia steinbachii* Werdermann  
*Sulcorebutia oenantha* Rausch = *Rebutia steinbachii* Werdermann  
*Sulcorebutia oligacantha* (Brandt) Pilbeam = *Rebutia oligacantha* (Brandt) Donald ex Hunt  
*Sulcorebutia pampagrandensis* Rausch = *Rebutia steinbachii* Werdermann  
*Sulcorebutia pasopayana* (Brandt) W. Gertel = *Rebutia canigueralii* Cardenas  
*Sulcorebutia perplexiflora* (Brandt) Pilbeam = *Rebutia canigueralii* Cardenas  
*Sulcorebutia platygona* (Cardenas) Brandt = *Rebutia neocumingii* (Backeberg) Hunt  
*Sulcorebutia polymorpha* (Cardenas) Backeberg = *Rebutia steinbachii* Werdermann  
*Sulcorebutia rauschii* Frank = *Rebutia canigueralii* Cardenas  
*Sulcorebutia ritteri* (Brandt) Ritter = *Rebutia canigueralii* Cardenas  
*Sulcorebutia rubroaurea* (Brandt) Pilbeam = *Rebutia canigueralii* Cardenas  
*Sulcorebutia sanguineotarijensis* (Brandt) Pilbeam = *Rebutia oligacantha* (Brandt) Donald ex Hunt  
*Sulcorebutia santiaginensis* Rausch = *Rebutia mentosa* (Ritter) Donald  
*Sulcorebutia steinbachii australis* (Rausch) W. Gertel = *Rebutia steinbachii* Werdermann  
*Sulcorebutia swobodae* Augustin = *Rebutia mentosa* (Ritter) Donald

- Sulcorebutia tarabucoensis* Rausch = *Rebutia canigueralii* Cardenas  
*Sulcorebutia taratensis* (Cardenas) Buining & Donald = *Rebutia steinbachii* Werdermann  
*Sulcorebutia tarijensis* Ritter = *Rebutia oligacantha* (Brandt) Donald ex Hunt  
*Sulcorebutia torotorensis* (Cardenas) Brandt = *Rebutia mentosa* (Ritter) Donald  
*Sulcorebutia torotorensis* (Cardenas) Bredroo & Donald = *Rebutia mentosa* (Ritter) Donald  
*Sulcorebutia totoralensis* (Brandt) Pilbeam = *Rebutia steinbachii* Werdermann  
*Sulcorebutia totorensis* (Cardenas) Ritter = *Rebutia steinbachii* Werdermann  
*Sulcorebutia tuberculato-crysantha* (Cardenas) Brederoo & Donald = *Rebutia steinbachii* Werdermann  
*Sulcorebutia tunariensis* (Cardenas) Buining & Donald = *Rebutia steinbachii* Werdermann  
*Sulcorebutia unguispina* Rausch = *Rebutia mentosa* (Ritter) Donald  
*Sulcorebutia valcayensis* (Cardenas) Brandt = *Rebutia fidaiana* (Backeberg) Hunt  
*Sulcorebutia vasqueziana* Rausch = *Rebutia canigueralii* Cardenas  
*Sulcorebutia vizcarrae* (Cardenas) Donald = *Rebutia steinbachii* Werdermann  
*Sulcorebutia vorwerkii* (Fric) Brandt = *Neowerdermannia vorwerkii* (Fric) Backeberg  
*Sulcorebutia westii* (Hutchison) Brandt = *Rebutia fidaiana* (Backeberg) Hunt  
*Sulcorebutia xanthoantha* Backeberg = *Rebutia arenacea* Cardenas  
*Sulcorebutia zavaletae* (Cadenas) Backeberg = *Rebutia canigueralii* Cardenas  
**Summerhayesia spp.** Cribb #4 II 64 ORCHIDACEAE  
*Summerhayesia laurentii* #4 II 64 ORCHIDACEAE  
**Sunipia spp.** Buch.-Ham. ex Lindl. #4 II 64 ORCHIDACEAE  
*Sunipia andersonii* (King & Pantl.) P.E.Hunt #4 II 64 ORCHIDACEAE  
*Sunipia angustipetala* Seidenf. #4 II 64 ORCHIDACEAE  
*Sunipia annamensis* (Ridl.) P.F.Hunt #4 II 64 ORCHIDACEAE  
*Sunipia australis* (Seidenf.) Hunt #4 II 64 ORCHIDACEAE  
*Sunipia bicolor* Lindl. #4 II 64 ORCHIDACEAE  
*Sunipia bifurcatoflorens* (Fukuy) P.F.Hunt = *Sunipia andersonii* (King & Pantl.) P.E.Hunt  
*Sunipia candida* (Lindl.) P.F.Hunt #4 II 64 ORCHIDACEAE  
*Sunipia cirrhata* (Lindl.) P.F.Hunt #4 II 64 ORCHIDACEAE  
*Sunipia cumberlegei* (Seidenf.) P.F.Hunt #4 II 64 ORCHIDACEAE  
*Sunipia dichroma* (Rolfe) Bân & .H.Duong #4 II 64 ORCHIDACEAE  
*Sunipia flavescens* (Rolfe) P.F.Hunt = *Sunipia andersonii* (King & Pantl.) P.E.Hunt  
*Sunipia fuscopurpurea* (Lindl.) P.F.Hunt = *Sunipia cirrhata* (Lindl.) P.F.Hunt  
*Sunipia grandiflora* (Rolfe) P.F.Hunt #4 II 64 ORCHIDACEAE  
*Sunipia hainanensis* Z.H.Tsi #4 II 64 ORCHIDACEAE  
*Sunipia intermedia* (King & Pantl.) P.F.Hunt #4 II 64 ORCHIDACEAE  
*Sunipia jainii* T.M.Hynniewta & C.L.Malhotra #4 II 64 ORCHIDACEAE  
*Sunipia kachinensis* Seidenf. #4 II 64 ORCHIDACEAE  
*Sunipia minor* (Seidenf.) P. Hunt #4 II 64 ORCHIDACEAE  
*Sunipia paleacea* (Lindl.) P.F.Hunt = *Sunipia cirrhata* (Lindl.) P.F.Hunt  
*Sunipia pallida* (Aver.) Aver. #4 II 64 ORCHIDACEAE  
*Sunipia purpurata* (Braid) P.E.Hunt = *Sunipia andersonii* (King & Pantl.) P.E.Hunt  
*Sunipia racemosa* (Smith) Tang & Wang #4 II 64 ORCHIDACEAE  
*Sunipia rimannii* (Rchb.f.) Seidenf. #4 II 64 ORCHIDACEAE  
*Sunipia salweenensis* (Phil. & W.W.Sm.) P.F.Hunt = *Sunipia rimannii* (Rchb.f.) Seidenf.  
*Sunipia sasakii* (Hayata) P.F.Hunt = *Sunipia andersonii* (King & Pantl.) P.E.Hunt  
*Sunipia scariosa* Lindl. #4 II 64 ORCHIDACEAE  
*Sunipia soidaoensis* (Seidenf.) P. Hunt #4 II 64 ORCHIDACEAE  
*Sunipia thailandica* (Seidenf. & Smitin.) Hunt #4 II 64 ORCHIDACEAE  
*Sunipia virens* (Lindl.) P.F.Hunt #4 II 64 ORCHIDACEAE  
*Sunipia viridis* (Seidenf.) P.F.Hunt #4 II 64 ORCHIDACEAE  
*Surenus glaziovii* (C.DC.) Kuntze = *Cedrela odorata* L.  
*Surenus mexicana* (M. Roem.) Kuntze = *Cedrela odorata* L.  
*Surenus paraguariensis* (Mart.) Kuntze = *Cedrela odorata* L.  
*Surenus velloziana* (M.Roem.) Kuntze = *Cedrela odorata* L.  
**Sutrina spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Swari* (S): *Caryocar costaricense*  
*Swietenia humilis* Zuccarini #4 II MELIACEAE (E)  
 Honduras mahogany, Mahogany, Mexican Mahogany  
 (S) Caoba de Honduras, Caoba de Pacífico, Cobano  
*Swietenia macrophylla* King #6 II/NC 63 MELIACEAE (E)  
 American mahogany, Big-leaf Mahogany, Bigleaf Mahogany, Brazilian mahogany, Honduras mahogany, Mahogany, New World Mahogany (S) Aguano, Ahuano, Caoba, Mara (F) Acajou, Acajou d' Amérique, Acajou des Antilles, Mahogani à grands feuilles, Swiéthénie  
*Swietenia mahagoni* (L.) Jacq. #5 II MELIACEAE (E)  
 American mahogany, Cuban Mahogany, Mahogany, West Indian Mahogany (S) Acajou de Cuba, Acajou de Santo Domingo, Caoba Española (F) Mahogani de Saint-Dominique, Mahogani petites feuilles  
 Swiéthénie (F): *Swietenia macrophylla*  
**Sympyglossum spp.** Schltr. #4 II 64 ORCHIDACEAE  
**Sympyosepalum spp.** Hand.-Mazz. #4 II 64 ORCHIDACEAE  
*Synadena amabilis* (L.) Raf. = *Phalaenopsis amabilis* (L.) Blume  
*Synarmosepalum heldiorum* (J.J.Verm.) Garay, Hamer & Siegerist = *Bulbophyllum heldiorum* J.J.Verm.

- Synarmosepalum kittredgei* Garay, Hamer & Siegerist = *Bulbophyllum kettridgei* (Garay, Hamer & Siegerist) J.J. Verm.
- Systeloglossum* spp.** Schlechter #4 II 64  
ORCHIDACEAE
- Systeloglossum acuminatum* Ames & C.Schweinf. 1930 #4 II 64 ORCHIDACEAE
- Systeloglossum bennettii* (Garay) Dressler & N.H.Williams 1970 #4 II 64 ORCHIDACEAE
- Systeloglossum costaricense* Schltr. 1923 #4 II 64  
ORCHIDACEAE
- Systeloglossum ecuadorense* (Garay) Dressler & N.H.Williams #4 II 64 ORCHIDACEAE
- Systeloglossum panamense* Dressler & N.H.Williams #4 II 64 ORCHIDACEAE
- Tacinga* spp.** Britton & Rose #4 II 49 CACTACEAE  
*Tacinga atropurpurea* Werdermann = *Tacinga finalis* Britton & Rose
- Tacinga braunii*** Esteves Pereira #4 II 49 CACTACEAE
- Tacinga finalis*** Britton & Rose #4 II 49 CACTACEAE
- Tacinga finalis atropurpurea* (Werdermann) Braun & Esteves Pereira = *Tacinga finalis* Britton & Rose
- Taeniophyllum* spp.** Blume #4 II 64 ORCHIDACEAE
- Taeniophyllum alwisii* Lindley #4 II 64 ORCHIDACEAE
- Taeniophyllum andamanicum* Balakr. & Bhargava #4 II 64 ORCHIDACEAE
- Taeniophyllum annuliferum* Carr #4 II 64 ORCHIDACEAE
- Taeniophyllum aurantiacum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum bakhuizenii* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum biloculare* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum biocellatum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum calceolus* Carr #4 II 64 ORCHIDACEAE
- Taeniophyllum calyptrochilum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum campanulatum* Carr #4 II 64  
ORCHIDACEAE
- Taeniophyllum confertum* B.Gray & D.L.Jones #4 II 64  
ORCHIDACEAE
- Taeniophyllum coxii* (Summerh.) Summerh. #4 II 64  
ORCHIDACEAE
- Taeniophyllum djampangense* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum doctersii* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum filiforme* J.J.Sm. #4 II 64 ORCHIDACEAE
- Taeniophyllum flavum* Dockr. #4 II 64 ORCHIDACEAE
- Taeniophyllum gilimalense* Jayaw. #4 II 64  
ORCHIDACEAE
- Taeniophyllum graptolitum* Halle #4 II 64 ORCHIDACEAE
- Taeniophyllum hasseltii* Reichb.f. #4 II 64 ORCHIDACEAE
- Taeniophyllum hirtum* Blume #4 II 64 ORCHIDACEAE
- Taeniophyllum intermedium* Carr #4 II 64 ORCHIDACEAE
- Taeniophyllum javanum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum lobatum* Dockr. #4 II 64 ORCHIDACEAE
- Taeniophyllum mamilliferum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum mariannense* Schltr. #4 II 64  
ORCHIDACEAE
- Taeniophyllum micranthum* Carr #4 II 64 ORCHIDACEAE
- Taeniophyllum montanum* Carr #4 II 64 ORCHIDACEAE
- Taeniophyllum pahangense* Carr #4 II 64 ORCHIDACEAE
- Taeniophyllum pallidiflorum* Carr #4 II 64 ORCHIDACEAE
- Taeniophyllum pantjarense* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum petrophilum* Schltr. #4 II 64  
ORCHIDACEAE
- Taeniophyllum proliferum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum radiatum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum reynvaaniae* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum rostellatum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum rostratum* Carr #4 II 64 ORCHIDACEAE
- Taeniophyllum rubrum* Ridley #4 II 64 ORCHIDACEAE
- Taeniophyllum rugulosum* Carr #4 II 64 ORCHIDACEAE
- Taeniophyllum tenerimum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum tjibodasanum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Taeniophyllum trachypus* Schltr. #4 II 64 ORCHIDACEAE
- Taeniophyllum viride* Carr #4 II 64 ORCHIDACEAE
- Taeniophyllum vitiense* L.O. Williams #4 II 64  
ORCHIDACEAE
- Taeniorhiza* spp.** Summerh. #4 II 64 ORCHIDACEAE
- Tainia* spp.** Blume #4 II 64 ORCHIDACEAE
- Tainia elongata* J.J. Smith #4 II 64 ORCHIDACEAE
- Tainia hongkongensis* Rolfe #4 II 64 ORCHIDACEAE (E)  
Hong Kong Ania
- Tainia latilingua* Hook.f. #4 II 64 ORCHIDACEAE
- Tainia maingayi* Hook.f. #4 II 64 ORCHIDACEAE
- Tainia malayana* J.J. Smith #4 II 64 ORCHIDACEAE
- Tainia parviflora* Schltr. #4 II 64 ORCHIDACEAE
- Tainia paucifolia* (Breda) J.J. Smith #4 II 64  
ORCHIDACEAE
- Tainia penangiana* Hook.f. = *Ania penangiana* (Hook. f.) Summerhayes
- Tainia speciosa* Blume #4 II 64 ORCHIDACEAE
- Tainia trinervis* (Blume) Rehb.f. #4 II 64 ORCHIDACEAE
- Tainia trinervus* (Blume) Rchb.f. #4 II 64 ORCHIDACEAE
- Tainia unguiculata* Hayata = *Acanthephippium unguiculatum* (Hayata) Fuk.
- Tainia vegetissima* Ridley #4 II 64 ORCHIDACEAE
- Tainia wrayana* (Hook.f.) J.J. Smith #4 II 64  
ORCHIDACEAE
- Tangtsinia* spp. S.C. Chen #4 II 64 ORCHIDACEAE
- Tangtsinia nanchuanica* S.C. Chen #4 II 64  
ORCHIDACEAE

- Tapeinoglossum centrosemiflorum* (J.J.Sm.) Schltr. =  
*Bulbophyllum centrosemiflorum* J.J.Sm.  
*Tapeinoglossum nannodes* (Schltr.) Schltr. =  
*Bulbophyllum nannodes* Schltr.
- Taprobanea* spp.** Christenson #4 II 64 ORCHIDACEAE  
*Taprobanea spathulata* (L.) Christenson = *Vanda spathulata* (L.) Spreng.  
 Tartary, Lamb of (E): *Cibotium barometz*  
*Taurostalix herminiotachys* Rchb.f. = *Bulbophyllum pumilum* (Sw.) Lindl.  
*Taxus baccata wallichiana* (Zucc.) Pilger = *Taxus wallichiana* Zucc.  
***Taxus chinensis*** (Pilg.) Rehder #2 II TAXACEAE (E)  
 Chinese Yew  
*Taxus contorta* Griff. = *Taxus wallichiana* Zucc.  
***Taxus cuspidata*** Sieb. & Zucc. #2 II TAXACEAE (E)  
 Japanese Yew  
***Taxus fuana*** Nan Li & R.R.Mill 1997 #2 II TAXACEAE  
*Taxus nucifera* Wall. = *Taxus wallichiana* Zucc.  
*Taxus orientalis* Bertol. = *Taxus wallichiana* Zucc.  
***Taxus sumatrana*** (Miq.) de Laub. #2 II TAXACEAE  
***Taxus wallichiana*** Zucc. #2 II TAXACEAE (E) Himalayan  
 yew (S) Tejo del Himalaya (F) If de l'Himalaya
- Teagueia* spp.** Luer #4 II 64 ORCHIDACEAE  
*Teagueia teaguei* Luer #4 II 64 ORCHIDACEAE  
*Teagueia tentaculata* Luer & Hirtz #4 II 64  
 ORCHIDACEAE
- Teak, African (E): *Pericopsis elata*  
 Teca Africana (S): *Pericopsis elata*  
 Teck d'Afrique (F): *Pericopsis elata*  
 Tejo del Himalaya (S): *Taxus wallichiana*
- Telipogon* spp.** Mutis ex Kunth #4 II 64 ORCHIDACEAE  
*Telipogon ampliflorus* C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Telipogon ariasi* Dodson & D.E.Benn. #4 II 64  
 ORCHIDACEAE  
*Telipogon aureus* Lindl. #4 II 64 ORCHIDACEAE  
*Telipogon biolleyi* Schltr. #4 II 64 ORCHIDACEAE  
*Telipogon bruckmuelleri* Reichb.f. #4 II 64  
 ORCHIDACEAE  
*Telipogon buenavistae* Kranzlin #4 II 64 ORCHIDACEAE  
*Telipogon christobalensis* Kranzlin #4 II 64  
 ORCHIDACEAE  
*Telipogon cnyujensis* Dodson & Escobar #4 II 64  
 ORCHIDACEAE  
*Telipogon costaricensis* Schltr. #4 II 64 ORCHIDACEAE  
*Telipogon dendriticus* Reichb.f. #4 II 64 ORCHIDACEAE  
*Telipogon ecuadorensis* Schltr. #4 II 64 ORCHIDACEAE  
*Telipogon endersianum* Kranzlin = *Telipogon biolleyi* Schltr.  
*Telipogon glicensteinii* Dodson & R. Escobar #4 II 64  
 ORCHIDACEAE  
*Telipogon gracilipes* Schltr. #4 II 64 ORCHIDACEAE  
*Telipogon guacamayoensis* Dodson & Escobar #4 II 64  
 ORCHIDACEAE  
*Telipogon guila* Dodson & R. Escobar #4 II 64  
 ORCHIDACEAE  
*Telipogon hirtzii* Dodson & Escobar #4 II 64  
 ORCHIDACEAE
- Telipogon leila-alexandrae* Braas #4 II 64 ORCHIDACEAE  
*Telipogon monticola* L.O. Williams #4 II 64  
 ORCHIDACEAE  
*Telipogon parvulus* C. Schweinf. #4 II 64 ORCHIDACEAE  
*Telipogon penningtonii* Dodson & Escobar #4 II 64  
 ORCHIDACEAE  
*Telipogon pfavii* Schltr. #4 II 64 ORCHIDACEAE  
*Telipogon portilloi* Dodson & R. Escobar #4 II 64  
 ORCHIDACEAE  
*Telipogon retanarum* Dodson & R. Escobar #4 II 64  
 ORCHIDACEAE  
*Telipogon setosus* Ames #4 II 64 ORCHIDACEAE  
*Telipogon storkii* Ames & C. Schweinf. #4 II 64  
 ORCHIDACEAE  
*Telipogon vampirus* Braas & Horich #4 II 64  
 ORCHIDACEAE  
*Tephrocactus albiscoparius* Backeberg = *Opuntia boldinghii* Britton & Rose  
*Tephrocactus alboareolatus* Ritter ex Backeberg = *Opuntia zehnderi* (Rauh & Backeberg) Rowley  
*Tephrocactus alexanderi* (Britton & Rose) Backeberg = *Opuntia alexanderi* Britton & Rose  
*Tephrocactus articulatus* (Pfeiffer) Backeberg = *Opuntia articulata* (Pfeiffer) Hunt  
*Tephrocactus asplundii* Backeberg = *Opuntia boldinghii* Britton & Rose  
*Tephrocactus atacamensis* (Philippi) Backeberg = *Opuntia atacamensis* Philippi  
*Tephrocactus atroglobosus* R.Fries = *Opuntia nigrispina* Schumann  
*Tephrocactus atroviridis* (Werdermann & Backeberg) Backeberg = *Opuntia floccosa* Salm-Dyck ex Winterfield  
*Tephrocactus blancii* Backeberg = *Opuntia blancii* (Backeberg) Rowley  
*Tephrocactus boliviianus* (salm-dyck) Backeberg = *Opuntia boldinghii* Britton & Rose  
*Tephrocactus camachoi* (Espinosa) Backeberg = *Opuntia camachoi* Espinosa  
*Tephrocactus chichensis* Cardenas = *Opuntia chichensis* (Cardenas) Rowley  
*Tephrocactus coloreus* Ritter = *Opuntia colorea* (Ritter) Hunt  
*Tephrocactus conoideus* Backeberg = *Opuntia conoidea* (Backeberg) Rowley  
*Tephrocactus corotilla* (Schumann ex Vaupel) Backeberg = *Opuntia corotilla* Schumann ex Vaupel  
*Tephrocactus crassicylindricus* Rauh & Backeberg = *Opuntia crassicylindrica* (Rauh & Backeberg) Rowley  
*Tephrocactus crispicrinitus* Rauh & Backeberg = *Opuntia floccosa* Salm-Dyck ex Winterfield  
*Tephrocactus cylindarticulatus* Cardenas = *Opuntia dactylifera* Vaupel  
*Tephrocactus cylindrolanatus* Rauh & Backeberg = *Opuntia floccosa* Salm-Dyck ex Winterfield  
*Tephrocactus dactylifer* (Vaupel) Backeberg = *Opuntia dactylifera* Vaupel  
*Tephrocactus darwinii* (Henslow) [Backeberg Ex] Fric = *Opuntia darwinii* Henslow

- Tephrocactus dimorphus* Foerster = *Opuntia sphaerica* Foerster
- Tephrocactus echinaceus* Ritter = *Opuntia boldinghii* Britton & Rose
- Tephrocactus ferocior* Backeberg = *Opuntia chichensis* (Cardenas) Rowley
- Tephrocactus flexosus* Backeberg = *Opuntia flexuosa* (Backeberg) Rowley
- Tephrocactus floccosus* (Salm-Dyck) Backeberg = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Tephrocactus fulvicomus* Rauh & Backeberg = *Opuntia fulvicoma* (Rauh & Backeberg) Rowley
- Tephrocactus geometricus* (Castellanos) Backeberg = *Opuntia alexanderi* Britton & Rose
- Tephrocactus glomeratus* (Haworth) Backeberg = *Opuntia glomerata* Haworth
- Tephrocactus heteromorphus* (Philippi) Backeberg = *Opuntia heteromorpha* Philippi
- Tephrocactus hickenii* (Britton & Rose) Spegazzini = *Opuntia darwinii* Henslow
- Tephrocactus hirschii* Backeberg = *Opuntia hirschii* (Backeberg) Rowley
- Tephrocactus ignescens* (Vaupel) Backeberg = *Opuntia ignescens* Vaupel
- Tephrocactus kuehnrichianus* (Colla) Ritter = *Opuntia sphaerica* Foerster
- Tephrocactus lagopus* (Schumann) Backeberg = *Opuntia lagopus* Schumann
- Tephrocactus malyanus* Rausch = *Opuntia lagopus* Schumann
- Tephrocactus mandragora* Backeberg = *Opuntia minuta* (Backeberg) Castellanos
- Tephrocactus melanacanthus* Backeberg = *Opuntia boldinghii* Britton & Rose
- Tephrocactus microclados* Backeberg = *Opuntia rossiana* (Heinrich & Backeberg) Ritter
- Tephrocactus microsphaericus* Backeberg = *Opuntia alexanderi* Britton & Rose
- Tephrocactus minor* Backeberg = *Opuntia backebergii* Rowley
- Tephrocactus minusculus* Backeberg = *Opuntia minuscula* (Backeberg) Rowley
- Tephrocactus minutus* Backeberg = *Opuntia minuta* (Backeberg) Castellanos
- Tephrocactus mirus* Schumann = *Opuntia sphaerica* Foerster
- Tephrocactus mistiensis* Backeberg = *Opuntia mistiensis* (Backeberg) Rowley
- Tephrocactus molinensis* (Spegazzini) Backeberg = *Opuntia molinensis* Spegazzini
- Tephrocactus muellerianus* (Foerster) Backeberg = *Opuntia sphaerica* Foerster
- Tephrocactus multiareolatus* (Schumann) Ritter = *Opuntia sphaerica* Foerster
- Tephrocactus neuquensis* (Borg) Backeberg = *Opuntia darwinii* Henslow
- Tephrocactus nigrispinus* (Schumann) Ritter = *Opuntia nigrispina* Schumann
- Tephrocactus nootiae* Backeberg & Jacobsen = *Opuntia dactylifera* Vaupel
- Tephrocactus ovallei* (Remy ex Gay) Backeberg = *Opuntia glomerata* Haworth
- Tephrocactus ovatus* (Loudon) Ritter = *Opuntia aoracantha* Lemaire
- Tephrocactus ovatus* (Pfeiffer) Backeberg = *Opuntia ovata* Pfeiffer
- Tephrocactus paediophilus* (Castellanos) Ritter = *Opuntia aoracantha* Lemaire
- Tephrocactus pentlandii* (Salm-Dyck) Backebergkieslingritter = *Opuntia pentlandii* Salm-Dyck
- Tephrocactus pseudo-udonis* Rauh & Backeberg = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Tephrocactus punta-caillan* Rauh & Backeberg = *Opuntia punta-caillan* (Rauh & Backeberg) Rowley
- Tephrocactus pyrrhocanthus* (Schumann) Backeberg = *Opuntia pyrrhocantha* Schumann
- Tephrocactus rarissimus* Backeberg = *Opuntia pentlandii* Salm-Dyck
- Tephrocactus rauhii* Backeberg = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Tephrocactus reicheanus* (Espinosa) Backeberg = *Opuntia glomerata* Haworth
- Tephrocactus russellii* (Britton & Rose) Backeberg = *Opuntia ovata* Pfeiffer
- Tephrocactus silvestris* (Backeberg) Backeberg = *Opuntia silvestris* Backeberg
- Tephrocactus sphaericus* Ritter = *Opuntia sphaerica* Foerster
- Tephrocactus subinermus* (Backeberg) Backeberg = *Opuntia pentlandii* Salm-Dyck
- Tephrocactus subterraneus* (R. Fries) Backeberg = *Opuntia subterranea* R.Fries
- Tephrocactus tarapacanus* (Philippi) Backeberg = *Opuntia tarapacana* Philippi
- Tephrocactus udonis* (Weingart) Backeberg = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Tephrocactus variflorus* Backeberg = *Opuntia subterranea* R.Fries
- Tephrocactus verticosus* (Weingart) Backeberg = *Opuntia floccosa* Salm-Dyck ex Winterfield
- Tephrocactus weberi* = *Opuntia weberi* Spegazzini
- Tephrocactus wilkeanus* Backeberg = *Opuntia pentlandii* Salm-Dyck
- Tephrocactus yanganucensis* Rauh & Backeberg = *Opuntia yanganucensis* (Rauh & Backeberg) Rowley
- Tephrocactus zehnderi* Rauh & Backeberg = *Opuntia zehnderi* (Rauh & Backeberg) Rowley
- Tête à l'anglais (F): *Melocactus intortus*
- Tetracentron sinense* Oliver #1 III  
TROCHODENDRACEAE
- Tetramicra* spp. Lindl. #4 II 64 ORCHIDACEAE
- Tetramicra bicolor* (Lindl.) Benth. 1881 = *Leptotes bicolor* Lindl. 1833
- Tetramicra canaliculata* #4 II 64 ORCHIDACEAE
- Tetramicra minuta* Rolfe 1889 = *Leptotes minuta* (Rolfe) Rolfe 1889
- Tetramicra montana* (Sw.) Griseb. 1864 = *Dilomilis montana* (Sw.) Summerh. 1961
- Tetramicra serrulata* (Lindl.) G.Nicholson 1887 = *Leptotes bicolor* Lindl. 1833

- Tetramicra urbaniana* Cogn. #4 II 64 ORCHIDACEAE
- Teuscheria* spp. Garay #4 II 64 ORCHIDACEAE
- Teuscheria horichiana* Jenny & Braem #4 II 64  
ORCHIDACEAE
- Teuscheria pickiana* (Schltr.) Garay #4 II 64  
ORCHIDACEAE
- Teuscheria wageneri* (Rchb.f.) Garay #4 II 64  
ORCHIDACEAE
- Thaia* spp. Seidenf. #4 II 64 ORCHIDACEAE
- Thecopus* spp. Seidenf. #4 II 64 ORCHIDACEAE
- Thecopus secunda* (Ridl.) Seidenf. #4 II 64  
ORCHIDACEAE
- Thecostele* spp. Reichb.f. #4 II 64 ORCHIDACEAE
- Thecostele alata* (Roxb.) Par. & Reichb.f. #4 II 64  
ORCHIDACEAE
- Thecostele maingayi* Hook.f. #4 II 64 ORCHIDACEAE
- Thelasis* spp. Blume #4 II 64 ORCHIDACEAE
- Thelasis capitata* Blume #4 II 64 ORCHIDACEAE
- Thelasis carinata* Blume #4 II 64 ORCHIDACEAE
- Thelasis javanica* J.J. Smith #4 II 64 ORCHIDACEAE
- Thelasis macrobulbon* Ridley #4 II 64 ORCHIDACEAE
- Thelasis micrantha* (Brongn.) J.J. Smith #4 II 64  
ORCHIDACEAE
- Thelasis obtusa* Blume #4 II 64 ORCHIDACEAE
- Thelasis pygmaea* Lindley #4 II 64 ORCHIDACEAE
- Thelasis succosa* Carr #4 II 64 ORCHIDACEAE
- Thelocactus* spp. (K. Schum.) Britton & Rose #4 II 49  
CACTACEAE
- Thelocactus aguirreanus* (Glass & Foster) Bravo =  
*Escobaria aguirreana* (Glass & Foster) Taylor
- Thelocactus beguinii* Taylor = *Turbinicarpus beguinii*  
(Taylor) Mosco & Zanovello
- Thelocactus bicolor* (Galleotti ex Pfeiffer) Britton & Rose  
#4 II 49 CACTACEAE
- Thelocactus conothelos* (Regel & Klein) F.Knuth #4 II 49  
CACTACEAE
- Thelocactus durangensis* (Runge) Rowley = *Sclerocactus unguispinus* (Engelmann) Taylor
- Thelocactus ehrenbergii* (Pfeiffer) F.Kunth = *Thelocactus leucacanthus* (Pfeiffer) Britton & Rose
- Thelocactus fossulatus* (Scheidweiler) Britton & Rose =  
*Thelocactus hexaedrophorus* (Lemaire) Britton & Rose
- Thelocactus garciae* Glass & M.Mendoza #4 II 49  
CACTACEAE
- Thelocactus gielsdorffianus* (Werdermann) Borg =  
*Turbinicarpus gielsdorffianus* (Werdermann) John &  
Rhia
- Thelocactus hastifer* (Werdermann & Boedeker) F.Knuth  
#4 II 49 CACTACEAE
- Thelocactus heterochromus* (Weber) Oosten #4 II 49  
CACTACEAE
- Thelocactus hexaedrophorus* (Lemaire) Britton & Rose  
#4 II 49 CACTACEAE
- Thelocactus horripilus* (Lemaire) Kladiwa = *Turbinicarpus horripilus* (Lemaire) John & Rhia
- Thelocactus knuthianus* (Boedeker) Borg = *Turbinicarpus knuthianus* (Boedeker) John & Rhia
- Thelocactus krainzianus* Oehme = *Thelocactus tulensis*  
(Poselger) Britton & Rose
- Thelocactus lausseri* Riha & Busek #4 II 49  
CACTACEAE
- Thelocactus leucacanthus* (Pfeiffer) Britton & Rose #4 II  
49 CACTACEAE
- Thelocactus lophothele* (Salm-Dyck) Britton & Rose =  
*Thelocactus rinconensis* (Poselger) Britton & Rose
- Thelocactus macdowellii* (Rebut ex Quehl) W.Marshall  
#4 II 49 CACTACEAE
- Thelocactus mandragora* (Fric ex Berger) Berger =  
*Turbinicarpus mandragora* (Fric ex Berger)  
A.Zimmerman
- Thelocactus multicephalus* Halda & Panarotto =  
*Thelocactus rinconensis* (Poselger) Britton & Rose
- Thelocactus nidulans* (Quehl) Britton & Rose =  
*Thelocactus rinconensis* (Poselger) Britton & Rose
- Thelocactus phymatothelos* (Ruempfer) Britton & Rose =  
*Thelocactus rinconensis* (Poselger) Britton & Rose
- Thelocactus pottsii* (Salm-Dyck) Britton & Rose =  
*Thelocactus heterochromus* (Weber) Oosten
- Thelocactus pseudopectinatus* (Backeberg) Anderson &  
Boke = *Turbinicarpus pseudopectinatus* (Backeberg)  
Glass & Foster
- Thelocactus rinconensis* (Poselger) Britton & Rose #4 II  
49 CACTACEAE
- Thelocactus rinconensis* nidulans (Quehl) Glass & R.  
Foster = *Thelocactus rinconensis* (Poselger) Britton &  
Rose
- Thelocactus rinconensis* phymatothelos (Poselger) Glass  
& R. Foster = *Thelocactus rinconensis* (Poselger)  
Britton & Rose
- Thelocactus roseanus* (Boedeker) Borg = *Escobaria*  
*roseana* (Boedeker) Buxbaum
- Thelocactus saueri* (Boedeker) Borg = *Turbinicarpus*  
*saueri* (Boedeker) John & Riha
- Thelocactus saussieri* (Weber) Berger = *Thelocactus*  
*conothelos* (Regel & Klein) F.Knuth
- Thelocactus schottii* (Engelmann) Kladiwa & Fittkau =  
*Thelocactus bicolor* (Galleotti ex Pfeiffer) Britton &  
Rose
- Thelocactus setispinus* (Engelmann) Anderson #4 II 49  
CACTACEAE (E) Miniature Barrel Cactus
- Thelocactus subterraneus* (Backeberg) Backeberg =  
*Turbinicarpus subterraneus* (Backeberg) A.Zimmerman
- Thelocactus tulensis* (Poselger) Britton & Rose #4 II 49  
CACTACEAE
- Thelocactus unguispinus* (Engelmann) Rowley =  
*Sclerocactus unguispinus* (Engelmann) Taylor
- Thelocactus wagnerianus* Berger = *Thelocactus bicolor*  
(Galleotti ex Pfeiffer) Britton & Rose
- Thelocactus ysabelae* Schlange ex Croizat =  
*Turbinicarpus ysabelae* (Schlange) John & Rhia
- Theloccephala aerocarpa* (Ritter) Ritter = *Eriosyce*  
*aerocarpa* (Ritter) Kattermann
- Theloccephala esmeraldana* (Ritter) Ritter = *Eriosyce*  
*esmeraldana* (Ritter) Kattermann
- Theloccephala fankhauseri* Ritter = *Eriosyce tenebrica*  
(Ritter) Kattermann

<i>Theleocephala krausii</i> (Ritter) Ritter = <i>Eriosyce krausii</i> (Ritter) Kattermann	<i>Thrixspermum acutilobum</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Theleocephala longirapa</i> Ritter = <i>Eriosyce krausii</i> (Ritter) Kattermann	<i>Thrixspermum amplexicaule</i> (Blume) Rchb.f. #4 II 64 ORCHIDACEAE
<i>Theleocephala malleolata</i> (Ritter) Ritter = <i>Eriosyce krausii</i> (Ritter) Kattermann	<i>Thrixspermum anceps</i> Rchb.f. #4 II 64 ORCHIDACEAE
<i>Theleocephala napina</i> (Philippi) Ito = <i>Eriosyce napina</i> (Philippi) Kattermann	<i>Thrixspermum angustifolium</i> Rchb.f. #4 II 64 ORCHIDACEAE
<i>Theleocephala nuda</i> Ritter = <i>Eriosyce aerocarpa</i> (Ritter) Kattermann	<i>Thrixspermum arachnites</i> (Blume) Reichb.f. #4 II 64 ORCHIDACEAE
<i>Theleocephala reichei</i> (Schumann) Ritter = <i>Eriosyce odieri</i> (Lemaire ex Salm-Dyck) Kattermann	<i>Thrixspermum arachnitiforme</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Theleocephala tenebrica</i> Ritter = <i>Eriosyce tenebrica</i> (Ritter) Kattermann	<i>Thrixspermum batuense</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Thelychiton argyropus</i> Endl. = <i>Bulbophyllum argyropus</i> (Endl.) H.G.Reichb.	<i>Thrixspermum brevicapsularis</i> Holttum #4 II 64 ORCHIDACEAE
<i>Thelychiton brachypus</i> Endl. = <i>Dendrobium brachypus</i> (Endl.) Rchb.f.	<i>Thrixspermum calceolus</i> Rchb.f. #4 II 64 ORCHIDACEAE
<b><i>Thelymitra</i> spp.</b> J.R. & G. Forst. #4 II 64 ORCHIDACEAE	<i>Thrixspermum carnosum</i> (Ridley) Schltr. #4 II 64 ORCHIDACEAE
<i>Thelymitra apiculata</i> (A.S.George) M.A.Clements & D.L.Jones #4 II 64 ORCHIDACEAE	<i>Thrixspermum centipeda</i> Lour. #4 II 64 ORCHIDACEAE (E) Centipede Orchid, Four-hour Orchid
<i>Thelymitra campanulata</i> Lindley #4 II 64 ORCHIDACEAE	<i>Thrixspermum comans</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Thelymitra cornicina</i> Reichb.f. #4 II 64 ORCHIDACEAE	<i>Thrixspermum conigerum</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Thelymitra cucullata</i> Rupp #4 II 64 ORCHIDACEAE	<i>Thrixspermum corneri</i> Holttum #4 II 64 ORCHIDACEAE
<i>Thelymitra dedmaniae</i> R.Rogers #4 II 64 ORCHIDACEAE	<i>Thrixspermum crassifolium</i> Ridley #4 II 64 ORCHIDACEAE
<i>Thelymitra epipactoides</i> F.Muell. #4 II 64 ORCHIDACEAE (E) Metallic Sun Orchid	<i>Thrixspermum doctersii</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Thelymitra frenchii</i> Jeanes #4 II 64 ORCHIDACEAE	<i>Thrixspermum duplocallosum</i> Holttum #4 II 64 ORCHIDACEAE
<i>Thelymitra jacksonii</i> Hopper & A.P.Brown ms. #4 II 64 ORCHIDACEAE	<i>Thrixspermum graeffei</i> Reichb.f. #4 II 64 ORCHIDACEAE
<i>Thelymitra mackibbinii</i> F.Muell. #4 II 64 ORCHIDACEAE	<i>Thrixspermum hystrix</i> Rchb.f. #4 II 64 ORCHIDACEAE
<i>Thelymitra matthewsii</i> Cheeseman #4 II 64 ORCHIDACEAE	<i>Thrixspermum iodochilus</i> Ridley #4 II 64 ORCHIDACEAE
<i>Thelymitra psammophila</i> C.R.P.Andrews #4 II 64 ORCHIDACEAE	<i>Thrixspermum javanicum</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Thelymitra reecta</i> Rupp #4 II 64 ORCHIDACEAE	<i>Thrixspermum malayanum</i> J.J. Smith #4 II 64 ORCHIDACEAE
<i>Thelymitra spiralis</i> (Lindley) F. Muell. #4 II 64 ORCHIDACEAE	<i>Thrixspermum montanum</i> Ridley #4 II 64 ORCHIDACEAE
<i>Thelymitra stellata</i> Lindley #4 II 64 ORCHIDACEAE	<i>Thrixspermum obtusum</i> Rchb.f. #4 II 64 ORCHIDACEAE
<i>Thelymitra tigrina</i> R. Br. #4 II 64 ORCHIDACEAE	<i>Thrixspermum patens</i> J.J. Smith #4 II 64 ORCHIDACEAE
<b><i>Thelyschista</i> spp.</b> Garay #4 II 64 ORCHIDACEAE	<i>Thrixspermum pauciflorum</i> (Hook.f.) Ridley #4 II 64 ORCHIDACEAE
<i>Theodorea costus</i> (Falc.) Kuntze = <i>Saussurea costus</i> (Falc.) Lipsch.	<i>Thrixspermum pensile</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Thorvaldsenia speciosa</i> Liebm. (1844) = <i>Chysis bractescens</i> Lindl. (1840)	<i>Thrixspermum platycaule</i> Holttum #4 II 64 ORCHIDACEAE
<i>Thrixanthocereus blossfeldiorum</i> (Werdermann) Backeberg = <i>Epostoa blossfeldiorum</i> (Werdermann) Buxbaum	<i>Thrixspermum ponapense</i> Tuy. #4 II 64 ORCHIDACEAE
<i>Thrixanthocereus culmannianus</i> Ritter = <i>Epostoa senilis</i> (Ritter) Taylor	<i>Thrixspermum psiloglottis</i> (Ridley) Schltr. #4 II 64 ORCHIDACEAE
<i>Thrixanthocereus longispinus</i> Ritter = <i>Epostoa senilis</i> (Ritter) Taylor	<i>Thrixspermum pugionifolium</i> (Hook.f.) Schltr. #4 II 64 ORCHIDACEAE
<i>Thrixanthocereus senilis</i> Ritter = <i>Epostoa senilis</i> (Ritter) Taylor	<i>Thrixspermum pulchellum</i> (Thwaites) Schltr. #4 II 64 ORCHIDACEAE
<b><i>Thrixspermum</i> spp.</b> Lour. #4 II 64 ORCHIDACEAE	<i>Thrixspermum pulchrum</i> Carr #4 II 64 ORCHIDACEAE
<i>Thrixspermum acuminatissimum</i> (Blume) Reichb.f. #4 II 64 ORCHIDACEAE	<i>Thrixspermum purpurascens</i> Rchb.f. #4 II 64 ORCHIDACEAE
	<i>Thrixspermum raciborskii</i> J.J. Smith #4 II 64 ORCHIDACEAE

- Thrixspermum recurvum* (Hook.f.) Carr #4 II 64  
ORCHIDACEAE
- Thrixspermum ridleyanum* Schltr. #4 II 64 ORCHIDACEAE
- Thrixspermum robinsonii* Ames #4 II 64 ORCHIDACEAE
- Thrixspermum roseum* J.J. Smith #4 II 64 ORCHIDACEAE
- Thrixspermum scopo* (Hook.f.) Holttum #4 II 64  
ORCHIDACEAE
- Thrixspermum scortechinii* (Hook.f.) Ridley #4 II 64  
ORCHIDACEAE
- Thrixspermum squarrosum* J.J. Smith #4 II 64  
ORCHIDACEAE
- Thrixspermum subulatum* Rchb.F #4 II 64  
ORCHIDACEAE
- Thrixspermum subulatum* (Blume) Reichb.f. #4 II 64  
ORCHIDACEAE
- Thrixspermum tahanense* Carr #4 II 64 ORCHIDACEAE
- Thrixspermum trichoglottis* (Hook.f.) Kuntze #4 II 64  
ORCHIDACEAE
- Thuja tetragona* Hook. = *Pilgerodendron uviferum* (Don)  
Florin
- Thulinia* spp.** P.J.Cribb #4 II 64 ORCHIDACEAE
- Thunia* spp.** Rchb.f. #4 II 64 ORCHIDACEAE
- Thysanobotrya arfakensis* Alderw. 1918 = *Alsophila biformis* Ros. 1911
- Thysanobotrya dubia* (Alderw.) Posth. 1936 = *Alsophila biformis* Ros. 1911
- Thysanobotrya scandens* (Brause) Posth. = *Alsophila scandens* Brause 1910
- Thysanoglossa* spp.** C.Porto & Brade #4 II 64  
ORCHIDACEAE
- Ticoglossum* spp.** Halbinger #4 II 64 ORCHIDACEAE
- Ticoglossum krameri* (Rchb.f.) R. Rodr. ex Halb. 1983 #4 II 64 ORCHIDACEAE
- Ticoglossum oerstedii* (Rchb.f.) R. Rodr. ex Halb. 1983 #4 II 64 ORCHIDACEAE
- Tiger, Little (E): *Cirrhopetalum tigridum*
- Tillandsia harrisii* R. Ehlers #4 II BROMELIACEAE (E)  
Harris's Tillandsia (S) Clavel del aire
- Tillandsia, Harris's (E): *Tillandsia harrisii*
- Tillandsia kammii* Rauh #4 II BROMELIACEAE (E)  
Kamm's Tillandsia (S) Clavel del aire
- Tillandsia, Kamm's (E): *Tillandsia kammii*
- Tillandsia mauryana* Lyman B. Smith #4 II  
BROMELIACEAE (E) Maury's Tillandsia (S) Clavel del aire
- Tillandsia, Maury's (E): *Tillandsia mauryana*
- Tillandsia, Xerographic (E): *Tillandsia xerographica*
- Tillandsia xerographica* Rohw. #4 II BROMELIACEAE (E)  
Xerographic Tillandsia (S) Clavel del aire
- Tinea cylindracea* Biv. = *Neotinea maculata* (Desf.) Stearn
- Tipularia* spp.** Nutt. #4 II 64 ORCHIDACEAE
- Tirucallia aequoris* (N.E.Brown) P.V.Heath = *Euphorbia aequoris* N.E. Br.
- Tirucallia alata* (Hooker) P.V.Heath = *Euphorbia alata*  
Hook.
- Tirucallia alluaudii* (Drake) P.V.Heath = *Euphorbia leucodendron* Drake
- Tirucallia amarifontana* (N.E.Brown) P.V.Heath =  
*Euphorbia amarifontana* N.E. Br.
- Tirucallia angrae* (N.E.Brown) P.V.Heath = *Euphorbia angrae* N.E. Br.
- Tirucallia antisyphilitica* (Zuccarini) P.V.Heath = *Euphorbia antisyphilitica* Zucc.
- Tirucallia aphylla* (Willdenow) P.V.Heath = *Euphorbia aphylla* Brouss. ex Willd.
- Tirucallia arbuscula* (Balfour fil.) P.V.Heath = *Euphorbia arbuscula* Balf.f.
- Tirucallia arceuthobiooides* (Boissier) P.V.Heath =  
*Euphorbia arceuthobiooides* Boiss.
- Tirucallia aspericaulis* (Pax) P.V.Heath = *Euphorbia aspericaulis* Pax
- Tirucallia berotica* (N.E.Brown) P.V.Hetah = *Euphorbia berotica* N.E.Br.
- Tirucallia bottae* (Boissier) P.V.Heath = *Euphorbia bottae* Boiss
- Tirucallia brachiata* = *Euphorbia brachiata* (Klotssch)  
Boiss.
- Tirucallia burmannii* (E.Meyer ex Boissier) P.V.Heath =  
*Euphorbia burmannii* E. Mey. ex Boiss.
- Tirucallia calamiformis* = *Euphorbia calamiformis* Bally & Carter
- Tirucallia cameronii* (N.E.Brown) P.V.Heath = *Euphorbia cameronii* N.E. Br.
- Tirucallia carunculifera* (L.C.Leach) P.V.Heath = *Euphorbia carunculifera* Leach
- Tirucallia cassythoides* (Boissier) P.V.Heath = *Euphorbia cassythoides* Boiss
- Tirucallia caterviflora* (N.E.Brown) P.V.Heath = *Euphorbia caterviflora* N.E. Br.
- Tirucallia chersina* (N.E.Brown) P.V.Heath = *Euphorbia chersina* N.E. Br.
- Tirucallia cibdela* (N.E.Brown) P.V.Heath = *Euphorbia cibdela* N.E.Br.
- Tirucallia congestiflora* (L.C.Leach) P.V.Heath = *Euphorbia congestiflora* Leach
- Tirucallia corymbosa* (N.E.Brown) P.V.Heath = *Euphorbia corymbosa* N.E.Br.
- Tirucallia cuneata* (Vahl) P.V.Heath = *Euphorbia cuneata* Vahl
- Tirucallia curocana* (L.C.Leach) P.V.Heath = *Euphorbia curocana* Leach
- Tirucallia damarana* (L.C.Leach) P.V.Heath = *Euphorbia damarana* Leach
- Tirucallia densiflora* (Klotzsch) P.V.Heath = *Euphorbia mundtii* N.E. Br.
- Tirucallia dregeana* (E.Meyer ex Boissier) P.V. Heath =  
*Euphorbia dregeana* E. Mey. ex Boiss.
- Tirucallia enterophora* (Drake) P.V.Heath = *Euphorbia enterophora* Drake
- Tirucallia ephedroides* (Boissier) P.V.Heath = *Euphorbia ephedroides* E. Meyer ex Boiss.
- Tirucallia fiherensis* (Poisson) P.V.Heath = *Euphorbia fiherensis* Poiss.
- Tirucallia gentilis* (N.E.Brown) P.V.Heath = *Euphorbia gentilis* N.E. Br.
- Tirucallia giessii* (L.C.Leach) P.V.Heath = *Euphorbia giessii* L.C. Leach
- Tirucallia goetzei* (Pax) P.V.Heath = *Euphorbia goetzei* Pax

- Tirucallia gossypina* (Pax) P.V.Heath = *Euphorbia gossypina* Pax
- Tirucallia gregaria* (Marloth) P.V.Heath = *Euphorbia gregaria* Marloth
- Tirucallia gummifera* (Boissier) P.V.Heath = *Euphorbia gummifera* Boiss.
- Tirucallia herrei* (A.C.White & Al.) P.V.Heath = *Euphorbia herrei* A. White, R.A. Dyer & Sloane
- Tirucallia indecora* (N.E.Brown) P.V.Heath = *Euphorbia indecora* N.E.Br.
- Tirucallia indica* Rafinesque = *Euphorbia tirucalli* L.
- Tirucallia indurescens* (L.C.Leach) P.V.Heath = *Euphorbia indurescens* Leach
- Tirucallia intisy* (Drake) P.V.Heath = *Euphorbia intisy* Drake
- Tirucallia juttae* (Dinter) P.V.Heath = *Euphorbia juttae* Dinter
- Tirucallia karroensis* (Boissier) P.V.Heath = *Euphorbia karroensis* (Boiss.) N.E. Br.
- Tirucallia lactiflua* (Philippi) P.V.Heath = *Euphorbia lactiflua* Phil.
- Tirucallia larica* (Boissier) P.V.Heath = *Euphorbia larica* Boiss.
- Tirucallia lateriflora* (Schumacher & Thonning) P.V.Heath = *Euphorbia lateriflora* Schum. & Thonn.
- Tirucallia lignosa* (Marloth) P.V.Heath = *Euphorbia lignosa* Marloth
- Tirucallia macella* (N.E.Brown) P.V.Heath = *Euphorbia macella* N.E. Br.
- Tirucallia mainty* (Poisson) P.V.Heath = *Euphorbia mainty* (Poisson) Denis ex Leandri
- Tirucallia mauritanica* (L.) P.V.Heath = *Euphorbia mauritanica* L.
- Tirucallia mixta* (N.E.Brown) P.V.Heath = *Euphorbia mixta* N.E. Br.
- Tirucallia muricata* (Thunberg) P.V.Heath = *Euphorbia muricata* Thunb.
- Tirucallia negromontana* (N.E.Brown) P.V.Heath = *Euphorbia negromontana* N.E. Br.
- Tirucallia nubica* (N.E.Brown) P.V.Heath = *Euphorbia nubica* N.E. Br.
- Tirucallia perpera* (N.E.Brown) P.V.Heath = *Euphorbia perpera* N.E. Br.
- Tirucallia plagiantha* (Drake) P.V.Heath = *Euphorbia plagiantha* Drake
- Tirucallia platyclada* (Rauh) P.V.Heath = *Euphorbia platyclada* Rauh
- Tirucallia rectirama* (N.E.Brown) P.V.Heath = *Euphorbia rectirama* N.E. Br.
- Tirucallia rhombifolia* (Boissier) P.V.Heath = *Euphorbia rhombifolia* Boiss.
- Tirucallia rudolfii* (N.E.Brown) P.V.Heath = *Euphorbia rudolfii* N.E.Br.
- Tirucallia schimperi* (Presl) P.V.Heath = *Euphorbia schimperi* Presl.
- Tirucallia spartaria* (N.E.Brown) P.V.Heath = *Euphorbia spartaria* N.E. Br.
- Tirucallia spicata* (Boissier) P.V.Heath = *Euphorbia spicata* E. Meyer ex Boiss.
- Tirucallia spinea* (N.E.Brown) P.V.Heath = *Euphorbia spinea* N.E. Br.
- Tirucallia stapelioides* (Boissier) P.V.Heath = *Euphorbia stapelioides* Boiss.
- Tirucallia stenoclada* (Baillon) P.V.Heath = *Euphorbia stenoclada* Baillon
- Tirucallia stolonifera* (Marloth ex A.C.White & Al.) P.V.Heath = *Euphorbia stolonifera* Marloth
- Tirucallia tenax* (Burchell) P.V.Heath = *Euphorbia tenax* Burch.
- Tirucallia tirucalli* (L.) P.V.Heath = *Euphorbia tirucalli* L.
- Tirucallia transvaalensis* (Schlechter) P.V.Heath = *Euphorbia transvaalensis* Schltr.
- Tirucallia verruculosa* (N.E.Brown) P.V.Heath = *Euphorbia verruculosa* N.E. Br.
- Tirucallia virgata* (Haworth) P.V.Heath = *Euphorbia lamarckii* Sweet
- Tithymalus aphyllus* (Willdenow) Klotzsch = *Euphorbia aphylla* Brouss. ex Willd.
- Tithymalus attenuatus* Klotzsch & Garske = *Euphorbia silenifolia* (Haw.) Sweet
- Tithymalus bergii* Klotzsch & Garske = *Euphorbia silenifolia* (Haw.) Sweet
- Tithymalus braunii* Schweinfurth = *Euphorbia longituberculosa* Boiss.
- Tithymalus bupleurifolius* (Jacquin) Haworth = *Euphorbia bupleurifolia* Jacq.
- Tithymalus crispus* Haworth = *Euphorbia crispa* (Haw.) Sweet
- Tithymalus dendroides* (L.) Hill = *Euphorbia dendroides* L.
- Tithymalus ecklonii* (Klotzsch & Garcke) Baillon = *Euphorbia ecklonii* (Klotzsch & Garske) Hassl.
- Tithymalus ellipticus* (Thunberg) Klotzsch & Garske = *Euphorbia silenifolia* (Haw.) Sweet
- Tithymalus laetus* (Aiton) Haworth = *Euphorbia dendroides* L.
- Tithymalus longipetiolatus* Klotzsch & Garske = *Euphorbia silenifolia* (Haw.) Sweet
- Tithymalus mauritanicus* (linné) Haworth = *Euphorbia mauritanica* L.
- Tithymalus piscatorius* (Aiton) Haworth = *Euphorbia piscatoria* Aiton
- Tithymalus silenifolius* Haworth = *Euphorbia silenifolia* (Haw.) Sweet
- Tithymalus tirucalli* (L.) Haworth = *Euphorbia tirucalli* L.
- Tithymalus tuberosus* (L.) Hill = *Euphorbia tuberosa* L.
- Tolumnia** spp. Rafin. #4 II 64 ORCHIDACEAE
- Tolumnia bahamensis* (Nash ex Britt. & Millsp.) G.J. Braem #4 II 64 ORCHIDACEAE (E) Variegated Orchid
- Tolumnia guianensis* (Aubl.) Braem #4 II 64 ORCHIDACEAE
- Tolumnia lucayana* (Nash) Braem #4 II 64 ORCHIDACEAE
- Tolumnia prionochila* (Kraenzl.) Braem #4 II 64 ORCHIDACEAE
- Tolumnia pulchella* (Hook.) Raf. #4 II 64 ORCHIDACEAE
- Tolumnia pumilio* (Rchb.f.) Hoehne = *Erycina pumilio* (Rchb.f.) N.H.Williams & M.W.Chase 2001
- Tolumnia pusilla* (L.) Hoehne 1949 = *Erycina pusilla* (L.) N.H.Williams & M.W.Chase 2001
- Tomzanonia* spp. Nir #4 II 64 ORCHIDACEAE
- Tomzanonia filicina* (Dod) Nir 1997 #4 II 64 ORCHIDACEAE

- Toumeya bradyi* (L.Benson) Earle = *Pediocactus bradyi* L.Benson  
*Toumeya fiskeisenii* Croizat = *Pediocactus peeblesianus* (Croizat) L.Benson  
*Toumeya krainziana* G.Frank = *Turbinicarpus pseudomacrochele* (Backeberg) Buxbaum & Backeberg  
*Toumeya papyracantha* (Engelmann) Britton & Rose = *Sclerocactus papyracanthus* (Engelmann) Taylor  
**Townsonia** spp. Cheeseman #4 II 64 ORCHIDACEAE  
*Trachoma* spp. Garay #4 II 64 ORCHIDACEAE  
*Trachoma papuanum* (Schltr.) M.A.Clements,J.J.Wood & D.L.Jones #4 II 64 ORCHIDACEAE  
*Trachoma stellatum* M.A.Clements, D.L.Jones, B.Gray & J.J.Wood #4 II 64 ORCHIDACEAE  
*Trachoma subluteum* (Rupp) Garay #4 II 64 ORCHIDACEAE  
**Traunsteinera** spp. Reichb. #4 II 64 ORCHIDACEAE  
*Traunsteinera globosa* (L.) Rchb. #4 II 64 ORCHIDACEAE  
Tree, Boojum (E): *Fouquieria columnaris* Tree, Guaiac (E): *Guaiacum officinale*  
Tree, Malayan Eaglewood (E): *Aquilaria malaccensis*  
tree, Rosewood (E): *Aniba rosaeodora*  
*Treisia clava* (Jacquin) Haworth = *Euphorbia clava* Jacq.  
*Treisia erosa* (Willdenow) Haworth = *Euphorbia cereiformis* L.  
*Treisia hystrix* (Jacquin) Haworth = *Euphorbia loricata* Lam.  
*Treisia tuberculata* Haworth = *Euphorbia pubiglans* N.E. Br.  
Tresses, Ute Ladies' (E): *Spiranthes diluvialis*  
**Trevoria** spp. F.C. Lehm. #4 II 64 ORCHIDACEAE  
*Trevoria ecuadorensis* Rolfe #4 II 64 ORCHIDACEAE  
*Trevoria zahlbrückneriana* (Schltr.) Garay #4 II 64 ORCHIDACEAE  
*Triariella* spp. Brieger #4 II 64 ORCHIDACEAE  
*Triariella trichaete* (Reichb.f.) Luer #4 II 64 ORCHIDACEAE  
**Trias** spp. Lindl. #4 II 64 ORCHIDACEAE  
*Trias antheae* J.J.Verm. & A.L.Lamb #4 II 64 ORCHIDACEAE  
*Trias bonaccordensis* C.Sathish Kumar #4 II 64 ORCHIDACEAE  
*Trias cambodiana* Christenson #4 II 64 ORCHIDACEAE  
*Trias crassifolia* (Thwaites ex Trimen) Kumar = *Bulbophyllum crassifolium* Thwaites ex Trimen  
*Trias dayanum* Grant = *Bulbophyllum dayanum* Rchb.f.  
*Trias disciflora* (Rolfe) Rolfe #4 II 64 ORCHIDACEAE  
*Trias intermedia* Seidenf. & Smitinand #4 II 64 ORCHIDACEAE  
*Trias mollis* Seidenf. #4 II 64 ORCHIDACEAE  
*Trias nana* Seidenf. #4 II 64 ORCHIDACEAE  
*Trias nasuta* (Rchb.f.) Staph. #4 II 64 ORCHIDACEAE  
*Trias oblonga* Lindl. #4 II 64 ORCHIDACEAE  
*Trias ovata* Lindl. = *Trias oblonga* Lindl.  
*Trias picta* (C.S.P.Parish & Rchb.f.) C.S.P.Parish ex Hemsl. #4 II 64 ORCHIDACEAE  
*Trias pusilla* J.Deka & H.Deka #4 II 64 ORCHIDACEAE  
*Trias rolfei* Staph. = *Trias rosea* (Ridl.) Seidenf.
- Trias rosea* (Ridl.) Seidenf. #4 II 64 ORCHIDACEAE  
*Trias stocksii* Benth. ex Hook.f. #4 II 64 ORCHIDACEAE  
*Trias tothastes* (J.J.Verm.) J.J.Wood #4 II 64 ORCHIDACEAE  
*Trias vitrina* Rolfe = *Trias nasuta* (Rchb.f.) Staph.  
*Tribachia hirta* (J.E.Sm.) Lindl. = *Bulbophyllum hirtum* (J.E.Sm.) Lindl.  
*Tribachia odoratissima* (J.E.Sm.) Lindl. = *Bulbophyllum odoratissimum* (J.E.Sm.) Lindl.  
*Tribachia pendula* (Thouars) Lindl. = *Bulbophyllum pendulum* Thouars  
*Tribachia purpurea* (D.Don) Lindl. = *Bulbophyllum careyanum* (Hook.f.) Sprengel  
*Tribachia racemosa* Lindl. = *Bulbophyllum reptans* (Lindl.) Lindl.  
*Tribachia reptans* Lindl. = *Bulbophyllum reptans* (Lindl.) Lindl.  
**Triceratorhynchus** spp. Summerh. #4 II 64 ORCHIDACEAE  
*Trichipteris* spp. #4 II CYATHEACEAE  
*Trichipteris albidopaleata* (Copel. 1932) R.Tryon 1970 = *Cyathea albidopaleata* Copel. 1932  
*Trichipteris albidopaleata* (Copel. 1932) R.Tryon 1970 = *Cyathea axillaris* (Fée 1850-52) Lellinger 1988  
*Trichipteris anacampta* (Alston 1958) R. Tryon = *Cyathea anacampta* Alston 1958  
*Trichipteris anacampta* (Alston 1958) R. Tryon = *Cyathea poeppigii* (Hook.1844) Domin. 1929  
*Trichipteris arbuscula* (Baker 1870) R.Tryon 1970 = *Cyathea arbuscula* (C.Presl. 1836) Domin 1929  
*Trichipteris armata* (Swartz 1788) R.Tryon 1970 = *Cyathea armata* (Swartz.1788) Domin 1930  
*Trichipteris aspera* (L. 1753) R. Tryon 1970 = *Alsophila aspera* (L. 1753) Br et Spr. 1827  
*Trichipteris atrovirens* (Langsd. & Fischer 1810) R.Tryon 1970 = *Cyathea atrovirens* (Langsd. & Fisch. 1810) Domin 1929  
*Trichipteris birenata* (Liebm. 1849) R.Tryon 1970 = *Cyathea birenata* Liebm. 1849  
*Trichipteris bipinnata* R.Tryon 1986 = *Cyathea bipinnata* (R. Tryon 1986) R.C. Moran 1995  
*Trichipteris borinquena* (Maxon 1925) R.Tryon 1970 = *Alsophila borinquena* Maxon 1925  
*Trichipteris bulligera* (Rosenstock 1928) R.Tryon 1970 = *Cyathea bulligera* (Rosenst. 1928) Domin 1930  
*Trichipteris caracasana* (Klotzsch 1844) R.Tryon 1970 = *Cyathea caracasana* (Klotzsch) Domin  
*Trichipteris chnoodes* (Christ 1904) R.Tryon 1970 = *Cyathea schiedeana* (C.Presl 1836) Domin 1939  
*Trichipteris compta* (C.Martius 1822) R.Tryon 1970 = *Cyathea compta* C.Martius 1822  
*Trichipteris conjugata* (Spruce ex Hook. 1866) R.Tryon 1970 = *Cyathea conjugata* (Hook. 1866) Domin  
*Trichipteris corcovadensis* (Raddi 1819) Copel. 1947 = *Alsophila corcovadensis* (Raddi 1819) C.Chr. 1905  
*Trichipteris cordata* (Klotzsch 1846) R.Tryon 1970 = *Cyathea barringtonii* A. Reid Smith ex Lellinger 1988  
*Trichipteris costaricensis* (Kuhn1869) Barr. 1976 = *Cyathea costaricensis* (Kuhn 1869) Domin 1930

- Trichipteris crassa* (Karsten 1869) R.Tryon 1970 =  
*Cyathea crassa* (Karst.) comb. ined.  
*Trichipteris crassifolia* (Christ 1906) Gastony 1974 =  
*Cyathea schiedeana* (C.Presl 1836) Domin 1939  
*Trichipteris cyclodium* R.Tryon 1972 = *Cyathea cyclodium*  
 (R.Tryon 1972) D.B.Lellinger 1988  
*Trichipteris decomposita* (Karsten 1869) R.Tryon 1970 =  
*Cyathea decomposita* (Karsten 1869) Domin 1929  
*Trichipteris demissa* (C.V.Morton 1951) R.M.Tryon 1970 =  
*Cyathea demissa* (C. Morton) A.R. Smith ex Lell.  
*Trichipteris denticulata* C.Presl. 1836 = *Alsophila*  
*corcovadensis* (Raddi 1819) C.Chr. 1905  
*Trichipteris dichromatolepis* (Fée 1869) R.Tryon 1970 =  
*Cyathea dichromatolepis* (Fée 1869) Domin 1929  
*Trichipteris dombeyi* (Desv. 1827) D.Barrington 1976 =  
*Cyathea pungens* (Willd. 1869) Domin 1929  
*Trichipteris eatonii* (Jenman 1887) R.Tryon 1970 =  
*Cyathea eatoni* (Jenm. 1887) Domin 1930  
*Trichipteris elegans* Fée 1872-73 (non Presl. 1936) =  
*Alsophila feeana* C.Chr. 1905  
*Trichipteris estelae* (Riba 1967) R.Tryon 1970 = *Cyathea*  
*estelae* (Riba 1967) Proctor  
*Trichipteris excelsa* C.Presl. 1822 = *Alsophila*  
*corcovadensis* (Raddi 1819) C.Chr. 1905  
*Trichipteris falcata* Llanos 1851 = *Sphaeropteris integrifolia*  
 (J.Sm. ex Hook. 1844) R.Tryon 1970  
*Trichipteris falcata* (Mett. ex Kuhn 1869) D. Barrington  
 1976 = *Cyathea falcata* (Mett. ex Kuhn 1869) Domin  
 1929  
*Trichipteris feeana* (C.Chr 1905) Copel. 1947 = *Alsophila*  
*feeana* C.Chr. 1905  
*Trichipteris flava* R.Tryon 1989 = *Cyathea flava*  
 (R.M.Tryon) comb.ined.  
*Trichipteris floribunda* (Hook. ex Baker 1874) R.Tryon  
 1970 = *Cyathea pungens* (Willd. 1869) Domin 1929  
*Trichipteris frigida* (Karsten 1859) R.Tryon 1970 = *Cyathea*  
*frigida* (Karsten 1859) Domin. 1929  
*Trichipteris gardneri* (Hook. 1844) R.Tryon 1970 =  
*Cyathea gardneri* (Hook. 1844) D.B.Lellinger 1988  
*Trichipteris gibbosa* (Klotzsch 1844) D. Barrington 1976 =  
*Cyathea gibbosa* (Klotzsch 1844) Domin. 1929  
*Trichipteris glaziovii* (Fée 1869) R.Tryon 1970 = *Cyathea*  
*glaziovii* Domin  
*Trichipteris gleasonii* (Maxon 1925) R.Tryon 1970 =  
*Cyathea pungens* (Willd. 1869) Domin 1929  
*Trichipteris hirsuta* (C.Presl. 1822) R.Tryon 1970 =  
*Cyathea hirsuta* C. Presl. 1822 non Baker  
*Trichipteris hodgeana* (Proctor 1961) R.Tryon 1097 =  
*Cyathea hodgeana* Proctor 1961  
*Trichipteris infesta* (Kunze 1834) R.Tryon 1970 = *Cyathea*  
*infesta* (Kunze 1834) Domin 1930  
*Trichipteris kalbreyeri* (Baker 1892) R.Tryon 1970 =  
*Cyathea intramarginalis* (Wind.1973) Lellinger  
*Trichipteris lasiosora* (Mett. ex Kuhn 1869) R.Tryon 1970 =  
*Cyathea lasiosora* (Kuhn 1869) Domin. 1929  
*Trichipteris latevagans* (Baker 1881) R.Tryon 1970 =  
*Cyathea latevagans* (Baker 1881) Domin 1929  
*Trichipteris lechleri* (Mett. 1859) R.Tryon 1970 = *Cyathea*  
*ulei* (Christ 1905) Domin 1930
- Trichipteris leucolepis* (Martius 1834) R.Tryon 1970 =  
*Cyathea axillaris* (Fée 1850-52) Lellinger 1988  
*Trichipteris maguirei* R.Tryon 1972 = *Cyathea williamsii*  
 (Maxon 1922) Domin 1929  
*Trichipteris marginalis* (Klotzsch 1844) J.Sm. ex Moore  
 1857 = *Cyathea marginalis* (Klotzsch 1844) Domin  
 1929  
*Trichipteris mello-barretoi* (Brade 1951) R.Tryon 1970 =  
*Cyathea mello-baeroetoi* (Brade) comb.ined.  
*Trichipteris mexiae* (Copel. 1932) R.Tryon 1970 = *Cyathea*  
*mexiae* Copel.1932  
*Trichipteris mexicana* (Mart.1834) Tryon 1970 = *Cyathea*  
*valdecrenata* Domin 1929  
*Trichipteris microdonta* (Desv. 1811) Tryon 1970 =  
*Cyathea microdonta* (Desv. 1811) Domin. 1929  
*Trichipteris microphylla* (Klotzsch 1844) R.Tryon 1970 non  
 Mett. = *Cyathea microphyllodes* Domin 1929  
*Trichipteris nanna* Barrington 1976 = *Cyathea nanna* (D.  
 Barrington 1976) Lellinger 1988  
*Trichipteris nesiotica* (Maxon 1922) R. Tryon 1970 =  
*Cyathea nesiotica* (Maxon 1922) Domin. 1930  
*Trichipteris nigra* (Martius) R.Tryon 1970 = *Cyathea*  
*lasirosora* (Kuhn 1869) Domin. 1929  
*Trichipteris nigripes* (C.Chr.) Barrington 1976 = *Cyathea*  
*nigripes* (Presl.) Domin.  
*Trichipteris oblonga* (Klotzsch 1844) R.Tryon 1970 =  
*Cyathea oblonga* (Klotzsch. 1844) Domin. 1929  
*Trichipteris pansamalana* (Maxon 1922) R.Tryon 1970 =  
*Cyathea bicrenata* Liebm. 1849  
*Trichipteris pastazensis* (Hieron. 1906) R.Tryon 1970 =  
*Cyathea pungens* (Willd. 1869) Domin 1929  
*Trichipteris pauciflora* (C.Presl.) R.Tryon 1970 = *Cyathea*  
*pauciflora* (Kuhn 1869) D.B.Lellinger 1988  
*Trichipteris pauciflora* (Kuhn 1869) R.Tryon ex Barrington  
 1970 = *Cyathea pauciflora* (Kuhn 1869) D.B.Lellinger  
 1988  
*Trichipteris phalaenolepis* (C.Chr. 1911) R.Tryon 1970 =  
*Cyathea phalaenolepis* (C. Chr. 1911) Domin 1929  
*Trichipteris phalerata* (Mart.) Barrington 1976 = *Cyathea*  
*phalerata* Martius 1822  
*Trichipteris phegopteroides* (Hook. 1865) R.Tryon 1970 =  
*Cyathea phegopteroides* (Hook.1865) Domin 1929  
*Trichipteris pilosissima* (Baker 1874) Barrington 1978 =  
*Cyathea pilosissima* (Baker 1874) Domin 1929  
*Trichipteris pinnata* Stolze 1984 = *Cyathea stolzei* A. Reid  
 Smith ex Lellinger 1988  
*Trichipteris portoana* (Brade 1935) R.Tryon 1970 =  
*Cyathea portoana* (Brade) comb.ined.  
*Trichipteris praecincta* (Kunze 1839) R.Tryon 1970 =  
*Cyathea praecincta* (Kunze 1839) Domin 1929  
*Trichipteris procera* (Willd. 1810) R.Tryon 1970 = *Cyathea*  
*pungens* (Willd. 1869) Domin 1929  
*Trichipteris pseudonanna* L.D.Gómez 1981 = *Cyathea*  
*pseudonanna* (L.D. Gómez 1981) Lellinger 1985  
*Trichipteris pubescens* (Baker 1868) R.Tryon 1970 =  
*Cyathea pubens* Domin1929  
*Trichipteris pungens* (Willd. 1810) R.Tryon 1970 =  
*Cyathea pungens* (Willd. 1869) Domin 1929  
*Trichipteris rufa* (Fée 1869) R.Tryon 1970 = *Cyathea rufa*  
 (Fée 1869) Lellinger 1988

- Trichipteris sagittifolia* (Hook. 1866) R.Tryon 1970 =  
*Cyathea sagittifolia* (Hook. 1866) Domin 1929  
*Trichipteris scabriuscula* (Maxon 1919) R.Tryon 1970 =  
*Cyathea birenata* Liebm. 1849  
*Trichipteris schiedeana* (C.Presl 1836) R.Tryon 1970 =  
*Cyathea schiedeana* (C.Presl 1836) Domin 1939  
*Trichipteris schlimii* (Kuhn 1859) D.Barrington 1976 =  
*Cyathea schlimii* (Kuhn 1859) Domin 1929  
*Trichipteris serpens* R.Tryon 1989 = *Cyathea serpens*  
(R.M.Tryon) nom. ined.  
*Trichipteris steyermarkii* R.Tryon 1972 = *Cyathea venezuelensis* A.Reid Smith ex D.B.Lellinger 1988  
*Trichipteris stipularis* (Christ 1904) R.Tryon 1970 =  
*Cyathea birenata* Liebm. 1849  
*Trichipteris strigillosa* (Maxon 1922) R.Tryon 1790 =  
*Cyathea strigillosa* (Maxon 1922) Domin 1930  
*Trichipteris submarginalis* (Domin 1929) R.Tryon 1970 =  
*Cyathea submarginalis* (Domin 1929) Domin 1930  
*Trichipteris trichiata* (Maxon 1922) R.Tryon 1970 =  
*Cyathea birenata* Liebm. 1849  
*Trichipteris tryonorum* (Riba 1967) R.Tryon 1970 =  
*Cyathea tryonorum* (Riba 1967) Lellinger 1988  
*Trichipteris ulei* (Christ 1905) R.Tryon 1970 = *Cyathea ulei*  
(Christ 1905) Domin 1930  
*Trichipteris ursina* (Maxon 1944) R.Tryon = *Cyathea ursina*  
(Maxon 1944) D.B.Lellinger 1988  
*Trichipteris vernicosa* (Mett. ex Kuhn 1869) R.Tryon 1970  
= *Cyathea vernicosa* (Mett. ex Kuhn 1869) Domin 1929  
*Trichipteris villosa* (Humb. & Bonpl. ex Willd. 1810)  
R.Tryon 1970 = *Cyathea villosa* (Humb. & Bonpl.)  
Willd. 1810  
*Trichipteris wendlandii* (Mett. ex Kuhn 1869) R.Tryon 1970  
= *Cyathea wendlandii* (Mett. ex Kuhn 1869) Domin  
1929  
*Trichipteris williamsii* (Maxon 1922) R.Tryon 1970 =  
*Cyathea williamsii* (Maxon 1922) Domin 1929  
*Trichocaulon alstoni* N.E. Brown = *Hoodia alstonii*  
(N.E.Br.) Plowes  
*Trichocaulon flavum* N.E.Br. = *Hoodia flava* (N.E.Brown)  
Plowes  
*Trichocaulon pedicellatum* Schinz = *Hoodia pedicellata*  
(Schinz) Plowes  
*Trichocaulon triebneri* = *Arachnis maingayi* Schltr.  
*Trichocaulon triebneri* Nel = *Arachnis maingayi* Schltr.  
*Trichocaulon triebneri* Nel = *Hoodia triebneri* (Nel) Bruyns  
**Trichocentrum** spp. Poepp. & Endl. #4 II 64  
ORCHIDACEAE  
*Trichocentrum aguirrei* (Königer) M.W.Chase &  
N.H.Williams 2001 #4 II 64 ORCHIDACEAE  
*Trichocentrum albiflorum* Rolfe #4 II 64 ORCHIDACEAE  
*Trichocentrum ascendens* (Lindl.) M.W.Chase &  
N.H.Williams #4 II 64 ORCHIDACEAE  
*Trichocentrum brandtiae* Kraenzl. #4 II 64  
ORCHIDACEAE  
*Trichocentrum brenesii* Schltr. #4 II 64 ORCHIDACEAE  
*Trichocentrum caloceras* Endres & Reichb.f. #4 II 64  
ORCHIDACEAE  
*Trichocentrum candidum* Lindley #4 II 64 ORCHIDACEAE  
*Trichocentrum dianthum* Pupulin & Mora-Retana #4 II 64  
ORCHIDACEAE  
*Trichocentrum funale* (Sw.) Lindl. 1837 = *Dendrophylax*  
*funalis* (Sw.) Benth. ex Rolfe (1888)  
*Trichocentrum hoegii* Reichb.f. #4 II 64 ORCHIDACEAE  
*Trichocentrum marvraganii* (Lükel) M.W.Chase &  
N.H.Williams 2001 #4 II 64 ORCHIDACEAE  
*Trichocentrum ostenianum* (Schltr.) M.W.Chase &  
N.H.Williams #4 II 64 ORCHIDACEAE  
*Trichocentrum pfavii* Reichb.f. #4 II 64 ORCHIDACEAE  
*Trichocentrum pongratzianum* (Königer) M.W.Chase &  
N.H.Williams #4 II 64 ORCHIDACEAE  
*Trichocentrum stacyi* (Garay) M.W.Chase & N.H.Williams  
#4 II 64 ORCHIDACEAE  
*Trichocentrum stipitatum* (Lindl.) M.W.Chase &  
N.H.Williams 2001 #4 II 64 ORCHIDACEAE  
*Trichocentrum teres* (Ames & C. Schweinf.) M.W. Chase &  
N.H. Williams #4 II 64 ORCHIDACEAE  
*Trichocentrum tigrinum* Linden & Reichb. f. #4 II 64  
ORCHIDACEAE  
*Trichocentrum verruciferum* Schltr. = *Trichocentrum*  
*brandtiae* Kraenzl.  
*Trichocereus angelesii* Kiesling = *Echinopsis angelesiae*  
(Kiesling) Rowley  
*Trichocereus antezanae* Cardenas = *Echinopsis*  
*antezanae* (Cardenas) Friedrich & Rowley  
*Trichocereus arboricola* Kimnach = *Echinopsis arboricola*  
(Kimnach) Mottram  
*Trichocereus bertramianus* Backeberg = *Echinopsis*  
*bertramiana* (Backeberg) Friedrich & Rowley  
*Trichocereus bridgesii* (Salm-Dyck) Britton & Rose =  
*Echinopsis lageniformis* (Foerster) Friedrich & Rowley  
*Trichocereus bruchii* (Britton & Rose) Ritter = *Echinopsis*  
*bruchii* (Britton & Rose) Castellanos & Lelong  
*Trichocereus cabrerae* Kiesling = *Echinopsis cabrerae*  
(Kiesling) G.Rowley  
*Trichocereus camarguensis* Cardenas = *Echinopsis*  
*camarguensis* (Cardenas) Friedrich & Rowley  
*Trichocereus candicans* (Salm-Dyck) Britton & Rose =  
*Echinopsis candicans* (Gillies ex Salm-Dyck) Hunt  
*Trichocereus catamarcensis* Ritter = *Echinopsis huascha*  
(Weber) Friedrich & Rowley  
*Trichocereus cephalomacrostibas* (Werdermann &  
Backeberg) Backeberg = *Echinopsis*  
*cephalomacrostibas* (Werdermann & Backeb.)  
Friedrich & Rowley  
*Trichocereus chalaensis* Rauh & Backeberg = *Echinopsis*  
*chalaensis* (Rauh & Backeberg) Friedrich & Rowley  
*Trichocereus chiloensis* (Colla) Britton & Rose =  
*Echinopsis chiloensis* (Colla) Friedrich & Rowley  
*Trichocereus clavatus* Ritter = *Echinopsis clavatus* (Ritter)  
Hunt  
*Trichocereus conaconensis* Cardenas = *Echinopsis*  
*conaconensis* (Cardenas) Friedrich & Rowley  
*Trichocereus coquimbanus* (Molina) Britton & Rose =  
*Echinopsis coquimbana* (Molina) Friedrich & Rowley  
*Trichocereus courantii* (Schumann) Backeberg =  
*Echinopsis candicans* (Gillies ex Salm-Dyck) Hunt  
*Trichocereus cuzcoensis* Britton & Rose = *Echinopsis*  
*cuzcoensis* (Britton & Rose) Friedrich & Rowley

- Trichocereus deserticola* (Werdermann) Looser =  
*Echinopsis deserticola* (Werdermann) Friedrich & Rowley
- Trichocereus escayachensis* Cardenas = *Echinopsis escayachensis* (Cardenas) Friedrich & Rowley
- Trichocereus fabrisii* Kiesling = *Echinopsis fabrisii* (Kiesling) G. Rowley
- Trichocereus fascicularis* (Meyen) Britton & Rose =  
*Weberbauercereus weberbaueri* (Schumann ex Vaupel) Backeberg
- Trichocereus formosus* (Pfeiffer) Ritter = *Echinopsis formosa* (Pfeiffer) Jacobi ex Salm-Dyck
- Trichocereus fulvilanus* Ritter = *Echinopsis deserticola* (Werdermann) Friedrich & Rowley
- Trichocereus glaucus* Ritter = *Echinopsis glauca* (Ritter) Friedrich & Rowley
- Trichocereus grandiflorus* Backeberg = *Echinopsis huascha* (Weber) Friedrich & Rowley
- Trichocereus grandis* (Britton & Rose) Ritter = *Echinopsis bruchii* (Britton & Rose) Castellanos & Lelong
- Trichocereus huascha* (Weber) Britton & Rose =  
*Echinopsis huascha* (Weber) Friedrich & Rowley
- Trichocereus ingens* (Backeberg) Ritter = *Echinopsis bruchii* (Britton & Rose) Castellanos & Lelong
- Trichocereus knuthianus* Backeberg = *Echinopsis knuthiana* (Backeberg) Friedrich & Rowley
- Trichocereus korethroides* (Werdermann) Ritter =  
*Echinopsis korethroides* Werdermann ex Backeberg
- Trichocereus lamprochlorus* (Lemaire) Britton & Rose =  
*Echinopsis lamprochlora* (Lemaire) Weber ex Friedrich & Glaetze
- Trichocereus litoralis* (Johow) Looser = *Echinopsis litoralis* (Johow) Friedrich & Rowley
- Trichocereus macrogonus* Riccobono = *Echinopsis macrogona* (salm-dyck) Friedrich & Rowley
- Trichocereus manguinii* Backeberg = *Echinopsis schickendantzii* Weber
- Trichocereus narvaecensis* Cardenas = *Echinopsis taricensis* (Vaupel) Friedrich & Rowley
- Trichocereus neolamprochlorus* Backeberg = *Echinopsis candicans* (Gillies ex Salm-Dyck) Hunt
- Trichocereus orurensis* Cardenas = *Echinopsis ferox* (Britton & Rose) Backeberg
- Trichocereus pachanoi* Britton & Rose = *Echinopsis pachanoi* (Britton & Rose) Friedrich & Rowley
- Trichocereus poco* Backeberg = *Echinopsis taricensis* (Vaupel) Friedrich & Rowley
- Trichocereus pseudocandicans* Backeberg ex Kiesling =  
*Echinopsis candicans* (Gillies ex Salm-Dyck) Hunt
- Trichocereus quadratiumbonatus* Ritter = *Echinopsis quadratiumbonatus* (Ritter) Hunt
- Trichocereus randallii* Cardenas = *Echinopsis formosa* (Pfeiffer) Jacobi ex Salm-Dyck
- Trichocereus rowleyi* (Friedrich) Kiesling = *Echinopsis huascha* (Weber) Friedrich & Rowley
- Trichocereus rubinghianus* Backeberg = *Echinopsis thelegonoides* (Spegazzini) Friedrich & Rowley
- Trichocereus santaensis* Rauh & Backeberg = *Echinopsis santaensis* (Rauh & Backeberg) Friedrich & Rowley
- Trichocereus santiaguensis* (Spegazzini) Backeberg =  
*Echinopsis spachiana* (Lemaire) Friedrich & Rowley
- Trichocereus schickendantzii* (Weber) Britton & Rose =  
*Echinopsis schickendantzii* Weber
- Trichocereus schoenii* Rauh & Backeberg = *Echinopsis schoenii* (Rauh & Backeberg) Friedrich & Rowley
- Trichocereus scopulicola* Ritter = *Echinopsis scopulicola* (Ritter) Mottram
- Trichocereus serenanus* Ritter = *Echinopsis coquimbana* (Molina) Friedrich & Rowley
- Trichocereus shaferi* Britton & Rose = *Echinopsis schickendantzii* Weber
- Trichocereus skottsbergii* Backeberg ex Skottsberg =  
*Echinopsis skottsbergii* (Backeberg ex Skottsberg) Friedrich & Rowley
- Trichocereus smrzianus* (Backeberg) Backeberg =  
*Echinopsis smrziana* Backeberg
- Trichocereus spachianus* (Lemaire) Riccobono =  
*Echinopsis spachiana* (Lemaire) Friedrich & Rowley
- Trichocereus spinibarbis* (Otto ex Pfeiffer) Ritter =  
*Echinopsis spinibarbis* (Pfeiffer) A.E.Hoffmann
- Trichocereus strigosus* (Salm-Dyck) Britton & Rose =  
*Echinopsis strigosa* (Salm-Dyck) Friedrich & Rowley
- Trichocereus tacaquirensis* (Vaupel) Cardenas ex Backeberg = *Echinopsis tacaquirensis* (Vaupel) Friedrich & Rowley
- Trichocereus taratensis* Cardenas = *Echinopsis taratensis* (Cardenas) Friedrich & Rowley
- Trichocereus taricensis* (Vaupel) Werdermann =  
*Echinopsis taricensis* (Vaupel) Friedrich & Rowley
- Trichocereus tarmaensis* Rauh & Backeberg = *Echinopsis tarmaensis* (Rauh & Backeberg) Friedrich & Rowley
- Trichocereus tenuispinus* Ritter = *Echinopsis bridgesii* Salm-Dyck
- Trichocereus terscheckii* (Parmentier ex Pfeiffer) Britton & Rose = *Echinopsis terscheckii* (Parm. ex Pfeiffer) Friedrich & Rowley
- Trichocereus thelegonoides* (Spegazzini) Britton & Rose =  
*Echinopsis thelegonoides* (Spegazzini) Friedrich & Rowley
- Trichocereus thelegonus* (Weber ex Schumann) Britton & Rose = *Echinopsis thelegona* (Weber ex Schumann) Friedrich & Rowley
- Trichocereus trichosus* Cardenas = *Echinopsis trichosa* (Cardenas) Friedrich & Rowley
- Trichocereus tulhuayacensis* Ochoa ex Backeberg =  
*Echinopsis tulhuayacensis* (Ochoa ex Backeberg) Friedrich & Rowley
- Trichocereus tunariensis* Cardenas = *Echinopsis tunariensis* (Cardenas) Friedrich & Rowley
- Trichocereus uyupampensis* Backeberg = *Echinopsis uyupampensis* (Backeberg) Friedrich & Rowley
- Trichocereus validus* (Monville ex Salm-Dyck) Backeberg = *Echinopsis uyupampensis* (Backeberg) Friedrich & Rowley
- Trichocereus vasquezii* Rausch = *Echinopsis vasquezii* (Rausch) Rowley
- Trichocereus vatteri* Kiesling = *Echinopsis vatteri* (Kiesling) G. Rowley

- Trichocereus volcanensis* Ritter = *Echinopsis schickendantzii* Weber  
*Trichocereus vollianus* Backeberg = *Echinopsis volliana* (Backeberg) Friedrich & Rowley  
*Trichocereus walteri* (Kiesling) J.G.Lambert = *Echinopsis walteri* (Kiesling) Friedrich & Glaetzel  
*Trichocereus werdermannianus* Backeberg = *Echinopsis terscheckii* (Parm. ex Pfeiffer) Friedrich & Rowley  
***Trichoceros* spp.** Kunth #4 II 64 ORCHIDACEAE  
*Trichoceros antennifer* (Humb. & Bonpl.) Humb., Bonpl. & Kunth 1816 #4 II 64 ORCHIDACEAE  
*Trichoceros armillatus* Rchb.f. 1856 = *Trichoceros antennifer* (Humb. & Bonpl.) Humb., Bonpl. & Kunth 1816  
*Trichoceros bennettii* Dodson & Escobar 1989 = *Stellilabium bennettii* (Dodson & R.Escobar) Christenson  
*Trichoceros carinifer* Schltr. #4 II 64 ORCHIDACEAE  
*Trichoceros dombeyi* D.E.Benn. & Christenson (2001) #4 II 64 ORCHIDACEAE  
*Trichoceros hajekiorum* D.E.Benn. & Christenson (2001) #4 II 64 ORCHIDACEAE  
*Trichoceros muralis* Lindl. 1933 #4 II 64 ORCHIDACEAE  
*Trichoceros muscifera* Kraenzl. 1906 = *Trichoceros antennifer* (Humb. & Bonpl.) Humb., Bonpl. & Kunth 1816  
*Trichoceros onaensis* Christenson (2001) #4 II 64 ORCHIDACEAE  
*Trichoceros parviflorus* Humb., Bonpl. & Kunth 1816 = *Trichoceros antennifer* (Humb. & Bonpl.) Humb., Bonpl. & Kunth 1816  
*Trichoceros platyceros* Rchb.f. #4 II 64 ORCHIDACEAE  
*Trichoceros roseus* Christenson (2001) #4 II 64 ORCHIDACEAE  
*Trichoceros tupaii* Rchb.f. 1867 #4 II 64 ORCHIDACEAE  
***Trichoglottis* spp.** Blume #4 II 64 ORCHIDACEAE  
*Trichoglottis appendiculifera* Holttum #4 II 64 ORCHIDACEAE  
*Trichoglottis australiensis* Dockr. #4 II 64 ORCHIDACEAE  
*Trichoglottis celebica* Rolfe #4 II 64 ORCHIDACEAE  
*Trichoglottis cirrhifera* Teijsm. & Binnend. #4 II 64 ORCHIDACEAE  
*Trichoglottis fasciata* #4 II 64 ORCHIDACEAE  
*Trichoglottis javanica* J.J. Smith #4 II 64 ORCHIDACEAE  
*Trichoglottis lanceolaria* Blume #4 II 64 ORCHIDACEAE  
*Trichoglottis loheriana* #4 II 64 ORCHIDACEAE  
*Trichoglottis lushuensis* #4 II 64 ORCHIDACEAE  
*Trichoglottis luzonensis* #4 II 64 ORCHIDACEAE  
*Trichoglottis maculata* (J.J. Smith) J.J. Smith #4 II 64 ORCHIDACEAE  
*Trichoglottis misera* (Ridley) Holttum #4 II 64 ORCHIDACEAE  
*Trichoglottis orchidea* (Koenig) Garay #4 II 64 ORCHIDACEAE  
*Trichoglottis pallens* Lindl. = *Phalaenopsis pallens* (Lindl.) Rchb.f.  
*Trichoglottis pusilla* (Teijsm. & Binnend.) Reichb.f. #4 II 64 ORCHIDACEAE  
*Trichoglottis retusa* Blume #4 II 64 ORCHIDACEAE  
*Trichoglottis rigida* Blume #4 II 64 ORCHIDACEAE  
*Trichoglottis scaphigera* Ridley #4 II 64 ORCHIDACEAE  
*Trichoglottis tricostata* J.J. Smith #4 II 64 ORCHIDACEAE  
*Trichoglottis wenzelii* Ames #4 II 64 ORCHIDACEAE  
*Trichomanes squarrosa* G.Forst. = *Dicksonia squarrosa* (G.Forst.) SW.  
***Trichopilia* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Trichopilia aenigma* Garay 1996 #4 II 64 ORCHIDACEAE  
*Trichopilia albida* H.Wendl. 1851 = *Trichopilia fragrans* (Lindl.) Rchb.f. 1858  
*Trichopilia backhousiana* Rchb.f. #4 II 64 ORCHIDACEAE  
*Trichopilia candida* Linden ex Lindl. 1846 = *Trichopilia fragrans* (Lindl.) Rchb.f. 1858  
*Trichopilia coccinea* Warsz. = *Trichopilia marginata* Henfr. 1851  
*Trichopilia concepcionis* Kraenzl. #4 II 64 ORCHIDACEAE  
*Trichopilia crispa* Lindl. = *Trichopilia marginata* Henfr. 1851  
*Trichopilia fragrans* (Lindl.) Rchb.f. 1858 #4 II 64 ORCHIDACEAE  
*Trichopilia fragrans* Auctt. non (Lindl.) Rchb.f. = *Trichopilia wageneri* (Rchb.f.) Rchb.f. 1858  
*Trichopilia galeottiana* A.Rich. 1845 #4 II 64 ORCHIDACEAE  
*Trichopilia gracilis* C.Schweinf. 1952 #4 II 64 ORCHIDACEAE  
*Trichopilia grata* Rchb.f. 1868 #4 II 64 ORCHIDACEAE  
*Trichopilia hennisiana* Kraenzl. #4 II 64 ORCHIDACEAE  
*Trichopilia hymenantha* Rchb.f. 1854 = *Leucohyle subulata* (Sw.) Schltr. 1914  
*Trichopilia jamaicensis* Fawc. & Rendle (1910) = *Leucohyle subulata* (Sw.) Schltr. 1914  
*Trichopilia juninensis* C.Schweinf. #4 II 64 ORCHIDACEAE  
*Trichopilia kienastiana* Rchb.f. = *Trichopilia suavis* Lindley & Paxt. 1850-51  
*Trichopilia laxa* (Lindl.) Rchb.f. 1858 #4 II 64 ORCHIDACEAE  
*Trichopilia lehmannii* Regel 1888 = *Trichopilia fragrans* (Lindl.) Rchb.f. 1858  
*Trichopilia lepida* W.G.Sm. = *Trichopilia marginata* Henfr. 1851  
*Trichopilia leucoxantha* L.O. Williams #4 II 64 ORCHIDACEAE  
*Trichopilia maculata* Rchb.f. 1855 #4 II 64 ORCHIDACEAE  
*Trichopilia marginata* Henfr. 1851 #4 II 64 ORCHIDACEAE  
*Trichopilia mutica* (Lindl.) Rchb.f. & Wullschl. ex Rchb.f. 1863 = *Leucohyle mutica* (Lindl.) Schltr.  
*Trichopilia nobilis* Rchb.f. = *Trichopilia fragrans* (Lindl.) Rchb.f. 1858  
*Trichopilia oicophylax* #4 II 64 ORCHIDACEAE  
*Trichopilia olmosii* Dressler (2001) #4 II 64 ORCHIDACEAE  
*Trichopilia peruviana* Kraenzl. 1915 #4 II 64 ORCHIDACEAE  
*Trichopilia picta* Lem. 1859 = *Trichopilia galeottiana* A.Rich. 1845

- Trichopilia powellii* Schltr. 1922 = *Trichopilia maculata* Rchb.f. 1855
- Trichopilia punctata* Rolfe 1890 #4 II 64 ORCHIDACEAE
- Trichopilia ramonensis* J.García & Mora-Ret. ex C.O.Morales #4 II 64 ORCHIDACEAE
- Trichopilia reichenheimia* Klotzsch 1855 = *Trichopilia laxa* (Lindl.) Rchb.f. 1858
- Trichopilia rostrata* Rchb.f. 1872 #4 II 64 ORCHIDACEAE
- Trichopilia santoslimae* Brade 1943 #4 II 64 ORCHIDACEAE
- Trichopilia similis* Dressler (2001) #4 II 64 ORCHIDACEAE
- Trichopilia suavis* Lindley & Paxt. 1850-51 #4 II 64 ORCHIDACEAE
- Trichopilia subulata* (Sw.) Rchb. f. 1865 = *Leucohyle subulata* (Sw.) Schltr. 1914
- Trichopilia tortilis* Lindl. 1836 #4 II 64 ORCHIDACEAE
- Trichopilia turialvae* Rchb.f. 1863 #4 II 64 ORCHIDACEAE
- Trichopilia undulatissima* D.E.Benn. & Christenson 1998 #4 II 64 ORCHIDACEAE
- Trichopilia wageneri* (Rchb.f.) Rchb.f. 1858 #4 II 64 ORCHIDACEAE
- Trichosalpinx* spp.** Luer #4 II 64 ORCHIDACEAE
- Trichosalpinx blaisdelli* (S.Watson) Luer = *Pleurothallis blaisdelli* S.Watson
- Trichosalpinx nageliana* Soto Arenas #4 II 64 ORCHIDACEAE
- Trichosalpinx orbicularis* (Lindley) Luer #4 II 64 ORCHIDACEAE
- Trichosalpinx pringlei* (Schltr.) Luer #4 II 64 ORCHIDACEAE
- Trichosalpinx tamayoana* Soto Arenas #4 II 64 ORCHIDACEAE
- Trichosterigma antisyphiliticum* (Zuccarini) Small = *Euphorbia antisyphilitica* Zucc.
- Trichosterigma miserum* (Bentham) Klotzsch & Garcke = *Euphorbia misera* Benth.
- Trichotosia* spp.** Blume #4 II 64 ORCHIDACEAE
- Trichotosia annulata* Blume #4 II 64 ORCHIDACEAE
- Trichotosia dalatensis* (Gagnep.) Seidenf. #4 II 64 ORCHIDACEAE
- Trichotosia ferox* Blume #4 II 64 ORCHIDACEAE
- Trichotosia gracilis* (Hook.f.) Kraenzl. in H.G.A.Engler #4 II 64 ORCHIDACEAE
- Trichotosia microphylla* Blume #4 II 64 ORCHIDACEAE
- Trichotosia pauciflora* Blume #4 II 64 ORCHIDACEAE
- Trichotosia velutina* (Lodd. ex Lindl.) Kraenzl. in H.G.A.Engler #4 II 64 ORCHIDACEAE
- Trichotosia vestita* (Wall. ex Lindl.) Kraenzl. in H.G.A.Engler #4 II 64 ORCHIDACEAE
- Tridactyle* spp.** Schlechter #4 II 64 ORCHIDACEAE
- Tridactyle anthomaniaca* #4 II 64 ORCHIDACEAE
- Tridactyle armeniaca* #4 II 64 ORCHIDACEAE
- Tridactyle bicaudata* #4 II 64 ORCHIDACEAE
- Tridactyle brevicalcarata* Summerh. #4 II 64 ORCHIDACEAE
- Tridactyle crassifolia* Summerh. #4 II 64 ORCHIDACEAE
- Tridactyle fimbritipetalum* #4 II 64 ORCHIDACEAE
- Tridactyle gentilii* #4 II 64 ORCHIDACEAE
- Tridactyle inaequilonga* #4 II 64 ORCHIDACEAE
- Tridactyle lagosensis* (Rolfe) Schltr. #4 II 64 ORCHIDACEAE
- Tridactyle laurentii* #4 II 64 ORCHIDACEAE
- Tridactyle muriculata* (Rendle) Schltr. #4 II 64 ORCHIDACEAE
- Tridactyle muriculatum* #4 II 64 ORCHIDACEAE
- Tridactyle nalaensis* #4 II 64 ORCHIDACEAE
- Tridactyle scottellii* #4 II 64 ORCHIDACEAE
- Tridactyle stipulata* #4 II 64 ORCHIDACEAE
- Tridactyle tricuspid* #4 II 64 ORCHIDACEAE
- Tridactyle tridactylites* #4 II 64 ORCHIDACEAE
- Tridactyle tridentata* #4 II 64 ORCHIDACEAE
- Tridactyle virgula* #4 II 64 ORCHIDACEAE
- Trigona the edwallii* (Cogn.) Brieg. 1976 = *Dryadella edwallii* (Cogn.) Luer 1978
- Trigonidium* spp.** Lindl. #4 II 64 ORCHIDACEAE
- Trigonidium acuminatum* Bateman ex Lindl. 1938 #4 II 64 ORCHIDACEAE
- Trigonidium amparoanum* Schltr. 1923 = *Trigonidium lankesteri* Ames 1923
- Trigonidium aurorae* D.E.Benn. & Christenson 1995 #4 II 64 ORCHIDACEAE
- Trigonidium brachyceras* Schltr. #4 II 64 ORCHIDACEAE
- Trigonidium brachyglossum* (A.Rich. & Galeotti) Schltr. 1918 = *Trigonidium egertonianum* Bateman ex Lindl. 1838
- Trigonidium callistele* Rchb.f. 1860 = *Trigonidium egertonianum* Bateman ex Lindl. 1838
- Trigonidium christensonii* D.E.Benn. 1995 #4 II 64 ORCHIDACEAE
- Trigonidium egertonianum* Bateman ex Lindl. 1838 #4 II 64 ORCHIDACEAE
- Trigonidium equitans* Garay 1953 #4 II 64 ORCHIDACEAE
- Trigonidium grande* Garay 1957 #4 II 64 ORCHIDACEAE
- Trigonidium insigne* Rchb.f. ex Benth. & Hook.f. 1883 #4 II 64 ORCHIDACEAE
- Trigonidium lankesteri* Ames 1923 #4 II 64 ORCHIDACEAE
- Trigonidium latifolium* Lindl. 1837 #4 II 64 ORCHIDACEAE
- Trigonidium loretoense* Schltr. #4 II 64 ORCHIDACEAE
- Trigonidium macranthum* Barb. Rodr. #4 II 64 ORCHIDACEAE
- Trigonidium monophyllum* Griseb. 1864 = *Neocogniauxia monophylla* (Griseb.) Schltr. (1913)
- Trigonidium obtusum* Lindl. 1837 #4 II 64 ORCHIDACEAE
- Trigonidium peruvianum* Schltr. 1921 = *Trigonidium acuminatum* Bateman ex Lindl. 1938
- Trigonidium ringens* Lindl. (1840) = *Mormolyca ringens* (Lindl.) Schltr. (1914)
- Trigonidium riopalalenquense* Dodson 1977 #4 II 64 ORCHIDACEAE
- Trigonidium seemannii* Rchb.f. 1854 = *Trigonidium egertonianum* Bateman ex Lindl. 1838
- Trigonidium spatulatum* Linden & Rchb.f. 1854 = *Trigonidium egertonianum* Bateman ex Lindl. 1838

- Trigonidium subrupens* Rolfe 1906 = *Trigonidium acuminatum* Bateman ex Lindl. 1938  
*Trigonidium tenue* Lodd. ex Lindl. 1839 = *Trigonidium acuminatum* Bateman ex Lindl. 1938  
*Trigonidium turbinatum* Rchb.f. #4 II 64 ORCHIDACEAE
- Triphora* spp.** Nutt. #4 II 64 ORCHIDACEAE  
*Triphora craigheadii* Luer #4 II 64 ORCHIDACEAE (E)  
 Nodding-caps Orchid  
*Triphora gentianoides* (Sw.) Ames & Schltr. #4 II 64 ORCHIDACEAE  
*Triphora latifolia* Luer f. #4 II 64 ORCHIDACEAE (E)  
 Nodding cape Orchid, Nodding-caps Orchid  
*Triphora nitida* Schltr. #4 II 64 ORCHIDACEAE  
*Triphora ravenii* L.O. Williams #4 II 64 ORCHIDACEAE  
*Triphora rickettii* Luer #4 II 64 ORCHIDACEAE (E)  
 Yucatan Nodding-Caps Triphora  
*Triphora surinamensis* (Lindl.) Britton #4 II 64 ORCHIDACEAE  
*Triphora trianthophora* (Sw.) Rydb. #4 II 64 ORCHIDACEAE  
*Triphora wagneri* Schltr. #4 II 64 ORCHIDACEAE  
*Triphora yucatanensis* Ames #4 II 64 ORCHIDACEAE  
 Triphora, Yucatan Nodding-Caps (E): *Triphora rickettii*
- Trisetella* spp.** Luer #4 II 64 ORCHIDACEAE  
*Trisetella abbreviata* Luer #4 II 64 ORCHIDACEAE  
*Trisetella andreettae* Luer #4 II 64 ORCHIDACEAE  
*Trisetella didyma* (Luer) Luer #4 II 64 ORCHIDACEAE  
*Trisetella dressleri* (Luer) Luer #4 II 64 ORCHIDACEAE  
*Trisetella fissidens* Luer & Hirtz #4 II 64 ORCHIDACEAE  
*Trisetella gemmata* (Richb.f.) Luer #4 II 64 ORCHIDACEAE  
*Trisetella hirtzii* Luer #4 II 64 ORCHIDACEAE  
*Trisetella pantex* (Luer) Luer #4 II 64 ORCHIDACEAE  
*Trisetella tenuissima* (C. Schweinf.) Luer #4 II 64 ORCHIDACEAE  
*Trisetella triaristella* (Rchb.f.) Luer #4 II 64 ORCHIDACEAE  
*Trisetella tridactylites* (Reichb.f.) Luer #4 II 64 ORCHIDACEAE  
*Trisetella triglochin* (Rchb.f.) Luer #4 II 64 ORCHIDACEAE  
*Trisetella vittata* (Luer) Luer #4 II 64 ORCHIDACEAE
- Trizeuxis* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Trophianthus zonatus* Scheidw. 1844 = *Aspasia lunata* Lindl. 1836
- Tropidia* spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Tropidia angulosa* Blume #4 II 64 ORCHIDACEAE  
*Tropidia bambusifolia* (Thwaites) Trimen #4 II 64 ORCHIDACEAE  
*Tropidia curculigoides* Blume #4 II 64 ORCHIDACEAE  
*Tropidia polystachya* (Sw.) Ames #4 II 64 ORCHIDACEAE  
*Tropidia polystachys* (Sw.) Ames #4 II 64 ORCHIDACEAE  
*Tropidia thwaitesii* Hook.f. #4 II 64 ORCHIDACEAE  
*Tropidia viridi-fusca* Kranzlin #4 II 64 ORCHIDACEAE  
*Tropilis adae* (F.M.Bailey) Butzin = *Dendrobium adae* F.M.Bailey  
*Tropilis adae* (F.M.Bailey) Rauschert = *Dendrobium adae* F.M.Bailey
- Tropilis aemula* (R.Br.) Raf. = *Dendrobium aemulum* R. Br.  
*Tropilis comptonii* (Rendle) Rauschert = *Dendrobium comptonii* Rendle  
*Tropilis delicata* (F.M.Bailey) Butzin = *Dendrobium delicatum* (F.M.Bailey) F.M.Bailey  
*Tropilis drake-castilloi* (Kraenzl.) Rauschert = *Dendrobium comptonii* Rendle  
*Tropilis falcorostra* (Fitzg.) Butzin = *Dendrobium falcorostrum* Fitzg.  
*Tropilis falcorostra* (Fitzg.) Rauschert = *Dendrobium falcorostrum* Fitzg.  
*Tropilis fleckeri* (Rupp & C. White) Butzin = *Dendrobium fleckeri* Rupp & C. White  
*Tropilis fleckeri* (Rupp & C. White) Rauschert = *Dendrobium fleckeri* Rupp & C. White  
*Tropilis gracilicaulis* (F.Muell.) Butzin = *Dendrobium gracilicaule* F.Muell.  
*Tropilis gracillimum* (Rupp.) Butzin = *Dendrobium gracillimum* (Rupp) Leaney  
*Tropilis gracillimum* (Rupp.) Rauschert = *Dendrobium gracillimum* (Rupp) Leaney  
*Tropilis kingiana* (Bidwill ex Lindl.) Butzin = *Dendrobium kingianum* Bidwill ex Lindl.  
*Tropilis kingiana* (Bidwill ex Lindl.) Rauschert = *Dendrobium kingianum* Bidwill ex Lindl.  
*Tropilis moorei* (F.Muell.) Rauschert = *Dendrobium moorei* F. Muell.  
*Tropilis ruppiana* (A.D.Hawkes) Butzin = *Dendrobium jonesii* Rendle  
*Tropilis speciosa* (Sm.) Butzin = *Dendrobium spectabile* (Blume) Miq.  
*Tropilis suffusa* (Cady) Butzin = *Dendrobium suffusum* Cady  
*Tropilis tetragona* (Cunn.) Butzin = *Dendrobium tetragonum* Cunn.
- Trudelia* spp.** Garay #4 II 64 ORCHIDACEAE  
*Trudelia alpina* (Lindl.) Garay = *Vanda alpina* (Lindley) Lindley  
*Trudelia chlorosantha* Garay = *Vanda chlorosantha* (Garay) & Christenson  
*Trudelia cristata* (Lindl.) Senghas = *Vanda cristata* Lindl.  
*Trudelia griffithii* (Lindl.) Garay = *Vanda griffithii* Lindl.  
*Trudelia pumila* (J.D.Hook.) Senghas = *Vanda pumila* Hook.f.  
 Trumpet, Pitcher-plant Rainbow (E): *Sarracenia minor*  
 Trunk, Elephant's (E): *Pachypodium namaquanum*
- Tsaiorchis* spp.** Tang & Wang #4 II 64 ORCHIDACEAE  
*Tsaiorchis neottianthoides* T.Tang & F.T.Wang #4 II 64 ORCHIDACEAE
- Tuber, *Bletilla* (E): *Bletilla striata*  
***Tuberolabium* spp.** Yamamoto #4 II 64 ORCHIDACEAE  
*Tuberolabium kotoense* Yamam. #4 II 64 ORCHIDACEAE  
*Tuberolabium rhopalorrhachis* (Rchb.f.) J.J.Wood #4 II 64 ORCHIDACEAE
- Tubilabium* spp.** J.J.Smith #4 II 64 ORCHIDACEAE  
*Tulexis bicolor* Raf. = *Brassavola tuberculata* Hook  
 Tuna (S): *Opuntia ficus-indica*  
 Tuna de cruz (S): *Opuntia macracantha*  
 Tuna de España (S): *Opuntia ficus-indica*  
 Tuna mansa (S): *Opuntia ficus-indica*

- Turbinicarpus** spp. (Backeb.) Buxb. & Backeb. I  
CACTACEAE
- Turbinicarpus alonsoi** Glass & Arias I CACTACEAE
- Turbinicarpus beguinii** (Taylor) Mosco & Zanovello I  
CACTACEAE
- Turbinicarpus bonatzii** G.Frank I CACTACEAE
- Turbinicarpus booleanus** G.S.Hinton I CACTACEAE
- Turbinicarpus gautii** (L. Benson) A. Zimmerman =  
*Sclerocactus warnockii* (Benson) Taylor
- Turbinicarpus gielsdorfianus** (Werdermann) John &  
Riha I CACTACEAE
- Turbinicarpus hoferi** Luethy & Lau I CACTACEAE
- Turbinicarpus horripilus** (Lemaire) John & Riha I  
CACTACEAE
- Turbinicarpus jauernigii** G.Frank I CACTACEAE
- Turbinicarpus knuthianus** (Boedeker) John & Riha I  
CACTACEAE
- Turbinicarpus krainzianus* (G. Frank) Backeb. =  
*Turbinicarpus pseudomacrochele* (Backeberg)  
Buxbaum & Backeberg
- Turbinicarpus krainzianus* (G. Frank) Backeberg =  
*Turbinicarpus pseudomacrochele* (Backeberg)  
Buxbaum & Backeberg
- Turbinicarpus laui** Glass & Foster I CACTACEAE
- Turbinicarpus lophophoroides** (Werdermann) Buxbaum &  
Backeberg I CACTACEAE
- Turbinicarpus lophophoroides jauernigii* (Frank) Battaia &  
Zanovello = *Turbinicarpus jauernigii* G.Frank
- Turbinicarpus mandragora** (Fric ex Berger)  
A.Zimmerman I CACTACEAE
- Turbinicarpus mombergeri** Riha I CACTACEAE
- Turbinicarpus pseudomacrochele** (Backeberg)  
Buxbaum & Backeberg I CACTACEAE
- Turbinicarpus pseudomacrochele krainzianus* (G. Frank)  
C. Glass & R. Foster = *Turbinicarpus*  
*pseudomacrochele* (Backeberg) Buxbaum &  
Backeberg
- Turbinicarpus pseudopectinatus** (Backeberg) Glass &  
Foster I CACTACEAE
- Turbinicarpus rioverdensis** G.Frank I CACTACEAE
- Turbinicarpus roseiflorus** Backeberg I CACTACEAE
- Turbinicarpus saueri** (Boedeker) John & Riha I  
CACTACEAE
- Turbinicarpus schmiedickeanus** (Boedeker) Buxbaum &  
Backeberg I CACTACEAE
- Turbinicarpus subterraneus** (Backeberg) A.Zimmerman I  
CACTACEAE
- Turbinicarpus swobodae** Diers & Esteves Pereira I  
CACTACEAE
- Turbinicarpus valdezianus** (Moeller) Glass & Foster I  
CACTACEAE
- Turbinicarpus viereckii** (Werdmann) John & Riha I  
CACTACEAE
- Turbinicarpus ysabelae** (Schlange) John & Riha I  
CACTACEAE
- Turbinicarpus zaragozae** (Glass & Foster) Glass & Hofer  
ex Glass I CACTACEAE
- Tylostigma** spp. Schltr. #4 II 64 ORCHIDACEAE
- Uebelmannia** spp. Buining I CACTACEAE
- Uebelmannia buiningii** Donald I CACTACEAE
- Uebelmannia gummifera** (Backeberg & Voll) Buining I  
CACTACEAE
- Uebelmannia gummifera meninensis** (Buin.) Braun & Est  
= *Uebelmannia gummifera* (Backeberg & Voll) Buining
- Uebelmannia meninensis* Buining = *Uebelmannia*  
*gummifera* (Backeberg & Voll) Buining
- Uebelmannia pectinifera** Buining I CACTACEAE
- Uleiorchis** spp. Hoehne #4 II 64 ORCHIDACEAE
- Uleiorchis ulei** (Cogn.) Handro #4 II 64 ORCHIDACEAE
- Uncarina grandidieri* H. Humbert (1971) II PEDALIACEAE
- Uncarina stellulifera* H. Humbert (1971) II PEDALIACEAE
- Uncifera** spp. Lindl. #4 II 64 ORCHIDACEAE
- Uncifera tenuicaulis* (Hook.f.) Holttum #4 II 64  
ORCHIDACEAE
- Urginea alooides* Bolus = *Aloe alooides* (Bolus) van  
Druten
- Uropedium lindenii* Lindl. = *Phragmipedium lindenii*  
(Lindl.) Dressler & N.H.Williams
- Utahia peeblesiana* (Backeberg) Earle = *Pediocactus*  
*peeblesianus* (Croizat) L.Benson
- Utahia sileri* (Engelmann ex Coulter) Britton & Rose =  
*Pediocactus sileri* (Engelmann ex Coulter) L.Benson
- Vainilla (S): *Vanilla planifolia*
- Vanda** spp. R. Br. #4 II 64 ORCHIDACEAE
- Vanda alpina** (Lindley) Lindley #4 II 64 ORCHIDACEAE
- Vanda amesiana* Reichb.f. = *Holcoglossum amesianum*
- Vanda amiensis* Masam. & Segawa = *Vanda lamellata*  
Lindl.
- Vanda arbuthnotiana** Kraenzl. #4 II 64 ORCHIDACEAE
- Vanda arcuata** J.J. Smith #4 II 64 ORCHIDACEAE
- Vanda azul (S): *Vanda coerulea*
- Vanda batemanii* Lindl. = *Vandopsis lissochilooides*  
(Gaudich.) Pfitz.
- Vanda bensonii** Bateman #4 II 64 ORCHIDACEAE
- Vanda bicaudata* = *Diploprora championii* Hook.f.
- Vanda bicolor** Griffith #4 II 64 ORCHIDACEAE
- Vanda bidupensis** Aver. & Christenson #4 II 64  
ORCHIDACEAE
- Vanda, Blue (E): *Vanda coerulea*
- Vanda boumaniae** J.J.Smith #4 II 64 ORCHIDACEAE
- Vanda boxallii cobbiana* Rchb.f. = *Vanda lamellata* Lindl.
- Vanda boxallii* Rchb.f. = *Vanda lamellata* Lindl.
- Vanda brunnea** Rchb.f. #4 II 64 ORCHIDACEAE
- Vanda brunnea* auct. non Rchb.f. = *Vanda liouvillei* Finet
- Vanda cathartii* = *Esmeralda cathcartii*
- Vanda celebica** Rolfe #4 II 64 ORCHIDACEAE
- Vanda charlesworthii** Rolfe #4 II 64 ORCHIDACEAE
- Vanda chlorosantha** (Garay) & Christenson #4 II 64  
ORCHIDACEAE
- Vanda clarkei* = *Arachnis clarkei* (Reichb. f.) J.J. Smith
- Vanda cliterraria* Rchb.f. = *Vanda lamellata* Lindl.
- Vanda coerulea** Griff. ex Lindl. #4 II 64 ORCHIDACEAE  
(E) Blue Vanda (S) Vanda azul
- Vanda coerulea henniseana* Schltr. = *Vanda coerulea* Griff.  
ex Lindl.
- Vanda coerulea sanderae* Rchb.f. = *Vanda coerulea* Griff.  
ex Lindl.
- Vanda coerulescens** Griff. #4 II 64 ORCHIDACEAE

- Vanda coerulescens* Lindl. = *Vanda coerulea* Griff. ex Lindl.
- Vanda concolor*** Blume #4 II 64 ORCHIDACEAE
- Vanda confusa*** Rolfe #4 II 64 ORCHIDACEAE
- Vanda congesta* = *Acampe congesta*
- Vanda crassiloba*** Teijsm. & Binn. #4 II 64 ORCHIDACEAE
- Vanda cristata*** Lindl. #4 II 64 ORCHIDACEAE
- Vanda cruenta*** Lodd. Cat. ex Sweet #4 II 64 ORCHIDACEAE
- Vanda cumingii* Lodd. = *Vanda lamellata* Lindl.
- Vanda dearei*** Rchb.f #4 II 64 ORCHIDACEAE
- Vanda denevei* Zurow. = *Paraphalaenopsis denevei* (J.J.Sm.) A.D.Hawkes
- Vanda denisoniana*** Benson & Reichb.f. #4 II 64 ORCHIDACEAE
- Vanda densiflora* Lindl. = *Rhynchostylis gigantea* (Lindl.) Ridl.
- Vanda devoogtii*** J.J. Sm. #4 II 64 ORCHIDACEAE
- Vanda doritoides* = *Ornithochilus delavayi*
- Vanda drakei*** Reichb.f. #4 II 64 ORCHIDACEAE
- Vanda esquirolei* Schltr. = *Vanda concolor* Blume
- Vanda falcata* = *Neofinetia falcatum*
- Vanda fasciata* = *Acampe wightiana*
- Vanda fimbriata* = *Gastrochilus acaulis* (Lindley) Kuntze
- Vanda flabellata* (Rolfe ex Downie) Christenson = *Aerides flabellata* Rolfe ex Downie
- Vanda flavobrunnea*** Rchb.f. #4 II 64 ORCHIDACEAE
- Vanda foetida*** J.J. Sm. #4 II 64 ORCHIDACEAE
- Vanda furva* Lindl. = *Vanda concolor* Blume
- Vanda fuscoviridis* Lindl. = *Vanda concolor* Blume
- Vanda gibbsiae* Rolfe = *Vanda hastifera* Rchb.f.
- Vanda gigantea* Lindl. = *Vandopsis gigantea* (Lindl.) Pfitzer
- Vanda griffithii*** Lindl. #4 II 64 ORCHIDACEAE
- Vanda guangxiensis* Fowlie = *Vanda concolor* Blume
- Vanda guibertii* = *Staurochilus guibertii*
- Vanda hainanensis* Rolfe = *Rhynchostylis gigantea* (Lindl.) Ridl.
- Vanda hastifera*** Rchb.f. #4 II 64 ORCHIDACEAE
- Vanda helvola*** Blume #4 II 64 ORCHIDACEAE
- Vanda henryi* Schltr. = *Vanda brunnea* Rchb.f.
- Vanda hindsii*** Lindl. #4 II 64 ORCHIDACEAE
- Vanda hindsii* Benth. non Lindl. = *Vanda tricolor* Lindley
- Vanda hookeri* = *Papilionanthe hookeriana* (Reichb.f.) Garay
- Vanda hookeriana* = *Papilionanthe hookeriana* (Reichb.f.) Garay
- Vanda insignis*** Blume #4 II 64 ORCHIDACEAE
- Vanda jainii*** A.S.Chauhan #4 II 64 ORCHIDACEAE
- Vanda javierae*** D.Tiu ex Fessel & Luckel #4 II 64 ORCHIDACEAE
- Vanda kimbballiana* = *Holcoglossum kimbballiana*
- Vanda kwangtungensis* S.J.Cheng & C.Z.Tang = *Vanda concolor* Blume
- Vanda lamellata*** Lindl. #4 II 64 ORCHIDACEAE
- Vanda laotica* Guill. = *Vanda lilacina* Teijsm. & Binn..
- Vanda leucostelete*** Schltr. #4 II 64 ORCHIDACEAE
- Vanda lilacina*** Teijsm. & Binn.. #4 II 64 ORCHIDACEAE
- Vanda limbata*** Blume #4 II 64 ORCHIDACEAE
- Vanda lindenii*** Rchb.f. #4 II 64 ORCHIDACEAE
- Vanda lindenii* auct. non Rchb.f. = *Vanda concolor* Blume
- Vanda lindleyana* Griff. ex Lindl. & Paxton = *Vandopsis gigantea* (Lindl.) Pfitzer
- Vanda liouvillei*** Finet #4 II 64 ORCHIDACEAE
- Vanda lissochilooides* (Gaudich.) Lindl. = *Vandopsis lissochilooides* (Gaudich.) Pfitz.
- Vanda lombokensis*** J.J. Sm. #4 II 64 ORCHIDACEAE
- Vanda longifolia* = *Acampe rigida* Buch-Harn. ex J.E.Sm. P.F.Hunt
- Vanda lowei* = *Arachnis lowei*
- Vanda lowii* = *Dimorphorchis lowii*
- Vanda luzonica*** Loher ex Rolfe #4 II 64 ORCHIDACEAE
- Vanda masperoae* Kerr. = *Papilionanthe pedunculata* (Kerr.) Garay
- Vanda merrilli*** Ames & Quisumb. #4 II 64 ORCHIDACEAE
- Vanda micholitzii* Rolfe ex Ridl. = *Vanda denisoniana* Benson & Reichb.f.
- Vanda moorei*** Rolfe #4 II 64 ORCHIDACEAE
- Vanda muelleri* Kraenzl. = *Vandopsis muelleri* (Kraenzl.) Schltr.
- Vanda multiflora* Buch-Harn. ex Sm. = *Acampe rigida* Buch-Harn. ex J.E.Sm. P.F.Hunt
- Vanda multiflora* Lindl. = *Acampe multiflora* (Lindl.) Lindl
- Vanda multiflora* Lindl. = *Acampe rigida* Buch-Harn. ex J.E.Sm. P.F.Hunt
- Vanda nasughuana* Parsons = *Vanda lamellata* Lindl.
- Vanda obliqua* = *Gastrochilus obliquum*
- Vanda paniculata* Ker Gawl. = *Cleisostoma paniculatum* (Ker Gawl.) Garay
- Vanda parishii* = *Hygrochilus parishii*
- Vanda parishii* parishii = *Hygrochilus parishii*
- Vanda parviflora* auct non Lindl. = *Vanda lilacina* Teijsm. & Binn..
- Vanda parviflora* Lindley = *Vanda testacea* (Lindl.) Rchb.f.
- Vanda pauciflora*** Breda #4 II 64 ORCHIDACEAE
- Vanda peduncularis* = *Cottonia peduncularis*
- Vanda petersiana* Schltr. = *Vanda stangeana* Rchb.f.
- Vanda pseudo-coerulescens* Guillaumin = *Rhynchostylis coelestis* Reichb.f.
- Vanda pulchella* = *Gastrochilus acutalis*
- Vanda pumila*** Hook.f. #4 II 64 ORCHIDACEAE
- Vanda punctata*** Ridley #4 II 64 ORCHIDACEAE
- Vanda pusilla* = *Trichoglottis pusilla* (Teijsm. & Binnend.) Reichb.f.
- Vanda recurva* = *Cleisostoma rostratum*
- Vanda roeblingiana*** Rolfe #4 II 64 ORCHIDACEAE
- Vanda Roja* (S): *Renanthera imschootiana*
- Vanda rostrata* = *Cleisostoma rostratum*
- Vanda roxburghii* R.Br. = *Vanda tessellata* (Roxb.) Hook. ex G.Don
- Vanda rupestris* Hand.-Mazz. = *Holcoglossum rupestre*
- Vanda sanderiana*** Reichb.f. #4 II 64 ORCHIDACEAE
- Vanda saprophyticum* = *Holcoglossum saprophyticum*
- Vanda sauvii* auct. non Lindl. = *Vanda denisoniana* Benson & Reichb.f.
- Vanda sauvii* F.Muell. = *Vanda hindsii* Lindl.

- Vanda saxatilis* J.J. Sm. = *Vanda lindeni* Rchb.f.  
***Vanda scandens*** Holttum #4 II 64 ORCHIDACEAE  
*Vanda scripta* = *Grammatophyllum speciosum* Blume  
*Vanda simondii* = *Cleisostoma simondii* (Gagnep.) Seidenfaden  
***Vanda spathulata* (L.) Spreng.** #4 II 64 ORCHIDACEAE  
*Vanda spathulata* auct. non (L.) Spreng. = *Vanda testacea* (Lindl.) Rchb.f.  
***Vanda stangeana*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Vanda stella* Hort. = *Vanda concolor* Blume  
*Vanda storiei* Storie ex Rchb.f. = *Renanthera storiei* Rchb.f.  
*Vanda striata* Rchb.f. = *Vanda cristata* Lindl.  
*Vanda suaveolens* Blume = *Vanda tricolor* Lindley  
***Vanda subconcolor*** Tang & F.T. Wang #4 II 64 ORCHIDACEAE  
*Vanda subulifolia* Reichb.f. = *Holcoglossum subulifolium*  
*Vanda sulingi* Blume = *Renanthera sulingi* Lindl.  
*Vanda sulingii* = *Arachnis sulingi* (Blume) Reichb.f.  
***Vanda sumatrana*** Schltr. #4 II 64 ORCHIDACEAE  
*Vanda superba* Linden & Rodr. = *Vanda lamellata* Lindl.  
***Vanda taiwaniana*** S.S.Ying #4 II 64 ORCHIDACEAE  
*Vanda teres* = *Papilionanthe teres* (Lindley) Garay  
*Vanda teretifolia* Gagnepain = *Cleisostoma simondii* (Gagnep.) Seidenfaden  
***Vanda tessellata*** (Roxb.) Hook. ex G.Don #4 II 64 ORCHIDACEAE  
*Vanda tesselloides* (Roxb.) Rchb.f. = *Vanda tessellata* (Roxb.) Hook. ex G.Don  
***Vanda testacea*** (Lindl.) Rchb.f. #4 II 64 ORCHIDACEAE  
***Vanda thwaitesii*** Hook.f. #4 II 64 ORCHIDACEAE  
*Vanda trichorhiza* = *Luisia trichorhiza*  
***Vanda tricolor*** Lindley #4 II 64 ORCHIDACEAE  
*Vanda tricolor* Ames non Lindl. = *Vanda luzonica* Loher ex Rolfe  
*Vanda tricolor* auct. non Lindl. = *Vanda denisoniana* Benson & Reichb.f.  
*Vanda tricuspidata* J.J. Smith = *Papilionanthe tricuspidata*  
*Vanda truncata* J.J. Sm. = *Vanda hindsii* Lindl.  
*Vanda undulata* Lindl. = *Vandopsis undulata* (Lindl.) J.J. Sm.  
*Vanda unicolor* sensu IK = *Vanda lamellata* Lindl.  
*Vanda unicolor* Steud. sensu Christenson = *Vanda tessellata* (Roxb.) Hook. ex G.Don  
*Vanda vandarum* = *Papilionanthe vandarum* (Rchb.f.) Garay  
*Vanda vetillina* Kraenzl. = *Vanda testacea* (Lindl.) Rchb.f.  
*Vanda vidalii* Boxall ex Naves = *Vanda lamellata* Lindl.  
*Vanda viminea* Buch-Harn. ex Sm. = *Acampe rigida* Buch-Harn. ex J.E.Sm. P.F.Hunt  
***Vanda vipanii*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Vanda watsonii* Rolfe = *Holcoglossum subulifolium*  
*Vanda whiteana* D.A.Herb. & S.T.Blake = *Vanda hindsii* Lindl.  
*Vanda wightiana* = *Acampe praemorsa* (Roxb.) Blatter & Mccann  
***Vanda wightii*** Rchb.f. #4 II 64 ORCHIDACEAE  
*Vanda yamiensis* Masam. & Segawa = *Vanda lamellata* Lindl.
- Vandopsis* spp.** Pfitzer #4 II 64 ORCHIDACEAE  
*Vandopsis beccarii* J.J.Sm. = *Vandopsis muelleri* (Kraenzl.) Schltr.  
*Vandopsis breviscapa* = *Arachnis breviscapa* J.J. Smith  
*Vandopsis celebica* Schltr. = *Arachnis celebica*  
*Vandopsis chinensis* (Rolfe) Schltr. = *Vandopsis gigantea* (Lindl.) Pfitzer  
*Vandopsis curvata* J.J. Smith = *Sarcandropsis curvata*  
*Vandopsis davisii* Ames & Quis. = *Trichoglottis loheriana*  
***Vandopsis gigantea*** (Lindl.) Pfitzer #4 II 64 ORCHIDACEAE  
*Vandopsis hansemanni* = *Sarcandropsis nagarensis*  
*Vandopsis kupperiana* Kranzlin = *Trichoglottis luzonensis*  
*Vandopsis leyensis* Ames = *Trichoglottis fasciata*  
***Vandopsis lissochilooides*** (Gaudich.) Pfitz. #4 II 64 ORCHIDACEAE  
*Vandopsis longicaulis* Schltr. = *Arachnis longicaulis*  
*Vandopsis lowii* = *Dimorphorchis lowii*  
*Vandopsis luchuensis* = *Trichoglottis lushuensis*  
***Vandopsis muelleri*** (Kraenzl.) Schltr. #4 II 64 ORCHIDACEAE  
*Vandopsis nagarensis* Schltr. = *Sarcandropsis nagarensis*  
*Vandopsis pantherina* J.J. Smith = *Sarcandropsis pantherina*  
*Vandopsis praealta* = *Sarcanthus praealtus*  
*Vandopsis quaifei* = *Sarcandropsis nagarensis*  
*Vandopsis raymundi* = *Sarcandropsis nagarensis*  
***Vandopsis shanica*** (Phillimore & Sm.) Garay #4 II 64 ORCHIDACEAE  
***Vandopsis undulata*** (Lindl.) J.J. Sm. #4 II 64 ORCHIDACEAE  
*Vandopsis warocqueana* = *Sarcandropsis nagarensis*  
*Vandopsis woodfordii* = *Sarcandropsis nagarensis*  
*Vanilla* (E): *Vanilla planifolia*  
***Vanilla* spp.** Mill. #4 II 64 ORCHIDACEAE  
*Vanilla albida* Blume #4 II 64 ORCHIDACEAE  
*Vanilla aphylla* Blume #4 II 64 ORCHIDACEAE  
*Vanilla argentina* Hicken #4 II 64 ORCHIDACEAE  
*Vanilla calopogon* Reichb.f. #4 II 64 ORCHIDACEAE  
*Vanilla claviculata* Sw. #4 II 64 ORCHIDACEAE  
*Vanilla correllii* Sauleda & R.M. Adams #4 II 64 ORCHIDACEAE  
*Vanilla cucullata* J. Braun & Schumann #4 II 64 ORCHIDACEAE  
*Vanilla fragrans* (Salisb.) Ames = *Vanilla planifolia* Andr.  
*Vanilla griffithii* Rchb.f. #4 II 64 ORCHIDACEAE  
*Vanilla hartii* Rolfe #4 II 64 ORCHIDACEAE  
*Vanilla helleri* A. Hawkes #4 II 64 ORCHIDACEAE  
*Vanilla hostmanni* Rolfe #4 II 64 ORCHIDACEAE  
*Vanilla imperialis* Kraenzl. #4 II 64 ORCHIDACEAE  
*Vanilla marowijnensis* Pulle #4 II 64 ORCHIDACEAE  
*Vanilla moonii* Thwaites #4 II 64 ORCHIDACEAE  
*Vanilla pauciflora* Dressler #4 II 64 ORCHIDACEAE  
*Vanilla pfaviana* Rchb. f. #4 II 64 ORCHIDACEAE  
*Vanilla phalaenopsis* Reichenb. f. #4 II 64 ORCHIDACEAE  
*Vanilla pilifera* Holttum #4 II 64 ORCHIDACEAE

- Vanilla planifolia* Andr. #4 II 64 ORCHIDACEAE (E) *Vanilla* Warszewiczella amazonica Rchb.f. & Warsz. ex Rchb.f.  
(S) Vainilla 1854 = *Cochleanthes amazonica* (Rchb.f. & Warsz. ex  
Rchb.f.) Schult. & Garay 1959
- Vanilla pompona* Scheide #4 II 64 ORCHIDACEAE Warszewiczella aromatica hort. ex Rchb.f. 1863 =  
*Vanilla somai* Hayata #4 II 64 ORCHIDACEAE *Cochleanthes aromatica* (Rchb.f.) Schult. & Garay
- Vanilla walkeriae* Wight #4 II 64 ORCHIDACEAE Warszewiczella candida Rchb.f. 1852 = *Cochleanthes*  
*Vanilla wightiana* Lindley ex Hook.f. #4 II 64 *candida* (Lindl.) R.E.Schult. & Garay  
ORCHIDACEAE Warszewiczella cochlearis (Lindl.) Rchb.f. 1852 =  
*Vargasiella* spp. C.Schweinf. #4 II 64 ORCHIDACEAE *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay  
(1959)
- Vasqueziella* spp. Dodson #4 II 64 ORCHIDACEAE Warszewiczella coeruleata Rchb.f. 1883 = *Cochleanthes*  
*Vatricania guentheri* (Kupper) Backeberg = *Espostoa* *flabelliformis* (Sw.) R.E.Schult. & Garay (1959)
- guentheri* (Kupper) Buxbaum Warszewiczella digitata Barb. Rodr. 1883 = *Cochleanthes*
- Ventricularia* spp. Garay #4 II 64 ORCHIDACEAE Warszewiczella discolor (Lindl.) Rchb.f. 1852 =  
Vera (E): *Guaiacum officinale* *Cochleanthes discolor* (Lindl.) R.E.Schult. & Garay
- Vesicisepalum folliculiferum* (J.J.Sm.) Garay, Hamer &  
Seigerist = *Bulbophyllum folliculiferum* J.J.Sm. Warszewiczella flabelliformis (Sw.) Cogn. 1903 =  
*Vexillarium* spp. Maekawa #4 II 64 ORCHIDACEAE *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay  
(1959)
- Vexillarium yakushimense* (Yamamoto) F. Maek. #4 II 64 ORCHIDACEAE Warszewiczella gibezae (N.E.Br.) Stein 1892 =  
Vitae, Commoner Lignum (E): *Guaiacum officinale* *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay  
Vitae, Holywood Lignum (E): *Guaiacum sanctum* (1959)
- Vitae, Lignum (E): *Guaiacum officinale* Warszewiczella ionoleuca (Rchb.f.) Schltr. 1920 =  
*Voanioala gerardii* J. Dransf. II PALMAE *Cochleanthes ionoleuca* (Rchb.f.) Schult. & Garay  
(1959)
- Vrydagzynea* spp. Blume #4 II 64 ORCHIDACEAE Warszewiczella lindenii (Rolfe) Hortus 1892 =  
*Vrydagzynea albida* Blume #4 II 64 ORCHIDACEAE *Cochleanthes amazonica* (Rchb.f. & Warsz. ex Rchb.f.)  
*Vrydagzynea gracilis* Blume #4 II 64 ORCHIDACEAE Schult. & Garay 1959
- Vrydagzynea lancifolia* Ridley #4 II 64 ORCHIDACEAE Warszewiczella lipscombiae (Rolfe) Fowlie 1969 =  
*Vrydagzynea nuda* Blume #4 II 64 ORCHIDACEAE (E) *Cochleanthes amazonica* (Rchb.f. & Warsz. ex Rchb.f.)  
Pallid Spur Orchid Schult. & Garay 1959
- Vrydagzynea paludosa* J.J.Smith #4 II 64 ORCHIDACEAE Warszewiczella lueddemanniana Rchb.f. 1860 =  
*Vrydagzynea purpurea* Blume #4 II 64 ORCHIDACEAE *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay  
(1959)
- Vrydagzynea samoana* Schltr. #4 II 64 ORCHIDACEAE Warszewiczella lueddemanniana Rchb.f. 1860 =  
*Vrydagzynea tristriata* Ridl. #4 II 64 ORCHIDACEAE *Cochleanthes lueddemanniana* (Rchb.f.) R.E.Schult. &  
*Vrydagzynea uncinata* Blume #4 II 64 ORCHIDACEAE Garay 1959
- Vrydagzynea whitmeei* Schltr. #4 II 64 ORCHIDACEAE Warszewiczella marginata Rchb.f. 1852 = *Cochleanthes*  
*Warmingia* spp. Rchb.f. #4 II 64 ORCHIDACEAE *marginata* (Rchb.f.) Schult. & Garay 1959
- Warrea* spp. Lindl. #4 II 64 ORCHIDACEAE Warszewiczella velata Rchb.f. 1854 = *Cochleanthes*  
*Warrea candida* Lindl. 1851 = *Cochleanthes candida* *marginata* (Rchb.f.) Schult. & Garay 1959
- (Lindl.) R.E.Schult. & Garay Warszewiczella wailesiana (Lindl.) Rchb.f. ex Morren 1878  
*Warrea costaricensis* Schltr. #4 II 64 ORCHIDACEAE = *Cochleanthes wailesiana* (Lindl.) R.E.Schult. &  
*Warrea digitata* Lem. 1856 = *Cochleanthes wailesiana* Garay 1959
- (Lindl.) R.E.Schult. & Garay Warszewiczella wendlandi (Rchb.f.) Schltr. 1918 =  
*Warrea discolor* Lindl. 1849 = *Cochleanthes discolor* *Cochleanthes aromaticata* (Rchb.f.) Schult. & Garay
- (Lindl.) R.E.Schult. & Garay Warszewiczella wailesiana (Lindl.) Rchb.f. ex Morren 1878  
*Warrea marginata* Rchb.f. 1852 = *Cochleanthes marginata* = *Cochleanthes wailesiana* (Lindl.) R.E.Schult. &  
(Rchb.f.) Schult. & Garay Garay 1959
- Warszewiczella quadrata Lindl. 1853 = *Cochleanthes marginata* Warszewiczella wendlandi (Rchb.f.) Schltr. 1918 =  
(Rchb.f.) Schult. & Garay 1959 *Cochleanthes aromaticata* (Rchb.f.) Schult. & Garay
- Warrea wailesiana* Lindl. 1849 = *Cochleanthes wailesiana* Warszewiczella wailesiana (Lindl.) Rchb.f. ex Morren 1878  
(Lindl.) R.E.Schult. & Garay = *Cochleanthes wailesiana* (Lindl.) R.E.Schult. &  
*Warrea warreana* (Lodd. ex Lindl.) C.Schweinf., 1955 #4 II Garay 1959
- 64 ORCHIDACEAE Warszewiczella wendlandi (Rchb.f.) Schltr. 1918 =  
*Warreella* spp. Schltr. #4 II 64 ORCHIDACEAE *Cochleanthes aromaticata* (Rchb.f.) Schult. & Garay
- Warreopsis* spp. Garay #4 II 64 ORCHIDACEAE Warszewiczella cephalomacrostibas (Werdermann &  
*Warreopsis parviflora* (L.O. Williams) Garay #4 II 64 ORCHIDACEAE Backeberg) Ritter = *Echinopsis cephalomacrostibas*  
ORCHIDACEAE (Werdermann & Backeb.) Friedrich & Rowley
- Warszewiczella cephalomacrostibas (Werdermann & Backeberg) Ritter = *Echinopsis cephalomacrostibas*  
Warszewiczella churinensis Ritter #4 II 49 CACTACEAE (Werdermann & Backeb.) Friedrich & Rowley
- Weberbaueroocereus* spp. Backeb. #4 II 49 CACTACEAE Warszewiczella churinensis Ritter #4 II 49 CACTACEAE
- Weberbaueroocereus albus* Ritter = *Weberbaueroocereus longicomus* Ritter Warszewiczella churinensis Ritter #4 II 49 CACTACEAE
- Weberbaueroocereus cephalomacrostibas* (Werdermann & Backeberg) Ritter = *Echinopsis cephalomacrostibas*  
(Werdermann & Backeb.) Friedrich & Rowley Warszewiczella churinensis Ritter #4 II 49 CACTACEAE
- Weberbaueroocereus cuzcoensis* Knize #4 II 49 CACTACEAE Warszewiczella horridispinus Rauh & Backeberg =  
*Weberbaueroocereus horridispinus* Rauh & Backeberg =  
*Weberbaueroocereus weberbaueri* (Schumann ex Vaupel) Backeberg Warszewiczella horridispinus Rauh & Backeberg =  
*Weberbaueroocereus weberbaueri* (Schumann ex Vaupel) Backeberg

- Weberbauerocereus johnsonii** Ritter #4 II 49  
CACTACEAE
- Weberbauerocereus longicomus** Ritter #4 II 49  
CACTACEAE
- Weberbauerocereus rauhii** Backeberg #4 II 49  
CACTACEAE
- Weberbauerocereus seyboldianus** Rauh & Backeberg =  
**Weberbauerocereus weberbaueri** (Schumann ex  
Vaupel) Backeberg
- Weberbauerocereus torataensis** Ritter #4 II 49  
CACTACEAE
- Weberbauerocereus weberbaueri** (Schumann ex  
Vaupel) Backeberg #4 II 49 CACTACEAE
- Weberbauerocereus winterianus** Ritter #4 II 49  
CACTACEAE
- Weberocereus spp.** Britton & Rose #4 II 49 CACTACEAE
- Weberocereus bolleyi** (Weber) Britton & Rose #4 II 49  
CACTACEAE
- Weberocereus bradei** (Britton & Rose) Rowley #4 II 49  
CACTACEAE
- Weberocereus glaber** (Eichlam) Rowley #4 II 49  
CACTACEAE
- Weberocereus imitans** (Kimnach & Hutchison) Buxbaum  
#4 II 49 CACTACEAE
- Weberocereus panamensis** Britton & Rose #4 II 49  
CACTACEAE
- Weberocereus rosei** (Kimnach) Buxbaum #4 II 49  
CACTACEAE
- Weberocereus tonduzii** (Weber) Rowley #4 II 49  
CACTACEAE
- Weberocereus trichophorus** H.Johnson & Kimnach #4 II  
49 CACTACEAE
- Weberocereus tunilla** (Weber) Britton & Rose #4 II 49  
CACTACEAE
- Weingartia aglaia** Brandt = *Rebutia steinbachii*  
Werdermann
- Weingartia albaoides** Brandt = *Rebutia canigueralii*  
Cardenas
- Weingartia albaoides subfusca** Brandt = *Rebutia*  
*canigueralii* Cardenas
- Weingartia alba** (Rausch) Brandt = *Rebutia canigueralii*  
Cardenas
- Weingartia albissima** Brandt = *Rebutia mentosa* (Ritter)  
Donald
- Weingartia ambigua** (Hildmann ex Schumann) Backeberg  
= *Rebutia neocumingii* (Backeberg) Hunt
- Weingartia ansaldoensis** Brandt = *Rebutia steinbachii*  
Werdermann
- Weingartia arenacea** (Cardenas) Brandt = *Rebutia*  
*arenacea* Cardenas
- Weingartia attenuata** Brandt = *Rebutia neocumingii*  
(Backeberg) Hunt
- Weingartia aureispina** (Rausch) Brandt = *Rebutia*  
*canigueralii* Cardenas
- Weingartia backebergiana** Brandt = *Rebutia steinbachii*  
Werdermann
- Weingartia brachygraphisa** Brandt = *Rebutia neocumingii*  
(Backeberg) Hunt
- Weingartia breviflora** (Backeberg) Brandt = *Rebutia*  
*caineana* Cardenas
- Weingartia brevispina** Brandt = *Rebutia canigueralii*  
Cardenas
- Weingartia buiningiana** Ritter = *Rebutia neocumingii*  
(Backeberg) Hunt
- Weingartia caineana** (Cardenas) Brandt = *Rebutia*  
*caineana* Cardenas
- Weingartia callecallensis** Brandt = *Rebutia neocumingii*  
(Backeberg) Hunt
- Weingartia candiae** (Cardenas) Buining & Donald =  
*Rebutia arenacea* Cardenas
- Weingartia canigueralii** (Cardenas) Brandt = *Rebutia*  
*canigueralii* Cardenas
- Weingartia caracarensis** (Cardenas) Brandt = *Rebutia*  
*canigueralii* Cardenas
- Weingartia cardenasiana** (Vasquez) Brandt = *Rebutia*  
*cardenasiana* (R.Vasquez) G.Navarro
- Weingartia clavata** Brandt = *Rebutia steinbachii*  
Werdermann
- Weingartia columnaris** Brandt = *Rebutia neocumingii*  
(Backeberg) Hunt
- Weingartia corroana** (Cardenas) Cardenas = *Rebutia*  
*neocumingii* (Backeberg) Hunt
- Weingartia croceareolata** Brandt = *Rebutia steinbachii*  
Werdermann
- Weingartia cylindrica** (Donald) Brandt = *Rebutia cylindrica*  
(Donlad & Lau) Hunt
- Weingartia electracantha** (Backeberg) Brandt = *Rebutia*  
*steinbachii* Werdermann
- Weingartia erinacea** Ritter = *Rebutia neocumingii*  
(Backeberg) Hunt
- Weingartia flavissima** (Rausch) Brandt = *Rebutia mentosa*  
(Ritter) Donald
- Weingartia formosa** Brandt = *Rebutia mentosa* (Ritter)  
Donald
- Weingartia frankiana** Rausch Brandt = *Rebutia*  
*canigueralii* Cardenas
- Weingartia glomeriseta** (Cardenas) Brandt = *Rebutia*  
*arenacea* Cardenas
- Weingartia glomerispina** (Cardenas) Brandt = *Rebutia*  
*steinbachii* Werdermann
- Weingartia gracilispina** Ritter = *Rebutia neocumingii*  
(Backeberg) Hunt
- Weingartia haseltonii** (Cardenas) Brandt = *Rebutia*  
*caineana* Cardenas
- Weingartia hediniana** Backeberg = *Rebutia neocumingii*  
(Backeberg) Hunt
- Weingartia hoffmanniana** (Backeberg) Brandt = *Rebutia*  
*steinbachii* Werdermann
- Weingartia inflexiseta** (Cardenas) Brandt = *Rebutia*  
*canigueralii* Cardenas
- Weingartia kargliana** Rausch = *Rebutia neumanniana*  
(Werdermann) Hunt
- Weingartia knizei** Brandt = *Rebutia neocumingii*  
(Backeberg) Hunt
- Weingartia krahni** (Rausch) Brandt = *Rebutia steinbachii*  
Werdermann
- Weingartia lecociensis** Cardenas = *Rebutia fidaiana*  
(Backeberg) Hunt
- Weingartia lepida** (Ritter) Brandt = *Rebutia steinbachii*  
Werdermann

- Weingartia losenickyana* (Rausch) Brandt = *Rebutia caniguerallii* Cardenas  
*Weingartia mairanana* Brandt = *Rebutia neocumingii* (Backeberg) Hunt  
*Weingartia margarethae* (Rausch) Brandt = *Rebutia padcayensis* Rausch  
*Weingartia markusii* (Rausch) Brandt = *Rebutia mentosa* (Ritter) Donald  
*Weingartia matralensis* Brandt = *Rebutia neocumingii* (Backeberg) Hunt  
*Weingartia menesesii* (Cardenas) Brandt = *Rebutia arenacea* Cardenas  
*Weingartia minima* (Rausch) Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia miranda* Brandt = *Rebutia neocumingii* (Backeberg) Hunt  
*Weingartia mizquensis* (Rausch) Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia multispina* Ritter = *Rebutia neocumingii* (Backeberg) Hunt  
*Weingartia muschii* (Vasquez) Brandt = *Rebutia arenacea* Cardenas  
*Weingartia neglecta* Brandt = *Rebutia neocumingii* (Backeberg) Hunt  
*Weingartia neumanniana* (Backeberg) Werderm. = *Rebutia neumanniana* (Werdermann) Hunt  
*Weingartia nigro-fuscata* Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia oenatha* (Rausch) Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia oligacantha* Ritter = *Rebutia oligacantha* (Brandt) Donald ex Hunt  
*Weingartia pampagrandensis* (Rausch) Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia pasopayana* Brandt = *Rebutia caniguerallii* Cardenas  
*Weingartia perplexiflora* Brandt = *Rebutia caniguerallii* Cardenas  
*Weingartia platygora* Cardenas = *Rebutia neocumingii* (Backeberg) Hunt  
*Weingartia polymorpha* (Cardenas) Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia pygmaea* Ritter = *Rebutia neumanniana* (Werdermann) Hunt  
*Weingartia rauschii* (Frank) Brandt = *Rebutia caniguerallii* Cardenas  
*Weingartia ritteri* Brandt = *Rebutia caniguerallii* Cardenas  
*Weingartia rubro-aurea* Brandt = *Rebutia caniguerallii* Cardenas  
*Weingartia saetosa* Brandt = *Rebutia neocumingii* (Backeberg) Hunt  
*Weingartia sanguineo-tarijensis* Brandt = *Rebutia oligacantha* (Brandt) Donald ex Hunt  
*Weingartia saxatilis* Brandt = *Rebutia caniguerallii* Cardenas  
*Weingartia tarabucina* Brandt = *Rebutia caniguerallii* Cardenas  
*Weingartia tarabucoensis* (Rausch) Brandt = *Rebutia caniguerallii* Cardenas
- Weingartia taratensis* (Cardenas) Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia tarijensis* Brandt = *Rebutia oligacantha* (Brandt) Donald ex Hunt  
*Weingartia torotorensis* Cardenas = *Rebutia mentosa* (Ritter) Donald  
*Weingartia totoralensis* Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia totorensis* (Cardenas) Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia tuberculato-crysanthia* (Cardenas) Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia tunariensis* (Cardenas) Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia vilcayensis* Cardenas = *Rebutia fidaiana* (Backeberg) Hunt  
*Weingartia vizcarrae* (Cardenas) Brandt = *Rebutia steinbachii* Werdermann  
*Weingartia vorwerkii* (Fric) Backeberg = *Neowerdermannia vorwerkii* (Fric) Backeberg  
*Weingartia westii* (Hutchison) Donald = *Rebutia fidaiana* (Backeberg) Hunt  
*Weingartia zavaletae* (Cardenas) Brandt = *Rebutia caniguerallii* Cardenas  
*Welwitschia bainesii* = *Welwitschia mirabilis* Hook.f.  
*Welwitschia mirabilis* Hook.f. #4 II WELWITSCHIACEAE  
*Werckleocereus glaber* Britton & Rose = *Weberocereus glaber* (Eichlam) Rowley  
*Werckleocereus imitans* Kimnach & Hutchinson = *Weberocereus imitans* (Kimnach & Hutchinson) Buxbaum  
*Werckleocereus tonduzii* (A. Weber) Britton & Rose = *Weberocereus tonduzii* (Weber) Rowley  
White-topped, Pitcher-plant (E): *Sarracenia leucophylla*  
*Wigginsia acuata* (Link & Otto) Ritter = *Parodia erinacea* (Haworth) Taylor  
*Wigginsia arechavaletae* (Schumann ex Spegazzini) Porter = *Parodia neoarechavaletae* (Havlick) Hunt  
*Wigginsia corynodes* (Otto ex Pfeiffer) Porter = *Parodia sellowii* (Link & Otto) Hunt  
*Wigginsia courantii* (Lemaire) Ritter = *Parodia sellowii* (Link & Otto) Hunt  
*Wigginsia erinacea* (Haworth) Porter = *Parodia erinacea* (Haworth) Taylor  
*Wigginsia fricci* (Arechavaleta) Porter = *Parodia sellowii* (Link & Otto) Hunt  
*Wigginsia horstii* Ritter = *Parodia neohorstii* (Theunissen) Taylor  
*Wigginsia langsdorffii* (Lehmann) Porter = *Parodia langsdorffii* (Lehmann) Hunt  
*Wigginsia leprosorum* Ritter = *Parodia langsdorffii* (Lehmann) Hunt  
*Wigginsia longispina* Ritter = *Parodia langsdorffii* (Lehmann) Hunt  
*Wigginsia macracanthus* (Arechavaleta) Porter = *Parodia sellowii* (Link & Otto) Hunt  
*Wigginsia macrogona* (Arechavaleta) Porter = *Parodia sellowii* (Link & Otto) Hunt  
*Wigginsia polyacantha* (Link & Otto) Ritter = *Parodia langsdorffii* (Lehmann) Hunt

<i>Wigginsia prolifera</i> Ritter = <i>Parodia langsdorffii</i> (Lehmann) Hunt	Wood, Brazil (E): <i>Guaiacum sanctum</i>
<i>Wigginsia schaeferiana</i> Abraham & Theunissen = <i>Parodia turbinata</i> (Arechavaleta) Hofacker	Wood, Brazil (E): <i>Guaiacum officinale</i>
<i>Wigginsia sellowii</i> (Link & Otto) Ritter = <i>Parodia sellowii</i> (Link & Otto) Hunt	Wood, Brazil (E): <i>Caesalpinia echinata</i>
<i>Wigginsia sessiliflora</i> (Hooker) Porter = <i>Parodia sellowii</i> (Link & Otto) Hunt	Wood, Cigar-box (E): <i>Cedrela odorata</i>
<i>Wigginsia stegmannii</i> (Backeberg) Porter = <i>Parodia sellowii</i> (Link & Otto) Hunt	Wood, Eagle (E): <i>Aquilaria crassna</i>
<i>Wigginsia tephracantha</i> (Link & Otto) Porter = <i>Parodia sellowii</i> (Link & Otto) Hunt	Wood, Guaiacum (E): <i>Guaiacum sanctum</i>
<i>Wigginsia turbinata</i> (Arechavaleta) Porter = <i>Parodia turbinata</i> (Arechavaleta) Hofacker	Wood, Guaiacum (E): <i>Guaiacum officinale</i>
<i>Wigginsia vorwerkiana</i> (Werdermann) Porter = <i>Parodia sellowii</i> (Link & Otto) Hunt	wood, Holy (E): <i>Bulnesia sarmientoi</i>
Wig, Tree Fern (E): <i>Alsophila baileyana</i>	Wood, Paradise (E): <i>Aquilaria malaccensis</i>
<i>Wilcoxia albiflora</i> Backeberg = <i>Echinocereus leucanthus</i> Taylor	wood, pernambuco (E): <i>Caesalpinia echinata</i>
<i>Wilcoxia kroenleinii</i> A.Cartier = <i>Echinocereus poselgeri</i> Lemaire	Wood, Serpentine (E): <i>Rauvolfia serpentina</i>
<i>Wilcoxia lazaro-cardenasii</i> (Contreras) Cartier = <i>Peniocereus lazaro-cardenasii</i> (Contreras et al.) Hunt	Wood, Yellow (E): <i>Podocarpus nerifolius</i>
<i>Wilcoxia nerispina</i> [Schmoll ex] A.Cartier = <i>Echinocereus schmollii</i> (Weingart) Taylor	<b><i>Wullschaegelia</i> spp.</b> Reichb.f. #4 II 64 ORCHIDACEAE
<i>Wilcoxia papillosa</i> Britton & Rose = <i>Peniocereus viperinus</i> (Weber) Kreuzinger	<i>Wullschaegelia aphylla</i> (Sw.) Rchb. f. (1863) #4 II 64 ORCHIDACEAE
<i>Wilcoxia poselgeri</i> (Lemaire) Britton & Rose = <i>Echinocereus poselgeri</i> Lemaire	<i>Wullschaegelia calcarata</i> Benth. 1881 #4 II 64 ORCHIDACEAE
<i>Wilcoxia schmollii</i> (Weingart) Backeberg = <i>Echinocereus schmollii</i> (Weingart) Taylor	<i>Wullschaegelia paranaensis</i> Kraenzl. 1911 #4 II 64 ORCHIDACEAE
<i>Wilcoxia striata</i> (Brandegee) Britton & Rose = <i>Peniocereus striatus</i> (Brandegee) Bauxbaum	<i>Wullschaegelia ulei</i> Cogn. = <i>Uleiorchis ulei</i> (Cogn.) Handro
<i>Wilcoxia tamaulipensis</i> Werdermann = <i>Echinocereus poselgeri</i> Lemaire	<b><i>Xenikophyton</i> spp.</b> Garay #4 II 64 ORCHIDACEAE
<i>Wilcoxia tomentosa</i> Bravo = <i>Peniocereus viperinus</i> (Weber) Kreuzinger	<b><i>Xerorchis</i> spp.</b> Schltr. #4 II 64 ORCHIDACEAE
<i>Wilcoxia tuberosa</i> Kreuzinger = <i>Echinocereus poselgeri</i> Lemaire	<i>Xiphizusa chloroptera</i> (Rchb.f.) Rchb.f. = <i>Bulbophyllum chloropterum</i> Rchb.f.
<i>Wilcoxia viperina</i> (A. Weber) Britton & Rose = <i>Peniocereus viperinus</i> (Weber) Kreuzinger	<i>Xiphizusa gladiata</i> Rchb.f. = <i>Bulbophyllum meridense</i> Rchb.f.
<i>Wilcoxia zopilotensis</i> meyran = <i>Peniocereus zopilotensis</i> (Meyrán) Buxbaum	<i>Xiphizusa weddelii</i> (Lindl.) Rchb.f. = <i>Bulbophyllum weddelii</i> (Lindl.) Rchb.f.
<i>Wilmattea minutiflora</i> (Britton & Rose) Britton & Rose = <i>Hylocereus minutiflorus</i> Britton & Rose	<b><i>Xylobium</i> spp.</b> Lindl. #4 II 64 ORCHIDACEAE
<i>Wilmattea venezuelensis</i> (Britton & Rose) Croizat = <i>Hylocereus lemairei</i> (Hooker) Britton & Rose	<i>Xylobium brachypus</i> (Reichb.f.) Hemsley #4 II 64 ORCHIDACEAE
Winged, Pitcher-plant (E): <i>Sarracenia alata</i>	<i>Xylobium foveatum</i> (Lindley) Nicholson #4 II 64 ORCHIDACEAE
<i>Wittia amazonica</i> Schumann = <i>Disocactus amazonicus</i> (Schumann) Hunt	<i>Xylobium powellii</i> Schltr. #4 II 64 ORCHIDACEAE
<i>Wittia himantoclada</i> (Roland-Goss) R.E.Woodson = <i>Pseudorhipsalis himantoclada</i> (Roland-Gosselin) Britton & Rose	<i>Xylobium racemosum</i> (Hook.) Sweet 1830 = <i>Bifrenaria racemosa</i> (Hook.) Lindl. (1843)
<i>Wittia panamensis</i> Britton & Rose = <i>Disocactus amazonicus</i> (Schumann) Hunt	<i>Xylobium steyermarkii</i> Foldats 1970 = <i>Bifrenaria steyermarkii</i> (Foldats) Garay & Dunsterv. 1976
<i>Wittiacactus amazonicus</i> (Schumann) Rauschert = <i>Disocactus amazonicus</i> (Schumann) Hunt	<i>Xylobium sulfurinum</i> (Lemaire) Schltr. #4 II 64 ORCHIDACEAE
<i>Wittiacactus panamensis</i> (Britton & Rose) Rauschert = <i>Disocactus amazonicus</i> (Schumann) Hunt	<i>Xylobium tuerckheimii</i> Kranzlin #4 II 64 ORCHIDACEAE
Wood, Agar (E): <i>Aquilaria crassna</i>	Yam, Medicinal (E): <i>Dioscorea deltoidea</i>
	Yellow, Pitcher-plant (E): <i>Sarracenia alata</i>
	Yellow, Pitcher-plant (E): <i>Sarracenia flava</i>
	Yerba de Adonis (S): <i>Adonis vernalis</i>
	Yew, Chinese (E): <i>Taxus chinensis</i>
	yew, Himalayan (E): <i>Taxus wallichiana</i>
	Yew, Japanese (E): <i>Taxus cuspidata</i>
	<b><i>Yoania</i> spp.</b> Maxim. #4 II 64 ORCHIDACEAE
	<i>Yoania aberrans</i> Finet = <i>Cymbidium macrorhizon</i> Lindl.
	<i>Yoania australis</i> Hatch #4 II 64 ORCHIDACEAE
	<b><i>Ypsilopus</i> spp.</b> Summerh. #4 II 64 ORCHIDACEAE
	<i>Ypsilopus longifolius</i> #4 II 64 ORCHIDACEAE
	<i>Yucca queretaroensis</i> Piña (1989) II AGAVACEAE
	<b><i>Yungasocereus</i> spp.</b> Ritter #4 II 49 CACTACEAE
	<b><i>Yungasocereus inquisivensis</i></b> (Cardenas) Ritter #4 II 49 CACTACEAE

- Yungasocereus microcarpus* = *Yungasocereus inquisivensis* (Cardenas) Ritter  
**Zamia spp.** L. #4 II ZAMIACEAE  
**Zamia acuminata** Oersted ex Dyer #4 II ZAMIACEAE  
*Zamia allison-armourii* Millsp. = *Zamia pumila* L.  
*Zamia altensteinii* (Miq.) Heynh. = *Encephalartos altensteinii* Lehm.  
**Zamia amazonum** D.Stevenson #4 II ZAMIACEAE  
**Zamia amblyphyllidia** D.W.Stev. #4 II ZAMIACEAE  
**Zamia amplifolia** hort. W.Bull ex Mast. #4 II ZAMIACEAE  
**Zamia angustifolia** Jacq. #4 II ZAMIACEAE  
*Zamia angustissima* Miq. = *Zamia angustifolia* Jacq.  
**Zamia atropurpurea** D.Stevenson #4 II ZAMIACEAE  
*Zamia aurea* hort. ex Miq. = *Encephalartos horridus* (Jacq.) Lehm.  
*Zamia baraquiniana* hort ex Regel = *Zamia poeppigiana* Mart. & Eichler  
**Zamia biserrulata** D.Stevenson & Sabato #4 II ZAMIACEAE  
**Zamia boliviiana** (Brongn.) A.DC. #4 II ZAMIACEAE  
*Zamia brongniartii* Wedd. = *Zamia boliviiana* (Brongn.) A.DC.  
*Zamia caffra* Gaertn. = *Encephalartos caffer* (Thunb.) Lehm.  
*Zamia calocoma* Miq. = *Microcycas calocoma* (Miq.) A.DC.  
**ZAMIACEAE spp.** Horan. #4 I/II (E) Cycads (S) Cíadas (F) Cycadales  
*Zamia chamberlainii* J.Schust. = *Zamia pygmaea* Sims  
**Zamia chigua** Seem. #4 II ZAMIACEAE  
*Zamia crassifolia* hort. = *Encephalartos caffer* (Thunb.) Lehm.  
**Zamia cremnophila** A.P.Vovides, B.Schutzman & B.Dehgan #4 II ZAMIACEAE  
**Zamia cunaria** Dressler & D.W.Stev. #4 II ZAMIACEAE  
*Zamia cupatiensis* Ducke = *Zamia ulei* U.Dammer  
*Zamia cycadifolia* Brunn., S. = *Macrozamia fraseri* Miq.  
*Zamia cycadifolia* Dyer = *Zamia loddigesii* Miq.  
*Zamia cycadifolia* Jacq. = *Encephalartos cycadifolius* (Jacq.) Lehm.  
*Zamia cycadis* L. f. = *Encephalartos caffer* (Thunb.) Lehm.  
*Zamia debilis* L.f. = *Zamia pumila* L.  
*Zamia dentata* Voigt = *Zamia integrifolia* L.f.  
**Zamia disodon** D.W.Stev. & Sabato #4 II ZAMIACEAE  
**Zamia dressleri** D.W.Stev. #4 II ZAMIACEAE  
**Zamia elegantissima** Schuman, Vovides & Adams #4 II ZAMIACEAE  
**Zamia encephalartoides** D.W.Stev. #4 II ZAMIACEAE  
*Zamia erosa* Cook & Collins = *Zamia integrifolia* L.f.  
**Zamia fairchildiana** L.D.Gómez #4 II ZAMIACEAE  
**Zamia fischeri** Miq. #4 II ZAMIACEAE  
*Zamia floridana* A.DC. = *Zamia integrifolia* L.f.  
*Zamia friderici-guilielmi* (Miq.) Heynh. = *Encephalartos friderici-guilielmi* Lehm.  
**Zamia furfuracea** L.f. #4 II ZAMIACEAE  
*Zamia galeotti* De Vriese = *Zamia loddigesii* Miq.  
**Zamia gentryi** Dodson #4 II ZAMIACEAE  
*Zamia guggenheimiana* Carabia = *Zamia angustifolia* Jacq.  
*Zamia gutierrezii* Sauv. = *Zamia muricata* Willd.
- Zamia herrerae** Calderón & Standl. #4 II ZAMIACEAE  
*Zamia heyderi* Lauche = *Zamia integrifolia* L.f.  
*Zamia hildebrandtii* hort. ex Carr = *Encephalartos hildebrandtii* A.Braun & C.D.Bouché  
*Zamia horrida* Jacq. = *Encephalartos horridus* (Jacq.) Lehm.  
*Zamia humilis* Salisb. = *Zamia pumila* L.  
**Zamia hymenophyllidia** D.W.Stev. #4 II ZAMIACEAE  
**Zamia inermis** A.P.Vovides, J.D.Rees & Vasq.Torres #4 II ZAMIACEAE  
**Zamia integrifolia** L.f. #4 II ZAMIACEAE (E) Florida Arrowroot, Florida Coontie  
**Zamia ipetiensis** D.W.Stev. #4 II ZAMIACEAE  
*Zamia jirijimensis* R.E.Schult. = *Zamia lecointei* Ducke  
*Zamia kalbreyeri* Dammer ex J.Schust [Nom.Nud.] = *Zamia montana* A.Braun.  
*Zamia kickxii* Miq. = *Zamia pygmaea* Sims  
**Zamia lacandona** B.Schutzman & A.P.Vovides #4 II ZAMIACEAE  
*Zamia lanuginosa* Jacq. = *Encephalartos longifolius* (Jacq.) Lehm.  
*Zamia latifolia* Lodd. ex Miq. = *Zamia furfuracea* L.f.  
*Zamia latifoliolata* Prell. = *Zamia pumila* L.  
*Zamia lawsoniana* Dyer = *Zamia loddigesii* Miq.  
**Zamia lecointei** Ducke #4 II ZAMIACEAE  
*Zamia leiboldii* Miq. = *Zamia loddigesii* Miq.  
*Zamia lindenii* Regel ex André = *Zamia poeppigiana* Mart. & Eichler  
**Zamia loddigesii** Miq. #4 II ZAMIACEAE  
*Zamia longifolia* Jacq. = *Encephalartos longifolius* (Jacq.) Lehm.  
*Zamia lucayana* Britton = *Zamia integrifolia* L.f.  
*Zamia mackenii* hort.ex Miq. = *Macrozamia pauli-guilielmi* W.Hill & F.Muell.  
*Zamia maclenii* Miq. = *Dioon edule* Lindl.  
*Zamia madida* R.E.Schult. = *Zamia manicata* Linden ex Regel  
**Zamia manicata** Linden ex Regel #4 II ZAMIACEAE  
*Zamia media* Jacq. = *Zamia integrifolia* L.f.  
**Zamia melanorrhachis** D.W.Stev. #4 II ZAMIACEAE  
*Zamia mexicana* Miq. = *Zamia loddigesii* Miq.  
**Zamia montana** A.Braun. #4 II ZAMIACEAE  
**Zamia monticola** Chamb. #4 II ZAMIACEAE  
*Zamia multifoliolata* A.DC. = *Zamia angustifolia* Jacq.  
**Zamia muricata** Willd. #4 II ZAMIACEAE  
**Zamia neurophyllidia** D.W.Stev. #4 II ZAMIACEAE  
*Zamia obidensis* Ducke = *Zamia lecointei* Ducke  
**Zamia obliqua** A.Braun. #4 II ZAMIACEAE  
*Zamia obliqua* Regel ex A.Ducos = *Zamia obliqua* A.Braun.  
*Zamia oligodonta* E.Calderón & D.W.Stev. = *Zamia montana* A.Braun.  
*Zamia ottonis* Miq. = *Zamia pygmaea* Sims  
**Zamia paucijuga** Wieland #4 II ZAMIACEAE  
**Zamia picta** Dyer #4 II ZAMIACEAE  
*Zamia picta* Dyer = *Zamia variegata* Warsz.  
**Zamia poeppigiana** Mart. & Eichler #4 II ZAMIACEAE  
**Zamia polymorpha** D.W.Stev. #4 II ZAMIACEAE  
*Zamia polymorpha* D.W.Stev., A. Moretti & Vázq.Torres = *Zamia prasina* W.Bull

- Zamia portoricensis** Urban #4 II ZAMIACEAE  
**Zamia prasina** W.Bull #4 II ZAMIACEAE  
**Zamia pseudomonticola** L.D.Gómez #4 II ZAMIACEAE  
**Zamia pseudoparasitica** Yates #4 II ZAMIACEAE  
**Zamia pumila** L. #4 II ZAMIACEAE  
*Zamia pumila pygmaea* (Sim) J.E.Eckenwalder = *Zamia pygmaea* Sims  
**Zamia purpurea** A.P.Vovides, J.D.Rees & Vasq.Torres #4 II ZAMIACEAE  
**Zamia pygmaea** Sims #4 II ZAMIACEAE  
**Zamia roezlii** Linden #4 II ZAMIACEAE  
*Zamia silicea* Britton = *Zamia pygmaea* Sims  
*Zamia silvicola* Small = *Zamia integrifolia* L.f.  
**Zamia skinneri** Warsz. ex A.Dietrich #4 II ZAMIACEAE  
**Zamia soconuscen sis** B.Schutzman, A.P.Vovides & B.Dehgan #4 II ZAMIACEAE  
**Zamia sparte a** A.DC. #4 II ZAMIACEAE  
*Zamia spiralis* Salisb. = *Macrozamia spiralis* (Salisb.) Miq.  
**Zamia splendens** Schutzman #4 II ZAMIACEAE  
**Zamia standleyi** B.Schutzman #4 II ZAMIACEAE  
*Zamia stricta* Miq. = *Zamia angustifolia* Jacq.  
*Zamia sylvatica* Chamberlain = *Zamia loddigesii* Miq.  
*Zamia tenuis* Willd. = *Zamia integrifolia* L.f.  
*Zamia tricuspidata* hort. = *Encephalartos horridus* (Jacq.) Lehm.  
**Zamia tuerckheimii** Donn. Sm. #4 II ZAMIACEAE  
**Zamia ulei** U.Dammer #4 II ZAMIACEAE  
*Zamia ulei lecointei* Ducke = *Zamia lecointei* Ducke  
*Zamia umbrosa* Small = *Zamia integrifolia* L.f.  
**Zamia urep** B.Walln. #4 II ZAMIACEAE  
**Zamia variegata** Warsz. #4 II ZAMIACEAE  
**Zamia vazquezii** D.W.Stev., Sabato, A.Moretti & P.DeLuca #4 II ZAMIACEAE  
*Zamia vernicosa* Mast. = *Encephalartos altensteinii* Lehm.  
**Zamia verschaffeltii** Miq. #4 II ZAMIACEAE  
*Zamia villosa* Gaertn. = *Encephalartos cycadifolius* (Jacq.) Lehm.  
*Zamia vroomi* hort. = *Encephalartos altensteinii* Lehm.  
**Zamia wallisii** hort. Veitch ex A.Braun #4 II ZAMIACEAE  
*Zamia weilandii* J. Schust. = *Zamia poeppigiana* Mart. & Eichler  
*Zamia yatesii* Miq. = *Zamia angustifolia* Jacq.  
*Zehntnerella chaetacantha* Ritter = *Facheiroa squamosa* (Guerke) Braun  
*Zehntnerella polygona* Ritter = *Facheiroa squamosa* (Guerke) Braun  
*Zehntnerella squamulosa* Britton & Rose = *Facheiroa squamosa* (Guerke) Braun  
**Zetagyne spp.** Ridley #4 II 64 ORCHIDACEAE  
*Zetagyne albiflora* Ridley #4 II 64 ORCHIDACEAE  
**Zeuxine spp.** Lindl. #4 II 64 ORCHIDACEAE  
*Zeuxine africana* Rchb.f. #4 II 64 ORCHIDACEAE  
*Zeuxine androcardium* Schltr. #4 II 64 ORCHIDACEAE  
*Zeuxine biloba* Ridley #4 II 64 ORCHIDACEAE  
*Zeuxine boninensis* Tuy. #4 II 64 ORCHIDACEAE  
*Zeuxine clandestina* Blume #4 II 64 ORCHIDACEAE  
*Zeuxine exilis* Ridley #4 II 64 ORCHIDACEAE  
*Zeuxine francii* Schltr. #4 II 64 ORCHIDACEAE  
*Zeuxine gracilis* (Breda) Blume #4 II 64 ORCHIDACEAE  
(E) Cleric's Collar Orchid  
*Zeuxine*, Green-lip (E): *Zeuxine strateumatica*  
*Zeuxine palustris* Ridley #4 II 64 ORCHIDACEAE  
*Zeuxine polygonoides* (F.Muell.) P.Cribb #4 II 64 ORCHIDACEAE  
*Zeuxine pulchra* King & Pantl. #4 II 64 ORCHIDACEAE  
*Zeuxine purpurascens* Blume #4 II 64 ORCHIDACEAE  
*Zeuxine regia* (Lindley) Trimen #4 II 64 ORCHIDACEAE  
*Zeuxine reniformis* Hook.f. #4 II 64 ORCHIDACEAE  
*Zeuxine rupestris* Ridley #4 II 64 ORCHIDACEAE  
*Zeuxine sphaerochila* Fleischm. & Rech. #4 II 64 ORCHIDACEAE  
*Zeuxine strateumatica* (L.) Schltr. #4 II 64 ORCHIDACEAE  
(E) Green-lip Zeuxine  
*Zeuxine tjiampeana* J.J. Smith #4 II 64 ORCHIDACEAE  
*Zeuxine tonkinensis* Gagnepain #4 II 64 ORCHIDACEAE  
*Zeuxine vieillardii* (Reichb.f.) Schltr. #4 II 64 ORCHIDACEAE  
*Zeuxine viridiflora* J.J. Smith #4 II 64 ORCHIDACEAE  
*Zoduba masuca* A.Rich = *Calanthe sylvatica* (Thouars) Lindl.  
*Zootrophion* spp. Luer #4 II 64 ORCHIDACEAE  
*Zootrophion argus* (Kraenzl.) Luer #4 II 64 ORCHIDACEAE  
*Zootrophion dayanum* (Rchb.f.) Luer #4 II 64 ORCHIDACEAE  
*Zootrophion gracilentum* (Reichb.f.) Luer #4 II 64 ORCHIDACEAE  
*Zootrophion hypodiscus* (Reichb.f.) Luer #4 II 64 ORCHIDACEAE  
*Zygocactus truncatus* (Haworth) Schumann = *Schlumbergera truncata* (Haworth) Moran  
*Zygoglossum umbellatum* (G.Forst) Reinw. = *Bulbophyllum longiflorum* Thouars  
**Zygotetalum spp.** Hook. #4 II 64 ORCHIDACEAE  
*Zygotetalum amazonica* Rchb.f. & Warsz. 1866 = *Cochleanthes amazonica* (Rchb.f. & Warsz. ex Rchb.f.) Schult. & Garay 1959  
*Zygotetalum amazonicum* (Rchb.f. & Warsz. ex Rchb.f.) Rchb.f. 1863 = *Cochleanthes amazonica* (Rchb.f. & Warsz. ex Rchb.f.) Schult. & Garay 1959  
*Zygotetalum aromaticum* Rchb.f. 1852 = *Cochleanthes aromatica* (Rchb.f.) Schult. & Garay  
*Zygotetalum burtii* Benth. & Hook. ex Hemsl. 1883 = *Huntleya burtii* (Endres & Rchb.f.) Pfitzer 1889  
*Zygotetalum candidum* (Lindl.) Rchb.f. 1863 = *Cochleanthes candida* (Lindl.) R.E.Schult. & Garay  
*Zygotetalum cochleare* Lindl. 1836 = *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay (1959)  
*Zygotetalum cochleatum* Paxton = *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay (1959)  
*Zygotetalum conchaceum* Hoffmanns. ex Rchb.f. 1863 = *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay (1959)  
*Zygotetalum discolor* (Lindl.) Rchb.f. 1863 = *Cochleanthes discolor* (Lindl.) R.E.Schult. & Garay  
*Zygotetalum flabelliforme* Rchb.f. 1863 = *Cochleanthes flabelliformis* (Sw.) R.E.Schult. & Garay (1959)

<i>Zygotetalum gibezae</i> N.E.Br. 1888 = <i>Cochleanthes flabelliformis</i> (Sw.) R.E.Schult. & Garay (1959)	<i>Zygotates bradei</i> (Schltr.) Garay 1967 #4 II 64 ORCHIDACEAE
<i>Zygotetalum ionoleucum</i> Rchb.f. 1865 = <i>Cochleanthes ionoleuca</i> (Rchb.f.) Schult. & Garay 1959	<i>Zygotates chateaubriandii</i> Ruschi 1955 = <i>Zygotates cornuta</i> Lindl. 1837
<i>Zygotetalum lindenii</i> Rolfe 1892? (Rolfe) Hortus 1892? = <i>Cochleanthes amazonica</i> (Rchb.f. & Warsz. ex Rchb.f.) Schult. & Garay 1959	<i>Zygotates cornigera</i> (Cogn.) Toscano (2001) #4 II 64 ORCHIDACEAE
<i>Zygotetalum lucidum</i> Rolfe 1889 = <i>Huntleya lucida</i> (Rolfe) Rolfe 1916	<i>Zygotates cornuta</i> Lindl. 1837 #4 II 64 ORCHIDACEAE
<i>Zygotetalum lueddemannianum</i> (Rchb.f.) Rchb.f. 1863 = <i>Cochleanthes flabelliformis</i> (Sw.) R.E.Schult. & Garay (1959)	<i>Zygotates costaricensis</i> Nash = <i>Ornithocephalus bicornis</i> Lindl.
<i>Zygotetalum lueddemannianum</i> (Rchb.f.) Rchb.f. 1863 = <i>Cochleanthes lueddemanniana</i> (Rchb.f.) R.E.Schult. & Garay 1959	<i>Zygotates dasyrhiza</i> (Kraenzl.) Schltr. 1920 #4 II 64 ORCHIDACEAE
<i>Zygotetalum maculatum</i> #4 II 64 ORCHIDACEAE	<i>Zygotates duseniana</i> (Kraenzl.) Pabst. 1956 = <i>Zygotates pustulata</i> (Kraenzl.) Schltr. 1926
<i>Zygotetalum marginatum</i> (Rchb.f.) Rchb.f. 1863 #4 II 64 ORCHIDACEAE	<i>Zygotates grandiflora</i> (Lindl.) Mansf. 1938 #4 II 64 ORCHIDACEAE
<i>Zygotetalum meleagris</i> (Lindl.) Benth. 1880 = <i>Huntleya meleagris</i> Lindl. 1837	<i>Zygotates greeniana</i> Rchb.f. = <i>Centroglossa geeniana</i>
<i>Zygotetalum quadratum</i> (Rchb.f.) Pfitzer 1882 = <i>Cochleanthes marginata</i> (Rchb.f.) Schult. & Garay 1959	<i>Zygotates kuhlmanni</i> Brade 1951 #4 II 64 ORCHIDACEAE
<i>Zygotetalum trinitatis</i> Ames 1923 = <i>Cochleanthes trinitatis</i> (Ames) R.E.Schultes & Garay 1959	<i>Zygotates leptosepala</i> Toscano & L.Kollman 1997 = <i>Zygotates linearisepala</i> (Senghas) Toscano (2001)
<i>Zygotetalum velatum</i> (Rchb.f.) Rchb.f. 1863 = <i>Cochleanthes marginata</i> (Rchb.f.) Schult. & Garay 1959	<i>Zygotates ligulata</i> Toscano & Werkhoven 1998 #4 II 64 ORCHIDACEAE
<i>Zygotetalum wailesianum</i> (Lindl.) Rchb.f. 1863 = <i>Cochleanthes wailesiana</i> (Lindl.) R.E.Schult. & Garay 1959	<i>Zygotates lindmanii</i> (Kraenzl.) Schltr. 1920 = <i>Zygotates alleniana</i> Kraenzl.
<i>Zygotetalum wendlandi</i> Rchb.f. 1866 = <i>Cochleanthes aromatica</i> (Rchb.f.) Schult. & Garay	<i>Zygotates linearisepala</i> (Senghas) Toscano (2001) #4 II 64 ORCHIDACEAE
<b>Zygosepalum</b> spp. Rchb.f. #4 II 64 ORCHIDACEAE	<i>Zygotates lunata</i> Lindl. 1837 #4 II 64 ORCHIDACEAE
<i>Zygosicyos pubescens</i> Beentje. 1995 II CUCURBITACEAE	<i>Zygotates multiflora</i> (Rolfe) Schltr. 1926 #4 II 64 ORCHIDACEAE
<i>Zygosicyos tripartitus</i> Humbert 1944 II CUCURBITACEAE	<i>Zygotates obliqua</i> (Schnee) Toscano (2001) #4 II 64 ORCHIDACEAE
<b>Zygotates</b> spp. Lindl. #4 II 64 ORCHIDACEAE	<i>Zygotates octavioreisii</i> Porto & Brade 1935 #4 II 64 ORCHIDACEAE
<i>Zygotates aderaldoana</i> Toscano, L.P.Félix & Dornelas #4 II 64 ORCHIDACEAE	<i>Zygotates ovatipetala</i> (Brade) Toscano (2001) #4 II 64 ORCHIDACEAE
<i>Zygotates alleniana</i> Kraenzl. #4 II 64 ORCHIDACEAE	<i>Zygotates papillosa</i> Cogn. 1907 #4 II 64 ORCHIDACEAE
<i>Zygotates apiculata</i> (Lindl.) Toscano 2001 #4 II 64 ORCHIDACEAE	<i>Zygotates paranaensis</i> Schltr. 1926 = <i>Zygotates dasyrhiza</i> (Kraenzl.) Schltr. 1920
<i>Zygotates aquinoi</i> Schltr. 1925 #4 II 64 ORCHIDACEAE	<i>Zygotates pellucida</i> Rchb.f. 1863 #4 II 64 ORCHIDACEAE
	<i>Zygotates pustulata</i> (Kraenzl.) Schltr. 1926 #4 II 64 ORCHIDACEAE
	<i>Zygotates rotundiglossa</i> Pabst. 1964 = <i>Zygotates bradei</i> (Schltr.) Garay 1967

# Annotations key

## Annotations not preceded by "#"

### 1 *Antilocapra americana*

Only the population of Mexico is included in Appendix I. No other population is included in the Appendices.

### 2 *Bos gaurus*

Excludes the domesticated form, which is referenced as *Bos frontalis*, and is not subject to the provisions of the Convention.

### 3 *Bos mutus*

Excludes the domesticated form, which is referenced as *Bos grunniens*, and is not subject to the provisions of the Convention.

### 4 *Bubalus arnee*

Excludes the domesticated form, which is referenced as *Bubalus bubalis* and is not subject to the provisions of the Convention.

### 5 *Ovis canadensis*

Only the population of Mexico; no other population is included in the Appendices.

### 6 *Vicugna vicugna*

Included in Appendix I, except for the following populations, which are included in Appendix II.

**Argentina:** the populations of the Provinces of Jujuy and Catamarca and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan. For the exclusive purpose of allowing international trade in wool sheared from live vicuñas, in cloth, and in derived manufactured products and other handicraft artefacts. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA-ARGENTINA'. Other products must bear a label including the logotype and the designation 'VICUÑA-ARGENTINA-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

**Chile:** population of the Primera Región. For the exclusive purpose of allowing international trade in wool sheared from live vicuñas, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA-CHILE'. Other products must bear a label including the logotype and the designation 'VICUÑA-CHILE-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

**Peru:** the whole population. For the exclusive purpose of allowing international trade in wool sheared from live vicuñas and in the stock extant at the time of the ninth meeting of the Conference of the Parties (November 1994) of 3249 kg of wool, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA-PERÚ'. Other products must bear a label including the logotype and the designation 'VICUÑA-PERÚ-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

**Plurinational State of Bolivia:** the whole population. For the exclusive purpose of allowing international trade in wool sheared from live vicuñas, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words

'VICUÑA-BOLIVIA'. Other products must bear a label including the logotype and the designation 'VICUÑA-BOLIVIA-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

**Ecuador:** the whole population. For the exclusive purpose of allowing international trade in wool sheared from live vicuñas and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the elvages the words 'VICUÑA ECUADOR'. Other products must bear a label including the logotype and the designation 'VICUÑA ECUADOR-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

**7 *Moschus* spp.**

The populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan are included in Appendix I. All other populations are included in Appendix II.

**7 *Moschus* spp.**

Except the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan, which are included in Appendix I.

**8 *TAYASSUIDAE* spp.**

Except the species included in Appendix I (*Catagonus wagneri*) and the populations of *Pecari tajacu* of Mexico and the United States of America, which are not included in the Appendices.

**9 *Canis lupus***

Except the populations of Bhutan, India, Nepal and Pakistan, which are included in Appendix I. Excludes the domesticated form and the dingo which are referenced as *Canis lupus familiaris* and *Canis lupus dingo*.

**10 *FELIDAE* spp.**

Included in Appendix II, except for the species included in Appendix I. Specimens of the domesticated form are not subject to the provisions of the Convention.

**11 *Acinonyx jubatus***

Included in Appendix I. Annual export quotas for live specimens and hunting trophies are granted as follows: Botswana: 5; Namibia: 150; Zimbabwe: 50. The trade in such specimens is subject to the provisions of Article III of the Convention.

**12 *Caracal caracal***

Except the Asian population, which is included in Appendix I.

**13 *Prionailurus bengalensis bengalensis***

Except the populations of Bangladesh, India and Thailand, which are included in Appendix I.

**14 *Prionailurus rubiginosus***

Except the population of India, which is included in Appendix I.

**14 *Prionailurus rubiginosus***

Only the population of India; all other populations are included in Appendix II.

**15 *Puma yagouaroundi***

Except the populations of Central and North America, which are included in Appendix I.

**16 *Aonyx capensis microdon***

Only the populations of Cameroon and Nigeria; all other populations are included in Appendix II.

**17 *Ursus arctos***

Only the populations of Bhutan, China, Mexico and Mongolia; all other populations are included in Appendix II.

**17 *Ursus arctos***

Except the populations of Bhutan, China, Mexico and Mongolia, which are included in Appendix I.

**18 *CETACEA* spp.**

Included in Appendix II, except for the species included in Appendix I. A zero annual export quota has been established for live specimens from the Black Sea population of *Tursiops truncatus* removed from the wild and

traded for primarily commercial purposes.

19 ***Balaenoptera acutorostrata***

Population of West Greenland.

20 ***Pteropus spp.***

Except *Pteropus brunneus* and the species included in Appendix I.

21 ***Chaetophractus nationi***

Included in Appendix II. A zero annual export quota has been established. All specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

22 ***Equus africanus***

Excludes the domesticated form, which is referenced as *Equus asinus* and is not subject to the provisions of the Convention.

23 ***Ceratotherium simum simum***

Only the populations of South Africa and Swaziland; all other populations are included in Appendix I. For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable destinations and hunting trophies. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly

24 ***Manis spp.***

Included in Appendix II. A zero annual export quota has been established for *Manis crassicaudata*, *M. culionensis*, *M. javanica* and *M. pentadactyla* for specimens removed from the wild and traded for primarily commercial purposes.

25 ***Loxodonta africana***

The populations of Botswana, Namibia, South Africa and Zimbabwe are listed in Appendix II for the exclusive purpose of allowing:

- a) trade in hunting trophies for non-commercial purposes;
- b) trade in live animals to appropriate and acceptable destinations, as defined in Resolution Conf. 11.20, for Botswana and Zimbabwe and for in situ conservation programmes for Namibia and South Africa;
- c) trade in hides;
- d) trade in hair;
- e) trade in leather goods for commercial or non-commercial purposes for Botswana, Namibia and South Africa and for non-commercial purposes for Zimbabwe;
- f) trade in individually marked and certified ekipas incorporated in finished jewellery for non-commercial purposes for Namibia and ivory carvings for non-commercial purposes for Zimbabwe;
- g) trade in registered raw ivory (for Botswana, Namibia, South Africa and Zimbabwe, whole tusks and pieces) subject to the following:
  - i) only registered government-owned stocks, originating in the State (excluding seized ivory and ivory of unknown origin);
  - ii) only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf. 10.10 (Rev. CoP14) concerning domestic manufacturing and trade;
  - iii) not before the Secretariat has verified the prospective importing countries and the registered government-owned stocks;
  - iv) raw ivory pursuant to the conditional sale of registered government-owned ivory stocks agreed at CoP12, which are 20,000 kg (Botswana), 10,000 kg (Namibia) and 30,000 kg (South Africa);
  - v) in addition to the quantities agreed at CoP12, government-owned ivory from Botswana, Namibia, South Africa and Zimbabwe registered by 31 January 2007 and verified by the Secretariat may be traded and despatched, with the ivory in paragraph g) iv) above, in a single sale per destination under strict supervision of the Secretariat;
  - vi) the proceeds of the trade are used exclusively for elephant conservation and community conservation and development programmes within or adjacent to the elephant range; and
  - vii) the additional quantities specified in paragraph g) v) above shall be traded only after the Standing Committee has agreed that the above conditions have been met; and
- h) no further proposals to allow trade in elephant ivory from populations already in Appendix II shall be submitted to the Conference of the Parties for the period from CoP14 and ending nine years from the date of the single sale of ivory that is to take place in accordance with provisions in paragraphs g) i), g) ii), g) iii), g) vi) and g) vii). In addition such further proposals shall be dealt with in accordance with Decisions 14.77 and 14.78 (Rev. CoP15).

On a proposal from the Secretariat, the Standing Committee can decide to cause this trade to cease partially or completely in the event of non-compliance by exporting or importing countries, or in the case of proven detrimental impacts of the trade on other elephant populations.

All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

**26 *Chinchilla* spp.**

Specimens of the domesticated form are not subject to the provisions of the Convention

**27 *FALCONIFORMES* spp.**

Except *Caracara lutosa* and the species of the family Cathartidae, which are not included in the Appendices; and the species included in Appendices I and III.

**28 *Falco newtoni***

Only the population of Seychelles.

**29 *PSITTACIFORMES* spp.**

Included in Appendix II, except for the species included in Appendix I and *Agapornis roseicollis*, *Melopsittacus undulatus*, *Nymphicus hollandicus* and *Psittacula krameri*, which are not included in the Appendices.

**30 *STRIGIFORMES* spp.**

Except *Sceloglaux albifacies* and the species included in Appendix I.

**31 *Struthio camelus***

Only the populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan are included in Appendix I. No other population is included in the Appendices.

**32 *Caiman latirostris***

Except the population of Argentina, which is included in Appendix II.

**33 *Crocodylus acutus***

Except the population of Cuba, which is included in Appendix II.

**33 *Crocodylus acutus***

Population of Cuba

**34 *Crocodylus moreletii***

Included in Appendix I, except for the populations of Belize and Mexico, which are included in Appendix II and are subject to a zero quota for wild specimens traded for commercial purposes.

**34 *Crocodylus moreletii***

Only the populations of Belize and Mexico, with a zero quota for wild specimens traded for commercial purposes.

**35 *Crocodylus niloticus***

Populations of Botswana, Egypt (subject to a zero quota for wild specimens traded for commercial purposes), Ethiopia, Kenya, Madagascar, Malawi, Mozambique, Namibia, South Africa, Uganda, the United Republic of Tanzania (subject to an annual export quota of no more than 1,600 wild specimens including hunting trophies, in addition to ranched specimens), Zambia and Zimbabwe.

**35 *Crocodylus niloticus***

Included in Appendix I, except the populations of Botswana, Egypt (subject to a zero quota for wild specimens traded for commercial purposes), Ethiopia, Kenya, Madagascar, Malawi, Mozambique, Namibia, South Africa, Uganda, the United Republic of Tanzania (subject to an annual export quota of no more than 1,600 wild specimens including hunting trophies, in addition to ranched specimens), Zambia and Zimbabwe, which are included in Appendix II

**36 *Crocodylus porosus***

Except the populations of Australia, Indonesia and Papua New Guinea, which are included in Appendix II.

**36 *Crocodylus porosus***

Only the populations of Australia, Indonesia and Papua New Guinea; all other populations are included in Appendix I.

**37 *Vipera ursinii***

Only the population of Europe, except the area which formerly constituted the Union of Soviet Socialist Republics; these latter populations are not included in the Appendices.

**38 *Chelodina mccordi***

Zero export quota for specimens from the wild.

**39 *Batagur borneoensis***

Zero quota for wild specimens for commercial purposes.

**40 *Batagur trivittata***

Zero quota for wild specimens for commercial purposes.

**41 *Cuora* spp.**

Zero quota for wild specimens for commercial purposes for *Cuora auropunctata*, *C. flavomarginata*, *C. galbinifrons*, *C. mccordi*, *C. mouhotii*, *C. pani*, *C. trifasciata*, *C. yunnanensis* and *C. zhoui*.

**42 *Heosemys annandalii***

Zero quota for wild specimens for commercial purposes.

**43 *Heosemys depressa***

Zero quota for wild specimens for commercial purposes.

**44 *Mauremys annamensis***

Zero quota for wild specimens for commercial purposes.

**45 *Orlitia borneensis***

Zero quota for wild specimens for commercial purposes.

**46 TESTUDINIDAE spp.**

Included in Appendix II, except for the species included in Appendix I. A zero annual export quota has been established for *Geochelone sulcata* for specimens removed from the wild and traded for primarily commercial purposes.

**47 *Rheobatrachus* spp.**

Except *Rheobatrachus silus* and *Rheobatrachus vitellinus*.

**48 *Panax ginseng***

Only the population of the Russian Federation; no other population is included in the Appendices.

**49 CACTACEAE spp.**

Included in Appendix II, except for the species included in Appendix I, and for *Pereskia* spp., *Pereskipsis* spp. and *Quiabentia* spp., which are not included in the Appendices. Additionally, artificially propagated specimens of the following hybrids and/or cultivars are not subject to the provisions of the Convention: – *Hatiora* x *graeseri* – *Schlumbergera* x *buckleyi* – *Schlumbergera russelliana* x *Schlumbergera truncata* – *Schlumbergera orssichiana* x *Schlumbergera truncata* – *Schlumbergera opuntioides* x *Schlumbergera truncata* – *Schlumbergera truncata* (cultivars) – *Cactaceae* spp. colour mutants grafted on the following grafting stocks: *Harrisia* 'Jusbertii', *Hylocereus* *trigonosporus* *Hylocereus undatus* – *Opuntia microdasys* (cultivars).

**50 *Dicksonia* spp.**

The populations of the Americas are included in Appendix II. No other population is included in the Appendices.

**51 *Diospyros* spp.**

Population of Madagascar.

**52 *Euphorbia* spp.**

Succulent species are included in Appendix II, except for *Euphorbia misera* and the species included in Appendix I. Other species are not included in the Appendices.

Additionally, artificially propagated specimens of cultivars of *Euphorbia trigona*, artificially propagated specimens of crested, fan-shaped or colour mutants of *Euphorbia lactea*, when grafted on artificially propagated root stock of *Euphorbia neriifolia*, and artificially propagated specimens of cultivars of *Euphorbia* 'Mili' when they are traded in shipments of 100 or more plants and readily recognizable as artificially propagated specimens, are not subject to the provisions of the Convention.

**53 *Euphorbia cremersii***

Included in Appendix I. Includes the forma *viridifolia* and the variety *rakotozafy*.

**54 *Euphorbia cylindrifolia***

Included in Appendix I. Includes the subspecies *tuberifera*.

**55 *Euphorbia decaryi***

Included in Appendix I. Includes the varieties *ampanihyensis*, *robinsonii* and *spirosticha*.

**56 *Euphorbia moratii***

Included in Appendix I. Includes the varieties *antsingiensis*, *bemarahensis* and *multiflora*.

**57 *Dalbergia* spp.**

Population of Madagascar.

**58 *Aloe* spp.**

Included in Appendix II, except for the species included in Appendix I. Also excludes *Aloe vera*, also referenced as *Aloe barbadensis*, which is not included in the Appendices.

**59 *Aloe compressa***

Included in Appendix I. Includes the varieties *paucituberculata*, *rugosquamosa* and *schistophila*.

**60 *Aloe haworthioides***

Included in Appendix I. Includes the variety *aurantiaca*.

**61 *Aloe laeta***

Included in Appendix I. Includes the variety *maniaensis*.

**62 *Cedrela odorata***

Population of Guatemala.

**63 *Swietenia macrophylla***

Neotropical populations.

**64 ORCHIDACEAE spp.**

Included in Appendix II, except for the species included in Appendix I.

Additionally, artificially propagated hybrids of the following genera are not subject to the provisions of the Convention, if conditions, as indicated under a) and b), are met: *Cymbidium*, *Dendrobium*, *Phalaenopsis* and *Vanda*:

a) Specimens are readily recognizable as artificially propagated and do not show any signs of having been collected in the wild such as mechanical damage or strong dehydration resulting from collection, irregular growth and heterogeneous size and shape within a taxon and shipment, algae or other epiphyllous organisms adhering to leaves, or damage by insects or other pests; and

b) i) when shipped in non-flowering state, the specimens must be traded in shipments consisting of individual containers (such as cartons, boxes, crates or individual shelves of CC-containers) each containing 20 or more plants of the same hybrid; the plants within each container must exhibit a high degree of uniformity and healthiness; and the shipment must be accompanied by documentation, such as an invoice, which clearly states the number of plants of each hybrid; or

ii) when shipped in flowering state, with at least one fully open flower per specimen, no minimum number of specimens per shipment is required but specimens must be professionally processed for commercial retail sale, e.g. labelled with printed labels or packaged with printed packages indicating the name of the hybrid and the country of final processing. This should be clearly visible and allow easy verification.

Plants not clearly qualifying for the exemption must be accompanied by appropriate CITES documents.

**65 *Aerangis ellisi***

Included in Appendix I. Seedling or tissue cultures obtained in vitro, in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of 'artificially propagated' agreed by the Conference of the Parties in Resolution Conf. 11.11 (Rev. CoP15), i.e. plant specimens: a) grown under controlled conditions; and b) grown from seeds, cuttings, divisions, callus tissues or other plant tissues, spores or other propagules that either are exempt from the provisions of the Convention or have been derived from cultivated parental stock.

**66 *Dendrobium cruentum***

Included in Appendix I. Seedling or tissue cultures obtained in vitro, in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of 'artificially propagated' agreed by the Conference of the Parties in Resolution Conf. 11.11 (Rev. CoP15), i.e. plant specimens: a) grown under controlled conditions; and b) grown from seeds, cuttings, divisions, callus tissues or other plant tissues, spores or other propagules that either are exempt from the provisions of the Convention or have been derived from cultivated parental stock.

**67 *Laelia jongheana***

Included in Appendix I. Seedling or tissue cultures obtained in vitro, in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of

'artificially propagated' agreed by the Conference of the Parties in Resolution Conf. 11.11 (Rev. CoP15), i.e. plant specimens: a) grown under controlled conditions; and b) grown from seeds, cuttings, divisions, callus tissues or other plant tissues, spores or other propagules that either are exempt from the provisions of the Convention or have been derived from cultivated parental stock.

**68 *Laelia lobata***

Included in Appendix I. Seedling or tissue cultures obtained in vitro, in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of 'artificially propagated' agreed by the Conference of the Parties in Resolution Conf. 11.11 (Rev. CoP15), i.e. plant specimens: a) grown under controlled conditions; and b) grown from seeds, cuttings, divisions, callus tissues or other plant tissues, spores or other propagules that either are exempt from the provisions of the Convention or have been derived from cultivated parental stock.

**69 *Paphiopedilum* spp.**

Included in Appendix I. Seedling or tissue cultures obtained in vitro, in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of 'artificially propagated' agreed by the Conference of the Parties in Resolution Conf. 11.11 (Rev. CoP15), i.e. plant specimens: a) grown under controlled conditions; and b) grown from seeds, cuttings, divisions, callus tissues or other plant tissues, spores or other propagules that either are exempt from the provisions of the Convention or have been derived from cultivated parental stock.

**70 *Peristeria elata***

Included in Appendix I. Seedling or tissue cultures obtained in vitro, in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of 'artificially propagated' agreed by the Conference of the Parties in Resolution Conf. 11.11 (Rev. CoP15), i.e. plant specimens: a) grown under controlled conditions; and b) grown from seeds, cuttings, divisions, callus tissues or other plant tissues, spores or other propagules that either are exempt from the provisions of the Convention or have been derived from cultivated parental stock.

**71 *Phragmipedium* spp.**

Included in Appendix I. Seedling or tissue cultures obtained in vitro, in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of 'artificially propagated' agreed by the Conference of the Parties in Resolution Conf. 11.11 (Rev. CoP15), i.e. plant specimens: a) grown under controlled conditions; and b) grown from seeds, cuttings, divisions, callus tissues or other plant tissues, spores or other propagules that either are exempt from the provisions of the Convention or have been derived from cultivated parental stock.

**72 *Renanthera imschootiana***

Included in Appendix I. Seedling or tissue cultures obtained in vitro, in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of 'artificially propagated' agreed by the Conference of the Parties in Resolution Conf. 11.11 (Rev. CoP15), i.e. plant specimens: a) grown under controlled conditions; and b) grown from seeds, cuttings, divisions, callus tissues or other plant tissues, spores or other propagules that either are exempt from the provisions of the Convention or have been derived from cultivated parental stock.

**73 *Cyclamen* spp.**

Included in Appendix II. Artificially propagated specimens of cultivars of *Cyclamen persicum* are not subject to the provisions of the Convention. However, the exemption does not apply to such specimens traded as dormant tubers.

**74 *Osyris lanceolata***

Populations of Burundi, Ethiopia, Kenya, Rwanda, Uganda and the United Republic of Tanzania.

## Annotations preceded by “#”

Annotations are used in the CITES Appendices to indicate which population, parts or derivatives are concerned by the listing or to clarify its scope. The meaning of the # annotations (applicable to flora only) has changed over the years. The # annotations that are currently valid are those adopted at the 16th Conference of the Parties (CoP 16). These are provided below.

CoP16	Valid from 12/06/2013
#1	All parts and derivatives, except: a) seeds, spores and pollen (including pollinia); b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers; c) cut flowers of artificially propagated plants; and d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus <i>Vanilla</i>
#2	All parts and derivatives except: a) seeds and pollen; and b) finished products packaged and ready for retail trade
#3	Designates whole and sliced roots and parts of roots, excluding manufactured parts or derivatives, such as powders, pills, extracts, tonics, teas and confectionery
#4	All parts and derivatives, except: a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from <i>Beccariophoenix madagascariensis</i> and <i>Neodypsis decaryi</i> exported from Madagascar; b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers; c) cut flowers of artificially propagated plants; d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus <i>Vanilla</i> (Orchidaceae) and of the family Cactaceae; e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera <i>Opuntia</i> subgenus <i>Opuntia</i> and <i>Selenicereus</i> (Cactaceae); and f) finished products of <i>Euphorbia antisiphilitica</i> packaged and ready for retail trade
#5	Logs, sawn wood and veneer sheets
#6	Logs, sawn wood, veneer sheets and plywood
#7	Logs, wood-chips, powder and extracts
#8	Underground parts (i.e. roots, rhizomes): whole, parts and powdered
#9	All parts and derivatives except those bearing a label: “Produced from <i>Hoodia</i> spp. material obtained through controlled harvesting and production under the terms of an agreement with the relevant CITES Management Authority of [Botswana under agreement No. BW/xxxxxx] [Namibia under agreement No. NA/xxxxxx] [South Africa under agreement No. ZA/xxxxxx]”
#10	Logs, sawn wood, veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments
#11	Logs, sawn wood, veneer sheets, plywood, powder and extracts
#12	Logs, sawn wood, veneer sheets, plywood and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation
#13	The kernel (also known as ‘endosperm’, ‘pulp’ or ‘copra’) and any derivative thereof
#14	All parts and derivatives except: a) seeds and pollen; b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers; c) fruits; d) leaves; e) exhausted agarwood powder, including compressed powder in all shapes; and f) finished products packaged and ready for retail trade; this exemption does not apply to beads, prayer beads and carvings